Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. David Jeffery
General Manager
Bandera County River Authority and Ground Water District
P.O. Box 177
Bandera, TX 78003

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Jeffery:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Kirk Holland
General Manager
Barton Springs/Edwards Aquifer Conservation District
1124-A Regal Row
Austin, TX 78748

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Holland:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Ron Fieseler
General Manager
Blanco-Pedernales Groundwater Conservation District
P.O. Box 1516
Johnson City, TX 78636

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Fieseler:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Micah Voulgaris
General Manager
Cow Creek Groundwater Conservation District
216 Market Avenue, Suite 105
Boerne, TX 78006

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Voulgaris:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Karl Dreher
General Manager
Edwards Aquifer Authority
1615 North Saint Mary's Street
San Antonio, TX 78215

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Dreher:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Rick Broun
General Manager
Hays Trinity Groundwater Conservation District
P.O. Box 1648
Dripping Springs, TX 78620

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Broun:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Gene Williams
General Manager
Headwaters Groundwater Conservation District
125 Lehmann Drive, Suite 102
Kerrville, TX 78028

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Williams:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Ms. Luana Buckner
General Manager
Medina County Groundwater Conservation District
1613 Avenue K, Suite 105
Hondo, TX 78861

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Ms. Buckner:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. George Wissman
General Manager
Trinity-Glen Rose Groundwater Conservation District
6335 Camp Bullis Road, Suite 25
San Antonio, TX 78257

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Wissman:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Jonathan Letz
Plateau Regional Water Planning Group Chairman
Kerr County
700 Main Street, Suite 101
Kerrville, TX 78028

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Letz:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. John Burke
Lower Colorado Regional Water Planning Group Chairman
496 Shiloh Road
Bastrop, TX 78602

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Burke:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total pumping and managed available groundwater using the best available scientific tools. However, these estimates

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.state.tx.us
Phone (512) 463-7847, Fax (512) 475-2053

June 24, 2011

Mr. Con Mims
South Central Texas Regional Water Planning Group Chaiman
Nueces River Authority
P.O. Box 349
Uvalde, TX 78802

Re: Total pumping and managed available groundwater estimates for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers in Groundwater Management Area 9

Dear Mr. Mims:

The Texas Water Code, Section 36.108, Subsection (o), states that the Texas Water Development Board's executive administrator shall provide each district and regional water planning group located wholly or partly within a groundwater management area with the managed available groundwater (MAG) in the management area based upon the desired future condition(s) of the groundwater resource. This letter and the attached reports (GTA Aquifer Assessment 10-01 MAG, GTA Aquifer Assessment 10-02 MAG, and GTA Aquifer Assessment 10-14 MAG) are in response to this directive.

As noted in the letter received by the Texas Water Development Board (TWDB) on October 24, 2008, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Ellenburger-San Saba, Hickory, and Marble Falls aquifers on August 29, 2008.

Managed available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that may be permitted by a district for beneficial use in accordance with the desired future condition of the aquifer as determined under Section 36.108." For use in the regional water planning process, total pumping estimates (water both subject to permitting and exempt from permitting) have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable). The managed available groundwater is the portion of the estimated total pumping that is available for permitting by districts. In order to calculate the managed available groundwater, TWDB first estimated and sought input from the groundwater conservation districts on the amount of water exempt from permitting. Since managed available groundwater is a permitting value that only applies within a groundwater conservation district, it has been reported only at the groundwater conservation district level.
We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the total pumping and managed available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated total

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Interim Executive Administrator

pumping and managed available groundwater using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of pumping in the aquifer. It is therefore important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.state.tx.us for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Interim Executive Administrator

Attachments: GTA Aquifer Assessment 10-01 MAG
GTA Aquifer Assessment 10-02 MAG
GTA Aquifer Assessment 10-14 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Linda Brookins, Texas Commission of Environmental Quality
Cary Betz, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Bill Hutchison, Ph.D. P.E., P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
David Wuerch, P.G., Groundwater Resources
Sarah Backhouse, Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning