State Fiscal Year 2026
Clean Water State Revolving Fund
Project Information Form Rating Report

To find information on your specific system, please press Ctrl + f , and then search for the entity's name or PIF number. If the entity's name is listed more than once, click the enter key to cycle through the other projects.

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Malakoff					
PIF #:	16559	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: At the WWTP construct a new equalization basin, new lift station, repair the drying beds, replace the valves for clarifier control, replacement of racetrack rotating aerators and install additional blower, generator, and motors. For the collection system replacement of old leaky clay tile pipes that are leading to inflow and infiltration.					

	Start Date	Completion Date	Phase Cost
Planning:			$986,400.00
Acquisition:		03/01/2027	$500,000.00
Design:			$1,372,800.00
Est. Construction:	03/01/2027	08/01/2028	$14,528,800.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5a	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	81.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Fulshear					
PIF #:	16562	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: WW22C – Diversion Lift Station and Force Main with Decommission - 1.1 MGD Water Reclamation Facility					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: The City of Fulshear will construct a new wastewater diversion lift station near the existing Downtown WRF along with the associated force main to the proposed new City WRF					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		03/01/2027	$1,226,550.00
Est. Construction:	09/01/2025	03/01/2027	$13,621,780.00

Green Project:	Yes-BC
Green Amount:	$6,234,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	47.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Matagorda Co WCID # 5				
PIF #:	16564	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 Sewer Replacement Project				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	A project to replace approximately 7060 L.F. of sanitary sewer line that is either undersized or failing.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$253,984.70
Est. Construction:	06/01/2026	12/31/2026	$1,693,231.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	76.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Matagorda Co WCID # 5				
PIF #:	16565	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 Wastewater Improvements Project				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	Project to remove solids buildup in WWTP ponds and install permanent generators at four (4) lift stations.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$170,480.00
Est. Construction:	06/01/2026	12/31/2026	$1,412,210.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	76.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Linden				
PIF #:	16567	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Sanitary Sewer System Study & Improvements				
Project Type:	POTW			**Project Phase:**	P A D & Construction
Project Description:	The City of Linden owns and operates Two (2) WWTP in need of regionalization and the collection system is experiencing severe I/I. The proposed project consist of removing One (1) WWTP from service and converting it to a Lift Station and make upgrades to existing force mains and sewer mains in the collection system.				

	Start Date	Completion Date	Phase Cost
Planning:			$712,123.80
Acquisition:		12/01/2026	$70,000.00
Design:			$498,370.90
Est. Construction:	08/02/2027	12/01/2028	$6,509,970.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	80.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Arp					
PIF #:	16569	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Arp sewer plant replacement and I & I reduction project					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Site preparation, install new WWTP and appurtenances, address I & I issues in collection system. Install "permeable Asphalt"					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		06/30/2025	$0.00
Design:		06/30/2025	$0.00
Est. Construction:	10/30/2026	06/30/2028	$15,284,710.00

Green Project: Yes-Comb.

Green Amount: $6,400,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	131.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Hutchins				
PIF #:	16571	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Hutchins Wastewater Collection System Improvements				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	The rehabilitation and modernization improvements identified with this project are imperative to address the overwhelming wastewater system challenges faced by the City of Hutchins, a disadvantaged community just south of downtown Dallas.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,800,000.00
Est. Construction:	06/12/2026	06/08/2029	$12,700,000.00

Green Project:	Yes-BC
Green Amount:	$14,500,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	SSO Plan	20.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	Yes	30.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 4a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	126.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Round Rock				
PIF #:	16574	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Brushy Creek Regional Wastewater Treatment System East Plant - 40 MGD Expansion				
Project Type:	POTW			**Project Phase:**	Construction
Project Description:	The Brushy Creek Regional Wastewater Treatment System - East Plant is expanding its capacity from 30 to 40 MGD to accommodate rapid population growth. The project includes new treatment areas and equipment to meet stricter effluent limits, increase water reuse capabilities, and enhance efficiency.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		11/28/2025	$0.00
Est. Construction:	01/01/2027	01/01/2030	$117,570,000.00

Green Project:	Yes-BC
Green Amount:	$40,063,327.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Under Development	5.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	112.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: La Coste					
PIF #:	16575	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2025 Wastewater Improvements Study					
Project Type: POTW				**Project Phase:** Planning	
Project Description: Engineering study to evaluate the expansion / re-rate of the WWTP.					

	Start Date	Completion Date	Phase Cost
Planning:			$100,000.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	03/01/2026	12/31/2027	$0.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	41.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Irving					
PIF #:	16580	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: 14215, 14707, 15854					
Project Name: North Delaware Creek Flood Protection Project					
Project Type: Nonpoint Source				**Project Phase:** P A D & Construction	
Project Description: The North Delaware Creek area in Irving, Texas experiences serious flooding. With the improvements described in this project plan, this serious flooding will be largely alleviated.The proposed improvements include increasing the channel capacity by lowering the flowline and replacing the existing concrete lined trapezoidal channel with vertical modular block walls and a concrete bottom. Also several undersized crossings will be replaced to provide a 100-year Level of Service.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,187,500.00
Acquisition:		01/30/2026	$1,075,000.00
Design:			$2,875,000.00
Est. Construction:	01/08/2027	01/14/2028	$30,500,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	Yes	15.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	17.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alma					
PIF #:	16582	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Construct a new wastewater treatment plant and collection system.					

	Start Date	Completion Date	Phase Cost
Planning:			$392,000.00
Acquisition:		12/31/2026	$225,000.00
Design:			$330,000.00
Est. Construction:	04/01/2027	04/30/2028	$3,175,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	42.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Grapeland					
PIF #:	16584	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The plant needs upgrades/improvements that will allow improved operations and maintenance, and increase capacity. Collection system improvements are needed to address I&I issues.					

	Start Date	Completion Date	Phase Cost
Planning:			$520,000.00
Acquisition:			$0.00
Design:			$1,000,000.00
Est. Construction:	04/01/2027	06/30/2028	$7,050,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Colorado City					
PIF #:	16585	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Improvements to City's existing wastewater collection system					

	Start Date	Completion Date	Phase Cost
Planning:			$250,000.00
Acquisition:		12/31/2026	$100,000.00
Design:			$810,000.00
Est. Construction:	06/01/2027	06/01/2028	$10,840,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Springtown				
PIF #:	16587	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Springtown Wastewater Collection System Improvements				
Project Type:	POTW			**Project Phase:**	Construction
Project Description:	The project includes smoke testing, I/I study and manhole rehabilitation.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	03/06/2026	03/05/2027	$1,800,000.00

Green Project: Yes-BC

Green Amount: $1,800,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	26.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Cibolo Creek MA				
PIF #:	16588	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	South Regional Water Reclamation Plant				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	South Regional Water Reclamation Plant Expansion				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$10,996,670.00
Est. Construction:	01/01/2026	12/31/2027	$95,303,340.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	5.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Paducah					
PIF #:	16595	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Paducah 2026 Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project will include the replacement of all the sewer collection lines and the manholes throughout the City. The wastewater treatment lagoons will be cleaned of solids to increase the longevity of the system. An asset management plan will also be prepared.					

	Start Date	Completion Date	Phase Cost
Planning:			$689,000.00
Acquisition:			$0.00
Design:			$1,684,000.00
Est. Construction:	03/01/2026	12/31/2027	$25,883,000.00

Green Project: Yes-BC

Green Amount: $7,441,600.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	33.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: East Tawakoni					
PIF #:	16603	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace failing collection system lines. Rehab lift stations. Upgrade, improvements to the wastewater treatment plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$575,000.00
Acquisition:			$0.00
Design:			$740,000.00
Est. Construction:	04/01/2027	07/31/2028	$5,885,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Campbell					
PIF #:	16604	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace failing collection system lines. Make upgrades/improvements to WWTP.					

	Start Date	Completion Date	Phase Cost
Planning:			$445,000.00
Acquisition:			$0.00
Design:			$485,000.00
Est. Construction:	04/01/2027	03/31/2028	$4,230,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Mineola					
PIF #:	16615	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Taylor Lift Station Rehabilitation					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Taylor lift station rehabilitation, force main and collection system upgrades and rehabilitation. asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$355,000.00
Acquisition:			$0.00
Design:			$195,000.00
Est. Construction:	05/01/2027	05/01/2028	$2,900,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Sandbranch Development & WSC					
PIF #:	16620	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: PIF 13037, PROJ 73865, PIF 12745					
Project Name: First Time Sewer Service for Sandbranch					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: This project is an effort to provide domestic wastewater services to an existing impoverished developed area in Dallas County. There is no existing wastewater infrastructure however some lots may be on private septic systems.					

	Start Date	Completion Date	Phase Cost
Planning:			$169,500.00
Acquisition:		05/29/2026	$99,700.00
Design:			$139,550.00
Est. Construction:	10/30/2026	05/31/2028	$5,052,350.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	Yes	30.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 4a	50.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	143.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alba					
PIF #:	16629	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Waste Water System Improvements to Improve I & I					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Conduct smoke testing and target critical deteriorated sewerlines that are contributing to the City's high inflow and infiltration problems.					

	Start Date	Completion Date	Phase Cost
Planning:			$250,000.00
Acquisition:			$0.00
Design:			$125,000.00
Est. Construction:	08/01/2027	01/01/2029	$1,395,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Athens					
PIF #:	16632	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Athens Wastewater Treatment Plant Improvements - Phase 2					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: This project involves the design and construction of major improvements to the City of Athens West and North Wastewater Treatment Plants.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$2,059,000.00
Est. Construction:	11/13/2026	11/17/2034	$16,543,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	54.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Athens					
PIF #:	16633	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Athens Wastewater Treatment Plant Improvements-Phase 3.					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: This project involves the design and construction of major improvements to the City of Athens West and North Wastewater Treatment Plants.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,780,000.00
Est. Construction:	11/13/2026	11/17/2034	$13,928,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	54.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: La Grange					
PIF #:	16634	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of La Grange Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: Multiple portions of the City's wastewater collection system is contributing I/I to the WWTP. The project primarily proposes the functional replacement of portions of the collection system.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,306,700.00
Est. Construction:	10/01/2026	10/01/2028	$11,693,300.00

Green Project:	Yes-BC
Green Amount:	$611,156.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	35.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Blue Ridge					
PIF #:	16637	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Blue Ridge Wastewater Improvement					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Connect the City of Blue Ridge WW collection system to the Regional Wastewater Treatment Facility by the proposed 8000 LF of gravity trunk sewer line and limit or decommission the existing WWTP. Rehabilitate approximately 15,000 linear feet of clay tile pipes.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,042,500.00
Acquisition:			$0.00
Design:			$1,668,000.00
Est. Construction:	12/02/2027	06/02/2028	$17,653,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	SSO Plan	20.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	62.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	16643	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Kingsville Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project aims to enhance Kingsville's wastewater system through key upgrades and planning efforts. These improvements will ensure the system's reliability, sustainability, and compliance with regulations for the future. Project components include:- Rehabilitation and upgrades to the existing collection system- Replacement of outdated clay pipes and manholes- Renewal of permits for the North and South WWTPs to meet regulatory standards- Development of a new hydraulic model for the wastewater collection system- Development of a lift station consolidation feasibility study- Creation of an asset management plan to optimize long-term system maintenance					

	Start Date	Completion Date	Phase Cost
Planning:			$700,000.00
Acquisition:			$0.00
Design:			$1,750,000.00
Est. Construction:	03/01/2027	03/01/2029	$17,350,000.00

Green Project: Yes-CE

Green Amount: $1,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	59.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Nueces River Authority					
PIF #:	16645	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Nueces River Authority - Water Reuse Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The Nueces River Authority is proposing to create Type 1 effluent from the Leakey Regional Wastewater Treatment plant to sell as reuse water within the City of Leakey, Texas.					

	Start Date	Completion Date	Phase Cost
Planning:			$100,800.00
Acquisition:			$0.00
Design:			$624,960.00
Est. Construction:	04/15/2026	04/15/2027	$5,273,856.00

Green Project: Yes-CE

Green Amount: $5,999,616.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	103.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Bayview MUD					
PIF #:	16647	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Bayview MUD Sanitary Sewer Rehabilitation					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Bayview MUD's proposed project would rehabilitate sewer lines and manholes that are aged and in disrepair. In doing so, this would decrease the stress on the system's treatment plants and improve the efficiency of their wastewater system.					

	Start Date	Completion Date	Phase Cost
Planning:			$5,500.00
Acquisition:			$0.00
Design:			$39,750.00
Est. Construction:	03/01/2026	07/31/2026	$347,002.80

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	35.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Hughes Springs					
PIF #:	16650	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Plant and System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Hughes Springs WWTP is in need of a complete rehabilitation and the collection system is experiencing severe I/I. The proposed project consist of upgrades to the existing WWTP including rehabilitation of targeted lift stations, force mains, and sewer mains in the collection system.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,056,966.00
Acquisition:			$0.00
Design:			$514,254.00
Est. Construction:	08/02/2027	12/31/2029	$9,484,609.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Comal County				
PIF #:	16652	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Comal County Water Quality Protection Lands Program				
Project Type:	Nonpoint Source			**Project Phase:**	Acquisition
Project Description:	Comal County is interested in pursuing a program to acquire large tracts of land for the purpose of protecting the quality and quantity of its surface and groundwater resources, i.e., its springs, streams, rivers, and aquifers.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		01/28/2028	$30,000,000.00
Design:			$0.00
Est. Construction:	02/13/2026	01/26/2029	$0.00

Green Project:	Yes-CE
Green Amount:	$30,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	Yes	20.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	Yes	15.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	48.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Whitney					
PIF #:	16658	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Whitney Wastewater Collection and Treatment Improvements					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: The project proposes to replace portions of the existing wastewater collection system and construction of a new wastewater treatment plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$782,000.00
Est. Construction:	10/01/2026	10/01/2028	$11,482,000.00

Green Project: Yes-BC

Green Amount: $4,270,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	35.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Brookshire MWD				
PIF #:	16659	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Sanitary Sewer Overflow Initiatives Mitigation Measures and Wastewater Treatment Plant Expansion				
Project Type:	POTW			**Project Phase:**	Design & Construction

Project Description: The Brookshire Municipal Water District (BMWD) maintains 138,500 linear feet of sanitary sewage piping, 333 manholes and 13 lift stations that suffers from inflow and infiltration (I/I). The BMWD entered into the Sanitary Sewer Overflow (SSO) Initiative after experiencing nine unauthorized discharges totaling an estimated 146,500 gallons that were attributed to I/I. Provisions of the SSO Agreement require the BMWD to study the sanitary sewer collection system and repair the compromised components.The BMWD also proposes to expand the existing wastewater plant and rehabilitate an aging clarifier to handle I/I while sanitary sewer improvements are made and to provide capacity for future growth.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,881,000.00
Est. Construction:	02/01/2027	02/01/2029	$22,891,000.00

Green Project:	Yes-BC
Green Amount:	$14,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	SSO Plan	20.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	26.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Angleton					
PIF #:	16662	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description:					

	Start Date	Completion Date	Phase Cost
Planning:			$1,565,170.85
Acquisition:			$0.00
Design:			$4,671,301.72
Est. Construction:	09/30/2026	12/31/2031	$28,876,718.53

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	66.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Streetman					
PIF #:	16664	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: New Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Project consists of constructing a new WWTP to replace the existing WWTP due to age and structural condition. The existing WWTP is also impacted by the construction of Lake Tehuacana Creek.					

	Start Date	Completion Date	Phase Cost
Planning:			$493,900.00
Acquisition:			$0.00
Design:			$483,800.00
Est. Construction:	05/01/2028	08/01/2029	$6,642,300.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	52.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Green Valley SUD

PIF #:	16665	**Program:**	CWSRF	**PPL Year:**	2026

Related PIFs:

Project Name: Santa Clara Creek WWTF 1.25 MGD Plant Expansion

Project Type: POTW

Project Phase: Construction

Project Description: This project will expand the hydraulic and treatment capacity at the Santa Clara WWTF located at 3930 Linne Road, Seguin, Texas from 0.75 MGD to 2.0 MGD. This project will require a permit amendment but does not change the current ultimate phase of the permit, only the interim permit capacity. Currently the District has an operational 0.25 MGD steel basin package plant on site and is in construction to add a 0.5 MGD steel basin package plant. This project will add an additional 1.25 MGD of capacity with concrete basins, headworks, lift station, UV disinfection, tertiary filtration, sludge management and processing, non-potable water system and allow the District to market reuse water from the plant under a Chapter 210 permit to nearby industrial and construction projects. The project funding will only include construction and construction administration costs. The design phase is funded by GVSUD directly.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	08/04/2026	05/09/2028	$74,590,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	22.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Waller				
PIF #:	16670	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	City of Waller - Sanitary Sewer Collection Improvements				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	The City has a history of major inflow & infiltration (I/I) in its wastewater system, which is from old sanitary sewer collection piping and manholes that are past their useful life. After completion of a system-wide Sanitary Sewer Evaluation Survey (SSES), the City proposes to replace and rehabilitate the worst segments of the collection system.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$692,500.00
Est. Construction:	01/01/2026	11/15/2026	$4,740,000.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 4a	50.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	105.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Winona					
PIF #:	16671	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Wastewater collection system and treatment plant rehabilitation					

	Start Date	Completion Date	Phase Cost
Planning:			$275,000.00
Acquisition:			$0.00
Design:			$305,000.00
Est. Construction:	05/01/2028	12/31/2029	$2,769,200.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	90.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Marshall					
PIF #:	16672	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment Plant & Collection System Upgrades					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Rehabilitate and upgrade the existing collection system and WWTP as required by the EPA Administrative order.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,064,000.00
Acquisition:			$0.00
Design:			$1,319,000.00
Est. Construction:	10/01/2027	11/01/2029	$18,374,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Johnson City				
PIF #:	16673	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Johnson City Wastewater Treatment Plant Expansion Project				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The Johnson City Wastewater Treatment Plant (WWTP) Expansion Project is required due to growing population of the city and increased flow rate projections. In addition, Johnson City will be investigating infiltration and inflow (I&I) into the collection system to reduce the amount of groundwater that enters the WWTP.				

	Start Date	Completion Date	Phase Cost
Planning:			$130,000.00
Acquisition:			$0.00
Design:			$2,470,000.00
Est. Construction:	01/01/2026	01/01/2029	$16,390,000.00

Green Project: Yes-CE

Green Amount: $130,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Mexia					
PIF #:	16674	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: WWTP and Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Wastewater Treatment Plant replacement to failing parts in system that have reached the end of their life cycle. Also, replacement of the existing deteriorated clay tile wastewater collection lines and manholes that are contributing to excessive Inflow and infiltration in the Cities system.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,055,400.00
Acquisition:			$0.00
Design:			$1,510,800.00
Est. Construction:	01/04/2027	07/03/2028	$15,989,300.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Mertzon					
PIF #:	16675	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City desires to replace old, dilapidated sewer lines in the collection system. The project will also include the rehabilitation or replacement of manholes. Project will include an Asset Management Plan					

	Start Date	Completion Date	Phase Cost
Planning:			$4,219,000.00
Acquisition:			$0.00
Design:			$974,000.00
Est. Construction:	03/01/2026	03/01/2028	$13,253,000.00

Green Project: Yes-BC

Green Amount: $18,446,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Canyon					
PIF #:	16676	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	

Project Description: The City of Canyon is in need of Wastewater System improvements including The City of Canyon's Wastewater Treatment Facility (WWTF) is currently noncompliant with its TLAP permit limitation of 5-day biochemical oxygen demand (BOD5) concentration of 100 mg/L at any time. To resolve these issues, the City proposes to install a flow-splitting structure, dredge the lagoons, and add a new lagoon for future growth. Since excessive algae growth would not be directly controlled with these improvements, the City also proposes installing ultrasound-based algae monitoring and control units within each lagoon and building a new lagoon for compliance and growth. These improvements also include the replacement and relocation of Lift Station No.1 and associated force main that have met their service life.

	Start Date	Completion Date	Phase Cost
Planning:			$2,706,600.00
Acquisition:			$0.00
Design:			$3,829,800.00
Est. Construction:	06/02/2030	01/30/2032	$32,872,450.00

Green Project: Yes-CE

Green Amount: $3,224,900.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Granger					
PIF #:	16677	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Granger WWTP Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: New Wastewater Treatment Plant					

	Start Date	Completion Date	Phase Cost
Planning:			$1,204,600.00
Acquisition:			$0.00
Design:			$1,256,400.00
Est. Construction:	10/01/2026	10/31/2027	$13,182,100.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Pflugerville					
PIF #:	16678	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 15-inch North Wilbarger and Northwest Wilbarger Interceptors					
Project Type: POTW				**Project Phase:** Acquisition Design & Construction	
Project Description: Two15-inch interceptors to serve increased demand north and west of SH45 and SH130 to be served by the Wilbarger basin.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		12/31/2025	$612,000.00
Design:		07/07/2025	$591,000.00
Est. Construction:	06/30/2025	12/31/2026	$3,467,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	7.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Lago Vista				
PIF #:	16679	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Lago Vista Dual Purpose Wastewater Treatment Plant Project				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	This is a dual purpose project that includes; ? Increasing plant capacity from 1.0 MGD to 1.5 MGD to accommodate rapid population growth.? Upgrading the treatment process from Type 2 to Type 1 effluent, improving wastewater reuse flexibility and reducing potable water consumption.				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$3,800,000.00
Est. Construction:	06/25/2027	06/08/2029	$24,400,000.00

Green Project: Yes-CE

Green Amount: $28,200,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	84.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Rayburn Country MUD					
PIF #:	16680	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Rayburn Country Clean Water					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Improvements and rehabilitation are needed throughout the system to keep up with demand and lower energy costs.					

	Start Date	Completion Date	Phase Cost
Planning:			$789,076.00
Acquisition:		03/01/2028	$0.00
Design:			$775,430.00
Est. Construction:	10/01/2026	10/01/2027	$8,219,260.00

Green Project: No

Green Amount: $100,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Holland					
PIF #:	16681	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Holland Drainage Improvements					
Project Type: Nonpoint Source				**Project Phase:** P A D & Construction	
Project Description: New Concrete Box Culvert storm water system with concrete lined channels.					

	Start Date	Completion Date	Phase Cost
Planning:			$681,500.00
Acquisition:		12/31/2026	$312,900.00
Design:			$686,400.00
Est. Construction:	04/01/2026	04/30/2027	$4,680,200.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Rosebud					
PIF #:	16682	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Rosebud Drainage Improvements					
Project Type: Nonpoint Source				**Project Phase:** P A D & Construction	
Project Description: Culvert replacement and drainage conveyance improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$485,100.00
Acquisition:		10/31/2026	$276,000.00
Design:		04/30/2026	$443,500.00
Est. Construction:	06/01/2026	06/30/2027	$2,288,900.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Manor					
PIF #:	16683	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: East Travis Regional Wastewater Treatment Plant and Wastewater Collection System					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Wastewater treatment plant and trunk mains to serve eastern Travis County with regional, centralized sewer service.					

	Start Date	Completion Date	Phase Cost
Planning:			$8,299,000.00
Acquisition:		12/31/2026	$1,800,000.00
Design:			$8,482,000.00
Est. Construction:	01/01/2028	12/31/2029	$86,820,000.00

Green Project: Yes-BC

Green Amount: $100,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	27.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Del Rio					
PIF #:	16684	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: 73786					
Project Name: City of Del Rio Wastewater Master Plan					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Del Rio is making significant improvements to the wastewater treatment plants (TWDB Project No. 11098, EFR attached) and replacing 37000 linear feet of aging sewer lines. The sewer line replacement project is the continued effort from PIF#73786 and is being included in this package along with other improvements the City wants to make to the wastewater system.					

	Start Date	Completion Date	Phase Cost
Planning:			$691,662.00
Acquisition:		10/31/2025	$0.00
Design:		07/31/2025	$7,545,408.00
Est. Construction:	10/30/2025	10/30/2029	$82,226,780.00

Green Project: Yes-BC

Green Amount: $6,500,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	SSO Plan	20.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	77.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Military Highway WSC				
PIF #:	16685	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	San Pedro Wastewater Treatment Facility Expansion				
Project Type:	POTW			**Project Phase:**	P A D & Construction
Project Description:	The Military Highway Water Supply Corporation (MHWSC) plans to expand the San Pedro Wastewater Treatment Facility (SPWWTF) to increase its treatment capacity from 0.16 MGD to 0.934 MGD.				

	Start Date	Completion Date	Phase Cost
Planning:			$325,000.00
Acquisition:		08/01/2025	$1,000,000.00
Design:			$2,300,000.00
Est. Construction:	08/01/2027	12/01/2028	$30,229,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Plainview					
PIF #:	16686	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: WWTP Lift Station Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The main lift station which supports the City's WWTP has experienced significant deterioration in its concrete structure. The City intends to replace this lift station. In addition, the City will also add redundancy to the WWTP electrical system by adding a stand alone headworks Motor Control Center.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$648,000.00
Est. Construction:	08/15/2027	04/15/2028	$3,337,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5b	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	50.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Lago Vista					
PIF #:	16687	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Lago Vista Effluent Pond #17 Rehabilitation and Construction of a New Effluent Pond.					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: This project involves the repair and rehabilitation of the City's Effluent Pond #17as well as the construction of an additional effluent pond to enhance wastewater storage, prevent environmental contamination, and improve effluent reuse efficiency.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,200,000.00
Est. Construction:	01/09/2026	07/07/2028	$9,800,000.00

Green Project: Yes-CE

Green Amount: $11,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	84.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Sterling City				
PIF #:	16688	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The existing collection system has experienced failure and collapses throughout the system. This project will directly address this by replacing 30,000 LF of undersized outdated sewer mains and rehabilitate the primary lift station at the Sterling City WWTP. An asset management plan is included.				

	Start Date	Completion Date	Phase Cost
Planning:			$325,000.00
Acquisition:			$0.00
Design:			$346,000.00
Est. Construction:	12/01/2026	12/01/2028	$5,391,000.00

Green Project: Yes-BC

Green Amount: $6,062,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Paris					
PIF #:	16689	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Rehabilitation of wastewater collection system by replacing dilapidated sewer mains, force mains, and grinder pumps, and performing an overall system inventory and analysis.					

	Start Date	Completion Date	Phase Cost
Planning:			$550,000.00
Acquisition:			$104,500.00
Design:			$973,743.00
Est. Construction:	01/04/2027	12/31/2031	$4,868,717.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	36.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Cumby					
PIF #:	16690	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Upgrade Wastewater Treatment Plant and Collection System					

	Start Date	Completion Date	Phase Cost
Planning:			$490,000.00
Acquisition:			$25,150.00
Design:			$840,000.00
Est. Construction:	01/28/2027	07/28/2028	$7,125,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alamo					
PIF #:	16691	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Tower Road Lift Station Replacement					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project will replace an existing old and deteriorated Sanitary Sewer Lift Station located on Tower Road.The existing lift station site is very small and limited, and it is adjacent to existing residential homes. The proposed project will relocate the lift station approximately 2,500 feet south and will be placed on City-owned land just behind the City's Public Works Building site. The new lift station will be sized to pump 1,500 gpm and will pump directly into an adjacent 10-inch force main. The lift station will also include odor control equipment.					

	Start Date	Completion Date	Phase Cost
Planning:			$325,000.00
Acquisition:			$0.00
Design:			$260,000.00
Est. Construction:	01/01/2026	01/01/2027	$2,400,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Weslaco

PIF #:	16692	**Program:**	CWSRF	**PPL Year:**	2026

Related PIFs:

Project Name: City of Weslaco South Wastewater Treatment Plant Expansion and Upgrade

Project Type: POTW

Project Phase: Planning Design & Construction

Project Description: The City of Weslaco owns and operates a Wastewater Treatment Plant which is currently approaching 75% of its permitted average daily flow capacity and is anticipated to reach 107% of its permitted capacity in the next few years. Since the City is rapidly approaching its permitted plant treatment capacity, the City has had to put in place a growth moratorium stipulating that no new multi-residential connections will be allowed in the South WWTP wastewater collection system. However, multiple developments were approved prior to instituting the moratorium, which means the flows will continue to increase rapidly despite the moratorium now being in place.The City is proposing to both expand and upgrade its existing WWTP to support onsite and offsite reuse demands. The City, as part of this project, also proposes to implement an Asset Management Plan.

	Start Date	Completion Date	Phase Cost
Planning:			$1,320,000.00
Acquisition:			$0.00
Design:			$2,750,000.00
Est. Construction:	12/01/2025	06/01/2028	$28,930,000.00

Green Project: Yes-CE

Green Amount: $33,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	139.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Jacksboro					
PIF #:	16693	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The WWTP is approaching the end of its useful life and requires major rehabilitation and upgrades.					

	Start Date	Completion Date	Phase Cost
Planning:			$260,000.00
Acquisition:			$0.00
Design:			$2,000,000.00
Est. Construction:	03/01/2027	03/01/2028	$22,500,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	56.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Harlingen Water Works System				
PIF #:	16694	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:	14343, 15119, and 15834				
Project Name:	Little Creek Interceptor and Lift Station No. 9 Improvements				
Project Type:	POTW			**Project Phase:**	Construction

Project Description: Little Creek Interceptor (LCI), the main interceptor that conveys wastewater from 34 sewersheds in Harlingen to the WWTP, experiences severe overloading resulting in sewer overflows during heavy rainfall events. Significant portions of the existing LCI consist of failing clay pipe on irregular slope that create perpetually surcharged conditions, sediment accumulation and capacity reduction. A deeper, larger replacement of the LCI as proposed in the 20-year master plan will resolve current overloading and overflows, replace failing pipe, correct irregular grades, provide excess capacity for future growth and system extension, and eliminate three lift stations. The upgraded interceptor will facilitate other core trunk sewer and lift station capacity projects in the master plan that will tie directly into the LCI at greater depth, enabling the elimination of two additional major lift stations and achieving near-total elimination of model-predicted overflows.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		06/01/2026	$0.00
Design:		06/01/2026	$0.00
Est. Construction:	08/01/2026	08/01/2028	$55,660,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Dublin					
PIF #:	16695	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The project includes making improvements to the City's main lift station and grit chamber, adding diffused air to the lagoon system, and adding backup power at the wastewater treatment plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$130,000.00
Acquisition:			$0.00
Design:			$129,400.00
Est. Construction:	03/31/2026	03/02/2026	$1,675,600.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Thorndale					
PIF #:	16696	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System and Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace WWTP and Reduce Collection System I/I					

	Start Date	Completion Date	Phase Cost
Planning:			$1,000,000.00
Acquisition:			$0.00
Design:			$1,285,000.00
Est. Construction:	05/04/2026	06/02/2025	$20,420,000.00

Green Project: Yes-BC

Green Amount: $16,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	51.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Bandera					
PIF #:	16697	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: P#73962, 1/10/25					
Project Name: Wastewater Treatment Plant Relocation and Reuse Implementation					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Relocation of the City of Bandera's wastewater treatment plant outside of the FEMA regulatory floodway. The proposed project would include construction of a new wastewater treatment facility and associated conveyance from the existing site to the proposed location of the new facility. Begin implementing solutions for future wastewater reuse and recycling.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		07/31/2025	$0.00
Design:			$0.00
Est. Construction:	01/01/2027	06/01/2028	$13,612,320.00

Green Project: Yes-BC

Green Amount: $4,591,983.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	79.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Denton					
PIF #:	16698	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Clear Creek Lift Station, Bar Screen and Clear Creek Interceptor					
Project Type: POTW				**Project Phase:** Acquisition Design & Construction	
Project Description: This project involves the construction of a collection interceptor that will convey wastewater by gravity to a lift station, followed by a force main connection downstream, ultimately flowing to the Pecan Creek Wastewater Treatment Plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		02/19/2027	$30,072,920.00
Design:			$8,331,475.00
Est. Construction:	12/11/2025	05/26/2025	$51,162,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	67.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Red River Authority					
PIF #:	16699	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Arrowhead Ranch Estates Sewer Plant Replacement					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: The project will replace the existing 30,000 GPD package wastewater treatment plant, along with piping and apurtenances.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$66,000.00
Est. Construction:	05/31/2025	06/01/2026	$605,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	Yes	5.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	42.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Denton					
PIF #:	16700	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Reconstruction of Pecan Creek Water Reclamation Plant (PCWRP)					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: Construction of New 26 MGD Pecan Creek Water Reclamation Plant With MBR/BNR technology					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		06/30/2025	$17,326,130.00
Est. Construction:	10/01/2025	11/01/2030	$309,028,300.00

Green Project: Yes-CE

Green Amount: $54,491,240.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	93.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	16701	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Stormwater Control at Low Water Crossings					
Project Type: Nonpoint Source				**Project Phase:** Planning Design & Construction	
Project Description: The project involves the replacement of three low water crossings in Kingsville, Texas, to adequately manage stormwater and address structural and environmental issues and ensure safety and compliance with FEMA Base Flood Elevation standards.					

	Start Date	Completion Date	Phase Cost
Planning:			$169,462.50
Acquisition:			$0.00
Design:			$250,200.00
Est. Construction:	06/01/2025	02/01/2026	$3,922,462.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	Yes	30.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	93.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Pineland					
PIF #:	16702	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: New wastewater treatment plant					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Proposed project is for Planning and Design of replacement of the City of Pineland's existing WWTP. The existing WWTP has been in operation in its current configuration for approximately 25 years with numerous treatment units predating the current configuration, and it has reached the end of its useful life.					

	Start Date	Completion Date	Phase Cost
Planning:			$636,900.00
Acquisition:		10/01/2027	$82,500.00
Design:			$739,000.00
Est. Construction:	05/01/2028	05/01/2030	$11,294,200.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Robstown					
PIF #:	16703	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Robstown Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The project includes upgrades to the city's existing wastewater treatment plant (WWTP) to increase energy efficiency and address aging facilities.					

	Start Date	Completion Date	Phase Cost
Planning:			$603,166.67
Acquisition:		06/01/2029	$0.00
Design:			$488,666.67
Est. Construction:	06/01/2028	06/01/2029	$3,908,166.67

Green Project: Yes-CE

Green Amount: $100,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	53.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alvarado					
PIF #:	16707	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Alvarado is proposing sewer main replacements, manhole replacements, and wastewater treatment plant capacity expansion.					

	Start Date	Completion Date	Phase Cost
Planning:			$750,000.00
Acquisition:			$0.00
Design:			$1,145,000.00
Est. Construction:	03/03/2026	12/31/2027	$18,730,000.00

Green Project: Yes-BC

Green Amount: $100,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5b	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	70.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Strawn					
PIF #:	16708	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Strawn is proposing manhole replacements, lift station improvements, and wastewater treatment plant improvements.					

	Start Date	Completion Date	Phase Cost
Planning:			$77,000.00
Acquisition:			$0.00
Design:			$56,500.00
Est. Construction:	03/03/2026	12/31/2026	$616,500.00

Green Project: Yes-BC

Green Amount: $200,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Millsap					
PIF #:	16710	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: New Wastewater System					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Project consists of installing a new wastewater system for the City of Millsap. The City currently does not have a wastewater collection or treatment system. The existing residents have private septic systems.					

	Start Date	Completion Date	Phase Cost
Planning:			$680,000.00
Acquisition:		01/01/2026	$0.00
Design:		01/01/2026	$65,000.00
Est. Construction:	03/03/2026	03/02/2026	$17,780,000.00

Green Project: Yes-Comb.

Green Amount: $18,525,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	51.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Coolidge					
PIF #:	16711	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Coolidge Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Coolidge Wastewater Treatment Plant					

	Start Date	Completion Date	Phase Cost
Planning:			$560,907.00
Acquisition:			$0.00
Design:			$373,750.00
Est. Construction:	01/01/2028	01/01/2029	$3,684,186.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	55.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Centerville					
PIF #:	16712	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Centerville Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Centerville Wastewater Treatment Plant					

	Start Date	Completion Date	Phase Cost
Planning:			$768,226.00
Acquisition:			$0.00
Design:			$655,500.00
Est. Construction:	01/01/2028	01/01/2029	$7,206,636.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	50.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: El Paso Water					
PIF #:	16714	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Lift Station Replacement Project					
Project Type: POTW				**Project Phase:** Construction	
Project Description: There are a set of four lift stations servicing economically disadvantaged communities that are in need of rehabilitation. They are the Zaragoza Port of Entry, Independence, Pecos, and Canutillo Bosque lift stations. The rehabilitation work will include, but is not limited to, replacement, reconstruction, or expansion of the existing facilities and their respective assets.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		09/01/2026	$0.00
Est. Construction:	08/11/2025	11/01/2027	$23,515,830.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	72.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Graford					
PIF #:	16715	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Leak test old deteriorating lines and old brick manholes for replacement to minimize infiltration and inflow (I&I).					

	Start Date	Completion Date	Phase Cost
Planning:			$140,000.00
Acquisition:			$0.00
Design:			$50,000.00
Est. Construction:	05/01/2026	12/31/2026	$1,171,500.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	35.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Chico					
PIF #:	16716	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The project consists of replacing existing, deteriorated sewer line and manholes.					

	Start Date	Completion Date	Phase Cost
Planning:			$105,000.00
Acquisition:			$0.00
Design:			$320,000.00
Est. Construction:	03/31/2026	03/01/2027	$1,900,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alpine					
PIF #:	16718	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project consists of improvements at the City's wastewater treatment plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$183,300.00
Acquisition:			$0.00
Design:			$284,300.00
Est. Construction:	06/02/2028	06/03/2029	$4,412,300.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	2.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Electra					
PIF #:	16720	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Sewer System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Rehabilitation of the City's lift stations and WWTP Plant					

	Start Date	Completion Date	Phase Cost
Planning:			$58,000.00
Acquisition:			$0.00
Design:			$49,000.00
Est. Construction:	06/01/2026	06/30/2027	$585,500.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Crawford					
PIF #:	16721	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Crawford Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Crawford Wastewater Treatment Plant					

	Start Date	Completion Date	Phase Cost
Planning:			$599,560.00
Acquisition:			$0.00
Design:			$333,500.00
Est. Construction:	01/01/2028	01/01/2029	$4,586,706.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Abilene					
PIF #:	16722	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project includes upsizing of the 36-Inch West Interceptor within the collection system and an asset management plan. The planned project will improve the system capability of mitigating peak wet weather events and help to reduce the potential for collection system surcharging and corresponding sanitary sewer overflows.					

	Start Date	Completion Date	Phase Cost
Planning:			$5,090,000.00
Acquisition:			$0.00
Design:			$4,178,000.00
Est. Construction:	06/01/2025	06/01/2027	$69,391,000.00

Green Project: Yes-BC

Green Amount: $78,658,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	SSO Plan	20.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	21.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Albany					
PIF #:	16723	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Albany needs to replace or rehabilitate multiple components of its collection system and WWTP and prepare an asset management plan for the WW System.					

	Start Date	Completion Date	Phase Cost
Planning:			$446,000.00
Acquisition:			$0.00
Design:			$369,000.00
Est. Construction:	03/01/2026	03/01/2027	$7,740,000.00

Green Project: Yes-BC

Green Amount: $8,445,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	58.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Ballinger

PIF #:	16726	**Program:**	CWSRF	**PPL Year:**	2026

Related PIFs:

Project Name: 2026 CWSRF Wastewater System Improvements

Project Type: POTW

Project Phase: Planning Design & Construction

Project Description: The proposed project includes upgrade of multiple lift stations within the collection system and emergency power generators at each lift station and the WWTP and an asset management plan. The planned projects will improve the system capability of mitigating peak wet weather events and help to reduce the potential for collection system surcharging and corresponding sanitary sewer overflows.

	Start Date	Completion Date	Phase Cost
Planning:			$696,000.00
Acquisition:			$0.00
Design:			$597,000.00
Est. Construction:	06/01/2026	11/01/2028	$8,037,500.00

Green Project: Yes-BC

Green Amount: $1,500,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	16.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Big Lake					
PIF #:	16728	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Big Lake desires to replace portions of the City's wastewater collection pipelines and manholes that have reached the end of their service life and require replacement and preparation of an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$334,000.00
Acquisition:			$0.00
Design:			$370,000.00
Est. Construction:	12/01/2025	12/31/2027	$5,944,000.00

Green Project: Yes-BC

Green Amount: $6,648,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	2.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Log Cabin				
PIF #:	16730	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Log Cabin's Waste Water Treatment Plant Rehabilitation				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction

Project Description: The City of Log Cabin operates an activated sludge wastewater treatment plant. The plant is experiencing a high quantity of sludge throughout the plant treatment processes and failure to maintain proper aeration within the treatment processes. The yard piping between the treatment units (fiberglass tanks) is experiencing failure and leaks. The flow equalization tank is in need of replacing the existing pump and adding an additional pump (backup). The proposed project includes; plant rehabilitation of the wastewater preliminary treatment, wastewater primary treatment, wastewater secondary treatment, with improving the efficiency and quality of the treatment process. Also, the construction of two drying beds to aid with the sludge disposal is necessary. The rehabilitation of the wastewater treatment plant processes includes additional following processes.1.Wastewater preliminary treatment (additional processes with preliminary treatment)2.Wastewater primary treatment (repairs and sludge removal)3. Wastewater secondary treatment (repairs and sludge removal)4 New yard piping between preliminary treatment units and multiple tanks (fiberglass) within the plant (Flow equalization aeration, clarifier and disinfection)5. Construction of two drying beds

	Start Date	Completion Date	Phase Cost
Planning:			$49,375.00
Acquisition:			$0.00
Design:			$148,750.00
Est. Construction:	01/20/2025	12/20/2027	$906,250.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Orangefield WSC				
PIF #:	16731	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	OWSC Wastewater Collection System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The project will include upgrades to the existing vacuum sewer system and wastewater treatment plant.				

	Start Date	Completion Date	Phase Cost
Planning:			$95,000.00
Acquisition:			$0.00
Design:			$1,154,000.00
Est. Construction:	03/05/2026	03/05/2027	$17,201,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?		
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 4a	50.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Brownwood				
PIF #:	16732	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Bowie Lift Station Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction

Project Description: The City of Brownwood (City) aims to improve its wastewater system by replacing the existing Camp Bowie Lift Station (LS) at the existing Wastewater Treatment Plant (WWTP). The proposed improvements will include the installation of a new LS, coarse screen, Supervisory Control and Data Acquisition (SCADA) system, electrical system, and the rehabilitation of the WWTP's Clarifiers and Sand Filters. In addition to the Lift Station, the wastewater system improvements will include the rehabilitation of storm drains.

	Start Date	Completion Date	Phase Cost
Planning:			$568,000.00
Acquisition:			$0.00
Design:			$722,000.00
Est. Construction:	12/01/2026	07/01/2027	$13,912,000.00

Green Project: Yes-BC

Green Amount: $711,402.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Duncanville					
PIF #:	16733	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Duncanville Collection System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Duncanville Collection System Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$211,771.00
Acquisition:			$0.00
Design:			$212,750.00
Est. Construction:	01/01/2027	01/01/2028	$1,523,750.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 4a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	40.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Cisco				
PIF #:	16734	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction

Project Description: The City of Cisco seeks to replace the entire network of gravity sewer lines. Existing sewer lines in Cisco's wastewater collection system are deteriorating and need to be replaced. The main lift station needs to be rehabilitated, and generators are needed at each of the lift stations. The development of an Asset Management Plan will also be included as part of the proposed project.

	Start Date	Completion Date	Phase Cost
Planning:			$1,338,000.00
Acquisition:			$0.00
Design:			$2,126,000.00
Est. Construction:	12/01/2026	08/01/2027	$44,065,000.00

Green Project: Yes-BC

Green Amount: $47,529,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	46.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Donna					
PIF #:	16737	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: P#73943					
Project Name: City of Donna Wastewater Treatment Expansion and Upgrades					
Project Type: POTW				**Project Phase:** Construction	
Project Description: The proposed project for the City of Donna Wastewater Treatment Plant (WWTP) expansion is aimed at addressing the ongoing exceedance of effluent permit limitations, as well as capacity constraints that have placed the city under an administrative order from the EPA and TCEQ. The project will increase the WWTP's treatment capacity from 1.8 MGD to 2.8 MGD, ensuring compliance with regulatory requirements, mitigating environmental risks, and accommodating projected population and service connection growth.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	05/01/2026	08/01/2027	$19,900,000.00

Green Project: Yes-BC

Green Amount: $4,310,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	107.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: San Leanna					
PIF #:	16738	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: San Leanna Project 1 - AMR/AMI Installation CWSRF					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: To ensure accurate measurement of water usage and reduce water loss, a project to develop a plan for the replacement of meters, meter boxes and other relevant appurtenances in the system with AMR and/or AMI is proposed.					

	Start Date	Completion Date	Phase Cost
Planning:			$111,150.00
Acquisition:			$0.00
Design:			$109,200.00
Est. Construction:	11/02/2026	06/01/2027	$949,650.00

Green Project: Yes-CE

Green Amount: $1,170,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	8.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Eastland					
PIF #:	16739	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City's wastewater system is in need of upgrades to existing lift stations, replacement of distressed sewer lines, and manholes throughout the collection system.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,486,000.00
Acquisition:			$0.00
Design:			$209,000.00
Est. Construction:	03/01/2026	03/01/2028	$4,751,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Hondo					
PIF #:	16740	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: PIF 15492					
Project Name: WWTP & Sanitary Sewer Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	

Project Description: WWTP is experiencing overflows and TCEQ violations from dilapidated, failing equipment. WWTP is beyond 75% capacity. Proposed project consists of rehabilitation and/or upgrade of WWTP, and collection system improvements including a new lift station. Proposed WWTP improvements consists of influent pumping, mechanical screening, grit collection, classification, grit pumping, aeration basin improvements, clarifiers, blowers / mechanical aerators, return sludge pumping, disinfection, solids processing, digestor improvements, solids dewatering and processing, polymer tankage and mixing, sludge removal from existing process basins, process piping, paving and miscellaneous concrete flatwork and sitework, RAS pumping, and collection system improvements. Detailed decisions and configurations to be determined during engineering feasibility study & report as funded and required by CWSRF. Project will also include asset management plan.

	Start Date	Completion Date	Phase Cost
Planning:			$700,000.00
Acquisition:			$0.00
Design:			$850,000.00
Est. Construction:	11/01/2026	11/01/2028	$11,420,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Mart					
PIF #:	16742	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: P#73903, 11/19/21					
Project Name: Mart Wastewater Treatment Plan and Collection System					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Mart WWTP and Collection System					

	Start Date	Completion Date	Phase Cost
Planning:			$281,938.00
Acquisition:			$0.00
Design:		05/15/2025	$144,900.00
Est. Construction:	10/01/2025	10/01/2026	$4,161,620.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	90.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Loraine					
PIF #:	16743	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: 15124, 15748					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The project will include improvements to two existing lift stations within the system and improving undersized/deteriorated collection lines. It will also include sludge removal and repair of the WWTP lagoons and irrigation disposal equipment.					

	Start Date	Completion Date	Phase Cost
Planning:			$225,000.00
Acquisition:			$0.00
Design:			$174,000.00
Est. Construction:	03/01/2026	06/30/2028	$3,811,000.00

Green Project: Yes-BC

Green Amount: $4,210,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	32.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Mason					
PIF #:	16744	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project will include an installation of a new lift station, rehabilitation of seven (7) existing lift stations, and about 5,000 LF of sewer collection line replacement throughout the City. Also includes preparation of an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$658,430.00
Acquisition:			$0.00
Design:			$759,400.00
Est. Construction:	03/03/2026	03/02/2027	$9,119,170.00

Green Project: Yes-BC

Green Amount: $11,291,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	64.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Merkel					
PIF #:	16746	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The project includes lining of existing brick manholes and lining existing vitrified clay sewer lines.					

	Start Date	Completion Date	Phase Cost
Planning:			$270,000.00
Acquisition:			$0.00
Design:			$656,000.00
Est. Construction:	01/01/2026	12/31/2026	$8,185,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Robstown					
PIF #:	16748	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Robstown Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: The City's aging wastewater collection system is experiencing high levels of inflow and infiltration (I & I) and existing lift station infrastructure deficiencies that are contributing to repeated Notices of Violation from the TCEQ.					

	Start Date	Completion Date	Phase Cost
Planning:			$645,640.00
Acquisition:		06/01/2029	$50,000.00
Design:			$605,886.00
Est. Construction:	06/01/2028	06/01/2029	$5,698,474.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	64.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Miles					
PIF #:	16749	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Evaluation					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Miles (City) owns and operates a WWTP that consists of an Imhoff Tank and lagoon system. The effluent from the WWTP is currently land applied at a nearby site via a TLAP permit. The WWTP is in need of upgrade and/or replacement and the City wants to evaluate improvements needed to the WWTP and its collection system.					

	Start Date	Completion Date	Phase Cost
Planning:			$762,000.00
Acquisition:			$0.00
Design:			$119,000.00
Est. Construction:	03/01/2026	03/01/2027	$1,862,000.00

Green Project: Yes-BC

Green Amount: $300,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?		
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	28.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	San Marcos				
PIF #:	16750	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	San Marcos - FM 1978 Water Reclamation Facility: Phase I				
Project Type:	POTW			**Project Phase:**	Design & Construction

Project Description: The City plans to construct the FM 1978 Water Reclamation Facility (WRF) to accommodate growing wastewater treatment needs, expanding service to new developments beyond its current ETJ. The facility will initially have a capacity of 2.0 to 4.0 MGD, with future expansions up to 8.0 MGD. A Progressive Design-Build approach is being used, and the project will replace smaller decentralized systems with a regional solution. The WRF will incorporate water reuse strategies and explore additional treatment options to supplement potable water supply.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$15,000,000.00
Est. Construction:	02/02/2026	12/29/2028	$89,000,000.00

Green Project:	Yes-CE
Green Amount:	$31,500,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	48.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Grandview					
PIF #:	16751	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection and Treatment Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: To replace12,500 feet of old, cracked, and leaking clay ss lines, rehab or replace up to 20 compromised manholes to reduce infiltration and inflow into the WWTP. This project also includes replacing the antiquated WWTP which has reached the end of its useful life expectancy.					

	Start Date	Completion Date	Phase Cost
Planning:			$630,000.00
Acquisition:			$0.00
Design:			$1,250,000.00
Est. Construction:	05/01/2026	05/01/2027	$21,807,570.00

Green Project: Yes-BC

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Quinlan				
PIF #:	16753	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Quinlan Wastewater Treatment Facility Expansion				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The City of Quinlan proposes to construct a new wastewater treatment plant to effectively treat current system flows and loading while planning for future system growth to approx. 0.90 MGD from known planned development.				

	Start Date	Completion Date	Phase Cost
Planning:			$510,000.00
Acquisition:			$0.00
Design:			$1,330,000.00
Est. Construction:	06/01/2026	07/01/2027	$38,560,000.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Monahans					
PIF #:	16754	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Monahans Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project includes screening, clarifiers, pump station, oxidation ditch aerator, solids handling, Electrical, and SCADA improvements at the wastewater treatment plant. An asset management plan is included.					

	Start Date	Completion Date	Phase Cost
Planning:			$624,000.00
Acquisition:			$0.00
Design:			$590,000.00
Est. Construction:	04/30/2027	04/30/2028	$11,069,000.00

Green Project: Yes-BC

Green Amount: $12,283,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	9.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Itasca					
PIF #:	16755	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Itasca Wastewater Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Itasca Wastewater Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$468,031.00
Acquisition:			$0.00
Design:			$500,250.00
Est. Construction:	01/01/2027	01/01/2027	$3,250,874.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Austin					
PIF #:	16756	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Upper Harris Branch Interceptor – Phase 1					
Project Type: POTW				**Project Phase:** Construction	
Project Description: The Upper Harris Branch Interceptor is a 2-phase 23,000-LF large diameter wastewater interceptor project that will providepermanent relief to an aging and under-capacity Dessau WWTP and extend service into the rapidly developing Northeastregion of Austin.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		09/30/2025	$0.00
Design:		07/01/2025	$0.00
Est. Construction:	10/01/2025	09/30/2028	$29,149,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Houston					
PIF #:	16758	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Houston Capacity Remedial Measures Plan (CRMP), Areas 5/6/12, 8 and 11					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Implement infrastructure renewal to address known capacity related constraints within the wastewater collection system to prevent sewer asset surcharge including during specified rain events.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	01/01/2027	06/30/2029	$63,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	70.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	De Berry WSC				
PIF #:	16759	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	DeBerry Project 5 - AMR/AMI Installation CWRSF				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	A project to improve water measurement and reduce loss by replacing meters, meter boxes, and related components with AMR/AMI technology. The number of replacements will depend on available funding, and an asset management plan will be developed.				

	Start Date	Completion Date	Phase Cost
Planning:			$112,100.00
Acquisition:			$0.00
Design:			$109,200.00
Est. Construction:	11/02/2026	06/01/2027	$1,033,700.00

Green Project: Yes-CE

Green Amount: $1,255,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	38.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Houston					
PIF #:	16760	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Lift Station Renewal and Rehabilitation					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Rehabilitation of existing wastewater lift stations (LS) within the City's Combined Utility System. Aging facilities require renewal or replacement of core components (electrical, mechanical, structural, flow control and monitoring) to restore designed function and performance. Rehabilitation of LS addresses direct and contributing factors to sanitary sewer overflows, and is a component of the Consent Decree entered into by the City, US Dept of Justice/EPA and State of Texas/TCEQ to address unpermitted SSOs.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		06/30/2026	$0.00
Est. Construction:	09/01/2026	06/30/2029	$44,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	70.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Houston					
PIF #:	16761	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Force Main Renewal and Rehabilitation					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Rehabilitation/replacement of existing wastewater force mains (FM) within the City's Combined Utility System. Aging facilities require renewal or replacement to restore designed function and performance. Rehabilitation of FM addresses direct and contributing factors to sanitary sewer overflows, and is a component of the Consent Decree entered into by the City, US Dept of Justice/EPA and State of Texas/TCEQ to address unpermitted SSOs.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	09/01/2026	06/30/2029	$44,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	70.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Austin					
PIF #:	16762	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Upper Harris Branch Interceptor – Phase 2					
Project Type: POTW				**Project Phase:** Construction	
Project Description: The Upper Harris Branch Interceptor is a 2-phase 23,000-LF large diameter wastewater interceptor project that will provide permanent relief to an aging and under-capacity Dessau WWTP and extend service into the rapidly developing northeast region of Austin.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		11/01/2025	$0.00
Est. Construction:	04/01/2026	03/31/2029	$25,128,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Donna					
PIF #:	16763	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: WITHDRAWN-2026					
Project Name: Donna Wastewater Treatment Plant Rehab and Capacity Upgrades					
Project Type: POTW				**Project Phase:** Construction	
Project Description: The proposed project consists of rehab of the existing wastewater treatment plant and capacity upgrades					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	08/01/2025	02/01/2027	$44,181,610.00

Green Project: Yes-BC

Green Amount: $1,980,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?		
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?		
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?		
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?		
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?		
Sec. 212 - Does the project involve more stringent permit limitations?		
Sec. 212 - Does the project result in regionalization? (See specific criteria)		
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?		
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?		
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?		
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).		
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?		
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?		
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?		
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).		

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?		
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?		
Sec. 320 - Does the project improve water quality?		
Sec. 320 - Does the project enhance public access?		
Sec. 320 - Does the project improve onshore infrastructure and environmental management?		
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?		
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?		
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?		
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.		
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?		
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?		
All Proj. - Has asset management training been administered to the entity's governing body and employees?		
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?		
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?		
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?		
All Proj. - Entity qualifies as a disadvantaged community.		
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.		
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.		
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: West Tawakoni					
PIF #:	16764	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of West Tawakoni - 2025 CWSRF - Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project includes rehabilitation of manholes, lift stations, smoke testing, and line inspections.					

	Start Date	Completion Date	Phase Cost
Planning:			$108,300.00
Acquisition:			$0.00
Design:			$121,800.00
Est. Construction:	03/27/2026	08/29/2025	$1,586,500.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Marlin					
PIF #:	16765	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Marlin Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Marlin Wastewater Treatment Plant Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$1,153,297.00
Acquisition:			$0.00
Design:			$644,000.00
Est. Construction:	01/01/2027	01/01/2030	$12,506,710.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Marsha WSC				
PIF #:	16766	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Marsha WSC Project 5 - AMR/AMI Installation CWSRF				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	This is a proposed project to replace meters and traffic rated meter boxes in the system with traditional meters, AMR and/or AMI.				

	Start Date	Completion Date	Phase Cost
Planning:			$164,563.00
Acquisition:			$0.00
Design:			$164,563.00
Est. Construction:	11/02/2027	06/01/2028	$760,874.00

Green Project: Yes-CE

Green Amount: $1,090,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	6.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Marsha WSC				
PIF #:	16767	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Marsha WSC Project 6.1 - New Wastewater Collection System				
Project Type:	Nonpoint Source			**Project Phase:**	Planning & Acquisition
Project Description:	This is a proposed planning project to evaluate a potential wastewater collection system for the community.				

	Start Date	Completion Date	Phase Cost
Planning:			$292,000.00
Acquisition:		10/01/2027	$108,000.00
Design:			$0.00
Est. Construction:	11/02/2027	10/31/2028	$0.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	N/A	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	N/A	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	N/A	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	N/A	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	N/A	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	N/A	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	N/A	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: McLennan Co WCID # 2					
PIF #:	16768	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment and Collection System Improvements					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: Construction of a wastewater treatment plant, replacement of several collection mains, and an inflow/infiltration investigation.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$1,286,292.00
Est. Construction:	06/01/2026	03/01/2027	$12,326,960.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Archer City					
PIF #:	16769	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: SFY2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Install needed upgrades to existing WWTP to assist with effluent quality compliance.					

	Start Date	Completion Date	Phase Cost
Planning:			$122,500.00
Acquisition:			$0.00
Design:			$40,000.00
Est. Construction:	05/01/2026	05/01/2027	$590,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Jarrell				
PIF #:	16770	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Jarrell Wastewater Main Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	Jarrell Wastewater Main Improvements				

	Start Date	Completion Date	Phase Cost
Planning:			$3,132,709.00
Acquisition:			$0.00
Design:			$4,772,500.00
Est. Construction:	01/01/2027	01/01/2028	$52,302,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Fort Bend Co MUD # 58				
PIF #:	16771	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Reclaimed Wastewater Treatment Plant, Distribution, and Irrigation Conversion System Improvements				
Project Type:	POTW			**Project Phase:**	P A D & Construction
Project Description:	Please see the attached feasibility memorandum.The proposed projects are FBCMUD 58 “District” owned facilities and upon completion, the benefit to the region isreduction in usage for the surface water delivered by North Fort Bend Water Authorities (NFBWA), as well asproviding demand relief for the District’s 2 (two) existing ground water wells.				

	Start Date	Completion Date	Phase Cost
Planning:			$732,500.00
Acquisition:		09/01/2026	$153,100.00
Design:			$1,864,400.00
Est. Construction:	09/01/2026	12/31/2027	$9,200,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 4a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	83.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Eden					
PIF #:	16772	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Eden desires to replace sewer lines that are in disrepair.					

	Start Date	Completion Date	Phase Cost
Planning:			$525,000.00
Acquisition:			$0.00
Design:			$101,000.00
Est. Construction:	03/01/2026	03/01/2027	$1,155,000.00

Green Project: Yes-BC

Green Amount: $1,781,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	39.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Bastrop					
PIF #:	16773	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Plant Expansion Project No 4					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Expansion of the Wastewater Plant for a 2MGD to an 8MGD					

	Start Date	Completion Date	Phase Cost
Planning:			$75,000.00
Acquisition:			$0.00
Design:			$1,600,000.00
Est. Construction:	06/15/2026	12/31/2027	$60,000,000.00

Green Project: Yes-CE

Green Amount: $30,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	58.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Zavalla					
PIF #:	16774	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: WWTP & Lift Station Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City has a lagoon wastewater treatment plant system that was placed into service in 1999. The sludge and grit from the bottom of the lagoons need to be pumped out and cleaned out. The City owns and operates five lift stations within the collection system that are in need of rehab.					

	Start Date	Completion Date	Phase Cost
Planning:			$140,000.00
Acquisition:			$0.00
Design:			$115,000.00
Est. Construction:	01/05/2026	12/31/2026	$1,365,000.00

Green Project: Yes-BC

Green Amount: $1,620,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: West					
PIF #:	16775	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: West Wastewater Main Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: West Wastewater Main Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$330,685.00
Acquisition:			$426,075.00
Design:			$310,500.00
Est. Construction:	01/01/2027	01/01/2028	$2,875,920.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Buckholts					
PIF #:	16776	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System and Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	

Project Description: The existing wastewater treatment plant is approximately 40 years old and is at the end of its service life. Continual repairs have rendered the plant too expensive to maintain and operate. The main process basin is experiencing structural failure throughout and is leaking. Effluent limits are not being met. TCEQ is pursuing enforcement action. The existing collection infrastructure consists of old clay pipe and brick manholes that are deteriorating and providing storm water infiltration and inflow. The 0.10 MGD wastewater treatment plant will be demolished and replaced with a new, energy efficient, WWTP. All process units will be replaced. The plant access road will be improved to allow access during the 20 year frequency storm event, and the plant will be constructed so that it is not affected by the 100 year frequency storm event. A backup generator will also be provided to ensure continuous operation during power outages. The wastewater collection system will be improved to reduce infiltration and inflow into the system, thus reducing the treatment capacity required. Manholes and wastewater lines will rehabilitated or replaced as needed. The lift station alarm and notification system will be updated to provide operators with more control and operational data to improve efficiency. WWTP and lift station SCADA will be updated. Drainage improvements will be provided to reduce the effects of flooding to wastewater system components.

	Start Date	Completion Date	Phase Cost
Planning:			$1,000,000.00
Acquisition:		11/12/2026	$200,000.00
Design:			$700,000.00
Est. Construction:	11/01/2028	11/01/2030	$10,890,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	76.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Whitney					
PIF #:	16777	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Whitney Wastewater Study					
Project Type: POTW				**Project Phase:** Planning	
Project Description: Whitney Wastewater Study					

	Start Date	Completion Date	Phase Cost
Planning:			$470,016.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	01/01/2026	01/01/2027	$0.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Austin					
PIF #:	16778	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Hornsby Bend BMP Process Ammonia Removal Facility					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Side-stream Ammonia Removal Facility will be built to significantly reduce the high ammonia load by 80 to 90%.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	08/01/2026	10/03/2028	$32,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	15.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Hardin Co WCID # 1				
PIF #:	16779	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Hardin County WCID No. 1 - Sanitary Sewer Improvements Project				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The District will construct a larger diameter force main to the WWTP to reduce low-pressure sanitary sewer (LPSS) collection s ystem pressures to operate during rain events.				

	Start Date	Completion Date	Phase Cost
Planning:			$135,000.00
Acquisition:			$0.00
Design:			$50,000.00
Est. Construction:	06/01/2026	10/02/2026	$715,000.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5b	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	20.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Whitney					
PIF #:	16780	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Whitney Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Whitney WWTP					

	Start Date	Completion Date	Phase Cost
Planning:			$581,521.00
Acquisition:		09/01/2026	$0.00
Design:			$1,063,750.00
Est. Construction:	01/01/2027	01/01/2028	$7,475,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Chico					
PIF #:	16781	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Chico Wastewater Treatment Facility Expansion					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Chico proposes to add additional treatment tankage to their existing wastewater treatment plant to address BOD and NH3-N exceedances and achieve compliance with permit requirements.					

	Start Date	Completion Date	Phase Cost
Planning:			$424,250.00
Acquisition:			$0.00
Design:			$540,000.00
Est. Construction:	07/01/2026	09/01/2027	$5,388,750.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Prairie View

PIF #:	16782	**Program:**	CWSRF	**PPL Year:**	2026

Related PIFs:

Project Name: Prairie View Wastewater Treatment Plant

Project Type: POTW

Project Phase: Planning

Project Description: The City of Prairie View (population 8,184) relies on the nearly 150-year-old PVAMU Wastewater Treatment Plant (WWTP), which is nearing 70% capacity due to population growth and increased student enrollment at Prairie View A&M University. The current WWTP does not meet Texas Commission on Environmental Quality (TCEQ) guidelines and requires modernization to accommodate further growth. The city is requesting CWSRF funding for planning and developing a new municipal WWTP, including a preliminary engineering report, site identification, and innovative and reuse elements. Additionally, an asset management plan will be developed to optimize water infrastructure management. The proposed project is crucial for supporting the city's expanding needs and ensuring the infrastructure meets future demands.

	Start Date	Completion Date	Phase Cost
Planning:			$140,000.00
Acquisition:		12/31/2026	$0.00
Design:			$0.00
Est. Construction:	01/01/2028	12/31/2030	$0.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	46.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Edinburg					
PIF #:	16823	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: WWTP 20-Year Improvement Phases II and III					
Project Type: POTW				**Project Phase:** Planning Acquisition & Construction	
Project Description: This project provides the funding required for the construction of Phases II and III of the Edinburg 20-Year Wastewater Treatment Plant Improvement Project.					

	Start Date	Completion Date	Phase Cost
Planning:			$2,920,000.00
Acquisition:		02/13/2026	$215,000.00
Design:		11/21/2025	$0.00
Est. Construction:	05/07/2026	03/27/2028	$58,865,000.00

Green Project: Yes-BC

Green Amount: $1,365,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: O'Donnell					
PIF #:	16836	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project will include the rehabilitation of a small lift station and replacement approximately 39,000 LF of sewer collection line replacement throughout the City. An asset management plan will prepared as well.					

	Start Date	Completion Date	Phase Cost
Planning:			$439,500.00
Acquisition:			$0.00
Design:			$760,500.00
Est. Construction:	03/06/2026	03/05/2027	$12,410,000.00

Green Project: Yes-BC

Green Amount: $13,610,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Seminole				
PIF #:	16839	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The proposed project will incorporate a new reuse system which will be utilized to offset potable water usage in City parks and at the High School. Additionally, the project will include a new 1 mgd WWTP with type 1 reuse and an asset management plan.				

	Start Date	Completion Date	Phase Cost
Planning:			$1,369,000.00
Acquisition:			$0.00
Design:			$2,012,000.00
Est. Construction:	07/01/2026	07/31/2027	$32,875,400.00

Green Project: Yes-CE

Green Amount: $36,256,400.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	38.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Pecos					
PIF #:	16840	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Phase II WWTP					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Improvements to the existing wastewater treatment plant by installing a new biological nutrient removal (BNR) system and Membrane Bioreactor (MBR) system to meet discharge water quality requirements and capacity requirements.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		09/24/2025	$0.00
Est. Construction:	11/06/2025	11/03/2027	$26,458,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5b	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	158.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Roaring Springs					
PIF #:	16841	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: For this project, Roaring Springs will be replacing wastewater sewer lines, rehabilitation of the wastewater system's irrigation discharge system and preparation of an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$262,000.00
Acquisition:			$0.00
Design:			$106,000.00
Est. Construction:	03/01/2026	03/01/2027	$1,444,000.00

Green Project: Yes-CE

Green Amount: $1,812,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	53.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: San Angelo					
PIF #:	16844	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF WWTP Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project involves upgrades to the San Angelo Waste Water Treatment Plant to produce environmentally safe effluent for discharge into a nearby river. Key improvements include enhanced screening and grit removal, conversion of primary clarifiers to Biological Nutrient Removal (BNR) zones, new final clarifiers and cloth filtration systems, upgraded disinfection and sludge treatment processes, and modernized electrical and control systems. These upgrades will ensure TCEQ compliance, protect the river ecosystem, improve operational efficiency, and support long-term sustainability.					

	Start Date	Completion Date	Phase Cost
Planning:			$2,192,000.00
Acquisition:			$0.00
Design:			$4,828,000.00
Est. Construction:	12/31/2025	12/31/2028	$95,876,000.00

Green Project: Yes-CE

Green Amount: $102,896,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	44.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Covington					
PIF #:	16846	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Upgrade six lift stations including upsizing wet well pumps, and electricals, and add backup power. I&I rehabilitation for sewer lines and Manholes. WWTP rehabilitation and add a backup generator.					

	Start Date	Completion Date	Phase Cost
Planning:			$675,000.00
Acquisition:			$0.00
Design:			$1,080,000.00
Est. Construction:	06/02/2027	12/02/2028	$11,430,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Morgan					
PIF #:	16847	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace collection system lines and rehab/replace manholes. Make improvements/upgrades to wastewater treatment plant.					

	Start Date	Completion Date	Phase Cost
Planning:			$520,000.00
Acquisition:			$0.00
Design:			$595,000.00
Est. Construction:	04/01/2027	06/30/2028	$5,030,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	31.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Slaton				
PIF #:	16849	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The City of Slaton is proposing to replace the existing force main from the main lift station to the WWTP as well as to install a permanent onsite generator for the main lift station. The City is also proposing the replacement of aging collection line and manholes in the collection system and preparation of an asset management plan.				

	Start Date	Completion Date	Phase Cost
Planning:			$554,500.00
Acquisition:			$0.00
Design:			$920,500.00
Est. Construction:	07/01/2026	07/31/2027	$17,031,000.00

Green Project:	Yes-BC
Green Amount:	$2,596,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	44.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Smyer					
PIF #:	16851	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF WWTP Expansion					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Smyer (City) aims to enhance its wastewater system by expanding their wastewater treatment plant (WWTP), rehabbing a lift station and replacing approximately 15,000 LF of sewer collection line throughout the city.					

	Start Date	Completion Date	Phase Cost
Planning:			$347,000.00
Acquisition:			$0.00
Design:			$446,000.00
Est. Construction:	07/01/2026	07/31/2027	$7,461,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Snyder					
PIF #:	16852	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Snyder (City) aims to enhance its wastewater system by improving components of their wastewater treatment plant (WWTP) and wastewater collection system and an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$331,000.00
Acquisition:			$0.00
Design:			$272,000.00
Est. Construction:	12/01/2026	06/01/2028	$5,493,000.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Spur					
PIF #:	16854	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project includes rehabilitation of existing manholes and collection lines in various parts of the system and an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$465,000.00
Acquisition:			$0.00
Design:			$381,000.00
Est. Construction:	03/01/2026	03/01/2027	$6,158,000.00

Green Project: Yes-BC

Green Amount: $7,004,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	44.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Stamford					
PIF #:	16855	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 Stamford CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The proposed project includes screening, clarifier, pump station, oxidation ditch aerator, solids handling, and Electrical and SCADA improvements at the wastewater treatment plant and wastewater collection system improvements.					

	Start Date	Completion Date	Phase Cost
Planning:			$649,000.00
Acquisition:			$0.00
Design:			$877,000.00
Est. Construction:	03/01/2026	11/01/2027	$16,230,000.00

Green Project: Yes-BC

Green Amount: $1,756,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	39.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Upper Leon River MWD				
PIF #:	16858	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater Treatment Plant Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The project will include the addition of redundant clarification to provide operational flexibility for maintenance and upgrades to the solids handling and dewatering systems to provide alternative solids disposal options at the existing WWTP.				

	Start Date	Completion Date	Phase Cost
Planning:			$433,000.00
Acquisition:			$0.00
Design:			$328,000.00
Est. Construction:	07/01/2026	10/31/2027	$8,135,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	51.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Winkler WSC				
PIF #:	16859	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Winkler WSC Meter Replacement Project				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	AMI/AMR project to replace the current meters and reduce the need to manually read the meters. The new meters and metering infrastructure will allow the WSC to capture low flows and more accurately determine system water losses.				

	Start Date	Completion Date	Phase Cost
Planning:			$33,000.00
Acquisition:			$0.00
Design:			$18,000.00
Est. Construction:	03/03/2026	03/03/2027	$329,000.00

Green Project:	Yes-CE
Green Amount:	$212,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	37.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Winters					
PIF #:	16860	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The existing wastewater collection system suffers from significant infiltration and inflow (I&I), pipe blockages and collapsed manholes. The City is applying for funding to help address identified problem areas and restore the integrity and reliability within the collection system and prepare an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$209,000.00
Acquisition:			$0.00
Design:			$178,000.00
Est. Construction:	03/01/2026	03/01/2027	$3,425,400.00

Green Project: Yes-BC

Green Amount: $3,812,400.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	37.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Breckenridge				
PIF #:	16871	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	The City desires to rehabilitate an existing lift station and replace collection lines to improve the collection system. Additionally, the City would like to improve treatment facilities to increase efficiency and operational reliability.				

	Start Date	Completion Date	Phase Cost
Planning:			$346,500.00
Acquisition:			$0.00
Design:			$249,000.00
Est. Construction:	11/01/2026	05/01/2027	$4,759,500.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Italy					
PIF #:	16874	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Waste Water System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replacement of the existing deteriorated clay tile wastewater collection lines and manholes that are contributing to excessive Inflow and infiltration in the Cities system. City will also implement and asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$651,000.00
Acquisition:			$0.00
Design:			$1,002,000.00
Est. Construction:	06/01/2027	12/31/2028	$10,604,500.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	6.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Ranger				
PIF #:	16883	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	2026 CWSRF Wastewater System Improvements				
Project Type:	POTW			**Project Phase:**	P A D & Construction
Project Description:	The City of Ranger intends to replace over 8 miles of existing wastewater collection lines, install or replace 85 manholes, install a new facultative lagoon wastewater treatment facility, install a new lift station to convey wastewater to the new treatment facility, and install a new center pivot for the land application effluent system.				

	Start Date	Completion Date	Phase Cost
Planning:			$2,363,000.00
Acquisition:		08/15/2026	$100,000.00
Design:			$2,052,000.00
Est. Construction:	06/06/2026	12/12/2028	$32,171,000.00

Green Project:	Yes-BC
Green Amount:	$25,648,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	55.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Matador					
PIF #:	16887	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Matador is proposing to replace the existing grit screw, sludge pump, and control panel at the WWTP. The City is also proposing the replacement of aging collection lines and manholes in the collection system along with an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$312,000.00
Acquisition:			$0.00
Design:			$262,000.00
Est. Construction:	03/02/2026	03/31/2027	$3,452,000.00

Green Project: Yes-BC

Green Amount: $2,354,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Sonora					
PIF #:	16892	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 2026 CWSRF Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The city of Sonora needs Water Meter Replacements for outdated water meters to reduce apparent water loss. Additionally, the city needs improvements to the sewer collection system by replacing sewer lines, and manholes, and adding cleanouts.					

	Start Date	Completion Date	Phase Cost
Planning:			$651,000.00
Acquisition:			$0.00
Design:			$864,000.00
Est. Construction:	05/01/2026	05/01/2028	$12,133,200.00

Green Project: Yes-CE

Green Amount: $1,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	9.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Westwood Shores MUD

PIF #:	16895	**Program:**	CWSRF	**PPL Year:**	2026

Related PIFs:

Project Name: Westwood Shores MUD Sanitary Sewer System Urgent Repairs

Project Type: POTW

Project Phase: P A D & Construction

Project Description: This project focuses on mitigating a severely deteriorated sanitary sewer system that currently suffers from sever inflow and infiltration that frequently causes Sanitary Sewer Overflows. Urgent repairs are needed to the system to stop SSOs. It includes smoke testing to detect leaks, assessing and rehabilitating sewer manholes, and replacing deteriorated sewer pipes with durable SDR 26 PVC, ensuring improved system integrity and performance.

	Start Date	Completion Date	Phase Cost
Planning:			$469,789.00
Acquisition:		01/01/2026	$5,000.00
Design:			$10,000.00
Est. Construction:	01/01/2026	12/31/2026	$1,235,211.00

Green Project: Yes-BC

Green Amount: $1,720,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5a	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	91.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Diboll					
PIF #:	16897	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Lumberjack Drive Lift Station					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: This project will consist of the construction of a new Lift Station near the IH 69 relief route as well as the necessary force main and/or gravity sewer lines to transport the wastewater to the WWTP.					

	Start Date	Completion Date	Phase Cost
Planning:			$350,000.00
Acquisition:			$200,000.00
Design:			$450,000.00
Est. Construction:	10/01/2026	10/01/2027	$11,390,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	41.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Dayton					
PIF #:	16899	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Sawmill Street Lift Station Relocation					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: This project will consist of the relocation of the Sawmill Street lift station to a nearby location.					

	Start Date	Completion Date	Phase Cost
Planning:			$595,000.00
Acquisition:			$100,000.00
Design:			$400,000.00
Est. Construction:	10/01/2026	10/01/2027	$8,780,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: West Columbia					
PIF #:	16912	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Citywide Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City has a history of Inflow and Infiltration issue due to aging infrastructure, causing the Wastewater Treatment Plant to discharge over the limit. After analysis, citywide rehabilitation of sanitary sewer manholes and pipelines is recommended.					

	Start Date	Completion Date	Phase Cost
Planning:			$120,000.00
Acquisition:			$0.00
Design:			$800,000.00
Est. Construction:	10/01/2025	10/01/2027	$9,080,000.00

Green Project: Yes-BC

Green Amount: $10,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Eagle Pass Water Works System				
PIF #:	17005	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	EPWWS WWTP and Collection System Improvements				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	Wastewater treatment plant and collection system improvements to rehabilitate existing aging infrastructure, improve energy efficiency and meet capacity and operational needs				

	Start Date	Completion Date	Phase Cost
Planning:			$769,912.00
Acquisition:			$0.00
Design:			$8,399,040.00
Est. Construction:	03/31/2026	03/31/2029	$88,189,920.00

Green Project:	Yes-CE
Green Amount:	$12,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	41.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17017	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: NWWTP New Blowers, Power & SCADA Upgrades					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project requires the upgrade of the existing SCADA control & monitoring panel and associated Equipment. Plantwide electrical rehabilitation is also needed for a number of obsolete electrical components. Finally, obsolete blowers need to be replaced to avoid future failures.					

	Start Date	Completion Date	Phase Cost
Planning:			$41,147.40
Acquisition:			$0.00
Design:		02/26/2027	$1,243,690.00
Est. Construction:	03/01/2027	10/31/2025	$8,444,995.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	72.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17020	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: SWWTP 0.5 MGD Expansion					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The SWWTP 0.5 MGD expansion project will increase the current permitted capacity from 1.0 MGD to a new capacity of 1.5 MGD by rehabilitating the existing Aerated Sludge Holding Tank (ASHT), construction of a new aeration basin train and a new dewatering centrifuge north of the existing sludge drying bed, space for two centrifuges and conveyance out of the building to a loading area, and implementation of a SCADA control panel, antenna/radio, SCADA software and programming for monitoring and minimal plant control functionality.					

	Start Date	Completion Date	Phase Cost
Planning:			$41,147.40
Acquisition:			$0.00
Design:			$1,397,993.00
Est. Construction:	03/01/2027	10/31/2028	$9,599,974.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	57.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17021	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: SWWTP Performance Upgrades					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: This project includes rehabilitation of the existing aeration basin, replacement of single drop coarse bubble diffusers with fine bubble fixed grid diffusers, and the construction of a new 1 MGD (488,000-gal) plug-flow aeration basin. Replacement of the existing turbo and multistage centrifugal blowers with three 2,100-scfm turbo aeration basin blowers (2 duty, 1 standby) and three 500-scfm positive displacement ASHT blowers (2 duty, 1 standby) & associated electrical panels. One 2,100-scfm blower will be dedicated to the existing 275,000-gallon aeration basin, another to the proposed 488,000-gallon basin, and the last will be able to “swing” to either basin. These three blowers could remain in place for an expansion to 2.0 MGD when a second 488,000-gallon basin may be added and the existing 275,000-gallonbasin may be abandoned. The City will also develop and implement an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$41,147.40
Acquisition:			$0.00
Design:			$1,136,128.00
Est. Construction:	03/01/2027	10/27/2028	$7,636,060.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	47.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17023	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: SWWTP Power and Electrical					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Plantwide electrical rehabilitation of main disconnect, Automatic Transfer Switch (ATS), a new backup generator & building, main transformer, and a new lift station with control panel and related appurtenances.					

	Start Date	Completion Date	Phase Cost
Planning:			$197,589.00
Acquisition:			$0.00
Design:			$413,511.00
Est. Construction:	03/01/2027	10/27/2028	$3,427,252.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	57.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17024	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: SWWTP Headworks Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Install a new headworks with new screening and grit removal.					

	Start Date	Completion Date	Phase Cost
Planning:			$327,244.10
Acquisition:			$0.00
Design:			$673,228.50
Est. Construction:	04/29/2027	10/27/2028	$6,368,171.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	57.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17026	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: NWWTP Plantwide Structural Rehabilitation					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Structural rehabilitation to address major structural issues that includes steel and concrete at the influent pump station, flow screening and metering, grit removal, aeration basins, sludge pump station, post aeration basin, UV disinfection, ASHTs and the sludge stilling well.					

	Start Date	Completion Date	Phase Cost
Planning:			$274,995.00
Acquisition:			$0.00
Design:			$569,341.50
Est. Construction:	03/01/2027	10/27/2028	$5,191,804.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	72.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kingsville					
PIF #:	17027	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: NWWTP Headworks Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Install a new headworks with new screening, grit removal and bypass capabilities.					

	Start Date	Completion Date	Phase Cost
Planning:			$41,154.80
Acquisition:			$0.00
Design:			$1,275,460.00
Est. Construction:	03/01/2027	10/27/2028	$8,682,808.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5b	30.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	72.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Grand Saline					
PIF #:	17029	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Grand Saline Wastewater Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Wastewater System Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$455,000.00
Acquisition:			$0.00
Design:			$275,000.00
Est. Construction:	11/01/2026	11/01/2027	$3,290,000.00

Green Project: Yes-BC

Green Amount: $2,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	65.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Groveton					
PIF #:	17030	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Groveton Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Wastewater system and plant improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$250,000.00
Acquisition:			$0.00
Design:			$220,000.00
Est. Construction:	08/01/2027	12/01/2028	$2,510,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Gladewater					
PIF #:	17031	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Gladewater Phase 3 Wastewater Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Improvements to the City's wastewater collection and treatment system.					

	Start Date	Completion Date	Phase Cost
Planning:			$714,000.00
Acquisition:			$0.00
Design:			$295,000.00
Est. Construction:	03/01/2028	03/01/2029	$2,799,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	45.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Palestine					
PIF #:	17035	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Decommissioning of 5 lift stations and construction of WWTP Clarifier.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,305,000.00
Acquisition:			$0.00
Design:			$775,000.00
Est. Construction:	11/01/2026	11/01/2027	$12,750,000.00

Green Project: Yes-BC

Green Amount: $11,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	No	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	No	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	40.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Cushing					
PIF #:	17039	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Address TCEQ flow violations at the WWTP by making improvements to the collection system and WWTP.					

	Start Date	Completion Date	Phase Cost
Planning:			$425,000.00
Acquisition:			$0.00
Design:			$195,000.00
Est. Construction:	08/01/2027	01/01/2029	$2,703,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	0.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Alto					
PIF #:	17042	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Collection System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace existing sanitary sewer lines including manholes and rehabilitate lift stations including pump replacement and other upgrades.					

	Start Date	Completion Date	Phase Cost
Planning:			$375,000.00
Acquisition:			$0.00
Design:			$205,000.00
Est. Construction:	08/01/2027	01/01/2029	$2,773,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Coleman					
PIF #:	17043	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Improvements to various treatment units at the City's WWTP					

	Start Date	Completion Date	Phase Cost
Planning:			$223,000.00
Acquisition:			$0.00
Design:			$248,000.00
Est. Construction:	06/01/2026	12/31/2028	$5,471,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Fort Worth					
PIF #:	17044	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Mary's Creek Water Reclamation Facility (CWSRF)					
Project Type: POTW				**Project Phase:** Construction	
Project Description: The City of Fort Worth plans to construct the Mary's Creek Water Reclamation Facility (MCWRF) by fall of 2028 to serve the growing population in the western part of the City. The state-of-the-art, 10 MGD membrane bioreactor (MBR) greenfield facility will allow the City to treat wastewater from the surrounding community to the highest standards, ensuring protection ofthe receiving stream and public health while providing for enhanced recreational opportunities along with a substantive expansion of the City's water reuse program to the west side of Fort Worth. The MCRWF will also relieve the existing wastewater infrastructure, reducing potential for sanitary sewer overflows, and it will allow the City to defer expansion of the 166 MGD Village Creek Water Reclamation Facility (VCWRF).					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		02/15/2026	$0.00
Est. Construction:	07/01/2026	12/03/2029	$411,279,051.28

Green Project: Yes-CE

Green Amount: $225,120,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 75% and < 90% and proj. improves problem	20.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5a	30.00

Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	115.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Kenedy					
PIF #:	17046	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Kenedy Wastewater System Improvement Project					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The existing wastewater system of the City of Kenedy contains old, undersized and deteriorating collection piping, mostly of vitrified clay material. The system has many known I/I problem areas due to collapsed pipe, uncapped cleanouts, open manholes and significant root intrusions. Two lift stations will be abandoned and the collection system will be repaired and replaced. The wastewater treatment plant will be expanded to increase the overall efficiency the plant and increase the treatment capacity.					

	Start Date	Completion Date	Phase Cost
Planning:			$4,410,000.00
Acquisition:			$0.00
Design:			$7,540,000.00
Est. Construction:	10/26/2026	10/29/2027	$46,880,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Stinnett				
PIF #:	17048	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	City of Stinnett New Wastewater Treatment Plant				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction

Project Description: The existing wastewater treatment plant (WWTP) serving Stinnett has reached the end of its useful life. Existing treatment units have reached the end of their useful life and no longer operate as originally intended. Therefore, a new WWTP is required for Stinnett to maintain compliance with rules governing public health and safety.

	Start Date	Completion Date	Phase Cost
Planning:			$326,500.00
Acquisition:			$0.00
Design:			$512,000.00
Est. Construction:	05/01/2026	05/01/2027	$4,448,480.00

Green Project:	No
Green Amount:	$0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	15.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Montgomery					
PIF #:	17054	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Town Creek Wastewater Treatment Plant Expansion to 0.30 MGD					
Project Type: POTW				**Project Phase:** Design & Construction	
Project Description: The proposed project includes the planning and design to expand the existing City of Montgomery Town Creek Wastewater Treatment Plant located at 307 Liberty St from the existing permitted annual average flow of 0.175 Million Gallons/Day (MGD) to an interim phase I permitted flow of 0.3 MGD. The proposed project also includes tertiary treatment to accommodate the Phosphorus limit that was recently added to the permit. The completed project will also contain future planning for an ultimate phase of 0.6 MGD.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$757,800.00
Est. Construction:	03/16/2026	04/14/2027	$13,843,400.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	No	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Dripping Springs					
PIF #:	17057	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Dripping Springs South Regional Wastewater Facilities Expansion					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: The project includes the Phase 2 Wastewater Treatment Plant, collection system upgrades to convey the associated wastewater flows to the treatment plant, effluent holding pond, surface irrigation system, and a discharge permit amendment.					

	Start Date	Completion Date	Phase Cost
Planning:			$3,000,000.00
Acquisition:		12/01/2027	$200,000.00
Design:			$4,800,000.00
Est. Construction:	01/01/2026	12/31/2028	$43,500,000.00

Green Project: Yes-CE

Green Amount: $10,227,740.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	119.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Tenaha					
PIF #:	17061	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Tenaha WWTP Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace existing clarifier mechanical equipment and construct a second clarifier with other appurtenances.					

	Start Date	Completion Date	Phase Cost
Planning:			$35,000.00
Acquisition:			$0.00
Design:			$135,000.00
Est. Construction:	09/15/2026	06/01/2027	$2,255,993.00

Green Project: Yes-BC

Green Amount: $150,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	Yes	15.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	85.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Carrizo Springs					
PIF #:	17062	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Carrizo Springs - Emergency Relief: New Belt Press					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Planning, design, and construction of a belt press for the wastewater treatment plant, replace clay sewer line and service lines and repair/replace 7 lift stations and add generators, rehab concrete manholes, and completion of an asset management plan.					

	Start Date	Completion Date	Phase Cost
Planning:			$280,224.80
Acquisition:			$0.00
Design:			$709,803.50
Est. Construction:	06/01/2025	01/01/2027	$8,695,086.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	1.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Thornton					
PIF #:	17064	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace old, failing collection system lines and rehabilitate lift stations.					

	Start Date	Completion Date	Phase Cost
Planning:			$370,000.00
Acquisition:			$0.00
Design:			$350,000.00
Est. Construction:	03/01/2027	03/31/2028	$3,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 4a	50.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	81.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Amarillo					
PIF #:	17065	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Hollywood II Wastewater Treatment Facility					
Project Type: POTW				**Project Phase:** P A D & Construction	

Project Description: This project involves the planning, design, and construction of a new wastewater treatment facility (WWTF) at a greenfield site to replace the existing facility, which is currently operating at 75% capacity. Due to the facility's capacity constraint, it no longer meets the growing wastewater demands of the City. The existing facility cannot accommodate the increased flow due to population growth, and its infrastructure requires significant upgrades to maintain compliance with Texas Commission on Environmental Quality (TCEQ) discharge permit limits. As part of the planning process, the City will evaluate aspects of asset management to incorporate into their current draft Asset Management Plan before finalizing it.The new facility will be designed to handle peak flow projections and include scalability for future growth, ensuring it can meet the City's long-term needs. During the planning phase, key considerations such as growth projections, treatment methods, site location, regionalization, and potential wastewater treatment system consolidation will all be evaluated. The facility will feature advanced treatment technologies to enhance treatment efficiency and improve effluent quality. In addition, the plant will incorporate solids handling, chemical dosing, odor control, and real-time monitoring systems to ensure operational efficiency, regulatory compliance, and optimal performance.The PIF for this project is regarding the costs for planning, design, and construction of the new facility.

	Start Date	Completion Date	Phase Cost
Planning:			$5,979,800.00
Acquisition:		01/01/2029	$12,570,000.00
Design:			$187,195,200.00
Est. Construction:	01/01/2028	07/01/2030	$1,546,755,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00

Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	85.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Pflugerville					
PIF #:	17066	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 27-inch Kelly Lane Wastewater Interceptor					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Wastewater interceptor connecting the areas served by the Kelly Lane Lift Station to the existing interceptor along Weiss Lane.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		10/31/2025	$5,744,000.00
Design:		01/13/2026	$2,774,000.00
Est. Construction:	02/01/2026	10/31/2027	$42,580,000.00

Green Project: Yes-BC

Green Amount: $3,650,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	7.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Josephine					
PIF #:	17067	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Josephine- Waste Water System Improvement Project					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Upsize the existing wastewater collection system lines, and connect the septic system to the City WWTP system.					

	Start Date	Completion Date	Phase Cost
Planning:			$225,000.00
Acquisition:			$0.00
Design:			$360,000.00
Est. Construction:	06/02/2027	12/02/2028	$3,810,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	32.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Pflugerville					
PIF #:	17069	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: New Sweden Wastewater Lift Station & Force Main					
Project Type: POTW				**Project Phase:** Acquisition Design & Construction	
Project Description: This project includes a new 1.0 MGD lift station and 12-inch force main.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		09/01/2025	$2,140,000.00
Design:		06/01/2025	$400,000.00
Est. Construction:	10/01/2025	09/30/2026	$9,460,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	7.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Liberty Hill				
PIF #:	17080	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	City of Liberty Hill North Fork Wastewater Treatment Plant				
Project Type:	POTW			**Project Phase:**	Design & Construction

Project Description: This project includes the construction of a greenfield WWTP capable of treating up to 1.4 mgd of wastewater from the growing northern area of Liberty Hill. Wastewater will be treated to Type 1 reuse standards, as defined by the Texas Commission on Environmental Quality (TCEQ), for residential irrigation use. Wastewater effluent from this WWTP will also be conveyed to the City's Advanced Water Purification Facility (AWPF) in the future, which is being funded in part by the TWDB's DWSRF Program (TWDB DWSRF Project No. 62939).

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$8,500,000.00
Est. Construction:	03/01/2026	02/29/2028	$60,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Under Development	5.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	Yes	2.50
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	66.50

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Seymour					
PIF #:	17081	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Sewer System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Replace City's dilapidated sewer line crossing Seymour Creek					

	Start Date	Completion Date	Phase Cost
Planning:			$54,000.00
Acquisition:			$0.00
Design:			$38,500.00
Est. Construction:	03/01/2026	12/31/2026	$407,500.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	40.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Redwater					
PIF #:	17082	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: Wastewater Treatment Plant Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$682,500.00
Acquisition:		08/31/2028	$45,000.00
Design:			$930,000.00
Est. Construction:	12/31/2028	12/31/2029	$6,735,900.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Guadalupe Blanco RA					
PIF #:	17083	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Sunfield Water Reclamation Facility Expansion to 2.0 MGD					
Project Type: POTW				**Project Phase:** Construction	
Project Description: Based on anticipated residential and commercial growth within the service area, the Sunfield Water Reclamation Facility (WRF) is anticipated to regularly receive influent wastewater flows exceeding the existing treatment capacity by summer of 2029. The proposed project consists of expanding the existing Sunfield WRF to provide an annual average daily flow capacity of 2.0 million-gallons per day. Planning and design of the expansion is anticipated to start in early 2025 and construction is anticipated to start in late 2026.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	09/01/2026	03/01/2029	$47,079,800.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 65% and < 75% and proj. improves problem	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00

Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	51.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Wallis					
PIF #:	17084	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wallis Wastewater Collection and Treatment System Improvements					
Project Type: POTW				**Project Phase:** Acquisition Design & Construction	
Project Description: The project will address existing issues in the wastewater collection and treatment systems to meet current TCEQ requirements while also looking to expand the treatment facility to areas not currently served as the population of the City is projected to increase as development continues. The project focuses on improvements throughout the wastewater system for safe conveyance and treatment of wastewater.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		03/31/2026	$300,000.00
Design:			$871,000.00
Est. Construction:	01/01/2027	12/31/2028	$10,580,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	87.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Jefferson					
PIF #:	17085	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater / Sewer Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Sanitary Sewer Lift Station and Gravity Line Upgrades					

	Start Date	Completion Date	Phase Cost
Planning:			$550,000.00
Acquisition:			$0.00
Design:			$580,000.00
Est. Construction:	12/13/2028	12/13/2029	$5,830,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	% permitted capacity is ≥ 90% and proj. improves problem	30.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Priority 5c	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	85.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Bartlett					
PIF #:	17086	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs: Project 73933					
Project Name: Bartlett Wastewater Treatment Plant and Collections System Improvements					
Project Type: POTW				**Project Phase:** Planning & Construction	
Project Description: Bartlett Wastewater Treatment Plant and Collection System Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$510,000.00
Acquisition:			$0.00
Design:			$0.00
Est. Construction:	08/15/2026	02/26/2028	$15,744,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	Yes	30.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	60.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Hemphill					
PIF #:	17087	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: New sewer trunk line					
Project Type: POTW				**Project Phase:** P A D & Construction	
Project Description: New Sewer Trunk Line to Zeigler Lift Station Service Area (Abandon Lift Station)					

	Start Date	Completion Date	Phase Cost
Planning:			$220,000.00
Acquisition:			$8,500.00
Design:			$68,000.00
Est. Construction:	06/01/2025	12/01/2026	$424,900.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5c	10.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	Yes	1.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	12.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Sheridan WSC				
PIF #:	17088	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Sheridan Collection & Wastewater Treatment System Improvements				
Project Type:	POTW			**Project Phase:**	Design & Construction

Project Description: Sheridan WWTP Expansion to increase the wastewater treatment capacity from 76,000 gpd to 152,000 gpd as well as extending wastewater service into an area not currently served and utilizing on-site septic systems. Improvements to an existing lift station with larger capacity grinder pumps, improving Energy usage and Green Components and implementing a CCTV study of the entire gravity sewer system to identify sources of Inflow and Infiltration.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		01/01/2026	$493,750.00
Est. Construction:	01/15/2027	08/31/2028	$4,331,250.00

Green Project:	Yes-BC
Green Amount:	$869,800.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	Accepted	10.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	58.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Fort Davis WSC				
PIF #:	17089	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Fort Davis WSC Wastewater Treatment Plant				
Project Type:	POTW			**Project Phase:**	Design & Construction
Project Description:	Wastewater Treatment Plant replacement and expansion				

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:			$88,000.00
Est. Construction:	11/01/2026	11/01/2027	$412,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 5b	20.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	50.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Leonard					
PIF #:	17090	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Leonard Wastewater Treatment Plant Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Improvements to the existing wastewater treatment plant. Not intended to modify existing discharge permit, but increase the efficiency of the current treatment processes.					

	Start Date	Completion Date	Phase Cost
Planning:			$1,000,000.00
Acquisition:			$0.00
Design:			$1,500,000.00
Est. Construction:	09/01/2026	03/01/2028	$14,994,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Lufkin					
PIF #:	17091	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: 36-Inch and 42-Inch Sanitary Sewer Line Rehabilitation					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: The City of Lufkin is experiencing excessive inflow and infiltration (I&I) into its wastewater collection system, leading to overflows at the wastewater treatment plant (WWTP) and exceeding permitted discharge contaminants/parameters. The significant I&I also cause overflows throughout the collection system. In order to address this issue, approximately 20,000 linear feet of deteriorated 36-inch and 42-inch clay sewer lines leading to the WWTP require rehabilitation and/or replacement.					

	Start Date	Completion Date	Phase Cost
Planning:			$670,000.00
Acquisition:			$0.00
Design:		12/31/2025	$620,000.00
Est. Construction:	01/05/2026	12/31/2026	$11,710,000.00

Green Project: Yes-BC

Green Amount: $13,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	64.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Lott					
PIF #:	17092	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater System Improvements					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Upgrade and/or Improve wastewater plant. Replace, upsize collection system lines. Rehab lift stations.					

	Start Date	Completion Date	Phase Cost
Planning:			$600,000.00
Acquisition:			$0.00
Design:			$865,000.00
Est. Construction:	04/01/2027	06/30/2028	$7,225,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Eldorado					
PIF #:	17093	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wastewater line replacement and portable emergency generator					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Acquisition of a portable generator and associated electrical improvements to power lift stations during power outages.Replacement of existing deteriorated wastewater collection lines that have collapsed and/or have issues with plugging and operational issues.					

	Start Date	Completion Date	Phase Cost
Planning:			$85,000.00
Acquisition:			$0.00
Design:			$77,120.00
Est. Construction:	05/14/2026	05/30/2027	$783,800.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	11.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Greater Texoma UA				
PIF #:	17094	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	GTUA/City of Gainesville Additional Transmission Lines Project				
Project Type:	POTW			**Project Phase:**	Planning Design & Construction
Project Description:	project will involve replacing old sewer lines with larger lines. This will help resolve and deal with I & I issues and growth. This project will also help surcharging during high rain events.				

	Start Date	Completion Date	Phase Cost
Planning:			$846,240.00
Acquisition:		09/05/2025	$0.00
Design:			$500,000.00
Est. Construction:	08/20/2026	08/31/2027	$6,819,840.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Annona					
PIF #:	17095	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: City of Annona Wastewater Project					
Project Type: POTW				**Project Phase:** Planning Design & Construction	

Project Description: The town of Annona wastewater collection and treatment system project will involve planning, design and construction of new infrastructure that will replace and rehabilitate the failing sewer system with 120 service connections. For many years to the present, residents are forced to live among standing pools of sewer due to back-ups from failed collection lines dating back to the 1960's. Furthermore, the existing treatment system is entirely non-functioning. It is anticipated the collectionsystem will be addressed first, including short-term triage efforts to temporarily resolve the most dire human health risks until a more permanent, comprehensive collection system replacement can be made as part of this project. A second phase would then focus on necessary steps to rehabilitate the existing sewer treatment system.

	Start Date	Completion Date	Phase Cost
Planning:			$54,000.00
Acquisition:			$0.00
Design:			$98,400.00
Est. Construction:	02/01/2026	12/31/2028	$1,580,380.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	Yes	30.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	Expansion of no-discharge plant	15.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	56.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Von Ormy					
PIF #:	17096	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: CITY OF VON ORMY SEWER IMPROVEMENTS _ PHASE I					
Project Type: POTW				**Project Phase:** Acquisition & Construction	
Project Description: The city residents currently utilize septic systems for their sanitary requirements. The city is planning to build a centralized collection system to transport sewer to the nearest manhole operated and maintained by San Antonio Water System.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		08/01/2025	$580,000.00
Design:			$0.00
Est. Construction:	09/01/2025	09/01/2026	$14,000,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.		0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	61.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Wallis					
PIF #:	17097	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Wallis Wastewater Treatment Plant					
Project Type: POTW				**Project Phase:** Acquisition Design & Construction	
Project Description: This project includes land acquisition, design and construction of a new wastewater treatment plant to meet the current TCEQ requirements while providing flexibility to address future current TCEQ requirements as the population in the City increases to meet development demand. This project includes the design and construction of a 2.0 MGD wastewater treatment plant (WWTP) primality to cater to areas not currently served as the population of the City is projected to increase as development continues.					

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		03/31/2026	$500,000.00
Design:			$3,113,000.00
Est. Construction:	01/01/2028	12/31/2030	$37,738,000.00

Green Project: No

Green Amount: $0.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	Orders	30.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	Yes	30.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	Yes	20.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	Yes	5.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	Yes	1.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	117.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Garner ISD				
PIF #:	17101	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Garner ISD Wastewater System				
Project Type:	POTW			**Project Phase:**	Planning Acquisition & Design

Project Description: Garner Independent School District (GISD) does not have access to a public wastewater treatment system and currently utilizes an individual septic system to treat the domestic sewage generated at the school campus. The proposed project will update the treatment facilities to accommodate additional students and staff of the campus as it continues to expand.

	Start Date	Completion Date	Phase Cost
Planning:			$25,000.00
Acquisition:			$5,000.00
Design:			$68,000.00
Est. Construction:	04/01/2026	02/01/2027	$0.00

Green Project:	Yes-Comb.
Green Amount:	$29,400.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	Yes	30.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	Yes	1.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	Yes	1.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	87.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Redwood Vista WSC				
PIF #:	17103	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Redwood Vista WSC - Guadalupe County WW Treatment System Planning, Design, Acquisition, Construction				
Project Type:	POTW			**Project Phase:**	P A D & Construction

Project Description: Two subdivisions in the unincorporated Redwood community in Guadalupe County – Rancho Vista and Redwood - face an urgent public health crisis associated with pervasive ponded, untreated sewage resulting from widespread failure of existing onsite wastewater (septic) systems throughout the community. This project will involve planning, acquisition, design, and construction of new wastewater infrastructure that will replace the failed existing onsite wastewater infrastructure and provide safe disposal of sewage for up to 1400 service connections. At this juncture, it is assumed that a portion of the population of the Rancho Vista and Redwood communities are interested in participating in this effort. That population is estimated to equate to 333 connections for a total estimated population served of 999.

	Start Date	Completion Date	Phase Cost
Planning:			$700,000.00
Acquisition:		01/01/2027	$1,200,000.00
Design:			$1,175,000.00
Est. Construction:	02/01/2026	07/01/2028	$17,570,000.00

Green Project: Yes-CE

Green Amount: $2,500,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	Yes	11.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	Yes	30.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00

Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	41.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Onion Creek Water Service Company				
PIF #:	17104	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Onion Creek Water Service Company Non-Potable Reuse Line				
Project Type:	POTW			**Project Phase:**	Acquisition Design & Construction

Project Description: The project consists of the construction of approximately 4.5 miles of a 12" effluent reuse line to provide irrigation water for the Onion Creek Golf Course. The water will be discharged into a culvert that flows under I-35 and diverted by a weir into an existing line that empties into storage ponds on the golf course. This reuse water will replace four fresh water wells in the Edwards and Trinity aquifers in Travis County, Texas. These wells currently provide up to 0.5 MGD for irrigation purposes. Once the project is completed, the fresh water will be leased to the Creedmoor Maha WSC to provide additional domestic water supply.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:		12/31/2025	$1,692,500.00
Design:			$612,250.00
Est. Construction:	08/01/2025	03/31/2026	$3,678,092.00

Green Project: Yes-CE

Green Amount: $3,637,592.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	Yes	2.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	12.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority:	Spring Creek UD				
PIF #:	17110	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name:	Water Reuse Treatment Facility, Drainage Improvements & Water Reuse Distribution Phase I				
Project Type:	POTW			**Project Phase:**	Design & Construction

Project Description: The proposed project will include a reclaimed water plant expansion to be located at the Spring Creek Utility District Wastewater Treatment Plant. The project also includes a phase 1 extension of water reuse distribution lines to serve high volume irrigation customers such as homeowners association buildings. The project also includes proposed storm sewer improvements to existing large diameter storm sewer pipe in the vicinity of the wastewater treatment plant and initial water reuse extension.

	Start Date	Completion Date	Phase Cost
Planning:			$0.00
Acquisition:			$0.00
Design:		06/16/2025	$818,600.00
Est. Construction:	08/18/2025	08/17/2026	$9,616,364.00

Green Project: Yes-CE

Green Amount: $4,539,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	Yes	15.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	Yes	5.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	Non-Priority 4a	40.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00

Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00
Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	Yes	5.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	No	0.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	65.00

Texas Water Development Board
Clean Water State Revolving Fund
Project Information Form Rating Report

Authority: Tenaha					
PIF #:	17120	**Program:**	CWSRF	**PPL Year:**	2026
Related PIFs:					
Project Name: Tenaha -- Wastewater System Improvements and Upgrades					
Project Type: POTW				**Project Phase:** Planning Design & Construction	
Project Description: Wastewater System Improvements					

	Start Date	Completion Date	Phase Cost
Planning:			$490,000.00
Acquisition:			$0.00
Design:			$175,000.00
Est. Construction:	11/01/2026	11/01/2027	$2,525,000.00

Green Project: Yes-BC

Green Amount: $2,000,000.00

Project Rating:

Criteria	Answer	Score
Sec. 212 - Is the work required by a schedule that is imposed by court order, EPA administrative order, TCEQ enforcement order, or participation in SSO Initiative?	No	0.00
Sec. 212 - Does the project involve extending service (centralized or alternative system) to populated areas of an existing developed community that are not served by a centralized collection system?	No	0.00
Sec. 212 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the project?	No	0.00
Sec. 212 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	No	0.00
Sec. 212 - Will the project include innovative or alternative types of collection or treatment technology?	No	0.00
Sec. 212 - Does the project involve more stringent permit limitations?	No	0.00
Sec. 212 - Does the project result in regionalization? (See specific criteria)	No	0.00
Sec. 212 - Will a majority of the funds being requested from the SRF for the project be used to implement measures to reduce the demand for publically owned treatment works capacity through water conservation, efficiency, or reuse?	No	0.00
Sec. 212 - For a qualified nonprofit, will a majority of the funds being requested from the SRF for the project be used to assist owners and operators of small and medium POTWs?	No	0.00
Sec. 212 - Does the proposed project involve a facility that requires expansion of its hydraulic capacity or removal of extraneous flow?	No	0.00
Sec. 212 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	No	0.00
Sec. 319 - Has a public health official found that a nuisance dangerous to public health and safety exists resulting from water supply and sanitation problems in the area to be served by the proposed project?	N/A	0.00
Sec. 319 - Does a threat exist to an aquifer or groundwater that may be impacted by the proposed project?	N/A	0.00
Sec. 319 - Is a water body impacted by the proposed project listed in a Watershed Protection Plan that is under development or has been accepted by the TCEQ or TSSWCB?	N/A	0.00
Sec. 319 - The proposed project impacts a water body that does not meet applicable water quality standards. (refer to water bodies listed as Category 4a, 5a, 5b, or 5c in the latest Watershed Action Planning Strategy Table).	N/A	0.00

Sec. 319 - Does the project include stream bank restoration or contain elements of Low Impact Development, such as vegetated filter strips, bio-retention, rain gardens, or porous pavement?	N/A	0.00
Sec. 320 - Does the project restore, protect, and enhance coastal natural resources?	N/A	0.00
Sec. 320 - Does the project improve water quality?	N/A	0.00
Sec. 320 - Does the project enhance public access?	N/A	0.00
Sec. 320 - Does the project improve onshore infrastructure and environmental management?	N/A	0.00
Sec. 320 - Does the project mitigate erosion and stabilize shorelines?	N/A	0.00
Sec. 320 - Does the project educate the public on the importance of coastal natural resources?	N/A	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement innovative approaches to manage, reduce, treat, or recapture stormwater or subsurface drainage water?	No	0.00
All Proj. - Will a majority of the funds being requested from the SRF for the project be used to implement reuse or recycling wastewater, stormwater, or subsurface drainage water? If yes, please explain.	No	0.00
All Proj. - In the past 5 years, has an asset management plan been adopted by the entity's governing body?	No	0.00
All Proj. - Is the entity planning to prepare an asset management plan as part of the proposed project?	No	0.00
All Proj. - Has asset management training been administered to the entity's governing body and employees?	No	0.00
All Proj. - Does the proposed project address specific targets, goals, or measures in a water conservation or drought contingency plan that has been adopted by the entity's governing body within the past 5 years?	No	0.00
All Proj. - Does the proposed project address specific goals in a system-wide or plant-wide energy assessment, audit, or optimization study that has been conducted within the past three years?	No	0.00
All Proj. - Does the proposed project implement elements contained in a state or regional water plan, integrated water resource management plan, regional facility plan, regionalization or consolidation plan, or TMDL implementation plan?	No	0.00
All Proj. - Entity qualifies as a disadvantaged community.	Yes	30.00
All Proj. - Entity previously received TWDB planning, acquisition, and/or design funds for this project.	No	0.00
All Proj. - Entity has a Cybersecutity Awareness Plan that has been adopted by it's governing body in last 5 years.	No	0.00
All Proj. - Project addresses a deficiency found in a Cybersecurity Assessment.	No	0.00
	Rating:	30.00