# Texas Water Development Board
# Groundwater Database Reports

groundwater resources division

## Water Level Publication Report
**County:** Bexar

*Water Level Measurements in Feet Above or Below (-) Land Surface*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6818901** | *( Aquifer: 219SLGH* | | *Well Depth: 1241 )* | | | | | | |
| | P | 5 / 7 / 1992 | -417.03 | | 1022.97 | 01 | 09 | 1 | |
| **Min** -417.03 | | **Max** -417.03 | **Avg** -417.03 | | | | | | |
| **6818902** | *( Aquifer: 218GLRS* | | *Well Depth: 620 )* | | | | | | |
| | P | 5 / 7 / 1992 | -291.63 | | 1268.37 | 01 | 09 | 1 | |
| **Min** -291.63 | | **Max** -291.63 | **Avg** -291.63 | | | | | | |
| **6819207** | *( Aquifer: 218GRHC* | | *Well Depth: 500 )* | | | | | | |
| | P | 8 / 7 / 1974 | -371.1 | | 1104.9 | 01 | 12 | 7 | |
| **Min** -371.1 | | **Max** -371.1 | **Avg** -371.1 | | | | | | |
| **6819208** | *( Aquifer: 219SLGH* | | *Well Depth: 893 )* | | | | | | |
| | P | 12 / 21/ 1977 | -406 | | 999 | 01 | 01 | 1 | |
| | P | 3 / 7 / 1978 | -404 | 2 | 1001 | 01 | 01 | 1 | |
| | P | 3 / 5 / 1979 | -443.2 | -39.2 | 961.8 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -410.3 | 32.9 | 994.7 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1982 | -410.2 | 0.1 | 994.8 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1983 | -418.09 | -7.89 | 986.91 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -410.1 | 7.99 | 994.9 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1986 | -404.5 | 5.6 | 1000.5 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -423.65 | -19.2 | 981.35 | 01 | 01 | 1 | |
| | P | 10 / 29/ 1987 | -426.28 | -2.63 | 978.72 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1988 | -428 | -1.72 | 977 | 01 | 01 | 2 | |
| | P | 2 / 1 / 1989 | -437.73 | -9.73 | 967.27 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1990 | -450 | -12.3 | 955 | 01 | 01 | 1 | |
| | P | 1 / 21/ 1991 | -453 | -3 | 952 | 01 | 01 | 1 | |
| | P | 1 / 28/ 1992 | -451.2 | 1.8 | 953.8 | 01 | 01 | 1 | |
| | P | 3 / 10/ 1992 | -451.55 | -0.35 | 953.45 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -451.01 | 0.54 | 953.99 | 01 | 09 | 1 | |
| | P | 3 / 2 / 1993 | -447.77 | 3.24 | 957.23 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/19/1994 | -447.43 | 0.34 | 957.57 | 01 | 06 | 1 | |
| | P | 4/ 6/1995 | -443.28 | 4.15 | 961.72 | 01 | 06 | 1 | |
| | P | 3/18/1996 | -453.71 | -10.4 | 951.29 | 01 | 06 | 1 | |
| | P | 7/24/1996 | -474.37 | -20.7 | 930.63 | 01 | 01 | 1 | |
| | P | 1/15/1997 | -471.2 | 3.17 | 933.8 | 01 | 01 | 1 | |
| | P | 3/14/1997 | -471.78 | -0.58 | 933.22 | 01 | 01 | 1 | |
| | P | 4/17/1997 | -471.36 | 0.42 | 933.64 | 01 | 01 | 1 | |
| | P | 5/14/1997 | -470.64 | 0.72 | 934.36 | 01 | 01 | 1 | |
| | P | 6/19/1997 | -470.46 | 0.18 | 934.54 | 01 | 01 | 1 | |
| | P | 7/22/1997 | -469.69 | 0.77 | 935.31 | 01 | 01 | 1 | |
| | P | 3/ 6/1998 | -466.71 | 2.98 | 938.29 | 01 | 04 | 2 | |
| | P | 1/ 8/2001 | -474.85 | -8.14 | 930.15 | 01 | 04 | 4 | |
| | P | 1/29/2001 | -471.97 | 2.88 | 933.03 | 01 | 04 | 4 | |
| | P | 2/ 7/2001 | -473.91 | -1.94 | 931.09 | 01 | 04 | 4 | |
| | P | 3/ 5/2001 | -473.71 | 0.2 | 931.29 | 01 | 04 | 4 | |
| | P | 4/ 5/2001 | -472.5 | 1.21 | 932.5 | 01 | 04 | 4 | |
| | P | 5/11/2001 | -471.6 | 0.9 | 933.4 | 01 | 04 | 4 | |
| | P | 6/ 5/2001 | -470.95 | 0.65 | 934.05 | 01 | 04 | 4 | |
| | P | 7/ 9/2001 | -470.47 | 0.48 | 934.53 | 01 | 04 | 4 | |
| | P | 8/ 8/2001 | -470.54 | -0.07 | 934.46 | 01 | 04 | 4 | |
| | P | 9/ 5/2001 | -470.71 | -0.17 | 934.29 | 01 | 04 | 4 | |
| | P | 9/15/2001 | -471.27 | -0.56 | 933.73 | 01 | 04 | 4 | |
| | P | 9/30/2001 | -471.94 | -0.67 | 933.06 | 01 | 04 | 4 | |
| | P | 10/ 1/2001 | -472.07 | -0.13 | 932.93 | 01 | 04 | 4 | |
| | P | 10/ 2/2001 | -472.22 | -0.15 | 932.78 | 01 | 04 | 4 | |
| | P | 10/ 3/2001 | -472.35 | -0.13 | 932.65 | 01 | 04 | 2 | |
| | P | 10/ 4/2001 | -472.36 | -0.01 | 932.64 | 01 | 04 | 4 | |
| | P | 10/ 5/2001 | -472.39 | -0.03 | 932.61 | 01 | 04 | 4 | |
| | P | 10/ 6/2001 | -472.3 | 0.09 | 932.7 | 01 | 04 | 4 | |
| | P | 10/ 7/2001 | -472.29 | 0.01 | 932.71 | 01 | 04 | 4 | |
| | P | 10/ 8/2001 | -472.31 | -0.02 | 932.69 | 01 | 04 | 4 | |
| | P | 10/ 9/2001 | -472.32 | -0.01 | 932.68 | 01 | 04 | 4 | |
| | P | 10/10/2001 | -472.33 | -0.01 | 932.67 | 01 | 04 | 4 | |
| | P | 10/11/2001 | -472.33 | | 932.67 | 01 | 04 | 4 | |
| | P | 10/12/2001 | -472.38 | -0.05 | 932.62 | 01 | 04 | 4 | |
| | P | 10/13/2001 | -472.4 | -0.02 | 932.6 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 14/ 2001 | -472.3 | 0.1 | 932.7 | 01 | 04 | 4 | |
| | P | 10 / 15/ 2001 | -472.26 | 0.04 | 932.74 | 01 | 04 | 4 | |
| | P | 10 / 16/ 2001 | -472.14 | 0.12 | 932.86 | 01 | 04 | 4 | |
| | P | 10 / 17/ 2001 | -472.16 | -0.02 | 932.84 | 01 | 04 | 4 | |
| | P | 10 / 18/ 2001 | -472.21 | -0.05 | 932.79 | 01 | 04 | 4 | |
| | P | 10 / 19/ 2001 | -472.23 | -0.02 | 932.77 | 01 | 04 | 4 | |
| | P | 10 / 20/ 2001 | -472.19 | 0.04 | 932.81 | 01 | 04 | 4 | |
| | P | 10 / 21/ 2001 | -472.18 | 0.01 | 932.82 | 01 | 04 | 4 | |
| | P | 10 / 22/ 2001 | -472.19 | -0.01 | 932.81 | 01 | 04 | 4 | |
| | P | 10 / 23/ 2001 | -472.22 | -0.03 | 932.78 | 01 | 04 | 4 | |
| | P | 10 / 24/ 2001 | -472.18 | 0.04 | 932.82 | 01 | 04 | 4 | |
| | P | 10 / 25/ 2001 | -472.05 | 0.13 | 932.95 | 01 | 04 | 4 | |
| | P | 10 / 26/ 2001 | -471.97 | 0.08 | 933.03 | 01 | 04 | 4 | |
| | P | 10 / 27/ 2001 | -471.93 | 0.04 | 933.07 | 01 | 04 | 4 | |
| | P | 10 / 28/ 2001 | -471.93 | | 933.07 | 01 | 04 | 4 | |
| | P | 10 / 29/ 2001 | -471.9 | 0.03 | 933.1 | 01 | 04 | 4 | |
| | P | 10 / 30/ 2001 | -471.9 | | 933.1 | 01 | 04 | 4 | |
| | P | 11 / 1 / 2001 | -471.96 | -0.06 | 933.04 | 01 | 04 | 4 | |
| | P | 11 / 2 / 2001 | -471.92 | 0.04 | 933.08 | 01 | 04 | 4 | |
| | P | 11 / 3 / 2001 | -471.84 | 0.08 | 933.16 | 01 | 04 | 4 | |
| | P | 11 / 4 / 2001 | -471.81 | 0.03 | 933.19 | 01 | 04 | 4 | |
| | P | 11 / 5 / 2001 | -471.8 | 0.01 | 933.2 | 01 | 04 | 4 | |
| | P | 11 / 6 / 2001 | -471.78 | 0.02 | 933.22 | 01 | 04 | 4 | |
| | P | 11 / 7 / 2001 | -471.76 | 0.02 | 933.24 | 01 | 04 | 4 | |
| | P | 11 / 8 / 2001 | -471.72 | 0.04 | 933.28 | 01 | 04 | 2 | |
| | P | 11 / 9 / 2001 | -471.65 | 0.07 | 933.35 | 01 | 04 | 4 | |
| | P | 11 / 10/ 2001 | -471.65 | | 933.35 | 01 | 04 | 4 | |
| | P | 11 / 11/ 2001 | -471.64 | 0.01 | 933.36 | 01 | 04 | 4 | |
| | P | 11 / 12/ 2001 | -471.6 | 0.04 | 933.4 | 01 | 04 | 4 | |
| | P | 11 / 13/ 2001 | -471.59 | 0.01 | 933.41 | 01 | 04 | 4 | |
| | P | 11 / 14/ 2001 | -471.6 | -0.01 | 933.4 | 01 | 04 | 4 | |
| | P | 11 / 15/ 2001 | -471.62 | -0.02 | 933.38 | 01 | 04 | 4 | |
| | P | 11 / 16/ 2001 | -471.56 | 0.06 | 933.44 | 01 | 04 | 4 | |
| | P | 11 / 17/ 2001 | -471.5 | 0.06 | 933.5 | 01 | 04 | 4 | |
| | P | 11 / 18/ 2001 | -471.49 | 0.01 | 933.51 | 01 | 04 | 4 | |
| | P | 11 / 19/ 2001 | -471.45 | 0.04 | 933.55 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 20/ 2001 | -471.4 | 0.05 | 933.6 | 01 | 04 | 4 | |
| | P | 11/ 21/ 2001 | -471.43 | -0.03 | 933.57 | 01 | 04 | 4 | |
| | P | 11/ 22/ 2001 | -471.47 | -0.04 | 933.53 | 01 | 04 | 4 | |
| | P | 11/ 23/ 2001 | -471.51 | -0.04 | 933.49 | 01 | 04 | 4 | |
| | P | 11/ 24/ 2001 | -471.39 | 0.12 | 933.61 | 01 | 04 | 4 | |
| | P | 11/ 25/ 2001 | -471.31 | 0.08 | 933.69 | 01 | 04 | 4 | |
| | P | 11/ 26/ 2001 | -471.32 | -0.01 | 933.68 | 01 | 04 | 4 | |
| | P | 11/ 27/ 2001 | -471.27 | 0.05 | 933.73 | 01 | 04 | 4 | |
| | P | 11/ 28/ 2001 | -471.21 | 0.06 | 933.79 | 01 | 04 | 4 | |
| | P | 11/ 29/ 2001 | -471.15 | 0.06 | 933.85 | 01 | 04 | 4 | |
| | P | 11/ 30/ 2001 | -471.13 | 0.02 | 933.87 | 01 | 04 | 4 | |
| | P | 12/ 1/ 2001 | -471.05 | 0.08 | 933.95 | 01 | 04 | 4 | |
| | P | 12/ 2/ 2001 | -471.02 | 0.03 | 933.98 | 01 | 04 | 4 | |
| | P | 12/ 3/ 2001 | -471.01 | 0.01 | 933.99 | 01 | 04 | 4 | |
| | P | 12/ 4/ 2001 | -470.99 | 0.02 | 934.01 | 01 | 04 | 4 | |
| | P | 12/ 5/ 2001 | -470.95 | 0.04 | 934.05 | 01 | 04 | 2 | |
| | P | 12/ 6/ 2001 | -470.94 | 0.01 | 934.06 | 01 | 04 | 4 | |
| | P | 12/ 7/ 2001 | -470.98 | -0.04 | 934.02 | 01 | 04 | 4 | |
| | P | 12/ 8/ 2001 | -470.93 | 0.05 | 934.07 | 01 | 04 | 4 | |
| | P | 12/ 9/ 2001 | -470.9 | 0.03 | 934.1 | 01 | 04 | 4 | |
| | P | 12/ 10/ 2001 | -470.94 | -0.04 | 934.06 | 01 | 04 | 4 | |
| | P | 12/ 11/ 2001 | -470.98 | -0.04 | 934.02 | 01 | 04 | 4 | |
| | P | 12/ 12/ 2001 | -471 | -0.02 | 934 | 01 | 04 | 4 | |
| | P | 12/ 13/ 2001 | -470.96 | 0.04 | 934.04 | 01 | 04 | 4 | |
| | P | 12/ 14/ 2001 | -470.95 | 0.01 | 934.05 | 01 | 04 | 4 | |
| | P | 12/ 15/ 2001 | -470.97 | -0.02 | 934.03 | 01 | 04 | 4 | |
| | P | 12/ 16/ 2001 | -470.98 | -0.01 | 934.02 | 01 | 04 | 4 | |
| | P | 12/ 17/ 2001 | -470.89 | 0.09 | 934.11 | 01 | 04 | 4 | |
| | P | 12/ 18/ 2001 | -470.91 | -0.02 | 934.09 | 01 | 04 | 4 | |
| | P | 12/ 19/ 2001 | -470.85 | 0.06 | 934.15 | 01 | 04 | 4 | |
| | P | 12/ 20/ 2001 | -470.81 | 0.04 | 934.19 | 01 | 04 | 4 | |
| | P | 12/ 21/ 2001 | -470.85 | -0.04 | 934.15 | 01 | 04 | 4 | |
| | P | 12/ 22/ 2001 | -470.9 | -0.05 | 934.1 | 01 | 04 | 4 | |
| | P | 12/ 23/ 2001 | -470.83 | 0.07 | 934.17 | 01 | 04 | 4 | |
| | P | 12/ 24/ 2001 | -470.81 | 0.02 | 934.19 | 01 | 04 | 4 | |
| | P | 12/ 25/ 2001 | -470.81 | | 934.19 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/26/2001 | -470.81 | | 934.19 | 01 | 04 | 4 | |
| | P | 12/27/2001 | -470.87 | -0.06 | 934.13 | 01 | 04 | 4 | |
| | P | 12/28/2001 | -470.9 | -0.03 | 934.1 | 01 | 04 | 4 | |
| | P | 12/29/2001 | -470.84 | 0.06 | 934.16 | 01 | 04 | 4 | |
| | P | 12/30/2001 | -470.79 | 0.05 | 934.21 | 01 | 04 | 4 | |
| | P | 1/ 1/2002 | -470.75 | 0.04 | 934.25 | 01 | 04 | 4 | |
| | P | 1/ 2/2002 | -470.69 | 0.06 | 934.31 | 01 | 04 | 4 | |
| | P | 1/ 3/2002 | -470.71 | -0.02 | 934.29 | 01 | 04 | 4 | |
| | P | 1/ 4/2002 | -470.76 | -0.05 | 934.24 | 01 | 04 | 4 | |
| | P | 1/ 5/2002 | -470.8 | -0.04 | 934.2 | 01 | 04 | 4 | |
| | P | 1/ 6/2002 | -470.73 | 0.07 | 934.27 | 01 | 04 | 4 | |
| | P | 1/ 7/2002 | -470.71 | 0.02 | 934.29 | 01 | 04 | 2 | |
| | P | 1/ 8/2002 | -470.74 | -0.03 | 934.26 | 01 | 04 | 4 | |
| | P | 1/ 9/2002 | -470.78 | -0.04 | 934.22 | 01 | 04 | 4 | |
| | P | 1/10/2002 | -470.79 | -0.01 | 934.21 | 01 | 04 | 4 | |
| | P | 1/11/2002 | -470.72 | 0.07 | 934.28 | 01 | 04 | 4 | |
| | P | 1/12/2002 | -470.71 | 0.01 | 934.29 | 01 | 04 | 4 | |
| | P | 1/13/2002 | -470.77 | -0.06 | 934.23 | 01 | 04 | 4 | |
| | P | 1/14/2002 | -470.72 | 0.05 | 934.28 | 01 | 04 | 4 | |
| | P | 1/15/2002 | -470.67 | 0.05 | 934.33 | 01 | 04 | 4 | |
| | P | 1/16/2002 | -470.69 | -0.02 | 934.31 | 01 | 04 | 4 | |
| | P | 1/17/2002 | -470.69 | | 934.31 | 01 | 04 | 4 | |
| | P | 1/18/2002 | -470.68 | 0.01 | 934.32 | 01 | 04 | 4 | |
| | P | 1/19/2002 | -470.67 | 0.01 | 934.33 | 01 | 04 | 4 | |
| | P | 1/20/2002 | -470.67 | | 934.33 | 01 | 04 | 4 | |
| | P | 1/21/2002 | -470.63 | 0.04 | 934.37 | 01 | 04 | 4 | |
| | P | 1/22/2002 | -470.65 | -0.02 | 934.35 | 01 | 04 | 4 | |
| | P | 1/23/2002 | -470.68 | -0.03 | 934.32 | 01 | 04 | 4 | |
| | P | 1/24/2002 | -470.63 | 0.05 | 934.37 | 01 | 04 | 4 | |
| | P | 1/25/2002 | -470.51 | 0.12 | 934.49 | 01 | 04 | 4 | |
| | P | 1/26/2002 | -470.53 | -0.02 | 934.47 | 01 | 04 | 4 | |
| | P | 1/27/2002 | -470.55 | -0.02 | 934.45 | 01 | 04 | 4 | |
| | P | 1/28/2002 | -470.57 | -0.02 | 934.43 | 01 | 04 | 4 | |
| | P | 1/29/2002 | -470.59 | -0.02 | 934.41 | 01 | 04 | 4 | |
| | P | 1/30/2002 | -470.6 | -0.01 | 934.4 | 01 | 04 | 4 | |
| | P | 2/ 1/2002 | -470.38 | 0.22 | 934.62 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 2/2002 | -470.39 | -0.01 | 934.61 | 01 | 04 | 4 | |
| | P | 2/ 3/2002 | -470.41 | -0.02 | 934.59 | 01 | 04 | 4 | |
| | P | 2/ 4/2002 | -470.37 | 0.04 | 934.63 | 01 | 04 | 4 | |
| | P | 2/ 5/2002 | -470.42 | -0.05 | 934.58 | 01 | 04 | 4 | |
| | P | 2/ 6/2002 | -470.41 | 0.01 | 934.59 | 01 | 04 | 4 | |
| | P | 2/ 7/2002 | -470.37 | 0.04 | 934.63 | 01 | 04 | 2 | |
| | P | 2/ 8/2002 | -470.36 | 0.01 | 934.64 | 01 | 04 | 4 | |
| | P | 2/ 9/2002 | -470.38 | -0.02 | 934.62 | 01 | 04 | 4 | |
| | P | 2/10/2002 | -470.23 | 0.15 | 934.77 | 01 | 04 | 4 | |
| | P | 2/11/2002 | -470.21 | 0.02 | 934.79 | 01 | 04 | 4 | |
| | P | 2/12/2002 | -470.27 | -0.06 | 934.73 | 01 | 04 | 4 | |
| | P | 2/13/2002 | -470.21 | 0.06 | 934.79 | 01 | 04 | 4 | |
| | P | 2/14/2002 | -470.2 | 0.01 | 934.8 | 01 | 04 | 4 | |
| | P | 2/15/2002 | -470.19 | 0.01 | 934.81 | 01 | 04 | 4 | |
| | P | 2/16/2002 | -470.11 | 0.08 | 934.89 | 01 | 04 | 4 | |
| | P | 2/17/2002 | -470.13 | -0.02 | 934.87 | 01 | 04 | 4 | |
| | P | 2/18/2002 | -470.18 | -0.05 | 934.82 | 01 | 04 | 4 | |
| | P | 2/19/2002 | -470.18 | | 934.82 | 01 | 04 | 4 | |
| | P | 2/20/2002 | -470.09 | 0.09 | 934.91 | 01 | 04 | 4 | |
| | P | 2/21/2002 | -470.06 | 0.03 | 934.94 | 01 | 04 | 4 | |
| | P | 2/22/2002 | -469.96 | 0.1 | 935.04 | 01 | 04 | 4 | |
| | P | 2/23/2002 | -470 | -0.04 | 935 | 01 | 04 | 4 | |
| | P | 2/24/2002 | -470.01 | -0.01 | 934.99 | 01 | 04 | 4 | |
| | P | 2/25/2002 | -469.97 | 0.04 | 935.03 | 01 | 04 | 4 | |
| | P | 2/26/2002 | -469.82 | 0.15 | 935.18 | 01 | 04 | 4 | |
| | P | 2/27/2002 | -469.83 | -0.01 | 935.17 | 01 | 04 | 4 | |
| | P | 2/28/2002 | -469.87 | -0.04 | 935.13 | 01 | 04 | 4 | |
| | P | 3/ 1/2002 | -469.95 | -0.08 | 935.05 | 01 | 04 | 2 | |
| | P | 3/ 2/2002 | -469.9 | 0.05 | 935.1 | 01 | 04 | 4 | |
| | P | 3/ 3/2002 | -469.76 | 0.14 | 935.24 | 01 | 04 | 4 | |
| | P | 3/ 4/2002 | -469.76 | | 935.24 | 01 | 04 | 4 | |
| | P | 3/ 5/2002 | -469.82 | -0.06 | 935.18 | 01 | 04 | 4 | |
| | P | 3/ 6/2002 | -469.9 | -0.08 | 935.1 | 01 | 04 | 4 | |
| | P | 3/ 7/2002 | -469.94 | -0.04 | 935.06 | 01 | 04 | 4 | |
| | P | 3/ 8/2002 | -469.99 | -0.05 | 935.01 | 01 | 04 | 4 | |
| | P | 3/ 9/2002 | -469.86 | 0.13 | 935.14 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/10/2002 | -469.82 | 0.04 | 935.18 | 01 | 04 | 4 | |
| | P | 3/11/2002 | -469.98 | -0.16 | 935.02 | 01 | 04 | 4 | |
| | P | 3/12/2002 | -469.98 | | 935.02 | 01 | 04 | 4 | |
| | P | 3/13/2002 | -470.03 | -0.05 | 934.97 | 01 | 04 | 4 | |
| | P | 3/14/2002 | -470.09 | -0.06 | 934.91 | 01 | 04 | 4 | |
| | P | 3/15/2002 | -470.08 | 0.01 | 934.92 | 01 | 04 | 4 | |
| | P | 3/16/2002 | -470.03 | 0.05 | 934.97 | 01 | 04 | 4 | |
| | P | 3/17/2002 | -470.04 | -0.01 | 934.96 | 01 | 04 | 4 | |
| | P | 3/18/2002 | -470.07 | -0.03 | 934.93 | 01 | 04 | 4 | |
| | P | 3/19/2002 | -470.11 | -0.04 | 934.89 | 01 | 04 | 4 | |
| | P | 3/20/2002 | -470.02 | 0.09 | 934.98 | 01 | 04 | 4 | |
| | P | 3/21/2002 | -469.96 | 0.06 | 935.04 | 01 | 04 | 4 | |
| | P | 3/22/2002 | -469.94 | 0.02 | 935.06 | 01 | 04 | 4 | |
| | P | 3/23/2002 | -470.04 | -0.1 | 934.96 | 01 | 04 | 4 | |
| | P | 3/24/2002 | -470.14 | -0.1 | 934.86 | 01 | 04 | 4 | |
| | P | 3/25/2002 | -470.13 | 0.01 | 934.87 | 01 | 04 | 4 | |
| | P | 3/26/2002 | -470.06 | 0.07 | 934.94 | 01 | 04 | 4 | |
| | P | 3/27/2002 | -470.06 | | 934.94 | 01 | 04 | 4 | |
| | P | 3/28/2002 | -470.13 | -0.07 | 934.87 | 01 | 04 | 4 | |
| | P | 3/29/2002 | -470.17 | -0.04 | 934.83 | 01 | 04 | 4 | |
| | P | 3/30/2002 | -470.22 | -0.05 | 934.78 | 01 | 04 | 4 | |
| | P | 3/31/2002 | -470.14 | 0.08 | 934.86 | 01 | 04 | 4 | |
| | P | 4/ 1/2002 | -470.15 | -0.01 | 934.85 | 01 | 04 | 4 | |
| | P | 4/ 2/2002 | -470.2 | -0.05 | 934.8 | 01 | 04 | 4 | |
| | P | 4/ 3/2002 | -470.11 | 0.09 | 934.89 | 01 | 04 | 2 | |
| | P | 4/ 4/2002 | -470.08 | 0.03 | 934.92 | 01 | 04 | 4 | |
| | P | 4/ 5/2002 | -470.08 | | 934.92 | 01 | 04 | 4 | |
| | P | 4/ 6/2002 | -470.13 | -0.05 | 934.87 | 01 | 04 | 4 | |
| | P | 4/ 7/2002 | -470.25 | -0.12 | 934.75 | 01 | 04 | 4 | |
| | P | 4/ 8/2002 | -470.24 | 0.01 | 934.76 | 01 | 04 | 4 | |
| | P | 4/ 9/2002 | -470.11 | 0.13 | 934.89 | 01 | 04 | 4 | |
| | P | 4/10/2002 | -470.08 | 0.03 | 934.92 | 01 | 04 | 4 | |
| | P | 4/11/2002 | -470.12 | -0.04 | 934.88 | 01 | 04 | 4 | |
| | P | 4/12/2002 | -470.14 | -0.02 | 934.86 | 01 | 04 | 4 | |
| | P | 4/13/2002 | -470.12 | 0.02 | 934.88 | 01 | 04 | 4 | |
| | P | 4/14/2002 | -470.13 | -0.01 | 934.87 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 15/ 2002 | -470.15 | -0.02 | 934.85 | 01 | 04 | 4 | |
| | P | 4/ 16/ 2002 | -470.13 | 0.02 | 934.87 | 01 | 04 | 4 | |
| | P | 4/ 17/ 2002 | -470.09 | 0.04 | 934.91 | 01 | 04 | 4 | |
| | P | 4/ 18/ 2002 | -470.08 | 0.01 | 934.92 | 01 | 04 | 4 | |
| | P | 4/ 19/ 2002 | -470.09 | -0.01 | 934.91 | 01 | 04 | 4 | |
| | P | 4/ 20/ 2002 | -470.11 | -0.02 | 934.89 | 01 | 04 | 4 | |
| | P | 4/ 21/ 2002 | -470.1 | 0.01 | 934.9 | 01 | 04 | 4 | |
| | P | 4/ 22/ 2002 | -470.06 | 0.04 | 934.94 | 01 | 04 | 4 | |
| | P | 4/ 23/ 2002 | -470.06 | | 934.94 | 01 | 04 | 4 | |
| | P | 4/ 24/ 2002 | -470.06 | | 934.94 | 01 | 04 | 4 | |
| | P | 4/ 25/ 2002 | -470.02 | 0.04 | 934.98 | 01 | 04 | 4 | |
| | P | 4/ 26/ 2002 | -470.05 | -0.03 | 934.95 | 01 | 04 | 4 | |
| | P | 4/ 27/ 2002 | -470.08 | -0.03 | 934.92 | 01 | 04 | 4 | |
| | P | 4/ 28/ 2002 | -470.03 | 0.05 | 934.97 | 01 | 04 | 4 | |
| | P | 4/ 29/ 2002 | -470.03 | | 934.97 | 01 | 04 | 4 | |
| | P | 4/ 30/ 2002 | -470.06 | -0.03 | 934.94 | 01 | 04 | 4 | |
| | P | 5/ 1/ 2002 | -470.09 | -0.03 | 934.91 | 01 | 04 | 4 | |
| | P | 5/ 2/ 2002 | -470.07 | 0.02 | 934.93 | 01 | 04 | 4 | |
| | P | 5/ 3/ 2002 | -470.03 | 0.04 | 934.97 | 01 | 04 | 4 | |
| | P | 5/ 4/ 2002 | -469.97 | 0.06 | 935.03 | 01 | 04 | 4 | |
| | P | 5/ 5/ 2002 | -469.95 | 0.02 | 935.05 | 01 | 04 | 4 | |
| | P | 5/ 6/ 2002 | -469.95 | | 935.05 | 01 | 04 | 2 | |
| | P | 5/ 7/ 2002 | -470 | -0.05 | 935 | 01 | 04 | 4 | |
| | P | 5/ 8/ 2002 | -470.04 | -0.04 | 934.96 | 01 | 04 | 4 | |
| | P | 5/ 9/ 2002 | -470.04 | | 934.96 | 01 | 04 | 4 | |
| | P | 5/ 10/ 2002 | -470 | 0.04 | 935 | 01 | 04 | 4 | |
| | P | 5/ 11/ 2002 | -470.03 | -0.03 | 934.97 | 01 | 04 | 4 | |
| | P | 5/ 12/ 2002 | -470.03 | | 934.97 | 01 | 04 | 4 | |
| | P | 5/ 13/ 2002 | -469.97 | 0.06 | 935.03 | 01 | 04 | 4 | |
| | P | 5/ 14/ 2002 | -470 | -0.03 | 935 | 01 | 04 | 4 | |
| | P | 5/ 15/ 2002 | -470.05 | -0.05 | 934.95 | 01 | 04 | 4 | |
| | P | 5/ 16/ 2002 | -470.09 | -0.04 | 934.91 | 01 | 04 | 4 | |
| | P | 5/ 17/ 2002 | -470.11 | -0.02 | 934.89 | 01 | 04 | 4 | |
| | P | 5/ 18/ 2002 | -470.04 | 0.07 | 934.96 | 01 | 04 | 4 | |
| | P | 5/ 19/ 2002 | -470.03 | 0.01 | 934.97 | 01 | 04 | 4 | |
| | P | 5/ 20/ 2002 | -470.04 | -0.01 | 934.96 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 21/ 2002 | -470.07 | -0.03 | 934.93 | 01 | 04 | 4 | |
| | P | 5/ 22/ 2002 | -470.11 | -0.04 | 934.89 | 01 | 04 | 4 | |
| | P | 5/ 23/ 2002 | -470.14 | -0.03 | 934.86 | 01 | 04 | 4 | |
| | P | 5/ 24/ 2002 | -470.14 | | 934.86 | 01 | 04 | 4 | |
| | P | 5/ 25/ 2002 | -470.14 | | 934.86 | 01 | 04 | 4 | |
| | P | 5/ 26/ 2002 | -470.14 | | 934.86 | 01 | 04 | 4 | |
| | P | 5/ 27/ 2002 | -470.18 | -0.04 | 934.82 | 01 | 04 | 4 | |
| | P | 5/ 28/ 2002 | -470.19 | -0.01 | 934.81 | 01 | 04 | 4 | |
| | P | 5/ 29/ 2002 | -470.21 | -0.02 | 934.79 | 01 | 04 | 4 | |
| | P | 5/ 30/ 2002 | -470.23 | -0.02 | 934.77 | 01 | 04 | 4 | |
| | P | 5/ 31/ 2002 | -470.22 | 0.01 | 934.78 | 01 | 04 | 4 | |
| | P | 6/ 1/ 2002 | -470.21 | 0.01 | 934.79 | 01 | 04 | 4 | |
| | P | 6/ 2/ 2002 | -470.23 | -0.02 | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 3/ 2002 | -470.24 | -0.01 | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 4/ 2002 | -470.25 | -0.01 | 934.75 | 01 | 04 | 4 | |
| | P | 6/ 5/ 2002 | -470.23 | 0.02 | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 6/ 2002 | -470.22 | 0.01 | 934.78 | 01 | 04 | 4 | |
| | P | 6/ 7/ 2002 | -470.23 | -0.01 | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 8/ 2002 | -470.24 | -0.01 | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 9/ 2002 | -470.26 | -0.02 | 934.74 | 01 | 04 | 4 | |
| | P | 6/ 10/ 2002 | -470.22 | 0.04 | 934.78 | 01 | 04 | 2 | |
| | P | 6/ 11/ 2002 | -470.24 | -0.02 | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 12/ 2002 | -470.24 | | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 13/ 2002 | -470.25 | -0.01 | 934.75 | 01 | 04 | 4 | |
| | P | 6/ 14/ 2002 | -470.23 | 0.02 | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 15/ 2002 | -470.23 | | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 16/ 2002 | -470.25 | -0.02 | 934.75 | 01 | 04 | 4 | |
| | P | 6/ 17/ 2002 | -470.24 | 0.01 | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 18/ 2002 | -470.26 | -0.02 | 934.74 | 01 | 04 | 4 | |
| | P | 6/ 19/ 2002 | -470.24 | 0.02 | 934.76 | 01 | 04 | 4 | |
| | P | 6/ 20/ 2002 | -470.19 | 0.05 | 934.81 | 01 | 04 | 4 | |
| | P | 6/ 21/ 2002 | -470.17 | 0.02 | 934.83 | 01 | 04 | 4 | |
| | P | 6/ 22/ 2002 | -470.18 | -0.01 | 934.82 | 01 | 04 | 4 | |
| | P | 6/ 23/ 2002 | -470.21 | -0.03 | 934.79 | 01 | 04 | 4 | |
| | P | 6/ 24/ 2002 | -470.23 | -0.02 | 934.77 | 01 | 04 | 4 | |
| | P | 6/ 25/ 2002 | -470.22 | 0.01 | 934.78 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 2002 | -470.23 | -0.01 | 934.77 | 01 | 04 | 4 | |
| | P | 6 / 27/ 2002 | -470.25 | -0.02 | 934.75 | 01 | 04 | 4 | |
| | P | 6 / 28/ 2002 | -470.24 | 0.01 | 934.76 | 01 | 04 | 4 | |
| | P | 6 / 29/ 2002 | -470.23 | 0.01 | 934.77 | 01 | 04 | 4 | |
| | P | 6 / 30/ 2002 | -470.25 | -0.02 | 934.75 | 01 | 04 | 4 | |
| | P | 7 / 1 / 2002 | -470.3 | -0.05 | 934.7 | 01 | 04 | 4 | |
| | P | 7 / 2 / 2002 | -470.38 | -0.08 | 934.62 | 01 | 04 | 4 | |
| | P | 7 / 3 / 2002 | -470.43 | -0.05 | 934.57 | 01 | 04 | 4 | |
| | P | 7 / 4 / 2002 | -470.46 | -0.03 | 934.54 | 01 | 04 | 4 | |
| | P | 7 / 5 / 2002 | -470.47 | -0.01 | 934.53 | 01 | 04 | 4 | |
| | P | 7 / 6 / 2002 | -470.46 | 0.01 | 934.54 | 01 | 04 | 4 | |
| | P | 7 / 7 / 2002 | -470.46 | | 934.54 | 01 | 04 | 4 | |
| | P | 7 / 8 / 2002 | -470.45 | 0.01 | 934.55 | 01 | 04 | 4 | |
| | P | 7 / 9 / 2002 | -470.45 | | 934.55 | 01 | 04 | 4 | |
| | P | 7 / 10/ 2002 | -470.47 | -0.02 | 934.53 | 01 | 04 | 2 | |
| | P | 7 / 11/ 2002 | -470.47 | | 934.53 | 01 | 04 | 4 | |
| | P | 7 / 12/ 2002 | -470.51 | -0.04 | 934.49 | 01 | 04 | 4 | |
| | P | 7 / 13/ 2002 | -470.53 | -0.02 | 934.47 | 01 | 04 | 4 | |
| | P | 7 / 14/ 2002 | -470.53 | | 934.47 | 01 | 04 | 4 | |
| | P | 7 / 15/ 2002 | -470.52 | 0.01 | 934.48 | 01 | 04 | 4 | |
| | P | 7 / 16/ 2002 | -470.54 | -0.02 | 934.46 | 01 | 04 | 4 | |
| | P | 7 / 17/ 2002 | -470.53 | 0.01 | 934.47 | 01 | 04 | 4 | |
| | P | 7 / 18/ 2002 | -470.56 | -0.03 | 934.44 | 01 | 04 | 4 | |
| | P | 7 / 19/ 2002 | -470.58 | -0.02 | 934.42 | 01 | 04 | 4 | |
| | P | 7 / 20/ 2002 | -470.58 | | 934.42 | 01 | 04 | 4 | |
| | P | 7 / 21/ 2002 | -470.59 | -0.01 | 934.41 | 01 | 04 | 4 | |
| | P | 7 / 22/ 2002 | -470.6 | -0.01 | 934.4 | 01 | 04 | 4 | |
| | P | 7 / 23/ 2002 | -470.58 | 0.02 | 934.42 | 01 | 04 | 4 | |
| | P | 7 / 24/ 2002 | -470.6 | -0.02 | 934.4 | 01 | 04 | 4 | |
| | P | 7 / 25/ 2002 | -470.63 | -0.03 | 934.37 | 01 | 04 | 4 | |
| | P | 7 / 26/ 2002 | -470.66 | -0.03 | 934.34 | 01 | 04 | 4 | |
| | P | 7 / 27/ 2002 | -470.68 | -0.02 | 934.32 | 01 | 04 | 4 | |
| | P | 7 / 28/ 2002 | -470.69 | -0.01 | 934.31 | 01 | 04 | 4 | |
| | P | 7 / 29/ 2002 | -470.69 | | 934.31 | 01 | 04 | 4 | |
| | P | 7 / 30/ 2002 | -470.69 | | 934.31 | 01 | 04 | 4 | |
| | P | 7 / 31/ 2002 | -470.7 | -0.01 | 934.3 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 1/2002 | -470.73 | -0.03 | 934.27 | 01 | 04 | 4 | |
| | P | 8/ 2/2002 | -470.73 | | 934.27 | 01 | 04 | 4 | |
| | P | 8/ 4/2002 | -470.74 | -0.01 | 934.26 | 01 | 04 | 4 | |
| | P | 8/ 5/2002 | -470.76 | -0.02 | 934.24 | 01 | 04 | 4 | |
| | P | 8/ 6/2002 | -470.78 | -0.02 | 934.22 | 01 | 04 | 4 | |
| | P | 8/ 7/2002 | -470.79 | -0.01 | 934.21 | 01 | 04 | 4 | |
| | P | 8/ 8/2002 | -470.79 | | 934.21 | 01 | 04 | 4 | |
| | P | 8/ 9/2002 | -470.81 | -0.02 | 934.19 | 01 | 04 | 4 | |
| | P | 8/10/2002 | -470.83 | -0.02 | 934.17 | 01 | 04 | 4 | |
| | P | 8/11/2002 | -470.86 | -0.03 | 934.14 | 01 | 04 | 4 | |
| | P | 8/12/2002 | -470.9 | -0.04 | 934.1 | 01 | 04 | 4 | |
| | P | 8/13/2002 | -470.92 | -0.02 | 934.08 | 01 | 04 | 2 | |
| | P | 8/14/2002 | -470.95 | -0.03 | 934.05 | 01 | 04 | 4 | |
| | P | 8/15/2002 | -470.97 | -0.02 | 934.03 | 01 | 04 | 4 | |
| | P | 8/16/2002 | -470.96 | 0.01 | 934.04 | 01 | 04 | 4 | |
| | P | 8/17/2002 | -470.98 | -0.02 | 934.02 | 01 | 04 | 4 | |
| | P | 8/18/2002 | -471.02 | -0.04 | 933.98 | 01 | 04 | 4 | |
| | P | 8/19/2002 | -471.06 | -0.04 | 933.94 | 01 | 04 | 4 | |
| | P | 8/20/2002 | -471.08 | -0.02 | 933.92 | 01 | 04 | 4 | |
| | P | 8/22/2002 | -471.1 | -0.02 | 933.9 | 01 | 04 | 4 | |
| | P | 8/23/2002 | -471.12 | -0.02 | 933.88 | 01 | 04 | 4 | |
| | P | 8/24/2002 | -471.16 | -0.04 | 933.84 | 01 | 04 | 4 | |
| | P | 8/25/2002 | -471.19 | -0.03 | 933.81 | 01 | 04 | 4 | |
| | P | 8/26/2002 | -471.22 | -0.03 | 933.78 | 01 | 04 | 4 | |
| | P | 8/27/2002 | -471.26 | -0.04 | 933.74 | 01 | 04 | 4 | |
| | P | 8/28/2002 | -471.27 | -0.01 | 933.73 | 01 | 04 | 4 | |
| | P | 8/29/2002 | -471.3 | -0.03 | 933.7 | 01 | 04 | 4 | |
| | P | 8/30/2002 | -471.31 | -0.01 | 933.69 | 01 | 04 | 4 | |
| | P | 8/31/2002 | -471.33 | -0.02 | 933.67 | 01 | 04 | 4 | |
| | P | 9/ 1/2002 | -471.37 | -0.04 | 933.63 | 01 | 04 | 4 | |
| | P | 9/ 2/2002 | -471.41 | -0.04 | 933.59 | 01 | 04 | 4 | |
| | P | 9/ 3/2002 | -471.44 | -0.03 | 933.56 | 01 | 04 | 4 | |
| | P | 9/ 4/2002 | -471.4 | 0.04 | 933.6 | 01 | 04 | 2 | |
| | P | 9/ 5/2002 | -471.44 | -0.04 | 933.56 | 01 | 04 | 4 | |
| | P | 9/ 6/2002 | -471.46 | -0.02 | 933.54 | 01 | 04 | 4 | |
| | P | 9/ 7/2002 | -471.5 | -0.04 | 933.5 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 8/2002 | -471.49 | 0.01 | 933.51 | 01 | 04 | 4 | |
| | P | 9/ 9/2002 | -471.48 | 0.01 | 933.52 | 01 | 04 | 4 | |
| | P | 9/10/2002 | -471.48 | | 933.52 | 01 | 04 | 4 | |
| | P | 9/11/2002 | -471.47 | 0.01 | 933.53 | 01 | 04 | 4 | |
| | P | 9/12/2002 | -471.46 | 0.01 | 933.54 | 01 | 04 | 4 | |
| | P | 9/13/2002 | -471.48 | -0.02 | 933.52 | 01 | 04 | 4 | |
| | P | 9/14/2002 | -471.47 | 0.01 | 933.53 | 01 | 04 | 4 | |
| | P | 9/15/2002 | -471.41 | 0.06 | 933.59 | 01 | 04 | 4 | |
| | P | 9/16/2002 | -471.4 | 0.01 | 933.6 | 01 | 04 | 4 | |
| | P | 9/17/2002 | -471.43 | -0.03 | 933.57 | 01 | 04 | 4 | |
| | P | 9/18/2002 | -471.47 | -0.04 | 933.53 | 01 | 04 | 4 | |
| | P | 9/19/2002 | -471.49 | -0.02 | 933.51 | 01 | 04 | 4 | |
| | P | 9/20/2002 | -471.45 | 0.04 | 933.55 | 01 | 04 | 4 | |
| | P | 9/21/2002 | -471.43 | 0.02 | 933.57 | 01 | 04 | 4 | |
| | P | 9/22/2002 | -471.39 | 0.04 | 933.61 | 01 | 04 | 4 | |
| | P | 9/23/2002 | -471.37 | 0.02 | 933.63 | 01 | 04 | 4 | |
| | P | 9/24/2002 | -471.36 | 0.01 | 933.64 | 01 | 04 | 4 | |
| | P | 9/25/2002 | -471.4 | -0.04 | 933.6 | 01 | 04 | 4 | |
| | P | 9/26/2002 | -471.43 | -0.03 | 933.57 | 01 | 04 | 4 | |
| | P | 9/27/2002 | -471.41 | 0.02 | 933.59 | 01 | 04 | 4 | |
| | P | 9/28/2002 | -471.37 | 0.04 | 933.63 | 01 | 04 | 4 | |
| | P | 9/29/2002 | -471.34 | 0.03 | 933.66 | 01 | 04 | 4 | |
| | P | 9/30/2002 | -471.35 | -0.01 | 933.65 | 01 | 04 | 4 | |
| | P | 12/15/2002 | -471.67 | -0.32 | 933.33 | 01 | 04 | 4 | |
| | P | 12/30/2002 | -471.9 | -0.23 | 933.1 | 01 | 04 | 4 | |
| | P | 1/15/2003 | -471.91 | -0.01 | 933.09 | 01 | 04 | 4 | |
| | P | 1/30/2003 | -469.54 | 2.37 | 935.46 | 01 | 04 | 4 | |
| | P | 2/15/2003 | -469.77 | -0.23 | 935.23 | 01 | 04 | 4 | |
| | P | 3/ 1/2003 | -469.92 | -0.15 | 935.08 | 01 | 04 | 4 | |
| | P | 5/30/2003 | -467.19 | 2.73 | 937.81 | 01 | 04 | 4 | |
| | P | 6/15/2003 | -467.16 | 0.03 | 937.84 | 01 | 04 | 4 | |
| | P | 6/30/2003 | -468.08 | -0.92 | 936.92 | 01 | 04 | 4 | |
| | P | 7/15/2003 | -468.1 | -0.02 | 936.9 | 01 | 04 | 4 | |
| | P | 7/30/2003 | -468.06 | 0.04 | 936.94 | 01 | 04 | 4 | |
| | P | 8/15/2003 | -467.95 | 0.11 | 937.05 | 01 | 04 | 4 | |
| | P | 8/30/2003 | -468.55 | -0.6 | 936.45 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2003 | -468.86 | -0.31 | 936.14 | 01 | 04 | 4 | |
| | P | 9 / 30/ 2003 | -468.99 | -0.13 | 936.01 | 01 | 04 | 4 | |
| | P | 10 / 15/ 2003 | -468.99 | | 936.01 | 01 | 04 | 4 | |
| | P | 10 / 30/ 2003 | -468.95 | 0.04 | 936.05 | 01 | 04 | 4 | |
| | P | 11 / 15/ 2003 | -469.06 | -0.11 | 935.94 | 01 | 04 | 4 | |
| | P | 11 / 30/ 2003 | -469.26 | -0.2 | 935.74 | 01 | 04 | 4 | |
| | P | 12 / 15/ 2003 | -469.17 | 0.09 | 935.83 | 01 | 04 | 4 | |
| | P | 12 / 30/ 2003 | -469.25 | -0.08 | 935.75 | 01 | 04 | 4 | |
| | P | 1 / 15/ 2004 | -469.18 | 0.07 | 935.82 | 01 | 04 | 4 | |
| | P | 1 / 30/ 2004 | -469.05 | 0.13 | 935.95 | 01 | 04 | 4 | |
| | P | 2 / 15/ 2004 | -468.98 | 0.07 | 936.02 | 01 | 04 | 4 | |
| | P | 3 / 15/ 2004 | -467.88 | 1.1 | 937.12 | 01 | 04 | 4 | |
| | P | 3 / 30/ 2004 | -467.7 | 0.18 | 937.3 | 01 | 04 | 4 | |
| | P | 4 / 15/ 2004 | -467.37 | 0.33 | 937.63 | 01 | 04 | 4 | |
| | P | 4 / 30/ 2004 | -467.12 | 0.25 | 937.88 | 01 | 04 | 4 | |
| | P | 5 / 15/ 2004 | -467.1 | 0.02 | 937.9 | 01 | 04 | 4 | |
| | P | 5 / 30/ 2004 | -466.89 | 0.21 | 938.11 | 01 | 04 | 4 | |
| | P | 6 / 15/ 2004 | -466.1 | 0.79 | 938.9 | 01 | 04 | 4 | |
| | P | 6 / 30/ 2004 | -465.83 | 0.27 | 939.17 | 01 | 04 | 4 | |
| | P | 7 / 15/ 2004 | -465.62 | 0.21 | 939.38 | 01 | 04 | 4 | |
| | P | 7 / 30/ 2004 | -465.35 | 0.27 | 939.65 | 01 | 04 | 4 | |
| | P | 8 / 15/ 2004 | -465.19 | 0.16 | 939.81 | 01 | 04 | 4 | |
| | P | 8 / 30/ 2004 | -464.87 | 0.32 | 940.13 | 01 | 04 | 4 | |
| | P | 9 / 15/ 2004 | -463.88 | 0.99 | 941.12 | 01 | 04 | 4 | |
| | P | 9 / 30/ 2004 | -463.77 | 0.11 | 941.23 | 01 | 04 | 4 | |
| | P | 10 / 4 / 2004 | -463.72 | 0.05 | 941.28 | 01 | 04 | 2 | |
| | P | 10 / 15/ 2004 | -463.58 | 0.14 | 941.42 | 01 | 04 | 4 | |
| | P | 10 / 30/ 2004 | -463.17 | 0.41 | 941.83 | 01 | 04 | 4 | |
| | P | 11 / 15/ 2004 | -462.94 | 0.23 | 942.06 | 01 | 04 | 4 | |
| | P | 11 / 29/ 2004 | -462.52 | 0.42 | 942.48 | 01 | 04 | 2 | |
| | P | 11 / 30/ 2004 | -462.62 | -0.1 | 942.38 | 01 | 04 | 4 | |
| | N | 12 / 15/ 2004 | | | | 01 | 04 | | 51 |
| | N | 12 / 30/ 2004 | | | | 01 | 04 | | 51 |
| | P | 1 / 11/ 2005 | -462.19 | | 942.81 | 01 | 04 | 2 | |
| | N | 1 / 15/ 2005 | | | | 01 | 04 | | 51 |
| | N | 1 / 30/ 2005 | | | | 01 | 04 | | 51 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/2005 | -461.03 | | 943.97 | 01 | 04 | 4 | |
| | P | 3/ 1/2005 | -460.58 | 0.45 | 944.42 | 01 | 04 | 2 | |
| | N | 3/15/2005 | | | | 01 | 04 | | 51 |
| | N | 3/30/2005 | | | | 01 | 04 | | 51 |
| | P | 4/15/2005 | -460.13 | | 944.87 | 01 | 04 | 4 | |
| | P | 4/19/2005 | -460.02 | 0.11 | 944.98 | 01 | 04 | 2 | |
| | N | 4/30/2005 | | | | 01 | 04 | | 51 |
| | P | 5/15/2005 | -459.87 | | 945.13 | 01 | 04 | 4 | |
| | N | 5/30/2005 | | | | 01 | 04 | | 51 |
| | P | 6/ 7/2005 | -458.83 | | 946.17 | 01 | 04 | 2 | |
| | P | 6/15/2005 | -458.92 | -0.09 | 946.08 | 01 | 04 | 4 | |
| | P | 6/30/2005 | -459.07 | -0.15 | 945.93 | 01 | 04 | 4 | |
| | P | 7/15/2005 | -459.27 | -0.2 | 945.73 | 01 | 04 | 4 | |
| | P | 7/25/2005 | -459.45 | -0.18 | 945.55 | 01 | 04 | 2 | |
| | P | 7/30/2005 | -459.51 | -0.06 | 945.49 | 01 | 04 | 4 | |
| | P | 8/15/2005 | -459.57 | -0.06 | 945.43 | 01 | 04 | 4 | |
| | P | 8/30/2005 | -459.65 | -0.08 | 945.35 | 01 | 04 | 2 | |
| | P | 8/31/2005 | -459.67 | -0.02 | 945.33 | 01 | 04 | 2 | |
| | P | 9/12/2005 | -459.96 | -0.29 | 945.04 | 01 | 04 | 2 | |
| | P | 10/ 3/2005 | -460.1 | -0.14 | 944.9 | 01 | 04 | 2 | |
| | P | 12/19/2005 | -460.49 | -0.39 | 944.51 | 01 | 04 | 2 | |
| | P | 1/30/2006 | -460.9 | -0.41 | 944.1 | 01 | 04 | 2 | |
| | P | 3/21/2006 | -460.46 | 0.44 | 944.54 | 01 | 04 | 2 | |
| | P | 4/27/2006 | -460.34 | 0.12 | 944.66 | 01 | 04 | 2 | |
| | P | 5/ 9/2006 | -460.41 | -0.07 | 944.59 | 01 | 04 | 2 | |
| | P | 5/19/2006 | -460.46 | -0.05 | 944.54 | 01 | 04 | 2 | |
| | P | 6/ 5/2006 | -460.68 | -0.22 | 944.32 | 01 | 04 | 2 | |
| | P | 6/26/2006 | -461.06 | -0.38 | 943.94 | 01 | 04 | 2 | |
| | P | 10/ 4/2006 | -463.58 | -2.52 | 941.42 | 01 | 04 | 2 | |
| | P | 11/21/2006 | -464.7 | -1.12 | 940.3 | 01 | 04 | 2 | |
| | P | 2/28/2009 | -463.8 | 0.9 | 941.2 | 01 | 01 | 4 | |
| | P | 4/30/2009 | -465.29 | -1.49 | 939.71 | 01 | 01 | 4 | |
| | P | 5/30/2009 | -464.9 | 0.39 | 940.1 | 01 | 01 | 4 | |
| | P | 6/15/2009 | -464.67 | 0.23 | 940.33 | 01 | 01 | 4 | |
| | P | 6/30/2009 | -464.42 | 0.25 | 940.58 | 01 | 01 | 4 | |
| | P | 7/15/2009 | -466.87 | -2.45 | 938.13 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/2009 | -467.77 | -0.9 | 937.23 | 01 | 01 | 4 | |
| | P | 9/15/2009 | -468.14 | -0.37 | 936.86 | 01 | 01 | 4 | |
| | P | 10/15/2009 | -468.37 | -0.23 | 936.63 | 01 | 01 | 4 | |
| | P | 10/30/2009 | -468.14 | 0.23 | 936.86 | 01 | 01 | 4 | |
| | P | 2/28/2010 | -465.75 | 2.39 | 939.25 | 01 | 01 | 4 | |
| | P | 3/15/2010 | -465.53 | 0.22 | 939.47 | 01 | 01 | 4 | |
| | P | 3/30/2010 | -464.86 | 0.67 | 940.14 | 01 | 01 | 4 | |
| | P | 4/15/2010 | -464.41 | 0.45 | 940.59 | 01 | 01 | 4 | |
| | P | 4/30/2010 | -464.33 | 0.08 | 940.67 | 01 | 01 | 4 | |
| | P | 5/15/2010 | -463.81 | 0.52 | 941.19 | 01 | 01 | 4 | |
| | P | 5/30/2010 | -463.59 | 0.22 | 941.41 | 01 | 01 | 4 | |
| | P | 6/15/2010 | -463.36 | 0.23 | 941.64 | 01 | 01 | 4 | |
| | P | 6/30/2010 | -463.36 | | 941.64 | 01 | 01 | 4 | |
| | P | 7/15/2010 | -463.07 | 0.29 | 941.93 | 01 | 01 | 4 | |
| | P | 7/30/2010 | -462.92 | 0.15 | 942.08 | 01 | 01 | 4 | |
| | P | 8/15/2010 | -463.07 | -0.15 | 941.93 | 01 | 01 | 4 | |
| | P | 8/30/2010 | -463.36 | -0.29 | 941.64 | 01 | 01 | 4 | |
| | P | 9/15/2010 | -462.92 | 0.44 | 942.08 | 01 | 01 | 4 | |
| | P | 9/30/2010 | -463.07 | -0.15 | 941.93 | 01 | 01 | 4 | |
| | P | 10/15/2010 | -463.07 | | 941.93 | 01 | 01 | 4 | |
| | P | 10/30/2010 | -463.51 | -0.44 | 941.49 | 01 | 01 | 4 | |
| | P | 11/15/2010 | -463.96 | -0.45 | 941.04 | 01 | 01 | 4 | |
| | P | 11/30/2010 | -464.56 | -0.6 | 940.44 | 01 | 01 | 4 | |
| | P | 12/15/2010 | -464.71 | -0.15 | 940.29 | 01 | 01 | 4 | |
| | P | 12/30/2010 | -464.26 | 0.45 | 940.74 | 01 | 01 | 4 | |
| | P | 1/15/2011 | -463.44 | 0.82 | 941.56 | 01 | 01 | 4 | |
| | P | 1/30/2011 | -463.21 | 0.23 | 941.79 | 01 | 01 | 4 | |
| | P | 2/15/2011 | -462.39 | 0.82 | 942.61 | 01 | 01 | 4 | |
| | P | 3/30/2011 | -461.7 | 0.69 | 943.3 | 01 | 01 | 4 | |
| | P | 4/15/2011 | -461.77 | -0.07 | 943.23 | 01 | 01 | 4 | |
| | P | 4/30/2011 | -461.77 | | 943.23 | 01 | 01 | 4 | |
| | P | 5/15/2011 | -461.77 | | 943.23 | 01 | 01 | 4 | |
| | P | 5/30/2011 | -462.07 | -0.3 | 942.93 | 01 | 01 | 4 | |
| | P | 6/15/2011 | -462.29 | -0.22 | 942.71 | 01 | 01 | 4 | |
| | P | 6/30/2011 | -462.44 | -0.15 | 942.56 | 01 | 01 | 4 | |
| | P | 7/15/2011 | -462.97 | -0.53 | 942.03 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 2011 | -464.36 | -1.39 | 940.64 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2011 | -464.74 | -0.38 | 940.26 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -465.19 | -0.45 | 939.81 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -465.71 | -0.52 | 939.29 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -465.93 | -0.22 | 939.07 | 01 | 01 | 4 | |
| | P | 10 / 13/ 2011 | -465.53 | 0.4 | 939.47 | 01 | 01 | 2 | |
| | P | 10 / 15/ 2011 | -465.93 | -0.4 | 939.07 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2011 | -466.31 | -0.38 | 938.69 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -466.83 | -0.52 | 938.17 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -466.83 | | 938.17 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -467.13 | -0.3 | 937.87 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -467.2 | -0.07 | 937.8 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -467.13 | 0.07 | 937.87 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2012 | -467.05 | 0.08 | 937.95 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -467.35 | -0.3 | 937.65 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -466.9 | 0.45 | 938.1 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -466.9 | | 938.1 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -466.9 | | 938.1 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -466.98 | -0.08 | 938.02 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -467.2 | -0.22 | 937.8 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -467.13 | 0.07 | 937.87 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -467.2 | -0.07 | 937.8 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -467.65 | -0.45 | 937.35 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -467.73 | -0.08 | 937.27 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -467.87 | -0.14 | 937.13 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -467.95 | -0.08 | 937.05 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -468.47 | -0.52 | 936.53 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -468.7 | -0.23 | 936.3 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -468.7 | | 936.3 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -468.92 | -0.22 | 936.08 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -468.62 | 0.3 | 936.38 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -468.55 | 0.07 | 936.45 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -468.47 | 0.08 | 936.53 | 01 | 01 | 4 | |
| | P | 11 / 20/ 2012 | -467.18 | 1.29 | 937.82 | 01 | 01 | 2 | |
| | P | 11 / 30/ 2012 | -468.4 | -1.22 | 936.6 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -468.47 | -0.07 | 936.53 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 30/ 2012 | -467.8 | 0.67 | 937.2 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -467.5 | 0.3 | 937.5 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -467.58 | -0.08 | 937.42 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -466.41 | 1.17 | 938.59 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -465.82 | 0.59 | 939.18 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -465.82 | | 939.18 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -465.89 | -0.07 | 939.11 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -465.67 | 0.22 | 939.33 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -465.82 | -0.15 | 939.18 | 01 | 01 | 4 | |

**Min** *-474.85* **Max** *-404* **Avg** *-467.742*

***6819209*** *( Aquifer: 218CCRK Well Depth: 375 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 9 / 1996 | -96 | | 1264 | 01 | 04 | 8 | |

**Min** *-96* **Max** *-96* **Avg** *-96*

***6819210*** *( Aquifer: 218GRCCU Well Depth: 463 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1984 | -298 | | 1092 | 01 | 07 | 7 | |

**Min** *-298* **Max** *-298* **Avg** *-298*

***6819211*** *( Aquifer: 218GRHC Well Depth: 426 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 27/ 1998 | -213 | | 1172 | 01 | 06 | 6 | |

**Min** *-213* **Max** *-213* **Avg** *-213*

***6819302*** *( Aquifer: 217HSTN Well Depth: 1070 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 29/ 1976 | -464 | | 893 | 01 | 12 | 7 | |
| | P | 1 / 22/ 1987 | -578 | -114 | 779 | 01 | 11 | 3 | |
| | P | 6 / 10/ 1992 | -546.94 | 31.06 | 810.06 | 01 | 09 | 1 | |

**Min** *-578* **Max** *-464* **Avg** *-529.647*

***6819303*** *( Aquifer: 218CCRK Well Depth: 555 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 8 / 1975 | -220 | | 1177 | 01 | 12 | 7 | |
| | P | 3 / 17/ 1987 | -176 | 44 | 1221 | 01 | 11 | 3 | |
| | P | 4 / 29/ 1992 | -184.77 | -8.77 | 1212.23 | 01 | 09 | 1 | |
| | N | 8 / 2 / 2007 | | | | 01 | 01 | | 42 |

**Min** *-220* **Max** *-176* **Avg** *-193.59*

***6819306*** *( Aquifer: 218GRCCU Well Depth: 526 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 27/ 1978 | -290 | | 1033 | 01 | 07 | 7 | |
| | P | 4 / 30/ 1992 | -157.31 | 132.7 | 1165.69 | 01 | 09 | 1 | |

**Min** *-290* **Max** *-157.31* **Avg** *-223.655*

***6819307*** *( Aquifer: 218GRCCU Well Depth: 625 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1987 | -257 | | 1188 | 01 | 11 | 3 |
| | P | 3 / 18/ 1992 | -262.76 | -5.76 | 1182.24 | 01 | 09 | 1 |
| | P | 4 / 29/ 1992 | -274.23 | -11.5 | 1170.77 | 01 | 09 | 1 |

**Min** *-274.23* **Max** *-257* **Avg** *-264.663*

***6819308*** *( Aquifer: 218CCRK Well Depth: 612 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 6 / 25/ 1987 | -331 | | 1043 | 01 | 11 | 3 |
| | P | 4 / 29/ 1992 | -262.84 | 68.16 | 1111.16 | 01 | 09 | 1 |

**Min** *-331* **Max** *-262.84* **Avg** *-296.92*

***6819309*** *( Aquifer: 218CCRK Well Depth: 630 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1987 | -302 | | 1086 | 01 | 11 | 3 |
| | P | 8 / 12/ 1987 | -351.86 | -49.9 | 1036.14 | 01 | 01 | 1 |
| | P | 8 / 12/ 1987 | -353.86 | -2 | 1034.14 | 02 | 04 | 1 |
| | P | 4 / 30/ 1992 | -293.36 | 60.5 | 1094.64 | 01 | 09 | 1 |

**Min** *-353.86* **Max** *-293.36* **Avg** *-325.27*

***6819310*** *( Aquifer: 218CCRK Well Depth: 505 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 6 / 27/ 1986 | -210 | | 1105 | 01 | 11 | 3 |
| | P | 3 / 16/ 1987 | -131 | 79 | 1184 | 01 | 11 | 3 |
| | P | 8 / 12/ 1987 | -200.36 | -69.4 | 1114.64 | 01 | 01 | 1 |
| | P | 3 / 18/ 1992 | -129.85 | 70.51 | 1185.15 | 01 | 09 | 1 |

**Min** *-210* **Max** *-129.85* **Avg** *-167.803*

***6819311*** *( Aquifer: 218CCRK Well Depth: 650 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 3 / 17/ 1987 | -305 | | 1039 | 01 | 11 | 3 |
| | P | 8 / 12/ 1987 | -338.7 | -33.7 | 1005.3 | 01 | 01 | 1 |
| | P | 3 / 18/ 1992 | -238.72 | 99.98 | 1105.28 | 01 | 09 | 1 |
| | P | 3 / 3 / 2000 | -528 | -289 | 816 | 01 | 11 | 3 |
| | P | 4 / 14/ 2000 | -509 | 19 | 835 | 01 | 11 | 3 |
| | P | 5 / 2 / 2000 | -491 | 18 | 853 | 01 | 11 | 3 |
| | P | 6 / 13/ 2000 | -486 | 5 | 858 | 01 | 11 | 3 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 25/ 2000 | -548 | -62 | 796 | 01 | 11 | 3 | |
| | P | 8 / 1 / 2000 | -555 | -7 | 789 | 01 | 11 | 3 | |

**Min** *-555* **Max** *-238.72* **Avg** *-444.38*

***6819312*** *( Aquifer: 218CCRK Well Depth: 401 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 3 / 1987 | -214.96 | | 1049.04 | 01 | 01 | 1 | |
| | P | 5 / 1 / 1992 | -83.44 | 131.5 | 1180.56 | 01 | 09 | 1 | |

**Min** *-214.96* **Max** *-83.44* **Avg** *-149.2*

***6819313*** *( Aquifer: 219SLGH Well Depth: 740 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 20/ 1990 | -550 | | 834 | 01 | 07 | 7 | |

**Min** *-550* **Max** *-550* **Avg** *-550*

***6819314*** *( Aquifer: 218CCRK Well Depth: 485 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 1 / 1990 | -265 | | 1006 | 01 | 07 | 7 | |
| | P | 5 / 15/ 1996 | -322 | -57 | 949 | 01 | 08 | 3 | |
| | P | 7 / 25/ 1996 | -338 | -16 | 933 | 01 | 08 | 3 | |
| | P | 1 / 21/ 1997 | -320 | 18 | 951 | 01 | 08 | 3 | |
| | P | 4 / 1 / 1997 | -269 | 51 | 1002 | 01 | 08 | 3 | |
| | P | 7 / 23/ 1997 | -137 | 132 | 1134 | 01 | 08 | 3 | |
| | P | 2 / 1 / 2000 | -332 | -195 | 939 | 01 | 11 | 3 | |
| | P | 2 / 29/ 2000 | -334 | -2 | 937 | 01 | 11 | 3 | |
| | P | 4 / 1 / 2000 | -329 | 5 | 942 | 01 | 11 | 3 | |
| | P | 5 / 12/ 2000 | -336 | -7 | 935 | 01 | 11 | 3 | |
| | P | 6 / 9 / 2000 | -415 | -79 | 856 | 01 | 11 | 3 | |
| | P | 7 / 25/ 2000 | -346 | 69 | 925 | 01 | 11 | 3 | |

**Min** *-415* **Max** *-137* **Avg** *-311.917*

***6819315*** *( Aquifer: 218CCRK Well Depth: 660 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 19/ 1990 | -295 | | 1007 | 01 | 08 | 7 | |

**Min** *-295* **Max** *-295* **Avg** *-295*

***6819316*** *( Aquifer: 218CCRK Well Depth: 575 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 1993 | -260 | | 1188 | 01 | 07 | 7 | |

**Min** *-260* **Max** *-260* **Avg** *-260*

***6819317*** *( Aquifer: 218CCRK Well Depth: 505 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 20/ 1989 | -300 | | 1004 | 01 | 07 | 7 | |
| | P | 3 / 18/ 1992 | -108.92 | 191.1 | 1195.08 | 01 | 09 | 1 | |
| | P | 4 / 29/ 1992 | -138.36 | -29.4 | 1165.64 | 01 | 09 | 1 | |

**Min** *-300* **Max** *-108.92* **Avg** *-182.427*

***6819318*** *( Aquifer: 218CCRK Well Depth: 700 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 25/ 1989 | -482 | | 891 | 01 | 07 | 7 | |

**Min** *-482* **Max** *-482* **Avg** *-482*

***6819319*** *( Aquifer: 218CCRK Well Depth: 575 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 1997 | -380 | | 990 | 01 | 07 | 7 | |

**Min** *-380* **Max** *-380* **Avg** *-380*

***6819320*** *( Aquifer: 217SLGO Well Depth: 920 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 1995 | -530 | | 779 | 01 | 07 | 7 | |

**Min** *-530* **Max** *-530* **Avg** *-530*

***6819323*** *( Aquifer: 218GRCCU Well Depth: 405 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 1995 | -220 | | 1116 | 01 | 07 | 7 | |

**Min** *-220* **Max** *-220* **Avg** *-220*

***6819324*** *( Aquifer: 218CCRK Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 13/ 1998 | -240 | | 1090 | 01 | 07 | 7 | |

**Min** *-240* **Max** *-240* **Avg** *-240*

***6819325*** *( Aquifer: 218CCRK Well Depth: 440 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 29/ 2000 | -280 | | 1058 | 01 | 07 | 7 | |

**Min** *-280* **Max** *-280* **Avg** *-280*

***6819326*** *( Aquifer: 218CCRK Well Depth: 460 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 4 / 2002 | -242 | | 1121 | 01 | 07 | 7 | |

**Min** *-242* **Max** *-242* **Avg** *-242*

***6819331*** *( Aquifer: 218CCRK Well Depth: 480 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 1 / 2006 | -302 | | 1078 | 01 | 07 | 7 | |

**Min** *-302* **Max** *-302* **Avg** *-302*

***6819332*** *( Aquifer: 218GLRS Well Depth: 353 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 14/ 1946 | -269 | | 1101 | 01 | 12 | 7 | |
| Min -269 | | Max -269 | Avg | -269 | | | | | |
| **6819401** | ( Aquifer: 218GLRSL | | Well Depth: 600 ) | | | | | | |
| | P | 8 / 30/ 2002 | -225 | | 1200 | 01 | 07 | 7 | |
| Min -225 | | Max -225 | Avg | -225 | | | | | |
| **6819402** | ( Aquifer: 218GLRSL | | Well Depth: 600 ) | | | | | | |
| | P | 8 / 21/ 2002 | -220 | | 1207 | 01 | 07 | 7 | |
| Min -220 | | Max -220 | Avg | -220 | | | | | |
| **6819403** | ( Aquifer: 218GLRSL | | Well Depth: 571 ) | | | | | | |
| | P | 7 / 15/ 2002 | -233 | | 1160 | 01 | 07 | 7 | |
| Min -233 | | Max -233 | Avg | -233 | | | | | |
| **6819501** | ( Aquifer: 217HSTN | | Well Depth: 950 ) | | | | | | |
| | P | 11 / 4 / 1977 | -344.5 | | 875.5 | 01 | 12 | 7 | |
| | P | 3 / 30/ 1978 | -274.3 | 70.2 | 945.7 | 01 | 12 | 7 | |
| | P | 5 / 14/ 1992 | -311.5 | -37.2 | 908.5 | 01 | 09 | 1 | |
| Min -344.5 | | Max -274.3 | Avg | -310.1 | | | | | |
| **6819502** | ( Aquifer: 218GLRSL | | Well Depth: 555 ) | | | | | | |
| | P | 5 / 10/ 1968 | -320 | | 1027 | 01 | 12 | 7 | |
| | P | 10 / 28/ 1977 | -308.6 | 11.4 | 1038.4 | 01 | 12 | 7 | |
| | P | 10 / 29/ 1987 | -317.35 | -8.75 | 1029.65 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1990 | -384.2 | -66.9 | 962.8 | 01 | 01 | 1 | 03 |
| | P | 1 / 21/ 1991 | -384.4 | -0.2 | 962.6 | 01 | 01 | 1 | 02 |
| | P | 1 / 28/ 1992 | -338.4 | 46 | 1008.6 | 01 | 01 | 1 | |
| | N | 3 / 2 / 1993 | | | | 01 | 06 | | 61 |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 61 |
| | N | 4 / 6 / 1995 | | | | 01 | 06 | | 61 |
| | N | 3 / 18/ 1996 | | | | 01 | 06 | | 41 |
| Min -384.4 | | Max -308.6 | Avg | -342.158 | | | | | |
| **6819503** | ( Aquifer: 218GLRSL | | Well Depth: 580 ) | | | | | | |
| | P | 11 / 4 / 1977 | -342.3 | | 1028.7 | 01 | 12 | 7 | |
| Min -342.3 | | Max -342.3 | Avg | -342.3 | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6819504** | ( Aquifer: 217HSCC | | Well Depth: 1040 ) | | | | | | |
| | P | 11 / 4 / 1977 | -261.1 | | 1038.9 | 01 | 12 | 7 | |
| Min -261.1 | | Max -261.1 | Avg -261.1 | | | | | | |
| **6819505** | ( Aquifer: 218GLRSL | | Well Depth: 364 ) | | | | | | |
| | P | 4 / 19/ 1978 | -221 | | 1024 | 01 | 01 | 6 | |
| Min -221 | | Max -221 | Avg -221 | | | | | | |
| **6819506** | ( Aquifer: 218GRCCU | | Well Depth: 535 ) | | | | | | |
| | P | 8 / 29/ 1978 | -280 | | 1067 | 01 | 07 | 7 | 27 |
| | P | 9 / 23/ 1978 | -360 | -80 | 987 | 01 | 07 | 7 | |
| | N | 8 / 14/ 2007 | | | | 01 | 01 | | 41 |
| Min -360 | | Max -280 | Avg -320 | | | | | | |
| **6819507** | ( Aquifer: 218CCRK | | Well Depth: 487 ) | | | | | | |
| | P | 11 / 11/ 1985 | -200 | | 1100 | 01 | 07 | 7 | |
| Min -200 | | Max -200 | Avg -200 | | | | | | |
| **6819509** | ( Aquifer: 218GRHC | | Well Depth: 544 ) | | | | | | |
| | P | 4 / 11/ 1989 | -385 | | 925 | 01 | 03 | 6 | |
| Min -385 | | Max -385 | Avg -385 | | | | | | |
| **6819510** | ( Aquifer: 218GRHC | | Well Depth: 578 ) | | | | | | |
| | P | 2 / 23/ 1983 | -331 | | 969 | 01 | 06 | 6 | |
| Min -331 | | Max -331 | Avg -331 | | | | | | |
| **6819511** | ( Aquifer: 218GRCCU | | Well Depth: 645 ) | | | | | | |
| | P | 5 / 7 / 1997 | -250 | | 1050 | 01 | 07 | 7 | |
| | P | 8 / 3 / 2000 | -346.66 | -96.7 | 953.34 | 01 | 01 | 1 | |
| Min -346.66 | | Max -250 | Avg -298.33 | | | | | | |
| **6819513** | ( Aquifer: 218GLRSL | | Well Depth: 550 ) | | | | | | |
| | P | 10 / 12/ 1983 | -305 | | 995 | 01 | 07 | 7 | |
| Min -305 | | Max -305 | Avg -305 | | | | | | |
| **6819601** | ( Aquifer: 218GLRSL | | Well Depth: 300 ) | | | | | | |
| | P | 1 / 11/ 1975 | -185 | | 1007 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -185** | | **Max -185** | **Avg** | **-185** | | | | | |
| ***6819602*** | *( Aquifer: 218GRCCU* | | *Well Depth: 546 )* | | | | | | |
| | P | 9 / 1 / 1959 | -337 | | 973 | 01 | 12 | 7 | |
| | P | 4 / 24/ 1992 | -149.69 | 187.3 | 1160.31 | 01 | 09 | 1 | |
| **Min -337** | | **Max -149.69** | **Avg** | **-243.345** | | | | | |
| ***6819603*** | *( Aquifer: 218GRCCU* | | *Well Depth: 559 )* | | | | | | |
| | P | 11 / 10/ 1969 | -362 | | 912 | 01 | 12 | 7 | |
| | P | 2 / 27/ 1992 | -140.94 | 221.1 | 1133.06 | 01 | 09 | 1 | |
| | P | 4 / 23/ 1992 | -158.76 | -17.8 | 1115.24 | 01 | 09 | 1 | |
| **Min -362** | | **Max -140.94** | **Avg** | **-220.567** | | | | | |
| ***6819604*** | *( Aquifer: 218GRCCU* | | *Well Depth: 550 )* | | | | | | |
| | P | 4 / 23/ 1992 | -153.31 | | 1114.69 | 01 | 09 | 1 | |
| | P | 4 / 5 / 2007 | -169.96 | -16.7 | 1098.04 | 01 | 04 | 2 | |
| | P | 5 / 11/ 2007 | -206.54 | -36.6 | 1061.46 | 01 | 04 | 2 | |
| | P | 5 / 16/ 2007 | -228.7 | -22.2 | 1039.3 | 01 | 04 | 2 | |
| | P | 5 / 18/ 2007 | -213.54 | 15.16 | 1054.46 | 01 | 04 | 2 | |
| | P | 5 / 30/ 2007 | -150.69 | 62.85 | 1117.31 | 01 | 04 | 2 | |
| | P | 5 / 31/ 2007 | -148.15 | 2.54 | 1119.85 | 01 | 04 | 2 | |
| | P | 6 / 14/ 2007 | -173.79 | -25.6 | 1094.21 | 01 | 04 | 2 | |
| | P | 6 / 28/ 2007 | -165.45 | 8.34 | 1102.55 | 01 | 04 | 2 | |
| | P | 6 / 29/ 2007 | -151.91 | 13.54 | 1116.09 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2007 | -141.88 | 10.03 | 1126.12 | 01 | 04 | 2 | |
| | P | 7 / 24/ 2007 | -129.2 | 12.68 | 1138.8 | 01 | 04 | 2 | |
| | P | 8 / 7 / 2007 | -144.01 | -14.8 | 1123.99 | 01 | 04 | 2 | |
| | P | 8 / 17/ 2007 | -131.74 | 12.27 | 1136.26 | 01 | 04 | 2 | |
| | P | 9 / 5 / 2007 | -142.93 | -11.2 | 1125.07 | 01 | 04 | 2 | |
| | P | 10 / 3 / 2007 | -165.66 | -22.7 | 1102.34 | 01 | 04 | 2 | |
| | P | 1 / 4 / 2008 | -261.65 | -96 | 1006.35 | 01 | 04 | 2 | |
| | P | 2 / 21/ 2008 | -280.87 | -19.2 | 987.13 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2008 | -303.37 | -22.5 | 964.63 | 01 | 04 | 2 | |
| | P | 7 / 8 / 2008 | -376.5 | -73.1 | 891.5 | 01 | 04 | 2 | |
| | P | 7 / 9 / 2008 | -374.47 | 2.03 | 893.53 | 01 | 04 | 2 | |
| | P | 10 / 30/ 2008 | -379.82 | -5.35 | 888.18 | 01 | 04 | 2 | |
| | P | 1 / 9 / 2009 | -379.8 | 0.02 | 888.2 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 9 / 2009 | -380.68 | -0.88 | 887.32 | 01 | 04 | 2 | |
| | P | 3 / 18/ 2009 | -382.19 | -1.51 | 885.81 | 01 | 04 | 2 | |

**Min** *-382.19* **Max** *-129.2* **Avg** *-229.472*

***6819606*** *( Aquifer: 218CCRK Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 0 / 1967 | -275 | | 895 | 01 | 12 | 7 | |

**Min** *-275* **Max** *-275* **Avg** *-275*

***6819608*** *( Aquifer: 218GLRS Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 3 / 1971 | -268 | | 872 | 01 | 12 | 7 | |

**Min** *-268* **Max** *-268* **Avg** *-268*

***6819609*** *( Aquifer: 218GLRSL Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 13/ 1974 | -150 | | 1095 | 01 | 07 | 7 | |

**Min** *-150* **Max** *-150* **Avg** *-150*

***6819610*** *( Aquifer: 218GRHC Well Depth: 440 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 24/ 1975 | -240 | | 1150 | 01 | 12 | 7 | |

**Min** *-240* **Max** *-240* **Avg** *-240*

***6819611*** *( Aquifer: 218GLRSL Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 3 / 1974 | -115 | | 1135 | 01 | 12 | 7 | |

**Min** *-115* **Max** *-115* **Avg** *-115*

***6819612*** *( Aquifer: 218GLRSL Well Depth: 351 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 11/ 1960 | -206 | | 974 | 01 | 12 | 7 | |
| | P | 10 / 28/ 1977 | -128.79 | 77.21 | 1051.21 | 01 | 01 | 1 | |
| | P | 10 / 29/ 1987 | -140.02 | -11.2 | 1039.98 | 01 | 01 | 1 | |
| | P | 1 / 17/ 1989 | -204.62 | -64.6 | 975.38 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1990 | -227.7 | -23.1 | 952.3 | 01 | 01 | 1 | |
| | P | 1 / 21/ 1991 | -186.3 | 41.4 | 993.7 | 01 | 01 | 1 | |
| | N | 1 / 28/ 1992 | | | | 01 | 01 | | 63 |
| | N | 3 / 2 / 1993 | | | | 01 | 06 | | 41 |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 61 |
| | N | 4 / 6 / 1995 | | | | 01 | 06 | | 61 |
| | N | 8 / 14/ 2007 | | | | 01 | 01 | | 41 |

**Min** *-227.7* **Max** *-128.79* **Avg** *-182.238*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6819613** | ( Aquifer: 218GRCCU | | Well Depth: 455 ) | | | | | | |
| | P | 12 / 0 / 1968 | -214 | | 990 | 01 | 12 | 7 | |
| Min -214 | | Max -214 | Avg -214 | | | | | | |
| **6819614** | ( Aquifer: 218GLRS | | Well Depth: 406 ) | | | | | | |
| | P | 1 / 21/ 1970 | -140 | | 1034 | 01 | 12 | 7 | |
| Min -140 | | Max -140 | Avg -140 | | | | | | |
| **6819615** | ( Aquifer: 218GRCCU | | Well Depth: 483 ) | | | | | | |
| | P | 4 / 0 / 1975 | -84 | | 1088 | 01 | 12 | 7 | |
| Min -84 | | Max -84 | Avg -84 | | | | | | |
| **6819616** | ( Aquifer: 218GRCCU | | Well Depth: 500 ) | | | | | | |
| | P | 6 / 22/ 1974 | -260 | | 1107 | 01 | 12 | 7 | |
| | P | 5 / 17/ 1978 | -272 | -12 | 1095 | 01 | 12 | 7 | |
| Min -272 | | Max -260 | Avg -266 | | | | | | |
| **6819617** | ( Aquifer: 218CCRK | | Well Depth: 441 ) | | | | | | |
| | P | 8 / 12/ 1987 | -87.2 | | 1132.8 | 01 | 01 | 1 | |
| | P | 3 / 18/ 1992 | -28.18 | 59.02 | 1191.82 | 01 | 09 | 1 | |
| | P | 4 / 29/ 1992 | -50.26 | -22.1 | 1169.74 | 01 | 09 | 1 | |
| | P | 2 / 1 / 2000 | -259 | -209 | 961 | 01 | 11 | 3 | |
| | P | 2 / 29/ 2000 | -255 | 4 | 965 | 01 | 11 | 3 | |
| | P | 4 / 14/ 2000 | -259 | -4 | 961 | 01 | 11 | 3 | |
| | P | 5 / 12/ 2000 | -263 | -4 | 957 | 01 | 11 | 3 | |
| | P | 6 / 9 / 2000 | -296 | -33 | 924 | 01 | 11 | 3 | |
| | P | 7 / 25/ 2000 | -294 | 2 | 926 | 01 | 11 | 3 | |
| Min -296 | | Max -28.18 | Avg -199.071 | | | | | | |
| **6819618** | ( Aquifer: 218GRHC | | Well Depth: 305 ) | | | | | | |
| | P | 10 / 9 / 1990 | -196 | | 974 | 01 | 07 | 7 | 27 |
| | P | 3 / 10/ 1992 | -21.44 | 174.6 | 1148.56 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -35.7 | -14.3 | 1134.3 | 01 | 09 | 1 | |
| | P | 1 / 1 / 1995 | -118.16 | -82.5 | 1051.84 | 01 | 06 | 4 | |
| | P | 1 / 2 / 1995 | -116.14 | 2.02 | 1053.86 | 01 | 06 | 4 | |
| | P | 1 / 6 / 1995 | -117.5 | -1.36 | 1052.5 | 01 | 06 | 4 | |
| | P | 1 / 7 / 1995 | -116.63 | 0.87 | 1053.37 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 8/1995 | -116.44 | 0.19 | 1053.56 | 01 | 06 | 4 | |
| | P | 1/ 9/1995 | -117.19 | -0.75 | 1052.81 | 01 | 06 | 4 | |
| | P | 1/10/1995 | -117.16 | 0.03 | 1052.84 | 01 | 06 | 4 | |
| | P | 1/11/1995 | -117.47 | -0.31 | 1052.53 | 01 | 06 | 4 | |
| | P | 1/12/1995 | -117.19 | 0.28 | 1052.81 | 01 | 06 | 4 | |
| | P | 1/13/1995 | -117 | 0.19 | 1053 | 01 | 06 | 4 | |
| | P | 1/14/1995 | -117.04 | -0.04 | 1052.96 | 01 | 06 | 4 | |
| | P | 1/15/1995 | -118.69 | -1.65 | 1051.31 | 01 | 06 | 4 | |
| | P | 1/16/1995 | -119.47 | -0.78 | 1050.53 | 01 | 06 | 4 | |
| | P | 1/17/1995 | -121.72 | -2.25 | 1048.28 | 01 | 06 | 4 | |
| | P | 1/18/1995 | -122.82 | -1.1 | 1047.18 | 01 | 06 | 4 | |
| | P | 1/19/1995 | -122.47 | 0.35 | 1047.53 | 01 | 06 | 4 | |
| | P | 1/20/1995 | -123.04 | -0.57 | 1046.96 | 01 | 06 | 4 | |
| | P | 1/21/1995 | -123.47 | -0.43 | 1046.53 | 01 | 06 | 4 | |
| | P | 1/22/1995 | -125.13 | -1.66 | 1044.87 | 01 | 06 | 4 | |
| | P | 1/23/1995 | -125.72 | -0.59 | 1044.28 | 01 | 06 | 4 | |
| | P | 1/24/1995 | -127.85 | -2.13 | 1042.15 | 01 | 06 | 4 | |
| | P | 1/25/1995 | -128.44 | -0.59 | 1041.56 | 01 | 06 | 4 | |
| | P | 1/26/1995 | -128.07 | 0.37 | 1041.93 | 01 | 06 | 4 | |
| | P | 1/27/1995 | -129.69 | -1.62 | 1040.31 | 01 | 06 | 4 | |
| | P | 1/28/1995 | -129.57 | 0.12 | 1040.43 | 01 | 06 | 4 | |
| | P | 1/29/1995 | -131.29 | -1.72 | 1038.71 | 01 | 06 | 4 | |
| | P | 1/30/1995 | -131.6 | -0.31 | 1038.4 | 01 | 06 | 4 | |
| | P | 1/31/1995 | -132.69 | -1.09 | 1037.31 | 01 | 06 | 4 | |
| | P | 2/ 1/1995 | -132.97 | -0.28 | 1037.03 | 01 | 06 | 4 | |
| | P | 2/ 2/1995 | -134.19 | -1.22 | 1035.81 | 01 | 06 | 4 | |
| | P | 2/ 3/1995 | -134.6 | -0.41 | 1035.4 | 01 | 06 | 4 | |
| | P | 2/ 4/1995 | -135.57 | -0.97 | 1034.43 | 01 | 06 | 4 | |
| | P | 2/ 5/1995 | -136.94 | -1.37 | 1033.06 | 01 | 06 | 4 | |
| | P | 2/ 6/1995 | -138.79 | -1.85 | 1031.21 | 01 | 06 | 4 | |
| | P | 2/ 7/1995 | -138.38 | 0.41 | 1031.62 | 01 | 06 | 4 | |
| | P | 2/ 8/1995 | -139.66 | -1.28 | 1030.34 | 01 | 06 | 4 | |
| | P | 2/ 9/1995 | -139.29 | 0.37 | 1030.71 | 01 | 06 | 4 | |
| | P | 2/10/1995 | -140.54 | -1.25 | 1029.46 | 01 | 06 | 4 | |
| | P | 2/11/1995 | -140.57 | -0.03 | 1029.43 | 01 | 06 | 4 | |
| | P | 2/12/1995 | -142.04 | -1.47 | 1027.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/13/1995 | -142.6 | -0.56 | 1027.4 | 01 | 06 | 4 | |
| | P | 2/14/1995 | -142.25 | 0.35 | 1027.75 | 01 | 06 | 4 | |
| | P | 2/15/1995 | -142.75 | -0.5 | 1027.25 | 01 | 06 | 4 | |
| | P | 2/16/1995 | -143.13 | -0.38 | 1026.87 | 01 | 06 | 4 | |
| | P | 2/17/1995 | -143.97 | -0.84 | 1026.03 | 01 | 06 | 4 | |
| | P | 2/18/1995 | -144.79 | -0.82 | 1025.21 | 01 | 06 | 4 | |
| | P | 2/19/1995 | -147 | -2.21 | 1023 | 01 | 06 | 4 | |
| | P | 2/20/1995 | -147.82 | -0.82 | 1022.18 | 01 | 06 | 4 | |
| | P | 2/21/1995 | -145.28 | 2.54 | 1024.72 | 01 | 06 | 4 | |
| | P | 2/22/1995 | -143.36 | 1.92 | 1026.64 | 01 | 06 | 4 | |
| | P | 2/23/1995 | -143.32 | 0.04 | 1026.68 | 01 | 06 | 4 | |
| | P | 2/24/1995 | -146.35 | -3.03 | 1023.65 | 01 | 06 | 4 | |
| | P | 2/25/1995 | -146.13 | 0.22 | 1023.87 | 01 | 06 | 4 | |
| | P | 2/26/1995 | -148.72 | -2.59 | 1021.28 | 01 | 06 | 4 | |
| | P | 2/27/1995 | -147.54 | 1.18 | 1022.46 | 01 | 06 | 4 | |
| | P | 2/28/1995 | -146.87 | 0.67 | 1023.13 | 01 | 06 | 4 | |
| | P | 3/ 1/1995 | -146.32 | 0.55 | 1023.68 | 01 | 06 | 4 | |
| | P | 3/ 2/1995 | -146.54 | -0.22 | 1023.46 | 01 | 06 | 4 | |
| | P | 3/ 3/1995 | -146.72 | -0.18 | 1023.28 | 01 | 06 | 4 | |
| | P | 3/ 4/1995 | -146.35 | 0.37 | 1023.65 | 01 | 06 | 4 | |
| | P | 3/ 5/1995 | -146.95 | -0.6 | 1023.05 | 01 | 06 | 4 | |
| | P | 3/ 6/1995 | -148.02 | -1.07 | 1021.98 | 01 | 06 | 4 | |
| | P | 3/ 7/1995 | -147.13 | 0.89 | 1022.87 | 01 | 06 | 4 | |
| | P | 3/ 8/1995 | -148.35 | -1.22 | 1021.65 | 01 | 06 | 4 | |
| | P | 3/ 9/1995 | -147.5 | 0.85 | 1022.5 | 01 | 06 | 4 | |
| | P | 3/10/1995 | -148.32 | -0.82 | 1021.68 | 01 | 06 | 4 | |
| | P | 3/11/1995 | -147.35 | 0.97 | 1022.65 | 01 | 06 | 4 | |
| | P | 3/12/1995 | -148.76 | -1.41 | 1021.24 | 01 | 06 | 4 | |
| | P | 3/13/1995 | -149.8 | -1.04 | 1020.2 | 01 | 06 | 4 | |
| | P | 3/14/1995 | -144.95 | 4.85 | 1025.05 | 01 | 06 | 4 | |
| | P | 3/15/1995 | -141.5 | 3.45 | 1028.5 | 01 | 06 | 4 | |
| | P | 3/16/1995 | -139.1 | 2.4 | 1030.9 | 01 | 06 | 4 | |
| | P | 3/17/1995 | -137.65 | 1.45 | 1032.35 | 01 | 06 | 4 | |
| | P | 3/18/1995 | -135.95 | 1.7 | 1034.05 | 01 | 06 | 4 | |
| | P | 3/19/1995 | -135.06 | 0.89 | 1034.94 | 01 | 06 | 4 | |
| | P | 3/20/1995 | -135.73 | -0.67 | 1034.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/21/1995 | -135.88 | -0.15 | 1034.12 | 01 | 06 | 4 | |
| | P | 3/22/1995 | -136.65 | -0.77 | 1033.35 | 01 | 06 | 4 | |
| | P | 3/23/1995 | -136.65 | | 1033.35 | 01 | 06 | 4 | |
| | P | 3/24/1995 | -138.1 | -1.45 | 1031.9 | 01 | 06 | 4 | |
| | P | 3/25/1995 | -136.88 | 1.22 | 1033.12 | 01 | 06 | 4 | |
| | P | 3/26/1995 | -139.95 | -3.07 | 1030.05 | 01 | 06 | 4 | |
| | P | 3/27/1995 | -140.43 | -0.48 | 1029.57 | 01 | 06 | 4 | |
| | P | 3/28/1995 | -140.91 | -0.48 | 1029.09 | 01 | 06 | 4 | |
| | P | 3/29/1995 | -139.65 | 1.26 | 1030.35 | 01 | 06 | 4 | |
| | P | 3/30/1995 | -139.5 | 0.15 | 1030.5 | 01 | 06 | 4 | |
| | P | 3/31/1995 | -139.21 | 0.29 | 1030.79 | 01 | 06 | 4 | |
| | P | 4/ 1/1995 | -139.65 | -0.44 | 1030.35 | 01 | 06 | 4 | |
| | P | 4/ 2/1995 | -140.58 | -0.93 | 1029.42 | 01 | 06 | 4 | |
| | P | 4/ 3/1995 | -143.13 | -2.55 | 1026.87 | 01 | 06 | 4 | |
| | P | 4/ 4/1995 | -141.69 | 1.44 | 1028.31 | 01 | 06 | 4 | |
| | P | 4/ 5/1995 | -120.77 | 20.92 | 1049.23 | 01 | 06 | 4 | |
| | P | 4/ 6/1995 | -109.3 | 11.47 | 1060.7 | 01 | 06 | 4 | |
| | P | 4/ 7/1995 | -104.45 | 4.85 | 1065.55 | 01 | 06 | 4 | |
| | P | 4/12/1995 | -104.41 | 0.04 | 1065.59 | 01 | 06 | 4 | |
| | P | 4/13/1995 | -104.33 | 0.08 | 1065.67 | 01 | 06 | 4 | |
| | P | 4/14/1995 | -105.48 | -1.15 | 1064.52 | 01 | 06 | 4 | |
| | P | 4/15/1995 | -107.52 | -2.04 | 1062.48 | 01 | 06 | 4 | |
| | P | 4/16/1995 | -106.67 | 0.85 | 1063.33 | 01 | 06 | 4 | |
| | P | 4/17/1995 | -110.07 | -3.4 | 1059.93 | 01 | 06 | 4 | |
| | P | 4/18/1995 | -111.07 | -1 | 1058.93 | 01 | 06 | 4 | |
| | P | 4/19/1995 | -110.78 | 0.29 | 1059.22 | 01 | 06 | 4 | |
| | P | 4/20/1995 | -110.18 | 0.6 | 1059.82 | 01 | 06 | 4 | |
| | P | 4/21/1995 | -113.11 | -2.93 | 1056.89 | 01 | 06 | 4 | |
| | P | 4/22/1995 | -112.15 | 0.96 | 1057.85 | 01 | 06 | 4 | |
| | P | 4/23/1995 | -112.11 | 0.04 | 1057.89 | 01 | 06 | 4 | |
| | P | 4/24/1995 | -115.26 | -3.15 | 1054.74 | 01 | 06 | 4 | |
| | P | 4/25/1995 | -117.26 | -2 | 1052.74 | 01 | 06 | 4 | |
| | P | 4/26/1995 | -118.44 | -1.18 | 1051.56 | 01 | 06 | 4 | |
| | P | 4/27/1995 | -121.07 | -2.63 | 1048.93 | 01 | 06 | 4 | |
| | P | 4/28/1995 | -121.66 | -0.59 | 1048.34 | 01 | 06 | 4 | |
| | P | 4/29/1995 | -125.77 | -4.11 | 1044.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/1995 | -127.4 | -1.63 | 1042.6 | 01 | 06 | 4 | |
| | P | 5/ 1/1995 | -128.77 | -1.37 | 1041.23 | 01 | 06 | 4 | |
| | P | 5/ 2/1995 | -128.99 | -0.22 | 1041.01 | 01 | 06 | 4 | |
| | P | 5/ 3/1995 | -130.51 | -1.52 | 1039.49 | 01 | 06 | 4 | |
| | P | 5/ 4/1995 | -131.95 | -1.44 | 1038.05 | 01 | 06 | 4 | |
| | P | 5/ 5/1995 | -134.03 | -2.08 | 1035.97 | 01 | 06 | 4 | |
| | P | 5/ 6/1995 | -132.42 | 1.61 | 1037.58 | 01 | 06 | 4 | |
| | P | 5/ 7/1995 | -132.57 | -0.15 | 1037.43 | 01 | 06 | 4 | |
| | P | 5/ 8/1995 | -132.34 | 0.23 | 1037.66 | 01 | 06 | 4 | |
| | P | 5/ 9/1995 | -129.8 | 2.54 | 1040.2 | 01 | 06 | 4 | |
| | P | 5/10/1995 | -127.04 | 2.76 | 1042.96 | 01 | 06 | 4 | |
| | P | 5/11/1995 | -127.45 | -0.41 | 1042.55 | 01 | 06 | 4 | |
| | P | 5/12/1995 | -127.47 | -0.02 | 1042.53 | 01 | 06 | 4 | |
| | P | 5/13/1995 | -125.06 | 2.41 | 1044.94 | 01 | 06 | 4 | |
| | P | 5/14/1995 | -127.9 | -2.84 | 1042.1 | 01 | 06 | 4 | |
| | P | 5/15/1995 | -128.98 | -1.08 | 1041.02 | 01 | 06 | 4 | |
| | P | 5/16/1995 | -130.7 | -1.72 | 1039.3 | 01 | 06 | 4 | |
| | P | 5/17/1995 | -132.87 | -2.17 | 1037.13 | 01 | 06 | 4 | |
| | P | 5/18/1995 | -133.05 | -0.18 | 1036.95 | 01 | 06 | 4 | |
| | P | 5/19/1995 | -133.58 | -0.53 | 1036.42 | 01 | 06 | 4 | |
| | P | 5/20/1995 | -134.55 | -0.97 | 1035.45 | 01 | 06 | 4 | |
| | P | 5/21/1995 | -139.07 | -4.52 | 1030.93 | 01 | 06 | 4 | |
| | P | 5/22/1995 | -140.38 | -1.31 | 1029.62 | 01 | 06 | 4 | |
| | P | 5/23/1995 | -140.27 | 0.11 | 1029.73 | 01 | 06 | 4 | |
| | P | 5/24/1995 | -139.48 | 0.79 | 1030.52 | 01 | 06 | 4 | |
| | P | 5/25/1995 | -139.48 | | 1030.52 | 01 | 06 | 4 | |
| | P | 5/26/1995 | -139.74 | -0.26 | 1030.26 | 01 | 06 | 4 | |
| | P | 5/27/1995 | -139.67 | 0.07 | 1030.33 | 01 | 06 | 4 | |
| | P | 5/28/1995 | -138.73 | 0.94 | 1031.27 | 01 | 06 | 4 | |
| | P | 5/29/1995 | -137.61 | 1.12 | 1032.39 | 01 | 06 | 4 | |
| | P | 5/30/1995 | -122.78 | 14.83 | 1047.22 | 01 | 06 | 4 | |
| | P | 5/31/1995 | -104.24 | 18.54 | 1065.76 | 01 | 06 | 4 | |
| | P | 6/ 2/1995 | -96.15 | 8.09 | 1073.85 | 01 | 06 | 4 | |
| | P | 6/ 3/1995 | -93.2 | 2.95 | 1076.8 | 01 | 06 | 4 | |
| | P | 6/ 4/1995 | -91.48 | 1.72 | 1078.52 | 01 | 06 | 4 | |
| | P | 6/ 5/1995 | -95.21 | -3.73 | 1074.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 6/1995 | -95.18 | 0.03 | 1074.82 | 01 | 06 | 4 | |
| | P | 6/ 7/1995 | -97.76 | -2.58 | 1072.24 | 01 | 06 | 4 | |
| | P | 6/ 8/1995 | -98.95 | -1.19 | 1071.05 | 01 | 06 | 4 | |
| | P | 6/ 9/1995 | -103.17 | -4.22 | 1066.83 | 01 | 06 | 4 | |
| | P | 6/10/1995 | -102.21 | 0.96 | 1067.79 | 01 | 06 | 4 | |
| | P | 6/11/1995 | -104.26 | -2.05 | 1065.74 | 01 | 06 | 4 | |
| | P | 6/12/1995 | -102.69 | 1.57 | 1067.31 | 01 | 06 | 4 | |
| | P | 6/13/1995 | -100.56 | 2.13 | 1069.44 | 01 | 06 | 4 | |
| | P | 6/14/1995 | -100.26 | 0.3 | 1069.74 | 01 | 06 | 4 | |
| | P | 6/15/1995 | -100.45 | -0.19 | 1069.55 | 01 | 06 | 4 | |
| | P | 6/16/1995 | -104.18 | -3.73 | 1065.82 | 01 | 06 | 4 | |
| | P | 6/17/1995 | -104.67 | -0.49 | 1065.33 | 01 | 06 | 4 | |
| | P | 6/18/1995 | -108.82 | -4.15 | 1061.18 | 01 | 06 | 4 | |
| | P | 6/19/1995 | -113.82 | -5 | 1056.18 | 01 | 06 | 4 | |
| | P | 6/20/1995 | -111.73 | 2.09 | 1058.27 | 01 | 06 | 4 | |
| | P | 6/21/1995 | -114.53 | -2.8 | 1055.47 | 01 | 06 | 4 | |
| | P | 6/22/1995 | -117.34 | -2.81 | 1052.66 | 01 | 06 | 4 | |
| | P | 6/23/1995 | -119.09 | -1.75 | 1050.91 | 01 | 06 | 4 | |
| | P | 6/24/1995 | -117.64 | 1.45 | 1052.36 | 01 | 06 | 4 | |
| | P | 6/25/1995 | -126.34 | -8.7 | 1043.66 | 01 | 06 | 4 | |
| | P | 6/26/1995 | -133.18 | -6.84 | 1036.82 | 01 | 06 | 4 | |
| | P | 6/27/1995 | -128.66 | 4.52 | 1041.34 | 01 | 06 | 4 | |
| | P | 6/28/1995 | -130.71 | -2.05 | 1039.29 | 01 | 06 | 4 | |
| | P | 6/29/1995 | -127.65 | 3.06 | 1042.35 | 01 | 06 | 4 | |
| | P | 1/17/1996 | -223.77 | -96.1 | 946.23 | 01 | 06 | 4 | |
| | P | 1/18/1996 | -224.33 | -0.56 | 945.67 | 01 | 06 | 4 | |
| | P | 1/19/1996 | -224 | 0.33 | 946 | 01 | 06 | 4 | |
| | P | 1/20/1996 | -223.3 | 0.7 | 946.7 | 01 | 06 | 4 | |
| | P | 1/21/1996 | -225.88 | -2.58 | 944.12 | 01 | 06 | 4 | |
| | P | 1/22/1996 | -227.58 | -1.7 | 942.42 | 01 | 06 | 4 | |
| | P | 1/23/1996 | -225.79 | 1.79 | 944.21 | 01 | 06 | 4 | |
| | P | 1/24/1996 | -225.7 | 0.09 | 944.3 | 01 | 06 | 4 | |
| | P | 1/25/1996 | -226.59 | -0.89 | 943.41 | 01 | 06 | 4 | |
| | P | 1/26/1996 | -226.36 | 0.23 | 943.64 | 01 | 06 | 4 | |
| | P | 1/27/1996 | -226.92 | -0.56 | 943.08 | 01 | 06 | 4 | |
| | P | 1/28/1996 | -228.85 | -1.93 | 941.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/29/1996 | -228.43 | 0.42 | 941.57 | 01 | 06 | 4 | |
| | P | 1/30/1996 | -228.94 | -0.51 | 941.06 | 01 | 06 | 4 | |
| | P | 1/31/1996 | -228.94 | | 941.06 | 01 | 06 | 4 | |
| | P | 2/ 1/1996 | -237.95 | -9.01 | 932.05 | 01 | 06 | 4 | |
| | P | 2/ 2/1996 | -237.58 | 0.37 | 932.42 | 01 | 06 | 4 | |
| | P | 2/ 3/1996 | -238.57 | -0.99 | 931.43 | 01 | 06 | 4 | |
| | P | 2/ 4/1996 | -239.6 | -1.03 | 930.4 | 01 | 06 | 4 | |
| | P | 2/ 5/1996 | -240.45 | -0.85 | 929.55 | 01 | 06 | 4 | |
| | P | 2/ 6/1996 | -239.37 | 1.08 | 930.63 | 01 | 06 | 4 | |
| | P | 2/ 7/1996 | -238.61 | 0.76 | 931.39 | 01 | 06 | 4 | |
| | P | 2/ 8/1996 | -239.6 | -0.99 | 930.4 | 01 | 06 | 4 | |
| | P | 2/ 9/1996 | -239.51 | 0.09 | 930.49 | 01 | 06 | 4 | |
| | P | 2/10/1996 | -239.32 | 0.19 | 930.68 | 01 | 06 | 4 | |
| | P | 2/11/1996 | -241.67 | -2.35 | 928.33 | 01 | 06 | 4 | |
| | P | 2/12/1996 | -241.91 | -0.24 | 928.09 | 01 | 06 | 4 | |
| | P | 2/13/1996 | -242.19 | -0.28 | 927.81 | 01 | 06 | 4 | |
| | P | 2/14/1996 | -242.05 | 0.14 | 927.95 | 01 | 06 | 4 | |
| | P | 2/15/1996 | -242.05 | | 927.95 | 01 | 06 | 4 | |
| | P | 2/16/1996 | -243.79 | -1.74 | 926.21 | 01 | 06 | 4 | |
| | P | 2/17/1996 | -242.24 | 1.55 | 927.76 | 01 | 06 | 4 | |
| | P | 2/18/1996 | -243.51 | -1.27 | 926.49 | 01 | 06 | 4 | |
| | P | 2/19/1996 | -244.73 | -1.22 | 925.27 | 01 | 06 | 4 | |
| | P | 2/20/1996 | -244.5 | 0.23 | 925.5 | 01 | 06 | 4 | |
| | P | 2/21/1996 | -245.86 | -1.36 | 924.14 | 01 | 06 | 4 | |
| | P | 2/22/1996 | -247.42 | -1.56 | 922.58 | 01 | 06 | 4 | |
| | P | 2/23/1996 | -248.69 | -1.27 | 921.31 | 01 | 06 | 4 | |
| | P | 2/24/1996 | -248.17 | 0.52 | 921.83 | 01 | 06 | 4 | |
| | P | 2/25/1996 | -250.38 | -2.21 | 919.62 | 01 | 06 | 4 | |
| | P | 2/26/1996 | -250.01 | 0.37 | 919.99 | 01 | 06 | 4 | |
| | P | 2/27/1996 | -249.53 | 0.48 | 920.47 | 01 | 06 | 4 | |
| | P | 2/28/1996 | -257.31 | -7.78 | 912.69 | 01 | 06 | 4 | |
| | P | 2/29/1996 | -255.96 | 1.35 | 914.04 | 01 | 06 | 4 | |
| | P | 3/ 1/1996 | -254.99 | 0.97 | 915.01 | 01 | 06 | 4 | |
| | P | 3/ 2/1996 | -254.61 | 0.38 | 915.39 | 01 | 06 | 4 | |
| | P | 3/ 3/1996 | -254.8 | -0.19 | 915.2 | 01 | 06 | 4 | |
| | P | 3/ 4/1996 | -254.1 | 0.7 | 915.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 5/1996 | -253.73 | 0.37 | 916.27 | 01 | 06 | 4 | |
| | P | 3/ 6/1996 | -254.47 | -0.74 | 915.53 | 01 | 06 | 4 | |
| | P | 3/ 7/1996 | -254.24 | 0.23 | 915.76 | 01 | 06 | 4 | |
| | P | 3/ 8/1996 | -255.4 | -1.16 | 914.6 | 01 | 06 | 4 | |
| | P | 3/ 9/1996 | -255.31 | 0.09 | 914.69 | 01 | 06 | 4 | |
| | P | 3/10/1996 | -256.24 | -0.93 | 913.76 | 01 | 06 | 4 | |
| | P | 3/11/1996 | -255.96 | 0.28 | 914.04 | 01 | 06 | 4 | |
| | P | 3/12/1996 | -255.92 | 0.04 | 914.08 | 01 | 06 | 4 | |
| | P | 3/13/1996 | -256.52 | -0.6 | 913.48 | 01 | 06 | 4 | |
| | P | 3/14/1996 | -259.03 | -2.51 | 910.97 | 01 | 06 | 4 | |
| | P | 3/15/1996 | -259.03 | | 910.97 | 01 | 06 | 4 | |
| | P | 3/16/1996 | -260.89 | -1.86 | 909.11 | 01 | 06 | 4 | |
| | P | 3/17/1996 | -261.41 | -0.52 | 908.59 | 01 | 06 | 4 | |
| | P | 3/18/1996 | -262.34 | -0.93 | 907.66 | 01 | 06 | 4 | |
| | P | 3/19/1996 | -262.29 | 0.05 | 907.71 | 01 | 06 | 1 | |
| | P | 3/20/1996 | -260.1 | 2.19 | 909.9 | 01 | 06 | 4 | |
| | P | 3/21/1996 | -260.34 | -0.24 | 909.66 | 01 | 06 | 4 | |
| | P | 3/22/1996 | -261.03 | -0.69 | 908.97 | 01 | 06 | 4 | |
| | P | 3/23/1996 | -261.13 | -0.1 | 908.87 | 01 | 06 | 4 | |
| | P | 3/24/1996 | -260.01 | 1.12 | 909.99 | 01 | 06 | 4 | |
| | P | 3/25/1996 | -260.52 | -0.51 | 909.48 | 01 | 06 | 4 | |
| | P | 3/26/1996 | -258.8 | 1.72 | 911.2 | 01 | 06 | 4 | |
| | P | 3/27/1996 | -257.31 | 1.49 | 912.69 | 01 | 06 | 4 | |
| | P | 3/28/1996 | -257.54 | -0.23 | 912.46 | 01 | 06 | 4 | |
| | P | 3/29/1996 | -257.13 | 0.41 | 912.87 | 01 | 06 | 4 | |
| | P | 3/30/1996 | -256.15 | 0.98 | 913.85 | 01 | 06 | 4 | |
| | P | 3/31/1996 | -257.92 | -1.77 | 912.08 | 01 | 06 | 4 | |
| | P | 4/ 1/1996 | -259.45 | -1.53 | 910.55 | 01 | 06 | 4 | |
| | P | 4/ 2/1996 | -259.08 | 0.37 | 910.92 | 01 | 06 | 4 | |
| | P | 4/ 3/1996 | -259.59 | -0.51 | 910.41 | 01 | 06 | 4 | |
| | P | 4/ 4/1996 | -260.43 | -0.84 | 909.57 | 01 | 06 | 4 | |
| | P | 4/ 5/1996 | -259.45 | 0.98 | 910.55 | 01 | 06 | 4 | |
| | P | 4/ 6/1996 | -258.2 | 1.25 | 911.8 | 01 | 06 | 4 | |
| | P | 4/ 7/1996 | -257.17 | 1.03 | 912.83 | 01 | 06 | 4 | |
| | P | 4/ 8/1996 | -256.8 | 0.37 | 913.2 | 01 | 06 | 4 | |
| | P | 4/ 9/1996 | -256.57 | 0.23 | 913.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/10/1996 | -257.67 | -1.1 | 912.33 | 01 | 06 | 4 | |
| | P | 4/11/1996 | -259.45 | -1.78 | 910.55 | 01 | 06 | 4 | |
| | P | 4/12/1996 | -259.87 | -0.42 | 910.13 | 01 | 06 | 4 | |
| | P | 4/13/1996 | -262.73 | -2.86 | 907.27 | 01 | 06 | 4 | |
| | P | 4/14/1996 | -263.85 | -1.12 | 906.15 | 01 | 06 | 4 | |
| | P | 4/15/1996 | -263.85 | | 906.15 | 01 | 06 | 4 | |
| | P | 4/16/1996 | -267.37 | -3.52 | 902.63 | 01 | 06 | 4 | |
| | P | 4/17/1996 | -266.39 | 0.98 | 903.61 | 01 | 06 | 4 | |
| | P | 4/18/1996 | -266.39 | | 903.61 | 01 | 06 | 4 | |
| | P | 4/19/1996 | -266.01 | 0.38 | 903.99 | 01 | 06 | 4 | |
| | P | 4/20/1996 | -264.84 | 1.17 | 905.16 | 01 | 06 | 4 | |
| | P | 4/21/1996 | -268.31 | -3.47 | 901.69 | 01 | 06 | 4 | |
| | P | 4/22/1996 | -266.43 | 1.88 | 903.57 | 01 | 06 | 4 | |
| | P | 4/23/1996 | -264.98 | 1.45 | 905.02 | 01 | 06 | 4 | |
| | P | 4/24/1996 | -264.79 | 0.19 | 905.21 | 01 | 06 | 4 | |
| | P | 4/25/1996 | -264.98 | -0.19 | 905.02 | 01 | 06 | 4 | |
| | P | 4/26/1996 | -265.59 | -0.61 | 904.41 | 01 | 06 | 4 | |
| | P | 4/27/1996 | -266.29 | -0.7 | 903.71 | 01 | 06 | 4 | |
| | P | 4/28/1996 | -266.01 | 0.28 | 903.99 | 01 | 06 | 4 | |
| | P | 4/29/1996 | -266.06 | -0.05 | 903.94 | 01 | 06 | 4 | |
| | P | 4/30/1996 | -263.71 | 2.35 | 906.29 | 01 | 06 | 4 | |
| | P | 5/ 1/1996 | -263.62 | 0.09 | 906.38 | 01 | 06 | 4 | |
| | P | 5/ 2/1996 | -263.29 | 0.33 | 906.71 | 01 | 06 | 4 | |
| | P | 5/ 3/1996 | -263.06 | 0.23 | 906.94 | 01 | 06 | 4 | |
| | P | 5/ 4/1996 | -263.01 | 0.05 | 906.99 | 01 | 06 | 4 | |
| | P | 5/ 5/1996 | -263.11 | -0.1 | 906.89 | 01 | 06 | 4 | |
| | P | 5/ 6/1996 | -264.93 | -1.82 | 905.07 | 01 | 06 | 4 | |
| | P | 5/ 7/1996 | -264.79 | 0.14 | 905.21 | 01 | 06 | 4 | |
| | P | 5/ 8/1996 | -264.84 | -0.05 | 905.16 | 01 | 06 | 4 | |
| | P | 5/ 9/1996 | -261.98 | 2.86 | 908.02 | 01 | 06 | 4 | |
| | P | 5/10/1996 | -256.97 | 5.01 | 913.03 | 01 | 06 | 4 | |
| | P | 5/11/1996 | -255.51 | 1.46 | 914.49 | 01 | 06 | 4 | |
| | P | 5/12/1996 | -255.51 | | 914.49 | 01 | 06 | 4 | |
| | P | 5/13/1996 | -255.89 | -0.38 | 914.11 | 01 | 06 | 4 | |
| | P | 5/14/1996 | -257.25 | -1.36 | 912.75 | 01 | 06 | 4 | |
| | P | 5/15/1996 | -257.25 | | 912.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 1/1996 | -265.03 | -7.78 | 904.97 | 01 | 06 | 4 | |
| | P | 6/ 2/1996 | -264.23 | 0.8 | 905.77 | 01 | 06 | 4 | |
| | P | 6/ 3/1996 | -262.31 | 1.92 | 907.69 | 01 | 06 | 4 | |
| | P | 6/ 4/1996 | -260.34 | 1.97 | 909.66 | 01 | 06 | 4 | |
| | P | 6/ 5/1996 | -259.82 | 0.52 | 910.18 | 01 | 06 | 4 | |
| | P | 6/ 6/1996 | -259.12 | 0.7 | 910.88 | 01 | 06 | 4 | |
| | P | 6/ 7/1996 | -260.25 | -1.13 | 909.75 | 01 | 06 | 4 | |
| | P | 6/ 8/1996 | -260.11 | 0.14 | 909.89 | 01 | 06 | 4 | |
| | P | 6/ 9/1996 | -259.45 | 0.66 | 910.55 | 01 | 06 | 4 | |
| | P | 6/10/1996 | -259.4 | 0.05 | 910.6 | 01 | 06 | 4 | |
| | P | 6/11/1996 | -260.39 | -0.99 | 909.61 | 01 | 06 | 4 | |
| | P | 6/12/1996 | -262.73 | -2.34 | 907.27 | 01 | 06 | 4 | |
| | P | 6/13/1996 | -263.76 | -1.03 | 906.24 | 01 | 06 | 4 | |
| | P | 6/14/1996 | -264.6 | -0.84 | 905.4 | 01 | 06 | 4 | |
| | P | 6/15/1996 | -264.6 | | 905.4 | 01 | 06 | 4 | |
| | P | 6/16/1996 | -266.29 | -1.69 | 903.71 | 01 | 06 | 4 | |
| | P | 6/17/1996 | -267.18 | -0.89 | 902.82 | 01 | 06 | 4 | |
| | P | 6/18/1996 | -267.79 | -0.61 | 902.21 | 01 | 06 | 4 | |
| | P | 6/19/1996 | -268.07 | -0.28 | 901.93 | 01 | 06 | 4 | |
| | P | 6/20/1996 | -268.49 | -0.42 | 901.51 | 01 | 06 | 4 | |
| | P | 6/21/1996 | -271.45 | -2.96 | 898.55 | 01 | 06 | 4 | |
| | P | 6/22/1996 | -271.92 | -0.47 | 898.08 | 01 | 06 | 4 | |
| | P | 6/23/1996 | -273.79 | -1.87 | 896.21 | 01 | 06 | 4 | |
| | P | 6/24/1996 | -274.26 | -0.47 | 895.74 | 01 | 06 | 4 | |
| | P | 6/25/1996 | -272.34 | 1.92 | 897.66 | 01 | 06 | 4 | |
| | P | 6/26/1996 | -269.67 | 2.67 | 900.33 | 01 | 06 | 4 | |
| | P | 6/27/1996 | -267.46 | 2.21 | 902.54 | 01 | 06 | 4 | |
| | P | 6/28/1996 | -266.06 | 1.4 | 903.94 | 01 | 06 | 4 | |
| | P | 6/29/1996 | -264.79 | 1.27 | 905.21 | 01 | 06 | 4 | |
| | P | 6/30/1996 | -264.51 | 0.28 | 905.49 | 01 | 06 | 4 | |
| | P | 7/ 1/1996 | -264.32 | 0.19 | 905.68 | 01 | 06 | 4 | |
| | P | 7/ 2/1996 | -263.95 | 0.37 | 906.05 | 01 | 06 | 4 | |
| | P | 7/ 3/1996 | -264 | -0.05 | 906 | 01 | 06 | 4 | |
| | P | 7/ 4/1996 | -264.28 | -0.28 | 905.72 | 01 | 06 | 4 | |
| | P | 7/ 5/1996 | -264.23 | 0.05 | 905.77 | 01 | 06 | 4 | |
| | P | 7/ 6/1996 | -264.79 | -0.56 | 905.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 7/1996 | -265.12 | -0.33 | 904.88 | 01 | 06 | 4 | |
| | P | 7/ 8/1996 | -265.87 | -0.75 | 904.13 | 01 | 06 | 4 | |
| | P | 7/ 9/1996 | -266.24 | -0.37 | 903.76 | 01 | 06 | 4 | |
| | P | 7/10/1996 | -266.57 | -0.33 | 903.43 | 01 | 06 | 4 | |
| | P | 7/11/1996 | -266.53 | 0.04 | 903.47 | 01 | 06 | 4 | |
| | P | 7/12/1996 | -266.43 | 0.1 | 903.57 | 01 | 06 | 4 | |
| | P | 7/13/1996 | -266.43 | | 903.57 | 01 | 06 | 4 | |
| | P | 7/14/1996 | -267.51 | -1.08 | 902.49 | 01 | 06 | 4 | |
| | P | 7/15/1996 | -267.51 | | 902.49 | 01 | 06 | 4 | |
| | P | 7/16/1996 | -269.15 | -1.64 | 900.85 | 01 | 06 | 4 | |
| | P | 7/17/1996 | -269.99 | -0.84 | 900.01 | 01 | 06 | 4 | |
| | P | 7/18/1996 | -270.13 | -0.14 | 899.87 | 01 | 06 | 4 | |
| | P | 7/19/1996 | -270.51 | -0.38 | 899.49 | 01 | 06 | 4 | |
| | P | 7/20/1996 | -270.27 | 0.24 | 899.73 | 01 | 06 | 4 | |
| | P | 7/21/1996 | -270.93 | -0.66 | 899.07 | 01 | 06 | 4 | |
| | P | 7/22/1996 | -271.07 | -0.14 | 898.93 | 01 | 06 | 4 | |
| | P | 7/23/1996 | -270.74 | 0.33 | 899.26 | 01 | 06 | 4 | |
| | P | 7/24/1996 | -271.07 | -0.33 | 898.93 | 01 | 06 | 4 | |
| | P | 7/25/1996 | -271.26 | -0.19 | 898.74 | 01 | 06 | 4 | |
| | P | 7/26/1996 | -270.37 | 0.89 | 899.63 | 01 | 06 | 4 | |
| | P | 7/27/1996 | -270.09 | 0.28 | 899.91 | 01 | 06 | 4 | |
| | P | 7/28/1996 | -271.31 | -1.22 | 898.69 | 01 | 06 | 4 | |
| | P | 7/29/1996 | -271.45 | -0.14 | 898.55 | 01 | 06 | 4 | |
| | P | 7/30/1996 | -274.4 | -2.95 | 895.6 | 01 | 06 | 4 | |
| | P | 7/31/1996 | -276.32 | -1.92 | 893.68 | 01 | 06 | 4 | |
| | P | 8/ 1/1996 | -275.85 | 0.47 | 894.15 | 01 | 06 | 4 | |
| | P | 8/ 2/1996 | -276.7 | -0.85 | 893.3 | 01 | 06 | 4 | |
| | P | 8/ 3/1996 | -276.88 | -0.18 | 893.12 | 01 | 06 | 4 | |
| | P | 8/ 4/1996 | -277.91 | -1.03 | 892.09 | 01 | 06 | 4 | |
| | P | 8/ 5/1996 | -277.82 | 0.09 | 892.18 | 01 | 06 | 4 | |
| | P | 8/ 6/1996 | -278.27 | -0.45 | 891.73 | 01 | 06 | 4 | |
| | P | 8/ 7/1996 | -277.76 | 0.51 | 892.24 | 01 | 06 | 4 | |
| | P | 8/ 8/1996 | -277.38 | 0.38 | 892.62 | 01 | 06 | 4 | |
| | P | 8/ 9/1996 | -276.82 | 0.56 | 893.18 | 01 | 06 | 4 | |
| | P | 8/10/1996 | -276.63 | 0.19 | 893.37 | 01 | 06 | 4 | |
| | P | 8/11/1996 | -276.91 | -0.28 | 893.09 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/12/1996 | -276.63 | 0.28 | 893.37 | 01 | 06 | 4 | |
| | P | 8/13/1996 | -276.82 | -0.19 | 893.18 | 01 | 06 | 4 | |
| | P | 8/14/1996 | -275.93 | 0.89 | 894.07 | 01 | 06 | 4 | |
| | P | 8/15/1996 | -275.93 | | 894.07 | 01 | 06 | 4 | |
| | P | 8/16/1996 | -276.87 | -0.94 | 893.13 | 01 | 06 | 4 | |
| | P | 8/17/1996 | -277.1 | -0.23 | 892.9 | 01 | 06 | 4 | |
| | P | 8/18/1996 | -277.95 | -0.85 | 892.05 | 01 | 06 | 4 | |
| | P | 8/19/1996 | -277.95 | | 892.05 | 01 | 06 | 4 | |
| | P | 8/20/1996 | -276.77 | 1.18 | 893.23 | 01 | 06 | 4 | |
| | P | 8/21/1996 | -276.26 | 0.51 | 893.74 | 01 | 06 | 4 | |
| | P | 8/22/1996 | -275.98 | 0.28 | 894.02 | 01 | 06 | 4 | |
| | P | 8/23/1996 | -274.99 | 0.99 | 895.01 | 01 | 06 | 4 | |
| | P | 8/24/1996 | -274.01 | 0.98 | 895.99 | 01 | 06 | 4 | |
| | P | 8/25/1996 | -272.84 | 1.17 | 897.16 | 01 | 06 | 4 | |
| | P | 8/26/1996 | -271.71 | 1.13 | 898.29 | 01 | 06 | 4 | |
| | P | 8/27/1996 | -270.63 | 1.08 | 899.37 | 01 | 06 | 4 | |
| | P | 8/28/1996 | -269.6 | 1.03 | 900.4 | 01 | 06 | 4 | |
| | P | 8/29/1996 | -268.85 | 0.75 | 901.15 | 01 | 06 | 4 | |
| | P | 8/30/1996 | -267.73 | 1.12 | 902.27 | 01 | 06 | 4 | |
| | P | 8/31/1996 | -266.79 | 0.94 | 903.21 | 01 | 06 | 4 | |
| | P | 9/1/1996 | -249.69 | 17.1 | 920.31 | 01 | 06 | 4 | |
| | P | 9/2/1996 | -249.41 | 0.28 | 920.59 | 01 | 06 | 4 | |
| | P | 9/3/1996 | -248.85 | 0.56 | 921.15 | 01 | 06 | 4 | |
| | P | 9/4/1996 | -247.72 | 1.13 | 922.28 | 01 | 06 | 4 | |
| | P | 9/5/1996 | -246.97 | 0.75 | 923.03 | 01 | 06 | 4 | |
| | P | 9/6/1996 | -246.31 | 0.66 | 923.69 | 01 | 06 | 4 | |
| | P | 9/7/1996 | -246.08 | 0.23 | 923.92 | 01 | 06 | 4 | |
| | P | 9/8/1996 | -245.94 | 0.14 | 924.06 | 01 | 06 | 4 | |
| | P | 9/9/1996 | -246.03 | -0.09 | 923.97 | 01 | 06 | 4 | |
| | P | 9/10/1996 | -245.94 | 0.09 | 924.06 | 01 | 06 | 4 | |
| | P | 9/11/1996 | -246.13 | -0.19 | 923.87 | 01 | 06 | 4 | |
| | P | 10/8/1996 | -262.58 | -16.5 | 907.42 | 01 | 06 | 4 | |
| | P | 10/9/1996 | -264.08 | -1.5 | 905.92 | 01 | 06 | 4 | |
| | P | 10/10/1996 | -263.98 | 0.1 | 906.02 | 01 | 06 | 4 | |
| | P | 10/11/1996 | -263.79 | 0.19 | 906.21 | 01 | 06 | 4 | |
| | P | 10/12/1996 | -264.54 | -0.75 | 905.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 13/ 1996 | -267.07 | -2.53 | 902.93 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1996 | -267.12 | -0.05 | 902.88 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1996 | -268.15 | -1.03 | 901.85 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1996 | -267.92 | 0.23 | 902.08 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1996 | -268.39 | -0.47 | 901.61 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1996 | -269.28 | -0.89 | 900.72 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1996 | -269.6 | -0.32 | 900.4 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1996 | -269.89 | -0.29 | 900.11 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1996 | -269.56 | 0.33 | 900.44 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1996 | -269.51 | 0.05 | 900.49 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1996 | -268.53 | 0.98 | 901.47 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1996 | -267.21 | 1.32 | 902.79 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1996 | -267.12 | 0.09 | 902.88 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1996 | -268.39 | -1.27 | 901.61 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1996 | -264.59 | 3.8 | 905.41 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1996 | -264.4 | 0.19 | 905.6 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1996 | -264.73 | -0.33 | 905.27 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1996 | -265.62 | -0.89 | 904.38 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1996 | -264.78 | 0.84 | 905.22 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1996 | -264.36 | 0.42 | 905.64 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1996 | -264.26 | 0.1 | 905.74 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1996 | -263.51 | 0.75 | 906.49 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1996 | -264.68 | -1.17 | 905.32 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1996 | -264.22 | 0.46 | 905.78 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1996 | -263.65 | 0.57 | 906.35 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1996 | -264.03 | -0.38 | 905.97 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1996 | -263.33 | 0.7 | 906.67 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1996 | -263.89 | -0.56 | 906.11 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1996 | -264.5 | -0.61 | 905.5 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1996 | -265.34 | -0.84 | 904.66 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1996 | -266.84 | -1.5 | 903.16 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1996 | -267.31 | -0.47 | 902.69 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1996 | -268.06 | -0.75 | 901.94 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1996 | -268.86 | -0.8 | 901.14 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1996 | -268.34 | 0.52 | 901.66 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1996 | -269.04 | -0.7 | 900.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 19/ 1996 | -269.46 | -0.42 | 900.54 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1996 | -269.6 | -0.14 | 900.4 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1996 | -269.89 | -0.29 | 900.11 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1996 | -270.87 | -0.98 | 899.13 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1996 | -269.51 | 1.36 | 900.49 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1996 | -268.11 | 1.4 | 901.89 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1996 | -266.14 | 1.97 | 903.86 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1996 | -265.34 | 0.8 | 904.66 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1996 | -265.2 | 0.14 | 904.8 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1996 | -265.11 | 0.09 | 904.89 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1996 | -263.98 | 1.13 | 906.02 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1996 | -262.48 | 1.5 | 907.52 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1996 | -260.84 | 1.64 | 909.16 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1996 | -260.47 | 0.37 | 909.53 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1996 | -260.89 | -0.42 | 909.11 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1996 | -244.81 | 16.08 | 925.19 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1996 | -259.62 | -14.8 | 910.38 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1996 | -258.97 | 0.65 | 911.03 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1996 | -258.5 | 0.47 | 911.5 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1996 | -258.73 | -0.23 | 911.27 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1996 | -258.87 | -0.14 | 911.13 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1996 | -259.44 | -0.57 | 910.56 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1996 | -259.25 | 0.19 | 910.75 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1996 | -259.11 | 0.14 | 910.89 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1996 | -259.06 | 0.05 | 910.94 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1996 | -262.33 | -3.27 | 907.67 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1996 | -262.33 | | 907.67 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1996 | -262.19 | 0.14 | 907.81 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1996 | -262.16 | 0.03 | 907.84 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1996 | -262.3 | -0.14 | 907.7 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1996 | -262.23 | 0.07 | 907.77 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1996 | -262.23 | | 907.77 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1996 | -262.12 | 0.11 | 907.88 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1996 | -262.19 | -0.07 | 907.81 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1996 | -262.23 | -0.04 | 907.77 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1996 | -262.37 | -0.14 | 907.63 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/25/1996 | -262.33 | 0.04 | 907.67 | 01 | 06 | 4 | |
| | P | 12/26/1996 | -262.33 | | 907.67 | 01 | 06 | 4 | |
| | P | 12/27/1996 | -262.43 | -0.1 | 907.57 | 01 | 06 | 4 | |
| | P | 12/28/1996 | -262.4 | 0.03 | 907.6 | 01 | 06 | 4 | |
| | P | 12/29/1996 | -262.5 | -0.1 | 907.5 | 01 | 06 | 4 | |
| | P | 12/30/1996 | -262.54 | -0.04 | 907.46 | 01 | 06 | 4 | |
| | P | 12/31/1996 | -262.57 | -0.03 | 907.43 | 01 | 06 | 4 | |
| | P | 1/ 1/1997 | -262.43 | 0.14 | 907.57 | 01 | 06 | 4 | |
| | P | 1/ 2/1997 | -262.3 | 0.13 | 907.7 | 01 | 06 | 4 | |
| | P | 1/ 3/1997 | -262.12 | 0.18 | 907.88 | 01 | 06 | 4 | |
| | P | 1/ 4/1997 | -262.16 | -0.04 | 907.84 | 01 | 06 | 4 | |
| | P | 1/ 5/1997 | -262.37 | -0.21 | 907.63 | 01 | 06 | 4 | |
| | P | 1/ 6/1997 | -262.47 | -0.1 | 907.53 | 01 | 06 | 4 | |
| | P | 1/ 7/1997 | -262.57 | -0.1 | 907.43 | 01 | 06 | 4 | |
| | P | 1/ 8/1997 | -262.5 | 0.07 | 907.5 | 01 | 06 | 4 | |
| | P | 1/ 9/1997 | -262.5 | | 907.5 | 01 | 06 | 4 | |
| | P | 1/10/1997 | -262.4 | 0.1 | 907.6 | 01 | 06 | 4 | |
| | P | 1/11/1997 | -262.5 | -0.1 | 907.5 | 01 | 06 | 4 | |
| | P | 1/12/1997 | -262.57 | -0.07 | 907.43 | 01 | 06 | 4 | |
| | P | 1/13/1997 | -262.71 | -0.14 | 907.29 | 01 | 06 | 4 | |
| | P | 1/14/1997 | -262.54 | 0.17 | 907.46 | 01 | 06 | 4 | |
| | P | 1/15/1997 | -262.43 | 0.11 | 907.57 | 01 | 06 | 4 | |
| | P | 1/16/1997 | -262.68 | -0.25 | 907.32 | 01 | 06 | 4 | |
| | P | 1/17/1997 | -262.75 | -0.07 | 907.25 | 01 | 06 | 4 | |
| | P | 1/18/1997 | -262.75 | | 907.25 | 01 | 06 | 4 | |
| | P | 1/19/1997 | -262.71 | 0.04 | 907.29 | 01 | 06 | 4 | |
| | P | 1/20/1997 | -262.64 | 0.07 | 907.36 | 01 | 06 | 4 | |
| | P | 1/21/1997 | -262.64 | | 907.36 | 01 | 06 | 4 | |
| | P | 1/22/1997 | -262.71 | -0.07 | 907.29 | 01 | 06 | 4 | |
| | P | 1/23/1997 | -262.61 | 0.1 | 907.39 | 01 | 06 | 4 | |
| | P | 1/24/1997 | -262.68 | -0.07 | 907.32 | 01 | 06 | 4 | |
| | P | 1/25/1997 | -262.71 | -0.03 | 907.29 | 01 | 06 | 4 | |
| | P | 1/26/1997 | -262.57 | 0.14 | 907.43 | 01 | 06 | 4 | |
| | P | 1/27/1997 | -262.57 | | 907.43 | 01 | 06 | 4 | |
| | P | 1/28/1997 | -263.13 | -0.56 | 906.87 | 01 | 06 | 4 | |
| | P | 1/29/1997 | -263.06 | 0.07 | 906.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1997 | -263.02 | 0.04 | 906.98 | 01 | 06 | 4 | |
| | P | 1/31/1997 | -262.78 | 0.24 | 907.22 | 01 | 06 | 4 | |
| | P | 2/ 1/1997 | -262.75 | 0.03 | 907.25 | 01 | 06 | 4 | |
| | P | 2/ 2/1997 | -262.82 | -0.07 | 907.18 | 01 | 06 | 4 | |
| | P | 2/ 3/1997 | -262.85 | -0.03 | 907.15 | 01 | 06 | 4 | |
| | P | 2/ 4/1997 | -262.92 | -0.07 | 907.08 | 01 | 06 | 4 | |
| | P | 2/ 5/1997 | -262.99 | -0.07 | 907.01 | 01 | 06 | 4 | |
| | P | 2/ 6/1997 | -262.82 | 0.17 | 907.18 | 01 | 06 | 4 | |
| | P | 2/ 7/1997 | -262.92 | -0.1 | 907.08 | 01 | 06 | 4 | |
| | P | 2/ 8/1997 | -262.99 | -0.07 | 907.01 | 01 | 06 | 4 | |
| | P | 2/ 9/1997 | -262.88 | 0.11 | 907.12 | 01 | 06 | 4 | |
| | P | 2/10/1997 | -262.95 | -0.07 | 907.05 | 01 | 06 | 4 | |
| | P | 2/11/1997 | -262.88 | 0.07 | 907.12 | 01 | 06 | 4 | |
| | P | 2/12/1997 | -262.88 | | 907.12 | 01 | 06 | 4 | |
| | P | 2/13/1997 | -262.5 | 0.38 | 907.5 | 01 | 06 | 4 | |
| | P | 2/14/1997 | -262.43 | 0.07 | 907.57 | 01 | 06 | 4 | |
| | P | 2/15/1997 | -262.19 | 0.24 | 907.81 | 01 | 06 | 4 | |
| | P | 2/16/1997 | -262.09 | 0.1 | 907.91 | 01 | 06 | 4 | |
| | P | 2/17/1997 | -261.81 | 0.28 | 908.19 | 01 | 06 | 4 | |
| | P | 2/18/1997 | -261.54 | 0.27 | 908.46 | 01 | 06 | 4 | |
| | P | 2/19/1997 | -260.88 | 0.66 | 909.12 | 01 | 06 | 4 | |
| | P | 2/20/1997 | -261.22 | -0.34 | 908.78 | 01 | 06 | 4 | |
| | P | 2/21/1997 | -261.22 | | 908.78 | 01 | 06 | 4 | |
| | P | 2/22/1997 | -261.12 | 0.1 | 908.88 | 01 | 06 | 4 | |
| | P | 2/23/1997 | -260.91 | 0.21 | 909.09 | 01 | 06 | 4 | |
| | P | 2/24/1997 | -260.67 | 0.24 | 909.33 | 01 | 06 | 4 | |
| | P | 2/25/1997 | -260.22 | 0.45 | 909.78 | 01 | 06 | 4 | |
| | P | 2/26/1997 | -260.08 | 0.14 | 909.92 | 01 | 06 | 4 | |
| | P | 2/27/1997 | -259.91 | 0.17 | 910.09 | 01 | 06 | 4 | |
| | P | 2/28/1997 | -259.7 | 0.21 | 910.3 | 01 | 06 | 4 | |
| | P | 3/ 1/1997 | -259.6 | 0.1 | 910.4 | 01 | 06 | 4 | |
| | P | 3/ 2/1997 | -259.32 | 0.28 | 910.68 | 01 | 06 | 4 | |
| | P | 3/ 3/1997 | -259.15 | 0.17 | 910.85 | 01 | 06 | 4 | |
| | P | 3/ 4/1997 | -259.15 | | 910.85 | 01 | 06 | 4 | |
| | P | 3/ 5/1997 | -259.11 | 0.04 | 910.89 | 01 | 06 | 4 | |
| | P | 3/ 6/1997 | -258.91 | 0.2 | 911.09 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 7/1997 | -258.87 | 0.04 | 911.13 | 01 | 06 | 4 | |
| | P | 3/ 8/1997 | -258.66 | 0.21 | 911.34 | 01 | 06 | 4 | |
| | P | 3/ 9/1997 | -258.53 | 0.13 | 911.47 | 01 | 06 | 4 | |
| | P | 3/10/1997 | -258.18 | 0.35 | 911.82 | 01 | 06 | 4 | |
| | P | 3/11/1997 | -258.04 | 0.14 | 911.96 | 01 | 06 | 4 | |
| | P | 3/12/1997 | -257.73 | 0.31 | 912.27 | 01 | 06 | 4 | |
| | P | 3/13/1997 | -257.73 | | 912.27 | 01 | 06 | 4 | |
| | P | 3/14/1997 | -257.7 | 0.03 | 912.3 | 01 | 06 | 4 | |
| | P | 3/15/1997 | -257.45 | 0.25 | 912.55 | 01 | 06 | 4 | |
| | P | 3/16/1997 | -257.25 | 0.2 | 912.75 | 01 | 06 | 4 | |
| | P | 3/17/1997 | -257.11 | 0.14 | 912.89 | 01 | 06 | 4 | |
| | P | 3/18/1997 | -257 | 0.11 | 913 | 01 | 06 | 4 | |
| | P | 3/19/1997 | -256.76 | 0.24 | 913.24 | 01 | 06 | 4 | |
| | P | 3/20/1997 | -256.55 | 0.21 | 913.45 | 01 | 06 | 4 | |
| | P | 3/21/1997 | -256.49 | 0.06 | 913.51 | 01 | 06 | 4 | |
| | P | 3/22/1997 | -256.24 | 0.25 | 913.76 | 01 | 06 | 4 | |
| | P | 3/23/1997 | -256.17 | 0.07 | 913.83 | 01 | 06 | 4 | |
| | P | 3/24/1997 | -256.14 | 0.03 | 913.86 | 01 | 06 | 4 | |
| | P | 3/25/1997 | -256.28 | -0.14 | 913.72 | 01 | 06 | 4 | |
| | P | 5/ 1/1997 | -87.28 | 169 | 1082.72 | 01 | 06 | 1 | |
| | P | 7/30/1997 | -76.54 | 10.74 | 1093.46 | 01 | 06 | 1 | |
| | P | 9/10/1997 | -96.99 | -20.5 | 1073.01 | 01 | 06 | 1 | |
| | P | 10/24/1997 | -126.52 | -29.5 | 1043.48 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -140.77 | -14.3 | 1029.23 | 01 | 06 | 1 | |
| | P | 1/12/1998 | -113.98 | 26.79 | 1056.02 | 01 | 06 | 1 | |
| | P | 2/18/1998 | -86.7 | 27.28 | 1083.3 | 01 | 06 | 1 | |
| | P | 3/12/1998 | -60.6 | 26.1 | 1109.4 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -89.6 | -29 | 1080.4 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -125.43 | -35.8 | 1044.57 | 01 | 06 | 1 | |
| | P | 7/23/1998 | -185.82 | -60.4 | 984.18 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -121.39 | 64.43 | 1048.61 | 01 | 06 | 1 | |
| | P | 10/28/1998 | -54.19 | 67.2 | 1115.81 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -43.99 | 10.2 | 1126.01 | 01 | 06 | 1 | |
| | P | 1/20/1999 | -76.15 | -32.2 | 1093.85 | 01 | 06 | 1 | |
| | P | 2/23/1999 | -105.36 | -29.2 | 1064.64 | 01 | 06 | 1 | |
| | P | 3/22/1999 | -116.64 | -11.3 | 1053.36 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/28/1999 | -133.29 | -16.7 | 1036.71 | 01 | 06 | 1 | |
| | P | 5/24/1999 | -145.19 | -11.9 | 1024.81 | 01 | 06 | 1 | |
| | P | 6/24/1999 | -134.94 | 10.25 | 1035.06 | 01 | 06 | 1 | |
| | P | 7/14/1999 | -128.35 | 6.59 | 1041.65 | 01 | 06 | 1 | |
| | P | 8/25/1999 | -211.42 | -83.1 | 958.58 | 01 | 06 | 1 | |
| | P | 9/21/1999 | -249.28 | -37.9 | 920.72 | 01 | 06 | 1 | |
| | P | 10/19/1999 | -246.6 | 2.68 | 923.4 | 01 | 06 | 1 | |
| | P | 1/12/2000 | -254.91 | -8.31 | 915.09 | 01 | 06 | 1 | |
| | P | 2/15/2000 | -257.6 | -2.69 | 912.4 | 01 | 06 | 1 | |
| | P | 4/ 6/2000 | -252.18 | 5.42 | 917.82 | 01 | 06 | 1 | |
| | P | 5/10/2000 | -259.59 | -7.41 | 910.41 | 01 | 06 | 1 | |
| | P | 6/20/2000 | -248.46 | 11.13 | 921.54 | 01 | 06 | 1 | |
| | P | 8/ 4/2000 | -278.88 | -30.4 | 891.12 | 01 | 01 | 1 | |
| | P | 8/21/2000 | -255.77 | 23.11 | 914.23 | 01 | 06 | 1 | |
| | P | 9/20/2000 | -280.59 | -24.8 | 889.41 | 01 | 06 | 1 | |
| | P | 1/22/2001 | -62.7 | 217.9 | 1107.3 | 01 | 06 | 1 | |
| | P | 3/ 6/2001 | -57.61 | 5.09 | 1112.39 | 01 | 06 | 1 | |
| | P | 5/ 3/2001 | -66.22 | -8.61 | 1103.78 | 01 | 06 | 1 | |
| | P | 5/21/2001 | -67.83 | -1.61 | 1102.17 | 01 | 06 | 1 | |
| | P | 6/ 1/2001 | -84.43 | -16.6 | 1085.57 | 01 | 06 | 1 | |
| | P | 6/15/2001 | -93.11 | -8.68 | 1076.89 | 01 | 06 | 1 | |
| | P | 6/20/2001 | -97.4 | -4.29 | 1072.6 | 01 | 06 | 1 | |
| | P | 8/14/2001 | -175.31 | -77.9 | 994.69 | 01 | 06 | 1 | |
| | P | 8/15/2001 | -175.31 | | 994.69 | 01 | 06 | 1 | |
| | P | 9/ 4/2001 | -91.01 | 84.3 | 1078.99 | 01 | 06 | 1 | |
| | P | 9/17/2001 | -68.9 | 22.11 | 1101.1 | 01 | 06 | 1 | |
| | P | 9/18/2001 | -79.6 | -10.7 | 1090.4 | 01 | 06 | 1 | |
| | P | 10/ 9/2001 | -98.98 | -19.4 | 1071.02 | 01 | 06 | 1 | |
| | P | 11/ 9/2001 | -104.4 | -5.42 | 1065.6 | 01 | 06 | 1 | |
| | P | 12/ 5/2001 | -60.05 | 44.35 | 1109.95 | 01 | 06 | 1 | |
| | P | 12/31/2001 | -56.64 | 3.41 | 1113.36 | 01 | 06 | 1 | |
| | P | 1/ 7/2002 | -60.61 | -3.97 | 1109.39 | 01 | 06 | 1 | |
| | P | 2/ 6/2002 | -77.63 | -17.0 | 1092.37 | 01 | 06 | 1 | |
| | P | 3/ 7/2002 | -102.7 | -25.1 | 1067.3 | 01 | 06 | 1 | |
| | P | 4/10/2002 | -99.8 | 2.9 | 1070.2 | 01 | 06 | 1 | |
| | P | 5/10/2002 | -135.64 | -35.8 | 1034.36 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 2002 | -197.52 | -61.9 | 972.48 | 01 | 06 | 1 | |
| | P | 6 / 27/ 2002 | -192.65 | 4.87 | 977.35 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -53.81 | 138.8 | 1116.19 | 01 | 06 | 1 | |
| | P | 8 / 16/ 2002 | -58.47 | -4.66 | 1111.53 | 01 | 06 | 1 | |
| | P | 9 / 5 / 2002 | -76.27 | -17.8 | 1093.73 | 01 | 06 | 1 | |
| | P | 10 / 7 / 2002 | -74.25 | 2.02 | 1095.75 | 01 | 06 | 1 | |
| | P | 11 / 19/ 2002 | -43.15 | 31.1 | 1126.85 | 01 | 06 | 1 | |
| | P | 2 / 26/ 2003 | -43.74 | -0.59 | 1126.26 | 01 | 06 | 1 | |
| | P | 6 / 12/ 2003 | -89.92 | -46.2 | 1080.08 | 01 | 06 | 1 | |
| | P | 7 / 15/ 2003 | -85.97 | 3.95 | 1084.03 | 01 | 06 | 1 | |
| | P | 8 / 4 / 2003 | -119.23 | -33.3 | 1050.77 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -144.44 | -25.2 | 1025.56 | 01 | 06 | 1 | |
| | P | 9 / 22/ 2003 | -139.69 | 4.75 | 1030.31 | 01 | 06 | 1 | |
| | P | 10 / 14/ 2003 | -116.35 | 23.34 | 1053.65 | 01 | 06 | 1 | |
| | P | 12 / 3 / 2003 | -154.29 | -37.9 | 1015.71 | 01 | 06 | 1 | |
| | P | 1 / 30/ 2004 | -144.9 | 9.39 | 1025.1 | 01 | 06 | 1 | |
| | P | 2 / 25/ 2004 | -126.4 | 18.5 | 1043.6 | 01 | 06 | 1 | |
| | P | 4 / 6 / 2004 | -100.31 | 26.09 | 1069.69 | 01 | 06 | 1 | |
| | P | 5 / 25/ 2004 | -70.5 | 29.81 | 1099.5 | 01 | 06 | 1 | |
| | P | 6 / 25/ 2004 | -77.16 | -6.66 | 1092.84 | 01 | 06 | 1 | |
| | P | 7 / 15/ 2004 | -51.94 | 25.22 | 1118.06 | 01 | 06 | 1 | |

**Min** *-280.59* **Max** *-21.44* **Avg** *-208.249*

***6819619*** *( Aquifer: 218CCRK Well Depth: 522 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 13/ 1993 | -220 | | 1079 | 01 | 08 | 7 | |
| | N | 8 / 2 / 2007 | | | | 01 | 01 | | 42 |

**Min** *-220* **Max** *-220* **Avg** *-220*

***6819621*** *( Aquifer: 218GRHC Well Depth: 485 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 1 / 1989 | -266 | | 899 | 01 | 07 | 7 | |

**Min** *-266* **Max** *-266* **Avg** *-266*

***6819622*** *( Aquifer: 218CCRK Well Depth: 528 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 10/ 1995 | -320 | | 975 | 01 | 07 | 7 | |

**Min** *-320* **Max** *-320* **Avg** *-320*

***6819623*** *( Aquifer: 219SLGH Well Depth: 950 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 18/ 1984 | -570 | | 724 | 01 | 07 | 7 | |
| | P | 4 / 1 / 1997 | -433 | 137 | 861 | 01 | 10 | 3 | |
| Min -570 | | Max -433 | Avg -501.5 | | | | | | |
| **6819624** | ( Aquifer: 219SLGH | | Well Depth: 725 ) | | | | | | |
| | P | 9 / 18/ 1984 | -475 | | 785 | 01 | 07 | 7 | |
| | P | 4 / 1 / 1997 | -263 | 212 | 997 | 01 | 10 | 3 | |
| Min -475 | | Max -263 | Avg -369 | | | | | | |
| **6819625** | ( Aquifer: 219SLGH | | Well Depth: 560 ) | | | | | | |
| | P | 7 / 16/ 1979 | -183 | | 1107 | 01 | 07 | 7 | |
| | P | 4 / 1 / 1997 | -238 | -55 | 1052 | 01 | 10 | 3 | |
| Min -238 | | Max -183 | Avg -210.5 | | | | | | |
| **6819626** | ( Aquifer: 219SLGH | | Well Depth: 460 ) | | | | | | |
| | P | 10 / 12/ 1978 | -181 | | 1039 | 01 | 07 | 7 | |
| | P | 4 / 1 / 1997 | -196 | -15 | 1024 | 01 | 10 | 3 | |
| Min -196 | | Max -181 | Avg -188.5 | | | | | | |
| **6819627** | ( Aquifer: 218CCRK | | Well Depth: 460 ) | | | | | | |
| | P | 11 / 12/ 1993 | -160 | | 1055 | 01 | 07 | 7 | |
| | P | 4 / 1 / 1997 | -232 | -72 | 983 | 01 | 10 | 3 | |
| | P | 8 / 3 / 2000 | -265 | -33 | 950 | 01 | 08 | 3 | |
| Min -265 | | Max -160 | Avg -219 | | | | | | |
| **6819628** | ( Aquifer: 218CCRK | | Well Depth: 380 ) | | | | | | |
| | P | 4 / 1 / 1997 | -231 | | 1009 | 01 | 10 | 3 | |
| Min -231 | | Max -231 | Avg -231 | | | | | | |
| **6819629** | ( Aquifer: 218GRHC | | Well Depth: 550 ) | | | | | | |
| | P | 7 / 3 / 1991 | -174 | | 1111 | 01 | 05 | 6 | |
| Min -174 | | Max -174 | Avg -174 | | | | | | |
| **6819630** | ( Aquifer: 218GRHC | | Well Depth: 505 ) | | | | | | |
| | P | 6 / 3 / 1971 | -268 | | 897 | 01 | 07 | 7 | |
| Min -268 | | Max -268 | Avg -268 | | | | | | |
| **6819631** | ( Aquifer: 218GRHC | | Well Depth: 644 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 4 / 2003 | -160 | | 1030 | 01 | 07 | 7 | |
| Min -160 | | Max -160 | Avg | -160 | | | | | |
| **6819632** | ( Aquifer: 218GRHC | | Well Depth: 550 ) | | | | | | |
| | P | 6 / 20/ 2000 | -265 | | 967 | 01 | 07 | 7 | |
| Min -265 | | Max -265 | Avg | -265 | | | | | |
| **6819633** | ( Aquifer: 218GRHC | | Well Depth: 620 ) | | | | | | |
| | P | 8 / 22/ 2000 | -390 | | 904 | 01 | 07 | 7 | |
| Min -390 | | Max -390 | Avg | -390 | | | | | |
| **6819634** | ( Aquifer: 218GRHC | | Well Depth: 520 ) | | | | | | |
| | P | 7 / 15/ 2000 | -288 | | 932 | 01 | 07 | 7 | |
| Min -288 | | Max -288 | Avg | -288 | | | | | |
| **6819639** | ( Aquifer: 218GRHC | | Well Depth: 492 ) | | | | | | |
| | P | 5 / 6 / 1999 | -270 | | 897 | 01 | 07 | 7 | |
| Min -270 | | Max -270 | Avg | -270 | | | | | |
| **6819643** | ( Aquifer: 218CCRK | | Well Depth: 496 ) | | | | | | |
| | P | 4 / 23/ 2009 | -298.06 | | 904.94 | 01 | 04 | 2 | |
| | P | 7 / 8 / 2009 | -306.44 | -8.38 | 896.56 | 01 | 04 | 2 | |
| | P | 8 / 18/ 2009 | -309.81 | -3.37 | 893.19 | 01 | 04 | 2 | |
| | P | 8 / 18/ 2009 | -309.81 | | 893.19 | 02 | 04 | 2 | |
| | P | 10 / 20/ 2009 | -206.13 | 103.7 | 996.87 | 01 | 04 | 2 | |
| | P | 1 / 20/ 2010 | -140.43 | 65.7 | 1062.57 | 01 | 04 | 2 | |
| | P | 3 / 1 / 2010 | -69.08 | 71.35 | 1133.92 | 01 | 04 | 2 | |
| | P | 3 / 23/ 2010 | -82.98 | -13.9 | 1120.02 | 01 | 04 | 2 | |
| | P | 3 / 23/ 2010 | -82.84 | 0.14 | 1120.16 | 02 | 04 | 2 | |
| | P | 3 / 30/ 2010 | -83.27 | -0.43 | 1119.73 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2010 | -83.25 | 0.02 | 1119.75 | 02 | 04 | 2 | |
| | P | 5 / 12/ 2010 | -86.25 | -3 | 1116.75 | 01 | 04 | 2 | |
| | P | 7 / 23/ 2010 | -125.44 | -39.2 | 1077.56 | 01 | 04 | 2 | |
| | P | 7 / 23/ 2010 | -125.42 | 0.02 | 1077.58 | 02 | 04 | 2 | |
| | P | 7 / 27/ 2010 | -131.74 | -6.32 | 1071.26 | 01 | 04 | 2 | |
| | P | 7 / 27/ 2010 | -131.75 | -0.01 | 1071.25 | 02 | 04 | 2 | |
| | P | 8 / 19/ 2010 | -153.82 | -22.1 | 1049.18 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 23/ 2010 | -105.51 | 48.31 | 1097.49 | 01 | 04 | 2 | |
| | P | 10 / 20/ 2010 | -132.66 | -27.2 | 1070.34 | 01 | 04 | 2 | |
| | P | 12 / 29/ 2010 | -176.79 | -44.1 | 1026.21 | 01 | 04 | 2 | |
| **Min** *-309.81* | | **Max** *-69.08* | **Avg** *-157.074* | | | | | | |
| ***6819644*** | *( Aquifer:* | | *Well Depth: 396 )* | | | | | | |
| | P | 3 / 29/ 2005 | -44.55 | | 1140.45 | 01 | 04 | 2 | |
| **Min** *-44.55* | | **Max** *-44.55* | **Avg** *-44.55* | | | | | | |
| ***6819645*** | *( Aquifer:* | | *Well Depth: 445 )* | | | | | | |
| | P | 3 / 29/ 2005 | -57.46 | | 1143.54 | 01 | 04 | 2 | |
| **Min** *-57.46* | | **Max** *-57.46* | **Avg** *-57.46* | | | | | | |
| ***6819646*** | *( Aquifer:* | | *Well Depth: 410 )* | | | | | | |
| | P | 3 / 29/ 2005 | -114.69 | | 1166.31 | 01 | 04 | 2 | |
| **Min** *-114.69* | | **Max** *-114.69* | **Avg** *-114.69* | | | | | | |
| ***6819701*** | *( Aquifer: 218GLRSL* | | *Well Depth: 650 )* | | | | | | |
| | P | 8 / 14/ 1974 | -364 | | 1111 | 01 | 12 | 7 | |
| **Min** *-364* | | **Max** *-364* | **Avg** *-364* | | | | | | |
| ***6819802*** | *( Aquifer: 218GRHC* | | *Well Depth: 600 )* | | | | | | |
| | P | 8 / 7 / 1974 | -283.2 | | 982.8 | 01 | 12 | 7 | |
| **Min** *-283.2* | | **Max** *-283.2* | **Avg** *-283.2* | | | | | | |
| ***6819803*** | *( Aquifer: 218GLRSL* | | *Well Depth: 505 )* | | | | | | |
| | P | 6 / 0 / 1966 | -290 | | 1081 | 01 | 12 | 7 | |
| **Min** *-290* | | **Max** *-290* | **Avg** *-290* | | | | | | |
| ***6819804*** | *( Aquifer: 218GRHC* | | *Well Depth: 900 )* | | | | | | |
| | P | 10 / 16/ 1973 | -370 | | 908 | 01 | 12 | 7 | |
| | P | 8 / 1 / 1974 | -378.7 | -8.7 | 899.3 | 01 | 12 | 7 | |
| **Min** *-378.7* | | **Max** *-370* | **Avg** *-374.35* | | | | | | |
| ***6819805*** | *( Aquifer: 218GLRH* | | *Well Depth: 634 )* | | | | | | |
| | P | 4 / 14/ 1964 | -433 | | 912 | 01 | 12 | 7 | |
| | P | 10 / 28/ 1977 | -282.8 | 150.2 | 1062.2 | 01 | 12 | 7 | |
| | P | 3 / 5 / 1986 | -325.68 | -42.9 | 1019.32 | 01 | 06 | 6 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -433** | | **Max -282.8** | **Avg -347.16** | | | | | | |
| ***6819806*** | *( Aquifer: 218GLRS* | | *Well Depth: 710 )* | | | | | | |
| | P | 9 / 26/ 1990 | -180 | | 1050 | 01 | 07 | 7 | |
| | P | 1 / 1 / 1992 | -216.93 | -36.9 | 1013.07 | 01 | 06 | 1 | |
| | P | 1 / 2 / 1992 | -216.72 | 0.21 | 1013.28 | 01 | 06 | 1 | |
| | P | 1 / 3 / 1992 | -216.45 | 0.27 | 1013.55 | 01 | 06 | 1 | |
| | P | 1 / 4 / 1992 | -216.22 | 0.23 | 1013.78 | 01 | 06 | 1 | |
| | P | 1 / 5 / 1992 | -216.05 | 0.17 | 1013.95 | 01 | 06 | 1 | |
| | P | 1 / 6 / 1992 | -215.94 | 0.11 | 1014.06 | 01 | 06 | 1 | |
| | P | 1 / 7 / 1992 | -215.68 | 0.26 | 1014.32 | 01 | 06 | 1 | |
| | P | 1 / 8 / 1992 | -215.66 | 0.02 | 1014.34 | 01 | 06 | 1 | |
| | P | 1 / 9 / 1992 | -215.74 | -0.08 | 1014.26 | 01 | 06 | 1 | |
| | P | 1 / 10/ 1992 | -215.76 | -0.02 | 1014.24 | 01 | 06 | 1 | |
| | P | 1 / 11/ 1992 | -215.48 | 0.28 | 1014.52 | 01 | 06 | 1 | |
| | P | 1 / 12/ 1992 | -215.15 | 0.33 | 1014.85 | 01 | 06 | 1 | |
| | P | 1 / 13/ 1992 | -215.15 | | 1014.85 | 01 | 06 | 1 | |
| | P | 1 / 14/ 1992 | -215.34 | -0.19 | 1014.66 | 01 | 06 | 1 | |
| | P | 1 / 15/ 1992 | -215.34 | | 1014.66 | 01 | 06 | 4 | |
| | P | 1 / 16/ 1992 | -215.4 | -0.06 | 1014.6 | 01 | 06 | 1 | |
| | P | 1 / 17/ 1992 | -215.15 | 0.25 | 1014.85 | 01 | 06 | 1 | |
| | P | 1 / 18/ 1992 | -214.95 | 0.2 | 1015.05 | 01 | 06 | 1 | |
| | P | 1 / 19/ 1992 | -215.2 | -0.25 | 1014.8 | 01 | 06 | 1 | |
| | P | 1 / 20/ 1992 | -215 | 0.2 | 1015 | 01 | 06 | 1 | |
| | P | 1 / 21/ 1992 | -214.42 | 0.58 | 1015.58 | 01 | 06 | 1 | |
| | P | 1 / 22/ 1992 | -214.17 | 0.25 | 1015.83 | 01 | 06 | 1 | |
| | P | 1 / 23/ 1992 | -214.38 | -0.21 | 1015.62 | 01 | 06 | 1 | |
| | P | 1 / 24/ 1992 | -214.14 | 0.24 | 1015.86 | 01 | 06 | 1 | |
| | P | 1 / 25/ 1992 | -214.08 | 0.06 | 1015.92 | 01 | 06 | 1 | |
| | P | 1 / 26/ 1992 | -212.48 | 1.6 | 1017.52 | 01 | 06 | 1 | |
| | P | 1 / 27/ 1992 | -211.6 | 0.88 | 1018.4 | 01 | 06 | 1 | |
| | P | 1 / 28/ 1992 | -210.72 | 0.88 | 1019.28 | 01 | 06 | 1 | |
| | P | 1 / 29/ 1992 | -210.34 | 0.38 | 1019.66 | 01 | 06 | 1 | |
| | P | 1 / 30/ 1992 | -210.05 | 0.29 | 1019.95 | 01 | 06 | 4 | |
| | P | 1 / 31/ 1992 | -209.77 | 0.28 | 1020.23 | 01 | 06 | 1 | |
| | P | 2 / 1 / 1992 | -209.38 | 0.39 | 1020.62 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 2/1992 | -208.6 | 0.78 | 1021.4 | 01 | 06 | 1 | |
| | P | 2/ 3/1992 | -205.5 | 3.1 | 1024.5 | 01 | 06 | 1 | |
| | P | 2/ 4/1992 | -204.3 | 1.2 | 1025.7 | 01 | 06 | 1 | |
| | P | 2/ 5/1992 | -204.2 | 0.1 | 1025.8 | 01 | 06 | 1 | |
| | P | 2/ 6/1992 | -203.95 | 0.25 | 1026.05 | 01 | 06 | 1 | |
| | P | 2/ 7/1992 | -204.05 | -0.1 | 1025.95 | 01 | 06 | 1 | |
| | P | 2/ 8/1992 | -204.1 | -0.05 | 1025.9 | 01 | 06 | 1 | |
| | P | 2/ 9/1992 | -204 | 0.1 | 1026 | 01 | 06 | 1 | |
| | P | 2/10/1992 | -203.88 | 0.12 | 1026.12 | 01 | 06 | 1 | |
| | P | 2/11/1992 | -203.8 | 0.08 | 1026.2 | 01 | 06 | 1 | |
| | P | 2/12/1992 | -203.63 | 0.17 | 1026.37 | 01 | 06 | 1 | |
| | P | 2/13/1992 | -203.55 | 0.08 | 1026.45 | 01 | 06 | 1 | |
| | P | 2/14/1992 | -203.43 | 0.12 | 1026.57 | 01 | 06 | 1 | |
| | P | 2/15/1992 | -203.43 | | 1026.57 | 01 | 06 | 4 | |
| | P | 2/16/1992 | -203.45 | -0.02 | 1026.55 | 01 | 06 | 1 | |
| | P | 2/17/1992 | -203.45 | | 1026.55 | 01 | 06 | 1 | |
| | P | 2/18/1992 | -203.55 | -0.1 | 1026.45 | 01 | 06 | 1 | |
| | P | 2/19/1992 | -203.78 | -0.23 | 1026.22 | 01 | 06 | 1 | |
| | P | 2/20/1992 | -203.75 | 0.03 | 1026.25 | 01 | 06 | 1 | |
| | P | 2/21/1992 | -203.73 | 0.02 | 1026.27 | 01 | 06 | 1 | |
| | P | 2/22/1992 | -203.4 | 0.33 | 1026.6 | 01 | 06 | 1 | |
| | P | 2/23/1992 | -203.15 | 0.25 | 1026.85 | 01 | 06 | 1 | |
| | P | 2/24/1992 | -202.85 | 0.3 | 1027.15 | 01 | 06 | 1 | |
| | P | 2/25/1992 | -202.78 | 0.07 | 1027.22 | 01 | 06 | 1 | |
| | P | 2/26/1992 | -202.48 | 0.3 | 1027.52 | 01 | 06 | 1 | |
| | P | 2/27/1992 | -202.3 | 0.18 | 1027.7 | 01 | 06 | 1 | |
| | P | 2/28/1992 | -202.05 | 0.25 | 1027.95 | 01 | 06 | 1 | |
| | P | 2/29/1992 | -201.93 | 0.12 | 1028.07 | 01 | 06 | 4 | |
| | P | 3/ 1/1992 | -201.85 | 0.08 | 1028.15 | 01 | 06 | 1 | |
| | P | 3/ 2/1992 | -201.58 | 0.27 | 1028.42 | 01 | 06 | 1 | |
| | P | 3/ 3/1992 | -201 | 0.58 | 1029 | 01 | 06 | 1 | |
| | P | 3/ 4/1992 | -199.32 | 1.68 | 1030.68 | 01 | 06 | 1 | |
| | P | 3/ 5/1992 | -198.84 | 0.48 | 1031.16 | 01 | 06 | 1 | |
| | P | 3/ 6/1992 | -198.9 | -0.06 | 1031.1 | 01 | 06 | 1 | |
| | P | 3/ 7/1992 | -198.75 | 0.15 | 1031.25 | 01 | 06 | 1 | |
| | P | 3/ 8/1992 | -198.48 | 0.27 | 1031.52 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 9/1992 | -198.31 | 0.17 | 1031.69 | 01 | 06 | 1 | |
| | P | 3/10/1992 | -198.38 | -0.07 | 1031.62 | 01 | 06 | 1 | |
| | P | 3/11/1992 | -198.35 | 0.03 | 1031.65 | 01 | 06 | 1 | |
| | P | 3/12/1992 | -198.2 | 0.15 | 1031.8 | 01 | 06 | 1 | |
| | P | 3/13/1992 | -198.27 | -0.07 | 1031.73 | 01 | 06 | 1 | |
| | P | 3/14/1992 | -198.25 | 0.02 | 1031.75 | 01 | 06 | 1 | |
| | P | 3/15/1992 | -198.22 | 0.03 | 1031.78 | 01 | 06 | 4 | |
| | P | 3/16/1992 | -198.3 | -0.08 | 1031.7 | 01 | 06 | 1 | |
| | P | 3/17/1992 | -198.03 | 0.27 | 1031.97 | 01 | 06 | 1 | |
| | P | 3/18/1992 | -198 | 0.03 | 1032 | 01 | 06 | 1 | |
| | P | 3/19/1992 | -198.2 | -0.2 | 1031.8 | 01 | 06 | 1 | |
| | P | 3/20/1992 | -198.42 | -0.22 | 1031.58 | 01 | 06 | 1 | |
| | P | 3/21/1992 | -198.1 | 0.32 | 1031.9 | 01 | 06 | 1 | |
| | P | 3/22/1992 | -198.07 | 0.03 | 1031.93 | 01 | 06 | 1 | |
| | P | 3/23/1992 | -198.45 | -0.38 | 1031.55 | 01 | 06 | 1 | |
| | P | 3/24/1992 | -198.42 | 0.03 | 1031.58 | 01 | 06 | 1 | |
| | P | 3/25/1992 | -198.44 | -0.02 | 1031.56 | 01 | 06 | 1 | |
| | P | 3/26/1992 | -198.37 | 0.07 | 1031.63 | 01 | 06 | 1 | |
| | P | 3/27/1992 | -198.25 | 0.12 | 1031.75 | 01 | 06 | 1 | |
| | P | 3/28/1992 | -197.98 | 0.27 | 1032.02 | 01 | 06 | 1 | |
| | P | 3/29/1992 | -197.92 | 0.06 | 1032.08 | 01 | 06 | 1 | |
| | P | 3/30/1992 | -197.9 | 0.02 | 1032.1 | 01 | 06 | 4 | |
| | P | 3/31/1992 | -197.75 | 0.15 | 1032.25 | 01 | 06 | 1 | |
| | P | 4/ 1/1992 | -197.75 | | 1032.25 | 01 | 06 | 1 | |
| | P | 4/ 2/1992 | -197.65 | 0.1 | 1032.35 | 01 | 06 | 1 | |
| | P | 4/ 3/1992 | -197.57 | 0.08 | 1032.43 | 01 | 06 | 1 | |
| | P | 4/ 4/1992 | -197.53 | 0.04 | 1032.47 | 01 | 06 | 1 | |
| | P | 4/ 5/1992 | -197.32 | 0.21 | 1032.68 | 01 | 06 | 1 | |
| | P | 4/ 6/1992 | -197.3 | 0.02 | 1032.7 | 01 | 06 | 1 | |
| | P | 4/ 7/1992 | -197.2 | 0.1 | 1032.8 | 01 | 06 | 1 | |
| | P | 4/ 8/1992 | -197.05 | 0.15 | 1032.95 | 01 | 06 | 1 | |
| | P | 4/ 9/1992 | -196.95 | 0.1 | 1033.05 | 01 | 06 | 1 | |
| | P | 4/10/1992 | -196.83 | 0.12 | 1033.17 | 01 | 06 | 1 | |
| | P | 4/11/1992 | -196.73 | 0.1 | 1033.27 | 01 | 06 | 1 | |
| | P | 4/12/1992 | -196.82 | -0.09 | 1033.18 | 01 | 06 | 1 | |
| | P | 4/13/1992 | -196.9 | -0.08 | 1033.1 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/14/1992 | -196.84 | 0.06 | 1033.16 | 01 | 06 | 1 | |
| | P | 4/15/1992 | -196.85 | -0.01 | 1033.15 | 01 | 06 | 4 | |
| | P | 4/16/1992 | -196.65 | 0.2 | 1033.35 | 01 | 06 | 1 | |
| | P | 4/17/1992 | -196.4 | 0.25 | 1033.6 | 01 | 06 | 1 | |
| | P | 4/18/1992 | -196.1 | 0.3 | 1033.9 | 01 | 06 | 1 | |
| | P | 4/19/1992 | -195.97 | 0.13 | 1034.03 | 01 | 06 | 1 | |
| | P | 4/20/1992 | -196.11 | -0.14 | 1033.89 | 01 | 06 | 1 | |
| | P | 4/21/1992 | -196.15 | -0.04 | 1033.85 | 01 | 06 | 1 | |
| | P | 4/22/1992 | -196.17 | -0.02 | 1033.83 | 01 | 06 | 1 | |
| | P | 4/23/1992 | -196.18 | -0.01 | 1033.82 | 01 | 06 | 1 | |
| | P | 4/24/1992 | -196.25 | -0.07 | 1033.75 | 01 | 06 | 1 | |
| | P | 4/25/1992 | -196.37 | -0.12 | 1033.63 | 01 | 06 | 1 | |
| | P | 4/26/1992 | -196.52 | -0.15 | 1033.48 | 01 | 06 | 1 | |
| | P | 4/27/1992 | -196.51 | 0.01 | 1033.49 | 01 | 06 | 1 | |
| | P | 4/28/1992 | -196.3 | 0.21 | 1033.7 | 01 | 06 | 1 | |
| | P | 4/29/1992 | -196.22 | 0.08 | 1033.78 | 01 | 06 | 1 | |
| | P | 4/30/1992 | -196.18 | 0.04 | 1033.82 | 01 | 06 | 4 | |
| | P | 5/ 1/1992 | -196.21 | -0.03 | 1033.79 | 01 | 06 | 1 | |
| | P | 5/ 2/1992 | -196.25 | -0.04 | 1033.75 | 01 | 06 | 1 | |
| | P | 5/ 3/1992 | -196.28 | -0.03 | 1033.72 | 01 | 06 | 1 | |
| | P | 5/ 4/1992 | -196.15 | 0.13 | 1033.85 | 01 | 06 | 1 | |
| | P | 5/ 5/1992 | -195.95 | 0.2 | 1034.05 | 01 | 06 | 1 | |
| | P | 5/ 6/1992 | -196 | -0.05 | 1034 | 01 | 06 | 1 | |
| | P | 5/ 7/1992 | -196.48 | -0.48 | 1033.52 | 01 | 06 | 1 | |
| | P | 5/ 8/1992 | -196.4 | 0.08 | 1033.6 | 01 | 06 | 1 | |
| | P | 5/ 9/1992 | -196.15 | 0.25 | 1033.85 | 01 | 06 | 1 | |
| | P | 5/10/1992 | -196.3 | -0.15 | 1033.7 | 01 | 06 | 1 | |
| | P | 5/11/1992 | -196.25 | 0.05 | 1033.75 | 01 | 06 | 1 | |
| | P | 5/12/1992 | -196.92 | -0.67 | 1033.08 | 01 | 06 | 1 | |
| | P | 5/13/1992 | -195.9 | 1.02 | 1034.1 | 01 | 06 | 1 | |
| | P | 5/14/1992 | -195.87 | 0.03 | 1034.13 | 01 | 06 | 1 | |
| | P | 5/15/1992 | -195.6 | 0.27 | 1034.4 | 01 | 06 | 4 | |
| | P | 5/16/1992 | -195.55 | 0.05 | 1034.45 | 01 | 06 | 1 | |
| | P | 5/17/1992 | -195.17 | 0.38 | 1034.83 | 01 | 06 | 1 | |
| | P | 5/18/1992 | -194.63 | 0.54 | 1035.37 | 01 | 06 | 1 | |
| | P | 5/19/1992 | -193.73 | 0.9 | 1036.27 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/20/1992 | -192.78 | 0.95 | 1037.22 | 01 | 06 | 1 | |
| | P | 5/21/1992 | -189.83 | 2.95 | 1040.17 | 01 | 06 | 1 | |
| | P | 5/22/1992 | -188.78 | 1.05 | 1041.22 | 01 | 06 | 1 | |
| | P | 5/23/1992 | -188.43 | 0.35 | 1041.57 | 01 | 06 | 1 | |
| | P | 5/24/1992 | -188.15 | 0.28 | 1041.85 | 01 | 06 | 1 | |
| | P | 5/25/1992 | -187.93 | 0.22 | 1042.07 | 01 | 06 | 1 | |
| | P | 5/26/1992 | -187.76 | 0.17 | 1042.24 | 01 | 06 | 1 | |
| | P | 5/27/1992 | -187.32 | 0.44 | 1042.68 | 01 | 06 | 1 | |
| | P | 5/28/1992 | -187.15 | 0.17 | 1042.85 | 01 | 06 | 1 | |
| | P | 5/29/1992 | -187.07 | 0.08 | 1042.93 | 01 | 06 | 1 | |
| | P | 5/30/1992 | -186.92 | 0.15 | 1043.08 | 01 | 06 | 4 | |
| | P | 5/31/1992 | -186.64 | 0.28 | 1043.36 | 01 | 06 | 1 | |
| | P | 6/ 1/1992 | -186.35 | 0.29 | 1043.65 | 01 | 06 | 1 | |
| | P | 6/ 2/1992 | -186.18 | 0.17 | 1043.82 | 01 | 06 | 1 | |
| | P | 6/ 3/1992 | -185.98 | 0.2 | 1044.02 | 01 | 06 | 1 | |
| | P | 6/ 4/1992 | -185.96 | 0.02 | 1044.04 | 01 | 06 | 1 | |
| | P | 6/ 5/1992 | -185.8 | 0.16 | 1044.2 | 01 | 06 | 1 | |
| | P | 6/ 6/1992 | -185.78 | 0.02 | 1044.22 | 01 | 06 | 1 | |
| | P | 6/ 7/1992 | -185.72 | 0.06 | 1044.28 | 01 | 06 | 1 | |
| | P | 6/ 8/1992 | -185.63 | 0.09 | 1044.37 | 01 | 06 | 1 | |
| | P | 6/ 9/1992 | -185.35 | 0.28 | 1044.65 | 01 | 06 | 1 | |
| | P | 6/10/1992 | -184.95 | 0.4 | 1045.05 | 01 | 06 | 1 | |
| | P | 6/11/1992 | -184.5 | 0.45 | 1045.5 | 01 | 06 | 1 | |
| | P | 6/12/1992 | -183.77 | 0.73 | 1046.23 | 01 | 06 | 1 | |
| | P | 6/13/1992 | -183.37 | 0.4 | 1046.63 | 01 | 06 | 1 | |
| | P | 6/14/1992 | -183.13 | 0.24 | 1046.87 | 01 | 06 | 1 | |
| | P | 6/15/1992 | -183 | 0.13 | 1047 | 01 | 06 | 4 | |
| | P | 6/16/1992 | -182.92 | 0.08 | 1047.08 | 01 | 06 | 1 | |
| | P | 6/17/1992 | -182.88 | 0.04 | 1047.12 | 01 | 06 | 1 | |
| | P | 6/18/1992 | -182.82 | 0.06 | 1047.18 | 01 | 06 | 1 | |
| | P | 6/19/1992 | -182.65 | 0.17 | 1047.35 | 01 | 06 | 1 | |
| | P | 6/20/1992 | -182.7 | -0.05 | 1047.3 | 01 | 06 | 1 | |
| | P | 6/21/1992 | -182.87 | -0.17 | 1047.13 | 01 | 06 | 1 | |
| | P | 6/22/1992 | -182.9 | -0.03 | 1047.1 | 01 | 06 | 1 | |
| | P | 6/23/1992 | -182.75 | 0.15 | 1047.25 | 01 | 06 | 1 | |
| | P | 6/24/1992 | -182.67 | 0.08 | 1047.33 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/25/1992 | -182.62 | 0.05 | 1047.38 | 01 | 06 | 1 | |
| | P | 6/26/1992 | -182.65 | -0.03 | 1047.35 | 01 | 06 | 1 | |
| | P | 6/27/1992 | -182.55 | 0.1 | 1047.45 | 01 | 06 | 1 | |
| | P | 6/28/1992 | -182.45 | 0.1 | 1047.55 | 01 | 06 | 1 | |
| | P | 6/29/1992 | -182.35 | 0.1 | 1047.65 | 01 | 06 | 1 | |
| | P | 6/30/1992 | -182.32 | 0.03 | 1047.68 | 01 | 06 | 4 | |
| | P | 7/ 1/1992 | -182.32 | | 1047.68 | 01 | 06 | 1 | |
| | P | 7/ 2/1992 | -182.37 | -0.05 | 1047.63 | 01 | 06 | 1 | |
| | P | 7/ 3/1992 | -182.45 | -0.08 | 1047.55 | 01 | 06 | 1 | |
| | P | 7/ 4/1992 | -182.54 | -0.09 | 1047.46 | 01 | 06 | 1 | |
| | P | 7/ 5/1992 | -182.64 | -0.1 | 1047.36 | 01 | 06 | 1 | |
| | P | 7/ 6/1992 | -182.67 | -0.03 | 1047.33 | 01 | 06 | 1 | |
| | P | 7/ 7/1992 | -182.75 | -0.08 | 1047.25 | 01 | 06 | 1 | |
| | P | 7/ 8/1992 | -182.75 | | 1047.25 | 01 | 06 | 1 | |
| | P | 7/ 9/1992 | -182.74 | 0.01 | 1047.26 | 01 | 06 | 1 | |
| | P | 7/10/1992 | -182.63 | 0.11 | 1047.37 | 01 | 06 | 1 | |
| | P | 7/11/1992 | -182.62 | 0.01 | 1047.38 | 01 | 06 | 1 | |
| | P | 7/12/1992 | -182.65 | -0.03 | 1047.35 | 01 | 06 | 1 | |
| | P | 7/13/1992 | -182.82 | -0.17 | 1047.18 | 01 | 06 | 1 | |
| | P | 7/14/1992 | -182.8 | 0.02 | 1047.2 | 01 | 06 | 1 | |
| | P | 7/15/1992 | -182.67 | 0.13 | 1047.33 | 01 | 06 | 4 | |
| | P | 7/16/1992 | -182.66 | 0.01 | 1047.34 | 01 | 06 | 1 | |
| | P | 7/17/1992 | -183.05 | -0.39 | 1046.95 | 01 | 06 | 1 | |
| | P | 7/18/1992 | -182.95 | 0.1 | 1047.05 | 01 | 06 | 1 | |
| | P | 7/19/1992 | -182.65 | 0.3 | 1047.35 | 01 | 06 | 1 | |
| | P | 7/20/1992 | -182.45 | 0.2 | 1047.55 | 01 | 06 | 1 | |
| | P | 7/21/1992 | -182.16 | 0.29 | 1047.84 | 01 | 06 | 1 | |
| | P | 7/22/1992 | -181.96 | 0.2 | 1048.04 | 01 | 06 | 1 | |
| | P | 7/23/1992 | -181.92 | 0.04 | 1048.08 | 01 | 06 | 1 | |
| | P | 7/24/1992 | -181.95 | -0.03 | 1048.05 | 01 | 06 | 1 | |
| | P | 7/25/1992 | -182.15 | -0.2 | 1047.85 | 01 | 06 | 1 | |
| | P | 7/26/1992 | -182.02 | 0.13 | 1047.98 | 01 | 06 | 1 | |
| | P | 7/27/1992 | -182.19 | -0.17 | 1047.81 | 01 | 06 | 1 | |
| | P | 7/28/1992 | -182.1 | 0.09 | 1047.9 | 01 | 06 | 1 | |
| | P | 7/29/1992 | -181.99 | 0.11 | 1048.01 | 01 | 06 | 1 | |
| | P | 7/30/1992 | -181.74 | 0.25 | 1048.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/31/1992 | -181.92 | -0.18 | 1048.08 | 01 | 06 | 1 | |
| | P | 8/ 1/1992 | -181.99 | -0.07 | 1048.01 | 01 | 06 | 1 | |
| | P | 8/ 2/1992 | -182.03 | -0.04 | 1047.97 | 01 | 06 | 1 | |
| | P | 8/ 3/1992 | -181.84 | 0.19 | 1048.16 | 01 | 06 | 1 | |
| | P | 8/ 4/1992 | -181.5 | 0.34 | 1048.5 | 01 | 06 | 1 | |
| | P | 8/ 5/1992 | -181.29 | 0.21 | 1048.71 | 01 | 06 | 1 | |
| | P | 8/ 6/1992 | -181.2 | 0.09 | 1048.8 | 01 | 06 | 1 | |
| | P | 8/ 7/1992 | -181.12 | 0.08 | 1048.88 | 01 | 06 | 1 | |
| | P | 8/ 8/1992 | -181.15 | -0.03 | 1048.85 | 01 | 06 | 1 | |
| | P | 8/ 9/1992 | -181.25 | -0.1 | 1048.75 | 01 | 06 | 1 | |
| | P | 8/10/1992 | -181.19 | 0.06 | 1048.81 | 01 | 06 | 1 | |
| | P | 8/11/1992 | -181.21 | -0.02 | 1048.79 | 01 | 06 | 1 | |
| | P | 8/12/1992 | -181.26 | -0.05 | 1048.74 | 01 | 06 | 1 | |
| | P | 8/13/1992 | -181.26 | | 1048.74 | 01 | 06 | 1 | |
| | P | 8/14/1992 | -181.23 | 0.03 | 1048.77 | 01 | 06 | 1 | |
| | P | 8/15/1992 | -181.21 | 0.02 | 1048.79 | 01 | 06 | 4 | |
| | P | 8/16/1992 | -181.19 | 0.02 | 1048.81 | 01 | 06 | 1 | |
| | P | 8/17/1992 | -181.19 | | 1048.81 | 01 | 06 | 1 | |
| | P | 8/18/1992 | -181.28 | -0.09 | 1048.72 | 01 | 06 | 1 | |
| | P | 8/19/1992 | -181.3 | -0.02 | 1048.7 | 01 | 06 | 1 | |
| | P | 8/20/1992 | -181.18 | 0.12 | 1048.82 | 01 | 06 | 1 | |
| | P | 8/21/1992 | -181.14 | 0.04 | 1048.86 | 01 | 06 | 1 | |
| | P | 8/22/1992 | -181.18 | -0.04 | 1048.82 | 01 | 06 | 1 | |
| | P | 8/23/1992 | -181.31 | -0.13 | 1048.69 | 01 | 06 | 1 | |
| | P | 8/24/1992 | -181.45 | -0.14 | 1048.55 | 01 | 06 | 1 | |
| | P | 8/25/1992 | -181.22 | 0.23 | 1048.78 | 01 | 06 | 1 | |
| | P | 8/26/1992 | -181.31 | -0.09 | 1048.69 | 01 | 06 | 1 | |
| | P | 8/27/1992 | -181.7 | -0.39 | 1048.3 | 01 | 06 | 1 | |
| | P | 8/28/1992 | -181.61 | 0.09 | 1048.39 | 01 | 06 | 1 | |
| | P | 8/29/1992 | -181.65 | -0.04 | 1048.35 | 01 | 06 | 1 | |
| | P | 8/30/1992 | -181.62 | 0.03 | 1048.38 | 01 | 06 | 4 | |
| | P | 8/31/1992 | -181.58 | 0.04 | 1048.42 | 01 | 06 | 1 | |
| | P | 9/ 1/1992 | -181.56 | 0.02 | 1048.44 | 01 | 06 | 1 | |
| | P | 9/ 2/1992 | -181.67 | -0.11 | 1048.33 | 01 | 06 | 1 | |
| | P | 9/ 3/1992 | -181.77 | -0.1 | 1048.23 | 01 | 06 | 1 | |
| | P | 9/ 4/1992 | -181.75 | 0.02 | 1048.25 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 5/1992 | -181.75 | | 1048.25 | 01 | 06 | 1 | |
| | P | 9/ 6/1992 | -181.8 | -0.05 | 1048.2 | 01 | 06 | 1 | |
| | P | 9/ 7/1992 | -181.92 | -0.12 | 1048.08 | 01 | 06 | 1 | |
| | P | 9/ 8/1992 | -181.9 | 0.02 | 1048.1 | 01 | 06 | 1 | |
| | P | 9/ 9/1992 | -181.98 | -0.08 | 1048.02 | 01 | 06 | 1 | |
| | P | 9/10/1992 | -181.99 | -0.01 | 1048.01 | 01 | 06 | 1 | |
| | P | 9/11/1992 | -181.56 | 0.43 | 1048.44 | 01 | 06 | 1 | |
| | P | 9/12/1992 | -181.13 | 0.43 | 1048.87 | 01 | 06 | 1 | |
| | P | 9/13/1992 | -180.9 | 0.23 | 1049.1 | 01 | 06 | 1 | |
| | P | 9/14/1992 | -180.85 | 0.05 | 1049.15 | 01 | 06 | 1 | |
| | P | 9/15/1992 | -180.76 | 0.09 | 1049.24 | 01 | 06 | 4 | |
| | P | 9/16/1992 | -180.84 | -0.08 | 1049.16 | 01 | 06 | 1 | |
| | P | 9/17/1992 | -180.86 | -0.02 | 1049.14 | 01 | 06 | 1 | |
| | P | 9/18/1992 | -180.95 | -0.09 | 1049.05 | 01 | 06 | 1 | |
| | P | 9/19/1992 | -181.08 | -0.13 | 1048.92 | 01 | 06 | 1 | |
| | P | 9/20/1992 | -180.99 | 0.09 | 1049.01 | 01 | 06 | 1 | |
| | P | 9/21/1992 | -180.9 | 0.09 | 1049.1 | 01 | 06 | 1 | |
| | P | 9/22/1992 | -181.63 | -0.73 | 1048.37 | 01 | 06 | 1 | |
| | P | 9/23/1992 | -181.28 | 0.35 | 1048.72 | 01 | 06 | 1 | |
| | P | 9/24/1992 | -181.15 | 0.13 | 1048.85 | 01 | 06 | 1 | |
| | P | 9/25/1992 | -181.1 | 0.05 | 1048.9 | 01 | 06 | 1 | |
| | P | 9/26/1992 | -181.14 | -0.04 | 1048.86 | 01 | 06 | 1 | |
| | P | 9/27/1992 | -181.45 | -0.31 | 1048.55 | 01 | 06 | 1 | |
| | P | 9/28/1992 | -181.6 | -0.15 | 1048.4 | 01 | 06 | 1 | |
| | P | 9/29/1992 | -181.7 | -0.1 | 1048.3 | 01 | 06 | 1 | |
| | P | 9/30/1992 | -181.78 | -0.08 | 1048.22 | 01 | 06 | 4 | |
| | P | 10/ 1/1992 | -181.79 | -0.01 | 1048.21 | 01 | 06 | 1 | |
| | P | 10/ 2/1992 | -181.82 | -0.03 | 1048.18 | 01 | 06 | 1 | |
| | P | 10/ 3/1992 | -181.86 | -0.04 | 1048.14 | 01 | 06 | 1 | |
| | P | 10/ 4/1992 | -181.94 | -0.08 | 1048.06 | 01 | 06 | 1 | |
| | P | 10/ 5/1992 | -182.13 | -0.19 | 1047.87 | 01 | 06 | 1 | |
| | P | 10/ 6/1992 | -182.2 | -0.07 | 1047.8 | 01 | 06 | 1 | |
| | P | 10/ 7/1992 | -182.15 | 0.05 | 1047.85 | 01 | 06 | 1 | |
| | P | 10/ 8/1992 | -182.29 | -0.14 | 1047.71 | 01 | 06 | 1 | |
| | P | 10/ 9/1992 | -182.25 | 0.04 | 1047.75 | 01 | 06 | 1 | |
| | P | 10/10/1992 | -182.25 | | 1047.75 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 11/ 1992 | -182.57 | -0.32 | 1047.43 | 01 | 06 | 1 | |
| | P | 10 / 12/ 1992 | -182.55 | 0.02 | 1047.45 | 01 | 06 | 1 | |
| | P | 10 / 13/ 1992 | -182.54 | 0.01 | 1047.46 | 01 | 06 | 1 | |
| | P | 10 / 14/ 1992 | -182.54 | | 1047.46 | 01 | 06 | 1 | |
| | P | 10 / 15/ 1992 | -182.64 | -0.1 | 1047.36 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1992 | -182.75 | -0.11 | 1047.25 | 01 | 06 | 1 | |
| | P | 10 / 17/ 1992 | -182.86 | -0.11 | 1047.14 | 01 | 06 | 1 | |
| | P | 10 / 18/ 1992 | -182.99 | -0.13 | 1047.01 | 01 | 06 | 1 | |
| | P | 10 / 19/ 1992 | -182.95 | 0.04 | 1047.05 | 01 | 06 | 1 | |
| | P | 10 / 20/ 1992 | -182.86 | 0.09 | 1047.14 | 01 | 06 | 1 | |
| | P | 10 / 21/ 1992 | -182.94 | -0.08 | 1047.06 | 01 | 06 | 1 | |
| | P | 10 / 22/ 1992 | -183.06 | -0.12 | 1046.94 | 01 | 06 | 1 | |
| | P | 10 / 23/ 1992 | -183.16 | -0.1 | 1046.84 | 01 | 06 | 1 | |
| | P | 10 / 24/ 1992 | -183.15 | 0.01 | 1046.85 | 01 | 06 | 1 | |
| | P | 10 / 25/ 1992 | -182.97 | 0.18 | 1047.03 | 01 | 06 | 1 | |
| | P | 10 / 26/ 1992 | -182.8 | 0.17 | 1047.2 | 01 | 06 | 1 | |
| | P | 10 / 27/ 1992 | -182.75 | 0.05 | 1047.25 | 01 | 06 | 1 | |
| | P | 10 / 28/ 1992 | -182.78 | -0.03 | 1047.22 | 01 | 06 | 1 | |
| | P | 10 / 29/ 1992 | -182.8 | -0.02 | 1047.2 | 01 | 06 | 1 | |
| | P | 10 / 30/ 1992 | -182.79 | 0.01 | 1047.21 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1992 | -182.64 | 0.15 | 1047.36 | 01 | 06 | 1 | |
| | P | 11 / 1 / 1992 | -182.55 | 0.09 | 1047.45 | 01 | 06 | 1 | |
| | P | 11 / 2 / 1992 | -182.09 | 0.46 | 1047.91 | 01 | 06 | 1 | |
| | P | 11 / 3 / 1992 | -182.04 | 0.05 | 1047.96 | 01 | 06 | 1 | |
| | P | 11 / 4 / 1992 | -182.31 | -0.27 | 1047.69 | 01 | 06 | 1 | |
| | P | 11 / 5 / 1992 | -182.49 | -0.18 | 1047.51 | 01 | 06 | 1 | |
| | P | 11 / 6 / 1992 | -182.16 | 0.33 | 1047.84 | 01 | 06 | 1 | |
| | P | 11 / 7 / 1992 | -182.78 | -0.62 | 1047.22 | 01 | 06 | 1 | |
| | P | 11 / 8 / 1992 | -182.76 | 0.02 | 1047.24 | 01 | 06 | 1 | |
| | P | 11 / 9 / 1992 | -182.79 | -0.03 | 1047.21 | 01 | 06 | 1 | |
| | P | 11 / 10/ 1992 | -182.75 | 0.04 | 1047.25 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1992 | -182.51 | 0.24 | 1047.49 | 01 | 06 | 1 | |
| | P | 11 / 12/ 1992 | -182.65 | -0.14 | 1047.35 | 01 | 06 | 1 | |
| | P | 11 / 13/ 1992 | -183.05 | -0.4 | 1046.95 | 01 | 06 | 1 | |
| | P | 11 / 14/ 1992 | -183.07 | -0.02 | 1046.93 | 01 | 06 | 1 | |
| | P | 11 / 15/ 1992 | -183.06 | 0.01 | 1046.94 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/16/1992 | -183.01 | 0.05 | 1046.99 | 01 | 06 | 1 | |
| | P | 11/17/1992 | -183.02 | -0.01 | 1046.98 | 01 | 06 | 1 | |
| | P | 11/18/1992 | -182.96 | 0.06 | 1047.04 | 01 | 06 | 1 | |
| | P | 11/19/1992 | -182.36 | 0.6 | 1047.64 | 01 | 06 | 1 | |
| | P | 11/20/1992 | -178.82 | 3.54 | 1051.18 | 01 | 06 | 1 | |
| | P | 11/21/1992 | -178.02 | 0.8 | 1051.98 | 01 | 06 | 1 | |
| | P | 11/22/1992 | -177.54 | 0.48 | 1052.46 | 01 | 06 | 1 | |
| | P | 11/23/1992 | -177 | 0.54 | 1053 | 01 | 06 | 1 | |
| | P | 11/24/1992 | -176.8 | 0.2 | 1053.2 | 01 | 06 | 1 | |
| | P | 11/25/1992 | -176.88 | -0.08 | 1053.12 | 01 | 06 | 1 | |
| | P | 11/26/1992 | -177.1 | -0.22 | 1052.9 | 01 | 06 | 1 | |
| | P | 11/27/1992 | -177.12 | -0.02 | 1052.88 | 01 | 06 | 1 | |
| | P | 11/28/1992 | -176.93 | 0.19 | 1053.07 | 01 | 06 | 1 | |
| | P | 11/29/1992 | -176.96 | -0.03 | 1053.04 | 01 | 06 | 1 | |
| | P | 11/30/1992 | -177.08 | -0.12 | 1052.92 | 01 | 06 | 1 | |
| | P | 12/ 1/1992 | -176.69 | 0.39 | 1053.31 | 01 | 06 | 1 | |
| | P | 12/ 2/1992 | -176.91 | -0.22 | 1053.09 | 01 | 06 | 1 | |
| | P | 12/ 3/1992 | -176.61 | 0.3 | 1053.39 | 01 | 06 | 1 | |
| | P | 12/ 4/1992 | -176.56 | 0.05 | 1053.44 | 01 | 06 | 1 | |
| | P | 12/ 5/1992 | -176.83 | -0.27 | 1053.17 | 01 | 06 | 1 | |
| | P | 12/ 6/1992 | -176.72 | 0.11 | 1053.28 | 01 | 06 | 1 | |
| | P | 12/ 7/1992 | -176.72 | | 1053.28 | 01 | 06 | 1 | |
| | P | 12/ 8/1992 | -176.88 | -0.16 | 1053.12 | 01 | 06 | 1 | |
| | P | 12/ 9/1992 | -176.8 | 0.08 | 1053.2 | 01 | 06 | 1 | |
| | P | 12/10/1992 | -176.9 | -0.1 | 1053.1 | 01 | 06 | 1 | |
| | P | 12/11/1992 | -177.04 | -0.14 | 1052.96 | 01 | 06 | 1 | |
| | P | 12/12/1992 | -176.73 | 0.31 | 1053.27 | 01 | 06 | 1 | |
| | P | 12/13/1992 | -176.64 | 0.09 | 1053.36 | 01 | 06 | 1 | |
| | P | 12/14/1992 | -176.64 | | 1053.36 | 01 | 06 | 1 | |
| | P | 12/15/1992 | -176.34 | 0.3 | 1053.66 | 01 | 06 | 4 | |
| | P | 12/16/1992 | -175.88 | 0.46 | 1054.12 | 01 | 06 | 1 | |
| | P | 12/17/1992 | -175.6 | 0.28 | 1054.4 | 01 | 06 | 1 | |
| | P | 12/18/1992 | -175.25 | 0.35 | 1054.75 | 01 | 06 | 1 | |
| | P | 12/19/1992 | -175.05 | 0.2 | 1054.95 | 01 | 06 | 1 | |
| | P | 12/20/1992 | -175.48 | -0.43 | 1054.52 | 01 | 06 | 1 | |
| | P | 12/21/1992 | -174.95 | 0.53 | 1055.05 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/22/1992 | -174.9 | 0.05 | 1055.1 | 01 | 06 | 1 | |
| | P | 12/23/1992 | -174.91 | -0.01 | 1055.09 | 01 | 06 | 1 | |
| | P | 12/24/1992 | -175.02 | -0.11 | 1054.98 | 01 | 06 | 1 | |
| | P | 12/25/1992 | -174.76 | 0.26 | 1055.24 | 01 | 06 | 1 | |
| | P | 12/26/1992 | -174.72 | 0.04 | 1055.28 | 01 | 06 | 1 | |
| | P | 12/27/1992 | -174.66 | 0.06 | 1055.34 | 01 | 06 | 1 | |
| | P | 12/28/1992 | -174.61 | 0.05 | 1055.39 | 01 | 06 | 1 | |
| | P | 12/29/1992 | -174.52 | 0.09 | 1055.48 | 01 | 06 | 1 | |
| | P | 12/30/1992 | -174.5 | 0.02 | 1055.5 | 01 | 06 | 4 | |
| | P | 12/31/1992 | -174.57 | -0.07 | 1055.43 | 01 | 06 | 1 | |
| | P | 1/ 1/1993 | -174.69 | -0.12 | 1055.31 | 01 | 06 | 1 | |
| | P | 1/ 2/1993 | -174.6 | 0.09 | 1055.4 | 01 | 06 | 1 | |
| | P | 1/ 3/1993 | -174.23 | 0.37 | 1055.77 | 01 | 06 | 1 | |
| | P | 1/ 4/1993 | -174.12 | 0.11 | 1055.88 | 01 | 06 | 1 | |
| | P | 1/ 5/1993 | -174.19 | -0.07 | 1055.81 | 01 | 06 | 1 | |
| | P | 1/ 6/1993 | -174.26 | -0.07 | 1055.74 | 01 | 06 | 1 | |
| | P | 1/ 7/1993 | -173.87 | 0.39 | 1056.13 | 01 | 06 | 1 | |
| | P | 1/ 8/1993 | -173.88 | -0.01 | 1056.12 | 01 | 06 | 1 | |
| | P | 1/ 9/1993 | -173.39 | 0.49 | 1056.61 | 01 | 06 | 1 | |
| | P | 1/10/1993 | -173.05 | 0.34 | 1056.95 | 01 | 06 | 1 | |
| | P | 1/11/1993 | -173.74 | -0.69 | 1056.26 | 01 | 06 | 1 | |
| | P | 1/12/1993 | -173.85 | -0.11 | 1056.15 | 01 | 06 | 1 | |
| | P | 1/13/1993 | -174.06 | -0.21 | 1055.94 | 01 | 06 | 1 | |
| | P | 1/14/1993 | -173.61 | 0.45 | 1056.39 | 01 | 06 | 1 | |
| | P | 1/15/1993 | -173.55 | 0.06 | 1056.45 | 01 | 06 | 4 | |
| | P | 1/16/1993 | -173.52 | 0.03 | 1056.48 | 01 | 06 | 1 | |
| | P | 1/17/1993 | -173.45 | 0.07 | 1056.55 | 01 | 06 | 1 | |
| | P | 1/18/1993 | -173.5 | -0.05 | 1056.5 | 01 | 06 | 1 | |
| | P | 1/19/1993 | -173.25 | 0.25 | 1056.75 | 01 | 06 | 1 | |
| | P | 1/20/1993 | -172.99 | 0.26 | 1057.01 | 01 | 06 | 1 | |
| | P | 1/21/1993 | -172.86 | 0.13 | 1057.14 | 01 | 06 | 1 | |
| | P | 1/22/1993 | -172.53 | 0.33 | 1057.47 | 01 | 06 | 1 | |
| | P | 1/23/1993 | -172.54 | -0.01 | 1057.46 | 01 | 06 | 1 | |
| | P | 1/24/1993 | -172.72 | -0.18 | 1057.28 | 01 | 06 | 1 | |
| | P | 1/25/1993 | -172.68 | 0.04 | 1057.32 | 01 | 06 | 1 | |
| | P | 1/26/1993 | -172.63 | 0.05 | 1057.37 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 27/ 1993 | -172.45 | 0.18 | 1057.55 | 01 | 06 | 1 | |
| | P | 1/ 28/ 1993 | -172.35 | 0.1 | 1057.65 | 01 | 06 | 1 | |
| | P | 1/ 29/ 1993 | -172.59 | -0.24 | 1057.41 | 01 | 06 | 1 | |
| | P | 1/ 30/ 1993 | -172.52 | 0.07 | 1057.48 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1993 | -172.26 | 0.26 | 1057.74 | 01 | 06 | 1 | |
| | P | 2/ 1/ 1993 | -172.05 | 0.21 | 1057.95 | 01 | 06 | 1 | |
| | P | 2/ 2/ 1993 | -171.98 | 0.07 | 1058.02 | 01 | 06 | 1 | |
| | P | 2/ 3/ 1993 | -171.88 | 0.1 | 1058.12 | 01 | 06 | 1 | |
| | P | 2/ 4/ 1993 | -171.95 | -0.07 | 1058.05 | 01 | 06 | 1 | |
| | P | 2/ 5/ 1993 | -171.77 | 0.18 | 1058.23 | 01 | 06 | 1 | |
| | P | 2/ 6/ 1993 | -171.77 | | 1058.23 | 01 | 06 | 1 | |
| | P | 2/ 7/ 1993 | -171.46 | 0.31 | 1058.54 | 01 | 06 | 1 | |
| | P | 2/ 8/ 1993 | -171.42 | 0.04 | 1058.58 | 01 | 06 | 1 | |
| | P | 2/ 9/ 1993 | -171.2 | 0.22 | 1058.8 | 01 | 06 | 1 | |
| | P | 2/ 10/ 1993 | -170.73 | 0.47 | 1059.27 | 01 | 06 | 1 | |
| | P | 2/ 11/ 1993 | -170.45 | 0.28 | 1059.55 | 01 | 06 | 1 | |
| | P | 2/ 12/ 1993 | -170.22 | 0.23 | 1059.78 | 01 | 06 | 1 | |
| | P | 2/ 13/ 1993 | -169.97 | 0.25 | 1060.03 | 01 | 06 | 1 | |
| | P | 2/ 14/ 1993 | -169.53 | 0.44 | 1060.47 | 01 | 06 | 1 | |
| | P | 2/ 15/ 1993 | -169.34 | 0.19 | 1060.66 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1993 | -169.39 | -0.05 | 1060.61 | 01 | 06 | 1 | |
| | P | 2/ 17/ 1993 | -169.41 | -0.02 | 1060.59 | 01 | 06 | 1 | |
| | P | 2/ 18/ 1993 | -169.2 | 0.21 | 1060.8 | 01 | 06 | 1 | |
| | P | 2/ 19/ 1993 | -168.76 | 0.44 | 1061.24 | 01 | 06 | 1 | |
| | P | 2/ 20/ 1993 | -168.36 | 0.4 | 1061.64 | 01 | 06 | 1 | |
| | P | 2/ 21/ 1993 | -168.25 | 0.11 | 1061.75 | 01 | 06 | 1 | |
| | P | 2/ 22/ 1993 | -168.24 | 0.01 | 1061.76 | 01 | 06 | 1 | |
| | P | 2/ 23/ 1993 | -168.24 | | 1061.76 | 01 | 06 | 1 | |
| | P | 2/ 24/ 1993 | -167.99 | 0.25 | 1062.01 | 01 | 06 | 1 | |
| | P | 2/ 25/ 1993 | -167.89 | 0.1 | 1062.11 | 01 | 06 | 1 | |
| | P | 2/ 26/ 1993 | -168.09 | -0.2 | 1061.91 | 01 | 06 | 1 | |
| | P | 2/ 27/ 1993 | -168.07 | 0.02 | 1061.93 | 01 | 06 | 1 | |
| | P | 2/ 28/ 1993 | -167.81 | 0.26 | 1062.19 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1993 | -167.17 | 0.64 | 1062.83 | 01 | 06 | 1 | |
| | P | 3/ 2/ 1993 | -166.97 | 0.2 | 1063.03 | 01 | 06 | 1 | |
| | P | 3/ 3/ 1993 | -167.1 | -0.13 | 1062.9 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 4/1993 | -167.1 | | 1062.9 | 01 | 06 | 1 | |
| | P | 3/ 5/1993 | -167.03 | 0.07 | 1062.97 | 01 | 06 | 1 | |
| | P | 3/ 6/1993 | -166.68 | 0.35 | 1063.32 | 01 | 06 | 1 | |
| | P | 3/ 7/1993 | -166.54 | 0.14 | 1063.46 | 01 | 06 | 1 | |
| | P | 3/ 8/1993 | -166.44 | 0.1 | 1063.56 | 01 | 06 | 1 | |
| | P | 3/ 9/1993 | -166.13 | 0.31 | 1063.87 | 01 | 06 | 1 | |
| | P | 3/10/1993 | -166.01 | 0.12 | 1063.99 | 01 | 06 | 1 | |
| | P | 3/11/1993 | -165.76 | 0.25 | 1064.24 | 01 | 06 | 1 | |
| | P | 3/12/1993 | -165.72 | 0.04 | 1064.28 | 01 | 06 | 1 | |
| | P | 3/13/1993 | -165.84 | -0.12 | 1064.16 | 01 | 06 | 1 | |
| | P | 3/14/1993 | -165.71 | 0.13 | 1064.29 | 01 | 06 | 1 | |
| | P | 3/15/1993 | -165.36 | 0.35 | 1064.64 | 01 | 06 | 4 | |
| | P | 3/16/1993 | -165.24 | 0.12 | 1064.76 | 01 | 06 | 1 | |
| | P | 3/17/1993 | -165.35 | -0.11 | 1064.65 | 01 | 06 | 1 | |
| | P | 3/18/1993 | -165.08 | 0.27 | 1064.92 | 01 | 06 | 1 | |
| | P | 3/19/1993 | -164.76 | 0.32 | 1065.24 | 01 | 06 | 1 | |
| | P | 3/20/1993 | -164.71 | 0.05 | 1065.29 | 01 | 06 | 1 | |
| | P | 3/21/1993 | -164.65 | 0.06 | 1065.35 | 01 | 06 | 1 | |
| | P | 3/22/1993 | -164.91 | -0.26 | 1065.09 | 01 | 06 | 1 | |
| | P | 3/23/1993 | -164.7 | 0.21 | 1065.3 | 01 | 06 | 1 | |
| | P | 3/24/1993 | -164.5 | 0.2 | 1065.5 | 01 | 06 | 1 | |
| | P | 3/25/1993 | -164.4 | 0.1 | 1065.6 | 01 | 06 | 1 | |
| | P | 3/26/1993 | -164.38 | 0.02 | 1065.62 | 01 | 06 | 1 | |
| | P | 3/27/1993 | -164.25 | 0.13 | 1065.75 | 01 | 06 | 1 | |
| | P | 3/28/1993 | -164.15 | 0.1 | 1065.85 | 01 | 06 | 1 | |
| | P | 3/29/1993 | -163.86 | 0.29 | 1066.14 | 01 | 06 | 1 | |
| | P | 3/30/1993 | -163.86 | | 1066.14 | 01 | 06 | 4 | |
| | P | 3/31/1993 | -163.92 | -0.06 | 1066.08 | 01 | 06 | 1 | |
| | P | 4/ 1/1993 | -163.94 | -0.02 | 1066.06 | 01 | 06 | 1 | |
| | P | 4/ 2/1993 | -163.99 | -0.05 | 1066.01 | 01 | 06 | 1 | |
| | P | 4/ 3/1993 | -163.83 | 0.16 | 1066.17 | 01 | 06 | 1 | |
| | P | 4/ 4/1993 | -163.83 | | 1066.17 | 01 | 06 | 1 | |
| | P | 4/ 5/1993 | -163.78 | 0.05 | 1066.22 | 01 | 06 | 1 | |
| | P | 4/ 6/1993 | -163.69 | 0.09 | 1066.31 | 01 | 06 | 1 | |
| | P | 4/ 7/1993 | -163.48 | 0.21 | 1066.52 | 01 | 06 | 1 | |
| | P | 4/ 8/1993 | -163.56 | -0.08 | 1066.44 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 9/1993 | -163.53 | 0.03 | 1066.47 | 01 | 06 | 1 | |
| | P | 4/10/1993 | -163.46 | 0.07 | 1066.54 | 01 | 06 | 1 | |
| | P | 4/11/1993 | -163.38 | 0.08 | 1066.62 | 01 | 06 | 1 | |
| | P | 4/12/1993 | -163.3 | 0.08 | 1066.7 | 01 | 06 | 1 | |
| | P | 4/13/1993 | -163.02 | 0.28 | 1066.98 | 01 | 06 | 1 | |
| | P | 4/14/1993 | -162.88 | 0.14 | 1067.12 | 01 | 06 | 1 | |
| | P | 4/15/1993 | -163.15 | -0.27 | 1066.85 | 01 | 06 | 4 | |
| | P | 4/16/1993 | -163.29 | -0.14 | 1066.71 | 01 | 06 | 1 | |
| | P | 4/17/1993 | -163.28 | 0.01 | 1066.72 | 01 | 06 | 1 | |
| | P | 4/18/1993 | -163.16 | 0.12 | 1066.84 | 01 | 06 | 1 | |
| | P | 4/19/1993 | -163.01 | 0.15 | 1066.99 | 01 | 06 | 1 | |
| | P | 4/20/1993 | -163.15 | -0.14 | 1066.85 | 01 | 06 | 1 | |
| | P | 4/21/1993 | -163.58 | -0.43 | 1066.42 | 01 | 06 | 1 | |
| | P | 4/22/1993 | -163.32 | 0.26 | 1066.68 | 01 | 06 | 1 | |
| | P | 4/23/1993 | -163.2 | 0.12 | 1066.8 | 01 | 06 | 1 | |
| | P | 4/24/1993 | -163.18 | 0.02 | 1066.82 | 01 | 06 | 1 | |
| | P | 4/25/1993 | -163.27 | -0.09 | 1066.73 | 01 | 06 | 1 | |
| | P | 4/26/1993 | -163.68 | -0.41 | 1066.32 | 01 | 06 | 1 | |
| | P | 4/27/1993 | -163.65 | 0.03 | 1066.35 | 01 | 06 | 1 | |
| | P | 4/28/1993 | -163.6 | 0.05 | 1066.4 | 01 | 06 | 1 | |
| | P | 4/29/1993 | -163.53 | 0.07 | 1066.47 | 01 | 06 | 1 | |
| | P | 4/30/1993 | -163.37 | 0.16 | 1066.63 | 01 | 06 | 4 | |
| | P | 5/ 1/1993 | -163.25 | 0.12 | 1066.75 | 01 | 06 | 1 | |
| | P | 5/ 2/1993 | -163.24 | 0.01 | 1066.76 | 01 | 06 | 1 | |
| | P | 5/ 3/1993 | -163.35 | -0.11 | 1066.65 | 01 | 06 | 1 | |
| | P | 5/ 4/1993 | -163.28 | 0.07 | 1066.72 | 01 | 06 | 1 | |
| | P | 5/ 5/1993 | -162.49 | 0.79 | 1067.51 | 01 | 06 | 1 | |
| | P | 5/ 6/1993 | -161.45 | 1.04 | 1068.55 | 01 | 06 | 1 | |
| | P | 5/ 7/1993 | -160.6 | 0.85 | 1069.4 | 01 | 06 | 1 | |
| | P | 5/ 8/1993 | -160.06 | 0.54 | 1069.94 | 01 | 06 | 1 | |
| | P | 5/ 9/1993 | -159.91 | 0.15 | 1070.09 | 01 | 06 | 1 | |
| | P | 5/10/1993 | -159.84 | 0.07 | 1070.16 | 01 | 06 | 1 | |
| | P | 5/11/1993 | -159.44 | 0.4 | 1070.56 | 01 | 06 | 1 | |
| | P | 5/12/1993 | -159.31 | 0.13 | 1070.69 | 01 | 06 | 1 | |
| | P | 5/13/1993 | -159.1 | 0.21 | 1070.9 | 01 | 06 | 1 | |
| | P | 5/14/1993 | -159.03 | 0.07 | 1070.97 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/1993 | -158.99 | 0.04 | 1071.01 | 01 | 06 | 4 | |
| | P | 5/16/1993 | -158.96 | 0.03 | 1071.04 | 01 | 06 | 1 | |
| | P | 5/17/1993 | -158.77 | 0.19 | 1071.23 | 01 | 06 | 1 | |
| | P | 5/18/1993 | -158.71 | 0.06 | 1071.29 | 01 | 06 | 1 | |
| | P | 5/19/1993 | -159.05 | -0.34 | 1070.95 | 01 | 06 | 1 | |
| | P | 5/20/1993 | -159.05 | | 1070.95 | 01 | 06 | 1 | |
| | P | 5/21/1993 | -159.13 | -0.08 | 1070.87 | 01 | 06 | 1 | |
| | P | 5/22/1993 | -158.81 | 0.32 | 1071.19 | 01 | 06 | 1 | |
| | P | 5/23/1993 | -158.49 | 0.32 | 1071.51 | 01 | 06 | 1 | |
| | P | 5/24/1993 | -158.46 | 0.03 | 1071.54 | 01 | 06 | 1 | |
| | P | 5/25/1993 | -158.8 | -0.34 | 1071.2 | 01 | 06 | 1 | |
| | P | 5/26/1993 | -158.42 | 0.38 | 1071.58 | 01 | 06 | 1 | |
| | P | 5/27/1993 | -158.15 | 0.27 | 1071.85 | 01 | 06 | 1 | |
| | P | 5/28/1993 | -158.07 | 0.08 | 1071.93 | 01 | 06 | 1 | |
| | P | 5/29/1993 | -157.98 | 0.09 | 1072.02 | 01 | 06 | 1 | |
| | P | 5/30/1993 | -157.86 | 0.12 | 1072.14 | 01 | 06 | 4 | |
| | P | 5/31/1993 | -157.82 | 0.04 | 1072.18 | 01 | 06 | 1 | |
| | P | 6/ 1/1993 | -157.8 | 0.02 | 1072.2 | 01 | 06 | 1 | |
| | P | 6/ 2/1993 | -157.67 | 0.13 | 1072.33 | 01 | 06 | 1 | |
| | P | 6/ 3/1993 | -157.51 | 0.16 | 1072.49 | 01 | 06 | 1 | |
| | P | 6/ 4/1993 | -157.55 | -0.04 | 1072.45 | 01 | 06 | 1 | |
| | P | 6/ 5/1993 | -157.72 | -0.17 | 1072.28 | 01 | 06 | 1 | |
| | P | 6/ 6/1993 | -157.8 | -0.08 | 1072.2 | 01 | 06 | 1 | |
| | P | 6/ 7/1993 | -157.74 | 0.06 | 1072.26 | 01 | 06 | 1 | |
| | P | 6/ 8/1993 | -157.69 | 0.05 | 1072.31 | 01 | 06 | 1 | |
| | P | 6/ 9/1993 | -157.7 | -0.01 | 1072.3 | 01 | 06 | 1 | |
| | P | 6/10/1993 | -157.77 | -0.07 | 1072.23 | 01 | 06 | 1 | |
| | P | 6/11/1993 | -157.78 | -0.01 | 1072.22 | 01 | 06 | 1 | |
| | P | 6/12/1993 | -157.75 | 0.03 | 1072.25 | 01 | 06 | 1 | |
| | P | 6/13/1993 | -157.65 | 0.1 | 1072.35 | 01 | 06 | 1 | |
| | P | 6/14/1993 | -157.6 | 0.05 | 1072.4 | 01 | 06 | 1 | |
| | P | 6/15/1993 | -157.5 | 0.1 | 1072.5 | 01 | 06 | 4 | |
| | P | 6/16/1993 | -157.44 | 0.06 | 1072.56 | 01 | 06 | 1 | |
| | P | 6/17/1993 | -157.3 | 0.14 | 1072.7 | 01 | 06 | 1 | |
| | P | 6/18/1993 | -157.35 | -0.05 | 1072.65 | 01 | 06 | 1 | |
| | P | 6/19/1993 | -157.25 | 0.1 | 1072.75 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 1993 | -157.14 | 0.11 | 1072.86 | 01 | 06 | 1 | |
| | P | 6 / 21/ 1993 | -157.05 | 0.09 | 1072.95 | 01 | 06 | 1 | |
| | P | 6 / 22/ 1993 | -156.88 | 0.17 | 1073.12 | 01 | 06 | 1 | |
| | P | 6 / 23/ 1993 | -156.82 | 0.06 | 1073.18 | 01 | 06 | 1 | |
| | P | 6 / 24/ 1993 | -156.96 | -0.14 | 1073.04 | 01 | 06 | 1 | |
| | P | 6 / 25/ 1993 | -156.79 | 0.17 | 1073.21 | 01 | 06 | 1 | |
| | P | 6 / 26/ 1993 | -156.48 | 0.31 | 1073.52 | 01 | 06 | 1 | |
| | P | 6 / 27/ 1993 | -156.16 | 0.32 | 1073.84 | 01 | 06 | 1 | |
| | P | 6 / 28/ 1993 | -155.97 | 0.19 | 1074.03 | 01 | 06 | 1 | |
| | P | 6 / 29/ 1993 | -155.9 | 0.07 | 1074.1 | 01 | 06 | 1 | |
| | P | 6 / 30/ 1993 | -155.7 | 0.2 | 1074.3 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1993 | -155.69 | 0.01 | 1074.31 | 01 | 06 | 1 | |
| | P | 7 / 2 / 1993 | -155.62 | 0.07 | 1074.38 | 01 | 06 | 1 | |
| | P | 7 / 3 / 1993 | -155.56 | 0.06 | 1074.44 | 01 | 06 | 1 | |
| | P | 7 / 4 / 1993 | -155.55 | 0.01 | 1074.45 | 01 | 06 | 1 | |
| | P | 7 / 5 / 1993 | -155.6 | -0.05 | 1074.4 | 01 | 06 | 1 | |
| | P | 7 / 6 / 1993 | -155.6 | | 1074.4 | 01 | 06 | 1 | |
| | P | 7 / 7 / 1993 | -155.2 | 0.4 | 1074.8 | 01 | 06 | 1 | |
| | P | 7 / 8 / 1993 | -155.74 | -0.54 | 1074.26 | 01 | 06 | 1 | |
| | P | 7 / 9 / 1993 | -155.74 | | 1074.26 | 01 | 06 | 1 | |
| | P | 7 / 10/ 1993 | -155.85 | -0.11 | 1074.15 | 01 | 06 | 1 | |
| | P | 7 / 11/ 1993 | -155.76 | 0.09 | 1074.24 | 01 | 06 | 1 | |
| | P | 7 / 12/ 1993 | -155.75 | 0.01 | 1074.25 | 01 | 06 | 1 | |
| | P | 7 / 13/ 1993 | -155.76 | -0.01 | 1074.24 | 01 | 06 | 1 | |
| | P | 7 / 14/ 1993 | -155.86 | -0.1 | 1074.14 | 01 | 06 | 1 | |
| | P | 7 / 15/ 1993 | -155.93 | -0.07 | 1074.07 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1993 | -156 | -0.07 | 1074 | 01 | 06 | 1 | |
| | P | 7 / 17/ 1993 | -156.12 | -0.12 | 1073.88 | 01 | 06 | 1 | |
| | P | 7 / 18/ 1993 | -156.15 | -0.03 | 1073.85 | 01 | 06 | 1 | |
| | P | 7 / 19/ 1993 | -156.32 | -0.17 | 1073.68 | 01 | 06 | 1 | |
| | P | 7 / 20/ 1993 | -156.35 | -0.03 | 1073.65 | 01 | 06 | 1 | |
| | P | 7 / 21/ 1993 | -156.43 | -0.08 | 1073.57 | 01 | 06 | 1 | |
| | P | 7 / 22/ 1993 | -156.58 | -0.15 | 1073.42 | 01 | 06 | 1 | |
| | P | 7 / 23/ 1993 | -156.64 | -0.06 | 1073.36 | 01 | 06 | 1 | |
| | P | 7 / 24/ 1993 | -156.68 | -0.04 | 1073.32 | 01 | 06 | 1 | |
| | P | 7 / 25/ 1993 | -156.87 | -0.19 | 1073.13 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/26/1993 | -156.97 | -0.1 | 1073.03 | 01 | 06 | 1 | |
| | P | 7/27/1993 | -157.2 | -0.23 | 1072.8 | 01 | 06 | 1 | |
| | P | 7/28/1993 | -157.4 | -0.2 | 1072.6 | 01 | 06 | 1 | |
| | P | 7/29/1993 | -156.96 | 0.44 | 1073.04 | 01 | 06 | 1 | |
| | P | 7/30/1993 | -156.97 | -0.01 | 1073.03 | 01 | 06 | 4 | |
| | P | 7/31/1993 | -156.98 | -0.01 | 1073.02 | 01 | 06 | 1 | |
| | P | 8/ 1/1993 | -156.95 | 0.03 | 1073.05 | 01 | 06 | 1 | |
| | P | 8/ 2/1993 | -157.28 | -0.33 | 1072.72 | 01 | 06 | 1 | |
| | P | 8/ 3/1993 | -157.22 | 0.06 | 1072.78 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -157.38 | -0.16 | 1072.62 | 01 | 06 | 1 | |
| | P | 8/ 5/1993 | -157.82 | -0.44 | 1072.18 | 01 | 06 | 1 | |
| | P | 8/ 6/1993 | -157.91 | -0.09 | 1072.09 | 01 | 06 | 1 | |
| | P | 8/ 7/1993 | -158.13 | -0.22 | 1071.87 | 01 | 06 | 1 | |
| | P | 8/ 8/1993 | -158.33 | -0.2 | 1071.67 | 01 | 06 | 1 | |
| | P | 8/ 9/1993 | -158.49 | -0.16 | 1071.51 | 01 | 06 | 1 | |
| | P | 8/10/1993 | -158.58 | -0.09 | 1071.42 | 01 | 06 | 1 | |
| | P | 8/11/1993 | -158.62 | -0.04 | 1071.38 | 01 | 06 | 1 | |
| | P | 8/12/1993 | -158.78 | -0.16 | 1071.22 | 01 | 06 | 1 | |
| | P | 8/13/1993 | -158.9 | -0.12 | 1071.1 | 01 | 06 | 1 | |
| | P | 8/14/1993 | -158.89 | 0.01 | 1071.11 | 01 | 06 | 1 | |
| | P | 8/15/1993 | -158.97 | -0.08 | 1071.03 | 01 | 06 | 4 | |
| | P | 8/16/1993 | -159.1 | -0.13 | 1070.9 | 01 | 06 | 1 | |
| | P | 8/17/1993 | -159.22 | -0.12 | 1070.78 | 01 | 06 | 1 | |
| | P | 8/18/1993 | -159.35 | -0.13 | 1070.65 | 01 | 06 | 1 | |
| | P | 8/19/1993 | -159.55 | -0.2 | 1070.45 | 01 | 06 | 1 | |
| | P | 8/20/1993 | -159.67 | -0.12 | 1070.33 | 01 | 06 | 1 | |
| | P | 8/21/1993 | -159.74 | -0.07 | 1070.26 | 01 | 06 | 1 | |
| | P | 8/22/1993 | -159.92 | -0.18 | 1070.08 | 01 | 06 | 1 | |
| | P | 8/23/1993 | -160.06 | -0.14 | 1069.94 | 01 | 06 | 1 | |
| | P | 8/24/1993 | -160.05 | 0.01 | 1069.95 | 01 | 06 | 1 | |
| | P | 8/25/1993 | -160.29 | -0.24 | 1069.71 | 01 | 06 | 1 | |
| | P | 8/26/1993 | -160.42 | -0.13 | 1069.58 | 01 | 06 | 1 | |
| | P | 8/27/1993 | -160.47 | -0.05 | 1069.53 | 01 | 06 | 1 | |
| | P | 8/28/1993 | -160.57 | -0.1 | 1069.43 | 01 | 06 | 1 | |
| | P | 8/29/1993 | -160.69 | -0.12 | 1069.31 | 01 | 06 | 1 | |
| | P | 8/30/1993 | -160.8 | -0.11 | 1069.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/31/1993 | -160.89 | -0.09 | 1069.11 | 01 | 06 | 1 | |
| | P | 9/ 1/1993 | -161.09 | -0.2 | 1068.91 | 01 | 06 | 1 | |
| | P | 9/ 2/1993 | -161.02 | 0.07 | 1068.98 | 01 | 06 | 1 | |
| | P | 9/ 3/1993 | -161.2 | -0.18 | 1068.8 | 01 | 06 | 1 | |
| | P | 9/ 4/1993 | -161.28 | -0.08 | 1068.72 | 01 | 06 | 1 | |
| | P | 9/ 5/1993 | -161.29 | -0.01 | 1068.71 | 01 | 06 | 1 | |
| | P | 9/ 6/1993 | -161.46 | -0.17 | 1068.54 | 01 | 06 | 1 | |
| | P | 9/ 7/1993 | -161.8 | -0.34 | 1068.2 | 01 | 06 | 1 | |
| | P | 9/ 8/1993 | -161.83 | -0.03 | 1068.17 | 01 | 06 | 1 | |
| | P | 9/ 9/1993 | -161.95 | -0.12 | 1068.05 | 01 | 06 | 1 | |
| | P | 9/10/1993 | -162.05 | -0.1 | 1067.95 | 01 | 06 | 1 | |
| | P | 9/11/1993 | -162.26 | -0.21 | 1067.74 | 01 | 06 | 1 | |
| | P | 9/12/1993 | -162.24 | 0.02 | 1067.76 | 01 | 06 | 1 | |
| | P | 9/13/1993 | -162.27 | -0.03 | 1067.73 | 01 | 06 | 1 | |
| | P | 9/14/1993 | -162.32 | -0.05 | 1067.68 | 01 | 06 | 1 | |
| | P | 9/15/1993 | -162.84 | -0.52 | 1067.16 | 01 | 06 | 4 | |
| | P | 9/16/1993 | -162.81 | 0.03 | 1067.19 | 01 | 06 | 1 | |
| | P | 9/17/1993 | -162.89 | -0.08 | 1067.11 | 01 | 06 | 1 | |
| | P | 9/18/1993 | -162.9 | -0.01 | 1067.1 | 01 | 06 | 1 | |
| | P | 9/19/1993 | -162.45 | 0.45 | 1067.55 | 01 | 06 | 1 | |
| | P | 9/20/1993 | -163.26 | -0.81 | 1066.74 | 01 | 06 | 1 | |
| | P | 9/21/1993 | -163.54 | -0.28 | 1066.46 | 01 | 06 | 1 | |
| | P | 9/22/1993 | -163.73 | -0.19 | 1066.27 | 01 | 06 | 1 | |
| | P | 9/23/1993 | -163.8 | -0.07 | 1066.2 | 01 | 06 | 1 | |
| | P | 9/24/1993 | -163.96 | -0.16 | 1066.04 | 01 | 06 | 1 | |
| | P | 9/25/1993 | -163.95 | 0.01 | 1066.05 | 01 | 06 | 1 | |
| | P | 9/26/1993 | -164.16 | -0.21 | 1065.84 | 01 | 06 | 1 | |
| | P | 9/27/1993 | -164.45 | -0.29 | 1065.55 | 01 | 06 | 1 | |
| | P | 9/28/1993 | -164.52 | -0.07 | 1065.48 | 01 | 06 | 1 | |
| | P | 9/29/1993 | -164.72 | -0.2 | 1065.28 | 01 | 06 | 1 | |
| | P | 9/30/1993 | -164.81 | -0.09 | 1065.19 | 01 | 06 | 4 | |
| | P | 10/ 1/1993 | -164.68 | 0.13 | 1065.32 | 01 | 06 | 1 | |
| | P | 10/ 2/1993 | -165 | -0.32 | 1065 | 01 | 06 | 1 | |
| | P | 10/ 3/1993 | -165.39 | -0.39 | 1064.61 | 01 | 06 | 1 | |
| | P | 10/ 4/1993 | -165.45 | -0.06 | 1064.55 | 01 | 06 | 1 | |
| | P | 10/ 5/1993 | -165.67 | -0.22 | 1064.33 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 6 / 1993 | -165.9 | -0.23 | 1064.1 | 01 | 06 | 1 | |
| | P | 10 / 7 / 1993 | -165.94 | -0.04 | 1064.06 | 01 | 06 | 1 | |
| | P | 10 / 8 / 1993 | -165.98 | -0.04 | 1064.02 | 01 | 06 | 1 | |
| | P | 10 / 9 / 1993 | -166.15 | -0.17 | 1063.85 | 01 | 06 | 1 | |
| | P | 10 / 10 / 1993 | -166.62 | -0.47 | 1063.38 | 01 | 06 | 1 | |
| | P | 10 / 11 / 1993 | -166.6 | 0.02 | 1063.4 | 01 | 06 | 1 | |
| | P | 10 / 12 / 1993 | -166.59 | 0.01 | 1063.41 | 01 | 06 | 1 | |
| | P | 10 / 13 / 1993 | -166.76 | -0.17 | 1063.24 | 01 | 06 | 1 | |
| | P | 10 / 14 / 1993 | -166.85 | -0.09 | 1063.15 | 01 | 06 | 1 | |
| | P | 10 / 15 / 1993 | -166.95 | -0.1 | 1063.05 | 01 | 06 | 4 | |
| | P | 10 / 16 / 1993 | -167 | -0.05 | 1063 | 01 | 06 | 1 | |
| | P | 10 / 17 / 1993 | -167.11 | -0.11 | 1062.89 | 01 | 06 | 1 | |
| | P | 10 / 18 / 1993 | -167.31 | -0.2 | 1062.69 | 01 | 06 | 1 | |
| | P | 10 / 19 / 1993 | -167.44 | -0.13 | 1062.56 | 01 | 06 | 1 | |
| | P | 10 / 20 / 1993 | -167.37 | 0.07 | 1062.63 | 01 | 06 | 1 | |
| | P | 10 / 21 / 1993 | -166.15 | 1.22 | 1063.85 | 01 | 06 | 1 | |
| | P | 10 / 22 / 1993 | -165.95 | 0.2 | 1064.05 | 01 | 06 | 1 | |
| | P | 10 / 23 / 1993 | -166.24 | -0.29 | 1063.76 | 01 | 06 | 1 | |
| | P | 10 / 24 / 1993 | -166.4 | -0.16 | 1063.6 | 01 | 06 | 1 | |
| | P | 10 / 25 / 1993 | -166.53 | -0.13 | 1063.47 | 01 | 06 | 1 | |
| | P | 10 / 26 / 1993 | -166.7 | -0.17 | 1063.3 | 01 | 06 | 1 | |
| | P | 10 / 27 / 1993 | -167.2 | -0.5 | 1062.8 | 01 | 06 | 1 | |
| | P | 10 / 28 / 1993 | -167.16 | 0.04 | 1062.84 | 01 | 06 | 1 | |
| | P | 10 / 29 / 1993 | -167.1 | 0.06 | 1062.9 | 01 | 06 | 1 | |
| | P | 10 / 30 / 1993 | -167.72 | -0.62 | 1062.28 | 01 | 06 | 4 | |
| | P | 10 / 31 / 1993 | -167.99 | -0.27 | 1062.01 | 01 | 06 | 1 | |
| | P | 11 / 1 / 1993 | -167.98 | 0.01 | 1062.02 | 01 | 06 | 1 | |
| | P | 11 / 2 / 1993 | -168.24 | -0.26 | 1061.76 | 01 | 06 | 1 | |
| | P | 11 / 3 / 1993 | -168.46 | -0.22 | 1061.54 | 01 | 06 | 1 | |
| | P | 11 / 4 / 1993 | -168.21 | 0.25 | 1061.79 | 01 | 06 | 1 | |
| | P | 11 / 5 / 1993 | -168.21 | | 1061.79 | 01 | 06 | 1 | |
| | P | 11 / 6 / 1993 | -168.6 | -0.39 | 1061.4 | 01 | 06 | 1 | |
| | P | 11 / 7 / 1993 | -168.99 | -0.39 | 1061.01 | 01 | 06 | 1 | |
| | P | 11 / 8 / 1993 | -169.08 | -0.09 | 1060.92 | 01 | 06 | 1 | |
| | P | 11 / 9 / 1993 | -169.24 | -0.16 | 1060.76 | 01 | 06 | 1 | |
| | P | 11 / 10 / 1993 | -169.49 | -0.25 | 1060.51 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 11/ 1993 | -169.28 | 0.21 | 1060.72 | 01 | 06 | 1 | |
| | P | 11/ 12/ 1993 | -169.31 | -0.03 | 1060.69 | 01 | 06 | 1 | |
| | P | 11/ 13/ 1993 | -169.3 | 0.01 | 1060.7 | 01 | 06 | 1 | |
| | P | 11/ 14/ 1993 | -169.42 | -0.12 | 1060.58 | 01 | 06 | 1 | |
| | P | 11/ 15/ 1993 | -169.69 | -0.27 | 1060.31 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1993 | -169.84 | -0.15 | 1060.16 | 01 | 06 | 1 | |
| | P | 11/ 17/ 1993 | -170.22 | -0.38 | 1059.78 | 01 | 06 | 1 | |
| | P | 11/ 18/ 1993 | -170.15 | 0.07 | 1059.85 | 01 | 06 | 1 | |
| | P | 11/ 19/ 1993 | -170.14 | 0.01 | 1059.86 | 01 | 06 | 1 | |
| | P | 11/ 20/ 1993 | -170.55 | -0.41 | 1059.45 | 01 | 06 | 1 | |
| | P | 11/ 21/ 1993 | -170.76 | -0.21 | 1059.24 | 01 | 06 | 1 | |
| | P | 11/ 22/ 1993 | -170.94 | -0.18 | 1059.06 | 01 | 06 | 1 | |
| | P | 11/ 23/ 1993 | -170.68 | 0.26 | 1059.32 | 01 | 06 | 1 | |
| | P | 11/ 24/ 1993 | -170.99 | -0.31 | 1059.01 | 01 | 06 | 1 | |
| | P | 11/ 25/ 1993 | -171.11 | -0.12 | 1058.89 | 01 | 06 | 1 | |
| | P | 11/ 26/ 1993 | -171.26 | -0.15 | 1058.74 | 01 | 06 | 1 | |
| | P | 11/ 27/ 1993 | -171.6 | -0.34 | 1058.4 | 01 | 06 | 1 | |
| | P | 11/ 28/ 1993 | -171.73 | -0.13 | 1058.27 | 01 | 06 | 1 | |
| | P | 11/ 29/ 1993 | -172.03 | -0.3 | 1057.97 | 01 | 06 | 1 | |
| | P | 11/ 30/ 1993 | -172.08 | -0.05 | 1057.92 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1993 | -172.06 | 0.02 | 1057.94 | 01 | 06 | 1 | |
| | P | 12/ 2/ 1993 | -172.24 | -0.18 | 1057.76 | 01 | 06 | 1 | |
| | P | 12/ 3/ 1993 | -172.24 | | 1057.76 | 01 | 06 | 1 | |
| | P | 12/ 4/ 1993 | -172.35 | -0.11 | 1057.65 | 01 | 06 | 1 | |
| | P | 12/ 5/ 1993 | -172.49 | -0.14 | 1057.51 | 01 | 06 | 1 | |
| | P | 12/ 6/ 1993 | -172.73 | -0.24 | 1057.27 | 01 | 06 | 1 | |
| | P | 12/ 7/ 1993 | -172.94 | -0.21 | 1057.06 | 01 | 06 | 1 | |
| | P | 12/ 8/ 1993 | -173.01 | -0.07 | 1056.99 | 01 | 06 | 1 | |
| | P | 12/ 9/ 1993 | -173.13 | -0.12 | 1056.87 | 01 | 06 | 1 | |
| | P | 12/ 10/ 1993 | -173.28 | -0.15 | 1056.72 | 01 | 06 | 1 | |
| | P | 12/ 11/ 1993 | -173.71 | -0.43 | 1056.29 | 01 | 06 | 1 | |
| | P | 12/ 12/ 1993 | -173.49 | 0.22 | 1056.51 | 01 | 06 | 1 | |
| | P | 12/ 13/ 1993 | -173.55 | -0.06 | 1056.45 | 01 | 06 | 1 | |
| | P | 12/ 14/ 1993 | -174.05 | -0.5 | 1055.95 | 01 | 06 | 1 | |
| | P | 12/ 15/ 1993 | -174.19 | -0.14 | 1055.81 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1993 | -174.38 | -0.19 | 1055.62 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/17/1993 | -174.68 | -0.3 | 1055.32 | 01 | 06 | 1 | |
| | P | 12/18/1993 | -175.03 | -0.35 | 1054.97 | 01 | 06 | 1 | |
| | P | 12/19/1993 | -175.17 | -0.14 | 1054.83 | 01 | 06 | 1 | |
| | P | 12/20/1993 | -175.2 | -0.03 | 1054.8 | 01 | 06 | 1 | |
| | P | 12/21/1993 | -175.44 | -0.24 | 1054.56 | 01 | 06 | 1 | |
| | P | 12/22/1993 | -175.39 | 0.05 | 1054.61 | 01 | 06 | 1 | |
| | P | 12/23/1993 | -175.81 | -0.42 | 1054.19 | 01 | 06 | 1 | |
| | P | 12/24/1993 | -176.07 | -0.26 | 1053.93 | 01 | 06 | 1 | |
| | P | 12/25/1993 | -176.28 | -0.21 | 1053.72 | 01 | 06 | 1 | |
| | P | 12/28/1993 | -176.84 | -0.56 | 1053.16 | 01 | 06 | 1 | |
| | P | 12/29/1993 | -177.13 | -0.29 | 1052.87 | 01 | 06 | 1 | |
| | P | 12/30/1993 | -177.34 | -0.21 | 1052.66 | 01 | 06 | 4 | |
| | P | 12/31/1993 | -177.29 | 0.05 | 1052.71 | 01 | 06 | 1 | |
| | P | 1/ 1/1994 | -177.3 | -0.01 | 1052.7 | 01 | 06 | 1 | |
| | P | 1/ 2/1994 | -177.27 | 0.03 | 1052.73 | 01 | 06 | 1 | |
| | P | 1/ 3/1994 | -177.55 | -0.28 | 1052.45 | 01 | 06 | 1 | |
| | P | 1/ 4/1994 | -177.65 | -0.1 | 1052.35 | 01 | 06 | 1 | |
| | P | 1/ 5/1994 | -178.05 | -0.4 | 1051.95 | 01 | 06 | 1 | |
| | P | 1/ 6/1994 | -178 | 0.05 | 1052 | 01 | 06 | 1 | |
| | P | 1/ 7/1994 | -178.14 | -0.14 | 1051.86 | 01 | 06 | 1 | |
| | P | 1/11/1994 | -179.3 | -1.16 | 1050.7 | 01 | 06 | 1 | |
| | P | 1/12/1994 | -179.34 | -0.04 | 1050.66 | 01 | 06 | 1 | |
| | P | 1/13/1994 | -179.39 | -0.05 | 1050.61 | 01 | 06 | 4 | |
| | P | 1/16/1994 | -179.5 | -0.11 | 1050.5 | 01 | 06 | 1 | |
| | P | 1/17/1994 | -179.5 | | 1050.5 | 01 | 06 | 1 | |
| | P | 2/ 3/1994 | -180.95 | -1.45 | 1049.05 | 01 | 06 | 1 | |
| | P | 2/ 4/1994 | -180.9 | 0.05 | 1049.1 | 01 | 06 | 1 | |
| | P | 2/ 5/1994 | -180.95 | -0.05 | 1049.05 | 01 | 06 | 1 | |
| | P | 2/ 6/1994 | -181.13 | -0.18 | 1048.87 | 01 | 06 | 1 | |
| | P | 2/ 7/1994 | -181.22 | -0.09 | 1048.78 | 01 | 06 | 1 | |
| | P | 2/ 8/1994 | -181.28 | -0.06 | 1048.72 | 01 | 06 | 1 | |
| | P | 2/ 9/1994 | -181.37 | -0.09 | 1048.63 | 01 | 06 | 1 | |
| | P | 2/10/1994 | -181.62 | -0.25 | 1048.38 | 01 | 06 | 1 | |
| | P | 2/11/1994 | -181.7 | -0.08 | 1048.3 | 01 | 06 | 1 | |
| | P | 2/12/1994 | -181.65 | 0.05 | 1048.35 | 01 | 06 | 1 | |
| | P | 2/13/1994 | -182.09 | -0.44 | 1047.91 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/14/1994 | -182.33 | -0.24 | 1047.67 | 01 | 06 | 1 | |
| | P | 2/15/1994 | -182.24 | 0.09 | 1047.76 | 01 | 06 | 4 | |
| | P | 2/16/1994 | -182.65 | -0.41 | 1047.35 | 01 | 06 | 1 | |
| | P | 2/17/1994 | -182.86 | -0.21 | 1047.14 | 01 | 06 | 1 | |
| | P | 2/18/1994 | -182.75 | 0.11 | 1047.25 | 01 | 06 | 1 | |
| | P | 2/19/1994 | -182.72 | 0.03 | 1047.28 | 01 | 06 | 1 | |
| | P | 2/20/1994 | -182.9 | -0.18 | 1047.1 | 01 | 06 | 1 | |
| | P | 2/21/1994 | -183 | -0.1 | 1047 | 01 | 06 | 1 | |
| | P | 2/22/1994 | -182.92 | 0.08 | 1047.08 | 01 | 06 | 1 | |
| | P | 2/23/1994 | -181.95 | 0.97 | 1048.05 | 01 | 06 | 1 | |
| | P | 2/24/1994 | -180.25 | 1.7 | 1049.75 | 01 | 06 | 1 | |
| | P | 2/25/1994 | -179.63 | 0.62 | 1050.37 | 01 | 06 | 1 | |
| | P | 2/26/1994 | -179.27 | 0.36 | 1050.73 | 01 | 06 | 1 | |
| | P | 2/27/1994 | -178.62 | 0.65 | 1051.38 | 01 | 06 | 1 | |
| | P | 2/28/1994 | -178.85 | -0.23 | 1051.15 | 01 | 06 | 4 | |
| | P | 3/ 1/1994 | -179.04 | -0.19 | 1050.96 | 01 | 06 | 1 | |
| | P | 3/ 2/1994 | -179.17 | -0.13 | 1050.83 | 01 | 06 | 1 | |
| | P | 3/ 3/1994 | -179.59 | -0.42 | 1050.41 | 01 | 06 | 1 | |
| | P | 3/ 4/1994 | -179.4 | 0.19 | 1050.6 | 01 | 06 | 1 | |
| | P | 3/ 5/1994 | -179.4 | | 1050.6 | 01 | 06 | 1 | |
| | P | 3/ 6/1994 | -179.64 | -0.24 | 1050.36 | 01 | 06 | 1 | |
| | P | 3/ 7/1994 | -179.96 | -0.32 | 1050.04 | 01 | 06 | 1 | |
| | P | 3/ 8/1994 | -180.05 | -0.09 | 1049.95 | 01 | 06 | 1 | |
| | P | 3/ 9/1994 | -180.26 | -0.21 | 1049.74 | 01 | 06 | 1 | |
| | P | 3/10/1994 | -180.75 | -0.49 | 1049.25 | 01 | 06 | 1 | |
| | P | 3/11/1994 | -180.93 | -0.18 | 1049.07 | 01 | 06 | 1 | |
| | P | 3/12/1994 | -181.05 | -0.12 | 1048.95 | 01 | 06 | 1 | |
| | P | 3/13/1994 | -181.29 | -0.24 | 1048.71 | 01 | 06 | 1 | |
| | P | 3/14/1994 | -181.48 | -0.19 | 1048.52 | 01 | 06 | 1 | |
| | P | 3/15/1994 | -181.64 | -0.16 | 1048.36 | 01 | 06 | 4 | |
| | P | 3/16/1994 | -180.29 | 1.35 | 1049.71 | 01 | 06 | 1 | |
| | P | 3/17/1994 | -178.13 | 2.16 | 1051.87 | 01 | 06 | 1 | |
| | P | 3/18/1994 | -177.09 | 1.04 | 1052.91 | 01 | 06 | 1 | |
| | P | 3/19/1994 | -176.68 | 0.41 | 1053.32 | 01 | 06 | 1 | |
| | P | 3/20/1994 | -176.62 | 0.06 | 1053.38 | 01 | 06 | 1 | |
| | P | 3/21/1994 | -176.64 | -0.02 | 1053.36 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/22/1994 | -176.6 | 0.04 | 1053.4 | 01 | 06 | 1 | |
| | P | 3/23/1994 | -176.38 | 0.22 | 1053.62 | 01 | 06 | 1 | |
| | P | 3/24/1994 | -176.44 | -0.06 | 1053.56 | 01 | 06 | 1 | |
| | P | 3/25/1994 | -176.6 | -0.16 | 1053.4 | 01 | 06 | 1 | |
| | P | 3/26/1994 | -176.29 | 0.31 | 1053.71 | 01 | 06 | 1 | |
| | P | 3/27/1994 | -176.18 | 0.11 | 1053.82 | 01 | 06 | 1 | |
| | P | 3/28/1994 | -176.04 | 0.14 | 1053.96 | 01 | 06 | 1 | |
| | P | 3/29/1994 | -175.87 | 0.17 | 1054.13 | 01 | 06 | 1 | |
| | P | 3/30/1994 | -176.01 | -0.14 | 1053.99 | 01 | 06 | 4 | |
| | P | 3/31/1994 | -176.11 | -0.1 | 1053.89 | 01 | 06 | 1 | |
| | P | 4/ 1/1994 | -176.1 | 0.01 | 1053.9 | 01 | 06 | 1 | |
| | P | 4/ 2/1994 | -176.06 | 0.04 | 1053.94 | 01 | 06 | 1 | |
| | P | 4/ 3/1994 | -176.31 | -0.25 | 1053.69 | 01 | 06 | 1 | |
| | P | 4/ 4/1994 | -176.18 | 0.13 | 1053.82 | 01 | 06 | 1 | |
| | P | 4/ 5/1994 | -176.12 | 0.06 | 1053.88 | 01 | 06 | 1 | |
| | P | 4/ 6/1994 | -176.49 | -0.37 | 1053.51 | 01 | 06 | 1 | |
| | P | 4/ 7/1994 | -176.56 | -0.07 | 1053.44 | 01 | 06 | 1 | |
| | P | 4/ 8/1994 | -176.51 | 0.05 | 1053.49 | 01 | 06 | 1 | |
| | P | 4/ 9/1994 | -176.53 | -0.02 | 1053.47 | 01 | 06 | 1 | |
| | P | 4/10/1994 | -176.63 | -0.1 | 1053.37 | 01 | 06 | 1 | |
| | P | 4/11/1994 | -176.78 | -0.15 | 1053.22 | 01 | 06 | 1 | |
| | P | 4/12/1994 | -177.05 | -0.27 | 1052.95 | 01 | 06 | 1 | |
| | P | 4/13/1994 | -177.04 | 0.01 | 1052.96 | 01 | 06 | 1 | |
| | P | 4/14/1994 | -176.95 | 0.09 | 1053.05 | 01 | 06 | 1 | |
| | P | 4/15/1994 | -177.01 | -0.06 | 1052.99 | 01 | 06 | 4 | |
| | P | 4/16/1994 | -177.41 | -0.4 | 1052.59 | 01 | 06 | 1 | |
| | P | 4/17/1994 | -177.73 | -0.32 | 1052.27 | 01 | 06 | 1 | |
| | P | 4/18/1994 | -177.75 | -0.02 | 1052.25 | 01 | 06 | 1 | |
| | P | 4/19/1994 | -177.67 | 0.08 | 1052.33 | 01 | 06 | 1 | |
| | P | 4/20/1994 | -177.98 | -0.31 | 1052.02 | 01 | 06 | 1 | |
| | P | 4/21/1994 | -177.84 | 0.14 | 1052.16 | 01 | 06 | 1 | |
| | P | 4/22/1994 | -177.87 | -0.03 | 1052.13 | 01 | 06 | 1 | |
| | P | 4/23/1994 | -178.09 | -0.22 | 1051.91 | 01 | 06 | 1 | |
| | P | 4/24/1994 | -178.5 | -0.41 | 1051.5 | 01 | 06 | 1 | |
| | P | 4/25/1994 | -178.7 | -0.2 | 1051.3 | 01 | 06 | 1 | |
| | P | 4/26/1994 | -178.86 | -0.16 | 1051.14 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/27/1994 | -178.96 | -0.1 | 1051.04 | 01 | 06 | 1 | |
| | P | 4/28/1994 | -178.75 | 0.21 | 1051.25 | 01 | 06 | 1 | |
| | P | 4/29/1994 | -178.4 | 0.35 | 1051.6 | 01 | 06 | 1 | |
| | P | 4/30/1994 | -178.01 | 0.39 | 1051.99 | 01 | 06 | 4 | |
| | P | 5/ 1/1994 | -177.38 | 0.63 | 1052.62 | 01 | 06 | 1 | |
| | P | 5/ 2/1994 | -175.61 | 1.77 | 1054.39 | 01 | 06 | 1 | |
| | P | 5/ 3/1994 | -174.65 | 0.96 | 1055.35 | 01 | 06 | 1 | |
| | P | 5/ 4/1994 | -174.37 | 0.28 | 1055.63 | 01 | 06 | 1 | |
| | P | 5/ 5/1994 | -174.18 | 0.19 | 1055.82 | 01 | 06 | 1 | |
| | P | 5/ 6/1994 | -174.35 | -0.17 | 1055.65 | 01 | 06 | 1 | |
| | P | 5/ 7/1994 | -174.31 | 0.04 | 1055.69 | 01 | 06 | 1 | |
| | P | 5/ 8/1994 | -173.85 | 0.46 | 1056.15 | 01 | 06 | 1 | |
| | P | 5/ 9/1994 | -173.71 | 0.14 | 1056.29 | 01 | 06 | 1 | |
| | P | 5/10/1994 | -173.71 | | 1056.29 | 01 | 06 | 1 | |
| | P | 5/11/1994 | -173.76 | -0.05 | 1056.24 | 01 | 06 | 1 | |
| | P | 5/12/1994 | -173.62 | 0.14 | 1056.38 | 01 | 06 | 1 | |
| | P | 5/13/1994 | -172.69 | 0.93 | 1057.31 | 01 | 06 | 1 | |
| | P | 5/14/1994 | -170.91 | 1.78 | 1059.09 | 01 | 06 | 1 | |
| | P | 5/15/1994 | -169.78 | 1.13 | 1060.22 | 01 | 06 | 4 | |
| | P | 5/16/1994 | -169.08 | 0.7 | 1060.92 | 01 | 06 | 1 | |
| | P | 5/17/1994 | -168.8 | 0.28 | 1061.2 | 01 | 06 | 1 | |
| | P | 5/18/1994 | -168.64 | 0.16 | 1061.36 | 01 | 06 | 1 | |
| | P | 5/19/1994 | -168.51 | 0.13 | 1061.49 | 01 | 06 | 1 | |
| | P | 5/20/1994 | -168.49 | 0.02 | 1061.51 | 01 | 06 | 1 | |
| | P | 5/21/1994 | -168.41 | 0.08 | 1061.59 | 01 | 06 | 1 | |
| | P | 5/22/1994 | -168.27 | 0.14 | 1061.73 | 01 | 06 | 1 | |
| | P | 5/23/1994 | -168.27 | | 1061.73 | 01 | 06 | 1 | |
| | P | 5/24/1994 | -168.05 | 0.22 | 1061.95 | 01 | 06 | 1 | |
| | P | 5/25/1994 | -168.04 | 0.01 | 1061.96 | 01 | 06 | 1 | |
| | P | 5/26/1994 | -168.24 | -0.2 | 1061.76 | 01 | 06 | 1 | |
| | P | 5/27/1994 | -168.32 | -0.08 | 1061.68 | 01 | 06 | 1 | |
| | P | 5/28/1994 | -168.43 | -0.11 | 1061.57 | 01 | 06 | 1 | |
| | P | 5/29/1994 | -168.47 | -0.04 | 1061.53 | 01 | 06 | 1 | |
| | P | 5/30/1994 | -168.57 | -0.1 | 1061.43 | 01 | 06 | 4 | |
| | P | 5/31/1994 | -168.61 | -0.04 | 1061.39 | 01 | 06 | 1 | |
| | P | 6/ 1/1994 | -168.63 | -0.02 | 1061.37 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 2/1994 | -168.69 | -0.06 | 1061.31 | 01 | 06 | 1 | |
| | P | 6/ 3/1994 | -168.89 | -0.2 | 1061.11 | 01 | 06 | 1 | |
| | P | 6/ 4/1994 | -168.77 | 0.12 | 1061.23 | 01 | 06 | 1 | |
| | P | 6/ 5/1994 | -168.82 | -0.05 | 1061.18 | 01 | 06 | 1 | |
| | P | 6/ 6/1994 | -168.87 | -0.05 | 1061.13 | 01 | 06 | 1 | |
| | P | 6/ 7/1994 | -168.97 | -0.1 | 1061.03 | 01 | 06 | 1 | |
| | P | 6/ 8/1994 | -169.28 | -0.31 | 1060.72 | 01 | 06 | 1 | |
| | P | 6/ 9/1994 | -169.57 | -0.29 | 1060.43 | 01 | 06 | 1 | |
| | P | 6/10/1994 | -169.5 | 0.07 | 1060.5 | 01 | 06 | 1 | |
| | P | 6/11/1994 | -169.65 | -0.15 | 1060.35 | 01 | 06 | 1 | |
| | P | 6/12/1994 | -169.74 | -0.09 | 1060.26 | 01 | 06 | 1 | |
| | P | 6/13/1994 | -169.78 | -0.04 | 1060.22 | 01 | 06 | 1 | |
| | P | 6/14/1994 | -169.74 | 0.04 | 1060.26 | 01 | 06 | 1 | |
| | P | 6/15/1994 | -169.71 | 0.03 | 1060.29 | 01 | 06 | 4 | |
| | P | 6/16/1994 | -161.8 | 7.91 | 1068.2 | 01 | 06 | 1 | |
| | P | 6/17/1994 | -169.75 | -7.95 | 1060.25 | 01 | 06 | 1 | |
| | P | 6/18/1994 | -170 | -0.25 | 1060 | 01 | 06 | 1 | |
| | P | 6/19/1994 | -170.03 | -0.03 | 1059.97 | 01 | 06 | 1 | |
| | P | 6/20/1994 | -170.05 | -0.02 | 1059.95 | 01 | 06 | 1 | |
| | P | 6/21/1994 | -169.82 | 0.23 | 1060.18 | 01 | 06 | 1 | |
| | P | 6/22/1994 | -169.55 | 0.27 | 1060.45 | 01 | 06 | 1 | |
| | P | 6/23/1994 | -169.49 | 0.06 | 1060.51 | 01 | 06 | 1 | |
| | P | 6/24/1994 | -169.6 | -0.11 | 1060.4 | 01 | 06 | 1 | |
| | P | 6/25/1994 | -169.72 | -0.12 | 1060.28 | 01 | 06 | 1 | |
| | P | 6/26/1994 | -169.97 | -0.25 | 1060.03 | 01 | 06 | 1 | |
| | P | 6/27/1994 | -170.03 | -0.06 | 1059.97 | 01 | 06 | 1 | |
| | P | 6/28/1994 | -170.06 | -0.03 | 1059.94 | 01 | 06 | 1 | |
| | P | 6/29/1994 | -170.42 | -0.36 | 1059.58 | 01 | 06 | 1 | |
| | P | 6/30/1994 | -170.62 | -0.2 | 1059.38 | 01 | 06 | 4 | |
| | P | 7/ 1/1994 | -170.78 | -0.16 | 1059.22 | 01 | 06 | 1 | |
| | P | 7/ 2/1994 | -171 | -0.22 | 1059 | 01 | 06 | 1 | |
| | P | 7/ 3/1994 | -171.16 | -0.16 | 1058.84 | 01 | 06 | 1 | |
| | P | 7/ 4/1994 | -171.51 | -0.35 | 1058.49 | 01 | 06 | 1 | |
| | P | 7/ 5/1994 | -171.82 | -0.31 | 1058.18 | 01 | 06 | 1 | |
| | P | 7/ 6/1994 | -171.85 | -0.03 | 1058.15 | 01 | 06 | 1 | |
| | P | 7/ 7/1994 | -172.21 | -0.36 | 1057.79 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 8/1994 | -172.65 | -0.44 | 1057.35 | 01 | 06 | 1 | |
| | P | 7/ 9/1994 | -172.99 | -0.34 | 1057.01 | 01 | 06 | 1 | |
| | P | 7/10/1994 | -172.97 | 0.02 | 1057.03 | 01 | 06 | 1 | |
| | P | 7/11/1994 | -173.11 | -0.14 | 1056.89 | 01 | 06 | 1 | |
| | P | 7/12/1994 | -173.47 | -0.36 | 1056.53 | 01 | 06 | 1 | |
| | P | 7/13/1994 | -173.57 | -0.1 | 1056.43 | 01 | 06 | 1 | |
| | P | 7/14/1994 | -173.83 | -0.26 | 1056.17 | 01 | 06 | 1 | |
| | P | 7/15/1994 | -174.05 | -0.22 | 1055.95 | 01 | 06 | 4 | |
| | P | 7/16/1994 | -174.4 | -0.35 | 1055.6 | 01 | 06 | 1 | |
| | P | 7/17/1994 | -174.72 | -0.32 | 1055.28 | 01 | 06 | 1 | |
| | P | 7/18/1994 | -174.94 | -0.22 | 1055.06 | 01 | 06 | 1 | |
| | P | 7/19/1994 | -175.28 | -0.34 | 1054.72 | 01 | 06 | 1 | |
| | P | 7/20/1994 | -175.67 | -0.39 | 1054.33 | 01 | 06 | 1 | |
| | P | 7/21/1994 | -176.05 | -0.38 | 1053.95 | 01 | 06 | 1 | |
| | P | 7/22/1994 | -176.37 | -0.32 | 1053.63 | 01 | 06 | 1 | |
| | P | 7/23/1994 | -176.92 | -0.55 | 1053.08 | 01 | 06 | 1 | |
| | P | 7/24/1994 | -177.21 | -0.29 | 1052.79 | 01 | 06 | 1 | |
| | P | 7/25/1994 | -177.55 | -0.34 | 1052.45 | 01 | 06 | 1 | |
| | P | 7/26/1994 | -177.85 | -0.3 | 1052.15 | 01 | 06 | 1 | |
| | P | 7/27/1994 | -178.15 | -0.3 | 1051.85 | 01 | 06 | 1 | |
| | P | 7/28/1994 | -179.02 | -0.87 | 1050.98 | 01 | 06 | 1 | |
| | P | 7/29/1994 | -179.03 | -0.01 | 1050.97 | 01 | 06 | 1 | |
| | P | 7/30/1994 | -179.39 | -0.36 | 1050.61 | 01 | 06 | 4 | |
| | P | 7/31/1994 | -179.83 | -0.44 | 1050.17 | 01 | 06 | 1 | |
| | P | 8/ 1/1994 | -180.11 | -0.28 | 1049.89 | 01 | 06 | 1 | |
| | P | 8/ 2/1994 | -180.36 | -0.25 | 1049.64 | 01 | 06 | 1 | |
| | P | 8/ 3/1994 | -180.6 | -0.24 | 1049.4 | 01 | 06 | 1 | |
| | P | 8/ 4/1994 | -181.07 | -0.47 | 1048.93 | 01 | 06 | 1 | |
| | P | 8/ 5/1994 | -181.84 | -0.77 | 1048.16 | 01 | 06 | 1 | |
| | P | 8/ 6/1994 | -182.14 | -0.3 | 1047.86 | 01 | 06 | 1 | |
| | P | 8/ 7/1994 | -181.88 | 0.26 | 1048.12 | 01 | 06 | 1 | |
| | P | 8/ 8/1994 | -182.19 | -0.31 | 1047.81 | 01 | 06 | 1 | |
| | P | 8/ 9/1994 | -182.69 | -0.5 | 1047.31 | 01 | 06 | 1 | |
| | P | 8/10/1994 | -182.77 | -0.08 | 1047.23 | 01 | 06 | 1 | |
| | P | 8/11/1994 | -183.19 | -0.42 | 1046.81 | 01 | 06 | 1 | |
| | P | 8/12/1994 | -183.1 | 0.09 | 1046.9 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/13/1994 | -183.23 | -0.13 | 1046.77 | 01 | 06 | 1 | |
| | P | 8/14/1994 | -183.74 | -0.51 | 1046.26 | 01 | 06 | 1 | |
| | P | 8/15/1994 | -183.84 | -0.1 | 1046.16 | 01 | 06 | 4 | |
| | P | 8/16/1994 | -184.25 | -0.41 | 1045.75 | 01 | 06 | 1 | |
| | P | 8/17/1994 | -183.88 | 0.37 | 1046.12 | 01 | 06 | 1 | |
| | P | 8/18/1994 | -183.77 | 0.11 | 1046.23 | 01 | 06 | 1 | |
| | P | 8/19/1994 | -184.06 | -0.29 | 1045.94 | 01 | 06 | 1 | |
| | P | 8/20/1994 | -184.37 | -0.31 | 1045.63 | 01 | 06 | 1 | |
| | P | 8/21/1994 | -184.74 | -0.37 | 1045.26 | 01 | 06 | 1 | |
| | P | 8/22/1994 | -184.83 | -0.09 | 1045.17 | 01 | 06 | 1 | |
| | P | 8/23/1994 | -185.14 | -0.31 | 1044.86 | 01 | 06 | 1 | |
| | P | 8/24/1994 | -185.56 | -0.42 | 1044.44 | 01 | 06 | 1 | |
| | P | 8/25/1994 | -186.24 | -0.68 | 1043.76 | 01 | 06 | 1 | |
| | P | 8/26/1994 | -186.47 | -0.23 | 1043.53 | 01 | 06 | 1 | |
| | P | 8/27/1994 | -186.86 | -0.39 | 1043.14 | 01 | 06 | 1 | |
| | P | 8/28/1994 | -187.18 | -0.32 | 1042.82 | 01 | 06 | 1 | |
| | P | 8/29/1994 | -187.13 | 0.05 | 1042.87 | 01 | 06 | 1 | |
| | P | 8/30/1994 | -187.19 | -0.06 | 1042.81 | 01 | 06 | 4 | |
| | P | 8/31/1994 | -187.58 | -0.39 | 1042.42 | 01 | 06 | 1 | |
| | P | 9/1/1994 | -187.36 | 0.22 | 1042.64 | 01 | 06 | 1 | |
| | P | 9/2/1994 | -187.33 | 0.03 | 1042.67 | 01 | 06 | 1 | |
| | P | 9/3/1994 | -187.67 | -0.34 | 1042.33 | 01 | 06 | 1 | |
| | P | 9/4/1994 | -188.6 | -0.93 | 1041.4 | 01 | 06 | 1 | |
| | P | 9/5/1994 | -188.65 | -0.05 | 1041.35 | 01 | 06 | 1 | |
| | P | 9/6/1994 | -188.7 | -0.05 | 1041.3 | 01 | 06 | 1 | |
| | P | 9/7/1994 | -189.35 | -0.65 | 1040.65 | 01 | 06 | 1 | |
| | P | 9/8/1994 | -188.91 | 0.44 | 1041.09 | 01 | 06 | 1 | |
| | P | 9/9/1994 | -188.11 | 0.8 | 1041.89 | 01 | 06 | 1 | |
| | P | 9/10/1994 | -186.94 | 1.17 | 1043.06 | 01 | 06 | 1 | |
| | P | 9/11/1994 | -186.65 | 0.29 | 1043.35 | 01 | 06 | 1 | |
| | P | 9/12/1994 | -186.63 | 0.02 | 1043.37 | 01 | 06 | 1 | |
| | P | 9/13/1994 | -186.85 | -0.22 | 1043.15 | 01 | 06 | 1 | |
| | P | 9/14/1994 | -186.98 | -0.13 | 1043.02 | 01 | 06 | 1 | |
| | P | 9/15/1994 | -186.89 | 0.09 | 1043.11 | 01 | 06 | 4 | |
| | P | 9/16/1994 | -186.76 | 0.13 | 1043.24 | 01 | 06 | 1 | |
| | P | 9/17/1994 | -186.75 | 0.01 | 1043.25 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 18/ 1994 | -186.58 | 0.17 | 1043.42 | 01 | 06 | 1 | |
| | P | 9 / 19/ 1994 | -186.42 | 0.16 | 1043.58 | 01 | 06 | 1 | |
| | P | 9 / 20/ 1994 | -186.97 | -0.55 | 1043.03 | 01 | 06 | 1 | |
| | P | 9 / 21/ 1994 | -187.14 | -0.17 | 1042.86 | 01 | 06 | 1 | |
| | P | 9 / 22/ 1994 | -187.66 | -0.52 | 1042.34 | 01 | 06 | 1 | |
| | P | 9 / 23/ 1994 | -186.9 | 0.76 | 1043.1 | 01 | 06 | 1 | |
| | P | 9 / 24/ 1994 | -186.65 | 0.25 | 1043.35 | 01 | 06 | 1 | |
| | P | 9 / 25/ 1994 | -186.8 | -0.15 | 1043.2 | 01 | 06 | 1 | |
| | P | 9 / 26/ 1994 | -187.39 | -0.59 | 1042.61 | 01 | 06 | 1 | |
| | P | 9 / 27/ 1994 | -187.9 | -0.51 | 1042.1 | 01 | 06 | 1 | |
| | P | 9 / 28/ 1994 | -188.14 | -0.24 | 1041.86 | 01 | 06 | 1 | |
| | P | 9 / 29/ 1994 | -188.42 | -0.28 | 1041.58 | 01 | 06 | 1 | |
| | P | 9 / 30/ 1994 | -188.71 | -0.29 | 1041.29 | 01 | 06 | 4 | |
| | P | 10 / 1 / 1994 | -188.97 | -0.26 | 1041.03 | 01 | 06 | 1 | |
| | P | 10 / 2 / 1994 | -189.23 | -0.26 | 1040.77 | 01 | 06 | 1 | |
| | P | 10 / 3 / 1994 | -189.78 | -0.55 | 1040.22 | 01 | 06 | 1 | |
| | P | 10 / 4 / 1994 | -190.33 | -0.55 | 1039.67 | 01 | 06 | 1 | |
| | P | 10 / 5 / 1994 | -190.59 | -0.26 | 1039.41 | 01 | 06 | 1 | |
| | P | 10 / 6 / 1994 | -190.77 | -0.18 | 1039.23 | 01 | 06 | 1 | |
| | P | 10 / 7 / 1994 | -191.09 | -0.32 | 1038.91 | 01 | 06 | 1 | |
| | P | 10 / 8 / 1994 | -188.65 | 2.44 | 1041.35 | 01 | 06 | 1 | |
| | P | 10 / 9 / 1994 | -185.15 | 3.5 | 1044.85 | 01 | 06 | 1 | |
| | P | 10 / 10/ 1994 | -183.83 | 1.32 | 1046.17 | 01 | 06 | 1 | |
| | P | 10 / 11/ 1994 | -183.25 | 0.58 | 1046.75 | 01 | 06 | 1 | |
| | P | 10 / 12/ 1994 | -183.07 | 0.18 | 1046.93 | 01 | 06 | 1 | |
| | P | 10 / 13/ 1994 | -183.37 | -0.3 | 1046.63 | 01 | 06 | 1 | |
| | P | 10 / 14/ 1994 | -183.91 | -0.54 | 1046.09 | 01 | 06 | 1 | |
| | P | 10 / 15/ 1994 | -184.5 | -0.59 | 1045.5 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1994 | -184.7 | -0.2 | 1045.3 | 01 | 06 | 1 | |
| | P | 10 / 17/ 1994 | -184.83 | -0.13 | 1045.17 | 01 | 06 | 1 | |
| | P | 10 / 18/ 1994 | -184.57 | 0.26 | 1045.43 | 01 | 06 | 1 | |
| | P | 10 / 19/ 1994 | -182.38 | 2.19 | 1047.62 | 01 | 06 | 1 | |
| | P | 10 / 20/ 1994 | -181.18 | 1.2 | 1048.82 | 01 | 06 | 1 | |
| | P | 10 / 21/ 1994 | -180.76 | 0.42 | 1049.24 | 01 | 06 | 1 | |
| | P | 10 / 22/ 1994 | -180.71 | 0.05 | 1049.29 | 01 | 06 | 1 | |
| | P | 10 / 23/ 1994 | -181.02 | -0.31 | 1048.98 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 24/ 1994 | -181.57 | -0.55 | 1048.43 | 01 | 06 | 1 | |
| | P | 10 / 25/ 1994 | -181.85 | -0.28 | 1048.15 | 01 | 06 | 1 | |
| | P | 10 / 26/ 1994 | -181.62 | 0.23 | 1048.38 | 01 | 06 | 1 | |
| | P | 10 / 27/ 1994 | -180.61 | 1.01 | 1049.39 | 01 | 06 | 1 | |
| | P | 10 / 28/ 1994 | -180.23 | 0.38 | 1049.77 | 01 | 06 | 1 | |
| | P | 10 / 29/ 1994 | -180.25 | -0.02 | 1049.75 | 01 | 06 | 1 | |
| | P | 10 / 30/ 1994 | -180.36 | -0.11 | 1049.64 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1994 | -180.38 | -0.02 | 1049.62 | 01 | 06 | 1 | |
| | P | 11 / 1 / 1994 | -180.67 | -0.29 | 1049.33 | 01 | 06 | 1 | |
| | P | 11 / 2 / 1994 | -180.66 | 0.01 | 1049.34 | 01 | 06 | 1 | |
| | P | 11 / 3 / 1994 | -181.06 | -0.4 | 1048.94 | 01 | 06 | 1 | |
| | P | 11 / 4 / 1994 | -181.14 | -0.08 | 1048.86 | 01 | 06 | 1 | |
| | P | 11 / 5 / 1994 | -181.3 | -0.16 | 1048.7 | 01 | 06 | 1 | |
| | P | 11 / 6 / 1994 | -181.49 | -0.19 | 1048.51 | 01 | 06 | 1 | |
| | P | 11 / 7 / 1994 | -181.16 | 0.33 | 1048.84 | 01 | 06 | 1 | |
| | P | 11 / 8 / 1994 | -181.01 | 0.15 | 1048.99 | 01 | 06 | 1 | |
| | P | 11 / 9 / 1994 | -181.01 | | 1048.99 | 01 | 06 | 1 | |
| | P | 11 / 10/ 1994 | -181.29 | -0.28 | 1048.71 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1994 | -181.3 | -0.01 | 1048.7 | 01 | 06 | 1 | |
| | P | 11 / 12/ 1994 | -181.45 | -0.15 | 1048.55 | 01 | 06 | 1 | |
| | P | 11 / 13/ 1994 | -181.52 | -0.07 | 1048.48 | 01 | 06 | 1 | |
| | P | 11 / 14/ 1994 | -181.61 | -0.09 | 1048.39 | 01 | 06 | 1 | |
| | P | 11 / 15/ 1994 | -181.82 | -0.21 | 1048.18 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1994 | -181.81 | 0.01 | 1048.19 | 01 | 06 | 1 | |
| | P | 11 / 17/ 1994 | -181.68 | 0.13 | 1048.32 | 01 | 06 | 1 | |
| | P | 11 / 18/ 1994 | -181.85 | -0.17 | 1048.15 | 01 | 06 | 1 | |
| | P | 11 / 19/ 1994 | -181.93 | -0.08 | 1048.07 | 01 | 06 | 1 | |
| | P | 11 / 20/ 1994 | -181.85 | 0.08 | 1048.15 | 01 | 06 | 1 | |
| | P | 11 / 21/ 1994 | -182.25 | -0.4 | 1047.75 | 01 | 06 | 1 | |
| | P | 11 / 22/ 1994 | -182.53 | -0.28 | 1047.47 | 01 | 06 | 1 | |
| | P | 11 / 23/ 1994 | -182.91 | -0.38 | 1047.09 | 01 | 06 | 1 | |
| | P | 11 / 24/ 1994 | -182.8 | 0.11 | 1047.2 | 01 | 06 | 1 | |
| | P | 11 / 25/ 1994 | -182.77 | 0.03 | 1047.23 | 01 | 06 | 1 | |
| | P | 11 / 26/ 1994 | -182.5 | 0.27 | 1047.5 | 01 | 06 | 1 | |
| | P | 11 / 27/ 1994 | -182.49 | 0.01 | 1047.51 | 01 | 06 | 1 | |
| | P | 11 / 28/ 1994 | -182.86 | -0.37 | 1047.14 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/29/1994 | -183.18 | -0.32 | 1046.82 | 01 | 06 | 1 | |
| | P | 11/30/1994 | -183.63 | -0.45 | 1046.37 | 01 | 06 | 4 | |
| | P | 12/ 1/1994 | -183.64 | -0.01 | 1046.36 | 01 | 06 | 1 | |
| | P | 12/ 2/1994 | -183.62 | 0.02 | 1046.38 | 01 | 06 | 1 | |
| | P | 12/ 3/1994 | -183.79 | -0.17 | 1046.21 | 01 | 06 | 1 | |
| | P | 12/ 4/1994 | -184 | -0.21 | 1046 | 01 | 06 | 1 | |
| | P | 12/ 5/1994 | -184.04 | -0.04 | 1045.96 | 01 | 06 | 1 | |
| | P | 12/ 6/1994 | -184.15 | -0.11 | 1045.85 | 01 | 06 | 1 | |
| | P | 12/ 7/1994 | -184.3 | -0.15 | 1045.7 | 01 | 06 | 1 | |
| | P | 12/ 8/1994 | -184.35 | -0.05 | 1045.65 | 01 | 06 | 1 | |
| | P | 12/ 9/1994 | -184.43 | -0.08 | 1045.57 | 01 | 06 | 1 | |
| | P | 12/10/1994 | -184.72 | -0.29 | 1045.28 | 01 | 06 | 1 | |
| | P | 12/11/1994 | -184.95 | -0.23 | 1045.05 | 01 | 06 | 1 | |
| | P | 12/12/1994 | -184.98 | -0.03 | 1045.02 | 01 | 06 | 1 | |
| | P | 12/13/1994 | -185.43 | -0.45 | 1044.57 | 01 | 06 | 1 | |
| | P | 12/14/1994 | -185.42 | 0.01 | 1044.58 | 01 | 06 | 1 | |
| | P | 12/15/1994 | -185.49 | -0.07 | 1044.51 | 01 | 06 | 4 | |
| | P | 12/16/1994 | -185.43 | 0.06 | 1044.57 | 01 | 06 | 1 | |
| | P | 12/17/1994 | -184.9 | 0.53 | 1045.1 | 01 | 06 | 1 | |
| | P | 12/18/1994 | -184.62 | 0.28 | 1045.38 | 01 | 06 | 1 | |
| | P | 12/19/1994 | -184.09 | 0.53 | 1045.91 | 01 | 06 | 1 | |
| | P | 12/20/1994 | -183.8 | 0.29 | 1046.2 | 01 | 06 | 1 | |
| | P | 12/21/1994 | -183.96 | -0.16 | 1046.04 | 01 | 06 | 1 | |
| | P | 12/22/1994 | -184.14 | -0.18 | 1045.86 | 01 | 06 | 1 | |
| | P | 12/23/1994 | -184.13 | 0.01 | 1045.87 | 01 | 06 | 1 | |
| | P | 12/24/1994 | -184.06 | 0.07 | 1045.94 | 01 | 06 | 1 | |
| | P | 12/25/1994 | -184.24 | -0.18 | 1045.76 | 01 | 06 | 1 | |
| | P | 12/26/1994 | -184.33 | -0.09 | 1045.67 | 01 | 06 | 1 | |
| | P | 12/27/1994 | -184.31 | 0.02 | 1045.69 | 01 | 06 | 1 | |
| | P | 12/28/1994 | -184.3 | 0.01 | 1045.7 | 01 | 06 | 1 | |
| | P | 12/29/1994 | -181.95 | 2.35 | 1048.05 | 01 | 06 | 1 | |
| | P | 12/30/1994 | -180.66 | 1.29 | 1049.34 | 01 | 06 | 4 | |
| | P | 12/31/1994 | -180.29 | 0.37 | 1049.71 | 01 | 06 | 1 | |
| | P | 1/ 1/1995 | -180.2 | 0.09 | 1049.8 | 01 | 06 | 1 | |
| | P | 1/ 2/1995 | -180.02 | 0.18 | 1049.98 | 01 | 06 | 1 | |
| | P | 1/ 3/1995 | -179.9 | 0.12 | 1050.1 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 4/1995 | -179.93 | -0.03 | 1050.07 | 01 | 06 | 1 | |
| | P | 1/ 5/1995 | -179.29 | 0.64 | 1050.71 | 01 | 06 | 1 | |
| | P | 1/ 6/1995 | -179.2 | 0.09 | 1050.8 | 01 | 06 | 1 | |
| | P | 1/ 7/1995 | -179.37 | -0.17 | 1050.63 | 01 | 06 | 1 | |
| | P | 1/ 8/1995 | -179.37 | | 1050.63 | 01 | 06 | 1 | |
| | P | 1/ 9/1995 | -179.35 | 0.02 | 1050.65 | 01 | 06 | 1 | |
| | P | 1/10/1995 | -179.12 | 0.23 | 1050.88 | 01 | 06 | 1 | |
| | P | 1/11/1995 | -179.03 | 0.09 | 1050.97 | 01 | 06 | 1 | |
| | P | 1/12/1995 | -178.88 | 0.15 | 1051.12 | 01 | 06 | 1 | |
| | P | 1/13/1995 | -178.9 | -0.02 | 1051.1 | 01 | 06 | 1 | |
| | P | 1/14/1995 | -178.99 | -0.09 | 1051.01 | 01 | 06 | 1 | |
| | P | 1/15/1995 | -179.11 | -0.12 | 1050.89 | 01 | 06 | 4 | |
| | P | 1/16/1995 | -179.93 | -0.82 | 1050.07 | 01 | 06 | 1 | |
| | P | 1/17/1995 | -178.99 | 0.94 | 1051.01 | 01 | 06 | 1 | |
| | P | 1/18/1995 | -179.08 | -0.09 | 1050.92 | 01 | 06 | 1 | |
| | P | 1/19/1995 | -179.48 | -0.4 | 1050.52 | 01 | 06 | 1 | |
| | P | 1/20/1995 | -179.64 | -0.16 | 1050.36 | 01 | 06 | 1 | |
| | P | 1/21/1995 | -179.56 | 0.08 | 1050.44 | 01 | 06 | 1 | |
| | P | 1/22/1995 | -179.45 | 0.11 | 1050.55 | 01 | 06 | 1 | |
| | P | 1/23/1995 | -179.82 | -0.37 | 1050.18 | 01 | 06 | 1 | |
| | P | 1/24/1995 | -179.88 | -0.06 | 1050.12 | 01 | 06 | 1 | |
| | P | 1/25/1995 | -179.95 | -0.07 | 1050.05 | 01 | 06 | 1 | |
| | P | 1/26/1995 | -179.65 | 0.3 | 1050.35 | 01 | 06 | 1 | |
| | P | 1/27/1995 | -179.55 | 0.1 | 1050.45 | 01 | 06 | 1 | |
| | P | 1/28/1995 | -179.64 | -0.09 | 1050.36 | 01 | 06 | 1 | |
| | P | 1/29/1995 | -179.9 | -0.26 | 1050.1 | 01 | 06 | 1 | |
| | P | 1/30/1995 | -180.11 | -0.21 | 1049.89 | 01 | 06 | 4 | |
| | P | 1/31/1995 | -179.97 | 0.14 | 1050.03 | 01 | 06 | 1 | |
| | P | 2/ 1/1995 | -180.1 | -0.13 | 1049.9 | 01 | 06 | 1 | |
| | P | 2/ 2/1995 | -180.25 | -0.15 | 1049.75 | 01 | 06 | 1 | |
| | P | 2/ 3/1995 | -180.3 | -0.05 | 1049.7 | 01 | 06 | 1 | |
| | P | 2/ 4/1995 | -180.75 | -0.45 | 1049.25 | 01 | 06 | 1 | |
| | P | 2/ 5/1995 | -180.73 | 0.02 | 1049.27 | 01 | 06 | 1 | |
| | P | 2/ 6/1995 | -180.86 | -0.13 | 1049.14 | 01 | 06 | 1 | |
| | P | 2/ 7/1995 | -180.93 | -0.07 | 1049.07 | 01 | 06 | 1 | |
| | P | 2/ 8/1995 | -181.21 | -0.28 | 1048.79 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 9/1995 | -181.2 | 0.01 | 1048.8 | 01 | 06 | 1 | |
| | P | 2/10/1995 | -181.12 | 0.08 | 1048.88 | 01 | 06 | 1 | |
| | P | 2/11/1995 | -180.97 | 0.15 | 1049.03 | 01 | 06 | 1 | |
| | P | 2/12/1995 | -181.44 | -0.47 | 1048.56 | 01 | 06 | 1 | |
| | P | 2/13/1995 | -181.52 | -0.08 | 1048.48 | 01 | 06 | 1 | |
| | P | 2/14/1995 | -181.33 | 0.19 | 1048.67 | 01 | 06 | 1 | |
| | P | 2/15/1995 | -181.29 | 0.04 | 1048.71 | 01 | 06 | 4 | |
| | P | 2/16/1995 | -181.37 | -0.08 | 1048.63 | 01 | 06 | 1 | |
| | P | 2/17/1995 | -181.76 | -0.39 | 1048.24 | 01 | 06 | 1 | |
| | P | 2/18/1995 | -181.87 | -0.11 | 1048.13 | 01 | 06 | 1 | |
| | P | 2/19/1995 | -181.82 | 0.05 | 1048.18 | 01 | 06 | 1 | |
| | P | 2/20/1995 | -182.14 | -0.32 | 1047.86 | 01 | 06 | 1 | |
| | P | 2/21/1995 | -182.32 | -0.18 | 1047.68 | 01 | 06 | 1 | |
| | P | 2/22/1995 | -182.28 | 0.04 | 1047.72 | 01 | 06 | 1 | |
| | P | 2/23/1995 | -182.41 | -0.13 | 1047.59 | 01 | 06 | 1 | |
| | P | 2/24/1995 | -182.6 | -0.19 | 1047.4 | 01 | 06 | 1 | |
| | P | 2/25/1995 | -182.73 | -0.13 | 1047.27 | 01 | 06 | 1 | |
| | P | 2/26/1995 | -182.58 | 0.15 | 1047.42 | 01 | 06 | 1 | |
| | P | 2/27/1995 | -182.64 | -0.06 | 1047.36 | 01 | 06 | 1 | |
| | P | 2/28/1995 | -182.6 | 0.04 | 1047.4 | 01 | 06 | 4 | |
| | P | 3/ 1/1995 | -182.78 | -0.18 | 1047.22 | 01 | 06 | 1 | |
| | P | 3/ 2/1995 | -182.76 | 0.02 | 1047.24 | 01 | 06 | 1 | |
| | P | 3/ 3/1995 | -182.89 | -0.13 | 1047.11 | 01 | 06 | 1 | |
| | P | 3/ 4/1995 | -182.76 | 0.13 | 1047.24 | 01 | 06 | 1 | |
| | P | 3/ 5/1995 | -182.77 | -0.01 | 1047.23 | 01 | 06 | 1 | |
| | P | 3/ 6/1995 | -182.74 | 0.03 | 1047.26 | 01 | 06 | 1 | |
| | P | 3/ 7/1995 | -182.71 | 0.03 | 1047.29 | 01 | 06 | 1 | |
| | P | 3/ 8/1995 | -183.36 | -0.65 | 1046.64 | 01 | 06 | 1 | |
| | P | 3/ 9/1995 | -183.52 | -0.16 | 1046.48 | 01 | 06 | 1 | |
| | P | 3/10/1995 | -183.49 | 0.03 | 1046.51 | 01 | 06 | 1 | |
| | P | 3/11/1995 | -183.56 | -0.07 | 1046.44 | 01 | 06 | 1 | |
| | P | 3/12/1995 | -183.51 | 0.05 | 1046.49 | 01 | 06 | 1 | |
| | P | 3/13/1995 | -183.42 | 0.09 | 1046.58 | 01 | 06 | 1 | |
| | P | 3/14/1995 | -182.56 | 0.86 | 1047.44 | 01 | 06 | 1 | |
| | P | 3/15/1995 | -182.1 | 0.46 | 1047.9 | 01 | 06 | 4 | |
| | P | 3/16/1995 | -181.67 | 0.43 | 1048.33 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/17/1995 | -181.7 | -0.03 | 1048.3 | 01 | 06 | 1 | |
| | P | 3/18/1995 | -181.8 | -0.1 | 1048.2 | 01 | 06 | 1 | |
| | P | 3/19/1995 | -181.67 | 0.13 | 1048.33 | 01 | 06 | 1 | |
| | P | 3/20/1995 | -181.64 | 0.03 | 1048.36 | 01 | 06 | 1 | |
| | P | 3/21/1995 | -181.65 | -0.01 | 1048.35 | 01 | 06 | 1 | |
| | P | 3/22/1995 | -181.66 | -0.01 | 1048.34 | 01 | 06 | 1 | |
| | P | 3/23/1995 | -181.81 | -0.15 | 1048.19 | 01 | 06 | 1 | |
| | P | 3/24/1995 | -181.95 | -0.14 | 1048.05 | 01 | 06 | 1 | |
| | P | 3/25/1995 | -181.95 | | 1048.05 | 01 | 06 | 1 | |
| | P | 3/26/1995 | -181.98 | -0.03 | 1048.02 | 01 | 06 | 1 | |
| | P | 3/27/1995 | -182.31 | -0.33 | 1047.69 | 01 | 06 | 1 | |
| | P | 3/28/1995 | -182.38 | -0.07 | 1047.62 | 01 | 06 | 1 | |
| | P | 3/29/1995 | -182.44 | -0.06 | 1047.56 | 01 | 06 | 1 | |
| | P | 3/30/1995 | -182.49 | -0.05 | 1047.51 | 01 | 06 | 4 | |
| | P | 3/31/1995 | -182.56 | -0.07 | 1047.44 | 01 | 06 | 1 | |
| | P | 4/ 1/1995 | -182.71 | -0.15 | 1047.29 | 01 | 06 | 1 | |
| | P | 4/ 2/1995 | -182.97 | -0.26 | 1047.03 | 01 | 06 | 1 | |
| | P | 4/ 3/1995 | -182.84 | 0.13 | 1047.16 | 01 | 06 | 1 | |
| | P | 4/ 4/1995 | -182.49 | 0.35 | 1047.51 | 01 | 06 | 1 | |
| | P | 4/ 5/1995 | -180.05 | 2.44 | 1049.95 | 01 | 06 | 1 | |
| | P | 4/ 6/1995 | -178.33 | 1.72 | 1051.67 | 01 | 06 | 1 | |
| | P | 4/ 7/1995 | -177.46 | 0.87 | 1052.54 | 01 | 06 | 1 | |
| | P | 4/ 8/1995 | -176.95 | 0.51 | 1053.05 | 01 | 06 | 1 | |
| | P | 4/ 9/1995 | -176.44 | 0.51 | 1053.56 | 01 | 06 | 1 | |
| | P | 4/10/1995 | -176.24 | 0.2 | 1053.76 | 01 | 06 | 1 | |
| | P | 4/11/1995 | -176.46 | -0.22 | 1053.54 | 01 | 06 | 1 | |
| | P | 4/12/1995 | -176.75 | -0.29 | 1053.25 | 01 | 06 | 1 | |
| | P | 4/13/1995 | -176.95 | -0.2 | 1053.05 | 01 | 06 | 1 | |
| | P | 4/14/1995 | -176.87 | 0.08 | 1053.13 | 01 | 06 | 1 | |
| | P | 4/15/1995 | -176.81 | 0.06 | 1053.19 | 01 | 06 | 4 | |
| | P | 4/16/1995 | -176.95 | -0.14 | 1053.05 | 01 | 06 | 1 | |
| | P | 4/17/1995 | -176.96 | -0.01 | 1053.04 | 01 | 06 | 1 | |
| | P | 4/18/1995 | -177.11 | -0.15 | 1052.89 | 01 | 06 | 1 | |
| | P | 4/19/1995 | -177.01 | 0.1 | 1052.99 | 01 | 06 | 1 | |
| | P | 4/20/1995 | -177.12 | -0.11 | 1052.88 | 01 | 06 | 1 | |
| | P | 4/21/1995 | -177.1 | 0.02 | 1052.9 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/22/1995 | -177.16 | -0.06 | 1052.84 | 01 | 06 | 1 | |
| | P | 4/23/1995 | -177.53 | -0.37 | 1052.47 | 01 | 06 | 1 | |
| | P | 4/24/1995 | -178.15 | -0.62 | 1051.85 | 01 | 06 | 1 | |
| | P | 4/25/1995 | -177.77 | 0.38 | 1052.23 | 01 | 06 | 1 | |
| | P | 4/26/1995 | -177.71 | 0.06 | 1052.29 | 01 | 06 | 1 | |
| | P | 4/27/1995 | -177.87 | -0.16 | 1052.13 | 01 | 06 | 1 | |
| | P | 4/28/1995 | -177.94 | -0.07 | 1052.06 | 01 | 06 | 1 | |
| | P | 4/29/1995 | -177.91 | 0.03 | 1052.09 | 01 | 06 | 1 | |
| | P | 4/30/1995 | -178.11 | -0.2 | 1051.89 | 01 | 06 | 4 | |
| | P | 5/ 1/1995 | -178.14 | -0.03 | 1051.86 | 01 | 06 | 1 | |
| | P | 5/ 2/1995 | -178.52 | -0.38 | 1051.48 | 01 | 06 | 1 | |
| | P | 5/ 3/1995 | -178.41 | 0.11 | 1051.59 | 01 | 06 | 1 | |
| | P | 5/ 4/1995 | -178.6 | -0.19 | 1051.4 | 01 | 06 | 1 | |
| | P | 5/ 5/1995 | -178.91 | -0.31 | 1051.09 | 01 | 06 | 1 | |
| | P | 5/ 6/1995 | -178.95 | -0.04 | 1051.05 | 01 | 06 | 1 | |
| | P | 5/ 7/1995 | -178.81 | 0.14 | 1051.19 | 01 | 06 | 1 | |
| | P | 5/ 8/1995 | -178.79 | 0.02 | 1051.21 | 01 | 06 | 1 | |
| | P | 5/ 9/1995 | -178.45 | 0.34 | 1051.55 | 01 | 06 | 1 | |
| | P | 5/10/1995 | -178.24 | 0.21 | 1051.76 | 01 | 06 | 1 | |
| | P | 5/11/1995 | -178.01 | 0.23 | 1051.99 | 01 | 06 | 1 | |
| | P | 5/12/1995 | -177.75 | 0.26 | 1052.25 | 01 | 06 | 1 | |
| | P | 5/13/1995 | -177.74 | 0.01 | 1052.26 | 01 | 06 | 1 | |
| | P | 5/14/1995 | -178.06 | -0.32 | 1051.94 | 01 | 06 | 1 | |
| | P | 5/15/1995 | -178.65 | -0.59 | 1051.35 | 01 | 06 | 4 | |
| | P | 5/16/1995 | -178.62 | 0.03 | 1051.38 | 01 | 06 | 1 | |
| | P | 5/17/1995 | -178.58 | 0.04 | 1051.42 | 01 | 06 | 1 | |
| | P | 5/18/1995 | -178.88 | -0.3 | 1051.12 | 01 | 06 | 1 | |
| | P | 5/19/1995 | -178.97 | -0.09 | 1051.03 | 01 | 06 | 1 | |
| | P | 5/20/1995 | -179.32 | -0.35 | 1050.68 | 01 | 06 | 1 | |
| | P | 5/21/1995 | -179.49 | -0.17 | 1050.51 | 01 | 06 | 1 | |
| | P | 5/22/1995 | -179.78 | -0.29 | 1050.22 | 01 | 06 | 1 | |
| | P | 5/23/1995 | -179.81 | -0.03 | 1050.19 | 01 | 06 | 1 | |
| | P | 5/24/1995 | -179.95 | -0.14 | 1050.05 | 01 | 06 | 1 | |
| | P | 5/25/1995 | -180 | -0.05 | 1050 | 01 | 06 | 1 | |
| | P | 5/26/1995 | -180.05 | -0.05 | 1049.95 | 01 | 06 | 1 | |
| | P | 5/27/1995 | -180.08 | -0.03 | 1049.92 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/28/1995 | -180.05 | 0.03 | 1049.95 | 01 | 06 | 1 | |
| | P | 5/29/1995 | -179.86 | 0.19 | 1050.14 | 01 | 06 | 1 | |
| | P | 5/30/1995 | -178.4 | 1.46 | 1051.6 | 01 | 06 | 4 | |
| | P | 5/31/1995 | -176.12 | 2.28 | 1053.88 | 01 | 06 | 1 | |
| | P | 6/ 1/1995 | -175.09 | 1.03 | 1054.91 | 01 | 06 | 1 | |
| | P | 6/ 2/1995 | -174.39 | 0.7 | 1055.61 | 01 | 06 | 1 | |
| | P | 6/ 3/1995 | -174.07 | 0.32 | 1055.93 | 01 | 06 | 1 | |
| | P | 6/ 4/1995 | -174.07 | | 1055.93 | 01 | 06 | 1 | |
| | P | 6/ 5/1995 | -173.84 | 0.23 | 1056.16 | 01 | 06 | 1 | |
| | P | 6/ 6/1995 | -173.78 | 0.06 | 1056.22 | 01 | 06 | 1 | |
| | P | 6/ 7/1995 | -173.86 | -0.08 | 1056.14 | 01 | 06 | 1 | |
| | P | 6/ 8/1995 | -174.03 | -0.17 | 1055.97 | 01 | 06 | 1 | |
| | P | 6/ 9/1995 | -174.33 | -0.3 | 1055.67 | 01 | 06 | 1 | |
| | P | 6/10/1995 | -174.42 | -0.09 | 1055.58 | 01 | 06 | 1 | |
| | P | 6/11/1995 | -174.49 | -0.07 | 1055.51 | 01 | 06 | 1 | |
| | P | 6/12/1995 | -174.15 | 0.34 | 1055.85 | 01 | 06 | 1 | |
| | P | 6/13/1995 | -173.81 | 0.34 | 1056.19 | 01 | 06 | 1 | |
| | P | 6/14/1995 | -173.71 | 0.1 | 1056.29 | 01 | 06 | 1 | |
| | P | 6/15/1995 | -173.7 | 0.01 | 1056.3 | 01 | 06 | 4 | |
| | P | 6/16/1995 | -173.72 | -0.02 | 1056.28 | 01 | 06 | 1 | |
| | P | 6/17/1995 | -174.19 | -0.47 | 1055.81 | 01 | 06 | 1 | |
| | P | 6/18/1995 | -174.21 | -0.02 | 1055.79 | 01 | 06 | 1 | |
| | P | 6/19/1995 | -174.27 | -0.06 | 1055.73 | 01 | 06 | 1 | |
| | P | 6/20/1995 | -174.08 | 0.19 | 1055.92 | 01 | 06 | 1 | |
| | P | 6/21/1995 | -174.17 | -0.09 | 1055.83 | 01 | 06 | 1 | |
| | P | 6/22/1995 | -174.3 | -0.13 | 1055.7 | 01 | 06 | 1 | |
| | P | 6/23/1995 | -174.48 | -0.18 | 1055.52 | 01 | 06 | 1 | |
| | P | 6/24/1995 | -174.56 | -0.08 | 1055.44 | 01 | 06 | 1 | |
| | P | 6/25/1995 | -174.63 | -0.07 | 1055.37 | 01 | 06 | 1 | |
| | P | 6/26/1995 | -175.02 | -0.39 | 1054.98 | 01 | 06 | 1 | |
| | P | 6/27/1995 | -174.88 | 0.14 | 1055.12 | 01 | 06 | 1 | |
| | P | 6/28/1995 | -174.95 | -0.07 | 1055.05 | 01 | 06 | 1 | |
| | P | 6/29/1995 | -174.87 | 0.08 | 1055.13 | 01 | 06 | 1 | |
| | P | 6/30/1995 | -174.9 | -0.03 | 1055.1 | 01 | 06 | 4 | |
| | P | 7/ 1/1995 | -173.04 | 1.86 | 1056.96 | 01 | 06 | 1 | |
| | P | 7/ 2/1995 | -172.88 | 0.16 | 1057.12 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 3/1995 | -172.91 | -0.03 | 1057.09 | 01 | 06 | 1 | |
| | P | 7/ 4/1995 | -172.87 | 0.04 | 1057.13 | 01 | 06 | 1 | |
| | P | 7/ 5/1995 | -172.88 | -0.01 | 1057.12 | 01 | 06 | 1 | |
| | P | 7/ 6/1995 | -172.95 | -0.07 | 1057.05 | 01 | 06 | 1 | |
| | P | 7/ 7/1995 | -173.02 | -0.07 | 1056.98 | 01 | 06 | 1 | |
| | P | 7/ 8/1995 | -173.08 | -0.06 | 1056.92 | 01 | 06 | 1 | |
| | P | 7/ 9/1995 | -173.14 | -0.06 | 1056.86 | 01 | 06 | 1 | |
| | P | 7/10/1995 | -173.22 | -0.08 | 1056.78 | 01 | 06 | 1 | |
| | P | 7/11/1995 | -173.36 | -0.14 | 1056.64 | 01 | 06 | 1 | |
| | P | 7/12/1995 | -173.5 | -0.14 | 1056.5 | 01 | 06 | 1 | |
| | P | 7/13/1995 | -173.54 | -0.04 | 1056.46 | 01 | 06 | 1 | |
| | P | 7/14/1995 | -173.67 | -0.13 | 1056.33 | 01 | 06 | 1 | |
| | P | 7/15/1995 | -173.84 | -0.17 | 1056.16 | 01 | 06 | 4 | |
| | P | 7/16/1995 | -174.33 | -0.49 | 1055.67 | 01 | 06 | 1 | |
| | P | 7/17/1995 | -174.54 | -0.21 | 1055.46 | 01 | 06 | 1 | |
| | P | 7/18/1995 | -174.64 | -0.1 | 1055.36 | 01 | 06 | 1 | |
| | P | 7/19/1995 | -174.62 | 0.02 | 1055.38 | 01 | 06 | 1 | |
| | P | 7/20/1995 | -174.87 | -0.25 | 1055.13 | 01 | 06 | 1 | |
| | P | 7/21/1995 | -175.2 | -0.33 | 1054.8 | 01 | 06 | 1 | |
| | P | 7/22/1995 | -175.46 | -0.26 | 1054.54 | 01 | 06 | 1 | |
| | P | 7/23/1995 | -175.44 | 0.02 | 1054.56 | 01 | 06 | 1 | |
| | P | 7/24/1995 | -175.57 | -0.13 | 1054.43 | 01 | 06 | 1 | |
| | P | 7/25/1995 | -175.94 | -0.37 | 1054.06 | 01 | 06 | 1 | |
| | P | 7/26/1995 | -176.09 | -0.15 | 1053.91 | 01 | 06 | 1 | |
| | P | 7/27/1995 | -176.39 | -0.3 | 1053.61 | 01 | 06 | 1 | |
| | P | 7/28/1995 | -176.4 | -0.01 | 1053.6 | 01 | 06 | 1 | |
| | P | 7/29/1995 | -176.74 | -0.34 | 1053.26 | 01 | 06 | 1 | |
| | P | 7/30/1995 | -176.93 | -0.19 | 1053.07 | 01 | 06 | 4 | |
| | P | 7/31/1995 | -176.95 | -0.02 | 1053.05 | 01 | 06 | 1 | |
| | P | 8/ 1/1995 | -176.92 | 0.03 | 1053.08 | 01 | 06 | 1 | |
| | P | 8/ 2/1995 | -177.03 | -0.11 | 1052.97 | 01 | 06 | 1 | |
| | P | 8/ 3/1995 | -177.06 | -0.03 | 1052.94 | 01 | 06 | 1 | |
| | P | 8/ 4/1995 | -177.14 | -0.08 | 1052.86 | 01 | 06 | 1 | |
| | P | 8/ 5/1995 | -177.38 | -0.24 | 1052.62 | 01 | 06 | 1 | |
| | P | 8/ 6/1995 | -177.69 | -0.31 | 1052.31 | 01 | 06 | 1 | |
| | P | 8/ 7/1995 | -178.05 | -0.36 | 1051.95 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 8/1995 | -178.29 | -0.24 | 1051.71 | 01 | 06 | 1 | |
| | P | 8/ 9/1995 | -178.48 | -0.19 | 1051.52 | 01 | 06 | 1 | |
| | P | 8/10/1995 | -178.91 | -0.43 | 1051.09 | 01 | 06 | 1 | |
| | P | 8/11/1995 | -179.25 | -0.34 | 1050.75 | 01 | 06 | 1 | |
| | P | 8/12/1995 | -179.83 | -0.58 | 1050.17 | 01 | 06 | 1 | |
| | P | 8/13/1995 | -180.11 | -0.28 | 1049.89 | 01 | 06 | 1 | |
| | P | 8/14/1995 | -180.66 | -0.55 | 1049.34 | 01 | 06 | 1 | |
| | P | 8/15/1995 | -180.91 | -0.25 | 1049.09 | 01 | 06 | 4 | |
| | P | 8/16/1995 | -181.18 | -0.27 | 1048.82 | 01 | 06 | 1 | |
| | P | 8/17/1995 | -181.58 | -0.4 | 1048.42 | 01 | 06 | 1 | |
| | P | 8/18/1995 | -182.23 | -0.65 | 1047.77 | 01 | 06 | 1 | |
| | P | 8/19/1995 | -182.73 | -0.5 | 1047.27 | 01 | 06 | 1 | |
| | P | 8/20/1995 | -183.38 | -0.65 | 1046.62 | 01 | 06 | 1 | |
| | P | 8/21/1995 | -183.87 | -0.49 | 1046.13 | 01 | 06 | 1 | |
| | P | 8/22/1995 | -183.9 | -0.03 | 1046.1 | 01 | 06 | 1 | |
| | P | 8/23/1995 | -183.75 | 0.15 | 1046.25 | 01 | 06 | 1 | |
| | P | 8/24/1995 | -183.65 | 0.1 | 1046.35 | 01 | 06 | 1 | |
| | P | 8/25/1995 | -183.92 | -0.27 | 1046.08 | 01 | 06 | 1 | |
| | P | 8/26/1995 | -184.33 | -0.41 | 1045.67 | 01 | 06 | 1 | |
| | P | 8/27/1995 | -184.99 | -0.66 | 1045.01 | 01 | 06 | 1 | |
| | P | 8/28/1995 | -185.51 | -0.52 | 1044.49 | 01 | 06 | 1 | |
| | P | 8/29/1995 | -185.91 | -0.4 | 1044.09 | 01 | 06 | 1 | |
| | P | 8/30/1995 | -186.05 | -0.14 | 1043.95 | 01 | 06 | 4 | |
| | P | 8/31/1995 | -186.3 | -0.25 | 1043.7 | 01 | 06 | 1 | |
| | P | 9/ 1/1995 | -186.33 | -0.03 | 1043.67 | 01 | 06 | 1 | |
| | P | 9/ 2/1995 | -186.09 | 0.24 | 1043.91 | 01 | 06 | 1 | |
| | P | 9/ 3/1995 | -186.15 | -0.06 | 1043.85 | 01 | 06 | 1 | |
| | P | 9/ 4/1995 | -186.4 | -0.25 | 1043.6 | 01 | 06 | 1 | |
| | P | 9/ 5/1995 | -186.98 | -0.58 | 1043.02 | 01 | 06 | 1 | |
| | P | 9/ 6/1995 | -187.19 | -0.21 | 1042.81 | 01 | 06 | 1 | |
| | P | 9/ 7/1995 | -187.53 | -0.34 | 1042.47 | 01 | 06 | 1 | |
| | P | 9/ 8/1995 | -187.81 | -0.28 | 1042.19 | 01 | 06 | 1 | |
| | P | 9/ 9/1995 | -187.88 | -0.07 | 1042.12 | 01 | 06 | 1 | |
| | P | 9/10/1995 | -188.22 | -0.34 | 1041.78 | 01 | 06 | 1 | |
| | P | 9/11/1995 | -188.63 | -0.41 | 1041.37 | 01 | 06 | 1 | |
| | P | 9/12/1995 | -188.79 | -0.16 | 1041.21 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/13/1995 | -189.23 | -0.44 | 1040.77 | 01 | 06 | 1 | |
| | P | 9/14/1995 | -189.51 | -0.28 | 1040.49 | 01 | 06 | 1 | |
| | P | 9/15/1995 | -189.46 | 0.05 | 1040.54 | 01 | 06 | 4 | |
| | P | 9/16/1995 | -189.43 | 0.03 | 1040.57 | 01 | 06 | 1 | |
| | P | 9/17/1995 | -189.54 | -0.11 | 1040.46 | 01 | 06 | 1 | |
| | P | 9/18/1995 | -189.84 | -0.3 | 1040.16 | 01 | 06 | 1 | |
| | P | 9/19/1995 | -190.01 | -0.17 | 1039.99 | 01 | 06 | 1 | |
| | P | 9/20/1995 | -189.1 | 0.91 | 1040.9 | 01 | 06 | 1 | |
| | P | 9/21/1995 | -185.35 | 3.75 | 1044.65 | 01 | 06 | 1 | |
| | P | 9/22/1995 | -183.27 | 2.08 | 1046.73 | 01 | 06 | 1 | |
| | P | 9/23/1995 | -182.05 | 1.22 | 1047.95 | 01 | 06 | 1 | |
| | P | 9/24/1995 | -181.57 | 0.48 | 1048.43 | 01 | 06 | 1 | |
| | P | 9/25/1995 | -181.33 | 0.24 | 1048.67 | 01 | 06 | 1 | |
| | P | 9/26/1995 | -181.48 | -0.15 | 1048.52 | 01 | 06 | 1 | |
| | P | 9/27/1995 | -181.81 | -0.33 | 1048.19 | 01 | 06 | 1 | |
| | P | 9/28/1995 | -182.14 | -0.33 | 1047.86 | 01 | 06 | 1 | |
| | P | 9/29/1995 | -182.3 | -0.16 | 1047.7 | 01 | 06 | 1 | |
| | P | 9/30/1995 | -182.74 | -0.44 | 1047.26 | 01 | 06 | 4 | |
| | P | 10/ 1/1995 | -183.41 | -0.67 | 1046.59 | 01 | 06 | 1 | |
| | P | 10/ 2/1995 | -183.96 | -0.55 | 1046.04 | 01 | 06 | 1 | |
| | P | 10/ 3/1995 | -184.32 | -0.36 | 1045.68 | 01 | 06 | 1 | |
| | P | 10/ 4/1995 | -184.42 | -0.1 | 1045.58 | 01 | 06 | 1 | |
| | P | 10/ 5/1995 | -184.8 | -0.38 | 1045.2 | 01 | 06 | 1 | |
| | P | 10/ 6/1995 | -185.32 | -0.52 | 1044.68 | 01 | 06 | 1 | |
| | P | 10/ 7/1995 | -185.87 | -0.55 | 1044.13 | 01 | 06 | 1 | |
| | P | 10/ 8/1995 | -186.24 | -0.37 | 1043.76 | 01 | 06 | 1 | |
| | P | 10/ 9/1995 | -186.52 | -0.28 | 1043.48 | 01 | 06 | 1 | |
| | P | 10/10/1995 | -186.8 | -0.28 | 1043.2 | 01 | 06 | 1 | |
| | P | 10/11/1995 | -187.21 | -0.41 | 1042.79 | 01 | 06 | 1 | |
| | P | 10/12/1995 | -187.69 | -0.48 | 1042.31 | 01 | 06 | 1 | |
| | P | 10/13/1995 | -187.86 | -0.17 | 1042.14 | 01 | 06 | 1 | |
| | P | 10/14/1995 | -188.37 | -0.51 | 1041.63 | 01 | 06 | 1 | |
| | P | 10/15/1995 | -188.37 | | 1041.63 | 01 | 06 | 4 | |
| | P | 10/16/1995 | -189.01 | -0.64 | 1040.99 | 01 | 06 | 1 | |
| | P | 10/17/1995 | -189.23 | -0.22 | 1040.77 | 01 | 06 | 1 | |
| | P | 10/18/1995 | -189.42 | -0.19 | 1040.58 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 19/ 1995 | -189.75 | -0.33 | 1040.25 | 01 | 06 | 1 | |
| | P | 10 / 20/ 1995 | -190.07 | -0.32 | 1039.93 | 01 | 06 | 1 | |
| | P | 10 / 21/ 1995 | -190.23 | -0.16 | 1039.77 | 01 | 06 | 1 | |
| | P | 10 / 22/ 1995 | -190.37 | -0.14 | 1039.63 | 01 | 06 | 1 | |
| | P | 10 / 23/ 1995 | -190.67 | -0.3 | 1039.33 | 01 | 06 | 1 | |
| | P | 10 / 24/ 1995 | -191.29 | -0.62 | 1038.71 | 01 | 06 | 1 | |
| | P | 10 / 25/ 1995 | -191.42 | -0.13 | 1038.58 | 01 | 06 | 1 | |
| | P | 10 / 26/ 1995 | -191.49 | -0.07 | 1038.51 | 01 | 06 | 1 | |
| | P | 10 / 27/ 1995 | -191.55 | -0.06 | 1038.45 | 01 | 06 | 1 | |
| | P | 10 / 28/ 1995 | -192.03 | -0.48 | 1037.97 | 01 | 06 | 1 | |
| | P | 10 / 29/ 1995 | -192.65 | -0.62 | 1037.35 | 01 | 06 | 1 | |
| | P | 10 / 30/ 1995 | -192.85 | -0.2 | 1037.15 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1995 | -192.82 | 0.03 | 1037.18 | 01 | 06 | 1 | |
| | P | 11 / 1 / 1995 | -192.81 | 0.01 | 1037.19 | 01 | 06 | 1 | |
| | P | 11 / 2 / 1995 | -192.79 | 0.02 | 1037.21 | 01 | 06 | 1 | |
| | P | 11 / 3 / 1995 | -192.79 | | 1037.21 | 01 | 06 | 1 | |
| | N | 11 / 15/ 1995 | | | | 01 | 06 | | 51 |
| | N | 11 / 30/ 1995 | | | | 01 | 06 | | 51 |
| | P | 12 / 1 / 1995 | -189.42 | | 1040.58 | 01 | 06 | 1 | |
| | P | 12 / 2 / 1995 | -189.55 | -0.13 | 1040.45 | 01 | 06 | 1 | |
| | P | 12 / 3 / 1995 | -189.76 | -0.21 | 1040.24 | 01 | 06 | 1 | |
| | P | 12 / 4 / 1995 | -190.1 | -0.34 | 1039.9 | 01 | 06 | 1 | |
| | P | 12 / 5 / 1995 | -190.03 | 0.07 | 1039.97 | 01 | 06 | 1 | |
| | P | 12 / 6 / 1995 | -190.2 | -0.17 | 1039.8 | 01 | 06 | 1 | |
| | P | 12 / 7 / 1995 | -190.45 | -0.25 | 1039.55 | 01 | 06 | 1 | |
| | P | 12 / 8 / 1995 | -190.64 | -0.19 | 1039.36 | 01 | 06 | 1 | |
| | P | 12 / 9 / 1995 | -191.09 | -0.45 | 1038.91 | 01 | 06 | 1 | |
| | P | 12 / 10/ 1995 | -191.65 | -0.56 | 1038.35 | 01 | 06 | 1 | |
| | P | 12 / 11/ 1995 | -191.74 | -0.09 | 1038.26 | 01 | 06 | 1 | |
| | P | 12 / 12/ 1995 | -191.9 | -0.16 | 1038.1 | 01 | 06 | 1 | |
| | P | 12 / 13/ 1995 | -191.78 | 0.12 | 1038.22 | 01 | 06 | 1 | |
| | P | 12 / 14/ 1995 | -192.2 | -0.42 | 1037.8 | 01 | 06 | 1 | |
| | P | 12 / 15/ 1995 | -192.2 | | 1037.8 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1995 | -191.96 | 0.24 | 1038.04 | 01 | 06 | 1 | |
| | P | 12 / 17/ 1995 | -192.82 | -0.86 | 1037.18 | 01 | 06 | 1 | |
| | P | 12 / 18/ 1995 | -192.81 | 0.01 | 1037.19 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/19/1995 | -192.39 | 0.42 | 1037.61 | 01 | 06 | 1 | |
| | P | 12/20/1995 | -192.82 | -0.43 | 1037.18 | 01 | 06 | 1 | |
| | P | 12/21/1995 | -193.47 | -0.65 | 1036.53 | 01 | 06 | 1 | |
| | P | 12/22/1995 | -193.47 | | 1036.53 | 01 | 06 | 1 | |
| | P | 12/23/1995 | -193.43 | 0.04 | 1036.57 | 01 | 06 | 1 | |
| | P | 12/24/1995 | -193.53 | -0.1 | 1036.47 | 01 | 06 | 1 | |
| | P | 12/25/1995 | -193.78 | -0.25 | 1036.22 | 01 | 06 | 1 | |
| | P | 12/26/1995 | -194.11 | -0.33 | 1035.89 | 01 | 06 | 1 | |
| | P | 12/27/1995 | -194.3 | -0.19 | 1035.7 | 01 | 06 | 1 | |
| | P | 12/28/1995 | -194.3 | | 1035.7 | 01 | 06 | 1 | |
| | P | 12/29/1995 | -194.88 | -0.58 | 1035.12 | 01 | 06 | 1 | |
| | P | 12/30/1995 | -194.88 | | 1035.12 | 01 | 06 | 4 | |
| | P | 12/31/1995 | -194.87 | 0.01 | 1035.13 | 01 | 06 | 1 | |
| | P | 1/ 1/1996 | -194.87 | | 1035.13 | 01 | 06 | 1 | |
| | P | 1/ 2/1996 | -194.88 | -0.01 | 1035.12 | 01 | 06 | 1 | |
| | P | 1/ 3/1996 | -195.02 | -0.14 | 1034.98 | 01 | 06 | 1 | |
| | P | 1/ 4/1996 | -195.16 | -0.14 | 1034.84 | 01 | 06 | 1 | |
| | P | 1/ 5/1996 | -195.27 | -0.11 | 1034.73 | 01 | 06 | 1 | |
| | P | 1/ 6/1996 | -195.79 | -0.52 | 1034.21 | 01 | 06 | 1 | |
| | P | 1/ 7/1996 | -196.32 | -0.53 | 1033.68 | 01 | 06 | 1 | |
| | P | 1/ 8/1996 | -196.73 | -0.41 | 1033.27 | 01 | 06 | 1 | |
| | P | 1/ 9/1996 | -196.67 | 0.06 | 1033.33 | 01 | 06 | 1 | |
| | P | 1/10/1996 | -196.66 | 0.01 | 1033.34 | 01 | 06 | 1 | |
| | P | 1/11/1996 | -196.68 | -0.02 | 1033.32 | 01 | 06 | 1 | |
| | P | 1/12/1996 | -196.97 | -0.29 | 1033.03 | 01 | 06 | 1 | |
| | P | 1/13/1996 | -197.1 | -0.13 | 1032.9 | 01 | 06 | 1 | |
| | P | 1/14/1996 | -197.12 | -0.02 | 1032.88 | 01 | 06 | 1 | |
| | P | 1/15/1996 | -197.4 | -0.28 | 1032.6 | 01 | 06 | 4 | |
| | P | 1/16/1996 | -197.84 | -0.44 | 1032.16 | 01 | 06 | 1 | |
| | P | 1/17/1996 | -197.59 | 0.25 | 1032.41 | 01 | 06 | 1 | |
| | P | 1/18/1996 | -197.79 | -0.2 | 1032.21 | 01 | 06 | 1 | |
| | P | 1/19/1996 | -198.52 | -0.73 | 1031.48 | 01 | 06 | 1 | |
| | P | 1/20/1996 | -198.46 | 0.06 | 1031.54 | 01 | 06 | 1 | |
| | P | 1/21/1996 | -198.86 | -0.4 | 1031.14 | 01 | 06 | 1 | |
| | P | 1/22/1996 | -199 | -0.14 | 1031 | 01 | 06 | 1 | |
| | P | 1/23/1996 | -199 | | 1031 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 24/ 1996 | -199.47 | -0.47 | 1030.53 | 01 | 06 | 1 | |
| | P | 1/ 25/ 1996 | -199.88 | -0.41 | 1030.12 | 01 | 06 | 1 | |
| | P | 1/ 26/ 1996 | -199.92 | -0.04 | 1030.08 | 01 | 06 | 1 | |
| | P | 1/ 27/ 1996 | -200.34 | -0.42 | 1029.66 | 01 | 06 | 1 | |
| | P | 1/ 28/ 1996 | -200.72 | -0.38 | 1029.28 | 01 | 06 | 1 | |
| | P | 1/ 29/ 1996 | -201.33 | -0.61 | 1028.67 | 01 | 06 | 1 | |
| | P | 1/ 30/ 1996 | -201.54 | -0.21 | 1028.46 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1996 | -201.79 | -0.25 | 1028.21 | 01 | 06 | 1 | |
| | P | 2/ 1/ 1996 | -201.95 | -0.16 | 1028.05 | 01 | 06 | 1 | |
| | P | 2/ 2/ 1996 | -201.84 | 0.11 | 1028.16 | 01 | 06 | 1 | |
| | P | 2/ 3/ 1996 | -202.4 | -0.56 | 1027.6 | 01 | 06 | 1 | |
| | P | 2/ 4/ 1996 | -203.39 | -0.99 | 1026.61 | 01 | 06 | 1 | |
| | P | 2/ 5/ 1996 | -203.39 | | 1026.61 | 01 | 06 | 1 | |
| | P | 2/ 6/ 1996 | -203.36 | 0.03 | 1026.64 | 01 | 06 | 1 | |
| | P | 2/ 7/ 1996 | -203.34 | 0.02 | 1026.66 | 01 | 06 | 1 | |
| | P | 2/ 8/ 1996 | -203.54 | -0.2 | 1026.46 | 01 | 06 | 1 | |
| | P | 2/ 9/ 1996 | -203.58 | -0.04 | 1026.42 | 01 | 06 | 1 | |
| | P | 2/ 10/ 1996 | -203.58 | | 1026.42 | 01 | 06 | 1 | |
| | P | 2/ 11/ 1996 | -203.6 | -0.02 | 1026.4 | 01 | 06 | 1 | |
| | P | 2/ 12/ 1996 | -204.33 | -0.73 | 1025.67 | 01 | 06 | 1 | |
| | P | 2/ 13/ 1996 | -204.43 | -0.1 | 1025.57 | 01 | 06 | 1 | |
| | P | 2/ 14/ 1996 | -204.26 | 0.17 | 1025.74 | 01 | 06 | 1 | |
| | P | 2/ 15/ 1996 | -204.39 | -0.13 | 1025.61 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1996 | -204.95 | -0.56 | 1025.05 | 01 | 06 | 1 | |
| | P | 2/ 17/ 1996 | -205.08 | -0.13 | 1024.92 | 01 | 06 | 1 | |
| | P | 2/ 18/ 1996 | -205.09 | -0.01 | 1024.91 | 01 | 06 | 1 | |
| | P | 2/ 19/ 1996 | -205.12 | -0.03 | 1024.88 | 01 | 06 | 1 | |
| | P | 2/ 20/ 1996 | -205.67 | -0.55 | 1024.33 | 01 | 06 | 1 | |
| | P | 2/ 21/ 1996 | -205.88 | -0.21 | 1024.12 | 01 | 06 | 1 | |
| | P | 2/ 22/ 1996 | -206.27 | -0.39 | 1023.73 | 01 | 06 | 1 | |
| | P | 2/ 23/ 1996 | -206.41 | -0.14 | 1023.59 | 01 | 06 | 1 | |
| | P | 2/ 24/ 1996 | -206.96 | -0.55 | 1023.04 | 01 | 06 | 1 | |
| | P | 2/ 25/ 1996 | -207.23 | -0.27 | 1022.77 | 01 | 06 | 1 | |
| | P | 2/ 26/ 1996 | -207.55 | -0.32 | 1022.45 | 01 | 06 | 1 | |
| | P | 2/ 27/ 1996 | -207.5 | 0.05 | 1022.5 | 01 | 06 | 1 | |
| | P | 2/ 28/ 1996 | -207.77 | -0.27 | 1022.23 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/29/1996 | -208.1 | -0.33 | 1021.9 | 01 | 06 | 4 | |
| | P | 3/ 1/1996 | -207.91 | 0.19 | 1022.09 | 01 | 06 | 1 | |
| | P | 3/ 2/1996 | -207.81 | 0.1 | 1022.19 | 01 | 06 | 1 | |
| | P | 3/ 3/1996 | -207.63 | 0.18 | 1022.37 | 01 | 06 | 1 | |
| | P | 3/ 4/1996 | -207.96 | -0.33 | 1022.04 | 01 | 06 | 1 | |
| | P | 3/ 5/1996 | -207.86 | 0.1 | 1022.14 | 01 | 06 | 1 | |
| | P | 3/ 6/1996 | -207.84 | 0.02 | 1022.16 | 01 | 06 | 1 | |
| | P | 3/ 7/1996 | -208.26 | -0.42 | 1021.74 | 01 | 06 | 1 | |
| | P | 3/ 8/1996 | -208.86 | -0.6 | 1021.14 | 01 | 06 | 1 | |
| | P | 3/ 9/1996 | -209.18 | -0.32 | 1020.82 | 01 | 06 | 1 | |
| | P | 3/10/1996 | -209.61 | -0.43 | 1020.39 | 01 | 06 | 1 | |
| | P | 3/11/1996 | -209.8 | -0.19 | 1020.2 | 01 | 06 | 1 | |
| | P | 3/12/1996 | -209.63 | 0.17 | 1020.37 | 01 | 06 | 1 | |
| | P | 3/13/1996 | -209.78 | -0.15 | 1020.22 | 01 | 06 | 1 | |
| | P | 3/14/1996 | -210.41 | -0.63 | 1019.59 | 01 | 06 | 1 | |
| | P | 3/15/1996 | -210.41 | | 1019.59 | 01 | 06 | 4 | |
| | P | 3/16/1996 | -210.94 | -0.53 | 1019.06 | 01 | 06 | 1 | |
| | P | 3/17/1996 | -210.99 | -0.05 | 1019.01 | 01 | 06 | 1 | |
| | P | 3/18/1996 | -210.98 | 0.01 | 1019.02 | 01 | 06 | 1 | |
| | P | 3/19/1996 | -211.23 | -0.25 | 1018.77 | 01 | 06 | 1 | |
| | P | 3/20/1996 | -211.46 | -0.23 | 1018.54 | 01 | 06 | 1 | |
| | P | 3/21/1996 | -211.68 | -0.22 | 1018.32 | 01 | 06 | 1 | |
| | P | 3/22/1996 | -211.76 | -0.08 | 1018.24 | 01 | 06 | 1 | |
| | P | 3/23/1996 | -211.94 | -0.18 | 1018.06 | 01 | 06 | 1 | |
| | P | 3/24/1996 | -212.11 | -0.17 | 1017.89 | 01 | 06 | 1 | |
| | P | 3/25/1996 | -212.27 | -0.16 | 1017.73 | 01 | 06 | 1 | |
| | P | 3/26/1996 | -212.54 | -0.27 | 1017.46 | 01 | 06 | 1 | |
| | P | 3/27/1996 | -212.71 | -0.17 | 1017.29 | 01 | 06 | 1 | |
| | P | 3/28/1996 | -212.58 | 0.13 | 1017.42 | 01 | 06 | 1 | |
| | P | 3/29/1996 | -212.46 | 0.12 | 1017.54 | 01 | 06 | 1 | |
| | P | 3/30/1996 | -212.43 | 0.03 | 1017.57 | 01 | 06 | 4 | |
| | P | 3/31/1996 | -212.78 | -0.35 | 1017.22 | 01 | 06 | 1 | |
| | P | 4/ 1/1996 | -213.31 | -0.53 | 1016.69 | 01 | 06 | 1 | |
| | P | 4/ 2/1996 | -213.57 | -0.26 | 1016.43 | 01 | 06 | 1 | |
| | P | 4/ 3/1996 | -213.98 | -0.41 | 1016.02 | 01 | 06 | 1 | |
| | P | 4/ 4/1996 | -213.67 | 0.31 | 1016.33 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 5/1996 | -213.87 | -0.2 | 1016.13 | 01 | 06 | 1 | |
| | P | 4/ 6/1996 | -213.91 | -0.04 | 1016.09 | 01 | 06 | 1 | |
| | P | 4/ 7/1996 | -213.44 | 0.47 | 1016.56 | 01 | 06 | 1 | |
| | P | 4/ 8/1996 | -213.4 | 0.04 | 1016.6 | 01 | 06 | 1 | |
| | P | 4/ 9/1996 | -213.54 | -0.14 | 1016.46 | 01 | 06 | 1 | |
| | P | 4/10/1996 | -213.8 | -0.26 | 1016.2 | 01 | 06 | 1 | |
| | P | 4/11/1996 | -214.06 | -0.26 | 1015.94 | 01 | 06 | 1 | |
| | P | 4/12/1996 | -214.06 | | 1015.94 | 01 | 06 | 1 | |
| | P | 4/13/1996 | -214.47 | -0.41 | 1015.53 | 01 | 06 | 1 | |
| | P | 4/14/1996 | -214.92 | -0.45 | 1015.08 | 01 | 06 | 1 | |
| | P | 4/15/1996 | -215.64 | -0.72 | 1014.36 | 01 | 06 | 4 | |
| | P | 4/16/1996 | -215.8 | -0.16 | 1014.2 | 01 | 06 | 1 | |
| | P | 4/17/1996 | -215.55 | 0.25 | 1014.45 | 01 | 06 | 1 | |
| | P | 4/18/1996 | -215.62 | -0.07 | 1014.38 | 01 | 06 | 1 | |
| | P | 4/19/1996 | -215.61 | 0.01 | 1014.39 | 01 | 06 | 1 | |
| | P | 4/20/1996 | -214.96 | 0.65 | 1015.04 | 01 | 06 | 1 | |
| | P | 4/21/1996 | -214.71 | 0.25 | 1015.29 | 01 | 06 | 1 | |
| | P | 4/22/1996 | -214.95 | -0.24 | 1015.05 | 01 | 06 | 1 | |
| | P | 4/23/1996 | -214.37 | 0.58 | 1015.63 | 01 | 06 | 1 | |
| | P | 4/24/1996 | -214.64 | -0.27 | 1015.36 | 01 | 06 | 1 | |
| | P | 4/25/1996 | -214.73 | -0.09 | 1015.27 | 01 | 06 | 1 | |
| | P | 4/26/1996 | -213.69 | 1.04 | 1016.31 | 01 | 06 | 1 | |
| | P | 4/27/1996 | -213.81 | -0.12 | 1016.19 | 01 | 06 | 1 | |
| | P | 4/28/1996 | -213.6 | 0.21 | 1016.4 | 01 | 06 | 1 | |
| | P | 4/29/1996 | -213.23 | 0.37 | 1016.77 | 01 | 06 | 1 | |
| | P | 4/30/1996 | -213.32 | -0.09 | 1016.68 | 01 | 06 | 4 | |
| | P | 5/ 1/1996 | -213.2 | 0.12 | 1016.8 | 01 | 06 | 1 | |
| | P | 5/ 2/1996 | -213.29 | -0.09 | 1016.71 | 01 | 06 | 1 | |
| | P | 5/ 3/1996 | -213.38 | -0.09 | 1016.62 | 01 | 06 | 1 | |
| | P | 5/ 4/1996 | -213.1 | 0.28 | 1016.9 | 01 | 06 | 1 | |
| | P | 5/ 5/1996 | -212.07 | 1.03 | 1017.93 | 01 | 06 | 1 | |
| | P | 5/ 6/1996 | -212.13 | -0.06 | 1017.87 | 01 | 06 | 1 | |
| | P | 5/ 7/1996 | -212.07 | 0.06 | 1017.93 | 01 | 06 | 1 | |
| | P | 5/ 8/1996 | -211.97 | 0.1 | 1018.03 | 01 | 06 | 1 | |
| | P | 5/ 9/1996 | -212.38 | -0.41 | 1017.62 | 01 | 06 | 1 | |
| | P | 5/10/1996 | -213.52 | -1.14 | 1016.48 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 11/ 1996 | -215.17 | -1.65 | 1014.83 | 01 | 06 | 1 | |
| | P | 5/ 12/ 1996 | -214.96 | 0.21 | 1015.04 | 01 | 06 | 1 | |
| | P | 5/ 13/ 1996 | -214.88 | 0.08 | 1015.12 | 01 | 06 | 1 | |
| | P | 5/ 14/ 1996 | -215.75 | -0.87 | 1014.25 | 01 | 06 | 1 | |
| | P | 5/ 15/ 1996 | -216.63 | -0.88 | 1013.37 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1996 | -217.38 | -0.75 | 1012.62 | 01 | 06 | 1 | |
| | P | 5/ 17/ 1996 | -218.13 | -0.75 | 1011.87 | 01 | 06 | 1 | |
| | P | 5/ 18/ 1996 | -218.64 | -0.51 | 1011.36 | 01 | 06 | 1 | |
| | P | 5/ 19/ 1996 | -219.08 | -0.44 | 1010.92 | 01 | 06 | 1 | |
| | P | 5/ 20/ 1996 | -219.38 | -0.3 | 1010.62 | 01 | 06 | 1 | |
| | P | 5/ 21/ 1996 | -219.84 | -0.46 | 1010.16 | 01 | 06 | 1 | |
| | P | 5/ 22/ 1996 | -220.3 | -0.46 | 1009.7 | 01 | 06 | 1 | |
| | P | 5/ 23/ 1996 | -220.5 | -0.2 | 1009.5 | 01 | 06 | 1 | |
| | P | 5/ 24/ 1996 | -220.81 | -0.31 | 1009.19 | 01 | 06 | 1 | |
| | P | 5/ 25/ 1996 | -221.35 | -0.54 | 1008.65 | 01 | 06 | 1 | |
| | P | 5/ 26/ 1996 | -221.74 | -0.39 | 1008.26 | 01 | 06 | 1 | |
| | P | 5/ 27/ 1996 | -222 | -0.26 | 1008 | 01 | 06 | 1 | |
| | P | 5/ 28/ 1996 | -221.76 | 0.24 | 1008.24 | 01 | 06 | 1 | |
| | P | 5/ 29/ 1996 | -221.71 | 0.05 | 1008.29 | 01 | 06 | 1 | |
| | P | 5/ 30/ 1996 | -221.75 | -0.04 | 1008.25 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1996 | -221.9 | -0.15 | 1008.1 | 01 | 06 | 1 | |
| | P | 6/ 1/ 1996 | -222.19 | -0.29 | 1007.81 | 01 | 06 | 1 | |
| | P | 6/ 2/ 1996 | -222.66 | -0.47 | 1007.34 | 01 | 06 | 1 | |
| | P | 6/ 3/ 1996 | -222.29 | 0.37 | 1007.71 | 01 | 06 | 1 | |
| | P | 6/ 4/ 1996 | -221.8 | 0.49 | 1008.2 | 01 | 06 | 1 | |
| | P | 6/ 5/ 1996 | -221.69 | 0.11 | 1008.31 | 01 | 06 | 1 | |
| | P | 6/ 6/ 1996 | -221.8 | -0.11 | 1008.2 | 01 | 06 | 1 | |
| | P | 6/ 7/ 1996 | -222.13 | -0.33 | 1007.87 | 01 | 06 | 1 | |
| | P | 6/ 8/ 1996 | -222.19 | -0.06 | 1007.81 | 01 | 06 | 1 | |
| | P | 6/ 9/ 1996 | -222.18 | 0.01 | 1007.82 | 01 | 06 | 1 | |
| | P | 6/ 10/ 1996 | -222.25 | -0.07 | 1007.75 | 01 | 06 | 1 | |
| | P | 6/ 11/ 1996 | -222.6 | -0.35 | 1007.4 | 01 | 06 | 1 | |
| | P | 6/ 12/ 1996 | -223.14 | -0.54 | 1006.86 | 01 | 06 | 1 | |
| | P | 6/ 13/ 1996 | -223.5 | -0.36 | 1006.5 | 01 | 06 | 1 | |
| | P | 6/ 14/ 1996 | -223.83 | -0.33 | 1006.17 | 01 | 06 | 1 | |
| | P | 6/ 15/ 1996 | -223.83 | | 1006.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/16/1996 | -224.73 | -0.9 | 1005.27 | 01 | 06 | 1 | |
| | P | 6/17/1996 | -225.01 | -0.28 | 1004.99 | 01 | 06 | 1 | |
| | P | 6/18/1996 | -225.25 | -0.24 | 1004.75 | 01 | 06 | 1 | |
| | P | 6/19/1996 | -225.43 | -0.18 | 1004.57 | 01 | 06 | 1 | |
| | P | 6/20/1996 | -225.91 | -0.48 | 1004.09 | 01 | 06 | 1 | |
| | P | 6/21/1996 | -226.17 | -0.26 | 1003.83 | 01 | 06 | 1 | |
| | P | 6/22/1996 | -226.62 | -0.45 | 1003.38 | 01 | 06 | 1 | |
| | P | 6/23/1996 | -227.03 | -0.41 | 1002.97 | 01 | 06 | 1 | |
| | P | 6/24/1996 | -227.47 | -0.44 | 1002.53 | 01 | 06 | 1 | |
| | P | 6/25/1996 | -227.5 | -0.03 | 1002.5 | 01 | 06 | 1 | |
| | P | 6/26/1996 | -226.38 | 1.12 | 1003.62 | 01 | 06 | 1 | |
| | P | 6/27/1996 | -225.48 | 0.9 | 1004.52 | 01 | 06 | 1 | |
| | P | 6/28/1996 | -225.2 | 0.28 | 1004.8 | 01 | 06 | 1 | |
| | P | 6/29/1996 | -225.43 | -0.23 | 1004.57 | 01 | 06 | 1 | |
| | P | 6/30/1996 | -225.72 | -0.29 | 1004.28 | 01 | 06 | 4 | |
| | P | 7/ 1/1996 | -225.97 | -0.25 | 1004.03 | 01 | 06 | 1 | |
| | P | 7/ 2/1996 | -226.39 | -0.42 | 1003.61 | 01 | 06 | 1 | |
| | P | 7/ 3/1996 | -226.83 | -0.44 | 1003.17 | 01 | 06 | 1 | |
| | P | 7/ 4/1996 | -227.54 | -0.71 | 1002.46 | 01 | 06 | 1 | |
| | P | 7/ 5/1996 | -227.83 | -0.29 | 1002.17 | 01 | 06 | 1 | |
| | P | 7/ 6/1996 | -228.07 | -0.24 | 1001.93 | 01 | 06 | 1 | |
| | P | 7/ 7/1996 | -228.73 | -0.66 | 1001.27 | 01 | 06 | 1 | |
| | P | 7/ 8/1996 | -228.98 | -0.25 | 1001.02 | 01 | 06 | 1 | |
| | P | 7/ 9/1996 | -229.35 | -0.37 | 1000.65 | 01 | 06 | 1 | |
| | P | 7/10/1996 | -229.85 | -0.5 | 1000.15 | 01 | 06 | 1 | |
| | P | 7/11/1996 | -229.86 | -0.01 | 1000.14 | 01 | 06 | 1 | |
| | P | 7/12/1996 | -230.09 | -0.23 | 999.91 | 01 | 06 | 1 | |
| | P | 7/13/1996 | -230.43 | -0.34 | 999.57 | 01 | 06 | 1 | |
| | P | 7/14/1996 | -230.8 | -0.37 | 999.2 | 01 | 06 | 1 | |
| | P | 7/15/1996 | -230.8 | | 999.2 | 01 | 06 | 4 | |
| | P | 7/16/1996 | -231.32 | -0.52 | 998.68 | 01 | 06 | 1 | |
| | P | 7/17/1996 | -231.45 | -0.13 | 998.55 | 01 | 06 | 1 | |
| | P | 7/18/1996 | -231.86 | -0.41 | 998.14 | 01 | 06 | 1 | |
| | P | 7/19/1996 | -232.19 | -0.33 | 997.81 | 01 | 06 | 1 | |
| | P | 7/20/1996 | -232.43 | -0.24 | 997.57 | 01 | 06 | 1 | |
| | P | 7/21/1996 | -232.74 | -0.31 | 997.26 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/22/1996 | -233.38 | -0.64 | 996.62 | 01 | 06 | 1 | |
| | P | 7/23/1996 | -233.71 | -0.33 | 996.29 | 01 | 06 | 1 | |
| | P | 7/24/1996 | -233.95 | -0.24 | 996.05 | 01 | 06 | 1 | |
| | P | 7/25/1996 | -234.19 | -0.24 | 995.81 | 01 | 06 | 1 | |
| | P | 7/26/1996 | -234.24 | -0.05 | 995.76 | 01 | 06 | 1 | |
| | P | 7/27/1996 | -234.57 | -0.33 | 995.43 | 01 | 06 | 1 | |
| | P | 7/28/1996 | -235.08 | -0.51 | 994.92 | 01 | 06 | 1 | |
| | P | 7/29/1996 | -235.15 | -0.07 | 994.85 | 01 | 06 | 1 | |
| | P | 7/30/1996 | -235.22 | -0.07 | 994.78 | 01 | 06 | 4 | |
| | P | 7/31/1996 | -235.42 | -0.2 | 994.58 | 01 | 06 | 1 | |
| | P | 8/ 1/1996 | -213.2 | 22.22 | 1016.8 | 01 | 06 | 1 | |
| | P | 8/ 2/1996 | -213.29 | -0.09 | 1016.71 | 01 | 06 | 1 | |
| | P | 8/ 3/1996 | -213.38 | -0.09 | 1016.62 | 01 | 06 | 1 | |
| | P | 8/ 4/1996 | -213.1 | 0.28 | 1016.9 | 01 | 06 | 1 | |
| | P | 8/ 5/1996 | -212.07 | 1.03 | 1017.93 | 01 | 06 | 1 | |
| | P | 8/ 6/1996 | -212.13 | -0.06 | 1017.87 | 01 | 06 | 1 | |
| | P | 8/ 7/1996 | -212.07 | 0.06 | 1017.93 | 01 | 06 | 1 | |
| | P | 8/ 8/1996 | -211.97 | 0.1 | 1018.03 | 01 | 06 | 1 | |
| | P | 8/ 9/1996 | -212.38 | -0.41 | 1017.62 | 01 | 06 | 1 | |
| | P | 8/10/1996 | -213.52 | -1.14 | 1016.48 | 01 | 06 | 1 | |
| | P | 8/11/1996 | -215.17 | -1.65 | 1014.83 | 01 | 06 | 1 | |
| | P | 8/12/1996 | -214.96 | 0.21 | 1015.04 | 01 | 06 | 1 | |
| | P | 8/13/1996 | -214.88 | 0.08 | 1015.12 | 01 | 06 | 1 | |
| | P | 8/14/1996 | -215.75 | -0.87 | 1014.25 | 01 | 06 | 1 | |
| | P | 8/15/1996 | -237.84 | -22.1 | 992.16 | 01 | 06 | 4 | |
| | P | 8/16/1996 | -238.02 | -0.18 | 991.98 | 01 | 06 | 1 | |
| | P | 8/17/1996 | -238.08 | -0.06 | 991.92 | 01 | 06 | 1 | |
| | P | 8/18/1996 | -238.36 | -0.28 | 991.64 | 01 | 06 | 1 | |
| | P | 8/19/1996 | -238.98 | -0.62 | 991.02 | 01 | 06 | 1 | |
| | P | 8/20/1996 | -239.11 | -0.13 | 990.89 | 01 | 06 | 1 | |
| | P | 8/21/1996 | -239.29 | -0.18 | 990.71 | 01 | 06 | 1 | |
| | P | 8/22/1996 | -238.91 | 0.38 | 991.09 | 01 | 06 | 1 | |
| | P | 8/23/1996 | -238.79 | 0.12 | 991.21 | 01 | 06 | 1 | |
| | P | 8/24/1996 | -238.94 | -0.15 | 991.06 | 01 | 06 | 1 | |
| | P | 8/25/1996 | -238.68 | 0.26 | 991.32 | 01 | 06 | 1 | |
| | P | 8/26/1996 | -238.09 | 0.59 | 991.91 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/27/1996 | -237.63 | 0.46 | 992.37 | 01 | 06 | 1 | |
| | P | 8/28/1996 | -236.98 | 0.65 | 993.02 | 01 | 06 | 1 | |
| | P | 8/29/1996 | -236.24 | 0.74 | 993.76 | 01 | 06 | 1 | |
| | P | 8/30/1996 | -236.05 | 0.19 | 993.95 | 01 | 06 | 4 | |
| | P | 8/31/1996 | -235.55 | 0.5 | 994.45 | 01 | 06 | 1 | |
| | P | 9/ 1/1996 | -235.26 | 0.29 | 994.74 | 01 | 06 | 1 | |
| | P | 9/ 2/1996 | -235.18 | 0.08 | 994.82 | 01 | 06 | 1 | |
| | P | 9/ 3/1996 | -235.36 | -0.18 | 994.64 | 01 | 06 | 1 | |
| | P | 9/ 4/1996 | -235.44 | -0.08 | 994.56 | 01 | 06 | 1 | |
| | P | 9/ 5/1996 | -234.96 | 0.48 | 995.04 | 01 | 06 | 1 | |
| | P | 9/ 6/1996 | -234.82 | 0.14 | 995.18 | 01 | 06 | 1 | |
| | P | 9/ 7/1996 | -234.78 | 0.04 | 995.22 | 01 | 06 | 1 | |
| | P | 9/ 8/1996 | -235.33 | -0.55 | 994.67 | 01 | 06 | 1 | |
| | P | 9/ 9/1996 | -235.89 | -0.56 | 994.11 | 01 | 06 | 1 | |
| | P | 9/10/1996 | -236.25 | -0.36 | 993.75 | 01 | 06 | 1 | |
| | P | 9/11/1996 | -236.45 | -0.2 | 993.55 | 01 | 06 | 1 | |
| | P | 9/12/1996 | -236.8 | -0.35 | 993.2 | 01 | 06 | 1 | |
| | P | 9/13/1996 | -237.12 | -0.32 | 992.88 | 01 | 06 | 1 | |
| | P | 9/14/1996 | -237.32 | -0.2 | 992.68 | 01 | 06 | 1 | |
| | P | 9/15/1996 | -237.32 | | 992.68 | 01 | 06 | 4 | |
| | P | 9/16/1996 | -237.06 | 0.26 | 992.94 | 01 | 06 | 1 | |
| | P | 9/17/1996 | -236.81 | 0.25 | 993.19 | 01 | 06 | 1 | |
| | P | 9/18/1996 | -237.1 | -0.29 | 992.9 | 01 | 06 | 1 | |
| | P | 9/19/1996 | -237.43 | -0.33 | 992.57 | 01 | 06 | 1 | |
| | P | 9/20/1996 | -236.65 | 0.78 | 993.35 | 01 | 06 | 1 | |
| | P | 9/21/1996 | -236.38 | 0.27 | 993.62 | 01 | 06 | 1 | |
| | P | 9/22/1996 | -236.76 | -0.38 | 993.24 | 01 | 06 | 1 | |
| | P | 9/23/1996 | -236.98 | -0.22 | 993.02 | 01 | 06 | 1 | |
| | P | 9/24/1996 | -237.6 | -0.62 | 992.4 | 01 | 06 | 1 | |
| | P | 9/25/1996 | -237.51 | 0.09 | 992.49 | 01 | 06 | 1 | |
| | P | 9/26/1996 | -236.16 | 1.35 | 993.84 | 01 | 06 | 1 | |
| | P | 9/27/1996 | -235.96 | 0.2 | 994.04 | 01 | 06 | 1 | |
| | P | 9/28/1996 | -236.5 | -0.54 | 993.5 | 01 | 06 | 1 | |
| | P | 9/29/1996 | -236.88 | -0.38 | 993.12 | 01 | 06 | 1 | |
| | P | 9/30/1996 | -237.45 | -0.57 | 992.55 | 01 | 06 | 4 | |
| | P | 10/ 1/1996 | -237.89 | -0.44 | 992.11 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 2/1996 | -238.39 | -0.5 | 991.61 | 01 | 06 | 1 | |
| | P | 10/ 3/1996 | -238.76 | -0.37 | 991.24 | 01 | 06 | 1 | |
| | P | 10/ 4/1996 | -239.22 | -0.46 | 990.78 | 01 | 06 | 1 | |
| | P | 10/ 5/1996 | -240.02 | -0.8 | 989.98 | 01 | 06 | 1 | |
| | P | 10/ 6/1996 | -240.07 | -0.05 | 989.93 | 01 | 06 | 1 | |
| | P | 10/ 7/1996 | -240.4 | -0.33 | 989.6 | 01 | 06 | 1 | |
| | P | 10/ 8/1996 | -240.66 | -0.26 | 989.34 | 01 | 06 | 1 | |
| | P | 10/ 9/1996 | -241.03 | -0.37 | 988.97 | 01 | 06 | 1 | |
| | P | 10/10/1996 | -241.34 | -0.31 | 988.66 | 01 | 06 | 1 | |
| | P | 10/11/1996 | -241.9 | -0.56 | 988.1 | 01 | 06 | 1 | |
| | P | 10/12/1996 | -242.39 | -0.49 | 987.61 | 01 | 06 | 1 | |
| | P | 10/13/1996 | -242.99 | -0.6 | 987.01 | 01 | 06 | 1 | |
| | P | 10/14/1996 | -243.6 | -0.61 | 986.4 | 01 | 06 | 1 | |
| | P | 10/15/1996 | -243.94 | -0.34 | 986.06 | 01 | 06 | 4 | |
| | P | 10/16/1996 | -244.1 | -0.16 | 985.9 | 01 | 06 | 1 | |
| | P | 10/17/1996 | -244.89 | -0.79 | 985.11 | 01 | 06 | 1 | |
| | P | 10/18/1996 | -245.09 | -0.2 | 984.91 | 01 | 06 | 1 | |
| | P | 10/19/1996 | -246.08 | -0.99 | 983.92 | 01 | 06 | 1 | |
| | P | 10/20/1996 | -246.08 | | 983.92 | 01 | 06 | 1 | |
| | P | 10/21/1996 | -246.63 | -0.55 | 983.37 | 01 | 06 | 1 | |
| | P | 10/22/1996 | -246.83 | -0.2 | 983.17 | 01 | 06 | 1 | |
| | P | 10/23/1996 | -247.39 | -0.56 | 982.61 | 01 | 06 | 1 | |
| | P | 10/24/1996 | -247.8 | -0.41 | 982.2 | 01 | 06 | 1 | |
| | P | 10/25/1996 | -247.99 | -0.19 | 982.01 | 01 | 06 | 1 | |
| | P | 10/26/1996 | -248.28 | -0.29 | 981.72 | 01 | 06 | 1 | |
| | P | 10/27/1996 | -248.72 | -0.44 | 981.28 | 01 | 06 | 1 | |
| | P | 10/28/1996 | -249.27 | -0.55 | 980.73 | 01 | 06 | 1 | |
| | P | 10/29/1996 | -249.48 | -0.21 | 980.52 | 01 | 06 | 1 | |
| | P | 10/30/1996 | -249.48 | | 980.52 | 01 | 06 | 4 | |
| | P | 10/31/1996 | -249.58 | -0.1 | 980.42 | 01 | 06 | 1 | |
| | P | 11/ 1/1996 | -249.58 | | 980.42 | 01 | 06 | 1 | |
| | P | 11/ 2/1996 | -249.58 | | 980.42 | 01 | 06 | 1 | |
| | P | 11/ 3/1996 | -249.86 | -0.28 | 980.14 | 01 | 06 | 1 | |
| | P | 11/ 4/1996 | -249.88 | -0.02 | 980.12 | 01 | 06 | 1 | |
| | P | 11/ 5/1996 | -249.88 | | 980.12 | 01 | 06 | 1 | |
| | P | 11/ 6/1996 | -249.88 | | 980.12 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 7/1996 | -249.88 | | 980.12 | 01 | 06 | 1 | |
| | P | 11/ 8/1996 | -250.36 | -0.48 | 979.64 | 01 | 06 | 1 | |
| | P | 11/ 9/1996 | -250.68 | -0.32 | 979.32 | 01 | 06 | 1 | |
| | P | 11/10/1996 | -250.85 | -0.17 | 979.15 | 01 | 06 | 1 | |
| | P | 11/11/1996 | -251.82 | -0.97 | 978.18 | 01 | 06 | 1 | |
| | P | 11/12/1996 | -251.88 | -0.06 | 978.12 | 01 | 06 | 1 | |
| | P | 11/13/1996 | -251.88 | | 978.12 | 01 | 06 | 1 | |
| | P | 11/14/1996 | -252.3 | -0.42 | 977.7 | 01 | 06 | 1 | |
| | P | 11/15/1996 | -251.41 | 0.89 | 978.59 | 01 | 06 | 4 | |
| | P | 11/16/1996 | -251.32 | 0.09 | 978.68 | 01 | 06 | 1 | |
| | P | 11/17/1996 | -251.54 | -0.22 | 978.46 | 01 | 06 | 1 | |
| | P | 11/18/1996 | -251.35 | 0.19 | 978.65 | 01 | 06 | 1 | |
| | P | 11/19/1996 | -251.31 | 0.04 | 978.69 | 01 | 06 | 1 | |
| | P | 11/20/1996 | -251.38 | -0.07 | 978.62 | 01 | 06 | 1 | |
| | P | 11/21/1996 | -251.56 | -0.18 | 978.44 | 01 | 06 | 1 | |
| | P | 11/22/1996 | -252.2 | -0.64 | 977.8 | 01 | 06 | 1 | |
| | P | 11/23/1996 | -252.24 | -0.04 | 977.76 | 01 | 06 | 1 | |
| | P | 11/24/1996 | -252.26 | -0.02 | 977.74 | 01 | 06 | 1 | |
| | P | 11/25/1996 | -251.78 | 0.48 | 978.22 | 01 | 06 | 1 | |
| | P | 11/26/1996 | -251.47 | 0.31 | 978.53 | 01 | 06 | 1 | |
| | P | 11/27/1996 | -251.29 | 0.18 | 978.71 | 01 | 06 | 1 | |
| | P | 11/28/1996 | -251.67 | -0.38 | 978.33 | 01 | 06 | 1 | |
| | P | 11/29/1996 | -251.13 | 0.54 | 978.87 | 01 | 06 | 1 | |
| | P | 11/30/1996 | -250.09 | 1.04 | 979.91 | 01 | 06 | 4 | |
| | P | 12/ 1/1996 | -249.3 | 0.79 | 980.7 | 01 | 06 | 1 | |
| | P | 12/ 2/1996 | -249.22 | 0.08 | 980.78 | 01 | 06 | 1 | |
| | P | 12/ 3/1996 | -249.33 | -0.11 | 980.67 | 01 | 06 | 1 | |
| | P | 12/ 4/1996 | -249.64 | -0.31 | 980.36 | 01 | 06 | 1 | |
| | P | 12/ 5/1996 | -248.71 | 0.93 | 981.29 | 01 | 06 | 1 | |
| | P | 12/ 6/1996 | -248.51 | 0.2 | 981.49 | 01 | 06 | 1 | |
| | P | 12/ 7/1996 | -248.98 | -0.47 | 981.02 | 01 | 06 | 1 | |
| | P | 12/ 8/1996 | -249.49 | -0.51 | 980.51 | 01 | 06 | 1 | |
| | P | 12/ 9/1996 | -249.89 | -0.4 | 980.11 | 01 | 06 | 1 | |
| | P | 12/10/1996 | -250.11 | -0.22 | 979.89 | 01 | 06 | 1 | |
| | P | 12/11/1996 | -250.45 | -0.34 | 979.55 | 01 | 06 | 1 | |
| | P | 12/12/1996 | -250.77 | -0.32 | 979.23 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 13/ 1996 | -243.39 | 7.38 | 986.61 | 01 | 06 | 1 | |
| | P | 12 / 14/ 1996 | -243.6 | -0.21 | 986.4 | 01 | 06 | 1 | |
| | P | 12 / 15/ 1996 | -243.94 | -0.34 | 986.06 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1996 | -244.1 | -0.16 | 985.9 | 01 | 06 | 1 | |
| | P | 12 / 17/ 1996 | -244.89 | -0.79 | 985.11 | 01 | 06 | 1 | |
| | P | 12 / 18/ 1996 | -245.09 | -0.2 | 984.91 | 01 | 06 | 1 | |
| | P | 12 / 19/ 1996 | -246.08 | -0.99 | 983.92 | 01 | 06 | 1 | |
| | P | 12 / 20/ 1996 | -246.08 | | 983.92 | 01 | 06 | 1 | |
| | P | 12 / 21/ 1996 | -246.63 | -0.55 | 983.37 | 01 | 06 | 1 | |
| | P | 12 / 22/ 1996 | -246.83 | -0.2 | 983.17 | 01 | 06 | 1 | |
| | P | 12 / 23/ 1996 | -247.39 | -0.56 | 982.61 | 01 | 06 | 1 | |
| | P | 12 / 24/ 1996 | -247.8 | -0.41 | 982.2 | 01 | 06 | 1 | |
| | P | 12 / 25/ 1996 | -247.99 | -0.19 | 982.01 | 01 | 06 | 1 | |
| | P | 12 / 26/ 1996 | -248.28 | -0.29 | 981.72 | 01 | 06 | 1 | |
| | P | 12 / 27/ 1996 | -248.72 | -0.44 | 981.28 | 01 | 06 | 1 | |
| | P | 12 / 28/ 1996 | -249.27 | -0.55 | 980.73 | 01 | 06 | 1 | |
| | P | 12 / 29/ 1996 | -249.48 | -0.21 | 980.52 | 01 | 06 | 1 | |
| | P | 12 / 30/ 1996 | -249.48 | | 980.52 | 01 | 06 | 4 | |
| | P | 12 / 31/ 1996 | -249.58 | -0.1 | 980.42 | 01 | 06 | 1 | |
| | P | 1 / 1 / 1997 | -246.61 | 2.97 | 983.39 | 01 | 06 | 1 | |
| | P | 1 / 2 / 1997 | -245.08 | 1.53 | 984.92 | 01 | 06 | 1 | |
| | P | 1 / 3 / 1997 | -244.48 | 0.6 | 985.52 | 01 | 06 | 1 | |
| | P | 1 / 4 / 1997 | -244.36 | 0.12 | 985.64 | 01 | 06 | 1 | |
| | P | 1 / 5 / 1997 | -244.65 | -0.29 | 985.35 | 01 | 06 | 1 | |
| | P | 1 / 6 / 1997 | -245.05 | -0.4 | 984.95 | 01 | 06 | 1 | |
| | P | 1 / 7 / 1997 | -245.63 | -0.58 | 984.37 | 01 | 06 | 1 | |
| | P | 1 / 8 / 1997 | -246.32 | -0.69 | 983.68 | 01 | 06 | 1 | |
| | P | 1 / 9 / 1997 | -244.38 | 1.94 | 985.62 | 01 | 06 | 1 | |
| | P | 1 / 10/ 1997 | -242.92 | 1.46 | 987.08 | 01 | 06 | 1 | |
| | P | 1 / 11/ 1997 | -242.41 | 0.51 | 987.59 | 01 | 06 | 1 | |
| | P | 1 / 12/ 1997 | -242.39 | 0.02 | 987.61 | 01 | 06 | 1 | |
| | P | 1 / 13/ 1997 | -242.61 | -0.22 | 987.39 | 01 | 06 | 1 | |
| | P | 1 / 14/ 1997 | -242.64 | -0.03 | 987.36 | 01 | 06 | 1 | |
| | P | 1 / 15/ 1997 | -242.64 | | 987.36 | 01 | 06 | 4 | |
| | P | 1 / 16/ 1997 | -242.71 | -0.07 | 987.29 | 01 | 06 | 1 | |
| | P | 1 / 17/ 1997 | -243.11 | -0.4 | 986.89 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 18/ 1997 | -243.58 | -0.47 | 986.42 | 01 | 06 | 1 | |
| | P | 1/ 19/ 1997 | -243.86 | -0.28 | 986.14 | 01 | 06 | 1 | |
| | P | 1/ 20/ 1997 | -244.24 | -0.38 | 985.76 | 01 | 06 | 1 | |
| | P | 1/ 21/ 1997 | -244.36 | -0.12 | 985.64 | 01 | 06 | 1 | |
| | P | 1/ 22/ 1997 | -244.4 | -0.04 | 985.6 | 01 | 06 | 1 | |
| | P | 1/ 23/ 1997 | -244.48 | -0.08 | 985.52 | 01 | 06 | 1 | |
| | P | 1/ 24/ 1997 | -242.9 | 1.58 | 987.1 | 01 | 06 | 1 | |
| | P | 1/ 25/ 1997 | -243.37 | -0.47 | 986.63 | 01 | 06 | 1 | |
| | P | 1/ 26/ 1997 | -243.86 | -0.49 | 986.14 | 01 | 06 | 1 | |
| | P | 1/ 27/ 1997 | -244.19 | -0.33 | 985.81 | 01 | 06 | 1 | |
| | P | 1/ 28/ 1997 | -244.78 | -0.59 | 985.22 | 01 | 06 | 1 | |
| | P | 1/ 29/ 1997 | -243.59 | 1.19 | 986.41 | 01 | 06 | 1 | |
| | P | 1/ 30/ 1997 | -243.54 | 0.05 | 986.46 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1997 | -244.07 | -0.53 | 985.93 | 01 | 06 | 1 | |
| | P | 2/ 1/ 1997 | -244.63 | -0.56 | 985.37 | 01 | 06 | 1 | |
| | P | 2/ 2/ 1997 | -245.51 | -0.88 | 984.49 | 01 | 06 | 1 | |
| | P | 2/ 3/ 1997 | -245.85 | -0.34 | 984.15 | 01 | 06 | 1 | |
| | P | 2/ 4/ 1997 | -246.25 | -0.4 | 983.75 | 01 | 06 | 1 | |
| | P | 2/ 5/ 1997 | -246.86 | -0.61 | 983.14 | 01 | 06 | 1 | |
| | P | 2/ 6/ 1997 | -247.28 | -0.42 | 982.72 | 01 | 06 | 1 | |
| | P | 2/ 7/ 1997 | -247.6 | -0.32 | 982.4 | 01 | 06 | 1 | |
| | P | 2/ 8/ 1997 | -248.32 | -0.72 | 981.68 | 01 | 06 | 1 | |
| | P | 2/ 9/ 1997 | -248.51 | -0.19 | 981.49 | 01 | 06 | 1 | |
| | P | 2/ 10/ 1997 | -248.69 | -0.18 | 981.31 | 01 | 06 | 1 | |
| | P | 2/ 11/ 1997 | -248.9 | -0.21 | 981.1 | 01 | 06 | 1 | |
| | P | 2/ 12/ 1997 | -248.76 | 0.14 | 981.24 | 01 | 06 | 1 | |
| | P | 2/ 13/ 1997 | -243.95 | 4.81 | 986.05 | 01 | 06 | 1 | |
| | P | 2/ 14/ 1997 | -240.92 | 3.03 | 989.08 | 01 | 06 | 1 | |
| | P | 2/ 15/ 1997 | -239.57 | 1.35 | 990.43 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1997 | -238.58 | 0.99 | 991.42 | 01 | 06 | 1 | |
| | P | 2/ 17/ 1997 | -237.88 | 0.7 | 992.12 | 01 | 06 | 1 | |
| | P | 2/ 18/ 1997 | -237.43 | 0.45 | 992.57 | 01 | 06 | 1 | |
| | P | 2/ 19/ 1997 | -237.18 | 0.25 | 992.82 | 01 | 06 | 1 | |
| | P | 2/ 20/ 1997 | -236.33 | 0.85 | 993.67 | 01 | 06 | 1 | |
| | P | 2/ 21/ 1997 | -233.68 | 2.65 | 996.32 | 01 | 06 | 1 | |
| | P | 2/ 22/ 1997 | -231.79 | 1.89 | 998.21 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/23/1997 | -230.79 | 1 | 999.21 | 01 | 06 | 1 | |
| | P | 2/24/1997 | -230.52 | 0.27 | 999.48 | 01 | 06 | 1 | |
| | P | 2/25/1997 | -230.52 | | 999.48 | 01 | 06 | 1 | |
| | P | 2/26/1997 | -230.52 | | 999.48 | 01 | 06 | 1 | |
| | P | 2/27/1997 | -230.51 | 0.01 | 999.49 | 01 | 06 | 1 | |
| | P | 2/28/1997 | -230.5 | 0.01 | 999.5 | 01 | 06 | 4 | |
| | P | 3/ 1/1997 | -230.51 | -0.01 | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 2/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 3/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 4/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 5/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 6/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 7/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 8/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/ 9/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/10/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/11/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/12/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/13/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/14/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/15/1997 | -230.51 | | 999.49 | 01 | 06 | 4 | |
| | P | 3/16/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/17/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/18/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/19/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/20/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/21/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/22/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/23/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/24/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/25/1997 | -230.51 | | 999.49 | 01 | 06 | 1 | |
| | P | 3/26/1997 | -219.55 | 10.96 | 1010.45 | 01 | 06 | 1 | |
| | P | 3/27/1997 | -219.22 | 0.33 | 1010.78 | 01 | 06 | 1 | |
| | P | 3/28/1997 | -219.22 | | 1010.78 | 01 | 06 | 1 | |
| | P | 3/29/1997 | -219.33 | -0.11 | 1010.67 | 01 | 06 | 1 | |
| | P | 3/30/1997 | -219.49 | -0.16 | 1010.51 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1997 | -219.64 | -0.15 | 1010.36 | 01 | 06 | 1 | |
| | P | 4/ 1/1997 | -219.35 | 0.29 | 1010.65 | 01 | 06 | 1 | |
| | P | 4/ 2/1997 | -219.15 | 0.2 | 1010.85 | 01 | 06 | 1 | |
| | P | 4/ 3/1997 | -217.71 | 1.44 | 1012.29 | 01 | 06 | 1 | |
| | P | 4/ 4/1997 | -216.15 | 1.56 | 1013.85 | 01 | 06 | 1 | |
| | P | 4/ 5/1997 | -214.6 | 1.55 | 1015.4 | 01 | 06 | 1 | |
| | P | 4/ 6/1997 | -213.99 | 0.61 | 1016.01 | 01 | 06 | 1 | |
| | P | 4/ 7/1997 | -213.21 | 0.78 | 1016.79 | 01 | 06 | 1 | |
| | P | 4/ 8/1997 | -212.79 | 0.42 | 1017.21 | 01 | 06 | 1 | |
| | P | 4/ 9/1997 | -212.42 | 0.37 | 1017.58 | 01 | 06 | 1 | |
| | P | 4/10/1997 | -212.14 | 0.28 | 1017.86 | 01 | 06 | 1 | |
| | P | 4/11/1997 | -212.14 | | 1017.86 | 01 | 06 | 1 | |
| | P | 4/12/1997 | -212.07 | 0.07 | 1017.93 | 01 | 06 | 1 | |
| | P | 4/13/1997 | -212.09 | -0.02 | 1017.91 | 01 | 06 | 1 | |
| | P | 4/14/1997 | -212.02 | 0.07 | 1017.98 | 01 | 06 | 1 | |
| | P | 4/15/1997 | -211.98 | 0.04 | 1018.02 | 01 | 06 | 4 | |
| | P | 4/16/1997 | -211.9 | 0.08 | 1018.1 | 01 | 06 | 1 | |
| | P | 4/17/1997 | -211.96 | -0.06 | 1018.04 | 01 | 06 | 1 | |
| | P | 4/18/1997 | -211.99 | -0.03 | 1018.01 | 01 | 06 | 1 | |
| | P | 4/19/1997 | -211.78 | 0.21 | 1018.22 | 01 | 06 | 1 | |
| | P | 4/20/1997 | -211.81 | -0.03 | 1018.19 | 01 | 06 | 1 | |
| | P | 4/21/1997 | -211.78 | 0.03 | 1018.22 | 01 | 06 | 1 | |
| | P | 4/22/1997 | -211.75 | 0.03 | 1018.25 | 01 | 06 | 1 | |
| | P | 4/23/1997 | -212.29 | -0.54 | 1017.71 | 01 | 06 | 1 | |
| | P | 4/24/1997 | -212.14 | 0.15 | 1017.86 | 01 | 06 | 1 | |
| | P | 4/25/1997 | -212.23 | -0.09 | 1017.77 | 01 | 06 | 1 | |
| | P | 4/26/1997 | -212.26 | -0.03 | 1017.74 | 01 | 06 | 1 | |
| | P | 4/27/1997 | -211.6 | 0.66 | 1018.4 | 01 | 06 | 1 | |
| | P | 4/28/1997 | -211.11 | 0.49 | 1018.89 | 01 | 06 | 1 | |
| | P | 4/29/1997 | -210.92 | 0.19 | 1019.08 | 01 | 06 | 1 | |
| | P | 4/30/1997 | -210.88 | 0.04 | 1019.12 | 01 | 06 | 4 | |
| | P | 5/ 1/1997 | -210.36 | 0.52 | 1019.64 | 01 | 06 | 1 | |
| | P | 5/ 2/1997 | -210.66 | -0.3 | 1019.34 | 01 | 06 | 1 | |
| | P | 5/ 3/1997 | -211.07 | -0.41 | 1018.93 | 01 | 06 | 1 | |
| | P | 5/ 4/1997 | -211.41 | -0.34 | 1018.59 | 01 | 06 | 1 | |
| | P | 5/ 5/1997 | -211.35 | 0.06 | 1018.65 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1997 | -211.38 | -0.03 | 1018.62 | 01 | 06 | 1 | |
| | P | 5/ 7/1997 | -211.15 | 0.23 | 1018.85 | 01 | 06 | 1 | |
| | P | 5/ 8/1997 | -211.23 | -0.08 | 1018.77 | 01 | 06 | 1 | |
| | P | 5/ 9/1997 | -211.27 | -0.04 | 1018.73 | 01 | 06 | 1 | |
| | P | 5/10/1997 | -210.72 | 0.55 | 1019.28 | 01 | 06 | 1 | |
| | P | 5/11/1997 | -210.41 | 0.31 | 1019.59 | 01 | 06 | 1 | |
| | P | 5/12/1997 | -210.34 | 0.07 | 1019.66 | 01 | 06 | 1 | |
| | P | 5/13/1997 | -210.28 | 0.06 | 1019.72 | 01 | 06 | 1 | |
| | P | 5/14/1997 | -210.26 | 0.02 | 1019.74 | 01 | 06 | 1 | |
| | P | 5/15/1997 | -210.37 | -0.11 | 1019.63 | 01 | 06 | 4 | |
| | P | 5/16/1997 | -210.36 | 0.01 | 1019.64 | 01 | 06 | 1 | |
| | P | 5/17/1997 | -210.01 | 0.35 | 1019.99 | 01 | 06 | 1 | |
| | P | 5/18/1997 | -209.89 | 0.12 | 1020.11 | 01 | 06 | 1 | |
| | P | 5/19/1997 | -209.83 | 0.06 | 1020.17 | 01 | 06 | 1 | |
| | P | 5/20/1997 | -209.78 | 0.05 | 1020.22 | 01 | 06 | 1 | |
| | P | 5/21/1997 | -209.77 | 0.01 | 1020.23 | 01 | 06 | 1 | |
| | P | 5/22/1997 | -209.45 | 0.32 | 1020.55 | 01 | 06 | 1 | |
| | P | 5/23/1997 | -208.32 | 1.13 | 1021.68 | 01 | 06 | 1 | |
| | P | 5/24/1997 | -207.19 | 1.13 | 1022.81 | 01 | 06 | 1 | |
| | P | 5/25/1997 | -206.67 | 0.52 | 1023.33 | 01 | 06 | 1 | |
| | P | 5/26/1997 | -206.4 | 0.27 | 1023.6 | 01 | 06 | 1 | |
| | P | 5/27/1997 | -206.21 | 0.19 | 1023.79 | 01 | 06 | 1 | |
| | P | 5/28/1997 | -205.78 | 0.43 | 1024.22 | 01 | 06 | 1 | |
| | P | 5/29/1997 | -205.44 | 0.34 | 1024.56 | 01 | 06 | 1 | |
| | P | 5/30/1997 | -205.19 | 0.25 | 1024.81 | 01 | 06 | 4 | |
| | P | 5/31/1997 | -205.07 | 0.12 | 1024.93 | 01 | 06 | 1 | |
| | P | 6/ 1/1997 | -204.85 | 0.22 | 1025.15 | 01 | 06 | 1 | |
| | P | 6/ 2/1997 | -204.66 | 0.19 | 1025.34 | 01 | 06 | 1 | |
| | P | 6/ 3/1997 | -204.62 | 0.04 | 1025.38 | 01 | 06 | 1 | |
| | P | 6/ 4/1997 | -204.57 | 0.05 | 1025.43 | 01 | 06 | 1 | |
| | P | 6/ 5/1997 | -204.33 | 0.24 | 1025.67 | 01 | 06 | 1 | |
| | P | 6/ 6/1997 | -204.24 | 0.09 | 1025.76 | 01 | 06 | 1 | |
| | P | 6/ 7/1997 | -204.11 | 0.13 | 1025.89 | 01 | 06 | 1 | |
| | P | 6/ 8/1997 | -203.89 | 0.22 | 1026.11 | 01 | 06 | 1 | |
| | P | 6/ 9/1997 | -202.61 | 1.28 | 1027.39 | 01 | 06 | 1 | |
| | P | 6/10/1997 | -202.46 | 0.15 | 1027.54 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 11/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 12/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 13/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 14/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 15/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 4 | |
| | P | 6/ 16/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 17/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 18/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 19/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 20/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 21/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 22/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 23/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 24/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 25/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 26/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 27/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 28/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 29/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 6/ 30/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 4 | |
| | P | 7/ 1/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 2/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 3/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 4/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 5/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 6/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 7/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 8/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 9/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 10/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 11/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 12/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 13/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 14/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/ 15/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 4 | |
| | P | 7/ 16/ 1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/17/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/18/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/19/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/20/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/21/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/22/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/23/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/24/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/25/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/26/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/27/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/28/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/29/1997 | -202.46 | | 1027.54 | 01 | 06 | 1 | |
| | P | 7/30/1997 | -196.56 | 5.9 | 1033.44 | 01 | 06 | 4 | |
| | P | 7/31/1997 | -196.3 | 0.26 | 1033.7 | 01 | 06 | 1 | |
| | P | 8/ 1/1997 | -196.32 | -0.02 | 1033.68 | 01 | 06 | 1 | |
| | P | 8/ 2/1997 | -196.45 | -0.13 | 1033.55 | 01 | 06 | 1 | |
| | P | 8/ 3/1997 | -196.91 | -0.46 | 1033.09 | 01 | 06 | 1 | |
| | P | 8/ 4/1997 | -196.9 | 0.01 | 1033.1 | 01 | 06 | 1 | |
| | P | 8/ 5/1997 | -196.94 | -0.04 | 1033.06 | 01 | 06 | 1 | |
| | P | 8/ 6/1997 | -196.84 | 0.1 | 1033.16 | 01 | 06 | 1 | |
| | P | 8/ 7/1997 | -197.07 | -0.23 | 1032.93 | 01 | 06 | 1 | |
| | P | 8/ 8/1997 | -196.8 | 0.27 | 1033.2 | 01 | 06 | 1 | |
| | P | 8/ 9/1997 | -196.53 | 0.27 | 1033.47 | 01 | 06 | 1 | |
| | P | 8/10/1997 | -196.39 | 0.14 | 1033.61 | 01 | 06 | 1 | |
| | P | 8/11/1997 | -196.36 | 0.03 | 1033.64 | 01 | 06 | 1 | |
| | P | 8/12/1997 | -196.47 | -0.11 | 1033.53 | 01 | 06 | 1 | |
| | P | 8/13/1997 | -196.62 | -0.15 | 1033.38 | 01 | 06 | 1 | |
| | P | 8/14/1997 | -196.39 | 0.23 | 1033.61 | 01 | 06 | 1 | |
| | P | 8/15/1997 | -196.4 | -0.01 | 1033.6 | 01 | 06 | 4 | |
| | P | 8/16/1997 | -196.47 | -0.07 | 1033.53 | 01 | 06 | 1 | |
| | P | 8/17/1997 | -196.88 | -0.41 | 1033.12 | 01 | 06 | 1 | |
| | P | 8/18/1997 | -196.95 | -0.07 | 1033.05 | 01 | 06 | 1 | |
| | P | 8/19/1997 | -196.89 | 0.06 | 1033.11 | 01 | 06 | 1 | |
| | P | 8/20/1997 | -196.89 | | 1033.11 | 01 | 06 | 1 | |
| | P | 8/21/1997 | -197.08 | -0.19 | 1032.92 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1997 | -197.09 | -0.01 | 1032.91 | 01 | 06 | 1 | |
| | P | 8/23/1997 | -197.29 | -0.2 | 1032.71 | 01 | 06 | 1 | |
| | P | 8/24/1997 | -197.18 | 0.11 | 1032.82 | 01 | 06 | 1 | |
| | P | 8/25/1997 | -197.24 | -0.06 | 1032.76 | 01 | 06 | 1 | |
| | P | 8/26/1997 | -197.34 | -0.1 | 1032.66 | 01 | 06 | 1 | |
| | P | 8/27/1997 | -197.36 | -0.02 | 1032.64 | 01 | 06 | 1 | |
| | P | 8/28/1997 | -197.28 | 0.08 | 1032.72 | 01 | 06 | 1 | |
| | P | 8/29/1997 | -197.33 | -0.05 | 1032.67 | 01 | 06 | 1 | |
| | P | 8/30/1997 | -197.47 | -0.14 | 1032.53 | 01 | 06 | 4 | |
| | P | 8/31/1997 | -197.55 | -0.08 | 1032.45 | 01 | 06 | 1 | |
| | P | 9/ 1/1997 | -197.56 | -0.01 | 1032.44 | 01 | 06 | 1 | |
| | P | 9/ 2/1997 | -197.73 | -0.17 | 1032.27 | 01 | 06 | 1 | |
| | P | 9/ 3/1997 | -197.85 | -0.12 | 1032.15 | 01 | 06 | 1 | |
| | P | 9/ 4/1997 | -197.37 | 0.48 | 1032.63 | 01 | 06 | 1 | |
| | P | 9/ 5/1997 | -197.19 | 0.18 | 1032.81 | 01 | 06 | 1 | |
| | P | 9/ 6/1997 | -197.19 | | 1032.81 | 01 | 06 | 1 | |
| | P | 9/ 7/1997 | -197.08 | 0.11 | 1032.92 | 01 | 06 | 1 | |
| | P | 9/ 8/1997 | -197.08 | | 1032.92 | 01 | 06 | 1 | |
| | P | 9/ 9/1997 | -197.16 | -0.08 | 1032.84 | 01 | 06 | 1 | |
| | P | 9/10/1997 | -195.47 | 1.69 | 1034.53 | 01 | 06 | 1 | |
| | P | 9/11/1997 | -195.3 | 0.17 | 1034.7 | 01 | 06 | 1 | |
| | P | 9/12/1997 | -195.36 | -0.06 | 1034.64 | 01 | 06 | 1 | |
| | P | 9/13/1997 | -195.61 | -0.25 | 1034.39 | 01 | 06 | 1 | |
| | P | 9/14/1997 | -195.66 | -0.05 | 1034.34 | 01 | 06 | 1 | |
| | P | 9/15/1997 | -195.63 | 0.03 | 1034.37 | 01 | 06 | 4 | |
| | P | 9/16/1997 | -195.63 | | 1034.37 | 01 | 06 | 1 | |
| | P | 9/17/1997 | -195.83 | -0.2 | 1034.17 | 01 | 06 | 1 | |
| | P | 9/18/1997 | -195.95 | -0.12 | 1034.05 | 01 | 06 | 1 | |
| | P | 9/19/1997 | -195.97 | -0.02 | 1034.03 | 01 | 06 | 1 | |
| | P | 9/20/1997 | -196.15 | -0.18 | 1033.85 | 01 | 06 | 1 | |
| | P | 9/21/1997 | -196.15 | | 1033.85 | 01 | 06 | 1 | |
| | P | 9/22/1997 | -195.98 | 0.17 | 1034.02 | 01 | 06 | 1 | |
| | P | 9/23/1997 | -195.85 | 0.13 | 1034.15 | 01 | 06 | 1 | |
| | P | 9/24/1997 | -195.85 | | 1034.15 | 01 | 06 | 1 | |
| | P | 9/25/1997 | -195.99 | -0.14 | 1034.01 | 01 | 06 | 1 | |
| | P | 9/26/1997 | -195.99 | | 1034.01 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/27/1997 | -196.18 | -0.19 | 1033.82 | 01 | 06 | 1 | |
| | P | 9/28/1997 | -196.48 | -0.3 | 1033.52 | 01 | 06 | 1 | |
| | P | 9/29/1997 | -196.56 | -0.08 | 1033.44 | 01 | 06 | 1 | |
| | P | 9/30/1997 | -196.66 | -0.1 | 1033.34 | 01 | 06 | 4 | |
| | P | 10/ 1/1997 | -196.71 | -0.05 | 1033.29 | 01 | 06 | 1 | |
| | P | 10/ 2/1997 | -196.88 | -0.17 | 1033.12 | 01 | 06 | 1 | |
| | P | 10/ 3/1997 | -196.98 | -0.1 | 1033.02 | 01 | 06 | 1 | |
| | P | 10/ 4/1997 | -196.93 | 0.05 | 1033.07 | 01 | 06 | 1 | |
| | P | 10/ 5/1997 | -197.2 | -0.27 | 1032.8 | 01 | 06 | 1 | |
| | P | 10/ 6/1997 | -197.19 | 0.01 | 1032.81 | 01 | 06 | 1 | |
| | P | 10/ 7/1997 | -196.96 | 0.23 | 1033.04 | 01 | 06 | 1 | |
| | P | 10/ 8/1997 | -196.9 | 0.06 | 1033.1 | 01 | 06 | 1 | |
| | P | 10/ 9/1997 | -196.77 | 0.13 | 1033.23 | 01 | 06 | 1 | |
| | P | 10/10/1997 | -196.52 | 0.25 | 1033.48 | 01 | 06 | 1 | |
| | P | 10/11/1997 | -195.79 | 0.73 | 1034.21 | 01 | 06 | 1 | |
| | P | 10/12/1997 | -195.45 | 0.34 | 1034.55 | 01 | 06 | 1 | |
| | P | 10/13/1997 | -195.44 | 0.01 | 1034.56 | 01 | 06 | 1 | |
| | P | 10/14/1997 | -195.73 | -0.29 | 1034.27 | 01 | 06 | 1 | |
| | P | 10/15/1997 | -195.81 | -0.08 | 1034.19 | 01 | 06 | 4 | |
| | P | 10/16/1997 | -195.83 | -0.02 | 1034.17 | 01 | 06 | 1 | |
| | P | 10/17/1997 | -195.75 | 0.08 | 1034.25 | 01 | 06 | 1 | |
| | P | 10/18/1997 | -195.81 | -0.06 | 1034.19 | 01 | 06 | 1 | |
| | P | 10/19/1997 | -195.76 | 0.05 | 1034.24 | 01 | 06 | 1 | |
| | P | 10/20/1997 | -195.86 | -0.1 | 1034.14 | 01 | 06 | 1 | |
| | P | 10/21/1997 | -195.85 | 0.01 | 1034.15 | 01 | 06 | 1 | |
| | P | 10/22/1997 | -195.97 | -0.12 | 1034.03 | 01 | 06 | 1 | |
| | P | 10/23/1997 | -195.58 | 0.39 | 1034.42 | 01 | 06 | 1 | |
| | P | 10/24/1997 | -195.64 | -0.06 | 1034.36 | 01 | 06 | 1 | |
| | P | 10/25/1997 | -195.59 | 0.05 | 1034.41 | 01 | 06 | 1 | |
| | P | 10/26/1997 | -196.22 | -0.63 | 1033.78 | 01 | 06 | 1 | |
| | P | 10/27/1997 | -196.57 | -0.35 | 1033.43 | 01 | 06 | 1 | |
| | P | 10/28/1997 | -196.5 | 0.07 | 1033.5 | 01 | 06 | 1 | |
| | P | 10/29/1997 | -196.54 | -0.04 | 1033.46 | 01 | 06 | 1 | |
| | P | 10/30/1997 | -196.53 | 0.01 | 1033.47 | 01 | 06 | 4 | |
| | P | 10/31/1997 | -196.49 | 0.04 | 1033.51 | 01 | 06 | 1 | |
| | P | 11/ 1/1997 | -196.47 | 0.02 | 1033.53 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 2/1997 | -197.14 | -0.67 | 1032.86 | 01 | 06 | 1 | |
| | P | 11/ 3/1997 | -197.32 | -0.18 | 1032.68 | 01 | 06 | 1 | |
| | P | 11/ 4/1997 | -197.15 | 0.17 | 1032.85 | 01 | 06 | 1 | |
| | P | 11/ 5/1997 | -197.23 | -0.08 | 1032.77 | 01 | 06 | 1 | |
| | P | 11/ 6/1997 | -197.41 | -0.18 | 1032.59 | 01 | 06 | 1 | |
| | P | 11/ 7/1997 | -197.45 | -0.04 | 1032.55 | 01 | 06 | 1 | |
| | P | 11/ 8/1997 | -197.38 | 0.07 | 1032.62 | 01 | 06 | 1 | |
| | P | 11/ 9/1997 | -197.3 | 0.08 | 1032.7 | 01 | 06 | 1 | |
| | P | 11/10/1997 | -197.36 | -0.06 | 1032.64 | 01 | 06 | 1 | |
| | P | 11/11/1997 | -197.3 | 0.06 | 1032.7 | 01 | 06 | 1 | |
| | P | 11/12/1997 | -197.18 | 0.12 | 1032.82 | 01 | 06 | 1 | |
| | P | 11/13/1997 | -196.68 | 0.5 | 1033.32 | 01 | 06 | 1 | |
| | P | 11/14/1997 | -196.72 | -0.04 | 1033.28 | 01 | 06 | 1 | |
| | P | 11/15/1997 | -196.9 | -0.18 | 1033.1 | 01 | 06 | 4 | |
| | P | 11/16/1997 | -197.29 | -0.39 | 1032.71 | 01 | 06 | 1 | |
| | P | 11/17/1997 | -197.27 | 0.02 | 1032.73 | 01 | 06 | 1 | |
| | P | 11/18/1997 | -197.08 | 0.19 | 1032.92 | 01 | 06 | 1 | |
| | P | 11/19/1997 | -197.07 | 0.01 | 1032.93 | 01 | 06 | 1 | |
| | P | 11/20/1997 | -196.79 | 0.28 | 1033.21 | 01 | 06 | 1 | |
| | P | 11/21/1997 | -196.78 | 0.01 | 1033.22 | 01 | 06 | 1 | |
| | P | 11/22/1997 | -196.88 | -0.1 | 1033.12 | 01 | 06 | 1 | |
| | P | 11/23/1997 | -197.31 | -0.43 | 1032.69 | 01 | 06 | 1 | |
| | P | 11/24/1997 | -197.53 | -0.22 | 1032.47 | 01 | 06 | 1 | |
| | P | 11/25/1997 | -197.52 | 0.01 | 1032.48 | 01 | 06 | 1 | |
| | P | 11/26/1997 | -197.38 | 0.14 | 1032.62 | 01 | 06 | 1 | |
| | P | 11/27/1997 | -197.26 | 0.12 | 1032.74 | 01 | 06 | 1 | |
| | P | 11/28/1997 | -197.08 | 0.18 | 1032.92 | 01 | 06 | 1 | |
| | P | 11/29/1997 | -197.38 | -0.3 | 1032.62 | 01 | 06 | 1 | |
| | P | 11/30/1997 | -197.58 | -0.2 | 1032.42 | 01 | 06 | 4 | |
| | P | 12/ 1/1997 | -197.56 | 0.02 | 1032.44 | 01 | 06 | 1 | |
| | P | 12/ 2/1997 | -197.43 | 0.13 | 1032.57 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -197.59 | -0.16 | 1032.41 | 01 | 06 | 1 | |
| | P | 12/ 4/1997 | -197.78 | -0.19 | 1032.22 | 01 | 06 | 1 | |
| | P | 12/ 5/1997 | -197.97 | -0.19 | 1032.03 | 01 | 06 | 1 | |
| | P | 12/ 6/1997 | -198.22 | -0.25 | 1031.78 | 01 | 06 | 1 | |
| | P | 12/ 7/1997 | -198.1 | 0.12 | 1031.9 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 8/1997 | -198.08 | 0.02 | 1031.92 | 01 | 06 | 1 | |
| | P | 12/ 9/1997 | -198 | 0.08 | 1032 | 01 | 06 | 1 | |
| | P | 12/10/1997 | -198.16 | -0.16 | 1031.84 | 01 | 06 | 1 | |
| | P | 12/11/1997 | -198.66 | -0.5 | 1031.34 | 01 | 06 | 1 | |
| | P | 12/12/1997 | -198.8 | -0.14 | 1031.2 | 01 | 06 | 1 | |
| | P | 12/13/1997 | -199.06 | -0.26 | 1030.94 | 01 | 06 | 1 | |
| | P | 12/14/1997 | -199.08 | -0.02 | 1030.92 | 01 | 06 | 1 | |
| | P | 12/15/1997 | -199.21 | -0.13 | 1030.79 | 01 | 06 | 4 | |
| | P | 12/16/1997 | -199.23 | -0.02 | 1030.77 | 01 | 06 | 1 | |
| | P | 12/17/1997 | -199.3 | -0.07 | 1030.7 | 01 | 06 | 1 | |
| | P | 12/18/1997 | -199.36 | -0.06 | 1030.64 | 01 | 06 | 1 | |
| | P | 12/19/1997 | -199.45 | -0.09 | 1030.55 | 01 | 06 | 1 | |
| | P | 12/20/1997 | -199.45 | | 1030.55 | 01 | 06 | 1 | |
| | P | 12/21/1997 | -198.2 | 1.25 | 1031.8 | 01 | 06 | 1 | |
| | P | 12/22/1997 | -197.18 | 1.02 | 1032.82 | 01 | 06 | 1 | |
| | P | 12/23/1997 | -196.6 | 0.58 | 1033.4 | 01 | 06 | 1 | |
| | P | 12/24/1997 | -196.4 | 0.2 | 1033.6 | 01 | 06 | 1 | |
| | P | 12/25/1997 | -196.39 | 0.01 | 1033.61 | 01 | 06 | 1 | |
| | P | 12/26/1997 | -196.42 | -0.03 | 1033.58 | 01 | 06 | 1 | |
| | P | 12/27/1997 | -196.53 | -0.11 | 1033.47 | 01 | 06 | 1 | |
| | P | 12/28/1997 | -196.38 | 0.15 | 1033.62 | 01 | 06 | 1 | |
| | P | 12/29/1997 | -196.43 | -0.05 | 1033.57 | 01 | 06 | 1 | |
| | P | 12/30/1997 | -196.5 | -0.07 | 1033.5 | 01 | 06 | 4 | |
| | P | 12/31/1997 | -196.84 | -0.34 | 1033.16 | 01 | 06 | 1 | |
| | P | 1/ 1/1998 | -196.93 | -0.09 | 1033.07 | 01 | 06 | 1 | |
| | P | 1/ 2/1998 | -196.71 | 0.22 | 1033.29 | 01 | 06 | 1 | |
| | P | 1/ 3/1998 | -196.71 | | 1033.29 | 01 | 06 | 1 | |
| | P | 1/ 4/1998 | -196.65 | 0.06 | 1033.35 | 01 | 06 | 1 | |
| | P | 1/ 5/1998 | -196.51 | 0.14 | 1033.49 | 01 | 06 | 1 | |
| | P | 1/ 6/1998 | -196.33 | 0.18 | 1033.67 | 01 | 06 | 1 | |
| | P | 1/ 7/1998 | -195.84 | 0.49 | 1034.16 | 01 | 06 | 1 | |
| | P | 1/ 8/1998 | -195.53 | 0.31 | 1034.47 | 01 | 06 | 1 | |
| | P | 1/ 9/1998 | -195.46 | 0.07 | 1034.54 | 01 | 06 | 1 | |
| | P | 1/10/1998 | -195.6 | -0.14 | 1034.4 | 01 | 06 | 1 | |
| | P | 1/11/1998 | -195.39 | 0.21 | 1034.61 | 01 | 06 | 1 | |
| | P | 1/12/1998 | -195.3 | 0.09 | 1034.7 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 13/ 1998 | -196.42 | -1.12 | 1033.58 | 01 | 06 | 1 | |
| | P | 1/ 14/ 1998 | -196.19 | 0.23 | 1033.81 | 01 | 06 | 1 | |
| | P | 1/ 15/ 1998 | -196.3 | -0.11 | 1033.7 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1998 | -196.28 | 0.02 | 1033.72 | 01 | 06 | 1 | |
| | P | 1/ 17/ 1998 | -196.67 | -0.39 | 1033.33 | 01 | 06 | 1 | |
| | P | 1/ 18/ 1998 | -196.68 | -0.01 | 1033.32 | 01 | 06 | 1 | |
| | P | 1/ 19/ 1998 | -196.91 | -0.23 | 1033.09 | 01 | 06 | 1 | |
| | P | 1/ 20/ 1998 | -196.64 | 0.27 | 1033.36 | 01 | 06 | 1 | |
| | P | 1/ 21/ 1998 | -196.71 | -0.07 | 1033.29 | 01 | 06 | 1 | |
| | P | 1/ 22/ 1998 | -196.88 | -0.17 | 1033.12 | 01 | 06 | 1 | |
| | P | 1/ 23/ 1998 | -197.17 | -0.29 | 1032.83 | 01 | 06 | 1 | |
| | P | 1/ 24/ 1998 | -197.36 | -0.19 | 1032.64 | 01 | 06 | 1 | |
| | P | 1/ 25/ 1998 | -197.42 | -0.06 | 1032.58 | 01 | 06 | 1 | |
| | P | 1/ 26/ 1998 | -197.51 | -0.09 | 1032.49 | 01 | 06 | 1 | |
| | P | 1/ 27/ 1998 | -197.61 | -0.1 | 1032.39 | 01 | 06 | 1 | |
| | P | 1/ 28/ 1998 | -197.45 | 0.16 | 1032.55 | 01 | 06 | 1 | |
| | P | 1/ 29/ 1998 | -197.51 | -0.06 | 1032.49 | 01 | 06 | 1 | |
| | P | 1/ 30/ 1998 | -197.6 | -0.09 | 1032.4 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1998 | -197.12 | 0.48 | 1032.88 | 01 | 06 | 1 | |
| | P | 2/ 1/ 1998 | -195.12 | 2 | 1034.88 | 01 | 06 | 1 | |
| | P | 2/ 2/ 1998 | -194.45 | 0.67 | 1035.55 | 01 | 06 | 1 | |
| | P | 2/ 3/ 1998 | -194.34 | 0.11 | 1035.66 | 01 | 06 | 1 | |
| | P | 2/ 4/ 1998 | -194.2 | 0.14 | 1035.8 | 01 | 06 | 1 | |
| | P | 2/ 5/ 1998 | -194.09 | 0.11 | 1035.91 | 01 | 06 | 1 | |
| | P | 2/ 6/ 1998 | -194.28 | -0.19 | 1035.72 | 01 | 06 | 1 | |
| | P | 2/ 7/ 1998 | -194.23 | 0.05 | 1035.77 | 01 | 06 | 1 | |
| | P | 2/ 8/ 1998 | -194.06 | 0.17 | 1035.94 | 01 | 06 | 1 | |
| | P | 2/ 9/ 1998 | -193.94 | 0.12 | 1036.06 | 01 | 06 | 1 | |
| | P | 2/ 10/ 1998 | -193.84 | 0.1 | 1036.16 | 01 | 06 | 1 | |
| | P | 2/ 11/ 1998 | -194.09 | -0.25 | 1035.91 | 01 | 06 | 1 | |
| | P | 2/ 12/ 1998 | -193.97 | 0.12 | 1036.03 | 01 | 06 | 1 | |
| | P | 2/ 13/ 1998 | -193.99 | -0.02 | 1036.01 | 01 | 06 | 1 | |
| | P | 2/ 14/ 1998 | -193.99 | | 1036.01 | 01 | 06 | 1 | |
| | P | 2/ 15/ 1998 | -193.1 | 0.89 | 1036.9 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1998 | -192.81 | 0.29 | 1037.19 | 01 | 06 | 1 | |
| | P | 2/ 17/ 1998 | -192.57 | 0.24 | 1037.43 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/18/1998 | -191.36 | 1.21 | 1038.64 | 01 | 06 | 1 | |
| | P | 2/19/1998 | -191.31 | 0.05 | 1038.69 | 01 | 06 | 1 | |
| | P | 2/20/1998 | -191.25 | 0.06 | 1038.75 | 01 | 06 | 1 | |
| | P | 2/21/1998 | -190.93 | 0.32 | 1039.07 | 01 | 06 | 1 | |
| | P | 2/22/1998 | -190.08 | 0.85 | 1039.92 | 01 | 06 | 1 | |
| | P | 2/23/1998 | -189.64 | 0.44 | 1040.36 | 01 | 06 | 1 | |
| | P | 2/24/1998 | -189.2 | 0.44 | 1040.8 | 01 | 06 | 1 | |
| | P | 2/25/1998 | -188.68 | 0.52 | 1041.32 | 01 | 06 | 1 | |
| | P | 2/26/1998 | -188.04 | 0.64 | 1041.96 | 01 | 06 | 1 | |
| | P | 2/27/1998 | -187.71 | 0.33 | 1042.29 | 01 | 06 | 1 | |
| | P | 2/28/1998 | -187.53 | 0.18 | 1042.47 | 01 | 06 | 1 | |
| | P | 3/ 1/1998 | -187.6 | -0.07 | 1042.4 | 01 | 06 | 1 | |
| | P | 3/ 2/1998 | -187.24 | 0.36 | 1042.76 | 01 | 06 | 1 | |
| | P | 3/ 3/1998 | -186.88 | 0.36 | 1043.12 | 01 | 06 | 1 | |
| | P | 3/ 4/1998 | -186.66 | 0.22 | 1043.34 | 01 | 06 | 1 | |
| | P | 3/ 5/1998 | -186.7 | -0.04 | 1043.3 | 01 | 06 | 1 | |
| | P | 3/ 6/1998 | -186.63 | 0.07 | 1043.37 | 01 | 06 | 1 | |
| | P | 3/ 7/1998 | -186.38 | 0.25 | 1043.62 | 01 | 06 | 1 | |
| | P | 3/ 8/1998 | -186.41 | -0.03 | 1043.59 | 01 | 06 | 1 | |
| | P | 3/ 9/1998 | -186.95 | -0.54 | 1043.05 | 01 | 06 | 1 | |
| | P | 3/10/1998 | -187.07 | -0.12 | 1042.93 | 01 | 06 | 1 | |
| | P | 3/11/1998 | -187.19 | -0.12 | 1042.81 | 01 | 06 | 1 | |
| | P | 3/12/1998 | -187.35 | -0.16 | 1042.65 | 01 | 06 | 1 | |
| | P | 3/13/1998 | -187.19 | 0.16 | 1042.81 | 01 | 06 | 1 | |
| | P | 3/14/1998 | -186.79 | 0.4 | 1043.21 | 01 | 06 | 1 | |
| | P | 3/15/1998 | -185.9 | 0.89 | 1044.1 | 01 | 06 | 1 | |
| | P | 3/16/1998 | -183.19 | 2.71 | 1046.81 | 01 | 06 | 1 | |
| | P | 3/17/1998 | -182.54 | 0.65 | 1047.46 | 01 | 06 | 1 | |
| | P | 3/18/1998 | -181.98 | 0.56 | 1048.02 | 01 | 06 | 1 | |
| | P | 3/19/1998 | -181.93 | 0.05 | 1048.07 | 01 | 06 | 1 | |
| | P | 3/20/1998 | -181.96 | -0.03 | 1048.04 | 01 | 06 | 1 | |
| | P | 3/21/1998 | -181.64 | 0.32 | 1048.36 | 01 | 06 | 1 | |
| | P | 3/22/1998 | -181.51 | 0.13 | 1048.49 | 01 | 06 | 1 | |
| | P | 3/23/1998 | -181.28 | 0.23 | 1048.72 | 01 | 06 | 1 | |
| | P | 3/24/1998 | -181.17 | 0.11 | 1048.83 | 01 | 06 | 1 | |
| | P | 3/25/1998 | -181.21 | -0.04 | 1048.79 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/26/1998 | -180.95 | 0.26 | 1049.05 | 01 | 06 | 1 | |
| | P | 3/27/1998 | -180.92 | 0.03 | 1049.08 | 01 | 06 | 1 | |
| | P | 3/28/1998 | -180.88 | 0.04 | 1049.12 | 01 | 06 | 1 | |
| | P | 3/29/1998 | -180.66 | 0.22 | 1049.34 | 01 | 06 | 1 | |
| | P | 3/30/1998 | -180.4 | 0.26 | 1049.6 | 01 | 06 | 1 | |
| | P | 3/31/1998 | -180.5 | -0.1 | 1049.5 | 01 | 06 | 1 | |
| | P | 4/ 1/1998 | -180.6 | -0.1 | 1049.4 | 01 | 06 | 1 | |
| | P | 4/ 2/1998 | -180.62 | -0.02 | 1049.38 | 01 | 06 | 1 | |
| | P | 4/ 3/1998 | -180.67 | -0.05 | 1049.33 | 01 | 06 | 1 | |
| | P | 4/ 4/1998 | -180.82 | -0.15 | 1049.18 | 01 | 06 | 1 | |
| | P | 4/ 5/1998 | -180.72 | 0.1 | 1049.28 | 01 | 06 | 1 | |
| | P | 4/ 6/1998 | -180.65 | 0.07 | 1049.35 | 01 | 06 | 1 | |
| | P | 4/ 7/1998 | -180.64 | 0.01 | 1049.36 | 01 | 06 | 1 | |
| | P | 4/ 8/1998 | -180.67 | -0.03 | 1049.33 | 01 | 06 | 1 | |
| | P | 4/ 9/1998 | -180.89 | -0.22 | 1049.11 | 01 | 06 | 1 | |
| | P | 4/10/1998 | -181.12 | -0.23 | 1048.88 | 01 | 06 | 1 | |
| | P | 4/11/1998 | -181.44 | -0.32 | 1048.56 | 01 | 06 | 1 | |
| | P | 4/12/1998 | -181.18 | 0.26 | 1048.82 | 01 | 06 | 1 | |
| | P | 4/13/1998 | -181.09 | 0.09 | 1048.91 | 01 | 06 | 1 | |
| | P | 4/14/1998 | -181.07 | 0.02 | 1048.93 | 01 | 06 | 1 | |
| | P | 4/15/1998 | -180.91 | 0.16 | 1049.09 | 01 | 06 | 1 | |
| | P | 4/16/1998 | -181.02 | -0.11 | 1048.98 | 01 | 06 | 1 | |
| | P | 4/17/1998 | -181.21 | -0.19 | 1048.79 | 01 | 06 | 1 | |
| | P | 4/18/1998 | -181.22 | -0.01 | 1048.78 | 01 | 06 | 1 | |
| | P | 4/19/1998 | -181.44 | -0.22 | 1048.56 | 01 | 06 | 1 | |
| | P | 4/20/1998 | -181.43 | 0.01 | 1048.57 | 01 | 06 | 1 | |
| | P | 4/21/1998 | -181.51 | -0.08 | 1048.49 | 01 | 06 | 1 | |
| | P | 4/22/1998 | -181.63 | -0.12 | 1048.37 | 01 | 06 | 1 | |
| | P | 4/23/1998 | -181.35 | 0.28 | 1048.65 | 01 | 06 | 1 | |
| | P | 4/24/1998 | -181.31 | 0.04 | 1048.69 | 01 | 06 | 1 | |
| | P | 4/25/1998 | -181.19 | 0.12 | 1048.81 | 01 | 06 | 1 | |
| | P | 4/26/1998 | -181.08 | 0.11 | 1048.92 | 01 | 06 | 1 | |
| | P | 4/27/1998 | -181.36 | -0.28 | 1048.64 | 01 | 06 | 1 | |
| | P | 4/28/1998 | -181.53 | -0.17 | 1048.47 | 01 | 06 | 1 | |
| | P | 4/29/1998 | -181.5 | 0.03 | 1048.5 | 01 | 06 | 1 | |
| | P | 4/30/1998 | -181.49 | 0.01 | 1048.51 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 1/1998 | -181.39 | 0.1 | 1048.61 | 01 | 06 | 1 | |
| | P | 5/ 2/1998 | -181.44 | -0.05 | 1048.56 | 01 | 06 | 1 | |
| | P | 5/ 3/1998 | -181.73 | -0.29 | 1048.27 | 01 | 06 | 1 | |
| | P | 5/ 4/1998 | -181.72 | 0.01 | 1048.28 | 01 | 06 | 1 | |
| | P | 5/ 5/1998 | -181.63 | 0.09 | 1048.37 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -181.62 | 0.01 | 1048.38 | 01 | 06 | 1 | |
| | P | 5/ 7/1998 | -181.61 | 0.01 | 1048.39 | 01 | 06 | 1 | |
| | P | 5/ 8/1998 | -181.7 | -0.09 | 1048.3 | 01 | 06 | 1 | |
| | P | 5/ 9/1998 | -181.57 | 0.13 | 1048.43 | 01 | 06 | 1 | |
| | P | 5/10/1998 | -182.1 | -0.53 | 1047.9 | 01 | 06 | 1 | |
| | P | 5/11/1998 | -182.06 | 0.04 | 1047.94 | 01 | 06 | 1 | |
| | P | 5/12/1998 | -181.9 | 0.16 | 1048.1 | 01 | 06 | 1 | |
| | P | 5/13/1998 | -182.08 | -0.18 | 1047.92 | 01 | 06 | 1 | |
| | P | 5/14/1998 | -182.17 | -0.09 | 1047.83 | 01 | 06 | 1 | |
| | P | 5/15/1998 | -182.22 | -0.05 | 1047.78 | 01 | 06 | 1 | |
| | P | 5/16/1998 | -182.49 | -0.27 | 1047.51 | 01 | 06 | 1 | |
| | P | 5/17/1998 | -182.51 | -0.02 | 1047.49 | 01 | 06 | 1 | |
| | P | 5/18/1998 | -182.69 | -0.18 | 1047.31 | 01 | 06 | 1 | |
| | P | 5/19/1998 | -182.57 | 0.12 | 1047.43 | 01 | 06 | 1 | |
| | P | 5/20/1998 | -182.68 | -0.11 | 1047.32 | 01 | 06 | 1 | |
| | P | 5/21/1998 | -182.57 | 0.11 | 1047.43 | 01 | 06 | 1 | |
| | P | 5/22/1998 | -182.57 | | 1047.43 | 01 | 06 | 1 | |
| | P | 5/23/1998 | -182.62 | -0.05 | 1047.38 | 01 | 06 | 1 | |
| | P | 5/24/1998 | -182.75 | -0.13 | 1047.25 | 01 | 06 | 1 | |
| | P | 5/25/1998 | -182.96 | -0.21 | 1047.04 | 01 | 06 | 1 | |
| | P | 5/26/1998 | -182.93 | 0.03 | 1047.07 | 01 | 06 | 1 | |
| | P | 5/27/1998 | -182.92 | 0.01 | 1047.08 | 01 | 06 | 1 | |
| | P | 5/28/1998 | -182.84 | 0.08 | 1047.16 | 01 | 06 | 1 | |
| | P | 5/29/1998 | -182.94 | -0.1 | 1047.06 | 01 | 06 | 1 | |
| | P | 5/30/1998 | -183.16 | -0.22 | 1046.84 | 01 | 06 | 1 | |
| | P | 5/31/1998 | -183.16 | | 1046.84 | 01 | 06 | 1 | |
| | P | 6/ 1/1998 | -183.35 | -0.19 | 1046.65 | 01 | 06 | 1 | |
| | P | 6/ 2/1998 | -183.46 | -0.11 | 1046.54 | 01 | 06 | 1 | |
| | P | 6/ 3/1998 | -183.49 | -0.03 | 1046.51 | 01 | 06 | 1 | |
| | P | 6/ 4/1998 | -183.57 | -0.08 | 1046.43 | 01 | 06 | 1 | |
| | P | 6/ 5/1998 | -183.57 | | 1046.43 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 6/1998 | -183.89 | -0.32 | 1046.11 | 01 | 06 | 1 | |
| | P | 6/ 7/1998 | -184.21 | -0.32 | 1045.79 | 01 | 06 | 1 | |
| | P | 6/ 8/1998 | -184.05 | 0.16 | 1045.95 | 01 | 06 | 1 | |
| | P | 6/ 9/1998 | -184.35 | -0.3 | 1045.65 | 01 | 06 | 1 | |
| | P | 6/10/1998 | -184.5 | -0.15 | 1045.5 | 01 | 06 | 1 | |
| | P | 6/11/1998 | -184.15 | 0.35 | 1045.85 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -183.71 | 0.44 | 1046.29 | 01 | 06 | 1 | |
| | P | 6/13/1998 | -183.3 | 0.41 | 1046.7 | 01 | 06 | 1 | |
| | P | 6/14/1998 | -183.27 | 0.03 | 1046.73 | 01 | 06 | 1 | |
| | P | 6/15/1998 | -183.21 | 0.06 | 1046.79 | 01 | 06 | 1 | |
| | P | 6/16/1998 | -183.47 | -0.26 | 1046.53 | 01 | 06 | 1 | |
| | P | 6/17/1998 | -183.66 | -0.19 | 1046.34 | 01 | 06 | 1 | |
| | P | 6/18/1998 | -184.13 | -0.47 | 1045.87 | 01 | 06 | 1 | |
| | P | 6/19/1998 | -184.39 | -0.26 | 1045.61 | 01 | 06 | 1 | |
| | P | 6/20/1998 | -184.51 | -0.12 | 1045.49 | 01 | 06 | 1 | |
| | P | 6/21/1998 | -184.89 | -0.38 | 1045.11 | 01 | 06 | 1 | |
| | P | 6/22/1998 | -185.26 | -0.37 | 1044.74 | 01 | 06 | 1 | |
| | P | 6/23/1998 | -185.23 | 0.03 | 1044.77 | 01 | 06 | 1 | |
| | P | 6/24/1998 | -185.25 | -0.02 | 1044.75 | 01 | 06 | 1 | |
| | P | 6/25/1998 | -185.49 | -0.24 | 1044.51 | 01 | 06 | 1 | |
| | P | 6/26/1998 | -185.75 | -0.26 | 1044.25 | 01 | 06 | 1 | |
| | P | 6/27/1998 | -185.85 | -0.1 | 1044.15 | 01 | 06 | 1 | |
| | P | 6/28/1998 | -186.07 | -0.22 | 1043.93 | 01 | 06 | 1 | |
| | P | 6/29/1998 | -186.3 | -0.23 | 1043.7 | 01 | 06 | 1 | |
| | P | 6/30/1998 | -186.05 | 0.25 | 1043.95 | 01 | 06 | 1 | |
| | P | 7/ 1/1998 | -185.95 | 0.1 | 1044.05 | 01 | 06 | 1 | |
| | P | 7/ 2/1998 | -186 | -0.05 | 1044 | 01 | 06 | 1 | |
| | P | 7/ 3/1998 | -186.1 | -0.1 | 1043.9 | 01 | 06 | 1 | |
| | P | 7/ 4/1998 | -186.22 | -0.12 | 1043.78 | 01 | 06 | 1 | |
| | P | 7/ 5/1998 | -186.1 | 0.12 | 1043.9 | 01 | 06 | 1 | |
| | P | 7/ 6/1998 | -186.09 | 0.01 | 1043.91 | 01 | 06 | 1 | |
| | P | 7/ 7/1998 | -186.17 | -0.08 | 1043.83 | 01 | 06 | 1 | |
| | P | 7/ 8/1998 | -186.33 | -0.16 | 1043.67 | 01 | 06 | 1 | |
| | P | 7/ 9/1998 | -186.76 | -0.43 | 1043.24 | 01 | 06 | 1 | |
| | P | 7/10/1998 | -187.07 | -0.31 | 1042.93 | 01 | 06 | 1 | |
| | P | 7/11/1998 | -187.14 | -0.07 | 1042.86 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/12/1998 | -187.41 | -0.27 | 1042.59 | 01 | 06 | 1 | |
| | P | 7/13/1998 | -187.44 | -0.03 | 1042.56 | 01 | 06 | 1 | |
| | P | 7/14/1998 | -187.53 | -0.09 | 1042.47 | 01 | 06 | 1 | |
| | P | 7/15/1998 | -187.76 | -0.23 | 1042.24 | 01 | 06 | 1 | |
| | P | 7/16/1998 | -188.35 | -0.59 | 1041.65 | 01 | 06 | 1 | |
| | P | 7/17/1998 | -188.4 | -0.05 | 1041.6 | 01 | 06 | 1 | |
| | P | 7/18/1998 | -188.7 | -0.3 | 1041.3 | 01 | 06 | 1 | |
| | P | 7/19/1998 | -189.16 | -0.46 | 1040.84 | 01 | 06 | 1 | |
| | P | 7/20/1998 | -189.54 | -0.38 | 1040.46 | 01 | 06 | 1 | |
| | P | 7/21/1998 | -189.6 | -0.06 | 1040.4 | 01 | 06 | 1 | |
| | P | 7/22/1998 | -189.78 | -0.18 | 1040.22 | 01 | 06 | 1 | |
| | P | 7/23/1998 | -190.12 | -0.34 | 1039.88 | 01 | 06 | 1 | |
| | P | 7/24/1998 | -190.49 | -0.37 | 1039.51 | 01 | 06 | 1 | |
| | P | 7/25/1998 | -190.69 | -0.2 | 1039.31 | 01 | 06 | 1 | |
| | P | 7/26/1998 | -191.14 | -0.45 | 1038.86 | 01 | 06 | 1 | |
| | P | 7/27/1998 | -191.36 | -0.22 | 1038.64 | 01 | 06 | 1 | |
| | P | 7/28/1998 | -191.54 | -0.18 | 1038.46 | 01 | 06 | 1 | |
| | P | 7/29/1998 | -191.71 | -0.17 | 1038.29 | 01 | 06 | 1 | |
| | P | 7/30/1998 | -192.18 | -0.47 | 1037.82 | 01 | 06 | 1 | |
| | P | 7/31/1998 | -192.39 | -0.21 | 1037.61 | 01 | 06 | 1 | |
| | P | 8/ 1/1998 | -193.03 | -0.64 | 1036.97 | 01 | 06 | 1 | |
| | P | 8/ 2/1998 | -193.23 | -0.2 | 1036.77 | 01 | 06 | 1 | |
| | P | 8/ 3/1998 | -193.29 | -0.06 | 1036.71 | 01 | 06 | 1 | |
| | P | 8/ 4/1998 | -193.26 | 0.03 | 1036.74 | 01 | 06 | 1 | |
| | P | 8/ 5/1998 | -193.56 | -0.3 | 1036.44 | 01 | 06 | 1 | |
| | P | 8/ 6/1998 | -193.24 | 0.32 | 1036.76 | 01 | 06 | 1 | |
| | P | 8/ 7/1998 | -192.68 | 0.56 | 1037.32 | 01 | 06 | 1 | |
| | P | 8/ 8/1998 | -192.47 | 0.21 | 1037.53 | 01 | 06 | 1 | |
| | P | 8/ 9/1998 | -192.27 | 0.2 | 1037.73 | 01 | 06 | 1 | |
| | P | 8/10/1998 | -192.07 | 0.2 | 1037.93 | 01 | 06 | 1 | |
| | P | 8/11/1998 | -192.18 | -0.11 | 1037.82 | 01 | 06 | 1 | |
| | P | 8/12/1998 | -192.5 | -0.32 | 1037.5 | 01 | 06 | 1 | |
| | P | 8/13/1998 | -192.82 | -0.32 | 1037.18 | 01 | 06 | 1 | |
| | P | 8/14/1998 | -193.05 | -0.23 | 1036.95 | 01 | 06 | 1 | |
| | P | 8/15/1998 | -193.17 | -0.12 | 1036.83 | 01 | 06 | 1 | |
| | P | 8/16/1998 | -193.07 | 0.1 | 1036.93 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/17/1998 | -193.13 | -0.06 | 1036.87 | 01 | 06 | 1 | |
| | P | 8/18/1998 | -192.87 | 0.26 | 1037.13 | 01 | 06 | 1 | |
| | P | 8/19/1998 | -192.81 | 0.06 | 1037.19 | 01 | 06 | 1 | |
| | P | 8/20/1998 | -192.91 | -0.1 | 1037.09 | 01 | 06 | 1 | |
| | P | 8/21/1998 | -193.18 | -0.27 | 1036.82 | 01 | 06 | 1 | |
| | P | 8/22/1998 | -193.27 | -0.09 | 1036.73 | 01 | 06 | 1 | |
| | P | 8/23/1998 | -188.81 | 4.46 | 1041.19 | 01 | 06 | 1 | |
| | P | 8/24/1998 | -186.24 | 2.57 | 1043.76 | 01 | 06 | 1 | |
| | P | 8/25/1998 | -185.3 | 0.94 | 1044.7 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -184.72 | 0.58 | 1045.28 | 01 | 06 | 1 | |
| | P | 8/27/1998 | -184.56 | 0.16 | 1045.44 | 01 | 06 | 1 | |
| | P | 8/28/1998 | -184.47 | 0.09 | 1045.53 | 01 | 06 | 1 | |
| | P | 8/29/1998 | -184.47 | | 1045.53 | 01 | 06 | 1 | |
| | P | 8/30/1998 | -184.54 | -0.07 | 1045.46 | 01 | 06 | 1 | |
| | P | 8/31/1998 | -184.6 | -0.06 | 1045.4 | 01 | 06 | 1 | |
| | P | 9/1/1998 | -184.57 | 0.03 | 1045.43 | 01 | 06 | 1 | |
| | P | 9/2/1998 | -184.56 | 0.01 | 1045.44 | 01 | 06 | 1 | |
| | P | 9/3/1998 | -184.96 | -0.4 | 1045.04 | 01 | 06 | 1 | |
| | P | 9/4/1998 | -185.36 | -0.4 | 1044.64 | 01 | 06 | 1 | |
| | P | 9/5/1998 | -185.45 | -0.09 | 1044.55 | 01 | 06 | 1 | |
| | P | 9/6/1998 | -185.67 | -0.22 | 1044.33 | 01 | 06 | 1 | |
| | P | 9/7/1998 | -185.95 | -0.28 | 1044.05 | 01 | 06 | 1 | |
| | P | 9/8/1998 | -186.03 | -0.08 | 1043.97 | 01 | 06 | 1 | |
| | P | 9/9/1998 | -186.11 | -0.08 | 1043.89 | 01 | 06 | 1 | |
| | P | 9/10/1998 | -186.11 | | 1043.89 | 01 | 06 | 1 | |
| | P | 9/11/1998 | -186.07 | 0.04 | 1043.93 | 01 | 06 | 1 | |
| | P | 9/12/1998 | -186.12 | -0.05 | 1043.88 | 01 | 06 | 1 | |
| | P | 9/13/1998 | -186.01 | 0.11 | 1043.99 | 01 | 06 | 1 | |
| | P | 9/14/1998 | -185.94 | 0.07 | 1044.06 | 01 | 06 | 1 | |
| | P | 9/15/1998 | -186.01 | -0.07 | 1043.99 | 01 | 06 | 1 | |
| | P | 9/16/1998 | -186 | 0.01 | 1044 | 01 | 06 | 1 | |
| | P | 9/17/1998 | -185.75 | 0.25 | 1044.25 | 01 | 06 | 1 | |
| | P | 9/18/1998 | -185.7 | 0.05 | 1044.3 | 01 | 06 | 1 | |
| | P | 9/19/1998 | -185.48 | 0.22 | 1044.52 | 01 | 06 | 1 | |
| | P | 9/20/1998 | -185.6 | -0.12 | 1044.4 | 01 | 06 | 1 | |
| | P | 9/21/1998 | -185.72 | -0.12 | 1044.28 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/22/1998 | -185.91 | -0.19 | 1044.09 | 01 | 06 | 1 | |
| | P | 9/23/1998 | -186.13 | -0.22 | 1043.87 | 01 | 06 | 1 | |
| | P | 9/24/1998 | -186.34 | -0.21 | 1043.66 | 01 | 06 | 1 | |
| | P | 9/25/1998 | -186.42 | -0.08 | 1043.58 | 01 | 06 | 1 | |
| | P | 9/26/1998 | -186.55 | -0.13 | 1043.45 | 01 | 06 | 1 | |
| | P | 9/27/1998 | -186.76 | -0.21 | 1043.24 | 01 | 06 | 1 | |
| | P | 9/28/1998 | -186.9 | -0.14 | 1043.1 | 01 | 06 | 1 | |
| | P | 9/29/1998 | -187.13 | -0.23 | 1042.87 | 01 | 06 | 1 | |
| | P | 9/30/1998 | -187.22 | -0.09 | 1042.78 | 01 | 06 | 1 | |
| | P | 10/ 1/1998 | -187.65 | -0.43 | 1042.35 | 01 | 06 | 1 | |
| | P | 10/ 2/1998 | -187.5 | 0.15 | 1042.5 | 01 | 06 | 1 | |
| | P | 10/ 3/1998 | -187.7 | -0.2 | 1042.3 | 01 | 06 | 1 | |
| | P | 10/ 4/1998 | -187.89 | -0.19 | 1042.11 | 01 | 06 | 1 | |
| | P | 10/ 5/1998 | -188.13 | -0.24 | 1041.87 | 01 | 06 | 1 | |
| | P | 10/ 6/1998 | -188.05 | 0.08 | 1041.95 | 01 | 06 | 1 | |
| | P | 10/ 7/1998 | -186.85 | 1.2 | 1043.15 | 01 | 06 | 1 | |
| | P | 10/ 8/1998 | -186.18 | 0.67 | 1043.82 | 01 | 06 | 1 | |
| | P | 10/ 9/1998 | -185.86 | 0.32 | 1044.14 | 01 | 06 | 1 | |
| | P | 10/10/1998 | -185.79 | 0.07 | 1044.21 | 01 | 06 | 1 | |
| | P | 10/11/1998 | -185.8 | -0.01 | 1044.2 | 01 | 06 | 1 | |
| | P | 10/12/1998 | -186.32 | -0.52 | 1043.68 | 01 | 06 | 1 | |
| | P | 10/13/1998 | -186.4 | -0.08 | 1043.6 | 01 | 06 | 1 | |
| | P | 10/14/1998 | -186.65 | -0.25 | 1043.35 | 01 | 06 | 1 | |
| | P | 10/15/1998 | -186.75 | -0.1 | 1043.25 | 01 | 06 | 1 | |
| | P | 10/16/1998 | -180.2 | 6.55 | 1049.8 | 01 | 06 | 1 | |
| | P | 10/17/1998 | -175.25 | 4.95 | 1054.75 | 01 | 06 | 1 | |
| | P | 10/18/1998 | -175.3 | -0.05 | 1054.7 | 01 | 06 | 1 | |
| | P | 10/28/1998 | -173.66 | 1.64 | 1056.34 | 01 | 06 | 1 | |
| | P | 10/29/1998 | -173.47 | 0.19 | 1056.53 | 01 | 06 | 1 | |
| | P | 10/30/1998 | -173.45 | 0.02 | 1056.55 | 01 | 06 | 1 | |
| | P | 10/31/1998 | -173.23 | 0.22 | 1056.77 | 01 | 06 | 1 | |
| | P | 11/ 1/1998 | -172.9 | 0.33 | 1057.1 | 01 | 06 | 1 | |
| | P | 11/ 2/1998 | -172.52 | 0.38 | 1057.48 | 01 | 06 | 1 | |
| | P | 11/ 3/1998 | -172.35 | 0.17 | 1057.65 | 01 | 06 | 1 | |
| | P | 11/ 4/1998 | -172.27 | 0.08 | 1057.73 | 01 | 06 | 1 | |
| | P | 11/ 5/1998 | -172.2 | 0.07 | 1057.8 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 6/1998 | -171.85 | 0.35 | 1058.15 | 01 | 06 | 1 | |
| | P | 11/ 7/1998 | -171.65 | 0.2 | 1058.35 | 01 | 06 | 1 | |
| | P | 11/ 8/1998 | -171.37 | 0.28 | 1058.63 | 01 | 06 | 1 | |
| | P | 11/ 9/1998 | -171.02 | 0.35 | 1058.98 | 01 | 06 | 1 | |
| | P | 11/10/1998 | -171.12 | -0.1 | 1058.88 | 01 | 06 | 1 | |
| | P | 11/11/1998 | -170.85 | 0.27 | 1059.15 | 01 | 06 | 1 | |
| | P | 11/12/1998 | -170.9 | -0.05 | 1059.1 | 01 | 06 | 1 | |
| | P | 11/13/1998 | -170.05 | 0.85 | 1059.95 | 01 | 06 | 1 | |
| | P | 11/14/1998 | -169.6 | 0.45 | 1060.4 | 01 | 06 | 1 | |
| | P | 11/15/1998 | -169.1 | 0.5 | 1060.9 | 01 | 06 | 1 | |
| | P | 11/16/1998 | -168.6 | 0.5 | 1061.4 | 01 | 06 | 1 | |
| | P | 11/17/1998 | -168.38 | 0.22 | 1061.62 | 01 | 06 | 1 | |
| | P | 11/18/1998 | -168.12 | 0.26 | 1061.88 | 01 | 06 | 1 | |
| | P | 11/19/1998 | -167.97 | 0.15 | 1062.03 | 01 | 06 | 1 | |
| | P | 11/20/1998 | -167.79 | 0.18 | 1062.21 | 01 | 06 | 1 | |
| | P | 11/21/1998 | -167.8 | -0.01 | 1062.2 | 01 | 06 | 1 | |
| | P | 11/22/1998 | -167.7 | 0.1 | 1062.3 | 01 | 06 | 1 | |
| | P | 11/23/1998 | -167.55 | 0.15 | 1062.45 | 01 | 06 | 1 | |
| | P | 11/24/1998 | -167.23 | 0.32 | 1062.77 | 01 | 06 | 1 | |
| | P | 11/25/1998 | -167.11 | 0.12 | 1062.89 | 01 | 06 | 1 | |
| | P | 11/26/1998 | -167.09 | 0.02 | 1062.91 | 01 | 06 | 1 | |
| | P | 11/27/1998 | -166.86 | 0.23 | 1063.14 | 01 | 06 | 1 | |
| | P | 11/28/1998 | -166.75 | 0.11 | 1063.25 | 01 | 06 | 1 | |
| | P | 11/29/1998 | -166.51 | 0.24 | 1063.49 | 01 | 06 | 1 | |
| | P | 11/30/1998 | -166.5 | 0.01 | 1063.5 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -166.8 | -0.3 | 1063.2 | 01 | 06 | 1 | |
| | P | 12/ 2/1998 | -166.59 | 0.21 | 1063.41 | 01 | 06 | 1 | |
| | P | 12/ 3/1998 | -166.16 | 0.43 | 1063.84 | 01 | 06 | 1 | |
| | P | 12/ 4/1998 | -166.18 | -0.02 | 1063.82 | 01 | 06 | 1 | |
| | P | 12/ 5/1998 | -166.06 | 0.12 | 1063.94 | 01 | 06 | 1 | |
| | P | 12/ 6/1998 | -165.92 | 0.14 | 1064.08 | 01 | 06 | 1 | |
| | P | 12/ 7/1998 | -165.93 | -0.01 | 1064.07 | 01 | 06 | 1 | |
| | P | 12/ 8/1998 | -166.13 | -0.2 | 1063.87 | 01 | 06 | 1 | |
| | P | 12/ 9/1998 | -166.08 | 0.05 | 1063.92 | 01 | 06 | 1 | |
| | P | 12/10/1998 | -165.98 | 0.1 | 1064.02 | 01 | 06 | 1 | |
| | P | 12/11/1998 | -165.93 | 0.05 | 1064.07 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/12/1998 | -165.91 | 0.02 | 1064.09 | 01 | 06 | 1 | |
| | P | 12/13/1998 | -165.92 | -0.01 | 1064.08 | 01 | 06 | 1 | |
| | P | 12/14/1998 | -165.83 | 0.09 | 1064.17 | 01 | 06 | 1 | |
| | P | 12/15/1998 | -165.83 | | 1064.17 | 01 | 06 | 1 | |
| | P | 12/16/1998 | -165.74 | 0.09 | 1064.26 | 01 | 06 | 1 | |
| | P | 12/17/1998 | -165.7 | 0.04 | 1064.3 | 01 | 06 | 1 | |
| | P | 12/18/1998 | -165.26 | 0.44 | 1064.74 | 01 | 06 | 1 | |
| | P | 12/19/1998 | -165.27 | -0.01 | 1064.73 | 01 | 06 | 1 | |
| | P | 12/20/1998 | -165.27 | | 1064.73 | 01 | 06 | 1 | |
| | P | 12/21/1998 | -165.17 | 0.1 | 1064.83 | 01 | 06 | 1 | |
| | P | 12/22/1998 | -165.35 | -0.18 | 1064.65 | 01 | 06 | 1 | |
| | P | 12/23/1998 | -165.38 | -0.03 | 1064.62 | 01 | 06 | 1 | |
| | P | 12/24/1998 | -165.49 | -0.11 | 1064.51 | 01 | 06 | 1 | |
| | P | 12/25/1998 | -165.42 | 0.07 | 1064.58 | 01 | 06 | 1 | |
| | P | 12/26/1998 | -165.15 | 0.27 | 1064.85 | 01 | 06 | 1 | |
| | P | 12/27/1998 | -164.95 | 0.2 | 1065.05 | 01 | 06 | 1 | |
| | P | 12/28/1998 | -164.87 | 0.08 | 1065.13 | 01 | 06 | 1 | |
| | P | 12/29/1998 | -164.73 | 0.14 | 1065.27 | 01 | 06 | 1 | |
| | P | 12/30/1998 | -164.93 | -0.2 | 1065.07 | 01 | 06 | 1 | |
| | P | 12/31/1998 | -164.91 | 0.02 | 1065.09 | 01 | 06 | 1 | |
| | P | 1/ 1/1999 | -164.5 | 0.41 | 1065.5 | 01 | 06 | 1 | |
| | P | 1/ 2/1999 | -164.6 | -0.1 | 1065.4 | 01 | 06 | 1 | |
| | P | 1/ 3/1999 | -165.08 | -0.48 | 1064.92 | 01 | 06 | 1 | |
| | P | 1/ 4/1999 | -165.31 | -0.23 | 1064.69 | 01 | 06 | 1 | |
| | P | 1/ 5/1999 | -164.95 | 0.36 | 1065.05 | 01 | 06 | 1 | |
| | P | 1/ 6/1999 | -164.92 | 0.03 | 1065.08 | 01 | 06 | 1 | |
| | P | 1/ 7/1999 | -164.73 | 0.19 | 1065.27 | 01 | 06 | 1 | |
| | P | 1/ 8/1999 | -164.6 | 0.13 | 1065.4 | 01 | 06 | 1 | |
| | P | 1/ 9/1999 | -164.73 | -0.13 | 1065.27 | 01 | 06 | 1 | |
| | P | 1/10/1999 | -164.97 | -0.24 | 1065.03 | 01 | 06 | 1 | |
| | P | 1/11/1999 | -164.85 | 0.12 | 1065.15 | 01 | 06 | 1 | |
| | P | 1/12/1999 | -164.58 | 0.27 | 1065.42 | 01 | 06 | 1 | |
| | P | 1/13/1999 | -164.57 | 0.01 | 1065.43 | 01 | 06 | 1 | |
| | P | 1/14/1999 | -164.95 | -0.38 | 1065.05 | 01 | 06 | 1 | |
| | P | 1/15/1999 | -164.78 | 0.17 | 1065.22 | 01 | 06 | 1 | |
| | P | 1/16/1999 | -164.61 | 0.17 | 1065.39 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 17/ 1999 | -164.58 | 0.03 | 1065.42 | 01 | 06 | 1 | |
| | P | 1/ 18/ 1999 | -164.91 | -0.33 | 1065.09 | 01 | 06 | 1 | |
| | P | 1/ 19/ 1999 | -164.82 | 0.09 | 1065.18 | 01 | 06 | 1 | |
| | P | 1/ 20/ 1999 | -164.66 | 0.16 | 1065.34 | 01 | 06 | 1 | |
| | P | 1/ 21/ 1999 | -164.36 | 0.3 | 1065.64 | 01 | 06 | 1 | |
| | P | 1/ 22/ 1999 | -164.32 | 0.04 | 1065.68 | 01 | 06 | 1 | |
| | P | 1/ 23/ 1999 | -164.89 | -0.57 | 1065.11 | 01 | 06 | 1 | |
| | P | 1/ 24/ 1999 | -165.16 | -0.27 | 1064.84 | 01 | 06 | 1 | |
| | P | 1/ 25/ 1999 | -165.22 | -0.06 | 1064.78 | 01 | 06 | 1 | |
| | P | 1/ 26/ 1999 | -165.1 | 0.12 | 1064.9 | 01 | 06 | 1 | |
| | P | 1/ 27/ 1999 | -165.06 | 0.04 | 1064.94 | 01 | 06 | 1 | |
| | P | 1/ 28/ 1999 | -164.85 | 0.21 | 1065.15 | 01 | 06 | 1 | |
| | P | 1/ 29/ 1999 | -164.76 | 0.09 | 1065.24 | 01 | 06 | 1 | |
| | P | 1/ 30/ 1999 | -165.09 | -0.33 | 1064.91 | 01 | 06 | 1 | |
| | P | 1/ 31/ 1999 | -165.27 | -0.18 | 1064.73 | 01 | 06 | 1 | |
| | P | 2/ 1/ 1999 | -165.3 | -0.03 | 1064.7 | 01 | 06 | 1 | |
| | P | 2/ 2/ 1999 | -165.27 | 0.03 | 1064.73 | 01 | 06 | 1 | |
| | P | 2/ 3/ 1999 | -165.21 | 0.06 | 1064.79 | 01 | 06 | 1 | |
| | P | 2/ 4/ 1999 | -165.38 | -0.17 | 1064.62 | 01 | 06 | 1 | |
| | P | 2/ 5/ 1999 | -165.45 | -0.07 | 1064.55 | 01 | 06 | 1 | |
| | P | 2/ 6/ 1999 | -165.32 | 0.13 | 1064.68 | 01 | 06 | 1 | |
| | P | 2/ 7/ 1999 | -165.55 | -0.23 | 1064.45 | 01 | 06 | 1 | |
| | P | 2/ 8/ 1999 | -165.49 | 0.06 | 1064.51 | 01 | 06 | 1 | |
| | P | 2/ 9/ 1999 | -165.51 | -0.02 | 1064.49 | 01 | 06 | 1 | |
| | P | 2/ 10/ 1999 | -165.62 | -0.11 | 1064.38 | 01 | 06 | 1 | |
| | P | 2/ 11/ 1999 | -165.56 | 0.06 | 1064.44 | 01 | 06 | 1 | |
| | P | 2/ 12/ 1999 | -166.09 | -0.53 | 1063.91 | 01 | 06 | 1 | |
| | P | 2/ 13/ 1999 | -166.28 | -0.19 | 1063.72 | 01 | 06 | 1 | |
| | P | 2/ 14/ 1999 | -166.14 | 0.14 | 1063.86 | 01 | 06 | 1 | |
| | P | 2/ 15/ 1999 | -166.01 | 0.13 | 1063.99 | 01 | 06 | 1 | |
| | P | 2/ 16/ 1999 | -166.03 | -0.02 | 1063.97 | 01 | 06 | 1 | |
| | P | 2/ 17/ 1999 | -166.1 | -0.07 | 1063.9 | 01 | 06 | 1 | |
| | P | 2/ 18/ 1999 | -166.08 | 0.02 | 1063.92 | 01 | 06 | 1 | |
| | P | 2/ 19/ 1999 | -166.21 | -0.13 | 1063.79 | 01 | 06 | 1 | |
| | P | 2/ 20/ 1999 | -166.23 | -0.02 | 1063.77 | 01 | 06 | 1 | |
| | P | 2/ 21/ 1999 | -167.58 | -1.35 | 1062.42 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/22/1999 | -168.01 | -0.43 | 1061.99 | 01 | 06 | 1 | |
| | P | 2/23/1999 | -167.29 | 0.72 | 1062.71 | 01 | 06 | 1 | |
| | P | 2/24/1999 | -167.18 | 0.11 | 1062.82 | 01 | 06 | 1 | |
| | P | 2/25/1999 | -167.94 | -0.76 | 1062.06 | 01 | 06 | 1 | |
| | P | 2/26/1999 | -168.31 | -0.37 | 1061.69 | 01 | 06 | 1 | |
| | P | 2/27/1999 | -168.21 | 0.1 | 1061.79 | 01 | 06 | 1 | |
| | P | 2/28/1999 | -168.74 | -0.53 | 1061.26 | 01 | 06 | 1 | |
| | P | 3/ 1/1999 | -168.77 | -0.03 | 1061.23 | 01 | 06 | 1 | |
| | P | 3/ 2/1999 | -168.64 | 0.13 | 1061.36 | 01 | 06 | 1 | |
| | P | 3/ 3/1999 | -169.11 | -0.47 | 1060.89 | 01 | 06 | 1 | |
| | P | 3/ 4/1999 | -169 | 0.11 | 1061 | 01 | 06 | 1 | |
| | P | 3/ 5/1999 | -168.97 | 0.03 | 1061.03 | 01 | 06 | 1 | |
| | P | 3/ 6/1999 | -169.36 | -0.39 | 1060.64 | 01 | 06 | 1 | |
| | P | 3/ 7/1999 | -168.49 | 0.87 | 1061.51 | 01 | 06 | 1 | |
| | P | 3/ 8/1999 | -168.11 | 0.38 | 1061.89 | 01 | 06 | 1 | |
| | P | 3/ 9/1999 | -168.16 | -0.05 | 1061.84 | 01 | 06 | 1 | |
| | P | 3/10/1999 | -168.24 | -0.08 | 1061.76 | 01 | 06 | 1 | |
| | P | 3/11/1999 | -168.4 | -0.16 | 1061.6 | 01 | 06 | 1 | |
| | P | 3/12/1999 | -168.11 | 0.29 | 1061.89 | 01 | 06 | 1 | |
| | P | 3/13/1999 | -168.26 | -0.15 | 1061.74 | 01 | 06 | 1 | |
| | P | 3/14/1999 | -168.4 | -0.14 | 1061.6 | 01 | 06 | 1 | |
| | P | 3/15/1999 | -168.58 | -0.18 | 1061.42 | 01 | 06 | 1 | |
| | P | 3/16/1999 | -168.7 | -0.12 | 1061.3 | 01 | 06 | 1 | |
| | P | 3/17/1999 | -168.6 | 0.1 | 1061.4 | 01 | 06 | 1 | |
| | P | 3/18/1999 | -168.66 | -0.06 | 1061.34 | 01 | 06 | 1 | |
| | P | 3/19/1999 | -168.82 | -0.16 | 1061.18 | 01 | 06 | 1 | |
| | P | 3/20/1999 | -168.85 | -0.03 | 1061.15 | 01 | 06 | 1 | |
| | P | 3/21/1999 | -168.64 | 0.21 | 1061.36 | 01 | 06 | 1 | |
| | P | 3/22/1999 | -168.4 | 0.24 | 1061.6 | 01 | 06 | 1 | |
| | P | 3/23/1999 | -168.29 | 0.11 | 1061.71 | 01 | 06 | 1 | |
| | P | 3/24/1999 | -168.5 | -0.21 | 1061.5 | 01 | 06 | 1 | |
| | P | 3/25/1999 | -168.76 | -0.26 | 1061.24 | 01 | 06 | 1 | |
| | P | 3/26/1999 | -168.89 | -0.13 | 1061.11 | 01 | 06 | 1 | |
| | P | 3/27/1999 | -168.66 | 0.23 | 1061.34 | 01 | 06 | 1 | |
| | P | 3/28/1999 | -168.67 | -0.01 | 1061.33 | 01 | 06 | 1 | |
| | P | 3/29/1999 | -169.77 | -1.1 | 1060.23 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1999 | -169.67 | 0.1 | 1060.33 | 01 | 06 | 1 | |
| | P | 3/31/1999 | -169.66 | 0.01 | 1060.34 | 01 | 06 | 1 | |
| | P | 4/ 1/1999 | -169.28 | 0.38 | 1060.72 | 01 | 06 | 1 | |
| | P | 4/ 2/1999 | -169.41 | -0.13 | 1060.59 | 01 | 06 | 1 | |
| | P | 4/ 3/1999 | -169.32 | 0.09 | 1060.68 | 01 | 06 | 1 | |
| | P | 4/ 4/1999 | -169.64 | -0.32 | 1060.36 | 01 | 06 | 1 | |
| | P | 4/ 5/1999 | -169.65 | -0.01 | 1060.35 | 01 | 06 | 1 | |
| | P | 4/ 6/1999 | -170.17 | -0.52 | 1059.83 | 01 | 06 | 1 | |
| | P | 4/ 7/1999 | -170.1 | 0.07 | 1059.9 | 01 | 06 | 1 | |
| | P | 4/ 8/1999 | -170.29 | -0.19 | 1059.71 | 01 | 06 | 1 | |
| | P | 4/ 9/1999 | -170.32 | -0.03 | 1059.68 | 01 | 06 | 1 | |
| | P | 4/10/1999 | -170.55 | -0.23 | 1059.45 | 01 | 06 | 1 | |
| | P | 4/11/1999 | -171.05 | -0.5 | 1058.95 | 01 | 06 | 1 | |
| | P | 4/12/1999 | -170.64 | 0.41 | 1059.36 | 01 | 06 | 1 | |
| | P | 4/13/1999 | -169.86 | 0.78 | 1060.14 | 01 | 06 | 1 | |
| | P | 4/14/1999 | -169.64 | 0.22 | 1060.36 | 01 | 06 | 1 | |
| | P | 4/15/1999 | -169.91 | -0.27 | 1060.09 | 01 | 06 | 1 | |
| | P | 4/16/1999 | -170.46 | -0.55 | 1059.54 | 01 | 06 | 1 | |
| | P | 4/17/1999 | -170.45 | 0.01 | 1059.55 | 01 | 06 | 1 | |
| | P | 4/18/1999 | -170.88 | -0.43 | 1059.12 | 01 | 06 | 1 | |
| | P | 4/19/1999 | -170.93 | -0.05 | 1059.07 | 01 | 06 | 1 | |
| | P | 4/20/1999 | -170.83 | 0.1 | 1059.17 | 01 | 06 | 1 | |
| | P | 4/21/1999 | -170.7 | 0.13 | 1059.3 | 01 | 06 | 1 | |
| | P | 4/22/1999 | -170.78 | -0.08 | 1059.22 | 01 | 06 | 1 | |
| | P | 4/23/1999 | -171.59 | -0.81 | 1058.41 | 01 | 06 | 1 | |
| | P | 4/24/1999 | -172.75 | -1.16 | 1057.25 | 01 | 06 | 1 | |
| | P | 4/25/1999 | -171.89 | 0.86 | 1058.11 | 01 | 06 | 1 | |
| | P | 4/26/1999 | -171.33 | 0.56 | 1058.67 | 01 | 06 | 1 | |
| | P | 4/27/1999 | -171.22 | 0.11 | 1058.78 | 01 | 06 | 1 | |
| | P | 4/28/1999 | -171.17 | 0.05 | 1058.83 | 01 | 06 | 1 | |
| | P | 4/29/1999 | -171.17 | | 1058.83 | 01 | 06 | 1 | |
| | P | 4/30/1999 | -171.35 | -0.18 | 1058.65 | 01 | 06 | 1 | |
| | P | 5/ 1/1999 | -171.53 | -0.18 | 1058.47 | 01 | 06 | 1 | |
| | P | 5/ 2/1999 | -172.97 | -1.44 | 1057.03 | 01 | 06 | 1 | |
| | P | 5/ 3/1999 | -172.11 | 0.86 | 1057.89 | 01 | 06 | 1 | |
| | P | 5/ 4/1999 | -171.61 | 0.5 | 1058.39 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 5/1999 | -171.65 | -0.04 | 1058.35 | 01 | 06 | 1 | |
| | P | 5/ 6/1999 | -171.85 | -0.2 | 1058.15 | 01 | 06 | 1 | |
| | P | 5/ 7/1999 | -173.28 | -1.43 | 1056.72 | 01 | 06 | 1 | |
| | P | 5/ 8/1999 | -173.9 | -0.62 | 1056.1 | 01 | 06 | 1 | |
| | P | 5/ 9/1999 | -174.19 | -0.29 | 1055.81 | 01 | 06 | 1 | |
| | P | 5/10/1999 | -174.22 | -0.03 | 1055.78 | 01 | 06 | 1 | |
| | P | 5/11/1999 | -173.01 | 1.21 | 1056.99 | 01 | 06 | 1 | |
| | P | 5/12/1999 | -172.25 | 0.76 | 1057.75 | 01 | 06 | 1 | |
| | P | 5/13/1999 | -172.1 | 0.15 | 1057.9 | 01 | 06 | 1 | |
| | P | 5/14/1999 | -171.96 | 0.14 | 1058.04 | 01 | 06 | 1 | |
| | P | 5/15/1999 | -172.02 | -0.06 | 1057.98 | 01 | 06 | 1 | |
| | P | 5/16/1999 | -172.25 | -0.23 | 1057.75 | 01 | 06 | 1 | |
| | P | 5/17/1999 | -172.57 | -0.32 | 1057.43 | 01 | 06 | 1 | |
| | P | 5/18/1999 | -172.84 | -0.27 | 1057.16 | 01 | 06 | 1 | |
| | P | 5/19/1999 | -173 | -0.16 | 1057 | 01 | 06 | 1 | |
| | P | 5/20/1999 | -172.99 | 0.01 | 1057.01 | 01 | 06 | 1 | |
| | P | 5/21/1999 | -173.09 | -0.1 | 1056.91 | 01 | 06 | 1 | |
| | P | 5/22/1999 | -173.26 | -0.17 | 1056.74 | 01 | 06 | 1 | |
| | P | 5/23/1999 | -174.77 | -1.51 | 1055.23 | 01 | 06 | 1 | |
| | P | 5/24/1999 | -175.37 | -0.6 | 1054.63 | 01 | 06 | 1 | |
| | P | 5/25/1999 | -175.58 | -0.21 | 1054.42 | 01 | 06 | 1 | |
| | P | 5/26/1999 | -175.76 | -0.18 | 1054.24 | 01 | 06 | 1 | |
| | P | 5/27/1999 | -176.23 | -0.47 | 1053.77 | 01 | 06 | 1 | |
| | P | 5/28/1999 | -176.4 | -0.17 | 1053.6 | 01 | 06 | 1 | |
| | P | 5/29/1999 | -176.71 | -0.31 | 1053.29 | 01 | 06 | 1 | |
| | P | 5/30/1999 | -177.06 | -0.35 | 1052.94 | 01 | 06 | 1 | |
| | P | 5/31/1999 | -177.21 | -0.15 | 1052.79 | 01 | 06 | 1 | |
| | P | 6/ 1/1999 | -177.49 | -0.28 | 1052.51 | 01 | 06 | 1 | |
| | P | 6/ 2/1999 | -177.77 | -0.28 | 1052.23 | 01 | 06 | 1 | |
| | P | 6/ 3/1999 | -178.23 | -0.46 | 1051.77 | 01 | 06 | 1 | |
| | P | 6/ 4/1999 | -178.56 | -0.33 | 1051.44 | 01 | 06 | 1 | |
| | P | 6/ 5/1999 | -178.9 | -0.34 | 1051.1 | 01 | 06 | 1 | |
| | P | 6/ 6/1999 | -179.24 | -0.34 | 1050.76 | 01 | 06 | 1 | |
| | P | 6/ 7/1999 | -179.64 | -0.4 | 1050.36 | 01 | 06 | 1 | |
| | P | 6/ 8/1999 | -179.93 | -0.29 | 1050.07 | 01 | 06 | 1 | |
| | P | 6/ 9/1999 | -180.73 | -0.8 | 1049.27 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/10/1999 | -181.05 | -0.32 | 1048.95 | 01 | 06 | 1 | |
| | P | 6/11/1999 | -181.54 | -0.49 | 1048.46 | 01 | 06 | 1 | |
| | P | 6/12/1999 | -182.21 | -0.67 | 1047.79 | 01 | 06 | 1 | |
| | P | 6/13/1999 | -182.83 | -0.62 | 1047.17 | 01 | 06 | 1 | |
| | P | 6/14/1999 | -182 | 0.83 | 1048 | 01 | 06 | 1 | |
| | P | 6/15/1999 | -181.71 | 0.29 | 1048.29 | 01 | 06 | 1 | |
| | P | 6/16/1999 | -181.55 | 0.16 | 1048.45 | 01 | 06 | 1 | |
| | P | 6/17/1999 | -181.66 | -0.11 | 1048.34 | 01 | 06 | 1 | |
| | P | 6/18/1999 | -181.87 | -0.21 | 1048.13 | 01 | 06 | 1 | |
| | P | 6/19/1999 | -182.27 | -0.4 | 1047.73 | 01 | 06 | 1 | |
| | P | 6/20/1999 | -182.18 | 0.09 | 1047.82 | 01 | 06 | 1 | |
| | P | 6/21/1999 | -180.25 | 1.93 | 1049.75 | 01 | 06 | 1 | |
| | P | 6/22/1999 | -177.93 | 2.32 | 1052.07 | 01 | 06 | 1 | |
| | P | 6/23/1999 | -176.51 | 1.42 | 1053.49 | 01 | 06 | 1 | |
| | P | 6/24/1999 | -175.73 | 0.78 | 1054.27 | 01 | 06 | 1 | |
| | P | 6/25/1999 | -175.39 | 0.34 | 1054.61 | 01 | 06 | 1 | |
| | P | 6/26/1999 | -175.35 | 0.04 | 1054.65 | 01 | 06 | 1 | |
| | P | 6/27/1999 | -175.47 | -0.12 | 1054.53 | 01 | 06 | 1 | |
| | P | 6/28/1999 | -175.73 | -0.26 | 1054.27 | 01 | 06 | 1 | |
| | P | 6/29/1999 | -176.08 | -0.35 | 1053.92 | 01 | 06 | 1 | |
| | P | 6/30/1999 | -176.26 | -0.18 | 1053.74 | 01 | 06 | 1 | |
| | P | 7/ 1/1999 | -176.85 | -0.59 | 1053.15 | 01 | 06 | 1 | |
| | P | 7/ 2/1999 | -177.31 | -0.46 | 1052.69 | 01 | 06 | 1 | |
| | P | 7/ 3/1999 | -177.67 | -0.36 | 1052.33 | 01 | 06 | 1 | |
| | P | 7/ 4/1999 | -177.92 | -0.25 | 1052.08 | 01 | 06 | 1 | |
| | P | 7/ 5/1999 | -178.16 | -0.24 | 1051.84 | 01 | 06 | 1 | |
| | P | 7/ 6/1999 | -178.27 | -0.11 | 1051.73 | 01 | 06 | 1 | |
| | P | 7/ 7/1999 | -178.31 | -0.04 | 1051.69 | 01 | 06 | 1 | |
| | P | 7/ 8/1999 | -178.3 | 0.01 | 1051.7 | 01 | 06 | 1 | |
| | P | 7/ 9/1999 | -178.4 | -0.1 | 1051.6 | 01 | 06 | 1 | |
| | P | 7/10/1999 | -178.72 | -0.32 | 1051.28 | 01 | 06 | 1 | |
| | P | 7/11/1999 | -177.9 | 0.82 | 1052.1 | 01 | 06 | 1 | |
| | P | 7/12/1999 | -176.55 | 1.35 | 1053.45 | 01 | 06 | 1 | |
| | P | 7/13/1999 | -175.31 | 1.24 | 1054.69 | 01 | 06 | 1 | |
| | P | 7/14/1999 | -174.85 | 0.46 | 1055.15 | 01 | 06 | 1 | |
| | P | 7/15/1999 | -175.35 | -0.5 | 1054.65 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/16/1999 | -175.79 | -0.44 | 1054.21 | 01 | 06 | 1 | |
| | P | 7/17/1999 | -175.4 | 0.39 | 1054.6 | 01 | 06 | 1 | |
| | P | 7/18/1999 | -175.27 | 0.13 | 1054.73 | 01 | 06 | 1 | |
| | P | 7/19/1999 | -176.29 | -1.02 | 1053.71 | 01 | 06 | 1 | |
| | P | 7/20/1999 | -176.53 | -0.24 | 1053.47 | 01 | 06 | 1 | |
| | P | 7/21/1999 | -176.86 | -0.33 | 1053.14 | 01 | 06 | 1 | |
| | P | 7/22/1999 | -177.13 | -0.27 | 1052.87 | 01 | 06 | 1 | |
| | P | 7/23/1999 | -177.38 | -0.25 | 1052.62 | 01 | 06 | 1 | |
| | P | 7/24/1999 | -177.6 | -0.22 | 1052.4 | 01 | 06 | 1 | |
| | P | 7/25/1999 | -178.04 | -0.44 | 1051.96 | 01 | 06 | 1 | |
| | P | 7/26/1999 | -178.2 | -0.16 | 1051.8 | 01 | 06 | 1 | |
| | P | 7/27/1999 | -178.55 | -0.35 | 1051.45 | 01 | 06 | 1 | |
| | P | 7/28/1999 | -178.79 | -0.24 | 1051.21 | 01 | 06 | 1 | |
| | P | 7/29/1999 | -179.15 | -0.36 | 1050.85 | 01 | 06 | 1 | |
| | P | 7/30/1999 | -179.45 | -0.3 | 1050.55 | 01 | 06 | 1 | |
| | P | 7/31/1999 | -180.07 | -0.62 | 1049.93 | 01 | 06 | 1 | |
| | P | 8/ 1/1999 | -180.26 | -0.19 | 1049.74 | 01 | 06 | 1 | |
| | P | 8/ 2/1999 | -180.74 | -0.48 | 1049.26 | 01 | 06 | 1 | |
| | P | 8/ 3/1999 | -180.99 | -0.25 | 1049.01 | 01 | 06 | 1 | |
| | P | 8/ 4/1999 | -181.4 | -0.41 | 1048.6 | 01 | 06 | 1 | |
| | P | 8/ 5/1999 | -181.79 | -0.39 | 1048.21 | 01 | 06 | 1 | |
| | P | 8/ 6/1999 | -182.12 | -0.33 | 1047.88 | 01 | 06 | 1 | |
| | P | 8/ 7/1999 | -181.94 | 0.18 | 1048.06 | 01 | 06 | 1 | |
| | P | 8/ 8/1999 | -182.22 | -0.28 | 1047.78 | 01 | 06 | 1 | |
| | P | 8/ 9/1999 | -182.53 | -0.31 | 1047.47 | 01 | 06 | 1 | |
| | P | 8/10/1999 | -182.93 | -0.4 | 1047.07 | 01 | 06 | 1 | |
| | P | 8/11/1999 | -183.52 | -0.59 | 1046.48 | 01 | 06 | 1 | |
| | P | 8/12/1999 | -184.2 | -0.68 | 1045.8 | 01 | 06 | 1 | |
| | P | 8/13/1999 | -184.7 | -0.5 | 1045.3 | 01 | 06 | 1 | |
| | P | 8/14/1999 | -185.23 | -0.53 | 1044.77 | 01 | 06 | 1 | |
| | P | 8/15/1999 | -185.87 | -0.64 | 1044.13 | 01 | 06 | 1 | |
| | P | 8/16/1999 | -186.67 | -0.8 | 1043.33 | 01 | 06 | 1 | |
| | P | 8/17/1999 | -187.05 | -0.38 | 1042.95 | 01 | 06 | 1 | |
| | P | 8/18/1999 | -187.1 | -0.05 | 1042.9 | 01 | 06 | 1 | |
| | P | 8/19/1999 | -187.48 | -0.38 | 1042.52 | 01 | 06 | 1 | |
| | P | 8/20/1999 | -187.83 | -0.35 | 1042.17 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/21/1999 | -187.78 | 0.05 | 1042.22 | 01 | 06 | 1 | |
| | P | 8/22/1999 | -188.27 | -0.49 | 1041.73 | 01 | 06 | 1 | |
| | P | 8/23/1999 | -188.21 | 0.06 | 1041.79 | 01 | 06 | 1 | |
| | P | 8/24/1999 | -188.25 | -0.04 | 1041.75 | 01 | 06 | 1 | |
| | P | 8/25/1999 | -187.43 | 0.82 | 1042.57 | 01 | 06 | 1 | |
| | P | 8/26/1999 | -187.25 | 0.18 | 1042.75 | 01 | 06 | 1 | |
| | P | 8/27/1999 | -187.53 | -0.28 | 1042.47 | 01 | 06 | 1 | |
| | P | 8/28/1999 | -187.89 | -0.36 | 1042.11 | 01 | 06 | 1 | |
| | P | 8/29/1999 | -188.55 | -0.66 | 1041.45 | 01 | 06 | 1 | |
| | P | 8/30/1999 | -188.91 | -0.36 | 1041.09 | 01 | 06 | 1 | |
| | P | 8/31/1999 | -189.63 | -0.72 | 1040.37 | 01 | 06 | 1 | |
| | P | 9/ 1/1999 | -189.54 | 0.09 | 1040.46 | 01 | 06 | 1 | |
| | P | 9/ 2/1999 | -189.76 | -0.22 | 1040.24 | 01 | 06 | 1 | |
| | P | 9/ 3/1999 | -190.07 | -0.31 | 1039.93 | 01 | 06 | 1 | |
| | P | 9/ 4/1999 | -190.29 | -0.22 | 1039.71 | 01 | 06 | 1 | |
| | P | 9/ 5/1999 | -190.61 | -0.32 | 1039.39 | 01 | 06 | 1 | |
| | P | 9/ 6/1999 | -190.71 | -0.1 | 1039.29 | 01 | 06 | 1 | |
| | P | 9/ 7/1999 | -191.09 | -0.38 | 1038.91 | 01 | 06 | 1 | |
| | P | 9/ 8/1999 | -191.21 | -0.12 | 1038.79 | 01 | 06 | 1 | |
| | P | 9/ 9/1999 | -191.42 | -0.21 | 1038.58 | 01 | 06 | 1 | |
| | P | 9/10/1999 | -191.75 | -0.33 | 1038.25 | 01 | 06 | 1 | |
| | P | 9/11/1999 | -191.85 | -0.1 | 1038.15 | 01 | 06 | 1 | |
| | P | 9/12/1999 | -192.04 | -0.19 | 1037.96 | 01 | 06 | 1 | |
| | P | 9/13/1999 | -192.57 | -0.53 | 1037.43 | 01 | 06 | 1 | |
| | P | 9/14/1999 | -192.88 | -0.31 | 1037.12 | 01 | 06 | 1 | |
| | P | 9/15/1999 | -192.92 | -0.04 | 1037.08 | 01 | 06 | 1 | |
| | P | 9/16/1999 | -193.18 | -0.26 | 1036.82 | 01 | 06 | 1 | |
| | P | 9/17/1999 | -193.87 | -0.69 | 1036.13 | 01 | 06 | 1 | |
| | P | 9/18/1999 | -193.71 | 0.16 | 1036.29 | 01 | 06 | 1 | |
| | P | 9/19/1999 | -194.09 | -0.38 | 1035.91 | 01 | 06 | 1 | |
| | P | 9/20/1999 | -194.57 | -0.48 | 1035.43 | 01 | 06 | 1 | |
| | P | 9/21/1999 | -195.08 | -0.51 | 1034.92 | 01 | 06 | 1 | |
| | P | 9/22/1999 | -195.2 | -0.12 | 1034.8 | 01 | 06 | 1 | |
| | P | 9/23/1999 | -195.22 | -0.02 | 1034.78 | 01 | 06 | 1 | |
| | P | 9/24/1999 | -195.32 | -0.1 | 1034.68 | 01 | 06 | 1 | |
| | P | 9/25/1999 | -195.63 | -0.31 | 1034.37 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/26/1999 | -195.79 | -0.16 | 1034.21 | 01 | 06 | 1 | |
| | P | 9/27/1999 | -196.27 | -0.48 | 1033.73 | 01 | 06 | 1 | |
| | P | 9/28/1999 | -196.63 | -0.36 | 1033.37 | 01 | 06 | 1 | |
| | P | 9/29/1999 | -196.99 | -0.36 | 1033.01 | 01 | 06 | 1 | |
| | P | 9/30/1999 | -197.15 | -0.16 | 1032.85 | 01 | 06 | 1 | |
| | P | 10/ 1/1999 | -197.41 | -0.26 | 1032.59 | 01 | 06 | 1 | |
| | P | 10/ 2/1999 | -197.35 | 0.06 | 1032.65 | 01 | 06 | 1 | |
| | P | 10/ 3/1999 | -197.75 | -0.4 | 1032.25 | 01 | 06 | 1 | |
| | P | 10/ 4/1999 | -198.26 | -0.51 | 1031.74 | 01 | 06 | 1 | |
| | P | 10/ 5/1999 | -198.27 | -0.01 | 1031.73 | 01 | 06 | 1 | |
| | P | 10/ 6/1999 | -198.5 | -0.23 | 1031.5 | 01 | 06 | 1 | |
| | P | 10/ 7/1999 | -198.36 | 0.14 | 1031.64 | 01 | 06 | 1 | |
| | P | 10/ 8/1999 | -198.51 | -0.15 | 1031.49 | 01 | 06 | 1 | |
| | P | 10/ 9/1999 | -198.7 | -0.19 | 1031.3 | 01 | 06 | 1 | |
| | P | 10/10/1999 | -199.22 | -0.52 | 1030.78 | 01 | 06 | 1 | |
| | P | 10/11/1999 | -199.8 | -0.58 | 1030.2 | 01 | 06 | 1 | |
| | P | 10/12/1999 | -200.02 | -0.22 | 1029.98 | 01 | 06 | 1 | |
| | P | 10/13/1999 | -200.29 | -0.27 | 1029.71 | 01 | 06 | 1 | |
| | P | 10/14/1999 | -200.64 | -0.35 | 1029.36 | 01 | 06 | 1 | |
| | P | 10/15/1999 | -200.64 | | 1029.36 | 01 | 06 | 1 | |
| | P | 10/16/1999 | -200.8 | -0.16 | 1029.2 | 01 | 06 | 1 | |
| | P | 10/17/1999 | -201.02 | -0.22 | 1028.98 | 01 | 06 | 1 | |
| | P | 10/18/1999 | -200.94 | 0.08 | 1029.06 | 01 | 06 | 1 | |
| | P | 10/19/1999 | -200.47 | 0.47 | 1029.53 | 01 | 06 | 1 | |
| | P | 10/20/1999 | -200.33 | 0.14 | 1029.67 | 01 | 06 | 1 | |
| | P | 10/21/1999 | -200.29 | 0.04 | 1029.71 | 01 | 06 | 1 | |
| | P | 10/22/1999 | -200.45 | -0.16 | 1029.55 | 01 | 06 | 1 | |
| | P | 10/23/1999 | -200.5 | -0.05 | 1029.5 | 01 | 06 | 1 | |
| | P | 10/24/1999 | -200.9 | -0.4 | 1029.1 | 01 | 06 | 1 | |
| | P | 10/25/1999 | -201.32 | -0.42 | 1028.68 | 01 | 06 | 1 | |
| | P | 10/26/1999 | -201.48 | -0.16 | 1028.52 | 01 | 06 | 1 | |
| | P | 10/27/1999 | -201.47 | 0.01 | 1028.53 | 01 | 06 | 1 | |
| | P | 10/28/1999 | -201.47 | | 1028.53 | 01 | 06 | 1 | |
| | P | 10/29/1999 | -201.49 | -0.02 | 1028.51 | 01 | 06 | 1 | |
| | P | 10/30/1999 | -201.58 | -0.09 | 1028.42 | 01 | 06 | 1 | |
| | P | 10/31/1999 | -201.58 | | 1028.42 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 1/1999 | -201.44 | 0.14 | 1028.56 | 01 | 06 | 1 | |
| | P | 11/ 2/1999 | -201.76 | -0.32 | 1028.24 | 01 | 06 | 1 | |
| | P | 11/ 3/1999 | -202.17 | -0.41 | 1027.83 | 01 | 06 | 1 | |
| | P | 11/ 4/1999 | -202.36 | -0.19 | 1027.64 | 01 | 06 | 1 | |
| | P | 11/ 5/1999 | -202.56 | -0.2 | 1027.44 | 01 | 06 | 1 | |
| | P | 11/ 6/1999 | -202.91 | -0.35 | 1027.09 | 01 | 06 | 1 | |
| | P | 11/ 7/1999 | -203.17 | -0.26 | 1026.83 | 01 | 06 | 1 | |
| | P | 11/ 8/1999 | -203.23 | -0.06 | 1026.77 | 01 | 06 | 1 | |
| | P | 11/ 9/1999 | -203.42 | -0.19 | 1026.58 | 01 | 06 | 1 | |
| | P | 11/10/1999 | -203.5 | -0.08 | 1026.5 | 01 | 06 | 1 | |
| | P | 11/11/1999 | -203.78 | -0.28 | 1026.22 | 01 | 06 | 1 | |
| | P | 11/12/1999 | -203.99 | -0.21 | 1026.01 | 01 | 06 | 1 | |
| | P | 11/13/1999 | -204.26 | -0.27 | 1025.74 | 01 | 06 | 1 | |
| | P | 11/14/1999 | -204.37 | -0.11 | 1025.63 | 01 | 06 | 1 | |
| | P | 11/15/1999 | -204.53 | -0.16 | 1025.47 | 01 | 06 | 1 | |
| | P | 11/16/1999 | -204.73 | -0.2 | 1025.27 | 01 | 06 | 1 | |
| | P | 11/17/1999 | -204.79 | -0.06 | 1025.21 | 01 | 06 | 1 | |
| | P | 11/18/1999 | -205 | -0.21 | 1025 | 01 | 06 | 1 | |
| | P | 11/19/1999 | -205.03 | -0.03 | 1024.97 | 01 | 06 | 1 | |
| | P | 11/20/1999 | -205.16 | -0.13 | 1024.84 | 01 | 06 | 1 | |
| | P | 11/21/1999 | -205.25 | -0.09 | 1024.75 | 01 | 06 | 1 | |
| | P | 11/22/1999 | -205.28 | -0.03 | 1024.72 | 01 | 06 | 1 | |
| | P | 11/23/1999 | -205.36 | -0.08 | 1024.64 | 01 | 06 | 1 | |
| | P | 11/24/1999 | -205.73 | -0.37 | 1024.27 | 01 | 06 | 1 | |
| | P | 11/25/1999 | -205.77 | -0.04 | 1024.23 | 01 | 06 | 1 | |
| | P | 11/26/1999 | -205.8 | -0.03 | 1024.2 | 01 | 06 | 1 | |
| | P | 11/27/1999 | -205.82 | -0.02 | 1024.18 | 01 | 06 | 1 | |
| | P | 11/28/1999 | -206.2 | -0.38 | 1023.8 | 01 | 06 | 1 | |
| | P | 11/29/1999 | -206.5 | -0.3 | 1023.5 | 01 | 06 | 1 | |
| | P | 11/30/1999 | -206.78 | -0.28 | 1023.22 | 01 | 06 | 1 | |
| | P | 12/ 1/1999 | -206.61 | 0.17 | 1023.39 | 01 | 06 | 1 | |
| | P | 12/ 2/1999 | -206.48 | 0.13 | 1023.52 | 01 | 06 | 1 | |
| | P | 12/ 3/1999 | -206.54 | -0.06 | 1023.46 | 01 | 06 | 1 | |
| | P | 12/ 4/1999 | -206.76 | -0.22 | 1023.24 | 01 | 06 | 1 | |
| | P | 12/ 5/1999 | -207.27 | -0.51 | 1022.73 | 01 | 06 | 1 | |
| | P | 12/ 6/1999 | -207.54 | -0.27 | 1022.46 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 7/1999 | -207.49 | 0.05 | 1022.51 | 01 | 06 | 1 | |
| | P | 12/ 8/1999 | -207.52 | -0.03 | 1022.48 | 01 | 06 | 1 | |
| | P | 12/ 9/1999 | -207.89 | -0.37 | 1022.11 | 01 | 06 | 1 | |
| | P | 12/10/1999 | -208.19 | -0.3 | 1021.81 | 01 | 06 | 1 | |
| | P | 12/11/1999 | -207.85 | 0.34 | 1022.15 | 01 | 06 | 1 | |
| | P | 12/12/1999 | -207.77 | 0.08 | 1022.23 | 01 | 06 | 1 | |
| | P | 12/13/1999 | -208.12 | -0.35 | 1021.88 | 01 | 06 | 1 | |
| | P | 12/14/1999 | -207.89 | 0.23 | 1022.11 | 01 | 06 | 1 | |
| | P | 12/15/1999 | -208.23 | -0.34 | 1021.77 | 01 | 06 | 1 | |
| | P | 12/16/1999 | -208.74 | -0.51 | 1021.26 | 01 | 06 | 1 | |
| | P | 12/17/1999 | -208.58 | 0.16 | 1021.42 | 01 | 06 | 1 | |
| | P | 12/18/1999 | -208.67 | -0.09 | 1021.33 | 01 | 06 | 1 | |
| | P | 12/19/1999 | -208.81 | -0.14 | 1021.19 | 01 | 06 | 1 | |
| | P | 12/20/1999 | -209.14 | -0.33 | 1020.86 | 01 | 06 | 1 | |
| | P | 12/21/1999 | -209.33 | -0.19 | 1020.67 | 01 | 06 | 1 | |
| | P | 12/22/1999 | -209.62 | -0.29 | 1020.38 | 01 | 06 | 1 | |
| | P | 12/23/1999 | -209.74 | -0.12 | 1020.26 | 01 | 06 | 1 | |
| | P | 12/24/1999 | -209.98 | -0.24 | 1020.02 | 01 | 06 | 1 | |
| | P | 12/25/1999 | -210.2 | -0.22 | 1019.8 | 01 | 06 | 1 | |
| | P | 12/26/1999 | -210.44 | -0.24 | 1019.56 | 01 | 06 | 1 | |
| | P | 12/27/1999 | -210.43 | 0.01 | 1019.57 | 01 | 06 | 1 | |
| | P | 12/28/1999 | -210.79 | -0.36 | 1019.21 | 01 | 06 | 1 | |
| | P | 12/29/1999 | -210.67 | 0.12 | 1019.33 | 01 | 06 | 1 | |
| | P | 12/30/1999 | -210.77 | -0.1 | 1019.23 | 01 | 06 | 1 | |
| | P | 12/31/1999 | -211.1 | -0.33 | 1018.9 | 01 | 06 | 1 | |
| | P | 1/ 1/2000 | -211.17 | -0.07 | 1018.83 | 01 | 06 | 1 | |
| | P | 1/ 2/2000 | -211.17 | | 1018.83 | 01 | 06 | 1 | |
| | P | 1/ 3/2000 | -211.43 | -0.26 | 1018.57 | 01 | 06 | 1 | |
| | P | 1/ 4/2000 | -212.11 | -0.68 | 1017.89 | 01 | 06 | 1 | |
| | P | 1/ 5/2000 | -212.18 | -0.07 | 1017.82 | 01 | 06 | 1 | |
| | P | 1/ 6/2000 | -212.14 | 0.04 | 1017.86 | 01 | 06 | 1 | |
| | P | 1/ 7/2000 | -212.24 | -0.1 | 1017.76 | 01 | 06 | 1 | |
| | P | 1/ 8/2000 | -212.12 | 0.12 | 1017.88 | 01 | 06 | 1 | |
| | P | 1/ 9/2000 | -211.61 | 0.51 | 1018.39 | 01 | 06 | 1 | |
| | P | 1/10/2000 | -211.74 | -0.13 | 1018.26 | 01 | 06 | 1 | |
| | P | 1/11/2000 | -211.95 | -0.21 | 1018.05 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 12/ 2000 | -211.89 | 0.06 | 1018.11 | 01 | 06 | 1 | |
| | P | 1/ 13/ 2000 | -212.1 | -0.21 | 1017.9 | 01 | 06 | 1 | |
| | P | 1/ 14/ 2000 | -212.5 | -0.4 | 1017.5 | 01 | 06 | 1 | |
| | P | 1/ 15/ 2000 | -212.89 | -0.39 | 1017.11 | 01 | 06 | 1 | |
| | P | 1/ 16/ 2000 | -213.16 | -0.27 | 1016.84 | 01 | 06 | 1 | |
| | P | 1/ 17/ 2000 | -213.24 | -0.08 | 1016.76 | 01 | 06 | 1 | |
| | P | 1/ 18/ 2000 | -213.32 | -0.08 | 1016.68 | 01 | 06 | 1 | |
| | P | 1/ 19/ 2000 | -213.22 | 0.1 | 1016.78 | 01 | 06 | 1 | |
| | P | 1/ 20/ 2000 | -213.73 | -0.51 | 1016.27 | 01 | 06 | 1 | |
| | P | 1/ 21/ 2000 | -213.89 | -0.16 | 1016.11 | 01 | 06 | 1 | |
| | P | 1/ 22/ 2000 | -213.87 | 0.02 | 1016.13 | 01 | 06 | 1 | |
| | P | 1/ 23/ 2000 | -214.1 | -0.23 | 1015.9 | 01 | 06 | 1 | |
| | P | 1/ 24/ 2000 | -214.52 | -0.42 | 1015.48 | 01 | 06 | 1 | |
| | P | 1/ 25/ 2000 | -214.5 | 0.02 | 1015.5 | 01 | 06 | 1 | |
| | P | 1/ 26/ 2000 | -214.79 | -0.29 | 1015.21 | 01 | 06 | 1 | |
| | P | 1/ 27/ 2000 | -214.7 | 0.09 | 1015.3 | 01 | 06 | 1 | |
| | P | 1/ 28/ 2000 | -214.84 | -0.14 | 1015.16 | 01 | 06 | 1 | |
| | P | 1/ 29/ 2000 | -214.96 | -0.12 | 1015.04 | 01 | 06 | 1 | |
| | P | 1/ 30/ 2000 | -215.09 | -0.13 | 1014.91 | 01 | 06 | 1 | |
| | P | 1/ 31/ 2000 | -215.24 | -0.15 | 1014.76 | 01 | 06 | 1 | |
| | P | 2/ 1/ 2000 | -215.52 | -0.28 | 1014.48 | 01 | 06 | 1 | |
| | P | 2/ 2/ 2000 | -215.34 | 0.18 | 1014.66 | 01 | 06 | 1 | |
| | P | 2/ 3/ 2000 | -214.56 | 0.78 | 1015.44 | 01 | 06 | 1 | |
| | P | 2/ 4/ 2000 | -214.34 | 0.22 | 1015.66 | 01 | 06 | 1 | |
| | P | 2/ 5/ 2000 | -214.62 | -0.28 | 1015.38 | 01 | 06 | 1 | |
| | P | 2/ 6/ 2000 | -214.86 | -0.24 | 1015.14 | 01 | 06 | 1 | |
| | P | 2/ 7/ 2000 | -215.15 | -0.29 | 1014.85 | 01 | 06 | 1 | |
| | P | 2/ 8/ 2000 | -215.41 | -0.26 | 1014.59 | 01 | 06 | 1 | |
| | P | 2/ 9/ 2000 | -215.74 | -0.33 | 1014.26 | 01 | 06 | 1 | |
| | P | 2/ 10/ 2000 | -215.64 | 0.1 | 1014.36 | 01 | 06 | 1 | |
| | P | 2/ 11/ 2000 | -215.79 | -0.15 | 1014.21 | 01 | 06 | 1 | |
| | P | 2/ 12/ 2000 | -216.19 | -0.4 | 1013.81 | 01 | 06 | 1 | |
| | P | 2/ 13/ 2000 | -216.18 | 0.01 | 1013.82 | 01 | 06 | 1 | |
| | P | 2/ 14/ 2000 | -216.52 | -0.34 | 1013.48 | 01 | 06 | 1 | |
| | P | 2/ 15/ 2000 | -216.72 | -0.2 | 1013.28 | 01 | 06 | 1 | |
| | P | 2/ 16/ 2000 | -216.87 | -0.15 | 1013.13 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/17/2000 | -216.96 | -0.09 | 1013.04 | 01 | 06 | 1 | |
| | P | 2/18/2000 | -217.32 | -0.36 | 1012.68 | 01 | 06 | 1 | |
| | P | 2/19/2000 | -217.74 | -0.42 | 1012.26 | 01 | 06 | 1 | |
| | P | 2/20/2000 | -217.93 | -0.19 | 1012.07 | 01 | 06 | 1 | |
| | P | 2/21/2000 | -218.05 | -0.12 | 1011.95 | 01 | 06 | 1 | |
| | P | 2/22/2000 | -217.89 | 0.16 | 1012.11 | 01 | 06 | 1 | |
| | P | 2/23/2000 | -217.83 | 0.06 | 1012.17 | 01 | 06 | 1 | |
| | P | 2/24/2000 | -217.4 | 0.43 | 1012.6 | 01 | 06 | 1 | |
| | P | 2/25/2000 | -217.21 | 0.19 | 1012.79 | 01 | 06 | 1 | |
| | P | 2/26/2000 | -217.45 | -0.24 | 1012.55 | 01 | 06 | 1 | |
| | P | 2/27/2000 | -217.82 | -0.37 | 1012.18 | 01 | 06 | 1 | |
| | P | 2/28/2000 | -217.98 | -0.16 | 1012.02 | 01 | 06 | 1 | |
| | P | 2/29/2000 | -218.06 | -0.08 | 1011.94 | 01 | 06 | 1 | |
| | P | 3/ 1/2000 | -218.23 | -0.17 | 1011.77 | 01 | 06 | 1 | |
| | P | 3/ 2/2000 | -218.27 | -0.04 | 1011.73 | 01 | 06 | 1 | |
| | P | 3/ 3/2000 | -218.51 | -0.24 | 1011.49 | 01 | 06 | 1 | |
| | P | 3/ 4/2000 | -218.89 | -0.38 | 1011.11 | 01 | 06 | 1 | |
| | P | 3/ 5/2000 | -219.02 | -0.13 | 1010.98 | 01 | 06 | 1 | |
| | P | 3/ 6/2000 | -219.26 | -0.24 | 1010.74 | 01 | 06 | 1 | |
| | P | 3/ 7/2000 | -219.45 | -0.19 | 1010.55 | 01 | 06 | 1 | |
| | P | 3/ 8/2000 | -219.63 | -0.18 | 1010.37 | 01 | 06 | 1 | |
| | P | 3/ 9/2000 | -219.92 | -0.29 | 1010.08 | 01 | 06 | 1 | |
| | P | 3/10/2000 | -220.38 | -0.46 | 1009.62 | 01 | 06 | 1 | |
| | P | 3/11/2000 | -220.89 | -0.51 | 1009.11 | 01 | 06 | 1 | |
| | P | 3/12/2000 | -221.17 | -0.28 | 1008.83 | 01 | 06 | 1 | |
| | P | 3/13/2000 | -221.33 | -0.16 | 1008.67 | 01 | 06 | 1 | |
| | P | 3/14/2000 | -221.19 | 0.14 | 1008.81 | 01 | 06 | 1 | |
| | P | 3/15/2000 | -221.15 | 0.04 | 1008.85 | 01 | 06 | 1 | |
| | P | 3/16/2000 | -221.36 | -0.21 | 1008.64 | 01 | 06 | 1 | |
| | P | 3/17/2000 | -221.7 | -0.34 | 1008.3 | 01 | 06 | 1 | |
| | P | 3/18/2000 | -221.28 | 0.42 | 1008.72 | 01 | 06 | 1 | |
| | P | 3/19/2000 | -221.17 | 0.11 | 1008.83 | 01 | 06 | 1 | |
| | P | 3/20/2000 | -221.19 | -0.02 | 1008.81 | 01 | 06 | 1 | |
| | P | 3/21/2000 | -221.56 | -0.37 | 1008.44 | 01 | 06 | 1 | |
| | P | 3/22/2000 | -221.7 | -0.14 | 1008.3 | 01 | 06 | 1 | |
| | P | 3/23/2000 | -221.89 | -0.19 | 1008.11 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/24/2000 | -222 | -0.11 | 1008 | 01 | 06 | 1 | |
| | P | 3/25/2000 | -222.54 | -0.54 | 1007.46 | 01 | 06 | 1 | |
| | P | 3/26/2000 | -222.75 | -0.21 | 1007.25 | 01 | 06 | 1 | |
| | P | 3/27/2000 | -222.95 | -0.2 | 1007.05 | 01 | 06 | 1 | |
| | P | 3/28/2000 | -222.74 | 0.21 | 1007.26 | 01 | 06 | 1 | |
| | P | 3/29/2000 | -223.04 | -0.3 | 1006.96 | 01 | 06 | 1 | |
| | P | 3/30/2000 | -223.69 | -0.65 | 1006.31 | 01 | 06 | 1 | |
| | P | 3/31/2000 | -223.71 | -0.02 | 1006.29 | 01 | 06 | 1 | |
| | P | 4/ 1/2000 | -223.7 | 0.01 | 1006.3 | 01 | 06 | 1 | |
| | P | 4/ 2/2000 | -223.71 | -0.01 | 1006.29 | 01 | 06 | 1 | |
| | P | 4/ 3/2000 | -223.69 | 0.02 | 1006.31 | 01 | 06 | 1 | |
| | P | 4/ 7/2000 | -219.73 | 3.96 | 1010.27 | 01 | 06 | 1 | |
| | P | 4/ 8/2000 | -220.66 | -0.93 | 1009.34 | 01 | 06 | 1 | |
| | P | 4/ 9/2000 | -221.4 | -0.74 | 1008.6 | 01 | 06 | 1 | |
| | P | 4/10/2000 | -221.94 | -0.54 | 1008.06 | 01 | 06 | 1 | |
| | P | 4/11/2000 | -222.01 | -0.07 | 1007.99 | 01 | 06 | 1 | |
| | P | 4/12/2000 | -221.82 | 0.19 | 1008.18 | 01 | 06 | 1 | |
| | P | 4/13/2000 | -220.99 | 0.83 | 1009.01 | 01 | 06 | 1 | |
| | P | 4/14/2000 | -220.58 | 0.41 | 1009.42 | 01 | 06 | 1 | |
| | P | 4/15/2000 | -220.51 | 0.07 | 1009.49 | 01 | 06 | 1 | |
| | P | 4/16/2000 | -220.87 | -0.36 | 1009.13 | 01 | 06 | 1 | |
| | P | 4/17/2000 | -221.35 | -0.48 | 1008.65 | 01 | 06 | 1 | |
| | P | 4/18/2000 | -221.66 | -0.31 | 1008.34 | 01 | 06 | 1 | |
| | P | 4/19/2000 | -221.68 | -0.02 | 1008.32 | 01 | 06 | 1 | |
| | P | 4/20/2000 | -223.2 | -1.52 | 1006.8 | 01 | 06 | 1 | |
| | P | 4/21/2000 | -223.9 | -0.7 | 1006.1 | 01 | 06 | 1 | |
| | P | 4/22/2000 | -224.29 | -0.39 | 1005.71 | 01 | 06 | 1 | |
| | P | 4/23/2000 | -224.62 | -0.33 | 1005.38 | 01 | 06 | 1 | |
| | P | 4/24/2000 | -225.1 | -0.48 | 1004.9 | 01 | 06 | 1 | |
| | P | 4/25/2000 | -225.31 | -0.21 | 1004.69 | 01 | 06 | 1 | |
| | P | 4/26/2000 | -224.9 | 0.41 | 1005.1 | 01 | 06 | 1 | |
| | P | 4/27/2000 | -224.99 | -0.09 | 1005.01 | 01 | 06 | 1 | |
| | P | 4/28/2000 | -225.2 | -0.21 | 1004.8 | 01 | 06 | 1 | |
| | P | 4/29/2000 | -225.31 | -0.11 | 1004.69 | 01 | 06 | 1 | |
| | P | 4/30/2000 | -225.47 | -0.16 | 1004.53 | 01 | 06 | 1 | |
| | P | 5/ 1/2000 | -225.39 | 0.08 | 1004.61 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 2/2000 | -223.22 | 2.17 | 1006.78 | 01 | 06 | 1 | |
| | P | 5/ 3/2000 | -221.56 | 1.66 | 1008.44 | 01 | 06 | 1 | |
| | P | 5/ 4/2000 | -221.11 | 0.45 | 1008.89 | 01 | 06 | 1 | |
| | P | 5/ 5/2000 | -221.28 | -0.17 | 1008.72 | 01 | 06 | 1 | |
| | P | 5/ 6/2000 | -222.12 | -0.84 | 1007.88 | 01 | 06 | 1 | |
| | P | 5/ 7/2000 | -222.69 | -0.57 | 1007.31 | 01 | 06 | 1 | |
| | P | 5/ 8/2000 | -223.93 | -1.24 | 1006.07 | 01 | 06 | 1 | |
| | P | 5/ 9/2000 | -225.07 | -1.14 | 1004.93 | 01 | 06 | 1 | |
| | P | 5/10/2000 | -226.33 | -1.26 | 1003.67 | 01 | 06 | 1 | |
| | P | 5/11/2000 | -226.44 | -0.11 | 1003.56 | 01 | 06 | 1 | |
| | P | 5/12/2000 | -226.79 | -0.35 | 1003.21 | 01 | 06 | 1 | |
| | P | 5/13/2000 | -226.83 | -0.04 | 1003.17 | 01 | 06 | 1 | |
| | P | 5/14/2000 | -226.22 | 0.61 | 1003.78 | 01 | 06 | 1 | |
| | P | 5/15/2000 | -226.97 | -0.75 | 1003.03 | 01 | 06 | 1 | |
| | P | 5/16/2000 | -226.91 | 0.06 | 1003.09 | 01 | 06 | 1 | |
| | P | 5/17/2000 | -226.59 | 0.32 | 1003.41 | 01 | 06 | 1 | |
| | P | 5/18/2000 | -226.63 | -0.04 | 1003.37 | 01 | 06 | 1 | |
| | P | 5/19/2000 | -226.96 | -0.33 | 1003.04 | 01 | 06 | 1 | |
| | P | 5/20/2000 | -224.85 | 2.11 | 1005.15 | 01 | 06 | 1 | |
| | P | 5/21/2000 | -221 | 3.85 | 1009 | 01 | 06 | 1 | |
| | P | 5/22/2000 | -219.22 | 1.78 | 1010.78 | 01 | 06 | 1 | |
| | P | 5/23/2000 | -218.95 | 0.27 | 1011.05 | 01 | 06 | 1 | |
| | P | 5/24/2000 | -218.93 | 0.02 | 1011.07 | 01 | 06 | 1 | |
| | P | 5/25/2000 | -220 | -1.07 | 1010 | 01 | 06 | 1 | |
| | P | 5/26/2000 | -220.61 | -0.61 | 1009.39 | 01 | 06 | 1 | |
| | P | 5/27/2000 | -221.56 | -0.95 | 1008.44 | 01 | 06 | 1 | |
| | P | 5/28/2000 | -222.85 | -1.29 | 1007.15 | 01 | 06 | 1 | |
| | P | 5/29/2000 | -223.58 | -0.73 | 1006.42 | 01 | 06 | 1 | |
| | P | 5/30/2000 | -225.65 | -2.07 | 1004.35 | 01 | 06 | 1 | |
| | P | 5/31/2000 | -226.5 | -0.85 | 1003.5 | 01 | 06 | 1 | |
| | P | 6/ 1/2000 | -227.3 | -0.8 | 1002.7 | 01 | 06 | 1 | |
| | P | 6/ 2/2000 | -228.42 | -1.12 | 1001.58 | 01 | 06 | 1 | |
| | P | 6/ 3/2000 | -228.5 | -0.08 | 1001.5 | 01 | 06 | 1 | |
| | P | 6/ 4/2000 | -228.35 | 0.15 | 1001.65 | 01 | 06 | 1 | |
| | P | 6/ 5/2000 | -228.5 | -0.15 | 1001.5 | 01 | 06 | 1 | |
| | P | 6/ 6/2000 | -228.75 | -0.25 | 1001.25 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 7/2000 | -228.99 | -0.24 | 1001.01 | 01 | 06 | 1 | |
| | P | 6/ 8/2000 | -229.49 | -0.5 | 1000.51 | 01 | 06 | 1 | |
| | P | 6/ 9/2000 | -229.48 | 0.01 | 1000.52 | 01 | 06 | 1 | |
| | P | 6/10/2000 | -228.57 | 0.91 | 1001.43 | 01 | 06 | 1 | |
| | P | 6/11/2000 | -225 | 3.57 | 1005 | 01 | 06 | 1 | |
| | P | 6/12/2000 | -221.2 | 3.8 | 1008.8 | 01 | 06 | 1 | |
| | P | 6/13/2000 | -218.55 | 2.65 | 1011.45 | 01 | 06 | 1 | |
| | P | 6/14/2000 | -218 | 0.55 | 1012 | 01 | 06 | 1 | |
| | P | 6/15/2000 | -218.12 | -0.12 | 1011.88 | 01 | 06 | 1 | |
| | P | 6/16/2000 | -218.9 | -0.78 | 1011.1 | 01 | 06 | 1 | |
| | P | 6/17/2000 | -219.34 | -0.44 | 1010.66 | 01 | 06 | 1 | |
| | P | 6/18/2000 | -220.63 | -1.29 | 1009.37 | 01 | 06 | 1 | |
| | P | 6/19/2000 | -221.23 | -0.6 | 1008.77 | 01 | 06 | 1 | |
| | P | 6/20/2000 | -221.46 | -0.23 | 1008.54 | 01 | 06 | 1 | |
| | P | 6/21/2000 | -221.62 | -0.16 | 1008.38 | 01 | 06 | 1 | |
| | P | 6/22/2000 | -222.6 | -0.98 | 1007.4 | 01 | 06 | 1 | |
| | P | 6/23/2000 | -223 | -0.4 | 1007 | 01 | 06 | 1 | |
| | P | 6/24/2000 | -223.77 | -0.77 | 1006.23 | 01 | 06 | 1 | |
| | P | 6/25/2000 | -224.43 | -0.66 | 1005.57 | 01 | 06 | 1 | |
| | P | 6/26/2000 | -225.25 | -0.82 | 1004.75 | 01 | 06 | 1 | |
| | P | 6/27/2000 | -225.65 | -0.4 | 1004.35 | 01 | 06 | 1 | |
| | P | 6/28/2000 | -226.18 | -0.53 | 1003.82 | 01 | 06 | 1 | |
| | P | 6/29/2000 | -226.75 | -0.57 | 1003.25 | 01 | 06 | 1 | |
| | P | 6/30/2000 | -227.46 | -0.71 | 1002.54 | 01 | 06 | 1 | |
| | P | 7/ 1/2000 | -228.3 | -0.84 | 1001.7 | 01 | 06 | 1 | |
| | P | 7/ 2/2000 | -228.78 | -0.48 | 1001.22 | 01 | 06 | 1 | |
| | P | 7/ 3/2000 | -229.37 | -0.59 | 1000.63 | 01 | 06 | 1 | |
| | P | 7/ 4/2000 | -230.96 | -1.59 | 999.04 | 01 | 06 | 1 | |
| | P | 7/ 5/2000 | -232.1 | -1.14 | 997.9 | 01 | 06 | 1 | |
| | P | 7/ 6/2000 | -232.82 | -0.72 | 997.18 | 01 | 06 | 1 | |
| | P | 7/ 7/2000 | -233.23 | -0.41 | 996.77 | 01 | 06 | 1 | |
| | P | 7/ 8/2000 | -233.65 | -0.42 | 996.35 | 01 | 06 | 1 | |
| | P | 7/ 9/2000 | -234.06 | -0.41 | 995.94 | 01 | 06 | 1 | |
| | P | 7/10/2000 | -234.07 | -0.01 | 995.93 | 01 | 06 | 1 | |
| | P | 7/11/2000 | -235.7 | -1.63 | 994.3 | 01 | 06 | 1 | |
| | P | 7/12/2000 | -235.85 | -0.15 | 994.15 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/13/2000 | -235.31 | 0.54 | 994.69 | 01 | 06 | 1 | |
| | P | 7/14/2000 | -236.23 | -0.92 | 993.77 | 01 | 06 | 1 | |
| | P | 7/15/2000 | -236.42 | -0.19 | 993.58 | 01 | 06 | 1 | |
| | P | 7/16/2000 | -236.77 | -0.35 | 993.23 | 01 | 06 | 1 | |
| | P | 7/17/2000 | -237.5 | -0.73 | 992.5 | 01 | 06 | 1 | |
| | P | 7/18/2000 | -237.85 | -0.35 | 992.15 | 01 | 06 | 1 | |
| | P | 7/19/2000 | -238.1 | -0.25 | 991.9 | 01 | 06 | 1 | |
| | P | 7/20/2000 | -237.89 | 0.21 | 992.11 | 01 | 06 | 1 | |
| | P | 7/21/2000 | -237.6 | 0.29 | 992.4 | 01 | 06 | 1 | |
| | P | 7/22/2000 | -238.15 | -0.55 | 991.85 | 01 | 06 | 1 | |
| | P | 7/23/2000 | -239.62 | -1.47 | 990.38 | 01 | 06 | 1 | |
| | P | 7/24/2000 | -240 | -0.38 | 990 | 01 | 06 | 1 | |
| | P | 8/ 4/2000 | -241 | -1 | 989 | 01 | 01 | 1 | |
| | P | 8/16/2000 | -244.83 | -3.83 | 985.17 | 01 | 06 | 1 | |
| | P | 8/17/2000 | -244.23 | 0.6 | 985.77 | 01 | 06 | 1 | |
| | P | 8/18/2000 | -244.59 | -0.36 | 985.41 | 01 | 06 | 1 | |
| | P | 8/19/2000 | -245.27 | -0.68 | 984.73 | 01 | 06 | 1 | |
| | P | 8/20/2000 | -245.52 | -0.25 | 984.48 | 01 | 06 | 1 | |
| | P | 8/21/2000 | -245.47 | 0.05 | 984.53 | 01 | 06 | 1 | |
| | P | 8/22/2000 | -245.68 | -0.21 | 984.32 | 01 | 06 | 1 | |
| | P | 8/23/2000 | -245.7 | -0.02 | 984.3 | 01 | 06 | 1 | |
| | P | 8/24/2000 | -245.9 | -0.2 | 984.1 | 01 | 06 | 1 | |
| | P | 8/25/2000 | -245.76 | 0.14 | 984.24 | 01 | 06 | 1 | |
| | P | 8/26/2000 | -246.1 | -0.34 | 983.9 | 01 | 06 | 1 | |
| | P | 8/27/2000 | -246.44 | -0.34 | 983.56 | 01 | 06 | 1 | |
| | P | 8/28/2000 | -246.85 | -0.41 | 983.15 | 01 | 06 | 1 | |
| | P | 8/29/2000 | -246.75 | 0.1 | 983.25 | 01 | 06 | 1 | |
| | P | 8/30/2000 | -247.16 | -0.41 | 982.84 | 01 | 06 | 1 | |
| | P | 8/31/2000 | -247.4 | -0.24 | 982.6 | 01 | 06 | 1 | |
| | P | 9/ 1/2000 | -247.55 | -0.15 | 982.45 | 01 | 06 | 1 | |
| | P | 9/ 2/2000 | -247.69 | -0.14 | 982.31 | 01 | 06 | 1 | |
| | P | 9/ 3/2000 | -248.25 | -0.56 | 981.75 | 01 | 06 | 1 | |
| | P | 9/ 4/2000 | -248.53 | -0.28 | 981.47 | 01 | 06 | 1 | |
| | P | 9/ 5/2000 | -249.01 | -0.48 | 980.99 | 01 | 06 | 1 | |
| | P | 9/ 6/2000 | -248.92 | 0.09 | 981.08 | 01 | 06 | 1 | |
| | P | 9/ 7/2000 | -249.17 | -0.25 | 980.83 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 8/2000 | -249.62 | -0.45 | 980.38 | 01 | 06 | 1 | |
| | P | 9/ 9/2000 | -249.8 | -0.18 | 980.2 | 01 | 06 | 1 | |
| | P | 9/10/2000 | -249.94 | -0.14 | 980.06 | 01 | 06 | 1 | |
| | P | 9/11/2000 | -250.22 | -0.28 | 979.78 | 01 | 06 | 1 | |
| | P | 9/12/2000 | -250.42 | -0.2 | 979.58 | 01 | 06 | 1 | |
| | P | 9/13/2000 | -249.5 | 0.92 | 980.5 | 01 | 06 | 1 | |
| | P | 9/14/2000 | -247.76 | 1.74 | 982.24 | 01 | 06 | 1 | |
| | P | 9/15/2000 | -245.04 | 2.72 | 984.96 | 01 | 06 | 1 | |
| | P | 9/16/2000 | -243.77 | 1.27 | 986.23 | 01 | 06 | 1 | |
| | P | 9/17/2000 | -243.5 | 0.27 | 986.5 | 01 | 06 | 1 | |
| | P | 9/18/2000 | -243.81 | -0.31 | 986.19 | 01 | 06 | 1 | |
| | P | 9/19/2000 | -244.29 | -0.48 | 985.71 | 01 | 06 | 1 | |
| | P | 9/20/2000 | -245.16 | -0.87 | 984.84 | 01 | 06 | 1 | |
| | P | 9/21/2000 | -245.66 | -0.5 | 984.34 | 01 | 06 | 1 | |
| | P | 9/22/2000 | -246.55 | -0.89 | 983.45 | 01 | 06 | 1 | |
| | P | 9/23/2000 | -247.33 | -0.78 | 982.67 | 01 | 06 | 1 | |
| | P | 9/24/2000 | -247.85 | -0.52 | 982.15 | 01 | 06 | 1 | |
| | P | 9/25/2000 | -248.6 | -0.75 | 981.4 | 01 | 06 | 1 | |
| | P | 9/26/2000 | -248.69 | -0.09 | 981.31 | 01 | 06 | 1 | |
| | P | 9/27/2000 | -249.06 | -0.37 | 980.94 | 01 | 06 | 1 | |
| | P | 9/28/2000 | -249.6 | -0.54 | 980.4 | 01 | 06 | 1 | |
| | P | 9/29/2000 | -250.08 | -0.48 | 979.92 | 01 | 06 | 1 | |
| | P | 9/30/2000 | -250.31 | -0.23 | 979.69 | 01 | 06 | 1 | |
| | P | 10/ 1/2000 | -251.28 | -0.97 | 978.72 | 01 | 06 | 1 | |
| | P | 10/ 2/2000 | -251.77 | -0.49 | 978.23 | 01 | 06 | 1 | |
| | P | 10/ 3/2000 | -252.72 | -0.95 | 977.28 | 01 | 06 | 1 | |
| | P | 10/ 4/2000 | -253.33 | -0.61 | 976.67 | 01 | 06 | 1 | |
| | P | 10/ 5/2000 | -253.86 | -0.53 | 976.14 | 01 | 06 | 1 | |
| | P | 10/ 6/2000 | -253.99 | -0.13 | 976.01 | 01 | 06 | 1 | |
| | P | 10/ 7/2000 | -254.31 | -0.32 | 975.69 | 01 | 06 | 1 | |
| | P | 10/ 8/2000 | -252.95 | 1.36 | 977.05 | 01 | 06 | 1 | |
| | P | 10/ 9/2000 | -250.34 | 2.61 | 979.66 | 01 | 06 | 1 | |
| | P | 10/10/2000 | -246.9 | 3.44 | 983.1 | 01 | 06 | 1 | |
| | P | 10/11/2000 | -245.64 | 1.26 | 984.36 | 01 | 06 | 1 | |
| | P | 10/12/2000 | -245 | 0.64 | 985 | 01 | 06 | 1 | |
| | P | 10/13/2000 | -245.33 | -0.33 | 984.67 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 14/ 2000 | -245.94 | -0.61 | 984.06 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2000 | -246.57 | -0.63 | 983.43 | 01 | 06 | 1 | |
| | P | 10 / 16/ 2000 | -247.03 | -0.46 | 982.97 | 01 | 06 | 1 | |
| | P | 10 / 17/ 2000 | -247.37 | -0.34 | 982.63 | 01 | 06 | 1 | |
| | P | 10 / 18/ 2000 | -246.33 | 1.04 | 983.67 | 01 | 06 | 1 | |
| | P | 10 / 19/ 2000 | -244.8 | 1.53 | 985.2 | 01 | 06 | 1 | |
| | P | 10 / 20/ 2000 | -244.68 | 0.12 | 985.32 | 01 | 06 | 1 | |
| | P | 10 / 21/ 2000 | -244.85 | -0.17 | 985.15 | 01 | 06 | 1 | |
| | P | 10 / 22/ 2000 | -245.19 | -0.34 | 984.81 | 01 | 06 | 1 | |
| | P | 10 / 23/ 2000 | -240.09 | 5.1 | 989.91 | 01 | 06 | 1 | |
| | P | 10 / 24/ 2000 | -233.45 | 6.64 | 996.55 | 01 | 06 | 1 | |
| | P | 11 / 21/ 2000 | -208.19 | 25.26 | 1021.81 | 01 | 06 | 1 | |
| | P | 11 / 22/ 2000 | -207.67 | 0.52 | 1022.33 | 01 | 06 | 1 | |
| | P | 11 / 23/ 2000 | -207.04 | 0.63 | 1022.96 | 01 | 06 | 1 | |
| | P | 11 / 24/ 2000 | -206.38 | 0.66 | 1023.62 | 01 | 06 | 1 | |
| | P | 11 / 25/ 2000 | -206.03 | 0.35 | 1023.97 | 01 | 06 | 1 | |
| | P | 11 / 26/ 2000 | -205.75 | 0.28 | 1024.25 | 01 | 06 | 1 | |
| | P | 11 / 27/ 2000 | -205.52 | 0.23 | 1024.48 | 01 | 06 | 1 | |
| | P | 11 / 28/ 2000 | -205.38 | 0.14 | 1024.62 | 01 | 06 | 1 | |
| | P | 11 / 29/ 2000 | -205.31 | 0.07 | 1024.69 | 01 | 06 | 1 | |
| | P | 11 / 30/ 2000 | -205.23 | 0.08 | 1024.77 | 01 | 06 | 1 | |
| | P | 12 / 1 / 2000 | -205.07 | 0.16 | 1024.93 | 01 | 06 | 1 | |
| | P | 12 / 2 / 2000 | -205.24 | -0.17 | 1024.76 | 01 | 06 | 1 | |
| | P | 12 / 3 / 2000 | -205.1 | 0.14 | 1024.9 | 01 | 06 | 1 | |
| | P | 12 / 4 / 2000 | -204.98 | 0.12 | 1025.02 | 01 | 06 | 1 | |
| | P | 12 / 5 / 2000 | -204.59 | 0.39 | 1025.41 | 01 | 06 | 1 | |
| | P | 12 / 6 / 2000 | -204.53 | 0.06 | 1025.47 | 01 | 06 | 1 | |
| | P | 12 / 7 / 2000 | -204.42 | 0.11 | 1025.58 | 01 | 06 | 1 | |
| | P | 12 / 8 / 2000 | -204.36 | 0.06 | 1025.64 | 01 | 06 | 1 | |
| | P | 12 / 9 / 2000 | -204.29 | 0.07 | 1025.71 | 01 | 06 | 1 | |
| | P | 12 / 10/ 2000 | -204.17 | 0.12 | 1025.83 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2000 | -204.08 | 0.09 | 1025.92 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2000 | -204.5 | -0.42 | 1025.5 | 01 | 06 | 1 | |
| | P | 12 / 13/ 2000 | -204.27 | 0.23 | 1025.73 | 01 | 06 | 1 | |
| | P | 12 / 14/ 2000 | -204.53 | -0.26 | 1025.47 | 01 | 06 | 1 | |
| | P | 12 / 15/ 2000 | -204.24 | 0.29 | 1025.76 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/2000 | -204.22 | 0.02 | 1025.78 | 01 | 06 | 1 | |
| | P | 12/17/2000 | -204.34 | -0.12 | 1025.66 | 01 | 06 | 1 | |
| | P | 12/18/2000 | -204.2 | 0.14 | 1025.8 | 01 | 06 | 1 | |
| | P | 12/19/2000 | -204.65 | -0.45 | 1025.35 | 01 | 06 | 1 | |
| | P | 12/20/2000 | -204.08 | 0.57 | 1025.92 | 01 | 06 | 1 | |
| | P | 12/21/2000 | -204.5 | -0.42 | 1025.5 | 01 | 06 | 1 | |
| | P | 12/22/2000 | -204.6 | -0.1 | 1025.4 | 01 | 06 | 1 | |
| | P | 12/23/2000 | -204.5 | 0.1 | 1025.5 | 01 | 06 | 1 | |
| | P | 12/24/2000 | -204.6 | -0.1 | 1025.4 | 01 | 06 | 1 | |
| | P | 12/25/2000 | -204.53 | 0.07 | 1025.47 | 01 | 06 | 1 | |
| | P | 12/26/2000 | -204.62 | -0.09 | 1025.38 | 01 | 06 | 1 | |
| | P | 12/27/2000 | -204.34 | 0.28 | 1025.66 | 01 | 06 | 1 | |
| | P | 12/28/2000 | -203.99 | 0.35 | 1026.01 | 01 | 06 | 1 | |
| | P | 12/29/2000 | -204.19 | -0.2 | 1025.81 | 01 | 06 | 1 | |
| | P | 12/30/2000 | -204.05 | 0.14 | 1025.95 | 01 | 06 | 1 | |
| | P | 12/31/2000 | -203.93 | 0.12 | 1026.07 | 01 | 06 | 1 | |
| | P | 1/ 1/2001 | -204.04 | -0.11 | 1025.96 | 01 | 06 | 1 | |
| | P | 1/ 2/2001 | -204.07 | -0.03 | 1025.93 | 01 | 06 | 1 | |
| | P | 1/ 3/2001 | -203.95 | 0.12 | 1026.05 | 01 | 06 | 1 | |
| | P | 1/ 4/2001 | -203.59 | 0.36 | 1026.41 | 01 | 06 | 1 | |
| | P | 1/ 5/2001 | -203.45 | 0.14 | 1026.55 | 01 | 06 | 1 | |
| | P | 1/ 6/2001 | -203.28 | 0.17 | 1026.72 | 01 | 06 | 1 | |
| | P | 1/ 7/2001 | -203.1 | 0.18 | 1026.9 | 01 | 06 | 1 | |
| | P | 1/ 8/2001 | -203.4 | -0.3 | 1026.6 | 01 | 06 | 1 | |
| | P | 1/ 9/2001 | -203.41 | -0.01 | 1026.59 | 01 | 06 | 1 | |
| | P | 1/10/2001 | -202.52 | 0.89 | 1027.48 | 01 | 06 | 1 | |
| | P | 1/11/2001 | -201.51 | 1.01 | 1028.49 | 01 | 06 | 1 | |
| | P | 1/12/2001 | -200.9 | 0.61 | 1029.1 | 01 | 06 | 1 | |
| | P | 1/13/2001 | -200.5 | 0.4 | 1029.5 | 01 | 06 | 1 | |
| | P | 1/14/2001 | -200.19 | 0.31 | 1029.81 | 01 | 06 | 1 | |
| | P | 1/15/2001 | -199.93 | 0.26 | 1030.07 | 01 | 06 | 1 | |
| | P | 1/16/2001 | -199.54 | 0.39 | 1030.46 | 01 | 06 | 1 | |
| | P | 1/17/2001 | -199.34 | 0.2 | 1030.66 | 01 | 06 | 1 | |
| | P | 1/18/2001 | -199.18 | 0.16 | 1030.82 | 01 | 06 | 1 | |
| | P | 1/19/2001 | -199.18 | | 1030.82 | 01 | 06 | 1 | |
| | P | 1/20/2001 | -199.12 | 0.06 | 1030.88 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 2001 | -199 | 0.12 | 1031 | 01 | 06 | 1 | |
| | P | 1/ 22/ 2001 | -198.86 | 0.14 | 1031.14 | 01 | 06 | 1 | |
| | P | 1/ 23/ 2001 | -198.46 | 0.4 | 1031.54 | 01 | 06 | 1 | |
| | P | 1/ 24/ 2001 | -198.54 | -0.08 | 1031.46 | 01 | 06 | 1 | |
| | P | 1/ 25/ 2001 | -198.29 | 0.25 | 1031.71 | 01 | 06 | 1 | |
| | P | 1/ 26/ 2001 | -198.07 | 0.22 | 1031.93 | 01 | 06 | 1 | |
| | P | 1/ 27/ 2001 | -197.89 | 0.18 | 1032.11 | 01 | 06 | 1 | |
| | P | 1/ 28/ 2001 | -197.56 | 0.33 | 1032.44 | 01 | 06 | 1 | |
| | P | 1/ 29/ 2001 | -197.2 | 0.36 | 1032.8 | 01 | 06 | 1 | |
| | P | 1/ 30/ 2001 | -197.01 | 0.19 | 1032.99 | 01 | 06 | 1 | |
| | P | 1/ 31/ 2001 | -197.02 | -0.01 | 1032.98 | 01 | 06 | 1 | |
| | P | 2/ 1/ 2001 | -196.92 | 0.1 | 1033.08 | 01 | 06 | 1 | |
| | P | 2/ 2/ 2001 | -196.98 | -0.06 | 1033.02 | 01 | 06 | 1 | |
| | P | 2/ 3/ 2001 | -196.66 | 0.32 | 1033.34 | 01 | 06 | 1 | |
| | P | 2/ 4/ 2001 | -196.49 | 0.17 | 1033.51 | 01 | 06 | 1 | |
| | P | 2/ 5/ 2001 | -196.37 | 0.12 | 1033.63 | 01 | 06 | 1 | |
| | P | 2/ 6/ 2001 | -196.1 | 0.27 | 1033.9 | 01 | 06 | 1 | |
| | P | 2/ 7/ 2001 | -195.94 | 0.16 | 1034.06 | 01 | 06 | 1 | |
| | P | 2/ 8/ 2001 | -195.82 | 0.12 | 1034.18 | 01 | 06 | 1 | |
| | P | 2/ 9/ 2001 | -195.77 | 0.05 | 1034.23 | 01 | 06 | 1 | |
| | P | 2/ 10/ 2001 | -196.04 | -0.27 | 1033.96 | 01 | 06 | 1 | |
| | P | 2/ 11/ 2001 | -195.8 | 0.24 | 1034.2 | 01 | 06 | 1 | |
| | P | 2/ 12/ 2001 | -195.69 | 0.11 | 1034.31 | 01 | 06 | 1 | |
| | P | 2/ 13/ 2001 | -195.49 | 0.2 | 1034.51 | 01 | 06 | 1 | |
| | P | 2/ 14/ 2001 | -195.37 | 0.12 | 1034.63 | 01 | 06 | 1 | |
| | P | 2/ 15/ 2001 | -195.22 | 0.15 | 1034.78 | 01 | 06 | 1 | |
| | P | 2/ 16/ 2001 | -195.21 | 0.01 | 1034.79 | 01 | 06 | 1 | |
| | P | 2/ 17/ 2001 | -195.62 | -0.41 | 1034.38 | 01 | 06 | 1 | |
| | P | 2/ 18/ 2001 | -195.51 | 0.11 | 1034.49 | 01 | 06 | 1 | |
| | P | 2/ 19/ 2001 | -195.17 | 0.34 | 1034.83 | 01 | 06 | 1 | |
| | P | 2/ 20/ 2001 | -195.1 | 0.07 | 1034.9 | 01 | 06 | 1 | |
| | P | 2/ 21/ 2001 | -194.9 | 0.2 | 1035.1 | 01 | 06 | 1 | |
| | P | 2/ 22/ 2001 | -194.95 | -0.05 | 1035.05 | 01 | 06 | 1 | |
| | P | 2/ 23/ 2001 | -194.57 | 0.38 | 1035.43 | 01 | 06 | 1 | |
| | P | 2/ 24/ 2001 | -194.38 | 0.19 | 1035.62 | 01 | 06 | 1 | |
| | P | 2/ 25/ 2001 | -194.61 | -0.23 | 1035.39 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/2001 | -194.6 | 0.01 | 1035.4 | 01 | 06 | 1 | |
| | P | 2/27/2001 | -194.44 | 0.16 | 1035.56 | 01 | 06 | 1 | |
| | P | 2/28/2001 | -194.38 | 0.06 | 1035.62 | 01 | 06 | 1 | |
| | P | 3/ 1/2001 | -194.33 | 0.05 | 1035.67 | 01 | 06 | 1 | |
| | P | 3/ 2/2001 | -193.93 | 0.4 | 1036.07 | 01 | 06 | 1 | |
| | P | 3/ 3/2001 | -193.84 | 0.09 | 1036.16 | 01 | 06 | 1 | |
| | P | 3/ 4/2001 | -193.89 | -0.05 | 1036.11 | 01 | 06 | 1 | |
| | P | 3/ 5/2001 | -193.91 | -0.02 | 1036.09 | 01 | 06 | 1 | |
| | P | 3/ 6/2001 | -193.66 | 0.25 | 1036.34 | 01 | 06 | 1 | |
| | P | 3/ 7/2001 | -193.47 | 0.19 | 1036.53 | 01 | 06 | 1 | |
| | P | 3/ 8/2001 | -193.11 | 0.36 | 1036.89 | 01 | 06 | 1 | |
| | P | 3/ 9/2001 | -193.04 | 0.07 | 1036.96 | 01 | 06 | 1 | |
| | P | 3/10/2001 | -192.69 | 0.35 | 1037.31 | 01 | 06 | 1 | |
| | P | 3/11/2001 | -192.44 | 0.25 | 1037.56 | 01 | 06 | 1 | |
| | P | 3/12/2001 | -192.38 | 0.06 | 1037.62 | 01 | 06 | 1 | |
| | P | 3/13/2001 | -192.24 | 0.14 | 1037.76 | 01 | 06 | 1 | |
| | P | 3/14/2001 | -191.69 | 0.55 | 1038.31 | 01 | 06 | 1 | |
| | P | 3/15/2001 | -191.55 | 0.14 | 1038.45 | 01 | 06 | 1 | |
| | P | 3/16/2001 | -191.48 | 0.07 | 1038.52 | 01 | 06 | 1 | |
| | P | 3/17/2001 | -191.21 | 0.27 | 1038.79 | 01 | 06 | 1 | |
| | P | 3/18/2001 | -191.06 | 0.15 | 1038.94 | 01 | 06 | 1 | |
| | P | 3/19/2001 | -190.92 | 0.14 | 1039.08 | 01 | 06 | 1 | |
| | P | 3/20/2001 | -190.66 | 0.26 | 1039.34 | 01 | 06 | 1 | |
| | P | 3/21/2001 | -190.44 | 0.22 | 1039.56 | 01 | 06 | 1 | |
| | P | 3/22/2001 | -190.12 | 0.32 | 1039.88 | 01 | 06 | 1 | |
| | P | 3/23/2001 | -189.9 | 0.22 | 1040.1 | 01 | 06 | 1 | |
| | P | 3/24/2001 | -189.9 | | 1040.1 | 01 | 06 | 1 | |
| | P | 3/25/2001 | -189.99 | -0.09 | 1040.01 | 01 | 06 | 1 | |
| | P | 3/26/2001 | -189.69 | 0.3 | 1040.31 | 01 | 06 | 1 | |
| | P | 3/27/2001 | -189.41 | 0.28 | 1040.59 | 01 | 06 | 1 | |
| | P | 3/28/2001 | -189.05 | 0.36 | 1040.95 | 01 | 06 | 1 | |
| | P | 3/29/2001 | -189 | 0.05 | 1041 | 01 | 06 | 1 | |
| | P | 3/30/2001 | -189.03 | -0.03 | 1040.97 | 01 | 06 | 1 | |
| | P | 3/31/2001 | -189.16 | -0.13 | 1040.84 | 01 | 06 | 1 | |
| | P | 4/ 1/2001 | -189.06 | 0.1 | 1040.94 | 01 | 06 | 1 | |
| | P | 4/ 2/2001 | -188.87 | 0.19 | 1041.13 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 3/2001 | -188.77 | 0.1 | 1041.23 | 01 | 06 | 1 | |
| | P | 4/ 4/2001 | -188.77 | | 1041.23 | 01 | 06 | 1 | |
| | P | 4/ 5/2001 | -189.02 | -0.25 | 1040.98 | 01 | 06 | 1 | |
| | P | 4/ 6/2001 | -188.82 | 0.2 | 1041.18 | 01 | 06 | 1 | |
| | P | 4/ 7/2001 | -188.87 | -0.05 | 1041.13 | 01 | 06 | 1 | |
| | P | 4/ 8/2001 | -188.82 | 0.05 | 1041.18 | 01 | 06 | 1 | |
| | P | 4/ 9/2001 | -188.72 | 0.1 | 1041.28 | 01 | 06 | 1 | |
| | P | 4/10/2001 | -188.57 | 0.15 | 1041.43 | 01 | 06 | 1 | |
| | P | 4/11/2001 | -188.61 | -0.04 | 1041.39 | 01 | 06 | 1 | |
| | P | 4/12/2001 | -188.69 | -0.08 | 1041.31 | 01 | 06 | 1 | |
| | P | 4/13/2001 | -188.69 | | 1041.31 | 01 | 06 | 1 | |
| | P | 4/14/2001 | -188.72 | -0.03 | 1041.28 | 01 | 06 | 1 | |
| | P | 4/15/2001 | -188.78 | -0.06 | 1041.22 | 01 | 06 | 1 | |
| | P | 4/16/2001 | -188.84 | -0.06 | 1041.16 | 01 | 06 | 1 | |
| | P | 4/17/2001 | -189.04 | -0.2 | 1040.96 | 01 | 06 | 1 | |
| | P | 4/18/2001 | -189.12 | -0.08 | 1040.88 | 01 | 06 | 1 | |
| | P | 4/19/2001 | -188.99 | 0.13 | 1041.01 | 01 | 06 | 1 | |
| | P | 4/20/2001 | -188.91 | 0.08 | 1041.09 | 01 | 06 | 1 | |
| | P | 4/21/2001 | -188.87 | 0.04 | 1041.13 | 01 | 06 | 1 | |
| | P | 4/22/2001 | -189.18 | -0.31 | 1040.82 | 01 | 06 | 1 | |
| | P | 4/23/2001 | -188.98 | 0.2 | 1041.02 | 01 | 06 | 1 | |
| | P | 4/24/2001 | -188.54 | 0.44 | 1041.46 | 01 | 06 | 1 | |
| | P | 4/25/2001 | -188.4 | 0.14 | 1041.6 | 01 | 06 | 1 | |
| | P | 4/26/2001 | -188 | 0.4 | 1042 | 01 | 06 | 1 | |
| | P | 4/27/2001 | -187.97 | 0.03 | 1042.03 | 01 | 06 | 1 | |
| | P | 4/28/2001 | -187.83 | 0.14 | 1042.17 | 01 | 06 | 1 | |
| | P | 4/29/2001 | -187.85 | -0.02 | 1042.15 | 01 | 06 | 1 | |
| | P | 4/30/2001 | -187.76 | 0.09 | 1042.24 | 01 | 06 | 1 | |
| | P | 5/ 1/2001 | -187.79 | -0.03 | 1042.21 | 01 | 06 | 1 | |
| | P | 5/ 2/2001 | -187.7 | 0.09 | 1042.3 | 01 | 06 | 1 | |
| | P | 5/ 3/2001 | -187.76 | -0.06 | 1042.24 | 01 | 06 | 1 | |
| | P | 5/ 4/2001 | -187.63 | 0.13 | 1042.37 | 01 | 06 | 1 | |
| | P | 5/ 5/2001 | -187.29 | 0.34 | 1042.71 | 01 | 06 | 1 | |
| | P | 5/ 6/2001 | -186.98 | 0.31 | 1043.02 | 01 | 06 | 1 | |
| | P | 5/ 7/2001 | -186.83 | 0.15 | 1043.17 | 01 | 06 | 1 | |
| | P | 5/ 8/2001 | -186.64 | 0.19 | 1043.36 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 9/2001 | -186.33 | 0.31 | 1043.67 | 01 | 06 | 1 | |
| | P | 5/10/2001 | -186.16 | 0.17 | 1043.84 | 01 | 06 | 1 | |
| | P | 5/11/2001 | -186.07 | 0.09 | 1043.93 | 01 | 06 | 1 | |
| | P | 5/12/2001 | -186.08 | -0.01 | 1043.92 | 01 | 06 | 1 | |
| | P | 5/13/2001 | -185.99 | 0.09 | 1044.01 | 01 | 06 | 1 | |
| | P | 5/14/2001 | -185.94 | 0.05 | 1044.06 | 01 | 06 | 1 | |
| | P | 5/15/2001 | -185.83 | 0.11 | 1044.17 | 01 | 06 | 1 | |
| | P | 5/16/2001 | -185.56 | 0.27 | 1044.44 | 01 | 06 | 1 | |
| | P | 5/17/2001 | -185.53 | 0.03 | 1044.47 | 01 | 06 | 1 | |
| | P | 5/18/2001 | -185.68 | -0.15 | 1044.32 | 01 | 06 | 1 | |
| | P | 5/19/2001 | -185.8 | -0.12 | 1044.2 | 01 | 06 | 1 | |
| | P | 5/20/2001 | -185.59 | 0.21 | 1044.41 | 01 | 06 | 1 | |
| | P | 5/21/2001 | -185.67 | -0.08 | 1044.33 | 01 | 06 | 1 | |
| | P | 5/22/2001 | -185.76 | -0.09 | 1044.24 | 01 | 06 | 1 | |
| | P | 5/23/2001 | -185.59 | 0.17 | 1044.41 | 01 | 06 | 1 | |
| | P | 5/24/2001 | -185.51 | 0.08 | 1044.49 | 01 | 06 | 1 | |
| | P | 5/25/2001 | -185.45 | 0.06 | 1044.55 | 01 | 06 | 1 | |
| | P | 5/26/2001 | -185.51 | -0.06 | 1044.49 | 01 | 06 | 1 | |
| | P | 5/27/2001 | -185.5 | 0.01 | 1044.5 | 01 | 06 | 1 | |
| | P | 5/28/2001 | -185.57 | -0.07 | 1044.43 | 01 | 06 | 1 | |
| | P | 5/29/2001 | -185.64 | -0.07 | 1044.36 | 01 | 06 | 1 | |
| | P | 5/30/2001 | -185.78 | -0.14 | 1044.22 | 01 | 06 | 1 | |
| | P | 5/31/2001 | -185.78 | | 1044.22 | 01 | 06 | 1 | |
| | P | 6/ 1/2001 | -185.68 | 0.1 | 1044.32 | 01 | 06 | 1 | |
| | P | 6/ 2/2001 | -185.75 | -0.07 | 1044.25 | 01 | 06 | 1 | |
| | P | 6/ 3/2001 | -185.78 | -0.03 | 1044.22 | 01 | 06 | 1 | |
| | P | 6/ 4/2001 | -185.86 | -0.08 | 1044.14 | 01 | 06 | 1 | |
| | P | 6/ 5/2001 | -185.95 | -0.09 | 1044.05 | 01 | 06 | 1 | |
| | P | 6/ 6/2001 | -185.99 | -0.04 | 1044.01 | 01 | 06 | 1 | |
| | P | 6/ 7/2001 | -186.22 | -0.23 | 1043.78 | 01 | 06 | 1 | |
| | P | 6/ 8/2001 | -186.08 | 0.14 | 1043.92 | 01 | 06 | 1 | |
| | P | 6/ 9/2001 | -186.12 | -0.04 | 1043.88 | 01 | 06 | 1 | |
| | P | 6/10/2001 | -186.29 | -0.17 | 1043.71 | 01 | 06 | 1 | |
| | P | 6/11/2001 | -186.29 | | 1043.71 | 01 | 06 | 1 | |
| | P | 6/12/2001 | -186.33 | -0.04 | 1043.67 | 01 | 06 | 1 | |
| | P | 6/13/2001 | -186.36 | -0.03 | 1043.64 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/14/2001 | -186.45 | -0.09 | 1043.55 | 01 | 06 | 1 | |
| | P | 6/15/2001 | -186.4 | 0.05 | 1043.6 | 01 | 06 | 1 | |
| | P | 6/16/2001 | -186.42 | -0.02 | 1043.58 | 01 | 06 | 1 | |
| | P | 6/17/2001 | -186.39 | 0.03 | 1043.61 | 01 | 06 | 1 | |
| | P | 6/18/2001 | -186.19 | 0.2 | 1043.81 | 01 | 06 | 1 | |
| | P | 6/19/2001 | -186.34 | -0.15 | 1043.66 | 01 | 06 | 1 | |
| | P | 6/20/2001 | -186.48 | -0.14 | 1043.52 | 01 | 06 | 1 | |
| | P | 6/21/2001 | -186.58 | -0.1 | 1043.42 | 01 | 06 | 1 | |
| | P | 6/22/2001 | -186.65 | -0.07 | 1043.35 | 01 | 06 | 1 | |
| | P | 6/23/2001 | -186.64 | 0.01 | 1043.36 | 01 | 06 | 1 | |
| | P | 6/24/2001 | -186.64 | | 1043.36 | 01 | 06 | 1 | |
| | P | 6/25/2001 | -186.58 | 0.06 | 1043.42 | 01 | 06 | 1 | |
| | P | 6/26/2001 | -186.65 | -0.07 | 1043.35 | 01 | 06 | 1 | |
| | P | 6/27/2001 | -186.66 | -0.01 | 1043.34 | 01 | 06 | 1 | |
| | P | 6/28/2001 | -186.79 | -0.13 | 1043.21 | 01 | 06 | 1 | |
| | P | 6/29/2001 | -186.93 | -0.14 | 1043.07 | 01 | 06 | 1 | |
| | P | 6/30/2001 | -186.77 | 0.16 | 1043.23 | 01 | 06 | 1 | |
| | P | 7/ 1/2001 | -186.96 | -0.19 | 1043.04 | 01 | 06 | 1 | |
| | P | 7/ 2/2001 | -187.08 | -0.12 | 1042.92 | 01 | 06 | 1 | |
| | P | 7/ 3/2001 | -187.4 | -0.32 | 1042.6 | 01 | 06 | 1 | |
| | P | 7/ 4/2001 | -187.25 | 0.15 | 1042.75 | 01 | 06 | 1 | |
| | P | 7/ 5/2001 | -187.49 | -0.24 | 1042.51 | 01 | 06 | 1 | |
| | P | 7/ 6/2001 | -187.67 | -0.18 | 1042.33 | 01 | 06 | 1 | |
| | P | 7/ 7/2001 | -187.89 | -0.22 | 1042.11 | 01 | 06 | 1 | |
| | P | 7/ 8/2001 | -188.08 | -0.19 | 1041.92 | 01 | 06 | 1 | |
| | P | 7/ 9/2001 | -187.84 | 0.24 | 1042.16 | 01 | 06 | 1 | |
| | P | 7/10/2001 | -188.81 | -0.97 | 1041.19 | 01 | 06 | 1 | |
| | P | 7/11/2001 | -189.34 | -0.53 | 1040.66 | 01 | 06 | 1 | |
| | P | 7/12/2001 | -189.74 | -0.4 | 1040.26 | 01 | 06 | 1 | |
| | P | 7/13/2001 | -189.99 | -0.25 | 1040.01 | 01 | 06 | 1 | |
| | P | 7/14/2001 | -190.32 | -0.33 | 1039.68 | 01 | 06 | 1 | |
| | P | 7/15/2001 | -190.51 | -0.19 | 1039.49 | 01 | 06 | 1 | |
| | P | 7/16/2001 | -190.94 | -0.43 | 1039.06 | 01 | 06 | 1 | |
| | P | 7/17/2001 | -191.06 | -0.12 | 1038.94 | 01 | 06 | 1 | |
| | P | 7/18/2001 | -190.33 | 0.73 | 1039.67 | 01 | 06 | 1 | |
| | P | 7/19/2001 | -190.79 | -0.46 | 1039.21 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 20/ 2001 | -191.04 | -0.25 | 1038.96 | 01 | 06 | 1 | |
| | P | 7/ 21/ 2001 | -191.42 | -0.38 | 1038.58 | 01 | 06 | 1 | |
| | P | 7/ 22/ 2001 | -192.09 | -0.67 | 1037.91 | 01 | 06 | 1 | |
| | P | 7/ 23/ 2001 | -191.37 | 0.72 | 1038.63 | 01 | 06 | 1 | |
| | P | 7/ 24/ 2001 | -192.08 | -0.71 | 1037.92 | 01 | 06 | 1 | |
| | P | 7/ 25/ 2001 | -192.54 | -0.46 | 1037.46 | 01 | 06 | 1 | |
| | P | 7/ 26/ 2001 | -192.8 | -0.26 | 1037.2 | 01 | 06 | 1 | |
| | P | 7/ 27/ 2001 | -192.53 | 0.27 | 1037.47 | 01 | 06 | 1 | |
| | P | 7/ 28/ 2001 | -192.06 | 0.47 | 1037.94 | 01 | 06 | 1 | |
| | P | 7/ 29/ 2001 | -192.18 | -0.12 | 1037.82 | 01 | 06 | 1 | |
| | P | 7/ 30/ 2001 | -192.82 | -0.64 | 1037.18 | 01 | 06 | 1 | |
| | P | 7/ 31/ 2001 | -192.79 | 0.03 | 1037.21 | 01 | 06 | 1 | |
| | P | 8/ 1/ 2001 | -193.77 | -0.98 | 1036.23 | 01 | 06 | 1 | |
| | P | 8/ 2/ 2001 | -194.25 | -0.48 | 1035.75 | 01 | 06 | 1 | |
| | P | 8/ 3/ 2001 | -193.85 | 0.4 | 1036.15 | 01 | 06 | 1 | |
| | P | 8/ 4/ 2001 | -193.41 | 0.44 | 1036.59 | 01 | 06 | 1 | |
| | P | 8/ 5/ 2001 | -193.73 | -0.32 | 1036.27 | 01 | 06 | 1 | |
| | P | 8/ 6/ 2001 | -193.69 | 0.04 | 1036.31 | 01 | 06 | 1 | |
| | P | 8/ 7/ 2001 | -194.88 | -1.19 | 1035.12 | 01 | 06 | 1 | |
| | P | 8/ 8/ 2001 | -195.25 | -0.37 | 1034.75 | 01 | 06 | 1 | |
| | P | 8/ 9/ 2001 | -195.51 | -0.26 | 1034.49 | 01 | 06 | 1 | |
| | P | 8/ 10/ 2001 | -195.35 | 0.16 | 1034.65 | 01 | 06 | 1 | |
| | P | 8/ 11/ 2001 | -195.87 | -0.52 | 1034.13 | 01 | 06 | 1 | |
| | P | 8/ 12/ 2001 | -196.63 | -0.76 | 1033.37 | 01 | 06 | 1 | |
| | P | 8/ 13/ 2001 | -195.88 | 0.75 | 1034.12 | 01 | 06 | 1 | |
| | P | 8/ 14/ 2001 | -195.68 | 0.2 | 1034.32 | 01 | 06 | 1 | |
| | P | 8/ 15/ 2001 | -195.68 | | 1034.32 | 01 | 06 | 1 | |
| | P | 8/ 16/ 2001 | -195.68 | | 1034.32 | 01 | 06 | 1 | |
| | P | 8/ 17/ 2001 | -196.99 | -1.31 | 1033.01 | 01 | 06 | 1 | |
| | P | 8/ 18/ 2001 | -197.42 | -0.43 | 1032.58 | 01 | 06 | 1 | |
| | P | 8/ 19/ 2001 | -197.47 | -0.05 | 1032.53 | 01 | 06 | 1 | |
| | P | 8/ 20/ 2001 | -197.32 | 0.15 | 1032.68 | 01 | 06 | 1 | |
| | P | 8/ 21/ 2001 | -197.36 | -0.04 | 1032.64 | 01 | 06 | 1 | |
| | P | 8/ 22/ 2001 | -197.68 | -0.32 | 1032.32 | 01 | 06 | 1 | |
| | P | 8/ 23/ 2001 | -198 | -0.32 | 1032 | 01 | 06 | 1 | |
| | P | 8/ 24/ 2001 | -198.17 | -0.17 | 1031.83 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/2001 | -198.31 | -0.14 | 1031.69 | 01 | 06 | 1 | |
| | P | 8/26/2001 | -198.78 | -0.47 | 1031.22 | 01 | 06 | 1 | |
| | P | 8/27/2001 | -196.58 | 2.2 | 1033.42 | 01 | 06 | 1 | |
| | P | 8/28/2001 | -193.97 | 2.61 | 1036.03 | 01 | 06 | 1 | |
| | P | 8/29/2001 | -192.34 | 1.63 | 1037.66 | 01 | 06 | 1 | |
| | P | 8/30/2001 | -190.09 | 2.25 | 1039.91 | 01 | 06 | 1 | |
| | P | 8/31/2001 | -188.4 | 1.69 | 1041.6 | 01 | 06 | 1 | |
| | P | 9/ 1/2001 | -187.23 | 1.17 | 1042.77 | 01 | 06 | 1 | |
| | P | 9/ 2/2001 | -186.7 | 0.53 | 1043.3 | 01 | 06 | 1 | |
| | P | 9/ 3/2001 | -186.48 | 0.22 | 1043.52 | 01 | 06 | 1 | |
| | P | 9/ 4/2001 | -186.27 | 0.21 | 1043.73 | 01 | 06 | 1 | |
| | P | 9/ 5/2001 | -186.01 | 0.26 | 1043.99 | 01 | 06 | 1 | |
| | P | 9/ 6/2001 | -184.99 | 1.02 | 1045.01 | 01 | 06 | 1 | |
| | P | 9/ 7/2001 | -184.33 | 0.66 | 1045.67 | 01 | 06 | 1 | |
| | P | 9/ 8/2001 | -183.98 | 0.35 | 1046.02 | 01 | 06 | 1 | |
| | P | 9/ 9/2001 | -184.06 | -0.08 | 1045.94 | 01 | 06 | 1 | |
| | P | 9/10/2001 | -183.99 | 0.07 | 1046.01 | 01 | 06 | 1 | |
| | P | 9/11/2001 | -183.82 | 0.17 | 1046.18 | 01 | 06 | 1 | |
| | P | 9/12/2001 | -183.59 | 0.23 | 1046.41 | 01 | 06 | 1 | |
| | P | 9/13/2001 | -183.5 | 0.09 | 1046.5 | 01 | 06 | 1 | |
| | P | 9/14/2001 | -183.62 | -0.12 | 1046.38 | 01 | 06 | 1 | |
| | P | 9/15/2001 | -183.6 | 0.02 | 1046.4 | 01 | 06 | 1 | |
| | P | 9/19/2001 | -183.56 | 0.04 | 1046.44 | 01 | 06 | 1 | |
| | P | 9/20/2001 | -183.78 | -0.22 | 1046.22 | 01 | 06 | 1 | |
| | P | 9/21/2001 | -183.98 | -0.2 | 1046.02 | 01 | 06 | 1 | |
| | P | 9/22/2001 | -183.86 | 0.12 | 1046.14 | 01 | 06 | 1 | |
| | P | 9/23/2001 | -183.75 | 0.11 | 1046.25 | 01 | 06 | 1 | |
| | P | 9/24/2001 | -183.9 | -0.15 | 1046.1 | 01 | 06 | 1 | |
| | P | 9/25/2001 | -183.87 | 0.03 | 1046.13 | 01 | 06 | 1 | |
| | P | 9/26/2001 | -183.75 | 0.12 | 1046.25 | 01 | 06 | 1 | |
| | P | 9/27/2001 | -183.74 | 0.01 | 1046.26 | 01 | 06 | 1 | |
| | P | 9/28/2001 | -183.92 | -0.18 | 1046.08 | 01 | 06 | 1 | |
| | P | 9/29/2001 | -184.11 | -0.19 | 1045.89 | 01 | 06 | 1 | |
| | P | 9/30/2001 | -184.13 | -0.02 | 1045.87 | 01 | 06 | 1 | |
| | P | 10/ 1/2001 | -184.18 | -0.05 | 1045.82 | 01 | 06 | 1 | |
| | P | 10/ 2/2001 | -183.96 | 0.22 | 1046.04 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 3 / 2001 | -184.07 | -0.11 | 1045.93 | 01 | 06 | 1 | |
| | P | 10 / 4 / 2001 | -184 | 0.07 | 1046 | 01 | 06 | 1 | |
| | P | 10 / 5 / 2001 | -183.92 | 0.08 | 1046.08 | 01 | 06 | 1 | |
| | P | 10 / 6 / 2001 | -184.25 | -0.33 | 1045.75 | 01 | 06 | 1 | |
| | P | 10 / 7 / 2001 | -184.38 | -0.13 | 1045.62 | 01 | 06 | 1 | |
| | P | 10 / 8 / 2001 | -184.34 | 0.04 | 1045.66 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -184.43 | -0.09 | 1045.57 | 01 | 06 | 1 | |
| | P | 10 / 10/ 2001 | -184.26 | 0.17 | 1045.74 | 01 | 06 | 1 | |
| | P | 10 / 11/ 2001 | -184.22 | 0.04 | 1045.78 | 01 | 06 | 1 | |
| | P | 10 / 12/ 2001 | -183.7 | 0.52 | 1046.3 | 01 | 06 | 1 | |
| | P | 10 / 13/ 2001 | -183.21 | 0.49 | 1046.79 | 01 | 06 | 1 | |
| | P | 10 / 14/ 2001 | -182.98 | 0.23 | 1047.02 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2001 | -182.83 | 0.15 | 1047.17 | 01 | 06 | 1 | |
| | P | 10 / 16/ 2001 | -183.12 | -0.29 | 1046.88 | 01 | 06 | 1 | |
| | P | 10 / 17/ 2001 | -183.13 | -0.01 | 1046.87 | 01 | 06 | 1 | |
| | P | 10 / 18/ 2001 | -183 | 0.13 | 1047 | 01 | 06 | 1 | |
| | P | 10 / 19/ 2001 | -182.85 | 0.15 | 1047.15 | 01 | 06 | 1 | |
| | P | 10 / 20/ 2001 | -182.95 | -0.1 | 1047.05 | 01 | 06 | 1 | |
| | P | 10 / 21/ 2001 | -182.99 | -0.04 | 1047.01 | 01 | 06 | 1 | |
| | P | 10 / 22/ 2001 | -182.84 | 0.15 | 1047.16 | 01 | 06 | 1 | |
| | P | 10 / 23/ 2001 | -182.7 | 0.14 | 1047.3 | 01 | 06 | 1 | |
| | P | 10 / 24/ 2001 | -182.88 | -0.18 | 1047.12 | 01 | 06 | 1 | |
| | P | 10 / 25/ 2001 | -183.32 | -0.44 | 1046.68 | 01 | 06 | 1 | |
| | P | 10 / 26/ 2001 | -183.61 | -0.29 | 1046.39 | 01 | 06 | 1 | |
| | P | 10 / 27/ 2001 | -183.8 | -0.19 | 1046.2 | 01 | 06 | 1 | |
| | P | 10 / 28/ 2001 | -183.76 | 0.04 | 1046.24 | 01 | 06 | 1 | |
| | P | 10 / 29/ 2001 | -183.84 | -0.08 | 1046.16 | 01 | 06 | 1 | |
| | P | 10 / 30/ 2001 | -184.1 | -0.26 | 1045.9 | 01 | 06 | 1 | |
| | P | 10 / 31/ 2001 | -183.78 | 0.32 | 1046.22 | 01 | 06 | 1 | |
| | P | 11 / 1 / 2001 | -183.57 | 0.21 | 1046.43 | 01 | 06 | 1 | |
| | P | 11 / 2 / 2001 | -183.71 | -0.14 | 1046.29 | 01 | 06 | 1 | |
| | P | 11 / 3 / 2001 | -183.99 | -0.28 | 1046.01 | 01 | 06 | 1 | |
| | P | 11 / 4 / 2001 | -184.16 | -0.17 | 1045.84 | 01 | 06 | 1 | |
| | P | 11 / 5 / 2001 | -184.1 | 0.06 | 1045.9 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2001 | -183.98 | 0.12 | 1046.02 | 01 | 06 | 1 | |
| | P | 11 / 7 / 2001 | -184.16 | -0.18 | 1045.84 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 8/2001 | -184.22 | -0.06 | 1045.78 | 01 | 06 | 1 | |
| | P | 11/ 9/2001 | -184.46 | -0.24 | 1045.54 | 01 | 06 | 1 | |
| | P | 11/10/2001 | -184.26 | 0.2 | 1045.74 | 01 | 06 | 1 | |
| | P | 11/11/2001 | -184.24 | 0.02 | 1045.76 | 01 | 06 | 1 | |
| | P | 11/12/2001 | -184.28 | -0.04 | 1045.72 | 01 | 06 | 1 | |
| | P | 11/13/2001 | -184.31 | -0.03 | 1045.69 | 01 | 06 | 1 | |
| | P | 11/14/2001 | -184.2 | 0.11 | 1045.8 | 01 | 06 | 1 | |
| | P | 11/15/2001 | -183.15 | 1.05 | 1046.85 | 01 | 06 | 1 | |
| | P | 11/16/2001 | -181.84 | 1.31 | 1048.16 | 01 | 06 | 1 | |
| | P | 11/17/2001 | -180.92 | 0.92 | 1049.08 | 01 | 06 | 1 | |
| | P | 11/18/2001 | -180.45 | 0.47 | 1049.55 | 01 | 06 | 1 | |
| | P | 11/19/2001 | -180.18 | 0.27 | 1049.82 | 01 | 06 | 1 | |
| | P | 11/20/2001 | -179.84 | 0.34 | 1050.16 | 01 | 06 | 1 | |
| | P | 11/21/2001 | -179.4 | 0.44 | 1050.6 | 01 | 06 | 1 | |
| | P | 11/22/2001 | -178.95 | 0.45 | 1051.05 | 01 | 06 | 1 | |
| | P | 11/23/2001 | -178.69 | 0.26 | 1051.31 | 01 | 06 | 1 | |
| | P | 11/24/2001 | -178.73 | -0.04 | 1051.27 | 01 | 06 | 1 | |
| | P | 11/25/2001 | -178.98 | -0.25 | 1051.02 | 01 | 06 | 1 | |
| | P | 11/26/2001 | -179 | -0.02 | 1051 | 01 | 06 | 1 | |
| | P | 11/27/2001 | -178.94 | 0.06 | 1051.06 | 01 | 06 | 1 | |
| | P | 11/28/2001 | -178.97 | -0.03 | 1051.03 | 01 | 06 | 1 | |
| | P | 11/29/2001 | -178.92 | 0.05 | 1051.08 | 01 | 06 | 1 | |
| | P | 11/30/2001 | -178.96 | -0.04 | 1051.04 | 01 | 06 | 1 | |
| | P | 12/ 1/2001 | -179.07 | -0.11 | 1050.93 | 01 | 06 | 1 | |
| | P | 12/ 2/2001 | -178.98 | 0.09 | 1051.02 | 01 | 06 | 1 | |
| | P | 12/ 3/2001 | -178.7 | 0.28 | 1051.3 | 01 | 06 | 1 | |
| | P | 12/ 4/2001 | -178.43 | 0.27 | 1051.57 | 01 | 06 | 1 | |
| | P | 12/ 5/2001 | -178.37 | 0.06 | 1051.63 | 01 | 06 | 1 | |
| | P | 12/ 6/2001 | -178.27 | 0.1 | 1051.73 | 01 | 06 | 1 | |
| | P | 12/ 7/2001 | -178.04 | 0.23 | 1051.96 | 01 | 06 | 1 | |
| | P | 12/ 8/2001 | -177.93 | 0.11 | 1052.07 | 01 | 06 | 1 | |
| | P | 12/ 9/2001 | -177.46 | 0.47 | 1052.54 | 01 | 06 | 1 | |
| | P | 12/10/2001 | -177.04 | 0.42 | 1052.96 | 01 | 06 | 1 | |
| | P | 12/11/2001 | -176.68 | 0.36 | 1053.32 | 01 | 06 | 1 | |
| | P | 12/12/2001 | -176.37 | 0.31 | 1053.63 | 01 | 06 | 1 | |
| | P | 12/13/2001 | -176.19 | 0.18 | 1053.81 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 14/ 2001 | -176.07 | 0.12 | 1053.93 | 01 | 06 | 1 | |
| | P | 12 / 15/ 2001 | -175.8 | 0.27 | 1054.2 | 01 | 06 | 1 | |
| | P | 12 / 16/ 2001 | -175.53 | 0.27 | 1054.47 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2001 | -175.7 | -0.17 | 1054.3 | 01 | 06 | 1 | |
| | P | 12 / 18/ 2001 | -175.52 | 0.18 | 1054.48 | 01 | 06 | 1 | |
| | P | 12 / 19/ 2001 | -175.56 | -0.04 | 1054.44 | 01 | 06 | 1 | |
| | P | 12 / 20/ 2001 | -175.65 | -0.09 | 1054.35 | 01 | 06 | 1 | |
| | P | 12 / 21/ 2001 | -175.26 | 0.39 | 1054.74 | 01 | 06 | 1 | |
| | P | 12 / 22/ 2001 | -175.12 | 0.14 | 1054.88 | 01 | 06 | 1 | |
| | P | 12 / 23/ 2001 | -175.17 | -0.05 | 1054.83 | 01 | 06 | 1 | |
| | P | 12 / 24/ 2001 | -175.31 | -0.14 | 1054.69 | 01 | 06 | 1 | |
| | P | 12 / 25/ 2001 | -175.19 | 0.12 | 1054.81 | 01 | 06 | 1 | |
| | P | 12 / 26/ 2001 | -175.06 | 0.13 | 1054.94 | 01 | 06 | 1 | |
| | P | 12 / 27/ 2001 | -174.79 | 0.27 | 1055.21 | 01 | 06 | 1 | |
| | P | 12 / 28/ 2001 | -174.59 | 0.2 | 1055.41 | 01 | 06 | 1 | |
| | P | 12 / 29/ 2001 | -174.53 | 0.06 | 1055.47 | 01 | 06 | 1 | |
| | P | 12 / 30/ 2001 | -174.73 | -0.2 | 1055.27 | 01 | 06 | 1 | |
| | P | 12 / 31/ 2001 | -174.71 | 0.02 | 1055.29 | 01 | 06 | 1 | |
| | P | 1 / 1 / 2002 | -174.78 | -0.07 | 1055.22 | 01 | 06 | 1 | |
| | P | 1 / 2 / 2002 | -174.9 | -0.12 | 1055.1 | 01 | 06 | 1 | |
| | P | 1 / 3 / 2002 | -175.01 | -0.11 | 1054.99 | 01 | 06 | 1 | |
| | P | 1 / 4 / 2002 | -174.98 | 0.03 | 1055.02 | 01 | 06 | 1 | |
| | P | 1 / 5 / 2002 | -174.56 | 0.42 | 1055.44 | 01 | 06 | 1 | |
| | P | 1 / 6 / 2002 | -174.57 | -0.01 | 1055.43 | 01 | 06 | 1 | |
| | P | 1 / 7 / 2002 | -174.58 | -0.01 | 1055.42 | 01 | 06 | 1 | |
| | P | 1 / 8 / 2002 | -174.38 | 0.2 | 1055.62 | 01 | 06 | 1 | |
| | P | 1 / 9 / 2002 | -174.22 | 0.16 | 1055.78 | 01 | 06 | 1 | |
| | P | 1 / 10/ 2002 | -174.24 | -0.02 | 1055.76 | 01 | 06 | 1 | |
| | P | 1 / 11/ 2002 | -174.42 | -0.18 | 1055.58 | 01 | 06 | 1 | |
| | P | 1 / 12/ 2002 | -174.4 | 0.02 | 1055.6 | 01 | 06 | 1 | |
| | P | 1 / 13/ 2002 | -174.19 | 0.21 | 1055.81 | 01 | 06 | 1 | |
| | P | 1 / 14/ 2002 | -174.28 | -0.09 | 1055.72 | 01 | 06 | 1 | |
| | P | 1 / 15/ 2002 | -174.38 | -0.1 | 1055.62 | 01 | 06 | 1 | |
| | P | 1 / 30/ 2002 | -174.25 | 0.13 | 1055.75 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2002 | -174.25 | | 1055.75 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2002 | -174.31 | -0.06 | 1055.69 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/15/2002 | -175.05 | -0.74 | 1054.95 | 01 | 01 | 4 | |
| | P | 3/30/2002 | -176.1 | -1.05 | 1053.9 | 01 | 01 | 4 | |
| | P | 4/15/2002 | -174.7 | 1.4 | 1055.3 | 01 | 01 | 4 | |
| | P | 4/30/2002 | -175 | -0.3 | 1055 | 01 | 01 | 4 | |
| | P | 5/ 1/2002 | -176.14 | -1.14 | 1053.86 | 01 | 06 | 1 | |
| | P | 5/ 2/2002 | -175.98 | 0.16 | 1054.02 | 01 | 06 | 1 | |
| | P | 5/ 3/2002 | -176.17 | -0.19 | 1053.83 | 01 | 06 | 1 | |
| | P | 5/ 4/2002 | -176.27 | -0.1 | 1053.73 | 01 | 06 | 1 | |
| | P | 5/ 5/2002 | -176.56 | -0.29 | 1053.44 | 01 | 06 | 1 | |
| | P | 5/ 6/2002 | -176.68 | -0.12 | 1053.32 | 01 | 06 | 1 | |
| | P | 5/ 7/2002 | -176.87 | -0.19 | 1053.13 | 01 | 06 | 1 | |
| | P | 5/ 8/2002 | -176.77 | 0.1 | 1053.23 | 01 | 06 | 1 | |
| | P | 5/ 9/2002 | -177.14 | -0.37 | 1052.86 | 01 | 06 | 1 | |
| | P | 5/10/2002 | -177.59 | -0.45 | 1052.41 | 01 | 06 | 1 | |
| | P | 5/11/2002 | -177.43 | 0.16 | 1052.57 | 01 | 06 | 1 | |
| | P | 5/12/2002 | -177.82 | -0.39 | 1052.18 | 01 | 06 | 1 | |
| | P | 5/13/2002 | -177.99 | -0.17 | 1052.01 | 01 | 06 | 1 | |
| | P | 5/14/2002 | -178.07 | -0.08 | 1051.93 | 01 | 06 | 1 | |
| | P | 5/15/2002 | -178.05 | 0.02 | 1051.95 | 01 | 06 | 1 | |
| | P | 5/16/2002 | -178.17 | -0.12 | 1051.83 | 01 | 06 | 1 | |
| | P | 5/17/2002 | -178.24 | -0.07 | 1051.76 | 01 | 06 | 1 | |
| | P | 5/18/2002 | -178.26 | -0.02 | 1051.74 | 01 | 06 | 1 | |
| | P | 5/19/2002 | -178.49 | -0.23 | 1051.51 | 01 | 06 | 1 | |
| | P | 5/20/2002 | -178.68 | -0.19 | 1051.32 | 01 | 06 | 1 | |
| | P | 5/21/2002 | -178.76 | -0.08 | 1051.24 | 01 | 06 | 1 | |
| | P | 5/22/2002 | -178.72 | 0.04 | 1051.28 | 01 | 06 | 1 | |
| | P | 5/23/2002 | -179.06 | -0.34 | 1050.94 | 01 | 06 | 1 | |
| | P | 5/24/2002 | -179.06 | | 1050.94 | 01 | 06 | 1 | |
| | P | 5/25/2002 | -179.4 | -0.34 | 1050.6 | 01 | 06 | 1 | |
| | P | 5/26/2002 | -179.09 | 0.31 | 1050.91 | 01 | 06 | 1 | |
| | P | 5/27/2002 | -178.51 | 0.58 | 1051.49 | 01 | 06 | 1 | |
| | P | 5/28/2002 | -178.17 | 0.34 | 1051.83 | 01 | 06 | 1 | |
| | P | 5/29/2002 | -178.12 | 0.05 | 1051.88 | 01 | 06 | 1 | |
| | P | 5/30/2002 | -177.88 | 0.24 | 1052.12 | 01 | 06 | 1 | |
| | P | 5/31/2002 | -177.8 | 0.08 | 1052.2 | 01 | 06 | 1 | |
| | P | 6/ 1/2002 | -178.08 | -0.28 | 1051.92 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 2/2002 | -178.13 | -0.05 | 1051.87 | 01 | 06 | 1 | |
| | P | 6/ 3/2002 | -178.35 | -0.22 | 1051.65 | 01 | 06 | 1 | |
| | P | 6/ 4/2002 | -178.49 | -0.14 | 1051.51 | 01 | 06 | 1 | |
| | P | 6/ 5/2002 | -178.95 | -0.46 | 1051.05 | 01 | 06 | 1 | |
| | P | 6/ 6/2002 | -179.18 | -0.23 | 1050.82 | 01 | 06 | 1 | |
| | P | 6/ 7/2002 | -179.36 | -0.18 | 1050.64 | 01 | 06 | 1 | |
| | P | 6/ 8/2002 | -179.57 | -0.21 | 1050.43 | 01 | 06 | 1 | |
| | P | 6/ 9/2002 | -179.56 | 0.01 | 1050.44 | 01 | 06 | 1 | |
| | P | 6/10/2002 | -179.87 | -0.31 | 1050.13 | 01 | 06 | 1 | |
| | P | 6/11/2002 | -180.19 | -0.32 | 1049.81 | 01 | 06 | 1 | |
| | P | 6/12/2002 | -180.65 | -0.46 | 1049.35 | 01 | 06 | 1 | |
| | P | 6/13/2002 | -181 | -0.35 | 1049 | 01 | 06 | 1 | |
| | P | 6/14/2002 | -181.44 | -0.44 | 1048.56 | 01 | 06 | 1 | |
| | P | 6/15/2002 | -181.66 | -0.22 | 1048.34 | 01 | 06 | 1 | |
| | P | 6/16/2002 | -182.94 | -1.28 | 1047.06 | 01 | 06 | 1 | |
| | P | 6/17/2002 | -183.49 | -0.55 | 1046.51 | 01 | 06 | 1 | |
| | P | 6/18/2002 | -183.2 | 0.29 | 1046.8 | 01 | 06 | 1 | |
| | P | 6/19/2002 | -183.47 | -0.27 | 1046.53 | 01 | 06 | 1 | |
| | P | 6/20/2002 | -183.92 | -0.45 | 1046.08 | 01 | 06 | 1 | |
| | P | 6/21/2002 | -184.71 | -0.79 | 1045.29 | 01 | 06 | 1 | |
| | P | 6/22/2002 | -185 | -0.29 | 1045 | 01 | 06 | 1 | |
| | P | 6/23/2002 | -185.38 | -0.38 | 1044.62 | 01 | 06 | 1 | |
| | P | 6/24/2002 | -186.15 | -0.77 | 1043.85 | 01 | 06 | 1 | |
| | P | 6/25/2002 | -185.87 | 0.28 | 1044.13 | 01 | 06 | 1 | |
| | P | 6/26/2002 | -185.93 | -0.06 | 1044.07 | 01 | 06 | 1 | |
| | P | 6/30/2002 | -186 | -0.07 | 1044 | 01 | 01 | 4 | |
| | P | 7/15/2002 | -155.8 | 30.2 | 1074.2 | 01 | 01 | 4 | |
| | P | 7/30/2002 | -150.22 | 5.58 | 1079.78 | 01 | 01 | 4 | |
| | P | 8/15/2002 | -149.63 | 0.59 | 1080.37 | 01 | 01 | 4 | |
| | P | 8/30/2002 | -150.56 | -0.93 | 1079.44 | 01 | 01 | 4 | |
| | P | 9/15/2002 | -147.79 | 2.77 | 1082.21 | 01 | 01 | 4 | |
| | P | 9/30/2002 | -146.14 | 1.65 | 1083.86 | 01 | 01 | 4 | |
| | P | 10/15/2002 | -145.63 | 0.51 | 1084.37 | 01 | 01 | 4 | |
| | P | 10/30/2002 | -141 | 4.63 | 1089 | 01 | 01 | 4 | |
| | P | 11/15/2002 | -135.87 | 5.13 | 1094.13 | 01 | 01 | 4 | |
| | P | 11/30/2002 | -134.4 | 1.47 | 1095.6 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/2002 | -133.17 | 1.23 | 1096.83 | 01 | 01 | 4 | |
| | P | 12/30/2002 | -131.9 | 1.27 | 1098.1 | 01 | 01 | 4 | |
| | P | 1/15/2003 | -129.16 | 2.74 | 1100.84 | 01 | 01 | 4 | |
| | P | 1/30/2003 | -127.01 | 2.15 | 1102.99 | 01 | 01 | 4 | |
| | P | 2/15/2003 | -125.49 | 1.52 | 1104.51 | 01 | 01 | 4 | |
| | P | 2/28/2003 | -124.26 | 1.23 | 1105.74 | 01 | 01 | 4 | |
| | P | 3/15/2003 | -122.3 | 1.96 | 1107.7 | 01 | 01 | 4 | |
| | P | 3/30/2003 | -121.35 | 0.95 | 1108.65 | 01 | 01 | 4 | |
| | P | 4/15/2003 | -122.1 | -0.75 | 1107.9 | 01 | 01 | 4 | |
| | P | 4/30/2003 | -123.24 | -1.14 | 1106.76 | 01 | 01 | 4 | |
| | P | 5/15/2003 | -125.7 | -2.46 | 1104.3 | 01 | 01 | 4 | |
| | P | 5/30/2003 | -129.71 | -4.01 | 1100.29 | 01 | 01 | 4 | |
| | P | 6/15/2003 | -131.09 | -1.38 | 1098.91 | 01 | 01 | 4 | |
| | P | 6/30/2003 | -133.4 | -2.31 | 1096.6 | 01 | 01 | 4 | |
| | P | 7/15/2003 | -133.5 | -0.1 | 1096.5 | 01 | 01 | 4 | |
| | P | 7/30/2003 | -136.98 | -3.48 | 1093.02 | 01 | 01 | 4 | |
| | P | 8/15/2003 | -141.82 | -4.84 | 1088.18 | 01 | 01 | 4 | |
| | P | 8/30/2003 | -144.7 | -2.88 | 1085.3 | 01 | 01 | 4 | |
| | P | 9/15/2003 | -147.31 | -2.61 | 1082.69 | 01 | 01 | 4 | |
| | P | 9/30/2003 | -147.84 | -0.53 | 1082.16 | 01 | 01 | 4 | |
| | P | 10/15/2003 | -151.02 | -3.18 | 1078.98 | 01 | 01 | 4 | |
| | P | 10/30/2003 | -152.25 | -1.23 | 1077.75 | 01 | 01 | 4 | |
| | P | 11/15/2003 | -154.34 | -2.09 | 1075.66 | 01 | 01 | 4 | |
| | P | 11/30/2003 | -157.17 | -2.83 | 1072.83 | 01 | 01 | 4 | |
| | P | 12/15/2003 | -160.76 | -3.59 | 1069.24 | 01 | 01 | 4 | |
| | P | 12/30/2003 | -164.65 | -3.89 | 1065.35 | 01 | 01 | 4 | |
| | P | 1/15/2004 | -168.46 | -3.81 | 1061.54 | 01 | 01 | 4 | |
| | P | 1/30/2004 | -164.47 | 3.99 | 1065.53 | 01 | 01 | 4 | |
| | P | 2/15/2004 | -166.25 | -1.78 | 1063.75 | 01 | 01 | 4 | |
| | P | 2/28/2004 | -164.75 | 1.5 | 1065.25 | 01 | 01 | 4 | |
| | P | 3/15/2004 | -163.62 | 1.13 | 1066.38 | 01 | 01 | 4 | |
| | P | 3/30/2004 | -160.79 | 2.83 | 1069.21 | 01 | 01 | 4 | |
| | P | 4/15/2004 | -156.35 | 4.44 | 1073.65 | 01 | 01 | 4 | |
| | P | 4/30/2004 | -152.42 | 3.93 | 1077.58 | 01 | 01 | 4 | |
| | P | 5/15/2004 | -148.47 | 3.95 | 1081.53 | 01 | 01 | 4 | |
| | P | 5/30/2004 | -147.38 | 1.09 | 1082.62 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/2004 | -146.74 | 0.64 | 1083.26 | 01 | 01 | 4 | |
| | P | 6/30/2004 | -145.55 | 1.19 | 1084.45 | 01 | 01 | 4 | |
| | P | 7/15/2004 | -133.44 | 12.11 | 1096.56 | 01 | 01 | 4 | |
| | P | 7/30/2004 | -133.3 | 0.14 | 1096.7 | 01 | 01 | 4 | |
| | P | 8/15/2004 | -133.96 | -0.66 | 1096.04 | 01 | 01 | 4 | |
| | P | 8/30/2004 | -132.88 | 1.08 | 1097.12 | 01 | 01 | 4 | |
| | P | 9/15/2004 | -130.4 | 2.48 | 1099.6 | 01 | 01 | 4 | |
| | P | 9/30/2004 | -131.14 | -0.74 | 1098.86 | 01 | 01 | 4 | |
| | P | 10/15/2004 | -129.18 | 1.96 | 1100.82 | 01 | 01 | 4 | |
| | P | 10/30/2004 | -128.66 | 0.52 | 1101.34 | 01 | 01 | 4 | |
| | P | 11/15/2004 | -124.77 | 3.89 | 1105.23 | 01 | 01 | 4 | |
| | P | 12/15/2004 | -98.55 | 26.22 | 1131.45 | 01 | 01 | 4 | |
| | P | 12/30/2004 | -99.54 | -0.99 | 1130.46 | 01 | 01 | 4 | |
| | P | 1/15/2005 | -100.68 | -1.14 | 1129.32 | 01 | 01 | 4 | |
| | P | 1/30/2005 | -102.63 | -1.95 | 1127.37 | 01 | 01 | 4 | |
| | P | 2/15/2005 | -104.41 | -1.78 | 1125.59 | 01 | 01 | 4 | |
| | P | 2/28/2005 | -102.8 | 1.61 | 1127.2 | 01 | 01 | 4 | |
| | P | 3/30/2005 | -95.9 | 6.9 | 1134.1 | 01 | 01 | 4 | |
| | P | 4/15/2005 | -96.97 | -1.07 | 1133.03 | 01 | 01 | 4 | |
| | P | 4/30/2005 | -98.59 | -1.62 | 1131.41 | 01 | 01 | 4 | |
| | P | 5/15/2005 | -101.63 | -3.04 | 1128.37 | 01 | 01 | 4 | |
| | P | 5/30/2005 | -105.37 | -3.74 | 1124.63 | 01 | 01 | 4 | |
| | P | 6/15/2005 | -108.33 | -2.96 | 1121.67 | 01 | 01 | 4 | |
| | P | 7/15/2005 | -120.97 | -12.6 | 1109.03 | 01 | 01 | 4 | |
| | P | 7/30/2005 | -123.67 | -2.7 | 1106.33 | 01 | 01 | 4 | |
| | P | 8/15/2005 | -127.57 | -3.9 | 1102.43 | 01 | 01 | 4 | |
| | P | 8/30/2005 | -128.99 | -1.42 | 1101.01 | 01 | 01 | 4 | |
| | P | 9/15/2005 | -134.11 | -5.12 | 1095.89 | 01 | 01 | 4 | |
| | P | 9/30/2005 | -138.97 | -4.86 | 1091.03 | 01 | 01 | 4 | |
| | P | 10/15/2005 | -142.1 | -3.13 | 1087.9 | 01 | 01 | 4 | |
| | P | 10/30/2005 | -145.06 | -2.96 | 1084.94 | 01 | 01 | 4 | |
| | P | 11/15/2005 | -149.05 | -3.99 | 1080.95 | 01 | 01 | 4 | |
| | P | 11/30/2005 | -151.95 | -2.9 | 1078.05 | 01 | 01 | 4 | |
| | P | 12/15/2005 | -155.05 | -3.1 | 1074.95 | 01 | 01 | 4 | |
| | P | 12/30/2005 | -158.95 | -3.9 | 1071.05 | 01 | 01 | 4 | |
| | P | 1/15/2006 | -163.15 | -4.2 | 1066.85 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/2006 | -166.02 | -2.87 | 1063.98 | 01 | 01 | 4 | |
| | P | 2/15/2006 | -168.23 | -2.21 | 1061.77 | 01 | 01 | 4 | |
| | P | 2/28/2006 | -169.87 | -1.64 | 1060.13 | 01 | 01 | 4 | |
| | P | 3/15/2006 | -173.69 | -3.82 | 1056.31 | 01 | 01 | 4 | |
| | P | 3/30/2006 | -175.86 | -2.17 | 1054.14 | 01 | 01 | 4 | |
| | P | 4/15/2006 | -178.64 | -2.78 | 1051.36 | 01 | 01 | 4 | |
| | P | 4/30/2006 | -180.3 | -1.66 | 1049.7 | 01 | 01 | 4 | |
| | P | 5/15/2006 | -172.7 | 7.6 | 1057.3 | 01 | 01 | 4 | |
| | P | 5/30/2006 | -182.55 | -9.85 | 1047.45 | 01 | 01 | 4 | |
| | P | 6/15/2006 | -188.37 | -5.82 | 1041.63 | 01 | 01 | 4 | |
| | P | 6/30/2006 | -188.55 | -0.18 | 1041.45 | 01 | 01 | 4 | |
| | P | 7/15/2006 | -192.65 | -4.1 | 1037.35 | 01 | 01 | 4 | |
| | P | 7/30/2006 | -199 | -6.35 | 1031 | 01 | 01 | 4 | |
| | P | 8/15/2006 | -204.81 | -5.81 | 1025.19 | 01 | 01 | 4 | |
| | P | 8/30/2006 | -208.56 | -3.75 | 1021.44 | 01 | 01 | 4 | |
| | P | 9/15/2006 | -208.32 | 0.24 | 1021.68 | 01 | 01 | 4 | |
| | P | 9/30/2006 | -210.07 | -1.75 | 1019.93 | 01 | 01 | 4 | |
| | P | 10/15/2006 | -213.33 | -3.26 | 1016.67 | 01 | 01 | 4 | |
| | P | 10/30/2006 | -212.76 | 0.57 | 1017.24 | 01 | 01 | 4 | |
| | P | 11/15/2006 | -215.41 | -2.65 | 1014.59 | 01 | 01 | 4 | |
| | P | 11/30/2006 | -218.94 | -3.53 | 1011.06 | 01 | 01 | 4 | |
| | P | 12/15/2006 | -218.64 | 0.3 | 1011.36 | 01 | 01 | 4 | |
| | P | 12/30/2006 | -219.45 | -0.81 | 1010.55 | 01 | 01 | 4 | |
| | P | 1/15/2007 | -214.85 | 4.6 | 1015.15 | 01 | 01 | 4 | |
| | P | 1/30/2007 | -202.49 | 12.36 | 1027.51 | 01 | 01 | 4 | |
| | P | 2/15/2007 | -204.79 | -2.3 | 1025.21 | 01 | 01 | 4 | |
| | P | 2/28/2007 | -209.16 | -4.37 | 1020.84 | 01 | 01 | 4 | |
| | P | 3/15/2007 | -216.04 | -6.88 | 1013.96 | 01 | 01 | 4 | |
| | P | 3/30/2007 | -196.03 | 20.01 | 1033.97 | 01 | 01 | 4 | |
| | P | 4/15/2007 | -189.42 | 6.61 | 1040.58 | 01 | 01 | 4 | |
| | P | 4/30/2007 | -189.3 | 0.12 | 1040.7 | 01 | 01 | 4 | |
| | P | 5/15/2007 | -186.24 | 3.06 | 1043.76 | 01 | 01 | 4 | |
| | P | 5/30/2007 | -185.4 | 0.84 | 1044.6 | 01 | 01 | 4 | |
| | P | 6/15/2007 | -179.97 | 5.43 | 1050.03 | 01 | 01 | 4 | |
| | P | 6/30/2007 | -179.3 | 0.67 | 1050.7 | 01 | 01 | 4 | |
| | P | 7/15/2007 | -169.18 | 10.12 | 1060.82 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 30/ 2007 | -149.49 | 19.69 | 1080.51 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2007 | -141.42 | 8.07 | 1088.58 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2007 | -140.12 | 1.3 | 1089.88 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2007 | -139.26 | 0.86 | 1090.74 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2007 | -139.23 | 0.03 | 1090.77 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2007 | -140.73 | -1.5 | 1089.27 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2007 | -143.54 | -2.81 | 1086.46 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2008 | -146.22 | -2.68 | 1083.78 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2008 | -147.33 | -1.11 | 1082.67 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2008 | -149.64 | -2.31 | 1080.36 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2008 | -152.05 | -2.41 | 1077.95 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2008 | -153.13 | -1.08 | 1076.87 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2008 | -156.19 | -3.06 | 1073.81 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2008 | -159.64 | -3.45 | 1070.36 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2008 | -161.3 | -1.66 | 1068.7 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2008 | -164.84 | -3.54 | 1065.16 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2008 | -168.75 | -3.91 | 1061.25 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2008 | -174.58 | -5.83 | 1055.42 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2008 | -181.49 | -6.91 | 1048.51 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2008 | -182.04 | -0.55 | 1047.96 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2008 | -184.35 | -2.31 | 1045.65 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2008 | -186.52 | -2.17 | 1043.48 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2008 | -184.18 | 2.34 | 1045.82 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2008 | -191.35 | -7.17 | 1038.65 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2008 | -196.98 | -5.63 | 1033.02 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2008 | -199.1 | -2.12 | 1030.9 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2008 | -201.81 | -2.71 | 1028.19 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2008 | -204.45 | -2.64 | 1025.55 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2008 | -207.4 | -2.95 | 1022.6 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2008 | -208.47 | -1.07 | 1021.53 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2009 | -213.2 | -4.73 | 1016.8 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2009 | -215.5 | -2.3 | 1014.5 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2009 | -217.69 | -2.19 | 1012.31 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2009 | -219.46 | -1.77 | 1010.54 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2009 | -216.48 | 2.98 | 1013.52 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2009 | -221.41 | -4.93 | 1008.59 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/2009 | -225.9 | -4.49 | 1004.1 | 01 | 01 | 4 | |
| | P | 4/30/2009 | -225.23 | 0.67 | 1004.77 | 01 | 01 | 4 | |
| | P | 5/15/2009 | -231.67 | -6.44 | 998.33 | 01 | 01 | 4 | |
| | P | 5/30/2009 | -228.78 | 2.89 | 1001.22 | 01 | 01 | 4 | |
| | P | 6/15/2009 | -235.97 | -7.19 | 994.03 | 01 | 01 | 4 | |
| | P | 6/30/2009 | -241.37 | -5.4 | 988.63 | 01 | 01 | 4 | |
| | P | 7/15/2009 | -242.3 | -0.93 | 987.7 | 01 | 01 | 4 | |
| | P | 7/30/2009 | -246.38 | -4.08 | 983.62 | 01 | 01 | 4 | |
| | P | 8/15/2009 | -249.7 | -3.32 | 980.3 | 01 | 01 | 4 | |
| | P | 8/30/2009 | -251.27 | -1.57 | 978.73 | 01 | 01 | 4 | |
| | P | 9/15/2009 | -237.61 | 13.66 | 992.39 | 01 | 01 | 4 | |
| | P | 9/30/2009 | -246.23 | -8.62 | 983.77 | 01 | 01 | 4 | |
| | P | 10/15/2009 | -215.62 | 30.61 | 1014.38 | 01 | 01 | 4 | |
| | P | 10/30/2009 | -214.27 | 1.35 | 1015.73 | 01 | 01 | 4 | |
| | P | 11/15/2009 | -210.36 | 3.91 | 1019.64 | 01 | 01 | 4 | |
| | P | 1/15/2010 | -204.15 | 6.21 | 1025.85 | 01 | 01 | 4 | |
| | P | 1/30/2010 | -197.13 | 7.02 | 1032.87 | 01 | 01 | 4 | |
| | P | 2/15/2010 | -195.25 | 1.88 | 1034.75 | 01 | 01 | 4 | |
| | P | 2/28/2010 | -194.51 | 0.74 | 1035.49 | 01 | 01 | 4 | |
| | P | 3/15/2010 | -192.46 | 2.05 | 1037.54 | 01 | 01 | 4 | |
| | P | 12/15/2011 | -236.2 | -43.7 | 993.8 | 01 | 01 | 4 | |
| | P | 1/30/2012 | -236.32 | -0.12 | 993.68 | 01 | 01 | 4 | |
| | P | 2/15/2012 | -235.38 | 0.94 | 994.62 | 01 | 01 | 4 | |
| | P | 2/28/2012 | -232.69 | 2.69 | 997.31 | 01 | 01 | 4 | |
| | P | 3/15/2012 | -231.58 | 1.11 | 998.42 | 01 | 01 | 4 | |
| | P | 4/15/2012 | -217.08 | 14.5 | 1012.92 | 01 | 01 | 4 | |
| | P | 4/30/2012 | -220.03 | -2.95 | 1009.97 | 01 | 01 | 4 | |
| | P | 5/30/2012 | -217.25 | 2.78 | 1012.75 | 01 | 01 | 4 | |
| | P | 6/15/2012 | -217.43 | -0.18 | 1012.57 | 01 | 01 | 4 | |
| | P | 6/30/2012 | -216.84 | 0.59 | 1013.16 | 01 | 01 | 4 | |
| | P | 7/15/2012 | -216.67 | 0.17 | 1013.33 | 01 | 01 | 4 | |
| | P | 8/15/2012 | -219.96 | -3.29 | 1010.04 | 01 | 01 | 4 | |
| | P | 9/30/2012 | -233.31 | -13.4 | 996.69 | 01 | 01 | 4 | |
| | P | 10/15/2012 | -225.44 | 7.87 | 1004.56 | 01 | 01 | 4 | |
| | P | 10/30/2012 | -230.03 | -4.59 | 999.97 | 01 | 01 | 4 | |
| | P | 10/30/2012 | -228.93 | 1.1 | 1001.07 | 02 | 01 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 2012 | -233.23 | -4.3 | 996.77 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2012 | -236.32 | -3.09 | 993.68 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -238.01 | -1.69 | 991.99 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -239.6 | -1.59 | 990.4 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -234 | 5.6 | 996 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -236.01 | -2.01 | 993.99 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -238.81 | -2.8 | 991.19 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -240.24 | -1.43 | 989.76 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -241.61 | -1.37 | 988.39 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -247.71 | -6.1 | 982.29 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -264.44 | -16.7 | 965.56 | 01 | 01 | 4 | |

**Min** *-264.44* **Max** *-95.9* **Avg** *-191.68*

***6819808*** *( Aquifer: 218GLRSL Well Depth: 893 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 28/ 1992 | -380 | | 856 | 01 | 07 | 7 | |

**Min** *-380* **Max** *-380* **Avg** *-380*

***6819809*** *( Aquifer: 218GRHC Well Depth: 1012 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 20/ 1994 | -320 | | 925 | 01 | 07 | 7 | |

**Min** *-320* **Max** *-320* **Avg** *-320*

***6819810*** *( Aquifer: 218GRHC Well Depth: 597 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 4 / 1987 | -278.37 | | 1096.63 | 01 | 07 | 6 | |

**Min** *-278.37* **Max** *-278.37* **Avg** *-278.37*

***6819811*** *( Aquifer: 218GLRS Well Depth: 449 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 4 / 1986 | -238 | | 1037 | 01 | 05 | 6 | |

**Min** *-238* **Max** *-238* **Avg** *-238*

***6819812*** *( Aquifer: 218GRHC Well Depth: 714 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 12/ 1990 | -235 | | 945 | 01 | 05 | 6 | |

**Min** *-235* **Max** *-235* **Avg** *-235*

***6819813*** *( Aquifer: 218GRLH Well Depth: 638 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1987 | -278 | | 1112 | 01 | 05 | 6 | |

**Min** *-278* **Max** *-278* **Avg** *-278*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6819814** | ( Aquifer: 218GRLH | | Well Depth: 480 ) | | | | | | |
| | P | 9 / 28/ 1987 | -245.98 | | 1139.02 | 01 | 05 | 6 | |
| Min -245.98 | | Max -245.98 | Avg -245.98 | | | | | | |
| **6819901** | ( Aquifer: 218GLRSL | | Well Depth: 500 ) | | | | | | |
| | P | 3 / 22/ 1976 | -350 | | 805 | 01 | 07 | 7 | 27 |
| | P | 3 / 20/ 1992 | -143.88 | 206.1 | 1011.12 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -141.53 | 2.35 | 1013.47 | 01 | 09 | 1 | |
| Min -350 | | Max -141.53 | Avg -211.803 | | | | | | |
| **6819902** | ( Aquifer: 218GLRS | | Well Depth: ) | | | | | | |
| | P | 10 / 10/ 1991 | -422.56 | | 993.44 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1991 | -431.85 | -9.29 | 984.15 | 01 | 06 | 1 | |
| | P | 12 / 6 / 1991 | -443.94 | -12.1 | 972.06 | 01 | 06 | 1 | |
| | P | 1 / 6 / 1992 | -404.35 | 39.59 | 1011.65 | 01 | 06 | 1 | |
| | P | 2 / 6 / 1992 | -386.48 | 17.87 | 1029.52 | 01 | 06 | 1 | |
| | P | 3 / 6 / 1992 | -386.82 | -0.34 | 1029.18 | 01 | 06 | 1 | |
| | P | 4 / 1 / 1992 | -369.93 | 16.89 | 1046.07 | 01 | 06 | 1 | |
| | P | 4 / 29/ 1992 | -365.83 | 4.1 | 1050.17 | 01 | 06 | 1 | |
| | P | 6 / 4 / 1992 | -344.22 | 21.61 | 1071.78 | 01 | 06 | 1 | |
| | P | 7 / 13/ 1992 | -340.15 | 4.07 | 1075.85 | 01 | 06 | 1 | |
| | P | 8 / 11/ 1992 | -336.74 | 3.41 | 1079.26 | 01 | 06 | 1 | |
| | P | 9 / 14/ 1992 | -329.94 | 6.8 | 1086.06 | 01 | 06 | 1 | |
| | P | 10 / 16/ 1992 | -342.43 | -12.5 | 1073.57 | 01 | 06 | 1 | |
| | P | 11 / 4 / 1992 | -356.77 | -14.3 | 1059.23 | 01 | 06 | 1 | |
| | P | 12 / 9 / 1992 | -352.79 | 3.98 | 1063.21 | 01 | 06 | 1 | |
| | P | 1 / 4 / 1993 | -365.62 | -12.8 | 1050.38 | 01 | 06 | 1 | |
| | P | 1 / 12/ 1993 | -322.52 | 43.1 | 1093.48 | 01 | 06 | 1 | |
| | P | 2 / 4 / 1993 | -326.07 | -3.55 | 1089.93 | 01 | 06 | 1 | |
| | P | 3 / 2 / 1993 | -312.41 | 13.66 | 1103.59 | 01 | 06 | 1 | |
| | P | 4 / 6 / 1993 | -311.2 | 1.21 | 1104.8 | 01 | 06 | 1 | |
| | P | 4 / 28/ 1993 | -314.05 | -2.85 | 1101.95 | 01 | 06 | 1 | |
| | P | 6 / 1 / 1993 | -298.35 | 15.7 | 1117.65 | 01 | 06 | 1 | |
| | P | 7 / 8 / 1993 | -299.2 | -0.85 | 1116.8 | 01 | 06 | 1 | |
| | P | 8 / 4 / 1993 | -321.4 | -22.2 | 1094.6 | 01 | 06 | 1 | |
| | P | 9 / 9 / 1993 | -332.11 | -10.7 | 1083.89 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 7 / 1993 | -343.42 | -11.3 | 1072.58 | 01 | 06 | 1 | |
| | P | 11 / 2 / 1993 | -348.49 | -5.07 | 1067.51 | 01 | 06 | 1 | |
| | P | 12 / 8 / 1993 | -357.3 | -8.81 | 1058.7 | 01 | 06 | 1 | |
| | P | 2 / 3 / 1994 | -368.63 | -11.3 | 1047.37 | 01 | 06 | 1 | |
| | P | 3 / 4 / 1994 | -368.75 | -0.12 | 1047.25 | 01 | 06 | 1 | |
| | P | 4 / 6 / 1994 | -358.39 | 10.36 | 1057.61 | 01 | 06 | 1 | |
| | P | 5 / 4 / 1994 | -352.44 | 5.95 | 1063.56 | 01 | 06 | 1 | |
| | P | 5 / 27/ 1994 | -347.1 | 5.34 | 1068.9 | 01 | 06 | 1 | |
| | P | 6 / 30/ 1994 | -355.4 | -8.3 | 1060.6 | 01 | 06 | 1 | |
| | P | 8 / 3 / 1994 | -375.29 | -19.9 | 1040.71 | 01 | 06 | 1 | |
| | P | 8 / 29/ 1994 | -383.15 | -7.86 | 1032.85 | 01 | 06 | 1 | |
| | P | 10 / 7 / 1994 | -389.04 | -5.89 | 1026.96 | 01 | 06 | 1 | |
| | P | 11 / 3 / 1994 | -369.5 | 19.54 | 1046.5 | 01 | 06 | 1 | |
| | P | 12 / 8 / 1994 | -394.5 | -25 | 1021.5 | 01 | 06 | 1 | |
| | P | 1 / 6 / 1995 | -363.59 | 30.91 | 1052.41 | 01 | 06 | 1 | |
| | P | 2 / 21/ 1995 | -372.75 | -9.16 | 1043.25 | 01 | 06 | 1 | |
| | P | 4 / 6 / 1995 | -365.33 | 7.42 | 1050.67 | 01 | 06 | 1 | |
| | P | 6 / 2 / 1995 | -358.12 | 7.21 | 1057.88 | 01 | 06 | 1 | |
| | P | 9 / 8 / 1995 | -371.76 | -13.6 | 1044.24 | 01 | 06 | 1 | |

**Min** *-443.94* **Max** *-298.35* **Avg** *-358.197*

***6819903*** *( Aquifer: 218GRHC Well Depth: 765 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 28/ 1994 | -240 | | 909 | 01 | 07 | 7 | |

**Min** *-240* **Max** *-240* **Avg** *-240*

***6819904*** *( Aquifer: 218GRHC Well Depth: 700 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 6 / 1990 | -175 | | 960 | 01 | 07 | 7 | |

**Min** *-175* **Max** *-175* **Avg** *-175*

***6819906*** *( Aquifer: 218CCRK Well Depth: 570 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 15/ 1994 | -125 | | 1015 | 01 | 07 | 7 | |

**Min** *-125* **Max** *-125* **Avg** *-125*

***6819907*** *( Aquifer: 218GRCCU Well Depth: 508 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 24/ 1997 | -140 | | 1005 | 01 | 07 | 7 | |
| | P | 8 / 3 / 2000 | -395 | -255 | 750 | 01 | 01 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -395** | | **Max -140** | **Avg -267.5** | | | | | | |
| ***6819908*** | *( Aquifer: 218GRHC* | | *Well Depth: 680 )* | | | | | | |
| | P | 8 / 9 / 1991 | -253.8 | | 991.2 | 01 | 05 | 6 | |
| **Min -253.8** | | **Max -253.8** | **Avg -253.8** | | | | | | |
| ***6819909*** | *( Aquifer: 218GRHC* | | *Well Depth: 663 )* | | | | | | |
| | P | 3 / 27/ 1992 | -65.4 | | 1059.6 | 01 | 05 | 6 | |
| **Min -65.4** | | **Max -65.4** | **Avg -65.4** | | | | | | |
| ***6820101*** | *( Aquifer: 218GRCCU* | | *Well Depth: 442 )* | | | | | | |
| | P | 2 / 19/ 1960 | -201 | | 1039 | 01 | 12 | 7 | |
| **Min -201** | | **Max -201** | **Avg -201** | | | | | | |
| ***6820102*** | *( Aquifer: 218GRCCU* | | *Well Depth: 485 )* | | | | | | |
| | P | 3 / 16/ 1978 | -270 | | 1046 | 01 | 07 | 7 | |
| | P | 8 / 13/ 1987 | -289.76 | -19.8 | 1026.24 | 01 | 01 | 1 | 04 |
| | P | 3 / 18/ 1992 | -123.33 | 166.4 | 1192.67 | 01 | 09 | 1 | |
| | P | 5 / 1 / 1992 | -201.52 | -78.2 | 1114.48 | 01 | 09 | 1 | |
| **Min -289.76** | | **Max -123.33** | **Avg -221.153** | | | | | | |
| ***6820103*** | *( Aquifer: 218GRCCU* | | *Well Depth: 525 )* | | | | | | |
| | P | 1 / 11/ 1978 | -270 | | 1044 | 01 | 12 | 7 | |
| | P | 8 / 13/ 1987 | -252.09 | 17.91 | 1061.91 | 01 | 01 | 1 | |
| | N | 8 / 2 / 2007 | | | | 01 | 01 | | 41 |
| **Min -270** | | **Max -252.09** | **Avg -261.045** | | | | | | |
| ***6820104*** | *( Aquifer: 218GRCCU* | | *Well Depth: 525 )* | | | | | | |
| | P | 8 / 13/ 1987 | -259.44 | | 1063.56 | 01 | 01 | 1 | |
| **Min -259.44** | | **Max -259.44** | **Avg -259.44** | | | | | | |
| ***6820108*** | *( Aquifer: 218CCRK* | | *Well Depth: 435 )* | | | | | | |
| | P | 8 / 13/ 1987 | -195.58 | | 1058.42 | 01 | 01 | 1 | |
| | P | 3 / 18/ 1992 | -49.84 | 145.7 | 1204.16 | 01 | 09 | 1 | |
| **Min -195.58** | | **Max -49.84** | **Avg -122.71** | | | | | | |
| ***6820109*** | *( Aquifer: 217HSCC* | | *Well Depth: 877 )* | | | | | | |
| | P | 8 / 13/ 1987 | -375.33 | | 896.67 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 18/ 1992 | -69.58 | 305.8 | 1202.42 | 01 | 09 | 1 | |
| | P | 4 / 29/ 1992 | -130.84 | -61.3 | 1141.16 | 01 | 09 | 1 | |

**Min** *-375.33* **Max** *-69.58* **Avg** *-191.917*

***6820110*** *( Aquifer: 218GRHC Well Depth: 435 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | 8 / 13/ 1987 | -254.1 | | 1072.9 | 01 | 01 | 1 | |
| P | 3 / 18/ 1992 | -147.77 | 106.3 | 1179.23 | 01 | 09 | 1 | |
| P | 4 / 29/ 1992 | -178.77 | -31 | 1148.23 | 01 | 09 | 1 | |
| P | 1 / 26/ 1994 | -301 | -122 | 1026 | 01 | 08 | 4 | |
| P | 1 / 18/ 1995 | -268 | 33 | 1059 | 01 | 08 | 4 | |
| P | 2 / 14/ 1996 | -294 | -26 | 1033 | 01 | 08 | 4 | |
| P | 3 / 27/ 1996 | -292 | 2 | 1035 | 01 | 08 | 4 | |
| P | 4 / 24/ 1996 | -297 | -5 | 1030 | 01 | 08 | 4 | |
| P | 5 / 29/ 1996 | -301 | -4 | 1026 | 01 | 08 | 4 | |
| P | 6 / 26/ 1996 | -300 | 1 | 1027 | 01 | 08 | 4 | |
| P | 7 / 24/ 1996 | -303 | -3 | 1024 | 01 | 08 | 4 | |
| P | 1 / 15/ 1997 | -287 | 16 | 1040 | 01 | 08 | 4 | |
| P | 3 / 17/ 1997 | -258 | 29 | 1069 | 01 | 08 | 4 | |
| P | 4 / 22/ 1997 | -203 | 55 | 1124 | 01 | 08 | 4 | |
| P | 5 / 15/ 1997 | -211.3 | -8.3 | 1115.7 | 01 | 08 | 1 | |
| P | 7 / 21/ 1997 | -205 | 6.3 | 1122 | 01 | 08 | 4 | |
| P | 12 / 15/ 1999 | -300 | -95 | 1027 | 01 | 08 | 4 | |
| P | 12 / 29/ 1999 | -299 | 1 | 1028 | 01 | 08 | 4 | |
| P | 1 / 12/ 2000 | -296 | 3 | 1031 | 01 | 08 | 4 | |
| P | 1 / 26/ 2000 | -297 | -1 | 1030 | 01 | 08 | 4 | |
| P | 2 / 16/ 2000 | -294 | 3 | 1033 | 01 | 08 | 4 | |
| P | 3 / 1 / 2000 | -294 | | 1033 | 01 | 08 | 4 | |
| P | 3 / 15/ 2000 | -292 | 2 | 1035 | 01 | 08 | 4 | |
| P | 3 / 29/ 2000 | -292 | | 1035 | 01 | 08 | 4 | |
| P | 4 / 19/ 2000 | -291 | 1 | 1036 | 01 | 08 | 4 | |
| P | 5 / 3 / 2000 | -292 | -1 | 1035 | 01 | 08 | 4 | |
| P | 5 / 17/ 2000 | -292 | | 1035 | 01 | 08 | 4 | |
| P | 5 / 31/ 2000 | -291 | 1 | 1036 | 01 | 08 | 4 | |
| P | 6 / 14/ 2000 | -290 | 1 | 1037 | 01 | 08 | 4 | |
| P | 6 / 28/ 2000 | -291 | -1 | 1036 | 01 | 08 | 4 | |
| P | 7 / 12/ 2000 | -294 | -3 | 1033 | 01 | 08 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 3/2000 | -301.9 | -7.9 | 1025.1 | 01 | 08 | 4 | |
| | P | 4/15/2001 | -193.7 | 108.2 | 1133.3 | 01 | 01 | 4 | |
| | P | 4/30/2001 | -195.1 | -1.4 | 1131.9 | 01 | 01 | 4 | |
| | P | 5/15/2001 | -204.2 | -9.1 | 1122.8 | 01 | 01 | 4 | |
| | P | 5/30/2001 | -205.5 | -1.3 | 1121.5 | 01 | 01 | 4 | |
| | P | 6/15/2001 | -238.5 | -33 | 1088.5 | 01 | 01 | 4 | |
| | P | 6/30/2001 | -256.6 | -18.1 | 1070.4 | 01 | 01 | 4 | |
| | P | 7/15/2001 | -278.2 | -21.6 | 1048.8 | 01 | 01 | 4 | |
| | P | 7/30/2001 | -287.2 | -9 | 1039.8 | 01 | 01 | 4 | |
| | P | 11/15/2001 | -260.5 | 26.7 | 1066.5 | 01 | 01 | 4 | |
| | P | 11/30/2001 | -206 | 54.5 | 1121 | 01 | 01 | 4 | |
| | P | 12/15/2001 | -172 | 34 | 1155 | 01 | 01 | 4 | |
| | P | 12/30/2001 | -166.08 | 5.92 | 1160.92 | 01 | 01 | 4 | |
| | P | 1/15/2002 | -178.5 | -12.4 | 1148.5 | 01 | 01 | 4 | |
| | P | 1/30/2002 | -186 | -7.5 | 1141 | 01 | 01 | 4 | |
| | P | 2/15/2002 | -202.15 | -16.2 | 1124.85 | 01 | 01 | 4 | |
| | P | 2/28/2002 | -216.77 | -14.6 | 1110.23 | 01 | 01 | 4 | |
| | P | 3/15/2002 | -236.5 | -19.7 | 1090.5 | 01 | 01 | 4 | |
| | P | 3/30/2002 | -248.05 | -11.6 | 1078.95 | 01 | 01 | 4 | |
| | P | 4/15/2002 | -257 | -8.95 | 1070 | 01 | 01 | 4 | |
| | P | 4/30/2002 | -261 | -4 | 1066 | 01 | 01 | 4 | |
| | P | 5/15/2002 | -283.65 | -22.7 | 1043.35 | 01 | 01 | 4 | |
| | P | 5/30/2002 | -283.3 | 0.35 | 1043.7 | 01 | 01 | 4 | |
| | P | 6/15/2002 | -287.6 | -4.3 | 1039.4 | 01 | 01 | 4 | |
| | P | 6/30/2002 | -288.1 | -0.5 | 1038.9 | 01 | 01 | 4 | |
| | P | 7/15/2002 | -186.7 | 101.4 | 1140.3 | 01 | 01 | 4 | |
| | P | 7/30/2002 | -165.1 | 21.6 | 1161.9 | 01 | 01 | 4 | |
| | P | 8/15/2002 | -175.2 | -10.1 | 1151.8 | 01 | 01 | 4 | |
| | P | 8/30/2002 | -231 | -55.8 | 1096 | 01 | 01 | 4 | |
| | P | 9/15/2002 | -171.9 | 59.1 | 1155.1 | 01 | 01 | 4 | |
| | P | 9/30/2002 | -199.9 | -28 | 1127.1 | 01 | 01 | 4 | |
| | P | 10/15/2002 | -178.8 | 21.1 | 1148.2 | 01 | 01 | 4 | |
| | P | 10/30/2002 | -160.4 | 18.4 | 1166.6 | 01 | 01 | 4 | |
| | P | 11/15/2002 | -158.8 | 1.6 | 1168.2 | 01 | 01 | 4 | |
| | P | 11/30/2002 | -151.8 | 7 | 1175.2 | 01 | 01 | 4 | |
| | P | 12/15/2002 | -151.2 | 0.6 | 1175.8 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/30/2002 | -154 | -2.8 | 1173 | 01 | 01 | 4 | |
| | P | 1/15/2003 | -157.2 | -3.2 | 1169.8 | 01 | 01 | 4 | |
| | P | 1/30/2003 | -153.1 | 4.1 | 1173.9 | 01 | 01 | 4 | |
| | P | 2/15/2003 | -170.2 | -17.1 | 1156.8 | 01 | 01 | 4 | |
| | P | 2/28/2003 | -166.1 | 4.1 | 1160.9 | 01 | 01 | 4 | |
| | P | 3/15/2003 | -158 | 8.1 | 1169 | 01 | 01 | 4 | |
| | P | 3/30/2003 | -161.2 | -3.2 | 1165.8 | 01 | 01 | 4 | |
| | P | 4/15/2003 | -203.7 | -42.5 | 1123.3 | 01 | 01 | 4 | |
| | P | 4/30/2003 | -219.8 | -16.1 | 1107.2 | 01 | 01 | 4 | |
| | P | 5/15/2003 | -224.7 | -4.9 | 1102.3 | 01 | 01 | 4 | |
| | P | 5/30/2003 | -240.7 | -16 | 1086.3 | 01 | 01 | 4 | |
| | P | 6/15/2003 | -231.8 | 8.9 | 1095.2 | 01 | 01 | 4 | |
| | P | 6/30/2003 | -253.9 | -22.1 | 1073.1 | 01 | 01 | 4 | |
| | P | 7/15/2003 | -246.6 | 7.3 | 1080.4 | 01 | 01 | 4 | |
| | P | 7/30/2003 | -275.7 | -29.1 | 1051.3 | 01 | 01 | 4 | |
| | P | 8/15/2003 | -284.7 | -9 | 1042.3 | 01 | 01 | 4 | |
| | P | 8/30/2003 | -288.8 | -4.1 | 1038.2 | 01 | 01 | 4 | |
| | P | 9/15/2003 | -287 | 1.8 | 1040 | 01 | 01 | 4 | |
| | P | 9/30/2003 | -280 | 7 | 1047 | 01 | 01 | 4 | |
| | P | 10/15/2003 | -271.6 | 8.4 | 1055.4 | 01 | 01 | 4 | |
| | P | 10/30/2003 | -280.6 | -9 | 1046.4 | 01 | 01 | 4 | |
| | P | 11/15/2003 | -277.7 | 2.9 | 1049.3 | 01 | 01 | 4 | |
| | P | 11/30/2003 | -278.8 | -1.1 | 1048.2 | 01 | 01 | 4 | |
| | P | 12/15/2003 | -287.7 | -8.9 | 1039.3 | 01 | 01 | 4 | |
| | P | 12/30/2003 | -279.8 | 7.9 | 1047.2 | 01 | 01 | 4 | |
| | P | 1/15/2004 | -282.9 | -3.1 | 1044.1 | 01 | 01 | 4 | |
| | P | 1/30/2004 | -286.5 | -3.6 | 1040.5 | 01 | 01 | 4 | |
| | P | 2/15/2004 | -274.1 | 12.4 | 1052.9 | 01 | 01 | 4 | |
| | P | 2/28/2004 | -275.8 | -1.7 | 1051.2 | 01 | 01 | 4 | |
| | P | 3/15/2004 | -278.4 | -2.6 | 1048.6 | 01 | 01 | 4 | |
| | P | 3/30/2004 | -268.5 | 9.9 | 1058.5 | 01 | 01 | 4 | |
| | P | 4/15/2004 | -223.3 | 45.2 | 1103.7 | 01 | 01 | 4 | |
| | P | 4/30/2004 | -190.2 | 33.1 | 1136.8 | 01 | 01 | 4 | |
| | P | 5/15/2004 | -171.7 | 18.5 | 1155.3 | 01 | 01 | 4 | |
| | P | 5/30/2004 | -204 | -32.3 | 1123 | 01 | 01 | 4 | |
| | P | 6/15/2004 | -202.2 | 1.8 | 1124.8 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2004 | -199.1 | 3.1 | 1127.9 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2004 | -173.2 | 25.9 | 1153.8 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2004 | -218.9 | -45.7 | 1108.1 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2004 | -238.3 | -19.4 | 1088.7 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2004 | -228.2 | 10.1 | 1098.8 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2004 | -227.8 | 0.4 | 1099.2 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2004 | -227.4 | 0.4 | 1099.6 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2004 | -207 | 20.4 | 1120 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2004 | -185.3 | 21.7 | 1141.7 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2004 | -164.4 | 20.9 | 1162.6 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2004 | -144.75 | 19.65 | 1182.25 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2004 | -153.1 | -8.35 | 1173.9 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2004 | -160.4 | -7.3 | 1166.6 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2005 | -186.1 | -25.7 | 1140.9 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2005 | -180.9 | 5.2 | 1146.1 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2005 | -189 | -8.1 | 1138 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2005 | -174.3 | 14.7 | 1152.7 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2005 | -167.8 | 6.5 | 1159.2 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2005 | -188 | -20.2 | 1139 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2005 | -181.8 | 6.2 | 1145.2 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2005 | -198.7 | -16.9 | 1128.3 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2005 | -205.9 | -7.2 | 1121.1 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2005 | -214.9 | -9 | 1112.1 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2005 | -219.8 | -4.9 | 1107.2 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2005 | -262.4 | -42.6 | 1064.6 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2005 | -280.4 | -18 | 1046.6 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2005 | -274.2 | 6.2 | 1052.8 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2005 | -267.3 | 6.9 | 1059.7 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2005 | -275.9 | -8.6 | 1051.1 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2005 | -284.1 | -8.2 | 1042.9 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2005 | -289.8 | -5.7 | 1037.2 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2005 | -292.1 | -2.3 | 1034.9 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2005 | -291.4 | 0.7 | 1035.6 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2005 | -290.2 | 1.2 | 1036.8 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2005 | -286.8 | 3.4 | 1040.2 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2005 | -293.3 | -6.5 | 1033.7 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/2006 | -288.1 | 5.2 | 1038.9 | 01 | 01 | 4 | |
| | P | 1/30/2006 | -289.1 | -1 | 1037.9 | 01 | 01 | 4 | |
| | P | 2/15/2006 | -297.5 | -8.4 | 1029.5 | 01 | 01 | 4 | |
| | P | 2/28/2006 | -296.4 | 1.1 | 1030.6 | 01 | 01 | 4 | |
| | P | 3/15/2006 | -301.1 | -4.7 | 1025.9 | 01 | 01 | 4 | |
| | P | 3/30/2006 | -299.7 | 1.4 | 1027.3 | 01 | 01 | 4 | |
| | P | 4/15/2006 | -301 | -1.3 | 1026 | 01 | 01 | 4 | |
| | P | 4/30/2006 | -301.5 | -0.5 | 1025.5 | 01 | 01 | 4 | |
| | P | 5/15/2006 | -298.2 | 3.3 | 1028.8 | 01 | 01 | 4 | |
| | P | 5/30/2006 | -298.7 | -0.5 | 1028.3 | 01 | 01 | 4 | |
| | P | 6/15/2006 | -300.6 | -1.9 | 1026.4 | 01 | 01 | 4 | |
| | P | 6/30/2006 | -298 | 2.6 | 1029 | 01 | 01 | 4 | |
| | P | 7/15/2006 | -297.1 | 0.9 | 1029.9 | 01 | 01 | 4 | |
| | P | 7/30/2006 | -298.5 | -1.4 | 1028.5 | 01 | 01 | 4 | |
| | P | 8/15/2006 | -300 | -1.5 | 1027 | 01 | 01 | 4 | |
| | P | 8/30/2006 | -301.7 | -1.7 | 1025.3 | 01 | 01 | 4 | |
| | P | 9/15/2006 | -298.5 | 3.2 | 1028.5 | 01 | 01 | 4 | |
| | P | 9/30/2006 | -295.3 | 3.2 | 1031.7 | 01 | 01 | 4 | |
| | P | 10/15/2006 | -296 | -0.7 | 1031 | 01 | 01 | 4 | |
| | P | 10/30/2006 | -290.4 | 5.6 | 1036.6 | 01 | 01 | 4 | |
| | P | 11/15/2006 | -287.9 | 2.5 | 1039.1 | 01 | 01 | 4 | |
| | P | 11/30/2006 | -290.5 | -2.6 | 1036.5 | 01 | 01 | 4 | |
| | P | 12/15/2006 | -284.1 | 6.4 | 1042.9 | 01 | 01 | 4 | |
| | P | 12/30/2006 | -280.7 | 3.4 | 1046.3 | 01 | 01 | 4 | |
| | P | 1/15/2007 | -272.3 | 8.4 | 1054.7 | 01 | 01 | 4 | |
| | P | 1/30/2007 | -267.9 | 4.4 | 1059.1 | 01 | 01 | 4 | |
| | P | 2/15/2007 | -268.9 | -1 | 1058.1 | 01 | 01 | 4 | |
| | P | 2/28/2007 | -270 | -1.1 | 1057 | 01 | 01 | 4 | |
| | P | 3/15/2007 | -253.2 | 16.8 | 1073.8 | 01 | 01 | 4 | |
| | P | 3/30/2007 | -201.4 | 51.8 | 1125.6 | 01 | 01 | 4 | |
| | P | 4/15/2007 | -171.5 | 29.9 | 1155.5 | 01 | 01 | 4 | |
| | P | 4/30/2007 | -193 | -21.5 | 1134 | 01 | 01 | 4 | |
| | P | 5/15/2007 | -196.75 | -3.75 | 1130.25 | 01 | 01 | 4 | |
| | P | 5/30/2007 | -168.02 | 28.73 | 1158.98 | 01 | 01 | 4 | |
| | P | 6/15/2007 | -178.79 | -10.8 | 1148.21 | 01 | 01 | 4 | |
| | P | 6/30/2007 | -161.1 | 17.69 | 1165.9 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2007 | -147.83 | 13.27 | 1179.17 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2007 | -134.43 | 13.4 | 1192.57 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2007 | -161.45 | -27.0 | 1165.55 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2007 | -139.27 | 22.18 | 1187.73 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2007 | -141.83 | -2.56 | 1185.17 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2007 | -152.1 | -10.3 | 1174.9 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2007 | -178.76 | -26.7 | 1148.24 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2007 | -189.29 | -10.5 | 1137.71 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2007 | -196.95 | -7.66 | 1130.05 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2007 | -203.3 | -6.35 | 1123.7 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2007 | -207.27 | -3.97 | 1119.73 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2007 | -220.33 | -13.1 | 1106.67 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2008 | -229.91 | -9.58 | 1097.09 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2008 | -236.92 | -7.01 | 1090.08 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2008 | -247.34 | -10.4 | 1079.66 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2008 | -254.23 | -6.89 | 1072.77 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2008 | -251.68 | 2.55 | 1075.32 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2008 | -259.88 | -8.2 | 1067.12 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2008 | -275.92 | -16.0 | 1051.08 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2008 | -275.86 | 0.06 | 1051.14 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2008 | -284.95 | -9.09 | 1042.05 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2008 | -286.93 | -1.98 | 1040.07 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2008 | -290.63 | -3.7 | 1036.37 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2008 | -293.75 | -3.12 | 1033.25 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2008 | -292.67 | 1.08 | 1034.33 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2008 | -292.98 | -0.31 | 1034.02 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2008 | -294.78 | -1.8 | 1032.22 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2008 | -286.65 | 8.13 | 1040.35 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2008 | -287.78 | -1.13 | 1039.22 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2008 | -293.36 | -5.58 | 1033.64 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2008 | -295.03 | -1.67 | 1031.97 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2008 | -294.5 | 0.53 | 1032.5 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2008 | -295.89 | -1.39 | 1031.11 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2008 | -294.32 | 1.57 | 1032.68 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2008 | -290.39 | 3.93 | 1036.61 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2008 | -285.32 | 5.07 | 1041.68 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/2009 | -282.48 | 2.84 | 1044.52 | 01 | 01 | 4 | |
| | P | 1/30/2009 | -282.13 | 0.35 | 1044.87 | 01 | 01 | 4 | |
| | P | 2/15/2009 | -280.88 | 1.25 | 1046.12 | 01 | 01 | 4 | |
| | P | 2/28/2009 | -282.65 | -1.77 | 1044.35 | 01 | 01 | 4 | |
| | P | 3/15/2009 | -283.63 | -0.98 | 1043.37 | 01 | 01 | 4 | |
| | P | 3/30/2009 | -280.27 | 3.36 | 1046.73 | 01 | 01 | 4 | |
| | P | 4/15/2009 | -287.28 | -7.01 | 1039.72 | 01 | 01 | 4 | |
| | P | 4/30/2009 | -285.81 | 1.47 | 1041.19 | 01 | 01 | 4 | |
| | P | 5/15/2009 | -290.17 | -4.36 | 1036.83 | 01 | 01 | 4 | |
| | P | 5/30/2009 | -288.3 | 1.87 | 1038.7 | 01 | 01 | 4 | |
| | P | 6/15/2009 | -290.68 | -2.38 | 1036.32 | 01 | 01 | 4 | |
| | P | 6/30/2009 | -296.03 | -5.35 | 1030.97 | 01 | 01 | 4 | |
| | P | 7/15/2009 | -301.76 | -5.73 | 1025.24 | 01 | 01 | 4 | |
| | P | 7/30/2009 | -303.59 | -1.83 | 1023.41 | 01 | 01 | 4 | |
| | P | 8/15/2009 | -306.5 | -2.91 | 1020.5 | 01 | 01 | 4 | |
| | P | 8/30/2009 | -306.24 | 0.26 | 1020.76 | 01 | 01 | 4 | |
| | P | 9/15/2009 | -303.47 | 2.77 | 1023.53 | 01 | 01 | 4 | |
| | P | 9/30/2009 | -296 | 7.47 | 1031 | 01 | 01 | 4 | |
| | P | 10/15/2009 | -284 | 12 | 1043 | 01 | 01 | 4 | |
| | P | 10/30/2009 | -259.75 | 24.25 | 1067.25 | 01 | 01 | 4 | |
| | P | 11/15/2009 | -260.25 | -0.5 | 1066.75 | 01 | 01 | 4 | |
| | P | 11/30/2009 | -254.87 | 5.38 | 1072.13 | 01 | 01 | 4 | |
| | P | 12/15/2009 | -257.25 | -2.38 | 1069.75 | 01 | 01 | 4 | |
| | P | 12/30/2009 | -261.07 | -3.82 | 1065.93 | 01 | 01 | 4 | |
| | P | 1/15/2010 | -264.24 | -3.17 | 1062.76 | 01 | 01 | 4 | |
| | P | 1/30/2010 | -223.45 | 40.79 | 1103.55 | 01 | 01 | 4 | |
| | P | 2/15/2010 | -167.25 | 56.2 | 1159.75 | 01 | 01 | 4 | |
| | P | 2/28/2010 | -164.96 | 2.29 | 1162.04 | 01 | 01 | 4 | |
| | P | 3/15/2010 | -179.9 | -14.9 | 1147.1 | 01 | 01 | 4 | |
| | P | 3/30/2010 | -178.5 | 1.4 | 1148.5 | 01 | 01 | 4 | |
| | P | 4/15/2010 | -199.33 | -20.8 | 1127.67 | 01 | 01 | 4 | |
| | P | 4/30/2010 | -177.24 | 22.09 | 1149.76 | 01 | 01 | 4 | |
| | P | 5/15/2010 | -189.76 | -12.5 | 1137.24 | 01 | 01 | 4 | |
| | P | 5/30/2010 | -162.74 | 27.02 | 1164.26 | 01 | 01 | 4 | |
| | P | 6/15/2010 | -185.49 | -22.8 | 1141.51 | 01 | 01 | 4 | |
| | P | 6/30/2010 | -211.62 | -26.1 | 1115.38 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2010 | -225.46 | -13.8 | 1101.54 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2010 | -246.44 | -21 | 1080.56 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2010 | -268.6 | -22.2 | 1058.4 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2010 | -277.43 | -8.83 | 1049.57 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2010 | -225.9 | 51.53 | 1101.1 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2010 | -197.71 | 28.19 | 1129.29 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2010 | -234.74 | -37.0 | 1092.26 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2010 | -249.24 | -14.5 | 1077.76 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2010 | -254.61 | -5.37 | 1072.39 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2010 | -259.99 | -5.38 | 1067.01 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2010 | -261.09 | -1.1 | 1065.91 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2010 | -259.47 | 1.62 | 1067.53 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2011 | -258 | 1.47 | 1069 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2011 | -257.78 | 0.22 | 1069.22 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2011 | -259.1 | -1.32 | 1067.9 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2011 | -278.66 | -19.6 | 1048.34 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2011 | -285.95 | -7.29 | 1041.05 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2011 | -292.35 | -6.4 | 1034.65 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2011 | -295.3 | -2.95 | 1031.7 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2011 | -297.21 | -1.91 | 1029.79 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2011 | -299.93 | -2.72 | 1027.07 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2011 | -300.08 | -0.15 | 1026.92 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2011 | -301.41 | -1.33 | 1025.59 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2011 | -302.94 | -1.53 | 1024.06 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2011 | -303.38 | -0.44 | 1023.62 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -303.61 | -0.23 | 1023.39 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -304.71 | -1.1 | 1022.29 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -304.16 | 0.55 | 1022.84 | 01 | 01 | 4 | |
| | P | 10 / 13/ 2011 | -299.27 | 4.89 | 1027.73 | 01 | 01 | 2 | |
| | P | 10 / 15/ 2011 | -298.27 | 1 | 1028.73 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2011 | -296.28 | 1.99 | 1030.72 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -295.84 | 0.44 | 1031.16 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -291.42 | 4.42 | 1035.58 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -283.99 | 7.43 | 1043.01 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -278.17 | 5.82 | 1048.83 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -275.23 | 2.94 | 1051.77 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30/ 2012 | -273.46 | 1.77 | 1053.54 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -271.62 | 1.84 | 1055.38 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -269.48 | 2.14 | 1057.52 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -268.09 | 1.39 | 1058.91 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -253.66 | 14.43 | 1073.34 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -269.41 | -15.8 | 1057.59 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -277.66 | -8.25 | 1049.34 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -275.45 | 2.21 | 1051.55 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -278.32 | -2.87 | 1048.68 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -287.08 | -8.76 | 1039.92 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -289.56 | -2.48 | 1037.44 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -289.15 | 0.41 | 1037.85 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -291.88 | -2.73 | 1035.12 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -296.07 | -4.19 | 1030.93 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -297.77 | -1.7 | 1029.23 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -300.34 | -2.57 | 1026.66 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -296.27 | 4.07 | 1030.73 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -290.01 | 6.26 | 1036.99 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -289.13 | 0.88 | 1037.87 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -288.56 | 0.57 | 1038.44 | 02 | 01 | 2 | |
| | P | 11 / 15/ 2012 | -288.54 | 0.02 | 1038.46 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2012 | -288.46 | 0.08 | 1038.54 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -287.38 | 1.08 | 1039.62 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -284.66 | 2.72 | 1042.34 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -278.18 | 6.48 | 1048.82 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -276.85 | 1.33 | 1050.15 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -275.95 | 0.9 | 1051.05 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -276.1 | -0.15 | 1050.9 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -279.84 | -3.74 | 1047.16 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -283.8 | -3.96 | 1043.2 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -281.11 | 2.69 | 1045.89 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -285.07 | -3.96 | 1041.93 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -283.2 | 1.87 | 1043.8 | 01 | 01 | 4 | |

**Min** *-306.5* **Max** *-134.43* **Avg** *-252.146*

***6820112*** *( Aquifer: 218CCRK Well Depth: 500 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 1 / 1989 | -300 | | 1010 | 01 | 07 | 7 | |
| Min -300 | | Max -300 | Avg -300 | | | | | | |
| **6820113** | ( Aquifer: 218GLRS | | Well Depth: 329 ) | | | | | | |
| | P | 7 / 14/ 2011 | -232.2 | | 1035.8 | 01 | 04 | 2 | |
| Min -232.2 | | Max -232.2 | Avg -232.2 | | | | | | |
| **6820114** | ( Aquifer: | | Well Depth: 315 ) | | | | | | |
| | P | 3 / 28/ 2005 | -66.97 | | 1170.03 | 01 | 04 | 2 | |
| Min -66.97 | | Max -66.97 | Avg -66.97 | | | | | | |
| **6820115** | ( Aquifer: | | Well Depth: 263 ) | | | | | | |
| | P | 3 / 30/ 2005 | -65.32 | | 1167.68 | 01 | 04 | 2 | |
| Min -65.32 | | Max -65.32 | Avg -65.32 | | | | | | |
| **6820116** | ( Aquifer: | | Well Depth: 428 ) | | | | | | |
| | P | 3 / 28/ 2005 | -166.84 | | 1162.16 | 01 | 04 | 2 | |
| Min -166.84 | | Max -166.84 | Avg -166.84 | | | | | | |
| **6820117** | ( Aquifer: | | Well Depth: 322 ) | | | | | | |
| | P | 3 / 28/ 2005 | -86.95 | | 1166.05 | 01 | 04 | 2 | |
| Min -86.95 | | Max -86.95 | Avg -86.95 | | | | | | |
| **6820204** | ( Aquifer: 218GLRS | | Well Depth: 261 ) | | | | | | |
| | P | 7 / 7 / 2011 | -214.35 | | 1030.65 | 01 | 04 | 2 | |
| Min -214.35 | | Max -214.35 | Avg -214.35 | | | | | | |
| **6820205** | ( Aquifer: 218GLRS | | Well Depth: 424 ) | | | | | | |
| | P | 7 / 9 / 1998 | -225 | | 1022 | 01 | 07 | 7 | |
| | P | 7 / 11/ 2011 | -230.26 | -5.26 | 1016.74 | 01 | 04 | 2 | |
| Min -230.26 | | Max -225 | Avg -227.63 | | | | | | |
| **6820206** | ( Aquifer: 218GLRS | | Well Depth: 459 ) | | | | | | |
| | P | 7 / 20/ 2011 | -267.07 | | 1003.93 | 01 | 04 | 2 | |
| Min -267.07 | | Max -267.07 | Avg -267.07 | | | | | | |
| **6820207** | ( Aquifer: 218GLRS | | Well Depth: 604 ) | | | | | | |
| | P | 8 / 2 / 2011 | -391.23 | | 975.77 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-391.23* | | **Max** *-391.23* | **Avg** *-391.23* | | | | | | |
| ***6820301*** | *( Aquifer: 218GRCCU* | | *Well Depth: 525 )* | | | | | | |
| | P | 11 / 21/ 1985 | -350 | | 862 | 01 | 07 | 7 | |
| | P | 5 / 1 / 1992 | -142.42 | 207.6 | 1069.58 | 01 | 09 | 1 | |
| | N | 8 / 15/ 2007 | | | | 01 | 01 | | 42 |
| **Min** *-350* | | **Max** *-142.42* | **Avg** *-246.21* | | | | | | |
| ***6820302*** | *( Aquifer: 218CCRK* | | *Well Depth: 625 )* | | | | | | |
| | P | 3 / 17/ 1995 | -310 | | 930 | 01 | 05 | 6 | |
| **Min** *-310* | | **Max** *-310* | **Avg** *-310* | | | | | | |
| ***6820303*** | *( Aquifer: 218GLRS* | | *Well Depth: 200 )* | | | | | | |
| | P | 7 / 5 / 2011 | -150.8 | | 1012.2 | 01 | 04 | 2 | |
| **Min** *-150.8* | | **Max** *-150.8* | **Avg** *-150.8* | | | | | | |
| ***6820304*** | *( Aquifer: 218GLRS* | | *Well Depth: 255 )* | | | | | | |
| | P | 7 / 12/ 2011 | -149.41 | | 1009.59 | 01 | 04 | 2 | |
| **Min** *-149.41* | | **Max** *-149.41* | **Avg** *-149.41* | | | | | | |
| ***6820305*** | *( Aquifer: 218GLRS* | | *Well Depth: 328 )* | | | | | | |
| | P | 7 / 19/ 2005 | -148.35 | | 1028.65 | 01 | 04 | 2 | |
| | P | 8 / 1 / 2011 | -185.22 | -36.9 | 991.78 | 01 | 04 | 2 | |
| **Min** *-185.22* | | **Max** *-148.35* | **Avg** *-166.785* | | | | | | |
| ***6820306*** | *( Aquifer: 218GLRS* | | *Well Depth: 343 )* | | | | | | |
| | P | 7 / 20/ 2011 | -239.05 | | 1032.95 | 01 | 04 | 2 | |
| **Min** *-239.05* | | **Max** *-239.05* | **Avg** *-239.05* | | | | | | |
| ***6820401*** | *( Aquifer: 218GLRSL* | | *Well Depth: 451 )* | | | | | | |
| | P | 2 / 27/ 1992 | -7.62 | | 1157.38 | 01 | 09 | 1 | |
| | P | 4 / 23/ 1992 | -25.85 | -18.2 | 1139.15 | 01 | 09 | 1 | |
| **Min** *-25.85* | | **Max** *-7.62* | **Avg** *-16.735* | | | | | | |
| ***6820403*** | *( Aquifer: 218CCRK* | | *Well Depth: 880 )* | | | | | | |
| | P | 4 / 7 / 1983 | -450 | | 801 | 01 | 07 | 7 | |
| **Min** *-450* | | **Max** *-450* | **Avg** *-450* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6820404** | ( Aquifer: 218CCRK | | Well Depth: 880 ) | | | | | | |
| | P | 4 / 14/ 1983 | -450 | | 801 | 01 | 07 | 7 | |
| | P | 6 / 11/ 1997 | -308.67 | 141.3 | 942.33 | 01 | 01 | 1 | |
| | P | 8 / 3 / 2000 | -461.57 | -153 | 789.43 | 01 | 01 | 1 | |
| Min -461.57 | | Max -308.67 | Avg -406.747 | | | | | | |
| **6820405** | ( Aquifer: 218CCRK | | Well Depth: 910 ) | | | | | | |
| | P | 2 / 23/ 1984 | -470 | | 785 | 01 | 07 | 7 | |
| Min -470 | | Max -470 | Avg -470 | | | | | | |
| **6820406** | ( Aquifer: 218CCRK | | Well Depth: 925 ) | | | | | | |
| | P | 2 / 28/ 1984 | -470 | | 781 | 01 | 07 | 7 | |
| Min -470 | | Max -470 | Avg -470 | | | | | | |
| **6820407** | ( Aquifer: 218GLRS | | Well Depth: 361 ) | | | | | | |
| | P | 8 / 3 / 2011 | -250.01 | | 1056.99 | 01 | 04 | 2 | |
| Min -250.01 | | Max -250.01 | Avg -250.01 | | | | | | |
| **6820408** | ( Aquifer: | | Well Depth: 325 ) | | | | | | |
| | P | 3 / 28/ 2005 | -25.91 | | 1179.09 | 01 | 04 | 2 | |
| Min -25.91 | | Max -25.91 | Avg -25.91 | | | | | | |
| **6820409** | ( Aquifer: | | Well Depth: 446 ) | | | | | | |
| | P | 3 / 30/ 2005 | -170.08 | | 1164.92 | 01 | 04 | 2 | |
| Min -170.08 | | Max -170.08 | Avg -170.08 | | | | | | |
| **6820410** | ( Aquifer: | | Well Depth: 465 ) | | | | | | |
| | P | 3 / 29/ 2005 | -117.97 | | 1137.03 | 01 | 04 | 2 | |
| Min -117.97 | | Max -117.97 | Avg -117.97 | | | | | | |
| **6820411** | ( Aquifer: | | Well Depth: 392 ) | | | | | | |
| | P | 3 / 28/ 2005 | -87.25 | | 1166.75 | 01 | 04 | 2 | |
| Min -87.25 | | Max -87.25 | Avg -87.25 | | | | | | |
| **6820412** | ( Aquifer: | | Well Depth: 365 ) | | | | | | |
| | P | 3 / 29/ 2005 | -80.15 | | 1172.85 | 01 | 04 | 2 | |
| Min -80.15 | | Max -80.15 | Avg -80.15 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6820504** | ( Aquifer: 218GLRS | | Well Depth: 439 ) | | | | | | |
| | P | 7 / 20/ 1998 | -280 | | 1016 | 01 | 07 | 7 | |
| | P | 8 / 2 / 2011 | -299.92 | -19.9 | 996.08 | 01 | 04 | 2 | |
| **Min** -299.92 | | **Max** -280 | | **Avg** -289.96 | | | | | |
| **6820505** | ( Aquifer: 218GLRS | | Well Depth: 295 ) | | | | | | |
| | P | 7 / 19/ 2005 | -245.12 | | 1092.88 | 01 | 04 | 2 | 22 |
| | P | 2 / 1 / 2006 | -248.48 | -3.36 | 1089.52 | 01 | 04 | 2 | 03 |
| | P | 7 / 19/ 2006 | -250.14 | -1.66 | 1087.86 | 01 | 04 | 2 | 03 |
| | P | 3 / 1 / 2007 | -289.4 | -39.3 | 1048.6 | 01 | 04 | 2 | |
| | P | 4 / 2 / 2007 | -242.73 | 46.67 | 1095.27 | 01 | 04 | 2 | 04 |
| | P | 5 / 7 / 2007 | -231.77 | 10.96 | 1106.23 | 01 | 04 | 2 | |
| | P | 9 / 19/ 2007 | -219.97 | 11.8 | 1118.03 | 01 | 04 | 2 | |
| | P | 1 / 12/ 2008 | -213.38 | 6.59 | 1124.62 | 01 | 04 | 2 | |
| | P | 2 / 12/ 2008 | -213.88 | -0.5 | 1124.12 | 01 | 04 | 2 | |
| | P | 2 / 19/ 2008 | -219.3 | -5.42 | 1118.7 | 01 | 04 | 2 | |
| | P | 8 / 2 / 2011 | -250.97 | -31.7 | 1087.03 | 01 | 04 | 2 | |
| **Min** -289.4 | | **Max** -213.38 | | **Avg** -238.649 | | | | | |
| **6820506** | ( Aquifer: 218GLRS | | Well Depth: 202 ) | | | | | | |
| | P | 8 / 3 / 2011 | -138.85 | | 1022.15 | 01 | 04 | 2 | |
| **Min** -138.85 | | **Max** -138.85 | | **Avg** -138.85 | | | | | |
| **6820507** | ( Aquifer: 218GLRSL | | Well Depth: 200 ) | | | | | | |
| | P | 2 / 27/ 1999 | -196.5 | | 983.5 | 01 | 07 | 7 | |
| **Min** -196.5 | | **Max** -196.5 | | **Avg** -196.5 | | | | | |
| **6820508** | ( Aquifer: 218GLRSL | | Well Depth: 240 ) | | | | | | |
| | P | 2 / 26/ 1999 | -83.3 | | 1206.7 | 01 | 07 | 7 | |
| **Min** -83.3 | | **Max** -83.3 | | **Avg** -83.3 | | | | | |
| **6820601** | ( Aquifer: 218CCRK | | Well Depth: 915 ) | | | | | | |
| | P | 11 / 30/ 1977 | -253 | | 984 | 01 | 01 | 6 | |
| | P | 11 / 3 / 1978 | -274.68 | -21.7 | 962.32 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1979 | -238.48 | 36.2 | 998.52 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1979 | -230.14 | 8.34 | 1006.86 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1979 | -232.35 | -2.21 | 1004.65 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/1979 | -203.8 | 28.55 | 1033.2 | 01 | 01 | 4 | |
| | P | 5/22/1979 | -195.26 | 8.54 | 1041.74 | 01 | 01 | 4 | |
| | P | 6/15/1979 | -191.85 | 3.41 | 1045.15 | 01 | 01 | 4 | |
| | P | 8/24/1979 | -215.1 | -23.3 | 1021.9 | 01 | 01 | 1 | |
| | P | 9/15/1979 | -225.34 | -10.2 | 1011.66 | 01 | 01 | 4 | |
| | P | 10/15/1979 | -241.01 | -15.7 | 995.99 | 01 | 01 | 4 | |
| | P | 11/19/1979 | -253.8 | -12.8 | 983.2 | 01 | 01 | 4 | |
| | P | 12/15/1979 | -259.84 | -6.04 | 977.16 | 01 | 01 | 4 | |
| | P | 1/15/1980 | -263.66 | -3.82 | 973.34 | 01 | 01 | 4 | |
| | P | 2/15/1980 | -266.29 | -2.63 | 970.71 | 01 | 01 | 4 | |
| | P | 3/5/1980 | -268.07 | -1.78 | 968.93 | 01 | 01 | 1 | |
| | P | 4/15/1980 | -270.49 | -2.42 | 966.51 | 01 | 01 | 4 | |
| | P | 5/15/1980 | -271.35 | -0.86 | 965.65 | 01 | 01 | 4 | |
| | P | 6/26/1980 | -271.73 | -0.38 | 965.27 | 01 | 01 | 1 | |
| | P | 7/15/1980 | -273.13 | -1.4 | 963.87 | 01 | 01 | 4 | |
| | P | 8/15/1980 | -276.09 | -2.96 | 960.91 | 01 | 01 | 4 | |
| | P | 9/22/1980 | -280.4 | -4.31 | 956.6 | 01 | 01 | 1 | |
| | P | 10/15/1980 | -279.59 | 0.81 | 957.41 | 01 | 01 | 4 | |
| | P | 11/15/1980 | -281.78 | -2.19 | 955.22 | 01 | 01 | 4 | |
| | P | 12/15/1980 | -278.04 | 3.74 | 958.96 | 01 | 01 | 4 | |
| | P | 1/6/1981 | -278.48 | -0.44 | 958.52 | 01 | 01 | 1 | |
| | P | 2/20/1981 | -278.82 | -0.34 | 958.18 | 01 | 01 | 1 | |
| | P | 3/15/1981 | -278.4 | 0.42 | 958.6 | 01 | 01 | 4 | |
| | P | 4/15/1981 | -274.64 | 3.76 | 962.36 | 01 | 01 | 4 | |
| | P | 5/14/1981 | -274 | 0.64 | 963 | 01 | 01 | 1 | |
| | P | 6/15/1981 | -251.78 | 22.22 | 985.22 | 01 | 01 | 4 | |
| | P | 7/15/1981 | -228.22 | 23.56 | 1008.78 | 01 | 01 | 4 | |
| | P | 8/12/1981 | -243.76 | -15.5 | 993.24 | 01 | 01 | 1 | |
| | P | 9/15/1981 | -262.62 | -18.9 | 974.38 | 01 | 01 | 4 | |
| | P | 10/15/1981 | -266.56 | -3.94 | 970.44 | 01 | 01 | 4 | |
| | P | 11/18/1981 | -262.07 | 4.49 | 974.93 | 01 | 01 | 1 | |
| | P | 12/15/1981 | -269.05 | -6.98 | 967.95 | 01 | 01 | 4 | |
| | P | 1/15/1982 | -272.13 | -3.08 | 964.87 | 01 | 01 | 4 | |
| | P | 2/9/1982 | -274.12 | -1.99 | 962.88 | 01 | 01 | 1 | |
| | P | 3/15/1982 | -275.66 | -1.54 | 961.34 | 01 | 01 | 4 | |
| | P | 4/15/1982 | -277.59 | -1.93 | 959.41 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/27/1982 | -250.15 | 27.44 | 986.85 | 01 | 12 | 7 | |
| | P | 6/15/1982 | -263.79 | -13.6 | 973.21 | 01 | 01 | 4 | |
| | P | 7/15/1982 | -272.87 | -9.08 | 964.13 | 01 | 01 | 4 | |
| | P | 8/15/1982 | -276.55 | -3.68 | 960.45 | 01 | 01 | 4 | |
| | P | 9/3/1982 | -279.36 | -2.81 | 957.64 | 01 | 01 | 1 | |
| | P | 10/15/1982 | -284.72 | -5.36 | 952.28 | 01 | 01 | 4 | |
| | P | 11/15/1982 | -287.92 | -3.2 | 949.08 | 01 | 01 | 4 | |
| | P | 12/17/1982 | -290.44 | -2.52 | 946.56 | 01 | 01 | 1 | |
| | P | 1/15/1983 | -293.75 | -3.31 | 943.25 | 01 | 01 | 4 | |
| | P | 2/9/1983 | -294.36 | -0.61 | 942.64 | 01 | 01 | 1 | |
| | P | 2/15/1983 | -294.58 | -0.22 | 942.42 | 01 | 01 | 4 | |
| | P | 3/15/1983 | -294.25 | 0.33 | 942.75 | 01 | 01 | 4 | |
| | P | 4/15/1983 | -283.06 | 11.19 | 953.94 | 01 | 01 | 4 | |
| | P | 5/25/1983 | -276.08 | 6.98 | 960.92 | 01 | 01 | 1 | |
| | P | 6/15/1983 | -274.23 | 1.85 | 962.77 | 01 | 01 | 4 | |
| | P | 7/15/1983 | -277.3 | -3.07 | 959.7 | 01 | 01 | 4 | |
| | P | 8/15/1983 | -279.82 | -2.52 | 957.18 | 01 | 01 | 4 | |
| | P | 8/19/1983 | -280.33 | -0.51 | 956.67 | 01 | 01 | 1 | |
| | P | 9/15/1983 | -285.31 | -4.98 | 951.69 | 01 | 01 | 4 | |
| | P | 10/15/1983 | -285.6 | -0.29 | 951.4 | 01 | 01 | 4 | |
| | P | 11/15/1983 | -288.61 | -3.01 | 948.39 | 01 | 01 | 4 | |
| | P | 11/30/1983 | -291.66 | -3.05 | 945.34 | 01 | 01 | 1 | |
| | P | 12/15/1983 | -295 | -3.34 | 942 | 01 | 01 | 4 | |
| | P | 1/15/1984 | -299.98 | -4.98 | 937.02 | 01 | 01 | 4 | |
| | P | 2/15/1984 | -302 | -2.02 | 935 | 01 | 01 | 4 | |
| | P | 2/23/1984 | -302.63 | -0.63 | 934.37 | 01 | 01 | 4 | |
| | P | 3/15/1984 | -304.25 | -1.62 | 932.75 | 01 | 01 | 4 | |
| | P | 4/12/1984 | -305.75 | -1.5 | 931.25 | 01 | 01 | 1 | |
| | P | 4/15/1984 | -306.16 | -0.41 | 930.84 | 01 | 01 | 4 | |
| | P | 5/15/1984 | -308.85 | -2.69 | 928.15 | 01 | 01 | 4 | |
| | P | 6/13/1984 | -310.62 | -1.77 | 926.38 | 01 | 01 | 1 | |
| | P | 6/15/1984 | -310.59 | 0.03 | 926.41 | 01 | 01 | 4 | |
| | P | 6/21/1984 | -311.03 | -0.44 | 925.97 | 01 | 01 | 1 | |
| | P | 2/11/1985 | -282.13 | 28.9 | 954.87 | 01 | 01 | 1 | |
| | P | 2/11/1986 | -264.77 | 17.36 | 972.23 | 01 | 01 | 1 | |
| | P | 12/9/1986 | -264.55 | 0.22 | 972.45 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 17/ 1988 | -268.55 | -4 | 968.45 | 01 | 01 | 1 | |
| | P | 2 / 1 / 1989 | -306.96 | -38.4 | 930.04 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1990 | -322.4 | -15.4 | 914.6 | 01 | 01 | 1 | |
| | P | 1 / 21/ 1991 | -297.9 | 24.5 | 939.1 | 01 | 01 | 1 | |
| | P | 1 / 28/ 1992 | -217.7 | 80.2 | 1019.3 | 01 | 01 | 1 | |
| | P | 3 / 1 / 1993 | -232.54 | -14.8 | 1004.46 | 01 | 06 | 1 | |
| | P | 5 / 19/ 1994 | -258.21 | -25.7 | 978.79 | 01 | 06 | 1 | |
| | P | 4 / 6 / 1995 | -245.32 | 12.89 | 991.68 | 01 | 06 | 1 | |
| | P | 3 / 18/ 1996 | -247.58 | -2.26 | 989.42 | 01 | 06 | 1 | 20 |
| | P | 8 / 10/ 2000 | -349.2 | -102 | 887.8 | 01 | 01 | 2 | |
| | P | 1 / 30/ 2009 | -412.4 | -63.2 | 824.6 | 01 | 01 | 1 | 20 |
| | N | 2 / 18/ 2010 | | | | 01 | 01 | 1 | 44 |
| | P | 3 / 28/ 2011 | -318.9 | | 918.1 | 01 | 01 | 1 | |
| | P | 10 / 13/ 2011 | -393.63 | -74.7 | 843.37 | 01 | 01 | 1 | |
| | N | 10 / 30/ 2012 | | | | 01 | 01 | | 61 |

**Min** *-412.4* **Max** *-191.85* **Avg** *-275.639*

***6820602*** *( Aquifer: 218GLRSL Well Depth: 640 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 7 / 1991 | -249.36 | | 970.64 | 01 | 06 | 1 | |
| | P | 4 / 2 / 1991 | -252.83 | -3.47 | 967.17 | 01 | 06 | 1 | |
| | P | 4 / 30/ 1991 | -243.95 | 8.88 | 976.05 | 01 | 06 | 1 | |
| | P | 6 / 3 / 1991 | -232.22 | 11.73 | 987.78 | 01 | 06 | 1 | |
| | P | 7 / 2 / 1991 | -222.84 | 9.38 | 997.16 | 01 | 06 | 1 | |
| | P | 7 / 30/ 1991 | -241.06 | -18.2 | 978.94 | 01 | 06 | 1 | |
| | P | 10 / 8 / 1991 | -251.5 | -10.4 | 968.5 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1991 | -252.94 | -1.44 | 967.06 | 01 | 06 | 1 | |
| | P | 12 / 6 / 1991 | -252.4 | 0.54 | 967.6 | 01 | 06 | 1 | |
| | P | 12 / 23/ 1991 | -236.73 | 15.67 | 983.27 | 01 | 06 | 1 | |
| | P | 1 / 6 / 1992 | -179.35 | 57.38 | 1040.65 | 01 | 06 | 1 | |
| | P | 2 / 6 / 1992 | -172.9 | 6.45 | 1047.1 | 01 | 06 | 1 | |
| | P | 3 / 5 / 1992 | -134.15 | 38.75 | 1085.85 | 01 | 06 | 1 | |
| | P | 4 / 1 / 1992 | -164.15 | -30 | 1055.85 | 01 | 06 | 1 | |
| | P | 5 / 1 / 1992 | -176.38 | -12.2 | 1043.62 | 01 | 06 | 1 | |
| | P | 6 / 5 / 1992 | -132.45 | 43.93 | 1087.55 | 01 | 06 | 1 | |
| | P | 7 / 6 / 1992 | -162.68 | -30.2 | 1057.32 | 01 | 06 | 1 | |
| | P | 8 / 11/ 1992 | -184.91 | -22.2 | 1035.09 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/14/1992 | -204.86 | -20 | 1015.14 | 01 | 06 | 1 | |
| | P | 10/10/1992 | -220.1 | -15.2 | 999.9 | 01 | 06 | 1 | |
| | P | 10/16/1992 | -213.23 | 6.87 | 1006.77 | 01 | 06 | 1 | |
| | P | 11/4/1992 | -225.03 | -11.8 | 994.97 | 01 | 06 | 1 | |
| | P | 12/9/1992 | -219.44 | 5.59 | 1000.56 | 01 | 06 | 1 | |
| | P | 1/13/1993 | -218.72 | 0.72 | 1001.28 | 01 | 06 | 1 | |
| | P | 2/1/1993 | -217.15 | 1.57 | 1002.85 | 01 | 06 | 1 | |
| | P | 4/6/1993 | -216.44 | 0.71 | 1003.56 | 01 | 06 | 1 | |
| | P | 4/28/1993 | -222.86 | -6.42 | 997.14 | 01 | 06 | 1 | |
| | P | 6/1/1993 | -213.85 | 9.01 | 1006.15 | 01 | 06 | 1 | |
| | P | 7/8/1993 | -207.68 | 6.17 | 1012.32 | 01 | 06 | 1 | |
| | P | 8/4/1993 | -231.06 | -23.4 | 988.94 | 01 | 06 | 1 | |
| | P | 10/6/1993 | -246.8 | -15.7 | 973.2 | 01 | 06 | 1 | |
| | P | 11/1/1993 | -248.08 | -1.28 | 971.92 | 01 | 06 | 1 | |
| | P | 12/10/1993 | -249.7 | -1.62 | 970.3 | 01 | 06 | 1 | |
| | P | 1/4/1994 | -249.99 | -0.29 | 970.01 | 01 | 06 | 1 | |
| | P | 2/3/1994 | -251.91 | -1.92 | 968.09 | 01 | 06 | 1 | |
| | P | 3/1/1994 | -250.17 | 1.74 | 969.83 | 01 | 06 | 1 | |
| | P | 4/6/1994 | -248.13 | 2.04 | 971.87 | 01 | 06 | 1 | |
| | P | 5/1/1994 | -237.11 | 11.02 | 982.89 | 01 | 06 | 1 | |
| | P | 5/26/1994 | -224.75 | 12.36 | 995.25 | 01 | 06 | 1 | |
| | P | 6/30/1994 | -245.24 | -20.5 | 974.76 | 01 | 06 | 1 | |
| | P | 8/3/1994 | -250.17 | -4.93 | 969.83 | 01 | 06 | 1 | |
| | P | 8/31/1994 | -253.8 | -3.63 | 966.2 | 01 | 06 | 1 | |
| | P | 10/7/1994 | -254.32 | -0.52 | 965.68 | 01 | 06 | 1 | |
| | P | 11/3/1994 | -239.9 | 14.42 | 980.1 | 01 | 06 | 1 | |
| | P | 12/7/1994 | -249.02 | -9.12 | 970.98 | 01 | 06 | 1 | |
| | P | 1/6/1995 | -244.41 | 4.61 | 975.59 | 01 | 06 | 4 | |
| | P | 1/7/1995 | -244.6 | -0.19 | 975.4 | 01 | 06 | 4 | |
| | P | 1/8/1995 | -244.37 | 0.23 | 975.63 | 01 | 06 | 4 | |
| | P | 1/9/1995 | -244.18 | 0.19 | 975.82 | 01 | 06 | 4 | |
| | P | 1/10/1995 | -243.9 | 0.28 | 976.1 | 01 | 06 | 4 | |
| | P | 1/11/1995 | -243.66 | 0.24 | 976.34 | 01 | 06 | 4 | |
| | P | 1/12/1995 | -243.29 | 0.37 | 976.71 | 01 | 06 | 4 | |
| | P | 1/13/1995 | -243.38 | -0.09 | 976.62 | 01 | 06 | 4 | |
| | P | 1/14/1995 | -243.48 | -0.1 | 976.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 15/ 1995 | -243.48 | | 976.52 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1995 | -243.24 | 0.24 | 976.76 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1995 | -243.34 | -0.1 | 976.66 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1995 | -243.29 | 0.05 | 976.71 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1995 | -243.76 | -0.47 | 976.24 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1995 | -243.8 | -0.04 | 976.2 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1995 | -243.8 | | 976.2 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1995 | -243.66 | 0.14 | 976.34 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1995 | -244.04 | -0.38 | 975.96 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1995 | -244.23 | -0.19 | 975.77 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1995 | -244.18 | 0.05 | 975.82 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1995 | -243.99 | 0.19 | 976.01 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1995 | -243.85 | 0.14 | 976.15 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1995 | -243.99 | -0.14 | 976.01 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1995 | -244.23 | -0.24 | 975.77 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1995 | -244.51 | -0.28 | 975.49 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1995 | -244.32 | 0.19 | 975.68 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1995 | -244.32 | | 975.68 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1995 | -244.41 | -0.09 | 975.59 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1995 | -244.41 | | 975.59 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1995 | -244.74 | -0.33 | 975.26 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1995 | -244.74 | | 975.26 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1995 | -244.74 | | 975.26 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1995 | -244.74 | | 975.26 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1995 | -245.21 | -0.47 | 974.79 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1995 | -244.84 | 0.37 | 975.16 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1995 | -244.7 | 0.14 | 975.3 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1995 | -244.65 | 0.05 | 975.35 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1995 | -245.17 | -0.52 | 974.83 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1995 | -245.21 | -0.04 | 974.79 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1995 | -245.12 | 0.09 | 974.88 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1995 | -245.07 | 0.05 | 974.93 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1995 | -245.31 | -0.24 | 974.69 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1995 | -245.77 | -0.46 | 974.23 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1995 | -245.77 | | 974.23 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1995 | -245.87 | -0.1 | 974.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/20/1995 | -245.96 | -0.09 | 974.04 | 01 | 06 | 4 | |
| | P | 2/21/1995 | -246.06 | -0.1 | 973.94 | 01 | 06 | 4 | |
| | P | 2/22/1995 | -246.16 | -0.1 | 973.84 | 01 | 06 | 4 | |
| | P | 2/23/1995 | -246.16 | | 973.84 | 01 | 06 | 4 | |
| | P | 2/24/1995 | -246.4 | -0.24 | 973.6 | 01 | 06 | 4 | |
| | P | 2/25/1995 | -246.44 | -0.04 | 973.56 | 01 | 06 | 4 | |
| | P | 2/26/1995 | -246.4 | 0.04 | 973.6 | 01 | 06 | 4 | |
| | P | 2/27/1995 | -246.4 | | 973.6 | 01 | 06 | 4 | |
| | P | 2/28/1995 | -246.44 | -0.04 | 973.56 | 01 | 06 | 4 | |
| | P | 3/ 1/1995 | -246.81 | -0.37 | 973.19 | 01 | 06 | 4 | |
| | P | 3/ 2/1995 | -246.95 | -0.14 | 973.05 | 01 | 06 | 4 | |
| | P | 3/ 3/1995 | -247 | -0.05 | 973 | 01 | 06 | 4 | |
| | P | 3/ 4/1995 | -246.86 | 0.14 | 973.14 | 01 | 06 | 4 | |
| | P | 3/ 5/1995 | -246.77 | 0.09 | 973.23 | 01 | 06 | 4 | |
| | P | 3/ 6/1995 | -246.67 | 0.1 | 973.33 | 01 | 06 | 4 | |
| | P | 3/ 7/1995 | -246.72 | -0.05 | 973.28 | 01 | 06 | 4 | |
| | P | 3/ 8/1995 | -247.42 | -0.7 | 972.58 | 01 | 06 | 4 | |
| | P | 3/ 9/1995 | -247.56 | -0.14 | 972.44 | 01 | 06 | 4 | |
| | P | 3/10/1995 | -247.51 | 0.05 | 972.49 | 01 | 06 | 4 | |
| | P | 3/11/1995 | -247.37 | 0.14 | 972.63 | 01 | 06 | 4 | |
| | P | 3/12/1995 | -247.19 | 0.18 | 972.81 | 01 | 06 | 4 | |
| | P | 3/13/1995 | -247.19 | | 972.81 | 01 | 06 | 4 | |
| | P | 3/14/1995 | -247.33 | -0.14 | 972.67 | 01 | 06 | 4 | |
| | P | 3/15/1995 | -247.33 | | 972.67 | 01 | 06 | 4 | |
| | P | 3/16/1995 | -247.33 | | 972.67 | 01 | 06 | 4 | |
| | P | 3/17/1995 | -247.37 | -0.04 | 972.63 | 01 | 06 | 4 | |
| | P | 3/18/1995 | -247.28 | 0.09 | 972.72 | 01 | 06 | 4 | |
| | P | 3/19/1995 | -247 | 0.28 | 973 | 01 | 06 | 4 | |
| | P | 3/20/1995 | -246.95 | 0.05 | 973.05 | 01 | 06 | 4 | |
| | P | 3/21/1995 | -246.91 | 0.04 | 973.09 | 01 | 06 | 4 | |
| | P | 3/22/1995 | -246.86 | 0.05 | 973.14 | 01 | 06 | 4 | |
| | P | 3/23/1995 | -246.86 | | 973.14 | 01 | 06 | 4 | |
| | P | 3/24/1995 | -246.81 | 0.05 | 973.19 | 01 | 06 | 4 | |
| | P | 3/25/1995 | -246.77 | 0.04 | 973.23 | 01 | 06 | 4 | |
| | P | 3/26/1995 | -246.91 | -0.14 | 973.09 | 01 | 06 | 4 | |
| | P | 3/27/1995 | -247.14 | -0.23 | 972.86 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/28/1995 | -247.19 | -0.05 | 972.81 | 01 | 06 | 4 | |
| | P | 3/29/1995 | -247.23 | -0.04 | 972.77 | 01 | 06 | 4 | |
| | P | 3/30/1995 | -247.23 | | 972.77 | 01 | 06 | 4 | |
| | P | 3/31/1995 | -247.23 | | 972.77 | 01 | 06 | 4 | |
| | P | 4/ 1/1995 | -247.42 | -0.19 | 972.58 | 01 | 06 | 4 | |
| | P | 4/ 2/1995 | -247.42 | | 972.58 | 01 | 06 | 4 | |
| | P | 4/ 3/1995 | -247.37 | 0.05 | 972.63 | 01 | 06 | 4 | |
| | P | 4/ 4/1995 | -247.33 | 0.04 | 972.67 | 01 | 06 | 4 | |
| | P | 4/ 5/1995 | -247.14 | 0.19 | 972.86 | 01 | 06 | 4 | |
| | P | 4/ 6/1995 | -250.19 | -3.05 | 969.81 | 01 | 06 | 1 | |
| | P | 4/ 7/1995 | -246.49 | 3.7 | 973.51 | 01 | 06 | 4 | |
| | P | 4/ 8/1995 | -246.02 | 0.47 | 973.98 | 01 | 06 | 4 | |
| | P | 4/ 9/1995 | -245.51 | 0.51 | 974.49 | 01 | 06 | 4 | |
| | P | 4/10/1995 | -245.23 | 0.28 | 974.77 | 01 | 06 | 4 | |
| | P | 4/11/1995 | -245.51 | -0.28 | 974.49 | 01 | 06 | 4 | |
| | P | 4/12/1995 | -245.46 | 0.05 | 974.54 | 01 | 06 | 4 | |
| | P | 4/13/1995 | -245.23 | 0.23 | 974.77 | 01 | 06 | 4 | |
| | P | 4/14/1995 | -244.77 | 0.46 | 975.23 | 01 | 06 | 4 | |
| | P | 4/15/1995 | -244.63 | 0.14 | 975.37 | 01 | 06 | 4 | |
| | P | 4/16/1995 | -244.53 | 0.1 | 975.47 | 01 | 06 | 4 | |
| | P | 4/17/1995 | -244.21 | 0.32 | 975.79 | 01 | 06 | 4 | |
| | P | 4/18/1995 | -239.91 | 4.3 | 980.09 | 01 | 06 | 4 | |
| | P | 4/19/1995 | -239.93 | -0.02 | 980.07 | 01 | 06 | 4 | |
| | P | 4/20/1995 | -239.72 | 0.21 | 980.28 | 01 | 06 | 4 | |
| | P | 4/21/1995 | -239.72 | | 980.28 | 01 | 06 | 4 | |
| | P | 4/22/1995 | -239.82 | -0.1 | 980.18 | 01 | 06 | 4 | |
| | P | 4/23/1995 | -240 | -0.18 | 980 | 01 | 06 | 4 | |
| | P | 4/24/1995 | -240.14 | -0.14 | 979.86 | 01 | 06 | 4 | |
| | P | 4/25/1995 | -240.14 | | 979.86 | 01 | 06 | 4 | |
| | P | 4/26/1995 | -240.05 | 0.09 | 979.95 | 01 | 06 | 4 | |
| | P | 4/27/1995 | -240.19 | -0.14 | 979.81 | 01 | 06 | 4 | |
| | P | 4/28/1995 | -240.1 | 0.09 | 979.9 | 01 | 06 | 4 | |
| | P | 4/29/1995 | -240.1 | | 979.9 | 01 | 06 | 4 | |
| | P | 4/30/1995 | -240.14 | -0.04 | 979.86 | 01 | 06 | 4 | |
| | P | 5/ 1/1995 | -240.14 | | 979.86 | 01 | 06 | 4 | |
| | P | 5/ 2/1995 | -240.38 | -0.24 | 979.62 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 3/1995 | -240.38 | | 979.62 | 01 | 06 | 4 | |
| | P | 5/ 4/1995 | -240.47 | -0.09 | 979.53 | 01 | 06 | 4 | |
| | P | 5/ 5/1995 | -240.75 | -0.28 | 979.25 | 01 | 06 | 4 | |
| | P | 5/ 6/1995 | -244.91 | -4.16 | 975.09 | 01 | 06 | 4 | |
| | P | 5/ 7/1995 | -244.79 | 0.12 | 975.21 | 01 | 06 | 4 | |
| | P | 5/ 8/1995 | -244.83 | -0.04 | 975.17 | 01 | 06 | 4 | |
| | P | 5/ 9/1995 | -245.03 | -0.2 | 974.97 | 01 | 06 | 4 | |
| | P | 5/10/1995 | -245.07 | -0.04 | 974.93 | 01 | 06 | 4 | |
| | P | 5/11/1995 | -245.07 | | 974.93 | 01 | 06 | 4 | |
| | P | 5/12/1995 | -244.87 | 0.2 | 975.13 | 01 | 06 | 4 | |
| | P | 5/13/1995 | -244.87 | | 975.13 | 01 | 06 | 4 | |
| | P | 5/14/1995 | -245.11 | -0.24 | 974.89 | 01 | 06 | 4 | |
| | P | 5/15/1995 | -245.3 | -0.19 | 974.7 | 01 | 06 | 4 | |
| | P | 5/16/1995 | -245.14 | 0.16 | 974.86 | 01 | 06 | 4 | |
| | P | 5/17/1995 | -245.11 | 0.03 | 974.89 | 01 | 06 | 4 | |
| | P | 5/18/1995 | -245.22 | -0.11 | 974.78 | 01 | 06 | 4 | |
| | P | 5/19/1995 | -245.54 | -0.32 | 974.46 | 01 | 06 | 4 | |
| | P | 5/20/1995 | -245.57 | -0.03 | 974.43 | 01 | 06 | 4 | |
| | P | 5/21/1995 | -245.61 | -0.04 | 974.39 | 01 | 06 | 4 | |
| | P | 5/22/1995 | -245.69 | -0.08 | 974.31 | 01 | 06 | 4 | |
| | P | 5/23/1995 | -245.73 | -0.04 | 974.27 | 01 | 06 | 4 | |
| | P | 5/24/1995 | -245.77 | -0.04 | 974.23 | 01 | 06 | 4 | |
| | P | 5/25/1995 | -245.93 | -0.16 | 974.07 | 01 | 06 | 4 | |
| | P | 5/26/1995 | -245.89 | 0.04 | 974.11 | 01 | 06 | 4 | |
| | P | 5/27/1995 | -245.97 | -0.08 | 974.03 | 01 | 06 | 4 | |
| | P | 5/28/1995 | -246.04 | -0.07 | 973.96 | 01 | 06 | 4 | |
| | P | 5/29/1995 | -246.2 | -0.16 | 973.8 | 01 | 06 | 4 | |
| | P | 5/30/1995 | -246.16 | 0.04 | 973.84 | 01 | 06 | 4 | |
| | P | 5/31/1995 | -245.89 | 0.27 | 974.11 | 01 | 06 | 4 | |
| | P | 6/ 1/1995 | -245.86 | 0.03 | 974.14 | 01 | 06 | 4 | |
| | P | 6/ 2/1995 | -245.55 | 0.31 | 974.45 | 01 | 06 | 4 | |
| | P | 6/ 3/1995 | -245.32 | 0.23 | 974.68 | 01 | 06 | 4 | |
| | P | 6/ 4/1995 | -245.13 | 0.19 | 974.87 | 01 | 06 | 4 | |
| | P | 6/ 5/1995 | -244.82 | 0.31 | 975.18 | 01 | 06 | 4 | |
| | P | 6/ 6/1995 | -244.55 | 0.27 | 975.45 | 01 | 06 | 4 | |
| | P | 6/ 7/1995 | -244.51 | 0.04 | 975.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 8/1995 | -244.43 | 0.08 | 975.57 | 01 | 06 | 4 | |
| | P | 6/ 9/1995 | -244.43 | | 975.57 | 01 | 06 | 4 | |
| | P | 6/10/1995 | -244.32 | 0.11 | 975.68 | 01 | 06 | 4 | |
| | P | 6/11/1995 | -244.36 | -0.04 | 975.64 | 01 | 06 | 4 | |
| | P | 6/12/1995 | -244.28 | 0.08 | 975.72 | 01 | 06 | 4 | |
| | P | 6/13/1995 | -244.13 | 0.15 | 975.87 | 01 | 06 | 4 | |
| | P | 6/14/1995 | -244.01 | 0.12 | 975.99 | 01 | 06 | 4 | |
| | P | 6/15/1995 | -243.89 | 0.12 | 976.11 | 01 | 06 | 4 | |
| | P | 6/16/1995 | -243.86 | 0.03 | 976.14 | 01 | 06 | 4 | |
| | P | 6/17/1995 | -243.74 | 0.12 | 976.26 | 01 | 06 | 4 | |
| | P | 6/18/1995 | -243.7 | 0.04 | 976.3 | 01 | 06 | 4 | |
| | P | 6/19/1995 | -243.7 | | 976.3 | 01 | 06 | 4 | |
| | P | 6/20/1995 | -243.63 | 0.07 | 976.37 | 01 | 06 | 4 | |
| | P | 6/21/1995 | -243.63 | | 976.37 | 01 | 06 | 4 | |
| | P | 6/22/1995 | -243.7 | -0.07 | 976.3 | 01 | 06 | 4 | |
| | P | 6/23/1995 | -243.74 | -0.04 | 976.26 | 01 | 06 | 4 | |
| | P | 6/24/1995 | -243.74 | | 976.26 | 01 | 06 | 4 | |
| | P | 6/25/1995 | -243.82 | -0.08 | 976.18 | 01 | 06 | 4 | |
| | P | 6/26/1995 | -243.89 | -0.07 | 976.11 | 01 | 06 | 4 | |
| | P | 6/27/1995 | -244.05 | -0.16 | 975.95 | 01 | 06 | 4 | |
| | P | 6/28/1995 | -244.05 | | 975.95 | 01 | 06 | 4 | |
| | P | 6/29/1995 | -244.09 | -0.04 | 975.91 | 01 | 06 | 4 | |
| | P | 6/30/1995 | -243.68 | 0.41 | 976.32 | 01 | 06 | 4 | |
| | P | 7/ 1/1995 | -243.49 | 0.19 | 976.51 | 01 | 06 | 4 | |
| | P | 7/ 2/1995 | -243.29 | 0.2 | 976.71 | 01 | 06 | 4 | |
| | P | 7/ 3/1995 | -243.06 | 0.23 | 976.94 | 01 | 06 | 4 | |
| | P | 7/ 4/1995 | -242.98 | 0.08 | 977.02 | 01 | 06 | 4 | |
| | P | 7/ 5/1995 | -243.02 | -0.04 | 976.98 | 01 | 06 | 4 | |
| | P | 7/ 6/1995 | -243.1 | -0.08 | 976.9 | 01 | 06 | 4 | |
| | P | 7/ 7/1995 | -243.1 | | 976.9 | 01 | 06 | 4 | |
| | P | 7/ 8/1995 | -243.02 | 0.08 | 976.98 | 01 | 06 | 4 | |
| | P | 7/ 9/1995 | -242.94 | 0.08 | 977.06 | 01 | 06 | 4 | |
| | P | 7/10/1995 | -242.98 | -0.04 | 977.02 | 01 | 06 | 4 | |
| | P | 7/11/1995 | -242.98 | | 977.02 | 01 | 06 | 4 | |
| | P | 7/12/1995 | -243.06 | -0.08 | 976.94 | 01 | 06 | 4 | |
| | P | 7/13/1995 | -243.1 | -0.04 | 976.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 14/ 1995 | -243.18 | -0.08 | 976.82 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1995 | -243.29 | -0.11 | 976.71 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1995 | -243.37 | -0.08 | 976.63 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1995 | -243.49 | -0.12 | 976.51 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1995 | -243.57 | -0.08 | 976.43 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1995 | -243.64 | -0.07 | 976.36 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1995 | -243.76 | -0.12 | 976.24 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1995 | -243.88 | -0.12 | 976.12 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1995 | -243.96 | -0.08 | 976.04 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1995 | -244 | -0.04 | 976 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1995 | -244.11 | -0.11 | 975.89 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1995 | -244.19 | -0.08 | 975.81 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1995 | -244.31 | -0.12 | 975.69 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1995 | -244.42 | -0.11 | 975.58 | 01 | 06 | 4 | |
| | P | 7 / 28/ 1995 | -244.54 | -0.12 | 975.46 | 01 | 06 | 4 | |
| | P | 7 / 29/ 1995 | -244.62 | -0.08 | 975.38 | 01 | 06 | 4 | |
| | P | 7 / 30/ 1995 | -244.78 | -0.16 | 975.22 | 01 | 06 | 4 | |
| | P | 7 / 31/ 1995 | -244.81 | -0.03 | 975.19 | 01 | 06 | 4 | |
| | P | 8 / 1 / 1995 | -243.49 | 1.32 | 976.51 | 01 | 06 | 4 | |
| | P | 8 / 2 / 1995 | -243.29 | 0.2 | 976.71 | 01 | 06 | 4 | |
| | P | 8 / 3 / 1995 | -243.06 | 0.23 | 976.94 | 01 | 06 | 4 | |
| | P | 9 / 8 / 1995 | -248.63 | -5.57 | 971.37 | 01 | 06 | 4 | |
| | P | 9 / 9 / 1995 | -248.2 | 0.43 | 971.8 | 01 | 06 | 4 | |
| | P | 9 / 10/ 1995 | -248.16 | 0.04 | 971.84 | 01 | 06 | 4 | |
| | P | 9 / 11/ 1995 | -248.24 | -0.08 | 971.76 | 01 | 06 | 4 | |
| | P | 9 / 12/ 1995 | -248.16 | 0.08 | 971.84 | 01 | 06 | 4 | |
| | P | 9 / 13/ 1995 | -248.16 | | 971.84 | 01 | 06 | 4 | |
| | P | 9 / 14/ 1995 | -248.75 | -0.59 | 971.25 | 01 | 06 | 4 | |
| | P | 9 / 15/ 1995 | -248.44 | 0.31 | 971.56 | 01 | 06 | 4 | |
| | P | 9 / 16/ 1995 | -248.36 | 0.08 | 971.64 | 01 | 06 | 4 | |
| | P | 9 / 17/ 1995 | -248.56 | -0.2 | 971.44 | 01 | 06 | 4 | |
| | P | 9 / 18/ 1995 | -248.67 | -0.11 | 971.33 | 01 | 06 | 4 | |
| | P | 9 / 19/ 1995 | -248.75 | -0.08 | 971.25 | 01 | 06 | 4 | |
| | P | 9 / 20/ 1995 | -248.71 | 0.04 | 971.29 | 01 | 06 | 4 | |
| | P | 9 / 21/ 1995 | -248.59 | 0.12 | 971.41 | 01 | 06 | 4 | |
| | P | 9 / 22/ 1995 | -248.67 | -0.08 | 971.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 23/ 1995 | -248.56 | 0.11 | 971.44 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1995 | -248.12 | 0.44 | 971.88 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1995 | -248 | 0.12 | 972 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1995 | -247.97 | 0.03 | 972.03 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1995 | -248 | -0.03 | 972 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1995 | -247.93 | 0.07 | 972.07 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1995 | -247.93 | | 972.07 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1995 | -247.81 | 0.12 | 972.19 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1995 | -246.9 | 0.91 | 973.1 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1995 | -248.56 | -1.66 | 971.44 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1995 | -248.56 | | 971.44 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1995 | -248.48 | 0.08 | 971.52 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1995 | -248.48 | | 971.52 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1995 | -248.75 | -0.27 | 971.25 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1995 | -248.79 | -0.04 | 971.21 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1995 | -248.75 | 0.04 | 971.25 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1995 | -248.71 | 0.04 | 971.29 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1995 | -248.05 | 0.66 | 971.95 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1995 | -247.41 | 0.64 | 972.59 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1995 | -247.05 | 0.36 | 972.95 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1995 | -247.13 | -0.08 | 972.87 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1995 | -247.33 | -0.2 | 972.67 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1995 | -247.33 | | 972.67 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1995 | -247.57 | -0.24 | 972.43 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1995 | -247.65 | -0.08 | 972.35 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1995 | -247.61 | 0.04 | 972.39 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1995 | -247.61 | | 972.39 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1995 | -247.85 | -0.24 | 972.15 | 01 | 06 | 4 | |
| | P | 10/ 21/ 1995 | -247.77 | 0.08 | 972.23 | 01 | 06 | 4 | |
| | P | 10/ 22/ 1995 | -247.77 | | 972.23 | 01 | 06 | 4 | |
| | P | 10/ 23/ 1995 | -247.93 | -0.16 | 972.07 | 01 | 06 | 4 | |
| | P | 10/ 24/ 1995 | -248.33 | -0.4 | 971.67 | 01 | 06 | 4 | |
| | P | 10/ 25/ 1995 | -248.33 | | 971.67 | 01 | 06 | 4 | |
| | P | 10/ 26/ 1995 | -248.25 | 0.08 | 971.75 | 01 | 06 | 4 | |
| | P | 10/ 27/ 1995 | -248.25 | | 971.75 | 01 | 06 | 4 | |
| | P | 10/ 28/ 1995 | -248.53 | -0.28 | 971.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/29/1995 | -248.85 | -0.32 | 971.15 | 01 | 06 | 4 | |
| | P | 10/30/1995 | -248.89 | -0.04 | 971.11 | 01 | 06 | 4 | |
| | P | 10/31/1995 | -248.97 | -0.08 | 971.03 | 01 | 06 | 4 | |
| | P | 11/ 1/1995 | -249.45 | -0.48 | 970.55 | 01 | 06 | 4 | |
| | P | 11/ 2/1995 | -249.37 | 0.08 | 970.63 | 01 | 06 | 4 | |
| | P | 11/ 3/1995 | -249.88 | -0.51 | 970.12 | 01 | 06 | 4 | |
| | P | 11/ 4/1995 | -249.64 | 0.24 | 970.36 | 01 | 06 | 4 | |
| | P | 11/ 5/1995 | -249.37 | 0.27 | 970.63 | 01 | 06 | 4 | |
| | P | 11/ 6/1995 | -249.09 | 0.28 | 970.91 | 01 | 06 | 4 | |
| | P | 11/ 7/1995 | -249.09 | | 970.91 | 01 | 06 | 4 | |
| | P | 11/ 8/1995 | -249.29 | -0.2 | 970.71 | 01 | 06 | 4 | |
| | P | 11/ 9/1995 | -249.01 | 0.28 | 970.99 | 01 | 06 | 4 | |
| | P | 11/10/1995 | -248.89 | 0.12 | 971.11 | 01 | 06 | 4 | |
| | P | 11/11/1995 | -248.97 | -0.08 | 971.03 | 01 | 06 | 4 | |
| | P | 11/12/1995 | -249.13 | -0.16 | 970.87 | 01 | 06 | 4 | |
| | P | 11/13/1995 | -249.05 | 0.08 | 970.95 | 01 | 06 | 4 | |
| | P | 11/14/1995 | -249.21 | -0.16 | 970.79 | 01 | 06 | 4 | |
| | P | 11/15/1995 | -249.21 | | 970.79 | 01 | 06 | 4 | |
| | P | 11/16/1995 | -249.33 | -0.12 | 970.67 | 01 | 06 | 4 | |
| | P | 11/17/1995 | -249.29 | 0.04 | 970.71 | 01 | 06 | 4 | |
| | P | 11/18/1995 | -249.33 | -0.04 | 970.67 | 01 | 06 | 4 | |
| | P | 11/19/1995 | -249.29 | 0.04 | 970.71 | 01 | 06 | 4 | |
| | P | 11/20/1995 | -249.33 | -0.04 | 970.67 | 01 | 06 | 4 | |
| | P | 11/21/1995 | -249.41 | -0.08 | 970.59 | 01 | 06 | 4 | |
| | P | 11/22/1995 | -249.25 | 0.16 | 970.75 | 01 | 06 | 4 | |
| | P | 11/23/1995 | -249.25 | | 970.75 | 01 | 06 | 4 | |
| | P | 11/24/1995 | -249.49 | -0.24 | 970.51 | 01 | 06 | 4 | |
| | P | 11/25/1995 | -249.37 | 0.12 | 970.63 | 01 | 06 | 4 | |
| | P | 11/26/1995 | -249.13 | 0.24 | 970.87 | 01 | 06 | 4 | |
| | P | 11/27/1995 | -249.05 | 0.08 | 970.95 | 01 | 06 | 4 | |
| | P | 11/28/1995 | -249.21 | -0.16 | 970.79 | 01 | 06 | 4 | |
| | P | 11/29/1995 | -249.49 | -0.28 | 970.51 | 01 | 06 | 4 | |
| | P | 11/30/1995 | -249.45 | 0.04 | 970.55 | 01 | 06 | 4 | |
| | P | 12/ 1/1995 | -246.9 | 2.55 | 973.1 | 01 | 06 | 4 | |
| | P | 12/ 2/1995 | -246.9 | | 973.1 | 01 | 06 | 4 | |
| | P | 12/ 3/1995 | -246.95 | -0.05 | 973.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 4/1995 | -247 | -0.05 | 973 | 01 | 06 | 4 | |
| | P | 12/ 5/1995 | -247.04 | -0.04 | 972.96 | 01 | 06 | 4 | |
| | P | 12/ 6/1995 | -247.18 | -0.14 | 972.82 | 01 | 06 | 4 | |
| | P | 12/ 7/1995 | -247.23 | -0.05 | 972.77 | 01 | 06 | 4 | |
| | P | 12/ 8/1995 | -247.28 | -0.05 | 972.72 | 01 | 06 | 4 | |
| | P | 12/ 9/1995 | -247.51 | -0.23 | 972.49 | 01 | 06 | 4 | |
| | P | 12/10/1995 | -247.98 | -0.47 | 972.02 | 01 | 06 | 4 | |
| | P | 12/11/1995 | -247.75 | 0.23 | 972.25 | 01 | 06 | 4 | |
| | P | 12/12/1995 | -247.65 | 0.1 | 972.35 | 01 | 06 | 4 | |
| | P | 12/13/1995 | -247.7 | -0.05 | 972.3 | 01 | 06 | 4 | |
| | P | 12/14/1995 | -247.79 | -0.09 | 972.21 | 01 | 06 | 4 | |
| | P | 12/15/1995 | -247.79 | | 972.21 | 01 | 06 | 4 | |
| | P | 12/16/1995 | -247.79 | | 972.21 | 01 | 06 | 4 | |
| | P | 12/17/1995 | -248.03 | -0.24 | 971.97 | 01 | 06 | 4 | |
| | P | 12/18/1995 | -248.21 | -0.18 | 971.79 | 01 | 06 | 4 | |
| | P | 12/19/1995 | -248.73 | -0.52 | 971.27 | 01 | 06 | 4 | |
| | P | 12/20/1995 | -249.01 | -0.28 | 970.99 | 01 | 06 | 4 | |
| | P | 12/21/1995 | -249.06 | -0.05 | 970.94 | 01 | 06 | 4 | |
| | P | 12/22/1995 | -249.2 | -0.14 | 970.8 | 01 | 06 | 4 | |
| | P | 12/23/1995 | -249.62 | -0.42 | 970.38 | 01 | 06 | 4 | |
| | P | 12/24/1995 | -249.85 | -0.23 | 970.15 | 01 | 06 | 4 | |
| | P | 12/25/1995 | -249.95 | -0.1 | 970.05 | 01 | 06 | 4 | |
| | P | 12/26/1995 | -250.09 | -0.14 | 969.91 | 01 | 06 | 4 | |
| | P | 12/27/1995 | -250.14 | -0.05 | 969.86 | 01 | 06 | 4 | |
| | P | 12/28/1995 | -250.23 | -0.09 | 969.77 | 01 | 06 | 4 | |
| | P | 12/29/1995 | -250.37 | -0.14 | 969.63 | 01 | 06 | 4 | |
| | P | 12/30/1995 | -250.32 | 0.05 | 969.68 | 01 | 06 | 4 | |
| | P | 12/31/1995 | -250.14 | 0.18 | 969.86 | 01 | 06 | 4 | |
| | P | 1/ 1/1996 | -250.2 | -0.06 | 969.8 | 01 | 06 | 4 | |
| | P | 1/ 2/1996 | -250.71 | -0.51 | 969.29 | 01 | 06 | 4 | |
| | P | 1/ 3/1996 | -251.18 | -0.47 | 968.82 | 01 | 06 | 4 | |
| | P | 2/14/1996 | -240.78 | 10.4 | 979.22 | 01 | 06 | 4 | |
| | P | 2/15/1996 | -239.65 | 1.13 | 980.35 | 01 | 06 | 4 | |
| | P | 2/16/1996 | -239.28 | 0.37 | 980.72 | 01 | 06 | 4 | |
| | P | 2/17/1996 | -239.37 | -0.09 | 980.63 | 01 | 06 | 4 | |
| | P | 2/18/1996 | -239.74 | -0.37 | 980.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/19/1996 | -239.46 | 0.28 | 980.54 | 01 | 06 | 4 | |
| | P | 2/20/1996 | -239.23 | 0.23 | 980.77 | 01 | 06 | 4 | |
| | P | 2/21/1996 | -239.28 | -0.05 | 980.72 | 01 | 06 | 4 | |
| | P | 2/22/1996 | -239.51 | -0.23 | 980.49 | 01 | 06 | 4 | |
| | P | 2/23/1996 | -239.65 | -0.14 | 980.35 | 01 | 06 | 4 | |
| | P | 2/24/1996 | -239.56 | 0.09 | 980.44 | 01 | 06 | 4 | |
| | P | 2/25/1996 | -239.65 | -0.09 | 980.35 | 01 | 06 | 4 | |
| | P | 2/26/1996 | -239.89 | -0.24 | 980.11 | 01 | 06 | 4 | |
| | P | 2/27/1996 | -239.79 | 0.1 | 980.21 | 01 | 06 | 4 | |
| | P | 2/28/1996 | -239.79 | | 980.21 | 01 | 06 | 4 | |
| | P | 2/29/1996 | -239.7 | 0.09 | 980.3 | 01 | 06 | 4 | |
| | P | 3/ 1/1996 | -256.46 | -16.8 | 963.54 | 01 | 06 | 4 | |
| | P | 3/ 2/1996 | -256.51 | -0.05 | 963.49 | 01 | 06 | 4 | |
| | P | 3/ 3/1996 | -256.6 | -0.09 | 963.4 | 01 | 06 | 4 | |
| | P | 3/ 4/1996 | -256.51 | 0.09 | 963.49 | 01 | 06 | 4 | |
| | P | 3/ 5/1996 | -256.33 | 0.18 | 963.67 | 01 | 06 | 4 | |
| | P | 3/ 6/1996 | -256.24 | 0.09 | 963.76 | 01 | 06 | 4 | |
| | P | 3/ 7/1996 | -256.55 | -0.31 | 963.45 | 01 | 06 | 4 | |
| | P | 3/ 8/1996 | -257.04 | -0.49 | 962.96 | 01 | 06 | 4 | |
| | P | 3/ 9/1996 | -256.99 | 0.05 | 963.01 | 01 | 06 | 4 | |
| | P | 3/10/1996 | -256.86 | 0.13 | 963.14 | 01 | 06 | 4 | |
| | P | 3/11/1996 | -256.68 | 0.18 | 963.32 | 01 | 06 | 4 | |
| | P | 3/12/1996 | -256.51 | 0.17 | 963.49 | 01 | 06 | 4 | |
| | P | 3/13/1996 | -256.46 | 0.05 | 963.54 | 01 | 06 | 4 | |
| | P | 3/14/1996 | -256.46 | | 963.54 | 01 | 06 | 4 | |
| | P | 3/15/1996 | -256.46 | | 963.54 | 01 | 06 | 4 | |
| | P | 3/16/1996 | -256.42 | 0.04 | 963.58 | 01 | 06 | 4 | |
| | P | 3/17/1996 | -256.42 | | 963.58 | 01 | 06 | 4 | |
| | P | 3/18/1996 | -256.46 | -0.04 | 963.54 | 01 | 06 | 4 | |
| | P | 3/19/1996 | -261.41 | -4.95 | 958.59 | 01 | 06 | 1 | |
| | P | 3/20/1996 | -257.21 | 4.2 | 962.79 | 01 | 06 | 4 | |
| | P | 3/21/1996 | -256.95 | 0.26 | 963.05 | 01 | 06 | 4 | |
| | P | 3/22/1996 | -256.77 | 0.18 | 963.23 | 01 | 06 | 4 | |
| | P | 3/23/1996 | -256.73 | 0.04 | 963.27 | 01 | 06 | 4 | |
| | P | 3/24/1996 | -256.64 | 0.09 | 963.36 | 01 | 06 | 4 | |
| | P | 3/25/1996 | -256.77 | -0.13 | 963.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/26/1996 | -257.17 | -0.4 | 962.83 | 01 | 06 | 4 | |
| | P | 3/27/1996 | -257.08 | 0.09 | 962.92 | 01 | 06 | 4 | |
| | P | 3/28/1996 | -257.04 | 0.04 | 962.96 | 01 | 06 | 4 | |
| | P | 3/29/1996 | -256.91 | 0.13 | 963.09 | 01 | 06 | 4 | |
| | P | 3/30/1996 | -256.86 | 0.05 | 963.14 | 01 | 06 | 4 | |
| | P | 3/31/1996 | -257.04 | -0.18 | 962.96 | 01 | 06 | 4 | |
| | P | 4/ 1/1996 | -257.26 | -0.22 | 962.74 | 01 | 06 | 4 | |
| | P | 4/ 2/1996 | -257.13 | 0.13 | 962.87 | 01 | 06 | 4 | |
| | P | 4/ 3/1996 | -257.04 | 0.09 | 962.96 | 01 | 06 | 4 | |
| | P | 4/ 4/1996 | -257.04 | | 962.96 | 01 | 06 | 4 | |
| | P | 4/ 5/1996 | -257.21 | -0.17 | 962.79 | 01 | 06 | 4 | |
| | P | 4/ 6/1996 | -261.93 | -4.72 | 958.07 | 01 | 06 | 4 | |
| | P | 4/ 7/1996 | -261.75 | 0.18 | 958.25 | 01 | 06 | 4 | |
| | P | 4/ 8/1996 | -261.75 | | 958.25 | 01 | 06 | 4 | |
| | P | 4/ 9/1996 | -261.86 | -0.11 | 958.14 | 01 | 06 | 4 | |
| | P | 4/10/1996 | -261.93 | -0.07 | 958.07 | 01 | 06 | 4 | |
| | P | 4/11/1996 | -261.86 | 0.07 | 958.14 | 01 | 06 | 4 | |
| | P | 4/12/1996 | -261.75 | 0.11 | 958.25 | 01 | 06 | 4 | |
| | P | 4/13/1996 | -261.79 | -0.04 | 958.21 | 01 | 06 | 4 | |
| | P | 4/14/1996 | -261.86 | -0.07 | 958.14 | 01 | 06 | 4 | |
| | P | 4/15/1996 | -261.86 | | 958.14 | 01 | 06 | 4 | |
| | P | 4/16/1996 | -262.14 | -0.28 | 957.86 | 01 | 06 | 4 | |
| | P | 4/17/1996 | -262 | 0.14 | 958 | 01 | 06 | 4 | |
| | P | 4/18/1996 | -261.96 | 0.04 | 958.04 | 01 | 06 | 4 | |
| | P | 4/19/1996 | -261.86 | 0.1 | 958.14 | 01 | 06 | 4 | |
| | P | 4/20/1996 | -261.96 | -0.1 | 958.04 | 01 | 06 | 4 | |
| | P | 4/21/1996 | -261.93 | 0.03 | 958.07 | 01 | 06 | 4 | |
| | P | 4/22/1996 | -262 | -0.07 | 958 | 01 | 06 | 4 | |
| | P | 4/23/1996 | -262.36 | -0.36 | 957.64 | 01 | 06 | 4 | |
| | P | 4/24/1996 | -262.18 | 0.18 | 957.82 | 01 | 06 | 4 | |
| | P | 4/25/1996 | -261.93 | 0.25 | 958.07 | 01 | 06 | 4 | |
| | P | 4/26/1996 | -262.04 | -0.11 | 957.96 | 01 | 06 | 4 | |
| | P | 4/27/1996 | -262.11 | -0.07 | 957.89 | 01 | 06 | 4 | |
| | P | 4/28/1996 | -262.07 | 0.04 | 957.93 | 01 | 06 | 4 | |
| | P | 4/29/1996 | -262.18 | -0.11 | 957.82 | 01 | 06 | 4 | |
| | P | 4/30/1996 | -262.25 | -0.07 | 957.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 1/1996 | -262.18 | 0.07 | 957.82 | 01 | 06 | 4 | |
| | P | 5/ 2/1996 | -262.21 | -0.03 | 957.79 | 01 | 06 | 4 | |
| | P | 5/ 3/1996 | -262.21 | | 957.79 | 01 | 06 | 4 | |
| | P | 5/ 4/1996 | -262.29 | -0.08 | 957.71 | 01 | 06 | 4 | |
| | P | 5/ 5/1996 | -262.36 | -0.07 | 957.64 | 01 | 06 | 4 | |
| | P | 5/ 6/1996 | -262.36 | | 957.64 | 01 | 06 | 4 | |
| | P | 5/ 7/1996 | -262.39 | -0.03 | 957.61 | 01 | 06 | 4 | |
| | P | 5/ 8/1996 | -262.36 | 0.03 | 957.64 | 01 | 06 | 4 | |
| | P | 5/ 9/1996 | -262.39 | -0.03 | 957.61 | 01 | 06 | 4 | |
| | P | 5/10/1996 | -262.36 | 0.03 | 957.64 | 01 | 06 | 4 | |
| | P | 5/11/1996 | -262.36 | | 957.64 | 01 | 06 | 4 | |
| | P | 5/12/1996 | -262.39 | -0.03 | 957.61 | 01 | 06 | 4 | |
| | P | 5/13/1996 | -262.36 | 0.03 | 957.64 | 01 | 06 | 4 | |
| | P | 5/14/1996 | -262.43 | -0.07 | 957.57 | 01 | 06 | 4 | |
| | P | 5/15/1996 | -262.43 | | 957.57 | 01 | 06 | 4 | |
| | P | 6/ 1/1996 | -263.38 | -0.95 | 956.62 | 01 | 06 | 4 | |
| | P | 6/ 2/1996 | -263.49 | -0.11 | 956.51 | 01 | 06 | 4 | |
| | P | 6/ 3/1996 | -263.42 | 0.07 | 956.58 | 01 | 06 | 4 | |
| | P | 6/ 4/1996 | -263.31 | 0.11 | 956.69 | 01 | 06 | 4 | |
| | P | 6/ 5/1996 | -263.35 | -0.04 | 956.65 | 01 | 06 | 4 | |
| | P | 6/ 6/1996 | -263.31 | 0.04 | 956.69 | 01 | 06 | 4 | |
| | P | 6/ 7/1996 | -263.38 | -0.07 | 956.62 | 01 | 06 | 4 | |
| | P | 6/ 8/1996 | -263.38 | | 956.62 | 01 | 06 | 4 | |
| | P | 6/ 9/1996 | -263.35 | 0.03 | 956.65 | 01 | 06 | 4 | |
| | P | 6/10/1996 | -263.35 | | 956.65 | 01 | 06 | 4 | |
| | P | 6/11/1996 | -263.38 | -0.03 | 956.62 | 01 | 06 | 4 | |
| | P | 6/12/1996 | -263.45 | -0.07 | 956.55 | 01 | 06 | 4 | |
| | P | 6/13/1996 | -263.52 | -0.07 | 956.48 | 01 | 06 | 4 | |
| | P | 6/14/1996 | -263.56 | -0.04 | 956.44 | 01 | 06 | 4 | |
| | P | 6/15/1996 | -263.56 | | 956.44 | 01 | 06 | 4 | |
| | P | 6/16/1996 | -263.59 | -0.03 | 956.41 | 01 | 06 | 4 | |
| | P | 6/17/1996 | -263.56 | 0.03 | 956.44 | 01 | 06 | 4 | |
| | P | 6/18/1996 | -263.52 | 0.04 | 956.48 | 01 | 06 | 4 | |
| | P | 6/19/1996 | -263.56 | -0.04 | 956.44 | 01 | 06 | 4 | |
| | P | 6/20/1996 | -263.59 | -0.03 | 956.41 | 01 | 06 | 4 | |
| | P | 6/21/1996 | -263.63 | -0.04 | 956.37 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 22/ 1996 | -263.73 | -0.1 | 956.27 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1996 | -263.73 | | 956.27 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1996 | -263.76 | -0.03 | 956.24 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1996 | -263.8 | -0.04 | 956.2 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1996 | -263.8 | | 956.2 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1996 | -263.8 | | 956.2 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1996 | -263.83 | -0.03 | 956.17 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1996 | -263.87 | -0.04 | 956.13 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1996 | -263.87 | | 956.13 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1996 | -263.8 | 0.07 | 956.2 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1996 | -263.76 | 0.04 | 956.24 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1996 | -263.8 | -0.04 | 956.2 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1996 | -263.83 | -0.03 | 956.17 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1996 | -263.87 | -0.04 | 956.13 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1996 | -263.94 | -0.07 | 956.06 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1996 | -263.94 | | 956.06 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1996 | -263.97 | -0.03 | 956.03 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1996 | -264.08 | -0.11 | 955.92 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1996 | -264.18 | -0.1 | 955.82 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1996 | -264.18 | | 955.82 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1996 | -264.18 | | 955.82 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1996 | -264.14 | 0.04 | 955.86 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1996 | -264.14 | | 955.86 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1996 | -264.14 | | 955.86 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1996 | -264.18 | -0.04 | 955.82 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1996 | -264.18 | | 955.82 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1996 | -264.25 | -0.07 | 955.75 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1996 | -264.25 | | 955.75 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1996 | -264.21 | 0.04 | 955.79 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1996 | -264.21 | | 955.79 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1996 | -264.25 | -0.04 | 955.75 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1996 | -264.28 | -0.03 | 955.72 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1996 | -264.35 | -0.07 | 955.65 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1996 | -264.39 | -0.04 | 955.61 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1996 | -264.39 | | 955.61 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1996 | -264.35 | 0.04 | 955.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/28/1996 | -264.39 | -0.04 | 955.61 | 01 | 06 | 4 | |
| | P | 7/29/1996 | -264.28 | 0.11 | 955.72 | 01 | 06 | 4 | |
| | P | 7/30/1996 | -264.32 | -0.04 | 955.68 | 01 | 06 | 4 | |
| | P | 7/31/1996 | -264.28 | 0.04 | 955.72 | 01 | 06 | 4 | |
| | P | 8/ 1/1996 | -265.3 | -1.02 | 954.7 | 01 | 06 | 4 | |
| | P | 8/ 2/1996 | -265.3 | | 954.7 | 01 | 06 | 4 | |
| | P | 8/ 3/1996 | -265.3 | | 954.7 | 01 | 06 | 4 | |
| | P | 8/ 4/1996 | -265.34 | -0.04 | 954.66 | 01 | 06 | 4 | |
| | P | 8/ 5/1996 | -265.41 | -0.07 | 954.59 | 01 | 06 | 4 | |
| | P | 8/ 6/1996 | -265.06 | 0.35 | 954.94 | 01 | 06 | 4 | |
| | P | 8/ 7/1996 | -265.68 | -0.62 | 954.32 | 01 | 06 | 4 | |
| | P | 8/ 8/1996 | -265.72 | -0.04 | 954.28 | 01 | 06 | 4 | |
| | P | 8/ 9/1996 | -265.65 | 0.07 | 954.35 | 01 | 06 | 4 | |
| | P | 8/10/1996 | -265.54 | 0.11 | 954.46 | 01 | 06 | 4 | |
| | P | 8/11/1996 | -265.51 | 0.03 | 954.49 | 01 | 06 | 4 | |
| | P | 8/12/1996 | -265.51 | | 954.49 | 01 | 06 | 4 | |
| | P | 8/13/1996 | -265.51 | | 954.49 | 01 | 06 | 4 | |
| | P | 8/14/1996 | -265.61 | -0.1 | 954.39 | 01 | 06 | 4 | |
| | P | 8/15/1996 | -265.61 | | 954.39 | 01 | 06 | 4 | |
| | P | 8/16/1996 | -265.54 | 0.07 | 954.46 | 01 | 06 | 4 | |
| | P | 8/17/1996 | -265.54 | | 954.46 | 01 | 06 | 4 | |
| | P | 8/18/1996 | -265.58 | -0.04 | 954.42 | 01 | 06 | 4 | |
| | P | 8/19/1996 | -265.65 | -0.07 | 954.35 | 01 | 06 | 4 | |
| | P | 8/20/1996 | -265.65 | | 954.35 | 01 | 06 | 4 | |
| | P | 8/21/1996 | -265.61 | 0.04 | 954.39 | 01 | 06 | 4 | |
| | P | 8/22/1996 | -265.65 | -0.04 | 954.35 | 01 | 06 | 4 | |
| | P | 8/23/1996 | -265.72 | -0.07 | 954.28 | 01 | 06 | 4 | |
| | P | 8/24/1996 | -265.75 | -0.03 | 954.25 | 01 | 06 | 4 | |
| | P | 8/25/1996 | -265.68 | 0.07 | 954.32 | 01 | 06 | 4 | |
| | P | 8/26/1996 | -265.68 | | 954.32 | 01 | 06 | 4 | |
| | P | 8/27/1996 | -265.75 | -0.07 | 954.25 | 01 | 06 | 4 | |
| | P | 8/28/1996 | -265.75 | | 954.25 | 01 | 06 | 4 | |
| | P | 8/29/1996 | -265.79 | -0.04 | 954.21 | 01 | 06 | 4 | |
| | P | 8/30/1996 | -265.75 | 0.04 | 954.25 | 01 | 06 | 4 | |
| | P | 8/31/1996 | -265.72 | 0.03 | 954.28 | 01 | 06 | 4 | |
| | P | 9/ 1/1996 | -265.75 | -0.03 | 954.25 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 2/1996 | -265.79 | -0.04 | 954.21 | 01 | 06 | 4 | |
| | P | 9/ 3/1996 | -265.79 | | 954.21 | 01 | 06 | 4 | |
| | P | 9/ 4/1996 | -265.82 | -0.03 | 954.18 | 01 | 06 | 4 | |
| | P | 9/ 5/1996 | -265.79 | 0.03 | 954.21 | 01 | 06 | 4 | |
| | P | 9/ 6/1996 | -265.82 | -0.03 | 954.18 | 01 | 06 | 4 | |
| | P | 9/ 7/1996 | -265.82 | | 954.18 | 01 | 06 | 4 | |
| | P | 9/ 8/1996 | -265.86 | -0.04 | 954.14 | 01 | 06 | 4 | |
| | P | 9/ 9/1996 | -265.89 | -0.03 | 954.11 | 01 | 06 | 4 | |
| | P | 9/10/1996 | -265.93 | -0.04 | 954.07 | 01 | 06 | 4 | |
| | P | 9/11/1996 | -265.93 | | 954.07 | 01 | 06 | 4 | |
| | P | 9/12/1996 | -265.99 | -0.06 | 954.01 | 01 | 06 | 4 | |
| | P | 9/13/1996 | -265.99 | | 954.01 | 01 | 06 | 4 | |
| | P | 9/14/1996 | -265.93 | 0.06 | 954.07 | 01 | 06 | 4 | |
| | P | 9/15/1996 | -265.93 | | 954.07 | 01 | 06 | 4 | |
| | P | 9/16/1996 | -265.93 | | 954.07 | 01 | 06 | 4 | |
| | P | 9/17/1996 | -266.06 | -0.13 | 953.94 | 01 | 06 | 4 | |
| | P | 9/18/1996 | -266.06 | | 953.94 | 01 | 06 | 4 | |
| | P | 9/19/1996 | -266.03 | 0.03 | 953.97 | 01 | 06 | 4 | |
| | P | 9/20/1996 | -265.99 | 0.04 | 954.01 | 01 | 06 | 4 | |
| | P | 9/21/1996 | -266.06 | -0.07 | 953.94 | 01 | 06 | 4 | |
| | P | 9/22/1996 | -266.1 | -0.04 | 953.9 | 01 | 06 | 4 | |
| | P | 9/23/1996 | -266.13 | -0.03 | 953.87 | 01 | 06 | 4 | |
| | P | 9/24/1996 | -266.1 | 0.03 | 953.9 | 01 | 06 | 4 | |
| | P | 9/25/1996 | -266.03 | 0.07 | 953.97 | 01 | 06 | 4 | |
| | P | 9/26/1996 | -265.99 | 0.04 | 954.01 | 01 | 06 | 4 | |
| | P | 9/27/1996 | -266.1 | -0.11 | 953.9 | 01 | 06 | 4 | |
| | P | 9/28/1996 | -266.24 | -0.14 | 953.76 | 01 | 06 | 4 | |
| | P | 9/29/1996 | -266.24 | | 953.76 | 01 | 06 | 4 | |
| | P | 9/30/1996 | -266.2 | 0.04 | 953.8 | 01 | 06 | 4 | |
| | P | 1/24/1997 | -267.19 | -0.99 | 952.81 | 01 | 06 | 4 | |
| | P | 2/19/1997 | -266.13 | 1.06 | 953.87 | 01 | 06 | 4 | |
| | P | 2/20/1997 | -265.99 | 0.14 | 954.01 | 01 | 06 | 4 | |
| | P | 2/21/1997 | -265.99 | | 954.01 | 01 | 06 | 4 | |
| | P | 2/22/1997 | -265.89 | 0.1 | 954.11 | 01 | 06 | 4 | |
| | P | 2/23/1997 | -265.68 | 0.21 | 954.32 | 01 | 06 | 4 | |
| | P | 2/24/1997 | -265.44 | 0.24 | 954.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/25/1997 | -264.99 | 0.45 | 955.01 | 01 | 06 | 4 | |
| | P | 2/26/1997 | -264.85 | 0.14 | 955.15 | 01 | 06 | 4 | |
| | P | 2/27/1997 | -264.68 | 0.17 | 955.32 | 01 | 06 | 4 | |
| | P | 2/28/1997 | -264.47 | 0.21 | 955.53 | 01 | 06 | 4 | |
| | P | 3/ 1/1997 | -264.33 | 0.14 | 955.67 | 01 | 06 | 4 | |
| | P | 3/ 2/1997 | -264.37 | -0.04 | 955.63 | 01 | 06 | 4 | |
| | P | 3/ 3/1997 | -264.09 | 0.28 | 955.91 | 01 | 06 | 4 | |
| | P | 3/ 4/1997 | -263.92 | 0.17 | 956.08 | 01 | 06 | 4 | |
| | P | 3/ 5/1997 | -263.92 | | 956.08 | 01 | 06 | 4 | |
| | P | 3/ 6/1997 | -263.88 | 0.04 | 956.12 | 01 | 06 | 4 | |
| | P | 3/ 7/1997 | -263.68 | 0.2 | 956.32 | 01 | 06 | 4 | |
| | P | 3/ 8/1997 | -263.64 | 0.04 | 956.36 | 01 | 06 | 4 | |
| | P | 3/ 9/1997 | -263.43 | 0.21 | 956.57 | 01 | 06 | 4 | |
| | P | 3/10/1997 | -263.3 | 0.13 | 956.7 | 01 | 06 | 4 | |
| | P | 3/11/1997 | -262.95 | 0.35 | 957.05 | 01 | 06 | 4 | |
| | P | 3/12/1997 | -262.81 | 0.14 | 957.19 | 01 | 06 | 4 | |
| | P | 3/13/1997 | -262.5 | 0.31 | 957.5 | 01 | 06 | 4 | |
| | P | 3/14/1997 | -262.5 | | 957.5 | 01 | 06 | 4 | |
| | P | 3/15/1997 | -262.47 | 0.03 | 957.53 | 01 | 06 | 4 | |
| | P | 3/16/1997 | -262.22 | 0.25 | 957.78 | 01 | 06 | 4 | |
| | P | 3/17/1997 | -262.02 | 0.2 | 957.98 | 01 | 06 | 4 | |
| | P | 3/18/1997 | -261.88 | 0.14 | 958.12 | 01 | 06 | 4 | |
| | P | 3/19/1997 | -261.77 | 0.11 | 958.23 | 01 | 06 | 4 | |
| | P | 3/20/1997 | -261.53 | 0.24 | 958.47 | 01 | 06 | 4 | |
| | P | 3/21/1997 | -261.32 | 0.21 | 958.68 | 01 | 06 | 4 | |
| | P | 3/22/1997 | -261.26 | 0.06 | 958.74 | 01 | 06 | 4 | |
| | P | 3/23/1997 | -261.01 | 0.25 | 958.99 | 01 | 06 | 4 | |
| | P | 3/24/1997 | -260.94 | 0.07 | 959.06 | 01 | 06 | 4 | |
| | P | 3/25/1997 | -260.91 | 0.03 | 959.09 | 01 | 06 | 4 | |
| | P | 3/26/1997 | -261.05 | -0.14 | 958.95 | 01 | 06 | 4 | |
| | P | 5/ 1/1997 | -250.8 | 10.25 | 969.2 | 01 | 06 | 1 | |
| | P | 7/29/1997 | -226.39 | 24.41 | 993.61 | 01 | 06 | 1 | |
| | P | 9/10/1997 | -235 | -8.61 | 985 | 01 | 06 | 1 | |
| | P | 10/24/1997 | -240.34 | -5.34 | 979.66 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -243.89 | -3.55 | 976.11 | 01 | 06 | 1 | |
| | P | 1/12/1998 | -244.35 | -0.46 | 975.65 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/17/1998 | -241.23 | 3.12 | 978.77 | 01 | 06 | 1 | |
| | P | 3/12/1998 | -236.22 | 5.01 | 983.78 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -228.59 | 7.63 | 991.41 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -236.94 | -8.35 | 983.06 | 01 | 06 | 1 | |
| | P | 7/23/1998 | -242.36 | -5.42 | 977.64 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -243.59 | -1.23 | 976.41 | 01 | 06 | 1 | |
| | P | 10/28/1998 | -220.34 | 23.25 | 999.66 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -198.01 | 22.33 | 1021.99 | 01 | 06 | 1 | |
| | P | 1/20/1999 | -220.5 | -22.5 | 999.5 | 01 | 06 | 1 | |
| | P | 2/23/1999 | -229.4 | -8.9 | 990.6 | 01 | 06 | 1 | |
| | P | 3/22/1999 | -242.2 | -12.8 | 977.8 | 01 | 06 | 1 | |
| | P | 4/28/1999 | -239.1 | 3.1 | 980.9 | 01 | 06 | 1 | |
| | P | 5/24/1999 | -241.5 | -2.4 | 978.5 | 01 | 06 | 1 | |
| | P | 6/24/1999 | -243.5 | -2 | 976.5 | 01 | 06 | 1 | |
| | P | 7/14/1999 | -243.9 | -0.4 | 976.1 | 01 | 06 | 1 | |
| | P | 8/25/1999 | -246.2 | -2.3 | 973.8 | 01 | 06 | 1 | |
| | P | 9/22/1999 | -248.29 | -2.09 | 971.71 | 01 | 06 | 1 | |
| | P | 10/20/1999 | -252.17 | -3.88 | 967.83 | 01 | 06 | 1 | |
| | P | 1/12/2000 | -258.45 | -6.28 | 961.55 | 01 | 06 | 1 | |
| | P | 2/16/2000 | -260.26 | -1.81 | 959.74 | 01 | 06 | 1 | |
| | P | 4/ 6/2000 | -261.8 | -1.54 | 958.2 | 01 | 06 | 1 | |
| | P | 5/10/2000 | -263.2 | -1.4 | 956.8 | 01 | 06 | 1 | |
| | P | 6/21/2000 | -263.99 | -0.79 | 956.01 | 01 | 06 | 1 | |
| | P | 7/25/2000 | -265.64 | -1.65 | 954.36 | 01 | 06 | 4 | |
| | P | 7/26/2000 | -268.59 | -2.95 | 951.41 | 01 | 06 | 4 | |
| | P | 7/27/2000 | -268.52 | 0.07 | 951.48 | 01 | 06 | 4 | |
| | P | 7/28/2000 | -268.54 | -0.02 | 951.46 | 01 | 06 | 4 | |
| | P | 7/29/2000 | -268.55 | -0.01 | 951.45 | 01 | 06 | 4 | |
| | P | 7/30/2000 | -268.51 | 0.04 | 951.49 | 01 | 06 | 4 | |
| | P | 7/31/2000 | -268.49 | 0.02 | 951.51 | 01 | 06 | 4 | |
| | P | 8/ 1/2000 | -268.43 | 0.06 | 951.57 | 01 | 06 | 4 | |
| | P | 8/ 2/2000 | -268.4 | 0.03 | 951.6 | 01 | 06 | 4 | |
| | P | 8/ 3/2000 | -268.53 | -0.13 | 951.47 | 01 | 06 | 4 | |
| | P | 8/ 4/2000 | -268.45 | 0.08 | 951.55 | 01 | 06 | 4 | |
| | P | 8/ 5/2000 | -268.45 | | 951.55 | 01 | 06 | 4 | |
| | P | 8/ 6/2000 | -268.51 | -0.06 | 951.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 7/2000 | -268.45 | 0.06 | 951.55 | 01 | 06 | 4 | |
| | P | 8/ 8/2000 | -268.4 | 0.05 | 951.6 | 01 | 06 | 4 | |
| | P | 8/ 9/2000 | -268.32 | 0.08 | 951.68 | 01 | 06 | 4 | |
| | P | 8/10/2000 | -268.3 | 0.02 | 951.7 | 01 | 06 | 4 | |
| | P | 8/11/2000 | -268.34 | -0.04 | 951.66 | 01 | 06 | 4 | |
| | P | 8/12/2000 | -268.39 | -0.05 | 951.61 | 01 | 06 | 4 | |
| | P | 8/13/2000 | -268.4 | -0.01 | 951.6 | 01 | 06 | 4 | |
| | P | 8/14/2000 | -268.27 | 0.13 | 951.73 | 01 | 06 | 4 | |
| | P | 8/15/2000 | -268.13 | 0.14 | 951.87 | 01 | 06 | 4 | |
| | P | 8/16/2000 | -268.12 | 0.01 | 951.88 | 01 | 06 | 4 | |
| | P | 8/17/2000 | -268.23 | -0.11 | 951.77 | 01 | 06 | 4 | |
| | P | 8/18/2000 | -268.21 | 0.02 | 951.79 | 01 | 06 | 4 | |
| | P | 8/19/2000 | -268.16 | 0.05 | 951.84 | 01 | 06 | 4 | |
| | P | 8/20/2000 | -268.17 | -0.01 | 951.83 | 01 | 06 | 4 | |
| | P | 8/21/2000 | -268.13 | 0.04 | 951.87 | 01 | 06 | 4 | |
| | P | 8/22/2000 | -268.06 | 0.07 | 951.94 | 01 | 06 | 4 | |
| | P | 8/23/2000 | -268.03 | 0.03 | 951.97 | 01 | 06 | 4 | |
| | P | 8/24/2000 | -268.04 | -0.01 | 951.96 | 01 | 06 | 4 | |
| | P | 8/25/2000 | -268.09 | -0.05 | 951.91 | 01 | 06 | 4 | |
| | P | 8/26/2000 | -268.14 | -0.05 | 951.86 | 01 | 06 | 4 | |
| | P | 8/27/2000 | -268.14 | | 951.86 | 01 | 06 | 4 | |
| | P | 8/28/2000 | -268.06 | 0.08 | 951.94 | 01 | 06 | 4 | |
| | P | 8/29/2000 | -267.96 | 0.1 | 952.04 | 01 | 06 | 4 | |
| | P | 8/30/2000 | -267.97 | -0.01 | 952.03 | 01 | 06 | 4 | |
| | P | 8/31/2000 | -268.02 | -0.05 | 951.98 | 01 | 06 | 4 | |
| | P | 9/ 1/2000 | -267.94 | 0.08 | 952.06 | 01 | 06 | 4 | |
| | P | 9/ 2/2000 | -267.93 | 0.01 | 952.07 | 01 | 06 | 4 | |
| | P | 9/ 3/2000 | -267.94 | -0.01 | 952.06 | 01 | 06 | 4 | |
| | P | 9/ 4/2000 | -267.9 | 0.04 | 952.1 | 01 | 06 | 4 | |
| | P | 9/ 5/2000 | -267.85 | 0.05 | 952.15 | 01 | 06 | 4 | |
| | P | 10/ 1/2000 | -253.8 | 14.05 | 966.2 | 01 | 06 | 4 | |
| | P | 10/ 2/2000 | -253.8 | | 966.2 | 01 | 06 | 4 | |
| | P | 10/ 3/2000 | -253.8 | | 966.2 | 01 | 06 | 4 | |
| | P | 10/ 4/2000 | -253.8 | | 966.2 | 01 | 06 | 4 | |
| | P | 10/ 5/2000 | -253.7 | 0.1 | 966.3 | 01 | 06 | 4 | |
| | P | 10/ 6/2000 | -253.4 | 0.3 | 966.6 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 7 / 2000 | -253.2 | 0.2 | 966.8 | 01 | 06 | 4 | |
| | P | 10 / 8 / 2000 | -253.1 | 0.1 | 966.9 | 01 | 06 | 4 | |
| | P | 10 / 9 / 2000 | -253.2 | -0.1 | 966.8 | 01 | 06 | 4 | |
| | P | 10 / 10/ 2000 | -253.5 | -0.3 | 966.5 | 01 | 06 | 4 | |
| | P | 10 / 11/ 2000 | -253.7 | -0.2 | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 12/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 13/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 14/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 15/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 16/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 17/ 2000 | -253.6 | 0.1 | 966.4 | 01 | 06 | 4 | |
| | P | 10 / 18/ 2000 | -253.46 | 0.14 | 966.54 | 01 | 06 | 4 | |
| | P | 10 / 19/ 2000 | -253.6 | -0.14 | 966.4 | 01 | 06 | 4 | |
| | P | 10 / 20/ 2000 | -253.7 | -0.1 | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 21/ 2000 | -253.7 | | 966.3 | 01 | 06 | 4 | |
| | P | 10 / 22/ 2000 | -253.6 | 0.1 | 966.4 | 01 | 06 | 4 | |
| | P | 10 / 23/ 2000 | -253.5 | 0.1 | 966.5 | 01 | 06 | 4 | |
| | P | 10 / 24/ 2000 | -253.8 | -0.3 | 966.2 | 01 | 06 | 4 | |
| | P | 10 / 25/ 2000 | -254.7 | -0.9 | 965.3 | 01 | 06 | 4 | |
| | P | 10 / 26/ 2000 | -255.3 | -0.6 | 964.7 | 01 | 06 | 4 | |
| | P | 10 / 27/ 2000 | -255.8 | -0.5 | 964.2 | 01 | 06 | 4 | |
| | P | 10 / 28/ 2000 | -256.1 | -0.3 | 963.9 | 01 | 06 | 4 | |
| | P | 10 / 29/ 2000 | -256.5 | -0.4 | 963.5 | 01 | 06 | 4 | |
| | P | 10 / 30/ 2000 | -256.8 | -0.3 | 963.2 | 01 | 06 | 4 | |
| | P | 10 / 31/ 2000 | -257 | -0.2 | 963 | 01 | 06 | 4 | |
| | P | 11 / 1 / 2000 | -257.3 | -0.3 | 962.7 | 01 | 06 | 4 | |
| | P | 11 / 2 / 2000 | -257.4 | -0.1 | 962.6 | 01 | 06 | 4 | |
| | P | 11 / 3 / 2000 | -257.6 | -0.2 | 962.4 | 01 | 06 | 4 | |
| | P | 11 / 4 / 2000 | -258 | -0.4 | 962 | 01 | 06 | 4 | |
| | P | 11 / 5 / 2000 | -258.6 | -0.6 | 961.4 | 01 | 06 | 4 | |
| | P | 11 / 6 / 2000 | -259.3 | -0.7 | 960.7 | 01 | 06 | 4 | |
| | P | 11 / 7 / 2000 | -259.9 | -0.6 | 960.1 | 01 | 06 | 4 | |
| | P | 11 / 8 / 2000 | -259.9 | | 960.1 | 01 | 06 | 4 | |
| | P | 11 / 9 / 2000 | -259.6 | 0.3 | 960.4 | 01 | 06 | 4 | |
| | P | 11 / 10/ 2000 | -259.4 | 0.2 | 960.6 | 01 | 06 | 4 | |
| | P | 11 / 11/ 2000 | -259 | 0.4 | 961 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 12/ 2000 | -258.6 | 0.4 | 961.4 | 01 | 06 | 4 | |
| | P | 11/ 13/ 2000 | -258.7 | -0.1 | 961.3 | 01 | 06 | 4 | |
| | P | 11/ 14/ 2000 | -258.4 | 0.3 | 961.6 | 01 | 06 | 4 | |
| | P | 11/ 15/ 2000 | -257.9 | 0.5 | 962.1 | 01 | 06 | 4 | |
| | P | 11/ 16/ 2000 | -257.6 | 0.3 | 962.4 | 01 | 06 | 4 | |
| | P | 11/ 17/ 2000 | -257.5 | 0.1 | 962.5 | 01 | 06 | 4 | |
| | P | 11/ 18/ 2000 | -257.2 | 0.3 | 962.8 | 01 | 06 | 4 | |
| | P | 11/ 19/ 2000 | -257 | 0.2 | 963 | 01 | 06 | 4 | |
| | P | 11/ 20/ 2000 | -256.9 | 0.1 | 963.1 | 01 | 06 | 4 | |
| | P | 11/ 21/ 2000 | -256.5 | 0.4 | 963.5 | 01 | 06 | 4 | |
| | P | 11/ 22/ 2000 | -255.8 | 0.7 | 964.2 | 01 | 06 | 4 | |
| | P | 11/ 23/ 2000 | -255.2 | 0.6 | 964.8 | 01 | 06 | 4 | |
| | P | 11/ 24/ 2000 | -254.9 | 0.3 | 965.1 | 01 | 06 | 4 | |
| | P | 11/ 25/ 2000 | -254.6 | 0.3 | 965.4 | 01 | 06 | 4 | |
| | P | 11/ 26/ 2000 | -254.1 | 0.5 | 965.9 | 01 | 06 | 4 | |
| | P | 11/ 27/ 2000 | -253.7 | 0.4 | 966.3 | 01 | 06 | 4 | |
| | P | 11/ 28/ 2000 | -253.3 | 0.4 | 966.7 | 01 | 06 | 4 | |
| | P | 11/ 29/ 2000 | -253.3 | | 966.7 | 01 | 06 | 4 | |
| | P | 11/ 30/ 2000 | -252.7 | 0.6 | 967.3 | 01 | 06 | 4 | |
| | P | 12/ 1/ 2000 | -252.6 | 0.1 | 967.4 | 01 | 06 | 4 | |
| | P | 12/ 2/ 2000 | -252.6 | | 967.4 | 01 | 06 | 4 | |
| | P | 12/ 3/ 2000 | -252.3 | 0.3 | 967.7 | 01 | 06 | 4 | |
| | P | 12/ 4/ 2000 | -252.1 | 0.2 | 967.9 | 01 | 06 | 4 | |
| | P | 12/ 5/ 2000 | -251.46 | 0.64 | 968.54 | 01 | 06 | 4 | |
| | P | 12/ 6/ 2000 | -251.4 | 0.06 | 968.6 | 01 | 06 | 4 | |
| | P | 12/ 7/ 2000 | -250.9 | 0.5 | 969.1 | 01 | 06 | 4 | |
| | P | 12/ 8/ 2000 | -250.8 | 0.1 | 969.2 | 01 | 06 | 4 | |
| | P | 12/ 9/ 2000 | -250.5 | 0.3 | 969.5 | 01 | 06 | 4 | |
| | P | 12/ 10/ 2000 | -250.3 | 0.2 | 969.7 | 01 | 06 | 4 | |
| | P | 12/ 11/ 2000 | -250.2 | 0.1 | 969.8 | 01 | 06 | 4 | |
| | P | 12/ 12/ 2000 | -250.2 | | 969.8 | 01 | 06 | 4 | |
| | P | 12/ 13/ 2000 | -250 | 0.2 | 970 | 01 | 06 | 4 | |
| | P | 12/ 14/ 2000 | -250 | | 970 | 01 | 06 | 4 | |
| | P | 12/ 15/ 2000 | -249.5 | 0.5 | 970.5 | 01 | 06 | 4 | |
| | P | 12/ 16/ 2000 | -249.4 | 0.1 | 970.6 | 01 | 06 | 4 | |
| | P | 12/ 17/ 2000 | -249.3 | 0.1 | 970.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 18/ 2000 | -249.2 | 0.1 | 970.8 | 01 | 06 | 4 | |
| | P | 12 / 19/ 2000 | -249.2 | | 970.8 | 01 | 06 | 4 | |
| | P | 12 / 20/ 2000 | -248.6 | 0.6 | 971.4 | 01 | 06 | 4 | |
| | P | 12 / 21/ 2000 | -248.82 | -0.22 | 971.18 | 01 | 03 | 2 | |
| | P | 12 / 22/ 2000 | -248.8 | 0.02 | 971.2 | 01 | 06 | 4 | |
| | P | 12 / 23/ 2000 | -248.6 | 0.2 | 971.4 | 01 | 06 | 4 | |
| | P | 12 / 24/ 2000 | -248.5 | 0.1 | 971.5 | 01 | 06 | 4 | |
| | P | 12 / 25/ 2000 | -248.3 | 0.2 | 971.7 | 01 | 06 | 4 | |
| | P | 12 / 26/ 2000 | -248.2 | 0.1 | 971.8 | 01 | 06 | 4 | |
| | P | 12 / 27/ 2000 | -248.2 | | 971.8 | 01 | 06 | 4 | |
| | P | 12 / 28/ 2000 | -248 | 0.2 | 972 | 01 | 06 | 4 | |
| | P | 12 / 29/ 2000 | -248.1 | -0.1 | 971.9 | 01 | 06 | 4 | |
| | P | 12 / 30/ 2000 | -247.9 | 0.2 | 972.1 | 01 | 06 | 4 | |
| | P | 12 / 31/ 2000 | -247.7 | 0.2 | 972.3 | 01 | 06 | 4 | |
| | P | 1 / 1 / 2001 | -247.79 | -0.09 | 972.21 | 01 | 06 | 4 | |
| | P | 1 / 2 / 2001 | -247.84 | -0.05 | 972.16 | 01 | 06 | 4 | |
| | P | 1 / 3 / 2001 | -247.54 | 0.3 | 972.46 | 01 | 06 | 4 | |
| | P | 1 / 4 / 2001 | -247.15 | 0.39 | 972.85 | 01 | 06 | 4 | |
| | P | 1 / 5 / 2001 | -246.92 | 0.23 | 973.08 | 01 | 06 | 4 | |
| | P | 1 / 6 / 2001 | -246.63 | 0.29 | 973.37 | 01 | 06 | 4 | |
| | P | 1 / 7 / 2001 | -246.58 | 0.05 | 973.42 | 01 | 06 | 4 | |
| | P | 1 / 8 / 2001 | -246.92 | -0.34 | 973.08 | 01 | 06 | 4 | |
| | P | 1 / 9 / 2001 | -246.9 | 0.02 | 973.1 | 01 | 06 | 4 | |
| | P | 1 / 10/ 2001 | -246.58 | 0.32 | 973.42 | 01 | 06 | 4 | |
| | P | 1 / 11/ 2001 | -246.47 | 0.11 | 973.53 | 01 | 06 | 4 | |
| | P | 1 / 12/ 2001 | -246.26 | 0.21 | 973.74 | 01 | 06 | 4 | |
| | P | 1 / 13/ 2001 | -245.97 | 0.29 | 974.03 | 01 | 06 | 4 | |
| | P | 1 / 14/ 2001 | -245.92 | 0.05 | 974.08 | 01 | 06 | 4 | |
| | P | 1 / 15/ 2001 | -245.64 | 0.28 | 974.36 | 01 | 06 | 4 | |
| | P | 1 / 16/ 2001 | -245.32 | 0.32 | 974.68 | 01 | 06 | 4 | |
| | P | 1 / 17/ 2001 | -245.17 | 0.15 | 974.83 | 01 | 06 | 4 | |
| | P | 1 / 18/ 2001 | -244.86 | 0.31 | 975.14 | 01 | 06 | 4 | |
| | P | 1 / 19/ 2001 | -244.97 | -0.11 | 975.03 | 01 | 06 | 4 | |
| | P | 1 / 20/ 2001 | -244.76 | 0.21 | 975.24 | 01 | 06 | 4 | |
| | P | 1 / 21/ 2001 | -244.6 | 0.16 | 975.4 | 01 | 06 | 4 | |
| | P | 1 / 22/ 2001 | -244.31 | 0.29 | 975.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 23/ 2001 | -243.93 | 0.38 | 976.07 | 01 | 06 | 4 | |
| | P | 1/ 24/ 2001 | -244.04 | -0.11 | 975.96 | 01 | 06 | 4 | |
| | P | 1/ 25/ 2001 | -243.86 | 0.18 | 976.14 | 01 | 06 | 4 | |
| | P | 1/ 26/ 2001 | -243.78 | 0.08 | 976.22 | 01 | 06 | 4 | |
| | P | 1/ 27/ 2001 | -244 | -0.22 | 976 | 01 | 06 | 4 | |
| | P | 1/ 28/ 2001 | -244.08 | -0.08 | 975.92 | 01 | 06 | 4 | |
| | P | 1/ 29/ 2001 | -244.15 | -0.07 | 975.85 | 01 | 06 | 4 | |
| | P | 1/ 30/ 2001 | -244.2 | -0.05 | 975.8 | 01 | 06 | 4 | |
| | P | 1/ 31/ 2001 | -244.36 | -0.16 | 975.64 | 01 | 06 | 4 | |
| | P | 2/ 1/ 2001 | -244.16 | 0.2 | 975.84 | 01 | 06 | 4 | |
| | P | 2/ 2/ 2001 | -243.93 | 0.23 | 976.07 | 01 | 06 | 4 | |
| | P | 2/ 3/ 2001 | -243.73 | 0.2 | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 4/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 5/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 6/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 7/ 2001 | -243.85 | -0.12 | 976.15 | 01 | 06 | 4 | |
| | P | 2/ 8/ 2001 | -244.05 | -0.2 | 975.95 | 01 | 06 | 4 | |
| | P | 2/ 9/ 2001 | -244.21 | -0.16 | 975.79 | 01 | 06 | 4 | |
| | P | 2/ 10/ 2001 | -244.09 | 0.12 | 975.91 | 01 | 06 | 4 | |
| | P | 2/ 11/ 2001 | -243.73 | 0.36 | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 12/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 13/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 14/ 2001 | -243.9 | -0.17 | 976.1 | 01 | 06 | 4 | |
| | P | 2/ 15/ 2001 | -244.11 | -0.21 | 975.89 | 01 | 06 | 4 | |
| | P | 2/ 16/ 2001 | -244.27 | -0.16 | 975.73 | 01 | 06 | 4 | |
| | P | 2/ 17/ 2001 | -244.11 | 0.16 | 975.89 | 01 | 06 | 4 | |
| | P | 2/ 18/ 2001 | -243.73 | 0.38 | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 19/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 20/ 2001 | -243.73 | | 976.27 | 01 | 06 | 4 | |
| | P | 2/ 21/ 2001 | -243.87 | -0.14 | 976.13 | 01 | 06 | 4 | |
| | P | 2/ 22/ 2001 | -243.95 | -0.08 | 976.05 | 01 | 06 | 4 | |
| | P | 2/ 23/ 2001 | -243.81 | 0.14 | 976.19 | 01 | 06 | 4 | |
| | P | 3/ 14/ 2001 | -234.9 | 8.91 | 985.1 | 01 | 06 | 4 | |
| | P | 3/ 21/ 2001 | -228.8 | 6.1 | 991.2 | 01 | 06 | 4 | |
| | P | 4/ 11/ 2001 | -227 | 1.8 | 993 | 01 | 06 | 4 | |
| | P | 4/ 17/ 2001 | -228.76 | -1.76 | 991.24 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/18/2001 | -228.8 | -0.04 | 991.2 | 01 | 06 | 4 | |
| | P | 4/19/2001 | -228.7 | 0.1 | 991.3 | 01 | 06 | 4 | |
| | P | 4/20/2001 | -228.8 | -0.1 | 991.2 | 01 | 06 | 4 | |
| | P | 4/21/2001 | -228.9 | -0.1 | 991.1 | 01 | 06 | 4 | |
| | P | 4/22/2001 | -229 | -0.1 | 991 | 01 | 06 | 4 | |
| | P | 4/23/2001 | -229.1 | -0.1 | 990.9 | 01 | 06 | 4 | |
| | P | 4/24/2001 | -229 | 0.1 | 991 | 01 | 06 | 4 | |
| | P | 4/25/2001 | -228.6 | 0.4 | 991.4 | 01 | 06 | 4 | |
| | P | 4/26/2001 | -228.2 | 0.4 | 991.8 | 01 | 06 | 4 | |
| | P | 4/27/2001 | -227.8 | 0.4 | 992.2 | 01 | 06 | 4 | |
| | P | 4/28/2001 | -227.7 | 0.1 | 992.3 | 01 | 06 | 4 | |
| | P | 4/29/2001 | -227.6 | 0.1 | 992.4 | 01 | 06 | 4 | |
| | P | 4/30/2001 | -227.4 | 0.2 | 992.6 | 01 | 06 | 4 | |
| | P | 5/ 1/2001 | -227.2 | 0.2 | 992.8 | 01 | 06 | 4 | |
| | P | 5/ 2/2001 | -227.1 | 0.1 | 992.9 | 01 | 06 | 4 | |
| | P | 5/ 3/2001 | -227.2 | -0.1 | 992.8 | 01 | 06 | 4 | |
| | P | 5/ 4/2001 | -227.1 | 0.1 | 992.9 | 01 | 06 | 4 | |
| | P | 5/ 5/2001 | -227.1 | | 992.9 | 01 | 06 | 4 | |
| | P | 5/ 6/2001 | -226.9 | 0.2 | 993.1 | 01 | 06 | 4 | |
| | P | 5/ 7/2001 | -227 | -0.1 | 993 | 01 | 06 | 4 | |
| | P | 5/ 8/2001 | -226.8 | 0.2 | 993.2 | 01 | 06 | 4 | |
| | P | 5/ 9/2001 | -226.5 | 0.3 | 993.5 | 01 | 06 | 4 | |
| | P | 5/10/2001 | -226.2 | 0.3 | 993.8 | 01 | 06 | 4 | |
| | P | 5/11/2001 | -226.1 | 0.1 | 993.9 | 01 | 06 | 4 | |
| | P | 5/12/2001 | -226.2 | -0.1 | 993.8 | 01 | 06 | 4 | |
| | P | 5/13/2001 | -226.1 | 0.1 | 993.9 | 01 | 06 | 4 | |
| | P | 5/14/2001 | -226.1 | | 993.9 | 01 | 06 | 4 | |
| | P | 5/15/2001 | -225.81 | 0.29 | 994.19 | 01 | 06 | 4 | |
| | P | 5/16/2001 | -225.58 | 0.23 | 994.42 | 01 | 06 | 4 | |
| | P | 5/17/2001 | -225.66 | -0.08 | 994.34 | 01 | 06 | 4 | |
| | P | 5/18/2001 | -225.73 | -0.07 | 994.27 | 01 | 06 | 4 | |
| | P | 5/19/2001 | -225.78 | -0.05 | 994.22 | 01 | 06 | 4 | |
| | P | 5/20/2001 | -225.6 | 0.18 | 994.4 | 01 | 06 | 4 | |
| | P | 5/21/2001 | -225.73 | -0.13 | 994.27 | 01 | 06 | 4 | |
| | P | 5/22/2001 | -225.96 | -0.23 | 994.04 | 01 | 06 | 4 | |
| | P | 5/23/2001 | -225.67 | 0.29 | 994.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/24/2001 | -225.51 | 0.16 | 994.49 | 01 | 06 | 4 | |
| | P | 5/25/2001 | -225.52 | -0.01 | 994.48 | 01 | 06 | 4 | |
| | P | 5/26/2001 | -225.4 | 0.12 | 994.6 | 01 | 06 | 4 | |
| | P | 5/27/2001 | -225.19 | 0.21 | 994.81 | 01 | 06 | 4 | |
| | P | 5/28/2001 | -225.19 | | 994.81 | 01 | 06 | 4 | |
| | P | 5/29/2001 | -225.28 | -0.09 | 994.72 | 01 | 06 | 4 | |
| | P | 5/30/2001 | -225.29 | -0.01 | 994.71 | 01 | 06 | 4 | |
| | P | 5/31/2001 | -225.3 | -0.01 | 994.7 | 01 | 06 | 4 | |
| | P | 6/ 1/2001 | -225.28 | 0.02 | 994.72 | 01 | 06 | 4 | |
| | P | 6/ 2/2001 | -225.21 | 0.07 | 994.79 | 01 | 06 | 4 | |
| | P | 6/ 3/2001 | -225.19 | 0.02 | 994.81 | 01 | 06 | 4 | |
| | P | 6/ 4/2001 | -225.31 | -0.12 | 994.69 | 01 | 06 | 4 | |
| | P | 6/ 5/2001 | -225.45 | -0.14 | 994.55 | 01 | 06 | 4 | |
| | P | 6/ 6/2001 | -225.55 | -0.1 | 994.45 | 01 | 06 | 4 | |
| | P | 6/ 7/2001 | -225.69 | -0.14 | 994.31 | 01 | 06 | 4 | |
| | P | 6/ 8/2001 | -225.83 | -0.14 | 994.17 | 01 | 06 | 4 | |
| | P | 6/ 9/2001 | -225.93 | -0.1 | 994.07 | 01 | 06 | 4 | |
| | P | 6/10/2001 | -226.08 | -0.15 | 993.92 | 01 | 06 | 4 | |
| | P | 6/11/2001 | -226.18 | -0.1 | 993.82 | 01 | 06 | 4 | |
| | P | 6/12/2001 | -226.2 | -0.02 | 993.8 | 01 | 06 | 4 | |
| | P | 6/13/2001 | -226.33 | -0.13 | 993.67 | 01 | 06 | 4 | |
| | P | 6/14/2001 | -226.51 | -0.18 | 993.49 | 01 | 06 | 4 | |
| | P | 6/15/2001 | -226.82 | -0.31 | 993.18 | 01 | 06 | 4 | |
| | P | 6/15/2001 | -227.06 | -0.24 | 992.94 | 02 | 06 | 1 | |
| | P | 6/18/2001 | -227.55 | -0.49 | 992.45 | 01 | 06 | 4 | |
| | P | 6/18/2001 | -227.64 | -0.09 | 992.36 | 02 | 06 | 1 | |
| | P | 6/19/2001 | -227.69 | -0.05 | 992.31 | 01 | 06 | 4 | |
| | P | 6/20/2001 | -227.95 | -0.26 | 992.05 | 01 | 06 | 4 | |
| | P | 6/21/2001 | -228.16 | -0.21 | 991.84 | 01 | 06 | 4 | |
| | P | 6/22/2001 | -228.3 | -0.14 | 991.7 | 01 | 06 | 4 | |
| | P | 6/23/2001 | -228.53 | -0.23 | 991.47 | 01 | 06 | 4 | |
| | P | 6/24/2001 | -228.73 | -0.2 | 991.27 | 01 | 06 | 4 | |
| | P | 6/25/2001 | -228.98 | -0.25 | 991.02 | 01 | 06 | 4 | |
| | P | 6/26/2001 | -229.13 | -0.15 | 990.87 | 01 | 06 | 4 | |
| | P | 6/27/2001 | -229.37 | -0.24 | 990.63 | 01 | 06 | 4 | |
| | P | 6/28/2001 | -229.54 | -0.17 | 990.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/29/2001 | -229.64 | -0.1 | 990.36 | 01 | 06 | 4 | |
| | P | 6/30/2001 | -229.77 | -0.13 | 990.23 | 01 | 06 | 4 | |
| | P | 7/ 1/2001 | -229.99 | -0.22 | 990.01 | 01 | 06 | 4 | |
| | P | 7/ 2/2001 | -230.26 | -0.27 | 989.74 | 01 | 06 | 4 | |
| | P | 7/ 3/2001 | -230.58 | -0.32 | 989.42 | 01 | 06 | 4 | |
| | P | 7/ 4/2001 | -230.83 | -0.25 | 989.17 | 01 | 06 | 4 | |
| | P | 7/ 5/2001 | -231.05 | -0.22 | 988.95 | 01 | 06 | 4 | |
| | P | 7/ 6/2001 | -231.24 | -0.19 | 988.76 | 01 | 06 | 4 | |
| | P | 7/ 7/2001 | -231.39 | -0.15 | 988.61 | 01 | 06 | 4 | |
| | P | 7/ 8/2001 | -231.55 | -0.16 | 988.45 | 01 | 06 | 4 | |
| | P | 7/ 9/2001 | -231.79 | -0.24 | 988.21 | 01 | 06 | 4 | |
| | P | 7/10/2001 | -232.01 | -0.22 | 987.99 | 01 | 06 | 4 | |
| | P | 7/11/2001 | -232.24 | -0.23 | 987.76 | 01 | 06 | 4 | |
| | P | 7/12/2001 | -232.47 | -0.23 | 987.53 | 01 | 06 | 4 | |
| | P | 7/13/2001 | -232.74 | -0.27 | 987.26 | 01 | 06 | 4 | |
| | P | 7/14/2001 | -233.07 | -0.33 | 986.93 | 01 | 06 | 4 | |
| | P | 7/15/2001 | -233.31 | -0.24 | 986.69 | 01 | 06 | 4 | |
| | P | 7/16/2001 | -233.46 | -0.15 | 986.54 | 01 | 06 | 4 | |
| | P | 7/17/2001 | -233.76 | -0.3 | 986.24 | 01 | 06 | 4 | |
| | P | 7/18/2001 | -234.06 | -0.3 | 985.94 | 01 | 06 | 4 | |
| | P | 7/19/2001 | -234.38 | -0.32 | 985.62 | 01 | 06 | 4 | |
| | P | 7/20/2001 | -234.62 | -0.24 | 985.38 | 01 | 06 | 4 | |
| | P | 7/21/2001 | -234.87 | -0.25 | 985.13 | 01 | 06 | 4 | |
| | P | 7/22/2001 | -235.07 | -0.2 | 984.93 | 01 | 06 | 4 | |
| | P | 7/23/2001 | -235.22 | -0.15 | 984.78 | 01 | 06 | 4 | |
| | P | 7/24/2001 | -235.42 | -0.2 | 984.58 | 01 | 06 | 4 | |
| | P | 7/25/2001 | -235.63 | -0.21 | 984.37 | 01 | 06 | 4 | |
| | P | 7/26/2001 | -235.87 | -0.24 | 984.13 | 01 | 06 | 4 | |
| | P | 7/27/2001 | -236.1 | -0.23 | 983.9 | 01 | 06 | 4 | |
| | P | 7/28/2001 | -236.38 | -0.28 | 983.62 | 01 | 06 | 4 | |
| | P | 7/29/2001 | -236.68 | -0.3 | 983.32 | 01 | 06 | 4 | |
| | P | 7/30/2001 | -236.9 | -0.22 | 983.1 | 01 | 06 | 4 | |
| | P | 7/31/2001 | -237.04 | -0.14 | 982.96 | 01 | 06 | 4 | |
| | P | 8/ 1/2001 | -237.54 | -0.5 | 982.46 | 01 | 06 | 4 | |
| | P | 8/ 2/2001 | -237.75 | -0.21 | 982.25 | 01 | 06 | 4 | |
| | P | 8/ 3/2001 | -237.9 | -0.15 | 982.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 4/2001 | -238.01 | -0.11 | 981.99 | 01 | 06 | 4 | |
| | P | 8/ 5/2001 | -238.14 | -0.13 | 981.86 | 01 | 06 | 4 | |
| | P | 8/ 6/2001 | -238.34 | -0.2 | 981.66 | 01 | 06 | 4 | |
| | P | 8/ 7/2001 | -238.56 | -0.22 | 981.44 | 01 | 06 | 4 | |
| | P | 8/ 8/2001 | -238.75 | -0.19 | 981.25 | 01 | 06 | 4 | |
| | P | 8/ 9/2001 | -238.88 | -0.13 | 981.12 | 01 | 06 | 4 | |
| | P | 8/10/2001 | -239.07 | -0.19 | 980.93 | 01 | 06 | 4 | |
| | P | 8/11/2001 | -239.21 | -0.14 | 980.79 | 01 | 06 | 4 | |
| | P | 8/12/2001 | -239.4 | -0.19 | 980.6 | 01 | 06 | 4 | |
| | P | 8/13/2001 | -239.59 | -0.19 | 980.41 | 01 | 06 | 4 | |
| | P | 8/14/2001 | -239.67 | -0.08 | 980.33 | 01 | 06 | 4 | |
| | P | 8/14/2001 | -240 | -0.33 | 980 | 02 | 06 | 1 | |
| | P | 8/15/2001 | -239.94 | 0.06 | 980.06 | 01 | 06 | 4 | |
| | P | 8/16/2001 | -240.07 | -0.13 | 979.93 | 01 | 06 | 4 | |
| | P | 8/17/2001 | -240.39 | -0.32 | 979.61 | 01 | 06 | 4 | |
| | P | 8/18/2001 | -240.48 | -0.09 | 979.52 | 01 | 06 | 4 | |
| | P | 8/19/2001 | -240.57 | -0.09 | 979.43 | 01 | 06 | 4 | |
| | P | 8/20/2001 | -240.75 | -0.18 | 979.25 | 01 | 06 | 4 | |
| | P | 8/21/2001 | -240.89 | -0.14 | 979.11 | 01 | 06 | 4 | |
| | P | 8/22/2001 | -241.04 | -0.15 | 978.96 | 01 | 06 | 4 | |
| | P | 8/23/2001 | -241.15 | -0.11 | 978.85 | 01 | 06 | 4 | |
| | P | 8/24/2001 | -241.23 | -0.08 | 978.77 | 01 | 06 | 4 | |
| | P | 8/25/2001 | -241.32 | -0.09 | 978.68 | 01 | 06 | 4 | |
| | P | 8/26/2001 | -241.45 | -0.13 | 978.55 | 01 | 06 | 4 | |
| | P | 8/27/2001 | -241.57 | -0.12 | 978.43 | 01 | 06 | 4 | |
| | P | 8/28/2001 | -241.55 | 0.02 | 978.45 | 01 | 06 | 4 | |
| | P | 8/29/2001 | -241.27 | 0.28 | 978.73 | 01 | 06 | 4 | |
| | P | 8/30/2001 | -240.85 | 0.42 | 979.15 | 01 | 06 | 4 | |
| | P | 8/31/2001 | -239.86 | 0.99 | 980.14 | 01 | 06 | 4 | |
| | P | 9/ 1/2001 | -237.99 | 1.87 | 982.01 | 01 | 06 | 4 | |
| | P | 9/ 2/2001 | -236.01 | 1.98 | 983.99 | 01 | 06 | 4 | |
| | P | 9/ 3/2001 | -233.89 | 2.12 | 986.11 | 01 | 06 | 4 | |
| | P | 9/ 4/2001 | -231.96 | 1.93 | 988.04 | 01 | 06 | 4 | |
| | P | 9/ 5/2001 | -230.22 | 1.74 | 989.78 | 01 | 06 | 4 | |
| | P | 9/ 5/2001 | -230.9 | -0.68 | 989.1 | 02 | 06 | 1 | |
| | P | 9/ 6/2001 | -228.15 | 2.75 | 991.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 7/2001 | -225.83 | 2.32 | 994.17 | 01 | 06 | 4 | |
| | P | 9/ 8/2001 | -223.88 | 1.95 | 996.12 | 01 | 06 | 4 | |
| | P | 9/ 9/2001 | -222.36 | 1.52 | 997.64 | 01 | 06 | 4 | |
| | P | 9/10/2001 | -220.78 | 1.58 | 999.22 | 01 | 06 | 4 | |
| | P | 9/11/2001 | -219.32 | 1.46 | 1000.68 | 01 | 06 | 4 | |
| | P | 9/12/2001 | -218.16 | 1.16 | 1001.84 | 01 | 06 | 4 | |
| | P | 9/13/2001 | -217.27 | 0.89 | 1002.73 | 01 | 06 | 4 | |
| | P | 9/14/2001 | -216.53 | 0.74 | 1003.47 | 01 | 06 | 4 | |
| | P | 9/15/2001 | -216 | 0.53 | 1004 | 01 | 06 | 4 | |
| | P | 9/16/2001 | -215.64 | 0.36 | 1004.36 | 01 | 06 | 4 | |
| | P | 9/17/2001 | -215.38 | 0.26 | 1004.62 | 01 | 06 | 4 | |
| | P | 9/18/2001 | -215.23 | 0.15 | 1004.77 | 01 | 06 | 4 | |
| | P | 9/19/2001 | -215.33 | -0.1 | 1004.67 | 01 | 06 | 4 | |
| | P | 9/20/2001 | -215.59 | -0.26 | 1004.41 | 01 | 06 | 4 | |
| | P | 9/21/2001 | -215.98 | -0.39 | 1004.02 | 01 | 06 | 4 | |
| | P | 9/22/2001 | -216.4 | -0.42 | 1003.6 | 01 | 06 | 4 | |
| | P | 9/23/2001 | -216.89 | -0.49 | 1003.11 | 01 | 06 | 4 | |
| | P | 9/24/2001 | -217.4 | -0.51 | 1002.6 | 01 | 06 | 4 | |
| | P | 9/25/2001 | -218.11 | -0.71 | 1001.89 | 01 | 06 | 4 | |
| | P | 9/26/2001 | -218.69 | -0.58 | 1001.31 | 01 | 06 | 4 | |
| | P | 9/27/2001 | -219.24 | -0.55 | 1000.76 | 01 | 06 | 4 | |
| | P | 9/28/2001 | -219.81 | -0.57 | 1000.19 | 01 | 06 | 4 | |
| | P | 9/29/2001 | -220.43 | -0.62 | 999.57 | 01 | 06 | 4 | |
| | P | 9/30/2001 | -221.11 | -0.68 | 998.89 | 01 | 06 | 4 | |
| | P | 10/ 1/2001 | -221.74 | -0.63 | 998.26 | 01 | 06 | 4 | |
| | P | 10/ 2/2001 | -222.21 | -0.47 | 997.79 | 01 | 06 | 4 | |
| | P | 10/ 3/2001 | -222.63 | -0.42 | 997.37 | 01 | 06 | 4 | |
| | P | 10/ 4/2001 | -223.03 | -0.4 | 996.97 | 01 | 06 | 4 | |
| | P | 10/ 5/2001 | -223.4 | -0.37 | 996.6 | 01 | 06 | 4 | |
| | P | 10/ 6/2001 | -223.98 | -0.58 | 996.02 | 01 | 06 | 4 | |
| | P | 10/ 7/2001 | -224.52 | -0.54 | 995.48 | 01 | 06 | 4 | |
| | P | 10/ 8/2001 | -224.89 | -0.37 | 995.11 | 01 | 06 | 4 | |
| | P | 10/ 9/2001 | -225.23 | -0.34 | 994.77 | 01 | 06 | 4 | |
| | P | 10/10/2001 | -225.53 | -0.3 | 994.47 | 01 | 06 | 4 | |
| | P | 10/10/2001 | -225.47 | 0.06 | 994.53 | 02 | 06 | 1 | |
| | P | 10/11/2001 | -225.56 | -0.09 | 994.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 12/ 2001 | -225.69 | -0.13 | 994.31 | 01 | 06 | 4 | |
| | P | 10 / 13/ 2001 | -225.78 | -0.09 | 994.22 | 01 | 06 | 4 | |
| | P | 10 / 14/ 2001 | -226.16 | -0.38 | 993.84 | 01 | 06 | 4 | |
| | P | 10 / 15/ 2001 | -226.18 | -0.02 | 993.82 | 01 | 06 | 4 | |
| | P | 10 / 16/ 2001 | -226.43 | -0.25 | 993.57 | 01 | 06 | 4 | |
| | P | 10 / 17/ 2001 | -226.24 | 0.19 | 993.76 | 01 | 06 | 4 | |
| | P | 10 / 18/ 2001 | -226.02 | 0.22 | 993.98 | 01 | 06 | 4 | |
| | P | 10 / 19/ 2001 | -226 | 0.02 | 994 | 01 | 06 | 4 | |
| | P | 10 / 20/ 2001 | -226.08 | -0.08 | 993.92 | 01 | 06 | 4 | |
| | P | 10 / 21/ 2001 | -226.16 | -0.08 | 993.84 | 01 | 06 | 4 | |
| | P | 10 / 22/ 2001 | -226.09 | 0.07 | 993.91 | 01 | 06 | 4 | |
| | P | 10 / 23/ 2001 | -226.04 | 0.05 | 993.96 | 01 | 06 | 4 | |
| | P | 10 / 24/ 2001 | -226.12 | -0.08 | 993.88 | 01 | 06 | 4 | |
| | P | 10 / 25/ 2001 | -226.58 | -0.46 | 993.42 | 01 | 06 | 4 | |
| | P | 10 / 26/ 2001 | -227.02 | -0.44 | 992.98 | 01 | 06 | 4 | |
| | P | 10 / 27/ 2001 | -227.27 | -0.25 | 992.73 | 01 | 06 | 4 | |
| | P | 10 / 28/ 2001 | -227.4 | -0.13 | 992.6 | 01 | 06 | 4 | |
| | P | 10 / 29/ 2001 | -227.58 | -0.18 | 992.42 | 01 | 06 | 4 | |
| | P | 10 / 30/ 2001 | -227.73 | -0.15 | 992.27 | 01 | 06 | 4 | |
| | P | 10 / 31/ 2001 | -227.66 | 0.07 | 992.34 | 01 | 06 | 4 | |
| | P | 11 / 1 / 2001 | -227.76 | -0.1 | 992.24 | 01 | 06 | 4 | |
| | P | 11 / 2 / 2001 | -227.95 | -0.19 | 992.05 | 01 | 06 | 4 | |
| | P | 11 / 3 / 2001 | -228.31 | -0.36 | 991.69 | 01 | 06 | 4 | |
| | P | 11 / 4 / 2001 | -228.63 | -0.32 | 991.37 | 01 | 06 | 4 | |
| | P | 11 / 5 / 2001 | -228.85 | -0.22 | 991.15 | 01 | 06 | 4 | |
| | P | 11 / 6 / 2001 | -229.03 | -0.18 | 990.97 | 01 | 06 | 4 | |
| | P | 11 / 7 / 2001 | -229.28 | -0.25 | 990.72 | 01 | 06 | 4 | |
| | P | 11 / 8 / 2001 | -229.47 | -0.19 | 990.53 | 01 | 06 | 4 | |
| | P | 11 / 9 / 2001 | -229.83 | -0.36 | 990.17 | 01 | 06 | 4 | |
| | P | 11 / 9 / 2001 | -230.1 | -0.27 | 989.9 | 02 | 06 | 1 | |
| | P | 11 / 10/ 2001 | -230.12 | -0.02 | 989.88 | 01 | 06 | 4 | |
| | P | 11 / 11/ 2001 | -230.24 | -0.12 | 989.76 | 01 | 06 | 4 | |
| | P | 11 / 12/ 2001 | -230.47 | -0.23 | 989.53 | 01 | 06 | 4 | |
| | P | 11 / 13/ 2001 | -230.68 | -0.21 | 989.32 | 01 | 06 | 4 | |
| | P | 11 / 14/ 2001 | -230.74 | -0.06 | 989.26 | 01 | 06 | 4 | |
| | P | 11 / 15/ 2001 | -230.88 | -0.14 | 989.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 16/ 2001 | -229.69 | 1.19 | 990.31 | 01 | 06 | 4 | |
| | P | 11/ 17/ 2001 | -228.08 | 1.61 | 991.92 | 01 | 06 | 4 | |
| | P | 11/ 18/ 2001 | -226.56 | 1.52 | 993.44 | 01 | 06 | 4 | |
| | P | 11/ 19/ 2001 | -225.42 | 1.14 | 994.58 | 01 | 06 | 4 | |
| | P | 11/ 20/ 2001 | -224.06 | 1.36 | 995.94 | 01 | 06 | 4 | |
| | P | 11/ 21/ 2001 | -222.76 | 1.3 | 997.24 | 01 | 06 | 4 | |
| | P | 11/ 22/ 2001 | -221.46 | 1.3 | 998.54 | 01 | 06 | 4 | |
| | P | 11/ 23/ 2001 | -220.51 | 0.95 | 999.49 | 01 | 06 | 4 | |
| | P | 11/ 24/ 2001 | -220.14 | 0.37 | 999.86 | 01 | 06 | 4 | |
| | P | 11/ 25/ 2001 | -219.38 | 0.76 | 1000.62 | 01 | 06 | 4 | |
| | P | 11/ 26/ 2001 | -218.77 | 0.61 | 1001.23 | 01 | 06 | 4 | |
| | P | 11/ 27/ 2001 | -218.42 | 0.35 | 1001.58 | 01 | 06 | 4 | |
| | P | 11/ 28/ 2001 | -218.16 | 0.26 | 1001.84 | 01 | 06 | 4 | |
| | P | 11/ 29/ 2001 | -217.87 | 0.29 | 1002.13 | 01 | 06 | 4 | |
| | P | 11/ 30/ 2001 | -217.77 | 0.1 | 1002.23 | 01 | 06 | 4 | |
| | P | 12/ 1/ 2001 | -217.83 | -0.06 | 1002.17 | 01 | 06 | 4 | |
| | P | 12/ 2/ 2001 | -217.82 | 0.01 | 1002.18 | 01 | 06 | 4 | |
| | P | 12/ 3/ 2001 | -217.47 | 0.35 | 1002.53 | 01 | 06 | 4 | |
| | P | 12/ 4/ 2001 | -216.97 | 0.5 | 1003.03 | 01 | 06 | 4 | |
| | P | 12/ 5/ 2001 | -216.67 | 0.3 | 1003.33 | 01 | 06 | 4 | |
| | P | 12/ 6/ 2001 | -216.15 | 0.52 | 1003.85 | 01 | 06 | 4 | |
| | P | 12/ 7/ 2001 | -215.66 | 0.49 | 1004.34 | 01 | 06 | 4 | |
| | P | 12/ 8/ 2001 | -215.52 | 0.14 | 1004.48 | 01 | 06 | 4 | |
| | P | 12/ 9/ 2001 | -214.28 | 1.24 | 1005.72 | 01 | 06 | 4 | |
| | P | 12/ 10/ 2001 | -213.09 | 1.19 | 1006.91 | 01 | 06 | 4 | |
| | P | 1/ 15/ 2002 | -211.44 | 1.65 | 1008.56 | 01 | 06 | 4 | |
| | P | 1/ 18/ 2002 | -212.75 | -1.31 | 1007.25 | 01 | 06 | 4 | |
| | P | 1/ 19/ 2002 | -212.84 | -0.09 | 1007.16 | 01 | 06 | 4 | |
| | P | 1/ 20/ 2002 | -213.43 | -0.59 | 1006.57 | 01 | 06 | 4 | |
| | P | 1/ 21/ 2002 | -213.73 | -0.3 | 1006.27 | 01 | 06 | 4 | |
| | P | 1/ 22/ 2002 | -214.12 | -0.39 | 1005.88 | 01 | 06 | 4 | |
| | P | 1/ 23/ 2002 | -214.3 | -0.18 | 1005.7 | 01 | 06 | 4 | |
| | P | 1/ 24/ 2002 | -214.5 | -0.2 | 1005.5 | 01 | 06 | 4 | |
| | P | 1/ 25/ 2002 | -215.36 | -0.86 | 1004.64 | 01 | 06 | 4 | |
| | P | 1/ 26/ 2002 | -215.62 | -0.26 | 1004.38 | 01 | 06 | 4 | |
| | P | 1/ 27/ 2002 | -215.78 | -0.16 | 1004.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 28/ 2002 | -215.96 | -0.18 | 1004.04 | 01 | 06 | 4 | |
| | P | 1/ 29/ 2002 | -216.1 | -0.14 | 1003.9 | 01 | 06 | 4 | |
| | P | 1/ 30/ 2002 | -216.27 | -0.17 | 1003.73 | 01 | 06 | 4 | |
| | P | 1/ 31/ 2002 | -216.45 | -0.18 | 1003.55 | 01 | 06 | 4 | |
| | P | 2/ 1/ 2002 | -217.26 | -0.81 | 1002.74 | 01 | 06 | 4 | |
| | P | 2/ 2/ 2002 | -217.63 | -0.37 | 1002.37 | 01 | 06 | 4 | |
| | P | 2/ 3/ 2002 | -217.75 | -0.12 | 1002.25 | 01 | 06 | 4 | |
| | P | 2/ 4/ 2002 | -218.13 | -0.38 | 1001.87 | 01 | 06 | 4 | |
| | P | 2/ 5/ 2002 | -218.37 | -0.24 | 1001.63 | 01 | 06 | 4 | |
| | P | 2/ 6/ 2002 | -218.56 | -0.19 | 1001.44 | 01 | 06 | 4 | |
| | P | 2/ 7/ 2002 | -218.9 | -0.34 | 1001.1 | 01 | 06 | 4 | |
| | P | 2/ 8/ 2002 | -219.18 | -0.28 | 1000.82 | 01 | 06 | 4 | |
| | P | 2/ 9/ 2002 | -219.2 | -0.02 | 1000.8 | 01 | 06 | 4 | |
| | P | 2/ 10/ 2002 | -219.69 | -0.49 | 1000.31 | 01 | 06 | 4 | |
| | P | 2/ 11/ 2002 | -220.15 | -0.46 | 999.85 | 01 | 06 | 4 | |
| | P | 2/ 12/ 2002 | -220.14 | 0.01 | 999.86 | 01 | 06 | 4 | |
| | P | 2/ 13/ 2002 | -220.34 | -0.2 | 999.66 | 01 | 06 | 4 | |
| | P | 2/ 14/ 2002 | -220.69 | -0.35 | 999.31 | 01 | 06 | 4 | |
| | P | 2/ 15/ 2002 | -220.75 | -0.06 | 999.25 | 01 | 06 | 4 | |
| | P | 2/ 16/ 2002 | -221.24 | -0.49 | 998.76 | 01 | 06 | 4 | |
| | P | 2/ 17/ 2002 | -221.38 | -0.14 | 998.62 | 01 | 06 | 4 | |
| | P | 2/ 18/ 2002 | -221.34 | 0.04 | 998.66 | 01 | 06 | 4 | |
| | P | 2/ 19/ 2002 | -221.4 | -0.06 | 998.6 | 01 | 06 | 4 | |
| | P | 2/ 20/ 2002 | -221.85 | -0.45 | 998.15 | 01 | 06 | 4 | |
| | P | 2/ 21/ 2002 | -222.08 | -0.23 | 997.92 | 01 | 06 | 4 | |
| | P | 2/ 22/ 2002 | -222.68 | -0.6 | 997.32 | 01 | 06 | 4 | |
| | P | 2/ 23/ 2002 | -222.77 | -0.09 | 997.23 | 01 | 06 | 4 | |
| | P | 2/ 24/ 2002 | -222.88 | -0.11 | 997.12 | 01 | 06 | 4 | |
| | P | 2/ 25/ 2002 | -223.07 | -0.19 | 996.93 | 01 | 06 | 4 | |
| | P | 2/ 26/ 2002 | -223.6 | -0.53 | 996.4 | 01 | 06 | 4 | |
| | P | 2/ 27/ 2002 | -223.96 | -0.36 | 996.04 | 01 | 06 | 4 | |
| | P | 2/ 28/ 2002 | -224.07 | -0.11 | 995.93 | 01 | 06 | 4 | |
| | P | 3/ 1/ 2002 | -223.96 | 0.11 | 996.04 | 01 | 06 | 4 | |
| | P | 3/ 2/ 2002 | -224.04 | -0.08 | 995.96 | 01 | 06 | 4 | |
| | P | 3/ 3/ 2002 | -224.95 | -0.91 | 995.05 | 01 | 06 | 4 | |
| | P | 3/ 4/ 2002 | -225.46 | -0.51 | 994.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 5 / 2002 | -225.55 | -0.09 | 994.45 | 01 | 06 | 4 | |
| | P | 3 / 6 / 2002 | -225.58 | -0.03 | 994.42 | 01 | 06 | 4 | |
| | P | 3 / 7 / 2002 | -225.72 | -0.14 | 994.28 | 01 | 06 | 4 | |
| | P | 3 / 8 / 2002 | -225.83 | -0.11 | 994.17 | 01 | 06 | 4 | |
| | P | 3 / 9 / 2002 | -226.11 | -0.28 | 993.89 | 01 | 06 | 4 | |
| | P | 3 / 10/ 2002 | -226.87 | -0.76 | 993.13 | 01 | 06 | 4 | |
| | P | 3 / 11/ 2002 | -226.59 | 0.28 | 993.41 | 01 | 06 | 4 | |
| | P | 3 / 12/ 2002 | -226.81 | -0.22 | 993.19 | 01 | 06 | 4 | |
| | P | 3 / 13/ 2002 | -227.05 | -0.24 | 992.95 | 01 | 06 | 4 | |
| | P | 3 / 14/ 2002 | -227.1 | -0.05 | 992.9 | 01 | 06 | 4 | |
| | P | 3 / 15/ 2002 | -227.31 | -0.21 | 992.69 | 01 | 06 | 4 | |
| | P | 3 / 16/ 2002 | -227.77 | -0.46 | 992.23 | 01 | 06 | 4 | |
| | P | 3 / 17/ 2002 | -228.04 | -0.27 | 991.96 | 01 | 06 | 4 | |
| | P | 3 / 18/ 2002 | -228.31 | -0.27 | 991.69 | 01 | 06 | 4 | |
| | P | 3 / 18/ 2002 | -228.78 | -0.47 | 991.22 | 02 | 06 | 1 | |
| | P | 4 / 10/ 2002 | -233.53 | -4.75 | 986.47 | 01 | 06 | 1 | |
| | P | 5 / 10/ 2002 | -239.63 | -6.1 | 980.37 | 01 | 06 | 1 | |
| | P | 6 / 13/ 2002 | -241.24 | -1.61 | 978.76 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -216.85 | 24.39 | 1003.15 | 01 | 06 | 1 | |
| | P | 7 / 22/ 2002 | -191.32 | 25.53 | 1028.68 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2002 | -201.33 | -10.0 | 1018.67 | 01 | 06 | 1 | |
| | P | 9 / 9 / 2002 | -217.56 | -16.2 | 1002.44 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2002 | -221.79 | -4.23 | 998.21 | 01 | 06 | 1 | |
| | P | 11 / 8 / 2002 | -188.34 | 33.45 | 1031.66 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -197.68 | -9.34 | 1022.32 | 01 | 06 | 1 | |
| | P | 1 / 14/ 2003 | -192.45 | 5.23 | 1027.55 | 01 | 06 | 1 | |
| | P | 3 / 12/ 2003 | -189.56 | 2.89 | 1030.44 | 01 | 06 | 1 | |
| | P | 4 / 13/ 2003 | -201.6 | -12.0 | 1018.4 | 01 | 06 | 1 | |
| | P | 5 / 13/ 2003 | -214.53 | -12.9 | 1005.47 | 01 | 06 | 1 | |

**Min** *-268.59* **Max** *-132.45* **Avg** *-244.187*

***6820603*** *( Aquifer: 218CCRK Well Depth: )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 3 / 19/ 1996 | -297.65 | | 922.35 | 01 | 06 | 1 |
| | P | 7 / 25/ 2000 | -317.73 | -20.1 | 902.27 | 01 | 06 | 4 |
| | P | 7 / 31/ 2000 | -315.63 | 2.1 | 904.37 | 01 | 06 | 4 |
| | P | 6 / 15/ 2001 | -224.6 | 91.03 | 995.4 | 01 | 06 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 6 / 2001 | -235.39 | -10.8 | 984.61 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2001 | -248.61 | -13.2 | 971.39 | 01 | 06 | 1 | |
| | P | 9 / 5 / 2001 | -187.31 | 61.3 | 1032.69 | 01 | 06 | 1 | |
| | P | 10 / 10/ 2001 | -226.9 | -39.6 | 993.1 | 01 | 06 | 1 | |
| | P | 11 / 9 / 2001 | -232.6 | -5.7 | 987.4 | 01 | 06 | 1 | |
| | P | 11 / 16/ 2001 | -206.1 | 26.5 | 1013.9 | 01 | 06 | 1 | |
| | P | 2 / 19/ 2002 | -223.29 | -17.2 | 996.71 | 01 | 06 | 1 | |
| | P | 3 / 18/ 2002 | -237.51 | -14.2 | 982.49 | 01 | 06 | 1 | |
| | P | 4 / 10/ 2002 | -235.44 | 2.07 | 984.56 | 01 | 06 | 1 | |
| | P | 5 / 10/ 2002 | -246.6 | -11.2 | 973.4 | 01 | 06 | 1 | |
| | P | 6 / 13/ 2002 | -249.15 | -2.55 | 970.85 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -157.39 | 91.76 | 1062.61 | 01 | 06 | 1 | |
| | P | 7 / 22/ 2002 | -168 | -10.6 | 1052 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2002 | -195.39 | -27.4 | 1024.61 | 01 | 06 | 1 | |
| | P | 9 / 9 / 2002 | -216.15 | -20.8 | 1003.85 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2002 | -220.84 | -4.69 | 999.16 | 01 | 06 | 1 | |
| | P | 11 / 8 / 2002 | -166.37 | 54.47 | 1053.63 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -189.16 | -22.8 | 1030.84 | 01 | 06 | 1 | |
| | P | 1 / 14/ 2003 | -185.08 | 4.08 | 1034.92 | 01 | 06 | 1 | |
| | P | 2 / 26/ 2003 | -184.1 | 0.98 | 1035.9 | 01 | 06 | 1 | |
| | P | 3 / 15/ 2003 | -184.1 | | 1035.9 | 01 | 06 | 1 | |
| | P | 4 / 13/ 2003 | -204.04 | -19.9 | 1015.96 | 01 | 06 | 1 | |
| | P | 5 / 13/ 2003 | -219.62 | -15.6 | 1000.38 | 01 | 06 | 1 | |
| | P | 9 / 14/ 2005 | -249.03 | -29.4 | 970.97 | 01 | 04 | 2 | |

**Min** *-317.73* **Max** *-157.39* **Avg** *-222.278*

***6820604*** *( Aquifer: 218GRCCU Well Depth: 590 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 28/ 1986 | -265 | | 987 | 01 | 07 | 7 | |

**Min** *-265* **Max** *-265* **Avg** *-265*

***6820605*** *( Aquifer: 218GRCCU Well Depth: 698 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 29/ 1993 | -220 | | 1032 | 01 | 07 | 7 | |

**Min** *-220* **Max** *-220* **Avg** *-220*

***6820607*** *( Aquifer: 218GLRS Well Depth: 793 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 1 / 1973 | -171 | | 1069 | 01 | 01 | 1 | |
| | P | 8 / 7 / 1973 | -180 | -9 | 1060 | 01 | 01 | 6 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -180** | | **Max -171** | **Avg** | **-175.5** | | | | | |
| ***6820609*** | *( Aquifer: 218GLRS* | | *Well Depth: 500 )* | | | | | | |
| | P | 7 / 22/ 2005 | -265.5 | | 953.5 | 01 | 04 | 2 | |
| | P | 2 / 1 / 2006 | -293.11 | -27.6 | 925.89 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -302.92 | -9.81 | 916.08 | 01 | 04 | 2 | 03 |
| | P | 3 / 1 / 2007 | -350.67 | -47.8 | 868.33 | 01 | 04 | 2 | 03 |
| | P | 4 / 2 / 2007 | -310.32 | 40.35 | 908.68 | 01 | 04 | 2 | 03 |
| | P | 8 / 1 / 2011 | -351.86 | -41.5 | 867.14 | 01 | 04 | 2 | |
| **Min -351.86** | | **Max -265.5** | **Avg** | **-312.397** | | | | | |
| ***6820701*** | *( Aquifer: 218GRHC* | | *Well Depth: 715 )* | | | | | | |
| | P | 4 / 23/ 1974 | -270 | | 905 | 01 | 12 | 7 | |
| **Min -270** | | **Max -270** | **Avg** | **-270** | | | | | |
| ***6820702*** | *( Aquifer: 218GLRS* | | *Well Depth: 262 )* | | | | | | |
| | P | 3 / 24/ 1992 | -33.13 | | 1046.87 | 01 | 09 | 1 | |
| **Min -33.13** | | **Max -33.13** | **Avg** | **-33.13** | | | | | |
| ***6820704*** | *( Aquifer: 218GLRSU* | | *Well Depth: 200 )* | | | | | | |
| | P | 10 / 18/ 1976 | -90 | | 990 | 01 | 07 | 7 | |
| | P | 3 / 24/ 1992 | -24.09 | 65.91 | 1055.91 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -27.36 | -3.27 | 1052.64 | 01 | 09 | 1 | |
| **Min -90** | | **Max -24.09** | **Avg** | **-47.15** | | | | | |
| ***6820705*** | *( Aquifer: 217HSTN* | | *Well Depth: 1024 )* | | | | | | |
| | P | 1 / 10/ 1983 | -253 | | 870 | 01 | 01 | 6 | |
| | P | 12 / 27/ 1983 | -315 | -62 | 808 | 01 | 07 | 7 | |
| | P | 3 / 27/ 1992 | -36.12 | 278.9 | 1086.88 | 01 | 09 | 1 | |
| | P | 5 / 8 / 1992 | -97.02 | -60.9 | 1025.98 | 01 | 09 | 1 | |
| | P | 6 / 16/ 1997 | -147.2 | -50.2 | 975.8 | 01 | 01 | 2 | |
| **Min -315** | | **Max -36.12** | **Avg** | **-169.668** | | | | | |
| ***6820707*** | *( Aquifer: 218CCRK* | | *Well Depth: 606 )* | | | | | | |
| | P | 2 / 25/ 1983 | -275 | | 845 | 01 | 07 | 7 | |
| | P | 5 / 8 / 1992 | -13.06 | 261.9 | 1106.94 | 01 | 09 | 1 | |
| | P | 6 / 16/ 1997 | -139.04 | -126 | 980.96 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 8 / 10/ 2000 | | | | 01 | 01 | 1 | 44 |
| Min -275 | | Max -13.06 | Avg -142.367 | | | | | | |
| **6820708** | ( Aquifer: 218CCRK | | Well Depth: 688 ) | | | | | | |
| | P | 3 / 27/ 1992 | -58.72 | | 1064.28 | 01 | 09 | 1 | |
| | P | 5 / 8 / 1992 | -89.4 | -30.7 | 1033.6 | 01 | 09 | 1 | |
| | P | 6 / 16/ 1997 | -140.9 | -51.5 | 982.1 | 01 | 01 | 2 | |
| | P | 8 / 10/ 2000 | -420.9 | -280 | 702.1 | 01 | 01 | 2 | 04 |
| | P | 9 / 26/ 2000 | -396.37 | 24.53 | 726.63 | 01 | 01 | 2 | |
| Min -420.9 | | Max -58.72 | Avg -221.258 | | | | | | |
| **6820709** | ( Aquifer: 218GLRS | | Well Depth: 215 ) | | | | | | |
| | P | 7 / 29/ 1983 | -115 | | 1009 | 01 | 07 | 7 | |
| | P | 3 / 27/ 1992 | -59.85 | 55.15 | 1064.15 | 01 | 09 | 1 | |
| | P | 5 / 8 / 1992 | -34.69 | 25.16 | 1089.31 | 01 | 09 | 1 | |
| Min -115 | | Max -34.69 | Avg -69.8467 | | | | | | |
| **6820710** | ( Aquifer: 218CCRK | | Well Depth: 645 ) | | | | | | |
| | P | 8 / 20/ 1983 | -300 | | 823 | 01 | 07 | 7 | |
| | P | 3 / 27/ 1992 | -34.08 | 265.9 | 1088.92 | 01 | 09 | 1 | |
| | P | 5 / 8 / 1992 | -60.36 | -26.3 | 1062.64 | 01 | 09 | 1 | |
| Min -300 | | Max -34.08 | Avg -131.48 | | | | | | |
| **6820711** | ( Aquifer: 218CCRK | | Well Depth: 180 ) | | | | | | |
| | P | 4 / 0 / 1967 | -60 | | 1010 | 01 | 07 | 7 | |
| Min -60 | | Max -60 | Avg -60 | | | | | | |
| **6820712** | ( Aquifer: 218CCRK | | Well Depth: 292 ) | | | | | | |
| | P | 6 / 0 / 1967 | -140 | | 929 | 01 | 07 | 7 | |
| Min -140 | | Max -140 | Avg -140 | | | | | | |
| **6820713** | ( Aquifer: 218GLRS | | Well Depth: 267 ) | | | | | | |
| | P | 6 / 2 / 1982 | -110 | | 1060 | 01 | 06 | 6 | |
| Min -110 | | Max -110 | Avg -110 | | | | | | |
| **6820714** | ( Aquifer: 218GLRS | | Well Depth: 319 ) | | | | | | |
| | P | 10 / 28/ 1982 | -72 | | 1023 | 01 | 06 | 6 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -72** | | **Max -72** | **Avg** | **-72** | | | | | |
| ***6820715*** | *( Aquifer: 218CCRK* | | *Well Depth: 680 )* | | | | | | |
| | P | 11 / 1 / 1979 | -97 | | 1023 | 01 | 06 | 6 | |
| **Min -97** | | **Max -97** | **Avg** | **-97** | | | | | |
| ***6820718*** | *( Aquifer: 218GLRS* | | *Well Depth: 247 )* | | | | | | |
| | P | 8 / 3 / 2011 | -186.01 | | 999.99 | 01 | 04 | 2 | |
| **Min -186.01** | | **Max -186.01** | **Avg** | **-186.01** | | | | | |
| ***6820801*** | *( Aquifer: 218GLRS* | | *Well Depth: 260 )* | | | | | | |
| | P | 8 / 0 / 1929 | -70 | | 1035 | 01 | 12 | 7 | |
| | P | 11 / 8 / 1977 | -69.5 | 0.5 | 1035.5 | 01 | 12 | 7 | |
| | P | 3 / 26/ 1992 | -60.93 | 8.57 | 1044.07 | 01 | 09 | 1 | |
| **Min -70** | | **Max -60.93** | **Avg** | **-66.81** | | | | | |
| ***6820802*** | *( Aquifer: 218GLRSL* | | *Well Depth: 300 )* | | | | | | |
| | P | 11 / 22/ 1977 | -41.7 | | 1032.3 | 01 | 12 | 7 | |
| | P | 1 / 6 / 1980 | -69.56 | -27.9 | 1004.44 | 01 | 12 | 2 | |
| | P | 3 / 26/ 1992 | -18.93 | 50.63 | 1055.07 | 01 | 09 | 1 | |
| **Min -69.56** | | **Max -18.93** | **Avg** | **-43.3967** | | | | | |
| ***6820803*** | *( Aquifer: 218GLRS* | | *Well Depth: 289 )* | | | | | | |
| | P | 11 / 28/ 1933 | -50.3 | | 1023.7 | 01 | 12 | 7 | |
| | P | 4 / 28/ 1943 | -59.2 | -8.9 | 1014.8 | 01 | 12 | 7 | |
| **Min -59.2** | | **Max -50.3** | **Avg** | **-54.75** | | | | | |
| ***6820806*** | *( Aquifer: 218GLRSL* | | *Well Depth: 1080 )* | | | | | | |
| | P | 2 / 13/ 2002 | -180 | | 900 | 01 | 07 | 7 | |
| | P | 3 / 8 / 2010 | -170.96 | 9.04 | 909.04 | 01 | 09 | 9 | |
| | P | 3 / 11/ 2010 | -186.38 | -15.4 | 893.62 | 01 | 09 | 9 | |
| **Min -186.38** | | **Max -170.96** | **Avg** | **-179.113** | | | | | |
| ***6820807*** | *( Aquifer: 218GLRSL* | | *Well Depth: 1060 )* | | | | | | |
| | P | 1 / 14/ 2002 | -180 | | 901 | 01 | 07 | 7 | |
| | P | 3 / 8 / 2010 | -175.45 | 4.55 | 905.55 | 01 | 09 | 9 | |
| | P | 3 / 11/ 2010 | -188.34 | -12.9 | 892.66 | 01 | 09 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 29/ 2010 | -189.74 | -1.4 | 891.26 | 01 | 09 | 9 | |
| | P | 4 / 2 / 2010 | -191.72 | -1.98 | 889.28 | 01 | 09 | 9 | |
| | P | 4 / 12/ 2010 | -194.7 | -2.98 | 886.3 | 01 | 09 | 9 | |
| | P | 4 / 16/ 2010 | -192.19 | 2.51 | 888.81 | 01 | 09 | 9 | |
| | P | 4 / 20/ 2010 | -181.04 | 11.15 | 899.96 | 01 | 09 | 9 | |

**Min** *-194.7* **Max** *-175.45* **Avg** *-186.648*

***6820808*** *( Aquifer: 218GLRSL Well Depth: 1120 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 2 / 2001 | -225 | | 889 | 01 | 07 | 7 | |
| | P | 3 / 29/ 2010 | -221.09 | 3.91 | 892.91 | 01 | 09 | 7 | |

**Min** *-225* **Max** *-221.09* **Avg** *-223.045*

***6820809*** *( Aquifer: 218GLRSL Well Depth: 1090 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 23/ 2002 | -155 | | 891 | 01 | 07 | 7 | |
| | P | 3 / 8 / 2010 | -133.53 | 21.47 | 912.47 | 01 | 09 | 9 | |
| | P | 4 / 12/ 2010 | -214.03 | -80.5 | 831.97 | 01 | 09 | 9 | |

**Min** *-214.03* **Max** *-133.53* **Avg** *-167.52*

***6820814*** *( Aquifer: 218GLRSL Well Depth: 1150 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 15/ 2001 | -240 | | 910 | 01 | 07 | 7 | |
| | P | 3 / 11/ 2010 | -254.32 | -14.3 | 895.68 | 01 | 09 | 9 | |
| | P | 3 / 29/ 2010 | -256.93 | -2.61 | 893.07 | 01 | 09 | 9 | |
| | P | 4 / 2 / 2010 | -260.53 | -3.6 | 889.47 | 01 | 09 | 9 | |

**Min** *-260.53* **Max** *-240* **Avg** *-252.945*

***6820901*** *( Aquifer: 218CCRK Well Depth: 1022 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 2 / 2001 | -189 | | 910 | 01 | 07 | 7 | |
| | P | 7 / 3 / 2001 | -380 | -191 | 719 | 01 | 07 | 7 | 02 |

**Min** *-380* **Max** *-189* **Avg** *-284.5*

***6820902*** *( Aquifer: 218GLRS Well Depth: 359 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 4 / 2011 | -288.99 | | 875.01 | 01 | 04 | 2 | |

**Min** *-288.99* **Max** *-288.99* **Avg** *-288.99*

***6820903*** *( Aquifer: 218GLRS Well Depth: 463 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 28/ 1998 | -210 | | 893 | 01 | 07 | 7 | |
| | P | 4 / 27/ 2005 | -185.25 | 24.75 | 917.75 | 01 | 04 | 2 | 03 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 4 / 2011 | -280.13 | -94.9 | 822.87 | 01 | 04 | 2 | |
| Min -280.13 | | Max -185.25 | Avg -225.127 | | | | | | |
| **6820904** | ( Aquifer: 218GLRS | Well Depth: 404 ) | | | | | | | |
| | P | 4 / 26 / 2005 | -151.01 | | 898.99 | 01 | 04 | 2 | |
| | P | 7 / 19 / 2005 | -160.45 | -9.44 | 889.55 | 01 | 04 | 2 | |
| | P | 2 / 1 / 2006 | -180.11 | -19.7 | 869.89 | 01 | 04 | 2 | |
| | P | 7 / 20 / 2006 | -190.61 | -10.5 | 859.39 | 01 | 04 | 2 | |
| | P | 7 / 20 / 2006 | -190.64 | -0.03 | 859.36 | 02 | 04 | 2 | |
| | P | 3 / 1 / 2007 | -195.52 | -4.88 | 854.48 | 01 | 04 | 2 | |
| | P | 4 / 2 / 2007 | -187.71 | 7.81 | 862.29 | 01 | 04 | 2 | |
| | P | 5 / 7 / 2007 | -181.05 | 6.66 | 868.95 | 01 | 04 | 2 | |
| | P | 9 / 20 / 2007 | -144.52 | 36.53 | 905.48 | 01 | 04 | 1 | 22 |
| | P | 2 / 19 / 2008 | -144.15 | 0.37 | 905.85 | 01 | 04 | 1 | |
| | P | 8 / 4 / 2011 | -299.83 | -156 | 750.17 | 01 | 04 | 2 | |
| Min -299.83 | | Max -144.15 | Avg -184.145 | | | | | | |
| **6821101** | ( Aquifer: 218GRCCU | Well Depth: 642 ) | | | | | | | |
| | P | 2 / 1 / 1974 | -200 | | 978 | 01 | 12 | 7 | |
| Min -200 | | Max -200 | Avg -200 | | | | | | |
| **6821102** | ( Aquifer: 218GRCCU | Well Depth: 632 ) | | | | | | | |
| | P | 2 / 19 / 1974 | -185 | | 989 | 01 | 12 | 7 | |
| | P | 10 / 27 / 1977 | -283.2 | -98.2 | 890.8 | 01 | 12 | 7 | |
| Min -283.2 | | Max -185 | Avg -234.1 | | | | | | |
| **6821103** | ( Aquifer: 218GLRSL | Well Depth: 520 ) | | | | | | | |
| | N | 8 / 14 / 2007 | | | | 01 | 01 | | 41 |
| Min | | Max | Avg | | | | | | |
| **6821104** | ( Aquifer: 218GLRSL | Well Depth: 525 ) | | | | | | | |
| | P | 11 / 16 / 1976 | -250 | | 1025 | 01 | 12 | 7 | |
| Min -250 | | Max -250 | Avg -250 | | | | | | |
| **6821105** | ( Aquifer: 218GRCCU | Well Depth: 660 ) | | | | | | | |
| | P | 11 / 7 / 2000 | -260 | | 915 | 01 | 07 | 7 | |
| Min -260 | | Max -260 | Avg -260 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6821107** | ( Aquifer: 218GLRS | | Well Depth: 456 ) | | | | | | |
| | P | 5 / 29/ 1990 | -324 | | 898 | 01 | 06 | 6 | |
| Min -324 | | Max -324 | Avg | -324 | | | | | |
| **6821108** | ( Aquifer: 218GLRS | | Well Depth: 505 ) | | | | | | |
| | P | 1 / 14/ 1985 | -327 | | 885 | 01 | 06 | 6 | |
| Min -327 | | Max -327 | Avg | -327 | | | | | |
| **6821205** | ( Aquifer: 218GLRS | | Well Depth: 580 ) | | | | | | |
| | P | 10 / 27/ 1975 | -315 | | 847 | 01 | 12 | 7 | |
| Min -315 | | Max -315 | Avg | -315 | | | | | |
| **6821212** | ( Aquifer: 218GLRSL | | Well Depth: 575 ) | | | | | | |
| | P | 11 / 18/ 1985 | -325 | | 780 | 01 | 07 | 7 | |
| | P | 11 / 18/ 1998 | -232.85 | 92.15 | 872.15 | 01 | 01 | 2 | |
| | P | 8 / 4 / 2000 | -313.74 | -80.9 | 791.26 | 01 | 01 | 1 | |
| Min -325 | | Max -232.85 | Avg | -290.53 | | | | | |
| **6821213** | ( Aquifer: 218GLRSL | | Well Depth: 625 ) | | | | | | |
| | P | 11 / 5 / 1985 | -350 | | 695 | 01 | 07 | 7 | |
| | P | 11 / 18/ 1998 | -226.65 | 123.4 | 818.35 | 01 | 01 | 2 | |
| | P | 8 / 4 / 2000 | -306.72 | -80.1 | 738.28 | 01 | 01 | 1 | |
| | P | 12 / 21/ 2000 | -261.27 | 45.45 | 783.73 | 01 | 03 | 2 | |
| | P | 12 / 30/ 2008 | -301.44 | -40.2 | 743.56 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2009 | -301.44 | | 743.56 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2009 | -301.48 | -0.04 | 743.52 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2009 | -301.52 | -0.04 | 743.48 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2009 | -301.44 | 0.08 | 743.56 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2009 | -301.52 | -0.08 | 743.48 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2009 | -301.52 | | 743.48 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2009 | -301.55 | -0.03 | 743.45 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2009 | -301.59 | -0.04 | 743.41 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 15/ 2009 | -301.59 | | 743.41 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2009 | -301.55 | 0.04 | 743.45 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -301.55 | | 743.45 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2009 | -301.55 | | 743.45 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2009 | -301.55 | | 743.45 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2009 | -301.52 | 0.03 | 743.48 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2009 | -301.52 | | 743.48 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2009 | -301.52 | | 743.48 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2009 | -301.44 | 0.08 | 743.56 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2010 | -301.48 | -0.04 | 743.52 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2010 | -301.4 | 0.08 | 743.6 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2010 | -301.44 | -0.04 | 743.56 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2010 | -301.48 | -0.04 | 743.52 | 01 | 01 | 4 | |

**Min** *-350* **Max** *-226.65* **Avg** *-299.538*

***6821214*** *( Aquifer: 218GLRSU Well Depth: 234 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | N | 11 / 18/ 1998 | | | | 01 | 01 | 2 | 44 |

**Min** **Max** **Avg**

***6821216*** *( Aquifer: 218GRHC Well Depth: 550 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 4 / 1981 | -300 | | 790 | 01 | 07 | 7 | |
| | P | 3 / 25/ 1992 | -78.28 | 221.7 | 1011.72 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -78.75 | -0.47 | 1011.25 | 01 | 09 | 1 | |

**Min** *-300* **Max** *-78.28* **Avg** *-152.343*

***6821217*** *( Aquifer: 218GLRS Well Depth: 565 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 14/ 1992 | -336.14 | | 808.86 | 01 | 09 | 1 | |

**Min** *-336.14* **Max** *-336.14* **Avg** *-336.14*

***6821218*** *( Aquifer: 218GLRSL Well Depth: 535 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 29/ 1996 | -258 | | 952 | 01 | 07 | 7 | |

**Min** *-258* **Max** *-258* **Avg** *-258*

***6821222*** *( Aquifer: 218GLRS Well Depth: 316 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 2 / 2006 | -207.34 | | 887.66 | 01 | 04 | 2 | |
| | P | 4 / 12/ 2006 | -207.31 | 0.03 | 887.69 | 01 | 04 | 2 | |
| | P | 5 / 9 / 2006 | -200.63 | 6.68 | 894.37 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/20/2006 | -202.5 | -1.87 | 892.5 | 01 | 04 | 2 | |
| | P | 2/ 5/2007 | -192.55 | 9.95 | 902.45 | 01 | 04 | 2 | |
| | P | 2/ 6/2007 | -191.74 | 0.81 | 903.26 | 01 | 04 | 2 | |
| | P | 3/ 6/2007 | -193.3 | -1.56 | 901.7 | 01 | 04 | 2 | |
| | P | 3/20/2007 | -156.11 | 37.19 | 938.89 | 01 | 04 | 2 | |
| | P | 3/21/2007 | -165.7 | -9.59 | 929.3 | 01 | 04 | 2 | |
| | P | 3/27/2007 | -135.29 | 30.41 | 959.71 | 01 | 04 | 2 | |
| | P | 3/31/2007 | -100.8 | 34.49 | 994.2 | 01 | 04 | 2 | |
| | P | 4/ 2/2007 | -103.09 | -2.29 | 991.91 | 01 | 04 | 2 | |
| | P | 4/ 3/2007 | -104.03 | -0.94 | 990.97 | 01 | 04 | 2 | |
| | P | 4/10/2007 | -127.73 | -23.7 | 967.27 | 01 | 04 | 2 | |
| | P | 4/17/2007 | -150.94 | -23.2 | 944.06 | 01 | 04 | 2 | |
| | P | 4/18/2007 | -155.29 | -4.35 | 939.71 | 01 | 04 | 2 | |
| | P | 4/20/2007 | -163.55 | -8.26 | 931.45 | 01 | 04 | 2 | |
| | P | 4/25/2007 | -173.17 | -9.62 | 921.83 | 01 | 04 | 2 | |
| | P | 5/ 3/2007 | -169.73 | 3.44 | 925.27 | 01 | 04 | 2 | |
| | P | 5/15/2007 | -192.46 | -22.7 | 902.54 | 01 | 04 | 2 | |
| | P | 5/25/2007 | -192.53 | -0.07 | 902.47 | 01 | 04 | 2 | |
| | P | 5/27/2007 | -111.18 | 81.35 | 983.82 | 01 | 04 | 2 | |
| | P | 5/29/2007 | -95.51 | 15.67 | 999.49 | 01 | 04 | 2 | |
| | P | 5/30/2007 | -96.39 | -0.88 | 998.61 | 01 | 04 | 2 | |
| | P | 5/31/2007 | -97 | -0.61 | 998 | 01 | 04 | 2 | |
| | P | 6/ 6/2007 | -102.41 | -5.41 | 992.59 | 01 | 04 | 2 | |
| | P | 6/ 7/2007 | -106.93 | -4.52 | 988.07 | 01 | 04 | 2 | |
| | P | 6/11/2007 | -123.16 | -16.2 | 971.84 | 01 | 04 | 2 | |
| | P | 6/21/2007 | -148.94 | -25.8 | 946.06 | 01 | 04 | 2 | |
| | P | 6/26/2007 | -154.27 | -5.33 | 940.73 | 01 | 04 | 2 | |
| | P | 6/28/2007 | -131.05 | 23.22 | 963.95 | 01 | 04 | 2 | |
| | P | 6/29/2007 | -92.87 | 38.18 | 1002.13 | 01 | 04 | 2 | |
| | P | 7/ 2/2007 | -92.61 | 0.26 | 1002.39 | 01 | 04 | 2 | |
| | P | 7/19/2007 | -96.14 | -3.53 | 998.86 | 01 | 04 | 2 | |
| | P | 7/24/2007 | -85.18 | 10.96 | 1009.82 | 01 | 04 | 2 | |
| | P | 8/ 3/2007 | -82.45 | 2.73 | 1012.55 | 01 | 04 | 2 | |
| | P | 8/ 9/2007 | -85.43 | -2.98 | 1009.57 | 01 | 04 | 2 | |
| | P | 8/17/2007 | -72.12 | 13.31 | 1022.88 | 01 | 04 | 2 | |
| | P | 9/10/2007 | -82.05 | -9.93 | 1012.95 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/17/2007 | -83.18 | -1.13 | 1011.82 | 01 | 04 | 2 | |
| | P | 10/ 4/2007 | -97.76 | -14.6 | 997.24 | 01 | 04 | 2 | |
| | P | 10/15/2007 | -107.93 | -10.2 | 987.07 | 01 | 04 | 2 | |
| | P | 10/23/2007 | -119.47 | -11.5 | 975.53 | 01 | 04 | 2 | |
| | P | 11/21/2007 | -149.76 | -30.3 | 945.24 | 01 | 04 | 2 | |
| | P | 12/ 3/2007 | -168.25 | -18.5 | 926.75 | 01 | 04 | 2 | |
| | P | 12/10/2007 | -177.42 | -9.17 | 917.58 | 01 | 04 | 2 | |
| | P | 12/25/2007 | -201.32 | -23.9 | 893.68 | 01 | 04 | 2 | |
| | P | 1/ 3/2008 | -200.1 | 1.22 | 894.9 | 01 | 04 | 2 | |
| | P | 2/20/2008 | -205.82 | -5.72 | 889.18 | 01 | 04 | 2 | |
| | P | 2/25/2008 | -205.84 | -0.02 | 889.16 | 01 | 04 | 2 | |
| | P | 2/26/2008 | -206.17 | -0.33 | 888.83 | 01 | 04 | 2 | |
| | P | 4/10/2008 | -206.34 | -0.17 | 888.66 | 01 | 04 | 2 | |
| | P | 4/10/2008 | -206.5 | -0.16 | 888.5 | 02 | 04 | 2 | |
| | P | 5/22/2008 | -207.04 | -0.54 | 887.96 | 01 | 04 | 2 | |
| | P | 7/ 7/2008 | -206.89 | 0.15 | 888.11 | 01 | 04 | 2 | |
| | P | 10/27/2008 | -208.14 | -1.25 | 886.86 | 01 | 04 | 2 | |
| | P | 12/16/2008 | -207.38 | 0.76 | 887.62 | 01 | 04 | 2 | |
| | P | 2/ 5/2009 | -206.85 | 0.53 | 888.15 | 01 | 04 | 2 | |
| | P | 3/19/2009 | -206.03 | 0.82 | 888.97 | 01 | 04 | 2 | |
| | P | 5/11/2009 | -198.53 | 7.5 | 896.47 | 01 | 04 | 2 | |
| | P | 7/ 8/2009 | -199.24 | -0.71 | 895.76 | 01 | 04 | 2 | |
| | P | 7/16/2009 | -201.27 | -2.03 | 893.73 | 01 | 04 | 2 | |
| | P | 7/17/2009 | -201.41 | -0.14 | 893.59 | 01 | 04 | 2 | |
| | P | 8/21/2009 | -204.97 | -3.56 | 890.03 | 01 | 04 | 2 | |
| | P | 10/22/2009 | -134.59 | 70.38 | 960.41 | 01 | 04 | 2 | |
| | P | 1/20/2010 | -133.02 | 1.57 | 961.98 | 01 | 04 | 2 | |
| | P | 3/16/2010 | -137.49 | -4.47 | 957.51 | 01 | 04 | 2 | |
| | P | 3/16/2010 | -137.5 | -0.01 | 957.5 | 02 | 04 | 2 | |
| | P | 5/10/2010 | -160.13 | -22.6 | 934.87 | 01 | 04 | 2 | |
| | P | 5/17/2010 | -94.11 | 66.02 | 1000.89 | 01 | 04 | 2 | |
| | P | 7/16/2010 | -164.05 | -69.9 | 930.95 | 01 | 04 | 2 | |
| | P | 7/30/2010 | -198.14 | -34.1 | 896.86 | 01 | 04 | 2 | |
| | P | 7/30/2010 | -197.51 | 0.63 | 897.49 | 02 | 04 | 2 | |
| | P | 10/20/2010 | -184.87 | 12.64 | 910.13 | 01 | 04 | 2 | |
| | P | 12/29/2010 | -203.09 | -18.2 | 891.91 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -208.14** | | **Max -72.12** | **Avg -155.595** | | | | | | |
| ***6821307*** | *( Aquifer: 218GLRS* | | *Well Depth: 140 )* | | | | | | |
| | P | 2 / 17/ 1981 | -111.5 | | 923.5 | 01 | 06 | 6 | |
| **Min -111.5** | | **Max -111.5** | **Avg -111.5** | | | | | | |
| ***6821401*** | *( Aquifer: 218GLRSL* | | *Well Depth: 500 )* | | | | | | |
| | P | 5 / 27/ 1969 | -290 | | 991 | 01 | 12 | 7 | |
| **Min -290** | | **Max -290** | **Avg -290** | | | | | | |
| ***6821403*** | *( Aquifer: 218GLRH* | | *Well Depth: 650 )* | | | | | | |
| | P | 8 / 27/ 1970 | -340 | | 940 | 01 | 12 | 7 | |
| **Min -340** | | **Max -340** | **Avg -340** | | | | | | |
| ***6821405*** | *( Aquifer: 218GRCCU* | | *Well Depth: 647 )* | | | | | | |
| | P | 2 / 16/ 1977 | -322 | | 928 | 01 | 12 | 7 | |
| | P | 10 / 25/ 1977 | -284.1 | 37.9 | 965.9 | 01 | 12 | 7 | |
| **Min -322** | | **Max -284.1** | **Avg -303.05** | | | | | | |
| ***6821407*** | *( Aquifer: 218GLRH* | | *Well Depth: 620 )* | | | | | | |
| | P | 12 / 3 / 1984 | -325 | | 925 | 01 | 07 | 7 | |
| **Min -325** | | **Max -325** | **Avg -325** | | | | | | |
| ***6821408*** | *( Aquifer: 218GRCCU* | | *Well Depth: 640 )* | | | | | | |
| | P | 1 / 8 / 1979 | -316 | | 934 | 01 | 07 | 7 | 27 |
| **Min -316** | | **Max -316** | **Avg -316** | | | | | | |
| ***6821409*** | *( Aquifer: 218GRCCU* | | *Well Depth: 650 )* | | | | | | |
| | P | 11 / 16/ 1983 | -400 | | 858 | 01 | 07 | 7 | |
| **Min -400** | | **Max -400** | **Avg -400** | | | | | | |
| ***6821410*** | *( Aquifer: 218GRCCU* | | *Well Depth: 650 )* | | | | | | |
| | P | 4 / 5 / 1985 | -310 | | 951 | 01 | 07 | 7 | |
| | P | 8 / 30/ 2011 | -323.63 | -13.6 | 937.37 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -323.88 | -0.25 | 937.12 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -323.93 | -0.05 | 937.07 | 01 | 01 | 4 | |
| | P | 10 / 13/ 2011 | -323.6 | 0.33 | 937.4 | 01 | 01 | 2 | |
| | P | 10 / 15/ 2011 | -323.62 | -0.02 | 937.38 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 2011 | -323.99 | -0.37 | 937.01 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -323.86 | 0.13 | 937.14 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -324.13 | -0.27 | 936.87 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -323.9 | 0.23 | 937.1 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -324.03 | -0.13 | 936.97 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -324.29 | -0.26 | 936.71 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2012 | -324.12 | 0.17 | 936.88 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -323.67 | 0.45 | 937.33 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -323.65 | 0.02 | 937.35 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -323.29 | 0.36 | 937.71 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -323.58 | -0.29 | 937.42 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -323.04 | 0.54 | 937.96 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -323.27 | -0.23 | 937.73 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -323.74 | -0.47 | 937.26 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -324.09 | -0.35 | 936.91 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -324.14 | -0.05 | 936.86 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -323.96 | 0.18 | 937.04 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -323.64 | 0.32 | 937.36 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -323.97 | -0.33 | 937.03 | 01 | 01 | 4 | |
| | P | 10 / 25/ 2012 | -324.78 | -0.81 | 936.22 | 01 | 01 | 2 | |
| | N | 10 / 30/ 2012 | | | | 01 | 01 | | 82 |
| | P | 11 / 15/ 2012 | -324.93 | | 936.07 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2012 | -324.85 | 0.08 | 936.15 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -324.39 | 0.46 | 936.61 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -324.57 | -0.18 | 936.43 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -324.98 | -0.41 | 936.02 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -325.14 | -0.16 | 935.86 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -324.89 | 0.25 | 936.11 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -325.17 | -0.28 | 935.83 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -325.36 | -0.19 | 935.64 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -325.39 | -0.03 | 935.61 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -325.34 | 0.05 | 935.66 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -325.38 | -0.04 | 935.62 | 01 | 01 | 4 | |

**Min** *-325.39* **Max** *-310* **Avg** *-323.847*

***6821412*** *( Aquifer: 218GRCCU Well Depth: 620 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 7 / 1986 | -350 | | 947 | 01 | 07 | 7 | |
| Min -350 | | Max -350 | Avg -350 | | | | | | |
| **6821413** | ( Aquifer: 218GRCCU | Well Depth: 850 ) | | | | | | | |
| | P | 9 / 30/ 1998 | -248 | | 964 | 01 | 07 | 1 | |
| Min -248 | | Max -248 | Avg -248 | | | | | | |
| **6821414** | ( Aquifer: 218GRCCU | Well Depth: 850 ) | | | | | | | |
| | P | 10 / 16/ 1998 | -248 | | 1001 | 01 | 07 | 7 | |
| Min -248 | | Max -248 | Avg -248 | | | | | | |
| **6821415** | ( Aquifer: 218GRCCU | Well Depth: 828 ) | | | | | | | |
| | P | 9 / 15/ 1998 | -274 | | 944 | 01 | 09 | 3 | |
| Min -274 | | Max -274 | Avg -274 | | | | | | |
| **6821416** | ( Aquifer: 218GRCCU | Well Depth: 855 ) | | | | | | | |
| | P | 6 / 30/ 2000 | -283 | | 891 | 01 | 09 | 3 | 27 |
| Min -283 | | Max -283 | Avg -283 | | | | | | |
| **6821417** | ( Aquifer: 218GRCCU | Well Depth: 880 ) | | | | | | | |
| | P | 7 / 24/ 2000 | -329 | | 889 | 01 | 09 | 3 | |
| Min -329 | | Max -329 | Avg -329 | | | | | | |
| **6821418** | ( Aquifer: 218GRCCU | Well Depth: 780 ) | | | | | | | |
| | P | 8 / 7 / 2000 | -306 | | 882 | 01 | 09 | 3 | |
| Min -306 | | Max -306 | Avg -306 | | | | | | |
| **6821419** | ( Aquifer: 218GRCCU | Well Depth: 830 ) | | | | | | | |
| | P | 10 / 23/ 2001 | -280 | | 1067 | 01 | 07 | 7 | |
| Min -280 | | Max -280 | Avg -280 | | | | | | |
| **6821420** | ( Aquifer: 218GRCCU | Well Depth: 840 ) | | | | | | | |
| | P | 9 / 13/ 2000 | -339 | | 865 | 01 | 09 | 3 | |
| Min -339 | | Max -339 | Avg -339 | | | | | | |
| **6821421** | ( Aquifer: 218GRCCU | Well Depth: 1000 ) | | | | | | | |
| | P | 9 / 28/ 2000 | -349 | | 873 | 01 | 09 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -349** | | **Max -349** | **Avg** | **-349** | | | | | |
| ***6821422*** | *( Aquifer: 218GRCCU* | | *Well Depth: 830 )* | | | | | | |
| | P | 11 / 2 / 2001 | -225 | | 976 | 01 | 07 | 7 | |
| **Min -225** | | **Max -225** | **Avg** | **-225** | | | | | |
| ***6821423*** | *( Aquifer: 218GRCCU* | | *Well Depth: 870 )* | | | | | | |
| | P | 11 / 2 / 2001 | -284 | | 1066 | 01 | 07 | 7 | |
| **Min -284** | | **Max -284** | **Avg** | **-284** | | | | | |
| ***6821426*** | *( Aquifer: 218GRCCU* | | *Well Depth: 860 )* | | | | | | |
| | P | 3 / 30/ 2004 | -300 | | 970 | 01 | 07 | 7 | |
| | P | 3 / 31/ 2004 | -320 | -20 | 950 | 01 | 07 | 7 | 02 |
| **Min -320** | | **Max -300** | **Avg** | **-310** | | | | | |
| ***6821427*** | *( Aquifer: 218GRCCU* | | *Well Depth: 860 )* | | | | | | |
| | P | 6 / 7 / 2006 | -400 | | 803 | 01 | 07 | 7 | |
| | P | 6 / 8 / 2006 | -578 | -178 | 625 | 01 | 07 | 7 | 02 |
| **Min -578** | | **Max -400** | **Avg** | **-489** | | | | | |
| ***6821428*** | *( Aquifer: 218GRCCU* | | *Well Depth: 980 )* | | | | | | |
| | P | 12 / 15/ 1997 | -340 | | 764 | 01 | 07 | 7 | |
| **Min -340** | | **Max -340** | **Avg** | **-340** | | | | | |
| ***6821501*** | *( Aquifer: 218GLRSL* | | *Well Depth: 615 )* | | | | | | |
| | P | 6 / 21/ 1972 | -450 | | 780 | 01 | 07 | 7 | 27 |
| **Min -450** | | **Max -450** | **Avg** | **-450** | | | | | |
| ***6821503*** | *( Aquifer: 218CCRK* | | *Well Depth: 910 )* | | | | | | |
| | P | 4 / 25/ 1991 | -286.7 | | 908.3 | 01 | 06 | 6 | |
| **Min -286.7** | | **Max -286.7** | **Avg** | **-286.7** | | | | | |
| ***6821505*** | *( Aquifer: 218GLRS* | | *Well Depth: 625 )* | | | | | | |
| | P | 10 / 5 / 1989 | -400 | | 841 | 01 | 07 | 7 | |
| | P | 4 / 24/ 1992 | -320.75 | 79.25 | 920.25 | 01 | 09 | 1 | |
| **Min -400** | | **Max -320.75** | **Avg** | **-360.375** | | | | | |
| ***6821508*** | *( Aquifer: 218GLRSL* | | *Well Depth: 540 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 13/ 1998 | -250 | | 905 | 01 | 07 | 7 | |
| Min -250 | | Max -250 | Avg | -250 | | | | | |
| **6821509** | ( Aquifer: 218GLRSL | | Well Depth: 907 ) | | | | | | |
| | P | 1 / 4 / 2001 | -303 | | 928 | 01 | 07 | 7 | |
| Min -303 | | Max -303 | Avg | -303 | | | | | |
| **6821510** | ( Aquifer: 218GLRSL | | Well Depth: 790 ) | | | | | | |
| | P | 2 / 13/ 2001 | -271 | | 918 | 01 | 07 | 7 | |
| Min -271 | | Max -271 | Avg | -271 | | | | | |
| **6821518** | ( Aquifer: 218GLRSL | | Well Depth: 980 ) | | | | | | |
| | P | 10 / 10/ 2003 | -366 | | 835 | 01 | 07 | 7 | |
| | P | 10 / 11/ 2003 | -400 | -34 | 801 | 01 | 07 | 7 | 02 |
| Min -400 | | Max -366 | Avg | -383 | | | | | |
| **6821519** | ( Aquifer: | | Well Depth: 940 ) | | | | | | |
| | P | 1 / 27/ 2011 | -308.58 | | 801.42 | 01 | 01 | 2 | |
| | P | 3 / 23/ 2011 | -317.85 | -9.27 | 792.15 | 01 | 01 | 2 | |
| | P | 5 / 15/ 2011 | -331.41 | -13.6 | 778.59 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2011 | -332.15 | -0.74 | 777.85 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2011 | -334.19 | -2.04 | 775.81 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2011 | -335.77 | -1.58 | 774.23 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2011 | -346.05 | -10.3 | 763.95 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2011 | -348.29 | -2.24 | 761.71 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -356.16 | -7.87 | 753.84 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -358.08 | -1.92 | 751.92 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -358.92 | -0.84 | 751.08 | 01 | 01 | 4 | |
| | P | 10 / 13/ 2011 | -361.7 | -2.78 | 748.3 | 01 | 01 | 2 | |
| | P | 10 / 15/ 2011 | -358.85 | 2.85 | 751.15 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2011 | -358.72 | 0.13 | 751.28 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -358.75 | -0.03 | 751.25 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -351.48 | 7.27 | 758.52 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -350.76 | 0.72 | 759.24 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -348.54 | 2.22 | 761.46 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -346.77 | 1.77 | 763.23 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -346.06 | 0.71 | 763.94 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 30/ 2012 | -347.3 | -1.24 | 762.7 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -348.2 | -0.9 | 761.8 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -347.68 | 0.52 | 762.32 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -349.68 | -2 | 760.32 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -352 | -2.32 | 758 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -353.87 | -1.87 | 756.13 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -354.86 | -0.99 | 755.14 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -357.29 | -2.43 | 752.71 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -368.59 | -11.3 | 741.41 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -367.04 | 1.55 | 742.96 | 01 | 01 | 4 | |
| | P | 10 / 25/ 2012 | -363.39 | 3.65 | 746.61 | 01 | 01 | 2 | |
| | P | 10 / 30/ 2012 | -364.2 | -0.81 | 745.8 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -363.56 | 0.64 | 746.44 | 02 | 01 | 2 | |
| | P | 11 / 15/ 2012 | -362.4 | 1.16 | 747.6 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2012 | -366.08 | -3.68 | 743.92 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -363.04 | 3.04 | 746.96 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -362.79 | 0.25 | 747.21 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -366.28 | -3.49 | 743.72 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -363.84 | 2.44 | 746.16 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -364.46 | -0.62 | 745.54 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -363.69 | 0.77 | 746.31 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -358.65 | 5.04 | 751.35 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -359.78 | -1.13 | 750.22 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -361.13 | -1.35 | 748.87 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -363.52 | -2.39 | 746.48 | 01 | 01 | 4 | |

**Min** *-368.59* **Max** *-308.58* **Avg** *-353.387*

***6821604*** *( Aquifer: 218GLRS Well Depth: 527 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 1981 | -312 | | 848 | 01 | 06 | 6 | |

**Min** *-312* **Max** *-312* **Avg** *-312*

***6821605*** *( Aquifer: UNKNOWN Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 22/ 2005 | -111.82 | | 803.18 | 01 | 04 | 2 | |

**Min** *-111.82* **Max** *-111.82* **Avg** *-111.82*

***6821701*** *( Aquifer: 218GRHC Well Depth: 1030 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 13/ 1997 | -235 | | 974 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 20/ 1998 | -208.7 | 26.3 | 1000.3 | 01 | 01 | 1 | |
| | P | 8 / 31/ 1998 | -202.8 | 5.9 | 1006.2 | 01 | 01 | 2 | |
| | P | 9 / 1 / 1998 | -203.36 | -0.56 | 1005.64 | 01 | 01 | 2 | |
| | P | 9 / 2 / 1998 | -203.28 | 0.08 | 1005.72 | 01 | 01 | 2 | |
| | P | 9 / 3 / 1998 | -204.64 | -1.36 | 1004.36 | 01 | 01 | 2 | 04 |
| | P | 10 / 28/ 1998 | -153.97 | 50.67 | 1055.03 | 01 | 01 | 1 | |
| | P | 1 / 1 / 1999 | -180.14 | -26.2 | 1028.86 | 01 | 01 | 2 | |
| | P | 1 / 1 / 1999 | -166.15 | 13.99 | 1042.85 | 02 | 01 | 1 | |
| | P | 2 / 14/ 2000 | -219.6 | -53.5 | 989.4 | 01 | 01 | 1 | |
| | P | 8 / 4 / 2000 | -252.97 | -33.4 | 956.03 | 01 | 01 | 1 | |
| | P | 12 / 21/ 2000 | -189.2 | 63.77 | 1019.8 | 01 | 03 | 2 | |
| | N | 2 / 14/ 2001 | | | | 01 | 01 | | 42 |
| | N | 2 / 6 / 2002 | | | | 01 | 01 | 1 | 45 |

**Min** *-252.97* **Max** *-153.97* **Avg** *-201.651*

## *6821702* *( Aquifer: 218GLRS Well Depth: 310 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 14/ 1992 | -161.56 | | 947.44 | 01 | 06 | 6 | |

**Min** *-161.56* **Max** *-161.56* **Avg** *-161.56*

## *6821703* *( Aquifer: 218GLRS Well Depth: 740 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 1992 | -19.86 | | 1104.14 | 01 | 06 | 6 | |

**Min** *-19.86* **Max** *-19.86* **Avg** *-19.86*

## *6821801* *( Aquifer: 218GLRS Well Depth: 924 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 3 / 1964 | -244 | | 788 | 01 | 12 | 7 | |

**Min** *-244* **Max** *-244* **Avg** *-244*

## *6821802* *( Aquifer: 218EBFZA Well Depth: 311 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 23/ 1977 | -214 | | 776 | 01 | 01 | 6 | |
| | P | 4 / 1 / 1992 | -180.53 | 33.47 | 809.47 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -195.45 | -14.9 | 794.55 | 01 | 09 | 1 | |

**Min** *-214* **Max** *-180.53* **Avg** *-196.66*

## *6821803* *( Aquifer: 218GLRS Well Depth: 408 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 3 / 1977 | -288.3 | | 745.7 | 01 | 12 | 7 | |

**Min** *-288.3* **Max** *-288.3* **Avg** *-288.3*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6821804** | ( Aquifer: 218EBFZA | | Well Depth: 279 ) | | | | | | |
| | P | 5 / 28/ 1977 | -183.09 | | 763.91 | 01 | 04 | 1 | |
| | P | 6 / 29/ 1984 | -238.56 | -55.5 | 708.44 | 01 | 04 | 1 | |
| | P | 7 / 10/ 1989 | -234.06 | 4.5 | 712.94 | 01 | 06 | 1 | |
| **Min** | -238.56 | **Max** | -183.09 | **Avg** | -218.57 | | | | |
| **6821805** | ( Aquifer: 218GLRS | | Well Depth: 538 ) | | | | | | |
| | P | 11 / 3 / 1977 | -287.74 | | 746.26 | 01 | 01 | 1 | |
| **Min** | -287.74 | **Max** | -287.74 | **Avg** | -287.74 | | | | |
| **6821806** | ( Aquifer: 218EBFZA | | Well Depth: 290 ) | | | | | | |
| | P | 5 / 4 / 1998 | -225 | | 720 | 01 | 04 | 2 | |
| | P | 10 / 5 / 2000 | -227.05 | -2.05 | 717.95 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -221.62 | 5.43 | 723.38 | 01 | 06 | 1 | |
| | P | 5 / 8 / 2001 | -213.85 | 7.77 | 731.15 | 01 | 06 | 1 | |
| | P | 6 / 27/ 2001 | -219.91 | -6.06 | 725.09 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2001 | -232.8 | -12.9 | 712.2 | 01 | 06 | 1 | |
| | P | 9 / 5 / 2001 | -198.35 | 34.45 | 746.65 | 01 | 06 | 1 | |
| | P | 10 / 10/ 2001 | -211.06 | -12.7 | 733.94 | 01 | 06 | 1 | |
| | P | 11 / 9 / 2001 | -216.36 | -5.3 | 728.64 | 01 | 06 | 1 | |
| | P | 11 / 16/ 2001 | -214.75 | 1.61 | 730.25 | 01 | 06 | 1 | |
| | P | 1 / 29/ 2002 | -211.24 | 3.51 | 733.76 | 01 | 06 | 1 | |
| | P | 3 / 19/ 2002 | -220.51 | -9.27 | 724.49 | 01 | 06 | 1 | |
| | P | 4 / 25/ 2002 | -224.48 | -3.97 | 720.52 | 01 | 06 | 1 | |
| | P | 5 / 22/ 2002 | -231.71 | -7.23 | 713.29 | 01 | 06 | 1 | |
| | P | 6 / 26/ 2002 | -237.83 | -6.12 | 707.17 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -158.2 | 79.63 | 786.8 | 01 | 06 | 1 | |
| | P | 7 / 22/ 2002 | -143.3 | 14.9 | 801.7 | 01 | 06 | 1 | |
| | P | 9 / 5 / 2002 | -179 | -35.7 | 766 | 01 | 06 | 1 | |
| | P | 10 / 3 / 2002 | -187.06 | -8.06 | 757.94 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2002 | -171.5 | 15.56 | 773.5 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2003 | -184.77 | -13.3 | 760.23 | 01 | 06 | 1 | |
| | P | 3 / 31/ 2003 | -188.3 | -3.53 | 756.7 | 01 | 06 | 1 | |
| | P | 5 / 6 / 2003 | -195.66 | -7.36 | 749.34 | 01 | 06 | 1 | |
| | P | 8 / 4 / 2003 | -205.73 | -10.1 | 739.27 | 01 | 06 | 1 | |
| | P | 10 / 30/ 2003 | -213.26 | -7.53 | 731.74 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 10/ 2003 | -215.19 | -1.93 | 729.81 | 01 | 06 | 1 | |
| | P | 12 / 18/ 2003 | -220.64 | -5.45 | 724.36 | 01 | 06 | 1 | |
| | P | 1 / 27/ 2004 | -224.6 | -3.96 | 720.4 | 01 | 06 | 1 | |
| | P | 2 / 25/ 2004 | -226.43 | -1.83 | 718.57 | 01 | 06 | 1 | |
| | P | 3 / 22/ 2004 | -227.05 | -0.62 | 717.95 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2004 | -223.17 | 3.88 | 721.83 | 01 | 06 | 1 | |
| | P | 5 / 19/ 2004 | -204.76 | 18.41 | 740.24 | 01 | 06 | 1 | |
| | P | 6 / 7 / 2004 | -233.7 | -28.9 | 711.3 | 01 | 06 | 1 | |
| | P | 7 / 1 / 2004 | -207.44 | 26.26 | 737.56 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -159.01 | 48.43 | 785.99 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -190.73 | -31.7 | 754.27 | 01 | 06 | 1 | |
| | P | 10 / 27/ 2005 | -204.85 | -14.1 | 740.15 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2005 | -215.35 | -10.5 | 729.65 | 01 | 04 | 2 | |
| | P | 7 / 26/ 2006 | -238.85 | -23.5 | 706.15 | 01 | 06 | 1 | |
| | P | 8 / 22/ 2006 | -239.86 | -1.01 | 705.14 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -252.12 | -12.3 | 692.88 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2006 | -241.62 | 10.5 | 703.38 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -173.96 | 67.66 | 771.04 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -217.67 | -43.7 | 727.33 | 01 | 06 | 2 | |
| | P | 10 / 24/ 2008 | -224.62 | -6.95 | 720.38 | 01 | 04 | 2 | |
| | P | 7 / 22/ 2009 | -232.47 | -7.85 | 712.53 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -201.16 | 31.31 | 743.84 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -192.85 | 8.31 | 752.15 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -203.32 | -10.5 | 741.68 | 01 | 04 | 2 | |

**Min** *-252.12* **Max** *-143.3* **Avg** *-210.300*

***6821807*** *( Aquifer: 218GLRS Well Depth: 609 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 22/ 1989 | -373 | | 833 | 01 | 06 | 6 | |

**Min** *-373* **Max** *-373* **Avg** *-373*

***6821809*** *( Aquifer: 218GLRS Well Depth: 397 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 17/ 1993 | -295.59 | | 737.41 | 01 | 06 | 6 | |

**Min** *-295.59* **Max** *-295.59* **Avg** *-295.59*

***6821810*** *( Aquifer: 218GLRS Well Depth: 376 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 22/ 1994 | -255.71 | | 924.29 | 01 | 06 | 6 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -255.71** | | **Max -255.71** | **Avg -255.71** | | | | | | |
| ***6821901*** | *( Aquifer: 218EBFZA* | | *Well Depth: 560 )* | | | | | | |
| | P | 7 / 2 / 1981 | -263.72 | | 751.28 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1981 | -264.42 | -0.7 | 750.58 | 01 | 04 | 1 | |
| | P | 7 / 16/ 1981 | -264.85 | -0.43 | 750.15 | 01 | 04 | 1 | |
| | P | 7 / 23/ 1981 | -267.75 | -2.9 | 747.25 | 01 | 04 | 1 | |
| | P | 7 / 28/ 1981 | -270.1 | -2.35 | 744.9 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1981 | -272.37 | -2.27 | 742.63 | 01 | 06 | 1 | |
| | P | 6 / 28/ 1984 | -321.91 | -49.5 | 693.09 | 01 | 04 | 1 | |
| | P | 7 / 11/ 1989 | -318.05 | 3.86 | 696.95 | 01 | 06 | 1 | |
| | P | 3 / 17/ 1992 | -213.44 | 104.6 | 801.56 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -210.49 | 2.95 | 804.51 | 01 | 09 | 1 | |
| | P | 6 / 23/ 1992 | -312 | -102 | 703 | 01 | 01 | 2 | |
| **Min -321.91** | | **Max -210.49** | **Avg -270.827** | | | | | | |
| ***6821902*** | *( Aquifer: 218GLRSL* | | *Well Depth: 1130 )* | | | | | | |
| | P | 11 / 22/ 2005 | -169.67 | | 803.33 | 01 | 04 | 2 | |
| | P | 2 / 3 / 2006 | -170.17 | -0.5 | 802.83 | 01 | 04 | 2 | |
| | P | 4 / 7 / 2006 | -177.73 | -7.56 | 795.27 | 01 | 04 | 2 | |
| | P | 4 / 27/ 2006 | -178.29 | -0.56 | 794.71 | 01 | 04 | 2 | |
| | P | 6 / 22/ 2006 | -181.76 | -3.47 | 791.24 | 01 | 04 | 2 | |
| | P | 11 / 20/ 2006 | -193.06 | -11.3 | 779.94 | 01 | 04 | 2 | |
| | P | 11 / 21/ 2006 | -192.7 | 0.36 | 780.3 | 01 | 04 | 2 | |
| | P | 2 / 22/ 2007 | -195.02 | -2.32 | 777.98 | 01 | 04 | 2 | |
| | P | 2 / 26/ 2007 | -194.84 | 0.18 | 778.16 | 01 | 04 | 2 | |
| | P | 3 / 6 / 2007 | -195.65 | -0.81 | 777.35 | 01 | 04 | 2 | |
| | P | 3 / 21/ 2007 | -195.39 | 0.26 | 777.61 | 01 | 04 | 2 | |
| | P | 4 / 25/ 2007 | -193.06 | 2.33 | 779.94 | 01 | 04 | 2 | |
| | P | 6 / 7 / 2007 | -192.4 | 0.66 | 780.6 | 01 | 04 | 2 | |
| | P | 8 / 3 / 2007 | -188.73 | 3.67 | 784.27 | 01 | 04 | 2 | |
| | P | 8 / 13/ 2007 | -193.48 | -4.75 | 779.52 | 01 | 04 | 2 | |
| | P | 9 / 17/ 2007 | -194.21 | -0.73 | 778.79 | 01 | 04 | 2 | |
| | P | 10 / 4 / 2007 | -200.21 | -6 | 772.79 | 01 | 04 | 2 | |
| | P | 11 / 20/ 2007 | -208.85 | -8.64 | 764.15 | 01 | 04 | 2 | |
| | P | 1 / 3 / 2008 | -201.34 | 7.51 | 771.66 | 01 | 04 | 2 | |
| | P | 2 / 1 / 2008 | -213.11 | -11.8 | 759.89 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 20/ 2008 | -220.33 | -7.22 | 752.67 | 01 | 04 | 2 | |
| | P | 2 / 21/ 2008 | -221.38 | -1.05 | 751.62 | 01 | 04 | 2 | |
| | P | 4 / 10/ 2008 | -230.19 | -8.81 | 742.81 | 01 | 04 | 2 | |
| | P | 5 / 1 / 2008 | -238.48 | -8.29 | 734.52 | 01 | 04 | 2 | |
| | P | 5 / 22/ 2008 | -237.7 | 0.78 | 735.3 | 01 | 04 | 2 | |
| | P | 7 / 7 / 2008 | -233.8 | 3.9 | 739.2 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2008 | -240.11 | -6.31 | 732.89 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2008 | -242.09 | -1.98 | 730.91 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2008 | -253.16 | -11.1 | 719.84 | 01 | 04 | 2 | |
| | P | 11 / 20/ 2008 | -306.36 | -53.2 | 666.64 | 01 | 04 | 2 | |
| | P | 11 / 21/ 2008 | -307.28 | -0.92 | 665.72 | 01 | 04 | 2 | |
| | P | 12 / 22/ 2008 | -308.31 | -1.03 | 664.69 | 01 | 04 | 2 | |
| | P | 2 / 13/ 2009 | -320.09 | -11.8 | 652.91 | 01 | 04 | 2 | |
| | P | 3 / 25/ 2009 | -273.14 | 46.95 | 699.86 | 01 | 04 | 2 | |
| | P | 4 / 24/ 2009 | -254.27 | 18.87 | 718.73 | 01 | 04 | 2 | |
| | P | 4 / 27/ 2009 | -253.24 | 1.03 | 719.76 | 01 | 04 | 2 | |
| | P | 4 / 30/ 2009 | -251.3 | 1.94 | 721.7 | 01 | 04 | 2 | |
| | P | 7 / 8 / 2009 | -303.71 | -52.4 | 669.29 | 01 | 04 | 2 | |
| | P | 8 / 21/ 2009 | -263.66 | 40.05 | 709.34 | 01 | 04 | 2 | |
| | P | 9 / 3 / 2009 | -304.01 | -40.4 | 668.99 | 01 | 04 | 2 | |
| | P | 10 / 20/ 2009 | -249.94 | 54.07 | 723.06 | 01 | 04 | 2 | |
| | P | 11 / 19/ 2009 | -239.57 | 10.37 | 733.43 | 01 | 04 | 2 | |
| | P | 1 / 13/ 2010 | -229.64 | 9.93 | 743.36 | 01 | 04 | 2 | |
| | P | 3 / 11/ 2010 | -219.05 | 10.59 | 753.95 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2010 | -214.32 | 4.73 | 758.68 | 01 | 04 | 2 | |
| | P | 5 / 21/ 2010 | -213.01 | 1.31 | 759.99 | 01 | 04 | 2 | |
| | P | 6 / 29/ 2010 | -209.82 | 3.19 | 763.18 | 01 | 04 | 2 | |
| | P | 9 / 9 / 2010 | -205.02 | 4.8 | 767.98 | 01 | 04 | 2 | |
| | P | 10 / 15/ 2010 | -201.75 | 3.27 | 771.25 | 01 | 04 | 2 | |

**Min** *-320.09* **Max** *-169.67* **Avg** *-226.008*

***6821903*** *( Aquifer: 218EDRD Well Depth: 340 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 10 / 2 / 2008 | -287.08 | | 703.92 | 01 | 04 | 2 |
| | P | 10 / 31/ 2008 | -292.28 | -5.2 | 698.72 | 01 | 04 | 2 |
| | P | 11 / 20/ 2008 | -294.29 | -2.01 | 696.71 | 01 | 04 | 2 |
| | P | 11 / 21/ 2008 | -294.29 | | 696.71 | 01 | 04 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/22/2008 | -297.93 | -3.64 | 693.07 | 01 | 04 | 2 | |
| | P | 1/ 6/2009 | -299.26 | -1.33 | 691.74 | 01 | 04 | 1 | |
| | P | 1/ 7/2009 | -299.26 | | 691.74 | 01 | 04 | 2 | |
| | P | 1/21/2009 | -299.3 | -0.04 | 691.7 | 01 | 04 | 2 | |
| | P | 2/ 5/2009 | -299.31 | -0.01 | 691.69 | 01 | 04 | 2 | |
| | P | 3/20/2009 | -299.32 | -0.01 | 691.68 | 01 | 04 | 2 | |
| | P | 5/ 8/2009 | -299.38 | -0.06 | 691.62 | 01 | 04 | 2 | |
| | P | 5/11/2009 | -299.38 | | 691.62 | 01 | 04 | 2 | |
| | P | 6/ 2/2009 | -299.35 | 0.03 | 691.65 | 01 | 04 | 2 | |
| | P | 7/13/2009 | -299.32 | 0.03 | 691.68 | 01 | 04 | 2 | |
| | P | 8/25/2009 | -299.31 | 0.01 | 691.69 | 01 | 04 | 2 | |
| | P | 9/11/2009 | -244.01 | 55.3 | 746.99 | 01 | 04 | 2 | |
| | P | 10/ 3/2009 | -238.55 | 5.46 | 752.45 | 01 | 04 | 2 | |
| | P | 11/ 9/2009 | -244.8 | -6.25 | 746.2 | 01 | 04 | 2 | |
| | P | 11/10/2009 | -245.7 | -0.9 | 745.3 | 01 | 04 | 2 | |
| | P | 11/24/2009 | -251.72 | -6.02 | 739.28 | 01 | 04 | 2 | |
| | P | 1/12/2010 | -271.89 | -20.2 | 719.11 | 01 | 04 | 2 | |
| | P | 1/13/2010 | -271.11 | 0.78 | 719.89 | 01 | 04 | 2 | |
| | P | 1/19/2010 | -245.79 | 25.32 | 745.21 | 01 | 04 | 2 | |
| | P | 3/31/2010 | -246.77 | -0.98 | 744.23 | 01 | 04 | 2 | |
| | P | 5/19/2010 | -232.69 | 14.08 | 758.31 | 01 | 04 | 2 | |
| | P | 6/22/2010 | -235.15 | -2.46 | 755.85 | 01 | 04 | 2 | |
| | P | 6/22/2010 | -235.15 | | 755.85 | 02 | 04 | 2 | |
| | P | 9/14/2010 | -227.56 | 7.59 | 763.44 | 01 | 04 | 2 | |
| | P | 10/27/2010 | -242.88 | -15.3 | 748.12 | 01 | 04 | 2 | |
| | P | 12/17/2010 | -260.79 | -17.9 | 730.21 | 01 | 04 | 2 | |
| | P | 1/ 3/2011 | -264.84 | -4.05 | 726.16 | 01 | 04 | 2 | |
| | P | 3/ 9/2011 | -275.96 | -11.1 | 715.04 | 01 | 04 | 2 | |
| | P | 6/ 3/2011 | -291.77 | -15.8 | 699.23 | 01 | 04 | 2 | |
| | P | 6/ 6/2011 | -292.33 | -0.56 | 698.67 | 01 | 04 | 2 | |
| | P | 7/15/2011 | -299.08 | -6.75 | 691.92 | 01 | 04 | 2 | |
| | P | 7/18/2011 | -299.21 | -0.13 | 691.79 | 01 | 04 | 2 | |
| | P | 8/ 2/2011 | -299.2 | 0.01 | 691.8 | 01 | 04 | 2 | |
| | P | 8/ 8/2011 | -299.14 | 0.06 | 691.86 | 01 | 04 | 2 | |
| | P | 8/18/2011 | -299.49 | -0.35 | 691.51 | 01 | 04 | 2 | |
| | P | 9/ 7/2011 | -299.32 | 0.17 | 691.68 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -299.49** | | **Max -227.56** | **Avg -276.849** | | | | | | |
| ***6822701*** | *( Aquifer: 218EDRDA* | | *Well Depth: 435 )* | | | | | | |
| | P | 10 / 12/ 1933 | -258.55 | | 749.45 | 01 | 04 | 1 | |
| **Min -258.55** | | **Max -258.55** | **Avg -258.55** | | | | | | |
| ***6822702*** | *( Aquifer: 218EBFZA* | | *Well Depth: 510 )* | | | | | | |
| | P | 10 / 12/ 1933 | -204.12 | | 662.88 | 01 | 12 | 7 | |
| | P | 9 / 13/ 1949 | -209.81 | -5.69 | 657.19 | 01 | 12 | 7 | |
| | P | 12 / 2 / 1954 | -233.89 | -24.1 | 633.11 | 01 | 12 | 7 | |
| **Min -233.89** | | **Max -204.12** | **Avg -215.94** | | | | | | |
| ***6826301*** | *( Aquifer: 218GLRS* | | *Well Depth: )* | | | | | | |
| | P | 3 / 31/ 1994 | -59.05 | | 1130.95 | 01 | 06 | 1 | |
| **Min -59.05** | | **Max -59.05** | **Avg -59.05** | | | | | | |
| ***6826302*** | *( Aquifer: 218GLRS* | | *Well Depth: 318 )* | | | | | | |
| | P | 4 / 15/ 1993 | -59.96 | | 1177.04 | 01 | 06 | 6 | |
| **Min -59.96** | | **Max -59.96** | **Avg -59.96** | | | | | | |
| ***6826601*** | *( Aquifer: 218GLRS* | | *Well Depth: 286 )* | | | | | | |
| | P | 6 / 2 / 1994 | -134.78 | | 983.22 | 01 | 09 | 1 | |
| **Min -134.78** | | **Max -134.78** | **Avg -134.78** | | | | | | |
| ***6826803*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1140 )* | | | | | | |
| | P | 3 / 2 / 1971 | -318 | | 727 | 01 | 12 | 7 | |
| **Min -318** | | **Max -318** | **Avg -318** | | | | | | |
| ***6826804*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1000 )* | | | | | | |
| | P | 11 / 1 / 1954 | -372.23 | | 671.77 | 01 | 12 | 7 | |
| | P | 7 / 2 / 1956 | -407.07 | -34.8 | 636.93 | 01 | 12 | 7 | |
| | P | 3 / 10/ 1988 | -259.86 | 147.2 | 784.14 | 01 | 06 | 6 | |
| **Min -407.07** | | **Max -259.86** | **Avg -346.387** | | | | | | |
| ***6826805*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1012 )* | | | | | | |
| | P | 6 / 5 / 1972 | -186 | | 859 | 01 | 12 | 7 | |
| **Min -186** | | **Max -186** | **Avg -186** | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6826814** | ( Aquifer: 218EDRDA | | Well Depth: 1400 ) | | | | | | |
| | P | 6 / 29/ 2000 | -291 | | 749 | 01 | 07 | 7 | |
| Min -291 | | Max -291 | Avg | -291 | | | | | |
| **6826817** | ( Aquifer: 218EDRDA | | Well Depth: 1400 ) | | | | | | |
| | P | 11 / 9 / 2009 | -272 | | 767 | 01 | 07 | 7 | |
| | P | 11 / 10/ 2009 | -485.7 | -214 | 553.3 | 01 | 07 | 7 | 02 |
| Min -485.7 | | Max -272 | Avg | -378.85 | | | | | |
| **6826901** | ( Aquifer: 218EBFZA | | Well Depth: 720 ) | | | | | | |
| | P | 9 / 20/ 1933 | -222 | | 734 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -295.92 | -73.9 | 660.08 | 01 | 12 | 7 | |
| Min -295.92 | | Max -222 | Avg | -258.96 | | | | | |
| **6826903** | ( Aquifer: 218EDRDA | | Well Depth: 400 ) | | | | | | |
| | P | 7 / 22/ 1994 | -224.08 | | 740.92 | 01 | 09 | 1 | |
| Min -224.08 | | Max -224.08 | Avg | -224.08 | | | | | |
| **6826904** | ( Aquifer: 218EBFZA | | Well Depth: 900 ) | | | | | | |
| | P | 6 / 20/ 1984 | -318 | | 677 | 01 | 07 | 7 | |
| Min -318 | | Max -318 | Avg | -318 | | | | | |
| **6826905** | ( Aquifer: 218EBFZA | | Well Depth: 870 ) | | | | | | |
| | P | 1 / 20/ 1999 | -219 | | 809 | 01 | 07 | 7 | |
| Min -219 | | Max -219 | Avg | -219 | | | | | |
| **6827101** | ( Aquifer: 218GLRSU | | Well Depth: 100 ) | | | | | | |
| | P | 12 / 7 / 1976 | -36.5 | | 1073.5 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1992 | -16.49 | 20.01 | 1093.51 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -35.09 | -18.6 | 1074.91 | 01 | 09 | 1 | |
| Min -36.5 | | Max -16.49 | Avg | -29.36 | | | | | |
| **6827102** | ( Aquifer: 218GLRSU | | Well Depth: 210 ) | | | | | | |
| | P | 6 / 16/ 1992 | -28.83 | | 1234.17 | 01 | 09 | 1 | |
| Min -28.83 | | Max -28.83 | Avg | -28.83 | | | | | |
| **6827103** | ( Aquifer: 218GLRSU | | Well Depth: 243 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 1 / 1988 | -140.3 | | 1169.7 | 01 | 06 | 6 | |
| Min -140.3 | | Max -140.3 | Avg -140.3 | | | | | | |
| **6827105** | ( Aquifer: 218GLRSL | Well Depth: 851 ) | | | | | | | |
| | P | 12 / 18/ 1987 | -328 | | 1030 | 01 | 06 | 6 | |
| Min -328 | | Max -328 | Avg -328 | | | | | | |
| **6827107** | ( Aquifer: 218GRCCU | Well Depth: 920 ) | | | | | | | |
| | P | 7 / 13/ 2009 | -305.8 | | 840.2 | 01 | 09 | 4 | |
| | P | 7 / 16/ 2009 | -310.14 | -4.34 | 835.86 | 01 | 09 | 4 | |
| | P | 7 / 21/ 2009 | -313.99 | -3.85 | 832.01 | 01 | 09 | 4 | |
| | P | 7 / 24/ 2009 | -313.36 | 0.63 | 832.64 | 01 | 09 | 4 | |
| | P | 9 / 21/ 2009 | -299.6 | 13.76 | 846.4 | 01 | 09 | 4 | |
| | P | 10 / 26/ 2009 | -266.3 | 33.3 | 879.7 | 01 | 09 | 4 | |
| | P | 12 / 21/ 2009 | -208.8 | 57.5 | 937.2 | 01 | 09 | 4 | |
| | P | 1 / 12/ 2010 | -204.7 | 4.1 | 941.3 | 01 | 09 | 4 | |
| | P | 1 / 22/ 2010 | -193.9 | 10.8 | 952.1 | 01 | 09 | 4 | |
| Min -313.99 | | Max -193.9 | Avg -268.51 | | | | | | |
| **6827108** | ( Aquifer: 218GRCCU | Well Depth: 915 ) | | | | | | | |
| | P | 7 / 13/ 2009 | -195.4 | | 944.6 | 01 | 09 | 4 | |
| | P | 7 / 16/ 2009 | -194.99 | 0.41 | 945.01 | 01 | 09 | 4 | |
| | P | 7 / 21/ 2009 | -195.45 | -0.46 | 944.55 | 01 | 09 | 4 | |
| | P | 7 / 24/ 2009 | -216.25 | -20.8 | 923.75 | 01 | 09 | 4 | |
| | P | 9 / 21/ 2009 | -205.1 | 11.15 | 934.9 | 01 | 09 | 4 | |
| | P | 10 / 26/ 2009 | -163.2 | 41.9 | 976.8 | 01 | 09 | 4 | |
| | P | 12 / 21/ 2009 | -166.2 | -3 | 973.8 | 01 | 09 | 4 | |
| | P | 1 / 12/ 2010 | -169.8 | -3.6 | 970.2 | 01 | 09 | 4 | |
| | P | 1 / 22/ 2010 | -149.4 | 20.4 | 990.6 | 01 | 09 | 4 | |
| Min -216.25 | | Max -149.4 | Avg -183.977 | | | | | | |
| **6827109** | ( Aquifer: 218GRCCU | Well Depth: 1020 ) | | | | | | | |
| | P | 7 / 13/ 2009 | -394.4 | | 830.6 | 01 | 09 | 4 | |
| | P | 7 / 16/ 2009 | -400.91 | -6.51 | 824.09 | 01 | 09 | 4 | |
| | P | 7 / 21/ 2009 | -405.07 | -4.16 | 819.93 | 01 | 09 | 4 | |
| | P | 7 / 24/ 2009 | -405.54 | -0.47 | 819.46 | 01 | 09 | 4 | |
| | P | 9 / 21/ 2009 | -389.7 | 15.84 | 835.3 | 01 | 09 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 26/ 2009 | -354.3 | 35.4 | 870.7 | 01 | 09 | 4 | |
| | P | 12 / 21/ 2009 | -299.1 | 55.2 | 925.9 | 01 | 09 | 4 | |
| | P | 1 / 12/ 2010 | -295.4 | 3.7 | 929.6 | 01 | 09 | 4 | |
| | P | 1 / 22/ 2010 | -285.6 | 9.8 | 939.4 | 01 | 09 | 4 | |

**Min** *-405.54* **Max** *-285.6* **Avg** *-358.891*

***6827110*** *( Aquifer: 218GRCCU Well Depth: 1010 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 2009 | -375.4 | | 875.6 | 01 | 09 | 4 | |
| | P | 6 / 29/ 2009 | -376.73 | -1.33 | 874.27 | 01 | 09 | 4 | |
| | P | 7 / 9 / 2009 | -392.37 | -15.6 | 858.63 | 01 | 09 | 4 | |
| | P | 7 / 13/ 2009 | -383 | 9.37 | 868 | 01 | 09 | 4 | |
| | P | 7 / 28/ 2009 | -393.17 | -10.2 | 857.83 | 01 | 09 | 4 | |
| | P | 10 / 26/ 2009 | -373.1 | 20.07 | 877.9 | 01 | 09 | 4 | |

**Min** *-393.17* **Max** *-373.1* **Avg** *-382.295*

***6827111*** *( Aquifer: 218GRCCU Well Depth: 1040 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 2009 | -403.6 | | 844.4 | 01 | 09 | 4 | |
| | P | 6 / 29/ 2009 | -401.62 | 1.98 | 846.38 | 01 | 09 | 4 | |
| | P | 7 / 9 / 2009 | -405.64 | -4.02 | 842.36 | 01 | 09 | 4 | |
| | P | 7 / 28/ 2009 | -411.12 | -5.48 | 836.88 | 01 | 09 | 4 | |
| | P | 9 / 21/ 2009 | -396.9 | 14.22 | 851.1 | 01 | 09 | 4 | |
| | P | 10 / 26/ 2009 | -377.9 | 19 | 870.1 | 01 | 09 | 4 | |

**Min** *-411.12* **Max** *-377.9* **Avg** *-399.463*

***6827112*** *( Aquifer: 218GRCCU Well Depth: 840 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 2009 | -273.3 | | 959.7 | 01 | 09 | 4 | |
| | P | 6 / 29/ 2009 | -273.27 | 0.03 | 959.73 | 01 | 09 | 4 | |
| | P | 7 / 9 / 2009 | -275.37 | -2.1 | 957.63 | 01 | 09 | 4 | |
| | P | 7 / 28/ 2009 | -284.56 | -9.19 | 948.44 | 01 | 09 | 4 | |
| | P | 9 / 21/ 2009 | -280.3 | 4.26 | 952.7 | 01 | 09 | 4 | |
| | P | 10 / 26/ 2009 | -220.2 | 60.1 | 1012.8 | 01 | 09 | 4 | |
| | P | 1 / 27/ 2011 | -184.7 | 35.5 | 1048.3 | 01 | 01 | 2 | |
| | P | 3 / 23/ 2011 | -200.25 | -15.6 | 1032.75 | 01 | 01 | 2 | |
| | P | 5 / 15/ 2011 | -218.06 | -17.8 | 1014.94 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2011 | -220.88 | -2.82 | 1012.12 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2011 | -223.77 | -2.89 | 1009.23 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2011 | -225.37 | -1.6 | 1007.63 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2011 | -227.6 | -2.23 | 1005.4 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2011 | -228.46 | -0.86 | 1004.54 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -254.41 | -26 | 978.59 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -255.24 | -0.83 | 977.76 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -257 | -1.76 | 976 | 01 | 01 | 4 | |
| | P | 10 / 13/ 2011 | -230.28 | 26.72 | 1002.72 | 01 | 01 | 2 | |
| | P | 10 / 15/ 2011 | -246.29 | -16.0 | 986.71 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2011 | -254.96 | -8.67 | 978.04 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -257.97 | -3.01 | 975.03 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -262.05 | -4.08 | 970.95 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -251.22 | 10.83 | 981.78 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -248.17 | 3.05 | 984.83 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -234.16 | 14.01 | 998.84 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -238.51 | -4.35 | 994.49 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -231.04 | 7.47 | 1001.96 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -232.94 | -1.9 | 1000.06 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -237.8 | -4.86 | 995.2 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -241.75 | -3.95 | 991.25 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -243.97 | -2.22 | 989.03 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -248.03 | -4.06 | 984.97 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -258.45 | -10.4 | 974.55 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -254.57 | 3.88 | 978.43 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -255.04 | -0.47 | 977.96 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -255.8 | -0.76 | 977.2 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -255.77 | 0.03 | 977.23 | 02 | 01 | 2 | |
| | P | 11 / 15/ 2012 | -266.03 | -10.3 | 966.97 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2012 | -283.45 | -17.4 | 949.55 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -290.42 | -6.97 | 942.58 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -291.53 | -1.11 | 941.47 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -284.22 | 7.31 | 948.78 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -288.17 | -3.95 | 944.83 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -292.11 | -3.94 | 940.89 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -292.42 | -0.31 | 940.58 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -293.38 | -0.96 | 939.62 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -294.32 | -0.94 | 938.68 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -294.26 | 0.06 | 938.74 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 2013 | -304.36 | -10.1 | 928.64 | 01 | 01 | 4 | |
| Min -304.36 | | Max -184.7 | Avg -255.432 | | | | | | |
| **6827202** | ( Aquifer: 218GLRS | | Well Depth: 371 ) | | | | | | |
| | P | 12 / 14/ 1989 | -188.5 | | 940.5 | 01 | 06 | 6 | 22 |
| | P | 6 / 27/ 2012 | -25.8 | 162.7 | 1103.2 | 01 | 01 | 2 | |
| | P | 7 / 26/ 2012 | -26.3 | -0.5 | 1102.7 | 01 | 01 | 2 | |
| | P | 10 / 30/ 2012 | -25.68 | 0.62 | 1103.32 | 01 | 01 | 2 | |
| Min -188.5 | | Max -25.68 | Avg -66.57 | | | | | | |
| **6827203** | ( Aquifer: 218GLRS | | Well Depth: 559 ) | | | | | | |
| | P | 11 / 2 / 1993 | -119.69 | | 1060.31 | 01 | 06 | 6 | |
| Min -119.69 | | Max -119.69 | Avg -119.69 | | | | | | |
| **6827204** | ( Aquifer: 218GLRSU | | Well Depth: 292 ) | | | | | | |
| | P | 1 / 18/ 1990 | -217.54 | | 945.46 | 01 | 06 | 6 | |
| Min -217.54 | | Max -217.54 | Avg -217.54 | | | | | | |
| **6827205** | ( Aquifer: 218GLRSL | | Well Depth: 805 ) | | | | | | |
| | P | 2 / 7 / 1990 | -370 | | 840 | 01 | 06 | 6 | |
| Min -370 | | Max -370 | Avg -370 | | | | | | |
| **6827211** | ( Aquifer: 218GLRSL | | Well Depth: 762 ) | | | | | | |
| | P | 1 / 29/ 2002 | -90 | | 990 | 01 | 07 | 7 | |
| Min -90 | | Max -90 | Avg -90 | | | | | | |
| **6827212** | ( Aquifer: 218GLRS | | Well Depth: 170 ) | | | | | | |
| | P | 6 / 27/ 2012 | -30.45 | | 1099.55 | 01 | 01 | 1 | 20 |
| Min -30.45 | | Max -30.45 | Avg -30.45 | | | | | | |
| **6827213** | ( Aquifer: | | Well Depth: ) | | | | | | |
| | P | 6 / 27/ 2012 | -17.45 | | 1109.55 | 01 | 01 | 1 | |
| | P | 10 / 30/ 2012 | -16.24 | 1.21 | 1110.76 | 01 | 01 | 1 | |
| Min -17.45 | | Max -16.24 | Avg -16.845 | | | | | | |
| **6827303** | ( Aquifer: 218EBFZA | | Well Depth: 354 ) | | | | | | |
| | P | 3 / 19/ 1992 | -92.55 | | 907.45 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -109.22 | -16.7 | 890.78 | 01 | 09 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -109.22** | | **Max -92.55** | **Avg -100.885** | | | | | | |
| ***6827304*** | *( Aquifer: 218GLRSU* | | *Well Depth: 290 )* | | | | | | |
| | P | 3 / 3 / 1969 | -155 | | 975 | 01 | 12 | 7 | |
| | P | 4 / 14/ 1992 | -93.36 | 61.64 | 1036.64 | 01 | 09 | 1 | |
| **Min -155** | | **Max -93.36** | **Avg -124.18** | | | | | | |
| ***6827305*** | *( Aquifer: 218EBFZA* | | *Well Depth: 253 )* | | | | | | |
| | P | 3 / 19/ 1992 | -100.4 | | 899.6 | 01 | 09 | 1 | |
| | P | 4 / 24/ 1992 | -107.84 | -7.44 | 892.16 | 01 | 09 | 1 | |
| **Min -107.84** | | **Max -100.4** | **Avg -104.12** | | | | | | |
| ***6827307*** | *( Aquifer: 218EBFZA* | | *Well Depth: 270 )* | | | | | | |
| | P | 4 / 9 / 1998 | -200 | | 794 | 01 | 04 | 1 | |
| | P | 4 / 26/ 1998 | -197 | 3 | 797 | 01 | 04 | 1 | |
| | P | 12 / 17/ 2004 | -115.53 | 81.47 | 878.47 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2005 | -161.93 | -46.4 | 832.07 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -181.7 | -19.8 | 812.3 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -189.39 | -7.69 | 804.61 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -209.34 | -20 | 784.66 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -210.22 | -0.88 | 783.78 | 01 | 04 | 2 | |
| | P | 9 / 7 / 2006 | -213.27 | -3.05 | 780.73 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -217.95 | -4.68 | 776.05 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -127.04 | 90.91 | 866.96 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -187.82 | -60.8 | 806.18 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -199.08 | -11.3 | 794.92 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -221.03 | -22 | 772.97 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -209.38 | 11.65 | 784.62 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -192.3 | 17.08 | 801.7 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -182.53 | 9.77 | 811.47 | 01 | 04 | 2 | |
| **Min -221.03** | | **Max -115.53** | **Avg -189.148** | | | | | | |
| ***6827308*** | *( Aquifer: 218GLRSL* | | *Well Depth: 780 )* | | | | | | |
| | P | 4 / 2 / 1992 | -219.23 | | 1110.77 | 01 | 09 | 1 | |
| **Min -219.23** | | **Max -219.23** | **Avg -219.23** | | | | | | |
| ***6827309*** | *( Aquifer: 218GLRSL* | | *Well Depth: 751 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 18/ 1991 | -291.5 | | 1045.5 | 01 | 06 | 6 | |
| Min -291.5 | | Max -291.5 | Avg -291.5 | | | | | | |
| **6827403** | ( Aquifer: 218GLRS | | Well Depth: 650 ) | | | | | | |
| | P | 6 / 27/ 1994 | -303.56 | | 790.44 | 01 | 09 | 1 | |
| Min -303.56 | | Max -303.56 | Avg -303.56 | | | | | | |
| **6827404** | ( Aquifer: 218GLRS | | Well Depth: ) | | | | | | |
| | P | 6 / 28/ 1994 | -301.51 | | 786.49 | 01 | 09 | 1 | |
| Min -301.51 | | Max -301.51 | Avg -301.51 | | | | | | |
| **6827405** | ( Aquifer: 218EDRDA | | Well Depth: ) | | | | | | |
| | P | 7 / 21/ 1994 | -277.29 | | 766.71 | 01 | 09 | 1 | |
| Min -277.29 | | Max -277.29 | Avg -277.29 | | | | | | |
| **6827406** | ( Aquifer: 218EDRDA | | Well Depth: ) | | | | | | |
| | P | 6 / 28/ 1994 | -267.64 | | 790.36 | 01 | 09 | 1 | |
| Min -267.64 | | Max -267.64 | Avg -267.64 | | | | | | |
| **6827407** | ( Aquifer: 218EDRDA | | Well Depth: 420 ) | | | | | | |
| | P | 6 / 30/ 1994 | -306.4 | | 781.6 | 01 | 09 | 1 | |
| Min -306.4 | | Max -306.4 | Avg -306.4 | | | | | | |
| **6827408** | ( Aquifer: 218GRCCU | | Well Depth: 1140 ) | | | | | | |
| | P | 9 / 18/ 2009 | -251.13 | | 812.87 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -258.4 | -7.27 | 805.6 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -258.09 | 0.31 | 805.91 | 02 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -228 | 30.09 | 836 | 01 | 09 | 4 | |
| Min -258.4 | | Max -228 | Avg -248.905 | | | | | | |
| **6827409** | ( Aquifer: 218GRCCU | | Well Depth: 1000 ) | | | | | | |
| | P | 9 / 15/ 2009 | -226.8 | | 864.2 | 01 | 09 | 4 | |
| | P | 9 / 15/ 2009 | -222.61 | 4.19 | 868.39 | 02 | 09 | 4 | |
| | P | 9 / 18/ 2009 | -220.79 | 1.82 | 870.21 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -220.5 | 0.29 | 870.5 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -216.3 | 4.2 | 874.7 | 02 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -173.3 | 43 | 917.7 | 01 | 09 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -226.8** | | **Max -173.3** | **Avg -213.383** | | | | | | |
| ***6827410*** | *( Aquifer: 218GRCCU* | | *Well Depth: 995 )* | | | | | | |
| | P | 8 / 26/ 2009 | -258 | | 853 | 01 | 09 | 4 | |
| | P | 8 / 26/ 2009 | -270.43 | -12.4 | 840.57 | 02 | 09 | 4 | |
| | P | 8 / 31/ 2009 | -272.06 | -1.63 | 838.94 | 01 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -191.5 | 80.56 | 919.5 | 01 | 09 | 4 | |
| **Min -272.06** | | **Max -191.5** | **Avg -247.998** | | | | | | |
| ***6827501*** | *( Aquifer: 218GLRS* | | *Well Depth: 220 )* | | | | | | |
| | P | 0 / 0 / 1946 | -84 | | 964 | 01 | 04 | 7 | |
| | P | 9 / 18/ 1952 | -99.01 | -15.0 | 948.99 | 01 | 02 | 1 | |
| | P | 11 / 6 / 1952 | -103.89 | -4.88 | 944.11 | 01 | 02 | 1 | |
| | P | 1 / 7 / 1953 | -98.46 | 5.43 | 949.54 | 01 | 02 | 1 | |
| | P | 3 / 3 / 1953 | -101.56 | -3.1 | 946.44 | 01 | 02 | 1 | |
| | P | 5 / 8 / 1953 | -105.36 | -3.8 | 942.64 | 01 | 02 | 1 | |
| | P | 7 / 16/ 1953 | -108.45 | -3.09 | 939.55 | 01 | 02 | 1 | |
| | P | 9 / 21/ 1953 | -99.5 | 8.95 | 948.5 | 01 | 02 | 1 | |
| | P | 11 / 5 / 1953 | -99.18 | 0.32 | 948.82 | 01 | 02 | 1 | |
| | P | 1 / 8 / 1954 | -101.3 | -2.12 | 946.7 | 01 | 02 | 1 | |
| | P | 3 / 3 / 1954 | -104.89 | -3.59 | 943.11 | 01 | 02 | 1 | |
| | P | 5 / 5 / 1954 | -108.1 | -3.21 | 939.9 | 01 | 02 | 1 | |
| | P | 5 / 21/ 1954 | -100.4 | 7.7 | 947.6 | 01 | 02 | 1 | |
| | P | 7 / 8 / 1954 | -115.8 | -15.4 | 932.2 | 01 | 02 | 1 | |
| | P | 8 / 16/ 1954 | -118.5 | -2.7 | 929.5 | 01 | 02 | 2 | |
| | P | 8 / 26/ 1954 | -115.5 | 3 | 932.5 | 01 | 02 | 2 | |
| | P | 11 / 3 / 1954 | -113.37 | 2.13 | 934.63 | 01 | 02 | 1 | |
| | P | 1 / 5 / 1955 | -115.23 | -1.86 | 932.77 | 01 | 02 | 1 | |
| | P | 3 / 1 / 1955 | -113.11 | 2.12 | 934.89 | 01 | 02 | 1 | |
| | P | 5 / 4 / 1955 | -117.45 | -4.34 | 930.55 | 01 | 02 | 1 | |
| | P | 7 / 5 / 1955 | -125.44 | -7.99 | 922.56 | 01 | 02 | 1 | |
| | P | 8 / 31/ 1955 | -134.43 | -8.99 | 913.57 | 01 | 02 | 1 | |
| | P | 11 / 3 / 1955 | -150.95 | -16.5 | 897.05 | 01 | 02 | 1 | |
| | P | 11 / 5 / 1955 | -121.15 | 29.8 | 926.85 | 01 | 02 | 1 | |
| | P | 1 / 6 / 1956 | -125.23 | -4.08 | 922.77 | 01 | 02 | 1 | |
| | P | 2 / 6 / 1956 | -118.7 | 6.53 | 929.3 | 01 | 02 | 1 | |
| | P | 3 / 6 / 1956 | -127.89 | -9.19 | 920.11 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 2/1956 | -144.78 | -16.9 | 903.22 | 01 | 02 | 1 | |
| | P | 6/ 4/1956 | -157.16 | -12.4 | 890.84 | 01 | 02 | 1 | |
| | P | 7/ 5/1956 | -155.94 | 1.22 | 892.06 | 01 | 02 | 1 | |
| | P | 8/ 1/1956 | -164.53 | -8.59 | 883.47 | 01 | 02 | 1 | |
| | P | 9/ 5/1956 | -118.75 | 45.78 | 929.25 | 01 | 02 | 1 | |
| | P | 10/ 2/1956 | -136.7 | -18 | 911.3 | 01 | 02 | 1 | |
| | P | 11/ 5/1956 | -148.21 | -11.5 | 899.79 | 01 | 02 | 1 | |
| | P | 12/ 4/1956 | -153.35 | -5.14 | 894.65 | 01 | 02 | 1 | |
| | P | 1/ 2/1957 | -156.32 | -2.97 | 891.68 | 01 | 02 | 1 | |
| | P | 2/ 4/1957 | -156.52 | -0.2 | 891.48 | 01 | 02 | 1 | |
| | P | 3/ 4/1957 | -155.85 | 0.67 | 892.15 | 01 | 02 | 1 | |
| | P | 4/ 1/1957 | -113.74 | 42.11 | 934.26 | 01 | 02 | 1 | |
| | P | 5/ 7/1957 | -97.71 | 16.03 | 950.29 | 01 | 02 | 1 | |
| | P | 6/ 3/1957 | -89.62 | 8.09 | 958.38 | 01 | 02 | 1 | |
| | P | 7/ 3/1957 | -104.74 | -15.1 | 943.26 | 01 | 02 | 1 | |
| | P | 9/ 3/1957 | -106.79 | -2.05 | 941.21 | 01 | 02 | 2 | |
| | P | 10/ 7/1957 | -98.86 | 7.93 | 949.14 | 01 | 02 | 1 | |
| | P | 11/ 6/1957 | -93.94 | 4.92 | 954.06 | 01 | 02 | 1 | |
| | P | 12/ 2/1957 | -93.18 | 0.76 | 954.82 | 01 | 02 | 1 | |
| | P | 1/ 7/1958 | -86.43 | 6.75 | 961.57 | 01 | 02 | 1 | |
| | P | 2/11/1958 | -88.95 | -2.52 | 959.05 | 01 | 02 | 1 | |
| | P | 3/ 5/1958 | -79.22 | 9.73 | 968.78 | 01 | 02 | 1 | |
| | P | 4/ 4/1958 | -94.42 | -15.2 | 953.58 | 01 | 02 | 1 | |
| | P | 5/ 7/1958 | -74.94 | 19.48 | 973.06 | 01 | 02 | 1 | |
| | P | 6/ 3/1958 | -89.25 | -14.3 | 958.75 | 01 | 02 | 1 | |
| | P | 7/ 3/1958 | -91.22 | -1.97 | 956.78 | 01 | 02 | 1 | |
| | P | 8/ 4/1958 | -101.9 | -10.7 | 946.1 | 01 | 02 | 1 | |
| | P | 9/ 2/1958 | -97.35 | 4.55 | 950.65 | 01 | 02 | 1 | |
| | P | 10/ 7/1958 | -74.6 | 22.75 | 973.4 | 01 | 02 | 1 | |
| | P | 11/ 4/1958 | -73.1 | 1.5 | 974.9 | 01 | 02 | 1 | |
| | P | 12/ 2/1958 | -84.58 | -11.5 | 963.42 | 01 | 02 | 1 | |
| | P | 1/ 9/1959 | -86.64 | -2.06 | 961.36 | 01 | 02 | 1 | |
| | P | 2/11/1959 | -87.1 | -0.46 | 960.9 | 01 | 02 | 1 | |
| | P | 3/ 3/1959 | -86.89 | 0.21 | 961.11 | 01 | 02 | 1 | |
| | P | 4/ 1/1959 | -88.16 | -1.27 | 959.84 | 01 | 02 | 1 | |
| | P | 5/ 5/1959 | -87.51 | 0.65 | 960.49 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 6/1959 | -92.11 | -4.6 | 955.89 | 01 | 02 | 1 | |
| | P | 7/ 8/1959 | -94.55 | -2.44 | 953.45 | 01 | 02 | 1 | |
| | P | 8/ 6/1959 | -94.44 | 0.11 | 953.56 | 01 | 02 | 1 | |
| | P | 9/ 1/1959 | -90.9 | 3.54 | 957.1 | 01 | 02 | 1 | |
| | P | 10/ 1/1959 | -93.48 | -2.58 | 954.52 | 01 | 02 | 1 | |
| | P | 11/ 4/1959 | -89.68 | 3.8 | 958.32 | 01 | 02 | 1 | |
| | P | 12/ 3/1959 | -90.31 | -0.63 | 957.69 | 01 | 02 | 1 | |
| | P | 1/11/1960 | -86.7 | 3.61 | 961.3 | 01 | 02 | 1 | |
| | P | 2/ 8/1960 | -87.33 | -0.63 | 960.67 | 01 | 02 | 1 | |
| | P | 3/ 3/1960 | -88.95 | -1.62 | 959.05 | 01 | 02 | 1 | |
| | P | 4/ 4/1960 | -86.92 | 2.03 | 961.08 | 01 | 02 | 1 | |
| | P | 5/ 3/1960 | -87.43 | -0.51 | 960.57 | 01 | 02 | 1 | |
| | P | 6/ 2/1960 | -91.11 | -3.68 | 956.89 | 01 | 02 | 1 | |
| | P | 7/ 6/1960 | -96.84 | -5.73 | 951.16 | 01 | 02 | 1 | |
| | P | 8/ 3/1960 | -106.38 | -9.54 | 941.62 | 01 | 02 | 1 | |
| | P | 9/ 7/1960 | -90.96 | 15.42 | 957.04 | 01 | 02 | 1 | |
| | P | 11/ 8/1960 | -82.53 | 8.43 | 965.47 | 01 | 02 | 1 | |
| | P | 12/ 8/1960 | -87.35 | -4.82 | 960.65 | 01 | 02 | 1 | |
| | P | 1/ 3/1961 | -86.99 | 0.36 | 961.01 | 01 | 02 | 1 | |
| | P | 2/21/1961 | -87.29 | -0.3 | 960.71 | 01 | 02 | 1 | |
| | P | 3/20/1961 | -86.96 | 0.33 | 961.04 | 01 | 02 | 1 | |
| | P | 4/25/1961 | -93.27 | -6.31 | 954.73 | 01 | 02 | 1 | |
| | P | 6/22/1961 | -89.6 | 3.67 | 958.4 | 01 | 02 | 1 | |
| | P | 7/21/1961 | -102.85 | -13.3 | 945.15 | 01 | 02 | 2 | |
| | P | 8/21/1961 | -95.6 | 7.25 | 952.4 | 01 | 02 | 1 | |
| | P | 9/26/1961 | -92.62 | 2.98 | 955.38 | 01 | 02 | 1 | |
| | P | 10/24/1961 | -90.1 | 2.52 | 957.9 | 01 | 02 | 1 | |
| | P | 12/ 1/1961 | -89.99 | 0.11 | 958.01 | 01 | 02 | 1 | |
| | P | 1/19/1962 | -90.46 | -0.47 | 957.54 | 01 | 02 | 1 | |
| | P | 2/ 2/1962 | -90.7 | -0.24 | 957.3 | 01 | 02 | 1 | |
| | P | 2/22/1962 | -93.45 | -2.75 | 954.55 | 01 | 02 | 1 | |
| | P | 3/20/1962 | -91.24 | 2.21 | 956.76 | 01 | 02 | 1 | |
| | P | 5/23/1962 | -106.48 | -15.2 | 941.52 | 01 | 02 | 1 | |
| | P | 6/22/1962 | -106.72 | -0.24 | 941.28 | 01 | 02 | 1 | |
| | P | 7/26/1962 | -110.71 | -3.99 | 937.29 | 01 | 02 | 1 | |
| | P | 9/25/1962 | -94.51 | 16.2 | 953.49 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 23/ 1962 | -97.05 | -2.54 | 950.95 | 01 | 02 | 1 | |
| | P | 11 / 20/ 1962 | -93.4 | 3.65 | 954.6 | 01 | 02 | 1 | |
| | P | 12 / 17/ 1962 | -88.71 | 4.69 | 959.29 | 01 | 02 | 1 | |
| | P | 1 / 25/ 1963 | -91.26 | -2.55 | 956.74 | 01 | 02 | 1 | |
| | P | 2 / 19/ 1963 | -89.8 | 1.46 | 958.2 | 01 | 02 | 1 | |
| | P | 3 / 19/ 1963 | -91.48 | -1.68 | 956.52 | 01 | 02 | 1 | |
| | P | 4 / 23/ 1963 | -95.01 | -3.53 | 952.99 | 01 | 02 | 1 | |
| | P | 5 / 20/ 1963 | -99.29 | -4.28 | 948.71 | 01 | 02 | 1 | |
| | P | 6 / 18/ 1963 | -99.8 | -0.51 | 948.2 | 01 | 02 | 1 | |
| | P | 7 / 22/ 1963 | -112.52 | -12.7 | 935.48 | 01 | 02 | 1 | |
| | P | 8 / 21/ 1963 | -108.13 | 4.39 | 939.87 | 01 | 02 | 1 | |
| | P | 9 / 24/ 1963 | -100.61 | 7.52 | 947.39 | 01 | 02 | 1 | |
| | P | 10 / 23/ 1963 | -101.07 | -0.46 | 946.93 | 01 | 02 | 1 | |
| | P | 11 / 19/ 1963 | -96.48 | 4.59 | 951.52 | 01 | 02 | 1 | |
| | P | 12 / 18/ 1963 | -96.64 | -0.16 | 951.36 | 01 | 02 | 1 | |
| | P | 1 / 20/ 1964 | -96.3 | 0.34 | 951.7 | 01 | 02 | 1 | |
| | P | 2 / 20/ 1964 | -90.77 | 5.53 | 957.23 | 01 | 02 | 1 | |
| | P | 3 / 27/ 1964 | -93.86 | -3.09 | 954.14 | 01 | 02 | 1 | |
| | P | 4 / 22/ 1964 | -93.95 | -0.09 | 954.05 | 01 | 02 | 1 | |
| | P | 5 / 21/ 1964 | -101.44 | -7.49 | 946.56 | 01 | 02 | 1 | |
| | P | 6 / 24/ 1964 | -90.18 | 11.26 | 957.82 | 01 | 02 | 1 | |
| | P | 7 / 23/ 1964 | -107.76 | -17.6 | 940.24 | 01 | 02 | 1 | |
| | P | 8 / 20/ 1964 | -107.9 | -0.14 | 940.1 | 01 | 02 | 1 | |
| | P | 9 / 23/ 1964 | -99.05 | 8.85 | 948.95 | 01 | 02 | 1 | |
| | P | 10 / 21/ 1964 | -100.04 | -0.99 | 947.96 | 01 | 02 | 1 | |
| | P | 11 / 25/ 1964 | -92.23 | 7.81 | 955.77 | 01 | 02 | 1 | |
| | P | 12 / 21/ 1964 | -92.75 | -0.52 | 955.25 | 01 | 02 | 1 | |
| | P | 1 / 21/ 1965 | -93.23 | -0.48 | 954.77 | 01 | 02 | 1 | |
| | P | 2 / 19/ 1965 | -78.7 | 14.53 | 969.3 | 01 | 02 | 1 | |
| | P | 3 / 23/ 1965 | -90.7 | -12 | 957.3 | 01 | 02 | 1 | |
| | P | 4 / 21/ 1965 | -87.53 | 3.17 | 960.47 | 01 | 02 | 1 | |
| | P | 5 / 20/ 1965 | -47.37 | 40.16 | 1000.63 | 01 | 02 | 1 | |
| | P | 6 / 18/ 1965 | -80.44 | -33.1 | 967.56 | 01 | 02 | 1 | |
| | P | 7 / 21/ 1965 | -95 | -14.6 | 953 | 01 | 02 | 1 | |
| | P | 8 / 24/ 1965 | -94.56 | 0.44 | 953.44 | 01 | 02 | 1 | |
| | P | 9 / 16/ 1965 | -96.86 | -2.3 | 951.14 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 21/ 1965 | -87.76 | 9.1 | 960.24 | 01 | 02 | 1 | |
| | P | 11 / 23/ 1965 | -90.3 | -2.54 | 957.7 | 01 | 02 | 1 | |
| | P | 12 / 28/ 1965 | -84.36 | 5.94 | 963.64 | 01 | 02 | 1 | |
| | P | 1 / 31/ 1966 | -87.47 | -3.11 | 960.53 | 01 | 02 | 1 | |
| | P | 3 / 8 / 1966 | -85.86 | 1.61 | 962.14 | 01 | 02 | 1 | |
| | P | 4 / 14/ 1966 | -89.69 | -3.83 | 958.31 | 01 | 02 | 1 | |
| | P | 5 / 19/ 1966 | -87.98 | 1.71 | 960.02 | 01 | 02 | 1 | |
| | P | 7 / 25/ 1966 | -102.68 | -14.7 | 945.32 | 01 | 02 | 1 | |
| | P | 8 / 30/ 1966 | -87.18 | 15.5 | 960.82 | 01 | 02 | 1 | |
| | P | 10 / 3 / 1966 | -87.29 | -0.11 | 960.71 | 01 | 02 | 1 | |
| | P | 11 / 10/ 1966 | -90.32 | -3.03 | 957.68 | 01 | 02 | 1 | |
| | P | 12 / 14/ 1966 | -91.5 | -1.18 | 956.5 | 01 | 02 | 1 | |
| | P | 1 / 16/ 1967 | -92 | -0.5 | 956 | 01 | 02 | 1 | |
| | P | 2 / 20/ 1967 | -92.56 | -0.56 | 955.44 | 01 | 02 | 1 | |
| | P | 3 / 30/ 1967 | -99.2 | -6.64 | 948.8 | 01 | 02 | 1 | |
| | P | 5 / 1 / 1967 | -102.66 | -3.46 | 945.34 | 01 | 02 | 1 | |
| | P | 6 / 5 / 1967 | -97.23 | 5.43 | 950.77 | 01 | 02 | 1 | |
| | P | 7 / 10/ 1967 | -110.76 | -13.5 | 937.24 | 01 | 02 | 1 | |
| | P | 8 / 15/ 1967 | -129.08 | -18.3 | 918.92 | 01 | 02 | 1 | |
| | P | 9 / 19/ 1967 | -97.6 | 31.48 | 950.4 | 01 | 02 | 1 | |
| | P | 10 / 26/ 1967 | -93.29 | 4.31 | 954.71 | 01 | 02 | 1 | |
| | P | 11 / 27/ 1967 | -89.01 | 4.28 | 958.99 | 01 | 02 | 1 | |
| | P | 12 / 26/ 1967 | -91.09 | -2.08 | 956.91 | 01 | 02 | 1 | |
| | P | 1 / 29/ 1968 | -64.37 | 26.72 | 983.63 | 01 | 02 | 1 | |
| | P | 3 / 11/ 1968 | -82.48 | -18.1 | 965.52 | 01 | 02 | 1 | |
| | P | 4 / 16/ 1968 | -85.18 | -2.7 | 962.82 | 01 | 02 | 1 | |
| | P | 5 / 27/ 1968 | -84.83 | 0.35 | 963.17 | 01 | 02 | 1 | |
| | P | 6 / 20/ 1968 | -87.2 | -2.37 | 960.8 | 01 | 02 | 1 | |
| | P | 7 / 30/ 1968 | -93.4 | -6.2 | 954.6 | 01 | 02 | 1 | |
| | P | 9 / 4 / 1968 | -93.6 | -0.2 | 954.4 | 01 | 02 | 1 | |
| | P | 10 / 9 / 1968 | -90.52 | 3.08 | 957.48 | 01 | 02 | 1 | |
| | P | 11 / 13/ 1968 | -91.93 | -1.41 | 956.07 | 01 | 02 | 1 | |
| | P | 12 / 17/ 1968 | -90.42 | 1.51 | 957.58 | 01 | 02 | 1 | |
| | P | 1 / 22/ 1969 | -90.39 | 0.03 | 957.61 | 01 | 02 | 1 | |
| | P | 3 / 5 / 1969 | -88.48 | 1.91 | 959.52 | 01 | 02 | 1 | |
| | P | 4 / 14/ 1969 | -86.15 | 2.33 | 961.85 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 26/ 1969 | -79.2 | 6.95 | 968.8 | 01 | 02 | 1 | |
| | P | 7 / 1 / 1969 | -96.85 | -17.7 | 951.15 | 01 | 02 | 1 | |
| | P | 8 / 6 / 1969 | -101.28 | -4.43 | 946.72 | 01 | 02 | 1 | |
| | P | 9 / 10/ 1969 | -99.86 | 1.42 | 948.14 | 01 | 02 | 1 | |
| | P | 10 / 15/ 1969 | -92.23 | 7.63 | 955.77 | 01 | 02 | 1 | |
| | P | 11 / 19/ 1969 | -93.28 | -1.05 | 954.72 | 01 | 02 | 1 | |
| | P | 12 / 22/ 1969 | -88.21 | 5.07 | 959.79 | 01 | 02 | 1 | |
| | P | 1 / 28/ 1970 | -90.51 | -2.3 | 957.49 | 01 | 02 | 1 | |
| | P | 3 / 4 / 1970 | -82.3 | 8.21 | 965.7 | 01 | 02 | 1 | |
| | P | 4 / 9 / 1970 | -86.83 | -4.53 | 961.17 | 01 | 02 | 1 | |
| | P | 9 / 28/ 1970 | -90.01 | -3.18 | 957.99 | 01 | 02 | 1 | |
| | P | 1 / 11/ 1971 | -94.03 | -4.02 | 953.97 | 01 | 02 | 1 | |
| | P | 1 / 21/ 1972 | -89.12 | 4.91 | 958.88 | 01 | 02 | 1 | |
| | P | 2 / 3 / 1972 | -89.3 | -0.18 | 958.7 | 01 | 02 | 1 | |
| | P | 6 / 7 / 1972 | -95.95 | -6.65 | 952.05 | 01 | 02 | 1 | |
| | P | 2 / 6 / 1973 | -88.57 | 7.38 | 959.43 | 01 | 02 | 1 | |
| | P | 7 / 26/ 1973 | -67.71 | 20.86 | 980.29 | 01 | 02 | 1 | |
| | P | 2 / 13/ 1974 | -84.82 | -17.1 | 963.18 | 01 | 02 | 1 | |
| | P | 7 / 15/ 1974 | -105.69 | -20.9 | 942.31 | 01 | 02 | 1 | |
| | P | 2 / 13/ 1975 | -73.93 | 31.76 | 974.07 | 01 | 02 | 1 | |
| | P | 7 / 17/ 1975 | -91.7 | -17.8 | 956.3 | 01 | 02 | 1 | |
| | P | 8 / 2 / 1976 | -84.87 | 6.83 | 963.13 | 01 | 02 | 1 | |
| | P | 1 / 27/ 1983 | -89.55 | -4.68 | 958.45 | 01 | 04 | 1 | |
| | P | 6 / 26/ 1984 | -104.76 | -15.2 | 943.24 | 01 | 04 | 1 | |
| | P | 6 / 24/ 1992 | -67.15 | 37.61 | 980.85 | 01 | 01 | 1 | |

**Min** *-164.53* **Max** *-47.37* **Avg** *-97.9526*

***6827503*** *( Aquifer: 218GLRS Well Depth: 435 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 17/ 2003 | -156.32 | | 838.68 | 01 | 06 | 1 | |
| | P | 2 / 21/ 2003 | -167.08 | -10.8 | 827.92 | 01 | 06 | 1 | |
| | P | 4 / 2 / 2003 | -175.09 | -8.01 | 819.91 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2003 | -183.69 | -8.6 | 811.31 | 01 | 06 | 1 | |
| | P | 5 / 27/ 2003 | -194.48 | -10.8 | 800.52 | 01 | 06 | 1 | |
| | P | 6 / 29/ 2003 | -203.08 | -8.6 | 791.92 | 01 | 06 | 1 | |
| | P | 7 / 28/ 2003 | -205.41 | -2.33 | 789.59 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -214.43 | -9.02 | 780.57 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 22/ 2004 | -237.51 | -23.1 | 757.49 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2004 | -222.83 | 14.68 | 772.17 | 01 | 06 | 1 | |
| | P | 5 / 20/ 2004 | -210.28 | 12.55 | 784.72 | 01 | 06 | 1 | |
| | P | 6 / 25/ 2004 | -212.91 | -2.63 | 782.09 | 01 | 06 | 1 | |
| | P | 7 / 1 / 2004 | -201.38 | 11.53 | 793.62 | 01 | 06 | 1 | |

**Min** *-237.51* **Max** *-156.32* **Avg** *-198.807*

***6827504*** *( Aquifer: 218EBFZA Well Depth: 508 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 24/ 1962 | -262 | | 730 | 01 | 12 | 7 | |
| | P | 12 / 20/ 1971 | -225.23 | 36.77 | 766.77 | 01 | 01 | 2 | |

**Min** *-262* **Max** *-225.23* **Avg** *-243.615*

***6827505*** *( Aquifer: 218EBFZA Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 17/ 1958 | -260.5 | | 718.5 | 01 | 12 | 7 | |
| | P | 2 / 27/ 1972 | -240.44 | 20.06 | 738.56 | 01 | 06 | 1 | |
| | P | 4 / 4 / 1972 | -244.09 | -3.65 | 734.91 | 01 | 06 | 1 | |
| | P | 5 / 8 / 1972 | -235.27 | 8.82 | 743.73 | 01 | 06 | 1 | |
| | P | 6 / 7 / 1972 | -219.1 | 16.17 | 759.9 | 01 | 06 | 1 | |
| | P | 6 / 13/ 1972 | -219.99 | -0.89 | 759.01 | 01 | 06 | 1 | |
| | P | 2 / 13/ 1975 | -198.02 | 21.97 | 780.98 | 01 | 12 | 7 | |
| | P | 3 / 28/ 1975 | -204.54 | -6.52 | 774.46 | 01 | 06 | 1 | |
| | P | 5 / 6 / 1975 | -209.1 | -4.56 | 769.9 | 01 | 06 | 1 | |
| | P | 6 / 20/ 1975 | -209.87 | -0.77 | 769.13 | 01 | 06 | 1 | |
| | P | 7 / 17/ 1975 | -216.7 | -6.83 | 762.3 | 01 | 06 | 1 | |
| | P | 9 / 8 / 1975 | -220.92 | -4.22 | 758.08 | 01 | 06 | 1 | |
| | P | 10 / 23/ 1975 | -227.11 | -6.19 | 751.89 | 01 | 06 | 1 | |
| | P | 12 / 4 / 1975 | -230.9 | -3.79 | 748.1 | 01 | 06 | 1 | |
| | P | 1 / 19/ 1976 | -263.9 | -33 | 715.1 | 01 | 06 | 1 | |
| | P | 2 / 27/ 1976 | -239.3 | 24.6 | 739.7 | 01 | 06 | 1 | |
| | P | 4 / 7 / 1976 | -256 | -16.7 | 723 | 01 | 06 | 1 | |
| | P | 5 / 10/ 1976 | -213.96 | 42.04 | 765.04 | 01 | 06 | 1 | |
| | P | 8 / 2 / 1976 | -209.08 | 4.88 | 769.92 | 01 | 04 | 1 | |
| | P | 2 / 3 / 1983 | -253.03 | -44 | 725.97 | 01 | 04 | 1 | |
| | P | 6 / 26/ 1984 | -298.17 | -45.1 | 680.83 | 01 | 04 | 1 | |
| | P | 7 / 13/ 1989 | -268.28 | 29.89 | 710.72 | 01 | 06 | 1 | |
| | P | 6 / 25/ 1992 | -85.9 | 182.4 | 893.1 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -298.17** | | **Max -85.9** | **Avg -227.138** | | | | | | |
| ***6827507*** | *( Aquifer: 218EBFZA* | | *Well Depth: 385 )* | | | | | | |
| | P | 10 / 13/ 1970 | -264.5 | | 735.5 | 01 | 04 | 1 | |
| **Min -264.5** | | **Max -264.5** | **Avg -264.5** | | | | | | |
| ***6827510*** | *( Aquifer: 218EBFZA* | | *Well Depth: 390 )* | | | | | | |
| | P | 7 / 14/ 1994 | -246.97 | | 758.03 | 01 | 09 | 1 | |
| **Min -246.97** | | **Max -246.97** | **Avg -246.97** | | | | | | |
| ***6827512*** | *( Aquifer: 218EBFZA* | | *Well Depth: 502 )* | | | | | | |
| | P | 12 / 20/ 1971 | -198.84 | | 796.16 | 01 | 04 | 1 | |
| | P | 2 / 3 / 1972 | -193.89 | 4.95 | 801.11 | 01 | 01 | 1 | |
| | P | 2 / 24/ 1972 | -195.32 | -1.43 | 799.68 | 01 | 01 | 1 | |
| | P | 3 / 22/ 1972 | -195.23 | 0.09 | 799.77 | 01 | 01 | 1 | |
| | P | 4 / 27/ 1972 | -194.7 | 0.53 | 800.3 | 01 | 01 | 1 | |
| | P | 5 / 25/ 1972 | -193.77 | 0.93 | 801.23 | 01 | 01 | 1 | |
| | P | 6 / 7 / 1972 | -191.79 | 1.98 | 803.21 | 01 | 01 | 1 | |
| | P | 6 / 23/ 1972 | -195.32 | -3.53 | 799.68 | 01 | 01 | 1 | |
| | P | 7 / 24/ 1972 | -195.66 | -0.34 | 799.34 | 01 | 01 | 1 | |
| | P | 8 / 21/ 1972 | -195.74 | -0.08 | 799.26 | 01 | 01 | 1 | |
| | P | 9 / 22/ 1972 | -194.79 | 0.95 | 800.21 | 01 | 01 | 1 | |
| | P | 10 / 24/ 1972 | -192.95 | 1.84 | 802.05 | 01 | 01 | 2 | |
| | P | 12 / 15/ 1972 | -220.55 | -27.6 | 774.45 | 01 | 01 | 1 | |
| | P | 2 / 6 / 1973 | -202.8 | 17.75 | 792.2 | 01 | 04 | 1 | |
| | P | 2 / 26/ 1973 | -194.25 | 8.55 | 800.75 | 01 | 01 | 1 | |
| | P | 3 / 16/ 1973 | -193.7 | 0.55 | 801.3 | 01 | 01 | 1 | |
| | P | 4 / 26/ 1973 | -170.3 | 23.4 | 824.7 | 01 | 01 | 1 | |
| | P | 5 / 1 / 1973 | -197.8 | -27.5 | 797.2 | 01 | 04 | 1 | |
| | P | 5 / 21/ 1973 | -182.45 | 15.35 | 812.55 | 01 | 01 | 1 | |
| | P | 6 / 18/ 1973 | -175.07 | 7.38 | 819.93 | 01 | 01 | 1 | |
| | P | 7 / 23/ 1973 | -159.71 | 15.36 | 835.29 | 01 | 01 | 1 | |
| | P | 7 / 26/ 1973 | -156.93 | 2.78 | 838.07 | 01 | 04 | 1 | |
| | P | 8 / 21/ 1973 | -172.54 | -15.6 | 822.46 | 01 | 01 | 1 | |
| | P | 9 / 26/ 1973 | -169.44 | 3.1 | 825.56 | 01 | 01 | 1 | |
| | P | 10 / 26/ 1973 | -130.09 | 39.35 | 864.91 | 01 | 01 | 1 | |
| | P | 11 / 27/ 1973 | -144.76 | -14.7 | 850.24 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/28/1974 | -172.49 | -27.7 | 822.51 | 01 | 01 | 1 | |
| | P | 2/13/1974 | -176.18 | -3.69 | 818.82 | 01 | 04 | 1 | |
| | P | 4/30/1974 | -195.75 | -19.6 | 799.25 | 01 | 01 | 1 | |
| | P | 7/29/1974 | -193.25 | 2.5 | 801.75 | 01 | 01 | 1 | |
| | P | 10/10/1974 | -194.98 | -1.73 | 800.02 | 01 | 01 | 1 | |
| | P | 2/ 4/1975 | -178.59 | 16.39 | 816.41 | 01 | 01 | 1 | |
| | P | 2/13/1975 | -173.04 | 5.55 | 821.96 | 01 | 01 | 1 | |
| | P | 4/25/1975 | -195.62 | -22.6 | 799.38 | 01 | 01 | 1 | |
| | P | 7/ 9/1975 | -194.04 | 1.58 | 800.96 | 01 | 01 | 1 | |
| | P | 10/22/1975 | -194.78 | -0.74 | 800.22 | 01 | 01 | 1 | |
| | P | 1/28/1976 | -202.15 | -7.37 | 792.85 | 01 | 01 | 1 | |
| | P | 1/30/1976 | -193.96 | 8.19 | 801.04 | 01 | 01 | 1 | |
| | P | 4/23/1976 | -191.94 | 2.02 | 803.06 | 01 | 01 | 1 | |
| | P | 7/13/1976 | -195.09 | -3.15 | 799.91 | 01 | 01 | 1 | |
| | P | 10/22/1976 | -173.39 | 21.7 | 821.61 | 01 | 01 | 1 | |
| | P | 2/ 3/1977 | -178.56 | -5.17 | 816.44 | 01 | 01 | 1 | |
| | P | 4/19/1977 | -178.56 | | 816.44 | 01 | 01 | 1 | |
| | P | 7/19/1977 | -178.71 | -0.15 | 816.29 | 01 | 01 | 1 | |
| | P | 10/18/1977 | -194.62 | -15.9 | 800.38 | 01 | 01 | 1 | |
| | P | 2/ 1/1978 | -204.8 | -10.2 | 790.2 | 01 | 06 | 1 | |
| | P | 2/ 8/1978 | -194.28 | 10.52 | 800.72 | 01 | 01 | 1 | |
| | P | 2/24/1978 | -206.7 | -12.4 | 788.3 | 01 | 06 | 1 | |
| | P | 3/29/1978 | -197.5 | 9.2 | 797.5 | 01 | 06 | 1 | |
| | P | 4/27/1978 | -205.4 | -7.9 | 789.6 | 01 | 06 | 1 | |
| | P | 6/ 3/1978 | -236.1 | -30.7 | 758.9 | 01 | 06 | 1 | |
| | P | 7/ 6/1978 | -241.1 | -5 | 753.9 | 01 | 06 | 1 | |
| | P | 10/ 1/1978 | -230 | 11.1 | 765 | 01 | 06 | 1 | |
| | P | 11/ 6/1978 | -193.65 | 36.35 | 801.35 | 01 | 06 | 1 | |
| | P | 11/28/1978 | -184.46 | 9.19 | 810.54 | 01 | 08 | 1 | |
| | P | 12/27/1978 | -193.63 | -9.17 | 801.37 | 01 | 08 | 1 | |
| | P | 1/29/1979 | -175.56 | 18.07 | 819.44 | 01 | 08 | 1 | |
| | P | 3/ 1/1979 | -181.52 | -5.96 | 813.48 | 01 | 08 | 1 | |
| | P | 3/27/1979 | -167.54 | 13.98 | 827.46 | 01 | 08 | 1 | |
| | P | 4/26/1979 | -167.34 | 0.2 | 827.66 | 01 | 04 | 1 | |
| | P | 6/ 4/1979 | -170.2 | -2.86 | 824.8 | 01 | 04 | 1 | |
| | P | 6/25/1979 | -171.75 | -1.55 | 823.25 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 2/1979 | -170.74 | 1.01 | 824.26 | 01 | 04 | 1 | |
| | P | 8/30/1979 | -180.84 | -10.1 | 814.16 | 01 | 08 | 1 | |
| | P | 9/26/1979 | -188.73 | -7.89 | 806.27 | 01 | 08 | 1 | |
| | P | 11/ 1/1979 | -193.94 | -5.21 | 801.06 | 01 | 08 | 1 | |
| | P | 11/28/1979 | -194.44 | -0.5 | 800.56 | 01 | 06 | 1 | |
| | P | 12/28/1979 | -193.67 | 0.77 | 801.33 | 01 | 06 | 1 | |
| | P | 1/29/1980 | -193.48 | 0.19 | 801.52 | 01 | 06 | 1 | |
| | P | 2/26/1980 | -193.64 | -0.16 | 801.36 | 01 | 06 | 1 | |
| | P | 3/25/1980 | -193.8 | -0.16 | 801.2 | 01 | 04 | 1 | |
| | P | 5/ 9/1980 | -195.01 | -1.21 | 799.99 | 01 | 04 | 1 | |
| | P | 6/10/1980 | -193.7 | 1.31 | 801.3 | 01 | 04 | 1 | |
| | P | 6/24/1980 | -194 | -0.3 | 801 | 01 | 04 | 1 | |
| | P | 7/29/1980 | -195.2 | -1.2 | 799.8 | 01 | 04 | 1 | |
| | P | 8/28/1980 | -194.37 | 0.83 | 800.63 | 01 | 04 | 1 | |
| | P | 9/30/1980 | -193.96 | 0.41 | 801.04 | 01 | 04 | 1 | |
| | P | 10/28/1980 | -193.59 | 0.37 | 801.41 | 01 | 04 | 1 | |
| | P | 11/30/1980 | -220.29 | -26.7 | 774.71 | 01 | 04 | 1 | |
| | P | 12/31/1980 | -193.67 | 26.62 | 801.33 | 01 | 04 | 1 | |
| | P | 1/12/1981 | -194.26 | -0.59 | 800.74 | 01 | 04 | 1 | |
| | P | 1/28/1981 | -194.26 | | 800.74 | 01 | 06 | 1 | |
| | P | 2/20/1981 | -168.1 | 26.16 | 826.9 | 01 | 01 | 2 | |
| | N | 2/25/1981 | | | | 01 | 04 | 1 | 45 |
| | N | 4/ 1/1981 | | | | 01 | 12 | 7 | 45 |
| | P | 5/ 7/1981 | -193.65 | | 801.35 | 01 | 04 | 1 | |
| | P | 5/27/1981 | -195.06 | -1.41 | 799.94 | 01 | 04 | 1 | |
| | P | 6/24/1981 | -166.51 | 28.55 | 828.49 | 01 | 04 | 1 | |
| | P | 7/30/1981 | -184.93 | -18.4 | 810.07 | 01 | 04 | 1 | |
| | P | 9/ 2/1981 | -195.18 | -10.3 | 799.82 | 01 | 04 | 1 | |
| | P | 9/30/1981 | -197.95 | -2.77 | 797.05 | 01 | 04 | 1 | |
| | P | 10/28/1981 | -195.19 | 2.76 | 799.81 | 01 | 04 | 1 | |
| | P | 12/ 7/1981 | -194.89 | 0.3 | 800.11 | 01 | 04 | 1 | |
| | P | 1/ 6/1982 | -197.32 | -2.43 | 797.68 | 01 | 04 | 1 | |
| | P | 2/ 5/1982 | -195.09 | 2.23 | 799.91 | 01 | 04 | 1 | |
| | P | 2/ 9/1982 | -198.57 | -3.48 | 796.43 | 01 | 01 | 1 | |
| | P | 3/ 6/1982 | -194.7 | 3.87 | 800.3 | 01 | 04 | 1 | |
| | P | 4/ 4/1982 | -194.34 | 0.36 | 800.66 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 9/1982 | -194.59 | -0.25 | 800.41 | 01 | 04 | 1 | |
| | P | 6/ 2/1982 | -192.75 | 1.84 | 802.25 | 01 | 04 | 1 | |
| | P | 7/ 2/1982 | -192.68 | 0.07 | 802.32 | 01 | 04 | 1 | |
| | P | 7/27/1982 | -195.18 | -2.5 | 799.82 | 01 | 04 | 1 | |
| | P | 8/29/1982 | -195.39 | -0.21 | 799.61 | 01 | 04 | 1 | |
| | P | 9/29/1982 | -195.2 | 0.19 | 799.8 | 01 | 04 | 1 | |
| | P | 10/29/1982 | -193.79 | 1.41 | 801.21 | 01 | 04 | 1 | |
| | P | 12/ 7/1982 | -194.1 | -0.31 | 800.9 | 01 | 04 | 1 | |
| | P | 12/28/1982 | -193.49 | 0.61 | 801.51 | 01 | 04 | 1 | |
| | P | 2/ 9/1983 | -198.5 | -5.01 | 796.5 | 01 | 01 | 1 | |
| | P | 2/28/1983 | -194.8 | 3.7 | 800.2 | 01 | 12 | 1 | |
| | P | 4/27/1983 | -193.63 | 1.17 | 801.37 | 01 | 12 | 1 | |
| | P | 5/26/1983 | -194.26 | -0.63 | 800.74 | 01 | 12 | 1 | |
| | P | 7/ 1/1983 | -198.19 | -3.93 | 796.81 | 01 | 12 | 1 | |
| | P | 7/26/1983 | -193.19 | 5 | 801.81 | 01 | 06 | 1 | |
| | P | 9/ 5/1983 | -195.19 | -2 | 799.81 | 01 | 12 | 1 | |
| | P | 10/ 7/1983 | -193.57 | 1.62 | 801.43 | 01 | 12 | 1 | |
| | P | 12/ 9/1983 | -194.27 | -0.7 | 800.73 | 01 | 12 | 1 | |
| | P | 1/ 4/1984 | -194.3 | -0.03 | 800.7 | 01 | 12 | 1 | |
| | P | 2/ 9/1984 | -194.76 | -0.46 | 800.24 | 01 | 12 | 1 | |
| | P | 2/23/1984 | -206.82 | -12.1 | 788.18 | 01 | 01 | 1 | |
| | P | 3/ 1/1984 | -195.19 | 11.63 | 799.81 | 01 | 12 | 1 | |
| | P | 3/29/1984 | -195.19 | | 799.81 | 01 | 06 | 1 | |
| | P | 9/20/1984 | -195.34 | -0.15 | 799.66 | 01 | 12 | 1 | |
| | P | 11/ 8/1984 | -195.24 | 0.1 | 799.76 | 01 | 12 | 1 | |
| | P | 11/29/1984 | -195.24 | | 799.76 | 01 | 06 | 1 | |
| | P | 1/ 3/1985 | -193.1 | 2.14 | 801.9 | 01 | 12 | 1 | |
| | P | 1/28/1985 | -193.1 | | 801.9 | 01 | 06 | 1 | |
| | N | 2/13/1985 | | | | 01 | 01 | 1 | 47 |
| | P | 2/26/1985 | -196.75 | | 798.25 | 01 | 12 | 1 | |
| | P | 3/26/1985 | -194.96 | 1.79 | 800.04 | 01 | 12 | 1 | |
| | N | 4/30/1985 | | | | 01 | 12 | 1 | 44 |
| | N | 5/30/1985 | | | | 01 | 12 | 1 | 44 |
| | P | 6/25/1985 | -197.67 | | 797.33 | 01 | 12 | 1 | |
| | P | 7/31/1985 | -194.06 | 3.61 | 800.94 | 01 | 12 | 7 | |
| | P | 8/28/1985 | -194.06 | | 800.94 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 11/ 1986 | -197.55 | -3.49 | 797.45 | 01 | 01 | 1 | |
| | P | 12 / 8 / 1986 | -198.95 | -1.4 | 796.05 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1988 | -193.35 | 5.6 | 801.65 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1989 | -200.95 | -7.6 | 794.05 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1990 | -208.2 | -7.25 | 786.8 | 01 | 01 | 1 | |
| | N | 1 / 21/ 1991 | | | | 01 | 01 | 1 | 45 |
| | N | 1 / 28/ 1992 | | | | 01 | 01 | 1 | 47 |
| | P | 3 / 2 / 1993 | -191.99 | | 803.01 | 01 | 06 | 1 | |
| | P | 5 / 19/ 1994 | -187.6 | 4.39 | 807.4 | 01 | 06 | 1 | |
| | N | 4 / 6 / 1995 | | | | 01 | 04 | 1 | 44 |
| | P | 3 / 18/ 1996 | -195.04 | | 799.96 | 01 | 06 | 1 | 20 |
| | N | 12 / 23/ 2008 | | | | 01 | 01 | 1 | 47 |
| | N | 1 / 20/ 2010 | | | | 01 | 01 | 1 | 47 |
| | P | 3 / 25/ 2011 | -195.89 | | 799.11 | 01 | 01 | 1 | 25 |
| | P | 10 / 13/ 2011 | -196.27 | -0.38 | 798.73 | 01 | 01 | 1 | |
| | P | 10 / 30/ 2012 | -194.08 | 2.19 | 800.92 | 01 | 01 | 1 | 25 |

**Min** *-241.1* **Max** *-130.09* **Avg** *-191.579*

***6827514*** *( Aquifer: 218EBFZA Well Depth: 344 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1932 | -262 | | 724 | 01 | 12 | 7 | |
| | P | 8 / 31/ 1949 | -265.29 | -3.29 | 720.71 | 01 | 12 | 7 | |

**Min** *-265.29* **Max** *-262* **Avg** *-263.645*

***6827515*** *( Aquifer: 218EBFZA Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 18/ 1932 | -244.9 | | 723.1 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -298.77 | -53.9 | 669.23 | 01 | 12 | 7 | |

**Min** *-298.77* **Max** *-244.9* **Avg** *-271.835*

***6827516*** *( Aquifer: 218GLRSU Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 16/ 1965 | -179 | | 846 | 01 | 12 | 7 | |
| | N | 8 / 15/ 2007 | | | | 01 | 01 | | 42 |

**Min** *-179* **Max** *-179* **Avg** *-179*

***6827517*** *( Aquifer: 218EBFZA Well Depth: 302 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 4 / 1998 | -248 | | 749 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1998 | -248 | | 749 | 02 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -218.09 | 29.91 | 778.91 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 17/ 2003 | -156.49 | 61.6 | 840.51 | 01 | 06 | 1 | |
| | P | 2 / 21/ 2003 | -167.25 | -10.8 | 829.75 | 01 | 06 | 1 | |
| | P | 4 / 2 / 2003 | -175.29 | -8.04 | 821.71 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2003 | -183.88 | -8.59 | 813.12 | 01 | 06 | 1 | |
| | P | 5 / 27/ 2003 | -194.7 | -10.8 | 802.3 | 01 | 06 | 1 | |
| | P | 6 / 29/ 2003 | -203.33 | -8.63 | 793.67 | 01 | 06 | 1 | |
| | P | 7 / 28/ 2003 | -205.65 | -2.32 | 791.35 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -214.7 | -9.05 | 782.3 | 01 | 06 | 1 | |
| | P | 10 / 14/ 2003 | -221.1 | -6.4 | 775.9 | 01 | 06 | 1 | |
| | P | 11 / 12/ 2003 | -225.32 | -4.22 | 771.68 | 01 | 06 | 1 | |
| | P | 12 / 29/ 2003 | -233.2 | -7.88 | 763.8 | 01 | 06 | 1 | |
| | P | 1 / 30/ 2004 | -236.34 | -3.14 | 760.66 | 01 | 06 | 1 | |
| | P | 3 / 15/ 2004 | -238.71 | -2.37 | 758.29 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2004 | -223.1 | 15.61 | 773.9 | 01 | 06 | 1 | |
| | P | 5 / 20/ 2004 | -218.57 | 4.53 | 778.43 | 01 | 06 | 1 | |
| | P | 6 / 25/ 2004 | -213.17 | 5.4 | 783.83 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -119.14 | 94.03 | 877.86 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -195.51 | -76.4 | 801.49 | 01 | 06 | 2 | |
| | P | 11 / 7 / 2005 | -222.2 | -26.7 | 774.8 | 01 | 06 | 2 | |
| | P | 12 / 12/ 2005 | -229.34 | -7.14 | 767.66 | 01 | 04 | 2 | |
| | P | 7 / 27/ 2006 | -252.15 | -22.8 | 744.85 | 01 | 06 | 2 | |
| | P | 9 / 1 / 2006 | -261.96 | -9.81 | 735.04 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -267.25 | -5.29 | 729.75 | 01 | 06 | 2 | |
| | P | 12 / 11/ 2006 | -269.3 | -2.05 | 727.7 | 01 | 04 | 2 | |
| | P | 12 / 20/ 2007 | -146.19 | 123.1 | 850.81 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -231.43 | -85.2 | 765.57 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -241.98 | -10.6 | 755.02 | 01 | 04 | 2 | |
| | P | 3 / 13/ 2009 | -261.14 | -19.2 | 735.86 | 01 | 04 | 2 | |
| | P | 4 / 10/ 2009 | -260.98 | 0.16 | 736.02 | 01 | 04 | 2 | |
| | P | 1 / 20/ 2010 | -250.34 | 10.64 | 746.66 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -218.25 | 32.09 | 778.75 | 01 | 06 | 2 | |
| | N | 12 / 14/ 2010 | | | | 01 | 04 | 1 | 44 |

**Min** *-269.3* **Max** *-119.14* **Avg** *-219.178*

***6827518*** *( Aquifer: 218EBFZA Well Depth: 464 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 20/ 1978 | -218 | | 777 | 01 | 06 | 6 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -218** | | **Max -218** | **Avg** | **-218** | | | | | |
| ***6827519*** | *( Aquifer: 218EBFZA* | | *Well Depth: 476 )* | | | | | | |
| | P | 12 / 7 / 1978 | -272 | | 813 | 01 | 06 | 6 | |
| **Min -272** | | **Max -272** | **Avg** | **-272** | | | | | |
| ***6827520*** | *( Aquifer: 218EBFZA* | | *Well Depth: 497 )* | | | | | | |
| | P | 12 / 1 / 1978 | -231 | | 849 | 01 | 06 | 6 | |
| **Min -231** | | **Max -231** | **Avg** | **-231** | | | | | |
| ***6827530*** | *( Aquifer: 218GRCCU* | | *Well Depth: 1020 )* | | | | | | |
| | P | 8 / 17/ 2009 | -212.18 | | 858.82 | 01 | 09 | 4 | |
| | P | 8 / 17/ 2009 | -210.82 | 1.36 | 860.18 | 02 | 09 | 4 | |
| | P | 8 / 22/ 2009 | -216.27 | -5.45 | 854.73 | 01 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -137.2 | 79.07 | 933.8 | 01 | 09 | 4 | |
| **Min -216.27** | | **Max -137.2** | **Avg** | **-194.118** | | | | | |
| ***6827531*** | *( Aquifer: 218GRCCU* | | *Well Depth: 1040 )* | | | | | | |
| | P | 8 / 17/ 2009 | -303.1 | | 868.9 | 01 | 09 | 4 | |
| | P | 8 / 17/ 2009 | -303.26 | -0.16 | 868.74 | 02 | 09 | 4 | |
| | P | 8 / 22/ 2009 | -252.32 | 50.94 | 919.68 | 01 | 09 | 4 | |
| | P | 8 / 26/ 2009 | -325.2 | -72.9 | 846.8 | 01 | 09 | 4 | |
| | P | 8 / 26/ 2009 | -312.42 | 12.78 | 859.58 | 02 | 09 | 4 | |
| | P | 8 / 31/ 2009 | -312.71 | -0.29 | 859.29 | 01 | 09 | 4 | |
| | P | 9 / 15/ 2009 | -301.5 | 11.21 | 870.5 | 01 | 09 | 4 | |
| | P | 9 / 15/ 2009 | -288.65 | 12.85 | 883.35 | 02 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -238.4 | 50.25 | 933.6 | 01 | 09 | 4 | |
| **Min -325.2** | | **Max -238.4** | **Avg** | **-293.062** | | | | | |
| ***6827532*** | *( Aquifer: 218GRCCU* | | *Well Depth: 1100 )* | | | | | | |
| | P | 9 / 18/ 2009 | -280.61 | | 782.39 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -281.3 | -0.69 | 781.7 | 01 | 09 | 4 | |
| | P | 9 / 24/ 2009 | -281.44 | -0.14 | 781.56 | 02 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -235.2 | 46.24 | 827.8 | 01 | 09 | 4 | |
| **Min -281.44** | | **Max -235.2** | **Avg** | **-269.638** | | | | | |
| ***6827533*** | *( Aquifer: 218GRCCU* | | *Well Depth: 995 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 17/ 2009 | -307 | | 862 | 01 | 09 | 4 | |
| | P | 8 / 17/ 2009 | -307.37 | -0.37 | 861.63 | 02 | 09 | 4 | |
| | P | 8 / 22/ 2009 | -313.85 | -6.48 | 855.15 | 01 | 09 | 4 | |
| | P | 8 / 26/ 2009 | -280.8 | 33.05 | 888.2 | 01 | 09 | 4 | |
| | P | 8 / 26/ 2009 | -315.16 | -34.4 | 853.84 | 02 | 09 | 4 | |
| | P | 8 / 31/ 2009 | -315.21 | -0.05 | 853.79 | 01 | 09 | 4 | |
| | P | 9 / 15/ 2009 | -261.6 | 53.61 | 907.4 | 01 | 09 | 4 | |
| | P | 9 / 15/ 2009 | -296.02 | -34.4 | 872.98 | 02 | 09 | 4 | |
| | P | 11 / 2 / 2009 | -208.7 | 87.32 | 960.3 | 01 | 09 | 4 | |

**Min** *-315.21* **Max** *-208.7* **Avg** *-289.523*

***6827606*** *( Aquifer: 218EBFZA Well Depth: 603 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 1 / 1972 | -197 | | 704 | 01 | 12 | 7 | |

**Min** *-197* **Max** *-197* **Avg** *-197*

***6827607*** *( Aquifer: 218EBFZA Well Depth: 285 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 21/ 1932 | -204.7 | | 701.3 | 01 | 12 | 7 | |
| | P | 8 / 31/ 1949 | -209.13 | -4.43 | 696.87 | 01 | 12 | 7 | |
| | P | 7 / 16/ 1953 | -242.4 | -33.3 | 663.6 | 01 | 12 | 7 | |

**Min** *-242.4* **Max** *-204.7* **Avg** *-218.743*

***6827608*** *( Aquifer: 218EBFZA Well Depth: 340 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 3 / 1954 | -280.22 | | 669.78 | 01 | 12 | 7 | |
| | P | 1 / 3 / 1961 | -237.99 | 42.23 | 712.01 | 01 | 12 | 7 | |

**Min** *-280.22* **Max** *-237.99* **Avg** *-259.105*

***6827609*** *( Aquifer: 218EBFZA Well Depth: 261 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 1998 | -211 | | 749 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2004 | -133.32 | 77.68 | 826.68 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2005 | -161.63 | -28.3 | 798.37 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -185.58 | -24 | 774.42 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -194.02 | -8.44 | 765.98 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -222.52 | -28.5 | 737.48 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -221.15 | 1.37 | 738.85 | 01 | 04 | 2 | |
| | P | 9 / 5 / 2006 | -226.8 | -5.65 | 733.2 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -234.76 | -7.96 | 725.24 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -117.23 | 117.5 | 842.77 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 2008 | -194.38 | -77.2 | 765.62 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -212.51 | -18.1 | 747.49 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -237.59 | -25.1 | 722.41 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -227.41 | 10.18 | 732.59 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -208.88 | 18.53 | 751.12 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -190.51 | 18.37 | 769.49 | 01 | 04 | 2 | |

**Min** *-237.59* **Max** *-117.23* **Avg** *-198.706*

***6827610*** *( Aquifer: 218EBFZA Well Depth: 240 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 3 / 1998 | -177 | | 719 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -116.85 | 60.15 | 779.15 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2005 | -128.16 | -11.3 | 767.84 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -147.88 | -19.7 | 748.12 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -156.04 | -8.16 | 739.96 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -185.08 | -29.0 | 710.92 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -186.1 | -1.02 | 709.9 | 01 | 04 | 2 | |
| | P | 9 / 11/ 2006 | -193.28 | -7.18 | 702.72 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -195.58 | -2.3 | 700.42 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2007 | -146.24 | 49.34 | 749.76 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -98.37 | 47.87 | 797.63 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -158.76 | -60.4 | 737.24 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -169.18 | -10.4 | 726.82 | 01 | 04 | 2 | |
| | P | 3 / 13/ 2009 | -187.79 | -18.6 | 708.21 | 01 | 04 | 2 | |
| | P | 4 / 14/ 2009 | -189.66 | -1.87 | 706.34 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -201 | -11.3 | 695 | 01 | 06 | 2 | |
| | P | 10 / 4 / 2009 | -194.08 | 6.92 | 701.92 | 01 | 04 | 2 | 04 |
| | P | 10 / 7 / 2009 | -198.5 | -4.42 | 697.5 | 01 | 04 | 2 | 04 |
| | P | 10 / 17/ 2009 | -200.58 | -2.08 | 695.42 | 01 | 04 | 2 | 04 |
| | P | 10 / 28/ 2009 | -195.05 | 5.53 | 700.95 | 01 | 04 | 2 | 04 |
| | P | 11 / 2 / 2009 | -191.16 | 3.89 | 704.84 | 01 | 04 | 2 | |
| | P | 11 / 9 / 2009 | -190.31 | 0.85 | 705.69 | 01 | 04 | 2 | |
| | P | 11 / 16/ 2009 | -189.92 | 0.39 | 706.08 | 01 | 04 | 2 | |
| | P | 11 / 17/ 2009 | -193 | -3.08 | 703 | 01 | 04 | 2 | 04 |
| | P | 11 / 17/ 2009 | -189.84 | 3.16 | 706.16 | 02 | 04 | 2 | |
| | P | 1 / 20/ 2010 | -187.16 | 2.68 | 708.84 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -172.15 | 15.01 | 723.85 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 14/ 2010 | -158.39 | 13.76 | 737.61 | 01 | 04 | 2 | |

**Min** *-201* **Max** *-98.37* **Avg** *-174.897*

***6827611*** *( Aquifer: 218EBFZA Well Depth: 260 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 7 / 5 / 1998 | -216 | | 744 | 01 | 04 | 2 | |
| | P | 8 / 13/ 2003 | -178.32 | 37.68 | 781.68 | 01 | 06 | 2 | |
| | P | 12 / 17/ 2004 | -160.89 | 17.43 | 799.11 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2005 | -163.3 | -2.41 | 796.7 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -185.9 | -22.6 | 774.1 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -193.37 | -7.47 | 766.63 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -216.58 | -23.2 | 743.42 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -217.25 | -0.67 | 742.75 | 01 | 04 | 2 | |
| | P | 9 / 6 / 2006 | -222.67 | -5.42 | 737.33 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -230.5 | -7.83 | 729.5 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -128.61 | 101.9 | 831.39 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -192.55 | -63.9 | 767.45 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -204.38 | -11.8 | 755.62 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -233.31 | -28.9 | 726.69 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -223.06 | 10.25 | 736.94 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -207.93 | 15.13 | 752.07 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -192.09 | 15.84 | 767.91 | 01 | 04 | 2 | |

**Min** *-233.31* **Max** *-128.61* **Avg** *-198.042*

***6827612*** *( Aquifer: 218EBFZA Well Depth: 257 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 5 / 14/ 1998 | -245 | | 715 | 01 | 04 | 2 | |
| | P | 12 / 3 / 2004 | -157.02 | 87.98 | 802.98 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -141.43 | 15.59 | 818.57 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2005 | -160.8 | -19.4 | 799.2 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -185.48 | -24.7 | 774.52 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -194.14 | -8.66 | 765.86 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -219.35 | -25.2 | 740.65 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -220.14 | -0.79 | 739.86 | 01 | 04 | 2 | |
| | P | 9 / 5 / 2006 | -225.55 | -5.41 | 734.45 | 01 | 04 | 2 | |
| | P | 12 / 18/ 2006 | -233.23 | -7.68 | 726.77 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -118.87 | 114.4 | 841.13 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -193.88 | -75.0 | 766.12 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -204.85 | -11 | 755.15 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 24/ 2008 | -205.16 | -0.31 | 754.84 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -235.45 | -30.3 | 724.55 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -226.65 | 8.8 | 733.35 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -209.11 | 17.54 | 750.89 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2010 | -192.53 | 16.58 | 767.47 | 01 | 04 | 2 | |

**Min** *-245* **Max** *-118.87* **Avg** *-198.258*

***6827701*** *( Aquifer: 218EBFZA Well Depth: 570 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 22/ 1933 | -233.86 | | 702.14 | 01 | 12 | 7 | |
| | P | 4 / 8 / 1952 | -277.37 | -43.5 | 658.63 | 01 | 12 | 7 | |

**Min** *-277.37* **Max** *-233.86* **Avg** *-255.615*

***6827702*** *( Aquifer: 218EBFZA Well Depth: 466 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 17/ 1946 | -215.8 | | 698.2 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -269.02 | -53.2 | 644.98 | 01 | 12 | 7 | |

**Min** *-269.02* **Max** *-215.8* **Avg** *-242.41*

***6827704*** *( Aquifer: 218EBFZA Well Depth: 700 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1973 | -220 | | 720 | 01 | 12 | 7 | |

**Min** *-220* **Max** *-220* **Avg** *-220*

***6827801*** *( Aquifer: 218EDRDA Well Depth: 518 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 13/ 1968 | -215 | | 705 | 01 | 12 | 7 | |

**Min** *-215* **Max** *-215* **Avg** *-215*

***6827802*** *( Aquifer: 218EDRDA Well Depth: 660 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1969 | -230 | | 697 | 01 | 12 | 7 | |

**Min** *-230* **Max** *-230* **Avg** *-230*

***6827804*** *( Aquifer: 218EDRDA Well Depth: 525 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 7 / 1954 | -247 | | 648 | 01 | 12 | 7 | |

**Min** *-247* **Max** *-247* **Avg** *-247*

***6827805*** *( Aquifer: 218EDRDA Well Depth: 685 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 30/ 1955 | -294 | | 641 | 01 | 12 | 7 | |

**Min** *-294* **Max** *-294* **Avg** *-294*

***6827902*** *( Aquifer: 218EDRDA Well Depth: 443 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 11/ 1964 | -208 | | 657 | 01 | 12 | 7 | |
| Min -208 | | Max -208 | Avg | -208 | | | | | |
| **6827903** | ( Aquifer: 218EDRDA | | Well Depth: 470 ) | | | | | | |
| | P | 11 / 5 / 1959 | -165 | | 675 | 01 | 12 | 7 | |
| Min -165 | | Max -165 | Avg | -165 | | | | | |
| **6827906** | ( Aquifer: 218EDRDA | | Well Depth: 764 ) | | | | | | |
| | P | 5 / 8 / 1973 | -266.6 | | 725.4 | 01 | 12 | 7 | |
| | P | 5 / 14/ 1973 | -268.2 | -1.6 | 723.8 | 01 | 12 | 7 | |
| Min -268.2 | | Max -266.6 | Avg | -267.4 | | | | | |
| **6827907** | ( Aquifer: 218EDRDA | | Well Depth: 680 ) | | | | | | |
| | P | 8 / 28/ 1973 | -179 | | 743 | 01 | 12 | 7 | |
| Min -179 | | Max -179 | Avg | -179 | | | | | |
| **6827909** | ( Aquifer: 218EBFZA | | Well Depth: 450 ) | | | | | | |
| | P | 2 / 7 / 1959 | -300 | | 571 | 01 | 12 | 7 | |
| Min -300 | | Max -300 | Avg | -300 | | | | | |
| **6827912** | ( Aquifer: UNKNOWN | | Well Depth: ) | | | | | | |
| | P | 6 / 14/ 2007 | -139.76 | | 715.24 | 01 | 04 | 2 | |
| | P | 8 / 21/ 2007 | -86.23 | 53.53 | 768.77 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2007 | -80.98 | 5.25 | 774.02 | 01 | 04 | 2 | |
| | P | 1 / 10/ 2008 | -97.94 | -17 | 757.06 | 01 | 04 | 1 | |
| | P | 4 / 17/ 2008 | -117.23 | -19.3 | 737.77 | 01 | 04 | 2 | |
| | P | 10 / 8 / 2008 | -146.37 | -29.1 | 708.63 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -148.79 | -2.42 | 706.21 | 01 | 04 | 2 | |
| | P | 12 / 19/ 2008 | -153.37 | -4.58 | 701.63 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -156.76 | -3.39 | 698.24 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -161.03 | -4.27 | 693.97 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -167 | -5.97 | 688 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -168.98 | -1.98 | 686.02 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -177.09 | -8.11 | 677.91 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -182.34 | -5.25 | 672.66 | 01 | 04 | 2 | |
| | P | 11 / 24/ 2009 | -158.64 | 23.7 | 696.36 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -147.5 | 11.14 | 707.5 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 9 / 2010 | -147.5 | | 707.5 | 02 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -130.47 | 17.03 | 724.53 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -125.99 | 4.48 | 729.01 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -141.26 | -15.3 | 713.74 | 01 | 04 | 2 | |

**Min** *-182.34* **Max** *-80.98* **Avg** *-141.762*

***6827913*** *( Aquifer: 218EDRD Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 10/ 2007 | -167.24 | | 717.76 | 01 | 04 | 2 | |
| | P | 6 / 15/ 2007 | -163.34 | 3.9 | 721.66 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2007 | -101.31 | 62.03 | 783.69 | 01 | 04 | 2 | |
| | P | 1 / 10/ 2008 | -117.96 | -16.7 | 767.04 | 01 | 04 | 2 | |
| | P | 10 / 8 / 2008 | -168.36 | -50.4 | 716.64 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2008 | -169.5 | -1.14 | 715.5 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -170.92 | -1.42 | 714.08 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -179.59 | -8.67 | 705.41 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -184.1 | -4.51 | 700.9 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -190.05 | -5.95 | 694.95 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -192.15 | -2.1 | 692.85 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -201.95 | -9.8 | 683.05 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -206.01 | -4.06 | 678.99 | 01 | 04 | 2 | |
| | P | 9 / 3 / 2009 | -206.51 | -0.5 | 678.49 | 01 | 04 | 2 | |
| | P | 11 / 24/ 2009 | -182.5 | 24.01 | 702.5 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -167.71 | 14.79 | 717.29 | 01 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -153.02 | 14.69 | 731.98 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -147.32 | 5.7 | 737.68 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -152.33 | -5.01 | 732.67 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -163.06 | -10.7 | 721.94 | 01 | 04 | 2 | |

**Min** *-206.51* **Max** *-101.31* **Avg** *-169.247*

***6827914*** *( Aquifer: UNKNOWN Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 10/ 2007 | -175.47 | | 694.53 | 01 | 04 | 2 | 04 |
| | P | 5 / 15/ 2007 | -177.82 | -2.35 | 692.18 | 01 | 04 | 2 | |
| | P | 6 / 8 / 2007 | -177.08 | 0.74 | 692.92 | 01 | 04 | 2 | |
| | P | 8 / 21/ 2007 | -134.29 | 42.79 | 735.71 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2007 | -134.65 | -0.36 | 735.35 | 01 | 04 | 2 | |
| | P | 1 / 10/ 2008 | -155.64 | -21 | 714.36 | 01 | 04 | 2 | |
| | P | 4 / 17/ 2008 | -171.75 | -16.1 | 698.25 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 8 / 2008 | -190.08 | -18.3 | 679.92 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -190.23 | -0.15 | 679.77 | 01 | 04 | 1 | |
| | P | 12 / 19/ 2008 | -190.19 | 0.04 | 679.81 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -192.9 | -2.71 | 677.1 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -195.88 | -2.98 | 674.12 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -208.56 | -12.7 | 661.44 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -206.78 | 1.78 | 663.22 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -219.61 | -12.8 | 650.39 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -220.81 | -1.2 | 649.19 | 01 | 04 | 2 | |
| | P | 11 / 24/ 2009 | -189.6 | 31.21 | 680.4 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -172.38 | 17.22 | 697.62 | 01 | 04 | 2 | |

**Min** *-220.81* **Max** *-134.29* **Avg** *-183.54*

***6828101*** *( Aquifer: 218TRNT Well Depth: 1470 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 7 / 1967 | -150 | | 976 | 01 | 12 | 7 | |

**Min** *-150* **Max** *-150* **Avg** *-150*

***6828102*** *( Aquifer: 218EBFZA Well Depth: 440 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 11/ 1957 | -191.6 | | 809.4 | 01 | 12 | 7 | |

**Min** *-191.6* **Max** *-191.6* **Avg** *-191.6*

***6828104*** *( Aquifer: 218TRNT Well Depth: 1503 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 24/ 1967 | -150 | | 970 | 01 | 12 | 7 | |

**Min** *-150* **Max** *-150* **Avg** *-150*

***6828105*** *( Aquifer: 218TRNT Well Depth: 1260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 10/ 1978 | -326 | | 724 | 01 | 12 | 7 | |

**Min** *-326* **Max** *-326* **Avg** *-326*

***6828106*** *( Aquifer: 218TRNT Well Depth: 1481 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 14/ 1973 | -137 | | 913 | 01 | 12 | 7 | |

**Min** *-137* **Max** *-137* **Avg** *-137*

***6828108*** *( Aquifer: 218GLRS Well Depth: 992 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 25/ 1975 | -230 | | 815 | 01 | 12 | 7 | |
| | P | 11 / 21/ 1977 | -230 | | 815 | 01 | 12 | 7 | |

**Min** *-230* **Max** *-230* **Avg** *-230*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6828112** | *( Aquifer: 219SLGH* | | *Well Depth: 1255 )* | | | | | | |
| | P | 2 / 28/ 1997 | -205 | | 886 | 01 | 01 | 6 | |
| **Min** | ***-205*** | **Max** | ***-205*** | **Avg** | ***-205*** | | | | |
| **6828113** | *( Aquifer: 218EBFZA* | | *Well Depth: 320 )* | | | | | | |
| | P | 6 / 7 / 1998 | -270 | | 745 | 01 | 04 | 2 | |
| | P | 6 / 8 / 2001 | -218.18 | 51.82 | 796.82 | 01 | 06 | 1 | |
| | P | 6 / 29/ 2001 | -218.8 | -0.62 | 796.2 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2001 | -228.37 | -9.57 | 786.63 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -228.12 | 0.25 | 786.88 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -221.59 | 6.53 | 793.41 | 01 | 06 | 1 | |
| | P | 11 / 9 / 2001 | -218.98 | 2.61 | 796.02 | 01 | 06 | 1 | |
| | P | 12 / 4 / 2001 | -217 | 1.98 | 798 | 01 | 06 | 1 | |
| | P | 1 / 24/ 2002 | -214.03 | 2.97 | 800.97 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2002 | -182.44 | 31.59 | 832.56 | 01 | 06 | 1 | |
| | P | 3 / 7 / 2002 | -219 | -36.6 | 796 | 01 | 06 | 1 | |
| | P | 4 / 29/ 2002 | -227.22 | -8.22 | 787.78 | 01 | 06 | 1 | |
| | P | 5 / 22/ 2002 | -231.22 | -4 | 783.78 | 01 | 06 | 1 | |
| | P | 6 / 26/ 2002 | -236.76 | -5.54 | 778.24 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -215.31 | 21.45 | 799.69 | 01 | 06 | 1 | |
| | P | 7 / 13/ 2002 | -221.43 | -6.12 | 793.57 | 01 | 06 | 1 | |
| | P | 7 / 19/ 2002 | -203.35 | 18.08 | 811.65 | 01 | 06 | 1 | |
| | P | 8 / 16/ 2002 | -183.6 | 19.75 | 831.4 | 01 | 06 | 1 | |
| | P | 9 / 20/ 2002 | -184.09 | -0.49 | 830.91 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2002 | -185.14 | -1.05 | 829.86 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -177.58 | 7.56 | 837.42 | 01 | 06 | 1 | |
| | P | 4 / 5 / 2003 | -187.05 | -9.47 | 827.95 | 01 | 06 | 1 | |
| | P | 5 / 5 / 2003 | -191.56 | -4.51 | 823.44 | 01 | 06 | 1 | |
| | P | 6 / 12/ 2003 | -200.02 | -8.46 | 814.98 | 01 | 06 | 1 | |
| | P | 8 / 4 / 2003 | -208.53 | -8.51 | 806.47 | 01 | 06 | 1 | |
| | P | 8 / 12/ 2003 | -210.04 | -1.51 | 804.96 | 01 | 08 | 2 | |
| | P | 9 / 22/ 2003 | -217.24 | -7.2 | 797.76 | 01 | 06 | 1 | |
| | P | 10 / 14/ 2003 | -222.28 | -5.04 | 792.72 | 01 | 06 | 1 | |
| | P | 11 / 13/ 2003 | -226.67 | -4.39 | 788.33 | 01 | 06 | 1 | |
| | P | 12 / 29/ 2003 | -234.02 | -7.35 | 780.98 | 01 | 06 | 1 | |
| | P | 1 / 29/ 2004 | -237.23 | -3.21 | 777.77 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 30/ 2004 | -242.06 | -4.83 | 772.94 | 01 | 06 | 1 | |
| | P | 4 / 28/ 2004 | -238.7 | 3.36 | 776.3 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2004 | -239.48 | -0.78 | 775.52 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2004 | -187.73 | 51.75 | 827.27 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -195.21 | -7.48 | 819.79 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2005 | -227.74 | -32.5 | 787.26 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -261.4 | -33.7 | 753.6 | 01 | 06 | 1 | |
| | P | 9 / 7 / 2006 | -259.98 | 1.42 | 755.02 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -269.32 | -9.34 | 745.68 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2006 | -265.35 | 3.97 | 749.65 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2007 | -237.8 | 27.55 | 777.2 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2007 | -168.51 | 69.29 | 846.49 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -225.67 | -57.2 | 789.33 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -239.2 | -13.5 | 775.8 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -278.61 | -39.4 | 736.39 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -240.75 | 37.86 | 774.25 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -229.72 | 11.03 | 785.28 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -220.54 | 9.18 | 794.46 | 01 | 04 | 2 | |

**Min** *-278.61* **Max** *-168.51* **Avg** *-221.727*

***6828114*** *( Aquifer: 218GLRS Well Depth: 256 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 1989 | -98 | | 1002 | 01 | 06 | 6 | |

**Min** *-98* **Max** *-98* **Avg** *-98*

***6828115*** *( Aquifer: 218GLRS Well Depth: 299 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 24/ 1989 | -85 | | 1005 | 01 | 06 | 6 | |

**Min** *-85* **Max** *-85* **Avg** *-85*

***6828116*** *( Aquifer: 218EDGR Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 31/ 1973 | -230 | | 799 | 01 | 07 | 7 | |

**Min** *-230* **Max** *-230* **Avg** *-230*

***6828201*** *( Aquifer: 218EBFZA Well Depth: 387 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 22/ 1933 | -288.08 | | 714.92 | 01 | 12 | 7 | |
| | P | 11 / 3 / 1954 | -309.21 | -21.1 | 693.79 | 01 | 12 | 7 | |

**Min** *-309.21* **Max** *-288.08* **Avg** *-298.645*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6828202** | *( Aquifer: 218EBFZA* | | *Well Depth: 457 )* | | | | | | |
| | P | 3 / 0 / 1950 | -266 | | 708 | 01 | 12 | 7 | |
| | P | 12 / 19/ 2000 | -228.88 | 37.12 | 745.12 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2001 | -225.26 | 3.62 | 748.74 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -222 | 3.26 | 752 | 01 | 06 | 1 | |
| | P | 3 / 29/ 2001 | -221.25 | 0.75 | 752.75 | 01 | 06 | 1 | |
| | P | 4 / 13/ 2001 | -225.08 | -3.83 | 748.92 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -220.64 | 4.44 | 753.36 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -227.52 | -6.88 | 746.48 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -236.85 | -9.33 | 737.15 | 01 | 06 | 1 | |
| | P | 8 / 31/ 2001 | -216.62 | 20.23 | 757.38 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -215.8 | 0.82 | 758.2 | 01 | 06 | 1 | |
| | P | 9 / 17/ 2001 | -216.2 | -0.4 | 757.8 | 01 | 06 | 1 | |
| | P | 9 / 18/ 2001 | -216.2 | | 757.8 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -217.32 | -1.12 | 756.68 | 01 | 06 | 1 | |
| | P | 11 / 8 / 2001 | -219.9 | -2.58 | 754.1 | 01 | 06 | 1 | |
| | P | 1 / 31/ 2002 | -213.59 | 6.31 | 760.41 | 01 | 06 | 1 | |
| | P | 2 / 22/ 2002 | -214.48 | -0.89 | 759.52 | 01 | 06 | 1 | |
| | P | 4 / 25/ 2002 | -216.55 | -2.07 | 757.45 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -219.92 | -3.37 | 754.08 | 01 | 06 | 1 | |
| | P | 7 / 5 / 2002 | -208.33 | 11.59 | 765.67 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -201.4 | 6.93 | 772.6 | 01 | 06 | 1 | |
| | P | 8 / 18/ 2002 | -192.71 | 8.69 | 781.29 | 01 | 06 | 1 | |
| | P | 9 / 20/ 2002 | -188.1 | 4.61 | 785.9 | 01 | 06 | 1 | |
| | P | 10 / 21/ 2002 | -187.12 | 0.98 | 786.88 | 01 | 06 | 1 | |
| | P | 11 / 19/ 2002 | -179.51 | 7.61 | 794.49 | 01 | 06 | 1 | |
| | P | 1 / 14/ 2003 | -174.45 | 5.06 | 799.55 | 01 | 06 | 1 | |
| | P | 2 / 26/ 2003 | -176.99 | -2.54 | 797.01 | 01 | 06 | 1 | |
| | P | 4 / 7 / 2003 | -180.5 | -3.51 | 793.5 | 01 | 06 | 1 | |
| | P | 5 / 27/ 2003 | -189.55 | -9.05 | 784.45 | 01 | 06 | 1 | |
| | P | 6 / 25/ 2003 | -194.23 | -4.68 | 779.77 | 01 | 06 | 1 | |
| | P | 7 / 29/ 2003 | -197.19 | -2.96 | 776.81 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -202.24 | -5.05 | 771.76 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2003 | -208.2 | -5.96 | 765.8 | 01 | 06 | 1 | |
| | P | 11 / 10/ 2003 | -211.51 | -3.31 | 762.49 | 01 | 06 | 1 | |
| | P | 1 / 30/ 2004 | -217.24 | -5.73 | 756.76 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -266** | | **Max -174.45** | **Avg -209.981** | | | | | | |
| ***6828203*** | *( Aquifer: 218EBFZA* | | *Well Depth: 435 )* | | | | | | |
| | P | 12 / 19/ 1966 | -260 | | 725 | 01 | 12 | 7 | |
| | P | 6 / 12/ 2009 | -134.11 | 125.9 | 850.89 | 01 | 04 | 2 | |
| **Min -260** | | **Max -134.11** | **Avg -197.055** | | | | | | |
| ***6828204*** | *( Aquifer: 218EDRDA* | | *Well Depth: 522 )* | | | | | | |
| | P | 6 / 27/ 1984 | -309.19 | | 715.81 | 01 | 06 | 1 | |
| | P | 8 / 14/ 1985 | -284.46 | 24.73 | 740.54 | 01 | 06 | 4 | |
| | P | 8 / 15/ 1985 | -284.52 | -0.06 | 740.48 | 01 | 06 | 4 | |
| | P | 8 / 16/ 1985 | -284.56 | -0.04 | 740.44 | 01 | 06 | 4 | |
| | P | 8 / 17/ 1985 | -284.63 | -0.07 | 740.37 | 01 | 06 | 4 | |
| | P | 8 / 18/ 1985 | -284.65 | -0.02 | 740.35 | 01 | 06 | 4 | |
| | P | 8 / 19/ 1985 | -284.7 | -0.05 | 740.3 | 01 | 06 | 4 | |
| | P | 8 / 20/ 1985 | -284.77 | -0.07 | 740.23 | 01 | 06 | 4 | |
| | P | 8 / 21/ 1985 | -284.83 | -0.06 | 740.17 | 01 | 06 | 4 | |
| | P | 8 / 22/ 1985 | -286.4 | -1.57 | 738.6 | 01 | 06 | 4 | |
| | P | 8 / 23/ 1985 | -287.51 | -1.11 | 737.49 | 01 | 06 | 4 | |
| | P | 8 / 24/ 1985 | -287.41 | 0.1 | 737.59 | 01 | 06 | 4 | |
| | P | 8 / 25/ 1985 | -287.8 | -0.39 | 737.2 | 01 | 06 | 4 | |
| | P | 8 / 26/ 1985 | -288.86 | -1.06 | 736.14 | 01 | 06 | 4 | |
| | P | 8 / 27/ 1985 | -289.14 | -0.28 | 735.86 | 01 | 06 | 4 | |
| | P | 8 / 28/ 1985 | -288.76 | 0.38 | 736.24 | 01 | 06 | 4 | |
| | P | 8 / 29/ 1985 | -288.9 | -0.14 | 736.1 | 01 | 06 | 4 | |
| | P | 8 / 30/ 1985 | -289.91 | -1.01 | 735.09 | 01 | 06 | 4 | |
| | P | 8 / 31/ 1985 | -287.99 | 1.92 | 737.01 | 01 | 06 | 4 | |
| | P | 9 / 1 / 1985 | -286.61 | 1.38 | 738.39 | 01 | 06 | 4 | |
| | P | 9 / 27/ 1985 | -286.24 | 0.37 | 738.76 | 01 | 06 | 4 | |
| | P | 9 / 28/ 1985 | -286.23 | 0.01 | 738.77 | 01 | 06 | 4 | |
| | P | 9 / 29/ 1985 | -286.48 | -0.25 | 738.52 | 01 | 06 | 4 | |
| | P | 9 / 30/ 1985 | -284.8 | 1.68 | 740.2 | 01 | 06 | 4 | |
| | P | 10 / 1 / 1985 | -284.74 | 0.06 | 740.26 | 01 | 06 | 4 | |
| | P | 10 / 2 / 1985 | -284.76 | -0.02 | 740.24 | 01 | 06 | 4 | |
| | P | 10 / 3 / 1985 | -284.99 | -0.23 | 740.01 | 01 | 06 | 4 | |
| | P | 10 / 4 / 1985 | -285.21 | -0.22 | 739.79 | 01 | 06 | 4 | |
| | P | 10 / 5 / 1985 | -285.42 | -0.21 | 739.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 6 / 1985 | -285.49 | -0.07 | 739.51 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1985 | -285.5 | -0.01 | 739.5 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1985 | -285.55 | -0.05 | 739.45 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1985 | -285.66 | -0.11 | 739.34 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1985 | -285.71 | -0.05 | 739.29 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1985 | -285.71 | | 739.29 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1985 | -285.76 | -0.05 | 739.24 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1985 | -285.81 | -0.05 | 739.19 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1985 | -284.74 | 1.07 | 740.26 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1985 | -284.45 | 0.29 | 740.55 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1985 | -284.25 | 0.2 | 740.75 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1985 | -284.18 | 0.07 | 740.82 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1985 | -284.18 | | 740.82 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1985 | -284.2 | -0.02 | 740.8 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1985 | -284.2 | | 740.8 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1985 | -284.2 | | 740.8 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1985 | -284.19 | 0.01 | 740.81 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1985 | -284.18 | 0.01 | 740.82 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1985 | -284.2 | -0.02 | 740.8 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1985 | -284.23 | -0.03 | 740.77 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1985 | -284.31 | -0.08 | 740.69 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1985 | -285.78 | -1.47 | 739.22 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1985 | -285.71 | 0.07 | 739.29 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1985 | -285.65 | 0.06 | 739.35 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1985 | -285.71 | -0.06 | 739.29 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1985 | -285.78 | -0.07 | 739.22 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1985 | -285.76 | 0.02 | 739.24 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1985 | -285.77 | -0.01 | 739.23 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1985 | -285.82 | -0.05 | 739.18 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1985 | -286.01 | -0.19 | 738.99 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1985 | -285.93 | 0.08 | 739.07 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1985 | -285.99 | -0.06 | 739.01 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1985 | -285.9 | 0.09 | 739.1 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1985 | -285.78 | 0.12 | 739.22 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1985 | -285.32 | 0.46 | 739.68 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1985 | -285.13 | 0.19 | 739.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/27/1985 | -285.54 | -0.41 | 739.46 | 01 | 06 | 4 | |
| | P | 11/28/1985 | -284.22 | 1.32 | 740.78 | 01 | 06 | 4 | |
| | P | 11/29/1985 | -284.08 | 0.14 | 740.92 | 01 | 06 | 4 | |
| | P | 11/30/1985 | -283.98 | 0.1 | 741.02 | 01 | 06 | 4 | |
| | P | 12/ 1/1985 | -283.98 | | 741.02 | 01 | 06 | 4 | |
| | P | 12/ 2/1985 | -283.99 | -0.01 | 741.01 | 01 | 06 | 4 | |
| | P | 12/ 3/1985 | -283.65 | 0.34 | 741.35 | 01 | 06 | 4 | |
| | P | 12/ 4/1985 | -283.54 | 0.11 | 741.46 | 01 | 06 | 4 | |
| | P | 12/ 5/1985 | -283.49 | 0.05 | 741.51 | 01 | 06 | 4 | |
| | P | 12/ 6/1985 | -283.46 | 0.03 | 741.54 | 01 | 06 | 4 | |
| | P | 12/ 7/1985 | -283.35 | 0.11 | 741.65 | 01 | 06 | 4 | |
| | P | 12/ 8/1985 | -283.52 | -0.17 | 741.48 | 01 | 06 | 4 | |
| | P | 12/ 9/1985 | -283.51 | 0.01 | 741.49 | 01 | 06 | 4 | |
| | P | 12/10/1985 | -283.5 | 0.01 | 741.5 | 01 | 06 | 4 | |
| | P | 12/11/1985 | -283.55 | -0.05 | 741.45 | 01 | 06 | 4 | |
| | P | 12/12/1985 | -283.56 | -0.01 | 741.44 | 01 | 06 | 4 | |
| | P | 12/13/1985 | -283.62 | -0.06 | 741.38 | 01 | 06 | 4 | |
| | P | 12/14/1985 | -284 | -0.38 | 741 | 01 | 06 | 4 | |
| | P | 12/15/1985 | -284.05 | -0.05 | 740.95 | 01 | 06 | 4 | |
| | P | 12/16/1985 | -284.07 | -0.02 | 740.93 | 01 | 06 | 4 | |
| | P | 12/17/1985 | -284.15 | -0.08 | 740.85 | 01 | 06 | 4 | |
| | P | 12/18/1985 | -284.16 | -0.01 | 740.84 | 01 | 06 | 4 | |
| | P | 12/19/1985 | -284.29 | -0.13 | 740.71 | 01 | 06 | 4 | |
| | P | 12/20/1985 | -284.22 | 0.07 | 740.78 | 01 | 06 | 4 | |
| | P | 12/21/1985 | -284.35 | -0.13 | 740.65 | 01 | 06 | 4 | |
| | P | 12/22/1985 | -284.39 | -0.04 | 740.61 | 01 | 06 | 4 | |
| | P | 12/23/1985 | -284.38 | 0.01 | 740.62 | 01 | 06 | 4 | |
| | P | 12/24/1985 | -284.4 | -0.02 | 740.6 | 01 | 06 | 4 | |
| | P | 12/30/1985 | -284.86 | -0.46 | 740.14 | 01 | 06 | 4 | |
| | P | 12/31/1985 | -284.86 | | 740.14 | 01 | 06 | 4 | |
| | P | 1/ 1/1986 | -284.92 | -0.06 | 740.08 | 01 | 06 | 4 | |
| | P | 1/ 2/1986 | -284.92 | | 740.08 | 01 | 06 | 4 | |
| | P | 1/ 3/1986 | -284.97 | -0.05 | 740.03 | 01 | 06 | 4 | |
| | P | 1/ 4/1986 | -284.98 | -0.01 | 740.02 | 01 | 06 | 4 | |
| | P | 1/ 5/1986 | -285.14 | -0.16 | 739.86 | 01 | 06 | 4 | |
| | P | 1/ 6/1986 | -285.04 | 0.1 | 739.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 7/1986 | -285.06 | -0.02 | 739.94 | 01 | 06 | 4 | |
| | P | 1/ 8/1986 | -285.29 | -0.23 | 739.71 | 01 | 06 | 4 | |
| | P | 1/ 9/1986 | -285.3 | -0.01 | 739.7 | 01 | 06 | 4 | |
| | P | 1/10/1986 | -285.29 | 0.01 | 739.71 | 01 | 06 | 4 | |
| | P | 1/11/1986 | -285.31 | -0.02 | 739.69 | 01 | 06 | 4 | |
| | P | 1/12/1986 | -285.32 | -0.01 | 739.68 | 01 | 06 | 4 | |
| | P | 1/13/1986 | -285.38 | -0.06 | 739.62 | 01 | 06 | 4 | |
| | P | 1/14/1986 | -285.35 | 0.03 | 739.65 | 01 | 06 | 4 | |
| | P | 1/15/1986 | -285.36 | -0.01 | 739.64 | 01 | 06 | 4 | |
| | P | 1/16/1986 | -285.4 | -0.04 | 739.6 | 01 | 06 | 4 | |
| | P | 1/17/1986 | -285.44 | -0.04 | 739.56 | 01 | 06 | 4 | |
| | P | 1/18/1986 | -285.34 | 0.1 | 739.66 | 01 | 06 | 4 | |
| | P | 1/19/1986 | -285.44 | -0.1 | 739.56 | 01 | 06 | 4 | |
| | P | 1/20/1986 | -285.45 | -0.01 | 739.55 | 01 | 06 | 4 | |
| | P | 1/21/1986 | -285.37 | 0.08 | 739.63 | 01 | 06 | 4 | |
| | P | 1/22/1986 | -285.42 | -0.05 | 739.58 | 01 | 06 | 4 | |
| | P | 1/23/1986 | -285.47 | -0.05 | 739.53 | 01 | 06 | 4 | |
| | P | 1/24/1986 | -285.41 | 0.06 | 739.59 | 01 | 06 | 4 | |
| | P | 1/25/1986 | -285.5 | -0.09 | 739.5 | 01 | 06 | 4 | |
| | P | 1/26/1986 | -285.68 | -0.18 | 739.32 | 01 | 06 | 4 | |
| | P | 1/27/1986 | -285.72 | -0.04 | 739.28 | 01 | 06 | 4 | |
| | P | 1/28/1986 | -285.62 | 0.1 | 739.38 | 01 | 06 | 4 | |
| | P | 1/29/1986 | -285.65 | -0.03 | 739.35 | 01 | 06 | 4 | |
| | P | 1/30/1986 | -285.87 | -0.22 | 739.13 | 01 | 06 | 4 | |
| | P | 1/31/1986 | -285.87 | | 739.13 | 01 | 06 | 4 | |
| | P | 2/ 1/1986 | -285.9 | -0.03 | 739.1 | 01 | 06 | 4 | |
| | P | 2/ 2/1986 | -285.99 | -0.09 | 739.01 | 01 | 06 | 4 | |
| | P | 2/ 3/1986 | -285.83 | 0.16 | 739.17 | 01 | 06 | 4 | |
| | P | 2/ 4/1986 | -285.39 | 0.44 | 739.61 | 01 | 06 | 4 | |
| | P | 2/ 5/1986 | -285.25 | 0.14 | 739.75 | 01 | 06 | 4 | |
| | P | 2/ 6/1986 | -285.2 | 0.05 | 739.8 | 01 | 06 | 4 | |
| | P | 2/ 7/1986 | -285.16 | 0.04 | 739.84 | 01 | 06 | 4 | |
| | P | 2/ 8/1986 | -285.3 | -0.14 | 739.7 | 01 | 06 | 4 | |
| | P | 2/ 9/1986 | -285.37 | -0.07 | 739.63 | 01 | 06 | 4 | |
| | P | 2/10/1986 | -285.4 | -0.03 | 739.6 | 01 | 06 | 4 | |
| | P | 2/11/1986 | -285.56 | -0.16 | 739.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/12/1986 | -285.65 | -0.09 | 739.35 | 01 | 06 | 4 | |
| | P | 2/13/1986 | -285.58 | 0.07 | 739.42 | 01 | 06 | 4 | |
| | P | 2/14/1986 | -285.58 | | 739.42 | 01 | 06 | 4 | |
| | P | 2/15/1986 | -285.65 | -0.07 | 739.35 | 01 | 06 | 4 | |
| | P | 2/16/1986 | -285.64 | 0.01 | 739.36 | 01 | 06 | 4 | |
| | P | 2/17/1986 | -285.65 | -0.01 | 739.35 | 01 | 06 | 4 | |
| | P | 2/18/1986 | -285.64 | 0.01 | 739.36 | 01 | 06 | 4 | |
| | P | 2/19/1986 | -285.66 | -0.02 | 739.34 | 01 | 06 | 4 | |
| | P | 2/20/1986 | -285.6 | 0.06 | 739.4 | 01 | 06 | 4 | |
| | P | 2/21/1986 | -285.77 | -0.17 | 739.23 | 01 | 06 | 4 | |
| | P | 2/22/1986 | -285.9 | -0.13 | 739.1 | 01 | 06 | 4 | |
| | P | 2/23/1986 | -285.88 | 0.02 | 739.12 | 01 | 06 | 4 | |
| | P | 2/24/1986 | -285.94 | -0.06 | 739.06 | 01 | 06 | 4 | |
| | P | 2/25/1986 | -286 | -0.06 | 739 | 01 | 06 | 4 | |
| | P | 2/26/1986 | -285.91 | 0.09 | 739.09 | 01 | 06 | 4 | |
| | P | 2/27/1986 | -285.94 | -0.03 | 739.06 | 01 | 06 | 4 | |
| | P | 2/28/1986 | -286.3 | -0.36 | 738.7 | 01 | 06 | 4 | |
| | P | 3/ 1/1986 | -286.35 | -0.05 | 738.65 | 01 | 06 | 4 | |
| | P | 3/ 2/1986 | -286.36 | -0.01 | 738.64 | 01 | 06 | 4 | |
| | P | 3/ 3/1986 | -286.5 | -0.14 | 738.5 | 01 | 06 | 4 | |
| | P | 3/ 4/1986 | -286.78 | -0.28 | 738.22 | 01 | 06 | 4 | |
| | P | 3/ 5/1986 | -286.73 | 0.05 | 738.27 | 01 | 06 | 4 | |
| | P | 3/ 6/1986 | -286.75 | -0.02 | 738.25 | 01 | 06 | 4 | |
| | P | 3/ 7/1986 | -286.8 | -0.05 | 738.2 | 01 | 06 | 4 | |
| | P | 3/ 8/1986 | -286.9 | -0.1 | 738.1 | 01 | 06 | 4 | |
| | P | 3/ 9/1986 | -286.72 | 0.18 | 738.28 | 01 | 06 | 4 | |
| | P | 3/10/1986 | -286.75 | -0.03 | 738.25 | 01 | 06 | 4 | |
| | P | 3/11/1986 | -286.54 | 0.21 | 738.46 | 01 | 06 | 4 | |
| | P | 3/12/1986 | -286.75 | -0.21 | 738.25 | 01 | 06 | 4 | |
| | P | 3/13/1986 | -286.88 | -0.13 | 738.12 | 01 | 06 | 4 | |
| | P | 3/14/1986 | -287.02 | -0.14 | 737.98 | 01 | 06 | 6 | |
| | P | 3/15/1986 | -287.41 | -0.39 | 737.59 | 01 | 06 | 4 | |
| | P | 3/16/1986 | -287.54 | -0.13 | 737.46 | 01 | 06 | 4 | |
| | P | 3/17/1986 | -287.43 | 0.11 | 737.57 | 01 | 06 | 4 | |
| | P | 3/18/1986 | -287.43 | | 737.57 | 01 | 06 | 4 | |
| | P | 3/19/1986 | -287.7 | -0.27 | 737.3 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/20/1986 | -288.04 | -0.34 | 736.96 | 01 | 06 | 4 | |
| | P | 3/21/1986 | -288.13 | -0.09 | 736.87 | 01 | 06 | 4 | |
| | P | 3/22/1986 | -288.1 | 0.03 | 736.9 | 01 | 06 | 4 | |
| | P | 3/23/1986 | -288.14 | -0.04 | 736.86 | 01 | 06 | 4 | |
| | P | 3/24/1986 | -288.18 | -0.04 | 736.82 | 01 | 06 | 4 | |
| | P | 3/25/1986 | -288.14 | 0.04 | 736.86 | 01 | 06 | 4 | |
| | P | 3/26/1986 | -288.24 | -0.1 | 736.76 | 01 | 06 | 4 | |
| | P | 3/27/1986 | -288.37 | -0.13 | 736.63 | 01 | 06 | 4 | |
| | P | 3/28/1986 | -288.38 | -0.01 | 736.62 | 01 | 06 | 4 | |
| | P | 3/29/1986 | -288.55 | -0.17 | 736.45 | 01 | 06 | 4 | |
| | P | 3/30/1986 | -288.67 | -0.12 | 736.33 | 01 | 06 | 4 | |
| | P | 3/31/1986 | -288.8 | -0.13 | 736.2 | 01 | 06 | 4 | |
| | P | 4/ 1/1986 | -288.92 | -0.12 | 736.08 | 01 | 06 | 4 | |
| | P | 4/ 2/1986 | -288.7 | 0.22 | 736.3 | 01 | 06 | 4 | |
| | P | 4/ 3/1986 | -288.82 | -0.12 | 736.18 | 01 | 06 | 4 | |
| | P | 4/ 4/1986 | -289.12 | -0.3 | 735.88 | 01 | 06 | 4 | |
| | P | 4/ 5/1986 | -289.39 | -0.27 | 735.61 | 01 | 06 | 4 | |
| | P | 4/ 6/1986 | -289.55 | -0.16 | 735.45 | 01 | 06 | 4 | |
| | P | 4/ 7/1986 | -289.58 | -0.03 | 735.42 | 01 | 06 | 4 | |
| | P | 4/ 8/1986 | -289.55 | 0.03 | 735.45 | 01 | 06 | 4 | |
| | P | 4/ 9/1986 | -289.71 | -0.16 | 735.29 | 01 | 06 | 4 | |
| | P | 4/10/1986 | -289.71 | | 735.29 | 01 | 06 | 4 | |
| | P | 4/11/1986 | -289.65 | 0.06 | 735.35 | 01 | 06 | 4 | |
| | P | 4/12/1986 | -289.74 | -0.09 | 735.26 | 01 | 06 | 4 | |
| | P | 4/13/1986 | -289.76 | -0.02 | 735.24 | 01 | 06 | 4 | |
| | P | 4/14/1986 | -289.84 | -0.08 | 735.16 | 01 | 06 | 4 | |
| | P | 4/15/1986 | -290.01 | -0.17 | 734.99 | 01 | 06 | 4 | |
| | P | 4/16/1986 | -290 | 0.01 | 735 | 01 | 06 | 4 | |
| | P | 4/17/1986 | -289.94 | 0.06 | 735.06 | 01 | 06 | 4 | |
| | P | 4/18/1986 | -289.94 | | 735.06 | 01 | 06 | 4 | |
| | P | 4/19/1986 | -289.99 | -0.05 | 735.01 | 01 | 06 | 4 | |
| | P | 4/20/1986 | -290.02 | -0.03 | 734.98 | 01 | 06 | 4 | |
| | P | 4/21/1986 | -290.23 | -0.21 | 734.77 | 01 | 06 | 4 | |
| | P | 4/22/1986 | -290.31 | -0.08 | 734.69 | 01 | 06 | 4 | |
| | P | 4/23/1986 | -290.29 | 0.02 | 734.71 | 01 | 06 | 4 | |
| | P | 4/24/1986 | -290.34 | -0.05 | 734.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/25/1986 | -290.29 | 0.05 | 734.71 | 01 | 06 | 4 | |
| | P | 4/26/1986 | -290.29 | | 734.71 | 01 | 06 | 4 | |
| | P | 4/27/1986 | -290.34 | -0.05 | 734.66 | 01 | 06 | 4 | |
| | P | 4/28/1986 | -290.44 | -0.1 | 734.56 | 01 | 06 | 4 | |
| | P | 4/29/1986 | -289.8 | 0.64 | 735.2 | 01 | 06 | 4 | |
| | P | 4/30/1986 | -289.79 | 0.01 | 735.21 | 01 | 06 | 4 | |
| | P | 5/ 1/1986 | -289.83 | -0.04 | 735.17 | 01 | 06 | 4 | |
| | P | 5/ 2/1986 | -290.07 | -0.24 | 734.93 | 01 | 06 | 4 | |
| | P | 5/ 3/1986 | -290.06 | 0.01 | 734.94 | 01 | 06 | 4 | |
| | P | 5/ 4/1986 | -289.94 | 0.12 | 735.06 | 01 | 06 | 4 | |
| | P | 5/ 5/1986 | -289.93 | 0.01 | 735.07 | 01 | 06 | 4 | |
| | P | 5/ 6/1986 | -289.95 | -0.02 | 735.05 | 01 | 06 | 4 | |
| | P | 5/ 7/1986 | -290.01 | -0.06 | 734.99 | 01 | 06 | 4 | |
| | P | 5/ 8/1986 | -290.08 | -0.07 | 734.92 | 01 | 06 | 4 | |
| | P | 5/ 9/1986 | -290.09 | -0.01 | 734.91 | 01 | 06 | 4 | |
| | P | 5/10/1986 | -290.14 | -0.05 | 734.86 | 01 | 06 | 4 | |
| | P | 5/11/1986 | -290.24 | -0.1 | 734.76 | 01 | 06 | 4 | |
| | P | 5/12/1986 | -290.26 | -0.02 | 734.74 | 01 | 06 | 4 | |
| | P | 5/13/1986 | -290.34 | -0.08 | 734.66 | 01 | 06 | 4 | |
| | P | 5/14/1986 | -290.28 | 0.06 | 734.72 | 01 | 06 | 4 | |
| | P | 5/15/1986 | -290.29 | -0.01 | 734.71 | 01 | 06 | 4 | |
| | P | 5/16/1986 | -290.4 | -0.11 | 734.6 | 01 | 06 | 4 | |
| | P | 5/17/1986 | -290.38 | 0.02 | 734.62 | 01 | 06 | 4 | |
| | P | 5/18/1986 | -290.54 | -0.16 | 734.46 | 01 | 06 | 4 | |
| | P | 5/19/1986 | -290.59 | -0.05 | 734.41 | 01 | 06 | 4 | |
| | P | 5/20/1986 | -290.58 | 0.01 | 734.42 | 01 | 06 | 4 | |
| | P | 5/21/1986 | -290.53 | 0.05 | 734.47 | 01 | 06 | 4 | |
| | P | 5/22/1986 | -290.51 | 0.02 | 734.49 | 01 | 06 | 4 | |
| | P | 5/23/1986 | -290.51 | | 734.49 | 01 | 06 | 4 | |
| | P | 5/24/1986 | -290.62 | -0.11 | 734.38 | 01 | 06 | 4 | |
| | P | 5/25/1986 | -290.66 | -0.04 | 734.34 | 01 | 06 | 4 | |
| | P | 5/26/1986 | -290.68 | -0.02 | 734.32 | 01 | 06 | 4 | |
| | P | 5/27/1986 | -289.76 | 0.92 | 735.24 | 01 | 06 | 4 | |
| | P | 5/28/1986 | -288.69 | 1.07 | 736.31 | 01 | 06 | 4 | |
| | P | 5/29/1986 | -288.57 | 0.12 | 736.43 | 01 | 06 | 4 | |
| | P | 7/12/1989 | -284.32 | 4.25 | 740.68 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1992 | -266.62 | 17.7 | 758.38 | 01 | 09 | 1 | |
| | P | 6 / 5 / 1992 | -213.44 | 53.18 | 811.56 | 01 | 09 | 1 | |
| | N | 6 / 24/ 1992 | | | | 01 | 01 | | 61 |

**Min** *-309.19* **Max** *-213.44* **Avg** *-286.400*

***6828205*** *( Aquifer: 218EBFZA Well Depth: 485 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 16/ 1972 | -241.1 | | 718.9 | 01 | 12 | 7 | |

**Min** *-241.1* **Max** *-241.1* **Avg** *-241.1*

***6828206*** *( Aquifer: 218GLRS Well Depth: 600 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 1974 | -280 | | 825 | 01 | 12 | 7 | |

**Min** *-280* **Max** *-280* **Avg** *-280*

***6828207*** *( Aquifer: 218EBFZA Well Depth: 365 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 10/ 1992 | -154.18 | | 905.82 | 01 | 09 | 1 | |

**Min** *-154.18* **Max** *-154.18* **Avg** *-154.18*

***6828209*** *( Aquifer: 218GPSH Well Depth: 1574 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 9 / 1985 | -390 | | 699 | 01 | 07 | 7 | |

**Min** *-390* **Max** *-390* **Avg** *-390*

***6828210*** *( Aquifer: 218EBFZA Well Depth: 281 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 24/ 1998 | -224 | | 763 | 01 | 04 | 2 | |
| | P | 12 / 22/ 2000 | -219.63 | 4.37 | 767.37 | 01 | 06 | 1 | |
| | P | 1 / 17/ 2001 | -212.28 | 7.35 | 774.72 | 01 | 06 | 1 | |
| | P | 2 / 5 / 2001 | -209.96 | 2.32 | 777.04 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -206.26 | 3.7 | 780.74 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -197.87 | 8.39 | 789.13 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -198.08 | -0.21 | 788.92 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -203 | -4.92 | 784 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -208.86 | -5.86 | 778.14 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -180.33 | 28.53 | 806.67 | 01 | 06 | 1 | |
| | P | 1 / 2 / 2002 | -175.12 | 5.21 | 811.88 | 01 | 06 | 1 | |
| | P | 3 / 7 / 2002 | -188.59 | -13.5 | 798.41 | 01 | 06 | 1 | |
| | P | 4 / 9 / 2002 | -197.28 | -8.69 | 789.72 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -202.85 | -5.57 | 784.15 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -207.05 | -4.2 | 779.95 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 19/ 2002 | -181.6 | 25.45 | 805.4 | 01 | 06 | 1 | |
| | P | 8 / 19/ 2002 | -129.27 | 52.33 | 857.73 | 01 | 06 | 1 | |
| | P | 9 / 5 / 2002 | -132.9 | -3.63 | 854.1 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2002 | -143.69 | -10.8 | 843.31 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -129.42 | 14.27 | 857.58 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2003 | -143.36 | -13.9 | 843.64 | 01 | 06 | 1 | |
| | P | 4 / 5 / 2003 | -149 | -5.64 | 838 | 01 | 06 | 1 | |
| | P | 5 / 28/ 2003 | -167.58 | -18.6 | 819.42 | 01 | 06 | 1 | |
| | P | 6 / 30/ 2003 | -177.16 | -9.58 | 809.84 | 01 | 06 | 1 | |
| | P | 7 / 28/ 2003 | -180.5 | -3.34 | 806.5 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -185.99 | -5.49 | 801.01 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2003 | -195.17 | -9.18 | 791.83 | 01 | 06 | 1 | |
| | P | 12 / 1 / 2003 | -200.54 | -5.37 | 786.46 | 01 | 06 | 1 | |
| | P | 1 / 28/ 2004 | -207.92 | -7.38 | 779.08 | 01 | 06 | 1 | |
| | P | 3 / 30/ 2004 | -212.38 | -4.46 | 774.62 | 01 | 06 | 1 | |
| | P | 5 / 19/ 2004 | -212.02 | 0.36 | 774.98 | 01 | 06 | 1 | |
| | P | 7 / 14/ 2004 | -201.77 | 10.25 | 785.23 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -137.91 | 63.86 | 849.09 | 01 | 04 | 2 | |
| | P | 7 / 6 / 2005 | -196.65 | -58.7 | 790.35 | 01 | 04 | 2 | |
| | P | 11 / 7 / 2005 | -195.51 | 1.14 | 791.49 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -200.64 | -5.13 | 786.36 | 01 | 04 | 2 | |
| | P | 9 / 12/ 2006 | -226.04 | -25.4 | 760.96 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -223.16 | 2.88 | 763.84 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -230.59 | -7.43 | 756.41 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -132.26 | 98.33 | 854.74 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -199.11 | -66.9 | 787.89 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -209.18 | -10.1 | 777.82 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -230.87 | -21.7 | 756.13 | 01 | 06 | 2 | |
| | P | 1 / 13/ 2010 | -214.49 | 16.38 | 772.51 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -196.19 | 18.3 | 790.81 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -187.1 | 9.09 | 799.9 | 01 | 04 | 2 | |

**Min** *-230.87* **Max** *-129.27* **Avg** *-190.459*

***6828211*** *( Aquifer: 218EBFZA Well Depth: 300 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 25/ 1998 | -238 | | 737 | 01 | 04 | 2 | |
| | P | 12 / 22/ 2000 | -230.3 | 7.7 | 744.7 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/2001 | -230.85 | -0.55 | 744.15 | 01 | 06 | 1 | |
| | P | 3/13/2001 | -228.64 | 2.21 | 746.36 | 01 | 06 | 1 | |
| | P | 4/30/2001 | -224.01 | 4.63 | 750.99 | 01 | 06 | 1 | |
| | P | 6/ 4/2001 | -223.2 | 0.81 | 751.8 | 01 | 06 | 1 | |
| | P | 6/ 7/2001 | -223.61 | -0.41 | 751.39 | 01 | 06 | 1 | |
| | P | 8/ 1/2001 | -227.2 | -3.59 | 747.8 | 01 | 06 | 1 | |
| | P | 8/31/2001 | -217.84 | 9.36 | 757.16 | 01 | 06 | 1 | |
| | P | 9/ 4/2001 | -214.97 | 2.87 | 760.03 | 01 | 06 | 1 | |
| | P | 10/ 9/2001 | -217.57 | -2.6 | 757.43 | 01 | 06 | 1 | |
| | P | 11/ 6/2001 | -215.15 | 2.42 | 759.85 | 01 | 06 | 1 | |
| | P | 11/ 8/2001 | -218.54 | -3.39 | 756.46 | 01 | 06 | 1 | |
| | P | 1/24/2002 | -212.48 | 6.06 | 762.52 | 01 | 06 | 1 | |
| | P | 1/29/2002 | -212.44 | 0.04 | 762.56 | 01 | 06 | 1 | |
| | P | 2/ 5/2002 | -212.55 | -0.11 | 762.45 | 01 | 06 | 1 | |
| | P | 2/22/2002 | -213.3 | -0.75 | 761.7 | 01 | 06 | 1 | |
| | P | 4/ 9/2002 | -214.22 | -0.92 | 760.78 | 01 | 06 | 1 | |
| | P | 5/14/2002 | -216.73 | -2.51 | 758.27 | 01 | 06 | 1 | |
| | P | 7/ 8/2002 | -198.55 | 18.18 | 776.45 | 01 | 06 | 1 | |
| | P | 7/22/2002 | -185.25 | 13.3 | 789.75 | 01 | 06 | 1 | |
| | P | 8/19/2002 | -190.88 | -5.63 | 784.12 | 01 | 06 | 1 | |
| | P | 9/10/2002 | -187.3 | 3.58 | 787.7 | 01 | 06 | 1 | |
| | P | 10/21/2002 | -186.03 | 1.27 | 788.97 | 01 | 06 | 1 | |
| | P | 11/19/2002 | -178.43 | 7.6 | 796.57 | 01 | 06 | 1 | |
| | P | 11/25/2002 | -177.47 | 0.96 | 797.53 | 01 | 06 | 1 | |
| | P | 1/ 4/2003 | -179.43 | -1.96 | 795.57 | 01 | 06 | 1 | |
| | P | 1/14/2003 | -173.35 | 6.08 | 801.65 | 01 | 06 | 1 | |
| | P | 2/26/2003 | -175.9 | -2.55 | 799.1 | 01 | 06 | 1 | |
| | P | 5/27/2003 | -188.37 | -12.5 | 786.63 | 01 | 06 | 1 | |
| | P | 6/25/2003 | -193.08 | -4.71 | 781.92 | 01 | 06 | 1 | |
| | P | 7/23/2003 | -196.06 | -2.98 | 778.94 | 01 | 06 | 1 | |
| | P | 9/ 4/2003 | -201.04 | -4.98 | 773.96 | 01 | 06 | 1 | |
| | P | 10/15/2003 | -207.04 | -6 | 767.96 | 01 | 06 | 1 | |
| | P | 11/10/2003 | -209.6 | -2.56 | 765.4 | 01 | 06 | 1 | |
| | P | 12/31/2003 | -213.64 | -4.04 | 761.36 | 01 | 06 | 1 | |
| | P | 1/28/2004 | -215.33 | -1.69 | 759.67 | 01 | 06 | 1 | |
| | P | 3/ 3/2004 | -224.21 | -8.88 | 750.79 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 28/ 2004 | -245.53 | -21.3 | 729.47 | 01 | 06 | 1 | |
| | P | 6 / 16/ 2004 | -229.95 | 15.58 | 745.05 | 01 | 06 | 1 | |
| | P | 7 / 7 / 2004 | -214.55 | 15.4 | 760.45 | 01 | 06 | 1 | |
| | P | 12 / 9 / 2004 | -192.45 | 22.1 | 782.55 | 01 | 04 | 2 | |
| | P | 12 / 9 / 2004 | -192.46 | -0.01 | 782.54 | 02 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -191.08 | 1.38 | 783.92 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -185.37 | 5.71 | 789.63 | 01 | 06 | 1 | |
| | P | 10 / 27/ 2005 | -189.21 | -3.84 | 785.79 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2005 | -212.25 | -23.0 | 762.75 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -224.04 | -11.8 | 750.96 | 01 | 06 | 1 | |
| | P | 8 / 24/ 2006 | -228.25 | -4.21 | 746.75 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -229.32 | -1.07 | 745.68 | 01 | 06 | 1 | |
| | P | 12 / 19/ 2006 | -234.16 | -4.84 | 740.84 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -169.9 | 64.26 | 805.1 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -213.68 | -43.8 | 761.32 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -219.55 | -5.87 | 755.45 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -220.02 | -0.47 | 754.98 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -235.08 | -15.1 | 739.92 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -225.63 | 9.45 | 749.37 | 01 | 04 | 2 | 22 |
| | P | 2 / 23/ 2010 | -218.96 | 6.67 | 756.04 | 01 | 06 | 2 | |
| | P | 12 / 17/ 2010 | -211.18 | 7.78 | 763.82 | 01 | 04 | 2 | |

**Min** *-245.53* **Max** *-169.9* **Avg** *-209.41*

***6828212*** *( Aquifer: 218GRHC Well Depth: 856 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 20/ 1992 | -210.66 | | 964.34 | 01 | 09 | 1 | |
| | P | 6 / 8 / 1992 | -195.81 | 14.85 | 979.19 | 01 | 09 | 1 | |

**Min** *-210.66* **Max** *-195.81* **Avg** *-203.235*

***6828213*** *( Aquifer: 218GLRS Well Depth: 1090 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 22/ 2002 | -175 | | 897 | 01 | 07 | 7 | |
| | P | 4 / 16/ 2010 | -174.23 | 0.77 | 897.77 | 01 | 09 | 9 | |
| | P | 4 / 20/ 2010 | -163.71 | 10.52 | 908.29 | 01 | 09 | 9 | |

**Min** *-175* **Max** *-163.71* **Avg** *-170.98*

***6828214*** *( Aquifer: 218GLRS Well Depth: 1100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 15/ 2002 | -165 | | 888 | 01 | 07 | 7 | |
| | P | 4 / 12/ 2010 | -165.12 | -0.12 | 887.88 | 01 | 09 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 16/ 2010 | -162.82 | 2.3 | 890.18 | 01 | 09 | 9 | |
| | P | 4 / 20/ 2010 | -151.45 | 11.37 | 901.55 | 01 | 09 | 9 | |

**Min** *-165.12* **Max** *-151.45* **Avg** *-161.098*

***6828304*** *( Aquifer: 218EDRDA Well Depth: 380 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 0 / 1971 | -270 | | 668 | 01 | 12 | 7 | |
| | P | 3 / 30/ 1972 | -259.18 | 10.82 | 678.82 | 01 | 12 | 7 | |
| | P | 4 / 3 / 1992 | -140.37 | 118.8 | 797.63 | 01 | 09 | 1 | |

**Min** *-270* **Max** *-140.37* **Avg** *-223.183*

***6828305*** *( Aquifer: 218EDRDA Well Depth: 335 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 13/ 1972 | -260 | | 685 | 01 | 07 | 7 | 27 |
| | P | 4 / 3 / 1992 | -140.88 | 119.1 | 804.12 | 01 | 09 | 1 | |

**Min** *-260* **Max** *-140.88* **Avg** *-200.44*

***6828309*** *( Aquifer: 218EDDT Well Depth: 1223 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 24/ 1985 | -210 | | 680 | 01 | 01 | 6 | |
| | P | 4 / 7 / 1992 | -294.27 | -84.3 | 595.73 | 01 | 09 | 1 | |

**Min** *-294.27* **Max** *-210* **Avg** *-252.135*

***6828310*** *( Aquifer: 218EDDT Well Depth: 1235 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 5 / 1990 | -312 | | 662 | 01 | 07 | 7 | |
| | P | 7 / 12/ 1990 | -295 | 17 | 679 | 01 | 06 | 6 | |
| | P | 4 / 7 / 1992 | -234.49 | 60.51 | 739.51 | 01 | 09 | 1 | |
| | P | 5 / 24/ 2004 | -231.34 | 3.15 | 742.66 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2004 | -230.24 | 1.1 | 743.76 | 01 | 06 | 1 | |
| | P | 7 / 20/ 2004 | -235.45 | -5.21 | 738.55 | 01 | 06 | 1 | |

**Min** *-312* **Max** *-230.24* **Avg** *-256.42*

***6828311*** *( Aquifer: 218EDRDA Well Depth: 346 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1994 | -210 | | 745 | 01 | 01 | 1 | |

**Min** *-210* **Max** *-210* **Avg** *-210*

***6828313*** *( Aquifer: 218EBFZA Well Depth: 300 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 23/ 1998 | -219 | | 736 | 01 | 04 | 2 | |
| | P | 2 / 21/ 2001 | -209.99 | 9.01 | 745.01 | 01 | 06 | 1 | |
| | P | 3 / 14/ 2001 | -200.41 | 9.58 | 754.59 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 8/2001 | -191.79 | 8.62 | 763.21 | 01 | 06 | 1 | |
| | P | 6/27/2001 | -212.69 | -20.9 | 742.31 | 01 | 06 | 1 | |
| | P | 9/14/2001 | -149.04 | 63.65 | 805.96 | 01 | 06 | 1 | |
| | P | 10/10/2001 | -197.64 | -48.6 | 757.36 | 01 | 06 | 1 | |
| | P | 11/ 1/2001 | -205.96 | -8.32 | 749.04 | 01 | 06 | 1 | |
| | P | 12/12/2001 | -182.1 | 23.86 | 772.9 | 01 | 06 | 1 | |
| | P | 1/ 2/2002 | -188.79 | -6.69 | 766.21 | 01 | 06 | 1 | |
| | P | 1/16/2002 | -196.86 | -8.07 | 758.14 | 01 | 06 | 1 | |
| | P | 1/22/2002 | -199.91 | -3.05 | 755.09 | 01 | 06 | 1 | |
| | P | 1/23/2002 | -200.67 | -0.76 | 754.33 | 01 | 06 | 1 | |
| | P | 3/ 7/2002 | -213.81 | -13.1 | 741.19 | 01 | 06 | 1 | |
| | P | 5/10/2002 | -221.16 | -7.35 | 733.84 | 01 | 06 | 1 | |
| | P | 5/28/2002 | -223.38 | -2.22 | 731.62 | 01 | 06 | 1 | |
| | P | 6/15/2002 | -224.4 | -1.02 | 730.6 | 01 | 06 | 1 | |
| | P | 6/26/2002 | -226.38 | -1.98 | 728.62 | 01 | 06 | 1 | |
| | P | 7/ 8/2002 | -95.37 | 131.0 | 859.63 | 01 | 06 | 1 | |
| | P | 7/19/2002 | -95.72 | -0.35 | 859.28 | 01 | 06 | 1 | |
| | P | 8/16/2002 | -153.75 | -58.0 | 801.25 | 01 | 06 | 1 | |
| | P | 9/ 5/2002 | -175.14 | -21.4 | 779.86 | 01 | 06 | 1 | |
| | P | 10/ 3/2002 | -184.46 | -9.32 | 770.54 | 01 | 06 | 1 | |
| | P | 11/ 6/2002 | -149.56 | 34.9 | 805.44 | 01 | 06 | 1 | |
| | P | 11/20/2002 | -160.09 | -10.5 | 794.91 | 01 | 06 | 1 | |
| | P | 3/31/2003 | -182.76 | -22.7 | 772.24 | 01 | 06 | 1 | |
| | P | 4/ 3/2003 | -182.76 | | 772.24 | 01 | 06 | 1 | |
| | P | 5/ 5/2003 | -195.34 | -12.6 | 759.66 | 01 | 06 | 1 | |
| | P | 6/12/2003 | -204.48 | -9.14 | 750.52 | 01 | 06 | 1 | |
| | P | 9/ 4/2003 | -208 | -3.52 | 747 | 01 | 06 | 1 | |
| | P | 9/22/2003 | -196.98 | 11.02 | 758.02 | 01 | 06 | 1 | |
| | P | 5/24/2004 | -204.44 | -7.46 | 750.56 | 01 | 06 | 1 | |
| | P | 7/15/2004 | -172.43 | 32.01 | 782.57 | 01 | 06 | 1 | |
| | P | 7/18/2005 | -200.05 | -27.6 | 754.95 | 01 | 06 | 1 | |
| | P | 10/27/2005 | -212.46 | -12.4 | 742.54 | 01 | 06 | 1 | |
| | P | 12/12/2005 | -219.01 | -6.55 | 735.99 | 01 | 04 | 2 | |
| | P | 7/18/2006 | -211.91 | 7.1 | 743.09 | 01 | 06 | 1 | |
| | P | 9/ 8/2006 | -219.36 | -7.45 | 735.64 | 01 | 04 | 2 | |
| | P | 12/11/2006 | -220.49 | -1.13 | 734.51 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 20/ 2007 | -152.42 | 68.07 | 802.58 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2007 | -179.7 | -27.3 | 775.3 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -211.87 | -32.2 | 743.13 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -218.44 | -6.57 | 736.56 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -222.64 | -4.2 | 732.36 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -189.96 | 32.68 | 765.04 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -180.35 | 9.61 | 774.65 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -216.62 | -36.3 | 738.38 | 01 | 04 | 2 | |

**Min** *-226.38* **Max** *-95.37* **Avg** *-193.203*

***6828314*** *( Aquifer: 218EBFZA Well Depth: 241 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 11/ 1998 | -178 | | 723 | 01 | 04 | 1 | |
| | P | 4 / 26/ 1998 | -180.85 | -2.85 | 720.15 | 01 | 04 | 1 | |
| | P | 1 / 25/ 2001 | -178.32 | 2.53 | 722.68 | 01 | 06 | 1 | |
| | P | 2 / 5 / 2001 | -177.12 | 1.2 | 723.88 | 01 | 06 | 1 | |
| | P | 3 / 14/ 2001 | -175.25 | 1.87 | 725.75 | 01 | 06 | 1 | |
| | P | 3 / 29/ 2001 | -172.71 | 2.54 | 728.29 | 01 | 06 | 1 | |
| | P | 4 / 13/ 2001 | -173.08 | -0.37 | 727.92 | 01 | 06 | 1 | |
| | P | 5 / 8 / 2001 | -169.67 | 3.41 | 731.33 | 01 | 06 | 1 | |
| | P | 6 / 5 / 2001 | -170.95 | -1.28 | 730.05 | 01 | 06 | 1 | |
| | P | 6 / 8 / 2001 | -171.73 | -0.78 | 729.27 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2001 | -183.59 | -11.9 | 717.41 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -158.73 | 24.86 | 742.27 | 01 | 06 | 1 | |
| | P | 9 / 17/ 2001 | -162.5 | -3.77 | 738.5 | 01 | 06 | 1 | |
| | P | 9 / 18/ 2001 | -162.4 | 0.1 | 738.6 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -164.62 | -2.22 | 736.38 | 01 | 06 | 1 | |
| | P | 11 / 9 / 2001 | -169.01 | -4.39 | 731.99 | 01 | 06 | 1 | |
| | P | 12 / 4 / 2001 | -156.73 | 12.28 | 744.27 | 01 | 06 | 1 | |
| | P | 7 / 22/ 2002 | -159.49 | -2.76 | 741.51 | 01 | 06 | 1 | |
| | P | 8 / 16/ 2002 | -129.52 | 29.97 | 771.48 | 01 | 06 | 1 | |
| | P | 9 / 10/ 2002 | -138 | -8.48 | 763 | 01 | 06 | 1 | |
| | P | 10 / 3 / 2002 | -142.78 | -4.78 | 758.22 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2002 | -134.07 | 8.71 | 766.93 | 01 | 06 | 1 | |
| | P | 12 / 5 / 2002 | -134.29 | -0.22 | 766.71 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -134.07 | 0.22 | 766.93 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2003 | -138.91 | -4.84 | 762.09 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 7 / 2003 | -140.77 | -1.86 | 760.23 | 01 | 06 | 1 | |
| | P | 5 / 28/ 2003 | -152.24 | -11.5 | 748.76 | 01 | 06 | 1 | |
| | P | 6 / 30/ 2003 | -156.06 | -3.82 | 744.94 | 01 | 06 | 1 | |
| | P | 7 / 28/ 2003 | -153.11 | 2.95 | 747.89 | 01 | 06 | 1 | |
| | P | 2 / 11/ 2004 | -172.59 | -19.5 | 728.41 | 01 | 06 | 1 | |
| | P | 4 / 6 / 2004 | -172.73 | -0.14 | 728.27 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2004 | -160.75 | 11.98 | 740.25 | 01 | 06 | 1 | |
| | P | 7 / 6 / 2004 | -156.41 | 4.34 | 744.59 | 01 | 06 | 1 | |
| | P | 12 / 3 / 2004 | -112.69 | 43.72 | 788.31 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -121.74 | -9.05 | 779.26 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -148.74 | -27 | 752.26 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -153.86 | -5.12 | 747.14 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -169.54 | -15.7 | 731.46 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -184.26 | -14.7 | 716.74 | 01 | 04 | 2 | |
| | P | 8 / 31/ 2006 | -186.95 | -2.69 | 714.05 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -188.7 | -1.75 | 712.3 | 01 | 04 | 2 | |
| | P | 12 / 13/ 2006 | -190.66 | -1.96 | 710.34 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -139.03 | 51.63 | 761.97 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -174.29 | -35.3 | 726.71 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -181.05 | -6.76 | 719.95 | 01 | 04 | 2 | |
| | P | 10 / 24/ 2008 | -181.03 | 0.02 | 719.97 | 01 | 04 | 2 | |
| | P | 8 / 3 / 2009 | -193.87 | -12.8 | 707.13 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -176.34 | 17.53 | 724.66 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -166.46 | 9.88 | 734.54 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2010 | -167.04 | -0.58 | 733.96 | 01 | 04 | 1 | |

**Min** *-193.87* **Max** *-112.69* **Avg** *-162.346*

***6828315*** *( Aquifer: 218EBFZA Well Depth: 280 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 6 / 1998 | -195 | | 745 | 01 | 04 | 1 | |
| | P | 4 / 26/ 1998 | -221.32 | -26.3 | 718.68 | 01 | 04 | 1 | |
| | P | 2 / 8 / 2002 | -205.12 | 16.2 | 734.88 | 01 | 06 | 1 | |
| | P | 3 / 16/ 2002 | -218.74 | -13.6 | 721.26 | 01 | 06 | 1 | |
| | P | 4 / 25/ 2002 | -219.4 | -0.66 | 720.6 | 01 | 06 | 1 | |
| | P | 5 / 23/ 2002 | -228.98 | -9.58 | 711.02 | 01 | 06 | 1 | |
| | P | 6 / 26/ 2002 | -229.65 | -0.67 | 710.35 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -97.72 | 131.9 | 842.28 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/22/2002 | -94.9 | 2.82 | 845.1 | 01 | 06 | 1 | |
| | P | 8/20/2002 | -159.5 | -64.6 | 780.5 | 01 | 06 | 1 | |
| | P | 9/ 9/2002 | -171.16 | -11.7 | 768.84 | 01 | 06 | 1 | |
| | P | 10/ 3/2002 | -181.78 | -10.6 | 758.22 | 01 | 06 | 1 | |
| | P | 11/ 6/2002 | -145.06 | 36.72 | 794.94 | 01 | 06 | 1 | |
| | P | 2/24/2003 | -173.16 | -28.1 | 766.84 | 01 | 06 | 1 | |
| | P | 3/31/2003 | -180.7 | -7.54 | 759.3 | 01 | 06 | 1 | |
| | P | 4/28/2003 | -189.97 | -9.27 | 750.03 | 01 | 06 | 1 | |
| | P | 5/28/2003 | -205.11 | -15.1 | 734.89 | 01 | 06 | 1 | |
| | P | 6/17/2003 | -196.04 | 9.07 | 743.96 | 01 | 06 | 1 | |
| | P | 6/18/2003 | -196.04 | | 743.96 | 01 | 06 | 1 | |
| | P | 7/29/2003 | -196.24 | -0.2 | 743.76 | 01 | 06 | 1 | |
| | P | 9/22/2003 | -199.8 | -3.56 | 740.2 | 01 | 06 | 1 | |
| | P | 10/30/2003 | -212.8 | -13 | 727.2 | 01 | 06 | 1 | |
| | P | 11/13/2003 | -217.58 | -4.78 | 722.42 | 01 | 06 | 1 | |
| | P | 12/31/2003 | -223.73 | -6.15 | 716.27 | 01 | 06 | 1 | |
| | P | 4/29/2004 | -201.6 | 22.13 | 738.4 | 01 | 06 | 1 | |
| | P | 6/21/2004 | -188.94 | 12.66 | 751.06 | 01 | 06 | 1 | |
| | P | 7/ 6/2004 | -156.16 | 32.78 | 783.84 | 01 | 06 | 1 | |
| | P | 12/17/2004 | -131.2 | 24.96 | 808.8 | 01 | 04 | 2 | |
| | P | 7/18/2005 | -195.78 | -64.6 | 744.22 | 01 | 06 | 2 | |
| | P | 12/12/2005 | -225.83 | -30.1 | 714.17 | 01 | 04 | 2 | |
| | P | 6/13/2006 | -227.81 | -1.98 | 712.19 | 01 | 04 | 2 | |
| | P | 6/16/2006 | -228.35 | -0.54 | 711.65 | 01 | 04 | 2 | |
| | P | 7/18/2006 | -226.95 | 1.4 | 713.05 | 01 | 06 | 2 | |
| | P | 8/28/2006 | -226.78 | 0.17 | 713.22 | 01 | 04 | 2 | |
| | P | 10/ 4/2006 | -227.79 | -1.01 | 712.21 | 01 | 04 | 2 | |
| | P | 11/21/2006 | -228.14 | -0.35 | 711.86 | 01 | 04 | 2 | |
| | P | 12/11/2006 | -227.47 | 0.67 | 712.53 | 01 | 04 | 2 | |
| | P | 12/12/2007 | -178.08 | 49.39 | 761.92 | 01 | 04 | 2 | |
| | P | 7/30/2008 | -226.2 | -48.1 | 713.8 | 01 | 06 | 2 | |
| | P | 10/23/2008 | -224.48 | 1.72 | 715.52 | 01 | 04 | 2 | |
| | P | 7/31/2009 | -228.25 | -3.77 | 711.75 | 01 | 06 | 2 | |
| | P | 1/20/2010 | -193.51 | 34.74 | 746.49 | 01 | 04 | 2 | 22 |
| | P | 2/24/2010 | -178.39 | 15.12 | 761.61 | 01 | 06 | 2 | |
| | P | 12/14/2010 | -220.94 | -42.6 | 719.06 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -229.65** | | **Max -94.9** | **Avg -197.776** | | | | | | |
| ***6828318*** | *( Aquifer: 218EBFZA* | | *Well Depth: 597 )* | | | | | | |
| | P | 10 / 11/ 1991 | -286.3 | | 723.7 | 01 | 06 | 6 | |
| **Min -286.3** | | **Max -286.3** | **Avg -286.3** | | | | | | |
| ***6828402*** | *( Aquifer: 218EBFZA* | | *Well Depth: 392 )* | | | | | | |
| | P | 4 / 5 / 1952 | -305.1 | | 687.9 | 01 | 04 | 1 | |
| **Min -305.1** | | **Max -305.1** | **Avg -305.1** | | | | | | |
| ***6828404*** | *( Aquifer: 218EBFZA* | | *Well Depth: 546 )* | | | | | | |
| | P | 4 / 19/ 1973 | -209.28 | | 710.72 | 01 | 04 | 1 | |
| | P | 5 / 1 / 1973 | -205.6 | 3.68 | 714.4 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1973 | -177.9 | 27.7 | 742.1 | 01 | 04 | 2 | |
| | P | 7 / 27/ 1973 | -193.25 | -15.4 | 726.75 | 01 | 04 | 1 | |
| | P | 9 / 28/ 1973 | -185.19 | 8.06 | 734.81 | 01 | 06 | 1 | |
| | P | 2 / 14/ 1974 | -164.6 | 20.59 | 755.4 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -188.07 | -23.5 | 731.93 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -199.4 | -11.3 | 720.6 | 01 | 04 | 1 | |
| | P | 7 / 18/ 1975 | -192.4 | 7 | 727.6 | 01 | 04 | 1 | |
| | P | 2 / 25/ 1976 | -207.9 | -15.5 | 712.1 | 01 | 04 | 1 | |
| | P | 5 / 7 / 1976 | -207.85 | 0.05 | 712.15 | 01 | 06 | 1 | |
| | P | 5 / 10/ 1976 | -206.78 | 1.07 | 713.22 | 01 | 06 | 1 | |
| | P | 8 / 2 / 1976 | -199.8 | 6.98 | 720.2 | 01 | 04 | 1 | |
| | P | 2 / 3 / 1977 | -171.29 | 28.51 | 748.71 | 01 | 04 | 1 | |
| | P | 2 / 14/ 1978 | -184.26 | -13 | 735.74 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1979 | -186.9 | -2.64 | 733.1 | 01 | 01 | 1 | |
| | P | 7 / 11/ 1980 | -207.9 | -21 | 712.1 | 01 | 06 | 1 | |
| | P | 2 / 20/ 1981 | -213.7 | -5.8 | 706.3 | 01 | 01 | 2 | |
| | P | 2 / 9 / 1982 | -192.02 | 21.68 | 727.98 | 01 | 01 | 1 | |
| | P | 2 / 3 / 1983 | -210.04 | -18.0 | 709.96 | 01 | 06 | 1 | |
| | P | 2 / 9 / 1983 | -209.74 | 0.3 | 710.26 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -221.89 | -12.2 | 698.11 | 01 | 01 | 1 | |
| | P | 6 / 26/ 1984 | -233.98 | -12.1 | 686.02 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1985 | -225.18 | 8.8 | 694.82 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1986 | -194.93 | 30.25 | 725.07 | 01 | 01 | 1 | |
| | P | 12 / 8 / 1986 | -185.1 | 9.83 | 734.9 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 17/ 1988 | -177.26 | 7.84 | 742.74 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1989 | -207.1 | -29.8 | 712.9 | 01 | 01 | 1 | |
| | P | 7 / 11/ 1989 | -221.56 | -14.5 | 698.44 | 01 | 06 | 1 | |
| | P | 1 / 22/ 1990 | -235.3 | -13.7 | 684.7 | 01 | 01 | 1 | |
| | P | 1 / 21/ 1991 | -209.8 | 25.5 | 710.2 | 01 | 01 | 1 | |
| | P | 1 / 28/ 1992 | -181.1 | 28.7 | 738.9 | 01 | 01 | 1 | |
| | P | 6 / 24/ 1992 | -137.23 | 43.87 | 782.77 | 01 | 01 | 1 | |
| | P | 5 / 19/ 1994 | -178.25 | -41.0 | 741.75 | 01 | 06 | 1 | |
| | P | 4 / 10/ 1995 | -177.96 | 0.29 | 742.04 | 01 | 06 | 1 | |
| | P | 3 / 19/ 1996 | -200.62 | -22.7 | 719.38 | 01 | 06 | 1 | |
| | P | 7 / 20/ 2005 | -153.94 | 46.68 | 766.06 | 01 | 04 | 1 | |
| | P | 10 / 27/ 2005 | -170.13 | -16.2 | 749.87 | 01 | 04 | 1 | |
| | P | 7 / 18/ 2006 | -181.38 | -11.3 | 738.62 | 01 | 04 | 1 | |
| | P | 10 / 8 / 2008 | -177.04 | 4.34 | 742.96 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -177.11 | -0.07 | 742.89 | 01 | 04 | 2 | |
| | P | 12 / 19/ 2008 | -178.02 | -0.91 | 741.98 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -178.42 | -0.4 | 741.58 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -179.79 | -1.37 | 740.21 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -187.2 | -7.41 | 732.8 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -183.06 | 4.14 | 736.94 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -196.5 | -13.4 | 723.5 | 01 | 04 | 2 | |
| | P | 11 / 24/ 2009 | -177.9 | 18.6 | 742.1 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -175.1 | 2.8 | 744.9 | 01 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -172.68 | 2.42 | 747.32 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -171.4 | 1.28 | 748.6 | 01 | 04 | 2 | |
| | P | 9 / 28/ 2010 | -171.72 | -0.32 | 748.28 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -175 | -3.28 | 745 | 01 | 04 | 2 | |

**Min** *-235.3* **Max** *-137.23* **Avg** *-190.708*

***6828405*** *( Aquifer: 218EDRDA Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 20/ 1952 | -289 | | 681 | 01 | 12 | 7 | |

**Min** *-289* **Max** *-289* **Avg** *-289*

***6828406*** *( Aquifer: 218EBFZA Well Depth: 304 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 14/ 1998 | -246 | | 731 | 01 | 04 | 1 | |
| | P | 3 / 14/ 1998 | -259 | -13 | 718 | 02 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -253.01 | 5.99 | 723.99 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 21/ 2003 | -217.23 | 35.78 | 759.77 | 01 | 06 | 2 | |
| | P | 12 / 17/ 2004 | -201.55 | 15.68 | 775.45 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -201.7 | -0.15 | 775.3 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -221.51 | -19.8 | 755.49 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -228.89 | -7.38 | 748.11 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -256.1 | -27.2 | 720.9 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -256.95 | -0.85 | 720.05 | 01 | 04 | 2 | |
| | P | 9 / 6 / 2006 | -261.93 | -4.98 | 715.07 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -267.46 | -5.53 | 709.54 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -179.17 | 88.29 | 797.83 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -229.27 | -50.1 | 747.73 | 01 | 06 | 2 | |
| | P | 10 / 22/ 2008 | -241.06 | -11.8 | 735.94 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -270 | -28.9 | 707 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -262.75 | 7.25 | 714.25 | 01 | 04 | 2 | 22 |
| | P | 2 / 25/ 2010 | -249 | 13.75 | 728 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -231.57 | 17.43 | 745.43 | 01 | 04 | 2 | |

**Min** *-270* **Max** *-179.17* **Avg** *-238.639*

***6828407*** *( Aquifer: 218EBFZA Well Depth: 310 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 5 / 1998 | -260 | | 742 | 01 | 04 | 2 | |
| | P | 1 / 8 / 2001 | -245.59 | 14.41 | 756.41 | 01 | 06 | 1 | |
| | P | 1 / 17/ 2001 | -265.95 | -20.4 | 736.05 | 01 | 06 | 1 | |
| | P | 2 / 5 / 2001 | -260.68 | 5.27 | 741.32 | 01 | 06 | 1 | |
| | P | 2 / 6 / 2001 | -260.26 | 0.42 | 741.74 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -258.53 | 1.73 | 743.47 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -254.77 | 3.76 | 747.23 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -250.86 | 3.91 | 751.14 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -249.3 | 1.56 | 752.7 | 01 | 06 | 1 | |
| | P | 8 / 31/ 2001 | -248.85 | 0.45 | 753.15 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -248.8 | 0.05 | 753.2 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -246.4 | 2.4 | 755.6 | 01 | 06 | 1 | |
| | P | 12 / 6 / 2001 | -243.1 | 3.3 | 758.9 | 01 | 06 | 1 | |
| | P | 1 / 29/ 2002 | -238.83 | 4.27 | 763.17 | 01 | 06 | 1 | |
| | P | 3 / 7 / 2002 | -238.74 | 0.09 | 763.26 | 01 | 06 | 1 | |
| | P | 4 / 9 / 2002 | -240.52 | -1.78 | 761.48 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -242.65 | -2.13 | 759.35 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 9/2002 | -244.1 | -1.45 | 757.9 | 01 | 06 | 1 | |
| | P | 7/19/2002 | -241.83 | 2.27 | 760.17 | 01 | 06 | 1 | |
| | P | 8/20/2002 | -229.45 | 12.38 | 772.55 | 01 | 06 | 1 | |
| | P | 8/21/2002 | -229.25 | 0.2 | 772.75 | 01 | 06 | 1 | |
| | P | 9/20/2002 | -220.83 | 8.42 | 781.17 | 01 | 06 | 1 | |
| | P | 11/ 6/2002 | -211.6 | 9.23 | 790.4 | 01 | 06 | 1 | |
| | P | 12/ 5/2002 | -201.27 | 10.33 | 800.73 | 01 | 06 | 1 | |
| | P | 2/24/2003 | -195.74 | 5.53 | 806.26 | 01 | 06 | 1 | |
| | P | 4/ 5/2003 | -198.94 | -3.2 | 803.06 | 01 | 06 | 1 | |
| | P | 5/28/2003 | -207.62 | -8.68 | 794.38 | 01 | 06 | 1 | |
| | P | 6/30/2003 | -214.2 | -6.58 | 787.8 | 01 | 06 | 1 | |
| | P | 7/28/2003 | -217.64 | -3.44 | 784.36 | 01 | 06 | 1 | |
| | P | 8/21/2003 | -220.52 | -2.88 | 781.48 | 01 | 06 | 2 | |
| | P | 9/ 4/2003 | -220.62 | -0.1 | 781.38 | 01 | 06 | 1 | |
| | P | 10/22/2003 | -228.21 | -7.59 | 773.79 | 01 | 06 | 1 | |
| | P | 12/ 1/2003 | -233.08 | -4.87 | 768.92 | 01 | 06 | 1 | |
| | P | 3/22/2004 | -244.36 | -11.3 | 757.64 | 01 | 06 | 1 | |
| | P | 5/20/2004 | -230.39 | 13.97 | 771.61 | 01 | 06 | 1 | |
| | P | 6/21/2004 | -242.85 | -12.5 | 759.15 | 01 | 06 | 1 | |
| | P | 7/14/2004 | -242.42 | 0.43 | 759.58 | 01 | 06 | 1 | |
| | P | 12/17/2004 | -220.45 | 21.97 | 781.55 | 01 | 04 | 2 | |
| | P | 7/18/2005 | -203.8 | 16.65 | 798.2 | 01 | 06 | 1 | |
| | P | 11/ 7/2005 | -227.17 | -23.4 | 774.83 | 01 | 06 | 1 | |
| | P | 12/12/2005 | -232.42 | -5.25 | 769.58 | 01 | 04 | 2 | |
| | P | 7/18/2006 | -253.62 | -21.2 | 748.38 | 01 | 06 | 1 | |
| | P | 9/11/2006 | -258.03 | -4.41 | 743.97 | 01 | 04 | 2 | |
| | P | 10/17/2006 | -254.19 | 3.84 | 747.81 | 01 | 06 | 1 | |
| | P | 12/11/2006 | -261.4 | -7.21 | 740.6 | 01 | 04 | 2 | |
| | P | 7/20/2007 | -247.87 | 13.53 | 754.13 | 01 | 06 | 1 | |
| | P | 12/12/2007 | -185.48 | 62.39 | 816.52 | 01 | 04 | 2 | |
| | P | 7/30/2008 | -230.34 | -44.9 | 771.66 | 01 | 06 | 2 | |
| | P | 10/23/2008 | -242.8 | -12.5 | 759.2 | 01 | 04 | 2 | |
| | P | 8/ 5/2009 | -263.14 | -20.3 | 738.86 | 01 | 06 | 2 | |
| | P | 1/20/2010 | -258.82 | 4.32 | 743.18 | 01 | 04 | 2 | 22 |
| | P | 2/22/2010 | -256.56 | 2.26 | 745.44 | 01 | 06 | 2 | |
| | P | 12/14/2010 | -234.64 | 21.92 | 767.36 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -265.95** | | **Max -185.48** | **Avg -236.971** | | | | | | |
| ***6828501*** | *( Aquifer: 218EBFZA* | | *Well Depth: 469 )* | | | | | | |
| | P | 8 / 0 / 1955 | -270 | | 629 | 01 | 12 | 7 | |
| **Min -270** | | **Max -270** | **Avg -270** | | | | | | |
| ***6828502*** | *( Aquifer: 218EBFZA* | | *Well Depth: 506 )* | | | | | | |
| | P | 2 / 28/ 1992 | -194.14 | | 730.86 | 01 | 09 | 1 | |
| | P | 6 / 5 / 1992 | -137.28 | 56.86 | 787.72 | 01 | 09 | 1 | |
| **Min -194.14** | | **Max -137.28** | **Avg -165.71** | | | | | | |
| ***6828503*** | *( Aquifer: 218EDRDA* | | *Well Depth: 375 )* | | | | | | |
| | P | 10 / 28/ 1958 | -258.81 | | 676.19 | 01 | 12 | 7 | |
| **Min -258.81** | | **Max -258.81** | **Avg -258.81** | | | | | | |
| ***6828504*** | *( Aquifer: 218EDRDA* | | *Well Depth: 430 )* | | | | | | |
| | P | 4 / 9 / 1956 | -265 | | 635 | 01 | 12 | 7 | |
| **Min -265** | | **Max -265** | **Avg -265** | | | | | | |
| ***6828507*** | *( Aquifer: 218EBFZA* | | *Well Depth: 319 )* | | | | | | |
| | P | 8 / 6 / 1933 | -214.9 | | 679.1 | 01 | 12 | 7 | |
| | P | 11 / 3 / 1954 | -257.76 | -42.9 | 636.24 | 01 | 12 | 7 | |
| | P | 2 / 13/ 1975 | -238.8 | 18.96 | 655.2 | 01 | 12 | 7 | |
| **Min -257.76** | | **Max -214.9** | **Avg -237.153** | | | | | | |
| ***6828508*** | *( Aquifer: 218EBFZA* | | *Well Depth: 470 )* | | | | | | |
| | P | 8 / 1 / 1972 | -155 | | 803 | 01 | 12 | 7 | |
| **Min -155** | | **Max -155** | **Avg -155** | | | | | | |
| ***6828512*** | *( Aquifer: 218EBFZA* | | *Well Depth: 400 )* | | | | | | |
| | P | 6 / 10/ 1977 | -167 | | 783 | 01 | 01 | 6 | |
| | P | 7 / 27/ 1977 | -169.83 | -2.83 | 780.17 | 01 | 04 | 1 | |
| | N | 6 / 24/ 1992 | | | | 01 | 01 | | 60 |
| **Min -169.83** | | **Max -167** | **Avg -168.415** | | | | | | |
| ***6828513*** | *( Aquifer: 218EBFZA* | | *Well Depth: 510 )* | | | | | | |
| | P | 3 / 16/ 1982 | -240 | | 630 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -240** | | **Max -240** | **Avg** | **-240** | | | | | |
| ***6828514*** | *( Aquifer: 218EBFZA* | | *Well Depth: 510 )* | | | | | | |
| | P | 6 / 5 / 1992 | -143.57 | | 726.43 | 01 | 09 | 1 | |
| **Min -143.57** | | **Max -143.57** | **Avg** | **-143.57** | | | | | |
| ***6828515*** | *( Aquifer: 218EBFZA* | | *Well Depth: 306 )* | | | | | | |
| | P | 2 / 27/ 1998 | -262 | | 709 | 01 | 04 | 1 | |
| | P | 2 / 27/ 1998 | -266 | -4 | 705 | 02 | 04 | 2 | |
| | P | 1 / 17/ 2001 | -263.54 | 2.46 | 707.46 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2001 | -261.94 | 1.6 | 709.06 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -257.74 | 4.2 | 713.26 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -253.97 | 3.77 | 717.03 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -252.25 | 1.72 | 718.75 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -254.86 | -2.61 | 716.14 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -257.57 | -2.71 | 713.43 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -253.88 | 3.69 | 717.12 | 01 | 06 | 1 | |
| | P | 11 / 8 / 2001 | -252.51 | 1.37 | 718.49 | 01 | 06 | 1 | |
| | P | 12 / 6 / 2001 | -248.64 | 3.87 | 722.36 | 01 | 06 | 1 | |
| | P | 12 / 22/ 2001 | -244.98 | 3.66 | 726.02 | 01 | 06 | 1 | |
| | P | 1 / 29/ 2002 | -246.49 | -1.51 | 724.51 | 01 | 06 | 1 | |
| | P | 3 / 7 / 2002 | -249.04 | -2.55 | 721.96 | 01 | 06 | 1 | |
| | P | 4 / 9 / 2002 | -251.55 | -2.51 | 719.45 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -253.18 | -1.63 | 717.82 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -251.28 | 1.9 | 719.72 | 01 | 06 | 1 | |
| | P | 8 / 20/ 2002 | -237.73 | 13.55 | 733.27 | 01 | 06 | 1 | |
| | P | 9 / 10/ 2002 | -236.45 | 1.28 | 734.55 | 01 | 06 | 1 | |
| | P | 10 / 21/ 2002 | -233.3 | 3.15 | 737.7 | 01 | 06 | 1 | |
| | P | 11 / 19/ 2002 | -227.29 | 6.01 | 743.71 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2002 | -224.96 | 2.33 | 746.04 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2003 | -222.49 | 2.47 | 748.51 | 01 | 06 | 1 | |
| | P | 4 / 7 / 2003 | -223.84 | -1.35 | 747.16 | 01 | 06 | 1 | |
| | P | 5 / 27/ 2003 | -231 | -7.16 | 740 | 01 | 06 | 1 | |
| | P | 6 / 25/ 2003 | -235.69 | -4.69 | 735.31 | 01 | 06 | 1 | |
| | P | 7 / 23/ 2003 | -235.86 | -0.17 | 735.14 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -239.61 | -3.75 | 731.39 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2003 | -243.05 | -3.44 | 727.95 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 25/ 2003 | -247.05 | -4 | 723.95 | 01 | 06 | 1 | |
| | P | 12 / 29/ 2003 | -250.96 | -3.91 | 720.04 | 01 | 06 | 1 | |
| | P | 1 / 28/ 2004 | -252.7 | -1.74 | 718.3 | 01 | 06 | 1 | |
| | P | 3 / 17/ 2004 | -254.11 | -1.41 | 716.89 | 01 | 06 | 1 | |
| | P | 5 / 19/ 2004 | -251.84 | 2.27 | 719.16 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2004 | -251.77 | 0.07 | 719.23 | 01 | 06 | 1 | |
| | P | 7 / 15/ 2004 | -247.66 | 4.11 | 723.34 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -228.72 | 18.94 | 742.28 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -230.46 | -1.74 | 740.54 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2005 | -249.12 | -18.7 | 721.88 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -265.21 | -16.1 | 705.79 | 01 | 06 | 1 | |
| | P | 8 / 30/ 2006 | -268.03 | -2.82 | 702.97 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -276.31 | -8.28 | 694.69 | 01 | 06 | 1 | |
| | P | 12 / 11/ 2006 | -273.42 | 2.89 | 697.58 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -222.71 | 50.71 | 748.29 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -253.74 | -31.0 | 717.26 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -257.79 | -4.05 | 713.21 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -277.6 | -19.8 | 693.4 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -267.98 | 9.62 | 703.02 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -260.67 | 7.31 | 710.33 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -252.04 | 8.63 | 718.96 | 01 | 04 | 2 | |

**Min** *-277.6* **Max** *-222.49* **Avg** *-249.266*

***6828516*** *( Aquifer: 218EBFZA Well Depth: 302 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 21/ 1998 | -228 | | 720 | 01 | 04 | 2 | |
| | P | 3 / 25/ 1998 | -228 | | 720 | 01 | 04 | 1 | |
| | P | 4 / 26/ 1998 | -201.91 | 26.09 | 746.09 | 01 | 04 | 1 | |
| | P | 12 / 12/ 2004 | -191.95 | 9.96 | 756.05 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -183.95 | 8 | 764.05 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -199.88 | -15.9 | 748.12 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -206.07 | -6.19 | 741.93 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -227.53 | -21.5 | 720.47 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -228.4 | -0.87 | 719.6 | 01 | 04 | 2 | |
| | P | 8 / 30/ 2006 | -230.01 | -1.61 | 717.99 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -233.36 | -3.35 | 714.64 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -169.61 | 63.75 | 778.39 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 2008 | -207.14 | -37.5 | 740.86 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -218.58 | -11.4 | 729.42 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -235.35 | -16.8 | 712.65 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -233.48 | 1.87 | 714.52 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -211.6 | 21.88 | 736.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -213.13 | -1.53 | 734.87 | 01 | 04 | 2 | |

**Min** *-235.35* **Max** *-169.61* **Avg** *-213.775*

***6828517*** *( Aquifer: 218EBFZA Well Depth: 261 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 22/ 1998 | -212 | | 753 | 01 | 04 | 2 | |
| | P | 11 / 21/ 2000 | -217.1 | -5.1 | 747.9 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2001 | -192.89 | 24.21 | 772.11 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -198.88 | -5.99 | 766.12 | 01 | 06 | 1 | |
| | P | 5 / 8 / 2001 | -181.78 | 17.1 | 783.22 | 01 | 06 | 1 | |
| | P | 6 / 4 / 2001 | -180.79 | 0.99 | 784.21 | 01 | 06 | 1 | |
| | P | 6 / 7 / 2001 | -182.02 | -1.23 | 782.98 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -195.66 | -13.6 | 769.34 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2001 | -223.39 | -27.7 | 741.61 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -187.05 | 36.34 | 777.95 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -177.1 | 9.95 | 787.9 | 01 | 06 | 1 | |
| | P | 12 / 4 / 2001 | -175.23 | 1.87 | 789.77 | 01 | 06 | 1 | |
| | P | 1 / 22/ 2002 | -139 | 36.23 | 826 | 01 | 06 | 1 | |
| | P | 1 / 28/ 2002 | -174.4 | -35.4 | 790.6 | 01 | 06 | 1 | |
| | P | 1 / 30/ 2002 | -189.66 | -15.3 | 775.34 | 01 | 06 | 1 | |
| | P | 1 / 31/ 2002 | -175.17 | 14.49 | 789.83 | 01 | 06 | 1 | |
| | P | 2 / 22/ 2002 | -183.2 | -8.03 | 781.8 | 01 | 06 | 1 | |
| | P | 4 / 29/ 2002 | -189.61 | -6.41 | 775.39 | 01 | 06 | 1 | |
| | P | 5 / 22/ 2002 | -192.36 | -2.75 | 772.64 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -182.82 | 9.54 | 782.18 | 01 | 06 | 1 | |
| | P | 8 / 21/ 2002 | -161.14 | 21.68 | 803.86 | 01 | 06 | 1 | |
| | P | 9 / 20/ 2002 | -151.75 | 9.39 | 813.25 | 01 | 06 | 1 | |
| | P | 2 / 26/ 2003 | -140.21 | 11.54 | 824.79 | 01 | 06 | 1 | |
| | P | 4 / 5 / 2003 | -144.26 | -4.05 | 820.74 | 01 | 06 | 1 | |
| | P | 5 / 28/ 2003 | -161.94 | -17.7 | 803.06 | 01 | 06 | 1 | |
| | P | 6 / 30/ 2003 | -173.35 | -11.4 | 791.65 | 01 | 06 | 1 | |
| | P | 7 / 23/ 2003 | -172.43 | 0.92 | 792.57 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 4 / 2003 | -179.38 | -6.95 | 785.62 | 01 | 06 | 1 | |
| | P | 10 / 29/ 2003 | -184.7 | -5.32 | 780.3 | 01 | 06 | 1 | |
| | P | 12 / 31/ 2003 | -191.34 | -6.64 | 773.66 | 01 | 06 | 1 | |
| | P | 3 / 10/ 2004 | -191.4 | -0.06 | 773.6 | 01 | 06 | 1 | |
| | P | 4 / 6 / 2004 | -196.3 | -4.9 | 768.7 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2004 | -191.68 | 4.62 | 773.32 | 01 | 06 | 1 | |
| | P | 5 / 20/ 2004 | -189.94 | 1.74 | 775.06 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2004 | -186.22 | 3.72 | 778.78 | 01 | 06 | 1 | |
| | P | 7 / 14/ 2004 | -177.22 | 9 | 787.78 | 01 | 06 | 1 | |
| | P | 12 / 9 / 2004 | -163.87 | 13.35 | 801.13 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -161.65 | 2.22 | 803.35 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -161.46 | 0.19 | 803.54 | 01 | 06 | 1 | |
| | P | 11 / 7 / 2005 | -184.46 | -23 | 780.54 | 01 | 06 | 1 | |
| | P | 12 / 12/ 2005 | -187.52 | -3.06 | 777.48 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -205.77 | -18.3 | 759.23 | 01 | 06 | 1 | |
| | P | 8 / 31/ 2006 | -210.37 | -4.6 | 754.63 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -210.53 | -0.16 | 754.47 | 01 | 06 | 1 | |
| | P | 12 / 19/ 2006 | -213.73 | -3.2 | 751.27 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -135.25 | 78.48 | 829.75 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2008 | -186.74 | -51.5 | 778.26 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -194.22 | -7.48 | 770.78 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2008 | -194.89 | -0.67 | 770.11 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -216.44 | -21.6 | 748.56 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -198.93 | 17.51 | 766.07 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -182.68 | 16.25 | 782.32 | 01 | 06 | 2 | |
| | P | 12 / 13/ 2010 | -181.99 | 0.69 | 783.01 | 01 | 04 | 2 | |

**Min** *-223.39* **Max** *-135.25* **Avg** *-183.658*

***6828518*** *( Aquifer: 218EBFZA Well Depth: 261 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 28/ 1998 | -200 | | 725 | 01 | 04 | 2 | |
| | P | 12 / 20/ 2000 | -214.36 | -14.4 | 710.64 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2001 | -213.11 | 1.25 | 711.89 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -209.74 | 3.37 | 715.26 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -205.29 | 4.45 | 719.71 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -201.53 | 3.76 | 723.47 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -202.68 | -1.15 | 722.32 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/2001 | -201.88 | 0.8 | 723.12 | 01 | 06 | 1 | |
| | P | 10/ 9/2001 | -191.95 | 9.93 | 733.05 | 01 | 06 | 1 | |
| | P | 11/ 8/2001 | -190.87 | 1.08 | 734.13 | 01 | 06 | 1 | |
| | P | 1/31/2002 | -181.85 | 9.02 | 743.15 | 01 | 06 | 1 | |
| | P | 2/22/2002 | -182.38 | -0.53 | 742.62 | 01 | 06 | 1 | |
| | P | 4/ 9/2002 | -184.6 | -2.22 | 740.4 | 01 | 06 | 1 | |
| | P | 5/ 2/2002 | -185.1 | -0.5 | 739.9 | 01 | 06 | 1 | |
| | P | 7/ 8/2002 | -184.05 | 1.05 | 740.95 | 01 | 06 | 1 | |
| | P | 8/19/2002 | -154.97 | 29.08 | 770.03 | 01 | 06 | 1 | |
| | P | 9/10/2002 | -153.61 | 1.36 | 771.39 | 01 | 06 | 1 | |
| | P | 10/21/2002 | -152.5 | 1.11 | 772.5 | 01 | 06 | 1 | |
| | P | 11/19/2002 | -143.89 | 8.61 | 781.11 | 01 | 06 | 1 | |
| | P | 2/26/2003 | -141.89 | 2 | 783.11 | 01 | 06 | 1 | |
| | P | 4/ 7/2003 | -144.28 | -2.39 | 780.72 | 01 | 06 | 1 | |
| | P | 5/28/2003 | -153.91 | -9.63 | 771.09 | 01 | 06 | 1 | |
| | P | 6/25/2003 | -158.4 | -4.49 | 766.6 | 01 | 06 | 1 | |
| | P | 7/23/2003 | -160.5 | -2.1 | 764.5 | 01 | 06 | 1 | |
| | P | 9/ 4/2003 | -166.68 | -6.18 | 758.32 | 01 | 06 | 1 | |
| | P | 10/15/2003 | -172.3 | -5.62 | 752.7 | 01 | 06 | 1 | |
| | P | 11/25/2003 | -177.14 | -4.84 | 747.86 | 01 | 06 | 1 | |
| | P | 12/31/2003 | -181.45 | -4.31 | 743.55 | 01 | 06 | 1 | |
| | P | 1/28/2004 | -183.76 | -2.31 | 741.24 | 01 | 06 | 1 | |
| | P | 3/22/2004 | -186.39 | -2.63 | 738.61 | 01 | 06 | 1 | |
| | P | 4/30/2004 | -185.94 | 0.45 | 739.06 | 01 | 06 | 1 | |
| | P | 5/19/2004 | -185.18 | 0.76 | 739.82 | 01 | 06 | 1 | |
| | P | 6/21/2004 | -183.72 | 1.46 | 741.28 | 01 | 06 | 1 | |
| | P | 7/14/2004 | -177.01 | 6.71 | 747.99 | 01 | 06 | 1 | |
| | P | 12/17/2004 | -150.95 | 26.06 | 774.05 | 01 | 04 | 2 | |
| | P | 7/18/2005 | -174.8 | -23.9 | 750.2 | 01 | 06 | 1 | |
| | P | 12/12/2005 | -179.76 | -4.96 | 745.24 | 01 | 04 | 2 | |
| | P | 7/18/2006 | -203.76 | -24 | 721.24 | 01 | 06 | 1 | |
| | P | 8/24/2006 | -205.65 | -1.89 | 719.35 | 01 | 04 | 2 | |
| | P | 10/17/2006 | -211.61 | -5.96 | 713.39 | 01 | 06 | 1 | |
| | P | 12/11/2006 | -212.84 | -1.23 | 712.16 | 01 | 04 | 2 | |
| | P | 12/12/2007 | -137.6 | 75.24 | 787.4 | 01 | 04 | 2 | |
| | P | 10/23/2008 | -190.34 | -52.7 | 734.66 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 5 / 2009 | -215.01 | -24.7 | 709.99 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -210.55 | 4.46 | 714.45 | 01 | 04 | 2 | 22 |
| | P | 12 / 14/ 2010 | -179.24 | 31.31 | 745.76 | 01 | 04 | 2 | |

**Min** *-215.01* **Max** *-137.6* **Avg** *-182.283*

***6828519*** *( Aquifer: 218EBFZA Well Depth: 280 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 3 / 24/ 1998 | -217 | | 708 | 01 | 04 | 1 |
| | P | 3 / 24/ 1998 | -217 | | 708 | 02 | 04 | 2 |
| | P | 4 / 26/ 1998 | -214.31 | 2.69 | 710.69 | 01 | 04 | 1 |
| | P | 12 / 5 / 2000 | -209.5 | 4.81 | 715.5 | 01 | 06 | 1 |
| | P | 12 / 6 / 2000 | -209.8 | -0.3 | 715.2 | 01 | 06 | 1 |
| | P | 1 / 17/ 2001 | -217.74 | -7.94 | 707.26 | 01 | 06 | 1 |
| | P | 3 / 13/ 2001 | -212.99 | 4.75 | 712.01 | 01 | 06 | 1 |
| | P | 4 / 30/ 2001 | -209.19 | 3.8 | 715.81 | 01 | 06 | 1 |
| | P | 6 / 20/ 2001 | -207.83 | 1.36 | 717.17 | 01 | 06 | 1 |
| | P | 8 / 1 / 2001 | -211.28 | -3.45 | 713.72 | 01 | 06 | 1 |
| | P | 9 / 4 / 2001 | -203.65 | 7.63 | 721.35 | 01 | 06 | 1 |
| | P | 10 / 9 / 2001 | -206.35 | -2.7 | 718.65 | 01 | 06 | 1 |
| | P | 11 / 8 / 2001 | -207.35 | -1 | 717.65 | 01 | 06 | 1 |
| | P | 1 / 2 / 2002 | -202.05 | 5.3 | 722.95 | 01 | 06 | 1 |
| | P | 3 / 7 / 2002 | -204.71 | -2.66 | 720.29 | 01 | 06 | 1 |
| | P | 4 / 9 / 2002 | -206.7 | -1.99 | 718.3 | 01 | 06 | 1 |
| | P | 5 / 14/ 2002 | -209.06 | -2.36 | 715.94 | 01 | 06 | 1 |
| | P | 6 / 12/ 2002 | -191.49 | 17.57 | 733.51 | 01 | 06 | 1 |
| | P | 7 / 8 / 2002 | -194.51 | -3.02 | 730.49 | 01 | 06 | 1 |
| | P | 7 / 19/ 2002 | -196.5 | -1.99 | 728.5 | 01 | 06 | 1 |
| | P | 8 / 19/ 2002 | -187.66 | 8.84 | 737.34 | 01 | 06 | 1 |
| | P | 9 / 10/ 2002 | -187.65 | 0.01 | 737.35 | 01 | 06 | 1 |
| | P | 10 / 21/ 2002 | -188.56 | -0.91 | 736.44 | 01 | 06 | 1 |
| | P | 11 / 19/ 2002 | -177.53 | 11.03 | 747.47 | 01 | 06 | 1 |
| | P | 2 / 24/ 2003 | -178.59 | -1.06 | 746.41 | 01 | 06 | 1 |
| | P | 4 / 7 / 2003 | -180.1 | -1.51 | 744.9 | 01 | 06 | 1 |
| | P | 5 / 13/ 2003 | -185.29 | -5.19 | 739.71 | 01 | 06 | 1 |
| | P | 8 / 4 / 2003 | -194.16 | -8.87 | 730.84 | 01 | 06 | 1 |
| | P | 10 / 15/ 2003 | -199.9 | -5.74 | 725.1 | 01 | 06 | 1 |
| | P | 12 / 22/ 2003 | -205.4 | -5.5 | 719.6 | 01 | 06 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 27/ 2004 | -207.64 | -2.24 | 717.36 | 01 | 06 | 1 | |
| | P | 3 / 22/ 2004 | -208.45 | -0.81 | 716.55 | 01 | 06 | 1 | |
| | P | 4 / 15/ 2004 | -207.8 | 0.65 | 717.2 | 01 | 06 | 1 | |
| | P | 5 / 19/ 2004 | -197.34 | 10.46 | 727.66 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2004 | -204.51 | -7.17 | 720.49 | 01 | 06 | 1 | |
| | P | 7 / 6 / 2004 | -199.9 | 4.61 | 725.1 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -177.48 | 22.42 | 747.52 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -182.86 | -5.38 | 742.14 | 01 | 06 | 2 | |
| | P | 10 / 27/ 2005 | -193.47 | -10.6 | 731.53 | 01 | 06 | 2 | |
| | P | 12 / 12/ 2005 | -205.55 | -12.1 | 719.45 | 01 | 04 | 2 | |
| | P | 8 / 29/ 2006 | -225.24 | -19.7 | 699.76 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -201.59 | 23.65 | 723.41 | 01 | 06 | 2 | |
| | P | 12 / 11/ 2006 | -228.43 | -26.8 | 696.57 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -178.31 | 50.12 | 746.69 | 01 | 04 | 2 | |
| | P | 10 / 23/ 2008 | -214.8 | -36.5 | 710.2 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -231.43 | -16.6 | 693.57 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -217.9 | 13.53 | 707.1 | 01 | 04 | 2 | 22 |
| | P | 12 / 14/ 2010 | -206.63 | 11.27 | 718.37 | 01 | 04 | 2 | |

**Min** *-231.43* **Max** *-177.48* **Avg** *-202.566*

***6828520*** *( Aquifer: 218EDRD Well Depth: 704 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 3 / 1988 | -204.4 | | 680.6 | 01 | 06 | 6 | |

**Min** *-204.4* **Max** *-204.4* **Avg** *-204.4*

***6828605*** *( Aquifer: 218EBFZA Well Depth: 520 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 18/ 1972 | -253 | | 643 | 01 | 12 | 7 | |

**Min** *-253* **Max** *-253* **Avg** *-253*

***6828607*** *( Aquifer: 218EBFZA Well Depth: 403 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1955 | -188 | | 621 | 01 | 12 | 7 | |

**Min** *-188* **Max** *-188* **Avg** *-188*

***6828608*** *( Aquifer: 218EBFZA Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 29/ 1976 | -141.32 | | 708.68 | 01 | 04 | 1 | |
| | P | 6 / 27/ 1984 | -208.98 | -67.7 | 641.02 | 01 | 04 | 1 | |
| | P | 7 / 12/ 1989 | -199.86 | 9.12 | 650.14 | 01 | 06 | 1 | |
| | P | 6 / 23/ 1992 | -40.68 | 159.2 | 809.32 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 18/ 2005 | -111.94 | -71.3 | 738.06 | 01 | 04 | 1 | |
| | P | 10 / 27/ 2005 | -152.15 | -40.2 | 697.85 | 01 | 04 | 1 | |
| | P | 7 / 18/ 2006 | -197.12 | -45 | 652.88 | 01 | 04 | 1 | |
| | P | 7 / 30/ 2008 | -138.97 | 58.15 | 711.03 | 01 | 06 | 2 | |
| | P | 8 / 5 / 2009 | -170.82 | -31.9 | 679.18 | 01 | 06 | 2 | |

**Min** *-208.98* **Max** *-40.68* **Avg** *-151.316*

***6828609*** *( Aquifer: 218EBFZA Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 3 / 1998 | -216 | | 708 | 01 | 04 | 1 | |
| | P | 4 / 3 / 1998 | -216 | | 708 | 02 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -214.28 | 1.72 | 709.72 | 01 | 04 | 1 | |
| | P | 1 / 9 / 2001 | -211.56 | 2.72 | 712.44 | 01 | 06 | 1 | |
| | P | 1 / 17/ 2001 | -219.71 | -8.15 | 704.29 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2001 | -219.35 | 0.36 | 704.65 | 01 | 06 | 1 | |
| | P | 3 / 13/ 2001 | -216.17 | 3.18 | 707.83 | 01 | 06 | 1 | |
| | P | 4 / 30/ 2001 | -211.26 | 4.91 | 712.74 | 01 | 06 | 1 | |
| | P | 6 / 20/ 2001 | -207.97 | 3.29 | 716.03 | 01 | 06 | 1 | |
| | P | 8 / 1 / 2001 | -208.9 | -0.93 | 715.1 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2001 | -193.3 | 15.6 | 730.7 | 01 | 06 | 1 | |
| | P | 10 / 9 / 2001 | -203.43 | -10.1 | 720.57 | 01 | 06 | 1 | |
| | P | 10 / 10/ 2001 | -203.31 | 0.12 | 720.69 | 01 | 06 | 1 | |
| | P | 11 / 8 / 2001 | -203.65 | -0.34 | 720.35 | 01 | 06 | 1 | |
| | P | 12 / 6 / 2001 | -198.86 | 4.79 | 725.14 | 01 | 06 | 1 | |
| | P | 1 / 29/ 2002 | -195.69 | 3.17 | 728.31 | 01 | 06 | 1 | |
| | P | 3 / 7 / 2002 | -197.03 | -1.34 | 726.97 | 01 | 06 | 1 | |
| | P | 4 / 9 / 2002 | -198.24 | -1.21 | 725.76 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -200.02 | -1.78 | 723.98 | 01 | 06 | 1 | |
| | P | 7 / 8 / 2002 | -150.33 | 49.69 | 773.67 | 01 | 06 | 1 | |
| | P | 7 / 19/ 2002 | -136.85 | 13.48 | 787.15 | 01 | 06 | 1 | |
| | P | 8 / 20/ 2002 | -175.59 | -38.7 | 748.41 | 01 | 06 | 1 | |
| | P | 9 / 10/ 2002 | -172.57 | 3.02 | 751.43 | 01 | 06 | 1 | |
| | P | 10 / 3 / 2002 | -173.85 | -1.28 | 750.15 | 01 | 06 | 1 | |
| | P | 11 / 6 / 2002 | -166.28 | 7.57 | 757.72 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2003 | -164.16 | 2.12 | 759.84 | 01 | 06 | 1 | |
| | P | 4 / 7 / 2003 | -165.25 | -1.09 | 758.75 | 01 | 06 | 1 | |
| | P | 5 / 13/ 2003 | -171.91 | -6.66 | 752.09 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 12/ 2003 | -176.07 | -4.16 | 747.93 | 01 | 06 | 1 | |
| | P | 8 / 4 / 2003 | -178.2 | -2.13 | 745.8 | 01 | 06 | 1 | |
| | P | 10 / 15/ 2003 | -183.52 | -5.32 | 740.48 | 01 | 06 | 1 | |
| | P | 11 / 25/ 2003 | -187.99 | -4.47 | 736.01 | 01 | 06 | 1 | |
| | P | 12 / 22/ 2003 | -190.65 | -2.66 | 733.35 | 01 | 06 | 1 | |
| | P | 1 / 27/ 2004 | -193.41 | -2.76 | 730.59 | 01 | 06 | 1 | |
| | P | 3 / 10/ 2004 | -195.61 | -2.2 | 728.39 | 01 | 06 | 1 | |
| | P | 4 / 15/ 2004 | -196.39 | -0.78 | 727.61 | 01 | 06 | 1 | |
| | P | 5 / 19/ 2004 | -196.41 | -0.02 | 727.59 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2004 | -190.91 | 5.5 | 733.09 | 01 | 06 | 1 | |
| | P | 7 / 6 / 2004 | -182.91 | 8 | 741.09 | 01 | 06 | 1 | |
| | P | 12 / 17/ 2004 | -163.89 | 19.02 | 760.11 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -168.9 | -5.01 | 755.1 | 01 | 06 | 2 | |
| | P | 10 / 27/ 2005 | -184.38 | -15.5 | 739.62 | 01 | 06 | 2 | |
| | P | 12 / 12/ 2005 | -190.56 | -6.18 | 733.44 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2006 | -204.57 | -14.0 | 719.43 | 01 | 06 | 2 | |
| | P | 8 / 29/ 2006 | -211.38 | -6.81 | 712.62 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2006 | -210.3 | 1.08 | 713.7 | 01 | 06 | 2 | |
| | P | 12 / 11/ 2006 | -216.68 | -6.38 | 707.32 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -163.12 | 53.56 | 760.88 | 01 | 04 | 2 | |
| | P | 10 / 23/ 2008 | -201.58 | -38.5 | 722.42 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -219.47 | -17.9 | 704.53 | 01 | 06 | 2 | |
| | P | 1 / 20/ 2010 | -214.98 | 4.49 | 709.02 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -207.61 | 7.37 | 716.39 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -192.88 | 14.73 | 731.12 | 01 | 04 | 2 | |

**Min** *-219.71* **Max** *-136.85* **Avg** *-193.092*

***6828611*** *( Aquifer: 218EBFZA Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 17/ 1983 | -185 | | 661 | 01 | 07 | 7 | |

**Min** *-185* **Max** *-185* **Avg** *-185*

***6828701*** *( Aquifer: 218EBFZA Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 0 / 1964 | -270 | | 650 | 01 | 08 | 7 | |

**Min** *-270* **Max** *-270* **Avg** *-270*

***6828704*** *( Aquifer: 218EBFZA Well Depth: 355 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 28/ 1933 | -190.65 | | 701.35 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 11/ 1934 | -215.2 | -24.6 | 676.8 | 01 | 12 | 7 | |

**Min** *-215.2* **Max** *-190.65* **Avg** *-202.925*

***6828705*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | 2 / 27/ 1950 | -198.4 | | 676.6 | 01 | 04 | 1 | |
| P | 3 / 30/ 1950 | -202.28 | -3.88 | 672.72 | 01 | 04 | 1 | |
| P | 5 / 3 / 1950 | -201.01 | 1.27 | 673.99 | 01 | 04 | 1 | |
| P | 6 / 5 / 1950 | -197.4 | 3.61 | 677.6 | 01 | 04 | 1 | |
| P | 7 / 6 / 1950 | -203.7 | -6.3 | 671.3 | 01 | 04 | 1 | |
| P | 8 / 2 / 1950 | -207.06 | -3.36 | 667.94 | 01 | 04 | 1 | |
| P | 9 / 6 / 1950 | -208.39 | -1.33 | 666.61 | 01 | 04 | 1 | |
| P | 10 / 5 / 1950 | -208.91 | -0.52 | 666.09 | 01 | 04 | 1 | |
| P | 11 / 8 / 1950 | -209.69 | -0.78 | 665.31 | 01 | 04 | 1 | |
| P | 12 / 5 / 1950 | -209.55 | 0.14 | 665.45 | 01 | 04 | 1 | |
| P | 1 / 5 / 1951 | -212.2 | -2.65 | 662.8 | 01 | 04 | 1 | |
| P | 2 / 6 / 1951 | -212.25 | -0.05 | 662.75 | 01 | 04 | 1 | |
| P | 3 / 6 / 1951 | -213.38 | -1.13 | 661.62 | 01 | 04 | 1 | |
| P | 5 / 11/ 1951 | -215 | -1.62 | 660 | 01 | 04 | 1 | |
| P | 6 / 6 / 1951 | -212.91 | 2.09 | 662.09 | 01 | 04 | 1 | |
| P | 8 / 7 / 1951 | -222.82 | -9.91 | 652.18 | 01 | 04 | 1 | |
| P | 9 / 11/ 1951 | -224.39 | -1.57 | 650.61 | 01 | 04 | 1 | |
| P | 10 / 30/ 1951 | -221.68 | 2.71 | 653.32 | 01 | 04 | 1 | |
| P | 12 / 27/ 1951 | -221.52 | 0.16 | 653.48 | 01 | 04 | 1 | |
| P | 3 / 14/ 1952 | -222.6 | -1.08 | 652.4 | 01 | 04 | 1 | |
| P | 4 / 3 / 1952 | -222.77 | -0.17 | 652.23 | 01 | 04 | 1 | |
| P | 7 / 1 / 1952 | -226.35 | -3.58 | 648.65 | 01 | 04 | 1 | |
| P | 9 / 4 / 1952 | -233.04 | -6.69 | 641.96 | 01 | 04 | 1 | |
| P | 11 / 6 / 1952 | -226 | 7.04 | 649 | 01 | 04 | 2 | |
| P | 1 / 7 / 1953 | -215.53 | 10.47 | 659.47 | 01 | 04 | 1 | |
| P | 3 / 3 / 1953 | -219.97 | -4.44 | 655.03 | 01 | 04 | 1 | |
| N | 5 / 6 / 1953 | | | | 01 | 04 | 1 | 47 |
| N | 7 / 16/ 1953 | | | | 01 | 04 | 1 | 47 |
| P | 9 / 21/ 1953 | -220.52 | | 654.48 | 01 | 04 | 1 | |
| P | 11 / 5 / 1953 | -221.2 | -0.68 | 653.8 | 01 | 04 | 1 | |
| P | 1 / 7 / 1954 | -221.76 | -0.56 | 653.24 | 01 | 04 | 1 | |
| P | 3 / 3 / 1954 | -226.44 | -4.68 | 648.56 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 5 / 1954 | -229.8 | -3.36 | 645.2 | 01 | 04 | 1 | |
| | P | 7 / 8 / 1954 | -234.67 | -4.87 | 640.33 | 01 | 04 | 1 | |
| | P | 8 / 26/ 1954 | -239.72 | -5.05 | 635.28 | 01 | 04 | 1 | |
| | P | 11 / 3 / 1954 | -235.02 | 4.7 | 639.98 | 01 | 04 | 1 | |
| | P | 7 / 16/ 1974 | -192.58 | 42.44 | 682.42 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -167.61 | 24.97 | 707.39 | 01 | 04 | 1 | |
| | P | 2 / 8 / 1978 | -177.92 | -10.3 | 697.08 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1979 | -166.86 | 11.06 | 708.14 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -192.27 | -25.4 | 682.73 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -187.52 | 4.75 | 687.48 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1983 | -195.74 | -8.22 | 679.26 | 01 | 01 | 1 | |
| | P | 2 / 24/ 1984 | -212.71 | -17 | 662.29 | 01 | 01 | 1 | |
| | N | 2 / 12/ 1985 | | | | 01 | 01 | | 40 |

**Min** *-239.72* **Max** *-166.86* **Avg** *-211.694*

***6828707*** *( Aquifer: 218EDRDA Well Depth: 388 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 18/ 1952 | -248.8 | | 650.2 | 01 | 12 | 7 | |

**Min** *-248.8* **Max** *-248.8* **Avg** *-248.8*

***6828712*** *( Aquifer: UNKNOWN Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 2007 | -139.76 | | 765.24 | 01 | 04 | 2 | |
| | P | 7 / 13/ 2007 | -185.02 | -45.3 | 719.98 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2007 | -162.97 | 22.05 | 742.03 | 01 | 04 | 2 | |
| | P | 1 / 10/ 2008 | -180.24 | -17.3 | 724.76 | 01 | 04 | 2 | |
| | P | 10 / 8 / 2008 | -217.75 | -37.5 | 687.25 | 01 | 04 | 1 | |
| | P | 10 / 29/ 2008 | -216.05 | 1.7 | 688.95 | 01 | 04 | 1 | |
| | P | 12 / 19/ 2008 | -218.81 | -2.76 | 686.19 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -221.72 | -2.91 | 683.28 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -225.03 | -3.31 | 679.97 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -236.79 | -11.8 | 668.21 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -235.49 | 1.3 | 669.51 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -247.62 | -12.1 | 657.38 | 01 | 04 | 2 | |

**Min** *-247.62* **Max** *-139.76* **Avg** *-207.271*

***6828802*** *( Aquifer: 218EDRDA Well Depth: 590 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1955 | -380 | | 567 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -380** | | **Max -380** | **Avg** | **-380** | | | | | |
| ***6828803*** | *( Aquifer: 218EDRDA* | | *Well Depth: 522 )* | | | | | | |
| | P | 1 / 18/ 1953 | -350 | | 655 | 01 | 12 | 7 | |
| **Min -350** | | **Max -350** | **Avg** | **-350** | | | | | |
| ***6828805*** | *( Aquifer: 218EDRDA* | | *Well Depth: 655 )* | | | | | | |
| | P | 3 / 19/ 1966 | -375 | | 638 | 01 | 12 | 7 | |
| | P | 7 / 18/ 2005 | -110 | 265 | 903 | 01 | 04 | 3 | |
| | P | 10 / 28/ 2005 | -110 | | 903 | 01 | 04 | 3 | |
| **Min -375** | | **Max -110** | **Avg** | **-198.333** | | | | | |
| ***6828806*** | *( Aquifer: 218EBFZA* | | *Well Depth: 860 )* | | | | | | |
| | P | 6 / 10/ 1959 | -242.8 | | 681.2 | 01 | 12 | 7 | |
| **Min -242.8** | | **Max -242.8** | **Avg** | **-242.8** | | | | | |
| ***6828807*** | *( Aquifer: 218EBFZA* | | *Well Depth: 685 )* | | | | | | |
| | P | 3 / 26/ 1971 | -374 | | 646 | 01 | 12 | 7 | |
| **Min -374** | | **Max -374** | **Avg** | **-374** | | | | | |
| ***6828808*** | *( Aquifer: 218EBFZA* | | *Well Depth: 510 )* | | | | | | |
| | P | 11 / 4 / 1970 | -250 | | 648 | 01 | 12 | 7 | |
| **Min -250** | | **Max -250** | **Avg** | **-250** | | | | | |
| ***6828813*** | *( Aquifer: 218EDRDA* | | *Well Depth: )* | | | | | | |
| | P | 10 / 21/ 1958 | -331.45 | | 686.55 | 01 | 12 | 7 | |
| **Min -331.45** | | **Max -331.45** | **Avg** | **-331.45** | | | | | |
| ***6828816*** | *( Aquifer: 218EDRDA* | | *Well Depth: 742 )* | | | | | | |
| | P | 5 / 1 / 1986 | -365 | | 645 | 01 | 07 | 7 | |
| | P | 5 / 3 / 1986 | -365.34 | -0.34 | 644.66 | 01 | 06 | 6 | |
| **Min -365.34** | | **Max -365** | **Avg** | **-365.17** | | | | | |
| ***6828818*** | *( Aquifer: 218EBFZA* | | *Well Depth: 855 )* | | | | | | |
| | P | 3 / 16/ 1999 | -338 | | 682 | 01 | 07 | 7 | |
| **Min -338** | | **Max -338** | **Avg** | **-338** | | | | | |
| ***6828819*** | *( Aquifer: 218EBFZA* | | *Well Depth: 780 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 18/ 1999 | -312 | | 673 | 01 | 07 | 7 | |
| Min -312 | | Max -312 | Avg | -312 | | | | | |
| **6828821** | ( Aquifer: 218EBFZA | | Well Depth: 650 ) | | | | | | |
| | P | 12 / 26/ 1999 | -300 | | 685 | 01 | 07 | 7 | |
| Min -300 | | Max -300 | Avg | -300 | | | | | |
| **6828901** | ( Aquifer: 218EBFZA | | Well Depth: 791 ) | | | | | | |
| | P | 2 / 4 / 1972 | -195.25 | | 681.75 | 01 | 12 | 7 | |
| | P | 8 / 2 / 1976 | -186.23 | 9.02 | 690.77 | 01 | 12 | 7 | |
| Min -195.25 | | Max -186.23 | Avg | -190.74 | | | | | |
| **6828907** | ( Aquifer: 218EBFZA | | Well Depth: 533 ) | | | | | | |
| | P | 1 / 0 / 1955 | -145 | | 671 | 01 | 12 | 7 | |
| Min -145 | | Max -145 | Avg | -145 | | | | | |
| **6828908** | ( Aquifer: 218EBFZA | | Well Depth: 325 ) | | | | | | |
| | P | 3 / 0 / 1952 | -188.9 | | 648.1 | 01 | 12 | 7 | |
| | P | 1 / 3 / 1961 | -150.21 | 38.69 | 686.79 | 01 | 12 | 7 | |
| Min -188.9 | | Max -150.21 | Avg | -169.555 | | | | | |
| **6828909** | ( Aquifer: 218EBFZA | | Well Depth: 867 ) | | | | | | |
| | P | 2 / 4 / 1972 | -106.8 | | 671.2 | 01 | 12 | 7 | |
| | P | 6 / 8 / 1972 | -101.56 | 5.24 | 676.44 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1972 | -106.8 | -5.24 | 671.2 | 01 | 04 | 1 | |
| | P | 2 / 9 / 1973 | -99 | 7.8 | 679 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -84.25 | 14.75 | 693.75 | 01 | 04 | 1 | |
| | P | 7 / 16/ 1974 | -104.47 | -20.2 | 673.53 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1975 | -82.25 | 22.22 | 695.75 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1975 | -90.31 | -8.06 | 687.69 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -104.62 | -14.3 | 673.38 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -101.04 | 3.58 | 676.96 | 01 | 12 | 7 | |
| Min -106.8 | | Max -82.25 | Avg | -98.11 | | | | | |
| **6828910** | ( Aquifer: 218EBFZA | | Well Depth: 804 ) | | | | | | |
| | P | 4 / 16/ 1974 | -127.05 | | 687.95 | 01 | 12 | 7 | |
| | P | 7 / 16/ 1974 | -138.84 | -11.8 | 676.16 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 8 / 1978 | -126 | 12.84 | 689 | 01 | 01 | 1 | |
| | N | 3 / 23/ 1979 | | | | 01 | 01 | | 63 |
| | N | 2 / 20/ 1981 | | | | 01 | 01 | | 63 |

**Min** *-138.84* **Max** *-126* **Avg** *-130.63*

***6828911*** *( Aquifer: 218EBFZA Well Depth: 850 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 0 / 1953 | -176 | | 647 | 01 | 12 | 7 | |

**Min** *-176* **Max** *-176* **Avg** *-176*

***6828912*** *( Aquifer: 218EDRDA Well Depth: 537 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 26/ 1962 | -201 | | 657 | 01 | 12 | 7 | |

**Min** *-201* **Max** *-201* **Avg** *-201*

***6828915*** *( Aquifer: 218EDRDA Well Depth: 348 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 4 / 1971 | -191.21 | | 663.79 | 01 | 12 | 7 | |

**Min** *-191.21* **Max** *-191.21* **Avg** *-191.21*

***6828916*** *( Aquifer: 218EDRDA Well Depth: 320 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1951 | -235 | | 640 | 01 | 12 | 7 | |

**Min** *-235* **Max** *-235* **Avg** *-235*

***6828920*** *( Aquifer: 218EBFZA Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 23/ 1983 | -265.47 | | 654.53 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1983 | -265.47 | | 654.53 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1983 | -265.14 | 0.33 | 654.86 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1983 | -264.81 | 0.33 | 655.19 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1983 | -264.82 | -0.01 | 655.18 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1983 | -264.01 | 0.81 | 655.99 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1983 | -264.11 | -0.1 | 655.89 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1983 | -264.14 | -0.03 | 655.86 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1983 | -264.34 | -0.2 | 655.66 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1983 | -264.28 | 0.06 | 655.72 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1983 | -264.13 | 0.15 | 655.87 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1983 | -264.02 | 0.11 | 655.98 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1983 | -263.96 | 0.06 | 656.04 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1983 | -264.06 | -0.1 | 655.94 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1983 | -264.14 | -0.08 | 655.86 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/24/1983 | -264.48 | -0.34 | 655.52 | 01 | 06 | 4 | |
| | P | 12/25/1983 | -264.93 | -0.45 | 655.07 | 01 | 06 | 4 | |
| | P | 12/26/1983 | -265 | -0.07 | 655 | 01 | 06 | 4 | |
| | P | 12/27/1983 | -265.22 | -0.22 | 654.78 | 01 | 06 | 4 | |
| | P | 12/28/1983 | -265.52 | -0.3 | 654.48 | 01 | 06 | 4 | |
| | P | 12/29/1983 | -266.27 | -0.75 | 653.73 | 01 | 06 | 4 | |
| | P | 12/30/1983 | -266.74 | -0.47 | 653.26 | 01 | 06 | 4 | |
| | P | 1/17/1984 | -264.9 | 1.84 | 655.1 | 01 | 06 | 4 | |
| | P | 1/18/1984 | -264.89 | 0.01 | 655.11 | 01 | 06 | 4 | |
| | P | 1/19/1984 | -264.96 | -0.07 | 655.04 | 01 | 06 | 4 | |
| | P | 1/20/1984 | -264.96 | | 655.04 | 01 | 06 | 4 | |
| | P | 1/21/1984 | -265.08 | -0.12 | 654.92 | 01 | 06 | 4 | |
| | P | 1/22/1984 | -264.95 | 0.13 | 655.05 | 01 | 06 | 4 | |
| | P | 1/23/1984 | -264.87 | 0.08 | 655.13 | 01 | 06 | 4 | |
| | P | 1/24/1984 | -264.83 | 0.04 | 655.17 | 01 | 06 | 4 | |
| | P | 1/25/1984 | -264.82 | 0.01 | 655.18 | 01 | 06 | 4 | |
| | P | 1/26/1984 | -264.67 | 0.15 | 655.33 | 01 | 06 | 4 | |
| | P | 1/27/1984 | -264.67 | | 655.33 | 01 | 06 | 4 | |
| | P | 1/28/1984 | -264.68 | -0.01 | 655.32 | 01 | 06 | 4 | |
| | P | 1/29/1984 | -264.6 | 0.08 | 655.4 | 01 | 06 | 4 | |
| | P | 1/30/1984 | -264.6 | | 655.4 | 01 | 06 | 4 | |
| | P | 1/31/1984 | -264.71 | -0.11 | 655.29 | 01 | 06 | 4 | |
| | P | 2/1/1984 | -264.61 | 0.1 | 655.39 | 01 | 06 | 4 | |
| | P | 2/2/1984 | -264.56 | 0.05 | 655.44 | 01 | 06 | 4 | |
| | P | 2/3/1984 | -264.52 | 0.04 | 655.48 | 01 | 06 | 4 | |
| | P | 2/17/1984 | -265.18 | -0.66 | 654.82 | 01 | 06 | 4 | |
| | P | 2/18/1984 | -265.26 | -0.08 | 654.74 | 01 | 06 | 4 | |
| | P | 2/19/1984 | -265.35 | -0.09 | 654.65 | 01 | 06 | 4 | |
| | P | 2/20/1984 | -265.6 | -0.25 | 654.4 | 01 | 06 | 4 | |
| | P | 2/21/1984 | -265.64 | -0.04 | 654.36 | 01 | 06 | 4 | |
| | P | 2/22/1984 | -265.56 | 0.08 | 654.44 | 01 | 06 | 4 | |
| | P | 2/23/1984 | -265.55 | 0.01 | 654.45 | 01 | 06 | 4 | |
| | P | 2/24/1984 | -265.67 | -0.12 | 654.33 | 01 | 06 | 4 | |
| | P | 2/25/1984 | -265.91 | -0.24 | 654.09 | 01 | 06 | 4 | |
| | P | 2/26/1984 | -265.89 | 0.02 | 654.11 | 01 | 06 | 4 | |
| | P | 2/27/1984 | -266.13 | -0.24 | 653.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1984 | -266.37 | -0.24 | 653.63 | 01 | 06 | 4 | |
| | P | 2/29/1984 | -266.47 | -0.1 | 653.53 | 01 | 06 | 4 | |
| | P | 3/ 1/1984 | -266.52 | -0.05 | 653.48 | 01 | 06 | 4 | |
| | P | 3/ 2/1984 | -266.52 | | 653.48 | 01 | 06 | 4 | |
| | P | 3/ 3/1984 | -266.65 | -0.13 | 653.35 | 01 | 06 | 4 | |
| | P | 3/ 4/1984 | -266.72 | -0.07 | 653.28 | 01 | 06 | 4 | |
| | P | 3/ 5/1984 | -267.11 | -0.39 | 652.89 | 01 | 06 | 4 | |
| | P | 3/ 6/1984 | -267.34 | -0.23 | 652.66 | 01 | 06 | 4 | |
| | P | 3/ 7/1984 | -267.46 | -0.12 | 652.54 | 01 | 06 | 4 | |
| | P | 3/ 8/1984 | -267.61 | -0.15 | 652.39 | 01 | 06 | 4 | |
| | P | 3/ 9/1984 | -267.9 | -0.29 | 652.1 | 01 | 06 | 4 | |
| | P | 3/10/1984 | -268.08 | -0.18 | 651.92 | 01 | 06 | 4 | |
| | P | 3/11/1984 | -268.37 | -0.29 | 651.63 | 01 | 06 | 4 | |
| | P | 3/12/1984 | -268.34 | 0.03 | 651.66 | 01 | 06 | 4 | |
| | P | 3/13/1984 | -268.27 | 0.07 | 651.73 | 01 | 06 | 4 | |
| | P | 3/14/1984 | -268.24 | 0.03 | 651.76 | 01 | 06 | 4 | |
| | P | 3/15/1984 | -268.2 | 0.04 | 651.8 | 01 | 06 | 4 | |
| | P | 3/16/1984 | -268.19 | 0.01 | 651.81 | 01 | 06 | 4 | |
| | P | 3/17/1984 | -268.19 | | 651.81 | 01 | 06 | 4 | |
| | P | 3/18/1984 | -268.23 | -0.04 | 651.77 | 01 | 06 | 4 | |
| | P | 3/19/1984 | -268.24 | -0.01 | 651.76 | 01 | 06 | 4 | |
| | P | 3/20/1984 | -268.45 | -0.21 | 651.55 | 01 | 06 | 4 | |
| | P | 3/21/1984 | -268.47 | -0.02 | 651.53 | 01 | 06 | 4 | |
| | P | 3/22/1984 | -268.58 | -0.11 | 651.42 | 01 | 06 | 4 | |
| | P | 3/23/1984 | -268.75 | -0.17 | 651.25 | 01 | 06 | 4 | |
| | P | 3/24/1984 | -269.06 | -0.31 | 650.94 | 01 | 06 | 4 | |
| | P | 3/25/1984 | -269.35 | -0.29 | 650.65 | 01 | 06 | 4 | |
| | P | 3/26/1984 | -269.56 | -0.21 | 650.44 | 01 | 06 | 4 | |
| | P | 3/27/1984 | -269.74 | -0.18 | 650.26 | 01 | 06 | 4 | |
| | P | 3/28/1984 | -270.17 | -0.43 | 649.83 | 01 | 06 | 4 | |
| | P | 3/29/1984 | -270.7 | -0.53 | 649.3 | 01 | 06 | 4 | |
| | P | 3/30/1984 | -271.13 | -0.43 | 648.87 | 01 | 06 | 4 | |
| | P | 3/31/1984 | -271.51 | -0.38 | 648.49 | 01 | 06 | 4 | |
| | P | 4/ 1/1984 | -271.87 | -0.36 | 648.13 | 01 | 06 | 4 | |
| | P | 4/ 2/1984 | -272.09 | -0.22 | 647.91 | 01 | 06 | 4 | |
| | P | 4/ 3/1984 | -272.25 | -0.16 | 647.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 4/1984 | -272.58 | -0.33 | 647.42 | 01 | 06 | 4 | |
| | P | 4/ 5/1984 | -273.01 | -0.43 | 646.99 | 01 | 06 | 4 | |
| | P | 4/ 6/1984 | -273.35 | -0.34 | 646.65 | 01 | 06 | 4 | |
| | P | 4/10/1984 | -274.29 | -0.94 | 645.71 | 01 | 06 | 4 | |
| | P | 4/12/1984 | -275.09 | -0.8 | 644.91 | 01 | 06 | 4 | |
| | P | 4/13/1984 | -275.3 | -0.21 | 644.7 | 01 | 06 | 4 | |
| | P | 4/14/1984 | -275.64 | -0.34 | 644.36 | 01 | 06 | 4 | |
| | P | 4/15/1984 | -276.01 | -0.37 | 643.99 | 01 | 06 | 4 | |
| | P | 4/16/1984 | -276.29 | -0.28 | 643.71 | 01 | 06 | 4 | |
| | P | 4/17/1984 | -276.53 | -0.24 | 643.47 | 01 | 06 | 4 | |
| | P | 4/18/1984 | -276.74 | -0.21 | 643.26 | 01 | 06 | 4 | |
| | P | 4/19/1984 | -277.12 | -0.38 | 642.88 | 01 | 06 | 4 | |
| | P | 4/20/1984 | -277.43 | -0.31 | 642.57 | 01 | 06 | 4 | |
| | P | 4/21/1984 | -277.82 | -0.39 | 642.18 | 01 | 06 | 4 | |
| | P | 4/22/1984 | -278.36 | -0.54 | 641.64 | 01 | 06 | 4 | |
| | P | 4/23/1984 | -278.73 | -0.37 | 641.27 | 01 | 06 | 4 | |
| | P | 4/24/1984 | -279 | -0.27 | 641 | 01 | 06 | 4 | |
| | P | 4/25/1984 | -279.36 | -0.36 | 640.64 | 01 | 06 | 4 | |
| | P | 4/26/1984 | -279.73 | -0.37 | 640.27 | 01 | 06 | 4 | |
| | P | 4/27/1984 | -280.05 | -0.32 | 639.95 | 01 | 06 | 4 | |
| | P | 4/28/1984 | -280.49 | -0.44 | 639.51 | 01 | 06 | 4 | |
| | P | 4/29/1984 | -280.81 | -0.32 | 639.19 | 01 | 06 | 4 | |
| | P | 4/30/1984 | -281.14 | -0.33 | 638.86 | 01 | 06 | 4 | |
| | P | 5/ 1/1984 | -281.52 | -0.38 | 638.48 | 01 | 06 | 4 | |
| | P | 5/ 2/1984 | -281.69 | -0.17 | 638.31 | 01 | 06 | 4 | |
| | P | 5/ 3/1984 | -281.9 | -0.21 | 638.1 | 01 | 06 | 4 | |
| | P | 5/ 4/1984 | -282.26 | -0.36 | 637.74 | 01 | 06 | 4 | |
| | P | 5/ 5/1984 | -282.64 | -0.38 | 637.36 | 01 | 06 | 4 | |
| | P | 5/ 6/1984 | -283.06 | -0.42 | 636.94 | 01 | 06 | 4 | |
| | P | 5/25/1984 | -285.97 | -2.91 | 634.03 | 01 | 06 | 4 | |
| | P | 5/26/1984 | -286.08 | -0.11 | 633.92 | 01 | 06 | 4 | |
| | P | 5/27/1984 | -286.27 | -0.19 | 633.73 | 01 | 06 | 4 | |
| | P | 5/28/1984 | -286.35 | -0.08 | 633.65 | 01 | 06 | 4 | |
| | P | 5/29/1984 | -286.55 | -0.2 | 633.45 | 01 | 06 | 4 | |
| | P | 5/30/1984 | -286.54 | 0.01 | 633.46 | 01 | 06 | 4 | |
| | P | 5/31/1984 | -286.54 | | 633.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 1/1984 | -286.55 | -0.01 | 633.45 | 01 | 06 | 4 | |
| | P | 6/ 2/1984 | -286.67 | -0.12 | 633.33 | 01 | 06 | 4 | |
| | P | 6/ 3/1984 | -286.86 | -0.19 | 633.14 | 01 | 06 | 4 | |
| | P | 6/ 4/1984 | -287 | -0.14 | 633 | 01 | 06 | 4 | |
| | P | 6/ 5/1984 | -287.14 | -0.14 | 632.86 | 01 | 06 | 4 | |
| | P | 6/ 6/1984 | -287.25 | -0.11 | 632.75 | 01 | 06 | 4 | |
| | P | 6/14/1984 | -287.13 | 0.12 | 632.87 | 01 | 06 | 4 | |
| | P | 6/15/1984 | -287.13 | | 632.87 | 01 | 06 | 4 | |
| | P | 6/16/1984 | -287.14 | -0.01 | 632.86 | 01 | 06 | 4 | |
| | P | 6/17/1984 | -287.11 | 0.03 | 632.89 | 01 | 06 | 4 | |
| | P | 6/18/1984 | -287.02 | 0.09 | 632.98 | 01 | 06 | 4 | |
| | P | 6/19/1984 | -286.89 | 0.13 | 633.11 | 01 | 06 | 4 | |
| | P | 6/20/1984 | -286.78 | 0.11 | 633.22 | 01 | 06 | 4 | |
| | P | 6/27/1984 | -290.12 | -3.34 | 629.88 | 01 | 04 | 1 | |
| | P | 6/28/1984 | -284.98 | 5.14 | 635.02 | 01 | 06 | 4 | |
| | P | 6/29/1984 | -284.78 | 0.2 | 635.22 | 01 | 06 | 4 | |
| | P | 6/30/1984 | -284.61 | 0.17 | 635.39 | 01 | 06 | 4 | |
| | P | 7/ 1/1984 | -284.53 | 0.08 | 635.47 | 01 | 06 | 4 | |
| | P | 7/ 2/1984 | -284.4 | 0.13 | 635.6 | 01 | 06 | 4 | |
| | P | 7/ 3/1984 | -284.31 | 0.09 | 635.69 | 01 | 06 | 4 | |
| | P | 7/ 4/1984 | -284.15 | 0.16 | 635.85 | 01 | 06 | 4 | |
| | P | 7/ 5/1984 | -283.95 | 0.2 | 636.05 | 01 | 06 | 4 | |
| | P | 7/ 6/1984 | -283.79 | 0.16 | 636.21 | 01 | 06 | 4 | |
| | P | 7/ 7/1984 | -283.62 | 0.17 | 636.38 | 01 | 06 | 4 | |
| | P | 7/ 8/1984 | -283.45 | 0.17 | 636.55 | 01 | 06 | 4 | |
| | P | 7/ 9/1984 | -283.3 | 0.15 | 636.7 | 01 | 06 | 4 | |
| | P | 7/10/1984 | -283.11 | 0.19 | 636.89 | 01 | 06 | 4 | |
| | P | 7/11/1984 | -282.91 | 0.2 | 637.09 | 01 | 06 | 4 | |
| | P | 7/12/1984 | -282.62 | 0.29 | 637.38 | 01 | 06 | 4 | |
| | P | 7/13/1984 | -282.43 | 0.19 | 637.57 | 01 | 06 | 4 | |
| | P | 7/15/1984 | -280.22 | 2.21 | 639.78 | 01 | 06 | 4 | |
| | P | 7/16/1984 | -279.94 | 0.28 | 640.06 | 01 | 06 | 4 | |
| | P | 7/17/1984 | -279.8 | 0.14 | 640.2 | 01 | 06 | 4 | |
| | P | 7/18/1984 | -279.71 | 0.09 | 640.29 | 01 | 06 | 4 | |
| | P | 7/19/1984 | -279.51 | 0.2 | 640.49 | 01 | 06 | 4 | |
| | P | 7/20/1984 | -279.29 | 0.22 | 640.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/21/1984 | -279.21 | 0.08 | 640.79 | 01 | 06 | 4 | |
| | P | 7/22/1984 | -279.05 | 0.16 | 640.95 | 01 | 06 | 4 | |
| | P | 7/25/1984 | -278.77 | 0.28 | 641.23 | 01 | 06 | 4 | |
| | P | 7/26/1984 | -278.69 | 0.08 | 641.31 | 01 | 06 | 4 | |
| | P | 7/27/1984 | -278.69 | | 641.31 | 01 | 06 | 4 | |
| | P | 8/21/1984 | -294.33 | -15.6 | 625.67 | 01 | 06 | 4 | |
| | P | 8/22/1984 | -294.37 | -0.04 | 625.63 | 01 | 06 | 4 | |
| | P | 8/23/1984 | -294.46 | -0.09 | 625.54 | 01 | 06 | 4 | |
| | P | 8/24/1984 | -294.56 | -0.1 | 625.44 | 01 | 06 | 4 | |
| | P | 8/25/1984 | -294.68 | -0.12 | 625.32 | 01 | 06 | 4 | |
| | P | 8/26/1984 | -294.82 | -0.14 | 625.18 | 01 | 06 | 4 | |
| | P | 8/27/1984 | -294.75 | 0.07 | 625.25 | 01 | 06 | 4 | |
| | P | 8/28/1984 | -294.87 | -0.12 | 625.13 | 01 | 06 | 4 | |
| | P | 8/29/1984 | -294.96 | -0.09 | 625.04 | 01 | 06 | 4 | |
| | P | 8/30/1984 | -295.15 | -0.19 | 624.85 | 01 | 06 | 4 | |
| | P | 8/31/1984 | -295.42 | -0.27 | 624.58 | 01 | 06 | 4 | |
| | P | 9/1/1984 | -295.63 | -0.21 | 624.37 | 01 | 06 | 4 | |
| | P | 9/2/1984 | -295.67 | -0.04 | 624.33 | 01 | 06 | 4 | |
| | P | 9/3/1984 | -295.61 | 0.06 | 624.39 | 01 | 06 | 4 | |
| | P | 9/4/1984 | -295.25 | 0.36 | 624.75 | 01 | 06 | 4 | |
| | P | 9/5/1984 | -294.97 | 0.28 | 625.03 | 01 | 06 | 4 | |
| | P | 9/6/1984 | -294.84 | 0.13 | 625.16 | 01 | 06 | 4 | |
| | P | 9/7/1984 | -294.6 | 0.24 | 625.4 | 01 | 06 | 4 | |
| | P | 9/8/1984 | -294.52 | 0.08 | 625.48 | 01 | 06 | 4 | |
| | P | 10/24/1984 | -283.64 | 10.88 | 636.36 | 01 | 06 | 4 | |
| | P | 10/26/1984 | -281.59 | 2.05 | 638.41 | 01 | 06 | 4 | |
| | P | 10/27/1984 | -280.84 | 0.75 | 639.16 | 01 | 06 | 4 | |
| | P | 10/28/1984 | -280.28 | 0.56 | 639.72 | 01 | 06 | 4 | |
| | P | 10/29/1984 | -279.8 | 0.48 | 640.2 | 01 | 06 | 4 | |
| | P | 10/30/1984 | -279.41 | 0.39 | 640.59 | 01 | 06 | 4 | |
| | P | 10/31/1984 | -279.13 | 0.28 | 640.87 | 01 | 06 | 4 | |
| | P | 11/1/1984 | -278.93 | 0.2 | 641.07 | 01 | 06 | 4 | |
| | P | 11/2/1984 | -278.66 | 0.27 | 641.34 | 01 | 06 | 4 | |
| | P | 11/3/1984 | -278.17 | 0.49 | 641.83 | 01 | 06 | 4 | |
| | P | 11/4/1984 | -278.21 | -0.04 | 641.79 | 01 | 06 | 4 | |
| | P | 11/5/1984 | -278.21 | | 641.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 6/1984 | -278.06 | 0.15 | 641.94 | 01 | 06 | 4 | |
| | P | 11/ 7/1984 | -277.9 | 0.16 | 642.1 | 01 | 06 | 4 | |
| | P | 11/ 8/1984 | -277.85 | 0.05 | 642.15 | 01 | 06 | 4 | |
| | P | 11/28/1984 | -277.54 | 0.31 | 642.46 | 01 | 06 | 4 | |
| | P | 11/29/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 11/30/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 1/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 2/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 3/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 4/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 5/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 6/1984 | -277.54 | | 642.46 | 01 | 06 | 4 | |
| | P | 12/ 7/1984 | -277.53 | 0.01 | 642.47 | 01 | 06 | 4 | |
| | P | 12/ 8/1984 | -277.42 | 0.11 | 642.58 | 01 | 06 | 4 | |
| | P | 12/ 9/1984 | -277.42 | | 642.58 | 01 | 06 | 4 | |
| | P | 12/10/1984 | -277.4 | 0.02 | 642.6 | 01 | 06 | 4 | |
| | P | 8/ 1/1989 | -289.82 | -12.4 | 630.18 | 01 | 03 | 1 | |
| | P | 4/30/1990 | -251.11 | 38.71 | 668.89 | 01 | 06 | 1 | |
| | P | 6/ 3/1990 | -252.5 | -1.39 | 667.5 | 01 | 06 | 1 | |
| | P | 7/ 1/1990 | -257.38 | -4.88 | 662.62 | 01 | 06 | 1 | |
| | P | 8/ 1/1990 | -265.64 | -8.26 | 654.36 | 01 | 06 | 1 | |
| | P | 10/10/1990 | -269.85 | -4.21 | 650.15 | 01 | 06 | 1 | |
| | P | 11/11/1990 | -271.15 | -1.3 | 648.85 | 01 | 06 | 1 | |
| | P | 12/31/1990 | -221.14 | 50.01 | 698.86 | 01 | 06 | 1 | |
| | P | 4/30/1991 | -251.11 | -30 | 668.89 | 01 | 06 | 1 | |
| | P | 6/ 3/1991 | -252.5 | -1.39 | 667.5 | 01 | 06 | 1 | |
| | P | 7/ 1/1991 | -257.38 | -4.88 | 662.62 | 01 | 06 | 1 | |
| | P | 8/ 1/1991 | -265.64 | -8.26 | 654.36 | 01 | 06 | 1 | |
| | P | 10/10/1991 | -269.85 | -4.21 | 650.15 | 01 | 06 | 1 | |
| | P | 11/11/1991 | -271.15 | -1.3 | 648.85 | 01 | 06 | 1 | |
| | P | 12/31/1991 | -221.14 | 50.01 | 698.86 | 01 | 06 | 1 | |
| | P | 2/ 6/1992 | -207.28 | 13.86 | 712.72 | 01 | 04 | 1 | |
| | P | 3/ 5/1992 | -200.56 | 6.72 | 719.44 | 01 | 04 | 1 | |
| | P | 3/31/1992 | -202.97 | -2.41 | 717.03 | 01 | 04 | 1 | |
| | P | 5/ 1/1992 | -205.99 | -3.02 | 714.01 | 01 | 04 | 1 | |
| | P | 6/ 5/1992 | -192.97 | 13.02 | 727.03 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 6/1992 | -201.95 | -8.98 | 718.05 | 01 | 04 | 1 | |
| | P | 8/11/1992 | -211.52 | -9.57 | 708.48 | 01 | 04 | 1 | |
| | P | 9/14/1992 | -215.41 | -3.89 | 704.59 | 01 | 04 | 1 | |
| | P | 10/16/1992 | -219.72 | -4.31 | 700.28 | 01 | 06 | 1 | |
| | P | 11/ 6/1992 | -218.8 | 0.92 | 701.2 | 01 | 04 | 1 | |
| | P | 11/ 6/1992 | -218.38 | 0.42 | 701.62 | 02 | 06 | 1 | |
| | P | 12/ 9/1992 | -213.83 | 4.55 | 706.17 | 01 | 06 | 1 | |
| | P | 2/ 4/1993 | -219.82 | -5.99 | 700.18 | 01 | 06 | 1 | |
| | P | 3/ 2/1993 | -215.49 | 4.33 | 704.51 | 01 | 06 | 1 | |
| | P | 4/ 6/1993 | -217.54 | -2.05 | 702.46 | 01 | 06 | 1 | |
| | P | 4/27/1993 | -223.01 | -5.47 | 696.99 | 01 | 06 | 1 | |
| | P | 4/28/1993 | -233.01 | -10 | 686.99 | 01 | 06 | 1 | |
| | P | 6/ 1/1993 | -211.09 | 21.92 | 708.91 | 01 | 06 | 1 | |
| | P | 7/ 2/1993 | -210.66 | 0.43 | 709.34 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -230.54 | -19.9 | 689.46 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -230.59 | -0.05 | 689.41 | 02 | 04 | 1 | |
| | P | 9/ 8/1993 | -240.06 | -9.47 | 679.94 | 01 | 06 | 1 | |
| | P | 10/ 6/1993 | -242.92 | -2.86 | 677.08 | 01 | 06 | 1 | |
| | P | 11/ 2/1993 | -238.09 | 4.83 | 681.91 | 01 | 06 | 1 | |
| | P | 12/10/1993 | -238.11 | -0.02 | 681.89 | 01 | 06 | 1 | |
| | P | 1/ 5/1994 | -239.53 | -1.42 | 680.47 | 01 | 06 | 1 | |
| | P | 2/ 4/1994 | -240.55 | -1.02 | 679.45 | 01 | 06 | 1 | |
| | P | 3/ 2/1994 | -241.8 | -1.25 | 678.2 | 01 | 06 | 1 | |
| | P | 4/ 6/1994 | -240.61 | 1.19 | 679.39 | 01 | 06 | 1 | |
| | P | 5/ 4/1994 | -238.73 | 1.88 | 681.27 | 01 | 06 | 1 | |
| | P | 5/27/1994 | -234.03 | 4.7 | 685.97 | 01 | 06 | 1 | |
| | P | 6/30/1994 | -251.7 | -17.7 | 668.3 | 01 | 06 | 1 | |
| | P | 8/ 3/1994 | -265.28 | -13.6 | 654.72 | 01 | 06 | 1 | |
| | P | 8/29/1994 | -264.32 | 0.96 | 655.68 | 01 | 06 | 1 | |
| | P | 10/ 7/1994 | -257.83 | 6.49 | 662.17 | 01 | 06 | 1 | |
| | P | 11/ 3/1994 | -237.85 | 19.98 | 682.15 | 01 | 06 | 1 | |
| | P | 12/ 7/1994 | -244.59 | -6.74 | 675.41 | 01 | 06 | 1 | |
| | P | 1/ 6/1995 | -238.29 | 6.3 | 681.71 | 01 | 06 | 1 | |
| | P | 2/21/1995 | -248.17 | -9.88 | 671.83 | 01 | 06 | 1 | |
| | P | 4/ 6/1995 | -245.37 | 2.8 | 674.63 | 01 | 06 | 1 | |
| | P | 5/ 5/1995 | -256.75 | -11.4 | 663.25 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/31/1995 | -253.17 | 3.58 | 666.83 | 01 | 06 | 1 | |
| | P | 6/29/1995 | -254.77 | -1.6 | 665.23 | 01 | 06 | 1 | |
| | P | 8/ 3/1995 | -261.11 | -6.34 | 658.89 | 01 | 06 | 1 | |
| | P | 9/ 8/1995 | -267.2 | -6.09 | 652.8 | 01 | 06 | 1 | |
| | P | 10/10/1995 | -260.45 | 6.75 | 659.55 | 01 | 06 | 1 | |
| | P | 12/ 1/1995 | -257.81 | 2.64 | 662.19 | 01 | 06 | 1 | |
| | P | 1/ 3/1996 | -256.94 | 0.87 | 663.06 | 01 | 06 | 1 | |
| | P | 2/ 1/1996 | -267.92 | -11 | 652.08 | 01 | 06 | 1 | |
| | P | 3/20/1996 | -268.93 | -1.01 | 651.07 | 01 | 06 | 1 | |
| | P | 4/ 4/1996 | -270.36 | -1.43 | 649.64 | 01 | 06 | 1 | |
| | P | 5/14/1996 | -276.73 | -6.37 | 643.27 | 01 | 06 | 1 | |
| | P | 5/31/1996 | -281.28 | -4.55 | 638.72 | 01 | 06 | 1 | |
| | P | 7/ 8/1996 | -294.5 | -13.2 | 625.5 | 01 | 06 | 1 | |
| | P | 9/11/1996 | -286.84 | 7.66 | 633.16 | 01 | 06 | 1 | |
| | P | 10/ 8/1996 | -278.15 | 8.69 | 641.85 | 01 | 06 | 1 | |
| | P | 11/15/1996 | -279.17 | -1.02 | 640.83 | 01 | 06 | 1 | |
| | P | 12/13/1996 | -277.95 | 1.22 | 642.05 | 01 | 06 | 1 | |
| | P | 1/23/1997 | -272.01 | 5.94 | 647.99 | 01 | 06 | 1 | |
| | P | 2/19/1997 | -272.1 | -0.09 | 647.9 | 01 | 06 | 1 | |
| | P | 3/25/1997 | -262.92 | 9.18 | 657.08 | 01 | 06 | 1 | |
| | P | 5/ 1/1997 | -266.34 | -3.42 | 653.66 | 01 | 06 | 1 | |
| | P | 7/30/1997 | -244.83 | 21.51 | 675.17 | 01 | 06 | 1 | |
| | P | 9/11/1997 | -255.37 | -10.5 | 664.63 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -260.21 | -4.84 | 659.79 | 01 | 06 | 1 | |
| | P | 1/12/1998 | -241.6 | 18.61 | 678.4 | 01 | 06 | 1 | |
| | P | 2/12/1998 | -241.92 | -0.32 | 678.08 | 01 | 06 | 1 | |
| | P | 3/12/1998 | -236.75 | 5.17 | 683.25 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -251.07 | -14.3 | 668.93 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -269 | -17.9 | 651 | 01 | 06 | 1 | |
| | P | 7/23/1998 | -274.46 | -5.46 | 645.54 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -262.06 | 12.4 | 657.94 | 01 | 06 | 1 | |
| | P | 10/27/1998 | -213.45 | 48.61 | 706.55 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -217.76 | -4.31 | 702.24 | 01 | 06 | 1 | |
| | P | 1/20/1999 | -226.89 | -9.13 | 693.11 | 01 | 06 | 1 | |
| | P | 2/23/1999 | -235.97 | -9.08 | 684.03 | 01 | 06 | 1 | |
| | P | 3/22/1999 | -236.39 | -0.42 | 683.61 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 28/ 1999 | -239.45 | -3.06 | 680.55 | 01 | 06 | 1 | |
| | P | 5 / 24/ 1999 | -245.33 | -5.88 | 674.67 | 01 | 06 | 1 | |
| | P | 6 / 24/ 1999 | -242.95 | 2.38 | 677.05 | 01 | 06 | 1 | |
| | P | 7 / 14/ 1999 | -239.47 | 3.48 | 680.53 | 01 | 06 | 1 | |
| | P | 8 / 25/ 1999 | -256.49 | -17.0 | 663.51 | 01 | 06 | 1 | |
| | P | 9 / 21/ 1999 | -259.8 | -3.31 | 660.2 | 01 | 06 | 1 | |
| | P | 10 / 19/ 1999 | -262.1 | -2.3 | 657.9 | 01 | 06 | 1 | |
| | P | 12 / 3 / 1999 | -261.27 | 0.83 | 658.73 | 01 | 06 | 1 | |
| | P | 1 / 12/ 2000 | -257.12 | 4.15 | 662.88 | 01 | 06 | 1 | |
| | P | 2 / 17/ 2000 | -258.44 | -1.32 | 661.56 | 01 | 06 | 1 | |
| | P | 4 / 6 / 2000 | -262.82 | -4.38 | 657.18 | 01 | 06 | 1 | |
| | P | 5 / 11/ 2000 | -268.01 | -5.19 | 651.99 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2000 | -261.96 | 6.05 | 658.04 | 01 | 06 | 1 | |
| | P | 8 / 16/ 2000 | -281 | -19.0 | 639 | 01 | 06 | 1 | |
| | P | 9 / 20/ 2000 | -281.93 | -0.93 | 638.07 | 01 | 06 | 1 | |
| | P | 1 / 22/ 2001 | -233.9 | 48.03 | 686.1 | 01 | 06 | 1 | |
| | P | 3 / 6 / 2001 | -232.97 | 0.93 | 687.03 | 01 | 06 | 1 | |
| | P | 7 / 19/ 2005 | -233.1 | -0.13 | 686.9 | 01 | 04 | 1 | |
| | P | 10 / 27/ 2005 | -238.25 | -5.15 | 681.75 | 01 | 04 | 1 | |
| | P | 7 / 19/ 2006 | -269.77 | -31.5 | 650.23 | 01 | 04 | 1 | |
| | P | 2 / 23/ 2010 | -226.77 | 43 | 693.23 | 01 | 06 | 2 | |

**Min** *-295.67* **Max** *-192.97* **Avg** *-266.088*

***6828921*** *( Aquifer: 218EBFZA Well Depth: 855 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 24/ 1984 | -186 | | 637 | 01 | 07 | 7 | |

**Min** *-186* **Max** *-186* **Avg** *-186*

***6829101*** *( Aquifer: 218EDRDA Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 7 / 1992 | -133.64 | | 776.36 | 01 | 09 | 1 | |
| | P | 7 / 8 / 2004 | -186.38 | -52.7 | 723.62 | 01 | 06 | 1 | |

**Min** *-186.38* **Max** *-133.64* **Avg** *-160.01*

***6829102*** *( Aquifer: 218EDRDA Well Depth: 525 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 0 / 1956 | -270 | | 670 | 01 | 12 | 7 | |

**Min** *-270* **Max** *-270* **Avg** *-270*

***6829103*** *( Aquifer: 218EDRDA Well Depth: 547 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1957 | -284.25 | | 667.75 | 01 | 02 | 8 | |
| | P | 12/ 1/1957 | -283.75 | 0.5 | 668.25 | 01 | 12 | 7 | |
| | P | 12/15/1957 | -283.35 | 0.4 | 668.65 | 01 | 12 | 7 | |
| | P | 1/ 1/1958 | -283.23 | 0.12 | 668.77 | 01 | 12 | 7 | |
| | P | 1/15/1958 | -278.59 | 4.64 | 673.41 | 01 | 12 | 7 | |
| | P | 1/30/1958 | -276.6 | 1.99 | 675.4 | 01 | 06 | 4 | |
| | P | 2/ 1/1958 | -276.84 | -0.24 | 675.16 | 01 | 12 | 7 | |
| | P | 2/15/1958 | -277.41 | -0.57 | 674.59 | 01 | 12 | 7 | |
| | P | 2/28/1958 | -272.65 | 4.76 | 679.35 | 01 | 06 | 4 | |
| | P | 3/ 1/1958 | -272.67 | -0.02 | 679.33 | 01 | 12 | 7 | |
| | P | 3/15/1958 | -271.37 | 1.3 | 680.63 | 01 | 12 | 7 | |
| | P | 3/30/1958 | -270.45 | 0.92 | 681.55 | 01 | 06 | 4 | |
| | P | 4/ 1/1958 | -270.44 | 0.01 | 681.56 | 01 | 12 | 7 | |
| | P | 4/15/1958 | -271.38 | -0.94 | 680.62 | 01 | 12 | 7 | |
| | P | 4/30/1958 | -271.35 | 0.03 | 680.65 | 01 | 06 | 4 | |
| | P | 5/ 1/1958 | -271.22 | 0.13 | 680.78 | 01 | 12 | 7 | |
| | P | 5/15/1958 | -267.55 | 3.67 | 684.45 | 01 | 12 | 7 | |
| | P | 5/30/1958 | -266.84 | 0.71 | 685.16 | 01 | 06 | 4 | |
| | P | 6/ 1/1958 | -267.35 | -0.51 | 684.65 | 01 | 12 | 7 | |
| | P | 6/15/1958 | -268.54 | -1.19 | 683.46 | 01 | 12 | 7 | |
| | P | 6/30/1958 | -268.87 | -0.33 | 683.13 | 01 | 06 | 4 | |
| | P | 7/ 1/1958 | -268.89 | -0.02 | 683.11 | 01 | 12 | 7 | |
| | P | 7/15/1958 | -268.83 | 0.06 | 683.17 | 01 | 12 | 7 | |
| | P | 7/30/1958 | -269.72 | -0.89 | 682.28 | 01 | 06 | 4 | |
| | P | 8/ 1/1958 | -269.9 | -0.18 | 682.1 | 01 | 12 | 7 | |
| | P | 8/15/1958 | -270.24 | -0.34 | 681.76 | 01 | 12 | 7 | |
| | P | 8/30/1958 | -270.9 | -0.66 | 681.1 | 01 | 06 | 4 | |
| | P | 9/ 1/1958 | -271.23 | -0.33 | 680.77 | 01 | 12 | 7 | |
| | P | 9/15/1958 | -270.73 | 0.5 | 681.27 | 01 | 12 | 7 | |
| | P | 9/30/1958 | -266.46 | 4.27 | 685.54 | 01 | 06 | 4 | |
| | P | 10/ 1/1958 | -266.74 | -0.28 | 685.26 | 01 | 12 | 7 | |
| | P | 10/15/1958 | -266.33 | 0.41 | 685.67 | 01 | 12 | 7 | |
| | P | 10/30/1958 | -261.36 | 4.97 | 690.64 | 01 | 06 | 4 | |
| | P | 11/ 1/1958 | -260.56 | 0.8 | 691.44 | 01 | 12 | 7 | |
| | P | 11/15/1958 | -258.94 | 1.62 | 693.06 | 01 | 12 | 7 | |
| | P | 11/30/1958 | -258.17 | 0.77 | 693.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 1/1958 | -258.04 | 0.13 | 693.96 | 01 | 12 | 7 | |
| | P | 12/15/1958 | -258.19 | -0.15 | 693.81 | 01 | 12 | 7 | |
| | P | 12/30/1958 | -258.26 | -0.07 | 693.74 | 01 | 06 | 4 | |
| | P | 1/ 1/1959 | -257.74 | 0.52 | 694.26 | 01 | 12 | 7 | |
| | P | 1/15/1959 | -257.72 | 0.02 | 694.28 | 01 | 12 | 7 | |
| | P | 1/30/1959 | -258.02 | -0.3 | 693.98 | 01 | 06 | 4 | |
| | P | 2/ 1/1959 | -258.15 | -0.13 | 693.85 | 01 | 12 | 7 | |
| | P | 2/15/1959 | -257.87 | 0.28 | 694.13 | 01 | 12 | 7 | |
| | P | 2/28/1959 | -257.72 | 0.15 | 694.28 | 01 | 06 | 4 | |
| | P | 3/ 1/1959 | -257.72 | | 694.28 | 01 | 12 | 7 | |
| | P | 3/15/1959 | -257.5 | 0.22 | 694.5 | 01 | 12 | 7 | |
| | P | 3/30/1959 | -257.8 | -0.3 | 694.2 | 01 | 06 | 4 | |
| | P | 4/ 1/1959 | -257.68 | 0.12 | 694.32 | 01 | 12 | 7 | |
| | P | 4/15/1959 | -257.88 | -0.2 | 694.12 | 01 | 12 | 7 | |
| | P | 4/30/1959 | -257.94 | -0.06 | 694.06 | 01 | 06 | 4 | |
| | P | 5/ 1/1959 | -257.93 | 0.01 | 694.07 | 01 | 12 | 7 | |
| | P | 5/15/1959 | -258.28 | -0.35 | 693.72 | 01 | 12 | 7 | |
| | P | 5/30/1959 | -258.47 | -0.19 | 693.53 | 01 | 06 | 4 | |
| | P | 6/ 1/1959 | -258.65 | -0.18 | 693.35 | 01 | 12 | 7 | |
| | P | 6/15/1959 | -259.62 | -0.97 | 692.38 | 01 | 12 | 7 | |
| | P | 6/30/1959 | -260.08 | -0.46 | 691.92 | 01 | 06 | 4 | |
| | P | 7/ 1/1959 | -260.19 | -0.11 | 691.81 | 01 | 12 | 7 | |
| | P | 7/15/1959 | -260.64 | -0.45 | 691.36 | 01 | 12 | 7 | |
| | P | 7/30/1959 | -261.97 | -1.33 | 690.03 | 01 | 06 | 4 | |
| | P | 8/ 1/1959 | -261.37 | 0.6 | 690.63 | 01 | 12 | 7 | |
| | P | 8/15/1959 | -262.22 | -0.85 | 689.78 | 01 | 12 | 7 | |
| | P | 8/30/1959 | -262.17 | 0.05 | 689.83 | 01 | 06 | 4 | |
| | P | 9/ 1/1959 | -262.31 | -0.14 | 689.69 | 01 | 12 | 7 | |
| | P | 9/15/1959 | -262.51 | -0.2 | 689.49 | 01 | 12 | 7 | |
| | P | 9/30/1959 | -263 | -0.49 | 689 | 01 | 06 | 4 | |
| | P | 10/ 1/1959 | -262.99 | 0.01 | 689.01 | 01 | 12 | 7 | |
| | P | 10/15/1959 | -262.83 | 0.16 | 689.17 | 01 | 12 | 7 | |
| | P | 10/30/1959 | -262.76 | 0.07 | 689.24 | 01 | 06 | 4 | |
| | P | 11/ 1/1959 | -263.03 | -0.27 | 688.97 | 01 | 12 | 7 | |
| | P | 11/15/1959 | -263.02 | 0.01 | 688.98 | 01 | 12 | 7 | |
| | P | 11/30/1959 | -263.12 | -0.1 | 688.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 1/1959 | -263.09 | 0.03 | 688.91 | 01 | 12 | 7 | |
| | P | 12/15/1959 | -262.85 | 0.24 | 689.15 | 01 | 12 | 7 | |
| | P | 12/30/1959 | -263.05 | -0.2 | 688.95 | 01 | 06 | 4 | |
| | P | 1/ 1/1960 | -262.87 | 0.18 | 689.13 | 01 | 12 | 7 | |
| | P | 1/15/1960 | -262.9 | -0.03 | 689.1 | 01 | 12 | 7 | |
| | P | 1/30/1960 | -262.97 | -0.07 | 689.03 | 01 | 06 | 4 | |
| | P | 2/ 1/1960 | -262.87 | 0.1 | 689.13 | 01 | 12 | 7 | |
| | P | 2/15/1960 | -263.09 | -0.22 | 688.91 | 01 | 12 | 7 | |
| | P | 2/29/1960 | -263.07 | 0.02 | 688.93 | 01 | 06 | 4 | |
| | P | 3/ 1/1960 | -262.97 | 0.1 | 689.03 | 01 | 12 | 7 | |
| | P | 3/15/1960 | -262.77 | 0.2 | 689.23 | 01 | 12 | 7 | |
| | P | 3/30/1960 | -262.88 | -0.11 | 689.12 | 01 | 06 | 4 | |
| | P | 4/ 1/1960 | -262.75 | 0.13 | 689.25 | 01 | 12 | 7 | |
| | P | 4/15/1960 | -263.23 | -0.48 | 688.77 | 01 | 12 | 7 | |
| | P | 4/30/1960 | -262.1 | 1.13 | 689.9 | 01 | 06 | 4 | |
| | P | 5/ 1/1960 | -262.58 | -0.48 | 689.42 | 01 | 12 | 7 | |
| | P | 5/15/1960 | -262.83 | -0.25 | 689.17 | 01 | 12 | 7 | |
| | P | 5/30/1960 | -263.53 | -0.7 | 688.47 | 01 | 06 | 4 | |
| | P | 6/ 1/1960 | -263.42 | 0.11 | 688.58 | 01 | 12 | 7 | |
| | P | 6/15/1960 | -264.3 | -0.88 | 687.7 | 01 | 12 | 7 | |
| | P | 6/30/1960 | -264.83 | -0.53 | 687.17 | 01 | 06 | 4 | |
| | P | 7/ 1/1960 | -264.9 | -0.07 | 687.1 | 01 | 12 | 7 | |
| | P | 7/15/1960 | -265.58 | -0.68 | 686.42 | 01 | 12 | 7 | |
| | P | 7/30/1960 | -265.45 | 0.13 | 686.55 | 01 | 06 | 4 | |
| | P | 8/ 1/1960 | -265.84 | -0.39 | 686.16 | 01 | 12 | 7 | |
| | P | 8/15/1960 | -263.26 | 2.58 | 688.74 | 01 | 12 | 7 | |
| | P | 8/30/1960 | -264.98 | -1.72 | 687.02 | 01 | 06 | 4 | |
| | P | 9/ 1/1960 | -264.87 | 0.11 | 687.13 | 01 | 12 | 7 | |
| | P | 9/15/1960 | -265.23 | -0.36 | 686.77 | 01 | 12 | 7 | |
| | P | 9/30/1960 | -265.61 | -0.38 | 686.39 | 01 | 06 | 4 | |
| | P | 10/ 1/1960 | -265.65 | -0.04 | 686.35 | 01 | 12 | 7 | |
| | P | 10/15/1960 | -265.58 | 0.07 | 686.42 | 01 | 12 | 7 | |
| | P | 10/30/1960 | -261.45 | 4.13 | 690.55 | 01 | 06 | 4 | |
| | P | 11/ 1/1960 | -260.93 | 0.52 | 691.07 | 01 | 12 | 7 | |
| | P | 11/15/1960 | -262.02 | -1.09 | 689.98 | 01 | 12 | 7 | |
| | P | 11/30/1960 | -262.19 | -0.17 | 689.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 1/1960 | -262.25 | -0.06 | 689.75 | 01 | 12 | 7 | |
| | P | 12/15/1960 | -260.67 | 1.58 | 691.33 | 01 | 12 | 7 | |
| | P | 12/30/1960 | -260.42 | 0.25 | 691.58 | 01 | 06 | 4 | |
| | P | 1/ 1/1961 | -260.42 | | 691.58 | 01 | 12 | 7 | |
| | P | 1/30/1961 | -259.55 | 0.87 | 692.45 | 01 | 06 | 4 | |
| | P | 2/ 1/1961 | -259.15 | 0.4 | 692.85 | 01 | 12 | 7 | |
| | P | 2/15/1961 | -257.8 | 1.35 | 694.2 | 01 | 12 | 7 | |
| | P | 2/28/1961 | -257.71 | 0.09 | 694.29 | 01 | 06 | 4 | |
| | P | 3/ 1/1961 | -257.8 | -0.09 | 694.2 | 01 | 12 | 7 | |
| | P | 3/15/1961 | -257.47 | 0.33 | 694.53 | 01 | 12 | 7 | |
| | P | 3/30/1961 | -257.55 | -0.08 | 694.45 | 01 | 06 | 4 | |
| | P | 4/ 1/1961 | -257.85 | -0.3 | 694.15 | 01 | 12 | 7 | |
| | P | 4/15/1961 | -257.92 | -0.07 | 694.08 | 01 | 12 | 7 | |
| | P | 4/30/1961 | -258.51 | -0.59 | 693.49 | 01 | 06 | 4 | |
| | P | 5/ 1/1961 | -258.57 | -0.06 | 693.43 | 01 | 12 | 7 | |
| | P | 5/15/1961 | -259.5 | -0.93 | 692.5 | 01 | 12 | 7 | |
| | P | 5/30/1961 | -260.47 | -0.97 | 691.53 | 01 | 06 | 4 | |
| | P | 6/ 1/1961 | -260.45 | 0.02 | 691.55 | 01 | 12 | 7 | |
| | P | 6/15/1961 | -260.75 | -0.3 | 691.25 | 01 | 12 | 7 | |
| | P | 6/30/1961 | -260.4 | 0.35 | 691.6 | 01 | 06 | 4 | |
| | P | 7/ 1/1961 | -260.36 | 0.04 | 691.64 | 01 | 12 | 7 | |
| | P | 7/15/1961 | -260.52 | -0.16 | 691.48 | 01 | 12 | 7 | |
| | P | 7/30/1961 | -260.22 | 0.3 | 691.78 | 01 | 06 | 4 | |
| | P | 8/ 1/1961 | -260.25 | -0.03 | 691.75 | 01 | 12 | 7 | |
| | P | 8/15/1961 | -260.28 | -0.03 | 691.72 | 01 | 12 | 7 | |
| | P | 8/30/1961 | -260.78 | -0.5 | 691.22 | 01 | 06 | 4 | |
| | P | 9/ 1/1961 | -260.98 | -0.2 | 691.02 | 01 | 12 | 7 | |
| | P | 9/15/1961 | -262.03 | -1.05 | 689.97 | 01 | 12 | 7 | |
| | P | 9/30/1961 | -261.92 | 0.11 | 690.08 | 01 | 06 | 4 | |
| | P | 10/ 1/1961 | -262.12 | -0.2 | 689.88 | 01 | 12 | 7 | |
| | P | 10/15/1961 | -261.52 | 0.6 | 690.48 | 01 | 12 | 7 | |
| | P | 10/30/1961 | -261.35 | 0.17 | 690.65 | 01 | 06 | 4 | |
| | P | 11/ 1/1961 | -260.91 | 0.44 | 691.09 | 01 | 12 | 7 | |
| | P | 11/15/1961 | -261.24 | -0.33 | 690.76 | 01 | 12 | 7 | |
| | P | 11/30/1961 | -261.42 | -0.18 | 690.58 | 01 | 06 | 4 | |
| | P | 12/ 1/1961 | -261.48 | -0.06 | 690.52 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1961 | -261.5 | -0.02 | 690.5 | 01 | 12 | 7 | |
| | P | 12/30/1961 | -261.6 | -0.1 | 690.4 | 01 | 06 | 4 | |
| | P | 1/ 1/1962 | -261.95 | -0.35 | 690.05 | 01 | 12 | 7 | |
| | P | 1/15/1962 | -262.15 | -0.2 | 689.85 | 01 | 12 | 7 | |
| | P | 1/30/1962 | -262.24 | -0.09 | 689.76 | 01 | 06 | 4 | |
| | P | 2/ 1/1962 | -262.03 | 0.21 | 689.97 | 01 | 12 | 7 | |
| | P | 2/15/1962 | -262.33 | -0.3 | 689.67 | 01 | 12 | 7 | |
| | P | 2/28/1962 | -262.75 | -0.42 | 689.25 | 01 | 06 | 4 | |
| | P | 3/ 1/1962 | -262.93 | -0.18 | 689.07 | 01 | 12 | 7 | |
| | P | 3/15/1962 | -263.12 | -0.19 | 688.88 | 01 | 12 | 7 | |
| | P | 3/30/1962 | -263.49 | -0.37 | 688.51 | 01 | 06 | 4 | |
| | P | 4/ 1/1962 | -263.66 | -0.17 | 688.34 | 01 | 12 | 7 | |
| | P | 4/15/1962 | -263.94 | -0.28 | 688.06 | 01 | 12 | 7 | |
| | P | 4/30/1962 | -263.31 | 0.63 | 688.69 | 01 | 06 | 4 | |
| | P | 5/ 1/1962 | -263.54 | -0.23 | 688.46 | 01 | 12 | 7 | |
| | P | 5/15/1962 | -264.34 | -0.8 | 687.66 | 01 | 12 | 7 | |
| | P | 5/30/1962 | -265.2 | -0.86 | 686.8 | 01 | 06 | 4 | |
| | P | 6/ 1/1962 | -265.07 | 0.13 | 686.93 | 01 | 12 | 7 | |
| | P | 6/15/1962 | -265.8 | -0.73 | 686.2 | 01 | 12 | 7 | |
| | P | 6/30/1962 | -266.35 | -0.55 | 685.65 | 01 | 06 | 4 | |
| | P | 7/ 1/1962 | -266.4 | -0.05 | 685.6 | 01 | 12 | 7 | |
| | P | 7/15/1962 | -267.83 | -1.43 | 684.17 | 01 | 12 | 7 | |
| | P | 7/30/1962 | -269.09 | -1.26 | 682.91 | 01 | 06 | 4 | |
| | P | 8/ 1/1962 | -269.21 | -0.12 | 682.79 | 01 | 12 | 7 | |
| | P | 8/15/1962 | -270.15 | -0.94 | 681.85 | 01 | 12 | 7 | |
| | P | 8/30/1962 | -270.52 | -0.37 | 681.48 | 01 | 06 | 4 | |
| | P | 9/ 1/1962 | -270.67 | -0.15 | 681.33 | 01 | 12 | 7 | |
| | P | 9/15/1962 | -270.87 | -0.2 | 681.13 | 01 | 12 | 7 | |
| | P | 9/30/1962 | -270.92 | -0.05 | 681.08 | 01 | 06 | 4 | |
| | P | 10/ 1/1962 | -270.96 | -0.04 | 681.04 | 01 | 12 | 7 | |
| | P | 10/15/1962 | -271.33 | -0.37 | 680.67 | 01 | 12 | 7 | |
| | P | 10/30/1962 | -271.62 | -0.29 | 680.38 | 01 | 06 | 4 | |
| | P | 11/ 1/1962 | -271.43 | 0.19 | 680.57 | 01 | 12 | 7 | |
| | P | 11/15/1962 | -271.73 | -0.3 | 680.27 | 01 | 12 | 7 | |
| | P | 11/30/1962 | -271.48 | 0.25 | 680.52 | 01 | 06 | 4 | |
| | P | 12/ 1/1962 | -271.43 | 0.05 | 680.57 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1962 | -271.4 | 0.03 | 680.6 | 01 | 12 | 7 | |
| | P | 12/30/1962 | -271.79 | -0.39 | 680.21 | 01 | 06 | 4 | |
| | P | 1/ 1/1963 | -271.45 | 0.34 | 680.55 | 01 | 12 | 7 | |
| | P | 1/ 2/1963 | -271.45 | | 680.55 | 01 | 06 | 4 | |
| | P | 1/ 3/1963 | -271.5 | -0.05 | 680.5 | 01 | 06 | 4 | |
| | P | 1/ 4/1963 | -271.37 | 0.13 | 680.63 | 01 | 06 | 4 | |
| | P | 1/ 5/1963 | -271.45 | -0.08 | 680.55 | 01 | 06 | 4 | |
| | P | 1/ 6/1963 | -271.57 | -0.12 | 680.43 | 01 | 06 | 4 | |
| | P | 1/ 7/1963 | -271.43 | 0.14 | 680.57 | 01 | 06 | 4 | |
| | P | 1/ 8/1963 | -271.32 | 0.11 | 680.68 | 01 | 06 | 4 | |
| | P | 1/ 9/1963 | -271.19 | 0.13 | 680.81 | 01 | 06 | 4 | |
| | P | 1/10/1963 | -271.17 | 0.02 | 680.83 | 01 | 06 | 4 | |
| | P | 1/11/1963 | -271.28 | -0.11 | 680.72 | 01 | 06 | 4 | |
| | P | 1/12/1963 | -271.74 | -0.46 | 680.26 | 01 | 06 | 4 | |
| | P | 1/13/1963 | -271.97 | -0.23 | 680.03 | 01 | 06 | 4 | |
| | P | 1/14/1963 | -271.8 | 0.17 | 680.2 | 01 | 06 | 4 | |
| | P | 1/15/1963 | -271.82 | -0.02 | 680.18 | 01 | 12 | 7 | |
| | P | 1/16/1963 | -271.63 | 0.19 | 680.37 | 01 | 06 | 4 | |
| | P | 1/17/1963 | -271.42 | 0.21 | 680.58 | 01 | 06 | 4 | |
| | P | 1/18/1963 | -271.38 | 0.04 | 680.62 | 01 | 06 | 4 | |
| | P | 1/19/1963 | -271.32 | 0.06 | 680.68 | 01 | 06 | 4 | |
| | P | 1/20/1963 | -271.59 | -0.27 | 680.41 | 01 | 06 | 4 | |
| | P | 1/21/1963 | -271.67 | -0.08 | 680.33 | 01 | 06 | 4 | |
| | P | 1/22/1963 | -271.4 | 0.27 | 680.6 | 01 | 06 | 4 | |
| | P | 1/23/1963 | -271.48 | -0.08 | 680.52 | 01 | 06 | 4 | |
| | P | 1/24/1963 | -271.85 | -0.37 | 680.15 | 01 | 06 | 4 | |
| | P | 1/25/1963 | -271.54 | 0.31 | 680.46 | 01 | 06 | 4 | |
| | P | 1/26/1963 | -271.43 | 0.11 | 680.57 | 01 | 06 | 4 | |
| | P | 1/27/1963 | -271.87 | -0.44 | 680.13 | 01 | 06 | 4 | |
| | P | 1/28/1963 | -271.71 | 0.16 | 680.29 | 01 | 06 | 4 | |
| | P | 1/29/1963 | -271.62 | 0.09 | 680.38 | 01 | 06 | 4 | |
| | P | 1/30/1963 | -271.61 | 0.01 | 680.39 | 01 | 06 | 4 | |
| | P | 1/31/1963 | -271.62 | -0.01 | 680.38 | 01 | 06 | 4 | |
| | P | 2/ 1/1963 | -271.68 | -0.06 | 680.32 | 01 | 12 | 7 | |
| | P | 2/ 2/1963 | -271.52 | 0.16 | 680.48 | 01 | 06 | 4 | |
| | P | 2/ 3/1963 | -271.24 | 0.28 | 680.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 4/1963 | -271.88 | -0.64 | 680.12 | 01 | 06 | 4 | |
| | P | 2/ 5/1963 | -271.83 | 0.05 | 680.17 | 01 | 06 | 4 | |
| | P | 2/ 6/1963 | -271.72 | 0.11 | 680.28 | 01 | 06 | 4 | |
| | P | 2/ 7/1963 | -271.7 | 0.02 | 680.3 | 01 | 06 | 4 | |
| | P | 2/ 8/1963 | -271.63 | 0.07 | 680.37 | 01 | 06 | 4 | |
| | P | 2/ 9/1963 | -271.58 | 0.05 | 680.42 | 01 | 06 | 4 | |
| | P | 2/10/1963 | -271.71 | -0.13 | 680.29 | 01 | 06 | 4 | |
| | P | 2/11/1963 | -271.89 | -0.18 | 680.11 | 01 | 06 | 4 | |
| | P | 2/12/1963 | -272.24 | -0.35 | 679.76 | 01 | 06 | 4 | |
| | P | 2/13/1963 | -271.03 | 1.21 | 680.97 | 01 | 06 | 4 | |
| | P | 2/14/1963 | -271.98 | -0.95 | 680.02 | 01 | 06 | 4 | |
| | P | 2/15/1963 | -271.93 | 0.05 | 680.07 | 01 | 12 | 7 | |
| | P | 2/16/1963 | -271.93 | | 680.07 | 01 | 06 | 4 | |
| | P | 2/17/1963 | -271.75 | 0.18 | 680.25 | 01 | 06 | 4 | |
| | P | 2/18/1963 | -271.48 | 0.27 | 680.52 | 01 | 06 | 4 | |
| | P | 2/19/1963 | -271.38 | 0.1 | 680.62 | 01 | 06 | 4 | |
| | P | 2/20/1963 | -271.41 | -0.03 | 680.59 | 01 | 06 | 4 | |
| | P | 2/21/1963 | -271.39 | 0.02 | 680.61 | 01 | 06 | 4 | |
| | P | 2/22/1963 | -271.73 | -0.34 | 680.27 | 01 | 06 | 4 | |
| | P | 2/23/1963 | -271.56 | 0.17 | 680.44 | 01 | 06 | 4 | |
| | P | 2/24/1963 | -271.57 | -0.01 | 680.43 | 01 | 06 | 4 | |
| | P | 2/25/1963 | -271.5 | 0.07 | 680.5 | 01 | 06 | 4 | |
| | P | 2/26/1963 | -271.59 | -0.09 | 680.41 | 01 | 06 | 4 | |
| | P | 2/27/1963 | -271.48 | 0.11 | 680.52 | 01 | 06 | 4 | |
| | P | 2/28/1963 | -271.41 | 0.07 | 680.59 | 01 | 06 | 4 | |
| | P | 3/ 1/1963 | -271.4 | 0.01 | 680.6 | 01 | 12 | 7 | |
| | P | 3/ 2/1963 | -271.4 | | 680.6 | 01 | 06 | 4 | |
| | P | 3/ 3/1963 | -271.48 | -0.08 | 680.52 | 01 | 06 | 4 | |
| | P | 3/ 4/1963 | -271.33 | 0.15 | 680.67 | 01 | 06 | 4 | |
| | P | 3/ 5/1963 | -271.45 | -0.12 | 680.55 | 01 | 06 | 4 | |
| | P | 3/ 6/1963 | -271.57 | -0.12 | 680.43 | 01 | 06 | 4 | |
| | P | 3/ 7/1963 | -271.66 | -0.09 | 680.34 | 01 | 06 | 4 | |
| | P | 3/ 8/1963 | -271.51 | 0.15 | 680.49 | 01 | 06 | 4 | |
| | P | 3/ 9/1963 | -271.57 | -0.06 | 680.43 | 01 | 06 | 4 | |
| | P | 3/10/1963 | -271.3 | 0.27 | 680.7 | 01 | 06 | 4 | |
| | P | 3/11/1963 | -271.29 | 0.01 | 680.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/12/1963 | -271.44 | -0.15 | 680.56 | 01 | 06 | 4 | |
| | P | 3/13/1963 | -271.73 | -0.29 | 680.27 | 01 | 06 | 4 | |
| | P | 3/14/1963 | -271.93 | -0.2 | 680.07 | 01 | 06 | 4 | |
| | P | 3/15/1963 | -271.62 | 0.31 | 680.38 | 01 | 12 | 7 | |
| | P | 3/16/1963 | -271.55 | 0.07 | 680.45 | 01 | 06 | 4 | |
| | P | 3/17/1963 | -271.8 | -0.25 | 680.2 | 01 | 06 | 4 | |
| | P | 3/18/1963 | -271.76 | 0.04 | 680.24 | 01 | 06 | 4 | |
| | P | 3/19/1963 | -271.74 | 0.02 | 680.26 | 01 | 06 | 4 | |
| | P | 3/20/1963 | -272 | -0.26 | 680 | 01 | 06 | 4 | |
| | P | 3/21/1963 | -272.16 | -0.16 | 679.84 | 01 | 06 | 4 | |
| | P | 3/22/1963 | -272.13 | 0.03 | 679.87 | 01 | 06 | 4 | |
| | P | 3/23/1963 | -272.08 | 0.05 | 679.92 | 01 | 06 | 4 | |
| | P | 3/24/1963 | -271.95 | 0.13 | 680.05 | 01 | 06 | 4 | |
| | P | 3/25/1963 | -271.91 | 0.04 | 680.09 | 01 | 06 | 4 | |
| | P | 3/26/1963 | -272.11 | -0.2 | 679.89 | 01 | 06 | 4 | |
| | P | 3/27/1963 | -272 | 0.11 | 680 | 01 | 06 | 4 | |
| | P | 3/28/1963 | -272.05 | -0.05 | 679.95 | 01 | 06 | 4 | |
| | P | 3/29/1963 | -272.1 | -0.05 | 679.9 | 01 | 06 | 4 | |
| | P | 3/30/1963 | -272.21 | -0.11 | 679.79 | 01 | 06 | 4 | |
| | P | 3/31/1963 | -272.38 | -0.17 | 679.62 | 01 | 06 | 4 | |
| | P | 4/ 1/1963 | -272.43 | -0.05 | 679.57 | 01 | 12 | 7 | |
| | P | 4/ 2/1963 | -272.38 | 0.05 | 679.62 | 01 | 06 | 4 | |
| | P | 4/ 3/1963 | -272.39 | -0.01 | 679.61 | 01 | 06 | 4 | |
| | P | 4/ 4/1963 | -272.35 | 0.04 | 679.65 | 01 | 06 | 4 | |
| | P | 4/ 5/1963 | -272.14 | 0.21 | 679.86 | 01 | 06 | 4 | |
| | P | 4/ 6/1963 | -272.1 | 0.04 | 679.9 | 01 | 06 | 4 | |
| | P | 4/ 7/1963 | -272.13 | -0.03 | 679.87 | 01 | 06 | 4 | |
| | P | 4/ 8/1963 | -272.11 | 0.02 | 679.89 | 01 | 06 | 4 | |
| | P | 4/ 9/1963 | -272.1 | 0.01 | 679.9 | 01 | 06 | 4 | |
| | P | 4/10/1963 | -272.13 | -0.03 | 679.87 | 01 | 06 | 4 | |
| | P | 4/11/1963 | -272.2 | -0.07 | 679.8 | 01 | 06 | 4 | |
| | P | 4/12/1963 | -272.51 | -0.31 | 679.49 | 01 | 06 | 4 | |
| | P | 4/13/1963 | -272.85 | -0.34 | 679.15 | 01 | 06 | 4 | |
| | P | 4/14/1963 | -272.86 | -0.01 | 679.14 | 01 | 06 | 4 | |
| | P | 4/15/1963 | -272.55 | 0.31 | 679.45 | 01 | 12 | 7 | |
| | P | 4/16/1963 | -272.47 | 0.08 | 679.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/17/1963 | -272.52 | -0.05 | 679.48 | 01 | 06 | 4 | |
| | P | 4/18/1963 | -272.51 | 0.01 | 679.49 | 01 | 06 | 4 | |
| | P | 4/19/1963 | -272.49 | 0.02 | 679.51 | 01 | 06 | 4 | |
| | P | 4/20/1963 | -272.64 | -0.15 | 679.36 | 01 | 06 | 4 | |
| | P | 4/21/1963 | -272.7 | -0.06 | 679.3 | 01 | 06 | 4 | |
| | P | 4/22/1963 | -272.7 | | 679.3 | 01 | 06 | 4 | |
| | P | 4/23/1963 | -272.77 | -0.07 | 679.23 | 01 | 06 | 4 | |
| | P | 4/24/1963 | -272.8 | -0.03 | 679.2 | 01 | 06 | 4 | |
| | P | 4/25/1963 | -272.82 | -0.02 | 679.18 | 01 | 06 | 4 | |
| | P | 4/26/1963 | -272.91 | -0.09 | 679.09 | 01 | 06 | 4 | |
| | P | 4/27/1963 | -272.92 | -0.01 | 679.08 | 01 | 06 | 4 | |
| | P | 4/28/1963 | -272.83 | 0.09 | 679.17 | 01 | 06 | 4 | |
| | P | 4/29/1963 | -272.95 | -0.12 | 679.05 | 01 | 06 | 4 | |
| | P | 4/30/1963 | -273.22 | -0.27 | 678.78 | 01 | 06 | 4 | |
| | P | 5/ 1/1963 | -273.09 | 0.13 | 678.91 | 01 | 12 | 7 | |
| | P | 5/ 2/1963 | -272.92 | 0.17 | 679.08 | 01 | 06 | 4 | |
| | P | 5/ 3/1963 | -272.95 | -0.03 | 679.05 | 01 | 06 | 4 | |
| | P | 5/ 4/1963 | -273.04 | -0.09 | 678.96 | 01 | 06 | 4 | |
| | P | 5/ 5/1963 | -273.19 | -0.15 | 678.81 | 01 | 06 | 4 | |
| | P | 5/ 6/1963 | -273.04 | 0.15 | 678.96 | 01 | 06 | 4 | |
| | P | 5/ 7/1963 | -272.95 | 0.09 | 679.05 | 01 | 06 | 4 | |
| | P | 5/ 8/1963 | -272.9 | 0.05 | 679.1 | 01 | 06 | 4 | |
| | P | 5/ 9/1963 | -272.91 | -0.01 | 679.09 | 01 | 06 | 4 | |
| | P | 5/10/1963 | -272.92 | -0.01 | 679.08 | 01 | 06 | 4 | |
| | P | 5/11/1963 | -272.91 | 0.01 | 679.09 | 01 | 06 | 4 | |
| | P | 5/12/1963 | -272.97 | -0.06 | 679.03 | 01 | 06 | 4 | |
| | P | 5/13/1963 | -273.13 | -0.16 | 678.87 | 01 | 06 | 4 | |
| | P | 5/14/1963 | -273.3 | -0.17 | 678.7 | 01 | 06 | 4 | |
| | P | 5/15/1963 | -273.32 | -0.02 | 678.68 | 01 | 12 | 7 | |
| | P | 5/16/1963 | -273.3 | 0.02 | 678.7 | 01 | 06 | 4 | |
| | P | 5/17/1963 | -273.3 | | 678.7 | 01 | 06 | 4 | |
| | P | 5/18/1963 | -273.4 | -0.1 | 678.6 | 01 | 06 | 4 | |
| | P | 5/19/1963 | -273.38 | 0.02 | 678.62 | 01 | 06 | 4 | |
| | P | 5/20/1963 | -273.8 | -0.42 | 678.2 | 01 | 06 | 4 | |
| | P | 5/21/1963 | -273.43 | 0.37 | 678.57 | 01 | 06 | 4 | |
| | P | 5/22/1963 | -273.43 | | 678.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/23/1963 | -273.52 | -0.09 | 678.48 | 01 | 06 | 4 | |
| | P | 5/24/1963 | -273.55 | -0.03 | 678.45 | 01 | 06 | 4 | |
| | P | 5/25/1963 | -273.58 | -0.03 | 678.42 | 01 | 06 | 4 | |
| | P | 5/26/1963 | -273.67 | -0.09 | 678.33 | 01 | 06 | 4 | |
| | P | 5/27/1963 | -273.8 | -0.13 | 678.2 | 01 | 06 | 4 | |
| | P | 5/28/1963 | -273.77 | 0.03 | 678.23 | 01 | 06 | 4 | |
| | P | 5/29/1963 | -273.8 | -0.03 | 678.2 | 01 | 06 | 4 | |
| | P | 5/30/1963 | -273.95 | -0.15 | 678.05 | 01 | 06 | 4 | |
| | P | 5/31/1963 | -273.8 | 0.15 | 678.2 | 01 | 06 | 4 | |
| | P | 6/ 1/1963 | -273.8 | | 678.2 | 01 | 12 | 7 | |
| | P | 6/ 2/1963 | -273.92 | -0.12 | 678.08 | 01 | 06 | 4 | |
| | P | 6/ 3/1963 | -274.04 | -0.12 | 677.96 | 01 | 06 | 4 | |
| | P | 6/ 4/1963 | -274.17 | -0.13 | 677.83 | 01 | 06 | 4 | |
| | P | 6/ 5/1963 | -274.13 | 0.04 | 677.87 | 01 | 06 | 4 | |
| | P | 6/ 6/1963 | -274.19 | -0.06 | 677.81 | 01 | 06 | 4 | |
| | P | 6/ 7/1963 | -274.34 | -0.15 | 677.66 | 01 | 06 | 4 | |
| | P | 6/ 8/1963 | -274.38 | -0.04 | 677.62 | 01 | 06 | 4 | |
| | P | 6/ 9/1963 | -274.48 | -0.1 | 677.52 | 01 | 06 | 4 | |
| | P | 6/10/1963 | -274.5 | -0.02 | 677.5 | 01 | 06 | 4 | |
| | P | 6/11/1963 | -274.57 | -0.07 | 677.43 | 01 | 06 | 4 | |
| | P | 6/12/1963 | -274.68 | -0.11 | 677.32 | 01 | 06 | 4 | |
| | P | 6/13/1963 | -274.82 | -0.14 | 677.18 | 01 | 06 | 4 | |
| | P | 6/14/1963 | -274.92 | -0.1 | 677.08 | 01 | 06 | 4 | |
| | P | 6/15/1963 | -274.92 | | 677.08 | 01 | 12 | 7 | |
| | P | 6/16/1963 | -274.89 | 0.03 | 677.11 | 01 | 06 | 4 | |
| | P | 6/17/1963 | -274.82 | 0.07 | 677.18 | 01 | 06 | 4 | |
| | P | 6/18/1963 | -274.85 | -0.03 | 677.15 | 01 | 06 | 4 | |
| | P | 6/19/1963 | -274.67 | 0.18 | 677.33 | 01 | 06 | 4 | |
| | P | 6/20/1963 | -274.51 | 0.16 | 677.49 | 01 | 06 | 4 | |
| | P | 6/21/1963 | -274.45 | 0.06 | 677.55 | 01 | 06 | 4 | |
| | P | 6/22/1963 | -274.54 | -0.09 | 677.46 | 01 | 06 | 4 | |
| | P | 6/23/1963 | -274.73 | -0.19 | 677.27 | 01 | 06 | 4 | |
| | P | 6/24/1963 | -274.84 | -0.11 | 677.16 | 01 | 06 | 4 | |
| | P | 6/25/1963 | -274.73 | 0.11 | 677.27 | 01 | 06 | 4 | |
| | P | 6/26/1963 | -274.62 | 0.11 | 677.38 | 01 | 06 | 4 | |
| | P | 6/27/1963 | -274.57 | 0.05 | 677.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/28/1963 | -274.57 | | 677.43 | 01 | 06 | 4 | |
| | P | 6/29/1963 | -274.59 | -0.02 | 677.41 | 01 | 06 | 4 | |
| | P | 6/30/1963 | -274.74 | -0.15 | 677.26 | 01 | 06 | 4 | |
| | P | 7/ 1/1963 | -274.84 | -0.1 | 677.16 | 01 | 12 | 7 | |
| | P | 7/ 2/1963 | -274.88 | -0.04 | 677.12 | 01 | 06 | 4 | |
| | P | 7/ 3/1963 | -274.77 | 0.11 | 677.23 | 01 | 06 | 4 | |
| | P | 7/ 4/1963 | -274.81 | -0.04 | 677.19 | 01 | 06 | 4 | |
| | P | 7/ 5/1963 | -274.79 | 0.02 | 677.21 | 01 | 06 | 4 | |
| | P | 7/ 6/1963 | -274.83 | -0.04 | 677.17 | 01 | 06 | 4 | |
| | P | 7/ 7/1963 | -274.98 | -0.15 | 677.02 | 01 | 06 | 4 | |
| | P | 7/ 8/1963 | -275.17 | -0.19 | 676.83 | 01 | 06 | 4 | |
| | P | 7/ 9/1963 | -275.25 | -0.08 | 676.75 | 01 | 06 | 4 | |
| | P | 7/10/1963 | -275.35 | -0.1 | 676.65 | 01 | 06 | 4 | |
| | P | 7/11/1963 | -275.56 | -0.21 | 676.44 | 01 | 06 | 4 | |
| | P | 7/12/1963 | -275.67 | -0.11 | 676.33 | 01 | 06 | 4 | |
| | P | 7/13/1963 | -275.72 | -0.05 | 676.28 | 01 | 06 | 4 | |
| | P | 7/14/1963 | -275.79 | -0.07 | 676.21 | 01 | 06 | 4 | |
| | P | 7/15/1963 | -275.84 | -0.05 | 676.16 | 01 | 12 | 7 | |
| | P | 7/16/1963 | -275.94 | -0.1 | 676.06 | 01 | 06 | 4 | |
| | P | 7/17/1963 | -276.12 | -0.18 | 675.88 | 01 | 06 | 4 | |
| | P | 7/18/1963 | -276.18 | -0.06 | 675.82 | 01 | 06 | 4 | |
| | P | 7/19/1963 | -276.22 | -0.04 | 675.78 | 01 | 06 | 4 | |
| | P | 7/20/1963 | -276.25 | -0.03 | 675.75 | 01 | 06 | 4 | |
| | P | 7/21/1963 | -276.31 | -0.06 | 675.69 | 01 | 06 | 4 | |
| | P | 7/22/1963 | -276.38 | -0.07 | 675.62 | 01 | 06 | 4 | |
| | P | 7/23/1963 | -276.5 | -0.12 | 675.5 | 01 | 06 | 4 | |
| | P | 7/24/1963 | -276.61 | -0.11 | 675.39 | 01 | 06 | 4 | |
| | P | 7/25/1963 | -276.63 | -0.02 | 675.37 | 01 | 06 | 4 | |
| | P | 7/26/1963 | -276.7 | -0.07 | 675.3 | 01 | 06 | 4 | |
| | P | 7/27/1963 | -276.71 | -0.01 | 675.29 | 01 | 06 | 4 | |
| | P | 7/28/1963 | -276.82 | -0.11 | 675.18 | 01 | 06 | 4 | |
| | P | 7/29/1963 | -276.86 | -0.04 | 675.14 | 01 | 06 | 4 | |
| | P | 7/30/1963 | -276.91 | -0.05 | 675.09 | 01 | 06 | 4 | |
| | P | 7/31/1963 | -276.97 | -0.06 | 675.03 | 01 | 06 | 4 | |
| | P | 8/ 1/1963 | -277.07 | -0.1 | 674.93 | 01 | 12 | 7 | |
| | P | 8/ 2/1963 | -277.07 | | 674.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 3/1963 | -277.17 | -0.1 | 674.83 | 01 | 06 | 4 | |
| | P | 8/ 4/1963 | -277.27 | -0.1 | 674.73 | 01 | 06 | 4 | |
| | P | 8/ 5/1963 | -277.31 | -0.04 | 674.69 | 01 | 06 | 4 | |
| | P | 8/ 6/1963 | -277.42 | -0.11 | 674.58 | 01 | 06 | 4 | |
| | P | 8/ 7/1963 | -277.5 | -0.08 | 674.5 | 01 | 06 | 4 | |
| | P | 8/ 8/1963 | -277.45 | 0.05 | 674.55 | 01 | 06 | 4 | |
| | P | 8/ 9/1963 | -277.4 | 0.05 | 674.6 | 01 | 06 | 4 | |
| | P | 8/10/1963 | -277.5 | -0.1 | 674.5 | 01 | 06 | 4 | |
| | P | 8/11/1963 | -277.7 | -0.2 | 674.3 | 01 | 06 | 4 | |
| | P | 8/12/1963 | -277.73 | -0.03 | 674.27 | 01 | 06 | 4 | |
| | P | 8/13/1963 | -277.71 | 0.02 | 674.29 | 01 | 06 | 4 | |
| | P | 8/14/1963 | -277.8 | -0.09 | 674.2 | 01 | 06 | 4 | |
| | P | 8/15/1963 | -277.63 | 0.17 | 674.37 | 01 | 12 | 7 | |
| | P | 8/16/1963 | -277.55 | 0.08 | 674.45 | 01 | 06 | 4 | |
| | P | 8/17/1963 | -277.58 | -0.03 | 674.42 | 01 | 06 | 4 | |
| | P | 8/18/1963 | -277.7 | -0.12 | 674.3 | 01 | 06 | 4 | |
| | P | 8/19/1963 | -277.8 | -0.1 | 674.2 | 01 | 06 | 4 | |
| | P | 8/20/1963 | -277.93 | -0.13 | 674.07 | 01 | 06 | 4 | |
| | P | 8/21/1963 | -277.95 | -0.02 | 674.05 | 01 | 06 | 4 | |
| | P | 8/22/1963 | -277.92 | 0.03 | 674.08 | 01 | 06 | 4 | |
| | P | 8/23/1963 | -277.95 | -0.03 | 674.05 | 01 | 06 | 4 | |
| | P | 8/24/1963 | -278.09 | -0.14 | 673.91 | 01 | 06 | 4 | |
| | P | 8/25/1963 | -278.29 | -0.2 | 673.71 | 01 | 06 | 4 | |
| | P | 8/26/1963 | -278.38 | -0.09 | 673.62 | 01 | 06 | 4 | |
| | P | 8/27/1963 | -278.37 | 0.01 | 673.63 | 01 | 06 | 4 | |
| | P | 8/28/1963 | -278.36 | 0.01 | 673.64 | 01 | 06 | 4 | |
| | P | 8/29/1963 | -278.44 | -0.08 | 673.56 | 01 | 06 | 4 | |
| | P | 8/30/1963 | -278.47 | -0.03 | 673.53 | 01 | 06 | 4 | |
| | P | 8/31/1963 | -278.53 | -0.06 | 673.47 | 01 | 06 | 4 | |
| | P | 9/ 1/1963 | -278.55 | -0.02 | 673.45 | 01 | 12 | 7 | |
| | P | 9/ 2/1963 | -278.57 | -0.02 | 673.43 | 01 | 06 | 4 | |
| | P | 9/ 3/1963 | -278.68 | -0.11 | 673.32 | 01 | 06 | 4 | |
| | P | 9/ 4/1963 | -278.52 | 0.16 | 673.48 | 01 | 06 | 4 | |
| | P | 9/ 5/1963 | -278.58 | -0.06 | 673.42 | 01 | 06 | 4 | |
| | P | 9/ 6/1963 | -278.64 | -0.06 | 673.36 | 01 | 06 | 4 | |
| | P | 9/ 7/1963 | -278.75 | -0.11 | 673.25 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 8/1963 | -278.87 | -0.12 | 673.13 | 01 | 06 | 4 | |
| | P | 9/ 9/1963 | -278.79 | 0.08 | 673.21 | 01 | 06 | 4 | |
| | P | 9/10/1963 | -278.85 | -0.06 | 673.15 | 01 | 06 | 4 | |
| | P | 9/11/1963 | -278.94 | -0.09 | 673.06 | 01 | 06 | 4 | |
| | P | 9/12/1963 | -278.93 | 0.01 | 673.07 | 01 | 06 | 4 | |
| | P | 9/13/1963 | -278.83 | 0.1 | 673.17 | 01 | 06 | 4 | |
| | P | 9/14/1963 | -278.66 | 0.17 | 673.34 | 01 | 06 | 4 | |
| | P | 9/15/1963 | -278.67 | -0.01 | 673.33 | 01 | 12 | 7 | |
| | P | 9/16/1963 | -278.66 | 0.01 | 673.34 | 01 | 06 | 4 | |
| | P | 9/17/1963 | -278.63 | 0.03 | 673.37 | 01 | 06 | 4 | |
| | P | 9/18/1963 | -278.61 | 0.02 | 673.39 | 01 | 06 | 4 | |
| | P | 9/19/1963 | -278.56 | 0.05 | 673.44 | 01 | 06 | 4 | |
| | P | 9/20/1963 | -278.58 | -0.02 | 673.42 | 01 | 06 | 4 | |
| | P | 9/21/1963 | -278.62 | -0.04 | 673.38 | 01 | 06 | 4 | |
| | P | 9/22/1963 | -278.93 | -0.31 | 673.07 | 01 | 06 | 4 | |
| | P | 9/23/1963 | -278.95 | -0.02 | 673.05 | 01 | 06 | 4 | |
| | P | 9/24/1963 | -278.99 | -0.04 | 673.01 | 01 | 06 | 4 | |
| | P | 9/25/1963 | -279.04 | -0.05 | 672.96 | 01 | 06 | 4 | |
| | P | 9/26/1963 | -279.09 | -0.05 | 672.91 | 01 | 06 | 4 | |
| | P | 9/27/1963 | -279.03 | 0.06 | 672.97 | 01 | 06 | 4 | |
| | P | 9/28/1963 | -278.98 | 0.05 | 673.02 | 01 | 06 | 4 | |
| | P | 9/29/1963 | -279.04 | -0.06 | 672.96 | 01 | 06 | 4 | |
| | P | 9/30/1963 | -279.35 | -0.31 | 672.65 | 01 | 06 | 4 | |
| | P | 10/ 1/1963 | -279.23 | 0.12 | 672.77 | 01 | 12 | 7 | |
| | P | 10/ 2/1963 | -279.25 | -0.02 | 672.75 | 01 | 06 | 4 | |
| | P | 10/ 3/1963 | -279.28 | -0.03 | 672.72 | 01 | 06 | 4 | |
| | P | 10/ 4/1963 | -279.31 | -0.03 | 672.69 | 01 | 06 | 4 | |
| | P | 10/ 5/1963 | -279.39 | -0.08 | 672.61 | 01 | 06 | 4 | |
| | P | 10/ 6/1963 | -279.48 | -0.09 | 672.52 | 01 | 06 | 4 | |
| | P | 10/ 7/1963 | -279.41 | 0.07 | 672.59 | 01 | 06 | 4 | |
| | P | 10/ 8/1963 | -279.38 | 0.03 | 672.62 | 01 | 06 | 4 | |
| | P | 10/ 9/1963 | -279.39 | -0.01 | 672.61 | 01 | 06 | 4 | |
| | P | 10/10/1963 | -279.5 | -0.11 | 672.5 | 01 | 06 | 4 | |
| | P | 10/11/1963 | -279.51 | -0.01 | 672.49 | 01 | 06 | 4 | |
| | P | 10/12/1963 | -279.53 | -0.02 | 672.47 | 01 | 06 | 4 | |
| | P | 10/13/1963 | -279.58 | -0.05 | 672.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 14/ 1963 | -279.63 | -0.05 | 672.37 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1963 | -279.53 | 0.1 | 672.47 | 01 | 12 | 7 | |
| | P | 10 / 16/ 1963 | -279.62 | -0.09 | 672.38 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1963 | -279.61 | 0.01 | 672.39 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1963 | -279.57 | 0.04 | 672.43 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1963 | -279.68 | -0.11 | 672.32 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1963 | -279.63 | 0.05 | 672.37 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1963 | -279.66 | -0.03 | 672.34 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1963 | -279.7 | -0.04 | 672.3 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1963 | -279.52 | 0.18 | 672.48 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1963 | -279.28 | 0.24 | 672.72 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1963 | -279.38 | -0.1 | 672.62 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1963 | -279.37 | 0.01 | 672.63 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1963 | -279.33 | 0.04 | 672.67 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1963 | -279.48 | -0.15 | 672.52 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1963 | -279.53 | -0.05 | 672.47 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1963 | -279.35 | 0.18 | 672.65 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1963 | -279.28 | 0.07 | 672.72 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1963 | -279.44 | -0.16 | 672.56 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1963 | -279.44 | | 672.56 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1963 | -279.3 | 0.14 | 672.7 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1963 | -279.18 | 0.12 | 672.82 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1963 | -279.24 | -0.06 | 672.76 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1963 | -279.25 | -0.01 | 672.75 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1963 | -279.16 | 0.09 | 672.84 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1963 | -279.02 | 0.14 | 672.98 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1963 | -279.17 | -0.15 | 672.83 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1963 | -279.44 | -0.27 | 672.56 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1963 | -279.48 | -0.04 | 672.52 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1963 | -279.57 | -0.09 | 672.43 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1963 | -279.47 | 0.1 | 672.53 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1963 | -279.43 | 0.04 | 672.57 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1963 | -279.37 | 0.06 | 672.63 | 01 | 12 | 7 | |
| | P | 11 / 16/ 1963 | -279.33 | 0.04 | 672.67 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1963 | -279.3 | 0.03 | 672.7 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1963 | -279.34 | -0.04 | 672.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/19/1963 | -279.28 | 0.06 | 672.72 | 01 | 06 | 4 | |
| | P | 11/20/1963 | -279.35 | -0.07 | 672.65 | 01 | 06 | 4 | |
| | P | 11/21/1963 | -278.97 | 0.38 | 673.03 | 01 | 06 | 4 | |
| | P | 11/22/1963 | -279.12 | -0.15 | 672.88 | 01 | 06 | 4 | |
| | P | 11/23/1963 | -279.6 | -0.48 | 672.4 | 01 | 06 | 4 | |
| | P | 11/24/1963 | -279.36 | 0.24 | 672.64 | 01 | 06 | 4 | |
| | P | 11/25/1963 | -279.25 | 0.11 | 672.75 | 01 | 06 | 4 | |
| | P | 11/26/1963 | -279.37 | -0.12 | 672.63 | 01 | 06 | 4 | |
| | P | 11/27/1963 | -279.28 | 0.09 | 672.72 | 01 | 06 | 4 | |
| | P | 11/28/1963 | -279.26 | 0.02 | 672.74 | 01 | 06 | 4 | |
| | P | 11/29/1963 | -279.63 | -0.37 | 672.37 | 01 | 06 | 4 | |
| | P | 11/30/1963 | -279.43 | 0.2 | 672.57 | 01 | 06 | 4 | |
| | P | 12/ 1/1963 | -279.23 | 0.2 | 672.77 | 01 | 12 | 7 | |
| | P | 12/ 2/1963 | -279.26 | -0.03 | 672.74 | 01 | 06 | 4 | |
| | P | 12/ 3/1963 | -279.28 | -0.02 | 672.72 | 01 | 06 | 4 | |
| | P | 12/ 4/1963 | -279.17 | 0.11 | 672.83 | 01 | 06 | 4 | |
| | P | 12/ 5/1963 | -279.35 | -0.18 | 672.65 | 01 | 06 | 4 | |
| | P | 12/ 6/1963 | -279.18 | 0.17 | 672.82 | 01 | 06 | 4 | |
| | P | 12/ 7/1963 | -279.09 | 0.09 | 672.91 | 01 | 06 | 4 | |
| | P | 12/ 8/1963 | -279.42 | -0.33 | 672.58 | 01 | 06 | 4 | |
| | P | 12/ 9/1963 | -279.14 | 0.28 | 672.86 | 01 | 06 | 4 | |
| | P | 12/10/1963 | -278.81 | 0.33 | 673.19 | 01 | 06 | 4 | |
| | P | 12/11/1963 | -278.82 | -0.01 | 673.18 | 01 | 06 | 4 | |
| | P | 12/12/1963 | -279.02 | -0.2 | 672.98 | 01 | 06 | 4 | |
| | P | 12/13/1963 | -278.93 | 0.09 | 673.07 | 01 | 06 | 4 | |
| | P | 12/14/1963 | -279.4 | -0.47 | 672.6 | 01 | 06 | 4 | |
| | P | 12/15/1963 | -279.49 | -0.09 | 672.51 | 01 | 12 | 7 | |
| | P | 12/16/1963 | -279.37 | 0.12 | 672.63 | 01 | 06 | 4 | |
| | P | 12/17/1963 | -279.27 | 0.1 | 672.73 | 01 | 06 | 4 | |
| | P | 12/18/1963 | -279.33 | -0.06 | 672.67 | 01 | 06 | 4 | |
| | P | 12/19/1963 | -278.96 | 0.37 | 673.04 | 01 | 06 | 4 | |
| | P | 12/20/1963 | -278.84 | 0.12 | 673.16 | 01 | 06 | 4 | |
| | P | 12/21/1963 | -278.94 | -0.1 | 673.06 | 01 | 06 | 4 | |
| | P | 12/22/1963 | -279 | -0.06 | 673 | 01 | 06 | 4 | |
| | P | 12/23/1963 | -279.21 | -0.21 | 672.79 | 01 | 06 | 4 | |
| | P | 12/24/1963 | -278.95 | 0.26 | 673.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/25/1963 | -278.77 | 0.18 | 673.23 | 01 | 06 | 4 | |
| | P | 12/26/1963 | -278.69 | 0.08 | 673.31 | 01 | 06 | 4 | |
| | P | 12/27/1963 | -278.9 | -0.21 | 673.1 | 01 | 06 | 4 | |
| | P | 12/28/1963 | -278.81 | 0.09 | 673.19 | 01 | 06 | 4 | |
| | P | 12/29/1963 | -278.93 | -0.12 | 673.07 | 01 | 06 | 4 | |
| | P | 12/30/1963 | -279.13 | -0.2 | 672.87 | 01 | 06 | 4 | |
| | P | 12/31/1963 | -278.92 | 0.21 | 673.08 | 01 | 06 | 4 | |
| | P | 1/ 1/1964 | -278.87 | 0.05 | 673.13 | 01 | 12 | 7 | |
| | P | 1/ 2/1964 | -278.81 | 0.06 | 673.19 | 01 | 06 | 4 | |
| | P | 1/ 3/1964 | -278.79 | 0.02 | 673.21 | 01 | 06 | 4 | |
| | P | 1/ 4/1964 | -279.03 | -0.24 | 672.97 | 01 | 06 | 4 | |
| | P | 1/ 5/1964 | -278.8 | 0.23 | 673.2 | 01 | 06 | 4 | |
| | P | 1/ 6/1964 | -278.77 | 0.03 | 673.23 | 01 | 06 | 4 | |
| | P | 1/ 7/1964 | -278.66 | 0.11 | 673.34 | 01 | 06 | 4 | |
| | P | 1/ 8/1964 | -278.69 | -0.03 | 673.31 | 01 | 06 | 4 | |
| | P | 1/ 9/1964 | -279.21 | -0.52 | 672.79 | 01 | 06 | 4 | |
| | P | 1/10/1964 | -278.97 | 0.24 | 673.03 | 01 | 06 | 4 | |
| | P | 1/11/1964 | -278.87 | 0.1 | 673.13 | 01 | 06 | 4 | |
| | P | 1/12/1964 | -279.11 | -0.24 | 672.89 | 01 | 06 | 4 | |
| | P | 1/13/1964 | -279.31 | -0.2 | 672.69 | 01 | 06 | 4 | |
| | P | 1/14/1964 | -279.12 | 0.19 | 672.88 | 01 | 06 | 4 | |
| | P | 1/15/1964 | -279.04 | 0.08 | 672.96 | 01 | 12 | 7 | |
| | P | 1/16/1964 | -279.06 | -0.02 | 672.94 | 01 | 06 | 4 | |
| | P | 1/17/1964 | -278.95 | 0.11 | 673.05 | 01 | 06 | 4 | |
| | P | 1/18/1964 | -278.82 | 0.13 | 673.18 | 01 | 06 | 4 | |
| | P | 1/19/1964 | -278.83 | -0.01 | 673.17 | 01 | 06 | 4 | |
| | P | 1/20/1964 | -279.1 | -0.27 | 672.9 | 01 | 06 | 4 | |
| | P | 1/21/1964 | -279 | 0.1 | 673 | 01 | 06 | 4 | |
| | P | 1/22/1964 | -279 | | 673 | 01 | 06 | 4 | |
| | P | 1/23/1964 | -278.9 | 0.1 | 673.1 | 01 | 06 | 4 | |
| | P | 1/24/1964 | -278.93 | -0.03 | 673.07 | 01 | 06 | 4 | |
| | P | 1/25/1964 | -278.26 | 0.67 | 673.74 | 01 | 06 | 4 | |
| | P | 1/26/1964 | -279.19 | -0.93 | 672.81 | 01 | 06 | 4 | |
| | P | 1/27/1964 | -278.17 | 1.02 | 673.83 | 01 | 06 | 4 | |
| | P | 1/28/1964 | -278.24 | -0.07 | 673.76 | 01 | 06 | 4 | |
| | P | 1/29/1964 | -278.27 | -0.03 | 673.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1964 | -278.6 | -0.33 | 673.4 | 01 | 06 | 4 | |
| | P | 1/31/1964 | -277.53 | 1.07 | 674.47 | 01 | 06 | 4 | |
| | P | 2/ 1/1964 | -277.64 | -0.11 | 674.36 | 01 | 12 | 7 | |
| | P | 2/ 2/1964 | -278.26 | -0.62 | 673.74 | 01 | 06 | 4 | |
| | P | 2/ 3/1964 | -278.32 | -0.06 | 673.68 | 01 | 06 | 4 | |
| | P | 2/ 4/1964 | -278.19 | 0.13 | 673.81 | 01 | 06 | 4 | |
| | P | 2/ 5/1964 | -277.95 | 0.24 | 674.05 | 01 | 06 | 4 | |
| | P | 2/ 6/1964 | -278.05 | -0.1 | 673.95 | 01 | 06 | 4 | |
| | P | 2/ 7/1964 | -278.45 | -0.4 | 673.55 | 01 | 06 | 4 | |
| | P | 2/ 8/1964 | -278.37 | 0.08 | 673.63 | 01 | 06 | 4 | |
| | P | 2/ 9/1964 | -278.29 | 0.08 | 673.71 | 01 | 06 | 4 | |
| | P | 2/10/1964 | -278.21 | 0.08 | 673.79 | 01 | 06 | 4 | |
| | P | 2/11/1964 | -278.24 | -0.03 | 673.76 | 01 | 06 | 4 | |
| | P | 2/12/1964 | -277.9 | 0.34 | 674.1 | 01 | 06 | 4 | |
| | P | 2/13/1964 | -277.99 | -0.09 | 674.01 | 01 | 06 | 4 | |
| | P | 2/14/1964 | -278.11 | -0.12 | 673.89 | 01 | 06 | 4 | |
| | P | 2/15/1964 | -278.19 | -0.08 | 673.81 | 01 | 12 | 7 | |
| | P | 2/16/1964 | -278.42 | -0.23 | 673.58 | 01 | 06 | 4 | |
| | P | 2/17/1964 | -278.2 | 0.22 | 673.8 | 01 | 06 | 4 | |
| | P | 2/18/1964 | -278.26 | -0.06 | 673.74 | 01 | 06 | 4 | |
| | P | 2/19/1964 | -278.45 | -0.19 | 673.55 | 01 | 06 | 4 | |
| | P | 2/20/1964 | -278.45 | | 673.55 | 01 | 06 | 4 | |
| | P | 2/21/1964 | -278.58 | -0.13 | 673.42 | 01 | 06 | 4 | |
| | P | 2/22/1964 | -278.57 | 0.01 | 673.43 | 01 | 06 | 4 | |
| | P | 2/23/1964 | -278.43 | 0.14 | 673.57 | 01 | 06 | 4 | |
| | P | 2/24/1964 | -278.28 | 0.15 | 673.72 | 01 | 06 | 4 | |
| | P | 2/25/1964 | -278.3 | -0.02 | 673.7 | 01 | 06 | 4 | |
| | P | 2/26/1964 | -278.29 | 0.01 | 673.71 | 01 | 06 | 4 | |
| | P | 2/27/1964 | -278.26 | 0.03 | 673.74 | 01 | 06 | 4 | |
| | P | 2/28/1964 | -278.52 | -0.26 | 673.48 | 01 | 06 | 4 | |
| | P | 2/29/1964 | -278.35 | 0.17 | 673.65 | 01 | 06 | 4 | |
| | P | 3/ 1/1964 | -278.34 | 0.01 | 673.66 | 01 | 12 | 7 | |
| | P | 3/ 2/1964 | -278.23 | 0.11 | 673.77 | 01 | 06 | 4 | |
| | P | 3/ 3/1964 | -277.76 | 0.47 | 674.24 | 01 | 06 | 4 | |
| | P | 3/ 4/1964 | -278.06 | -0.3 | 673.94 | 01 | 06 | 4 | |
| | P | 3/ 5/1964 | -278.48 | -0.42 | 673.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 6/1964 | -278.31 | 0.17 | 673.69 | 01 | 06 | 4 | |
| | P | 3/ 7/1964 | -278.34 | -0.03 | 673.66 | 01 | 06 | 4 | |
| | P | 3/ 8/1964 | -278.14 | 0.2 | 673.86 | 01 | 06 | 4 | |
| | P | 3/ 9/1964 | -278.14 | | 673.86 | 01 | 06 | 4 | |
| | P | 3/10/1964 | -278.45 | -0.31 | 673.55 | 01 | 06 | 4 | |
| | P | 3/11/1964 | -278.47 | -0.02 | 673.53 | 01 | 06 | 4 | |
| | P | 3/12/1964 | -278.42 | 0.05 | 673.58 | 01 | 06 | 4 | |
| | P | 3/13/1964 | -278.24 | 0.18 | 673.76 | 01 | 06 | 4 | |
| | P | 3/14/1964 | -278.27 | -0.03 | 673.73 | 01 | 06 | 4 | |
| | P | 3/15/1964 | -278.64 | -0.37 | 673.36 | 01 | 12 | 7 | |
| | P | 3/16/1964 | -278.62 | 0.02 | 673.38 | 01 | 06 | 4 | |
| | P | 3/17/1964 | -278.61 | 0.01 | 673.39 | 01 | 06 | 4 | |
| | P | 3/18/1964 | -278.23 | 0.38 | 673.77 | 01 | 06 | 4 | |
| | P | 3/19/1964 | -278.23 | | 673.77 | 01 | 06 | 4 | |
| | P | 3/20/1964 | -278.37 | -0.14 | 673.63 | 01 | 06 | 4 | |
| | P | 3/21/1964 | -278.66 | -0.29 | 673.34 | 01 | 06 | 4 | |
| | P | 3/22/1964 | -278.41 | 0.25 | 673.59 | 01 | 06 | 4 | |
| | P | 3/23/1964 | -278.33 | 0.08 | 673.67 | 01 | 06 | 4 | |
| | P | 3/24/1964 | -278.35 | -0.02 | 673.65 | 01 | 06 | 4 | |
| | P | 3/25/1964 | -278.27 | 0.08 | 673.73 | 01 | 06 | 4 | |
| | P | 3/26/1964 | -278.51 | -0.24 | 673.49 | 01 | 06 | 4 | |
| | P | 3/27/1964 | -278.37 | 0.14 | 673.63 | 01 | 06 | 4 | |
| | P | 3/28/1964 | -278.46 | -0.09 | 673.54 | 01 | 06 | 4 | |
| | P | 3/29/1964 | -278.87 | -0.41 | 673.13 | 01 | 06 | 4 | |
| | P | 3/30/1964 | -278.84 | 0.03 | 673.16 | 01 | 06 | 4 | |
| | P | 3/31/1964 | -278.7 | 0.14 | 673.3 | 01 | 06 | 4 | |
| | P | 4/ 1/1964 | -278.44 | 0.26 | 673.56 | 01 | 12 | 7 | |
| | P | 4/ 2/1964 | -278.38 | 0.06 | 673.62 | 01 | 06 | 4 | |
| | P | 4/ 3/1964 | -278.33 | 0.05 | 673.67 | 01 | 06 | 4 | |
| | P | 4/ 4/1964 | -278.44 | -0.11 | 673.56 | 01 | 06 | 4 | |
| | P | 4/ 5/1964 | -278.44 | | 673.56 | 01 | 06 | 4 | |
| | P | 4/ 6/1964 | -278.54 | -0.1 | 673.46 | 01 | 06 | 4 | |
| | P | 4/ 7/1964 | -278.59 | -0.05 | 673.41 | 01 | 06 | 4 | |
| | P | 4/ 8/1964 | -278.98 | -0.39 | 673.02 | 01 | 06 | 4 | |
| | P | 4/ 9/1964 | -278.92 | 0.06 | 673.08 | 01 | 06 | 4 | |
| | P | 4/10/1964 | -278.78 | 0.14 | 673.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 11/ 1964 | -278.65 | 0.13 | 673.35 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1964 | -278.58 | 0.07 | 673.42 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1964 | -278.82 | -0.24 | 673.18 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1964 | -278.97 | -0.15 | 673.03 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1964 | -279.13 | -0.16 | 672.87 | 01 | 12 | 7 | |
| | P | 4/ 16/ 1964 | -278.83 | 0.3 | 673.17 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1964 | -278.85 | -0.02 | 673.15 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1964 | -278.83 | 0.02 | 673.17 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1964 | -278.78 | 0.05 | 673.22 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1964 | -278.73 | 0.05 | 673.27 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1964 | -278.7 | 0.03 | 673.3 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1964 | -278.65 | 0.05 | 673.35 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1964 | -278.72 | -0.07 | 673.28 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1964 | -278.81 | -0.09 | 673.19 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1964 | -278.71 | 0.1 | 673.29 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1964 | -278.67 | 0.04 | 673.33 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1964 | -278.72 | -0.05 | 673.28 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1964 | -278.78 | -0.06 | 673.22 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1964 | -279.02 | -0.24 | 672.98 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1964 | -278.96 | 0.06 | 673.04 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1964 | -278.92 | 0.04 | 673.08 | 01 | 12 | 7 | |
| | P | 5/ 2/ 1964 | -278.98 | -0.06 | 673.02 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1964 | -279.11 | -0.13 | 672.89 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1964 | -279.32 | -0.21 | 672.68 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1964 | -279.31 | 0.01 | 672.69 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1964 | -279.24 | 0.07 | 672.76 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1964 | -279.12 | 0.12 | 672.88 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1964 | -279.1 | 0.02 | 672.9 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1964 | -279.26 | -0.16 | 672.74 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1964 | -279.28 | -0.02 | 672.72 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1964 | -279.17 | 0.11 | 672.83 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1964 | -279.24 | -0.07 | 672.76 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1964 | -279.58 | -0.34 | 672.42 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1964 | -279.63 | -0.05 | 672.37 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1964 | -279.68 | -0.05 | 672.32 | 01 | 12 | 7 | |
| | P | 5/ 16/ 1964 | -279.72 | -0.04 | 672.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/17/1964 | -279.92 | -0.2 | 672.08 | 01 | 06 | 4 | |
| | P | 5/18/1964 | -280.03 | -0.11 | 671.97 | 01 | 06 | 4 | |
| | P | 5/19/1964 | -279.99 | 0.04 | 672.01 | 01 | 06 | 4 | |
| | P | 5/20/1964 | -279.93 | 0.06 | 672.07 | 01 | 06 | 4 | |
| | P | 5/21/1964 | -279.82 | 0.11 | 672.18 | 01 | 06 | 4 | |
| | P | 5/22/1964 | -279.62 | 0.2 | 672.38 | 01 | 06 | 4 | |
| | P | 5/23/1964 | -279.55 | 0.07 | 672.45 | 01 | 06 | 4 | |
| | P | 5/24/1964 | -279.6 | -0.05 | 672.4 | 01 | 06 | 4 | |
| | P | 5/25/1964 | -279.67 | -0.07 | 672.33 | 01 | 06 | 4 | |
| | P | 5/26/1964 | -279.63 | 0.04 | 672.37 | 01 | 06 | 4 | |
| | P | 5/27/1964 | -279.73 | -0.1 | 672.27 | 01 | 06 | 4 | |
| | P | 5/28/1964 | -279.77 | -0.04 | 672.23 | 01 | 06 | 4 | |
| | P | 5/29/1964 | -279.76 | 0.01 | 672.24 | 01 | 06 | 4 | |
| | P | 5/30/1964 | -279.67 | 0.09 | 672.33 | 01 | 06 | 4 | |
| | P | 5/31/1964 | -279.78 | -0.11 | 672.22 | 01 | 06 | 4 | |
| | P | 6/ 1/1964 | -279.87 | -0.09 | 672.13 | 01 | 12 | 7 | |
| | P | 6/ 2/1964 | -279.84 | 0.03 | 672.16 | 01 | 06 | 4 | |
| | P | 6/ 3/1964 | -279.85 | -0.01 | 672.15 | 01 | 06 | 4 | |
| | P | 6/ 4/1964 | -279.83 | 0.02 | 672.17 | 01 | 06 | 4 | |
| | P | 6/ 5/1964 | -279.81 | 0.02 | 672.19 | 01 | 06 | 4 | |
| | P | 6/ 6/1964 | -279.8 | 0.01 | 672.2 | 01 | 06 | 4 | |
| | P | 6/ 7/1964 | -279.79 | 0.01 | 672.21 | 01 | 06 | 4 | |
| | P | 6/ 8/1964 | -279.8 | -0.01 | 672.2 | 01 | 06 | 4 | |
| | P | 6/ 9/1964 | -279.92 | -0.12 | 672.08 | 01 | 06 | 4 | |
| | P | 6/10/1964 | -280.18 | -0.26 | 671.82 | 01 | 06 | 4 | |
| | P | 6/11/1964 | -280.27 | -0.09 | 671.73 | 01 | 06 | 4 | |
| | P | 6/12/1964 | -280.24 | 0.03 | 671.76 | 01 | 06 | 4 | |
| | P | 6/13/1964 | -280.25 | -0.01 | 671.75 | 01 | 06 | 4 | |
| | P | 6/14/1964 | -280.35 | -0.1 | 671.65 | 01 | 06 | 4 | |
| | P | 6/15/1964 | -280.18 | 0.17 | 671.82 | 01 | 12 | 7 | |
| | P | 6/16/1964 | -278.23 | 1.95 | 673.77 | 01 | 06 | 4 | |
| | P | 6/17/1964 | -276.92 | 1.31 | 675.08 | 01 | 06 | 4 | |
| | P | 6/18/1964 | -276.6 | 0.32 | 675.4 | 01 | 06 | 4 | |
| | P | 6/19/1964 | -276.63 | -0.03 | 675.37 | 01 | 06 | 4 | |
| | P | 6/20/1964 | -276.9 | -0.27 | 675.1 | 01 | 06 | 4 | |
| | P | 6/21/1964 | -277.69 | -0.79 | 674.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/22/1964 | -278.3 | -0.61 | 673.7 | 01 | 06 | 4 | |
| | P | 6/23/1964 | -278.54 | -0.24 | 673.46 | 01 | 06 | 4 | |
| | P | 6/24/1964 | -278.79 | -0.25 | 673.21 | 01 | 06 | 4 | |
| | P | 6/25/1964 | -278.89 | -0.1 | 673.11 | 01 | 06 | 4 | |
| | P | 6/26/1964 | -279.02 | -0.13 | 672.98 | 01 | 06 | 4 | |
| | P | 6/27/1964 | -279.02 | | 672.98 | 01 | 06 | 4 | |
| | P | 6/28/1964 | -279.08 | -0.06 | 672.92 | 01 | 06 | 4 | |
| | P | 6/29/1964 | -279.21 | -0.13 | 672.79 | 01 | 06 | 4 | |
| | P | 6/30/1964 | -279.32 | -0.11 | 672.68 | 01 | 06 | 4 | |
| | P | 7/ 1/1964 | -279.22 | 0.1 | 672.78 | 01 | 12 | 7 | |
| | P | 7/ 2/1964 | -279.3 | -0.08 | 672.7 | 01 | 06 | 4 | |
| | P | 7/ 3/1964 | -279.27 | 0.03 | 672.73 | 01 | 06 | 4 | |
| | P | 7/ 4/1964 | -279.37 | -0.1 | 672.63 | 01 | 06 | 4 | |
| | P | 7/ 5/1964 | -279.53 | -0.16 | 672.47 | 01 | 06 | 4 | |
| | P | 7/24/1964 | -280.37 | -0.84 | 671.63 | 01 | 06 | 4 | |
| | P | 7/25/1964 | -280.36 | 0.01 | 671.64 | 01 | 06 | 4 | |
| | P | 7/26/1964 | -280.38 | -0.02 | 671.62 | 01 | 06 | 4 | |
| | P | 7/27/1964 | -280.43 | -0.05 | 671.57 | 01 | 06 | 4 | |
| | P | 7/28/1964 | -280.57 | -0.14 | 671.43 | 01 | 06 | 4 | |
| | P | 7/29/1964 | -280.71 | -0.14 | 671.29 | 01 | 06 | 4 | |
| | P | 7/30/1964 | -280.6 | 0.11 | 671.4 | 01 | 06 | 4 | |
| | P | 7/31/1964 | -280.66 | -0.06 | 671.34 | 01 | 06 | 4 | |
| | P | 8/ 1/1964 | -280.77 | -0.11 | 671.23 | 01 | 12 | 7 | |
| | P | 8/ 2/1964 | -280.98 | -0.21 | 671.02 | 01 | 06 | 4 | |
| | P | 8/ 3/1964 | -280.97 | 0.01 | 671.03 | 01 | 06 | 4 | |
| | P | 8/ 4/1964 | -280.99 | -0.02 | 671.01 | 01 | 06 | 4 | |
| | P | 8/ 5/1964 | -280.97 | 0.02 | 671.03 | 01 | 06 | 4 | |
| | P | 8/ 6/1964 | -280.98 | -0.01 | 671.02 | 01 | 06 | 4 | |
| | P | 8/ 7/1964 | -280.9 | 0.08 | 671.1 | 01 | 06 | 4 | |
| | P | 8/ 8/1964 | -280.77 | 0.13 | 671.23 | 01 | 06 | 4 | |
| | P | 8/ 9/1964 | -280.77 | | 671.23 | 01 | 06 | 4 | |
| | P | 8/10/1964 | -280.82 | -0.05 | 671.18 | 01 | 06 | 4 | |
| | P | 8/11/1964 | -280.93 | -0.11 | 671.07 | 01 | 06 | 4 | |
| | P | 8/12/1964 | -281.09 | -0.16 | 670.91 | 01 | 06 | 4 | |
| | P | 8/13/1964 | -281.09 | | 670.91 | 01 | 06 | 4 | |
| | P | 8/14/1964 | -281.15 | -0.06 | 670.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/15/1964 | -281.13 | 0.02 | 670.87 | 01 | 12 | 7 | |
| | P | 8/16/1964 | -281.24 | -0.11 | 670.76 | 01 | 06 | 4 | |
| | P | 8/17/1964 | -281.21 | 0.03 | 670.79 | 01 | 06 | 4 | |
| | P | 8/18/1964 | -281.29 | -0.08 | 670.71 | 01 | 06 | 4 | |
| | P | 8/19/1964 | -281.27 | 0.02 | 670.73 | 01 | 06 | 4 | |
| | P | 8/20/1964 | -281.26 | 0.01 | 670.74 | 01 | 06 | 4 | |
| | P | 8/21/1964 | -281.32 | -0.06 | 670.68 | 01 | 06 | 4 | |
| | P | 8/22/1964 | -281.37 | -0.05 | 670.63 | 01 | 06 | 4 | |
| | P | 8/23/1964 | -281.31 | 0.06 | 670.69 | 01 | 06 | 4 | |
| | P | 8/24/1964 | -281.13 | 0.18 | 670.87 | 01 | 06 | 4 | |
| | P | 8/25/1964 | -280.95 | 0.18 | 671.05 | 01 | 06 | 4 | |
| | P | 8/26/1964 | -280.82 | 0.13 | 671.18 | 01 | 06 | 4 | |
| | P | 8/27/1964 | -280.83 | -0.01 | 671.17 | 01 | 06 | 4 | |
| | P | 8/28/1964 | -280.93 | -0.1 | 671.07 | 01 | 06 | 4 | |
| | P | 8/29/1964 | -281.07 | -0.14 | 670.93 | 01 | 06 | 4 | |
| | P | 8/30/1964 | -281.14 | -0.07 | 670.86 | 01 | 06 | 4 | |
| | P | 8/31/1964 | -281.26 | -0.12 | 670.74 | 01 | 06 | 4 | |
| | P | 9/ 1/1964 | -281.22 | 0.04 | 670.78 | 01 | 12 | 7 | |
| | P | 9/ 2/1964 | -281.23 | -0.01 | 670.77 | 01 | 06 | 4 | |
| | P | 9/ 3/1964 | -281.24 | -0.01 | 670.76 | 01 | 06 | 4 | |
| | P | 9/ 4/1964 | -281.28 | -0.04 | 670.72 | 01 | 06 | 4 | |
| | P | 9/ 5/1964 | -281.33 | -0.05 | 670.67 | 01 | 06 | 4 | |
| | P | 9/ 6/1964 | -281.28 | 0.05 | 670.72 | 01 | 06 | 4 | |
| | P | 9/ 7/1964 | -281.37 | -0.09 | 670.63 | 01 | 06 | 4 | |
| | P | 9/ 8/1964 | -281.45 | -0.08 | 670.55 | 01 | 06 | 4 | |
| | P | 9/ 9/1964 | -281.32 | 0.13 | 670.68 | 01 | 06 | 4 | |
| | P | 9/10/1964 | -281.33 | -0.01 | 670.67 | 01 | 06 | 4 | |
| | P | 9/11/1964 | -281.39 | -0.06 | 670.61 | 01 | 06 | 4 | |
| | P | 9/12/1964 | -281.42 | -0.03 | 670.58 | 01 | 06 | 4 | |
| | P | 9/13/1964 | -281.62 | -0.2 | 670.38 | 01 | 06 | 4 | |
| | P | 9/14/1964 | -281.57 | 0.05 | 670.43 | 01 | 06 | 4 | |
| | P | 9/15/1964 | -281.52 | 0.05 | 670.48 | 01 | 12 | 7 | |
| | P | 9/16/1964 | -281.32 | 0.2 | 670.68 | 01 | 06 | 4 | |
| | P | 9/17/1964 | -281.35 | -0.03 | 670.65 | 01 | 06 | 4 | |
| | P | 9/18/1964 | -281.46 | -0.11 | 670.54 | 01 | 06 | 4 | |
| | P | 9/19/1964 | -281.47 | -0.01 | 670.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 20/ 1964 | -281.52 | -0.05 | 670.48 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1964 | -281.57 | -0.05 | 670.43 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1964 | -281.55 | 0.02 | 670.45 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1964 | -281.54 | 0.01 | 670.46 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1964 | -281.62 | -0.08 | 670.38 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1964 | -281.66 | -0.04 | 670.34 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1964 | -281.58 | 0.08 | 670.42 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1964 | -281.56 | 0.02 | 670.44 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1964 | -281.6 | -0.04 | 670.4 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1964 | -281.54 | 0.06 | 670.46 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1964 | -281.51 | 0.03 | 670.49 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1964 | -281.39 | 0.12 | 670.61 | 01 | 12 | 7 | |
| | P | 10/ 2/ 1964 | -281.38 | 0.01 | 670.62 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1964 | -281.46 | -0.08 | 670.54 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1964 | -281.51 | -0.05 | 670.49 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1964 | -281.86 | -0.35 | 670.14 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1964 | -281.79 | 0.07 | 670.21 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1964 | -281.71 | 0.08 | 670.29 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1964 | -281.59 | 0.12 | 670.41 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1964 | -281.66 | -0.07 | 670.34 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1964 | -281.79 | -0.13 | 670.21 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1964 | -281.8 | -0.01 | 670.2 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1964 | -281.76 | 0.04 | 670.24 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1964 | -281.8 | -0.04 | 670.2 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1964 | -281.78 | 0.02 | 670.22 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1964 | -281.72 | 0.06 | 670.28 | 01 | 12 | 7 | |
| | P | 10/ 16/ 1964 | -281.66 | 0.06 | 670.34 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1964 | -281.79 | -0.13 | 670.21 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1964 | -281.88 | -0.09 | 670.12 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1964 | -282.04 | -0.16 | 669.96 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1964 | -282.02 | 0.02 | 669.98 | 01 | 06 | 4 | |
| | P | 10/ 21/ 1964 | -281.79 | 0.23 | 670.21 | 01 | 06 | 4 | |
| | P | 10/ 22/ 1964 | -281.84 | -0.05 | 670.16 | 01 | 06 | 4 | |
| | P | 10/ 23/ 1964 | -281.91 | -0.07 | 670.09 | 01 | 06 | 4 | |
| | P | 10/ 24/ 1964 | -281.93 | -0.02 | 670.07 | 01 | 06 | 4 | |
| | P | 10/ 25/ 1964 | -281.84 | 0.09 | 670.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 26/ 1964 | -281.79 | 0.05 | 670.21 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1964 | -281.79 | | 670.21 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1964 | -281.82 | -0.03 | 670.18 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1964 | -281.8 | 0.02 | 670.2 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1964 | -281.66 | 0.14 | 670.34 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1964 | -281.63 | 0.03 | 670.37 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1964 | -281.73 | -0.1 | 670.27 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1964 | -281.53 | 0.2 | 670.47 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1964 | -281.46 | 0.07 | 670.54 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1964 | -281.28 | 0.18 | 670.72 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1964 | -280.13 | 1.15 | 671.87 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1964 | -279.85 | 0.28 | 672.15 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1964 | -280.41 | -0.56 | 671.59 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1964 | -280.86 | -0.45 | 671.14 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1964 | -280.91 | -0.05 | 671.09 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1964 | -280.84 | 0.07 | 671.16 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1964 | -280.81 | 0.03 | 671.19 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1964 | -280.86 | -0.05 | 671.14 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1964 | -281.03 | -0.17 | 670.97 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1964 | -280.95 | 0.08 | 671.05 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1964 | -280.97 | -0.02 | 671.03 | 01 | 12 | 7 | |
| | P | 11 / 16/ 1964 | -281.02 | -0.05 | 670.98 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1964 | -280.88 | 0.14 | 671.12 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1964 | -280.54 | 0.34 | 671.46 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1964 | -280.42 | 0.12 | 671.58 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1964 | -280.94 | -0.52 | 671.06 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1964 | -281.13 | -0.19 | 670.87 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1964 | -281.2 | -0.07 | 670.8 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1964 | -280.88 | 0.32 | 671.12 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1964 | -280.71 | 0.17 | 671.29 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1964 | -280.5 | 0.21 | 671.5 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1964 | -280.49 | 0.01 | 671.51 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1964 | -280.5 | -0.01 | 671.5 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1964 | -280.6 | -0.1 | 671.4 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1964 | -280.84 | -0.24 | 671.16 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1964 | -280.96 | -0.12 | 671.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 1/1964 | -280.55 | 0.41 | 671.45 | 01 | 12 | 7 | |
| | P | 12/ 2/1964 | -280.31 | 0.24 | 671.69 | 01 | 06 | 4 | |
| | P | 12/ 3/1964 | -280.34 | -0.03 | 671.66 | 01 | 06 | 4 | |
| | P | 12/ 4/1964 | -280.79 | -0.45 | 671.21 | 01 | 06 | 4 | |
| | P | 12/ 5/1964 | -281.11 | -0.32 | 670.89 | 01 | 06 | 4 | |
| | P | 12/ 6/1964 | -281.1 | 0.01 | 670.9 | 01 | 06 | 4 | |
| | P | 12/ 7/1964 | -281.04 | 0.06 | 670.96 | 01 | 06 | 4 | |
| | P | 12/ 8/1964 | -280.85 | 0.19 | 671.15 | 01 | 06 | 4 | |
| | P | 12/ 9/1964 | -280.54 | 0.31 | 671.46 | 01 | 06 | 4 | |
| | P | 12/10/1964 | -280.57 | -0.03 | 671.43 | 01 | 06 | 4 | |
| | P | 12/11/1964 | -280.74 | -0.17 | 671.26 | 01 | 06 | 4 | |
| | P | 12/12/1964 | -280.74 | | 671.26 | 01 | 06 | 4 | |
| | P | 12/13/1964 | -280.85 | -0.11 | 671.15 | 01 | 06 | 4 | |
| | P | 12/14/1964 | -281.12 | -0.27 | 670.88 | 01 | 06 | 4 | |
| | P | 12/15/1964 | -280.73 | 0.39 | 671.27 | 01 | 12 | 7 | |
| | P | 12/16/1964 | -280.55 | 0.18 | 671.45 | 01 | 06 | 4 | |
| | P | 12/17/1964 | -280.59 | -0.04 | 671.41 | 01 | 06 | 4 | |
| | P | 12/18/1964 | -281.29 | -0.7 | 670.71 | 01 | 06 | 4 | |
| | P | 12/19/1964 | -281.02 | 0.27 | 670.98 | 01 | 06 | 4 | |
| | P | 12/20/1964 | -280.85 | 0.17 | 671.15 | 01 | 06 | 4 | |
| | P | 12/21/1964 | -280.84 | 0.01 | 671.16 | 01 | 06 | 4 | |
| | P | 12/22/1964 | -280.58 | 0.26 | 671.42 | 01 | 06 | 4 | |
| | P | 12/23/1964 | -280.44 | 0.14 | 671.56 | 01 | 06 | 4 | |
| | P | 12/24/1964 | -280.41 | 0.03 | 671.59 | 01 | 06 | 4 | |
| | P | 12/25/1964 | -280.47 | -0.06 | 671.53 | 01 | 06 | 4 | |
| | P | 12/26/1964 | -280.7 | -0.23 | 671.3 | 01 | 06 | 4 | |
| | P | 12/27/1964 | -280.99 | -0.29 | 671.01 | 01 | 06 | 4 | |
| | P | 12/28/1964 | -280.86 | 0.13 | 671.14 | 01 | 06 | 4 | |
| | P | 12/29/1964 | -280.87 | -0.01 | 671.13 | 01 | 06 | 4 | |
| | P | 12/30/1964 | -280.95 | -0.08 | 671.05 | 01 | 06 | 4 | |
| | P | 12/31/1964 | -281.05 | -0.1 | 670.95 | 01 | 06 | 4 | |
| | P | 1/ 1/1965 | -280.97 | 0.08 | 671.03 | 01 | 12 | 7 | |
| | P | 1/ 2/1965 | -280.88 | 0.09 | 671.12 | 01 | 06 | 4 | |
| | P | 1/ 3/1965 | -281.04 | -0.16 | 670.96 | 01 | 06 | 4 | |
| | P | 1/ 4/1965 | -281.14 | -0.1 | 670.86 | 01 | 06 | 4 | |
| | P | 1/ 5/1965 | -280.97 | 0.17 | 671.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 6/1965 | -280.85 | 0.12 | 671.15 | 01 | 06 | 4 | |
| | P | 1/ 7/1965 | -280.73 | 0.12 | 671.27 | 01 | 06 | 4 | |
| | P | 1/ 8/1965 | -280.62 | 0.11 | 671.38 | 01 | 06 | 4 | |
| | P | 1/ 9/1965 | -280.76 | -0.14 | 671.24 | 01 | 06 | 4 | |
| | P | 1/10/1965 | -281.06 | -0.3 | 670.94 | 01 | 06 | 4 | |
| | P | 1/11/1965 | -280.87 | 0.19 | 671.13 | 01 | 06 | 4 | |
| | P | 1/12/1965 | -280.77 | 0.1 | 671.23 | 01 | 06 | 4 | |
| | P | 1/13/1965 | -280.8 | -0.03 | 671.2 | 01 | 06 | 4 | |
| | P | 1/14/1965 | -280.86 | -0.06 | 671.14 | 01 | 06 | 4 | |
| | P | 1/15/1965 | -280.73 | 0.13 | 671.27 | 01 | 12 | 7 | |
| | P | 1/16/1965 | -281.13 | -0.4 | 670.87 | 01 | 06 | 4 | |
| | P | 1/17/1965 | -281.11 | 0.02 | 670.89 | 01 | 06 | 4 | |
| | P | 1/18/1965 | -280.95 | 0.16 | 671.05 | 01 | 06 | 4 | |
| | P | 1/19/1965 | -280.75 | 0.2 | 671.25 | 01 | 06 | 4 | |
| | P | 1/20/1965 | -280.63 | 0.12 | 671.37 | 01 | 06 | 4 | |
| | P | 1/21/1965 | -280.55 | 0.08 | 671.45 | 01 | 06 | 4 | |
| | P | 1/22/1965 | -280.25 | 0.3 | 671.75 | 01 | 06 | 4 | |
| | P | 1/23/1965 | -280.33 | -0.08 | 671.67 | 01 | 06 | 4 | |
| | P | 1/24/1965 | -280.48 | -0.15 | 671.52 | 01 | 06 | 4 | |
| | P | 1/25/1965 | -280.28 | 0.2 | 671.72 | 01 | 06 | 4 | |
| | P | 1/26/1965 | -280.51 | -0.23 | 671.49 | 01 | 06 | 4 | |
| | P | 1/27/1965 | -280.63 | -0.12 | 671.37 | 01 | 06 | 4 | |
| | P | 1/28/1965 | -280.32 | 0.31 | 671.68 | 01 | 06 | 4 | |
| | P | 1/29/1965 | -280.22 | 0.1 | 671.78 | 01 | 06 | 4 | |
| | P | 1/30/1965 | -280.2 | 0.02 | 671.8 | 01 | 06 | 4 | |
| | P | 1/31/1965 | -280.17 | 0.03 | 671.83 | 01 | 06 | 4 | |
| | P | 2/ 1/1965 | -280.01 | 0.16 | 671.99 | 01 | 12 | 7 | |
| | P | 2/ 2/1965 | -280.54 | -0.53 | 671.46 | 01 | 06 | 4 | |
| | P | 2/ 3/1965 | -280.48 | 0.06 | 671.52 | 01 | 06 | 4 | |
| | P | 2/ 4/1965 | -280.43 | 0.05 | 671.57 | 01 | 06 | 4 | |
| | P | 2/ 5/1965 | -279.26 | 1.17 | 672.74 | 01 | 06 | 4 | |
| | P | 2/18/1965 | -275.98 | 3.28 | 676.02 | 01 | 06 | 4 | |
| | P | 2/19/1965 | -275.37 | 0.61 | 676.63 | 01 | 06 | 4 | |
| | P | 2/20/1965 | -274.94 | 0.43 | 677.06 | 01 | 06 | 4 | |
| | P | 2/21/1965 | -274.86 | 0.08 | 677.14 | 01 | 06 | 4 | |
| | P | 2/22/1965 | -274.7 | 0.16 | 677.3 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/23/1965 | -274.39 | 0.31 | 677.61 | 01 | 06 | 4 | |
| | P | 2/24/1965 | -274.65 | -0.26 | 677.35 | 01 | 06 | 4 | |
| | P | 2/25/1965 | -274.74 | -0.09 | 677.26 | 01 | 06 | 4 | |
| | P | 2/26/1965 | -275.51 | -0.77 | 676.49 | 01 | 06 | 4 | |
| | P | 2/27/1965 | -275.38 | 0.13 | 676.62 | 01 | 06 | 4 | |
| | P | 2/28/1965 | -275.21 | 0.17 | 676.79 | 01 | 06 | 4 | |
| | P | 3/ 1/1965 | -275.22 | -0.01 | 676.78 | 01 | 12 | 7 | |
| | P | 3/ 2/1965 | -275.82 | -0.6 | 676.18 | 01 | 06 | 4 | |
| | P | 3/ 3/1965 | -276.02 | -0.2 | 675.98 | 01 | 06 | 4 | |
| | P | 3/ 4/1965 | -276.17 | -0.15 | 675.83 | 01 | 06 | 4 | |
| | P | 3/ 5/1965 | -276.06 | 0.11 | 675.94 | 01 | 06 | 4 | |
| | P | 3/ 6/1965 | -276.07 | -0.01 | 675.93 | 01 | 06 | 4 | |
| | P | 3/ 7/1965 | -276.18 | -0.11 | 675.82 | 01 | 06 | 4 | |
| | P | 3/ 8/1965 | -276.03 | 0.15 | 675.97 | 01 | 06 | 4 | |
| | P | 3/ 9/1965 | -275.91 | 0.12 | 676.09 | 01 | 06 | 4 | |
| | P | 3/10/1965 | -275.96 | -0.05 | 676.04 | 01 | 06 | 4 | |
| | P | 3/11/1965 | -275.94 | 0.02 | 676.06 | 01 | 06 | 4 | |
| | P | 3/12/1965 | -275.34 | 0.6 | 676.66 | 01 | 06 | 4 | |
| | P | 3/13/1965 | -276.1 | -0.76 | 675.9 | 01 | 06 | 4 | |
| | P | 3/14/1965 | -276.03 | 0.07 | 675.97 | 01 | 06 | 4 | |
| | P | 3/15/1965 | -276 | 0.03 | 676 | 01 | 12 | 7 | |
| | P | 3/16/1965 | -275.78 | 0.22 | 676.22 | 01 | 06 | 4 | |
| | P | 3/17/1965 | -275.37 | 0.41 | 676.63 | 01 | 06 | 4 | |
| | P | 3/18/1965 | -276.17 | -0.8 | 675.83 | 01 | 06 | 4 | |
| | P | 3/19/1965 | -276.51 | -0.34 | 675.49 | 01 | 06 | 4 | |
| | P | 3/20/1965 | -276.7 | -0.19 | 675.3 | 01 | 06 | 4 | |
| | P | 3/21/1965 | -276.6 | 0.1 | 675.4 | 01 | 06 | 4 | |
| | P | 3/22/1965 | -276.26 | 0.34 | 675.74 | 01 | 06 | 4 | |
| | P | 3/23/1965 | -276.14 | 0.12 | 675.86 | 01 | 06 | 4 | |
| | P | 3/24/1965 | -276.12 | 0.02 | 675.88 | 01 | 06 | 4 | |
| | P | 3/25/1965 | -276.08 | 0.04 | 675.92 | 01 | 06 | 4 | |
| | P | 3/26/1965 | -276.53 | -0.45 | 675.47 | 01 | 06 | 4 | |
| | P | 3/27/1965 | -276.41 | 0.12 | 675.59 | 01 | 06 | 4 | |
| | P | 3/28/1965 | -276.31 | 0.1 | 675.69 | 01 | 06 | 4 | |
| | P | 3/29/1965 | -276.29 | 0.02 | 675.71 | 01 | 06 | 4 | |
| | P | 3/30/1965 | -276.17 | 0.12 | 675.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1965 | -274.61 | 1.56 | 677.39 | 01 | 06 | 4 | |
| | P | 4/ 1/1965 | -274.03 | 0.58 | 677.97 | 01 | 12 | 7 | |
| | P | 4/ 2/1965 | -273.84 | 0.19 | 678.16 | 01 | 06 | 4 | |
| | P | 4/ 3/1965 | -274 | -0.16 | 678 | 01 | 06 | 4 | |
| | P | 4/ 4/1965 | -274.6 | -0.6 | 677.4 | 01 | 06 | 4 | |
| | P | 4/ 5/1965 | -274.82 | -0.22 | 677.18 | 01 | 06 | 4 | |
| | P | 4/ 6/1965 | -274.97 | -0.15 | 677.03 | 01 | 06 | 4 | |
| | P | 4/ 7/1965 | -273.78 | 1.19 | 678.22 | 01 | 06 | 4 | |
| | P | 4/ 8/1965 | -273.52 | 0.26 | 678.48 | 01 | 06 | 4 | |
| | P | 4/ 9/1965 | -273.3 | 0.22 | 678.7 | 01 | 06 | 4 | |
| | P | 4/10/1965 | -273.28 | 0.02 | 678.72 | 01 | 06 | 4 | |
| | P | 4/11/1965 | -273.07 | 0.21 | 678.93 | 01 | 06 | 4 | |
| | P | 4/12/1965 | -273.28 | -0.21 | 678.72 | 01 | 06 | 4 | |
| | P | 4/13/1965 | -273.65 | -0.37 | 678.35 | 01 | 06 | 4 | |
| | P | 4/14/1965 | -274 | -0.35 | 678 | 01 | 06 | 4 | |
| | P | 4/15/1965 | -274.05 | -0.05 | 677.95 | 01 | 12 | 7 | |
| | P | 4/16/1965 | -274.42 | -0.37 | 677.58 | 01 | 06 | 4 | |
| | P | 4/17/1965 | -274.34 | 0.08 | 677.66 | 01 | 06 | 4 | |
| | P | 4/18/1965 | -274.31 | 0.03 | 677.69 | 01 | 06 | 4 | |
| | P | 4/19/1965 | -274.33 | -0.02 | 677.67 | 01 | 06 | 4 | |
| | P | 4/20/1965 | -274.59 | -0.26 | 677.41 | 01 | 06 | 4 | |
| | P | 4/21/1965 | -274.54 | 0.05 | 677.46 | 01 | 06 | 4 | |
| | P | 4/22/1965 | -274.92 | -0.38 | 677.08 | 01 | 06 | 4 | |
| | P | 4/23/1965 | -274.63 | 0.29 | 677.37 | 01 | 06 | 4 | |
| | P | 4/24/1965 | -274.53 | 0.1 | 677.47 | 01 | 06 | 4 | |
| | P | 4/25/1965 | -274.55 | -0.02 | 677.45 | 01 | 06 | 4 | |
| | P | 4/26/1965 | -274.55 | | 677.45 | 01 | 06 | 4 | |
| | P | 4/27/1965 | -274.66 | -0.11 | 677.34 | 01 | 06 | 4 | |
| | P | 4/28/1965 | -274.86 | -0.2 | 677.14 | 01 | 06 | 4 | |
| | P | 4/29/1965 | -274.84 | 0.02 | 677.16 | 01 | 06 | 4 | |
| | P | 4/30/1965 | -274.99 | -0.15 | 677.01 | 01 | 06 | 4 | |
| | P | 5/ 1/1965 | -274.65 | 0.34 | 677.35 | 01 | 12 | 7 | |
| | P | 5/ 2/1965 | -274.48 | 0.17 | 677.52 | 01 | 06 | 4 | |
| | P | 5/ 3/1965 | -274.52 | -0.04 | 677.48 | 01 | 06 | 4 | |
| | P | 5/ 4/1965 | -274.54 | -0.02 | 677.46 | 01 | 06 | 4 | |
| | P | 5/ 5/1965 | -274.5 | 0.04 | 677.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1965 | -274.43 | 0.07 | 677.57 | 01 | 06 | 4 | |
| | P | 5/ 7/1965 | -274.4 | 0.03 | 677.6 | 01 | 06 | 4 | |
| | P | 5/ 8/1965 | -274.35 | 0.05 | 677.65 | 01 | 06 | 4 | |
| | P | 5/ 9/1965 | -274.31 | 0.04 | 677.69 | 01 | 06 | 4 | |
| | P | 5/10/1965 | -274.35 | -0.04 | 677.65 | 01 | 06 | 4 | |
| | P | 5/11/1965 | -273.21 | 1.14 | 678.79 | 01 | 06 | 4 | |
| | P | 5/12/1965 | -272.32 | 0.89 | 679.68 | 01 | 06 | 4 | |
| | P | 5/20/1965 | -266.32 | 6 | 685.68 | 01 | 06 | 4 | |
| | P | 5/21/1965 | -266.23 | 0.09 | 685.77 | 01 | 06 | 4 | |
| | P | 5/22/1965 | -266.28 | -0.05 | 685.72 | 01 | 06 | 4 | |
| | P | 5/23/1965 | -266.34 | -0.06 | 685.66 | 01 | 06 | 4 | |
| | P | 5/24/1965 | -266.37 | -0.03 | 685.63 | 01 | 06 | 4 | |
| | P | 5/25/1965 | -266.52 | -0.15 | 685.48 | 01 | 06 | 4 | |
| | P | 5/26/1965 | -266.46 | 0.06 | 685.54 | 01 | 06 | 4 | |
| | P | 5/27/1965 | -266.65 | -0.19 | 685.35 | 01 | 06 | 4 | |
| | P | 5/28/1965 | -266.73 | -0.08 | 685.27 | 01 | 06 | 4 | |
| | P | 5/29/1965 | -266.85 | -0.12 | 685.15 | 01 | 06 | 4 | |
| | P | 5/30/1965 | -266.62 | 0.23 | 685.38 | 01 | 06 | 4 | |
| | P | 5/31/1965 | -266.46 | 0.16 | 685.54 | 01 | 06 | 4 | |
| | P | 6/ 1/1965 | -266.37 | 0.09 | 685.63 | 01 | 12 | 7 | |
| | P | 6/ 2/1965 | -266.36 | 0.01 | 685.64 | 01 | 06 | 4 | |
| | P | 6/ 3/1965 | -266.34 | 0.02 | 685.66 | 01 | 06 | 4 | |
| | P | 6/ 4/1965 | -266.23 | 0.11 | 685.77 | 01 | 06 | 4 | |
| | P | 6/ 5/1965 | -266.11 | 0.12 | 685.89 | 01 | 06 | 4 | |
| | P | 6/ 6/1965 | -265.88 | 0.23 | 686.12 | 01 | 06 | 4 | |
| | P | 6/ 7/1965 | -265.78 | 0.1 | 686.22 | 01 | 06 | 4 | |
| | P | 6/ 8/1965 | -265.66 | 0.12 | 686.34 | 01 | 06 | 4 | |
| | P | 6/ 9/1965 | -265.51 | 0.15 | 686.49 | 01 | 06 | 4 | |
| | P | 6/10/1965 | -265.39 | 0.12 | 686.61 | 01 | 06 | 4 | |
| | P | 6/11/1965 | -265.34 | 0.05 | 686.66 | 01 | 06 | 4 | |
| | P | 6/12/1965 | -265.23 | 0.11 | 686.77 | 01 | 06 | 4 | |
| | P | 6/13/1965 | -265.16 | 0.07 | 686.84 | 01 | 06 | 4 | |
| | P | 6/14/1965 | -265.22 | -0.06 | 686.78 | 01 | 06 | 4 | |
| | P | 6/15/1965 | -265.25 | -0.03 | 686.75 | 01 | 12 | 7 | |
| | P | 6/16/1965 | -265.48 | -0.23 | 686.52 | 01 | 06 | 4 | |
| | P | 6/17/1965 | -265.56 | -0.08 | 686.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/18/1965 | -265.52 | 0.04 | 686.48 | 01 | 06 | 4 | |
| | P | 6/19/1965 | -265.55 | -0.03 | 686.45 | 01 | 06 | 4 | |
| | P | 6/20/1965 | -264.97 | 0.58 | 687.03 | 01 | 06 | 4 | |
| | P | 6/21/1965 | -264.74 | 0.23 | 687.26 | 01 | 06 | 4 | |
| | P | 6/22/1965 | -264.72 | 0.02 | 687.28 | 01 | 06 | 4 | |
| | P | 6/23/1965 | -264.73 | -0.01 | 687.27 | 01 | 06 | 4 | |
| | P | 6/24/1965 | -264.74 | -0.01 | 687.26 | 01 | 06 | 4 | |
| | P | 6/25/1965 | -264.67 | 0.07 | 687.33 | 01 | 06 | 4 | |
| | P | 6/26/1965 | -264.91 | -0.24 | 687.09 | 01 | 06 | 4 | |
| | P | 6/27/1965 | -265.03 | -0.12 | 686.97 | 01 | 06 | 4 | |
| | P | 6/28/1965 | -265.1 | -0.07 | 686.9 | 01 | 06 | 4 | |
| | P | 6/29/1965 | -265.21 | -0.11 | 686.79 | 01 | 06 | 4 | |
| | P | 6/30/1965 | -265.23 | -0.02 | 686.77 | 01 | 06 | 4 | |
| | P | 7/ 1/1965 | -265.47 | -0.24 | 686.53 | 01 | 12 | 7 | |
| | P | 7/ 2/1965 | -265.51 | -0.04 | 686.49 | 01 | 06 | 4 | |
| | P | 7/ 3/1965 | -265.84 | -0.33 | 686.16 | 01 | 06 | 4 | |
| | P | 7/ 4/1965 | -266.01 | -0.17 | 685.99 | 01 | 06 | 4 | |
| | P | 7/ 5/1965 | -266.12 | -0.11 | 685.88 | 01 | 06 | 4 | |
| | P | 7/ 6/1965 | -266.3 | -0.18 | 685.7 | 01 | 06 | 4 | |
| | P | 7/ 7/1965 | -266.34 | -0.04 | 685.66 | 01 | 06 | 4 | |
| | P | 7/ 8/1965 | -266.33 | 0.01 | 685.67 | 01 | 06 | 4 | |
| | P | 7/ 9/1965 | -266.41 | -0.08 | 685.59 | 01 | 06 | 4 | |
| | P | 7/10/1965 | -266.67 | -0.26 | 685.33 | 01 | 06 | 4 | |
| | P | 7/11/1965 | -266.84 | -0.17 | 685.16 | 01 | 06 | 4 | |
| | P | 7/12/1965 | -266.83 | 0.01 | 685.17 | 01 | 06 | 4 | |
| | P | 7/13/1965 | -266.85 | -0.02 | 685.15 | 01 | 06 | 4 | |
| | P | 7/14/1965 | -266.92 | -0.07 | 685.08 | 01 | 06 | 4 | |
| | P | 7/15/1965 | -266.9 | 0.02 | 685.1 | 01 | 12 | 7 | |
| | P | 7/16/1965 | -266.92 | -0.02 | 685.08 | 01 | 06 | 4 | |
| | P | 7/17/1965 | -267.03 | -0.11 | 684.97 | 01 | 06 | 4 | |
| | P | 7/18/1965 | -267.22 | -0.19 | 684.78 | 01 | 06 | 4 | |
| | P | 7/19/1965 | -267.35 | -0.13 | 684.65 | 01 | 06 | 4 | |
| | P | 7/20/1965 | -267.55 | -0.2 | 684.45 | 01 | 06 | 4 | |
| | P | 7/21/1965 | -267.83 | -0.28 | 684.17 | 01 | 06 | 4 | |
| | P | 7/22/1965 | -267.92 | -0.09 | 684.08 | 01 | 06 | 4 | |
| | P | 7/23/1965 | -267.38 | 0.54 | 684.62 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/24/1965 | -267.94 | -0.56 | 684.06 | 01 | 06 | 4 | |
| | P | 7/25/1965 | -268.02 | -0.08 | 683.98 | 01 | 06 | 4 | |
| | P | 7/26/1965 | -268.07 | -0.05 | 683.93 | 01 | 06 | 4 | |
| | P | 7/27/1965 | -267.94 | 0.13 | 684.06 | 01 | 06 | 4 | |
| | P | 7/28/1965 | -268.06 | -0.12 | 683.94 | 01 | 06 | 4 | |
| | P | 7/29/1965 | -268.23 | -0.17 | 683.77 | 01 | 06 | 4 | |
| | P | 7/30/1965 | -268.35 | -0.12 | 683.65 | 01 | 06 | 4 | |
| | P | 7/31/1965 | -268.41 | -0.06 | 683.59 | 01 | 06 | 4 | |
| | P | 8/ 1/1965 | -268.54 | -0.13 | 683.46 | 01 | 12 | 7 | |
| | P | 8/ 2/1965 | -268.42 | 0.12 | 683.58 | 01 | 06 | 4 | |
| | P | 8/ 3/1965 | -268.31 | 0.11 | 683.69 | 01 | 06 | 4 | |
| | P | 8/ 4/1965 | -268.45 | -0.14 | 683.55 | 01 | 06 | 4 | |
| | P | 8/ 5/1965 | -268.65 | -0.2 | 683.35 | 01 | 06 | 4 | |
| | P | 8/ 6/1965 | -268.73 | -0.08 | 683.27 | 01 | 06 | 4 | |
| | P | 8/ 7/1965 | -268.57 | 0.16 | 683.43 | 01 | 06 | 4 | |
| | P | 8/ 8/1965 | -268.57 | | 683.43 | 01 | 06 | 4 | |
| | P | 8/ 9/1965 | -268.57 | | 683.43 | 01 | 06 | 4 | |
| | P | 8/10/1965 | -268.75 | -0.18 | 683.25 | 01 | 06 | 4 | |
| | P | 8/11/1965 | -268.74 | 0.01 | 683.26 | 01 | 06 | 4 | |
| | P | 8/12/1965 | -268.82 | -0.08 | 683.18 | 01 | 06 | 4 | |
| | P | 8/13/1965 | -269.13 | -0.31 | 682.87 | 01 | 06 | 4 | |
| | P | 8/14/1965 | -269.31 | -0.18 | 682.69 | 01 | 06 | 4 | |
| | P | 8/15/1965 | -269.15 | 0.16 | 682.85 | 01 | 12 | 7 | |
| | P | 8/16/1965 | -269.01 | 0.14 | 682.99 | 01 | 06 | 4 | |
| | P | 8/17/1965 | -269.18 | -0.17 | 682.82 | 01 | 06 | 4 | |
| | P | 8/18/1965 | -269.31 | -0.13 | 682.69 | 01 | 06 | 4 | |
| | P | 8/19/1965 | -269.49 | -0.18 | 682.51 | 01 | 06 | 4 | |
| | P | 8/20/1965 | -269.64 | -0.15 | 682.36 | 01 | 06 | 4 | |
| | P | 8/21/1965 | -269.87 | -0.23 | 682.13 | 01 | 06 | 4 | |
| | P | 8/22/1965 | -270.1 | -0.23 | 681.9 | 01 | 06 | 4 | |
| | P | 8/23/1965 | -270.05 | 0.05 | 681.95 | 01 | 06 | 4 | |
| | P | 8/24/1965 | -270.14 | -0.09 | 681.86 | 01 | 06 | 4 | |
| | P | 8/25/1965 | -270.05 | 0.09 | 681.95 | 01 | 06 | 4 | |
| | P | 8/26/1965 | -270.08 | -0.03 | 681.92 | 01 | 06 | 4 | |
| | P | 8/27/1965 | -270.12 | -0.04 | 681.88 | 01 | 06 | 4 | |
| | P | 8/28/1965 | -270.2 | -0.08 | 681.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/29/1965 | -270.34 | -0.14 | 681.66 | 01 | 06 | 4 | |
| | P | 8/30/1965 | -270.22 | 0.12 | 681.78 | 01 | 06 | 4 | |
| | P | 8/31/1965 | -270.28 | -0.06 | 681.72 | 01 | 06 | 4 | |
| | P | 9/ 1/1965 | -270.43 | -0.15 | 681.57 | 01 | 12 | 7 | |
| | P | 9/ 2/1965 | -270.41 | 0.02 | 681.59 | 01 | 06 | 4 | |
| | P | 9/ 3/1965 | -270.28 | 0.13 | 681.72 | 01 | 06 | 4 | |
| | P | 9/ 4/1965 | -270.34 | -0.06 | 681.66 | 01 | 06 | 4 | |
| | P | 9/ 5/1965 | -270.6 | -0.26 | 681.4 | 01 | 06 | 4 | |
| | P | 9/ 6/1965 | -270.75 | -0.15 | 681.25 | 01 | 06 | 4 | |
| | P | 9/ 7/1965 | -270.66 | 0.09 | 681.34 | 01 | 06 | 4 | |
| | P | 9/ 8/1965 | -270.51 | 0.15 | 681.49 | 01 | 06 | 4 | |
| | P | 9/ 9/1965 | -270.31 | 0.2 | 681.69 | 01 | 06 | 4 | |
| | P | 9/10/1965 | -270.48 | -0.17 | 681.52 | 01 | 06 | 4 | |
| | P | 9/11/1965 | -270.76 | -0.28 | 681.24 | 01 | 06 | 4 | |
| | P | 9/12/1965 | -271.06 | -0.3 | 680.94 | 01 | 06 | 4 | |
| | P | 9/13/1965 | -271.06 | | 680.94 | 01 | 06 | 4 | |
| | P | 9/14/1965 | -270.9 | 0.16 | 681.1 | 01 | 06 | 4 | |
| | P | 9/15/1965 | -270.89 | 0.01 | 681.11 | 01 | 12 | 7 | |
| | P | 9/16/1965 | -271.04 | -0.15 | 680.96 | 01 | 06 | 4 | |
| | P | 9/17/1965 | -271.23 | -0.19 | 680.77 | 01 | 06 | 4 | |
| | P | 9/18/1965 | -271.43 | -0.2 | 680.57 | 01 | 06 | 4 | |
| | P | 9/19/1965 | -271.39 | 0.04 | 680.61 | 01 | 06 | 4 | |
| | P | 9/20/1965 | -271.23 | 0.16 | 680.77 | 01 | 06 | 4 | |
| | P | 9/21/1965 | -271.31 | -0.08 | 680.69 | 01 | 06 | 4 | |
| | P | 9/22/1965 | -271.43 | -0.12 | 680.57 | 01 | 06 | 4 | |
| | P | 9/23/1965 | -271.57 | -0.14 | 680.43 | 01 | 06 | 4 | |
| | P | 9/24/1965 | -271.62 | -0.05 | 680.38 | 01 | 06 | 4 | |
| | P | 9/25/1965 | -271.8 | -0.18 | 680.2 | 01 | 06 | 4 | |
| | P | 9/26/1965 | -271.58 | 0.22 | 680.42 | 01 | 06 | 4 | |
| | P | 9/27/1965 | -271.69 | -0.11 | 680.31 | 01 | 06 | 4 | |
| | P | 9/28/1965 | -271.54 | 0.15 | 680.46 | 01 | 06 | 4 | |
| | P | 9/29/1965 | -271.42 | 0.12 | 680.58 | 01 | 06 | 4 | |
| | P | 9/30/1965 | -271.46 | -0.04 | 680.54 | 01 | 06 | 4 | |
| | P | 10/ 1/1965 | -271.42 | 0.04 | 680.58 | 01 | 12 | 7 | |
| | P | 10/ 2/1965 | -271.74 | -0.32 | 680.26 | 01 | 06 | 4 | |
| | P | 10/ 3/1965 | -271.77 | -0.03 | 680.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 4/1965 | -271.62 | 0.15 | 680.38 | 01 | 06 | 4 | |
| | P | 10/ 5/1965 | -271.55 | 0.07 | 680.45 | 01 | 06 | 4 | |
| | P | 10/ 6/1965 | -271.47 | 0.08 | 680.53 | 01 | 06 | 4 | |
| | P | 10/ 7/1965 | -271.48 | -0.01 | 680.52 | 01 | 06 | 4 | |
| | P | 10/ 8/1965 | -271.58 | -0.1 | 680.42 | 01 | 06 | 4 | |
| | P | 10/ 9/1965 | -271.61 | -0.03 | 680.39 | 01 | 06 | 4 | |
| | P | 10/10/1965 | -271.68 | -0.07 | 680.32 | 01 | 06 | 4 | |
| | P | 10/11/1965 | -271.64 | 0.04 | 680.36 | 01 | 06 | 4 | |
| | P | 10/12/1965 | -271.6 | 0.04 | 680.4 | 01 | 06 | 4 | |
| | P | 10/13/1965 | -271.57 | 0.03 | 680.43 | 01 | 06 | 4 | |
| | P | 10/14/1965 | -271.7 | -0.13 | 680.3 | 01 | 06 | 4 | |
| | P | 10/15/1965 | -271.69 | 0.01 | 680.31 | 01 | 12 | 7 | |
| | P | 10/16/1965 | -271.77 | -0.08 | 680.23 | 01 | 06 | 4 | |
| | P | 10/17/1965 | -271.78 | -0.01 | 680.22 | 01 | 06 | 4 | |
| | P | 10/18/1965 | -270.87 | 0.91 | 681.13 | 01 | 06 | 4 | |
| | P | 10/19/1965 | -269.9 | 0.97 | 682.1 | 01 | 06 | 4 | |
| | P | 10/20/1965 | -269.84 | 0.06 | 682.16 | 01 | 06 | 4 | |
| | P | 10/21/1965 | -270.07 | -0.23 | 681.93 | 01 | 06 | 4 | |
| | P | 10/22/1965 | -270.73 | -0.66 | 681.27 | 01 | 06 | 4 | |
| | P | 10/23/1965 | -270.83 | -0.1 | 681.17 | 01 | 06 | 4 | |
| | P | 10/24/1965 | -271.07 | -0.24 | 680.93 | 01 | 06 | 4 | |
| | P | 10/25/1965 | -271.25 | -0.18 | 680.75 | 01 | 06 | 4 | |
| | P | 10/26/1965 | -271.3 | -0.05 | 680.7 | 01 | 06 | 4 | |
| | P | 10/27/1965 | -271.28 | 0.02 | 680.72 | 01 | 06 | 4 | |
| | P | 10/28/1965 | -271.27 | 0.01 | 680.73 | 01 | 06 | 4 | |
| | P | 10/29/1965 | -271.4 | -0.13 | 680.6 | 01 | 06 | 4 | |
| | P | 10/30/1965 | -271.45 | -0.05 | 680.55 | 01 | 06 | 4 | |
| | P | 10/31/1965 | -271.39 | 0.06 | 680.61 | 01 | 06 | 4 | |
| | P | 11/ 1/1965 | -271.43 | -0.04 | 680.57 | 01 | 12 | 7 | |
| | P | 11/ 2/1965 | -271.34 | 0.09 | 680.66 | 01 | 06 | 4 | |
| | P | 11/ 3/1965 | -271.22 | 0.12 | 680.78 | 01 | 06 | 4 | |
| | P | 11/ 4/1965 | -271.16 | 0.06 | 680.84 | 01 | 06 | 4 | |
| | P | 11/ 5/1965 | -271.17 | -0.01 | 680.83 | 01 | 06 | 4 | |
| | P | 11/ 6/1965 | -271.18 | -0.01 | 680.82 | 01 | 06 | 4 | |
| | P | 11/ 7/1965 | -271.2 | -0.02 | 680.8 | 01 | 06 | 4 | |
| | P | 11/ 8/1965 | -271.13 | 0.07 | 680.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 9/1965 | -271.17 | -0.04 | 680.83 | 01 | 06 | 4 | |
| | P | 11/10/1965 | -271.15 | 0.02 | 680.85 | 01 | 06 | 4 | |
| | P | 11/11/1965 | -271.09 | 0.06 | 680.91 | 01 | 06 | 4 | |
| | P | 11/12/1965 | -271.06 | 0.03 | 680.94 | 01 | 06 | 4 | |
| | P | 11/13/1965 | -271.13 | -0.07 | 680.87 | 01 | 06 | 4 | |
| | P | 11/14/1965 | -271.3 | -0.17 | 680.7 | 01 | 06 | 4 | |
| | P | 11/15/1965 | -271.22 | 0.08 | 680.78 | 01 | 12 | 7 | |
| | P | 11/16/1965 | -271.18 | 0.04 | 680.82 | 01 | 06 | 4 | |
| | P | 11/17/1965 | -271.28 | -0.1 | 680.72 | 01 | 06 | 4 | |
| | P | 11/18/1965 | -271.28 | | 680.72 | 01 | 06 | 4 | |
| | P | 11/19/1965 | -271.22 | 0.06 | 680.78 | 01 | 06 | 4 | |
| | P | 11/20/1965 | -271.16 | 0.06 | 680.84 | 01 | 06 | 4 | |
| | P | 11/21/1965 | -271.04 | 0.12 | 680.96 | 01 | 06 | 4 | |
| | P | 11/22/1965 | -271.16 | -0.12 | 680.84 | 01 | 06 | 4 | |
| | P | 11/23/1965 | -271.34 | -0.18 | 680.66 | 01 | 06 | 4 | |
| | P | 11/24/1965 | -271.28 | 0.06 | 680.72 | 01 | 06 | 4 | |
| | P | 11/25/1965 | -271.26 | 0.02 | 680.74 | 01 | 06 | 4 | |
| | P | 11/26/1965 | -271.15 | 0.11 | 680.85 | 01 | 06 | 4 | |
| | P | 11/27/1965 | -271.48 | -0.33 | 680.52 | 01 | 06 | 4 | |
| | P | 11/28/1965 | -271.32 | 0.16 | 680.68 | 01 | 06 | 4 | |
| | P | 11/29/1965 | -271.53 | -0.21 | 680.47 | 01 | 06 | 4 | |
| | P | 11/30/1965 | -271.61 | -0.08 | 680.39 | 01 | 06 | 4 | |
| | P | 12/ 1/1965 | -271.56 | 0.05 | 680.44 | 01 | 12 | 7 | |
| | P | 12/ 2/1965 | -271.16 | 0.4 | 680.84 | 01 | 06 | 4 | |
| | P | 12/ 3/1965 | -269.25 | 1.91 | 682.75 | 01 | 06 | 4 | |
| | P | 12/ 4/1965 | -268.77 | 0.48 | 683.23 | 01 | 06 | 4 | |
| | P | 12/ 5/1965 | -268.53 | 0.24 | 683.47 | 01 | 06 | 4 | |
| | P | 12/ 6/1965 | -268.32 | 0.21 | 683.68 | 01 | 06 | 4 | |
| | P | 12/ 7/1965 | -268.45 | -0.13 | 683.55 | 01 | 06 | 4 | |
| | P | 12/ 8/1965 | -268.23 | 0.22 | 683.77 | 01 | 06 | 4 | |
| | P | 12/ 9/1965 | -268.16 | 0.07 | 683.84 | 01 | 06 | 4 | |
| | P | 12/10/1965 | -268.03 | 0.13 | 683.97 | 01 | 06 | 4 | |
| | P | 12/11/1965 | -267.87 | 0.16 | 684.13 | 01 | 06 | 4 | |
| | P | 12/12/1965 | -267.96 | -0.09 | 684.04 | 01 | 06 | 4 | |
| | P | 12/13/1965 | -267.99 | -0.03 | 684.01 | 01 | 06 | 4 | |
| | P | 12/14/1965 | -267.9 | 0.09 | 684.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1965 | -268.12 | -0.22 | 683.88 | 01 | 12 | 7 | |
| | P | 12/16/1965 | -268.4 | -0.28 | 683.6 | 01 | 06 | 4 | |
| | P | 12/17/1965 | -268.52 | -0.12 | 683.48 | 01 | 06 | 4 | |
| | P | 12/18/1965 | -268.42 | 0.1 | 683.58 | 01 | 06 | 4 | |
| | P | 12/19/1965 | -268.55 | -0.13 | 683.45 | 01 | 06 | 4 | |
| | P | 12/20/1965 | -268.52 | 0.03 | 683.48 | 01 | 06 | 4 | |
| | P | 12/21/1965 | -268.4 | 0.12 | 683.6 | 01 | 06 | 4 | |
| | P | 12/22/1965 | -268.4 | | 683.6 | 01 | 06 | 4 | |
| | P | 12/23/1965 | -268.12 | 0.28 | 683.88 | 01 | 06 | 4 | |
| | P | 12/24/1965 | -268.2 | -0.08 | 683.8 | 01 | 06 | 4 | |
| | P | 12/25/1965 | -268.55 | -0.35 | 683.45 | 01 | 06 | 4 | |
| | P | 12/26/1965 | -268.42 | 0.13 | 683.58 | 01 | 06 | 4 | |
| | P | 12/27/1965 | -268.43 | -0.01 | 683.57 | 01 | 06 | 4 | |
| | P | 12/28/1965 | -268.58 | -0.15 | 683.42 | 01 | 06 | 4 | |
| | P | 12/29/1965 | -268.4 | 0.18 | 683.6 | 01 | 06 | 4 | |
| | P | 12/30/1965 | -268.38 | 0.02 | 683.62 | 01 | 06 | 4 | |
| | P | 12/31/1965 | -268.25 | 0.13 | 683.75 | 01 | 06 | 4 | |
| | P | 1/ 1/1966 | -268.14 | 0.11 | 683.86 | 01 | 12 | 7 | |
| | P | 1/ 2/1966 | -268.13 | 0.01 | 683.87 | 01 | 06 | 4 | |
| | P | 1/ 3/1966 | -268.51 | -0.38 | 683.49 | 01 | 06 | 4 | |
| | P | 1/ 4/1966 | -268.3 | 0.21 | 683.7 | 01 | 06 | 4 | |
| | P | 1/ 5/1966 | -268.13 | 0.17 | 683.87 | 01 | 06 | 4 | |
| | P | 1/ 6/1966 | -268.16 | -0.03 | 683.84 | 01 | 06 | 4 | |
| | P | 1/ 7/1966 | -268.02 | 0.14 | 683.98 | 01 | 06 | 4 | |
| | P | 1/ 8/1966 | -268.17 | -0.15 | 683.83 | 01 | 06 | 4 | |
| | P | 1/ 9/1966 | -269.97 | -1.8 | 682.03 | 01 | 06 | 4 | |
| | P | 1/10/1966 | -268 | 1.97 | 684 | 01 | 06 | 4 | |
| | P | 1/11/1966 | -267.97 | 0.03 | 684.03 | 01 | 06 | 4 | |
| | P | 1/12/1966 | -267.82 | 0.15 | 684.18 | 01 | 06 | 4 | |
| | P | 1/13/1966 | -267.91 | -0.09 | 684.09 | 01 | 06 | 4 | |
| | P | 1/14/1966 | -267.67 | 0.24 | 684.33 | 01 | 06 | 4 | |
| | P | 1/15/1966 | -267.59 | 0.08 | 684.41 | 01 | 12 | 7 | |
| | P | 1/16/1966 | -267.72 | -0.13 | 684.28 | 01 | 06 | 4 | |
| | P | 1/17/1966 | -268.1 | -0.38 | 683.9 | 01 | 06 | 4 | |
| | P | 1/18/1966 | -267.9 | 0.2 | 684.1 | 01 | 06 | 4 | |
| | P | 1/19/1966 | -267.68 | 0.22 | 684.32 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 20/ 1966 | -267.78 | -0.1 | 684.22 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1966 | -267.65 | 0.13 | 684.35 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1966 | -268.87 | -1.22 | 683.13 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1966 | -267.82 | 1.05 | 684.18 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1966 | -267.62 | 0.2 | 684.38 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1966 | -267.72 | -0.1 | 684.28 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1966 | -267.98 | -0.26 | 684.02 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1966 | -267.78 | 0.2 | 684.22 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1966 | -267.56 | 0.22 | 684.44 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1966 | -267.99 | -0.43 | 684.01 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1966 | -268.02 | -0.03 | 683.98 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1966 | -267.74 | 0.28 | 684.26 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1966 | -267.77 | -0.03 | 684.23 | 01 | 12 | 7 | |
| | P | 2/ 2/ 1966 | -268.15 | -0.38 | 683.85 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1966 | -268.28 | -0.13 | 683.72 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1966 | -268.28 | | 683.72 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1966 | -268.12 | 0.16 | 683.88 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1966 | -267.94 | 0.18 | 684.06 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1966 | -267.91 | 0.03 | 684.09 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1966 | -267.8 | 0.11 | 684.2 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1966 | -267.67 | 0.13 | 684.33 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1966 | -267.8 | -0.13 | 684.2 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1966 | -267.83 | -0.03 | 684.17 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1966 | -267.76 | 0.07 | 684.24 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1966 | -267.72 | 0.04 | 684.28 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1966 | -267.94 | -0.22 | 684.06 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1966 | -267.9 | 0.04 | 684.1 | 01 | 12 | 7 | |
| | P | 2/ 16/ 1966 | -267.78 | 0.12 | 684.22 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1966 | -267.91 | -0.13 | 684.09 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1966 | -267.68 | 0.23 | 684.32 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1966 | -267.82 | -0.14 | 684.18 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1966 | -268.02 | -0.2 | 683.98 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1966 | -267.99 | 0.03 | 684.01 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1966 | -268.08 | -0.09 | 683.92 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1966 | -268.25 | -0.17 | 683.75 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1966 | -268 | 0.25 | 684 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/25/1966 | -267.88 | 0.12 | 684.12 | 01 | 06 | 4 | |
| | P | 2/26/1966 | -267.58 | 0.3 | 684.42 | 01 | 06 | 4 | |
| | P | 2/27/1966 | -267.52 | 0.06 | 684.48 | 01 | 06 | 4 | |
| | P | 2/28/1966 | -267.73 | -0.21 | 684.27 | 01 | 06 | 4 | |
| | P | 3/ 1/1966 | -267.65 | 0.08 | 684.35 | 01 | 12 | 7 | |
| | P | 3/ 2/1966 | -267.48 | 0.17 | 684.52 | 01 | 06 | 4 | |
| | P | 3/ 3/1966 | -267.39 | 0.09 | 684.61 | 01 | 06 | 4 | |
| | P | 3/ 4/1966 | -267.77 | -0.38 | 684.23 | 01 | 06 | 4 | |
| | P | 3/ 5/1966 | -267.97 | -0.2 | 684.03 | 01 | 06 | 4 | |
| | P | 3/ 6/1966 | -268.04 | -0.07 | 683.96 | 01 | 06 | 4 | |
| | P | 3/ 7/1966 | -268.07 | -0.03 | 683.93 | 01 | 06 | 4 | |
| | P | 3/ 8/1966 | -267.98 | 0.09 | 684.02 | 01 | 06 | 4 | |
| | P | 3/ 9/1966 | -268.04 | -0.06 | 683.96 | 01 | 06 | 4 | |
| | P | 3/10/1966 | -267.8 | 0.24 | 684.2 | 01 | 06 | 4 | |
| | P | 3/11/1966 | -267.58 | 0.22 | 684.42 | 01 | 06 | 4 | |
| | P | 3/12/1966 | -267.67 | -0.09 | 684.33 | 01 | 06 | 4 | |
| | P | 3/13/1966 | -267.83 | -0.16 | 684.17 | 01 | 06 | 4 | |
| | P | 3/14/1966 | -267.69 | 0.14 | 684.31 | 01 | 06 | 4 | |
| | P | 3/15/1966 | -267.67 | 0.02 | 684.33 | 01 | 12 | 7 | |
| | P | 3/16/1966 | -267.62 | 0.05 | 684.38 | 01 | 06 | 4 | |
| | P | 3/17/1966 | -267.54 | 0.08 | 684.46 | 01 | 06 | 4 | |
| | P | 3/18/1966 | -267.62 | -0.08 | 684.38 | 01 | 06 | 4 | |
| | P | 3/19/1966 | -267.78 | -0.16 | 684.22 | 01 | 06 | 4 | |
| | P | 3/20/1966 | -267.64 | 0.14 | 684.36 | 01 | 06 | 4 | |
| | P | 3/21/1966 | -267.58 | 0.06 | 684.42 | 01 | 06 | 4 | |
| | P | 3/22/1966 | -267.5 | 0.08 | 684.5 | 01 | 06 | 4 | |
| | P | 3/23/1966 | -267.9 | -0.4 | 684.1 | 01 | 06 | 4 | |
| | P | 3/24/1966 | -268.2 | -0.3 | 683.8 | 01 | 06 | 4 | |
| | P | 3/25/1966 | -267.96 | 0.24 | 684.04 | 01 | 06 | 4 | |
| | P | 3/26/1966 | -267.77 | 0.19 | 684.23 | 01 | 06 | 4 | |
| | P | 3/27/1966 | -267.78 | -0.01 | 684.22 | 01 | 06 | 4 | |
| | P | 3/28/1966 | -267.13 | 0.65 | 684.87 | 01 | 06 | 4 | |
| | P | 3/29/1966 | -267.75 | -0.62 | 684.25 | 01 | 06 | 4 | |
| | P | 3/30/1966 | -267.85 | -0.1 | 684.15 | 01 | 06 | 4 | |
| | P | 3/31/1966 | -267.77 | 0.08 | 684.23 | 01 | 06 | 4 | |
| | P | 4/ 1/1966 | -267.82 | -0.05 | 684.18 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 2/1966 | -267.95 | -0.13 | 684.05 | 01 | 06 | 4 | |
| | P | 4/ 3/1966 | -267.73 | 0.22 | 684.27 | 01 | 06 | 4 | |
| | P | 4/ 4/1966 | -268.14 | -0.41 | 683.86 | 01 | 06 | 4 | |
| | P | 4/ 5/1966 | -268.43 | -0.29 | 683.57 | 01 | 06 | 4 | |
| | P | 4/ 6/1966 | -268.55 | -0.12 | 683.45 | 01 | 06 | 4 | |
| | P | 4/ 7/1966 | -268.58 | -0.03 | 683.42 | 01 | 06 | 4 | |
| | P | 4/ 8/1966 | -268.52 | 0.06 | 683.48 | 01 | 06 | 4 | |
| | P | 4/ 9/1966 | -268.45 | 0.07 | 683.55 | 01 | 06 | 4 | |
| | P | 4/10/1966 | -268.7 | -0.25 | 683.3 | 01 | 06 | 4 | |
| | P | 4/11/1966 | -268.4 | 0.3 | 683.6 | 01 | 06 | 4 | |
| | P | 4/12/1966 | -268.58 | -0.18 | 683.42 | 01 | 06 | 4 | |
| | P | 4/13/1966 | -268.76 | -0.18 | 683.24 | 01 | 06 | 4 | |
| | P | 4/14/1966 | -268.65 | 0.11 | 683.35 | 01 | 06 | 4 | |
| | P | 4/15/1966 | -268.84 | -0.19 | 683.16 | 01 | 12 | 7 | |
| | P | 4/16/1966 | -268.92 | -0.08 | 683.08 | 01 | 06 | 4 | |
| | P | 4/17/1966 | -268.48 | 0.44 | 683.52 | 01 | 06 | 4 | |
| | P | 4/18/1966 | -268.43 | 0.05 | 683.57 | 01 | 06 | 4 | |
| | P | 4/19/1966 | -268.43 | | 683.57 | 01 | 06 | 4 | |
| | P | 4/20/1966 | -268.47 | -0.04 | 683.53 | 01 | 06 | 4 | |
| | P | 4/21/1966 | -268.82 | -0.35 | 683.18 | 01 | 06 | 4 | |
| | P | 4/22/1966 | -268.77 | 0.05 | 683.23 | 01 | 06 | 4 | |
| | P | 4/23/1966 | -268.76 | 0.01 | 683.24 | 01 | 06 | 4 | |
| | P | 4/24/1966 | -268.75 | 0.01 | 683.25 | 01 | 06 | 4 | |
| | P | 4/25/1966 | -268.57 | 0.18 | 683.43 | 01 | 06 | 4 | |
| | P | 4/26/1966 | -268.31 | 0.26 | 683.69 | 01 | 06 | 4 | |
| | P | 4/27/1966 | -268.23 | 0.08 | 683.77 | 01 | 06 | 4 | |
| | P | 4/28/1966 | -268.37 | -0.14 | 683.63 | 01 | 06 | 4 | |
| | P | 4/29/1966 | -268.47 | -0.1 | 683.53 | 01 | 06 | 4 | |
| | P | 4/30/1966 | -268.36 | 0.11 | 683.64 | 01 | 06 | 4 | |
| | P | 5/ 1/1966 | -268.44 | -0.08 | 683.56 | 01 | 12 | 7 | |
| | P | 5/ 2/1966 | -268.6 | -0.16 | 683.4 | 01 | 06 | 4 | |
| | P | 5/ 3/1966 | -268.62 | -0.02 | 683.38 | 01 | 06 | 4 | |
| | P | 5/ 4/1966 | -268.55 | 0.07 | 683.45 | 01 | 06 | 4 | |
| | P | 5/ 5/1966 | -268.47 | 0.08 | 683.53 | 01 | 06 | 4 | |
| | P | 5/ 6/1966 | -268.33 | 0.14 | 683.67 | 01 | 06 | 4 | |
| | P | 5/ 7/1966 | -268.11 | 0.22 | 683.89 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 8/1966 | -268.07 | 0.04 | 683.93 | 01 | 06 | 4 | |
| | P | 5/ 9/1966 | -268.1 | -0.03 | 683.9 | 01 | 06 | 4 | |
| | P | 5/10/1966 | -268.14 | -0.04 | 683.86 | 01 | 06 | 4 | |
| | P | 5/11/1966 | -268.05 | 0.09 | 683.95 | 01 | 06 | 4 | |
| | P | 5/12/1966 | -268.09 | -0.04 | 683.91 | 01 | 06 | 4 | |
| | P | 5/13/1966 | -268.14 | -0.05 | 683.86 | 01 | 06 | 4 | |
| | P | 5/14/1966 | -268.11 | 0.03 | 683.89 | 01 | 06 | 4 | |
| | P | 5/15/1966 | -268.1 | 0.01 | 683.9 | 01 | 12 | 7 | |
| | P | 5/16/1966 | -268.06 | 0.04 | 683.94 | 01 | 06 | 4 | |
| | P | 5/17/1966 | -268.05 | 0.01 | 683.95 | 01 | 06 | 4 | |
| | P | 5/18/1966 | -268 | 0.05 | 684 | 01 | 06 | 4 | |
| | P | 5/19/1966 | -268.14 | -0.14 | 683.86 | 01 | 06 | 4 | |
| | P | 5/20/1966 | -268.11 | 0.03 | 683.89 | 01 | 06 | 4 | |
| | P | 5/21/1966 | -267.95 | 0.16 | 684.05 | 01 | 06 | 4 | |
| | P | 5/22/1966 | -267.95 | | 684.05 | 01 | 06 | 4 | |
| | P | 5/23/1966 | -268.93 | -0.98 | 683.07 | 01 | 06 | 4 | |
| | P | 5/24/1966 | -268.93 | | 683.07 | 01 | 06 | 4 | |
| | P | 5/25/1966 | -268.2 | 0.73 | 683.8 | 01 | 06 | 4 | |
| | P | 5/26/1966 | -267.93 | 0.27 | 684.07 | 01 | 06 | 4 | |
| | P | 5/27/1966 | -267.97 | -0.04 | 684.03 | 01 | 06 | 4 | |
| | P | 5/28/1966 | -267.9 | 0.07 | 684.1 | 01 | 06 | 4 | |
| | P | 5/29/1966 | -267.94 | -0.04 | 684.06 | 01 | 06 | 4 | |
| | P | 5/30/1966 | -268.01 | -0.07 | 683.99 | 01 | 06 | 4 | |
| | P | 5/31/1966 | -267.98 | 0.03 | 684.02 | 01 | 06 | 4 | |
| | P | 6/ 1/1966 | -268.05 | -0.07 | 683.95 | 01 | 12 | 7 | |
| | P | 6/ 2/1966 | -267.97 | 0.08 | 684.03 | 01 | 06 | 4 | |
| | P | 6/ 3/1966 | -268.09 | -0.12 | 683.91 | 01 | 06 | 4 | |
| | P | 6/ 4/1966 | -268.15 | -0.06 | 683.85 | 01 | 06 | 4 | |
| | P | 6/ 5/1966 | -268.17 | -0.02 | 683.83 | 01 | 06 | 4 | |
| | P | 6/ 6/1966 | -268.22 | -0.05 | 683.78 | 01 | 06 | 4 | |
| | P | 6/ 7/1966 | -268.3 | -0.08 | 683.7 | 01 | 06 | 4 | |
| | P | 6/ 8/1966 | -268.3 | | 683.7 | 01 | 06 | 4 | |
| | P | 6/ 9/1966 | -268.54 | -0.24 | 683.46 | 01 | 06 | 4 | |
| | P | 6/10/1966 | -268.68 | -0.14 | 683.32 | 01 | 06 | 4 | |
| | P | 6/11/1966 | -268.73 | -0.05 | 683.27 | 01 | 06 | 4 | |
| | P | 6/12/1966 | -268.86 | -0.13 | 683.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/13/1966 | -268.92 | -0.06 | 683.08 | 01 | 06 | 4 | |
| | P | 6/14/1966 | -269.17 | -0.25 | 682.83 | 01 | 06 | 4 | |
| | P | 6/15/1966 | -269.22 | -0.05 | 682.78 | 01 | 12 | 7 | |
| | P | 6/16/1966 | -269.23 | -0.01 | 682.77 | 01 | 06 | 4 | |
| | P | 6/17/1966 | -269.4 | -0.17 | 682.6 | 01 | 06 | 4 | |
| | P | 6/18/1966 | -269.35 | 0.05 | 682.65 | 01 | 06 | 4 | |
| | P | 6/19/1966 | -269.23 | 0.12 | 682.77 | 01 | 06 | 4 | |
| | P | 6/20/1966 | -269.21 | 0.02 | 682.79 | 01 | 06 | 4 | |
| | P | 6/21/1966 | -269.27 | -0.06 | 682.73 | 01 | 06 | 4 | |
| | P | 6/22/1966 | -269.22 | 0.05 | 682.78 | 01 | 06 | 4 | |
| | P | 6/23/1966 | -269.16 | 0.06 | 682.84 | 01 | 06 | 4 | |
| | P | 6/24/1966 | -269.2 | -0.04 | 682.8 | 01 | 06 | 4 | |
| | P | 6/25/1966 | -269.33 | -0.13 | 682.67 | 01 | 06 | 4 | |
| | P | 6/26/1966 | -269.45 | -0.12 | 682.55 | 01 | 06 | 4 | |
| | P | 6/27/1966 | -269.41 | 0.04 | 682.59 | 01 | 06 | 4 | |
| | P | 6/28/1966 | -269.38 | 0.03 | 682.62 | 01 | 06 | 4 | |
| | P | 6/29/1966 | -269.42 | -0.04 | 682.58 | 01 | 06 | 4 | |
| | P | 6/30/1966 | -269.43 | -0.01 | 682.57 | 01 | 06 | 4 | |
| | P | 7/ 1/1966 | -269.48 | -0.05 | 682.52 | 01 | 12 | 7 | |
| | P | 7/ 2/1966 | -269.58 | -0.1 | 682.42 | 01 | 06 | 4 | |
| | P | 7/ 3/1966 | -269.74 | -0.16 | 682.26 | 01 | 06 | 4 | |
| | P | 7/ 4/1966 | -269.79 | -0.05 | 682.21 | 01 | 06 | 4 | |
| | P | 7/ 5/1966 | -269.95 | -0.16 | 682.05 | 01 | 06 | 4 | |
| | P | 7/ 6/1966 | -269.89 | 0.06 | 682.11 | 01 | 06 | 4 | |
| | P | 7/ 7/1966 | -269.9 | -0.01 | 682.1 | 01 | 06 | 4 | |
| | P | 7/ 8/1966 | -269.95 | -0.05 | 682.05 | 01 | 06 | 4 | |
| | P | 7/ 9/1966 | -270.13 | -0.18 | 681.87 | 01 | 06 | 4 | |
| | P | 7/10/1966 | -270.44 | -0.31 | 681.56 | 01 | 06 | 4 | |
| | P | 7/11/1966 | -270.57 | -0.13 | 681.43 | 01 | 06 | 4 | |
| | P | 7/12/1966 | -270.62 | -0.05 | 681.38 | 01 | 06 | 4 | |
| | P | 7/13/1966 | -270.73 | -0.11 | 681.27 | 01 | 06 | 4 | |
| | P | 7/14/1966 | -270.78 | -0.05 | 681.22 | 01 | 06 | 4 | |
| | P | 7/15/1966 | -270.94 | -0.16 | 681.06 | 01 | 12 | 7 | |
| | P | 7/16/1966 | -271.01 | -0.07 | 680.99 | 01 | 06 | 4 | |
| | P | 7/17/1966 | -271.2 | -0.19 | 680.8 | 01 | 06 | 4 | |
| | P | 7/18/1966 | -271.28 | -0.08 | 680.72 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/19/1966 | -271.3 | -0.02 | 680.7 | 01 | 06 | 4 | |
| | P | 7/20/1966 | -271.67 | -0.37 | 680.33 | 01 | 06 | 4 | |
| | P | 7/21/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/22/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/23/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/24/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/25/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/26/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/27/1966 | -271.67 | | 680.33 | 01 | 06 | 4 | |
| | P | 7/28/1966 | -272.04 | -0.37 | 679.96 | 01 | 06 | 4 | |
| | P | 7/29/1966 | -271.96 | 0.08 | 680.04 | 01 | 06 | 4 | |
| | P | 7/30/1966 | -272.22 | -0.26 | 679.78 | 01 | 06 | 4 | |
| | P | 7/31/1966 | -272.24 | -0.02 | 679.76 | 01 | 06 | 4 | |
| | P | 8/ 1/1966 | -272.34 | -0.1 | 679.66 | 01 | 12 | 7 | |
| | P | 8/ 2/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 3/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 4/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 5/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 6/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 7/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 8/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/ 9/1966 | -272.34 | | 679.66 | 01 | 06 | 4 | |
| | P | 8/10/1966 | -272.45 | -0.11 | 679.55 | 01 | 06 | 4 | |
| | P | 8/11/1966 | -272.57 | -0.12 | 679.43 | 01 | 06 | 4 | |
| | P | 8/12/1966 | -272.08 | 0.49 | 679.92 | 01 | 06 | 4 | |
| | P | 8/13/1966 | -272.66 | -0.58 | 679.34 | 01 | 06 | 4 | |
| | P | 8/14/1966 | -272.7 | -0.04 | 679.3 | 01 | 06 | 4 | |
| | P | 8/15/1966 | -272.7 | | 679.3 | 01 | 12 | 7 | |
| | P | 8/16/1966 | -272.69 | 0.01 | 679.31 | 01 | 06 | 4 | |
| | P | 8/17/1966 | -272.67 | 0.02 | 679.33 | 01 | 06 | 4 | |
| | P | 8/18/1966 | -272.64 | 0.03 | 679.36 | 01 | 06 | 4 | |
| | P | 8/19/1966 | -272.74 | -0.1 | 679.26 | 01 | 06 | 4 | |
| | P | 8/20/1966 | -272.76 | -0.02 | 679.24 | 01 | 06 | 4 | |
| | P | 8/21/1966 | -272.92 | -0.16 | 679.08 | 01 | 06 | 4 | |
| | P | 8/22/1966 | -273.1 | -0.18 | 678.9 | 01 | 06 | 4 | |
| | P | 8/23/1966 | -273.23 | -0.13 | 678.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/24/1966 | -273.02 | 0.21 | 678.98 | 01 | 06 | 4 | |
| | P | 8/25/1966 | -273.11 | -0.09 | 678.89 | 01 | 06 | 4 | |
| | P | 8/26/1966 | -273.1 | 0.01 | 678.9 | 01 | 06 | 4 | |
| | P | 8/27/1966 | -273.01 | 0.09 | 678.99 | 01 | 06 | 4 | |
| | P | 8/28/1966 | -272.91 | 0.1 | 679.09 | 01 | 06 | 4 | |
| | P | 8/29/1966 | -272.87 | 0.04 | 679.13 | 01 | 06 | 4 | |
| | P | 8/30/1966 | -272.91 | -0.04 | 679.09 | 01 | 06 | 4 | |
| | P | 8/31/1966 | -272.9 | 0.01 | 679.1 | 01 | 06 | 4 | |
| | P | 9/ 1/1966 | -272.88 | 0.02 | 679.12 | 01 | 12 | 7 | |
| | P | 9/ 2/1966 | -272.96 | -0.08 | 679.04 | 01 | 06 | 4 | |
| | P | 9/ 3/1966 | -272.96 | | 679.04 | 01 | 06 | 4 | |
| | P | 9/ 4/1966 | -273.09 | -0.13 | 678.91 | 01 | 06 | 4 | |
| | P | 9/ 5/1966 | -272.96 | 0.13 | 679.04 | 01 | 06 | 4 | |
| | P | 9/ 6/1966 | -272.99 | -0.03 | 679.01 | 01 | 06 | 4 | |
| | P | 9/ 7/1966 | -273.19 | -0.2 | 678.81 | 01 | 06 | 4 | |
| | P | 9/ 8/1966 | -273.2 | -0.01 | 678.8 | 01 | 06 | 4 | |
| | P | 9/ 9/1966 | -272.96 | 0.24 | 679.04 | 01 | 06 | 4 | |
| | P | 9/10/1966 | -273.03 | -0.07 | 678.97 | 01 | 06 | 4 | |
| | P | 9/11/1966 | -273.04 | -0.01 | 678.96 | 01 | 06 | 4 | |
| | P | 9/12/1966 | -272.85 | 0.19 | 679.15 | 01 | 06 | 4 | |
| | P | 9/13/1966 | -272.98 | -0.13 | 679.02 | 01 | 06 | 4 | |
| | P | 9/14/1966 | -272.95 | 0.03 | 679.05 | 01 | 06 | 4 | |
| | P | 9/15/1966 | -272.83 | 0.12 | 679.17 | 01 | 12 | 7 | |
| | P | 9/16/1966 | -272.82 | 0.01 | 679.18 | 01 | 06 | 4 | |
| | P | 9/17/1966 | -273.04 | -0.22 | 678.96 | 01 | 06 | 4 | |
| | P | 9/18/1966 | -273.02 | 0.02 | 678.98 | 01 | 06 | 4 | |
| | P | 9/19/1966 | -272.99 | 0.03 | 679.01 | 01 | 06 | 4 | |
| | P | 9/20/1966 | -273.04 | -0.05 | 678.96 | 01 | 06 | 4 | |
| | P | 9/21/1966 | -273.06 | -0.02 | 678.94 | 01 | 06 | 4 | |
| | P | 9/22/1966 | -273.04 | 0.02 | 678.96 | 01 | 06 | 4 | |
| | P | 9/23/1966 | -272.94 | 0.1 | 679.06 | 01 | 06 | 4 | |
| | P | 9/24/1966 | -272.88 | 0.06 | 679.12 | 01 | 06 | 4 | |
| | P | 9/25/1966 | -272.82 | 0.06 | 679.18 | 01 | 06 | 4 | |
| | P | 9/26/1966 | -272.82 | | 679.18 | 01 | 06 | 4 | |
| | P | 9/27/1966 | -278.85 | -6.03 | 673.15 | 01 | 06 | 4 | |
| | P | 9/28/1966 | -273.05 | 5.8 | 678.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/29/1966 | -272.96 | 0.09 | 679.04 | 01 | 06 | 4 | |
| | P | 9/30/1966 | -272.93 | 0.03 | 679.07 | 01 | 06 | 4 | |
| | P | 10/ 1/1966 | -273.29 | -0.36 | 678.71 | 01 | 12 | 7 | |
| | P | 10/ 2/1966 | -273.14 | 0.15 | 678.86 | 01 | 06 | 4 | |
| | P | 10/ 3/1966 | -273.02 | 0.12 | 678.98 | 01 | 06 | 4 | |
| | P | 10/ 4/1966 | -273.06 | -0.04 | 678.94 | 01 | 06 | 4 | |
| | P | 10/ 5/1966 | -273.34 | -0.28 | 678.66 | 01 | 06 | 4 | |
| | P | 10/ 6/1966 | -273.37 | -0.03 | 678.63 | 01 | 06 | 4 | |
| | P | 10/ 7/1966 | -273.25 | 0.12 | 678.75 | 01 | 06 | 4 | |
| | P | 10/ 8/1966 | -273.17 | 0.08 | 678.83 | 01 | 06 | 4 | |
| | P | 10/ 9/1966 | -273.19 | -0.02 | 678.81 | 01 | 06 | 4 | |
| | P | 10/10/1966 | -273.23 | -0.04 | 678.77 | 01 | 06 | 4 | |
| | P | 10/11/1966 | -273.2 | 0.03 | 678.8 | 01 | 06 | 4 | |
| | P | 10/12/1966 | -273.03 | 0.17 | 678.97 | 01 | 06 | 4 | |
| | P | 10/13/1966 | -273.1 | -0.07 | 678.9 | 01 | 06 | 4 | |
| | P | 10/14/1966 | -273.13 | -0.03 | 678.87 | 01 | 06 | 4 | |
| | P | 10/15/1966 | -273.54 | -0.41 | 678.46 | 01 | 12 | 7 | |
| | P | 10/16/1966 | -273.49 | 0.05 | 678.51 | 01 | 06 | 4 | |
| | P | 10/17/1966 | -273.31 | 0.18 | 678.69 | 01 | 06 | 4 | |
| | P | 10/18/1966 | -273.37 | -0.06 | 678.63 | 01 | 06 | 4 | |
| | P | 10/19/1966 | -273.64 | -0.27 | 678.36 | 01 | 06 | 4 | |
| | P | 10/20/1966 | -273.6 | 0.04 | 678.4 | 01 | 06 | 4 | |
| | P | 10/21/1966 | -273.35 | 0.25 | 678.65 | 01 | 06 | 4 | |
| | P | 10/22/1966 | -273.32 | 0.03 | 678.68 | 01 | 06 | 4 | |
| | P | 10/23/1966 | -273.56 | -0.24 | 678.44 | 01 | 06 | 4 | |
| | P | 10/24/1966 | -273.76 | -0.2 | 678.24 | 01 | 06 | 4 | |
| | P | 10/25/1966 | -273.8 | -0.04 | 678.2 | 01 | 06 | 4 | |
| | P | 10/26/1966 | -273.72 | 0.08 | 678.28 | 01 | 06 | 4 | |
| | P | 10/27/1966 | -273.66 | 0.06 | 678.34 | 01 | 06 | 4 | |
| | P | 10/28/1966 | -273.68 | -0.02 | 678.32 | 01 | 06 | 4 | |
| | P | 10/29/1966 | -273.87 | -0.19 | 678.13 | 01 | 06 | 4 | |
| | P | 10/30/1966 | -273.94 | -0.07 | 678.06 | 01 | 06 | 4 | |
| | P | 10/31/1966 | -273.66 | 0.28 | 678.34 | 01 | 06 | 4 | |
| | P | 11/ 1/1966 | -273.79 | -0.13 | 678.21 | 01 | 12 | 7 | |
| | P | 11/ 2/1966 | -273.69 | 0.1 | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 3/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 4/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 5/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 6/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 7/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 8/1966 | -273.69 | | 678.31 | 01 | 06 | 4 | |
| | P | 11/ 9/1966 | -273.59 | 0.1 | 678.41 | 01 | 06 | 4 | |
| | P | 11/10/1966 | -273.82 | -0.23 | 678.18 | 01 | 06 | 4 | |
| | P | 11/11/1966 | -273.88 | -0.06 | 678.12 | 01 | 06 | 4 | |
| | P | 11/12/1966 | -274.04 | -0.16 | 677.96 | 01 | 06 | 4 | |
| | P | 11/13/1966 | -274.12 | -0.08 | 677.88 | 01 | 06 | 4 | |
| | P | 11/14/1966 | -274.2 | -0.08 | 677.8 | 01 | 06 | 4 | |
| | P | 11/15/1966 | -274.11 | 0.09 | 677.89 | 01 | 12 | 7 | |
| | P | 11/16/1966 | -274.1 | 0.01 | 677.9 | 01 | 06 | 4 | |
| | P | 11/17/1966 | -273.94 | 0.16 | 678.06 | 01 | 06 | 4 | |
| | P | 11/18/1966 | -274.01 | -0.07 | 677.99 | 01 | 06 | 4 | |
| | P | 11/19/1966 | -274.05 | -0.04 | 677.95 | 01 | 06 | 4 | |
| | P | 11/20/1966 | -274.02 | 0.03 | 677.98 | 01 | 06 | 4 | |
| | P | 11/21/1966 | -273.88 | 0.14 | 678.12 | 01 | 06 | 4 | |
| | P | 11/22/1966 | -273.94 | -0.06 | 678.06 | 01 | 06 | 4 | |
| | P | 11/23/1966 | -273.92 | 0.02 | 678.08 | 01 | 06 | 4 | |
| | P | 11/24/1966 | -273.99 | -0.07 | 678.01 | 01 | 06 | 4 | |
| | P | 11/25/1966 | -273.9 | 0.09 | 678.1 | 01 | 06 | 4 | |
| | P | 11/26/1966 | -273.61 | 0.29 | 678.39 | 01 | 06 | 4 | |
| | P | 11/27/1966 | -273.8 | -0.19 | 678.2 | 01 | 06 | 4 | |
| | P | 11/28/1966 | -274.2 | -0.4 | 677.8 | 01 | 06 | 4 | |
| | P | 11/29/1966 | -273.87 | 0.33 | 678.13 | 01 | 06 | 4 | |
| | P | 11/30/1966 | -273.85 | 0.02 | 678.15 | 01 | 06 | 4 | |
| | P | 12/ 1/1966 | -273.97 | -0.12 | 678.03 | 01 | 12 | 7 | |
| | P | 12/ 2/1966 | -273.88 | 0.09 | 678.12 | 01 | 06 | 4 | |
| | P | 12/ 3/1966 | -274.14 | -0.26 | 677.86 | 01 | 06 | 4 | |
| | P | 12/ 4/1966 | -273.94 | 0.2 | 678.06 | 01 | 06 | 4 | |
| | P | 12/ 5/1966 | -273.75 | 0.19 | 678.25 | 01 | 06 | 4 | |
| | P | 12/ 6/1966 | -273.72 | 0.03 | 678.28 | 01 | 06 | 4 | |
| | P | 12/ 7/1966 | -273.65 | 0.07 | 678.35 | 01 | 06 | 4 | |
| | P | 12/ 8/1966 | -276.67 | -3.02 | 675.33 | 01 | 06 | 4 | |
| | P | 12/ 9/1966 | -273.84 | 2.83 | 678.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 10/ 1966 | -274.27 | -0.43 | 677.73 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1966 | -274.34 | -0.07 | 677.66 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1966 | -274.14 | 0.2 | 677.86 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1966 | -274.14 | | 677.86 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1966 | -274.08 | 0.06 | 677.92 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1966 | -273.94 | 0.14 | 678.06 | 01 | 12 | 7 | |
| | P | 12/ 16/ 1966 | -274.03 | -0.09 | 677.97 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1966 | -274.06 | -0.03 | 677.94 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1966 | -274.07 | -0.01 | 677.93 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1966 | -273.97 | 0.1 | 678.03 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1966 | -273.9 | 0.07 | 678.1 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1966 | -273.87 | 0.03 | 678.13 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1966 | -273.88 | -0.01 | 678.12 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1966 | -274.2 | -0.32 | 677.8 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1966 | -274.34 | -0.14 | 677.66 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1966 | -274.13 | 0.21 | 677.87 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1966 | -274.08 | 0.05 | 677.92 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1966 | -273.83 | 0.25 | 678.17 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1966 | -274.11 | -0.28 | 677.89 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1966 | -274.19 | -0.08 | 677.81 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1966 | -273.98 | 0.21 | 678.02 | 01 | 06 | 4 | |
| | P | 12/ 31/ 1966 | -274.01 | -0.03 | 677.99 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1967 | -274 | 0.01 | 678 | 01 | 12 | 7 | |
| | P | 1/ 2/ 1967 | -273.97 | 0.03 | 678.03 | 01 | 06 | 4 | |
| | P | 1/ 3/ 1967 | -274.14 | -0.17 | 677.86 | 01 | 06 | 4 | |
| | P | 1/ 4/ 1967 | -274.34 | -0.2 | 677.66 | 01 | 06 | 4 | |
| | P | 1/ 5/ 1967 | -274.11 | 0.23 | 677.89 | 01 | 06 | 4 | |
| | P | 1/ 6/ 1967 | -273.87 | 0.24 | 678.13 | 01 | 06 | 4 | |
| | P | 1/ 7/ 1967 | -274.16 | -0.29 | 677.84 | 01 | 06 | 4 | |
| | P | 1/ 8/ 1967 | -274.4 | -0.24 | 677.6 | 01 | 06 | 4 | |
| | P | 1/ 9/ 1967 | -274.34 | 0.06 | 677.66 | 01 | 06 | 4 | |
| | P | 1/ 10/ 1967 | -274.43 | -0.09 | 677.57 | 01 | 06 | 4 | |
| | P | 1/ 11/ 1967 | -274.38 | 0.05 | 677.62 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1967 | -274.15 | 0.23 | 677.85 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1967 | -273.93 | 0.22 | 678.07 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1967 | -274.06 | -0.13 | 677.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 15/ 1967 | -274.38 | -0.32 | 677.62 | 01 | 12 | 7 | |
| | P | 1/ 16/ 1967 | -274.14 | 0.24 | 677.86 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1967 | -274.19 | -0.05 | 677.81 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1967 | -274.51 | -0.32 | 677.49 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1967 | -274.53 | -0.02 | 677.47 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1967 | -274.37 | 0.16 | 677.63 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1967 | -274.23 | 0.14 | 677.77 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1967 | -274.25 | -0.02 | 677.75 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1967 | -274.28 | -0.03 | 677.72 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1967 | -274.17 | 0.11 | 677.83 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1967 | -273.98 | 0.19 | 678.02 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1967 | -274.03 | -0.05 | 677.97 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1967 | -274.28 | -0.25 | 677.72 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1967 | -274.33 | -0.05 | 677.67 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1967 | -274.16 | 0.17 | 677.84 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1967 | -274.1 | 0.06 | 677.9 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1967 | -274.24 | -0.14 | 677.76 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1967 | -274.31 | -0.07 | 677.69 | 01 | 12 | 7 | |
| | P | 2/ 2/ 1967 | -274.54 | -0.23 | 677.46 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1967 | -274.67 | -0.13 | 677.33 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1967 | -275.55 | -0.88 | 676.45 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1967 | -275.52 | 0.03 | 676.48 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1967 | -274.53 | 0.99 | 677.47 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1967 | -274.84 | -0.31 | 677.16 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1967 | -275.08 | -0.24 | 676.92 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1967 | -274.68 | 0.4 | 677.32 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1967 | -274.56 | 0.12 | 677.44 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1967 | -274.69 | -0.13 | 677.31 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1967 | -275.28 | -0.59 | 676.72 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1967 | -274.98 | 0.3 | 677.02 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1967 | -274.84 | 0.14 | 677.16 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1967 | -274.8 | 0.04 | 677.2 | 01 | 12 | 7 | |
| | P | 2/ 16/ 1967 | -274.8 | | 677.2 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1967 | -274.8 | | 677.2 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1967 | -274.47 | 0.33 | 677.53 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1967 | -274.83 | -0.36 | 677.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/20/1967 | -274.84 | -0.01 | 677.16 | 01 | 06 | 4 | |
| | P | 2/21/1967 | -274.98 | -0.14 | 677.02 | 01 | 06 | 4 | |
| | P | 2/22/1967 | -274.85 | 0.13 | 677.15 | 01 | 06 | 4 | |
| | P | 2/23/1967 | -274.96 | -0.11 | 677.04 | 01 | 06 | 4 | |
| | P | 2/24/1967 | -275.13 | -0.17 | 676.87 | 01 | 06 | 4 | |
| | P | 2/25/1967 | -275.13 | | 676.87 | 01 | 06 | 4 | |
| | P | 2/26/1967 | -275.05 | 0.08 | 676.95 | 01 | 06 | 4 | |
| | P | 2/27/1967 | -275 | 0.05 | 677 | 01 | 06 | 4 | |
| | P | 2/28/1967 | -275.21 | -0.21 | 676.79 | 01 | 06 | 4 | |
| | P | 3/ 1/1967 | -275.17 | 0.04 | 676.83 | 01 | 12 | 7 | |
| | P | 3/ 2/1967 | -275.06 | 0.11 | 676.94 | 01 | 06 | 4 | |
| | P | 3/ 3/1967 | -275.04 | 0.02 | 676.96 | 01 | 06 | 4 | |
| | P | 3/ 4/1967 | -275.1 | -0.06 | 676.9 | 01 | 06 | 4 | |
| | P | 3/ 5/1967 | -274.98 | 0.12 | 677.02 | 01 | 06 | 4 | |
| | P | 3/ 6/1967 | -275.08 | -0.1 | 676.92 | 01 | 06 | 4 | |
| | P | 3/ 7/1967 | -275.34 | -0.26 | 676.66 | 01 | 06 | 4 | |
| | P | 3/ 8/1967 | -275.52 | -0.18 | 676.48 | 01 | 06 | 4 | |
| | P | 3/ 9/1967 | -275.4 | 0.12 | 676.6 | 01 | 06 | 4 | |
| | P | 3/10/1967 | -275.39 | 0.01 | 676.61 | 01 | 06 | 4 | |
| | P | 3/11/1967 | -275.58 | -0.19 | 676.42 | 01 | 06 | 4 | |
| | P | 3/12/1967 | -275.81 | -0.23 | 676.19 | 01 | 06 | 4 | |
| | P | 3/13/1967 | -275.83 | -0.02 | 676.17 | 01 | 06 | 4 | |
| | P | 3/14/1967 | -275.74 | 0.09 | 676.26 | 01 | 06 | 4 | |
| | P | 3/15/1967 | -276.1 | -0.36 | 675.9 | 01 | 12 | 7 | |
| | P | 3/16/1967 | -276.3 | -0.2 | 675.7 | 01 | 06 | 4 | |
| | P | 3/17/1967 | -276.13 | 0.17 | 675.87 | 01 | 06 | 4 | |
| | P | 3/18/1967 | -276.14 | -0.01 | 675.86 | 01 | 06 | 4 | |
| | P | 3/19/1967 | -276.06 | 0.08 | 675.94 | 01 | 06 | 4 | |
| | P | 3/20/1967 | -276.01 | 0.05 | 675.99 | 01 | 06 | 4 | |
| | P | 3/21/1967 | -276.01 | | 675.99 | 01 | 06 | 4 | |
| | P | 3/22/1967 | -275.93 | 0.08 | 676.07 | 01 | 06 | 4 | |
| | P | 3/23/1967 | -276.06 | -0.13 | 675.94 | 01 | 06 | 4 | |
| | P | 3/24/1967 | -276 | 0.06 | 676 | 01 | 06 | 4 | |
| | P | 3/25/1967 | -275.78 | 0.22 | 676.22 | 01 | 06 | 4 | |
| | P | 3/26/1967 | -275.78 | | 676.22 | 01 | 06 | 4 | |
| | P | 3/27/1967 | -275.92 | -0.14 | 676.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/28/1967 | -276.93 | -1.01 | 675.07 | 01 | 06 | 4 | |
| | P | 3/29/1967 | -276.01 | 0.92 | 675.99 | 01 | 06 | 4 | |
| | P | 3/30/1967 | -276.02 | -0.01 | 675.98 | 01 | 06 | 4 | |
| | P | 3/31/1967 | -276.15 | -0.13 | 675.85 | 01 | 06 | 4 | |
| | P | 4/ 1/1967 | -276.37 | -0.22 | 675.63 | 01 | 12 | 7 | |
| | P | 4/ 2/1967 | -276.4 | -0.03 | 675.6 | 01 | 06 | 4 | |
| | P | 4/ 3/1967 | -276.44 | -0.04 | 675.56 | 01 | 06 | 4 | |
| | P | 4/ 4/1967 | -276.37 | 0.07 | 675.63 | 01 | 06 | 4 | |
| | P | 4/ 5/1967 | -276.31 | 0.06 | 675.69 | 01 | 06 | 4 | |
| | P | 4/ 6/1967 | -276.4 | -0.09 | 675.6 | 01 | 06 | 4 | |
| | P | 4/ 7/1967 | -276.66 | -0.26 | 675.34 | 01 | 06 | 4 | |
| | P | 4/ 8/1967 | -276.81 | -0.15 | 675.19 | 01 | 06 | 4 | |
| | P | 4/ 9/1967 | -276.91 | -0.1 | 675.09 | 01 | 06 | 4 | |
| | P | 4/10/1967 | -276.9 | 0.01 | 675.1 | 01 | 06 | 4 | |
| | P | 4/11/1967 | -276.8 | 0.1 | 675.2 | 01 | 06 | 4 | |
| | P | 4/12/1967 | -276.67 | 0.13 | 675.33 | 01 | 06 | 4 | |
| | P | 4/13/1967 | -276.61 | 0.06 | 675.39 | 01 | 06 | 4 | |
| | P | 4/14/1967 | -276.94 | -0.33 | 675.06 | 01 | 06 | 4 | |
| | P | 4/15/1967 | -276.98 | -0.04 | 675.02 | 01 | 12 | 7 | |
| | P | 4/16/1967 | -276.91 | 0.07 | 675.09 | 01 | 06 | 4 | |
| | P | 4/17/1967 | -277.01 | -0.1 | 674.99 | 01 | 06 | 4 | |
| | P | 4/18/1967 | -277.07 | -0.06 | 674.93 | 01 | 06 | 4 | |
| | P | 4/19/1967 | -276.95 | 0.12 | 675.05 | 01 | 06 | 4 | |
| | P | 4/20/1967 | -276.96 | -0.01 | 675.04 | 01 | 06 | 4 | |
| | P | 4/21/1967 | -277 | -0.04 | 675 | 01 | 06 | 4 | |
| | P | 4/22/1967 | -277.11 | -0.11 | 674.89 | 01 | 06 | 4 | |
| | P | 4/23/1967 | -277.3 | -0.19 | 674.7 | 01 | 06 | 4 | |
| | P | 4/24/1967 | -277.38 | -0.08 | 674.62 | 01 | 06 | 4 | |
| | P | 4/25/1967 | -277.28 | 0.1 | 674.72 | 01 | 06 | 4 | |
| | P | 4/26/1967 | -277.44 | -0.16 | 674.56 | 01 | 06 | 4 | |
| | P | 4/27/1967 | -277.63 | -0.19 | 674.37 | 01 | 06 | 4 | |
| | P | 4/28/1967 | -277.55 | 0.08 | 674.45 | 01 | 06 | 4 | |
| | P | 4/29/1967 | -277.37 | 0.18 | 674.63 | 01 | 06 | 4 | |
| | P | 4/30/1967 | -277.57 | -0.2 | 674.43 | 01 | 06 | 4 | |
| | P | 5/ 1/1967 | -277.68 | -0.11 | 674.32 | 01 | 12 | 7 | |
| | P | 5/ 2/1967 | -277.8 | -0.12 | 674.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 3/1967 | -277.76 | 0.04 | 674.24 | 01 | 06 | 4 | |
| | P | 5/ 4/1967 | -277.67 | 0.09 | 674.33 | 01 | 06 | 4 | |
| | P | 5/ 5/1967 | -277.77 | -0.1 | 674.23 | 01 | 06 | 4 | |
| | P | 5/ 6/1967 | -277.77 | | 674.23 | 01 | 06 | 4 | |
| | P | 5/ 7/1967 | -277.9 | -0.13 | 674.1 | 01 | 06 | 4 | |
| | P | 5/ 8/1967 | -278.05 | -0.15 | 673.95 | 01 | 06 | 4 | |
| | P | 5/ 9/1967 | -278.07 | -0.02 | 673.93 | 01 | 06 | 4 | |
| | P | 5/10/1967 | -278.06 | 0.01 | 673.94 | 01 | 06 | 4 | |
| | P | 5/11/1967 | -278.16 | -0.1 | 673.84 | 01 | 06 | 4 | |
| | P | 5/12/1967 | -278.27 | -0.11 | 673.73 | 01 | 06 | 4 | |
| | P | 5/13/1967 | -278.4 | -0.13 | 673.6 | 01 | 06 | 4 | |
| | P | 5/14/1967 | -278.47 | -0.07 | 673.53 | 01 | 06 | 4 | |
| | P | 5/15/1967 | -278.75 | -0.28 | 673.25 | 01 | 12 | 7 | |
| | P | 5/16/1967 | -278.78 | -0.03 | 673.22 | 01 | 06 | 4 | |
| | P | 5/17/1967 | -278.9 | -0.12 | 673.1 | 01 | 06 | 4 | |
| | P | 5/18/1967 | -278.75 | 0.15 | 673.25 | 01 | 06 | 4 | |
| | P | 5/19/1967 | -278.73 | 0.02 | 673.27 | 01 | 06 | 4 | |
| | P | 5/20/1967 | -278.7 | 0.03 | 673.3 | 01 | 06 | 4 | |
| | P | 5/21/1967 | -278.72 | -0.02 | 673.28 | 01 | 06 | 4 | |
| | P | 5/22/1967 | -278.65 | 0.07 | 673.35 | 01 | 06 | 4 | |
| | P | 5/23/1967 | -278.57 | 0.08 | 673.43 | 01 | 06 | 4 | |
| | P | 5/24/1967 | -278.63 | -0.06 | 673.37 | 01 | 06 | 4 | |
| | P | 5/25/1967 | -278.76 | -0.13 | 673.24 | 01 | 06 | 4 | |
| | P | 5/26/1967 | -278.8 | -0.04 | 673.2 | 01 | 06 | 4 | |
| | P | 5/27/1967 | -278.92 | -0.12 | 673.08 | 01 | 06 | 4 | |
| | P | 5/28/1967 | -279 | -0.08 | 673 | 01 | 06 | 4 | |
| | P | 5/29/1967 | -278.68 | 0.32 | 673.32 | 01 | 06 | 4 | |
| | P | 5/30/1967 | -278.55 | 0.13 | 673.45 | 01 | 06 | 4 | |
| | P | 5/31/1967 | -278.58 | -0.03 | 673.42 | 01 | 06 | 4 | |
| | P | 6/ 1/1967 | -278.69 | -0.11 | 673.31 | 01 | 12 | 7 | |
| | P | 6/ 2/1967 | -279.05 | -0.36 | 672.95 | 01 | 06 | 4 | |
| | P | 6/ 3/1967 | -279.05 | | 672.95 | 01 | 06 | 4 | |
| | P | 6/ 4/1967 | -279.05 | | 672.95 | 01 | 06 | 4 | |
| | P | 6/ 5/1967 | -279.08 | -0.03 | 672.92 | 01 | 06 | 4 | |
| | P | 6/ 6/1967 | -279.04 | 0.04 | 672.96 | 01 | 06 | 4 | |
| | P | 6/ 7/1967 | -279.04 | | 672.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 8/1967 | -279.13 | -0.09 | 672.87 | 01 | 06 | 4 | |
| | P | 6/ 9/1967 | -279.23 | -0.1 | 672.77 | 01 | 06 | 4 | |
| | P | 6/10/1967 | -279.29 | -0.06 | 672.71 | 01 | 06 | 4 | |
| | P | 6/11/1967 | -279.31 | -0.02 | 672.69 | 01 | 06 | 4 | |
| | P | 6/12/1967 | -279.47 | -0.16 | 672.53 | 01 | 06 | 4 | |
| | P | 6/13/1967 | -279.58 | -0.11 | 672.42 | 01 | 06 | 4 | |
| | P | 6/14/1967 | -279.75 | -0.17 | 672.25 | 01 | 06 | 4 | |
| | P | 6/15/1967 | -279.74 | 0.01 | 672.26 | 01 | 12 | 7 | |
| | P | 6/16/1967 | -279.77 | -0.03 | 672.23 | 01 | 06 | 4 | |
| | P | 6/17/1967 | -279.89 | -0.12 | 672.11 | 01 | 06 | 4 | |
| | P | 6/18/1967 | -279.97 | -0.08 | 672.03 | 01 | 06 | 4 | |
| | P | 6/19/1967 | -280.16 | -0.19 | 671.84 | 01 | 06 | 4 | |
| | P | 6/20/1967 | -280.1 | 0.06 | 671.9 | 01 | 06 | 4 | |
| | P | 6/21/1967 | -280.21 | -0.11 | 671.79 | 01 | 06 | 4 | |
| | P | 6/22/1967 | -280.55 | -0.34 | 671.45 | 01 | 06 | 4 | |
| | P | 6/23/1967 | -280.72 | -0.17 | 671.28 | 01 | 06 | 4 | |
| | P | 6/24/1967 | -280.83 | -0.11 | 671.17 | 01 | 06 | 4 | |
| | P | 6/25/1967 | -281 | -0.17 | 671 | 01 | 06 | 4 | |
| | P | 6/26/1967 | -281.15 | -0.15 | 670.85 | 01 | 06 | 4 | |
| | P | 6/27/1967 | -281.28 | -0.13 | 670.72 | 01 | 06 | 4 | |
| | P | 6/28/1967 | -281.42 | -0.14 | 670.58 | 01 | 06 | 4 | |
| | P | 6/29/1967 | -281.51 | -0.09 | 670.49 | 01 | 06 | 4 | |
| | P | 6/30/1967 | -281.55 | -0.04 | 670.45 | 01 | 06 | 4 | |
| | P | 7/ 1/1967 | -281.56 | -0.01 | 670.44 | 01 | 12 | 7 | |
| | P | 7/ 2/1967 | -281.45 | 0.11 | 670.55 | 01 | 06 | 4 | |
| | P | 7/ 3/1967 | -281.18 | 0.27 | 670.82 | 01 | 06 | 4 | |
| | P | 7/ 4/1967 | -281.12 | 0.06 | 670.88 | 01 | 06 | 4 | |
| | P | 7/ 5/1967 | -281.3 | -0.18 | 670.7 | 01 | 06 | 4 | |
| | P | 7/ 6/1967 | -281.6 | -0.3 | 670.4 | 01 | 06 | 4 | |
| | P | 7/ 7/1967 | -281.8 | -0.2 | 670.2 | 01 | 06 | 4 | |
| | P | 7/ 8/1967 | -281.4 | 0.4 | 670.6 | 01 | 06 | 4 | |
| | P | 7/ 9/1967 | -282.02 | -0.62 | 669.98 | 01 | 06 | 4 | |
| | P | 7/10/1967 | -282.09 | -0.07 | 669.91 | 01 | 06 | 4 | |
| | P | 7/11/1967 | -282.25 | -0.16 | 669.75 | 01 | 06 | 4 | |
| | P | 7/12/1967 | -282.35 | -0.1 | 669.65 | 01 | 06 | 4 | |
| | P | 7/13/1967 | -282.31 | 0.04 | 669.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/14/1967 | -282.19 | 0.12 | 669.81 | 01 | 06 | 4 | |
| | P | 7/15/1967 | -281.84 | 0.35 | 670.16 | 01 | 12 | 7 | |
| | P | 7/16/1967 | -281.78 | 0.06 | 670.22 | 01 | 06 | 4 | |
| | P | 7/17/1967 | -281.68 | 0.1 | 670.32 | 01 | 06 | 4 | |
| | P | 7/18/1967 | -281.62 | 0.06 | 670.38 | 01 | 06 | 4 | |
| | P | 7/19/1967 | -281.67 | -0.05 | 670.33 | 01 | 06 | 4 | |
| | P | 7/20/1967 | -281.84 | -0.17 | 670.16 | 01 | 06 | 4 | |
| | P | 7/21/1967 | -281.77 | 0.07 | 670.23 | 01 | 06 | 4 | |
| | P | 7/22/1967 | -281.62 | 0.15 | 670.38 | 01 | 06 | 4 | |
| | P | 7/23/1967 | -281.57 | 0.05 | 670.43 | 01 | 06 | 4 | |
| | P | 7/24/1967 | -281.63 | -0.06 | 670.37 | 01 | 06 | 4 | |
| | P | 7/25/1967 | -281.74 | -0.11 | 670.26 | 01 | 06 | 4 | |
| | P | 7/26/1967 | -281.81 | -0.07 | 670.19 | 01 | 06 | 4 | |
| | P | 7/27/1967 | -281.94 | -0.13 | 670.06 | 01 | 06 | 4 | |
| | P | 7/28/1967 | -281.95 | -0.01 | 670.05 | 01 | 06 | 4 | |
| | P | 7/29/1967 | -282 | -0.05 | 670 | 01 | 06 | 4 | |
| | P | 7/30/1967 | -282.35 | -0.35 | 669.65 | 01 | 06 | 4 | |
| | P | 7/31/1967 | -282.62 | -0.27 | 669.38 | 01 | 06 | 4 | |
| | P | 8/ 1/1967 | -282.62 | | 669.38 | 01 | 12 | 7 | |
| | P | 8/ 2/1967 | -282.79 | -0.17 | 669.21 | 01 | 06 | 4 | |
| | P | 8/ 3/1967 | -282.91 | -0.12 | 669.09 | 01 | 06 | 4 | |
| | P | 8/ 4/1967 | -283.01 | -0.1 | 668.99 | 01 | 06 | 4 | |
| | P | 8/ 5/1967 | -283.04 | -0.03 | 668.96 | 01 | 06 | 4 | |
| | P | 8/ 6/1967 | -283.13 | -0.09 | 668.87 | 01 | 06 | 4 | |
| | P | 8/ 7/1967 | -283.2 | -0.07 | 668.8 | 01 | 06 | 4 | |
| | P | 8/ 8/1967 | -283.27 | -0.07 | 668.73 | 01 | 06 | 4 | |
| | P | 8/ 9/1967 | -283.37 | -0.1 | 668.63 | 01 | 06 | 4 | |
| | P | 8/10/1967 | -283.43 | -0.06 | 668.57 | 01 | 06 | 4 | |
| | P | 8/11/1967 | -283.59 | -0.16 | 668.41 | 01 | 06 | 4 | |
| | P | 8/12/1967 | -283.68 | -0.09 | 668.32 | 01 | 06 | 4 | |
| | P | 8/13/1967 | -283.61 | 0.07 | 668.39 | 01 | 06 | 4 | |
| | P | 8/14/1967 | -283.62 | -0.01 | 668.38 | 01 | 06 | 4 | |
| | P | 8/15/1967 | -283.74 | -0.12 | 668.26 | 01 | 12 | 7 | |
| | P | 8/16/1967 | -283.77 | -0.03 | 668.23 | 01 | 06 | 4 | |
| | P | 8/17/1967 | -283.84 | -0.07 | 668.16 | 01 | 06 | 4 | |
| | P | 8/18/1967 | -283.76 | 0.08 | 668.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/19/1967 | -283.25 | 0.51 | 668.75 | 01 | 06 | 4 | |
| | P | 8/20/1967 | -283.11 | 0.14 | 668.89 | 01 | 06 | 4 | |
| | P | 8/21/1967 | -283.04 | 0.07 | 668.96 | 01 | 06 | 4 | |
| | P | 8/22/1967 | -283.08 | -0.04 | 668.92 | 01 | 06 | 4 | |
| | P | 8/23/1967 | -283.12 | -0.04 | 668.88 | 01 | 06 | 4 | |
| | P | 8/24/1967 | -283.07 | 0.05 | 668.93 | 01 | 06 | 4 | |
| | P | 8/25/1967 | -283.02 | 0.05 | 668.98 | 01 | 06 | 4 | |
| | P | 8/26/1967 | -283.02 | | 668.98 | 01 | 06 | 4 | |
| | P | 8/27/1967 | -282.96 | 0.06 | 669.04 | 01 | 06 | 4 | |
| | P | 8/28/1967 | -283.07 | -0.11 | 668.93 | 01 | 06 | 4 | |
| | P | 8/29/1967 | -283.09 | -0.02 | 668.91 | 01 | 06 | 4 | |
| | P | 8/30/1967 | -283.13 | -0.04 | 668.87 | 01 | 06 | 4 | |
| | P | 8/31/1967 | -283.1 | 0.03 | 668.9 | 01 | 06 | 4 | |
| | P | 9/ 1/1967 | -283.14 | -0.04 | 668.86 | 01 | 12 | 7 | |
| | P | 9/ 2/1967 | -283.03 | 0.11 | 668.97 | 01 | 06 | 4 | |
| | P | 9/ 3/1967 | -282.78 | 0.25 | 669.22 | 01 | 06 | 4 | |
| | P | 9/ 4/1967 | -282.74 | 0.04 | 669.26 | 01 | 06 | 4 | |
| | P | 9/ 5/1967 | -281.93 | 0.81 | 670.07 | 01 | 06 | 4 | |
| | P | 9/ 6/1967 | -281.94 | -0.01 | 670.06 | 01 | 06 | 4 | |
| | P | 9/ 7/1967 | -281.96 | -0.02 | 670.04 | 01 | 06 | 4 | |
| | P | 9/ 8/1967 | -282.06 | -0.1 | 669.94 | 01 | 06 | 4 | |
| | P | 9/ 9/1967 | -282.11 | -0.05 | 669.89 | 01 | 06 | 4 | |
| | P | 9/10/1967 | -282.21 | -0.1 | 669.79 | 01 | 06 | 4 | |
| | P | 9/11/1967 | -282.26 | -0.05 | 669.74 | 01 | 06 | 4 | |
| | P | 9/12/1967 | -282.17 | 0.09 | 669.83 | 01 | 06 | 4 | |
| | P | 9/13/1967 | -282.19 | -0.02 | 669.81 | 01 | 06 | 4 | |
| | P | 9/14/1967 | -282.24 | -0.05 | 669.76 | 01 | 06 | 4 | |
| | P | 9/15/1967 | -282.24 | | 669.76 | 01 | 12 | 7 | |
| | P | 9/16/1967 | -282.34 | -0.1 | 669.66 | 01 | 06 | 4 | |
| | P | 9/17/1967 | -282.23 | 0.11 | 669.77 | 01 | 06 | 4 | |
| | P | 9/18/1967 | -282.22 | 0.01 | 669.78 | 01 | 06 | 4 | |
| | P | 9/19/1967 | -282.15 | 0.07 | 669.85 | 01 | 06 | 4 | |
| | P | 9/20/1967 | -282.19 | -0.04 | 669.81 | 01 | 06 | 4 | |
| | P | 9/21/1967 | -281.65 | 0.54 | 670.35 | 01 | 06 | 4 | |
| | P | 9/22/1967 | -278.74 | 2.91 | 673.26 | 01 | 06 | 4 | |
| | P | 9/23/1967 | -278.1 | 0.64 | 673.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 24/ 1967 | -278.01 | 0.09 | 673.99 | 01 | 06 | 4 | |
| | P | 9 / 25/ 1967 | -277.99 | 0.02 | 674.01 | 01 | 06 | 4 | |
| | P | 9 / 26/ 1967 | -278.01 | -0.02 | 673.99 | 01 | 06 | 4 | |
| | P | 9 / 27/ 1967 | -278.46 | -0.45 | 673.54 | 01 | 06 | 4 | |
| | P | 9 / 28/ 1967 | -279.35 | -0.89 | 672.65 | 01 | 06 | 4 | |
| | P | 9 / 29/ 1967 | -279.59 | -0.24 | 672.41 | 01 | 06 | 4 | |
| | P | 9 / 30/ 1967 | -279.66 | -0.07 | 672.34 | 01 | 06 | 4 | |
| | P | 10 / 1 / 1967 | -279.69 | -0.03 | 672.31 | 01 | 12 | 7 | |
| | P | 10 / 2 / 1967 | -279.84 | -0.15 | 672.16 | 01 | 06 | 4 | |
| | P | 10 / 3 / 1967 | -279.86 | -0.02 | 672.14 | 01 | 06 | 4 | |
| | P | 10 / 4 / 1967 | -279.76 | 0.1 | 672.24 | 01 | 06 | 4 | |
| | P | 10 / 5 / 1967 | -279.74 | 0.02 | 672.26 | 01 | 06 | 4 | |
| | P | 10 / 6 / 1967 | -279.85 | -0.11 | 672.15 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1967 | -279.89 | -0.04 | 672.11 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1967 | -280.08 | -0.19 | 671.92 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1967 | -279.9 | 0.18 | 672.1 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1967 | -279.79 | 0.11 | 672.21 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1967 | -279.65 | 0.14 | 672.35 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1967 | -279.67 | -0.02 | 672.33 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1967 | -279.81 | -0.14 | 672.19 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1967 | -279.83 | -0.02 | 672.17 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1967 | -279.68 | 0.15 | 672.32 | 01 | 12 | 7 | |
| | P | 10 / 16/ 1967 | -279.51 | 0.17 | 672.49 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1967 | -279.69 | -0.18 | 672.31 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1967 | -279.64 | 0.05 | 672.36 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1967 | -279.74 | -0.1 | 672.26 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1967 | -279.81 | -0.07 | 672.19 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1967 | -279.8 | 0.01 | 672.2 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1967 | -279.82 | -0.02 | 672.18 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1967 | -279.76 | 0.06 | 672.24 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1967 | -279.73 | 0.03 | 672.27 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1967 | -279.91 | -0.18 | 672.09 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1967 | -279.64 | 0.27 | 672.36 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1967 | -279.76 | -0.12 | 672.24 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1967 | -279.84 | -0.08 | 672.16 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1967 | -279.7 | 0.14 | 672.3 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/30/1967 | -279.73 | -0.03 | 672.27 | 01 | 06 | 4 | |
| | P | 10/31/1967 | -279.73 | | 672.27 | 01 | 06 | 4 | |
| | P | 11/ 1/1967 | -279.65 | 0.08 | 672.35 | 01 | 12 | 7 | |
| | P | 11/ 2/1967 | -279.63 | 0.02 | 672.37 | 01 | 06 | 4 | |
| | P | 11/ 3/1967 | -279.78 | -0.15 | 672.22 | 01 | 06 | 4 | |
| | P | 11/ 4/1967 | -280.03 | -0.25 | 671.97 | 01 | 06 | 4 | |
| | P | 11/ 5/1967 | -277.83 | 2.2 | 674.17 | 01 | 06 | 4 | |
| | P | 11/24/1967 | -277.78 | 0.05 | 674.22 | 01 | 06 | 4 | |
| | P | 11/25/1967 | -277.78 | | 674.22 | 01 | 06 | 4 | |
| | P | 11/26/1967 | -277.88 | -0.1 | 674.12 | 01 | 06 | 4 | |
| | P | 11/27/1967 | -277.89 | -0.01 | 674.11 | 01 | 06 | 4 | |
| | P | 11/28/1967 | -277.79 | 0.1 | 674.21 | 01 | 06 | 4 | |
| | P | 11/29/1967 | -277.61 | 0.18 | 674.39 | 01 | 06 | 4 | |
| | P | 11/30/1967 | -277.71 | -0.1 | 674.29 | 01 | 06 | 4 | |
| | P | 12/ 1/1967 | -277.66 | 0.05 | 674.34 | 01 | 12 | 7 | |
| | P | 12/ 2/1967 | -277.65 | 0.01 | 674.35 | 01 | 06 | 4 | |
| | P | 12/ 3/1967 | -277.98 | -0.33 | 674.02 | 01 | 06 | 4 | |
| | P | 12/ 4/1967 | -277.84 | 0.14 | 674.16 | 01 | 06 | 4 | |
| | P | 12/ 5/1967 | -277.65 | 0.19 | 674.35 | 01 | 06 | 4 | |
| | P | 12/ 6/1967 | -277.63 | 0.02 | 674.37 | 01 | 06 | 4 | |
| | P | 12/ 7/1967 | -277.41 | 0.22 | 674.59 | 01 | 06 | 4 | |
| | P | 12/ 8/1967 | -277.48 | -0.07 | 674.52 | 01 | 06 | 4 | |
| | P | 12/ 9/1967 | -277.36 | 0.12 | 674.64 | 01 | 06 | 4 | |
| | P | 12/10/1967 | -277.58 | -0.22 | 674.42 | 01 | 06 | 4 | |
| | P | 12/11/1967 | -277.44 | 0.14 | 674.56 | 01 | 06 | 4 | |
| | P | 12/26/1967 | -277.46 | -0.02 | 674.54 | 01 | 06 | 4 | |
| | P | 12/27/1967 | -277.32 | 0.14 | 674.68 | 01 | 06 | 4 | |
| | P | 12/28/1967 | -277.56 | -0.24 | 674.44 | 01 | 06 | 4 | |
| | P | 12/29/1967 | -277.58 | -0.02 | 674.42 | 01 | 06 | 4 | |
| | P | 12/30/1967 | -277.34 | 0.24 | 674.66 | 01 | 06 | 4 | |
| | P | 12/31/1967 | -277.28 | 0.06 | 674.72 | 01 | 06 | 4 | |
| | P | 1/ 1/1968 | -277.45 | -0.17 | 674.55 | 01 | 12 | 7 | |
| | P | 1/ 2/1968 | -277.4 | 0.05 | 674.6 | 01 | 06 | 4 | |
| | P | 1/ 3/1968 | -277.34 | 0.06 | 674.66 | 01 | 06 | 4 | |
| | P | 1/ 4/1968 | -277.6 | -0.26 | 674.4 | 01 | 06 | 4 | |
| | P | 1/ 5/1968 | -277.39 | 0.21 | 674.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 6/1968 | -277.3 | 0.09 | 674.7 | 01 | 06 | 4 | |
| | P | 1/ 7/1968 | -277.72 | -0.42 | 674.28 | 01 | 06 | 4 | |
| | P | 1/ 8/1968 | -277.3 | 0.42 | 674.7 | 01 | 06 | 4 | |
| | P | 1/ 9/1968 | -277.25 | 0.05 | 674.75 | 01 | 06 | 4 | |
| | P | 1/10/1968 | -277.27 | -0.02 | 674.73 | 01 | 06 | 4 | |
| | P | 1/11/1968 | -277.15 | 0.12 | 674.85 | 01 | 06 | 4 | |
| | P | 1/12/1968 | -277.27 | -0.12 | 674.73 | 01 | 06 | 4 | |
| | P | 1/13/1968 | -277.33 | -0.06 | 674.67 | 01 | 06 | 4 | |
| | P | 1/14/1968 | -277.04 | 0.29 | 674.96 | 01 | 06 | 4 | |
| | P | 1/15/1968 | -276.96 | 0.08 | 675.04 | 01 | 12 | 7 | |
| | P | 1/16/1968 | -276.96 | | 675.04 | 01 | 06 | 4 | |
| | P | 1/17/1968 | -277.14 | -0.18 | 674.86 | 01 | 06 | 4 | |
| | P | 1/18/1968 | -277.05 | 0.09 | 674.95 | 01 | 06 | 4 | |
| | P | 1/19/1968 | -275.45 | 1.6 | 676.55 | 01 | 06 | 4 | |
| | P | 1/20/1968 | -274.07 | 1.38 | 677.93 | 01 | 06 | 4 | |
| | P | 1/21/1968 | -271.28 | 2.79 | 680.72 | 01 | 06 | 4 | |
| | P | 1/22/1968 | -269.44 | 1.84 | 682.56 | 01 | 06 | 4 | |
| | P | 1/29/1968 | -270.19 | -0.75 | 681.81 | 01 | 02 | 8 | |
| | P | 1/30/1968 | -270.17 | 0.02 | 681.83 | 01 | 06 | 4 | |
| | P | 1/31/1968 | -269.93 | 0.24 | 682.07 | 01 | 06 | 4 | |
| | P | 2/ 1/1968 | -269.74 | 0.19 | 682.26 | 01 | 12 | 7 | |
| | P | 2/ 2/1968 | -269.99 | -0.25 | 682.01 | 01 | 06 | 4 | |
| | P | 2/ 3/1968 | -269.67 | 0.32 | 682.33 | 01 | 06 | 4 | |
| | P | 2/ 4/1968 | -269.56 | 0.11 | 682.44 | 01 | 06 | 4 | |
| | P | 2/ 5/1968 | -269.61 | -0.05 | 682.39 | 01 | 06 | 4 | |
| | P | 2/ 6/1968 | -269.6 | 0.01 | 682.4 | 01 | 06 | 4 | |
| | P | 2/ 7/1968 | -269.36 | 0.24 | 682.64 | 01 | 06 | 4 | |
| | P | 2/ 8/1968 | -269.28 | 0.08 | 682.72 | 01 | 06 | 4 | |
| | P | 2/ 9/1968 | -269.1 | 0.18 | 682.9 | 01 | 06 | 4 | |
| | P | 2/10/1968 | -268.82 | 0.28 | 683.18 | 01 | 06 | 4 | |
| | P | 2/11/1968 | -268.64 | 0.18 | 683.36 | 01 | 06 | 4 | |
| | P | 2/12/1968 | -268.84 | -0.2 | 683.16 | 01 | 06 | 4 | |
| | P | 2/13/1968 | -268.71 | 0.13 | 683.29 | 01 | 06 | 4 | |
| | P | 2/14/1968 | -268.62 | 0.09 | 683.38 | 01 | 06 | 4 | |
| | P | 2/15/1968 | -268.49 | 0.13 | 683.51 | 01 | 12 | 7 | |
| | P | 2/16/1968 | -268.2 | 0.29 | 683.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/17/1968 | -268.08 | 0.12 | 683.92 | 01 | 06 | 4 | |
| | P | 2/18/1968 | -267.89 | 0.19 | 684.11 | 01 | 06 | 4 | |
| | P | 2/19/1968 | -267.67 | 0.22 | 684.33 | 01 | 06 | 4 | |
| | P | 2/20/1968 | -267.14 | 0.53 | 684.86 | 01 | 06 | 4 | |
| | P | 2/21/1968 | -266.92 | 0.22 | 685.08 | 01 | 06 | 4 | |
| | P | 2/22/1968 | -266.92 | | 685.08 | 01 | 06 | 4 | |
| | P | 2/23/1968 | -267.1 | -0.18 | 684.9 | 01 | 06 | 4 | |
| | P | 2/24/1968 | -266.97 | 0.13 | 685.03 | 01 | 06 | 4 | |
| | P | 2/25/1968 | -266.74 | 0.23 | 685.26 | 01 | 06 | 4 | |
| | P | 2/26/1968 | -266.78 | -0.04 | 685.22 | 01 | 06 | 4 | |
| | P | 2/27/1968 | -266.31 | 0.47 | 685.69 | 01 | 06 | 4 | |
| | P | 2/28/1968 | -266.02 | 0.29 | 685.98 | 01 | 06 | 4 | |
| | P | 2/29/1968 | -266.36 | -0.34 | 685.64 | 01 | 06 | 4 | |
| | P | 3/ 1/1968 | -266.12 | 0.24 | 685.88 | 01 | 12 | 7 | |
| | P | 3/ 2/1968 | -266.82 | -0.7 | 685.18 | 01 | 06 | 4 | |
| | P | 3/ 3/1968 | -266.05 | 0.77 | 685.95 | 01 | 06 | 4 | |
| | P | 3/ 4/1968 | -265.94 | 0.11 | 686.06 | 01 | 06 | 4 | |
| | P | 3/ 5/1968 | -265.56 | 0.38 | 686.44 | 01 | 06 | 4 | |
| | P | 3/ 6/1968 | -265.41 | 0.15 | 686.59 | 01 | 06 | 4 | |
| | P | 3/ 7/1968 | -265.46 | -0.05 | 686.54 | 01 | 06 | 4 | |
| | P | 3/ 8/1968 | -265.25 | 0.21 | 686.75 | 01 | 06 | 4 | |
| | P | 3/ 9/1968 | -265.14 | 0.11 | 686.86 | 01 | 06 | 4 | |
| | P | 3/10/1968 | -265.12 | 0.02 | 686.88 | 01 | 06 | 4 | |
| | P | 3/11/1968 | -265.12 | | 686.88 | 01 | 06 | 4 | |
| | P | 3/12/1968 | -265.17 | -0.05 | 686.83 | 01 | 06 | 4 | |
| | P | 3/13/1968 | -265.18 | -0.01 | 686.82 | 01 | 06 | 4 | |
| | P | 3/14/1968 | -264.86 | 0.32 | 687.14 | 01 | 06 | 4 | |
| | P | 3/15/1968 | -264.73 | 0.13 | 687.27 | 01 | 12 | 7 | |
| | P | 3/16/1968 | -264.58 | 0.15 | 687.42 | 01 | 06 | 4 | |
| | P | 3/17/1968 | -264.14 | 0.44 | 687.86 | 01 | 06 | 4 | |
| | P | 3/18/1968 | -264.18 | -0.04 | 687.82 | 01 | 06 | 4 | |
| | P | 3/19/1968 | -264.1 | 0.08 | 687.9 | 01 | 06 | 4 | |
| | P | 3/20/1968 | -263.92 | 0.18 | 688.08 | 01 | 06 | 4 | |
| | P | 3/21/1968 | -264.24 | -0.32 | 687.76 | 01 | 06 | 4 | |
| | P | 3/22/1968 | -264.26 | -0.02 | 687.74 | 01 | 06 | 4 | |
| | P | 3/23/1968 | -264.29 | -0.03 | 687.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/24/1968 | -264.03 | 0.26 | 687.97 | 01 | 06 | 4 | |
| | P | 3/25/1968 | -263.86 | 0.17 | 688.14 | 01 | 06 | 4 | |
| | P | 3/26/1968 | -263.8 | 0.06 | 688.2 | 01 | 06 | 4 | |
| | P | 3/27/1968 | -263.79 | 0.01 | 688.21 | 01 | 06 | 4 | |
| | P | 3/28/1968 | -263.89 | -0.1 | 688.11 | 01 | 06 | 4 | |
| | P | 3/29/1968 | -263.83 | 0.06 | 688.17 | 01 | 06 | 4 | |
| | P | 3/30/1968 | -268.68 | -4.85 | 683.32 | 01 | 06 | 4 | |
| | P | 3/31/1968 | -263.79 | 4.89 | 688.21 | 01 | 06 | 4 | |
| | P | 4/ 1/1968 | -263.99 | -0.2 | 688.01 | 01 | 12 | 7 | |
| | P | 4/ 2/1968 | -263.62 | 0.37 | 688.38 | 01 | 06 | 4 | |
| | P | 4/ 3/1968 | -263.5 | 0.12 | 688.5 | 01 | 06 | 4 | |
| | P | 4/ 4/1968 | -263.74 | -0.24 | 688.26 | 01 | 06 | 4 | |
| | P | 4/ 5/1968 | -264.18 | -0.44 | 687.82 | 01 | 06 | 4 | |
| | P | 4/ 6/1968 | -264.08 | 0.1 | 687.92 | 01 | 06 | 4 | |
| | P | 4/ 7/1968 | -263.92 | 0.16 | 688.08 | 01 | 06 | 4 | |
| | P | 4/ 8/1968 | -264.05 | -0.13 | 687.95 | 01 | 06 | 4 | |
| | P | 4/ 9/1968 | -264.08 | -0.03 | 687.92 | 01 | 06 | 4 | |
| | P | 4/10/1968 | -264.09 | -0.01 | 687.91 | 01 | 06 | 4 | |
| | P | 4/11/1968 | -264.06 | 0.03 | 687.94 | 01 | 06 | 4 | |
| | P | 4/12/1968 | -263.75 | 0.31 | 688.25 | 01 | 06 | 4 | |
| | P | 4/13/1968 | -263.73 | 0.02 | 688.27 | 01 | 06 | 4 | |
| | P | 4/14/1968 | -263.86 | -0.13 | 688.14 | 01 | 06 | 4 | |
| | P | 4/15/1968 | -263.71 | 0.15 | 688.29 | 01 | 12 | 7 | |
| | P | 4/16/1968 | -263.49 | 0.22 | 688.51 | 01 | 06 | 4 | |
| | P | 4/17/1968 | -263.46 | 0.03 | 688.54 | 01 | 06 | 4 | |
| | P | 4/18/1968 | -263.39 | 0.07 | 688.61 | 01 | 06 | 4 | |
| | P | 4/19/1968 | -263.37 | 0.02 | 688.63 | 01 | 06 | 4 | |
| | P | 4/20/1968 | -263.43 | -0.06 | 688.57 | 01 | 06 | 4 | |
| | P | 4/21/1968 | -263.47 | -0.04 | 688.53 | 01 | 06 | 4 | |
| | P | 4/22/1968 | -263.2 | 0.27 | 688.8 | 01 | 06 | 4 | |
| | P | 4/23/1968 | -263.28 | -0.08 | 688.72 | 01 | 06 | 4 | |
| | P | 4/24/1968 | -263.56 | -0.28 | 688.44 | 01 | 06 | 4 | |
| | P | 4/25/1968 | -263.28 | 0.28 | 688.72 | 01 | 06 | 4 | |
| | P | 4/26/1968 | -263.15 | 0.13 | 688.85 | 01 | 06 | 4 | |
| | P | 4/27/1968 | -263.14 | 0.01 | 688.86 | 01 | 06 | 4 | |
| | P | 4/28/1968 | -263.29 | -0.15 | 688.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/29/1968 | -263.52 | -0.23 | 688.48 | 01 | 06 | 4 | |
| | P | 4/30/1968 | -263.43 | 0.09 | 688.57 | 01 | 06 | 4 | |
| | P | 5/ 1/1968 | -263.17 | 0.26 | 688.83 | 01 | 12 | 7 | |
| | P | 5/ 2/1968 | -263.1 | 0.07 | 688.9 | 01 | 06 | 4 | |
| | P | 5/ 3/1968 | -263.06 | 0.04 | 688.94 | 01 | 06 | 4 | |
| | P | 5/ 4/1968 | -263.05 | 0.01 | 688.95 | 01 | 06 | 4 | |
| | P | 5/ 5/1968 | -263.1 | -0.05 | 688.9 | 01 | 06 | 4 | |
| | P | 5/ 6/1968 | -262.86 | 0.24 | 689.14 | 01 | 06 | 4 | |
| | P | 5/ 7/1968 | -262.74 | 0.12 | 689.26 | 01 | 06 | 4 | |
| | P | 5/ 8/1968 | -262.77 | -0.03 | 689.23 | 01 | 06 | 4 | |
| | P | 5/ 9/1968 | -262.07 | 0.7 | 689.93 | 01 | 06 | 4 | |
| | P | 5/10/1968 | -262.3 | -0.23 | 689.7 | 01 | 06 | 4 | |
| | P | 5/11/1968 | -262.27 | 0.03 | 689.73 | 01 | 06 | 4 | |
| | P | 5/12/1968 | -261.2 | 1.07 | 690.8 | 01 | 06 | 4 | |
| | P | 5/13/1968 | -260.89 | 0.31 | 691.11 | 01 | 06 | 4 | |
| | P | 5/14/1968 | -260.7 | 0.19 | 691.3 | 01 | 06 | 4 | |
| | P | 5/15/1968 | -260.5 | 0.2 | 691.5 | 01 | 12 | 7 | |
| | P | 5/16/1968 | -260.25 | 0.25 | 691.75 | 01 | 06 | 4 | |
| | P | 5/17/1968 | -260.18 | 0.07 | 691.82 | 01 | 06 | 4 | |
| | P | 5/18/1968 | -260.3 | -0.12 | 691.7 | 01 | 06 | 4 | |
| | P | 5/19/1968 | -260.28 | 0.02 | 691.72 | 01 | 06 | 4 | |
| | P | 5/20/1968 | -260.19 | 0.09 | 691.81 | 01 | 06 | 4 | |
| | P | 5/21/1968 | -259.88 | 0.31 | 692.12 | 01 | 06 | 4 | |
| | P | 5/22/1968 | -259.17 | 0.71 | 692.83 | 01 | 06 | 4 | |
| | P | 5/23/1968 | -259.67 | -0.5 | 692.33 | 01 | 06 | 4 | |
| | P | 5/24/1968 | -259.71 | -0.04 | 692.29 | 01 | 06 | 4 | |
| | P | 5/25/1968 | -259.74 | -0.03 | 692.26 | 01 | 06 | 4 | |
| | P | 5/26/1968 | -259.68 | 0.06 | 692.32 | 01 | 06 | 4 | |
| | P | 5/27/1968 | -259.53 | 0.15 | 692.47 | 01 | 06 | 4 | |
| | P | 5/28/1968 | -259.6 | -0.07 | 692.4 | 01 | 06 | 4 | |
| | P | 5/29/1968 | -259.59 | 0.01 | 692.41 | 01 | 06 | 4 | |
| | P | 5/30/1968 | -259.56 | 0.03 | 692.44 | 01 | 06 | 4 | |
| | P | 5/31/1968 | -259.39 | 0.17 | 692.61 | 01 | 06 | 4 | |
| | P | 6/ 1/1968 | -259.43 | -0.04 | 692.57 | 01 | 12 | 7 | |
| | P | 6/ 2/1968 | -259.32 | 0.11 | 692.68 | 01 | 06 | 4 | |
| | P | 6/ 3/1968 | -259.16 | 0.16 | 692.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 4/1968 | -259 | 0.16 | 693 | 01 | 06 | 4 | |
| | P | 6/ 5/1968 | -258.92 | 0.08 | 693.08 | 01 | 06 | 4 | |
| | P | 6/ 6/1968 | -258.83 | 0.09 | 693.17 | 01 | 06 | 4 | |
| | P | 6/ 7/1968 | -258.81 | 0.02 | 693.19 | 01 | 06 | 4 | |
| | P | 6/ 8/1968 | -258.71 | 0.1 | 693.29 | 01 | 06 | 4 | |
| | P | 6/ 9/1968 | -258.84 | -0.13 | 693.16 | 01 | 06 | 4 | |
| | P | 6/10/1968 | -258.84 | | 693.16 | 01 | 06 | 4 | |
| | P | 6/11/1968 | -258.98 | -0.14 | 693.02 | 01 | 06 | 4 | |
| | P | 6/12/1968 | -259.07 | -0.09 | 692.93 | 01 | 06 | 4 | |
| | P | 6/13/1968 | -259.1 | -0.03 | 692.9 | 01 | 06 | 4 | |
| | P | 6/14/1968 | -259.17 | -0.07 | 692.83 | 01 | 06 | 4 | |
| | P | 6/15/1968 | -259.22 | -0.05 | 692.78 | 01 | 12 | 7 | |
| | P | 6/16/1968 | -259.45 | -0.23 | 692.55 | 01 | 06 | 4 | |
| | P | 6/17/1968 | -259.62 | -0.17 | 692.38 | 01 | 06 | 4 | |
| | P | 6/18/1968 | -259.52 | 0.1 | 692.48 | 01 | 06 | 4 | |
| | P | 6/19/1968 | -259.65 | -0.13 | 692.35 | 01 | 06 | 4 | |
| | P | 6/20/1968 | -259.59 | 0.06 | 692.41 | 01 | 06 | 4 | |
| | P | 6/21/1968 | -259.53 | 0.06 | 692.47 | 01 | 06 | 4 | |
| | P | 6/22/1968 | -259.49 | 0.04 | 692.51 | 01 | 06 | 4 | |
| | P | 6/23/1968 | -259.51 | -0.02 | 692.49 | 01 | 06 | 4 | |
| | P | 6/24/1968 | -259.46 | 0.05 | 692.54 | 01 | 06 | 4 | |
| | P | 6/25/1968 | -259.59 | -0.13 | 692.41 | 01 | 06 | 4 | |
| | P | 6/26/1968 | -259.72 | -0.13 | 692.28 | 01 | 06 | 4 | |
| | P | 6/27/1968 | -259.77 | -0.05 | 692.23 | 01 | 06 | 4 | |
| | P | 6/28/1968 | -259.71 | 0.06 | 692.29 | 01 | 06 | 4 | |
| | P | 6/29/1968 | -259.71 | | 692.29 | 01 | 06 | 4 | |
| | P | 6/30/1968 | -259.78 | -0.07 | 692.22 | 01 | 06 | 4 | |
| | P | 7/ 1/1968 | -260.03 | -0.25 | 691.97 | 01 | 12 | 7 | |
| | P | 7/ 2/1968 | -260.05 | -0.02 | 691.95 | 01 | 06 | 4 | |
| | P | 7/ 3/1968 | -260.03 | 0.02 | 691.97 | 01 | 06 | 4 | |
| | P | 7/ 4/1968 | -259.99 | 0.04 | 692.01 | 01 | 06 | 4 | |
| | P | 7/ 5/1968 | -259.95 | 0.04 | 692.05 | 01 | 06 | 4 | |
| | P | 7/ 6/1968 | -260.1 | -0.15 | 691.9 | 01 | 06 | 4 | |
| | P | 7/ 7/1968 | -260.16 | -0.06 | 691.84 | 01 | 06 | 4 | |
| | P | 7/ 8/1968 | -260.1 | 0.06 | 691.9 | 01 | 06 | 4 | |
| | P | 7/ 9/1968 | -260 | 0.1 | 692 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 10/ 1968 | -260.72 | -0.72 | 691.28 | 01 | 06 | 4 | |
| | P | 7/ 11/ 1968 | -260.29 | 0.43 | 691.71 | 01 | 06 | 4 | |
| | P | 7/ 12/ 1968 | -260.12 | 0.17 | 691.88 | 01 | 06 | 4 | |
| | P | 7/ 13/ 1968 | -260.04 | 0.08 | 691.96 | 01 | 06 | 4 | |
| | P | 7/ 14/ 1968 | -260.12 | -0.08 | 691.88 | 01 | 06 | 4 | |
| | P | 7/ 15/ 1968 | -260.31 | -0.19 | 691.69 | 01 | 12 | 7 | |
| | P | 7/ 16/ 1968 | -260.31 | | 691.69 | 01 | 06 | 4 | |
| | P | 7/ 17/ 1968 | -260.48 | -0.17 | 691.52 | 01 | 06 | 4 | |
| | P | 7/ 18/ 1968 | -260.58 | -0.1 | 691.42 | 01 | 06 | 4 | |
| | P | 7/ 19/ 1968 | -260.72 | -0.14 | 691.28 | 01 | 06 | 4 | |
| | P | 7/ 20/ 1968 | -260.82 | -0.1 | 691.18 | 01 | 06 | 4 | |
| | P | 7/ 21/ 1968 | -260.8 | 0.02 | 691.2 | 01 | 06 | 4 | |
| | P | 7/ 22/ 1968 | -260.89 | -0.09 | 691.11 | 01 | 06 | 4 | |
| | P | 7/ 23/ 1968 | -261.03 | -0.14 | 690.97 | 01 | 06 | 4 | |
| | P | 7/ 24/ 1968 | -261.03 | | 690.97 | 01 | 06 | 4 | |
| | P | 7/ 25/ 1968 | -261.75 | -0.72 | 690.25 | 01 | 06 | 4 | |
| | P | 7/ 26/ 1968 | -261.14 | 0.61 | 690.86 | 01 | 06 | 4 | |
| | P | 7/ 27/ 1968 | -261.21 | -0.07 | 690.79 | 01 | 06 | 4 | |
| | P | 7/ 28/ 1968 | -261.76 | -0.55 | 690.24 | 01 | 06 | 4 | |
| | P | 7/ 29/ 1968 | -261.39 | 0.37 | 690.61 | 01 | 06 | 4 | |
| | P | 7/ 30/ 1968 | -261.42 | -0.03 | 690.58 | 01 | 06 | 4 | |
| | P | 7/ 31/ 1968 | -261.53 | -0.11 | 690.47 | 01 | 06 | 4 | |
| | P | 8/ 1/ 1968 | -261.68 | -0.15 | 690.32 | 01 | 12 | 7 | |
| | P | 8/ 2/ 1968 | -261.17 | 0.51 | 690.83 | 01 | 06 | 4 | |
| | P | 8/ 3/ 1968 | -261.82 | -0.65 | 690.18 | 01 | 06 | 4 | |
| | P | 8/ 4/ 1968 | -261.99 | -0.17 | 690.01 | 01 | 06 | 4 | |
| | P | 8/ 13/ 1968 | -262.91 | -0.92 | 689.09 | 01 | 06 | 4 | |
| | P | 8/ 14/ 1968 | -263.08 | -0.17 | 688.92 | 01 | 06 | 4 | |
| | P | 8/ 15/ 1968 | -263.25 | -0.17 | 688.75 | 01 | 12 | 7 | |
| | P | 8/ 16/ 1968 | -263.41 | -0.16 | 688.59 | 01 | 06 | 4 | |
| | P | 8/ 17/ 1968 | -263.45 | -0.04 | 688.55 | 01 | 06 | 4 | |
| | P | 8/ 18/ 1968 | -263.43 | 0.02 | 688.57 | 01 | 06 | 4 | |
| | P | 8/ 19/ 1968 | -263.54 | -0.11 | 688.46 | 01 | 06 | 4 | |
| | P | 8/ 20/ 1968 | -263.67 | -0.13 | 688.33 | 01 | 06 | 4 | |
| | P | 8/ 21/ 1968 | -263.73 | -0.06 | 688.27 | 01 | 06 | 4 | |
| | P | 8/ 22/ 1968 | -263.77 | -0.04 | 688.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/23/1968 | -264 | -0.23 | 688 | 01 | 06 | 4 | |
| | P | 8/24/1968 | -264.2 | -0.2 | 687.8 | 01 | 06 | 4 | |
| | P | 8/25/1968 | -264.13 | 0.07 | 687.87 | 01 | 06 | 4 | |
| | P | 8/26/1968 | -264.33 | -0.2 | 687.67 | 01 | 06 | 4 | |
| | P | 8/27/1968 | -264.43 | -0.1 | 687.57 | 01 | 06 | 4 | |
| | P | 8/28/1968 | -264.48 | -0.05 | 687.52 | 01 | 06 | 4 | |
| | P | 8/29/1968 | -264.41 | 0.07 | 687.59 | 01 | 06 | 4 | |
| | P | 8/30/1968 | -264.4 | 0.01 | 687.6 | 01 | 06 | 4 | |
| | P | 8/31/1968 | -264.39 | 0.01 | 687.61 | 01 | 06 | 4 | |
| | P | 9/ 1/1968 | -264.27 | 0.12 | 687.73 | 01 | 12 | 7 | |
| | P | 9/ 2/1968 | -264.19 | 0.08 | 687.81 | 01 | 06 | 4 | |
| | P | 9/ 3/1968 | -264.11 | 0.08 | 687.89 | 01 | 06 | 4 | |
| | P | 9/ 4/1968 | -264.13 | -0.02 | 687.87 | 01 | 06 | 4 | |
| | P | 9/ 5/1968 | -264.25 | -0.12 | 687.75 | 01 | 06 | 4 | |
| | P | 9/ 6/1968 | -264.2 | 0.05 | 687.8 | 01 | 06 | 4 | |
| | P | 9/ 7/1968 | -264.2 | | 687.8 | 01 | 06 | 4 | |
| | P | 9/ 8/1968 | -264.14 | 0.06 | 687.86 | 01 | 06 | 4 | |
| | P | 9/ 9/1968 | -263.91 | 0.23 | 688.09 | 01 | 06 | 4 | |
| | P | 9/10/1968 | -263.81 | 0.1 | 688.19 | 01 | 06 | 4 | |
| | P | 9/11/1968 | -263.8 | 0.01 | 688.2 | 01 | 06 | 4 | |
| | P | 9/12/1968 | -264 | -0.2 | 688 | 01 | 06 | 4 | |
| | P | 9/13/1968 | -263.97 | 0.03 | 688.03 | 01 | 06 | 4 | |
| | P | 9/14/1968 | -263.79 | 0.18 | 688.21 | 01 | 06 | 4 | |
| | P | 9/15/1968 | -263.61 | 0.18 | 688.39 | 01 | 12 | 7 | |
| | P | 9/16/1968 | -263.65 | -0.04 | 688.35 | 01 | 06 | 4 | |
| | P | 9/17/1968 | -263.77 | -0.12 | 688.23 | 01 | 06 | 4 | |
| | P | 9/18/1968 | -263.97 | -0.2 | 688.03 | 01 | 06 | 4 | |
| | P | 9/19/1968 | -263.9 | 0.07 | 688.1 | 01 | 06 | 4 | |
| | P | 9/20/1968 | -263.97 | -0.07 | 688.03 | 01 | 06 | 4 | |
| | P | 9/21/1968 | -263.93 | 0.04 | 688.07 | 01 | 06 | 4 | |
| | P | 9/22/1968 | -264.04 | -0.11 | 687.96 | 01 | 06 | 4 | |
| | P | 9/23/1968 | -264.06 | -0.02 | 687.94 | 01 | 06 | 4 | |
| | P | 9/24/1968 | -264.1 | -0.04 | 687.9 | 01 | 06 | 4 | |
| | P | 9/25/1968 | -264.1 | | 687.9 | 01 | 06 | 4 | |
| | P | 9/26/1968 | -264.11 | -0.01 | 687.89 | 01 | 06 | 4 | |
| | P | 9/27/1968 | -264.1 | 0.01 | 687.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/28/1968 | -264.14 | -0.04 | 687.86 | 01 | 06 | 4 | |
| | P | 9/29/1968 | -264.32 | -0.18 | 687.68 | 01 | 06 | 4 | |
| | P | 9/30/1968 | -264.36 | -0.04 | 687.64 | 01 | 06 | 4 | |
| | P | 10/ 1/1968 | -264.22 | 0.14 | 687.78 | 01 | 12 | 7 | |
| | P | 10/ 2/1968 | -264.12 | 0.1 | 687.88 | 01 | 06 | 4 | |
| | P | 10/ 3/1968 | -264.21 | -0.09 | 687.79 | 01 | 06 | 4 | |
| | P | 10/ 4/1968 | -264.4 | -0.19 | 687.6 | 01 | 06 | 4 | |
| | P | 10/ 5/1968 | -264.07 | 0.33 | 687.93 | 01 | 06 | 4 | |
| | P | 10/ 6/1968 | -263.98 | 0.09 | 688.02 | 01 | 06 | 4 | |
| | P | 10/ 7/1968 | -264.17 | -0.19 | 687.83 | 01 | 06 | 4 | |
| | P | 10/ 8/1968 | -264.17 | | 687.83 | 01 | 06 | 4 | |
| | P | 10/ 9/1968 | -264.21 | -0.04 | 687.79 | 01 | 06 | 4 | |
| | P | 10/10/1968 | -264.38 | -0.17 | 687.62 | 01 | 06 | 4 | |
| | P | 10/11/1968 | -264.28 | 0.1 | 687.72 | 01 | 06 | 4 | |
| | P | 10/12/1968 | -264.33 | -0.05 | 687.67 | 01 | 06 | 4 | |
| | P | 10/13/1968 | -264.37 | -0.04 | 687.63 | 01 | 06 | 4 | |
| | P | 10/14/1968 | -264.38 | -0.01 | 687.62 | 01 | 06 | 4 | |
| | P | 10/15/1968 | -264.22 | 0.16 | 687.78 | 01 | 12 | 7 | |
| | P | 10/16/1968 | -264.1 | 0.12 | 687.9 | 01 | 06 | 4 | |
| | P | 10/17/1968 | -264.27 | -0.17 | 687.73 | 01 | 06 | 4 | |
| | P | 10/18/1968 | -264.47 | -0.2 | 687.53 | 01 | 06 | 4 | |
| | P | 10/19/1968 | -264.52 | -0.05 | 687.48 | 01 | 06 | 4 | |
| | P | 10/20/1968 | -264.6 | -0.08 | 687.4 | 01 | 06 | 4 | |
| | P | 10/21/1968 | -264.48 | 0.12 | 687.52 | 01 | 06 | 4 | |
| | P | 10/22/1968 | -264.38 | 0.1 | 687.62 | 01 | 06 | 4 | |
| | P | 10/23/1968 | -264.4 | -0.02 | 687.6 | 01 | 06 | 4 | |
| | P | 10/24/1968 | -264.54 | -0.14 | 687.46 | 01 | 06 | 4 | |
| | P | 10/25/1968 | -264.48 | 0.06 | 687.52 | 01 | 06 | 4 | |
| | P | 10/26/1968 | -264.68 | -0.2 | 687.32 | 01 | 06 | 4 | |
| | P | 10/27/1968 | -264.67 | 0.01 | 687.33 | 01 | 06 | 4 | |
| | P | 10/28/1968 | -264.72 | -0.05 | 687.28 | 01 | 06 | 4 | |
| | P | 10/29/1968 | -264.56 | 0.16 | 687.44 | 01 | 06 | 4 | |
| | P | 10/30/1968 | -264.51 | 0.05 | 687.49 | 01 | 06 | 4 | |
| | P | 10/31/1968 | -264.56 | -0.05 | 687.44 | 01 | 06 | 4 | |
| | P | 11/ 1/1968 | -264.63 | -0.07 | 687.37 | 01 | 12 | 7 | |
| | P | 11/ 2/1968 | -264.76 | -0.13 | 687.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 3/1968 | -264.86 | -0.1 | 687.14 | 01 | 06 | 4 | |
| | P | 11/ 4/1968 | -264.68 | 0.18 | 687.32 | 01 | 06 | 4 | |
| | P | 11/ 5/1968 | -264.55 | 0.13 | 687.45 | 01 | 06 | 4 | |
| | P | 11/ 6/1968 | -264.67 | -0.12 | 687.33 | 01 | 06 | 4 | |
| | P | 11/ 7/1968 | -264.87 | -0.2 | 687.13 | 01 | 06 | 4 | |
| | P | 11/ 8/1968 | -264.77 | 0.1 | 687.23 | 01 | 06 | 4 | |
| | P | 11/ 9/1968 | -264.58 | 0.19 | 687.42 | 01 | 06 | 4 | |
| | P | 11/10/1968 | -264.41 | 0.17 | 687.59 | 01 | 06 | 4 | |
| | P | 11/11/1968 | -264.92 | -0.51 | 687.08 | 01 | 06 | 4 | |
| | P | 11/12/1968 | -264.89 | 0.03 | 687.11 | 01 | 06 | 4 | |
| | P | 11/13/1968 | -264.74 | 0.15 | 687.26 | 01 | 06 | 4 | |
| | P | 11/14/1968 | -264.65 | 0.09 | 687.35 | 01 | 06 | 4 | |
| | P | 11/15/1968 | -264.55 | 0.1 | 687.45 | 01 | 12 | 7 | |
| | P | 11/16/1968 | -264.7 | -0.15 | 687.3 | 01 | 06 | 4 | |
| | P | 11/17/1968 | -264.73 | -0.03 | 687.27 | 01 | 06 | 4 | |
| | P | 11/18/1968 | -265.12 | -0.39 | 686.88 | 01 | 06 | 4 | |
| | P | 11/19/1968 | -265.12 | | 686.88 | 01 | 06 | 4 | |
| | P | 11/20/1968 | -265.12 | | 686.88 | 01 | 06 | 4 | |
| | P | 11/21/1968 | -265.13 | -0.01 | 686.87 | 01 | 06 | 4 | |
| | P | 11/22/1968 | -264.99 | 0.14 | 687.01 | 01 | 06 | 4 | |
| | P | 11/23/1968 | -265.01 | -0.02 | 686.99 | 01 | 06 | 4 | |
| | P | 11/24/1968 | -265.17 | -0.16 | 686.83 | 01 | 06 | 4 | |
| | P | 11/25/1968 | -264.94 | 0.23 | 687.06 | 01 | 06 | 4 | |
| | P | 11/26/1968 | -264.83 | 0.11 | 687.17 | 01 | 06 | 4 | |
| | P | 11/27/1968 | -264.87 | -0.04 | 687.13 | 01 | 06 | 4 | |
| | P | 11/28/1968 | -265.05 | -0.18 | 686.95 | 01 | 06 | 4 | |
| | P | 11/29/1968 | -265.76 | -0.71 | 686.24 | 01 | 06 | 4 | |
| | P | 11/30/1968 | -264.97 | 0.79 | 687.03 | 01 | 06 | 4 | |
| | P | 12/ 1/1968 | -264.84 | 0.13 | 687.16 | 01 | 12 | 7 | |
| | P | 12/ 2/1968 | -264.75 | 0.09 | 687.25 | 01 | 06 | 4 | |
| | P | 12/ 3/1968 | -264.89 | -0.14 | 687.11 | 01 | 06 | 4 | |
| | P | 12/ 4/1968 | -264.93 | -0.04 | 687.07 | 01 | 06 | 4 | |
| | P | 12/ 5/1968 | -264.84 | 0.09 | 687.16 | 01 | 06 | 4 | |
| | P | 12/ 6/1968 | -264.86 | -0.02 | 687.14 | 01 | 06 | 4 | |
| | P | 12/ 7/1968 | -265.09 | -0.23 | 686.91 | 01 | 06 | 4 | |
| | P | 12/ 8/1968 | -265.29 | -0.2 | 686.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 9/1968 | -265.13 | 0.16 | 686.87 | 01 | 06 | 4 | |
| | P | 12/10/1968 | -265.16 | -0.03 | 686.84 | 01 | 06 | 4 | |
| | P | 12/11/1968 | -264.84 | 0.32 | 687.16 | 01 | 06 | 4 | |
| | P | 12/12/1968 | -264.73 | 0.11 | 687.27 | 01 | 06 | 4 | |
| | P | 12/13/1968 | -264.98 | -0.25 | 687.02 | 01 | 06 | 4 | |
| | P | 12/14/1968 | -265.12 | -0.14 | 686.88 | 01 | 06 | 4 | |
| | P | 12/15/1968 | -264.89 | 0.23 | 687.11 | 01 | 12 | 7 | |
| | P | 12/16/1968 | -264.87 | 0.02 | 687.13 | 01 | 06 | 4 | |
| | P | 12/17/1968 | -264.68 | 0.19 | 687.32 | 01 | 06 | 4 | |
| | P | 12/18/1968 | -264.63 | 0.05 | 687.37 | 01 | 06 | 4 | |
| | P | 12/19/1968 | -264.84 | -0.21 | 687.16 | 01 | 06 | 4 | |
| | P | 12/20/1968 | -264.84 | | 687.16 | 01 | 06 | 4 | |
| | P | 12/21/1968 | -264.63 | 0.21 | 687.37 | 01 | 06 | 4 | |
| | P | 12/22/1968 | -264.9 | -0.27 | 687.1 | 01 | 06 | 4 | |
| | P | 12/23/1968 | -265.3 | -0.4 | 686.7 | 01 | 06 | 4 | |
| | P | 12/24/1968 | -265.07 | 0.23 | 686.93 | 01 | 06 | 4 | |
| | P | 12/25/1968 | -264.78 | 0.29 | 687.22 | 01 | 06 | 4 | |
| | P | 12/26/1968 | -264.53 | 0.25 | 687.47 | 01 | 06 | 4 | |
| | P | 12/27/1968 | -264.67 | -0.14 | 687.33 | 01 | 06 | 4 | |
| | P | 12/28/1968 | -264.98 | -0.31 | 687.02 | 01 | 06 | 4 | |
| | P | 12/29/1968 | -264.91 | 0.07 | 687.09 | 01 | 06 | 4 | |
| | P | 12/30/1968 | -265.05 | -0.14 | 686.95 | 01 | 06 | 4 | |
| | P | 12/31/1968 | -265.45 | -0.4 | 686.55 | 01 | 06 | 4 | |
| | P | 1/ 1/1969 | -265.22 | 0.23 | 686.78 | 01 | 12 | 7 | |
| | P | 1/ 2/1969 | -264.98 | 0.24 | 687.02 | 01 | 06 | 4 | |
| | P | 1/ 3/1969 | -265.15 | -0.17 | 686.85 | 01 | 06 | 4 | |
| | P | 1/ 4/1969 | -265.12 | 0.03 | 686.88 | 01 | 06 | 4 | |
| | P | 1/ 5/1969 | -265.04 | 0.08 | 686.96 | 01 | 06 | 4 | |
| | P | 1/ 6/1969 | -265 | 0.04 | 687 | 01 | 06 | 4 | |
| | P | 1/ 7/1969 | -264.7 | 0.3 | 687.3 | 01 | 06 | 4 | |
| | P | 1/ 8/1969 | -264.7 | | 687.3 | 01 | 06 | 4 | |
| | P | 1/ 9/1969 | -265.29 | -0.59 | 686.71 | 01 | 06 | 4 | |
| | P | 1/10/1969 | -265.28 | 0.01 | 686.72 | 01 | 06 | 4 | |
| | P | 1/11/1969 | -265.25 | 0.03 | 686.75 | 01 | 06 | 4 | |
| | P | 1/12/1969 | -265.2 | 0.05 | 686.8 | 01 | 06 | 4 | |
| | P | 1/13/1969 | -265.25 | -0.05 | 686.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 14/ 1969 | -265.1 | 0.15 | 686.9 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1969 | -265.02 | 0.08 | 686.98 | 01 | 12 | 7 | |
| | P | 1/ 16/ 1969 | -264.94 | 0.08 | 687.06 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1969 | -264.97 | -0.03 | 687.03 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1969 | -264.97 | | 687.03 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1969 | -265.16 | -0.19 | 686.84 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1969 | -265.03 | 0.13 | 686.97 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1969 | -264.99 | 0.04 | 687.01 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1969 | -264.93 | 0.06 | 687.07 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1969 | -264.98 | -0.05 | 687.02 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1969 | -265.13 | -0.15 | 686.87 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1969 | -264.45 | 0.68 | 687.55 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1969 | -265.14 | -0.69 | 686.86 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1969 | -264.89 | 0.25 | 687.11 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1969 | -264.82 | 0.07 | 687.18 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1969 | -264.96 | -0.14 | 687.04 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1969 | -265.3 | -0.34 | 686.7 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1969 | -265.23 | 0.07 | 686.77 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1969 | -265.07 | 0.16 | 686.93 | 01 | 12 | 7 | |
| | P | 2/ 2/ 1969 | -265.08 | -0.01 | 686.92 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1969 | -265.54 | -0.46 | 686.46 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1969 | -265.5 | 0.04 | 686.5 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1969 | -265.11 | 0.39 | 686.89 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1969 | -265.1 | 0.01 | 686.9 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1969 | -265.01 | 0.09 | 686.99 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1969 | -265.12 | -0.11 | 686.88 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1969 | -265.51 | -0.39 | 686.49 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1969 | -265.39 | 0.12 | 686.61 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1969 | -265.3 | 0.09 | 686.7 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1969 | -265.25 | 0.05 | 686.75 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1969 | -265.15 | 0.1 | 686.85 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1969 | -265.07 | 0.08 | 686.93 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1969 | -265.06 | 0.01 | 686.94 | 01 | 12 | 7 | |
| | P | 2/ 16/ 1969 | -265.11 | -0.05 | 686.89 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1969 | -265.19 | -0.08 | 686.81 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1969 | -265.89 | -0.7 | 686.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/19/1969 | -265.2 | 0.69 | 686.8 | 01 | 06 | 4 | |
| | P | 2/20/1969 | -265.07 | 0.13 | 686.93 | 01 | 06 | 4 | |
| | P | 2/21/1969 | -264.93 | 0.14 | 687.07 | 01 | 06 | 4 | |
| | P | 2/22/1969 | -264.81 | 0.12 | 687.19 | 01 | 06 | 4 | |
| | P | 2/23/1969 | -264.72 | 0.09 | 687.28 | 01 | 06 | 4 | |
| | P | 2/24/1969 | -264.79 | -0.07 | 687.21 | 01 | 06 | 4 | |
| | P | 2/25/1969 | -264.65 | 0.14 | 687.35 | 01 | 06 | 4 | |
| | P | 2/26/1969 | -264.49 | 0.16 | 687.51 | 01 | 06 | 4 | |
| | P | 2/27/1969 | -264.42 | 0.07 | 687.58 | 01 | 06 | 4 | |
| | P | 2/28/1969 | -264.67 | -0.25 | 687.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1969 | -264.51 | 0.16 | 687.49 | 01 | 12 | 7 | |
| | P | 3/ 2/1969 | -264.33 | 0.18 | 687.67 | 01 | 06 | 4 | |
| | P | 3/ 3/1969 | -264.49 | -0.16 | 687.51 | 01 | 06 | 4 | |
| | P | 3/ 4/1969 | -264.57 | -0.08 | 687.43 | 01 | 06 | 4 | |
| | P | 3/ 5/1969 | -264.43 | 0.14 | 687.57 | 01 | 06 | 4 | |
| | P | 3/ 6/1969 | -264.46 | -0.03 | 687.54 | 01 | 06 | 4 | |
| | P | 3/ 7/1969 | -264.34 | 0.12 | 687.66 | 01 | 06 | 4 | |
| | P | 3/ 8/1969 | -264.52 | -0.18 | 687.48 | 01 | 06 | 4 | |
| | P | 3/ 9/1969 | -264.99 | -0.47 | 687.01 | 01 | 06 | 4 | |
| | P | 3/10/1969 | -265.05 | -0.06 | 686.95 | 01 | 06 | 4 | |
| | P | 3/11/1969 | -264.92 | 0.13 | 687.08 | 01 | 06 | 4 | |
| | P | 3/12/1969 | -264.88 | 0.04 | 687.12 | 01 | 06 | 4 | |
| | P | 3/13/1969 | -264.92 | -0.04 | 687.08 | 01 | 06 | 4 | |
| | P | 3/14/1969 | -264.87 | 0.05 | 687.13 | 01 | 06 | 4 | |
| | P | 3/15/1969 | -264.73 | 0.14 | 687.27 | 01 | 12 | 7 | |
| | P | 3/16/1969 | -264.88 | -0.15 | 687.12 | 01 | 06 | 4 | |
| | P | 3/17/1969 | -265.11 | -0.23 | 686.89 | 01 | 06 | 4 | |
| | P | 3/18/1969 | -265.11 | | 686.89 | 01 | 06 | 4 | |
| | P | 3/19/1969 | -265.11 | | 686.89 | 01 | 06 | 4 | |
| | P | 3/20/1969 | -265.11 | | 686.89 | 01 | 06 | 4 | |
| | P | 3/21/1969 | -264.96 | 0.15 | 687.04 | 01 | 06 | 4 | |
| | P | 3/22/1969 | -264.52 | 0.44 | 687.48 | 01 | 06 | 4 | |
| | P | 3/23/1969 | -264.33 | 0.19 | 687.67 | 01 | 06 | 4 | |
| | P | 3/24/1969 | -264.5 | -0.17 | 687.5 | 01 | 06 | 4 | |
| | P | 3/25/1969 | -265.14 | -0.64 | 686.86 | 01 | 06 | 4 | |
| | P | 3/26/1969 | -265.15 | -0.01 | 686.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/27/1969 | -265.07 | 0.08 | 686.93 | 01 | 06 | 4 | |
| | P | 3/28/1969 | -264.94 | 0.13 | 687.06 | 01 | 06 | 4 | |
| | P | 3/29/1969 | -265 | -0.06 | 687 | 01 | 06 | 4 | |
| | P | 3/30/1969 | -265.18 | -0.18 | 686.82 | 01 | 06 | 4 | |
| | P | 3/31/1969 | -265.23 | -0.05 | 686.77 | 01 | 06 | 4 | |
| | P | 4/ 1/1969 | -264.94 | 0.29 | 687.06 | 01 | 12 | 7 | |
| | P | 4/ 2/1969 | -264.9 | 0.04 | 687.1 | 01 | 06 | 4 | |
| | P | 4/ 3/1969 | -264.91 | -0.01 | 687.09 | 01 | 06 | 4 | |
| | P | 4/ 4/1969 | -264.89 | 0.02 | 687.11 | 01 | 06 | 4 | |
| | P | 4/ 5/1969 | -265.02 | -0.13 | 686.98 | 01 | 06 | 4 | |
| | P | 4/ 6/1969 | -265.18 | -0.16 | 686.82 | 01 | 06 | 4 | |
| | P | 4/ 7/1969 | -265.04 | 0.14 | 686.96 | 01 | 06 | 4 | |
| | P | 4/ 8/1969 | -265 | 0.04 | 687 | 01 | 06 | 4 | |
| | P | 4/ 9/1969 | -265 | | 687 | 01 | 06 | 4 | |
| | P | 4/10/1969 | -265.1 | -0.1 | 686.9 | 01 | 06 | 4 | |
| | P | 4/11/1969 | -265.09 | 0.01 | 686.91 | 01 | 06 | 4 | |
| | P | 4/12/1969 | -264.95 | 0.14 | 687.05 | 01 | 06 | 4 | |
| | P | 4/13/1969 | -264.98 | -0.03 | 687.02 | 01 | 06 | 4 | |
| | P | 4/14/1969 | -264.96 | 0.02 | 687.04 | 01 | 06 | 4 | |
| | P | 4/15/1969 | -264.9 | 0.06 | 687.1 | 01 | 12 | 7 | |
| | P | 4/16/1969 | -264.8 | 0.1 | 687.2 | 01 | 06 | 4 | |
| | P | 4/17/1969 | -264.82 | -0.02 | 687.18 | 01 | 06 | 4 | |
| | P | 4/18/1969 | -264.94 | -0.12 | 687.06 | 01 | 06 | 4 | |
| | P | 4/19/1969 | -264.95 | -0.01 | 687.05 | 01 | 06 | 4 | |
| | P | 4/20/1969 | -265.09 | -0.14 | 686.91 | 01 | 06 | 4 | |
| | P | 4/21/1969 | -265.06 | 0.03 | 686.94 | 01 | 06 | 4 | |
| | P | 4/22/1969 | -265 | 0.06 | 687 | 01 | 06 | 4 | |
| | P | 4/23/1969 | -264.96 | 0.04 | 687.04 | 01 | 06 | 4 | |
| | P | 4/24/1969 | -264.98 | -0.02 | 687.02 | 01 | 06 | 4 | |
| | P | 4/25/1969 | -264.9 | 0.08 | 687.1 | 01 | 06 | 4 | |
| | P | 4/26/1969 | -264.78 | 0.12 | 687.22 | 01 | 06 | 4 | |
| | P | 4/27/1969 | -264.76 | 0.02 | 687.24 | 01 | 06 | 4 | |
| | P | 4/28/1969 | -265.2 | -0.44 | 686.8 | 01 | 06 | 4 | |
| | P | 4/29/1969 | -265.05 | 0.15 | 686.95 | 01 | 06 | 4 | |
| | P | 4/30/1969 | -264.82 | 0.23 | 687.18 | 01 | 06 | 4 | |
| | P | 5/ 1/1969 | -264.84 | -0.02 | 687.16 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 2/1969 | -266.01 | -1.17 | 685.99 | 01 | 06 | 4 | |
| | P | 5/ 3/1969 | -264.49 | 1.52 | 687.51 | 01 | 06 | 4 | |
| | P | 5/ 4/1969 | -265.14 | -0.65 | 686.86 | 01 | 06 | 4 | |
| | P | 5/ 5/1969 | -264.1 | 1.04 | 687.9 | 01 | 06 | 4 | |
| | P | 5/ 6/1969 | -264.17 | -0.07 | 687.83 | 01 | 06 | 4 | |
| | P | 5/ 7/1969 | -264.22 | -0.05 | 687.78 | 01 | 06 | 4 | |
| | P | 5/ 8/1969 | -264.52 | -0.3 | 687.48 | 01 | 06 | 4 | |
| | P | 5/ 9/1969 | -264.68 | -0.16 | 687.32 | 01 | 06 | 4 | |
| | P | 5/10/1969 | -264.53 | 0.15 | 687.47 | 01 | 06 | 4 | |
| | P | 5/11/1969 | -264.54 | -0.01 | 687.46 | 01 | 06 | 4 | |
| | P | 5/12/1969 | -264.42 | 0.12 | 687.58 | 01 | 06 | 4 | |
| | P | 5/13/1969 | -264.22 | 0.2 | 687.78 | 01 | 06 | 4 | |
| | P | 5/14/1969 | -264.07 | 0.15 | 687.93 | 01 | 06 | 4 | |
| | P | 5/15/1969 | -264.05 | 0.02 | 687.95 | 01 | 12 | 7 | |
| | P | 5/16/1969 | -262.9 | 1.15 | 689.1 | 01 | 06 | 4 | |
| | P | 5/17/1969 | -261.77 | 1.13 | 690.23 | 01 | 06 | 4 | |
| | P | 5/18/1969 | -261.4 | 0.37 | 690.6 | 01 | 06 | 4 | |
| | P | 5/19/1969 | -261.29 | 0.11 | 690.71 | 01 | 06 | 4 | |
| | P | 5/20/1969 | -261.28 | 0.01 | 690.72 | 01 | 06 | 4 | |
| | P | 5/21/1969 | -261.93 | -0.65 | 690.07 | 01 | 06 | 4 | |
| | P | 5/22/1969 | -261.21 | 0.72 | 690.79 | 01 | 06 | 4 | |
| | P | 5/23/1969 | -261.1 | 0.11 | 690.9 | 01 | 06 | 4 | |
| | P | 5/24/1969 | -260.93 | 0.17 | 691.07 | 01 | 06 | 4 | |
| | P | 5/25/1969 | -260.93 | | 691.07 | 01 | 06 | 4 | |
| | P | 5/26/1969 | -261.04 | -0.11 | 690.96 | 01 | 06 | 4 | |
| | P | 5/27/1969 | -261.02 | 0.02 | 690.98 | 01 | 06 | 4 | |
| | P | 5/28/1969 | -261.03 | -0.01 | 690.97 | 01 | 06 | 4 | |
| | P | 5/29/1969 | -261.27 | -0.24 | 690.73 | 01 | 06 | 4 | |
| | P | 5/30/1969 | -261.36 | -0.09 | 690.64 | 01 | 06 | 4 | |
| | P | 5/31/1969 | -261.42 | -0.06 | 690.58 | 01 | 06 | 4 | |
| | P | 6/ 1/1969 | -261.62 | -0.2 | 690.38 | 01 | 12 | 7 | |
| | P | 6/ 2/1969 | -261.96 | -0.34 | 690.04 | 01 | 06 | 4 | |
| | P | 6/ 3/1969 | -261.96 | | 690.04 | 01 | 06 | 4 | |
| | P | 6/ 4/1969 | -262 | -0.04 | 690 | 01 | 06 | 4 | |
| | P | 6/ 5/1969 | -262 | | 690 | 01 | 06 | 4 | |
| | P | 6/ 6/1969 | -261.9 | 0.1 | 690.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 7/1969 | -261.84 | 0.06 | 690.16 | 01 | 06 | 4 | |
| | P | 6/ 8/1969 | -261.89 | -0.05 | 690.11 | 01 | 06 | 4 | |
| | P | 6/ 9/1969 | -261.3 | 0.59 | 690.7 | 01 | 06 | 4 | |
| | P | 6/10/1969 | -262.09 | -0.79 | 689.91 | 01 | 06 | 4 | |
| | P | 6/11/1969 | -262.14 | -0.05 | 689.86 | 01 | 06 | 4 | |
| | P | 6/12/1969 | -262.12 | 0.02 | 689.88 | 01 | 06 | 4 | |
| | P | 6/13/1969 | -262.26 | -0.14 | 689.74 | 01 | 06 | 4 | |
| | P | 6/14/1969 | -262.57 | -0.31 | 689.43 | 01 | 06 | 4 | |
| | P | 6/15/1969 | -262.76 | -0.19 | 689.24 | 01 | 12 | 7 | |
| | P | 6/16/1969 | -262.9 | -0.14 | 689.1 | 01 | 06 | 4 | |
| | P | 6/17/1969 | -262.9 | | 689.1 | 01 | 06 | 4 | |
| | P | 6/18/1969 | -262.89 | 0.01 | 689.11 | 01 | 06 | 4 | |
| | P | 6/19/1969 | -262.99 | -0.1 | 689.01 | 01 | 06 | 4 | |
| | P | 6/20/1969 | -263.21 | -0.22 | 688.79 | 01 | 06 | 4 | |
| | P | 6/21/1969 | -263.4 | -0.19 | 688.6 | 01 | 06 | 4 | |
| | P | 6/22/1969 | -263.52 | -0.12 | 688.48 | 01 | 06 | 4 | |
| | P | 6/23/1969 | -263.58 | -0.06 | 688.42 | 01 | 06 | 4 | |
| | P | 6/24/1969 | -263.3 | 0.28 | 688.7 | 01 | 06 | 4 | |
| | P | 6/25/1969 | -263.24 | 0.06 | 688.76 | 01 | 06 | 4 | |
| | P | 6/26/1969 | -263.32 | -0.08 | 688.68 | 01 | 06 | 4 | |
| | P | 6/27/1969 | -263.32 | | 688.68 | 01 | 06 | 4 | |
| | P | 6/28/1969 | -263.64 | -0.32 | 688.36 | 01 | 06 | 4 | |
| | P | 6/29/1969 | -263.72 | -0.08 | 688.28 | 01 | 06 | 4 | |
| | P | 6/30/1969 | -263.83 | -0.11 | 688.17 | 01 | 06 | 4 | |
| | P | 7/ 1/1969 | -263.97 | -0.14 | 688.03 | 01 | 12 | 7 | |
| | P | 7/ 2/1969 | -263.92 | 0.05 | 688.08 | 01 | 06 | 4 | |
| | P | 7/ 3/1969 | -264.1 | -0.18 | 687.9 | 01 | 06 | 4 | |
| | P | 7/ 4/1969 | -264.18 | -0.08 | 687.82 | 01 | 06 | 4 | |
| | P | 7/ 5/1969 | -264.23 | -0.05 | 687.77 | 01 | 06 | 4 | |
| | P | 7/ 6/1969 | -264.38 | -0.15 | 687.62 | 01 | 06 | 4 | |
| | P | 7/ 7/1969 | -264.56 | -0.18 | 687.44 | 01 | 06 | 4 | |
| | P | 7/ 8/1969 | -264.8 | -0.24 | 687.2 | 01 | 06 | 4 | |
| | P | 7/ 9/1969 | -264.66 | 0.14 | 687.34 | 01 | 06 | 4 | |
| | P | 7/10/1969 | -264.74 | -0.08 | 687.26 | 01 | 06 | 4 | |
| | P | 7/11/1969 | -264.83 | -0.09 | 687.17 | 01 | 06 | 4 | |
| | P | 7/12/1969 | -264.78 | 0.05 | 687.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/13/1969 | -264.98 | -0.2 | 687.02 | 01 | 06 | 4 | |
| | P | 7/14/1969 | -265.1 | -0.12 | 686.9 | 01 | 06 | 4 | |
| | P | 7/15/1969 | -265.16 | -0.06 | 686.84 | 01 | 12 | 7 | |
| | P | 7/16/1969 | -265.36 | -0.2 | 686.64 | 01 | 06 | 4 | |
| | P | 7/17/1969 | -265.53 | -0.17 | 686.47 | 01 | 06 | 4 | |
| | P | 7/18/1969 | -265.52 | 0.01 | 686.48 | 01 | 06 | 4 | |
| | P | 7/19/1969 | -265.6 | -0.08 | 686.4 | 01 | 06 | 4 | |
| | P | 7/20/1969 | -265.74 | -0.14 | 686.26 | 01 | 06 | 4 | |
| | P | 7/21/1969 | -265.6 | 0.14 | 686.4 | 01 | 06 | 4 | |
| | P | 7/22/1969 | -265.38 | 0.22 | 686.62 | 01 | 06 | 4 | |
| | P | 7/23/1969 | -265.45 | -0.07 | 686.55 | 01 | 06 | 4 | |
| | P | 7/24/1969 | -265.49 | -0.04 | 686.51 | 01 | 06 | 4 | |
| | P | 7/25/1969 | -265.63 | -0.14 | 686.37 | 01 | 06 | 4 | |
| | P | 7/26/1969 | -265.85 | -0.22 | 686.15 | 01 | 06 | 4 | |
| | P | 7/27/1969 | -265.99 | -0.14 | 686.01 | 01 | 06 | 4 | |
| | P | 7/28/1969 | -266.07 | -0.08 | 685.93 | 01 | 06 | 4 | |
| | P | 7/29/1969 | -266.07 | | 685.93 | 01 | 06 | 4 | |
| | P | 7/30/1969 | -266.29 | -0.22 | 685.71 | 01 | 06 | 4 | |
| | P | 7/31/1969 | -266.88 | -0.59 | 685.12 | 01 | 06 | 4 | |
| | P | 8/ 1/1969 | -266.49 | 0.39 | 685.51 | 01 | 12 | 7 | |
| | P | 8/ 6/1969 | -267.04 | -0.55 | 684.96 | 01 | 06 | 4 | |
| | P | 8/ 7/1969 | -267.13 | -0.09 | 684.87 | 01 | 06 | 4 | |
| | P | 8/ 8/1969 | -267.26 | -0.13 | 684.74 | 01 | 06 | 4 | |
| | P | 8/ 9/1969 | -267.31 | -0.05 | 684.69 | 01 | 06 | 4 | |
| | P | 8/10/1969 | -267.45 | -0.14 | 684.55 | 01 | 06 | 4 | |
| | P | 8/11/1969 | -267.44 | 0.01 | 684.56 | 01 | 06 | 4 | |
| | P | 8/12/1969 | -267.6 | -0.16 | 684.4 | 01 | 06 | 4 | |
| | P | 8/13/1969 | -267.83 | -0.23 | 684.17 | 01 | 06 | 4 | |
| | P | 8/14/1969 | -267.86 | -0.03 | 684.14 | 01 | 06 | 4 | |
| | P | 8/15/1969 | -268.84 | -0.98 | 683.16 | 01 | 12 | 7 | |
| | P | 8/16/1969 | -267.94 | 0.9 | 684.06 | 01 | 06 | 4 | |
| | P | 8/17/1969 | -267.85 | 0.09 | 684.15 | 01 | 06 | 4 | |
| | P | 8/18/1969 | -268.02 | -0.17 | 683.98 | 01 | 06 | 4 | |
| | P | 8/19/1969 | -268.19 | -0.17 | 683.81 | 01 | 06 | 4 | |
| | P | 8/20/1969 | -268.44 | -0.25 | 683.56 | 01 | 06 | 4 | |
| | P | 8/21/1969 | -268.73 | -0.29 | 683.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1969 | -268.31 | 0.42 | 683.69 | 01 | 06 | 4 | |
| | P | 8/23/1969 | -268.39 | -0.08 | 683.61 | 01 | 06 | 4 | |
| | P | 8/24/1969 | -268.23 | 0.16 | 683.77 | 01 | 06 | 4 | |
| | P | 8/25/1969 | -267.77 | 0.46 | 684.23 | 01 | 06 | 4 | |
| | P | 8/26/1969 | -267.88 | -0.11 | 684.12 | 01 | 06 | 4 | |
| | P | 8/27/1969 | -267.61 | 0.27 | 684.39 | 01 | 06 | 4 | |
| | P | 8/28/1969 | -266.41 | 1.2 | 685.59 | 01 | 06 | 4 | |
| | P | 8/29/1969 | -266.04 | 0.37 | 685.96 | 01 | 06 | 4 | |
| | P | 8/30/1969 | -265.85 | 0.19 | 686.15 | 01 | 06 | 4 | |
| | P | 8/31/1969 | -266.22 | -0.37 | 685.78 | 01 | 06 | 4 | |
| | P | 9/ 1/1969 | -267.01 | -0.79 | 684.99 | 01 | 12 | 7 | |
| | P | 9/ 2/1969 | -267.18 | -0.17 | 684.82 | 01 | 06 | 4 | |
| | P | 9/ 3/1969 | -267.18 | | 684.82 | 01 | 06 | 4 | |
| | P | 9/ 4/1969 | -267.14 | 0.04 | 684.86 | 01 | 06 | 4 | |
| | P | 9/ 5/1969 | -267.26 | -0.12 | 684.74 | 01 | 06 | 4 | |
| | P | 9/ 6/1969 | -267.42 | -0.16 | 684.58 | 01 | 06 | 4 | |
| | P | 9/ 7/1969 | -267.42 | | 684.58 | 01 | 06 | 4 | |
| | P | 9/ 8/1969 | -267.4 | 0.02 | 684.6 | 01 | 06 | 4 | |
| | P | 9/ 9/1969 | -267.43 | -0.03 | 684.57 | 01 | 06 | 4 | |
| | P | 9/10/1969 | -267.32 | 0.11 | 684.68 | 01 | 06 | 4 | |
| | P | 9/11/1969 | -267.57 | -0.25 | 684.43 | 01 | 06 | 4 | |
| | P | 9/12/1969 | -267.53 | 0.04 | 684.47 | 01 | 06 | 4 | |
| | P | 9/13/1969 | -267.49 | 0.04 | 684.51 | 01 | 06 | 4 | |
| | P | 9/14/1969 | -267.44 | 0.05 | 684.56 | 01 | 06 | 4 | |
| | P | 9/15/1969 | -267.29 | 0.15 | 684.71 | 01 | 12 | 7 | |
| | P | 9/16/1969 | -267.43 | -0.14 | 684.57 | 01 | 06 | 4 | |
| | P | 9/17/1969 | -267.55 | -0.12 | 684.45 | 01 | 06 | 4 | |
| | P | 9/18/1969 | -267.65 | -0.1 | 684.35 | 01 | 06 | 4 | |
| | P | 9/19/1969 | -267.65 | | 684.35 | 01 | 06 | 4 | |
| | P | 9/20/1969 | -267.62 | 0.03 | 684.38 | 01 | 06 | 4 | |
| | P | 9/21/1969 | -267.62 | | 684.38 | 01 | 06 | 4 | |
| | P | 9/22/1969 | -267.62 | | 684.38 | 01 | 06 | 4 | |
| | P | 9/23/1969 | -267.62 | | 684.38 | 01 | 06 | 4 | |
| | P | 10/14/1969 | -267.74 | -0.12 | 684.26 | 01 | 06 | 4 | |
| | P | 10/15/1969 | -267.59 | 0.15 | 684.41 | 01 | 12 | 7 | |
| | P | 10/16/1969 | -267.64 | -0.05 | 684.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 17/ 1969 | -267.71 | -0.07 | 684.29 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1969 | -267.67 | 0.04 | 684.33 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1969 | -267.66 | 0.01 | 684.34 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1969 | -267.66 | | 684.34 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1969 | -267.68 | -0.02 | 684.32 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1969 | -267.72 | -0.04 | 684.28 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1969 | -267.78 | -0.06 | 684.22 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1969 | -267.86 | -0.08 | 684.14 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1969 | -267.83 | 0.03 | 684.17 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1969 | -267.81 | 0.02 | 684.19 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1969 | -267.8 | 0.01 | 684.2 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1969 | -267.79 | 0.01 | 684.21 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1969 | -267.63 | 0.16 | 684.37 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1969 | -267.59 | 0.04 | 684.41 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1969 | -267.71 | -0.12 | 684.29 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1969 | -267.66 | 0.05 | 684.34 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1969 | -267.67 | -0.01 | 684.33 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1969 | -267.76 | -0.09 | 684.24 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1969 | -267.78 | -0.02 | 684.22 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1969 | -267.76 | 0.02 | 684.24 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1969 | -267.6 | 0.16 | 684.4 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1969 | -267.56 | 0.04 | 684.44 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1969 | -267.56 | | 684.44 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1969 | -267.52 | 0.04 | 684.48 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1969 | -267.67 | -0.15 | 684.33 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1969 | -267.65 | 0.02 | 684.35 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1969 | -267.6 | 0.05 | 684.4 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1969 | -267.57 | 0.03 | 684.43 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1969 | -267.81 | -0.24 | 684.19 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1969 | -267.85 | -0.04 | 684.15 | 01 | 12 | 7 | |
| | P | 11 / 16/ 1969 | -267.73 | 0.12 | 684.27 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1969 | -267.66 | 0.07 | 684.34 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1969 | -267.68 | -0.02 | 684.32 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1969 | -268.24 | -0.56 | 683.76 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1969 | -268.03 | 0.21 | 683.97 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1969 | -267.83 | 0.2 | 684.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/22/1969 | -267.64 | 0.19 | 684.36 | 01 | 06 | 4 | |
| | P | 11/23/1969 | -267.72 | -0.08 | 684.28 | 01 | 06 | 4 | |
| | P | 11/24/1969 | -267.79 | -0.07 | 684.21 | 01 | 06 | 4 | |
| | P | 11/25/1969 | -267.68 | 0.11 | 684.32 | 01 | 06 | 4 | |
| | P | 11/26/1969 | -267.73 | -0.05 | 684.27 | 01 | 06 | 4 | |
| | P | 11/27/1969 | -267.75 | -0.02 | 684.25 | 01 | 06 | 4 | |
| | P | 11/28/1969 | -267.87 | -0.12 | 684.13 | 01 | 06 | 4 | |
| | P | 11/29/1969 | -267.71 | 0.16 | 684.29 | 01 | 06 | 4 | |
| | P | 11/30/1969 | -267.66 | 0.05 | 684.34 | 01 | 06 | 4 | |
| | P | 12/ 1/1969 | -267.58 | 0.08 | 684.42 | 01 | 12 | 7 | |
| | P | 12/ 2/1969 | -267.48 | 0.1 | 684.52 | 01 | 06 | 4 | |
| | P | 12/ 3/1969 | -267.28 | 0.2 | 684.72 | 01 | 06 | 4 | |
| | P | 12/ 4/1969 | -267.27 | 0.01 | 684.73 | 01 | 06 | 4 | |
| | P | 12/15/1969 | -266.83 | 0.44 | 685.17 | 01 | 12 | 7 | |
| | P | 12/16/1969 | -266.87 | -0.04 | 685.13 | 01 | 06 | 4 | |
| | P | 12/17/1969 | -266.87 | | 685.13 | 01 | 06 | 4 | |
| | P | 12/19/1969 | -266.78 | 0.09 | 685.22 | 01 | 06 | 4 | |
| | P | 12/20/1969 | -266.58 | 0.2 | 685.42 | 01 | 06 | 4 | |
| | P | 12/21/1969 | -266.48 | 0.1 | 685.52 | 01 | 06 | 4 | |
| | P | 12/22/1969 | -266.46 | 0.02 | 685.54 | 01 | 06 | 4 | |
| | P | 12/23/1969 | -266.52 | -0.06 | 685.48 | 01 | 06 | 4 | |
| | P | 12/24/1969 | -266.49 | 0.03 | 685.51 | 01 | 06 | 4 | |
| | P | 12/25/1969 | -266.57 | -0.08 | 685.43 | 01 | 06 | 4 | |
| | P | 12/26/1969 | -266.51 | 0.06 | 685.49 | 01 | 06 | 4 | |
| | P | 12/27/1969 | -266.34 | 0.17 | 685.66 | 01 | 06 | 4 | |
| | P | 12/28/1969 | -266.35 | -0.01 | 685.65 | 01 | 06 | 4 | |
| | P | 12/29/1969 | -266.43 | -0.08 | 685.57 | 01 | 06 | 4 | |
| | P | 12/30/1969 | -266.69 | -0.26 | 685.31 | 01 | 06 | 4 | |
| | P | 12/31/1969 | -266.79 | -0.1 | 685.21 | 01 | 06 | 4 | |
| | P | 1/ 1/1970 | -266.63 | 0.16 | 685.37 | 01 | 12 | 7 | |
| | P | 1/ 2/1970 | -266.58 | 0.05 | 685.42 | 01 | 06 | 4 | |
| | P | 1/ 3/1970 | -266.7 | -0.12 | 685.3 | 01 | 06 | 4 | |
| | P | 1/ 4/1970 | -266.66 | 0.04 | 685.34 | 01 | 06 | 4 | |
| | P | 1/ 5/1970 | -266.45 | 0.21 | 685.55 | 01 | 06 | 4 | |
| | P | 1/ 6/1970 | -266.8 | -0.35 | 685.2 | 01 | 06 | 4 | |
| | P | 1/ 7/1970 | -266.87 | -0.07 | 685.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 8/1970 | -266.84 | 0.03 | 685.16 | 01 | 06 | 4 | |
| | P | 1/ 9/1970 | -266.79 | 0.05 | 685.21 | 01 | 06 | 4 | |
| | P | 1/10/1970 | -266.78 | 0.01 | 685.22 | 01 | 06 | 4 | |
| | P | 1/11/1970 | -266.19 | 0.59 | 685.81 | 01 | 06 | 4 | |
| | P | 1/12/1970 | -266.42 | -0.23 | 685.58 | 01 | 06 | 4 | |
| | P | 1/13/1970 | -266.56 | -0.14 | 685.44 | 01 | 06 | 4 | |
| | P | 1/14/1970 | -266.44 | 0.12 | 685.56 | 01 | 06 | 4 | |
| | P | 1/15/1970 | -266.3 | 0.14 | 685.7 | 01 | 12 | 7 | |
| | P | 1/16/1970 | -266.27 | 0.03 | 685.73 | 01 | 06 | 4 | |
| | P | 1/17/1970 | -266.21 | 0.06 | 685.79 | 01 | 06 | 4 | |
| | P | 1/18/1970 | -266.25 | -0.04 | 685.75 | 01 | 06 | 4 | |
| | P | 1/19/1970 | -266.57 | -0.32 | 685.43 | 01 | 06 | 4 | |
| | P | 1/20/1970 | -266.49 | 0.08 | 685.51 | 01 | 06 | 4 | |
| | P | 1/21/1970 | -266.57 | -0.08 | 685.43 | 01 | 06 | 4 | |
| | P | 1/22/1970 | -266.35 | 0.22 | 685.65 | 01 | 06 | 4 | |
| | P | 1/23/1970 | -266.28 | 0.07 | 685.72 | 01 | 06 | 4 | |
| | P | 1/24/1970 | -266.29 | -0.01 | 685.71 | 01 | 06 | 4 | |
| | P | 1/25/1970 | -266.18 | 0.11 | 685.82 | 01 | 06 | 4 | |
| | P | 1/26/1970 | -266.3 | -0.12 | 685.7 | 01 | 06 | 4 | |
| | P | 1/27/1970 | -266.15 | 0.15 | 685.85 | 01 | 06 | 4 | |
| | P | 1/28/1970 | -266 | 0.15 | 686 | 01 | 06 | 4 | |
| | P | 1/29/1970 | -266.09 | -0.09 | 685.91 | 01 | 06 | 4 | |
| | P | 1/30/1970 | -266.43 | -0.34 | 685.57 | 01 | 06 | 4 | |
| | P | 1/31/1970 | -265.69 | 0.74 | 686.31 | 01 | 06 | 4 | |
| | P | 2/ 1/1970 | -265.54 | 0.15 | 686.46 | 01 | 12 | 7 | |
| | P | 2/ 2/1970 | -265.53 | 0.01 | 686.47 | 01 | 06 | 4 | |
| | P | 2/ 3/1970 | -266.32 | -0.79 | 685.68 | 01 | 06 | 4 | |
| | P | 2/ 4/1970 | -266.12 | 0.2 | 685.88 | 01 | 06 | 4 | |
| | P | 2/ 5/1970 | -266.09 | 0.03 | 685.91 | 01 | 06 | 4 | |
| | P | 2/ 6/1970 | -266.16 | -0.07 | 685.84 | 01 | 06 | 4 | |
| | P | 2/ 7/1970 | -266.18 | -0.02 | 685.82 | 01 | 06 | 4 | |
| | P | 2/ 8/1970 | -266.18 | | 685.82 | 01 | 06 | 4 | |
| | P | 2/ 9/1970 | -266.76 | -0.58 | 685.24 | 01 | 06 | 4 | |
| | P | 2/10/1970 | -266.18 | 0.58 | 685.82 | 01 | 06 | 4 | |
| | P | 2/11/1970 | -266.01 | 0.17 | 685.99 | 01 | 06 | 4 | |
| | P | 2/12/1970 | -266.02 | -0.01 | 685.98 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/13/1970 | -265.83 | 0.19 | 686.17 | 01 | 06 | 4 | |
| | P | 2/14/1970 | -265.76 | 0.07 | 686.24 | 01 | 06 | 4 | |
| | P | 2/15/1970 | -265.77 | -0.01 | 686.23 | 01 | 12 | 7 | |
| | P | 2/16/1970 | -266.2 | -0.43 | 685.8 | 01 | 06 | 4 | |
| | P | 2/17/1970 | -265.93 | 0.27 | 686.07 | 01 | 06 | 4 | |
| | P | 2/18/1970 | -265.84 | 0.09 | 686.16 | 01 | 06 | 4 | |
| | P | 2/19/1970 | -266.1 | -0.26 | 685.9 | 01 | 06 | 4 | |
| | P | 2/20/1970 | -266.41 | -0.31 | 685.59 | 01 | 06 | 4 | |
| | P | 2/21/1970 | -266.43 | -0.02 | 685.57 | 01 | 06 | 4 | |
| | P | 2/22/1970 | -266.08 | 0.35 | 685.92 | 01 | 06 | 4 | |
| | P | 3/ 5/1970 | -264.99 | 1.09 | 687.01 | 01 | 06 | 4 | |
| | P | 3/ 6/1970 | -264.86 | 0.13 | 687.14 | 01 | 06 | 4 | |
| | P | 3/ 7/1970 | -263.9 | 0.96 | 688.1 | 01 | 06 | 4 | |
| | P | 3/ 8/1970 | -263.24 | 0.66 | 688.76 | 01 | 06 | 4 | |
| | P | 3/ 9/1970 | -262.8 | 0.44 | 689.2 | 01 | 06 | 4 | |
| | P | 3/10/1970 | -262.68 | 0.12 | 689.32 | 01 | 06 | 4 | |
| | P | 3/11/1970 | -262.76 | -0.08 | 689.24 | 01 | 06 | 4 | |
| | P | 3/12/1970 | -262.7 | 0.06 | 689.3 | 01 | 06 | 4 | |
| | P | 3/13/1970 | -262.65 | 0.05 | 689.35 | 01 | 06 | 4 | |
| | P | 3/14/1970 | -262.75 | -0.1 | 689.25 | 01 | 06 | 4 | |
| | P | 3/15/1970 | -262.66 | 0.09 | 689.34 | 01 | 12 | 7 | |
| | P | 3/16/1970 | -262.49 | 0.17 | 689.51 | 01 | 06 | 4 | |
| | P | 3/17/1970 | -262.42 | 0.07 | 689.58 | 01 | 06 | 4 | |
| | P | 3/18/1970 | -262.7 | -0.28 | 689.3 | 01 | 06 | 4 | |
| | P | 3/19/1970 | -262.43 | 0.27 | 689.57 | 01 | 06 | 4 | |
| | P | 3/20/1970 | -262.39 | 0.04 | 689.61 | 01 | 06 | 4 | |
| | P | 3/21/1970 | -262.54 | -0.15 | 689.46 | 01 | 06 | 4 | |
| | P | 3/22/1970 | -262.56 | -0.02 | 689.44 | 01 | 06 | 4 | |
| | P | 3/23/1970 | -262.51 | 0.05 | 689.49 | 01 | 06 | 4 | |
| | P | 3/24/1970 | -262.55 | -0.04 | 689.45 | 01 | 06 | 4 | |
| | P | 3/25/1970 | -262.9 | -0.35 | 689.1 | 01 | 06 | 4 | |
| | P | 3/26/1970 | -263.29 | -0.39 | 688.71 | 01 | 06 | 4 | |
| | P | 3/27/1970 | -263.07 | 0.22 | 688.93 | 01 | 06 | 4 | |
| | P | 3/28/1970 | -263.06 | 0.01 | 688.94 | 01 | 06 | 4 | |
| | P | 3/29/1970 | -262.85 | 0.21 | 689.15 | 01 | 06 | 4 | |
| | P | 3/30/1970 | -262.82 | 0.03 | 689.18 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1970 | -262.82 | | 689.18 | 01 | 06 | 4 | |
| | P | 4/ 1/1970 | -262.64 | 0.18 | 689.36 | 01 | 12 | 7 | |
| | P | 4/ 2/1970 | -263.08 | -0.44 | 688.92 | 01 | 06 | 4 | |
| | P | 4/ 3/1970 | -262.98 | 0.1 | 689.02 | 01 | 06 | 4 | |
| | P | 4/ 4/1970 | -262.93 | 0.05 | 689.07 | 01 | 06 | 4 | |
| | P | 4/ 5/1970 | -263.05 | -0.12 | 688.95 | 01 | 06 | 4 | |
| | P | 4/ 6/1970 | -263.1 | -0.05 | 688.9 | 01 | 06 | 4 | |
| | P | 4/ 7/1970 | -262.92 | 0.18 | 689.08 | 01 | 06 | 4 | |
| | P | 4/ 8/1970 | -262.88 | 0.04 | 689.12 | 01 | 06 | 4 | |
| | P | 4/ 9/1970 | -262.71 | 0.17 | 689.29 | 01 | 06 | 4 | |
| | P | 4/10/1970 | -262.67 | 0.04 | 689.33 | 01 | 06 | 4 | |
| | P | 4/11/1970 | -262.43 | 0.24 | 689.57 | 01 | 06 | 4 | |
| | P | 4/12/1970 | -262.42 | 0.01 | 689.58 | 01 | 06 | 4 | |
| | P | 4/13/1970 | -262.63 | -0.21 | 689.37 | 01 | 06 | 4 | |
| | P | 4/14/1970 | -262.42 | 0.21 | 689.58 | 01 | 06 | 4 | |
| | P | 4/15/1970 | -262.52 | -0.1 | 689.48 | 01 | 12 | 7 | |
| | P | 4/16/1970 | -262.68 | -0.16 | 689.32 | 01 | 06 | 4 | |
| | P | 4/17/1970 | -262.71 | -0.03 | 689.29 | 01 | 06 | 4 | |
| | P | 4/18/1970 | -262.34 | 0.37 | 689.66 | 01 | 06 | 4 | |
| | P | 4/19/1970 | -262.56 | -0.22 | 689.44 | 01 | 06 | 4 | |
| | P | 4/20/1970 | -262.47 | 0.09 | 689.53 | 01 | 06 | 4 | |
| | P | 4/21/1970 | -262.44 | 0.03 | 689.56 | 01 | 06 | 4 | |
| | P | 4/22/1970 | -262.51 | -0.07 | 689.49 | 01 | 06 | 4 | |
| | P | 4/23/1970 | -262.53 | -0.02 | 689.47 | 01 | 06 | 4 | |
| | P | 4/24/1970 | -262.56 | -0.03 | 689.44 | 01 | 06 | 4 | |
| | P | 4/25/1970 | -262.28 | 0.28 | 689.72 | 01 | 06 | 4 | |
| | P | 4/26/1970 | -262.42 | -0.14 | 689.58 | 01 | 06 | 4 | |
| | P | 4/27/1970 | -262.35 | 0.07 | 689.65 | 01 | 06 | 4 | |
| | P | 4/28/1970 | -262.44 | -0.09 | 689.56 | 01 | 06 | 4 | |
| | P | 4/29/1970 | -262.49 | -0.05 | 689.51 | 01 | 06 | 4 | |
| | P | 4/30/1970 | -262.39 | 0.1 | 689.61 | 01 | 06 | 4 | |
| | P | 5/ 1/1970 | -262.59 | -0.2 | 689.41 | 01 | 12 | 7 | |
| | P | 5/ 2/1970 | -262.86 | -0.27 | 689.14 | 01 | 06 | 4 | |
| | P | 5/ 3/1970 | -262.9 | -0.04 | 689.1 | 01 | 06 | 4 | |
| | P | 5/ 4/1970 | -263.13 | -0.23 | 688.87 | 01 | 06 | 4 | |
| | P | 5/ 5/1970 | -263.17 | -0.04 | 688.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1970 | -263.17 | | 688.83 | 01 | 06 | 4 | |
| | P | 5/ 7/1970 | -263.09 | 0.08 | 688.91 | 01 | 06 | 4 | |
| | P | 5/ 8/1970 | -263.1 | -0.01 | 688.9 | 01 | 06 | 4 | |
| | P | 5/ 9/1970 | -263.01 | 0.09 | 688.99 | 01 | 06 | 4 | |
| | P | 5/10/1970 | -263.17 | -0.16 | 688.83 | 01 | 06 | 4 | |
| | P | 5/11/1970 | -263.41 | -0.24 | 688.59 | 01 | 06 | 4 | |
| | P | 5/12/1970 | -263.6 | -0.19 | 688.4 | 01 | 06 | 4 | |
| | P | 5/13/1970 | -263.43 | 0.17 | 688.57 | 01 | 06 | 4 | |
| | P | 5/14/1970 | -263.42 | 0.01 | 688.58 | 01 | 06 | 4 | |
| | P | 5/15/1970 | -263.34 | 0.08 | 688.66 | 01 | 12 | 7 | |
| | P | 5/16/1970 | -263.53 | -0.19 | 688.47 | 01 | 06 | 4 | |
| | P | 5/17/1970 | -263.49 | 0.04 | 688.51 | 01 | 06 | 4 | |
| | P | 5/18/1970 | -263.38 | 0.11 | 688.62 | 01 | 06 | 4 | |
| | P | 5/19/1970 | -263.49 | -0.11 | 688.51 | 01 | 06 | 4 | |
| | P | 5/20/1970 | -263.59 | -0.1 | 688.41 | 01 | 06 | 4 | |
| | P | 5/21/1970 | -263.63 | -0.04 | 688.37 | 01 | 06 | 4 | |
| | P | 5/22/1970 | -263.51 | 0.12 | 688.49 | 01 | 06 | 4 | |
| | P | 5/23/1970 | -263.13 | 0.38 | 688.87 | 01 | 06 | 4 | |
| | P | 5/24/1970 | -262.9 | 0.23 | 689.1 | 01 | 06 | 4 | |
| | P | 5/25/1970 | -262.94 | -0.04 | 689.06 | 01 | 06 | 4 | |
| | P | 5/26/1970 | -261.68 | 1.26 | 690.32 | 01 | 06 | 4 | |
| | P | 5/27/1970 | -260.39 | 1.29 | 691.61 | 01 | 06 | 4 | |
| | P | 5/28/1970 | -260.14 | 0.25 | 691.86 | 01 | 06 | 4 | |
| | P | 5/29/1970 | -260.12 | 0.02 | 691.88 | 01 | 06 | 4 | |
| | P | 5/30/1970 | -260.05 | 0.07 | 691.95 | 01 | 06 | 4 | |
| | P | 5/31/1970 | -259.92 | 0.13 | 692.08 | 01 | 06 | 4 | |
| | P | 6/ 1/1970 | -259.96 | -0.04 | 692.04 | 01 | 12 | 7 | |
| | P | 6/ 2/1970 | -259.93 | 0.03 | 692.07 | 01 | 06 | 4 | |
| | P | 6/ 3/1970 | -259.68 | 0.25 | 692.32 | 01 | 06 | 4 | |
| | P | 6/ 4/1970 | -259.66 | 0.02 | 692.34 | 01 | 06 | 4 | |
| | P | 6/ 5/1970 | -259.58 | 0.08 | 692.42 | 01 | 06 | 4 | |
| | P | 6/ 6/1970 | -259.65 | -0.07 | 692.35 | 01 | 06 | 4 | |
| | P | 6/ 7/1970 | -259.71 | -0.06 | 692.29 | 01 | 06 | 4 | |
| | P | 6/ 8/1970 | -259.67 | 0.04 | 692.33 | 01 | 06 | 4 | |
| | P | 6/ 9/1970 | -259.45 | 0.22 | 692.55 | 01 | 06 | 4 | |
| | P | 6/10/1970 | -259.21 | 0.24 | 692.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/11/1970 | -259.1 | 0.11 | 692.9 | 01 | 06 | 4 | |
| | P | 6/12/1970 | -259.2 | -0.1 | 692.8 | 01 | 06 | 4 | |
| | P | 6/13/1970 | -259.53 | -0.33 | 692.47 | 01 | 06 | 4 | |
| | P | 6/14/1970 | -259.9 | -0.37 | 692.1 | 01 | 06 | 4 | |
| | P | 6/15/1970 | -259.9 | | 692.1 | 01 | 12 | 7 | |
| | P | 6/16/1970 | -259.98 | -0.08 | 692.02 | 01 | 06 | 4 | |
| | P | 6/17/1970 | -260.18 | -0.2 | 691.82 | 01 | 06 | 4 | |
| | P | 6/18/1970 | -260.37 | -0.19 | 691.63 | 01 | 06 | 4 | |
| | P | 6/19/1970 | -260.46 | -0.09 | 691.54 | 01 | 06 | 4 | |
| | P | 6/20/1970 | -260.3 | 0.16 | 691.7 | 01 | 06 | 4 | |
| | P | 6/21/1970 | -260.61 | -0.31 | 691.39 | 01 | 06 | 4 | |
| | P | 6/22/1970 | -260.96 | -0.35 | 691.04 | 01 | 06 | 4 | |
| | P | 6/23/1970 | -261.1 | -0.14 | 690.9 | 01 | 06 | 4 | |
| | P | 6/24/1970 | -260.8 | 0.3 | 691.2 | 01 | 06 | 4 | |
| | P | 6/25/1970 | -260.65 | 0.15 | 691.35 | 01 | 06 | 4 | |
| | P | 6/26/1970 | -260.7 | -0.05 | 691.3 | 01 | 06 | 4 | |
| | P | 6/27/1970 | -260.83 | -0.13 | 691.17 | 01 | 06 | 4 | |
| | P | 6/28/1970 | -260.73 | 0.1 | 691.27 | 01 | 06 | 4 | |
| | P | 6/29/1970 | -260.73 | | 691.27 | 01 | 06 | 4 | |
| | P | 6/30/1970 | -260.91 | -0.18 | 691.09 | 01 | 06 | 4 | |
| | P | 7/ 1/1970 | -261.04 | -0.13 | 690.96 | 01 | 12 | 7 | |
| | P | 7/ 2/1970 | -261.18 | -0.14 | 690.82 | 01 | 06 | 4 | |
| | P | 7/ 3/1970 | -261.27 | -0.09 | 690.73 | 01 | 06 | 4 | |
| | P | 7/ 4/1970 | -261.18 | 0.09 | 690.82 | 01 | 06 | 4 | |
| | P | 7/ 5/1970 | -261.28 | -0.1 | 690.72 | 01 | 06 | 4 | |
| | P | 7/ 6/1970 | -261.35 | -0.07 | 690.65 | 01 | 06 | 4 | |
| | P | 7/ 7/1970 | -261.54 | -0.19 | 690.46 | 01 | 06 | 4 | |
| | P | 7/ 8/1970 | -261.86 | -0.32 | 690.14 | 01 | 06 | 4 | |
| | P | 7/ 9/1970 | -261.96 | -0.1 | 690.04 | 01 | 06 | 4 | |
| | P | 7/10/1970 | -262.12 | -0.16 | 689.88 | 01 | 06 | 4 | |
| | P | 7/11/1970 | -262.31 | -0.19 | 689.69 | 01 | 06 | 4 | |
| | P | 7/12/1970 | -262.58 | -0.27 | 689.42 | 01 | 06 | 4 | |
| | P | 7/13/1970 | -262.72 | -0.14 | 689.28 | 01 | 06 | 4 | |
| | P | 7/14/1970 | -262.4 | 0.32 | 689.6 | 01 | 06 | 4 | |
| | P | 7/15/1970 | -262.53 | -0.13 | 689.47 | 01 | 12 | 7 | |
| | P | 7/16/1970 | -262.46 | 0.07 | 689.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/17/1970 | -262.52 | -0.06 | 689.48 | 01 | 06 | 4 | |
| | P | 7/18/1970 | -262.54 | -0.02 | 689.46 | 01 | 06 | 4 | |
| | P | 7/19/1970 | -262.52 | 0.02 | 689.48 | 01 | 06 | 4 | |
| | P | 7/20/1970 | -262.63 | -0.11 | 689.37 | 01 | 06 | 4 | |
| | P | 7/21/1970 | -262.81 | -0.18 | 689.19 | 01 | 06 | 4 | |
| | P | 7/22/1970 | -262.84 | -0.03 | 689.16 | 01 | 06 | 4 | |
| | P | 7/23/1970 | -262.93 | -0.09 | 689.07 | 01 | 06 | 4 | |
| | P | 7/24/1970 | -263.21 | -0.28 | 688.79 | 01 | 06 | 4 | |
| | P | 7/25/1970 | -263.3 | -0.09 | 688.7 | 01 | 06 | 4 | |
| | P | 7/26/1970 | -263.24 | 0.06 | 688.76 | 01 | 06 | 4 | |
| | P | 7/27/1970 | -263.4 | -0.16 | 688.6 | 01 | 06 | 4 | |
| | P | 7/28/1970 | -263.58 | -0.18 | 688.42 | 01 | 06 | 4 | |
| | P | 7/29/1970 | -263.85 | -0.27 | 688.15 | 01 | 06 | 4 | |
| | P | 7/30/1970 | -263.9 | -0.05 | 688.1 | 01 | 06 | 4 | |
| | P | 7/31/1970 | -263.99 | -0.09 | 688.01 | 01 | 06 | 4 | |
| | P | 8/ 1/1970 | -264.19 | -0.2 | 687.81 | 01 | 12 | 7 | |
| | P | 8/ 2/1970 | -264.54 | -0.35 | 687.46 | 01 | 06 | 4 | |
| | P | 8/ 3/1970 | -264.17 | 0.37 | 687.83 | 01 | 06 | 4 | |
| | P | 8/ 4/1970 | -264.15 | 0.02 | 687.85 | 01 | 06 | 4 | |
| | P | 8/ 5/1970 | -264.25 | -0.1 | 687.75 | 01 | 06 | 4 | |
| | P | 8/ 6/1970 | -264.55 | -0.3 | 687.45 | 01 | 06 | 4 | |
| | P | 8/ 7/1970 | -264.72 | -0.17 | 687.28 | 01 | 06 | 4 | |
| | P | 8/ 8/1970 | -264.81 | -0.09 | 687.19 | 01 | 06 | 4 | |
| | P | 8/ 9/1970 | -265.03 | -0.22 | 686.97 | 01 | 06 | 4 | |
| | P | 8/10/1970 | -265.36 | -0.33 | 686.64 | 01 | 06 | 4 | |
| | P | 8/11/1970 | -265.45 | -0.09 | 686.55 | 01 | 06 | 4 | |
| | P | 8/12/1970 | -265.36 | 0.09 | 686.64 | 01 | 06 | 4 | |
| | P | 8/13/1970 | -265.58 | -0.22 | 686.42 | 01 | 06 | 4 | |
| | P | 8/14/1970 | -265.72 | -0.14 | 686.28 | 01 | 06 | 4 | |
| | P | 8/15/1970 | -265.66 | 0.06 | 686.34 | 01 | 12 | 7 | |
| | P | 8/16/1970 | -265.32 | 0.34 | 686.68 | 01 | 06 | 4 | |
| | P | 8/17/1970 | -265.31 | 0.01 | 686.69 | 01 | 06 | 4 | |
| | P | 8/18/1970 | -265.27 | 0.04 | 686.73 | 01 | 06 | 4 | |
| | P | 8/19/1970 | -265.32 | -0.05 | 686.68 | 01 | 06 | 4 | |
| | P | 8/20/1970 | -265.67 | -0.35 | 686.33 | 01 | 06 | 4 | |
| | P | 8/21/1970 | -266.09 | -0.42 | 685.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1970 | -266.2 | -0.11 | 685.8 | 01 | 06 | 4 | |
| | P | 8/23/1970 | -266.3 | -0.1 | 685.7 | 01 | 06 | 4 | |
| | P | 8/24/1970 | -266.1 | 0.2 | 685.9 | 01 | 06 | 4 | |
| | P | 8/25/1970 | -266.2 | -0.1 | 685.8 | 01 | 06 | 4 | |
| | P | 8/26/1970 | -266.36 | -0.16 | 685.64 | 01 | 06 | 4 | |
| | P | 8/27/1970 | -266.51 | -0.15 | 685.49 | 01 | 06 | 4 | |
| | P | 8/28/1970 | -266.62 | -0.11 | 685.38 | 01 | 06 | 4 | |
| | P | 8/29/1970 | -266.62 | | 685.38 | 01 | 06 | 4 | |
| | P | 8/30/1970 | -266.54 | 0.08 | 685.46 | 01 | 06 | 4 | |
| | P | 8/31/1970 | -266.43 | 0.11 | 685.57 | 01 | 06 | 4 | |
| | P | 9/ 1/1970 | -266.27 | 0.16 | 685.73 | 01 | 12 | 7 | |
| | P | 9/ 2/1970 | -266.28 | -0.01 | 685.72 | 01 | 06 | 4 | |
| | P | 9/ 3/1970 | -266.47 | -0.19 | 685.53 | 01 | 06 | 4 | |
| | P | 9/ 4/1970 | -266.91 | -0.44 | 685.09 | 01 | 06 | 4 | |
| | P | 9/ 5/1970 | -267.15 | -0.24 | 684.85 | 01 | 06 | 4 | |
| | P | 9/ 6/1970 | -267.13 | 0.02 | 684.87 | 01 | 06 | 4 | |
| | P | 9/ 7/1970 | -267.43 | -0.3 | 684.57 | 01 | 06 | 4 | |
| | P | 9/ 8/1970 | -267.67 | -0.24 | 684.33 | 01 | 06 | 4 | |
| | P | 9/ 9/1970 | -267.63 | 0.04 | 684.37 | 01 | 06 | 4 | |
| | P | 9/10/1970 | -267.79 | -0.16 | 684.21 | 01 | 06 | 4 | |
| | P | 9/11/1970 | -267.73 | 0.06 | 684.27 | 01 | 06 | 4 | |
| | P | 9/12/1970 | -267.6 | 0.13 | 684.4 | 01 | 06 | 4 | |
| | P | 9/13/1970 | -267.47 | 0.13 | 684.53 | 01 | 06 | 4 | |
| | P | 9/14/1970 | -267.45 | 0.02 | 684.55 | 01 | 06 | 4 | |
| | P | 9/15/1970 | -267.34 | 0.11 | 684.66 | 01 | 12 | 7 | |
| | P | 9/16/1970 | -267.29 | 0.05 | 684.71 | 01 | 06 | 4 | |
| | P | 9/17/1970 | -267.51 | -0.22 | 684.49 | 01 | 06 | 4 | |
| | P | 9/18/1970 | -267.51 | | 684.49 | 01 | 06 | 4 | |
| | P | 9/19/1970 | -267.45 | 0.06 | 684.55 | 01 | 06 | 4 | |
| | P | 9/20/1970 | -267.54 | -0.09 | 684.46 | 01 | 06 | 4 | |
| | P | 9/21/1970 | -267.49 | 0.05 | 684.51 | 01 | 06 | 4 | |
| | P | 9/22/1970 | -267.42 | 0.07 | 684.58 | 01 | 06 | 4 | |
| | P | 9/23/1970 | -267.55 | -0.13 | 684.45 | 01 | 06 | 4 | |
| | P | 9/24/1970 | -267.57 | -0.02 | 684.43 | 01 | 06 | 4 | |
| | P | 9/25/1970 | -267.58 | -0.01 | 684.42 | 01 | 06 | 4 | |
| | P | 9/26/1970 | -267.61 | -0.03 | 684.39 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/27/1970 | -267.66 | -0.05 | 684.34 | 01 | 06 | 4 | |
| | P | 9/28/1970 | -267.58 | 0.08 | 684.42 | 01 | 06 | 4 | |
| | P | 9/29/1970 | -267.51 | 0.07 | 684.49 | 01 | 06 | 4 | |
| | P | 9/30/1970 | -267.38 | 0.13 | 684.62 | 01 | 06 | 4 | |
| | P | 10/ 1/1970 | -267.16 | 0.22 | 684.84 | 01 | 12 | 7 | |
| | P | 10/ 2/1970 | -267.25 | -0.09 | 684.75 | 01 | 06 | 4 | |
| | P | 10/ 3/1970 | -267.37 | -0.12 | 684.63 | 01 | 06 | 4 | |
| | P | 10/ 4/1970 | -267.42 | -0.05 | 684.58 | 01 | 06 | 4 | |
| | P | 10/ 5/1970 | -267.28 | 0.14 | 684.72 | 01 | 06 | 4 | |
| | P | 10/ 6/1970 | -267.15 | 0.13 | 684.85 | 01 | 06 | 4 | |
| | P | 10/ 7/1970 | -267.11 | 0.04 | 684.89 | 01 | 06 | 4 | |
| | P | 10/ 8/1970 | -267.04 | 0.07 | 684.96 | 01 | 06 | 4 | |
| | P | 10/ 9/1970 | -267.37 | -0.33 | 684.63 | 01 | 06 | 4 | |
| | P | 10/10/1970 | -267.36 | 0.01 | 684.64 | 01 | 06 | 4 | |
| | P | 10/11/1970 | -267.08 | 0.28 | 684.92 | 01 | 06 | 4 | |
| | P | 10/12/1970 | -267.19 | -0.11 | 684.81 | 01 | 06 | 4 | |
| | P | 10/13/1970 | -267.07 | 0.12 | 684.93 | 01 | 06 | 4 | |
| | P | 10/14/1970 | -267.15 | -0.08 | 684.85 | 01 | 06 | 4 | |
| | P | 10/15/1970 | -267.24 | -0.09 | 684.76 | 01 | 12 | 7 | |
| | P | 10/16/1970 | -267.43 | -0.19 | 684.57 | 01 | 06 | 4 | |
| | P | 10/17/1970 | -267.26 | 0.17 | 684.74 | 01 | 06 | 4 | |
| | P | 10/18/1970 | -267.2 | 0.06 | 684.8 | 01 | 06 | 4 | |
| | P | 10/24/1970 | -266.8 | 0.4 | 685.2 | 01 | 06 | 4 | |
| | P | 10/25/1970 | -266.74 | 0.06 | 685.26 | 01 | 06 | 4 | |
| | P | 10/26/1970 | -266.85 | -0.11 | 685.15 | 01 | 06 | 4 | |
| | P | 10/30/1970 | -266.05 | 0.8 | 685.95 | 01 | 06 | 4 | |
| | P | 11/ 2/1970 | -266.16 | -0.11 | 685.84 | 01 | 06 | 4 | |
| | P | 11/ 5/1970 | -267.41 | -1.25 | 684.59 | 01 | 06 | 4 | |
| | P | 11/ 6/1970 | -267.21 | 0.2 | 684.79 | 01 | 06 | 4 | |
| | P | 11/ 7/1970 | -267.16 | 0.05 | 684.84 | 01 | 06 | 4 | |
| | P | 11/ 8/1970 | -267.08 | 0.08 | 684.92 | 01 | 06 | 4 | |
| | P | 11/ 9/1970 | -267.39 | -0.31 | 684.61 | 01 | 06 | 4 | |
| | P | 11/10/1970 | -267.51 | -0.12 | 684.49 | 01 | 06 | 4 | |
| | P | 11/11/1970 | -267.47 | 0.04 | 684.53 | 01 | 06 | 4 | |
| | P | 11/12/1970 | -267.49 | -0.02 | 684.51 | 01 | 06 | 4 | |
| | P | 11/13/1970 | -267.18 | 0.31 | 684.82 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 14/ 1970 | -267.61 | -0.43 | 684.39 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1970 | -267.81 | -0.2 | 684.19 | 01 | 12 | 7 | |
| | P | 11/ 16/ 1970 | -267.63 | 0.18 | 684.37 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1970 | -267.46 | 0.17 | 684.54 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1970 | -267.41 | 0.05 | 684.59 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1970 | -267.27 | 0.14 | 684.73 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1970 | -267.72 | -0.45 | 684.28 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1970 | -267.69 | 0.03 | 684.31 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1970 | -267.64 | 0.05 | 684.36 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1970 | -268.18 | -0.54 | 683.82 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1970 | -267.91 | 0.27 | 684.09 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1970 | -267.65 | 0.26 | 684.35 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1970 | -267.62 | 0.03 | 684.38 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1970 | -267.71 | -0.09 | 684.29 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1970 | -268.05 | -0.34 | 683.95 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1970 | -267.91 | 0.14 | 684.09 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1970 | -267.95 | -0.04 | 684.05 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1970 | -268.04 | -0.09 | 683.96 | 01 | 12 | 7 | |
| | P | 12/ 2/ 1970 | -268.06 | -0.02 | 683.94 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1970 | -268.1 | -0.04 | 683.9 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1970 | -268.25 | -0.15 | 683.75 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1970 | -268.29 | -0.04 | 683.71 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1970 | -268.45 | -0.16 | 683.55 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1970 | -268.24 | 0.21 | 683.76 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1970 | -268.04 | 0.2 | 683.96 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1970 | -268.06 | -0.02 | 683.94 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1970 | -268.03 | 0.03 | 683.97 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1970 | -267.99 | 0.04 | 684.01 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1970 | -268.16 | -0.17 | 683.84 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1970 | -268.25 | -0.09 | 683.75 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1970 | -268.25 | | 683.75 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1970 | -267.81 | 0.44 | 684.19 | 01 | 12 | 7 | |
| | P | 12/ 16/ 1970 | -268.01 | -0.2 | 683.99 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1970 | -268.19 | -0.18 | 683.81 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1970 | -268.12 | 0.07 | 683.88 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1970 | -268.22 | -0.1 | 683.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/20/1970 | -268.26 | -0.04 | 683.74 | 01 | 06 | 4 | |
| | P | 12/21/1970 | -268.15 | 0.11 | 683.85 | 01 | 06 | 4 | |
| | P | 12/22/1970 | -268.14 | 0.01 | 683.86 | 01 | 06 | 4 | |
| | P | 12/23/1970 | -268.17 | -0.03 | 683.83 | 01 | 06 | 4 | |
| | P | 12/24/1970 | -268.32 | -0.15 | 683.68 | 01 | 06 | 4 | |
| | P | 12/25/1970 | -268.17 | 0.15 | 683.83 | 01 | 12 | 7 | |
| | P | 12/26/1970 | -268.29 | -0.12 | 683.71 | 01 | 06 | 4 | |
| | P | 12/27/1970 | -268.22 | 0.07 | 683.78 | 01 | 06 | 4 | |
| | P | 12/28/1970 | -268.07 | 0.15 | 683.93 | 01 | 06 | 4 | |
| | P | 12/29/1970 | -268.08 | -0.01 | 683.92 | 01 | 06 | 4 | |
| | P | 12/30/1970 | -268.04 | 0.04 | 683.96 | 01 | 06 | 4 | |
| | P | 12/31/1970 | -268.3 | -0.26 | 683.7 | 01 | 06 | 4 | |
| | P | 1/ 1/1971 | -268.16 | 0.14 | 683.84 | 01 | 02 | 8 | |
| | P | 1/ 2/1971 | -268.02 | 0.14 | 683.98 | 01 | 06 | 4 | |
| | P | 1/ 3/1971 | -267.95 | 0.07 | 684.05 | 01 | 06 | 4 | |
| | P | 1/ 4/1971 | -268.42 | -0.47 | 683.58 | 01 | 06 | 4 | |
| | P | 1/ 5/1971 | -268.56 | -0.14 | 683.44 | 01 | 06 | 4 | |
| | P | 1/ 6/1971 | -268.55 | 0.01 | 683.45 | 01 | 06 | 4 | |
| | P | 1/ 7/1971 | -268.54 | 0.01 | 683.46 | 01 | 06 | 4 | |
| | P | 1/ 8/1971 | -268.29 | 0.25 | 683.71 | 01 | 06 | 4 | |
| | P | 1/ 9/1971 | -268.16 | 0.13 | 683.84 | 01 | 06 | 4 | |
| | P | 1/10/1971 | -268.25 | -0.09 | 683.75 | 01 | 06 | 4 | |
| | P | 1/11/1971 | -268.52 | -0.27 | 683.48 | 01 | 06 | 4 | |
| | P | 1/12/1971 | -268.43 | 0.09 | 683.57 | 01 | 06 | 4 | |
| | P | 1/13/1971 | -268.41 | 0.02 | 683.59 | 01 | 06 | 4 | |
| | P | 1/14/1971 | -268.51 | -0.1 | 683.49 | 01 | 06 | 4 | |
| | P | 1/15/1971 | -268.78 | -0.27 | 683.22 | 01 | 02 | 8 | |
| | P | 1/16/1971 | -268.95 | -0.17 | 683.05 | 01 | 06 | 4 | |
| | P | 1/17/1971 | -268.69 | 0.26 | 683.31 | 01 | 06 | 4 | |
| | P | 1/18/1971 | -268.72 | -0.03 | 683.28 | 01 | 06 | 4 | |
| | P | 1/19/1971 | -269.18 | -0.46 | 682.82 | 01 | 06 | 4 | |
| | P | 1/20/1971 | -269.03 | 0.15 | 682.97 | 01 | 06 | 4 | |
| | P | 1/21/1971 | -268.9 | 0.13 | 683.1 | 01 | 06 | 4 | |
| | P | 1/22/1971 | -268.85 | 0.05 | 683.15 | 01 | 06 | 4 | |
| | P | 1/23/1971 | -268.88 | -0.03 | 683.12 | 01 | 06 | 4 | |
| | P | 1/24/1971 | -269.98 | -1.1 | 682.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 25/ 1971 | -269.28 | 0.7 | 682.72 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1971 | -268.45 | 0.83 | 683.55 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1971 | -269.59 | -1.14 | 682.41 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1971 | -269.49 | 0.1 | 682.51 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1971 | -269.37 | 0.12 | 682.63 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1971 | -269.22 | 0.15 | 682.78 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1971 | -269.38 | -0.16 | 682.62 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1971 | -269.89 | -0.51 | 682.11 | 01 | 02 | 8 | |
| | P | 2/ 2/ 1971 | -269.66 | 0.23 | 682.34 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1971 | -269.36 | 0.3 | 682.64 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1971 | -269.25 | 0.11 | 682.75 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1971 | -269.54 | -0.29 | 682.46 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1971 | -269.48 | 0.06 | 682.52 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1971 | -269.65 | -0.17 | 682.35 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1971 | -269.99 | -0.34 | 682.01 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1971 | -270.11 | -0.12 | 681.89 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1971 | -270.01 | 0.1 | 681.99 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1971 | -269.73 | 0.28 | 682.27 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1971 | -270 | -0.27 | 682 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1971 | -270.25 | -0.25 | 681.75 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1971 | -270.11 | 0.14 | 681.89 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1971 | -270.31 | -0.2 | 681.69 | 01 | 02 | 8 | |
| | P | 2/ 16/ 1971 | -270.37 | -0.06 | 681.63 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1971 | -270.5 | -0.13 | 681.5 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1971 | -270.33 | 0.17 | 681.67 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1971 | -270.39 | -0.06 | 681.61 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1971 | -270.34 | 0.05 | 681.66 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1971 | -270.18 | 0.16 | 681.82 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1971 | -270.62 | -0.44 | 681.38 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1971 | -270.58 | 0.04 | 681.42 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1971 | -270.55 | 0.03 | 681.45 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1971 | -270.34 | 0.21 | 681.66 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1971 | -270.37 | -0.03 | 681.63 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1971 | -270.72 | -0.35 | 681.28 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1971 | -270.65 | 0.07 | 681.35 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1971 | -270.67 | -0.02 | 681.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 3/1971 | -271.14 | -0.47 | 680.86 | 01 | 06 | 4 | |
| | P | 3/ 4/1971 | -270.84 | 0.3 | 681.16 | 01 | 06 | 4 | |
| | P | 3/ 5/1971 | -270.73 | 0.11 | 681.27 | 01 | 06 | 4 | |
| | P | 3/ 8/1971 | -271.18 | -0.45 | 680.82 | 01 | 06 | 4 | |
| | P | 3/ 9/1971 | -270.96 | 0.22 | 681.04 | 01 | 06 | 4 | |
| | P | 3/10/1971 | -271.22 | -0.26 | 680.78 | 01 | 06 | 4 | |
| | P | 3/11/1971 | -271.06 | 0.16 | 680.94 | 01 | 06 | 4 | |
| | P | 3/12/1971 | -271.18 | -0.12 | 680.82 | 01 | 06 | 4 | |
| | P | 3/13/1971 | -271.23 | -0.05 | 680.77 | 01 | 06 | 4 | |
| | P | 3/14/1971 | -271.59 | -0.36 | 680.41 | 01 | 06 | 4 | |
| | P | 3/15/1971 | -272.1 | -0.51 | 679.9 | 01 | 02 | 8 | |
| | P | 3/16/1971 | -272.05 | 0.05 | 679.95 | 01 | 06 | 4 | |
| | P | 3/17/1971 | -272.07 | -0.02 | 679.93 | 01 | 06 | 4 | |
| | P | 3/18/1971 | -271.8 | 0.27 | 680.2 | 01 | 06 | 4 | |
| | P | 3/19/1971 | -272.24 | -0.44 | 679.76 | 01 | 06 | 4 | |
| | P | 3/20/1971 | -272.19 | 0.05 | 679.81 | 01 | 06 | 4 | |
| | P | 3/21/1971 | -272.06 | 0.13 | 679.94 | 01 | 06 | 4 | |
| | P | 3/22/1971 | -272.26 | -0.2 | 679.74 | 01 | 06 | 4 | |
| | P | 3/23/1971 | -272.44 | -0.18 | 679.56 | 01 | 06 | 4 | |
| | P | 3/24/1971 | -272.29 | 0.15 | 679.71 | 01 | 06 | 4 | |
| | P | 3/25/1971 | -272.08 | 0.21 | 679.92 | 01 | 06 | 4 | |
| | P | 3/26/1971 | -272.47 | -0.39 | 679.53 | 01 | 06 | 4 | |
| | P | 3/27/1971 | -272.43 | 0.04 | 679.57 | 01 | 06 | 4 | |
| | P | 3/28/1971 | -272.48 | -0.05 | 679.52 | 01 | 06 | 4 | |
| | P | 3/29/1971 | -272.94 | -0.46 | 679.06 | 01 | 06 | 4 | |
| | P | 3/30/1971 | -273.18 | -0.24 | 678.82 | 01 | 06 | 4 | |
| | P | 3/31/1971 | -272.91 | 0.27 | 679.09 | 01 | 06 | 4 | |
| | P | 4/ 1/1971 | -272.95 | -0.04 | 679.05 | 01 | 02 | 8 | |
| | P | 4/ 2/1971 | -273.51 | -0.56 | 678.49 | 01 | 06 | 4 | |
| | P | 4/ 3/1971 | -273.35 | 0.16 | 678.65 | 01 | 06 | 4 | |
| | P | 4/ 4/1971 | -273.55 | -0.2 | 678.45 | 01 | 06 | 4 | |
| | P | 4/ 5/1971 | -273.5 | 0.05 | 678.5 | 01 | 06 | 4 | |
| | P | 4/ 6/1971 | -273.76 | -0.26 | 678.24 | 01 | 06 | 4 | |
| | P | 4/ 7/1971 | -273.8 | -0.04 | 678.2 | 01 | 06 | 4 | |
| | P | 4/ 8/1971 | -273.82 | -0.02 | 678.18 | 01 | 06 | 4 | |
| | P | 4/ 9/1971 | -273.83 | -0.01 | 678.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 10/ 1971 | -274.18 | -0.35 | 677.82 | 01 | 06 | 4 | |
| | P | 4/ 11/ 1971 | -274.66 | -0.48 | 677.34 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1971 | -274.45 | 0.21 | 677.55 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1971 | -274.39 | 0.06 | 677.61 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1971 | -274.62 | -0.23 | 677.38 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1971 | -274.53 | 0.09 | 677.47 | 01 | 02 | 8 | |
| | P | 4/ 16/ 1971 | -274.11 | 0.42 | 677.89 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1971 | -274.04 | 0.07 | 677.96 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1971 | -274.03 | 0.01 | 677.97 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1971 | -274.03 | | 677.97 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1971 | -273.87 | 0.16 | 678.13 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1971 | -273.65 | 0.22 | 678.35 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1971 | -273.64 | 0.01 | 678.36 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1971 | -273.89 | -0.25 | 678.11 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1971 | -274.22 | -0.33 | 677.78 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1971 | -274.51 | -0.29 | 677.49 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1971 | -274.2 | 0.31 | 677.8 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1971 | -274.28 | -0.08 | 677.72 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1971 | -274.93 | -0.65 | 677.07 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1971 | -274.46 | 0.47 | 677.54 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1971 | -274.77 | -0.31 | 677.23 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1971 | -274.98 | -0.21 | 677.02 | 01 | 02 | 8 | |
| | P | 5/ 2/ 1971 | -275.43 | -0.45 | 676.57 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1971 | -276.03 | -0.6 | 675.97 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1971 | -275.54 | 0.49 | 676.46 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1971 | -275.22 | 0.32 | 676.78 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1971 | -274.92 | 0.3 | 677.08 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1971 | -274.9 | 0.02 | 677.1 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1971 | -274.87 | 0.03 | 677.13 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1971 | -274.7 | 0.17 | 677.3 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1971 | -274.67 | 0.03 | 677.33 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1971 | -274.77 | -0.1 | 677.23 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1971 | -274.69 | 0.08 | 677.31 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1971 | -274.41 | 0.28 | 677.59 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1971 | -274.73 | -0.32 | 677.27 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1971 | -274.79 | -0.06 | 677.21 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/16/1971 | -275.04 | -0.25 | 676.96 | 01 | 06 | 4 | |
| | P | 5/17/1971 | -275.17 | -0.13 | 676.83 | 01 | 06 | 4 | |
| | P | 5/18/1971 | -275.23 | -0.06 | 676.77 | 01 | 06 | 4 | |
| | P | 5/19/1971 | -275.62 | -0.39 | 676.38 | 01 | 06 | 4 | |
| | P | 5/20/1971 | -275.6 | 0.02 | 676.4 | 01 | 06 | 4 | |
| | P | 5/21/1971 | -275.76 | -0.16 | 676.24 | 01 | 06 | 4 | |
| | P | 5/22/1971 | -275.6 | 0.16 | 676.4 | 01 | 06 | 4 | |
| | P | 5/23/1971 | -275.82 | -0.22 | 676.18 | 01 | 06 | 4 | |
| | P | 5/24/1971 | -276.1 | -0.28 | 675.9 | 01 | 06 | 4 | |
| | P | 5/25/1971 | -275.68 | 0.42 | 676.32 | 01 | 06 | 4 | |
| | P | 5/26/1971 | -275.73 | -0.05 | 676.27 | 01 | 06 | 4 | |
| | P | 5/27/1971 | -275.75 | -0.02 | 676.25 | 01 | 06 | 4 | |
| | P | 5/28/1971 | -275.84 | -0.09 | 676.16 | 01 | 06 | 4 | |
| | P | 5/29/1971 | -275.93 | -0.09 | 676.07 | 01 | 06 | 4 | |
| | P | 5/30/1971 | -276.02 | -0.09 | 675.98 | 01 | 06 | 4 | |
| | P | 5/31/1971 | -276.14 | -0.12 | 675.86 | 01 | 06 | 4 | |
| | P | 6/ 1/1971 | -276.35 | -0.21 | 675.65 | 01 | 02 | 8 | |
| | P | 6/ 2/1971 | -276.54 | -0.19 | 675.46 | 01 | 06 | 4 | |
| | P | 6/ 3/1971 | -276.76 | -0.22 | 675.24 | 01 | 06 | 4 | |
| | P | 6/ 4/1971 | -277.04 | -0.28 | 674.96 | 01 | 06 | 4 | |
| | P | 6/ 5/1971 | -277.14 | -0.1 | 674.86 | 01 | 06 | 4 | |
| | P | 6/ 6/1971 | -278.07 | -0.93 | 673.93 | 01 | 06 | 4 | |
| | P | 6/ 7/1971 | -278.24 | -0.17 | 673.76 | 01 | 06 | 4 | |
| | P | 6/ 8/1971 | -278.57 | -0.33 | 673.43 | 01 | 06 | 4 | |
| | P | 6/ 9/1971 | -278.65 | -0.08 | 673.35 | 01 | 06 | 4 | |
| | P | 6/10/1971 | -278.73 | -0.08 | 673.27 | 01 | 06 | 4 | |
| | P | 6/11/1971 | -278.25 | 0.48 | 673.75 | 01 | 06 | 4 | |
| | P | 6/12/1971 | -278.2 | 0.05 | 673.8 | 01 | 06 | 4 | |
| | P | 6/13/1971 | -279.25 | -1.05 | 672.75 | 01 | 06 | 4 | |
| | P | 6/14/1971 | -279.37 | -0.12 | 672.63 | 01 | 06 | 4 | |
| | P | 6/15/1971 | -277.93 | 1.44 | 674.07 | 01 | 02 | 8 | |
| | P | 6/16/1971 | -277.91 | 0.02 | 674.09 | 01 | 06 | 4 | |
| | P | 6/17/1971 | -278.22 | -0.31 | 673.78 | 01 | 06 | 4 | |
| | P | 6/18/1971 | -278.61 | -0.39 | 673.39 | 01 | 06 | 4 | |
| | P | 6/19/1971 | -278.56 | 0.05 | 673.44 | 01 | 06 | 4 | |
| | P | 6/20/1971 | -277.79 | 0.77 | 674.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/21/1971 | -277.67 | 0.12 | 674.33 | 01 | 06 | 4 | |
| | P | 6/22/1971 | -277.51 | 0.16 | 674.49 | 01 | 06 | 4 | |
| | P | 6/23/1971 | -277.5 | 0.01 | 674.5 | 01 | 06 | 4 | |
| | P | 6/24/1971 | -277.53 | -0.03 | 674.47 | 01 | 06 | 4 | |
| | P | 6/25/1971 | -277.53 | | 674.47 | 01 | 06 | 4 | |
| | P | 6/26/1971 | -277.54 | -0.01 | 674.46 | 01 | 06 | 4 | |
| | P | 6/27/1971 | -277.52 | 0.02 | 674.48 | 01 | 06 | 4 | |
| | P | 6/28/1971 | -277.49 | 0.03 | 674.51 | 01 | 06 | 4 | |
| | P | 6/29/1971 | -277.51 | -0.02 | 674.49 | 01 | 06 | 4 | |
| | P | 6/30/1971 | -277.54 | -0.03 | 674.46 | 01 | 06 | 4 | |
| | P | 7/ 1/1971 | -277.53 | 0.01 | 674.47 | 01 | 02 | 8 | |
| | P | 7/ 2/1971 | -277.57 | -0.04 | 674.43 | 01 | 06 | 4 | |
| | P | 7/ 3/1971 | -277.57 | | 674.43 | 01 | 06 | 4 | |
| | P | 7/ 4/1971 | -277.73 | -0.16 | 674.27 | 01 | 06 | 4 | |
| | P | 7/ 5/1971 | -277.91 | -0.18 | 674.09 | 01 | 06 | 4 | |
| | P | 7/ 6/1971 | -278.38 | -0.47 | 673.62 | 01 | 06 | 4 | |
| | P | 7/ 7/1971 | -278.51 | -0.13 | 673.49 | 01 | 06 | 4 | |
| | P | 7/ 8/1971 | -278.86 | -0.35 | 673.14 | 01 | 06 | 4 | |
| | P | 7/ 9/1971 | -278.87 | -0.01 | 673.13 | 01 | 06 | 4 | |
| | P | 7/10/1971 | -279.05 | -0.18 | 672.95 | 01 | 06 | 4 | |
| | P | 7/11/1971 | -279.32 | -0.27 | 672.68 | 01 | 06 | 4 | |
| | P | 7/12/1971 | -279.8 | -0.48 | 672.2 | 01 | 06 | 4 | |
| | P | 7/13/1971 | -279.5 | 0.3 | 672.5 | 01 | 06 | 4 | |
| | P | 7/14/1971 | -280.17 | -0.67 | 671.83 | 01 | 06 | 4 | |
| | P | 7/15/1971 | -280.51 | -0.34 | 671.49 | 01 | 02 | 8 | |
| | P | 7/16/1971 | -280.78 | -0.27 | 671.22 | 01 | 06 | 4 | |
| | P | 7/17/1971 | -281.02 | -0.24 | 670.98 | 01 | 06 | 4 | |
| | P | 7/18/1971 | -281.06 | -0.04 | 670.94 | 01 | 06 | 4 | |
| | P | 7/19/1971 | -280.99 | 0.07 | 671.01 | 01 | 06 | 4 | |
| | P | 7/20/1971 | -281 | -0.01 | 671 | 01 | 06 | 4 | |
| | P | 7/21/1971 | -281.22 | -0.22 | 670.78 | 01 | 06 | 4 | |
| | P | 7/22/1971 | -281.37 | -0.15 | 670.63 | 01 | 06 | 4 | |
| | P | 7/23/1971 | -281.36 | 0.01 | 670.64 | 01 | 06 | 4 | |
| | P | 7/24/1971 | -281.5 | -0.14 | 670.5 | 01 | 06 | 4 | |
| | P | 7/25/1971 | -281.51 | -0.01 | 670.49 | 01 | 06 | 4 | |
| | P | 7/26/1971 | -281.55 | -0.04 | 670.45 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/27/1971 | -281.31 | 0.24 | 670.69 | 01 | 06 | 4 | |
| | P | 7/28/1971 | -279.99 | 1.32 | 672.01 | 01 | 06 | 4 | |
| | P | 7/29/1971 | -280.03 | -0.04 | 671.97 | 01 | 06 | 4 | |
| | P | 7/30/1971 | -280.24 | -0.21 | 671.76 | 01 | 06 | 4 | |
| | P | 7/31/1971 | -280.31 | -0.07 | 671.69 | 01 | 06 | 4 | |
| | P | 8/ 1/1971 | -280.03 | 0.28 | 671.97 | 01 | 02 | 8 | |
| | P | 8/ 2/1971 | -279.67 | 0.36 | 672.33 | 01 | 06 | 4 | |
| | P | 8/ 3/1971 | -277.86 | 1.81 | 674.14 | 01 | 06 | 4 | |
| | P | 8/ 4/1971 | -276.98 | 0.88 | 675.02 | 01 | 06 | 4 | |
| | P | 8/ 5/1971 | -276.66 | 0.32 | 675.34 | 01 | 06 | 4 | |
| | P | 8/ 6/1971 | -276.28 | 0.38 | 675.72 | 01 | 06 | 4 | |
| | P | 8/ 7/1971 | -276.14 | 0.14 | 675.86 | 01 | 06 | 4 | |
| | P | 8/ 8/1971 | -276.26 | -0.12 | 675.74 | 01 | 06 | 4 | |
| | P | 8/ 9/1971 | -276.97 | -0.71 | 675.03 | 01 | 06 | 4 | |
| | P | 8/10/1971 | -277.38 | -0.41 | 674.62 | 01 | 06 | 4 | |
| | P | 8/11/1971 | -277.55 | -0.17 | 674.45 | 01 | 06 | 4 | |
| | P | 8/12/1971 | -277.62 | -0.07 | 674.38 | 01 | 06 | 4 | |
| | P | 8/13/1971 | -277.51 | 0.11 | 674.49 | 01 | 06 | 4 | |
| | P | 8/14/1971 | -276.76 | 0.75 | 675.24 | 01 | 06 | 4 | |
| | P | 8/15/1971 | -276.2 | 0.56 | 675.8 | 01 | 02 | 8 | |
| | P | 8/16/1971 | -276.22 | -0.02 | 675.78 | 01 | 06 | 4 | |
| | P | 8/17/1971 | -276.54 | -0.32 | 675.46 | 01 | 06 | 4 | |
| | P | 8/18/1971 | -276.76 | -0.22 | 675.24 | 01 | 06 | 4 | |
| | P | 8/19/1971 | -276.91 | -0.15 | 675.09 | 01 | 06 | 4 | |
| | P | 8/20/1971 | -276.94 | -0.03 | 675.06 | 01 | 06 | 4 | |
| | P | 8/21/1971 | -276.92 | 0.02 | 675.08 | 01 | 06 | 4 | |
| | P | 8/22/1971 | -276.94 | -0.02 | 675.06 | 01 | 06 | 4 | |
| | P | 8/23/1971 | -277.24 | -0.3 | 674.76 | 01 | 06 | 4 | |
| | P | 8/24/1971 | -277.33 | -0.09 | 674.67 | 01 | 06 | 4 | |
| | P | 8/25/1971 | -277.51 | -0.18 | 674.49 | 01 | 06 | 4 | |
| | P | 8/26/1971 | -277.72 | -0.21 | 674.28 | 01 | 06 | 4 | |
| | P | 8/27/1971 | -277.39 | 0.33 | 674.61 | 01 | 06 | 4 | |
| | P | 8/28/1971 | -277.75 | -0.36 | 674.25 | 01 | 06 | 4 | |
| | P | 8/29/1971 | -278.08 | -0.33 | 673.92 | 01 | 06 | 4 | |
| | P | 8/30/1971 | -277.45 | 0.63 | 674.55 | 01 | 06 | 4 | |
| | P | 8/31/1971 | -277.15 | 0.3 | 674.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 1/1971 | -277.04 | 0.11 | 674.96 | 01 | 02 | 8 | |
| | P | 9/ 2/1971 | -276.98 | 0.06 | 675.02 | 01 | 06 | 4 | |
| | P | 9/ 3/1971 | -276.94 | 0.04 | 675.06 | 01 | 06 | 4 | |
| | P | 9/ 4/1971 | -276.97 | -0.03 | 675.03 | 01 | 06 | 4 | |
| | P | 9/ 5/1971 | -277 | -0.03 | 675 | 01 | 06 | 4 | |
| | P | 9/ 6/1971 | -277.01 | -0.01 | 674.99 | 01 | 06 | 4 | |
| | P | 9/ 7/1971 | -277.25 | -0.24 | 674.75 | 01 | 06 | 4 | |
| | P | 9/ 8/1971 | -277.37 | -0.12 | 674.63 | 01 | 06 | 4 | |
| | P | 9/ 9/1971 | -277.36 | 0.01 | 674.64 | 01 | 06 | 4 | |
| | P | 9/10/1971 | -277.08 | 0.28 | 674.92 | 01 | 06 | 4 | |
| | P | 9/11/1971 | -277.07 | 0.01 | 674.93 | 01 | 06 | 4 | |
| | P | 9/12/1971 | -277.13 | -0.06 | 674.87 | 01 | 06 | 4 | |
| | P | 9/13/1971 | -277.04 | 0.09 | 674.96 | 01 | 06 | 4 | |
| | P | 9/14/1971 | -276.9 | 0.14 | 675.1 | 01 | 06 | 4 | |
| | P | 9/15/1971 | -276.88 | 0.02 | 675.12 | 01 | 02 | 8 | |
| | P | 9/16/1971 | -276.91 | -0.03 | 675.09 | 01 | 06 | 4 | |
| | P | 9/17/1971 | -277.04 | -0.13 | 674.96 | 01 | 06 | 4 | |
| | P | 9/18/1971 | -277 | 0.04 | 675 | 01 | 06 | 4 | |
| | P | 9/19/1971 | -277.08 | -0.08 | 674.92 | 01 | 06 | 4 | |
| | P | 9/20/1971 | -276.98 | 0.1 | 675.02 | 01 | 06 | 4 | |
| | P | 9/21/1971 | -276.94 | 0.04 | 675.06 | 01 | 06 | 4 | |
| | P | 9/22/1971 | -276.81 | 0.13 | 675.19 | 01 | 06 | 4 | |
| | P | 9/23/1971 | -276.85 | -0.04 | 675.15 | 01 | 06 | 4 | |
| | P | 9/24/1971 | -276.76 | 0.09 | 675.24 | 01 | 06 | 4 | |
| | P | 9/25/1971 | -276.67 | 0.09 | 675.33 | 01 | 06 | 4 | |
| | P | 9/26/1971 | -276.65 | 0.02 | 675.35 | 01 | 06 | 4 | |
| | P | 9/27/1971 | -276.62 | 0.03 | 675.38 | 01 | 06 | 4 | |
| | P | 9/28/1971 | -276.61 | 0.01 | 675.39 | 01 | 06 | 4 | |
| | P | 9/29/1971 | -276.64 | -0.03 | 675.36 | 01 | 06 | 4 | |
| | P | 9/30/1971 | -276.93 | -0.29 | 675.07 | 01 | 06 | 4 | |
| | P | 10/ 1/1971 | -277.05 | -0.12 | 674.95 | 01 | 02 | 8 | |
| | P | 10/ 2/1971 | -276.78 | 0.27 | 675.22 | 01 | 06 | 4 | |
| | P | 10/ 3/1971 | -276.86 | -0.08 | 675.14 | 01 | 06 | 4 | |
| | P | 10/ 4/1971 | -276.92 | -0.06 | 675.08 | 01 | 06 | 4 | |
| | P | 10/ 5/1971 | -277.28 | -0.36 | 674.72 | 01 | 06 | 4 | |
| | P | 10/ 6/1971 | -277.41 | -0.13 | 674.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 7 / 1971 | -277.36 | 0.05 | 674.64 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1971 | -276.71 | 0.65 | 675.29 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1971 | -277.05 | -0.34 | 674.95 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1971 | -276.9 | 0.15 | 675.1 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1971 | -276.9 | | 675.1 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1971 | -276.93 | -0.03 | 675.07 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1971 | -276.24 | 0.69 | 675.76 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1971 | -277.31 | -1.07 | 674.69 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1971 | -277.28 | 0.03 | 674.72 | 01 | 02 | 8 | |
| | P | 10 / 16/ 1971 | -276.9 | 0.38 | 675.1 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1971 | -277.12 | -0.22 | 674.88 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1971 | -277.1 | 0.02 | 674.9 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1971 | -277.25 | -0.15 | 674.75 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1971 | -276.06 | 1.19 | 675.94 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1971 | -275.21 | 0.85 | 676.79 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1971 | -274.79 | 0.42 | 677.21 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1971 | -274.17 | 0.62 | 677.83 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1971 | -274.54 | -0.37 | 677.46 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1971 | -274.71 | -0.17 | 677.29 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1971 | -275.12 | -0.41 | 676.88 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1971 | -275.39 | -0.27 | 676.61 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1971 | -275.39 | | 676.61 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1971 | -275.9 | -0.51 | 676.1 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1971 | -275.35 | 0.55 | 676.65 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1971 | -275.29 | 0.06 | 676.71 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1971 | -275.09 | 0.2 | 676.91 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1971 | -274.84 | 0.25 | 677.16 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1971 | -274.22 | 0.62 | 677.78 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1971 | -274.12 | 0.1 | 677.88 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1971 | -274.28 | -0.16 | 677.72 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1971 | -274.2 | 0.08 | 677.8 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1971 | -274.09 | 0.11 | 677.91 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1971 | -274.19 | -0.1 | 677.81 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1971 | -274.19 | | 677.81 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1971 | -274.19 | | 677.81 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1971 | -274.86 | -0.67 | 677.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 12/ 1971 | -274.71 | 0.15 | 677.29 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1971 | -274.41 | 0.3 | 677.59 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1971 | -274.73 | -0.32 | 677.27 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1971 | -275.05 | -0.32 | 676.95 | 01 | 02 | 8 | |
| | P | 11/ 16/ 1971 | -275.15 | -0.1 | 676.85 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1971 | -275.19 | -0.04 | 676.81 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1971 | -275.21 | -0.02 | 676.79 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1971 | -275.43 | -0.22 | 676.57 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1971 | -275.02 | 0.41 | 676.98 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1971 | -275.96 | -0.94 | 676.04 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1971 | -275.95 | 0.01 | 676.05 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1971 | -275.05 | 0.9 | 676.95 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1971 | -275.26 | -0.21 | 676.74 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1971 | -275.92 | -0.66 | 676.08 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1971 | -274.83 | 1.09 | 677.17 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1971 | -274.62 | 0.21 | 677.38 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1971 | -274.43 | 0.19 | 677.57 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1971 | -274.55 | -0.12 | 677.45 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1971 | -274.54 | 0.01 | 677.46 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1971 | -274.47 | 0.07 | 677.53 | 01 | 02 | 8 | |
| | P | 12/ 2/ 1971 | -274.67 | -0.2 | 677.33 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1971 | -274.78 | -0.11 | 677.22 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1971 | -274.69 | 0.09 | 677.31 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1971 | -273.92 | 0.77 | 678.08 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1971 | -272.51 | 1.41 | 679.49 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1971 | -272.11 | 0.4 | 679.89 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1971 | -271.81 | 0.3 | 680.19 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1971 | -271.37 | 0.44 | 680.63 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1971 | -271.47 | -0.1 | 680.53 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1971 | -271.38 | 0.09 | 680.62 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1971 | -271.3 | 0.08 | 680.7 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1971 | -270.95 | 0.35 | 681.05 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1971 | -271.55 | -0.6 | 680.45 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1971 | -270.86 | 0.69 | 681.14 | 01 | 02 | 8 | |
| | P | 12/ 16/ 1971 | -270.86 | | 681.14 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1971 | -271.08 | -0.22 | 680.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 18/ 1971 | -271.68 | -0.6 | 680.32 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1971 | -272.02 | -0.34 | 679.98 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1971 | -271.76 | 0.26 | 680.24 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1971 | -271.74 | 0.02 | 680.26 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1971 | -271.92 | -0.18 | 680.08 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1971 | -272.05 | -0.13 | 679.95 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1971 | -271.96 | 0.09 | 680.04 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1971 | -271.67 | 0.29 | 680.33 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1971 | -271.48 | 0.19 | 680.52 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1971 | -271.36 | 0.12 | 680.64 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1971 | -271.44 | -0.08 | 680.56 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1971 | -271.24 | 0.2 | 680.76 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1971 | -271.29 | -0.05 | 680.71 | 01 | 06 | 4 | |
| | P | 12/ 31/ 1971 | -271.3 | -0.01 | 680.7 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1972 | -271.3 | | 680.7 | 01 | 02 | 8 | |
| | P | 1/ 4/ 1972 | -271.28 | 0.02 | 680.72 | 01 | 06 | 4 | |
| | P | 1/ 5/ 1972 | -271.33 | -0.05 | 680.67 | 01 | 06 | 4 | |
| | P | 1/ 6/ 1972 | -271.3 | 0.03 | 680.7 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1972 | -270.42 | 0.88 | 681.58 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1972 | -270.39 | 0.03 | 681.61 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1972 | -270.35 | 0.04 | 681.65 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1972 | -270.25 | 0.1 | 681.75 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1972 | -270.16 | 0.09 | 681.84 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1972 | -270.22 | -0.06 | 681.78 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1972 | -270.2 | 0.02 | 681.8 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1972 | -270.57 | -0.37 | 681.43 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1972 | -270.32 | 0.25 | 681.68 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1972 | -270.18 | 0.14 | 681.82 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1972 | -270.26 | -0.08 | 681.74 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1972 | -270.08 | 0.18 | 681.92 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1972 | -270.07 | 0.01 | 681.93 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1972 | -270.07 | | 681.93 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1972 | -269.79 | 0.28 | 682.21 | 01 | 02 | 8 | |
| | P | 2/ 2/ 1972 | -269.72 | 0.07 | 682.28 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1972 | -270.27 | -0.55 | 681.73 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1972 | -270.28 | -0.01 | 681.72 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 5/1972 | -269.8 | 0.48 | 682.2 | 01 | 06 | 4 | |
| | P | 2/ 6/1972 | -269.68 | 0.12 | 682.32 | 01 | 06 | 4 | |
| | P | 2/ 7/1972 | -269.87 | -0.19 | 682.13 | 01 | 06 | 4 | |
| | P | 2/ 8/1972 | -269.72 | 0.15 | 682.28 | 01 | 06 | 4 | |
| | P | 2/ 9/1972 | -270.06 | -0.34 | 681.94 | 01 | 06 | 4 | |
| | P | 2/10/1972 | -269.98 | 0.08 | 682.02 | 01 | 06 | 4 | |
| | P | 2/11/1972 | -270.17 | -0.19 | 681.83 | 01 | 06 | 4 | |
| | P | 2/12/1972 | -270.09 | 0.08 | 681.91 | 01 | 06 | 4 | |
| | P | 2/13/1972 | -270.03 | 0.06 | 681.97 | 01 | 06 | 4 | |
| | P | 2/14/1972 | -269.96 | 0.07 | 682.04 | 01 | 06 | 4 | |
| | P | 2/15/1972 | -269.77 | 0.19 | 682.23 | 01 | 02 | 8 | |
| | P | 2/16/1972 | -269.71 | 0.06 | 682.29 | 01 | 06 | 4 | |
| | P | 2/17/1972 | -269.92 | -0.21 | 682.08 | 01 | 06 | 4 | |
| | P | 2/18/1972 | -270.02 | -0.1 | 681.98 | 01 | 06 | 4 | |
| | P | 2/19/1972 | -270.14 | -0.12 | 681.86 | 01 | 06 | 4 | |
| | P | 2/20/1972 | -269.93 | 0.21 | 682.07 | 01 | 06 | 4 | |
| | P | 2/21/1972 | -269.84 | 0.09 | 682.16 | 01 | 06 | 4 | |
| | P | 2/22/1972 | -269.87 | -0.03 | 682.13 | 01 | 06 | 4 | |
| | P | 2/23/1972 | -269.65 | 0.22 | 682.35 | 01 | 06 | 4 | |
| | P | 2/24/1972 | -269.5 | 0.15 | 682.5 | 01 | 06 | 4 | |
| | P | 2/25/1972 | -269.47 | 0.03 | 682.53 | 01 | 06 | 4 | |
| | P | 2/26/1972 | -269.8 | -0.33 | 682.2 | 01 | 06 | 4 | |
| | P | 2/27/1972 | -270.17 | -0.37 | 681.83 | 01 | 06 | 4 | |
| | P | 2/28/1972 | -270.33 | -0.16 | 681.67 | 01 | 06 | 4 | |
| | P | 2/29/1972 | -269.97 | 0.36 | 682.03 | 01 | 06 | 4 | |
| | P | 3/ 1/1972 | -269.83 | 0.14 | 682.17 | 01 | 02 | 8 | |
| | P | 3/ 2/1972 | -270.05 | -0.22 | 681.95 | 01 | 06 | 4 | |
| | P | 3/ 3/1972 | -269.86 | 0.19 | 682.14 | 01 | 06 | 4 | |
| | P | 3/ 4/1972 | -269.93 | -0.07 | 682.07 | 01 | 06 | 4 | |
| | P | 3/ 5/1972 | -270.7 | -0.77 | 681.3 | 01 | 06 | 4 | |
| | P | 3/ 6/1972 | -270.24 | 0.46 | 681.76 | 01 | 06 | 4 | |
| | P | 3/ 7/1972 | -270.16 | 0.08 | 681.84 | 01 | 06 | 4 | |
| | P | 3/ 8/1972 | -270.64 | -0.48 | 681.36 | 01 | 06 | 4 | |
| | P | 3/ 9/1972 | -270.67 | -0.03 | 681.33 | 01 | 06 | 4 | |
| | P | 3/10/1972 | -270.71 | -0.04 | 681.29 | 01 | 06 | 4 | |
| | P | 3/11/1972 | -270.53 | 0.18 | 681.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/12/1972 | -270.73 | -0.2 | 681.27 | 01 | 06 | 4 | |
| | P | 3/13/1972 | -270.45 | 0.28 | 681.55 | 01 | 06 | 4 | |
| | P | 3/14/1972 | -270.7 | -0.25 | 681.3 | 01 | 06 | 4 | |
| | P | 3/15/1972 | -270.63 | 0.07 | 681.37 | 01 | 02 | 8 | |
| | P | 3/16/1972 | -270.52 | 0.11 | 681.48 | 01 | 06 | 4 | |
| | P | 3/17/1972 | -270.61 | -0.09 | 681.39 | 01 | 06 | 4 | |
| | P | 3/18/1972 | -270.68 | -0.07 | 681.32 | 01 | 06 | 4 | |
| | P | 3/19/1972 | -271.27 | -0.59 | 680.73 | 01 | 06 | 4 | |
| | P | 3/20/1972 | -270.87 | 0.4 | 681.13 | 01 | 06 | 4 | |
| | P | 3/21/1972 | -270.93 | -0.06 | 681.07 | 01 | 06 | 4 | |
| | P | 3/22/1972 | -271.27 | -0.34 | 680.73 | 01 | 06 | 4 | |
| | P | 3/23/1972 | -271.06 | 0.21 | 680.94 | 01 | 06 | 4 | |
| | P | 3/24/1972 | -271.02 | 0.04 | 680.98 | 01 | 06 | 4 | |
| | P | 3/25/1972 | -271.15 | -0.13 | 680.85 | 01 | 06 | 4 | |
| | P | 3/26/1972 | -270.94 | 0.21 | 681.06 | 01 | 06 | 4 | |
| | P | 3/27/1972 | -271 | -0.06 | 681 | 01 | 06 | 4 | |
| | P | 3/28/1972 | -271.09 | -0.09 | 680.91 | 01 | 06 | 4 | |
| | P | 3/29/1972 | -271.44 | -0.35 | 680.56 | 01 | 06 | 4 | |
| | P | 3/30/1972 | -271.46 | -0.02 | 680.54 | 01 | 06 | 4 | |
| | P | 3/31/1972 | -271.72 | -0.26 | 680.28 | 01 | 06 | 4 | |
| | P | 4/ 1/1972 | -271.86 | -0.14 | 680.14 | 01 | 02 | 8 | |
| | P | 4/ 2/1972 | -272.06 | -0.2 | 679.94 | 01 | 06 | 4 | |
| | P | 4/ 3/1972 | -271.9 | 0.16 | 680.1 | 01 | 06 | 4 | |
| | P | 4/ 4/1972 | -271.9 | | 680.1 | 01 | 06 | 4 | |
| | P | 4/ 5/1972 | -271.67 | 0.23 | 680.33 | 01 | 06 | 4 | |
| | P | 4/ 6/1972 | -271.52 | 0.15 | 680.48 | 01 | 06 | 4 | |
| | P | 4/ 7/1972 | -271.69 | -0.17 | 680.31 | 01 | 06 | 4 | |
| | P | 4/ 8/1972 | -272.02 | -0.33 | 679.98 | 01 | 06 | 4 | |
| | P | 4/ 9/1972 | -272.67 | -0.65 | 679.33 | 01 | 06 | 4 | |
| | P | 4/10/1972 | -272.36 | 0.31 | 679.64 | 01 | 06 | 4 | |
| | P | 4/11/1972 | -272.33 | 0.03 | 679.67 | 01 | 06 | 4 | |
| | P | 4/12/1972 | -272.05 | 0.28 | 679.95 | 01 | 06 | 4 | |
| | P | 4/13/1972 | -271.99 | 0.06 | 680.01 | 01 | 06 | 4 | |
| | P | 4/14/1972 | -272.05 | -0.06 | 679.95 | 01 | 06 | 4 | |
| | P | 4/15/1972 | -272.13 | -0.08 | 679.87 | 01 | 02 | 8 | |
| | P | 4/16/1972 | -272.92 | -0.79 | 679.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 17/ 1972 | -273.43 | -0.51 | 678.57 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1972 | -273.07 | 0.36 | 678.93 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1972 | -272.97 | 0.1 | 679.03 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1972 | -272.9 | 0.07 | 679.1 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1972 | -272.8 | 0.1 | 679.2 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1972 | -272.87 | -0.07 | 679.13 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1972 | -272.81 | 0.06 | 679.19 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1972 | -273.01 | -0.2 | 678.99 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1972 | -273.07 | -0.06 | 678.93 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1972 | -272.69 | 0.38 | 679.31 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1972 | -272.79 | -0.1 | 679.21 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1972 | -272.74 | 0.05 | 679.26 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1972 | -272.62 | 0.12 | 679.38 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1972 | -272.69 | -0.07 | 679.31 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1972 | -272.59 | 0.1 | 679.41 | 01 | 02 | 8 | |
| | P | 5/ 2/ 1972 | -272.61 | -0.02 | 679.39 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1972 | -272.79 | -0.18 | 679.21 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1972 | -273.01 | -0.22 | 678.99 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1972 | -272.99 | 0.02 | 679.01 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1972 | -272.7 | 0.29 | 679.3 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1972 | -271.28 | 1.42 | 680.72 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1972 | -265.81 | 5.47 | 686.19 | 01 | 02 | 1 | |
| | P | 5/ 16/ 1972 | -265.87 | -0.06 | 686.13 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1972 | -265.77 | 0.1 | 686.23 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1972 | -265.72 | 0.05 | 686.28 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1972 | -265.64 | 0.08 | 686.36 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1972 | -265.57 | 0.07 | 686.43 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1972 | -265.32 | 0.25 | 686.68 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1972 | -265.1 | 0.22 | 686.9 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1972 | -264.82 | 0.28 | 687.18 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1972 | -264.75 | 0.07 | 687.25 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1972 | -264.55 | 0.2 | 687.45 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1972 | -264.97 | -0.42 | 687.03 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1972 | -264.73 | 0.24 | 687.27 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1972 | -264.67 | 0.06 | 687.33 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1972 | -264.69 | -0.02 | 687.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/30/1972 | -264.63 | 0.06 | 687.37 | 01 | 06 | 4 | |
| | P | 5/31/1972 | -264.38 | 0.25 | 687.62 | 01 | 06 | 4 | |
| | P | 6/ 1/1972 | -264.2 | 0.18 | 687.8 | 01 | 02 | 8 | |
| | P | 6/ 2/1972 | -264.22 | -0.02 | 687.78 | 01 | 06 | 4 | |
| | P | 6/ 3/1972 | -264.22 | | 687.78 | 01 | 06 | 4 | |
| | P | 6/ 4/1972 | -264.46 | -0.24 | 687.54 | 01 | 06 | 4 | |
| | P | 6/ 5/1972 | -264.55 | -0.09 | 687.45 | 01 | 06 | 4 | |
| | P | 6/ 6/1972 | -264.49 | 0.06 | 687.51 | 01 | 06 | 4 | |
| | P | 6/ 7/1972 | -264.59 | -0.1 | 687.41 | 01 | 06 | 4 | |
| | P | 6/ 8/1972 | -264.55 | 0.04 | 687.45 | 01 | 06 | 4 | |
| | P | 6/ 9/1972 | -264.15 | 0.4 | 687.85 | 01 | 06 | 4 | |
| | P | 6/10/1972 | -264.03 | 0.12 | 687.97 | 01 | 06 | 4 | |
| | P | 6/11/1972 | -263.87 | 0.16 | 688.13 | 01 | 06 | 4 | |
| | P | 6/12/1972 | -263.77 | 0.1 | 688.23 | 01 | 06 | 4 | |
| | P | 6/13/1972 | -263.75 | 0.02 | 688.25 | 01 | 06 | 4 | |
| | P | 6/14/1972 | -263.87 | -0.12 | 688.13 | 01 | 06 | 4 | |
| | P | 6/15/1972 | -263.96 | -0.09 | 688.04 | 01 | 02 | 8 | |
| | P | 6/16/1972 | -264.02 | -0.06 | 687.98 | 01 | 06 | 4 | |
| | P | 6/17/1972 | -263.82 | 0.2 | 688.18 | 01 | 06 | 4 | |
| | P | 6/18/1972 | -263.81 | 0.01 | 688.19 | 01 | 06 | 4 | |
| | P | 6/19/1972 | -263.69 | 0.12 | 688.31 | 01 | 06 | 4 | |
| | P | 6/20/1972 | -263.6 | 0.09 | 688.4 | 01 | 06 | 4 | |
| | P | 6/21/1972 | -263.72 | -0.12 | 688.28 | 01 | 06 | 4 | |
| | P | 6/22/1972 | -263.78 | -0.06 | 688.22 | 01 | 06 | 4 | |
| | P | 6/23/1972 | -263.98 | -0.2 | 688.02 | 01 | 06 | 4 | |
| | P | 6/24/1972 | -264.08 | -0.1 | 687.92 | 01 | 06 | 4 | |
| | P | 6/25/1972 | -264.22 | -0.14 | 687.78 | 01 | 06 | 4 | |
| | P | 6/26/1972 | -264.38 | -0.16 | 687.62 | 01 | 06 | 4 | |
| | P | 6/27/1972 | -264.57 | -0.19 | 687.43 | 01 | 06 | 4 | |
| | P | 6/28/1972 | -264.7 | -0.13 | 687.3 | 01 | 06 | 4 | |
| | P | 6/29/1972 | -265.38 | -0.68 | 686.62 | 01 | 06 | 4 | |
| | P | 6/30/1972 | -265.7 | -0.32 | 686.3 | 01 | 06 | 4 | |
| | P | 7/ 1/1972 | -265.62 | 0.08 | 686.38 | 01 | 02 | 8 | |
| | P | 7/ 2/1972 | -266.02 | -0.4 | 685.98 | 01 | 06 | 4 | |
| | P | 7/ 3/1972 | -266.24 | -0.22 | 685.76 | 01 | 06 | 4 | |
| | P | 7/ 4/1972 | -266.44 | -0.2 | 685.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 5/1972 | -265.85 | 0.59 | 686.15 | 01 | 06 | 4 | |
| | P | 7/ 6/1972 | -265.68 | 0.17 | 686.32 | 01 | 06 | 4 | |
| | P | 7/ 7/1972 | -265.5 | 0.18 | 686.5 | 01 | 06 | 4 | |
| | P | 7/ 8/1972 | -266.04 | -0.54 | 685.96 | 01 | 06 | 4 | |
| | P | 7/ 9/1972 | -266.03 | 0.01 | 685.97 | 01 | 06 | 4 | |
| | P | 7/10/1972 | -266.03 | | 685.97 | 01 | 06 | 4 | |
| | P | 7/11/1972 | -265.99 | 0.04 | 686.01 | 01 | 06 | 4 | |
| | P | 7/12/1972 | -266.06 | -0.07 | 685.94 | 01 | 06 | 4 | |
| | P | 7/13/1972 | -265.99 | 0.07 | 686.01 | 01 | 06 | 4 | |
| | P | 7/14/1972 | -266.44 | -0.45 | 685.56 | 01 | 06 | 4 | |
| | P | 7/15/1972 | -266.61 | -0.17 | 685.39 | 01 | 02 | 8 | |
| | P | 7/16/1972 | -266.4 | 0.21 | 685.6 | 01 | 06 | 4 | |
| | P | 7/17/1972 | -266.27 | 0.13 | 685.73 | 01 | 06 | 4 | |
| | P | 7/18/1972 | -266.05 | 0.22 | 685.95 | 01 | 06 | 4 | |
| | P | 7/19/1972 | -265.78 | 0.27 | 686.22 | 01 | 06 | 4 | |
| | P | 7/20/1972 | -265.87 | -0.09 | 686.13 | 01 | 06 | 4 | |
| | P | 7/21/1972 | -265.88 | -0.01 | 686.12 | 01 | 06 | 4 | |
| | P | 7/22/1972 | -265.71 | 0.17 | 686.29 | 01 | 06 | 4 | |
| | P | 7/23/1972 | -265.6 | 0.11 | 686.4 | 01 | 06 | 4 | |
| | P | 7/24/1972 | -265.57 | 0.03 | 686.43 | 01 | 06 | 4 | |
| | P | 7/25/1972 | -265.47 | 0.1 | 686.53 | 01 | 06 | 4 | |
| | P | 7/26/1972 | -265.6 | -0.13 | 686.4 | 01 | 06 | 4 | |
| | P | 7/27/1972 | -265.75 | -0.15 | 686.25 | 01 | 06 | 4 | |
| | P | 7/28/1972 | -265.87 | -0.12 | 686.13 | 01 | 06 | 4 | |
| | P | 7/29/1972 | -265.97 | -0.1 | 686.03 | 01 | 06 | 4 | |
| | P | 7/30/1972 | -265.91 | 0.06 | 686.09 | 01 | 06 | 4 | |
| | P | 7/31/1972 | -266.26 | -0.35 | 685.74 | 01 | 06 | 4 | |
| | P | 8/ 1/1972 | -266.33 | -0.07 | 685.67 | 01 | 02 | 8 | |
| | P | 8/ 2/1972 | -266.38 | -0.05 | 685.62 | 01 | 06 | 4 | |
| | P | 8/ 3/1972 | -266.17 | 0.21 | 685.83 | 01 | 06 | 4 | |
| | P | 8/ 4/1972 | -266.18 | -0.01 | 685.82 | 01 | 06 | 4 | |
| | P | 8/ 5/1972 | -266.1 | 0.08 | 685.9 | 01 | 06 | 4 | |
| | P | 8/ 6/1972 | -265.79 | 0.31 | 686.21 | 01 | 06 | 4 | |
| | P | 8/ 7/1972 | -265.72 | 0.07 | 686.28 | 01 | 06 | 4 | |
| | P | 8/ 8/1972 | -265.73 | -0.01 | 686.27 | 01 | 06 | 4 | |
| | P | 8/ 9/1972 | -265.88 | -0.15 | 686.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/10/1972 | -265.97 | -0.09 | 686.03 | 01 | 06 | 4 | |
| | P | 8/11/1972 | -266.03 | -0.06 | 685.97 | 01 | 06 | 4 | |
| | P | 8/12/1972 | -265.83 | 0.2 | 686.17 | 01 | 06 | 4 | |
| | P | 8/13/1972 | -265.73 | 0.1 | 686.27 | 01 | 06 | 4 | |
| | P | 8/14/1972 | -265.67 | 0.06 | 686.33 | 01 | 06 | 4 | |
| | P | 8/15/1972 | -265.76 | -0.09 | 686.24 | 01 | 02 | 8 | |
| | P | 8/16/1972 | -265.79 | -0.03 | 686.21 | 01 | 06 | 4 | |
| | P | 8/17/1972 | -266.2 | -0.41 | 685.8 | 01 | 06 | 4 | |
| | P | 8/18/1972 | -265.88 | 0.32 | 686.12 | 01 | 06 | 4 | |
| | P | 8/19/1972 | -266.14 | -0.26 | 685.86 | 01 | 06 | 4 | |
| | P | 8/20/1972 | -266.17 | -0.03 | 685.83 | 01 | 06 | 4 | |
| | P | 8/21/1972 | -266.22 | -0.05 | 685.78 | 01 | 06 | 4 | |
| | P | 8/22/1972 | -266.2 | 0.02 | 685.8 | 01 | 06 | 4 | |
| | P | 8/23/1972 | -266.2 | | 685.8 | 01 | 06 | 4 | |
| | P | 8/24/1972 | -266.01 | 0.19 | 685.99 | 01 | 06 | 4 | |
| | P | 8/25/1972 | -265.93 | 0.08 | 686.07 | 01 | 06 | 4 | |
| | P | 8/26/1972 | -266.09 | -0.16 | 685.91 | 01 | 06 | 4 | |
| | P | 8/27/1972 | -266.21 | -0.12 | 685.79 | 01 | 06 | 4 | |
| | P | 8/28/1972 | -266.43 | -0.22 | 685.57 | 01 | 06 | 4 | |
| | P | 8/29/1972 | -266.34 | 0.09 | 685.66 | 01 | 06 | 4 | |
| | P | 8/30/1972 | -266.46 | -0.12 | 685.54 | 01 | 06 | 4 | |
| | P | 8/31/1972 | -266.4 | 0.06 | 685.6 | 01 | 06 | 4 | |
| | P | 9/ 1/1972 | -266.07 | 0.33 | 685.93 | 01 | 02 | 8 | |
| | P | 9/ 2/1972 | -266.74 | -0.67 | 685.26 | 01 | 06 | 4 | |
| | P | 9/ 3/1972 | -266.65 | 0.09 | 685.35 | 01 | 06 | 4 | |
| | P | 9/ 4/1972 | -266.74 | -0.09 | 685.26 | 01 | 06 | 4 | |
| | P | 9/ 5/1972 | -266.9 | -0.16 | 685.1 | 01 | 06 | 4 | |
| | P | 9/ 6/1972 | -266.75 | 0.15 | 685.25 | 01 | 06 | 4 | |
| | P | 9/ 7/1972 | -267.01 | -0.26 | 684.99 | 01 | 06 | 4 | |
| | P | 9/ 8/1972 | -267.23 | -0.22 | 684.77 | 01 | 06 | 4 | |
| | P | 9/ 9/1972 | -267.25 | -0.02 | 684.75 | 01 | 06 | 4 | |
| | P | 9/10/1972 | -267.42 | -0.17 | 684.58 | 01 | 06 | 4 | |
| | P | 9/11/1972 | -267.43 | -0.01 | 684.57 | 01 | 06 | 4 | |
| | P | 9/12/1972 | -267.25 | 0.18 | 684.75 | 01 | 06 | 4 | |
| | P | 9/13/1972 | -267.02 | 0.23 | 684.98 | 01 | 06 | 4 | |
| | P | 9/14/1972 | -267.12 | -0.1 | 684.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 15/ 1972 | -266.99 | 0.13 | 685.01 | 01 | 02 | 8 | |
| | P | 9/ 16/ 1972 | -267.01 | -0.02 | 684.99 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1972 | -266.91 | 0.1 | 685.09 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1972 | -267.3 | -0.39 | 684.7 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1972 | -267.35 | -0.05 | 684.65 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1972 | -267.45 | -0.1 | 684.55 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1972 | -267.39 | 0.06 | 684.61 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1972 | -267.5 | -0.11 | 684.5 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1972 | -267.57 | -0.07 | 684.43 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1972 | -267.35 | 0.22 | 684.65 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1972 | -267.06 | 0.29 | 684.94 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1972 | -267.26 | -0.2 | 684.74 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1972 | -267.38 | -0.12 | 684.62 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1972 | -267.39 | -0.01 | 684.61 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1972 | -267.3 | 0.09 | 684.7 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1972 | -267.42 | -0.12 | 684.58 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1972 | -267.35 | 0.07 | 684.65 | 01 | 02 | 8 | |
| | P | 10/ 2/ 1972 | -267.38 | -0.03 | 684.62 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1972 | -267.45 | -0.07 | 684.55 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1972 | -267.56 | -0.11 | 684.44 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1972 | -267.63 | -0.07 | 684.37 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1972 | -267.57 | 0.06 | 684.43 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1972 | -267.61 | -0.04 | 684.39 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1972 | -268.07 | -0.46 | 683.93 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1972 | -268.4 | -0.33 | 683.6 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1972 | -268.44 | -0.04 | 683.56 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1972 | -268.25 | 0.19 | 683.75 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1972 | -268.35 | -0.1 | 683.65 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1972 | -268.13 | 0.22 | 683.87 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1972 | -268.23 | -0.1 | 683.77 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1972 | -268.41 | -0.18 | 683.59 | 01 | 02 | 8 | |
| | P | 10/ 16/ 1972 | -268.51 | -0.1 | 683.49 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1972 | -268.31 | 0.2 | 683.69 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1972 | -268.38 | -0.07 | 683.62 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1972 | -268.65 | -0.27 | 683.35 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1972 | -268.42 | 0.23 | 683.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 21/ 1972 | -268.13 | 0.29 | 683.87 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1972 | -268.03 | 0.1 | 683.97 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1972 | -268.22 | -0.19 | 683.78 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1972 | -268.18 | 0.04 | 683.82 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1972 | -268.09 | 0.09 | 683.91 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1972 | -267.74 | 0.35 | 684.26 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1972 | -267.77 | -0.03 | 684.23 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1972 | -267.9 | -0.13 | 684.1 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1972 | -267.84 | 0.06 | 684.16 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1972 | -267.8 | 0.04 | 684.2 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1972 | -267.79 | 0.01 | 684.21 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1972 | -267.88 | -0.09 | 684.12 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1972 | -267.86 | 0.02 | 684.14 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1972 | -267.85 | 0.01 | 684.15 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1972 | -267.83 | 0.02 | 684.17 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1972 | -267.71 | 0.12 | 684.29 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1972 | -267.6 | 0.11 | 684.4 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1972 | -267.81 | -0.21 | 684.19 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1972 | -267.81 | | 684.19 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1972 | -267.52 | 0.29 | 684.48 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1972 | -267.73 | -0.21 | 684.27 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1972 | -267.72 | 0.01 | 684.28 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1972 | -267.55 | 0.17 | 684.45 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1972 | -267.57 | -0.02 | 684.43 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1972 | -267.5 | 0.07 | 684.5 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1972 | -267.34 | 0.16 | 684.66 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1972 | -267.55 | -0.21 | 684.45 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1972 | -267.43 | 0.12 | 684.57 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1972 | -267.19 | 0.24 | 684.81 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1972 | -267.51 | -0.32 | 684.49 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1972 | -267.65 | -0.14 | 684.35 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1972 | -267.56 | 0.09 | 684.44 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1972 | -267.74 | -0.18 | 684.26 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1972 | -267.61 | 0.13 | 684.39 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1972 | -267.32 | 0.29 | 684.68 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1972 | -267.17 | 0.15 | 684.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/26/1972 | -267.36 | -0.19 | 684.64 | 01 | 06 | 4 | |
| | P | 11/27/1972 | -267.1 | 0.26 | 684.9 | 01 | 06 | 4 | |
| | P | 11/28/1972 | -267.46 | -0.36 | 684.54 | 01 | 06 | 4 | |
| | P | 11/29/1972 | -267.5 | -0.04 | 684.5 | 01 | 06 | 4 | |
| | P | 11/30/1972 | -267.41 | 0.09 | 684.59 | 01 | 06 | 4 | |
| | P | 12/ 1/1972 | -267.4 | 0.01 | 684.6 | 01 | 02 | 8 | |
| | P | 12/ 2/1972 | -267.22 | 0.18 | 684.78 | 01 | 06 | 4 | |
| | P | 12/ 3/1972 | -267.16 | 0.06 | 684.84 | 01 | 06 | 4 | |
| | P | 12/ 4/1972 | -267.2 | -0.04 | 684.8 | 01 | 06 | 4 | |
| | P | 12/ 5/1972 | -267.01 | 0.19 | 684.99 | 01 | 06 | 4 | |
| | P | 12/ 6/1972 | -267.3 | -0.29 | 684.7 | 01 | 06 | 4 | |
| | P | 12/ 7/1972 | -267.37 | -0.07 | 684.63 | 01 | 06 | 4 | |
| | P | 12/ 8/1972 | -267.16 | 0.21 | 684.84 | 01 | 06 | 4 | |
| | P | 12/ 9/1972 | -267.13 | 0.03 | 684.87 | 01 | 06 | 4 | |
| | P | 12/10/1972 | -267.22 | -0.09 | 684.78 | 01 | 06 | 4 | |
| | P | 12/11/1972 | -266.89 | 0.33 | 685.11 | 01 | 06 | 4 | |
| | P | 12/12/1972 | -266.83 | 0.06 | 685.17 | 01 | 06 | 4 | |
| | P | 12/13/1972 | -267.12 | -0.29 | 684.88 | 01 | 06 | 4 | |
| | P | 12/14/1972 | -267.07 | 0.05 | 684.93 | 01 | 06 | 4 | |
| | P | 12/15/1972 | -267.32 | -0.25 | 684.68 | 01 | 02 | 8 | |
| | P | 12/16/1972 | -267.63 | -0.31 | 684.37 | 01 | 06 | 4 | |
| | P | 12/17/1972 | -267.46 | 0.17 | 684.54 | 01 | 06 | 4 | |
| | P | 12/18/1972 | -267.31 | 0.15 | 684.69 | 01 | 06 | 4 | |
| | P | 12/19/1972 | -267.06 | 0.25 | 684.94 | 01 | 06 | 4 | |
| | P | 12/20/1972 | -266.78 | 0.28 | 685.22 | 01 | 06 | 4 | |
| | P | 12/21/1972 | -266.85 | -0.07 | 685.15 | 01 | 06 | 4 | |
| | P | 12/22/1972 | -266.98 | -0.13 | 685.02 | 01 | 06 | 4 | |
| | P | 12/23/1972 | -266.94 | 0.04 | 685.06 | 01 | 06 | 4 | |
| | P | 12/24/1972 | -267.22 | -0.28 | 684.78 | 01 | 06 | 4 | |
| | P | 12/25/1972 | -267.16 | 0.06 | 684.84 | 01 | 06 | 4 | |
| | P | 12/26/1972 | -267.3 | -0.14 | 684.7 | 01 | 06 | 4 | |
| | P | 12/27/1972 | -267.25 | 0.05 | 684.75 | 01 | 06 | 4 | |
| | P | 12/28/1972 | -266.95 | 0.3 | 685.05 | 01 | 06 | 4 | |
| | P | 12/29/1972 | -266.73 | 0.22 | 685.27 | 01 | 06 | 4 | |
| | P | 12/30/1972 | -266.92 | -0.19 | 685.08 | 01 | 06 | 4 | |
| | P | 12/31/1972 | -267.04 | -0.12 | 684.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 1/1973 | -267.14 | -0.1 | 684.86 | 01 | 02 | 8 | |
| | P | 1/ 2/1973 | -267.11 | 0.03 | 684.89 | 01 | 06 | 4 | |
| | P | 1/ 3/1973 | -266.92 | 0.19 | 685.08 | 01 | 06 | 4 | |
| | P | 1/ 4/1973 | -267.04 | -0.12 | 684.96 | 01 | 06 | 4 | |
| | P | 1/ 5/1973 | -266.94 | 0.1 | 685.06 | 01 | 06 | 4 | |
| | P | 1/ 6/1973 | -267.08 | -0.14 | 684.92 | 01 | 06 | 4 | |
| | P | 1/ 7/1973 | -267.07 | 0.01 | 684.93 | 01 | 06 | 4 | |
| | P | 1/ 8/1973 | -267.31 | -0.24 | 684.69 | 01 | 06 | 4 | |
| | P | 1/ 9/1973 | -267.36 | -0.05 | 684.64 | 01 | 06 | 4 | |
| | P | 1/10/1973 | -266.9 | 0.46 | 685.1 | 01 | 06 | 4 | |
| | P | 1/11/1973 | -267.38 | -0.48 | 684.62 | 01 | 06 | 4 | |
| | P | 1/12/1973 | -267.59 | -0.21 | 684.41 | 01 | 06 | 4 | |
| | P | 1/13/1973 | -267.4 | 0.19 | 684.6 | 01 | 06 | 4 | |
| | P | 1/14/1973 | -267.12 | 0.28 | 684.88 | 01 | 06 | 4 | |
| | P | 1/15/1973 | -267.27 | -0.15 | 684.73 | 01 | 02 | 8 | |
| | P | 1/16/1973 | -267.16 | 0.11 | 684.84 | 01 | 06 | 4 | |
| | P | 1/17/1973 | -266.99 | 0.17 | 685.01 | 01 | 06 | 4 | |
| | P | 1/18/1973 | -266.98 | 0.01 | 685.02 | 01 | 06 | 4 | |
| | P | 1/19/1973 | -267.11 | -0.13 | 684.89 | 01 | 06 | 4 | |
| | P | 1/20/1973 | -266.77 | 0.34 | 685.23 | 01 | 06 | 4 | |
| | P | 1/21/1973 | -266.76 | 0.01 | 685.24 | 01 | 06 | 4 | |
| | P | 1/22/1973 | -267.02 | -0.26 | 684.98 | 01 | 06 | 4 | |
| | P | 1/23/1973 | -267.41 | -0.39 | 684.59 | 01 | 06 | 4 | |
| | P | 1/24/1973 | -267.37 | 0.04 | 684.63 | 01 | 06 | 4 | |
| | P | 1/25/1973 | -267.08 | 0.29 | 684.92 | 01 | 06 | 4 | |
| | P | 1/26/1973 | -266.93 | 0.15 | 685.07 | 01 | 06 | 4 | |
| | P | 1/27/1973 | -266.7 | 0.23 | 685.3 | 01 | 06 | 4 | |
| | P | 1/28/1973 | -267.19 | -0.49 | 684.81 | 01 | 06 | 4 | |
| | P | 1/29/1973 | -267.31 | -0.12 | 684.69 | 01 | 06 | 4 | |
| | P | 1/30/1973 | -266.88 | 0.43 | 685.12 | 01 | 06 | 4 | |
| | P | 1/31/1973 | -266.57 | 0.31 | 685.43 | 01 | 06 | 4 | |
| | P | 2/ 1/1973 | -266.6 | -0.03 | 685.4 | 01 | 02 | 8 | |
| | P | 2/ 2/1973 | -267.01 | -0.41 | 684.99 | 01 | 06 | 4 | |
| | P | 2/ 3/1973 | -267.17 | -0.16 | 684.83 | 01 | 06 | 4 | |
| | P | 2/ 4/1973 | -266.89 | 0.28 | 685.11 | 01 | 06 | 4 | |
| | P | 2/ 5/1973 | -266.79 | 0.1 | 685.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 6/1973 | -266.81 | -0.02 | 685.19 | 01 | 06 | 4 | |
| | P | 2/ 7/1973 | -266.28 | 0.53 | 685.72 | 01 | 06 | 4 | |
| | P | 2/ 8/1973 | -266.34 | -0.06 | 685.66 | 01 | 06 | 4 | |
| | P | 2/ 9/1973 | -267.23 | -0.89 | 684.77 | 01 | 06 | 4 | |
| | P | 2/10/1973 | -267 | 0.23 | 685 | 01 | 06 | 4 | |
| | P | 2/11/1973 | -266.77 | 0.23 | 685.23 | 01 | 06 | 4 | |
| | P | 2/12/1973 | -266.47 | 0.3 | 685.53 | 01 | 06 | 4 | |
| | P | 2/13/1973 | -266.48 | -0.01 | 685.52 | 01 | 06 | 4 | |
| | P | 2/14/1973 | -266.65 | -0.17 | 685.35 | 01 | 06 | 4 | |
| | P | 2/15/1973 | -266.84 | -0.19 | 685.16 | 01 | 02 | 8 | |
| | P | 2/16/1973 | -266.87 | -0.03 | 685.13 | 01 | 06 | 4 | |
| | P | 2/17/1973 | -266.66 | 0.21 | 685.34 | 01 | 06 | 4 | |
| | P | 2/18/1973 | -266.55 | 0.11 | 685.45 | 01 | 06 | 4 | |
| | P | 2/19/1973 | -266.55 | | 685.45 | 01 | 06 | 4 | |
| | P | 2/20/1973 | -266.7 | -0.15 | 685.3 | 01 | 06 | 4 | |
| | P | 2/21/1973 | -266.66 | 0.04 | 685.34 | 01 | 06 | 4 | |
| | P | 2/22/1973 | -266.3 | 0.36 | 685.7 | 01 | 06 | 4 | |
| | P | 2/23/1973 | -266.03 | 0.27 | 685.97 | 01 | 06 | 4 | |
| | P | 2/24/1973 | -265.86 | 0.17 | 686.14 | 01 | 06 | 4 | |
| | P | 2/25/1973 | -265.81 | 0.05 | 686.19 | 01 | 06 | 4 | |
| | P | 2/26/1973 | -265.9 | -0.09 | 686.1 | 01 | 06 | 4 | |
| | P | 2/27/1973 | -265.95 | -0.05 | 686.05 | 01 | 06 | 4 | |
| | P | 2/28/1973 | -265.37 | 0.58 | 686.63 | 01 | 06 | 4 | |
| | P | 3/ 1/1973 | -265.21 | 0.16 | 686.79 | 01 | 02 | 8 | |
| | P | 3/ 2/1973 | -265.54 | -0.33 | 686.46 | 01 | 06 | 4 | |
| | P | 3/ 3/1973 | -265.5 | 0.04 | 686.5 | 01 | 06 | 4 | |
| | P | 3/ 4/1973 | -265.55 | -0.05 | 686.45 | 01 | 06 | 4 | |
| | P | 3/ 5/1973 | -265.46 | 0.09 | 686.54 | 01 | 06 | 4 | |
| | P | 3/ 6/1973 | -265.45 | 0.01 | 686.55 | 01 | 06 | 4 | |
| | P | 3/ 7/1973 | -265.65 | -0.2 | 686.35 | 01 | 06 | 4 | |
| | P | 3/ 8/1973 | -265.48 | 0.17 | 686.52 | 01 | 06 | 4 | |
| | P | 3/ 9/1973 | -265.6 | -0.12 | 686.4 | 01 | 06 | 4 | |
| | P | 3/10/1973 | -265.3 | 0.3 | 686.7 | 01 | 06 | 4 | |
| | P | 3/11/1973 | -265.68 | -0.38 | 686.32 | 01 | 06 | 4 | |
| | P | 3/12/1973 | -265.72 | -0.04 | 686.28 | 01 | 06 | 4 | |
| | P | 3/13/1973 | -265.48 | 0.24 | 686.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/14/1973 | -265.44 | 0.04 | 686.56 | 01 | 06 | 4 | |
| | P | 3/15/1973 | -265.48 | -0.04 | 686.52 | 01 | 02 | 8 | |
| | P | 3/16/1973 | -265.75 | -0.27 | 686.25 | 01 | 06 | 4 | |
| | P | 3/17/1973 | -265.83 | -0.08 | 686.17 | 01 | 06 | 4 | |
| | P | 3/18/1973 | -265.58 | 0.25 | 686.42 | 01 | 06 | 4 | |
| | P | 3/19/1973 | -265.53 | 0.05 | 686.47 | 01 | 06 | 4 | |
| | P | 3/20/1973 | -265.59 | -0.06 | 686.41 | 01 | 06 | 4 | |
| | P | 3/21/1973 | -265.74 | -0.15 | 686.26 | 01 | 06 | 4 | |
| | P | 3/22/1973 | -265.72 | 0.02 | 686.28 | 01 | 06 | 4 | |
| | P | 3/23/1973 | -265.57 | 0.15 | 686.43 | 01 | 06 | 4 | |
| | P | 3/24/1973 | -265.37 | 0.2 | 686.63 | 01 | 06 | 4 | |
| | P | 3/25/1973 | -265.52 | -0.15 | 686.48 | 01 | 06 | 4 | |
| | P | 3/26/1973 | -265.69 | -0.17 | 686.31 | 01 | 06 | 4 | |
| | P | 3/27/1973 | -265.55 | 0.14 | 686.45 | 01 | 06 | 4 | |
| | P | 3/28/1973 | -265.33 | 0.22 | 686.67 | 01 | 06 | 4 | |
| | P | 3/29/1973 | -265.29 | 0.04 | 686.71 | 01 | 06 | 4 | |
| | P | 3/30/1973 | -265.17 | 0.12 | 686.83 | 01 | 06 | 4 | |
| | P | 3/31/1973 | -265.26 | -0.09 | 686.74 | 01 | 06 | 4 | |
| | P | 4/ 1/1973 | -265.33 | -0.07 | 686.67 | 01 | 02 | 8 | |
| | P | 4/ 2/1973 | -265.27 | 0.06 | 686.73 | 01 | 06 | 4 | |
| | P | 4/ 3/1973 | -265.25 | 0.02 | 686.75 | 01 | 06 | 4 | |
| | P | 4/ 4/1973 | -265.52 | -0.27 | 686.48 | 01 | 06 | 4 | |
| | P | 4/ 5/1973 | -265.58 | -0.06 | 686.42 | 01 | 06 | 4 | |
| | P | 4/ 6/1973 | -265.37 | 0.21 | 686.63 | 01 | 06 | 4 | |
| | P | 4/ 7/1973 | -265.12 | 0.25 | 686.88 | 01 | 06 | 4 | |
| | P | 4/ 8/1973 | -265.12 | | 686.88 | 01 | 06 | 4 | |
| | P | 4/ 9/1973 | -265.15 | -0.03 | 686.85 | 01 | 06 | 4 | |
| | P | 4/10/1973 | -265.15 | | 686.85 | 01 | 06 | 4 | |
| | P | 4/11/1973 | -265.28 | -0.13 | 686.72 | 01 | 06 | 4 | |
| | P | 4/12/1973 | -265.12 | 0.16 | 686.88 | 01 | 06 | 4 | |
| | P | 4/13/1973 | -265.13 | -0.01 | 686.87 | 01 | 06 | 4 | |
| | P | 4/14/1973 | -265.05 | 0.08 | 686.95 | 01 | 06 | 4 | |
| | P | 4/15/1973 | -262.82 | 2.23 | 689.18 | 01 | 02 | 8 | |
| | P | 4/16/1973 | -261.7 | 1.12 | 690.3 | 01 | 06 | 4 | |
| | P | 4/17/1973 | -261.55 | 0.15 | 690.45 | 01 | 06 | 4 | |
| | P | 4/18/1973 | -259.81 | 1.74 | 692.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 19/ 1973 | -259.55 | 0.26 | 692.45 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1973 | -259.57 | -0.02 | 692.43 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1973 | -259.82 | -0.25 | 692.18 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1973 | -259.87 | -0.05 | 692.13 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1973 | -259.74 | 0.13 | 692.26 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1973 | -259.48 | 0.26 | 692.52 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1973 | -259.43 | 0.05 | 692.57 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1973 | -259.3 | 0.13 | 692.7 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1973 | -259.07 | 0.23 | 692.93 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1973 | -258.78 | 0.29 | 693.22 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1973 | -258.93 | -0.15 | 693.07 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1973 | -258.17 | 0.76 | 693.83 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1973 | -258.54 | -0.37 | 693.46 | 01 | 02 | 8 | |
| | P | 5/ 2/ 1973 | -258.62 | -0.08 | 693.38 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1973 | -258.83 | -0.21 | 693.17 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1973 | -258.63 | 0.2 | 693.37 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1973 | -258.34 | 0.29 | 693.66 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1973 | -258.04 | 0.3 | 693.96 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1973 | -258 | 0.04 | 694 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1973 | -258.2 | -0.2 | 693.8 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1973 | -258.19 | 0.01 | 693.81 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1973 | -258.17 | 0.02 | 693.83 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1973 | -258.17 | | 693.83 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1973 | -257.85 | 0.32 | 694.15 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1973 | -257.97 | -0.12 | 694.03 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1973 | -258.04 | -0.07 | 693.96 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1973 | -257.95 | 0.09 | 694.05 | 01 | 02 | 8 | |
| | P | 5/ 16/ 1973 | -257.83 | 0.12 | 694.17 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1973 | -257.64 | 0.19 | 694.36 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1973 | -257.62 | 0.02 | 694.38 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1973 | -257.62 | | 694.38 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1973 | -257.8 | -0.18 | 694.2 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1973 | -258.16 | -0.36 | 693.84 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1973 | -258.11 | 0.05 | 693.89 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1973 | -258.1 | 0.01 | 693.9 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1973 | -258.04 | 0.06 | 693.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/25/1973 | -258.09 | -0.05 | 693.91 | 01 | 06 | 4 | |
| | P | 5/26/1973 | -257.93 | 0.16 | 694.07 | 01 | 06 | 4 | |
| | P | 5/27/1973 | -257.96 | -0.03 | 694.04 | 01 | 06 | 4 | |
| | P | 5/28/1973 | -258.77 | -0.81 | 693.23 | 01 | 06 | 4 | |
| | P | 5/29/1973 | -258.92 | -0.15 | 693.08 | 01 | 06 | 4 | |
| | P | 5/30/1973 | -259.09 | -0.17 | 692.91 | 01 | 06 | 4 | |
| | P | 5/31/1973 | -259.28 | -0.19 | 692.72 | 01 | 06 | 4 | |
| | P | 6/ 1/1973 | -259.06 | 0.22 | 692.94 | 01 | 02 | 8 | |
| | P | 6/ 2/1973 | -259.08 | -0.02 | 692.92 | 01 | 06 | 4 | |
| | P | 6/ 3/1973 | -259.42 | -0.34 | 692.58 | 01 | 06 | 4 | |
| | P | 6/ 4/1973 | -259.53 | -0.11 | 692.47 | 01 | 06 | 4 | |
| | P | 6/ 5/1973 | -259.56 | -0.03 | 692.44 | 01 | 06 | 4 | |
| | P | 6/ 6/1973 | -259.53 | 0.03 | 692.47 | 01 | 06 | 4 | |
| | P | 6/ 7/1973 | -259.67 | -0.14 | 692.33 | 01 | 06 | 4 | |
| | P | 6/ 8/1973 | -259.84 | -0.17 | 692.16 | 01 | 06 | 4 | |
| | P | 6/ 9/1973 | -260.21 | -0.37 | 691.79 | 01 | 06 | 4 | |
| | P | 6/10/1973 | -259.81 | 0.4 | 692.19 | 01 | 06 | 4 | |
| | P | 6/11/1973 | -259.42 | 0.39 | 692.58 | 01 | 06 | 4 | |
| | P | 6/12/1973 | -256.73 | 2.69 | 695.27 | 01 | 06 | 4 | |
| | P | 6/13/1973 | -256.09 | 0.64 | 695.91 | 01 | 06 | 4 | |
| | P | 6/14/1973 | -255.91 | 0.18 | 696.09 | 01 | 06 | 4 | |
| | P | 6/15/1973 | -255.79 | 0.12 | 696.21 | 01 | 02 | 8 | |
| | P | 6/16/1973 | -255.66 | 0.13 | 696.34 | 01 | 06 | 4 | |
| | P | 6/17/1973 | -255.43 | 0.23 | 696.57 | 01 | 06 | 4 | |
| | P | 6/18/1973 | -255.37 | 0.06 | 696.63 | 01 | 06 | 4 | |
| | P | 6/19/1973 | -255.62 | -0.25 | 696.38 | 01 | 06 | 4 | |
| | P | 6/20/1973 | -255.97 | -0.35 | 696.03 | 01 | 06 | 4 | |
| | P | 6/21/1973 | -256.09 | -0.12 | 695.91 | 01 | 06 | 4 | |
| | P | 6/22/1973 | -255.71 | 0.38 | 696.29 | 01 | 06 | 4 | |
| | P | 6/23/1973 | -255.46 | 0.25 | 696.54 | 01 | 06 | 4 | |
| | P | 6/24/1973 | -255.84 | -0.38 | 696.16 | 01 | 06 | 4 | |
| | P | 6/25/1973 | -254.56 | 1.28 | 697.44 | 01 | 06 | 4 | |
| | P | 6/26/1973 | -253.63 | 0.93 | 698.37 | 01 | 06 | 4 | |
| | P | 6/27/1973 | -253.36 | 0.27 | 698.64 | 01 | 06 | 4 | |
| | P | 6/28/1973 | -253.12 | 0.24 | 698.88 | 01 | 06 | 4 | |
| | P | 6/29/1973 | -253.13 | -0.01 | 698.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1973 | -253.09 | 0.04 | 698.91 | 01 | 06 | 4 | |
| | P | 7/ 1/1973 | -253.09 | | 698.91 | 01 | 02 | 8 | |
| | P | 7/ 2/1973 | -253.31 | -0.22 | 698.69 | 01 | 06 | 4 | |
| | P | 7/ 3/1973 | -252.93 | 0.38 | 699.07 | 01 | 06 | 4 | |
| | P | 7/ 4/1973 | -252.98 | -0.05 | 699.02 | 01 | 06 | 4 | |
| | P | 7/ 5/1973 | -253.03 | -0.05 | 698.97 | 01 | 06 | 4 | |
| | P | 7/ 6/1973 | -253.02 | 0.01 | 698.98 | 01 | 06 | 4 | |
| | P | 7/ 7/1973 | -253.03 | -0.01 | 698.97 | 01 | 06 | 4 | |
| | P | 7/ 8/1973 | -252.78 | 0.25 | 699.22 | 01 | 06 | 4 | |
| | P | 7/ 9/1973 | -252.82 | -0.04 | 699.18 | 01 | 06 | 4 | |
| | P | 7/10/1973 | -252.58 | 0.24 | 699.42 | 01 | 06 | 4 | |
| | P | 7/11/1973 | -252.33 | 0.25 | 699.67 | 01 | 06 | 4 | |
| | P | 7/12/1973 | -252.27 | 0.06 | 699.73 | 01 | 06 | 4 | |
| | P | 7/13/1973 | -252.22 | 0.05 | 699.78 | 01 | 06 | 4 | |
| | P | 7/14/1973 | -252.13 | 0.09 | 699.87 | 01 | 06 | 4 | |
| | P | 7/15/1973 | -252.08 | 0.05 | 699.92 | 01 | 02 | 8 | |
| | P | 7/16/1973 | -251.27 | 0.81 | 700.73 | 01 | 06 | 4 | |
| | P | 7/17/1973 | -250.82 | 0.45 | 701.18 | 01 | 06 | 4 | |
| | P | 7/18/1973 | -250.54 | 0.28 | 701.46 | 01 | 06 | 4 | |
| | P | 7/19/1973 | -250.37 | 0.17 | 701.63 | 01 | 06 | 4 | |
| | P | 7/20/1973 | -250.08 | 0.29 | 701.92 | 01 | 06 | 4 | |
| | P | 7/21/1973 | -249.87 | 0.21 | 702.13 | 01 | 06 | 4 | |
| | P | 7/22/1973 | -249.7 | 0.17 | 702.3 | 01 | 06 | 4 | |
| | P | 7/23/1973 | -249.68 | 0.02 | 702.32 | 01 | 06 | 4 | |
| | P | 7/24/1973 | -249.6 | 0.08 | 702.4 | 01 | 06 | 4 | |
| | P | 7/25/1973 | -249.08 | 0.52 | 702.92 | 01 | 06 | 4 | |
| | P | 7/26/1973 | -249.35 | -0.27 | 702.65 | 01 | 06 | 4 | |
| | P | 7/27/1973 | -249.28 | 0.07 | 702.72 | 01 | 06 | 4 | |
| | P | 7/28/1973 | -249.05 | 0.23 | 702.95 | 01 | 06 | 4 | |
| | P | 7/29/1973 | -249.22 | -0.17 | 702.78 | 01 | 06 | 4 | |
| | P | 7/30/1973 | -249.37 | -0.15 | 702.63 | 01 | 06 | 4 | |
| | P | 7/31/1973 | -249.03 | 0.34 | 702.97 | 01 | 06 | 4 | |
| | P | 8/ 1/1973 | -248.78 | 0.25 | 703.22 | 01 | 02 | 8 | |
| | P | 8/ 2/1973 | -248.75 | 0.03 | 703.25 | 01 | 06 | 4 | |
| | P | 8/ 3/1973 | -248.75 | | 703.25 | 01 | 06 | 4 | |
| | P | 8/ 4/1973 | -248.78 | -0.03 | 703.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 5/1973 | -248.7 | 0.08 | 703.3 | 01 | 06 | 4 | |
| | P | 8/ 6/1973 | -248.72 | -0.02 | 703.28 | 01 | 06 | 4 | |
| | P | 8/ 7/1973 | -248.77 | -0.05 | 703.23 | 01 | 06 | 4 | |
| | P | 8/ 8/1973 | -248.72 | 0.05 | 703.28 | 01 | 06 | 4 | |
| | P | 8/ 9/1973 | -248.73 | -0.01 | 703.27 | 01 | 06 | 4 | |
| | P | 8/10/1973 | -248.86 | -0.13 | 703.14 | 01 | 06 | 4 | |
| | P | 8/11/1973 | -248.62 | 0.24 | 703.38 | 01 | 06 | 4 | |
| | P | 8/12/1973 | -249.05 | -0.43 | 702.95 | 01 | 06 | 4 | |
| | P | 8/13/1973 | -249.08 | -0.03 | 702.92 | 01 | 06 | 4 | |
| | P | 8/14/1973 | -248.52 | 0.56 | 703.48 | 01 | 06 | 4 | |
| | P | 8/15/1973 | -248.06 | 0.46 | 703.94 | 01 | 02 | 8 | |
| | P | 8/16/1973 | -248.13 | -0.07 | 703.87 | 01 | 06 | 4 | |
| | P | 8/17/1973 | -248.12 | 0.01 | 703.88 | 01 | 06 | 4 | |
| | P | 8/18/1973 | -248.17 | -0.05 | 703.83 | 01 | 06 | 4 | |
| | P | 8/19/1973 | -248.03 | 0.14 | 703.97 | 01 | 06 | 4 | |
| | P | 8/20/1973 | -248.22 | -0.19 | 703.78 | 01 | 06 | 4 | |
| | P | 8/21/1973 | -248.17 | 0.05 | 703.83 | 01 | 06 | 4 | |
| | P | 8/22/1973 | -248.32 | -0.15 | 703.68 | 01 | 06 | 4 | |
| | P | 8/23/1973 | -248.46 | -0.14 | 703.54 | 01 | 06 | 4 | |
| | P | 8/24/1973 | -248.57 | -0.11 | 703.43 | 01 | 06 | 4 | |
| | P | 8/25/1973 | -248.68 | -0.11 | 703.32 | 01 | 06 | 4 | |
| | P | 8/26/1973 | -248.75 | -0.07 | 703.25 | 01 | 06 | 4 | |
| | P | 8/27/1973 | -248.44 | 0.31 | 703.56 | 01 | 06 | 4 | |
| | P | 8/28/1973 | -248.37 | 0.07 | 703.63 | 01 | 06 | 4 | |
| | P | 8/29/1973 | -248.37 | | 703.63 | 01 | 06 | 4 | |
| | P | 8/30/1973 | -247.83 | 0.54 | 704.17 | 01 | 06 | 4 | |
| | P | 8/31/1973 | -247.76 | 0.07 | 704.24 | 01 | 06 | 4 | |
| | P | 9/ 1/1973 | -247.7 | 0.06 | 704.3 | 01 | 02 | 8 | |
| | P | 9/ 2/1973 | -247.83 | -0.13 | 704.17 | 01 | 06 | 4 | |
| | P | 9/ 3/1973 | -247.87 | -0.04 | 704.13 | 01 | 06 | 4 | |
| | P | 9/ 4/1973 | -248.04 | -0.17 | 703.96 | 01 | 06 | 4 | |
| | P | 9/ 5/1973 | -247.77 | 0.27 | 704.23 | 01 | 06 | 4 | |
| | P | 9/ 6/1973 | -247.65 | 0.12 | 704.35 | 01 | 06 | 4 | |
| | P | 9/ 7/1973 | -247.77 | -0.12 | 704.23 | 01 | 06 | 4 | |
| | P | 9/ 8/1973 | -247.67 | 0.1 | 704.33 | 01 | 06 | 4 | |
| | P | 9/ 9/1973 | -247.55 | 0.12 | 704.45 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 10/ 1973 | -247.62 | -0.07 | 704.38 | 01 | 06 | 4 | |
| | P | 9/ 11/ 1973 | -247.53 | 0.09 | 704.47 | 01 | 06 | 4 | |
| | P | 9/ 12/ 1973 | -247.47 | 0.06 | 704.53 | 01 | 06 | 4 | |
| | P | 9/ 13/ 1973 | -247.32 | 0.15 | 704.68 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1973 | -247.59 | -0.27 | 704.41 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1973 | -247.65 | -0.06 | 704.35 | 01 | 02 | 8 | |
| | P | 9/ 16/ 1973 | -247.18 | 0.47 | 704.82 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1973 | -246.83 | 0.35 | 705.17 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1973 | -246.76 | 0.07 | 705.24 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1973 | -246.58 | 0.18 | 705.42 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1973 | -246.48 | 0.1 | 705.52 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1973 | -246.5 | -0.02 | 705.5 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1973 | -246.56 | -0.06 | 705.44 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1973 | -246.33 | 0.23 | 705.67 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1973 | -246.22 | 0.11 | 705.78 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1973 | -246.1 | 0.12 | 705.9 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1973 | -246.13 | -0.03 | 705.87 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1973 | -244.2 | 1.93 | 707.8 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1973 | -243.78 | 0.42 | 708.22 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1973 | -243.13 | 0.65 | 708.87 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1973 | -242.92 | 0.21 | 709.08 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1973 | -243.22 | -0.3 | 708.78 | 01 | 02 | 8 | |
| | P | 10/ 2/ 1973 | -243.37 | -0.15 | 708.63 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1973 | -243.23 | 0.14 | 708.77 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1973 | -243.13 | 0.1 | 708.87 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1973 | -243.13 | | 708.87 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1973 | -242.87 | 0.26 | 709.13 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1973 | -242.67 | 0.2 | 709.33 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1973 | -242.23 | 0.44 | 709.77 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1973 | -241.72 | 0.51 | 710.28 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1973 | -242.01 | -0.29 | 709.99 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1973 | -241.74 | 0.27 | 710.26 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1973 | -241.37 | 0.37 | 710.63 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1973 | -241.17 | 0.2 | 710.83 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1973 | -241.04 | 0.13 | 710.96 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1973 | -240.09 | 0.95 | 711.91 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1973 | -239.35 | 0.74 | 712.65 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1973 | -239 | 0.35 | 713 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1973 | -238.98 | 0.02 | 713.02 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1973 | -238.8 | 0.18 | 713.2 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1973 | -238.62 | 0.18 | 713.38 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1973 | -238.56 | 0.06 | 713.44 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1973 | -238.56 | | 713.44 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1973 | -238.5 | 0.06 | 713.5 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1973 | -238.24 | 0.26 | 713.76 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1973 | -238.14 | 0.1 | 713.86 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1973 | -238.02 | 0.12 | 713.98 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1973 | -237.98 | 0.04 | 714.02 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1973 | -238.04 | -0.06 | 713.96 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1973 | -237.96 | 0.08 | 714.04 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1973 | -237.43 | 0.53 | 714.57 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1973 | -237.44 | -0.01 | 714.56 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1973 | -236.85 | 0.59 | 715.15 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1973 | -236.62 | 0.23 | 715.38 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1973 | -237.23 | -0.61 | 714.77 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1973 | -237.07 | 0.16 | 714.93 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1973 | -237.1 | -0.03 | 714.9 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1973 | -237.08 | 0.02 | 714.92 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1973 | -236.78 | 0.3 | 715.22 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1973 | -236.62 | 0.16 | 715.38 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1973 | -236.64 | -0.02 | 715.36 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1973 | -236.4 | 0.24 | 715.6 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1973 | -235.96 | 0.44 | 716.04 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1973 | -236.37 | -0.41 | 715.63 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1973 | -236.12 | 0.25 | 715.88 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1973 | -236.97 | -0.85 | 715.03 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1973 | -235.96 | 1.01 | 716.04 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1973 | -236.14 | -0.18 | 715.86 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1973 | -235.88 | 0.26 | 716.12 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1973 | -235.68 | 0.2 | 716.32 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1973 | -234.9 | 0.78 | 717.1 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1973 | -234.83 | 0.07 | 717.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 21/ 1973 | -234.83 | | 717.17 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1973 | -235.34 | -0.51 | 716.66 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1973 | -235.17 | 0.17 | 716.83 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1973 | -235.03 | 0.14 | 716.97 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1973 | -235.02 | 0.01 | 716.98 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1973 | -234.88 | 0.14 | 717.12 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1973 | -234.98 | -0.1 | 717.02 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1973 | -235.52 | -0.54 | 716.48 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1973 | -235.53 | -0.01 | 716.47 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1973 | -235.37 | 0.16 | 716.63 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1973 | -235.18 | 0.19 | 716.82 | 01 | 02 | 8 | |
| | P | 12 / 2 / 1973 | -234.89 | 0.29 | 717.11 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1973 | -234.56 | 0.33 | 717.44 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1973 | -234.53 | 0.03 | 717.47 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1973 | -234.83 | -0.3 | 717.17 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1973 | -234.68 | 0.15 | 717.32 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1973 | -234.57 | 0.11 | 717.43 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1973 | -234.19 | 0.38 | 717.81 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1973 | -234.07 | 0.12 | 717.93 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1973 | -234.3 | -0.23 | 717.7 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1973 | -233.95 | 0.35 | 718.05 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1973 | -233.64 | 0.31 | 718.36 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1973 | -233.58 | 0.06 | 718.42 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1973 | -233.56 | 0.02 | 718.44 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1973 | -233.82 | -0.26 | 718.18 | 01 | 02 | 8 | |
| | P | 12 / 16/ 1973 | -234.15 | -0.33 | 717.85 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1973 | -233.94 | 0.21 | 718.06 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1973 | -233.57 | 0.37 | 718.43 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1973 | -233.54 | 0.03 | 718.46 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1973 | -233.93 | -0.39 | 718.07 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1973 | -233.8 | 0.13 | 718.2 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1973 | -233.51 | 0.29 | 718.49 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1973 | -233.17 | 0.34 | 718.83 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1973 | -233.1 | 0.07 | 718.9 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1973 | -233.14 | -0.04 | 718.86 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1973 | -233.09 | 0.05 | 718.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/27/1973 | -233.92 | -0.83 | 718.08 | 01 | 06 | 4 | |
| | P | 12/28/1973 | -233.93 | -0.01 | 718.07 | 01 | 06 | 4 | |
| | P | 12/29/1973 | -233.8 | 0.13 | 718.2 | 01 | 06 | 4 | |
| | P | 12/30/1973 | -234.15 | -0.35 | 717.85 | 01 | 06 | 4 | |
| | P | 12/31/1973 | -234.31 | -0.16 | 717.69 | 01 | 06 | 4 | |
| | P | 1/ 1/1974 | -234.57 | -0.26 | 717.43 | 01 | 02 | 8 | |
| | P | 1/ 2/1974 | -234.33 | 0.24 | 717.67 | 01 | 06 | 4 | |
| | P | 1/ 3/1974 | -234.34 | -0.01 | 717.66 | 01 | 06 | 4 | |
| | P | 1/ 4/1974 | -234.36 | -0.02 | 717.64 | 01 | 06 | 4 | |
| | P | 1/ 5/1974 | -234.13 | 0.23 | 717.87 | 01 | 06 | 4 | |
| | P | 1/ 6/1974 | -233.98 | 0.15 | 718.02 | 01 | 06 | 4 | |
| | P | 1/ 7/1974 | -234.14 | -0.16 | 717.86 | 01 | 06 | 4 | |
| | P | 1/ 8/1974 | -234.02 | 0.12 | 717.98 | 01 | 06 | 4 | |
| | P | 1/ 9/1974 | -233.98 | 0.04 | 718.02 | 01 | 06 | 4 | |
| | P | 1/10/1974 | -233.91 | 0.07 | 718.09 | 01 | 06 | 4 | |
| | P | 1/11/1974 | -234.07 | -0.16 | 717.93 | 01 | 06 | 4 | |
| | P | 1/12/1974 | -234.37 | -0.3 | 717.63 | 01 | 06 | 4 | |
| | P | 1/13/1974 | -234.29 | 0.08 | 717.71 | 01 | 06 | 4 | |
| | P | 1/14/1974 | -234.13 | 0.16 | 717.87 | 01 | 06 | 4 | |
| | P | 1/15/1974 | -234.12 | 0.01 | 717.88 | 01 | 02 | 8 | |
| | P | 1/16/1974 | -234.13 | -0.01 | 717.87 | 01 | 06 | 4 | |
| | P | 1/17/1974 | -234.05 | 0.08 | 717.95 | 01 | 06 | 4 | |
| | P | 1/18/1974 | -233.92 | 0.13 | 718.08 | 01 | 06 | 4 | |
| | P | 1/19/1974 | -234.02 | -0.1 | 717.98 | 01 | 06 | 4 | |
| | P | 1/20/1974 | -234.01 | 0.01 | 717.99 | 01 | 06 | 4 | |
| | P | 1/21/1974 | -234.22 | -0.21 | 717.78 | 01 | 06 | 4 | |
| | P | 1/22/1974 | -234.21 | 0.01 | 717.79 | 01 | 06 | 4 | |
| | P | 1/23/1974 | -234.36 | -0.15 | 717.64 | 01 | 06 | 4 | |
| | P | 1/24/1974 | -234.37 | -0.01 | 717.63 | 01 | 06 | 4 | |
| | P | 1/25/1974 | -234.38 | -0.01 | 717.62 | 01 | 06 | 4 | |
| | P | 1/26/1974 | -234.17 | 0.21 | 717.83 | 01 | 06 | 4 | |
| | P | 1/27/1974 | -234.15 | 0.02 | 717.85 | 01 | 06 | 4 | |
| | P | 1/28/1974 | -234.51 | -0.36 | 717.49 | 01 | 06 | 4 | |
| | P | 1/29/1974 | -234.35 | 0.16 | 717.65 | 01 | 06 | 4 | |
| | P | 1/30/1974 | -234.43 | -0.08 | 717.57 | 01 | 06 | 4 | |
| | P | 1/31/1974 | -234.41 | 0.02 | 717.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/1974 | -234.34 | 0.07 | 717.66 | 01 | 02 | 8 | |
| | P | 2/ 2/1974 | -234.19 | 0.15 | 717.81 | 01 | 06 | 4 | |
| | P | 2/ 3/1974 | -234.56 | -0.37 | 717.44 | 01 | 06 | 4 | |
| | P | 2/ 4/1974 | -234.89 | -0.33 | 717.11 | 01 | 06 | 4 | |
| | P | 2/ 5/1974 | -234.64 | 0.25 | 717.36 | 01 | 06 | 4 | |
| | P | 2/ 6/1974 | -234.51 | 0.13 | 717.49 | 01 | 06 | 4 | |
| | P | 2/ 7/1974 | -234.64 | -0.13 | 717.36 | 01 | 06 | 4 | |
| | P | 2/ 8/1974 | -235.02 | -0.38 | 716.98 | 01 | 06 | 4 | |
| | P | 2/ 9/1974 | -235.16 | -0.14 | 716.84 | 01 | 06 | 4 | |
| | P | 2/10/1974 | -235.15 | 0.01 | 716.85 | 01 | 06 | 4 | |
| | P | 2/11/1974 | -235.55 | -0.4 | 716.45 | 01 | 06 | 4 | |
| | P | 2/12/1974 | -235.44 | 0.11 | 716.56 | 01 | 06 | 4 | |
| | P | 2/13/1974 | -235.27 | 0.17 | 716.73 | 01 | 06 | 4 | |
| | P | 2/14/1974 | -235.25 | 0.02 | 716.75 | 01 | 06 | 4 | |
| | P | 2/15/1974 | -235.59 | -0.34 | 716.41 | 01 | 02 | 8 | |
| | P | 2/16/1974 | -235.5 | 0.09 | 716.5 | 01 | 06 | 4 | |
| | P | 2/17/1974 | -235.71 | -0.21 | 716.29 | 01 | 06 | 4 | |
| | P | 2/18/1974 | -235.35 | 0.36 | 716.65 | 01 | 06 | 4 | |
| | P | 2/19/1974 | -235.54 | -0.19 | 716.46 | 01 | 06 | 4 | |
| | P | 2/20/1974 | -235.61 | -0.07 | 716.39 | 01 | 06 | 4 | |
| | P | 2/21/1974 | -235.7 | -0.09 | 716.3 | 01 | 06 | 4 | |
| | P | 2/22/1974 | -236.2 | -0.5 | 715.8 | 01 | 06 | 4 | |
| | P | 2/23/1974 | -236.08 | 0.12 | 715.92 | 01 | 06 | 4 | |
| | P | 2/24/1974 | -236.5 | -0.42 | 715.5 | 01 | 06 | 4 | |
| | P | 2/25/1974 | -236.78 | -0.28 | 715.22 | 01 | 06 | 4 | |
| | P | 2/26/1974 | -236.61 | 0.17 | 715.39 | 01 | 06 | 4 | |
| | P | 2/27/1974 | -236.45 | 0.16 | 715.55 | 01 | 06 | 4 | |
| | P | 2/28/1974 | -236.53 | -0.08 | 715.47 | 01 | 06 | 4 | |
| | P | 3/ 1/1974 | -236.58 | -0.05 | 715.42 | 01 | 02 | 8 | |
| | P | 3/ 2/1974 | -236.47 | 0.11 | 715.53 | 01 | 06 | 4 | |
| | P | 3/ 3/1974 | -236.38 | 0.09 | 715.62 | 01 | 06 | 4 | |
| | P | 3/ 4/1974 | -236.31 | 0.07 | 715.69 | 01 | 06 | 4 | |
| | P | 3/ 5/1974 | -236.29 | 0.02 | 715.71 | 01 | 06 | 4 | |
| | P | 3/ 6/1974 | -236.06 | 0.23 | 715.94 | 01 | 06 | 4 | |
| | P | 3/ 7/1974 | -236.06 | | 715.94 | 01 | 06 | 4 | |
| | P | 3/ 8/1974 | -235.88 | 0.18 | 716.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 9/1974 | -235.98 | -0.1 | 716.02 | 01 | 06 | 4 | |
| | P | 3/10/1974 | -236.29 | -0.31 | 715.71 | 01 | 06 | 4 | |
| | P | 3/11/1974 | -236.52 | -0.23 | 715.48 | 01 | 06 | 4 | |
| | P | 3/12/1974 | -236.33 | 0.19 | 715.67 | 01 | 06 | 4 | |
| | P | 3/13/1974 | -236.43 | -0.1 | 715.57 | 01 | 06 | 4 | |
| | P | 3/14/1974 | -236.51 | -0.08 | 715.49 | 01 | 06 | 4 | |
| | P | 3/15/1974 | -236.38 | 0.13 | 715.62 | 01 | 02 | 8 | |
| | P | 3/16/1974 | -236.63 | -0.25 | 715.37 | 01 | 06 | 4 | |
| | P | 3/17/1974 | -236.47 | 0.16 | 715.53 | 01 | 06 | 4 | |
| | P | 3/18/1974 | -236.27 | 0.2 | 715.73 | 01 | 06 | 4 | |
| | P | 3/19/1974 | -236.25 | 0.02 | 715.75 | 01 | 06 | 4 | |
| | P | 3/20/1974 | -236.31 | -0.06 | 715.69 | 01 | 06 | 4 | |
| | P | 3/21/1974 | -236.6 | -0.29 | 715.4 | 01 | 06 | 4 | |
| | P | 3/22/1974 | -236.48 | 0.12 | 715.52 | 01 | 06 | 4 | |
| | P | 3/23/1974 | -236.43 | 0.05 | 715.57 | 01 | 06 | 4 | |
| | P | 3/24/1974 | -237.03 | -0.6 | 714.97 | 01 | 06 | 4 | |
| | P | 3/25/1974 | -236.92 | 0.11 | 715.08 | 01 | 06 | 4 | |
| | P | 3/26/1974 | -236.91 | 0.01 | 715.09 | 01 | 06 | 4 | |
| | P | 3/27/1974 | -236.93 | -0.02 | 715.07 | 01 | 06 | 4 | |
| | P | 3/28/1974 | -236.85 | 0.08 | 715.15 | 01 | 06 | 4 | |
| | P | 3/29/1974 | -236.78 | 0.07 | 715.22 | 01 | 06 | 4 | |
| | P | 3/30/1974 | -237.07 | -0.29 | 714.93 | 01 | 06 | 4 | |
| | P | 3/31/1974 | -237.33 | -0.26 | 714.67 | 01 | 06 | 4 | |
| | P | 4/ 1/1974 | -237.32 | 0.01 | 714.68 | 01 | 02 | 8 | |
| | P | 4/ 2/1974 | -237.42 | -0.1 | 714.58 | 01 | 06 | 4 | |
| | P | 4/ 3/1974 | -237.62 | -0.2 | 714.38 | 01 | 06 | 4 | |
| | P | 4/ 4/1974 | -238.01 | -0.39 | 713.99 | 01 | 06 | 4 | |
| | P | 4/ 5/1974 | -238.2 | -0.19 | 713.8 | 01 | 06 | 4 | |
| | P | 4/ 6/1974 | -238.18 | 0.02 | 713.82 | 01 | 06 | 4 | |
| | P | 4/ 7/1974 | -238.16 | 0.02 | 713.84 | 01 | 06 | 4 | |
| | P | 4/ 8/1974 | -238.62 | -0.46 | 713.38 | 01 | 06 | 4 | |
| | P | 4/ 9/1974 | -238.48 | 0.14 | 713.52 | 01 | 06 | 4 | |
| | P | 4/10/1974 | -237.89 | 0.59 | 714.11 | 01 | 06 | 4 | |
| | P | 4/11/1974 | -237.86 | 0.03 | 714.14 | 01 | 06 | 4 | |
| | P | 4/12/1974 | -238.01 | -0.15 | 713.99 | 01 | 06 | 4 | |
| | P | 4/13/1974 | -238.04 | -0.03 | 713.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 14/ 1974 | -238.53 | -0.49 | 713.47 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1974 | -238.51 | 0.02 | 713.49 | 01 | 02 | 8 | |
| | P | 4/ 16/ 1974 | -238.56 | -0.05 | 713.44 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1974 | -238.52 | 0.04 | 713.48 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1974 | -238.42 | 0.1 | 713.58 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1974 | -238.41 | 0.01 | 713.59 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1974 | -238.3 | 0.11 | 713.7 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1974 | -238.41 | -0.11 | 713.59 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1974 | -238.42 | -0.01 | 713.58 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1974 | -238.75 | -0.33 | 713.25 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1974 | -238.83 | -0.08 | 713.17 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1974 | -238.86 | -0.03 | 713.14 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1974 | -238.86 | | 713.14 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1974 | -239.41 | -0.55 | 712.59 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1974 | -239.62 | -0.21 | 712.38 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1974 | -239.82 | -0.2 | 712.18 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1974 | -239.93 | -0.11 | 712.07 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1974 | -239.53 | 0.4 | 712.47 | 01 | 02 | 8 | |
| | P | 5/ 2/ 1974 | -239.31 | 0.22 | 712.69 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1974 | -239.28 | 0.03 | 712.72 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1974 | -239.32 | -0.04 | 712.68 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1974 | -239.23 | 0.09 | 712.77 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1974 | -239.41 | -0.18 | 712.59 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1974 | -239.35 | 0.06 | 712.65 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1974 | -239.32 | 0.03 | 712.68 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1974 | -239.27 | 0.05 | 712.73 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1974 | -239.17 | 0.1 | 712.83 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1974 | -239.02 | 0.15 | 712.98 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1974 | -239.38 | -0.36 | 712.62 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1974 | -239.31 | 0.07 | 712.69 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1974 | -239.23 | 0.08 | 712.77 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1974 | -239.36 | -0.13 | 712.64 | 01 | 02 | 8 | |
| | P | 5/ 16/ 1974 | -239.45 | -0.09 | 712.55 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1974 | -239.64 | -0.19 | 712.36 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1974 | -239.72 | -0.08 | 712.28 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1974 | -239.97 | -0.25 | 712.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 20/ 1974 | -239.89 | 0.08 | 712.11 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1974 | -239.69 | 0.2 | 712.31 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1974 | -240.02 | -0.33 | 711.98 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1974 | -240.43 | -0.41 | 711.57 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1974 | -240.53 | -0.1 | 711.47 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1974 | -240.65 | -0.12 | 711.35 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1974 | -240.36 | 0.29 | 711.64 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1974 | -240.17 | 0.19 | 711.83 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1974 | -240.49 | -0.32 | 711.51 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1974 | -240.61 | -0.12 | 711.39 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1974 | -240.56 | 0.05 | 711.44 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1974 | -240.29 | 0.27 | 711.71 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1974 | -240.58 | -0.29 | 711.42 | 01 | 02 | 8 | |
| | P | 6/ 2/ 1974 | -240.86 | -0.28 | 711.14 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1974 | -241.11 | -0.25 | 710.89 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1974 | -241.2 | -0.09 | 710.8 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1974 | -241.37 | -0.17 | 710.63 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1974 | -240.96 | 0.41 | 711.04 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1974 | -240.76 | 0.2 | 711.24 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1974 | -241.05 | -0.29 | 710.95 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1974 | -241.57 | -0.52 | 710.43 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1974 | -241.76 | -0.19 | 710.24 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1974 | -241.43 | 0.33 | 710.57 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1974 | -241.29 | 0.14 | 710.71 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1974 | -241.12 | 0.17 | 710.88 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1974 | -241.27 | -0.15 | 710.73 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1974 | -241.33 | -0.06 | 710.67 | 01 | 02 | 8 | |
| | P | 6/ 16/ 1974 | -241.39 | -0.06 | 710.61 | 01 | 06 | 4 | |
| | P | 6/ 17/ 1974 | -241.52 | -0.13 | 710.48 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1974 | -241.7 | -0.18 | 710.3 | 01 | 06 | 4 | |
| | P | 6/ 19/ 1974 | -241.89 | -0.19 | 710.11 | 01 | 06 | 4 | |
| | P | 6/ 20/ 1974 | -242.19 | -0.3 | 709.81 | 01 | 06 | 4 | |
| | P | 6/ 21/ 1974 | -242.02 | 0.17 | 709.98 | 01 | 06 | 4 | |
| | P | 6/ 22/ 1974 | -242.12 | -0.1 | 709.88 | 01 | 06 | 4 | |
| | P | 6/ 23/ 1974 | -242.48 | -0.36 | 709.52 | 01 | 06 | 4 | |
| | P | 6/ 24/ 1974 | -242.93 | -0.45 | 709.07 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 25/ 1974 | -242.87 | 0.06 | 709.13 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1974 | -243.12 | -0.25 | 708.88 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1974 | -243.25 | -0.13 | 708.75 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1974 | -243.46 | -0.21 | 708.54 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1974 | -246.56 | -3.1 | 705.44 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1974 | -243.78 | 2.78 | 708.22 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1974 | -243.87 | -0.09 | 708.13 | 01 | 02 | 8 | |
| | P | 7 / 2 / 1974 | -244.1 | -0.23 | 707.9 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1974 | -243.98 | 0.12 | 708.02 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1974 | -243.85 | 0.13 | 708.15 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1974 | -244.29 | -0.44 | 707.71 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1974 | -244.27 | 0.02 | 707.73 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1974 | -244.48 | -0.21 | 707.52 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1974 | -244.87 | -0.39 | 707.13 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1974 | -244.84 | 0.03 | 707.16 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1974 | -245.05 | -0.21 | 706.95 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1974 | -245.06 | -0.01 | 706.94 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1974 | -244.89 | 0.17 | 707.11 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1974 | -244.66 | 0.23 | 707.34 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1974 | -244.53 | 0.13 | 707.47 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1974 | -244.34 | 0.19 | 707.66 | 01 | 02 | 8 | |
| | P | 7 / 16/ 1974 | -244.2 | 0.14 | 707.8 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1974 | -244.37 | -0.17 | 707.63 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1974 | -244.52 | -0.15 | 707.48 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1974 | -244.7 | -0.18 | 707.3 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1974 | -244.86 | -0.16 | 707.14 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1974 | -244.95 | -0.09 | 707.05 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1974 | -245.29 | -0.34 | 706.71 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1974 | -245.54 | -0.25 | 706.46 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1974 | -245.89 | -0.35 | 706.11 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1974 | -245.95 | -0.06 | 706.05 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1974 | -246.19 | -0.24 | 705.81 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1974 | -246.24 | -0.05 | 705.76 | 01 | 06 | 4 | |
| | P | 7 / 28/ 1974 | -246.43 | -0.19 | 705.57 | 01 | 06 | 4 | |
| | P | 7 / 29/ 1974 | -246.57 | -0.14 | 705.43 | 01 | 06 | 4 | |
| | P | 7 / 30/ 1974 | -246.8 | -0.23 | 705.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/31/1974 | -246.93 | -0.13 | 705.07 | 01 | 06 | 4 | |
| | P | 8/ 1/1974 | -246.67 | 0.26 | 705.33 | 01 | 02 | 8 | |
| | P | 8/ 2/1974 | -246.8 | -0.13 | 705.2 | 01 | 06 | 4 | |
| | P | 8/ 3/1974 | -246.81 | -0.01 | 705.19 | 01 | 06 | 4 | |
| | P | 8/ 4/1974 | -247.21 | -0.4 | 704.79 | 01 | 06 | 4 | |
| | P | 8/ 5/1974 | -247.3 | -0.09 | 704.7 | 01 | 06 | 4 | |
| | P | 8/ 6/1974 | -246.99 | 0.31 | 705.01 | 01 | 06 | 4 | |
| | P | 8/ 7/1974 | -246.65 | 0.34 | 705.35 | 01 | 06 | 4 | |
| | P | 8/ 8/1974 | -246.47 | 0.18 | 705.53 | 01 | 06 | 4 | |
| | P | 8/ 9/1974 | -246.05 | 0.42 | 705.95 | 01 | 06 | 4 | |
| | P | 8/10/1974 | -246.02 | 0.03 | 705.98 | 01 | 06 | 4 | |
| | P | 8/11/1974 | -246.25 | -0.23 | 705.75 | 01 | 06 | 4 | |
| | P | 8/12/1974 | -246.38 | -0.13 | 705.62 | 01 | 06 | 4 | |
| | P | 8/13/1974 | -246.37 | 0.01 | 705.63 | 01 | 06 | 4 | |
| | P | 8/14/1974 | -246.33 | 0.04 | 705.67 | 01 | 06 | 4 | |
| | P | 8/15/1974 | -246.56 | -0.23 | 705.44 | 01 | 02 | 8 | |
| | P | 8/16/1974 | -246.6 | -0.04 | 705.4 | 01 | 06 | 4 | |
| | P | 8/17/1974 | -246.69 | -0.09 | 705.31 | 01 | 06 | 4 | |
| | P | 8/18/1974 | -246.73 | -0.04 | 705.27 | 01 | 06 | 4 | |
| | P | 8/19/1974 | -247.02 | -0.29 | 704.98 | 01 | 06 | 4 | |
| | P | 8/20/1974 | -247.07 | -0.05 | 704.93 | 01 | 06 | 4 | |
| | P | 8/21/1974 | -247.18 | -0.11 | 704.82 | 01 | 06 | 4 | |
| | P | 8/22/1974 | -247.25 | -0.07 | 704.75 | 01 | 06 | 4 | |
| | P | 8/23/1974 | -247.46 | -0.21 | 704.54 | 01 | 06 | 4 | |
| | P | 8/24/1974 | -247.42 | 0.04 | 704.58 | 01 | 06 | 4 | |
| | P | 8/25/1974 | -247.28 | 0.14 | 704.72 | 01 | 06 | 4 | |
| | P | 8/26/1974 | -247.14 | 0.14 | 704.86 | 01 | 06 | 4 | |
| | P | 8/27/1974 | -247.23 | -0.09 | 704.77 | 01 | 06 | 4 | |
| | P | 8/28/1974 | -247.15 | 0.08 | 704.85 | 01 | 06 | 4 | |
| | P | 8/29/1974 | -247.23 | -0.08 | 704.77 | 01 | 06 | 4 | |
| | P | 8/30/1974 | -246.01 | 1.22 | 705.99 | 01 | 06 | 4 | |
| | P | 8/31/1974 | -245.42 | 0.59 | 706.58 | 01 | 06 | 4 | |
| | P | 9/ 1/1974 | -245.08 | 0.34 | 706.92 | 01 | 02 | 8 | |
| | P | 9/ 2/1974 | -245.07 | 0.01 | 706.93 | 01 | 06 | 4 | |
| | P | 9/ 3/1974 | -245.51 | -0.44 | 706.49 | 01 | 06 | 4 | |
| | P | 9/ 4/1974 | -245.81 | -0.3 | 706.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 5/1974 | -246.02 | -0.21 | 705.98 | 01 | 06 | 4 | |
| | P | 9/ 6/1974 | -246.12 | -0.1 | 705.88 | 01 | 06 | 4 | |
| | P | 9/ 7/1974 | -246.24 | -0.12 | 705.76 | 01 | 06 | 4 | |
| | P | 9/ 8/1974 | -246.33 | -0.09 | 705.67 | 01 | 06 | 4 | |
| | P | 9/ 9/1974 | -246.34 | -0.01 | 705.66 | 01 | 06 | 4 | |
| | P | 9/10/1974 | -246.29 | 0.05 | 705.71 | 01 | 06 | 4 | |
| | P | 9/11/1974 | -246.25 | 0.04 | 705.75 | 01 | 06 | 4 | |
| | P | 9/12/1974 | -246.22 | 0.03 | 705.78 | 01 | 06 | 4 | |
| | P | 9/13/1974 | -246.23 | -0.01 | 705.77 | 01 | 06 | 4 | |
| | P | 9/14/1974 | -246.24 | -0.01 | 705.76 | 01 | 06 | 4 | |
| | P | 9/15/1974 | -246.13 | 0.11 | 705.87 | 01 | 02 | 8 | |
| | P | 9/16/1974 | -246.1 | 0.03 | 705.9 | 01 | 06 | 4 | |
| | P | 9/17/1974 | -246.07 | 0.03 | 705.93 | 01 | 06 | 4 | |
| | P | 9/18/1974 | -246.05 | 0.02 | 705.95 | 01 | 06 | 4 | |
| | P | 9/19/1974 | -246.12 | -0.07 | 705.88 | 01 | 06 | 4 | |
| | P | 9/20/1974 | -246.23 | -0.11 | 705.77 | 01 | 06 | 4 | |
| | P | 9/21/1974 | -246.27 | -0.04 | 705.73 | 01 | 06 | 4 | |
| | P | 9/22/1974 | -246.3 | -0.03 | 705.7 | 01 | 06 | 4 | |
| | P | 9/23/1974 | -246.37 | -0.07 | 705.63 | 01 | 06 | 4 | |
| | P | 9/24/1974 | -246.35 | 0.02 | 705.65 | 01 | 06 | 4 | |
| | P | 9/25/1974 | -246.23 | 0.12 | 705.77 | 01 | 06 | 4 | |
| | P | 9/26/1974 | -246.15 | 0.08 | 705.85 | 01 | 06 | 4 | |
| | P | 9/27/1974 | -245.96 | 0.19 | 706.04 | 01 | 06 | 4 | |
| | P | 9/28/1974 | -246.1 | -0.14 | 705.9 | 01 | 06 | 4 | |
| | P | 9/29/1974 | -246.82 | -0.72 | 705.18 | 01 | 06 | 4 | |
| | P | 9/30/1974 | -246.82 | | 705.18 | 01 | 06 | 4 | |
| | P | 10/ 1/1974 | -246.82 | | 705.18 | 01 | 02 | 8 | |
| | P | 10/ 2/1974 | -246.88 | -0.06 | 705.12 | 01 | 06 | 4 | |
| | P | 10/ 3/1974 | -247.11 | -0.23 | 704.89 | 01 | 06 | 4 | |
| | P | 10/ 4/1974 | -247.11 | | 704.89 | 01 | 06 | 4 | |
| | P | 10/ 5/1974 | -247.08 | 0.03 | 704.92 | 01 | 06 | 4 | |
| | P | 10/ 6/1974 | -247.59 | -0.51 | 704.41 | 01 | 06 | 4 | |
| | P | 10/ 7/1974 | -247.63 | -0.04 | 704.37 | 01 | 06 | 4 | |
| | P | 10/ 8/1974 | -247.25 | 0.38 | 704.75 | 01 | 06 | 4 | |
| | P | 10/ 9/1974 | -247.07 | 0.18 | 704.93 | 01 | 06 | 4 | |
| | P | 10/10/1974 | -247.17 | -0.1 | 704.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 11/ 1974 | -247.13 | 0.04 | 704.87 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1974 | -247.15 | -0.02 | 704.85 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1974 | -247.21 | -0.06 | 704.79 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1974 | -247.21 | | 704.79 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1974 | -247.3 | -0.09 | 704.7 | 01 | 02 | 8 | |
| | P | 10 / 16/ 1974 | -247.18 | 0.12 | 704.82 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1974 | -247.06 | 0.12 | 704.94 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1974 | -247.06 | | 704.94 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1974 | -247.08 | -0.02 | 704.92 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1974 | -247.16 | -0.08 | 704.84 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1974 | -247.31 | -0.15 | 704.69 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1974 | -247.41 | -0.1 | 704.59 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1974 | -247.3 | 0.11 | 704.7 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1974 | -247.05 | 0.25 | 704.95 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1974 | -246.98 | 0.07 | 705.02 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1974 | -247.03 | -0.05 | 704.97 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1974 | -246.87 | 0.16 | 705.13 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1974 | -246.61 | 0.26 | 705.39 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1974 | -246.77 | -0.16 | 705.23 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1974 | -246.9 | -0.13 | 705.1 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1974 | -246.8 | 0.1 | 705.2 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1974 | -246.84 | -0.04 | 705.16 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1974 | -246.78 | 0.06 | 705.22 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1974 | -246.81 | -0.03 | 705.19 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1974 | -246.85 | -0.04 | 705.15 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1974 | -247 | -0.15 | 705 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1974 | -247.04 | -0.04 | 704.96 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1974 | -247.13 | -0.09 | 704.87 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1974 | -246.95 | 0.18 | 705.05 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1974 | -246.79 | 0.16 | 705.21 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1974 | -246.6 | 0.19 | 705.4 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1974 | -246.98 | -0.38 | 705.02 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1974 | -247.18 | -0.2 | 704.82 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1974 | -246.88 | 0.3 | 705.12 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1974 | -246.88 | | 705.12 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1974 | -247 | -0.12 | 705 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 16/ 1974 | -246.81 | 0.19 | 705.19 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1974 | -246.86 | -0.05 | 705.14 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1974 | -247.03 | -0.17 | 704.97 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1974 | -246.84 | 0.19 | 705.16 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1974 | -247.06 | -0.22 | 704.94 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1974 | -247.01 | 0.05 | 704.99 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1974 | -246.84 | 0.17 | 705.16 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1974 | -246.89 | -0.05 | 705.11 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1974 | -246.91 | -0.02 | 705.09 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1974 | -246.64 | 0.27 | 705.36 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1974 | -246.41 | 0.23 | 705.59 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1974 | -246.62 | -0.21 | 705.38 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1974 | -246.45 | 0.17 | 705.55 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1974 | -246.53 | -0.08 | 705.47 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1974 | -246.99 | -0.46 | 705.01 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1974 | -247.01 | -0.02 | 704.99 | 01 | 02 | 8 | |
| | P | 12 / 2 / 1974 | -246.91 | 0.1 | 705.09 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1974 | -247.07 | -0.16 | 704.93 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1974 | -247 | 0.07 | 705 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1974 | -246.63 | 0.37 | 705.37 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1974 | -246.47 | 0.16 | 705.53 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1974 | -246.53 | -0.06 | 705.47 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1974 | -246.85 | -0.32 | 705.15 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1974 | -246.99 | -0.14 | 705.01 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1974 | -246.6 | 0.39 | 705.4 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1974 | -246.55 | 0.05 | 705.45 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1974 | -246.42 | 0.13 | 705.58 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1974 | -246.58 | -0.16 | 705.42 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1974 | -246.48 | 0.1 | 705.52 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1974 | -246.57 | -0.09 | 705.43 | 01 | 02 | 8 | |
| | P | 12 / 16/ 1974 | -246.65 | -0.08 | 705.35 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1974 | -246.8 | -0.15 | 705.2 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1974 | -246.53 | 0.27 | 705.47 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1974 | -246.67 | -0.14 | 705.33 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1974 | -246.69 | -0.02 | 705.31 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1974 | -246.84 | -0.15 | 705.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/22/1974 | -246.68 | 0.16 | 705.32 | 01 | 06 | 4 | |
| | P | 12/23/1974 | -246.63 | 0.05 | 705.37 | 01 | 06 | 4 | |
| | P | 12/24/1974 | -246.78 | -0.15 | 705.22 | 01 | 06 | 4 | |
| | P | 12/25/1974 | -247.08 | -0.3 | 704.92 | 01 | 06 | 4 | |
| | P | 12/26/1974 | -246.88 | 0.2 | 705.12 | 01 | 06 | 4 | |
| | P | 12/27/1974 | -246.9 | -0.02 | 705.1 | 01 | 06 | 4 | |
| | P | 1/ 7/1975 | -246.68 | 0.22 | 705.32 | 01 | 06 | 4 | |
| | P | 1/ 8/1975 | -247.68 | -1 | 704.32 | 01 | 06 | 4 | |
| | P | 1/ 9/1975 | -246.25 | 1.43 | 705.75 | 01 | 06 | 4 | |
| | P | 1/10/1975 | -246.24 | 0.01 | 705.76 | 01 | 06 | 4 | |
| | P | 1/11/1975 | -246.53 | -0.29 | 705.47 | 01 | 06 | 4 | |
| | P | 1/12/1975 | -246.79 | -0.26 | 705.21 | 01 | 06 | 4 | |
| | P | 1/13/1975 | -247.7 | -0.91 | 704.3 | 01 | 06 | 4 | |
| | P | 1/14/1975 | -247.11 | 0.59 | 704.89 | 01 | 06 | 4 | |
| | P | 1/15/1975 | -246.75 | 0.36 | 705.25 | 01 | 02 | 8 | |
| | P | 1/16/1975 | -246.94 | -0.19 | 705.06 | 01 | 06 | 4 | |
| | P | 1/17/1975 | -246.93 | 0.01 | 705.07 | 01 | 06 | 4 | |
| | P | 1/18/1975 | -246.8 | 0.13 | 705.2 | 01 | 06 | 4 | |
| | P | 1/19/1975 | -246.78 | 0.02 | 705.22 | 01 | 06 | 4 | |
| | P | 1/20/1975 | -247.26 | -0.48 | 704.74 | 01 | 06 | 4 | |
| | P | 1/21/1975 | -246.97 | 0.29 | 705.03 | 01 | 06 | 4 | |
| | P | 1/22/1975 | -247.19 | -0.22 | 704.81 | 01 | 06 | 4 | |
| | P | 1/23/1975 | -247.3 | -0.11 | 704.7 | 01 | 06 | 4 | |
| | P | 1/24/1975 | -246.84 | 0.46 | 705.16 | 01 | 06 | 4 | |
| | P | 1/25/1975 | -246.79 | 0.05 | 705.21 | 01 | 06 | 4 | |
| | P | 1/26/1975 | -246.75 | 0.04 | 705.25 | 01 | 06 | 4 | |
| | P | 1/27/1975 | -247.04 | -0.29 | 704.96 | 01 | 06 | 4 | |
| | P | 1/28/1975 | -247.05 | -0.01 | 704.95 | 01 | 06 | 4 | |
| | P | 1/29/1975 | -247.12 | -0.07 | 704.88 | 01 | 06 | 4 | |
| | P | 1/30/1975 | -247.38 | -0.26 | 704.62 | 01 | 06 | 4 | |
| | P | 1/31/1975 | -247.7 | -0.32 | 704.3 | 01 | 06 | 4 | |
| | P | 2/ 1/1975 | -247.64 | 0.06 | 704.36 | 01 | 02 | 8 | |
| | P | 2/ 2/1975 | -247.15 | 0.49 | 704.85 | 01 | 06 | 4 | |
| | P | 2/ 3/1975 | -245.37 | 1.78 | 706.63 | 01 | 06 | 4 | |
| | P | 2/ 4/1975 | -244.48 | 0.89 | 707.52 | 01 | 06 | 4 | |
| | P | 2/ 5/1975 | -244.16 | 0.32 | 707.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 6/1975 | -244.22 | -0.06 | 707.78 | 01 | 06 | 4 | |
| | P | 2/ 7/1975 | -244.41 | -0.19 | 707.59 | 01 | 06 | 4 | |
| | P | 2/ 8/1975 | -241.11 | 3.3 | 710.89 | 01 | 06 | 4 | |
| | P | 2/ 9/1975 | -241.21 | -0.1 | 710.79 | 01 | 06 | 4 | |
| | P | 2/10/1975 | -244.05 | -2.84 | 707.95 | 01 | 06 | 4 | |
| | P | 2/11/1975 | -243.8 | 0.25 | 708.2 | 01 | 06 | 4 | |
| | P | 2/12/1975 | -244.1 | -0.3 | 707.9 | 01 | 06 | 4 | |
| | P | 2/13/1975 | -243.75 | 0.35 | 708.25 | 01 | 06 | 4 | |
| | P | 2/14/1975 | -243.5 | 0.25 | 708.5 | 01 | 06 | 4 | |
| | P | 2/15/1975 | -243.06 | 0.44 | 708.94 | 01 | 02 | 8 | |
| | P | 2/16/1975 | -243.01 | 0.05 | 708.99 | 01 | 06 | 4 | |
| | P | 2/17/1975 | -242.76 | 0.25 | 709.24 | 01 | 06 | 4 | |
| | P | 2/18/1975 | -242.76 | | 709.24 | 01 | 06 | 4 | |
| | P | 2/19/1975 | -242.77 | -0.01 | 709.23 | 01 | 06 | 4 | |
| | P | 2/20/1975 | -242.5 | 0.27 | 709.5 | 01 | 06 | 4 | |
| | P | 2/21/1975 | -242.27 | 0.23 | 709.73 | 01 | 06 | 4 | |
| | P | 2/22/1975 | -242.19 | 0.08 | 709.81 | 01 | 06 | 4 | |
| | P | 2/23/1975 | -242.55 | -0.36 | 709.45 | 01 | 06 | 4 | |
| | P | 2/24/1975 | -242.37 | 0.18 | 709.63 | 01 | 06 | 4 | |
| | P | 2/25/1975 | -242.34 | 0.03 | 709.66 | 01 | 06 | 4 | |
| | P | 2/26/1975 | -242.36 | -0.02 | 709.64 | 01 | 06 | 4 | |
| | P | 2/27/1975 | -242.35 | 0.01 | 709.65 | 01 | 06 | 4 | |
| | P | 2/28/1975 | -242.28 | 0.07 | 709.72 | 01 | 06 | 4 | |
| | P | 3/ 1/1975 | -242.26 | 0.02 | 709.74 | 01 | 02 | 8 | |
| | P | 3/ 2/1975 | -242.86 | -0.6 | 709.14 | 01 | 06 | 4 | |
| | P | 3/ 3/1975 | -243.22 | -0.36 | 708.78 | 01 | 06 | 4 | |
| | P | 3/ 4/1975 | -243.22 | | 708.78 | 01 | 06 | 4 | |
| | P | 3/ 5/1975 | -243.01 | 0.21 | 708.99 | 01 | 06 | 4 | |
| | P | 3/ 6/1975 | -243.2 | -0.19 | 708.8 | 01 | 06 | 4 | |
| | P | 3/ 7/1975 | -243.34 | -0.14 | 708.66 | 01 | 06 | 4 | |
| | P | 3/ 8/1975 | -243.69 | -0.35 | 708.31 | 01 | 06 | 4 | |
| | P | 3/ 9/1975 | -243.55 | 0.14 | 708.45 | 01 | 06 | 4 | |
| | P | 3/10/1975 | -243.42 | 0.13 | 708.58 | 01 | 06 | 4 | |
| | P | 3/11/1975 | -243.5 | -0.08 | 708.5 | 01 | 06 | 4 | |
| | P | 3/12/1975 | -243.43 | 0.07 | 708.57 | 01 | 06 | 4 | |
| | P | 3/13/1975 | -243.79 | -0.36 | 708.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 14/ 1975 | -244.03 | -0.24 | 707.97 | 01 | 06 | 4 | |
| | P | 3/ 15/ 1975 | -243.88 | 0.15 | 708.12 | 01 | 02 | 8 | |
| | P | 3/ 16/ 1975 | -244.05 | -0.17 | 707.95 | 01 | 06 | 4 | |
| | P | 3/ 17/ 1975 | -243.86 | 0.19 | 708.14 | 01 | 06 | 4 | |
| | P | 3/ 18/ 1975 | -243.88 | -0.02 | 708.12 | 01 | 06 | 4 | |
| | P | 3/ 19/ 1975 | -244.26 | -0.38 | 707.74 | 01 | 06 | 4 | |
| | P | 3/ 20/ 1975 | -244.35 | -0.09 | 707.65 | 01 | 06 | 4 | |
| | P | 3/ 21/ 1975 | -244.2 | 0.15 | 707.8 | 01 | 06 | 4 | |
| | P | 3/ 22/ 1975 | -244.24 | -0.04 | 707.76 | 01 | 06 | 4 | |
| | P | 3/ 23/ 1975 | -244.32 | -0.08 | 707.68 | 01 | 06 | 4 | |
| | P | 3/ 24/ 1975 | -244.58 | -0.26 | 707.42 | 01 | 06 | 4 | |
| | P | 3/ 25/ 1975 | -244.59 | -0.01 | 707.41 | 01 | 06 | 4 | |
| | P | 3/ 26/ 1975 | -244.4 | 0.19 | 707.6 | 01 | 06 | 4 | |
| | P | 3/ 27/ 1975 | -244.3 | 0.1 | 707.7 | 01 | 06 | 4 | |
| | P | 3/ 28/ 1975 | -244.29 | 0.01 | 707.71 | 01 | 06 | 4 | |
| | P | 3/ 29/ 1975 | -244.54 | -0.25 | 707.46 | 01 | 06 | 4 | |
| | P | 3/ 30/ 1975 | -244.77 | -0.23 | 707.23 | 01 | 06 | 4 | |
| | P | 3/ 31/ 1975 | -244.58 | 0.19 | 707.42 | 01 | 06 | 4 | |
| | P | 4/ 1/ 1975 | -244.5 | 0.08 | 707.5 | 01 | 02 | 8 | |
| | P | 4/ 2/ 1975 | -244.52 | -0.02 | 707.48 | 01 | 06 | 4 | |
| | P | 4/ 3/ 1975 | -244.92 | -0.4 | 707.08 | 01 | 06 | 4 | |
| | P | 4/ 4/ 1975 | -244.88 | 0.04 | 707.12 | 01 | 06 | 4 | |
| | P | 4/ 5/ 1975 | -244.87 | 0.01 | 707.13 | 01 | 06 | 4 | |
| | P | 4/ 6/ 1975 | -244.84 | 0.03 | 707.16 | 01 | 06 | 4 | |
| | P | 4/ 7/ 1975 | -244.78 | 0.06 | 707.22 | 01 | 06 | 4 | |
| | P | 4/ 8/ 1975 | -244.68 | 0.1 | 707.32 | 01 | 06 | 4 | |
| | P | 4/ 9/ 1975 | -244.95 | -0.27 | 707.05 | 01 | 06 | 4 | |
| | P | 4/ 10/ 1975 | -244.98 | -0.03 | 707.02 | 01 | 06 | 4 | |
| | P | 4/ 11/ 1975 | -245.15 | -0.17 | 706.85 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1975 | -245.07 | 0.08 | 706.93 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1975 | -245.93 | -0.86 | 706.07 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1975 | -245.11 | 0.82 | 706.89 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1975 | -245.3 | -0.19 | 706.7 | 01 | 02 | 8 | |
| | P | 4/ 16/ 1975 | -245.17 | 0.13 | 706.83 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1975 | -245.06 | 0.11 | 706.94 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1975 | -245.03 | 0.03 | 706.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 19/ 1975 | -245.54 | -0.51 | 706.46 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1975 | -245.63 | -0.09 | 706.37 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1975 | -245.38 | 0.25 | 706.62 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1975 | -245.38 | | 706.62 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1975 | -245.12 | 0.26 | 706.88 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1975 | -245.22 | -0.1 | 706.78 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1975 | -245.37 | -0.15 | 706.63 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1975 | -245.5 | -0.13 | 706.5 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1975 | -245.57 | -0.07 | 706.43 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1975 | -245.55 | 0.02 | 706.45 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1975 | -245.52 | 0.03 | 706.48 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1975 | -245.32 | 0.2 | 706.68 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1975 | -245.2 | 0.12 | 706.8 | 01 | 02 | 8 | |
| | P | 5/ 2/ 1975 | -245.26 | -0.06 | 706.74 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1975 | -245.32 | -0.06 | 706.68 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1975 | -246.49 | -1.17 | 705.51 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1975 | -245.47 | 1.02 | 706.53 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1975 | -245.47 | | 706.53 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1975 | -246.63 | -1.16 | 705.37 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1975 | -245.77 | 0.86 | 706.23 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1975 | -245.67 | 0.1 | 706.33 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1975 | -245.78 | -0.11 | 706.22 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1975 | -245.78 | | 706.22 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1975 | -245.75 | 0.03 | 706.25 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1975 | -245.72 | 0.03 | 706.28 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1975 | -245.76 | -0.04 | 706.24 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1975 | -245.82 | -0.06 | 706.18 | 01 | 02 | 8 | |
| | P | 5/ 16/ 1975 | -245.87 | -0.05 | 706.13 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1975 | -245.97 | -0.1 | 706.03 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1975 | -246.06 | -0.09 | 705.94 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1975 | -245.88 | 0.18 | 706.12 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1975 | -245.76 | 0.12 | 706.24 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1975 | -245.85 | -0.09 | 706.15 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1975 | -246.6 | -0.75 | 705.4 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1975 | -245.42 | 1.18 | 706.58 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1975 | -245.43 | -0.01 | 706.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/25/1975 | -245.13 | 0.3 | 706.87 | 01 | 06 | 4 | |
| | P | 5/26/1975 | -244.93 | 0.2 | 707.07 | 01 | 06 | 4 | |
| | P | 5/27/1975 | -244.94 | -0.01 | 707.06 | 01 | 06 | 4 | |
| | P | 5/28/1975 | -244.9 | 0.04 | 707.1 | 01 | 06 | 4 | |
| | P | 5/29/1975 | -244.87 | 0.03 | 707.13 | 01 | 06 | 4 | |
| | P | 5/30/1975 | -244.79 | 0.08 | 707.21 | 01 | 06 | 4 | |
| | P | 5/31/1975 | -244.63 | 0.16 | 707.37 | 01 | 06 | 4 | |
| | P | 6/ 1/1975 | -244.6 | 0.03 | 707.4 | 01 | 02 | 8 | |
| | P | 6/ 2/1975 | -244.7 | -0.1 | 707.3 | 01 | 06 | 4 | |
| | P | 6/ 3/1975 | -244.41 | 0.29 | 707.59 | 01 | 06 | 4 | |
| | P | 6/ 4/1975 | -244.7 | -0.29 | 707.3 | 01 | 06 | 4 | |
| | P | 6/ 5/1975 | -244.76 | -0.06 | 707.24 | 01 | 06 | 4 | |
| | P | 6/ 6/1975 | -244.8 | -0.04 | 707.2 | 01 | 06 | 4 | |
| | P | 6/ 7/1975 | -245.2 | -0.4 | 706.8 | 01 | 06 | 4 | |
| | P | 6/ 8/1975 | -244.83 | 0.37 | 707.17 | 01 | 06 | 4 | |
| | P | 6/ 9/1975 | -244.7 | 0.13 | 707.3 | 01 | 06 | 4 | |
| | P | 6/10/1975 | -243.53 | 1.17 | 708.47 | 01 | 06 | 4 | |
| | P | 6/11/1975 | -242.89 | 0.64 | 709.11 | 01 | 06 | 4 | |
| | P | 6/12/1975 | -242.7 | 0.19 | 709.3 | 01 | 06 | 4 | |
| | P | 6/13/1975 | -242.65 | 0.05 | 709.35 | 01 | 06 | 4 | |
| | P | 6/14/1975 | -242.53 | 0.12 | 709.47 | 01 | 06 | 4 | |
| | P | 6/15/1975 | -242.52 | 0.01 | 709.48 | 01 | 02 | 8 | |
| | P | 6/16/1975 | -242.65 | -0.13 | 709.35 | 01 | 06 | 4 | |
| | P | 6/17/1975 | -242.71 | -0.06 | 709.29 | 01 | 06 | 4 | |
| | P | 6/18/1975 | -242.81 | -0.1 | 709.19 | 01 | 06 | 4 | |
| | P | 6/19/1975 | -243.01 | -0.2 | 708.99 | 01 | 06 | 4 | |
| | P | 6/20/1975 | -243.27 | -0.26 | 708.73 | 01 | 06 | 4 | |
| | P | 6/21/1975 | -243.17 | 0.1 | 708.83 | 01 | 06 | 4 | |
| | P | 6/22/1975 | -243.18 | -0.01 | 708.82 | 01 | 06 | 4 | |
| | P | 6/23/1975 | -243.36 | -0.18 | 708.64 | 01 | 06 | 4 | |
| | P | 6/24/1975 | -243.48 | -0.12 | 708.52 | 01 | 06 | 4 | |
| | P | 6/25/1975 | -243.45 | 0.03 | 708.55 | 01 | 06 | 4 | |
| | P | 6/26/1975 | -243.44 | 0.01 | 708.56 | 01 | 06 | 4 | |
| | P | 6/27/1975 | -243.54 | -0.1 | 708.46 | 01 | 06 | 4 | |
| | P | 6/28/1975 | -243.46 | 0.08 | 708.54 | 01 | 06 | 4 | |
| | P | 6/29/1975 | -243.5 | -0.04 | 708.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1975 | -246.46 | -2.96 | 705.54 | 01 | 06 | 4 | |
| | P | 7/ 1/1975 | -243.43 | 3.03 | 708.57 | 01 | 02 | 8 | |
| | P | 7/ 2/1975 | -243.45 | -0.02 | 708.55 | 01 | 06 | 4 | |
| | P | 7/ 3/1975 | -243.49 | -0.04 | 708.51 | 01 | 06 | 4 | |
| | P | 7/ 4/1975 | -243.95 | -0.46 | 708.05 | 01 | 06 | 4 | |
| | P | 7/ 5/1975 | -244.06 | -0.11 | 707.94 | 01 | 06 | 4 | |
| | P | 7/ 6/1975 | -244.22 | -0.16 | 707.78 | 01 | 06 | 4 | |
| | P | 7/ 7/1975 | -244.49 | -0.27 | 707.51 | 01 | 06 | 4 | |
| | P | 7/ 8/1975 | -244.77 | -0.28 | 707.23 | 01 | 06 | 4 | |
| | P | 7/ 9/1975 | -244.72 | 0.05 | 707.28 | 01 | 06 | 4 | |
| | P | 7/10/1975 | -244.62 | 0.1 | 707.38 | 01 | 06 | 4 | |
| | P | 7/11/1975 | -244.44 | 0.18 | 707.56 | 01 | 06 | 4 | |
| | P | 7/12/1975 | -244.49 | -0.05 | 707.51 | 01 | 06 | 4 | |
| | P | 7/13/1975 | -244.56 | -0.07 | 707.44 | 01 | 06 | 4 | |
| | P | 7/14/1975 | -244.48 | 0.08 | 707.52 | 01 | 06 | 4 | |
| | P | 7/15/1975 | -244.43 | 0.05 | 707.57 | 01 | 02 | 8 | |
| | P | 7/16/1975 | -244.4 | 0.03 | 707.6 | 01 | 06 | 4 | |
| | P | 7/17/1975 | -244.82 | -0.42 | 707.18 | 01 | 06 | 4 | |
| | P | 7/18/1975 | -245.25 | -0.43 | 706.75 | 01 | 06 | 4 | |
| | P | 7/19/1975 | -245.25 | | 706.75 | 01 | 06 | 4 | |
| | P | 7/20/1975 | -245.41 | -0.16 | 706.59 | 01 | 06 | 4 | |
| | P | 7/21/1975 | -245.67 | -0.26 | 706.33 | 01 | 06 | 4 | |
| | P | 7/22/1975 | -245.7 | -0.03 | 706.3 | 01 | 06 | 4 | |
| | P | 7/23/1975 | -245.75 | -0.05 | 706.25 | 01 | 06 | 4 | |
| | P | 7/24/1975 | -245.77 | -0.02 | 706.23 | 01 | 06 | 4 | |
| | P | 7/25/1975 | -245.82 | -0.05 | 706.18 | 01 | 06 | 4 | |
| | P | 7/26/1975 | -246.02 | -0.2 | 705.98 | 01 | 06 | 4 | |
| | P | 7/27/1975 | -246.17 | -0.15 | 705.83 | 01 | 06 | 4 | |
| | P | 7/28/1975 | -246.08 | 0.09 | 705.92 | 01 | 06 | 4 | |
| | P | 7/29/1975 | -246.15 | -0.07 | 705.85 | 01 | 06 | 4 | |
| | P | 7/30/1975 | -246.33 | -0.18 | 705.67 | 01 | 06 | 4 | |
| | P | 7/31/1975 | -246.52 | -0.19 | 705.48 | 01 | 06 | 4 | |
| | P | 8/ 1/1975 | -246.6 | -0.08 | 705.4 | 01 | 02 | 8 | |
| | P | 8/ 2/1975 | -246.98 | -0.38 | 705.02 | 01 | 06 | 4 | |
| | P | 8/ 3/1975 | -246.9 | 0.08 | 705.1 | 01 | 06 | 4 | |
| | P | 8/ 4/1975 | -246.86 | 0.04 | 705.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 5/1975 | -246.87 | -0.01 | 705.13 | 01 | 06 | 4 | |
| | P | 8/ 6/1975 | -246.78 | 0.09 | 705.22 | 01 | 06 | 4 | |
| | P | 8/ 7/1975 | -246.78 | | 705.22 | 01 | 06 | 4 | |
| | P | 8/ 8/1975 | -246.92 | -0.14 | 705.08 | 01 | 06 | 4 | |
| | P | 8/ 9/1975 | -247.07 | -0.15 | 704.93 | 01 | 06 | 4 | |
| | P | 8/10/1975 | -247.07 | | 704.93 | 01 | 06 | 4 | |
| | P | 8/11/1975 | -247.22 | -0.15 | 704.78 | 01 | 06 | 4 | |
| | P | 8/12/1975 | -247.28 | -0.06 | 704.72 | 01 | 06 | 4 | |
| | P | 8/13/1975 | -247.28 | | 704.72 | 01 | 06 | 4 | |
| | P | 8/14/1975 | -247.49 | -0.21 | 704.51 | 01 | 06 | 4 | |
| | P | 8/15/1975 | -247.42 | 0.07 | 704.58 | 01 | 02 | 8 | |
| | P | 8/16/1975 | -247.49 | -0.07 | 704.51 | 01 | 06 | 4 | |
| | P | 8/17/1975 | -247.7 | -0.21 | 704.3 | 01 | 06 | 4 | |
| | P | 8/26/1975 | -248.37 | -0.67 | 703.63 | 01 | 06 | 4 | |
| | P | 8/27/1975 | -248.2 | 0.17 | 703.8 | 01 | 06 | 4 | |
| | P | 8/28/1975 | -248.39 | -0.19 | 703.61 | 01 | 06 | 4 | |
| | P | 8/29/1975 | -248.42 | -0.03 | 703.58 | 01 | 06 | 4 | |
| | P | 8/30/1975 | -248.48 | -0.06 | 703.52 | 01 | 06 | 4 | |
| | P | 8/31/1975 | -248.5 | -0.02 | 703.5 | 01 | 06 | 4 | |
| | P | 9/ 1/1975 | -248.74 | -0.24 | 703.26 | 01 | 02 | 8 | |
| | P | 9/ 2/1975 | -248.76 | -0.02 | 703.24 | 01 | 06 | 4 | |
| | P | 9/ 3/1975 | -248.67 | 0.09 | 703.33 | 01 | 06 | 4 | |
| | P | 9/ 4/1975 | -248.85 | -0.18 | 703.15 | 01 | 06 | 4 | |
| | P | 9/ 5/1975 | -248.95 | -0.1 | 703.05 | 01 | 06 | 4 | |
| | P | 9/ 6/1975 | -248.88 | 0.07 | 703.12 | 01 | 06 | 4 | |
| | P | 9/ 7/1975 | -249.02 | -0.14 | 702.98 | 01 | 06 | 4 | |
| | P | 9/ 8/1975 | -249.11 | -0.09 | 702.89 | 01 | 06 | 4 | |
| | P | 9/ 9/1975 | -249.19 | -0.08 | 702.81 | 01 | 06 | 4 | |
| | P | 9/10/1975 | -249.28 | -0.09 | 702.72 | 01 | 06 | 4 | |
| | P | 9/11/1975 | -249.25 | 0.03 | 702.75 | 01 | 06 | 4 | |
| | P | 9/12/1975 | -249.25 | | 702.75 | 01 | 06 | 4 | |
| | P | 9/13/1975 | -249.35 | -0.1 | 702.65 | 01 | 06 | 4 | |
| | P | 9/14/1975 | -249.44 | -0.09 | 702.56 | 01 | 06 | 4 | |
| | P | 9/15/1975 | -249.41 | 0.03 | 702.59 | 01 | 02 | 8 | |
| | P | 9/16/1975 | -249.42 | -0.01 | 702.58 | 01 | 06 | 4 | |
| | P | 9/17/1975 | -249.35 | 0.07 | 702.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 18/ 1975 | -249.37 | -0.02 | 702.63 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1975 | -249.54 | -0.17 | 702.46 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1975 | -249.62 | -0.08 | 702.38 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1975 | -249.66 | -0.04 | 702.34 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1975 | -249.83 | -0.17 | 702.17 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1975 | -249.85 | -0.02 | 702.15 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1975 | -249.97 | -0.12 | 702.03 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1975 | -250.14 | -0.17 | 701.86 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1975 | -250.22 | -0.08 | 701.78 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1975 | -250.23 | -0.01 | 701.77 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1975 | -250.2 | 0.03 | 701.8 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1975 | -250.25 | -0.05 | 701.75 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1975 | -250.32 | -0.07 | 701.68 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1975 | -250.5 | -0.18 | 701.5 | 01 | 02 | 8 | |
| | P | 10/ 2/ 1975 | -250.79 | -0.29 | 701.21 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1975 | -250.91 | -0.12 | 701.09 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1975 | -250.9 | 0.01 | 701.1 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1975 | -250.7 | 0.2 | 701.3 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1975 | -250.89 | -0.19 | 701.11 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1975 | -250.88 | 0.01 | 701.12 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1975 | -250.91 | -0.03 | 701.09 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1975 | -251.12 | -0.21 | 700.88 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1975 | -251.33 | -0.21 | 700.67 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1975 | -251.33 | | 700.67 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1975 | -251.39 | -0.06 | 700.61 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1975 | -251.37 | 0.02 | 700.63 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1975 | -251.49 | -0.12 | 700.51 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1975 | -251.56 | -0.07 | 700.44 | 01 | 02 | 8 | |
| | P | 10/ 16/ 1975 | -251.55 | 0.01 | 700.45 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1975 | -251.61 | -0.06 | 700.39 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1975 | -251.6 | 0.01 | 700.4 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1975 | -251.6 | | 700.4 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1975 | -251.8 | -0.2 | 700.2 | 01 | 06 | 4 | |
| | P | 10/ 21/ 1975 | -251.92 | -0.12 | 700.08 | 01 | 06 | 4 | |
| | P | 10/ 22/ 1975 | -251.46 | 0.46 | 700.54 | 01 | 06 | 4 | |
| | P | 10/ 23/ 1975 | -251.76 | -0.3 | 700.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 24/ 1975 | -251.92 | -0.16 | 700.08 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1975 | -252.18 | -0.26 | 699.82 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1975 | -252.16 | 0.02 | 699.84 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1975 | -252.11 | 0.05 | 699.89 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1975 | -252.21 | -0.1 | 699.79 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1975 | -252.39 | -0.18 | 699.61 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1975 | -251.44 | 0.95 | 700.56 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1975 | -251.66 | -0.22 | 700.34 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1975 | -252.05 | -0.39 | 699.95 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1975 | -252.05 | | 699.95 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1975 | -252.21 | -0.16 | 699.79 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1975 | -252.42 | -0.21 | 699.58 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1975 | -252.48 | -0.06 | 699.52 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1975 | -251.88 | 0.6 | 700.12 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1975 | -251.64 | 0.24 | 700.36 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1975 | -251.6 | 0.04 | 700.4 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1975 | -251.71 | -0.11 | 700.29 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1975 | -252.04 | -0.33 | 699.96 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1975 | -251.81 | 0.23 | 700.19 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1975 | -252.11 | -0.3 | 699.89 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1975 | -252.01 | 0.1 | 699.99 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1975 | -251.81 | 0.2 | 700.19 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1975 | -251.66 | 0.15 | 700.34 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1975 | -251.75 | -0.09 | 700.25 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1975 | -251.97 | -0.22 | 700.03 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1975 | -251.94 | 0.03 | 700.06 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1975 | -251.72 | 0.22 | 700.28 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1975 | -251.9 | -0.18 | 700.1 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1975 | -252.2 | -0.3 | 699.8 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1975 | -252.48 | -0.28 | 699.52 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1975 | -252.54 | -0.06 | 699.46 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1975 | -252.53 | 0.01 | 699.47 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1975 | -252.68 | -0.15 | 699.32 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1975 | -252.64 | 0.04 | 699.36 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1975 | -252.75 | -0.11 | 699.25 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1975 | -275.75 | -23 | 676.25 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 29/ 1975 | -275.73 | 0.02 | 676.27 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1975 | -253 | 22.73 | 699 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1975 | -253.19 | -0.19 | 698.81 | 01 | 02 | 8 | |
| | P | 12/ 2/ 1975 | -252.95 | 0.24 | 699.05 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1975 | -253.06 | -0.11 | 698.94 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1975 | -253.14 | -0.08 | 698.86 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1975 | -253.14 | | 698.86 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1975 | -253.31 | -0.17 | 698.69 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1975 | -253.4 | -0.09 | 698.6 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1975 | -253.25 | 0.15 | 698.75 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1975 | -253.3 | -0.05 | 698.7 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1975 | -253.43 | -0.13 | 698.57 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1975 | -253.2 | 0.23 | 698.8 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1975 | -253.48 | -0.28 | 698.52 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1975 | -253.61 | -0.13 | 698.39 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1975 | -253.66 | -0.05 | 698.34 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1975 | -253.76 | -0.1 | 698.24 | 01 | 02 | 8 | |
| | P | 12/ 16/ 1975 | -253.98 | -0.22 | 698.02 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1975 | -253.85 | 0.13 | 698.15 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1975 | -254.4 | -0.55 | 697.6 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1975 | -254.37 | 0.03 | 697.63 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1975 | -254.07 | 0.3 | 697.93 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1975 | -254.07 | | 697.93 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1975 | -253.97 | 0.1 | 698.03 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1975 | -254.02 | -0.05 | 697.98 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1975 | -253.9 | 0.12 | 698.1 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1975 | -254 | -0.1 | 698 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1975 | -254.25 | -0.25 | 697.75 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1975 | -254.22 | 0.03 | 697.78 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1975 | -254.09 | 0.13 | 697.91 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1975 | -254.29 | -0.2 | 697.71 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1975 | -253.97 | 0.32 | 698.03 | 01 | 06 | 4 | |
| | P | 12/ 31/ 1975 | -254.05 | -0.08 | 697.95 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1976 | -254 | 0.05 | 698 | 01 | 02 | 8 | |
| | P | 1/ 2/ 1976 | -254.18 | -0.18 | 697.82 | 01 | 06 | 4 | |
| | P | 1/ 3/ 1976 | -254.67 | -0.49 | 697.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 4/1976 | -254.8 | -0.13 | 697.2 | 01 | 06 | 4 | |
| | P | 1/ 5/1976 | -254.73 | 0.07 | 697.27 | 01 | 06 | 4 | |
| | P | 1/ 6/1976 | -254.63 | 0.1 | 697.37 | 01 | 06 | 4 | |
| | P | 1/ 7/1976 | -254.63 | | 697.37 | 01 | 06 | 4 | |
| | P | 1/ 8/1976 | -255.33 | -0.7 | 696.67 | 01 | 06 | 4 | |
| | P | 1/ 9/1976 | -255.07 | 0.26 | 696.93 | 01 | 06 | 4 | |
| | P | 1/10/1976 | -254.64 | 0.43 | 697.36 | 01 | 06 | 4 | |
| | P | 1/11/1976 | -254.87 | -0.23 | 697.13 | 01 | 06 | 4 | |
| | P | 1/12/1976 | -254.62 | 0.25 | 697.38 | 01 | 06 | 4 | |
| | P | 1/13/1976 | -254.58 | 0.04 | 697.42 | 01 | 06 | 4 | |
| | P | 1/14/1976 | -254.98 | -0.4 | 697.02 | 01 | 06 | 4 | |
| | P | 1/15/1976 | -254.83 | 0.15 | 697.17 | 01 | 02 | 8 | |
| | P | 1/16/1976 | -254.81 | 0.02 | 697.19 | 01 | 06 | 4 | |
| | P | 1/17/1976 | -255.12 | -0.31 | 696.88 | 01 | 06 | 4 | |
| | P | 1/18/1976 | -255.04 | 0.08 | 696.96 | 01 | 06 | 4 | |
| | P | 1/19/1976 | -254.95 | 0.09 | 697.05 | 01 | 06 | 4 | |
| | P | 1/20/1976 | -254.92 | 0.03 | 697.08 | 01 | 06 | 4 | |
| | P | 1/21/1976 | -255.17 | -0.25 | 696.83 | 01 | 06 | 4 | |
| | P | 1/22/1976 | -255.14 | 0.03 | 696.86 | 01 | 06 | 4 | |
| | P | 1/23/1976 | -254.98 | 0.16 | 697.02 | 01 | 06 | 4 | |
| | P | 1/24/1976 | -254.83 | 0.15 | 697.17 | 01 | 06 | 4 | |
| | P | 1/25/1976 | -254.86 | -0.03 | 697.14 | 01 | 06 | 4 | |
| | P | 1/26/1976 | -255.3 | -0.44 | 696.7 | 01 | 06 | 4 | |
| | P | 1/27/1976 | -255.77 | -0.47 | 696.23 | 01 | 06 | 4 | |
| | P | 1/28/1976 | -255.6 | 0.17 | 696.4 | 01 | 06 | 4 | |
| | P | 1/29/1976 | -255.16 | 0.44 | 696.84 | 01 | 06 | 4 | |
| | P | 1/30/1976 | -254.7 | 0.46 | 697.3 | 01 | 06 | 4 | |
| | P | 1/31/1976 | -254.53 | 0.17 | 697.47 | 01 | 06 | 4 | |
| | P | 2/ 1/1976 | -254.62 | -0.09 | 697.38 | 01 | 02 | 8 | |
| | P | 2/ 2/1976 | -254.75 | -0.13 | 697.25 | 01 | 06 | 4 | |
| | P | 2/ 3/1976 | -254.77 | -0.02 | 697.23 | 01 | 06 | 4 | |
| | P | 2/ 4/1976 | -254.78 | -0.01 | 697.22 | 01 | 06 | 4 | |
| | P | 2/ 5/1976 | -254.79 | -0.01 | 697.21 | 01 | 06 | 4 | |
| | P | 2/ 6/1976 | -254.88 | -0.09 | 697.12 | 01 | 06 | 4 | |
| | P | 2/ 7/1976 | -254.84 | 0.04 | 697.16 | 01 | 06 | 4 | |
| | P | 2/ 8/1976 | -254.81 | 0.03 | 697.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 9/1976 | -254.97 | -0.16 | 697.03 | 01 | 06 | 4 | |
| | P | 2/10/1976 | -255.07 | -0.1 | 696.93 | 01 | 06 | 4 | |
| | P | 2/11/1976 | -255.15 | -0.08 | 696.85 | 01 | 06 | 4 | |
| | P | 2/12/1976 | -255.24 | -0.09 | 696.76 | 01 | 06 | 4 | |
| | P | 2/13/1976 | -255.3 | -0.06 | 696.7 | 01 | 06 | 4 | |
| | P | 2/14/1976 | -255.49 | -0.19 | 696.51 | 01 | 06 | 4 | |
| | P | 2/15/1976 | -255.65 | -0.16 | 696.35 | 01 | 02 | 8 | |
| | P | 2/16/1976 | -255.63 | 0.02 | 696.37 | 01 | 06 | 4 | |
| | P | 2/17/1976 | -255.44 | 0.19 | 696.56 | 01 | 06 | 4 | |
| | P | 2/18/1976 | -255.71 | -0.27 | 696.29 | 01 | 06 | 4 | |
| | P | 2/19/1976 | -255.83 | -0.12 | 696.17 | 01 | 06 | 4 | |
| | P | 2/20/1976 | -255.71 | 0.12 | 696.29 | 01 | 06 | 4 | |
| | P | 2/21/1976 | -256.11 | -0.4 | 695.89 | 01 | 06 | 4 | |
| | P | 2/22/1976 | -256.27 | -0.16 | 695.73 | 01 | 06 | 4 | |
| | P | 2/23/1976 | -256.29 | -0.02 | 695.71 | 01 | 06 | 4 | |
| | P | 2/24/1976 | -256.17 | 0.12 | 695.83 | 01 | 06 | 4 | |
| | P | 2/25/1976 | -256.11 | 0.06 | 695.89 | 01 | 06 | 4 | |
| | P | 2/26/1976 | -256.22 | -0.11 | 695.78 | 01 | 06 | 4 | |
| | P | 2/27/1976 | -256.37 | -0.15 | 695.63 | 01 | 06 | 4 | |
| | P | 2/28/1976 | -256.27 | 0.1 | 695.73 | 01 | 06 | 4 | |
| | P | 2/29/1976 | -256.41 | -0.14 | 695.59 | 01 | 06 | 4 | |
| | P | 3/ 1/1976 | -256.8 | -0.39 | 695.2 | 01 | 02 | 8 | |
| | P | 3/ 2/1976 | -256.73 | 0.07 | 695.27 | 01 | 06 | 4 | |
| | P | 3/ 3/1976 | -257.16 | -0.43 | 694.84 | 01 | 06 | 4 | |
| | P | 3/ 4/1976 | -257.35 | -0.19 | 694.65 | 01 | 06 | 4 | |
| | P | 3/ 5/1976 | -257.2 | 0.15 | 694.8 | 01 | 06 | 4 | |
| | P | 3/ 6/1976 | -257.05 | 0.15 | 694.95 | 01 | 06 | 4 | |
| | P | 3/ 7/1976 | -257.14 | -0.09 | 694.86 | 01 | 06 | 4 | |
| | P | 3/ 8/1976 | -257.03 | 0.11 | 694.97 | 01 | 06 | 4 | |
| | P | 3/ 9/1976 | -257.03 | | 694.97 | 01 | 06 | 4 | |
| | P | 3/10/1976 | -257 | 0.03 | 695 | 01 | 06 | 4 | |
| | P | 3/11/1976 | -257.37 | -0.37 | 694.63 | 01 | 06 | 4 | |
| | P | 3/12/1976 | -257.35 | 0.02 | 694.65 | 01 | 06 | 4 | |
| | P | 3/13/1976 | -258 | -0.65 | 694 | 01 | 06 | 4 | |
| | P | 3/14/1976 | -257.74 | 0.26 | 694.26 | 01 | 06 | 4 | |
| | P | 3/15/1976 | -257.1 | 0.64 | 694.9 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/16/1976 | -257.67 | -0.57 | 694.33 | 01 | 06 | 4 | |
| | P | 3/17/1976 | -257.59 | 0.08 | 694.41 | 01 | 06 | 4 | |
| | P | 3/18/1976 | -257.4 | 0.19 | 694.6 | 01 | 06 | 4 | |
| | P | 3/19/1976 | -257.6 | -0.2 | 694.4 | 01 | 06 | 4 | |
| | P | 3/20/1976 | -257.63 | -0.03 | 694.37 | 01 | 06 | 4 | |
| | P | 3/21/1976 | -258.62 | -0.99 | 693.38 | 01 | 06 | 4 | |
| | P | 3/22/1976 | -258.47 | 0.15 | 693.53 | 01 | 06 | 4 | |
| | P | 3/23/1976 | -258.2 | 0.27 | 693.8 | 01 | 06 | 4 | |
| | P | 3/24/1976 | -258.22 | -0.02 | 693.78 | 01 | 06 | 4 | |
| | P | 3/25/1976 | -258.13 | 0.09 | 693.87 | 01 | 06 | 4 | |
| | P | 3/26/1976 | -258.02 | 0.11 | 693.98 | 01 | 06 | 4 | |
| | P | 3/27/1976 | -258.13 | -0.11 | 693.87 | 01 | 06 | 4 | |
| | P | 3/28/1976 | -257.78 | 0.35 | 694.22 | 01 | 06 | 4 | |
| | P | 3/29/1976 | -258.42 | -0.64 | 693.58 | 01 | 06 | 4 | |
| | P | 3/30/1976 | -258.74 | -0.32 | 693.26 | 01 | 06 | 4 | |
| | P | 3/31/1976 | -258.78 | -0.04 | 693.22 | 01 | 06 | 4 | |
| | P | 4/ 1/1976 | -258.54 | 0.24 | 693.46 | 01 | 02 | 8 | |
| | P | 4/ 2/1976 | -258.98 | -0.44 | 693.02 | 01 | 06 | 4 | |
| | P | 4/ 3/1976 | -258.47 | 0.51 | 693.53 | 01 | 06 | 4 | |
| | P | 4/ 4/1976 | -258.79 | -0.32 | 693.21 | 01 | 06 | 4 | |
| | P | 4/ 5/1976 | -258.8 | -0.01 | 693.2 | 01 | 06 | 4 | |
| | P | 4/ 6/1976 | -258.58 | 0.22 | 693.42 | 01 | 06 | 4 | |
| | P | 4/ 7/1976 | -258.41 | 0.17 | 693.59 | 01 | 06 | 4 | |
| | P | 4/ 8/1976 | -258.73 | -0.32 | 693.27 | 01 | 06 | 4 | |
| | P | 4/ 9/1976 | -258.89 | -0.16 | 693.11 | 01 | 06 | 4 | |
| | P | 4/10/1976 | -258.95 | -0.06 | 693.05 | 01 | 06 | 4 | |
| | P | 4/11/1976 | -258.93 | 0.02 | 693.07 | 01 | 06 | 4 | |
| | P | 4/12/1976 | -259.03 | -0.1 | 692.97 | 01 | 06 | 4 | |
| | P | 4/13/1976 | -258.78 | 0.25 | 693.22 | 01 | 06 | 4 | |
| | P | 4/14/1976 | -258.83 | -0.05 | 693.17 | 01 | 06 | 4 | |
| | P | 4/15/1976 | -258.81 | 0.02 | 693.19 | 01 | 02 | 8 | |
| | P | 4/16/1976 | -258.84 | -0.03 | 693.16 | 01 | 06 | 4 | |
| | P | 4/17/1976 | -258.89 | -0.05 | 693.11 | 01 | 06 | 4 | |
| | P | 4/18/1976 | -258.57 | 0.32 | 693.43 | 01 | 06 | 4 | |
| | P | 4/19/1976 | -257.54 | 1.03 | 694.46 | 01 | 06 | 4 | |
| | P | 4/20/1976 | -257.19 | 0.35 | 694.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/21/1976 | -257.22 | -0.03 | 694.78 | 01 | 06 | 4 | |
| | P | 4/22/1976 | -257.12 | 0.1 | 694.88 | 01 | 06 | 4 | |
| | P | 4/23/1976 | -257.32 | -0.2 | 694.68 | 01 | 06 | 4 | |
| | P | 4/24/1976 | -257.49 | -0.17 | 694.51 | 01 | 06 | 4 | |
| | P | 4/25/1976 | -257.72 | -0.23 | 694.28 | 01 | 06 | 4 | |
| | P | 4/26/1976 | -257.69 | 0.03 | 694.31 | 01 | 06 | 4 | |
| | P | 4/27/1976 | -257.57 | 0.12 | 694.43 | 01 | 06 | 4 | |
| | P | 4/28/1976 | -257.75 | -0.18 | 694.25 | 01 | 06 | 4 | |
| | P | 4/29/1976 | -257.72 | 0.03 | 694.28 | 01 | 06 | 4 | |
| | P | 4/30/1976 | -257.52 | 0.2 | 694.48 | 01 | 06 | 4 | |
| | P | 5/ 1/1976 | -257.53 | -0.01 | 694.47 | 01 | 02 | 8 | |
| | P | 5/ 2/1976 | -257.43 | 0.1 | 694.57 | 01 | 06 | 4 | |
| | P | 5/ 3/1976 | -257.53 | -0.1 | 694.47 | 01 | 06 | 4 | |
| | P | 5/ 4/1976 | -257.47 | 0.06 | 694.53 | 01 | 06 | 4 | |
| | P | 5/ 5/1976 | -256.92 | 0.55 | 695.08 | 01 | 06 | 4 | |
| | P | 5/ 6/1976 | -256.86 | 0.06 | 695.14 | 01 | 06 | 4 | |
| | P | 5/ 7/1976 | -255.82 | 1.04 | 696.18 | 01 | 06 | 4 | |
| | P | 5/ 8/1976 | -255.35 | 0.47 | 696.65 | 01 | 06 | 4 | |
| | P | 5/ 9/1976 | -254.9 | 0.45 | 697.1 | 01 | 06 | 4 | |
| | P | 5/10/1976 | -254.3 | 0.6 | 697.7 | 01 | 06 | 4 | |
| | P | 5/11/1976 | -254.52 | -0.22 | 697.48 | 01 | 06 | 4 | |
| | P | 5/12/1976 | -254.49 | 0.03 | 697.51 | 01 | 06 | 4 | |
| | P | 5/13/1976 | -254.39 | 0.1 | 697.61 | 01 | 06 | 4 | |
| | P | 5/14/1976 | -254.04 | 0.35 | 697.96 | 01 | 06 | 4 | |
| | P | 5/15/1976 | -253.58 | 0.46 | 698.42 | 01 | 02 | 8 | |
| | P | 5/16/1976 | -253.61 | -0.03 | 698.39 | 01 | 06 | 4 | |
| | P | 5/17/1976 | -253.6 | 0.01 | 698.4 | 01 | 06 | 4 | |
| | P | 5/18/1976 | -253.53 | 0.07 | 698.47 | 01 | 06 | 4 | |
| | P | 5/19/1976 | -253.47 | 0.06 | 698.53 | 01 | 06 | 4 | |
| | P | 5/20/1976 | -253.48 | -0.01 | 698.52 | 01 | 06 | 4 | |
| | P | 5/21/1976 | -253.08 | 0.4 | 698.92 | 01 | 06 | 4 | |
| | P | 5/22/1976 | -252.94 | 0.14 | 699.06 | 01 | 06 | 4 | |
| | P | 5/23/1976 | -252.86 | 0.08 | 699.14 | 01 | 06 | 4 | |
| | P | 5/24/1976 | -252.92 | -0.06 | 699.08 | 01 | 06 | 4 | |
| | P | 5/25/1976 | -252.84 | 0.08 | 699.16 | 01 | 06 | 4 | |
| | P | 5/26/1976 | -251.9 | 0.94 | 700.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/27/1976 | -252.17 | -0.27 | 699.83 | 01 | 06 | 4 | |
| | P | 5/28/1976 | -252.08 | 0.09 | 699.92 | 01 | 06 | 4 | |
| | P | 5/29/1976 | -251.54 | 0.54 | 700.46 | 01 | 06 | 4 | |
| | P | 5/30/1976 | -251.68 | -0.14 | 700.32 | 01 | 06 | 4 | |
| | P | 5/31/1976 | -251.5 | 0.18 | 700.5 | 01 | 06 | 4 | |
| | P | 6/ 1/1976 | -251.67 | -0.17 | 700.33 | 01 | 02 | 8 | |
| | P | 6/ 2/1976 | -251.85 | -0.18 | 700.15 | 01 | 06 | 4 | |
| | P | 6/ 3/1976 | -251.62 | 0.23 | 700.38 | 01 | 06 | 4 | |
| | P | 6/ 4/1976 | -251.38 | 0.24 | 700.62 | 01 | 06 | 4 | |
| | P | 6/ 5/1976 | -251.18 | 0.2 | 700.82 | 01 | 06 | 4 | |
| | P | 6/ 6/1976 | -251.05 | 0.13 | 700.95 | 01 | 06 | 4 | |
| | P | 6/ 7/1976 | -250.83 | 0.22 | 701.17 | 01 | 06 | 4 | |
| | P | 6/ 8/1976 | -250.61 | 0.22 | 701.39 | 01 | 06 | 4 | |
| | P | 6/ 9/1976 | -250.67 | -0.06 | 701.33 | 01 | 06 | 4 | |
| | P | 6/10/1976 | -250.65 | 0.02 | 701.35 | 01 | 06 | 4 | |
| | P | 6/11/1976 | -250.61 | 0.04 | 701.39 | 01 | 06 | 4 | |
| | P | 6/12/1976 | -250.97 | -0.36 | 701.03 | 01 | 06 | 4 | |
| | P | 6/13/1976 | -251.35 | -0.38 | 700.65 | 01 | 06 | 4 | |
| | P | 6/14/1976 | -251.83 | -0.48 | 700.17 | 01 | 06 | 4 | |
| | P | 6/15/1976 | -251.87 | -0.04 | 700.13 | 01 | 02 | 8 | |
| | P | 6/16/1976 | -251.9 | -0.03 | 700.1 | 01 | 06 | 4 | |
| | P | 6/17/1976 | -251.82 | 0.08 | 700.18 | 01 | 06 | 4 | |
| | P | 6/18/1976 | -252.01 | -0.19 | 699.99 | 01 | 06 | 4 | |
| | P | 6/19/1976 | -252.27 | -0.26 | 699.73 | 01 | 06 | 4 | |
| | P | 6/20/1976 | -252.57 | -0.3 | 699.43 | 01 | 06 | 4 | |
| | P | 6/21/1976 | -252.56 | 0.01 | 699.44 | 01 | 06 | 4 | |
| | P | 6/22/1976 | -252.61 | -0.05 | 699.39 | 01 | 06 | 4 | |
| | P | 6/23/1976 | -252.72 | -0.11 | 699.28 | 01 | 06 | 4 | |
| | P | 6/24/1976 | -252.93 | -0.21 | 699.07 | 01 | 06 | 4 | |
| | P | 6/25/1976 | -252.88 | 0.05 | 699.12 | 01 | 06 | 4 | |
| | P | 6/26/1976 | -252.95 | -0.07 | 699.05 | 01 | 06 | 4 | |
| | P | 6/27/1976 | -253 | -0.05 | 699 | 01 | 06 | 4 | |
| | P | 6/28/1976 | -252.84 | 0.16 | 699.16 | 01 | 06 | 4 | |
| | P | 6/29/1976 | -252.85 | -0.01 | 699.15 | 01 | 06 | 4 | |
| | P | 6/30/1976 | -253.06 | -0.21 | 698.94 | 01 | 06 | 4 | |
| | P | 7/ 1/1976 | -253.25 | -0.19 | 698.75 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 2/1976 | -253.38 | -0.13 | 698.62 | 01 | 06 | 4 | |
| | P | 7/ 3/1976 | -253.51 | -0.13 | 698.49 | 01 | 06 | 4 | |
| | P | 7/ 4/1976 | -253.5 | 0.01 | 698.5 | 01 | 06 | 4 | |
| | P | 7/ 5/1976 | -253.61 | -0.11 | 698.39 | 01 | 06 | 4 | |
| | P | 7/ 6/1976 | -253.23 | 0.38 | 698.77 | 01 | 06 | 4 | |
| | P | 7/ 7/1976 | -253.41 | -0.18 | 698.59 | 01 | 06 | 4 | |
| | P | 7/ 8/1976 | -253.53 | -0.12 | 698.47 | 01 | 06 | 4 | |
| | P | 7/ 9/1976 | -253.57 | -0.04 | 698.43 | 01 | 06 | 4 | |
| | P | 7/10/1976 | -253.49 | 0.08 | 698.51 | 01 | 06 | 4 | |
| | P | 7/11/1976 | -253.34 | 0.15 | 698.66 | 01 | 06 | 4 | |
| | P | 7/12/1976 | -253 | 0.34 | 699 | 01 | 06 | 4 | |
| | P | 7/13/1976 | -252.55 | 0.45 | 699.45 | 01 | 06 | 4 | |
| | P | 7/14/1976 | -252.68 | -0.13 | 699.32 | 01 | 06 | 4 | |
| | P | 7/15/1976 | -252.59 | 0.09 | 699.41 | 01 | 02 | 8 | |
| | P | 7/16/1976 | -252.32 | 0.27 | 699.68 | 01 | 06 | 4 | |
| | P | 7/17/1976 | -252.07 | 0.25 | 699.93 | 01 | 06 | 4 | |
| | P | 7/18/1976 | -251.89 | 0.18 | 700.11 | 01 | 06 | 4 | |
| | P | 7/19/1976 | -251.95 | -0.06 | 700.05 | 01 | 06 | 4 | |
| | P | 7/20/1976 | -251.97 | -0.02 | 700.03 | 01 | 06 | 4 | |
| | P | 7/21/1976 | -251.98 | -0.01 | 700.02 | 01 | 06 | 4 | |
| | P | 7/22/1976 | -251.87 | 0.11 | 700.13 | 01 | 06 | 4 | |
| | P | 7/23/1976 | -251.95 | -0.08 | 700.05 | 01 | 06 | 4 | |
| | P | 7/24/1976 | -252.1 | -0.15 | 699.9 | 01 | 06 | 4 | |
| | P | 7/25/1976 | -252.07 | 0.03 | 699.93 | 01 | 06 | 4 | |
| | P | 7/26/1976 | -252.07 | | 699.93 | 01 | 06 | 4 | |
| | P | 7/27/1976 | -252.15 | -0.08 | 699.85 | 01 | 06 | 4 | |
| | P | 7/28/1976 | -252.42 | -0.27 | 699.58 | 01 | 06 | 4 | |
| | P | 7/29/1976 | -252.6 | -0.18 | 699.4 | 01 | 06 | 4 | |
| | P | 7/30/1976 | -252.68 | -0.08 | 699.32 | 01 | 06 | 4 | |
| | P | 7/31/1976 | -252.65 | 0.03 | 699.35 | 01 | 06 | 4 | |
| | P | 8/ 1/1976 | -252.67 | -0.02 | 699.33 | 01 | 02 | 8 | |
| | P | 8/ 2/1976 | -252.65 | 0.02 | 699.35 | 01 | 06 | 4 | |
| | P | 8/ 3/1976 | -252.8 | -0.15 | 699.2 | 01 | 06 | 4 | |
| | P | 8/ 4/1976 | -252.8 | | 699.2 | 01 | 06 | 4 | |
| | P | 8/ 5/1976 | -252.8 | | 699.2 | 01 | 06 | 4 | |
| | P | 8/ 6/1976 | -258.89 | -6.09 | 693.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 7/1976 | -252.96 | 5.93 | 699.04 | 01 | 06 | 4 | |
| | P | 8/ 8/1976 | -253.16 | -0.2 | 698.84 | 01 | 06 | 4 | |
| | P | 8/ 9/1976 | -253.93 | -0.77 | 698.07 | 01 | 06 | 4 | |
| | P | 8/10/1976 | -253.93 | | 698.07 | 01 | 06 | 4 | |
| | P | 8/11/1976 | -254.22 | -0.29 | 697.78 | 01 | 06 | 4 | |
| | P | 8/12/1976 | -254.38 | -0.16 | 697.62 | 01 | 06 | 4 | |
| | P | 8/13/1976 | -254.4 | -0.02 | 697.6 | 01 | 06 | 4 | |
| | P | 8/14/1976 | -254.25 | 0.15 | 697.75 | 01 | 06 | 4 | |
| | P | 8/15/1976 | -254.84 | -0.59 | 697.16 | 01 | 02 | 8 | |
| | P | 8/16/1976 | -254.51 | 0.33 | 697.49 | 01 | 06 | 4 | |
| | P | 8/17/1976 | -254.51 | | 697.49 | 01 | 06 | 4 | |
| | P | 8/18/1976 | -254.58 | -0.07 | 697.42 | 01 | 06 | 4 | |
| | P | 8/19/1976 | -254.38 | 0.2 | 697.62 | 01 | 06 | 4 | |
| | P | 8/20/1976 | -254.07 | 0.31 | 697.93 | 01 | 06 | 4 | |
| | P | 8/21/1976 | -254.18 | -0.11 | 697.82 | 01 | 06 | 4 | |
| | P | 8/22/1976 | -254.21 | -0.03 | 697.79 | 01 | 06 | 4 | |
| | P | 8/23/1976 | -254.12 | 0.09 | 697.88 | 01 | 06 | 4 | |
| | P | 8/24/1976 | -245.25 | 8.87 | 706.75 | 01 | 06 | 4 | |
| | P | 8/25/1976 | -254.45 | -9.2 | 697.55 | 01 | 06 | 4 | |
| | P | 8/26/1976 | -254.62 | -0.17 | 697.38 | 01 | 06 | 4 | |
| | P | 8/27/1976 | -254.57 | 0.05 | 697.43 | 01 | 06 | 4 | |
| | P | 8/28/1976 | -246.62 | 7.95 | 705.38 | 01 | 06 | 4 | |
| | P | 8/29/1976 | -254.42 | -7.8 | 697.58 | 01 | 06 | 4 | |
| | P | 8/30/1976 | -253.82 | 0.6 | 698.18 | 01 | 06 | 4 | |
| | P | 8/31/1976 | -253.54 | 0.28 | 698.46 | 01 | 06 | 4 | |
| | P | 9/ 1/1976 | -254.07 | -0.53 | 697.93 | 01 | 02 | 8 | |
| | P | 9/ 2/1976 | -253.91 | 0.16 | 698.09 | 01 | 06 | 4 | |
| | P | 9/ 3/1976 | -253.4 | 0.51 | 698.6 | 01 | 06 | 4 | |
| | P | 9/ 4/1976 | -253.73 | -0.33 | 698.27 | 01 | 06 | 4 | |
| | P | 9/ 5/1976 | -253.68 | 0.05 | 698.32 | 01 | 06 | 4 | |
| | P | 9/ 6/1976 | -253.77 | -0.09 | 698.23 | 01 | 06 | 4 | |
| | P | 9/ 7/1976 | -253.82 | -0.05 | 698.18 | 01 | 06 | 4 | |
| | P | 9/ 8/1976 | -253.95 | -0.13 | 698.05 | 01 | 06 | 4 | |
| | P | 9/ 9/1976 | -253.98 | -0.03 | 698.02 | 01 | 06 | 4 | |
| | P | 9/10/1976 | -254.02 | -0.04 | 697.98 | 01 | 06 | 4 | |
| | P | 9/11/1976 | -254.07 | -0.05 | 697.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 12/ 1976 | -254.07 | | 697.93 | 01 | 06 | 4 | |
| | P | 9/ 13/ 1976 | -254.17 | -0.1 | 697.83 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1976 | -254.13 | 0.04 | 697.87 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1976 | -253.99 | 0.14 | 698.01 | 01 | 02 | 8 | |
| | P | 9/ 16/ 1976 | -254.18 | -0.19 | 697.82 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1976 | -254.24 | -0.06 | 697.76 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1976 | -254.35 | -0.11 | 697.65 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1976 | -254.42 | -0.07 | 697.58 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1976 | -254.37 | 0.05 | 697.63 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1976 | -254.32 | 0.05 | 697.68 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1976 | -254.34 | -0.02 | 697.66 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1976 | -254.44 | -0.1 | 697.56 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1976 | -254.38 | 0.06 | 697.62 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1976 | -254.25 | 0.13 | 697.75 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1976 | -254.32 | -0.07 | 697.68 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1976 | -253.98 | 0.34 | 698.02 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1976 | -253.47 | 0.51 | 698.53 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1976 | -252.1 | 1.37 | 699.9 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1976 | -251.73 | 0.37 | 700.27 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1976 | -252.17 | -0.44 | 699.83 | 01 | 02 | 8 | |
| | P | 10/ 2/ 1976 | -251.9 | 0.27 | 700.1 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1976 | -251.88 | 0.02 | 700.12 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1976 | -252.25 | -0.37 | 699.75 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1976 | -252.4 | -0.15 | 699.6 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1976 | -252.14 | 0.26 | 699.86 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1976 | -251.69 | 0.45 | 700.31 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1976 | -251.66 | 0.03 | 700.34 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1976 | -251.52 | 0.14 | 700.48 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1976 | -251.49 | 0.03 | 700.51 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1976 | -251.51 | -0.02 | 700.49 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1976 | -251.55 | -0.04 | 700.45 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1976 | -251.58 | -0.03 | 700.42 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1976 | -251.37 | 0.21 | 700.63 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1976 | -250.98 | 0.39 | 701.02 | 01 | 02 | 8 | |
| | P | 10/ 16/ 1976 | -249.52 | 1.46 | 702.48 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1976 | -248.98 | 0.54 | 703.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 18/ 1976 | -248.58 | 0.4 | 703.42 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1976 | -248.52 | 0.06 | 703.48 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1976 | -248.39 | 0.13 | 703.61 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1976 | -248.07 | 0.32 | 703.93 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1976 | -247.81 | 0.26 | 704.19 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1976 | -247.6 | 0.21 | 704.4 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1976 | -246.98 | 0.62 | 705.02 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1976 | -246.31 | 0.67 | 705.69 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1976 | -245.95 | 0.36 | 706.05 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1976 | -245.86 | 0.09 | 706.14 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1976 | -245.75 | 0.11 | 706.25 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1976 | -244.15 | 1.6 | 707.85 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1976 | -243.62 | 0.53 | 708.38 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1976 | -243.63 | -0.01 | 708.37 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1976 | -243.4 | 0.23 | 708.6 | 01 | 02 | 8 | |
| | P | 11 / 2 / 1976 | -243.13 | 0.27 | 708.87 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1976 | -243.07 | 0.06 | 708.93 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1976 | -242.93 | 0.14 | 709.07 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1976 | -242.86 | 0.07 | 709.14 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1976 | -242.73 | 0.13 | 709.27 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1976 | -242.65 | 0.08 | 709.35 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1976 | -242.67 | -0.02 | 709.33 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1976 | -242.35 | 0.32 | 709.65 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1976 | -242.12 | 0.23 | 709.88 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1976 | -241.96 | 0.16 | 710.04 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1976 | -241.97 | -0.01 | 710.03 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1976 | -242.25 | -0.28 | 709.75 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1976 | -241.9 | 0.35 | 710.1 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1976 | -241.64 | 0.26 | 710.36 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1976 | -241.63 | 0.01 | 710.37 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1976 | -241.6 | 0.03 | 710.4 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1976 | -241.35 | 0.25 | 710.65 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1976 | -240.97 | 0.38 | 711.03 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1976 | -240.62 | 0.35 | 711.38 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1976 | -240.59 | 0.03 | 711.41 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1976 | -240.78 | -0.19 | 711.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/23/1976 | -240.48 | 0.3 | 711.52 | 01 | 06 | 4 | |
| | P | 11/24/1976 | -240.35 | 0.13 | 711.65 | 01 | 06 | 4 | |
| | P | 11/25/1976 | -239.98 | 0.37 | 712.02 | 01 | 06 | 4 | |
| | P | 11/26/1976 | -239.6 | 0.38 | 712.4 | 01 | 06 | 4 | |
| | P | 11/27/1976 | -239.45 | 0.15 | 712.55 | 01 | 06 | 4 | |
| | P | 11/28/1976 | -239.67 | -0.22 | 712.33 | 01 | 06 | 4 | |
| | P | 11/29/1976 | -239.8 | -0.13 | 712.2 | 01 | 06 | 4 | |
| | P | 11/30/1976 | -239.54 | 0.26 | 712.46 | 01 | 06 | 4 | |
| | P | 12/ 1/1976 | -239.25 | 0.29 | 712.75 | 01 | 02 | 8 | |
| | P | 12/ 2/1976 | -239.19 | 0.06 | 712.81 | 01 | 06 | 4 | |
| | P | 12/ 3/1976 | -238.88 | 0.31 | 713.12 | 01 | 06 | 4 | |
| | P | 12/ 4/1976 | -238.8 | 0.08 | 713.2 | 01 | 06 | 4 | |
| | P | 12/ 5/1976 | -238.43 | 0.37 | 713.57 | 01 | 06 | 4 | |
| | P | 12/ 6/1976 | -238.19 | 0.24 | 713.81 | 01 | 06 | 4 | |
| | P | 12/ 7/1976 | -238.3 | -0.11 | 713.7 | 01 | 06 | 4 | |
| | P | 12/ 8/1976 | -238.29 | 0.01 | 713.71 | 01 | 06 | 4 | |
| | P | 12/ 9/1976 | -238.05 | 0.24 | 713.95 | 01 | 06 | 4 | |
| | P | 12/10/1976 | -237.57 | 0.48 | 714.43 | 01 | 06 | 4 | |
| | P | 12/11/1976 | -237.56 | 0.01 | 714.44 | 01 | 06 | 4 | |
| | P | 12/12/1976 | -237.45 | 0.11 | 714.55 | 01 | 06 | 4 | |
| | P | 12/13/1976 | -237.34 | 0.11 | 714.66 | 01 | 06 | 4 | |
| | P | 12/14/1976 | -237.04 | 0.3 | 714.96 | 01 | 06 | 4 | |
| | P | 12/15/1976 | -236.9 | 0.14 | 715.1 | 01 | 02 | 8 | |
| | P | 12/16/1976 | -236.9 | | 715.1 | 01 | 06 | 4 | |
| | P | 12/17/1976 | -236.67 | 0.23 | 715.33 | 01 | 06 | 4 | |
| | P | 12/18/1976 | -236.55 | 0.12 | 715.45 | 01 | 06 | 4 | |
| | P | 12/19/1976 | -236.27 | 0.28 | 715.73 | 01 | 06 | 4 | |
| | P | 12/20/1976 | -236.34 | -0.07 | 715.66 | 01 | 06 | 4 | |
| | P | 12/21/1976 | -236.35 | -0.01 | 715.65 | 01 | 06 | 4 | |
| | P | 12/22/1976 | -236.01 | 0.34 | 715.99 | 01 | 06 | 4 | |
| | P | 12/23/1976 | -236.02 | -0.01 | 715.98 | 01 | 06 | 4 | |
| | P | 12/24/1976 | -235.68 | 0.34 | 716.32 | 01 | 06 | 4 | |
| | P | 12/25/1976 | -235.58 | 0.1 | 716.42 | 01 | 06 | 4 | |
| | P | 12/26/1976 | -235.8 | -0.22 | 716.2 | 01 | 06 | 4 | |
| | P | 12/27/1976 | -235.23 | 0.57 | 716.77 | 01 | 06 | 4 | |
| | P | 12/28/1976 | -235.14 | 0.09 | 716.86 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/29/1976 | -235.13 | 0.01 | 716.87 | 01 | 06 | 4 | |
| | P | 12/30/1976 | -234.98 | 0.15 | 717.02 | 01 | 06 | 4 | |
| | P | 12/31/1976 | -234.71 | 0.27 | 717.29 | 01 | 06 | 4 | |
| | P | 1/ 1/1977 | -234.77 | -0.06 | 717.23 | 01 | 02 | 8 | |
| | P | 1/ 2/1977 | -234.99 | -0.22 | 717.01 | 01 | 06 | 4 | |
| | P | 1/ 3/1977 | -234.61 | 0.38 | 717.39 | 01 | 06 | 4 | |
| | P | 1/ 4/1977 | -234.52 | 0.09 | 717.48 | 01 | 06 | 4 | |
| | P | 1/ 5/1977 | -234.6 | -0.08 | 717.4 | 01 | 06 | 4 | |
| | P | 1/ 6/1977 | -234.52 | 0.08 | 717.48 | 01 | 06 | 4 | |
| | P | 1/ 7/1977 | -234.4 | 0.12 | 717.6 | 01 | 06 | 4 | |
| | P | 1/ 8/1977 | -234.12 | 0.28 | 717.88 | 01 | 06 | 4 | |
| | P | 1/ 9/1977 | -234.05 | 0.07 | 717.95 | 01 | 06 | 4 | |
| | P | 1/10/1977 | -234.38 | -0.33 | 717.62 | 01 | 06 | 4 | |
| | P | 1/11/1977 | -234.42 | -0.04 | 717.58 | 01 | 06 | 4 | |
| | P | 1/12/1977 | -234.19 | 0.23 | 717.81 | 01 | 06 | 4 | |
| | P | 1/13/1977 | -233.7 | 0.49 | 718.3 | 01 | 06 | 4 | |
| | P | 1/14/1977 | -233.58 | 0.12 | 718.42 | 01 | 06 | 4 | |
| | P | 1/15/1977 | -233.5 | 0.08 | 718.5 | 01 | 02 | 1 | |
| | P | 1/16/1977 | -233.52 | -0.02 | 718.48 | 01 | 06 | 4 | |
| | P | 1/17/1977 | -233.41 | 0.11 | 718.59 | 01 | 06 | 4 | |
| | P | 1/18/1977 | -233.31 | 0.1 | 718.69 | 01 | 06 | 4 | |
| | P | 1/19/1977 | -233.09 | 0.22 | 718.91 | 01 | 06 | 4 | |
| | P | 1/20/1977 | -233.09 | | 718.91 | 01 | 06 | 4 | |
| | P | 1/21/1977 | -232.99 | 0.1 | 719.01 | 01 | 06 | 4 | |
| | P | 1/22/1977 | -232.79 | 0.2 | 719.21 | 01 | 06 | 4 | |
| | P | 1/23/1977 | -232.37 | 0.42 | 719.63 | 01 | 06 | 4 | |
| | P | 1/24/1977 | -232.3 | 0.07 | 719.7 | 01 | 06 | 4 | |
| | P | 1/25/1977 | -232.15 | 0.15 | 719.85 | 01 | 06 | 4 | |
| | P | 1/26/1977 | -231.68 | 0.47 | 720.32 | 01 | 06 | 4 | |
| | P | 1/27/1977 | -231.48 | 0.2 | 720.52 | 01 | 06 | 4 | |
| | P | 1/28/1977 | -231.46 | 0.02 | 720.54 | 01 | 06 | 4 | |
| | P | 1/29/1977 | -231.81 | -0.35 | 720.19 | 01 | 06 | 4 | |
| | P | 1/30/1977 | -231.5 | 0.31 | 720.5 | 01 | 06 | 4 | |
| | P | 1/31/1977 | -231.57 | -0.07 | 720.43 | 01 | 06 | 4 | |
| | P | 2/ 1/1977 | -231.3 | 0.27 | 720.7 | 01 | 02 | 8 | |
| | P | 2/ 2/1977 | -230.95 | 0.35 | 721.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 3/1977 | -230.87 | 0.08 | 721.13 | 01 | 06 | 4 | |
| | P | 2/ 4/1977 | -230.73 | 0.14 | 721.27 | 01 | 06 | 4 | |
| | P | 2/ 5/1977 | -230.82 | -0.09 | 721.18 | 01 | 06 | 4 | |
| | P | 2/ 6/1977 | -230.7 | 0.12 | 721.3 | 01 | 06 | 4 | |
| | P | 2/ 7/1977 | -230.68 | 0.02 | 721.32 | 01 | 06 | 4 | |
| | P | 2/ 8/1977 | -230.52 | 0.16 | 721.48 | 01 | 06 | 4 | |
| | P | 2/ 9/1977 | -230.32 | 0.2 | 721.68 | 01 | 06 | 4 | |
| | P | 2/10/1977 | -230.03 | 0.29 | 721.97 | 01 | 06 | 4 | |
| | P | 2/11/1977 | -229.85 | 0.18 | 722.15 | 01 | 06 | 4 | |
| | P | 2/12/1977 | -229.87 | -0.02 | 722.13 | 01 | 06 | 4 | |
| | P | 2/13/1977 | -229.75 | 0.12 | 722.25 | 01 | 06 | 4 | |
| | P | 2/14/1977 | -229.62 | 0.13 | 722.38 | 01 | 06 | 4 | |
| | P | 2/15/1977 | -229.75 | -0.13 | 722.25 | 01 | 02 | 1 | |
| | P | 2/16/1977 | -229.6 | 0.15 | 722.4 | 01 | 06 | 4 | |
| | P | 2/17/1977 | -229.27 | 0.33 | 722.73 | 01 | 06 | 4 | |
| | P | 2/18/1977 | -229.15 | 0.12 | 722.85 | 01 | 06 | 4 | |
| | P | 2/19/1977 | -229.13 | 0.02 | 722.87 | 01 | 06 | 4 | |
| | P | 2/20/1977 | -229.13 | | 722.87 | 01 | 06 | 4 | |
| | P | 2/21/1977 | -228.83 | 0.3 | 723.17 | 01 | 06 | 4 | |
| | P | 2/22/1977 | -228.42 | 0.41 | 723.58 | 01 | 06 | 4 | |
| | P | 2/23/1977 | -228.4 | 0.02 | 723.6 | 01 | 06 | 4 | |
| | P | 2/24/1977 | -228.67 | -0.27 | 723.33 | 01 | 06 | 4 | |
| | P | 2/25/1977 | -228.31 | 0.36 | 723.69 | 01 | 06 | 4 | |
| | P | 2/26/1977 | -228.3 | 0.01 | 723.7 | 01 | 06 | 4 | |
| | P | 2/27/1977 | -228.8 | -0.5 | 723.2 | 01 | 06 | 4 | |
| | P | 2/28/1977 | -228.77 | 0.03 | 723.23 | 01 | 06 | 4 | |
| | P | 3/ 1/1977 | -228.38 | 0.39 | 723.62 | 01 | 02 | 8 | |
| | P | 3/ 2/1977 | -228.1 | 0.28 | 723.9 | 01 | 06 | 4 | |
| | P | 3/ 3/1977 | -227.93 | 0.17 | 724.07 | 01 | 06 | 4 | |
| | P | 3/ 4/1977 | -228.24 | -0.31 | 723.76 | 01 | 06 | 4 | |
| | P | 3/ 5/1977 | -228.3 | -0.06 | 723.7 | 01 | 06 | 4 | |
| | P | 3/ 6/1977 | -228.43 | -0.13 | 723.57 | 01 | 06 | 4 | |
| | P | 3/ 7/1977 | -228.37 | 0.06 | 723.63 | 01 | 06 | 4 | |
| | P | 3/ 8/1977 | -228.25 | 0.12 | 723.75 | 01 | 06 | 4 | |
| | P | 3/ 9/1977 | -227.91 | 0.34 | 724.09 | 01 | 06 | 4 | |
| | P | 3/10/1977 | -227.62 | 0.29 | 724.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 11/ 1977 | -227.96 | -0.34 | 724.04 | 01 | 06 | 4 | |
| | P | 3/ 12/ 1977 | -228.71 | -0.75 | 723.29 | 01 | 06 | 4 | |
| | P | 3/ 13/ 1977 | -228.93 | -0.22 | 723.07 | 01 | 06 | 4 | |
| | P | 3/ 14/ 1977 | -228.64 | 0.29 | 723.36 | 01 | 06 | 4 | |
| | P | 3/ 15/ 1977 | -228.97 | -0.33 | 723.03 | 01 | 02 | 8 | |
| | P | 3/ 16/ 1977 | -228.93 | 0.04 | 723.07 | 01 | 06 | 4 | |
| | P | 3/ 17/ 1977 | -228.64 | 0.29 | 723.36 | 01 | 06 | 4 | |
| | P | 3/ 18/ 1977 | -228.81 | -0.17 | 723.19 | 01 | 06 | 4 | |
| | P | 3/ 19/ 1977 | -228.82 | -0.01 | 723.18 | 01 | 06 | 4 | |
| | P | 3/ 20/ 1977 | -229.16 | -0.34 | 722.84 | 01 | 06 | 4 | |
| | P | 3/ 21/ 1977 | -229.11 | 0.05 | 722.89 | 01 | 06 | 4 | |
| | P | 3/ 22/ 1977 | -229.59 | -0.48 | 722.41 | 01 | 06 | 4 | |
| | P | 3/ 23/ 1977 | -229.18 | 0.41 | 722.82 | 01 | 06 | 4 | |
| | P | 3/ 24/ 1977 | -229.19 | -0.01 | 722.81 | 01 | 06 | 4 | |
| | P | 3/ 25/ 1977 | -229.29 | -0.1 | 722.71 | 01 | 06 | 4 | |
| | P | 3/ 26/ 1977 | -229.24 | 0.05 | 722.76 | 01 | 06 | 4 | |
| | P | 3/ 27/ 1977 | -229.04 | 0.2 | 722.96 | 01 | 06 | 4 | |
| | P | 3/ 28/ 1977 | -229.21 | -0.17 | 722.79 | 01 | 06 | 4 | |
| | P | 3/ 29/ 1977 | -229.35 | -0.14 | 722.65 | 01 | 06 | 4 | |
| | P | 3/ 30/ 1977 | -229.49 | -0.14 | 722.51 | 01 | 06 | 4 | |
| | P | 3/ 31/ 1977 | -229.66 | -0.17 | 722.34 | 01 | 06 | 4 | |
| | P | 4/ 1/ 1977 | -229.46 | 0.2 | 722.54 | 01 | 06 | 4 | |
| | P | 4/ 2/ 1977 | -229.27 | 0.19 | 722.73 | 01 | 06 | 4 | |
| | P | 4/ 3/ 1977 | -229.3 | -0.03 | 722.7 | 01 | 06 | 4 | |
| | P | 4/ 4/ 1977 | -229.39 | -0.09 | 722.61 | 01 | 06 | 4 | |
| | P | 4/ 5/ 1977 | -229.8 | -0.41 | 722.2 | 01 | 06 | 4 | |
| | P | 4/ 6/ 1977 | -229.87 | -0.07 | 722.13 | 01 | 06 | 4 | |
| | P | 4/ 7/ 1977 | -229.5 | 0.37 | 722.5 | 01 | 06 | 4 | |
| | P | 4/ 8/ 1977 | -229.95 | -0.45 | 722.05 | 01 | 06 | 4 | |
| | P | 4/ 9/ 1977 | -229.92 | 0.03 | 722.08 | 01 | 06 | 4 | |
| | P | 4/ 10/ 1977 | -230.05 | -0.13 | 721.95 | 01 | 06 | 4 | |
| | P | 4/ 11/ 1977 | -229.8 | 0.25 | 722.2 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1977 | -229.69 | 0.11 | 722.31 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1977 | -229.84 | -0.15 | 722.16 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1977 | -229.63 | 0.21 | 722.37 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1977 | -229.57 | 0.06 | 722.43 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/16/1977 | -229.05 | 0.52 | 722.95 | 01 | 06 | 4 | |
| | P | 4/17/1977 | -228.65 | 0.4 | 723.35 | 01 | 06 | 4 | |
| | P | 4/18/1977 | -228.48 | 0.17 | 723.52 | 01 | 06 | 4 | |
| | P | 4/19/1977 | -228.47 | 0.01 | 723.53 | 01 | 06 | 4 | |
| | P | 4/20/1977 | -227.23 | 1.24 | 724.77 | 01 | 06 | 4 | |
| | P | 4/21/1977 | -226.65 | 0.58 | 725.35 | 01 | 06 | 4 | |
| | P | 4/22/1977 | -226.92 | -0.27 | 725.08 | 01 | 06 | 4 | |
| | P | 4/23/1977 | -226.9 | 0.02 | 725.1 | 01 | 06 | 4 | |
| | P | 4/24/1977 | -226.64 | 0.26 | 725.36 | 01 | 06 | 4 | |
| | P | 4/25/1977 | -226.63 | 0.01 | 725.37 | 01 | 06 | 4 | |
| | P | 4/26/1977 | -226.6 | 0.03 | 725.4 | 01 | 06 | 4 | |
| | P | 4/27/1977 | -226.6 | | 725.4 | 01 | 06 | 4 | |
| | P | 4/28/1977 | -226.46 | 0.14 | 725.54 | 01 | 06 | 4 | |
| | P | 4/29/1977 | -226.43 | 0.03 | 725.57 | 01 | 06 | 4 | |
| | P | 4/30/1977 | -226.3 | 0.13 | 725.7 | 01 | 02 | 8 | |
| | P | 5/ 1/1977 | -226.37 | -0.07 | 725.63 | 01 | 06 | 4 | |
| | P | 5/ 2/1977 | -226.29 | 0.08 | 725.71 | 01 | 06 | 4 | |
| | P | 5/ 3/1977 | -226.26 | 0.03 | 725.74 | 01 | 06 | 4 | |
| | P | 5/ 4/1977 | -226.27 | -0.01 | 725.73 | 01 | 06 | 4 | |
| | P | 5/ 5/1977 | -226 | 0.27 | 726 | 01 | 06 | 4 | |
| | P | 5/ 6/1977 | -226.07 | -0.07 | 725.93 | 01 | 06 | 4 | |
| | P | 5/ 7/1977 | -226.01 | 0.06 | 725.99 | 01 | 06 | 4 | |
| | P | 5/ 8/1977 | -225.78 | 0.23 | 726.22 | 01 | 06 | 4 | |
| | P | 5/ 9/1977 | -225.8 | -0.02 | 726.2 | 01 | 06 | 4 | |
| | P | 5/10/1977 | -225.4 | 0.4 | 726.6 | 01 | 06 | 4 | |
| | P | 5/11/1977 | -225.44 | -0.04 | 726.56 | 01 | 06 | 4 | |
| | P | 5/12/1977 | -225.83 | -0.39 | 726.17 | 01 | 06 | 4 | |
| | P | 5/13/1977 | -226 | -0.17 | 726 | 01 | 06 | 4 | |
| | P | 5/14/1977 | -225.55 | 0.45 | 726.45 | 01 | 06 | 4 | |
| | P | 5/15/1977 | -225.65 | -0.1 | 726.35 | 01 | 02 | 8 | |
| | P | 5/16/1977 | -225.72 | -0.07 | 726.28 | 01 | 06 | 4 | |
| | P | 5/17/1977 | -225.76 | -0.04 | 726.24 | 01 | 06 | 4 | |
| | P | 5/18/1977 | -225.7 | 0.06 | 726.3 | 01 | 06 | 4 | |
| | P | 5/31/1977 | -224.8 | 0.9 | 727.2 | 01 | 06 | 4 | |
| | P | 6/ 1/1977 | -225.39 | -0.59 | 726.61 | 01 | 06 | 4 | |
| | P | 6/ 2/1977 | -225.1 | 0.29 | 726.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 3/1977 | -225.18 | -0.08 | 726.82 | 01 | 06 | 4 | |
| | P | 6/ 4/1977 | -225.31 | -0.13 | 726.69 | 01 | 06 | 4 | |
| | P | 6/ 5/1977 | -225.31 | | 726.69 | 01 | 06 | 4 | |
| | P | 6/ 6/1977 | -225.34 | -0.03 | 726.66 | 01 | 06 | 4 | |
| | P | 6/ 7/1977 | -225.41 | -0.07 | 726.59 | 01 | 06 | 4 | |
| | P | 6/ 8/1977 | -225.85 | -0.44 | 726.15 | 01 | 06 | 4 | |
| | P | 6/ 9/1977 | -225.67 | 0.18 | 726.33 | 01 | 06 | 4 | |
| | P | 6/10/1977 | -225.73 | -0.06 | 726.27 | 01 | 06 | 4 | |
| | P | 6/11/1977 | -225.74 | -0.01 | 726.26 | 01 | 06 | 4 | |
| | P | 6/12/1977 | -225.64 | 0.1 | 726.36 | 01 | 06 | 4 | |
| | P | 6/13/1977 | -225.67 | -0.03 | 726.33 | 01 | 06 | 4 | |
| | P | 6/14/1977 | -225.71 | -0.04 | 726.29 | 01 | 06 | 4 | |
| | P | 6/15/1977 | -226.07 | -0.36 | 725.93 | 01 | 02 | 8 | |
| | P | 6/16/1977 | -226.23 | -0.16 | 725.77 | 01 | 06 | 4 | |
| | P | 6/17/1977 | -225.95 | 0.28 | 726.05 | 01 | 06 | 4 | |
| | P | 6/18/1977 | -226.17 | -0.22 | 725.83 | 01 | 06 | 4 | |
| | P | 6/19/1977 | -226.17 | | 725.83 | 01 | 06 | 4 | |
| | P | 6/20/1977 | -226.31 | -0.14 | 725.69 | 01 | 06 | 4 | |
| | P | 6/21/1977 | -226.44 | -0.13 | 725.56 | 01 | 06 | 4 | |
| | P | 6/22/1977 | -226.53 | -0.09 | 725.47 | 01 | 06 | 4 | |
| | P | 6/23/1977 | -226.72 | -0.19 | 725.28 | 01 | 06 | 4 | |
| | P | 6/24/1977 | -226.68 | 0.04 | 725.32 | 01 | 06 | 4 | |
| | P | 6/25/1977 | -226.64 | 0.04 | 725.36 | 01 | 06 | 4 | |
| | P | 6/26/1977 | -226.27 | 0.37 | 725.73 | 01 | 06 | 4 | |
| | P | 6/27/1977 | -226.17 | 0.1 | 725.83 | 01 | 06 | 4 | |
| | P | 6/28/1977 | -226.14 | 0.03 | 725.86 | 01 | 06 | 4 | |
| | P | 6/29/1977 | -226.33 | -0.19 | 725.67 | 01 | 06 | 4 | |
| | P | 6/30/1977 | -226.37 | -0.04 | 725.63 | 01 | 02 | 8 | |
| | P | 7/ 1/1977 | -226.2 | 0.17 | 725.8 | 01 | 06 | 4 | |
| | P | 7/ 2/1977 | -226.53 | -0.33 | 725.47 | 01 | 06 | 4 | |
| | P | 7/ 3/1977 | -226.67 | -0.14 | 725.33 | 01 | 06 | 4 | |
| | P | 7/ 4/1977 | -226.75 | -0.08 | 725.25 | 01 | 06 | 4 | |
| | P | 7/ 5/1977 | -226.75 | | 725.25 | 01 | 06 | 4 | |
| | P | 7/ 6/1977 | -227.09 | -0.34 | 724.91 | 01 | 06 | 4 | |
| | P | 7/ 7/1977 | -227.03 | 0.06 | 724.97 | 01 | 06 | 4 | |
| | P | 7/ 8/1977 | -227.11 | -0.08 | 724.89 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 9/1977 | -227.12 | -0.01 | 724.88 | 01 | 06 | 4 | |
| | P | 7/10/1977 | -227.73 | -0.61 | 724.27 | 01 | 06 | 4 | |
| | P | 7/11/1977 | -228.02 | -0.29 | 723.98 | 01 | 06 | 4 | |
| | P | 7/12/1977 | -227.99 | 0.03 | 724.01 | 01 | 06 | 4 | |
| | P | 7/13/1977 | -228.08 | -0.09 | 723.92 | 01 | 06 | 4 | |
| | P | 7/14/1977 | -228.28 | -0.2 | 723.72 | 01 | 06 | 4 | |
| | P | 7/15/1977 | -228.58 | -0.3 | 723.42 | 01 | 02 | 8 | |
| | P | 8/ 3/1977 | -230.27 | -1.69 | 721.73 | 01 | 06 | 4 | |
| | P | 8/ 4/1977 | -230.29 | -0.02 | 721.71 | 01 | 06 | 4 | |
| | P | 8/ 5/1977 | -230.62 | -0.33 | 721.38 | 01 | 06 | 4 | |
| | P | 8/ 6/1977 | -231.12 | -0.5 | 720.88 | 01 | 06 | 4 | |
| | P | 8/ 7/1977 | -231.24 | -0.12 | 720.76 | 01 | 06 | 4 | |
| | P | 8/ 8/1977 | -231.15 | 0.09 | 720.85 | 01 | 06 | 4 | |
| | P | 8/ 9/1977 | -231.23 | -0.08 | 720.77 | 01 | 06 | 4 | |
| | P | 8/10/1977 | -231.45 | -0.22 | 720.55 | 01 | 06 | 4 | |
| | P | 8/11/1977 | -231.8 | -0.35 | 720.2 | 01 | 06 | 4 | |
| | P | 8/12/1977 | -231.9 | -0.1 | 720.1 | 01 | 06 | 4 | |
| | P | 8/13/1977 | -231.5 | 0.4 | 720.5 | 01 | 06 | 4 | |
| | P | 9/ 2/1977 | -233.96 | -2.46 | 718.04 | 01 | 06 | 4 | |
| | P | 9/ 3/1977 | -233.67 | 0.29 | 718.33 | 01 | 06 | 4 | |
| | P | 9/ 4/1977 | -234.16 | -0.49 | 717.84 | 01 | 06 | 4 | |
| | P | 9/ 5/1977 | -234.38 | -0.22 | 717.62 | 01 | 06 | 4 | |
| | P | 9/ 6/1977 | -234.33 | 0.05 | 717.67 | 01 | 06 | 4 | |
| | P | 9/ 7/1977 | -243.13 | -8.8 | 708.87 | 01 | 06 | 4 | |
| | P | 9/ 8/1977 | -233.75 | 9.38 | 718.25 | 01 | 06 | 4 | |
| | P | 9/ 9/1977 | -233.73 | 0.02 | 718.27 | 01 | 06 | 4 | |
| | P | 9/10/1977 | -233.92 | -0.19 | 718.08 | 01 | 06 | 4 | |
| | P | 9/11/1977 | -233.95 | -0.03 | 718.05 | 01 | 06 | 4 | |
| | P | 9/12/1977 | -233.98 | -0.03 | 718.02 | 01 | 06 | 4 | |
| | P | 9/13/1977 | -234.07 | -0.09 | 717.93 | 01 | 06 | 4 | |
| | P | 9/14/1977 | -234.12 | -0.05 | 717.88 | 01 | 06 | 4 | |
| | P | 9/15/1977 | -234.13 | -0.01 | 717.87 | 01 | 02 | 8 | |
| | P | 9/16/1977 | -234.11 | 0.02 | 717.89 | 01 | 06 | 4 | |
| | P | 9/17/1977 | -234.22 | -0.11 | 717.78 | 01 | 06 | 4 | |
| | P | 9/18/1977 | -234.28 | -0.06 | 717.72 | 01 | 06 | 4 | |
| | P | 9/19/1977 | -234.27 | 0.01 | 717.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 20/ 1977 | -234.21 | 0.06 | 717.79 | 01 | 06 | 4 | |
| | P | 9 / 21/ 1977 | -234.23 | -0.02 | 717.77 | 01 | 06 | 4 | |
| | P | 9 / 22/ 1977 | -234.33 | -0.1 | 717.67 | 01 | 06 | 4 | |
| | P | 9 / 23/ 1977 | -234.33 | | 717.67 | 01 | 06 | 4 | |
| | P | 9 / 24/ 1977 | -234.53 | -0.2 | 717.47 | 01 | 06 | 4 | |
| | P | 9 / 25/ 1977 | -234.69 | -0.16 | 717.31 | 01 | 06 | 4 | |
| | P | 9 / 26/ 1977 | -234.98 | -0.29 | 717.02 | 01 | 06 | 4 | |
| | P | 9 / 27/ 1977 | -235.01 | -0.03 | 716.99 | 01 | 06 | 4 | |
| | P | 9 / 28/ 1977 | -235.22 | -0.21 | 716.78 | 01 | 06 | 4 | |
| | P | 9 / 29/ 1977 | -235.46 | -0.24 | 716.54 | 01 | 06 | 4 | |
| | P | 9 / 30/ 1977 | -235.49 | -0.03 | 716.51 | 01 | 02 | 8 | |
| | P | 10 / 1 / 1977 | -235.49 | | 716.51 | 01 | 06 | 4 | |
| | P | 10 / 2 / 1977 | -235.64 | -0.15 | 716.36 | 01 | 06 | 4 | |
| | P | 10 / 3 / 1977 | -235.55 | 0.09 | 716.45 | 01 | 06 | 4 | |
| | P | 10 / 4 / 1977 | -235.45 | 0.1 | 716.55 | 01 | 06 | 4 | |
| | P | 10 / 5 / 1977 | -235.5 | -0.05 | 716.5 | 01 | 06 | 4 | |
| | P | 10 / 6 / 1977 | -235.76 | -0.26 | 716.24 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1977 | -235.71 | 0.05 | 716.29 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1977 | -235.71 | | 716.29 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1977 | -236.28 | -0.57 | 715.72 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1977 | -235.88 | 0.4 | 716.12 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1977 | -236 | -0.12 | 716 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1977 | -236.52 | -0.52 | 715.48 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1977 | -236.58 | -0.06 | 715.42 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1977 | -236.63 | -0.05 | 715.37 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1977 | -236.95 | -0.32 | 715.05 | 01 | 02 | 8 | |
| | P | 10 / 16/ 1977 | -237.11 | -0.16 | 714.89 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1977 | -236.74 | 0.37 | 715.26 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1977 | -236.76 | -0.02 | 715.24 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1977 | -236.82 | -0.06 | 715.18 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1977 | -236.83 | -0.01 | 715.17 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1977 | -237.1 | -0.27 | 714.9 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1977 | -237.13 | -0.03 | 714.87 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1977 | -237.16 | -0.03 | 714.84 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1977 | -237.13 | 0.03 | 714.87 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1977 | -237.19 | -0.06 | 714.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 26/ 1977 | -237.25 | -0.06 | 714.75 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1977 | -237.19 | 0.06 | 714.81 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1977 | -237.32 | -0.13 | 714.68 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1977 | -237.26 | 0.06 | 714.74 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1977 | -236.97 | 0.29 | 715.03 | 01 | 02 | 8 | |
| | P | 10 / 31/ 1977 | -237.25 | -0.28 | 714.75 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1977 | -235.66 | 1.59 | 716.34 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1977 | -235.11 | 0.55 | 716.89 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1977 | -235 | 0.11 | 717 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1977 | -235.37 | -0.37 | 716.63 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1977 | -235.22 | 0.15 | 716.78 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1977 | -235.16 | 0.06 | 716.84 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1977 | -235.2 | -0.04 | 716.8 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1977 | -235.19 | 0.01 | 716.81 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1977 | -235.43 | -0.24 | 716.57 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1977 | -235.85 | -0.42 | 716.15 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1977 | -235.8 | 0.05 | 716.2 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1977 | -235.76 | 0.04 | 716.24 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1977 | -235.56 | 0.2 | 716.44 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1977 | -235.39 | 0.17 | 716.61 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1977 | -235.45 | -0.06 | 716.55 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1977 | -235.48 | -0.03 | 716.52 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1977 | -235.67 | -0.19 | 716.33 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1977 | -235.86 | -0.19 | 716.14 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1977 | -235.5 | 0.36 | 716.5 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1977 | -235.46 | 0.04 | 716.54 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1977 | -235.78 | -0.32 | 716.22 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1977 | -235.57 | 0.21 | 716.43 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1977 | -235.83 | -0.26 | 716.17 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1977 | -235.93 | -0.1 | 716.07 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1977 | -235.98 | -0.05 | 716.02 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1977 | -235.87 | 0.11 | 716.13 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1977 | -235.68 | 0.19 | 716.32 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1977 | -235.88 | -0.2 | 716.12 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1977 | -236.19 | -0.31 | 715.81 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1977 | -236.26 | -0.07 | 715.74 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 1/1977 | -235.99 | 0.27 | 716.01 | 01 | 06 | 4 | |
| | P | 12/ 2/1977 | -235.55 | 0.44 | 716.45 | 01 | 06 | 4 | |
| | P | 12/ 3/1977 | -235.3 | 0.25 | 716.7 | 01 | 06 | 4 | |
| | P | 12/ 4/1977 | -235.08 | 0.22 | 716.92 | 01 | 06 | 4 | |
| | P | 12/ 5/1977 | -235.06 | 0.02 | 716.94 | 01 | 06 | 4 | |
| | P | 12/ 6/1977 | -235.5 | -0.44 | 716.5 | 01 | 06 | 4 | |
| | P | 12/ 7/1977 | -235.14 | 0.36 | 716.86 | 01 | 06 | 4 | |
| | P | 12/ 8/1977 | -235.02 | 0.12 | 716.98 | 01 | 06 | 4 | |
| | P | 12/ 9/1977 | -235.33 | -0.31 | 716.67 | 01 | 06 | 4 | |
| | P | 12/10/1977 | -235.54 | -0.21 | 716.46 | 01 | 06 | 4 | |
| | P | 12/11/1977 | -235.3 | 0.24 | 716.7 | 01 | 06 | 4 | |
| | P | 12/12/1977 | -235.08 | 0.22 | 716.92 | 01 | 06 | 4 | |
| | P | 12/13/1977 | -235.07 | 0.01 | 716.93 | 01 | 06 | 4 | |
| | P | 12/14/1977 | -235.3 | -0.23 | 716.7 | 01 | 06 | 4 | |
| | P | 12/20/1977 | -235.27 | 0.03 | 716.73 | 01 | 06 | 4 | |
| | P | 12/21/1977 | -235.45 | -0.18 | 716.55 | 01 | 06 | 4 | |
| | P | 12/22/1977 | -235.73 | -0.28 | 716.27 | 01 | 06 | 4 | |
| | P | 12/23/1977 | -235.51 | 0.22 | 716.49 | 01 | 06 | 4 | |
| | P | 12/24/1977 | -236.41 | -0.9 | 715.59 | 01 | 06 | 4 | |
| | P | 12/25/1977 | -235.89 | 0.52 | 716.11 | 01 | 06 | 4 | |
| | P | 12/26/1977 | -236.23 | -0.34 | 715.77 | 01 | 06 | 4 | |
| | P | 12/27/1977 | -236 | 0.23 | 716 | 01 | 06 | 4 | |
| | P | 12/28/1977 | -236.01 | -0.01 | 715.99 | 01 | 06 | 4 | |
| | P | 12/29/1977 | -235.88 | 0.13 | 716.12 | 01 | 06 | 4 | |
| | P | 12/30/1977 | -235.74 | 0.14 | 716.26 | 01 | 02 | 8 | |
| | P | 12/31/1977 | -235.8 | -0.06 | 716.2 | 01 | 06 | 4 | |
| | P | 1/ 1/1978 | -235.94 | -0.14 | 716.06 | 01 | 06 | 4 | |
| | P | 1/ 2/1978 | -236.26 | -0.32 | 715.74 | 01 | 06 | 4 | |
| | P | 1/ 3/1978 | -236.17 | 0.09 | 715.83 | 01 | 06 | 4 | |
| | P | 1/ 4/1978 | -236.07 | 0.1 | 715.93 | 01 | 06 | 4 | |
| | P | 1/ 5/1978 | -236.03 | 0.04 | 715.97 | 01 | 06 | 4 | |
| | P | 1/ 6/1978 | -235.97 | 0.06 | 716.03 | 01 | 06 | 4 | |
| | P | 1/ 7/1978 | -235.93 | 0.04 | 716.07 | 01 | 06 | 4 | |
| | P | 1/ 8/1978 | -236.23 | -0.3 | 715.77 | 01 | 06 | 4 | |
| | P | 1/ 9/1978 | -236.38 | -0.15 | 715.62 | 01 | 06 | 4 | |
| | P | 1/10/1978 | -236.42 | -0.04 | 715.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 11/ 1978 | -236.31 | 0.11 | 715.69 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1978 | -236.34 | -0.03 | 715.66 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1978 | -236.43 | -0.09 | 715.57 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1978 | -236.63 | -0.2 | 715.37 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1978 | -236.49 | 0.14 | 715.51 | 01 | 02 | 8 | |
| | P | 1/ 16/ 1978 | -236.4 | 0.09 | 715.6 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1978 | -236.76 | -0.36 | 715.24 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1978 | -236.66 | 0.1 | 715.34 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1978 | -236.86 | -0.2 | 715.14 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1978 | -236.82 | 0.04 | 715.18 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1978 | -236.91 | -0.09 | 715.09 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1978 | -236.98 | -0.07 | 715.02 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1978 | -236.73 | 0.25 | 715.27 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1978 | -236.52 | 0.21 | 715.48 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1978 | -236.7 | -0.18 | 715.3 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1978 | -237.09 | -0.39 | 714.91 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1978 | -237.14 | -0.05 | 714.86 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1978 | -237.43 | -0.29 | 714.57 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1978 | -237.3 | 0.13 | 714.7 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1978 | -237.22 | 0.08 | 714.78 | 01 | 02 | 8 | |
| | P | 1/ 31/ 1978 | -237.34 | -0.12 | 714.66 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1978 | -237.22 | 0.12 | 714.78 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1978 | -237.4 | -0.18 | 714.6 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1978 | -237.5 | -0.1 | 714.5 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1978 | -237.6 | -0.1 | 714.4 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1978 | -237.7 | -0.1 | 714.3 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1978 | -237.33 | 0.37 | 714.67 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1978 | -237.19 | 0.14 | 714.81 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1978 | -237.47 | -0.28 | 714.53 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1978 | -237.48 | -0.01 | 714.52 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1978 | -237.57 | -0.09 | 714.43 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1978 | -237.37 | 0.2 | 714.63 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1978 | -237.24 | 0.13 | 714.76 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1978 | -237.59 | -0.35 | 714.41 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1978 | -237.84 | -0.25 | 714.16 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1978 | -237.83 | 0.01 | 714.17 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/16/1978 | -237.79 | 0.04 | 714.21 | 01 | 06 | 4 | |
| | P | 2/17/1978 | -237.37 | 0.42 | 714.63 | 01 | 06 | 4 | |
| | P | 2/18/1978 | -237.99 | -0.62 | 714.01 | 01 | 06 | 4 | |
| | P | 2/19/1978 | -237.95 | 0.04 | 714.05 | 01 | 06 | 4 | |
| | P | 2/20/1978 | -237.98 | -0.03 | 714.02 | 01 | 06 | 4 | |
| | P | 2/21/1978 | -238.28 | -0.3 | 713.72 | 01 | 06 | 4 | |
| | P | 2/22/1978 | -238.15 | 0.13 | 713.85 | 01 | 06 | 4 | |
| | P | 2/23/1978 | -238.16 | -0.01 | 713.84 | 01 | 06 | 4 | |
| | P | 2/24/1978 | -237.89 | 0.27 | 714.11 | 01 | 06 | 4 | |
| | P | 2/25/1978 | -237.98 | -0.09 | 714.02 | 01 | 06 | 4 | |
| | P | 2/26/1978 | -238.27 | -0.29 | 713.73 | 01 | 06 | 4 | |
| | P | 2/27/1978 | -238.06 | 0.21 | 713.94 | 01 | 06 | 4 | |
| | P | 2/28/1978 | -238.11 | -0.05 | 713.89 | 01 | 06 | 4 | |
| | P | 3/ 1/1978 | -238.33 | -0.22 | 713.67 | 01 | 06 | 4 | |
| | P | 3/ 2/1978 | -238.3 | 0.03 | 713.7 | 01 | 06 | 4 | |
| | P | 3/ 3/1978 | -238.45 | -0.15 | 713.55 | 01 | 06 | 4 | |
| | P | 3/ 4/1978 | -238.86 | -0.41 | 713.14 | 01 | 06 | 4 | |
| | P | 3/ 5/1978 | -239.23 | -0.37 | 712.77 | 01 | 06 | 4 | |
| | P | 3/ 6/1978 | -239.24 | -0.01 | 712.76 | 01 | 06 | 4 | |
| | P | 3/ 7/1978 | -239.6 | -0.36 | 712.4 | 01 | 06 | 4 | |
| | P | 3/ 9/1978 | -240.43 | -0.83 | 711.57 | 01 | 06 | 4 | |
| | P | 3/10/1978 | -240.31 | 0.12 | 711.69 | 01 | 06 | 4 | |
| | P | 3/11/1978 | -240.23 | 0.08 | 711.77 | 01 | 06 | 4 | |
| | P | 3/12/1978 | -240.06 | 0.17 | 711.94 | 01 | 06 | 4 | |
| | P | 3/13/1978 | -240.04 | 0.02 | 711.96 | 01 | 06 | 4 | |
| | P | 3/14/1978 | -240.01 | 0.03 | 711.99 | 01 | 06 | 4 | |
| | P | 3/15/1978 | -240.34 | -0.33 | 711.66 | 01 | 02 | 8 | |
| | P | 3/16/1978 | -240.49 | -0.15 | 711.51 | 01 | 06 | 4 | |
| | P | 3/17/1978 | -240.69 | -0.2 | 711.31 | 01 | 06 | 4 | |
| | P | 3/18/1978 | -240.72 | -0.03 | 711.28 | 01 | 06 | 4 | |
| | P | 3/19/1978 | -240.95 | -0.23 | 711.05 | 01 | 06 | 4 | |
| | P | 3/20/1978 | -240.87 | 0.08 | 711.13 | 01 | 06 | 4 | |
| | P | 3/21/1978 | -240.87 | | 711.13 | 01 | 06 | 4 | |
| | P | 3/22/1978 | -240.97 | -0.1 | 711.03 | 01 | 06 | 4 | |
| | P | 3/23/1978 | -240.75 | 0.22 | 711.25 | 01 | 06 | 4 | |
| | P | 3/24/1978 | -240.9 | -0.15 | 711.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/25/1978 | -241.41 | -0.51 | 710.59 | 01 | 06 | 4 | |
| | P | 3/26/1978 | -241.52 | -0.11 | 710.48 | 01 | 06 | 4 | |
| | P | 3/27/1978 | -241.62 | -0.1 | 710.38 | 01 | 06 | 4 | |
| | P | 3/28/1978 | -241.84 | -0.22 | 710.16 | 01 | 06 | 4 | |
| | P | 3/29/1978 | -241.87 | -0.03 | 710.13 | 01 | 06 | 4 | |
| | P | 3/30/1978 | -241.98 | -0.11 | 710.02 | 01 | 02 | 8 | |
| | P | 3/31/1978 | -241.94 | 0.04 | 710.06 | 01 | 06 | 4 | |
| | P | 4/ 1/1978 | -241.89 | 0.05 | 710.11 | 01 | 06 | 4 | |
| | P | 4/ 2/1978 | -242.15 | -0.26 | 709.85 | 01 | 06 | 4 | |
| | P | 4/ 3/1978 | -242.4 | -0.25 | 709.6 | 01 | 06 | 4 | |
| | P | 4/ 4/1978 | -242.63 | -0.23 | 709.37 | 01 | 06 | 4 | |
| | P | 4/ 5/1978 | -242.6 | 0.03 | 709.4 | 01 | 06 | 4 | |
| | P | 4/ 6/1978 | -242.53 | 0.07 | 709.47 | 01 | 06 | 4 | |
| | P | 4/ 7/1978 | -242.77 | -0.24 | 709.23 | 01 | 06 | 4 | |
| | P | 4/ 8/1978 | -242.65 | 0.12 | 709.35 | 01 | 06 | 4 | |
| | P | 4/ 9/1978 | -242.64 | 0.01 | 709.36 | 01 | 06 | 4 | |
| | P | 4/10/1978 | -242.74 | -0.1 | 709.26 | 01 | 06 | 4 | |
| | P | 4/11/1978 | -243.28 | -0.54 | 708.72 | 01 | 06 | 4 | |
| | P | 4/12/1978 | -243.28 | | 708.72 | 01 | 06 | 4 | |
| | P | 4/13/1978 | -243.35 | -0.07 | 708.65 | 01 | 06 | 4 | |
| | P | 4/14/1978 | -243.29 | 0.06 | 708.71 | 01 | 06 | 4 | |
| | P | 4/15/1978 | -243.24 | 0.05 | 708.76 | 01 | 02 | 8 | |
| | P | 4/16/1978 | -243.4 | -0.16 | 708.6 | 01 | 06 | 4 | |
| | P | 4/17/1978 | -243.34 | 0.06 | 708.66 | 01 | 06 | 4 | |
| | P | 4/18/1978 | -243.69 | -0.35 | 708.31 | 01 | 06 | 4 | |
| | P | 4/19/1978 | -243.58 | 0.11 | 708.42 | 01 | 06 | 4 | |
| | P | 4/20/1978 | -243.45 | 0.13 | 708.55 | 01 | 06 | 4 | |
| | P | 4/21/1978 | -243.46 | -0.01 | 708.54 | 01 | 06 | 4 | |
| | P | 4/22/1978 | -243.5 | -0.04 | 708.5 | 01 | 06 | 4 | |
| | P | 4/23/1978 | -243.8 | -0.3 | 708.2 | 01 | 06 | 4 | |
| | P | 4/24/1978 | -243.83 | -0.03 | 708.17 | 01 | 06 | 4 | |
| | P | 4/25/1978 | -244.05 | -0.22 | 707.95 | 01 | 06 | 4 | |
| | P | 4/26/1978 | -244.22 | -0.17 | 707.78 | 01 | 06 | 4 | |
| | P | 4/27/1978 | -243.96 | 0.26 | 708.04 | 01 | 06 | 4 | |
| | P | 4/28/1978 | -243.73 | 0.23 | 708.27 | 01 | 06 | 4 | |
| | P | 4/29/1978 | -243.73 | | 708.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/1978 | -243.73 | | 708.27 | 01 | 02 | 8 | |
| | P | 5/ 1/1978 | -243.84 | -0.11 | 708.16 | 01 | 06 | 4 | |
| | P | 5/ 2/1978 | -243.9 | -0.06 | 708.1 | 01 | 06 | 4 | |
| | P | 5/ 3/1978 | -244.12 | -0.22 | 707.88 | 01 | 06 | 4 | |
| | P | 5/ 4/1978 | -244.45 | -0.33 | 707.55 | 01 | 06 | 4 | |
| | P | 5/ 5/1978 | -244.42 | 0.03 | 707.58 | 01 | 06 | 4 | |
| | P | 5/ 6/1978 | -244.43 | -0.01 | 707.57 | 01 | 06 | 4 | |
| | P | 5/ 7/1978 | -244.77 | -0.34 | 707.23 | 01 | 06 | 4 | |
| | P | 5/ 8/1978 | -244.76 | 0.01 | 707.24 | 01 | 06 | 4 | |
| | P | 5/ 9/1978 | -244.97 | -0.21 | 707.03 | 01 | 06 | 4 | |
| | P | 5/10/1978 | -245.2 | -0.23 | 706.8 | 01 | 06 | 4 | |
| | P | 5/11/1978 | -245.14 | 0.06 | 706.86 | 01 | 06 | 4 | |
| | P | 5/12/1978 | -245.14 | | 706.86 | 01 | 06 | 4 | |
| | P | 5/13/1978 | -245.41 | -0.27 | 706.59 | 01 | 06 | 4 | |
| | P | 5/14/1978 | -245.65 | -0.24 | 706.35 | 01 | 06 | 4 | |
| | P | 5/15/1978 | -245.19 | 0.46 | 706.81 | 01 | 02 | 8 | |
| | P | 5/16/1978 | -245.28 | -0.09 | 706.72 | 01 | 06 | 4 | |
| | P | 5/17/1978 | -245.38 | -0.1 | 706.62 | 01 | 06 | 4 | |
| | P | 5/18/1978 | -245.9 | -0.52 | 706.1 | 01 | 06 | 4 | |
| | P | 5/19/1978 | -245.94 | -0.04 | 706.06 | 01 | 06 | 4 | |
| | P | 5/20/1978 | -246.53 | -0.59 | 705.47 | 01 | 06 | 4 | |
| | P | 5/21/1978 | -245.94 | 0.59 | 706.06 | 01 | 06 | 4 | |
| | P | 5/22/1978 | -246.25 | -0.31 | 705.75 | 01 | 06 | 4 | |
| | P | 5/23/1978 | -246.46 | -0.21 | 705.54 | 01 | 06 | 4 | |
| | P | 5/24/1978 | -246.07 | 0.39 | 705.93 | 01 | 06 | 4 | |
| | P | 5/25/1978 | -246.06 | 0.01 | 705.94 | 01 | 06 | 4 | |
| | P | 5/26/1978 | -245.99 | 0.07 | 706.01 | 01 | 06 | 4 | |
| | P | 5/27/1978 | -246.1 | -0.11 | 705.9 | 01 | 06 | 4 | |
| | P | 5/28/1978 | -246.26 | -0.16 | 705.74 | 01 | 06 | 4 | |
| | P | 5/29/1978 | -246.61 | -0.35 | 705.39 | 01 | 06 | 4 | |
| | P | 5/30/1978 | -246.7 | -0.09 | 705.3 | 01 | 02 | 8 | |
| | P | 5/31/1978 | -246.7 | | 705.3 | 01 | 06 | 4 | |
| | P | 6/ 1/1978 | -246.86 | -0.16 | 705.14 | 01 | 06 | 4 | |
| | P | 6/ 2/1978 | -246.79 | 0.07 | 705.21 | 01 | 06 | 4 | |
| | P | 6/ 3/1978 | -246.82 | -0.03 | 705.18 | 01 | 06 | 4 | |
| | P | 6/ 4/1978 | -246.74 | 0.08 | 705.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 5/1978 | -246.83 | -0.09 | 705.17 | 01 | 06 | 4 | |
| | P | 6/ 6/1978 | -246.96 | -0.13 | 705.04 | 01 | 06 | 4 | |
| | P | 6/ 7/1978 | -247.07 | -0.11 | 704.93 | 01 | 06 | 4 | |
| | P | 6/ 8/1978 | -246.98 | 0.09 | 705.02 | 01 | 06 | 4 | |
| | P | 6/ 9/1978 | -246.94 | 0.04 | 705.06 | 01 | 06 | 4 | |
| | P | 6/10/1978 | -246.94 | | 705.06 | 01 | 06 | 4 | |
| | P | 6/11/1978 | -246.94 | | 705.06 | 01 | 06 | 4 | |
| | P | 8/ 2/1978 | -253.6 | -6.66 | 698.4 | 01 | 06 | 4 | |
| | P | 8/ 3/1978 | -253.21 | 0.39 | 698.79 | 01 | 06 | 4 | |
| | P | 8/ 4/1978 | -253.13 | 0.08 | 698.87 | 01 | 06 | 4 | |
| | P | 8/ 5/1978 | -253.39 | -0.26 | 698.61 | 01 | 06 | 4 | |
| | P | 8/ 6/1978 | -253.42 | -0.03 | 698.58 | 01 | 06 | 4 | |
| | P | 8/ 7/1978 | -253.3 | 0.12 | 698.7 | 01 | 06 | 4 | |
| | P | 8/ 8/1978 | -253.33 | -0.03 | 698.67 | 01 | 06 | 4 | |
| | P | 8/ 9/1978 | -253.35 | -0.02 | 698.65 | 01 | 06 | 4 | |
| | P | 8/10/1978 | -253.55 | -0.2 | 698.45 | 01 | 06 | 4 | |
| | P | 8/11/1978 | -253.61 | -0.06 | 698.39 | 01 | 06 | 4 | |
| | P | 8/12/1978 | -253.8 | -0.19 | 698.2 | 01 | 06 | 4 | |
| | P | 8/13/1978 | -254.1 | -0.3 | 697.9 | 01 | 06 | 4 | |
| | P | 8/14/1978 | -254.07 | 0.03 | 697.93 | 01 | 06 | 4 | |
| | P | 8/15/1978 | -254.08 | -0.01 | 697.92 | 01 | 02 | 8 | |
| | P | 8/16/1978 | -254.21 | -0.13 | 697.79 | 01 | 06 | 4 | |
| | P | 8/17/1978 | -254.35 | -0.14 | 697.65 | 01 | 06 | 4 | |
| | P | 8/18/1978 | -254.58 | -0.23 | 697.42 | 01 | 06 | 4 | |
| | P | 8/19/1978 | -254.87 | -0.29 | 697.13 | 01 | 06 | 4 | |
| | P | 8/20/1978 | -255.09 | -0.22 | 696.91 | 01 | 06 | 4 | |
| | P | 8/21/1978 | -254.93 | 0.16 | 697.07 | 01 | 06 | 4 | |
| | P | 8/22/1978 | -254.97 | -0.04 | 697.03 | 01 | 06 | 4 | |
| | P | 8/23/1978 | -255.3 | -0.33 | 696.7 | 01 | 06 | 4 | |
| | P | 8/24/1978 | -255.32 | -0.02 | 696.68 | 01 | 06 | 4 | |
| | P | 8/25/1978 | -255.3 | 0.02 | 696.7 | 01 | 06 | 4 | |
| | P | 9/ 1/1978 | -255.73 | -0.43 | 696.27 | 01 | 06 | 4 | |
| | P | 9/ 2/1978 | -255.8 | -0.07 | 696.2 | 01 | 06 | 4 | |
| | P | 9/ 3/1978 | -255.75 | 0.05 | 696.25 | 01 | 06 | 4 | |
| | P | 9/ 4/1978 | -255.51 | 0.24 | 696.49 | 01 | 06 | 4 | |
| | P | 9/ 5/1978 | -255.83 | -0.32 | 696.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 6/1978 | -255.73 | 0.1 | 696.27 | 01 | 06 | 4 | |
| | P | 9/ 7/1978 | -255.88 | -0.15 | 696.12 | 01 | 06 | 4 | |
| | P | 9/ 8/1978 | -255.87 | 0.01 | 696.13 | 01 | 06 | 4 | |
| | P | 9/21/1978 | -254.02 | 1.85 | 697.98 | 01 | 06 | 4 | |
| | P | 9/22/1978 | -253.98 | 0.04 | 698.02 | 01 | 06 | 4 | |
| | P | 9/23/1978 | -253.75 | 0.23 | 698.25 | 01 | 06 | 4 | |
| | P | 9/24/1978 | -253.61 | 0.14 | 698.39 | 01 | 06 | 4 | |
| | P | 9/25/1978 | -253.5 | 0.11 | 698.5 | 01 | 06 | 4 | |
| | P | 9/26/1978 | -253.45 | 0.05 | 698.55 | 01 | 06 | 4 | |
| | P | 9/27/1978 | -253.53 | -0.08 | 698.47 | 01 | 06 | 4 | |
| | P | 9/28/1978 | -253.64 | -0.11 | 698.36 | 01 | 06 | 4 | |
| | P | 9/29/1978 | -253.36 | 0.28 | 698.64 | 01 | 06 | 4 | |
| | P | 9/30/1978 | -253.4 | -0.04 | 698.6 | 01 | 06 | 4 | |
| | P | 10/ 1/1978 | -253.79 | -0.39 | 698.21 | 01 | 06 | 4 | |
| | P | 10/ 2/1978 | -253.5 | 0.29 | 698.5 | 01 | 06 | 4 | |
| | P | 10/ 3/1978 | -253.32 | 0.18 | 698.68 | 01 | 06 | 4 | |
| | P | 10/ 4/1978 | -253.6 | -0.28 | 698.4 | 01 | 06 | 4 | |
| | P | 10/ 5/1978 | -253.76 | -0.16 | 698.24 | 01 | 06 | 4 | |
| | P | 10/ 6/1978 | -253.66 | 0.1 | 698.34 | 01 | 06 | 4 | |
| | P | 10/ 7/1978 | -253.56 | 0.1 | 698.44 | 01 | 06 | 4 | |
| | P | 10/ 8/1978 | -253.6 | -0.04 | 698.4 | 01 | 06 | 4 | |
| | P | 10/ 9/1978 | -253.86 | -0.26 | 698.14 | 01 | 06 | 4 | |
| | P | 10/10/1978 | -253.56 | 0.3 | 698.44 | 01 | 06 | 4 | |
| | P | 10/11/1978 | -253.51 | 0.05 | 698.49 | 01 | 06 | 4 | |
| | P | 10/12/1978 | -253.48 | 0.03 | 698.52 | 01 | 06 | 4 | |
| | P | 10/13/1978 | -253.61 | -0.13 | 698.39 | 01 | 06 | 4 | |
| | P | 10/14/1978 | -253.85 | -0.24 | 698.15 | 01 | 06 | 4 | |
| | P | 10/15/1978 | -253.96 | -0.11 | 698.04 | 01 | 02 | 8 | |
| | P | 10/16/1978 | -253.91 | 0.05 | 698.09 | 01 | 06 | 4 | |
| | P | 10/17/1978 | -253.98 | -0.07 | 698.02 | 01 | 06 | 4 | |
| | P | 10/18/1978 | -253.99 | -0.01 | 698.01 | 01 | 06 | 4 | |
| | P | 10/19/1978 | -254.09 | -0.1 | 697.91 | 01 | 06 | 4 | |
| | P | 10/20/1978 | -251.11 | 2.98 | 700.89 | 01 | 06 | 4 | |
| | P | 10/21/1978 | -253.99 | -2.88 | 698.01 | 01 | 06 | 4 | |
| | P | 10/22/1978 | -254.03 | -0.04 | 697.97 | 01 | 06 | 4 | |
| | P | 10/23/1978 | -253.92 | 0.11 | 698.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 24/ 1978 | -253.69 | 0.23 | 698.31 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1978 | -253.63 | 0.06 | 698.37 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1978 | -254.05 | -0.42 | 697.95 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1978 | -254.03 | 0.02 | 697.97 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1978 | -254.16 | -0.13 | 697.84 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1978 | -254.32 | -0.16 | 697.68 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1978 | -254.12 | 0.2 | 697.88 | 01 | 02 | 8 | |
| | P | 10 / 31/ 1978 | -254.47 | -0.35 | 697.53 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1978 | -254.52 | -0.05 | 697.48 | 01 | 11 | 8 | |
| | P | 11 / 2 / 1978 | -254.6 | -0.08 | 697.4 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1978 | -254.65 | -0.05 | 697.35 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1978 | -254.37 | 0.28 | 697.63 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1978 | -254.28 | 0.09 | 697.72 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1978 | -254.48 | -0.2 | 697.52 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1978 | -254.68 | -0.2 | 697.32 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1978 | -254.76 | -0.08 | 697.24 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1978 | -254.5 | 0.26 | 697.5 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1978 | -254.37 | 0.13 | 697.63 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1978 | -254.42 | -0.05 | 697.58 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1978 | -254.21 | 0.21 | 697.79 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1978 | -254.09 | 0.12 | 697.91 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1978 | -254.16 | -0.07 | 697.84 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1978 | -254.37 | -0.21 | 697.63 | 01 | 11 | 8 | |
| | P | 11 / 16/ 1978 | -254.45 | -0.08 | 697.55 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1978 | -254.53 | -0.08 | 697.47 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1978 | -254.58 | -0.05 | 697.42 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1978 | -254.5 | 0.08 | 697.5 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1978 | -254.12 | 0.38 | 697.88 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1978 | -253.73 | 0.39 | 698.27 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1978 | -253.44 | 0.29 | 698.56 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1978 | -253.35 | 0.09 | 698.65 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1978 | -253.23 | 0.12 | 698.77 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1978 | -252.96 | 0.27 | 699.04 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1978 | -252.32 | 0.64 | 699.68 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1978 | -251.91 | 0.41 | 700.09 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1978 | -251.44 | 0.47 | 700.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/29/1978 | -251.12 | 0.32 | 700.88 | 01 | 06 | 4 | |
| | P | 11/30/1978 | -251.37 | -0.25 | 700.63 | 01 | 06 | 4 | |
| | P | 12/ 1/1978 | -251.14 | 0.23 | 700.86 | 01 | 11 | 8 | |
| | P | 12/ 2/1978 | -251.54 | -0.4 | 700.46 | 01 | 06 | 4 | |
| | P | 12/ 3/1978 | -251.95 | -0.41 | 700.05 | 01 | 06 | 4 | |
| | P | 12/ 4/1978 | -252.07 | -0.12 | 699.93 | 01 | 06 | 4 | |
| | P | 12/ 5/1978 | -251.66 | 0.41 | 700.34 | 01 | 06 | 4 | |
| | P | 12/ 6/1978 | -251.65 | 0.01 | 700.35 | 01 | 06 | 4 | |
| | P | 12/ 7/1978 | -251.69 | -0.04 | 700.31 | 01 | 06 | 4 | |
| | P | 12/ 8/1978 | -251.86 | -0.17 | 700.14 | 01 | 06 | 4 | |
| | P | 12/ 9/1978 | -252.14 | -0.28 | 699.86 | 01 | 06 | 4 | |
| | P | 12/10/1978 | -251.97 | 0.17 | 700.03 | 01 | 06 | 4 | |
| | P | 12/11/1978 | -251.86 | 0.11 | 700.14 | 01 | 06 | 4 | |
| | P | 12/12/1978 | -251.77 | 0.09 | 700.23 | 01 | 06 | 4 | |
| | P | 12/13/1978 | -251.73 | 0.04 | 700.27 | 01 | 06 | 4 | |
| | P | 12/14/1978 | -251.58 | 0.15 | 700.42 | 01 | 06 | 4 | |
| | P | 12/15/1978 | -251.32 | 0.26 | 700.68 | 01 | 11 | 8 | |
| | P | 12/16/1978 | -251.35 | -0.03 | 700.65 | 01 | 06 | 4 | |
| | P | 12/17/1978 | -251.64 | -0.29 | 700.36 | 01 | 06 | 4 | |
| | P | 12/18/1978 | -251.34 | 0.3 | 700.66 | 01 | 06 | 4 | |
| | P | 12/19/1978 | -251.83 | -0.49 | 700.17 | 01 | 06 | 4 | |
| | P | 12/20/1978 | -252.1 | -0.27 | 699.9 | 01 | 06 | 4 | |
| | P | 12/21/1978 | -252.43 | -0.33 | 699.57 | 01 | 06 | 4 | |
| | P | 12/22/1978 | -251.95 | 0.48 | 700.05 | 01 | 06 | 4 | |
| | P | 12/23/1978 | -251.65 | 0.3 | 700.35 | 01 | 06 | 4 | |
| | P | 12/24/1978 | -251.65 | | 700.35 | 01 | 06 | 4 | |
| | P | 12/25/1978 | -251.61 | 0.04 | 700.39 | 01 | 06 | 4 | |
| | P | 12/26/1978 | -251.63 | -0.02 | 700.37 | 01 | 06 | 4 | |
| | P | 12/27/1978 | -251.7 | -0.07 | 700.3 | 01 | 06 | 4 | |
| | P | 12/28/1978 | -251.49 | 0.21 | 700.51 | 01 | 06 | 4 | |
| | P | 12/29/1978 | -251.4 | 0.09 | 700.6 | 01 | 06 | 4 | |
| | P | 12/30/1978 | -251.48 | -0.08 | 700.52 | 01 | 06 | 4 | |
| | P | 12/31/1978 | -251.45 | 0.03 | 700.55 | 01 | 06 | 4 | |
| | P | 1/ 1/1979 | -251.64 | -0.19 | 700.36 | 01 | 06 | 4 | |
| | P | 1/ 2/1979 | -251.63 | 0.01 | 700.37 | 01 | 06 | 4 | |
| | P | 1/ 3/1979 | -251.46 | 0.17 | 700.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 4/1979 | -251.24 | 0.22 | 700.76 | 01 | 06 | 4 | |
| | P | 1/ 5/1979 | -251.09 | 0.15 | 700.91 | 01 | 06 | 4 | |
| | P | 1/ 6/1979 | -250.84 | 0.25 | 701.16 | 01 | 06 | 4 | |
| | P | 1/ 7/1979 | -250.84 | | 701.16 | 01 | 06 | 4 | |
| | P | 1/ 8/1979 | -251.27 | -0.43 | 700.73 | 01 | 06 | 4 | |
| | P | 1/ 9/1979 | -251.02 | 0.25 | 700.98 | 01 | 06 | 4 | |
| | P | 1/10/1979 | -250.31 | 0.71 | 701.69 | 01 | 06 | 4 | |
| | P | 1/11/1979 | -248.7 | 1.61 | 703.3 | 01 | 06 | 4 | |
| | P | 1/12/1979 | -247.98 | 0.72 | 704.02 | 01 | 06 | 4 | |
| | P | 1/13/1979 | -247.88 | 0.1 | 704.12 | 01 | 06 | 4 | |
| | P | 1/14/1979 | -248.4 | -0.52 | 703.6 | 01 | 06 | 4 | |
| | P | 1/15/1979 | -247.97 | 0.43 | 704.03 | 01 | 06 | 4 | |
| | P | 1/16/1979 | -247.78 | 0.19 | 704.22 | 01 | 06 | 4 | |
| | P | 1/17/1979 | -247.65 | 0.13 | 704.35 | 01 | 06 | 4 | |
| | P | 1/18/1979 | -247.38 | 0.27 | 704.62 | 01 | 06 | 4 | |
| | P | 1/19/1979 | -247.15 | 0.23 | 704.85 | 01 | 06 | 4 | |
| | P | 1/20/1979 | -247.18 | -0.03 | 704.82 | 01 | 06 | 4 | |
| | P | 1/21/1979 | -247.29 | -0.11 | 704.71 | 01 | 06 | 4 | |
| | P | 1/22/1979 | -246.73 | 0.56 | 705.27 | 01 | 06 | 4 | |
| | P | 1/23/1979 | -246.72 | 0.01 | 705.28 | 01 | 06 | 4 | |
| | P | 1/24/1979 | -246.86 | -0.14 | 705.14 | 01 | 06 | 4 | |
| | P | 1/25/1979 | -246.53 | 0.33 | 705.47 | 01 | 06 | 4 | |
| | P | 1/26/1979 | -246.49 | 0.04 | 705.51 | 01 | 06 | 4 | |
| | P | 1/27/1979 | -246.66 | -0.17 | 705.34 | 01 | 06 | 4 | |
| | P | 1/28/1979 | -247.56 | -0.9 | 704.44 | 01 | 06 | 4 | |
| | P | 1/29/1979 | -247.62 | -0.06 | 704.38 | 01 | 06 | 4 | |
| | P | 1/30/1979 | -247.49 | 0.13 | 704.51 | 01 | 06 | 4 | |
| | P | 1/31/1979 | -247.93 | -0.44 | 704.07 | 01 | 06 | 4 | |
| | P | 2/ 1/1979 | -247.86 | 0.07 | 704.14 | 01 | 06 | 4 | |
| | P | 2/ 2/1979 | -247.61 | 0.25 | 704.39 | 01 | 06 | 4 | |
| | P | 2/ 3/1979 | -247.58 | 0.03 | 704.42 | 01 | 06 | 4 | |
| | P | 2/ 4/1979 | -247.66 | -0.08 | 704.34 | 01 | 06 | 4 | |
| | P | 2/ 5/1979 | -246.62 | 1.04 | 705.38 | 01 | 06 | 4 | |
| | P | 2/ 6/1979 | -246.07 | 0.55 | 705.93 | 01 | 06 | 4 | |
| | P | 2/ 7/1979 | -246.58 | -0.51 | 705.42 | 01 | 06 | 4 | |
| | P | 2/ 8/1979 | -246.34 | 0.24 | 705.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 9/1979 | -246.67 | -0.33 | 705.33 | 01 | 06 | 4 | |
| | P | 2/10/1979 | -246.28 | 0.39 | 705.72 | 01 | 06 | 4 | |
| | P | 2/11/1979 | -246.25 | 0.03 | 705.75 | 01 | 06 | 4 | |
| | P | 2/12/1979 | -245.7 | 0.55 | 706.3 | 01 | 06 | 4 | |
| | P | 2/13/1979 | -245.11 | 0.59 | 706.89 | 01 | 06 | 4 | |
| | P | 2/14/1979 | -244.69 | 0.42 | 707.31 | 01 | 06 | 4 | |
| | P | 2/15/1979 | -244.58 | 0.11 | 707.42 | 01 | 06 | 4 | |
| | P | 2/16/1979 | -244.79 | -0.21 | 707.21 | 01 | 06 | 4 | |
| | P | 2/17/1979 | -244.74 | 0.05 | 707.26 | 01 | 06 | 4 | |
| | P | 2/18/1979 | -244.73 | 0.01 | 707.27 | 01 | 06 | 4 | |
| | P | 2/19/1979 | -244.41 | 0.32 | 707.59 | 01 | 06 | 4 | |
| | P | 2/20/1979 | -244.12 | 0.29 | 707.88 | 01 | 06 | 4 | |
| | P | 2/21/1979 | -244.04 | 0.08 | 707.96 | 01 | 06 | 4 | |
| | P | 2/22/1979 | -243.83 | 0.21 | 708.17 | 01 | 06 | 4 | |
| | P | 2/23/1979 | -243.81 | 0.02 | 708.19 | 01 | 06 | 4 | |
| | P | 2/24/1979 | -244.39 | -0.58 | 707.61 | 01 | 06 | 4 | |
| | P | 2/25/1979 | -244.99 | -0.6 | 707.01 | 01 | 06 | 4 | |
| | P | 2/26/1979 | -244.52 | 0.47 | 707.48 | 01 | 06 | 4 | |
| | P | 2/27/1979 | -243.92 | 0.6 | 708.08 | 01 | 06 | 4 | |
| | P | 2/28/1979 | -243.95 | -0.03 | 708.05 | 01 | 06 | 4 | |
| | P | 3/ 1/1979 | -243.91 | 0.04 | 708.09 | 01 | 06 | 4 | |
| | P | 3/ 2/1979 | -243.5 | 0.41 | 708.5 | 01 | 06 | 4 | |
| | P | 3/ 3/1979 | -243.67 | -0.17 | 708.33 | 01 | 06 | 4 | |
| | P | 3/ 4/1979 | -244.02 | -0.35 | 707.98 | 01 | 06 | 4 | |
| | P | 3/ 5/1979 | -244.13 | -0.11 | 707.87 | 01 | 06 | 4 | |
| | P | 3/ 6/1979 | -243.99 | 0.14 | 708.01 | 01 | 06 | 4 | |
| | P | 3/ 7/1979 | -243.8 | 0.19 | 708.2 | 01 | 06 | 4 | |
| | P | 3/ 8/1979 | -243.76 | 0.04 | 708.24 | 01 | 06 | 4 | |
| | P | 3/ 9/1979 | -243.7 | 0.06 | 708.3 | 01 | 06 | 4 | |
| | P | 3/10/1979 | -244.01 | -0.31 | 707.99 | 01 | 06 | 4 | |
| | P | 3/11/1979 | -244.22 | -0.21 | 707.78 | 01 | 06 | 4 | |
| | P | 3/12/1979 | -243.88 | 0.34 | 708.12 | 01 | 06 | 4 | |
| | P | 3/13/1979 | -244.7 | -0.82 | 707.3 | 01 | 06 | 4 | |
| | P | 3/14/1979 | -245.23 | -0.53 | 706.77 | 01 | 06 | 4 | |
| | P | 3/15/1979 | -245.47 | -0.24 | 706.53 | 01 | 06 | 4 | |
| | P | 3/16/1979 | -245.31 | 0.16 | 706.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/17/1979 | -245.13 | 0.18 | 706.87 | 01 | 06 | 4 | |
| | P | 3/18/1979 | -245 | 0.13 | 707 | 01 | 06 | 4 | |
| | P | 3/19/1979 | -244.79 | 0.21 | 707.21 | 01 | 06 | 4 | |
| | P | 3/20/1979 | -244.34 | 0.45 | 707.66 | 01 | 06 | 4 | |
| | P | 3/21/1979 | -242.51 | 1.83 | 709.49 | 01 | 06 | 4 | |
| | P | 3/22/1979 | -241.8 | 0.71 | 710.2 | 01 | 06 | 4 | |
| | P | 3/23/1979 | -241.66 | 0.14 | 710.34 | 01 | 06 | 4 | |
| | P | 3/24/1979 | -241.42 | 0.24 | 710.58 | 01 | 06 | 4 | |
| | P | 3/25/1979 | -241.11 | 0.31 | 710.89 | 01 | 06 | 4 | |
| | P | 3/26/1979 | -240.98 | 0.13 | 711.02 | 01 | 06 | 4 | |
| | P | 3/27/1979 | -240.95 | 0.03 | 711.05 | 01 | 06 | 4 | |
| | P | 3/28/1979 | -240.66 | 0.29 | 711.34 | 01 | 06 | 4 | |
| | P | 3/29/1979 | -240.42 | 0.24 | 711.58 | 01 | 06 | 4 | |
| | P | 3/30/1979 | -240.36 | 0.06 | 711.64 | 01 | 06 | 4 | |
| | P | 3/31/1979 | -240.22 | 0.14 | 711.78 | 01 | 06 | 4 | |
| | P | 4/ 1/1979 | -240.1 | 0.12 | 711.9 | 01 | 06 | 4 | |
| | P | 4/ 2/1979 | -240.09 | 0.01 | 711.91 | 01 | 06 | 4 | |
| | P | 4/ 3/1979 | -239.95 | 0.14 | 712.05 | 01 | 06 | 4 | |
| | P | 4/ 4/1979 | -240 | -0.05 | 712 | 01 | 06 | 4 | |
| | P | 4/ 5/1979 | -239.85 | 0.15 | 712.15 | 01 | 06 | 4 | |
| | P | 4/ 6/1979 | -239.73 | 0.12 | 712.27 | 01 | 06 | 4 | |
| | P | 4/ 7/1979 | -240.22 | -0.49 | 711.78 | 01 | 06 | 4 | |
| | P | 4/ 8/1979 | -240.27 | -0.05 | 711.73 | 01 | 06 | 4 | |
| | P | 4/ 9/1979 | -240.54 | -0.27 | 711.46 | 01 | 06 | 4 | |
| | P | 4/10/1979 | -240.18 | 0.36 | 711.82 | 01 | 06 | 4 | |
| | P | 4/11/1979 | -239.98 | 0.2 | 712.02 | 01 | 06 | 4 | |
| | P | 4/12/1979 | -240.59 | -0.61 | 711.41 | 01 | 06 | 4 | |
| | P | 4/13/1979 | -240.71 | -0.12 | 711.29 | 01 | 06 | 4 | |
| | P | 4/14/1979 | -240.67 | 0.04 | 711.33 | 01 | 06 | 4 | |
| | P | 4/15/1979 | -240.41 | 0.26 | 711.59 | 01 | 06 | 4 | |
| | P | 4/16/1979 | -239.89 | 0.52 | 712.11 | 01 | 06 | 4 | |
| | P | 4/17/1979 | -239.41 | 0.48 | 712.59 | 01 | 06 | 4 | |
| | P | 4/18/1979 | -239.16 | 0.25 | 712.84 | 01 | 06 | 4 | |
| | P | 4/19/1979 | -238.89 | 0.27 | 713.11 | 01 | 06 | 4 | |
| | P | 4/20/1979 | -238.7 | 0.19 | 713.3 | 01 | 06 | 4 | |
| | P | 4/21/1979 | -237.12 | 1.58 | 714.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/22/1979 | -236.82 | 0.3 | 715.18 | 01 | 06 | 4 | |
| | P | 4/23/1979 | -236.61 | 0.21 | 715.39 | 01 | 06 | 4 | |
| | P | 4/24/1979 | -236.43 | 0.18 | 715.57 | 01 | 06 | 4 | |
| | P | 4/25/1979 | -236.23 | 0.2 | 715.77 | 01 | 06 | 4 | |
| | P | 4/26/1979 | -236.3 | -0.07 | 715.7 | 01 | 06 | 4 | |
| | P | 4/27/1979 | -236.35 | -0.05 | 715.65 | 01 | 06 | 4 | |
| | P | 4/28/1979 | -236.35 | | 715.65 | 01 | 06 | 4 | |
| | P | 4/29/1979 | -235.97 | 0.38 | 716.03 | 01 | 06 | 4 | |
| | P | 4/30/1979 | -235.62 | 0.35 | 716.38 | 01 | 06 | 4 | |
| | P | 5/ 1/1979 | -235.28 | 0.34 | 716.72 | 01 | 06 | 4 | |
| | P | 5/ 2/1979 | -235.08 | 0.2 | 716.92 | 01 | 06 | 4 | |
| | P | 5/ 3/1979 | -234.93 | 0.15 | 717.07 | 01 | 06 | 4 | |
| | P | 5/ 4/1979 | -235.01 | -0.08 | 716.99 | 01 | 06 | 4 | |
| | P | 5/ 5/1979 | -234.9 | 0.11 | 717.1 | 01 | 06 | 4 | |
| | P | 5/ 6/1979 | -234.63 | 0.27 | 717.37 | 01 | 06 | 4 | |
| | P | 5/ 7/1979 | -234.49 | 0.14 | 717.51 | 01 | 06 | 4 | |
| | P | 5/ 8/1979 | -234.37 | 0.12 | 717.63 | 01 | 06 | 4 | |
| | P | 5/ 9/1979 | -234.23 | 0.14 | 717.77 | 01 | 06 | 4 | |
| | P | 5/10/1979 | -234.24 | -0.01 | 717.76 | 01 | 06 | 4 | |
| | P | 5/11/1979 | -234.27 | -0.03 | 717.73 | 01 | 06 | 4 | |
| | P | 5/12/1979 | -234.33 | -0.06 | 717.67 | 01 | 06 | 4 | |
| | P | 5/13/1979 | -234.25 | 0.08 | 717.75 | 01 | 06 | 4 | |
| | P | 5/14/1979 | -234.14 | 0.11 | 717.86 | 01 | 06 | 4 | |
| | P | 5/15/1979 | -240.41 | -6.27 | 711.59 | 01 | 06 | 4 | |
| | P | 5/16/1979 | -234.9 | 5.51 | 717.1 | 01 | 06 | 4 | |
| | P | 5/17/1979 | -234.73 | 0.17 | 717.27 | 01 | 06 | 4 | |
| | P | 5/18/1979 | -234.65 | 0.08 | 717.35 | 01 | 06 | 4 | |
| | P | 5/19/1979 | -234.57 | 0.08 | 717.43 | 01 | 06 | 4 | |
| | P | 5/20/1979 | -234.57 | | 717.43 | 01 | 06 | 4 | |
| | P | 5/21/1979 | -234.76 | -0.19 | 717.24 | 01 | 06 | 4 | |
| | P | 5/22/1979 | -234.75 | 0.01 | 717.25 | 01 | 06 | 4 | |
| | P | 5/23/1979 | -234.93 | -0.18 | 717.07 | 01 | 06 | 4 | |
| | P | 5/24/1979 | -234.82 | 0.11 | 717.18 | 01 | 06 | 4 | |
| | P | 5/25/1979 | -234.66 | 0.16 | 717.34 | 01 | 06 | 4 | |
| | P | 5/26/1979 | -234.66 | | 717.34 | 01 | 06 | 4 | |
| | P | 5/27/1979 | -234.56 | 0.1 | 717.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/28/1979 | -234.6 | -0.04 | 717.4 | 01 | 06 | 4 | |
| | P | 5/29/1979 | -234.53 | 0.07 | 717.47 | 01 | 06 | 4 | |
| | P | 5/30/1979 | -234.53 | | 717.47 | 01 | 06 | 4 | |
| | P | 5/31/1979 | -234.87 | -0.34 | 717.13 | 01 | 06 | 4 | |
| | P | 6/ 1/1979 | -234.58 | 0.29 | 717.42 | 01 | 06 | 4 | |
| | P | 6/ 2/1979 | -234.17 | 0.41 | 717.83 | 01 | 06 | 4 | |
| | P | 6/ 3/1979 | -234.05 | 0.12 | 717.95 | 01 | 06 | 4 | |
| | P | 6/ 4/1979 | -233.93 | 0.12 | 718.07 | 01 | 06 | 4 | |
| | P | 6/ 5/1979 | -233.94 | -0.01 | 718.06 | 01 | 06 | 4 | |
| | P | 6/ 6/1979 | -233.05 | 0.89 | 718.95 | 01 | 06 | 4 | |
| | P | 6/ 7/1979 | -232.24 | 0.81 | 719.76 | 01 | 06 | 4 | |
| | P | 6/ 8/1979 | -231.98 | 0.26 | 720.02 | 01 | 06 | 4 | |
| | P | 6/ 9/1979 | -231.83 | 0.15 | 720.17 | 01 | 06 | 4 | |
| | P | 6/10/1979 | -232.28 | -0.45 | 719.72 | 01 | 06 | 4 | |
| | P | 6/11/1979 | -232.38 | -0.1 | 719.62 | 01 | 06 | 4 | |
| | P | 6/12/1979 | -232.11 | 0.27 | 719.89 | 01 | 06 | 4 | |
| | P | 6/13/1979 | -232.08 | 0.03 | 719.92 | 01 | 06 | 4 | |
| | P | 6/14/1979 | -232.1 | -0.02 | 719.9 | 01 | 06 | 4 | |
| | P | 6/15/1979 | -232.12 | -0.02 | 719.88 | 01 | 06 | 4 | |
| | P | 6/16/1979 | -232.26 | -0.14 | 719.74 | 01 | 06 | 4 | |
| | P | 6/17/1979 | -232.05 | 0.21 | 719.95 | 01 | 06 | 4 | |
| | P | 6/18/1979 | -232.07 | -0.02 | 719.93 | 01 | 06 | 4 | |
| | P | 6/19/1979 | -231.46 | 0.61 | 720.54 | 01 | 06 | 4 | |
| | P | 6/20/1979 | -231.52 | -0.06 | 720.48 | 01 | 06 | 4 | |
| | P | 6/21/1979 | -231.48 | 0.04 | 720.52 | 01 | 06 | 4 | |
| | P | 6/22/1979 | -231.44 | 0.04 | 720.56 | 01 | 06 | 4 | |
| | P | 6/23/1979 | -231.86 | -0.42 | 720.14 | 01 | 06 | 4 | |
| | P | 6/24/1979 | -232.08 | -0.22 | 719.92 | 01 | 06 | 4 | |
| | P | 6/25/1979 | -232.24 | -0.16 | 719.76 | 01 | 06 | 4 | |
| | P | 6/26/1979 | -232.27 | -0.03 | 719.73 | 01 | 06 | 4 | |
| | P | 6/27/1979 | -232.2 | 0.07 | 719.8 | 01 | 06 | 4 | |
| | P | 6/28/1979 | -232 | 0.2 | 720 | 01 | 06 | 4 | |
| | P | 6/29/1979 | -232.1 | -0.1 | 719.9 | 01 | 06 | 4 | |
| | P | 6/30/1979 | -232.37 | -0.27 | 719.63 | 01 | 06 | 4 | |
| | P | 7/ 1/1979 | -232.66 | -0.29 | 719.34 | 01 | 06 | 4 | |
| | P | 7/ 2/1979 | -232.9 | -0.24 | 719.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 3/1979 | -232.95 | -0.05 | 719.05 | 01 | 06 | 4 | |
| | P | 7/ 4/1979 | -233.05 | -0.1 | 718.95 | 01 | 06 | 4 | |
| | P | 7/ 5/1979 | -232.85 | 0.2 | 719.15 | 01 | 06 | 4 | |
| | P | 7/ 6/1979 | -233.03 | -0.18 | 718.97 | 01 | 06 | 4 | |
| | P | 7/ 7/1979 | -233.02 | 0.01 | 718.98 | 01 | 06 | 4 | |
| | P | 7/ 8/1979 | -232.8 | 0.22 | 719.2 | 01 | 06 | 4 | |
| | P | 7/ 9/1979 | -232.83 | -0.03 | 719.17 | 01 | 06 | 4 | |
| | P | 7/10/1979 | -232.73 | 0.1 | 719.27 | 01 | 06 | 4 | |
| | P | 7/11/1979 | -232.78 | -0.05 | 719.22 | 01 | 06 | 4 | |
| | P | 7/12/1979 | -232.78 | | 719.22 | 01 | 06 | 4 | |
| | P | 7/13/1979 | -233.02 | -0.24 | 718.98 | 01 | 06 | 4 | |
| | P | 7/14/1979 | -233 | 0.02 | 719 | 01 | 06 | 4 | |
| | P | 7/15/1979 | -232.93 | 0.07 | 719.07 | 01 | 06 | 4 | |
| | P | 7/16/1979 | -232.83 | 0.1 | 719.17 | 01 | 06 | 4 | |
| | P | 7/17/1979 | -233.37 | -0.54 | 718.63 | 01 | 06 | 4 | |
| | P | 7/18/1979 | -233.23 | 0.14 | 718.77 | 01 | 06 | 4 | |
| | P | 7/19/1979 | -233.14 | 0.09 | 718.86 | 01 | 06 | 4 | |
| | P | 7/20/1979 | -233.24 | -0.1 | 718.76 | 01 | 06 | 4 | |
| | P | 7/21/1979 | -233.18 | 0.06 | 718.82 | 01 | 06 | 4 | |
| | P | 7/22/1979 | -232.97 | 0.21 | 719.03 | 01 | 06 | 4 | |
| | P | 7/23/1979 | -232.32 | 0.65 | 719.68 | 01 | 06 | 4 | |
| | P | 7/24/1979 | -233.67 | -1.35 | 718.33 | 01 | 06 | 4 | |
| | P | 7/25/1979 | -232.6 | 1.07 | 719.4 | 01 | 06 | 4 | |
| | P | 7/26/1979 | -232.73 | -0.13 | 719.27 | 01 | 06 | 4 | |
| | P | 7/27/1979 | -233.11 | -0.38 | 718.89 | 01 | 06 | 4 | |
| | P | 7/28/1979 | -233.31 | -0.2 | 718.69 | 01 | 06 | 4 | |
| | P | 7/29/1979 | -233.16 | 0.15 | 718.84 | 01 | 06 | 4 | |
| | P | 7/30/1979 | -232.95 | 0.21 | 719.05 | 01 | 06 | 4 | |
| | P | 7/31/1979 | -232.89 | 0.06 | 719.11 | 01 | 06 | 4 | |
| | P | 8/ 1/1979 | -232.75 | 0.14 | 719.25 | 01 | 06 | 4 | |
| | P | 8/ 2/1979 | -232.53 | 0.22 | 719.47 | 01 | 06 | 4 | |
| | P | 8/ 3/1979 | -232.68 | -0.15 | 719.32 | 01 | 06 | 4 | |
| | P | 8/ 4/1979 | -232.94 | -0.26 | 719.06 | 01 | 06 | 4 | |
| | P | 8/ 5/1979 | -233.2 | -0.26 | 718.8 | 01 | 06 | 4 | |
| | P | 8/ 6/1979 | -233.28 | -0.08 | 718.72 | 01 | 06 | 4 | |
| | P | 8/ 7/1979 | -233.3 | -0.02 | 718.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 8/1979 | -233.57 | -0.27 | 718.43 | 01 | 06 | 4 | |
| | P | 8/ 9/1979 | -233.6 | -0.03 | 718.4 | 01 | 06 | 4 | |
| | P | 8/10/1979 | -233.46 | 0.14 | 718.54 | 01 | 06 | 4 | |
| | P | 8/11/1979 | -233.47 | -0.01 | 718.53 | 01 | 06 | 4 | |
| | P | 8/12/1979 | -233.84 | -0.37 | 718.16 | 01 | 06 | 4 | |
| | P | 8/13/1979 | -233.77 | 0.07 | 718.23 | 01 | 06 | 4 | |
| | P | 8/14/1979 | -233.84 | -0.07 | 718.16 | 01 | 06 | 4 | |
| | P | 8/15/1979 | -234 | -0.16 | 718 | 01 | 06 | 4 | |
| | P | 8/16/1979 | -234.05 | -0.05 | 717.95 | 01 | 06 | 4 | |
| | P | 8/17/1979 | -233.87 | 0.18 | 718.13 | 01 | 06 | 4 | |
| | P | 8/18/1979 | -234.07 | -0.2 | 717.93 | 01 | 06 | 4 | |
| | P | 8/19/1979 | -234.23 | -0.16 | 717.77 | 01 | 06 | 4 | |
| | P | 8/20/1979 | -234.1 | 0.13 | 717.9 | 01 | 06 | 4 | |
| | P | 8/21/1979 | -234.27 | -0.17 | 717.73 | 01 | 06 | 4 | |
| | P | 8/22/1979 | -234.14 | 0.13 | 717.86 | 01 | 06 | 4 | |
| | P | 8/23/1979 | -234.36 | -0.22 | 717.64 | 01 | 06 | 4 | |
| | P | 8/24/1979 | -234.23 | 0.13 | 717.77 | 01 | 06 | 4 | |
| | P | 8/25/1979 | -234.21 | 0.02 | 717.79 | 01 | 06 | 4 | |
| | P | 8/26/1979 | -234.57 | -0.36 | 717.43 | 01 | 06 | 4 | |
| | P | 8/27/1979 | -234.68 | -0.11 | 717.32 | 01 | 06 | 4 | |
| | P | 8/28/1979 | -234.78 | -0.1 | 717.22 | 01 | 06 | 4 | |
| | P | 8/29/1979 | -234.99 | -0.21 | 717.01 | 01 | 06 | 4 | |
| | P | 8/30/1979 | -234.95 | 0.04 | 717.05 | 01 | 06 | 4 | |
| | P | 8/31/1979 | -234.75 | 0.2 | 717.25 | 01 | 06 | 4 | |
| | P | 9/ 1/1979 | -234.84 | -0.09 | 717.16 | 01 | 06 | 4 | |
| | P | 9/ 2/1979 | -235.35 | -0.51 | 716.65 | 01 | 06 | 4 | |
| | P | 9/ 3/1979 | -235.42 | -0.07 | 716.58 | 01 | 06 | 4 | |
| | P | 9/ 4/1979 | -235.46 | -0.04 | 716.54 | 01 | 06 | 4 | |
| | P | 9/ 5/1979 | -235.36 | 0.1 | 716.64 | 01 | 06 | 4 | |
| | P | 9/ 6/1979 | -235.51 | -0.15 | 716.49 | 01 | 06 | 4 | |
| | P | 9/ 7/1979 | -235.24 | 0.27 | 716.76 | 01 | 06 | 4 | |
| | P | 9/ 8/1979 | -235.51 | -0.27 | 716.49 | 01 | 06 | 4 | |
| | P | 9/ 9/1979 | -235.66 | -0.15 | 716.34 | 01 | 06 | 4 | |
| | P | 9/10/1979 | -235.8 | -0.14 | 716.2 | 01 | 06 | 4 | |
| | P | 9/11/1979 | -235.99 | -0.19 | 716.01 | 01 | 06 | 4 | |
| | P | 9/12/1979 | -236.13 | -0.14 | 715.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 13/ 1979 | -236.24 | -0.11 | 715.76 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1979 | -236.5 | -0.26 | 715.5 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1979 | -236.83 | -0.33 | 715.17 | 01 | 06 | 4 | |
| | P | 9/ 16/ 1979 | -236.98 | -0.15 | 715.02 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1979 | -236.89 | 0.09 | 715.11 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1979 | -236.81 | 0.08 | 715.19 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1979 | -236.73 | 0.08 | 715.27 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1979 | -236.52 | 0.21 | 715.48 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1979 | -236.75 | -0.23 | 715.25 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1979 | -236.61 | 0.14 | 715.39 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1979 | -236.62 | -0.01 | 715.38 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1979 | -236.28 | 0.34 | 715.72 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1979 | -236.59 | -0.31 | 715.41 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1979 | -236.46 | 0.13 | 715.54 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1979 | -236.37 | 0.09 | 715.63 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1979 | -236.47 | -0.1 | 715.53 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1979 | -236.79 | -0.32 | 715.21 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1979 | -236.8 | -0.01 | 715.2 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1979 | -237.16 | -0.36 | 714.84 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1979 | -237.15 | 0.01 | 714.85 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1979 | -237.18 | -0.03 | 714.82 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1979 | -237.39 | -0.21 | 714.61 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1979 | -237.17 | 0.22 | 714.83 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1979 | -237.15 | 0.02 | 714.85 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1979 | -238.26 | -1.11 | 713.74 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1979 | -238.01 | 0.25 | 713.99 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1979 | -237.84 | 0.17 | 714.16 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1979 | -238.06 | -0.22 | 713.94 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1979 | -237.85 | 0.21 | 714.15 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1979 | -237.75 | 0.1 | 714.25 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1979 | -238.04 | -0.29 | 713.96 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1979 | -238.58 | -0.54 | 713.42 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1979 | -239 | -0.42 | 713 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1979 | -239.23 | -0.23 | 712.77 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1979 | -239.23 | | 712.77 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1979 | -239.19 | 0.04 | 712.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 19/ 1979 | -239.22 | -0.03 | 712.78 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1979 | -238.85 | 0.37 | 713.15 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1979 | -238.67 | 0.18 | 713.33 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1979 | -238.51 | 0.16 | 713.49 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1979 | -238.58 | -0.07 | 713.42 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1979 | -238.65 | -0.07 | 713.35 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1979 | -238.75 | -0.1 | 713.25 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1979 | -238.69 | 0.06 | 713.31 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1979 | -238.65 | 0.04 | 713.35 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1979 | -238.75 | -0.1 | 713.25 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1979 | -238.7 | 0.05 | 713.3 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1979 | -238.57 | 0.13 | 713.43 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1979 | -238.98 | -0.41 | 713.02 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1979 | -239.01 | -0.03 | 712.99 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1979 | -239.04 | -0.03 | 712.96 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1979 | -239.3 | -0.26 | 712.7 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1979 | -239.16 | 0.14 | 712.84 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1979 | -239.3 | -0.14 | 712.7 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1979 | -239.52 | -0.22 | 712.48 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1979 | -239.24 | 0.28 | 712.76 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1979 | -238.86 | 0.38 | 713.14 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1979 | -238.89 | -0.03 | 713.11 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1979 | -238.37 | 0.52 | 713.63 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1979 | -239.73 | -1.36 | 712.27 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1979 | -239.91 | -0.18 | 712.09 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1979 | -240.11 | -0.2 | 711.89 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1979 | -240.08 | 0.03 | 711.92 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1979 | -240.08 | | 711.92 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1979 | -239.87 | 0.21 | 712.13 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1979 | -239.54 | 0.33 | 712.46 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1979 | -239.8 | -0.26 | 712.2 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1979 | -240.13 | -0.33 | 711.87 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1979 | -240.37 | -0.24 | 711.63 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1979 | -240.31 | 0.06 | 711.69 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1979 | -240.31 | | 711.69 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1979 | -240.3 | 0.01 | 711.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/24/1979 | -240.5 | -0.2 | 711.5 | 01 | 06 | 4 | |
| | P | 11/25/1979 | -240.41 | 0.09 | 711.59 | 01 | 06 | 4 | |
| | P | 11/26/1979 | -240.72 | -0.31 | 711.28 | 01 | 06 | 4 | |
| | P | 11/27/1979 | -240.8 | -0.08 | 711.2 | 01 | 06 | 4 | |
| | P | 11/28/1979 | -241.2 | -0.4 | 710.8 | 01 | 06 | 4 | |
| | P | 11/29/1979 | -241.41 | -0.21 | 710.59 | 01 | 06 | 4 | |
| | P | 11/30/1979 | -241.23 | 0.18 | 710.77 | 01 | 06 | 4 | |
| | P | 12/ 1/1979 | -241.07 | 0.16 | 710.93 | 01 | 06 | 4 | |
| | P | 12/ 2/1979 | -241.2 | -0.13 | 710.8 | 01 | 06 | 4 | |
| | P | 12/ 3/1979 | -241.35 | -0.15 | 710.65 | 01 | 06 | 4 | |
| | P | 12/ 4/1979 | -241.25 | 0.1 | 710.75 | 01 | 06 | 4 | |
| | P | 12/ 5/1979 | -240.75 | 0.5 | 711.25 | 01 | 06 | 4 | |
| | P | 12/ 6/1979 | -241.09 | -0.34 | 710.91 | 01 | 06 | 4 | |
| | P | 12/ 7/1979 | -241.4 | -0.31 | 710.6 | 01 | 06 | 4 | |
| | P | 12/ 8/1979 | -241.56 | -0.16 | 710.44 | 01 | 06 | 4 | |
| | P | 12/ 9/1979 | -241.44 | 0.12 | 710.56 | 01 | 06 | 4 | |
| | P | 12/10/1979 | -241.49 | -0.05 | 710.51 | 01 | 06 | 4 | |
| | P | 12/11/1979 | -241.5 | -0.01 | 710.5 | 01 | 06 | 4 | |
| | P | 12/12/1979 | -241.35 | 0.15 | 710.65 | 01 | 06 | 4 | |
| | P | 12/13/1979 | -241.2 | 0.15 | 710.8 | 01 | 06 | 4 | |
| | P | 12/14/1979 | -241.18 | 0.02 | 710.82 | 01 | 06 | 4 | |
| | P | 12/15/1979 | -241.5 | -0.32 | 710.5 | 01 | 06 | 4 | |
| | P | 12/16/1979 | -241.37 | 0.13 | 710.63 | 01 | 06 | 4 | |
| | P | 12/17/1979 | -242.08 | -0.71 | 709.92 | 01 | 06 | 4 | |
| | P | 12/18/1979 | -241.8 | 0.28 | 710.2 | 01 | 06 | 4 | |
| | P | 12/19/1979 | -241.52 | 0.28 | 710.48 | 01 | 06 | 4 | |
| | P | 12/20/1979 | -241.46 | 0.06 | 710.54 | 01 | 06 | 4 | |
| | P | 12/21/1979 | -241.82 | -0.36 | 710.18 | 01 | 06 | 4 | |
| | P | 12/22/1979 | -241.7 | 0.12 | 710.3 | 01 | 06 | 4 | |
| | P | 12/23/1979 | -241.91 | -0.21 | 710.09 | 01 | 06 | 4 | |
| | P | 12/24/1979 | -242.45 | -0.54 | 709.55 | 01 | 06 | 4 | |
| | P | 12/25/1979 | -242.39 | 0.06 | 709.61 | 01 | 06 | 4 | |
| | P | 12/26/1979 | -241.94 | 0.45 | 710.06 | 01 | 06 | 4 | |
| | P | 12/27/1979 | -242.04 | -0.1 | 709.96 | 01 | 06 | 4 | |
| | P | 12/28/1979 | -242.48 | -0.44 | 709.52 | 01 | 06 | 4 | |
| | P | 12/29/1979 | -242.57 | -0.09 | 709.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/30/1979 | -242.57 | | 709.43 | 01 | 06 | 4 | |
| | P | 12/31/1979 | -242.73 | -0.16 | 709.27 | 01 | 06 | 4 | |
| | P | 1/ 1/1980 | -242.54 | 0.19 | 709.46 | 01 | 06 | 4 | |
| | P | 1/ 2/1980 | -242.58 | -0.04 | 709.42 | 01 | 06 | 4 | |
| | P | 1/ 3/1980 | -242.73 | -0.15 | 709.27 | 01 | 06 | 4 | |
| | P | 1/ 4/1980 | -242.81 | -0.08 | 709.19 | 01 | 06 | 4 | |
| | P | 1/ 5/1980 | -242.8 | 0.01 | 709.2 | 01 | 06 | 4 | |
| | P | 1/ 6/1980 | -242.59 | 0.21 | 709.41 | 01 | 06 | 4 | |
| | P | 1/ 7/1980 | -242.88 | -0.29 | 709.12 | 01 | 06 | 4 | |
| | P | 1/ 8/1980 | -243.05 | -0.17 | 708.95 | 01 | 06 | 4 | |
| | P | 1/ 9/1980 | -243.25 | -0.2 | 708.75 | 01 | 06 | 4 | |
| | P | 1/10/1980 | -242.9 | 0.35 | 709.1 | 01 | 06 | 4 | |
| | P | 1/11/1980 | -242.88 | 0.02 | 709.12 | 01 | 06 | 4 | |
| | P | 1/12/1980 | -242.71 | 0.17 | 709.29 | 01 | 06 | 4 | |
| | P | 1/13/1980 | -242.33 | 0.38 | 709.67 | 01 | 06 | 4 | |
| | P | 1/14/1980 | -242.41 | -0.08 | 709.59 | 01 | 06 | 4 | |
| | P | 1/15/1980 | -242.24 | 0.17 | 709.76 | 01 | 02 | 8 | |
| | P | 1/16/1980 | -242.16 | 0.08 | 709.84 | 01 | 06 | 4 | |
| | P | 1/17/1980 | -242.17 | -0.01 | 709.83 | 01 | 06 | 4 | |
| | P | 1/18/1980 | -242.2 | -0.03 | 709.8 | 01 | 06 | 4 | |
| | P | 1/19/1980 | -242.22 | -0.02 | 709.78 | 01 | 06 | 4 | |
| | P | 1/20/1980 | -242.25 | -0.03 | 709.75 | 01 | 06 | 4 | |
| | P | 1/21/1980 | -242.08 | 0.17 | 709.92 | 01 | 06 | 4 | |
| | P | 1/22/1980 | -241.98 | 0.1 | 710.02 | 01 | 06 | 4 | |
| | P | 1/23/1980 | -242.34 | -0.36 | 709.66 | 01 | 06 | 4 | |
| | P | 1/24/1980 | -242.03 | 0.31 | 709.97 | 01 | 06 | 4 | |
| | P | 1/25/1980 | -241.9 | 0.13 | 710.1 | 01 | 06 | 4 | |
| | P | 1/26/1980 | -241.99 | -0.09 | 710.01 | 01 | 06 | 4 | |
| | P | 1/27/1980 | -242.57 | -0.58 | 709.43 | 01 | 06 | 4 | |
| | P | 1/28/1980 | -242.38 | 0.19 | 709.62 | 01 | 06 | 4 | |
| | P | 1/29/1980 | -242.45 | -0.07 | 709.55 | 01 | 06 | 4 | |
| | P | 1/30/1980 | -242.32 | 0.13 | 709.68 | 01 | 02 | 8 | |
| | P | 1/31/1980 | -242.7 | -0.38 | 709.3 | 01 | 06 | 4 | |
| | P | 2/ 1/1980 | -242.71 | -0.01 | 709.29 | 01 | 06 | 4 | |
| | P | 2/ 2/1980 | -242.58 | 0.13 | 709.42 | 01 | 06 | 4 | |
| | P | 2/ 3/1980 | -242.64 | -0.06 | 709.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 4/1980 | -242.72 | -0.08 | 709.28 | 01 | 06 | 4 | |
| | P | 2/ 5/1980 | -242.72 | | 709.28 | 01 | 06 | 4 | |
| | P | 2/ 6/1980 | -242.73 | -0.01 | 709.27 | 01 | 06 | 4 | |
| | P | 2/ 7/1980 | -242.53 | 0.2 | 709.47 | 01 | 06 | 4 | |
| | P | 2/ 8/1980 | -242.6 | -0.07 | 709.4 | 01 | 06 | 4 | |
| | P | 2/ 9/1980 | -242.78 | -0.18 | 709.22 | 01 | 06 | 4 | |
| | P | 2/10/1980 | -243.4 | -0.62 | 708.6 | 01 | 06 | 4 | |
| | P | 2/11/1980 | -243.41 | -0.01 | 708.59 | 01 | 06 | 4 | |
| | P | 2/12/1980 | -243.61 | -0.2 | 708.39 | 01 | 06 | 4 | |
| | P | 2/13/1980 | -243.4 | 0.21 | 708.6 | 01 | 06 | 4 | |
| | P | 2/14/1980 | -243.59 | -0.19 | 708.41 | 01 | 06 | 4 | |
| | P | 2/15/1980 | -243.27 | 0.32 | 708.73 | 01 | 02 | 8 | |
| | P | 2/16/1980 | -243.32 | -0.05 | 708.68 | 01 | 06 | 4 | |
| | P | 2/17/1980 | -243.36 | -0.04 | 708.64 | 01 | 06 | 4 | |
| | P | 2/18/1980 | -243.2 | 0.16 | 708.8 | 01 | 06 | 4 | |
| | P | 2/19/1980 | -243.15 | 0.05 | 708.85 | 01 | 06 | 4 | |
| | P | 2/20/1980 | -243.16 | -0.01 | 708.84 | 01 | 06 | 4 | |
| | P | 2/21/1980 | -243.28 | -0.12 | 708.72 | 01 | 06 | 4 | |
| | P | 2/22/1980 | -243.41 | -0.13 | 708.59 | 01 | 06 | 4 | |
| | P | 2/23/1980 | -243.53 | -0.12 | 708.47 | 01 | 06 | 4 | |
| | P | 2/24/1980 | -243.66 | -0.13 | 708.34 | 01 | 06 | 4 | |
| | P | 2/25/1980 | -243.92 | -0.26 | 708.08 | 01 | 06 | 4 | |
| | P | 2/26/1980 | -243.89 | 0.03 | 708.11 | 01 | 06 | 4 | |
| | P | 2/27/1980 | -243.77 | 0.12 | 708.23 | 01 | 06 | 4 | |
| | P | 2/28/1980 | -243.61 | 0.16 | 708.39 | 01 | 06 | 4 | |
| | P | 2/29/1980 | -243.5 | 0.11 | 708.5 | 01 | 06 | 4 | |
| | P | 3/ 1/1980 | -243.81 | -0.31 | 708.19 | 01 | 06 | 4 | |
| | P | 3/ 2/1980 | -244.28 | -0.47 | 707.72 | 01 | 06 | 4 | |
| | P | 3/ 3/1980 | -243.86 | 0.42 | 708.14 | 01 | 06 | 4 | |
| | P | 3/ 4/1980 | -243.69 | 0.17 | 708.31 | 01 | 06 | 4 | |
| | P | 3/ 5/1980 | -243.86 | -0.17 | 708.14 | 01 | 06 | 4 | |
| | P | 3/ 6/1980 | -244.06 | -0.2 | 707.94 | 01 | 06 | 4 | |
| | P | 3/ 7/1980 | -244.08 | -0.02 | 707.92 | 01 | 06 | 4 | |
| | P | 3/ 8/1980 | -244.19 | -0.11 | 707.81 | 01 | 06 | 4 | |
| | P | 3/ 9/1980 | -244.34 | -0.15 | 707.66 | 01 | 06 | 4 | |
| | P | 3/10/1980 | -244.34 | | 707.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/11/1980 | -244.71 | -0.37 | 707.29 | 01 | 06 | 4 | |
| | P | 3/12/1980 | -244.59 | 0.12 | 707.41 | 01 | 06 | 4 | |
| | P | 3/13/1980 | -244.73 | -0.14 | 707.27 | 01 | 06 | 4 | |
| | P | 3/14/1980 | -245.03 | -0.3 | 706.97 | 01 | 06 | 4 | |
| | P | 3/15/1980 | -244.98 | 0.05 | 707.02 | 01 | 02 | 8 | |
| | P | 3/16/1980 | -245.25 | -0.27 | 706.75 | 01 | 06 | 4 | |
| | P | 3/17/1980 | -245.19 | 0.06 | 706.81 | 01 | 06 | 4 | |
| | P | 3/18/1980 | -245.28 | -0.09 | 706.72 | 01 | 06 | 4 | |
| | P | 3/19/1980 | -245.05 | 0.23 | 706.95 | 01 | 06 | 4 | |
| | P | 3/20/1980 | -245.05 | | 706.95 | 01 | 06 | 4 | |
| | P | 3/21/1980 | -245.43 | -0.38 | 706.57 | 01 | 06 | 4 | |
| | P | 3/22/1980 | -246.25 | -0.82 | 705.75 | 01 | 06 | 4 | |
| | P | 3/23/1980 | -246.16 | 0.09 | 705.84 | 01 | 06 | 4 | |
| | P | 3/24/1980 | -246.08 | 0.08 | 705.92 | 01 | 06 | 4 | |
| | P | 3/25/1980 | -245.95 | 0.13 | 706.05 | 01 | 06 | 4 | |
| | P | 3/26/1980 | -245.88 | 0.07 | 706.12 | 01 | 06 | 4 | |
| | P | 3/27/1980 | -245.64 | 0.24 | 706.36 | 01 | 06 | 4 | |
| | P | 3/28/1980 | -245.7 | -0.06 | 706.3 | 01 | 06 | 4 | |
| | P | 3/29/1980 | -245.68 | 0.02 | 706.32 | 01 | 06 | 4 | |
| | P | 3/30/1980 | -245.85 | -0.17 | 706.15 | 01 | 02 | 8 | |
| | P | 3/31/1980 | -245.84 | 0.01 | 706.16 | 01 | 06 | 4 | |
| | P | 4/ 1/1980 | -245.94 | -0.1 | 706.06 | 01 | 06 | 4 | |
| | P | 4/ 2/1980 | -245.9 | 0.04 | 706.1 | 01 | 06 | 4 | |
| | P | 4/ 3/1980 | -246.01 | -0.11 | 705.99 | 01 | 06 | 4 | |
| | P | 4/ 4/1980 | -246.35 | -0.34 | 705.65 | 01 | 06 | 4 | |
| | P | 4/ 5/1980 | -246.32 | 0.03 | 705.68 | 01 | 06 | 4 | |
| | P | 4/ 6/1980 | -246.27 | 0.05 | 705.73 | 01 | 06 | 4 | |
| | P | 4/ 7/1980 | -247.08 | -0.81 | 704.92 | 01 | 06 | 4 | |
| | P | 4/ 8/1980 | -248.03 | -0.95 | 703.97 | 01 | 06 | 4 | |
| | P | 4/ 9/1980 | -247.83 | 0.2 | 704.17 | 01 | 06 | 4 | |
| | P | 4/10/1980 | -247.73 | 0.1 | 704.27 | 01 | 06 | 4 | |
| | P | 4/11/1980 | -247.65 | 0.08 | 704.35 | 01 | 06 | 4 | |
| | P | 4/12/1980 | -247.76 | -0.11 | 704.24 | 01 | 06 | 4 | |
| | P | 4/13/1980 | -248 | -0.24 | 704 | 01 | 06 | 4 | |
| | P | 4/14/1980 | -247.97 | 0.03 | 704.03 | 01 | 06 | 4 | |
| | P | 4/15/1980 | -248.02 | -0.05 | 703.98 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 16/ 1980 | -248.35 | -0.33 | 703.65 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1980 | -248.88 | -0.53 | 703.12 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1980 | -249.15 | -0.27 | 702.85 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1980 | -249.41 | -0.26 | 702.59 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1980 | -249.74 | -0.33 | 702.26 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1980 | -249.7 | 0.04 | 702.3 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1980 | -249.61 | 0.09 | 702.39 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1980 | -249.32 | 0.29 | 702.68 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1980 | -249.61 | -0.29 | 702.39 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1980 | -249.16 | 0.45 | 702.84 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1980 | -249.17 | -0.01 | 702.83 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1980 | -249.1 | 0.07 | 702.9 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1980 | -249.13 | -0.03 | 702.87 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1980 | -249.41 | -0.28 | 702.59 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1980 | -249.45 | -0.04 | 702.55 | 01 | 02 | 8 | |
| | P | 5/ 1/ 1980 | -249.44 | 0.01 | 702.56 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1980 | -249.4 | 0.04 | 702.6 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1980 | -249.33 | 0.07 | 702.67 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1980 | -249.29 | 0.04 | 702.71 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1980 | -249.18 | 0.11 | 702.82 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1980 | -249.14 | 0.04 | 702.86 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1980 | -249.14 | | 702.86 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1980 | -249.51 | -0.37 | 702.49 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1980 | -249.35 | 0.16 | 702.65 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1980 | -249.24 | 0.11 | 702.76 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1980 | -249.24 | | 702.76 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1980 | -249.29 | -0.05 | 702.71 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1980 | -249.3 | -0.01 | 702.7 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1980 | -249.15 | 0.15 | 702.85 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1980 | -248.45 | 0.7 | 703.55 | 01 | 02 | 8 | |
| | P | 5/ 16/ 1980 | -248.4 | 0.05 | 703.6 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1980 | -247.8 | 0.6 | 704.2 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1980 | -247.78 | 0.02 | 704.22 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1980 | -248.22 | -0.44 | 703.78 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1980 | -248.35 | -0.13 | 703.65 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1980 | -248.3 | 0.05 | 703.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/22/1980 | -248.21 | 0.09 | 703.79 | 01 | 06 | 4 | |
| | P | 5/23/1980 | -248.15 | 0.06 | 703.85 | 01 | 06 | 4 | |
| | P | 5/24/1980 | -245.15 | 3 | 706.85 | 01 | 06 | 4 | |
| | P | 5/25/1980 | -248.26 | -3.11 | 703.74 | 01 | 06 | 4 | |
| | P | 5/26/1980 | -248.36 | -0.1 | 703.64 | 01 | 06 | 4 | |
| | P | 5/27/1980 | -248.73 | -0.37 | 703.27 | 01 | 06 | 4 | |
| | P | 5/28/1980 | -248.92 | -0.19 | 703.08 | 01 | 06 | 4 | |
| | P | 5/29/1980 | -248.76 | 0.16 | 703.24 | 01 | 06 | 4 | |
| | P | 5/30/1980 | -248.82 | -0.06 | 703.18 | 01 | 02 | 8 | |
| | P | 5/31/1980 | -249.37 | -0.55 | 702.63 | 01 | 06 | 4 | |
| | P | 6/ 1/1980 | -249.97 | -0.6 | 702.03 | 01 | 06 | 4 | |
| | P | 6/ 2/1980 | -249.91 | 0.06 | 702.09 | 01 | 06 | 4 | |
| | P | 6/10/1980 | -250.94 | -1.03 | 701.06 | 01 | 06 | 4 | |
| | P | 6/11/1980 | -251 | -0.06 | 701 | 01 | 06 | 4 | |
| | P | 6/12/1980 | -251.48 | -0.48 | 700.52 | 01 | 06 | 4 | |
| | P | 6/13/1980 | -251.66 | -0.18 | 700.34 | 01 | 06 | 4 | |
| | P | 6/14/1980 | -251.85 | -0.19 | 700.15 | 01 | 06 | 4 | |
| | P | 6/15/1980 | -252.6 | -0.75 | 699.4 | 01 | 02 | 8 | |
| | P | 6/16/1980 | -252.51 | 0.09 | 699.49 | 01 | 06 | 4 | |
| | P | 6/17/1980 | -252.65 | -0.14 | 699.35 | 01 | 06 | 4 | |
| | P | 6/18/1980 | -252.82 | -0.17 | 699.18 | 01 | 06 | 4 | |
| | P | 6/19/1980 | -252.6 | 0.22 | 699.4 | 01 | 06 | 4 | |
| | P | 6/20/1980 | -252.87 | -0.27 | 699.13 | 01 | 06 | 4 | |
| | P | 6/21/1980 | -252.64 | 0.23 | 699.36 | 01 | 06 | 4 | |
| | P | 6/22/1980 | -252.33 | 0.31 | 699.67 | 01 | 06 | 4 | |
| | P | 6/23/1980 | -252.73 | -0.4 | 699.27 | 01 | 06 | 4 | |
| | P | 6/24/1980 | -253.3 | -0.57 | 698.7 | 01 | 06 | 4 | |
| | P | 6/25/1980 | -253.8 | -0.5 | 698.2 | 01 | 06 | 4 | |
| | P | 6/26/1980 | -253.87 | -0.07 | 698.13 | 01 | 06 | 4 | |
| | P | 6/27/1980 | -254.17 | -0.3 | 697.83 | 01 | 06 | 4 | |
| | P | 6/28/1980 | -254.57 | -0.4 | 697.43 | 01 | 06 | 4 | |
| | P | 6/29/1980 | -254.53 | 0.04 | 697.47 | 01 | 06 | 4 | |
| | P | 7/ 1/1980 | -254.77 | -0.24 | 697.23 | 01 | 06 | 4 | |
| | P | 7/ 2/1980 | -254.94 | -0.17 | 697.06 | 01 | 06 | 4 | |
| | P | 7/ 3/1980 | -255.1 | -0.16 | 696.9 | 01 | 06 | 4 | |
| | P | 7/ 4/1980 | -255.36 | -0.26 | 696.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 5/1980 | -255.95 | -0.59 | 696.05 | 01 | 06 | 4 | |
| | P | 7/ 6/1980 | -255.84 | 0.11 | 696.16 | 01 | 06 | 4 | |
| | P | 7/ 7/1980 | -256.15 | -0.31 | 695.85 | 01 | 06 | 4 | |
| | P | 7/ 8/1980 | -255.92 | 0.23 | 696.08 | 01 | 06 | 4 | |
| | P | 7/ 9/1980 | -256.14 | -0.22 | 695.86 | 01 | 06 | 4 | |
| | P | 7/10/1980 | -256.5 | -0.36 | 695.5 | 01 | 06 | 4 | |
| | P | 7/11/1980 | -256.51 | -0.01 | 695.49 | 01 | 06 | 4 | |
| | P | 7/12/1980 | -256.81 | -0.3 | 695.19 | 01 | 06 | 4 | |
| | P | 7/13/1980 | -257.15 | -0.34 | 694.85 | 01 | 06 | 4 | |
| | P | 7/14/1980 | -257.45 | -0.3 | 694.55 | 01 | 06 | 4 | |
| | P | 7/15/1980 | -257.33 | 0.12 | 694.67 | 01 | 02 | 8 | |
| | P | 7/16/1980 | -257.85 | -0.52 | 694.15 | 01 | 06 | 4 | |
| | P | 7/17/1980 | -257.91 | -0.06 | 694.09 | 01 | 06 | 4 | |
| | P | 7/18/1980 | -258.2 | -0.29 | 693.8 | 01 | 06 | 4 | |
| | P | 7/19/1980 | -258.41 | -0.21 | 693.59 | 01 | 06 | 4 | |
| | P | 7/20/1980 | -258.69 | -0.28 | 693.31 | 01 | 06 | 4 | |
| | P | 7/21/1980 | -258.55 | 0.14 | 693.45 | 01 | 06 | 4 | |
| | P | 7/22/1980 | -258.56 | -0.01 | 693.44 | 01 | 06 | 4 | |
| | P | 7/23/1980 | -257.71 | 0.85 | 694.29 | 01 | 06 | 4 | |
| | P | 7/24/1980 | -257.47 | 0.24 | 694.53 | 01 | 06 | 4 | |
| | P | 7/25/1980 | -257.35 | 0.12 | 694.65 | 01 | 06 | 4 | |
| | P | 7/26/1980 | -257.37 | -0.02 | 694.63 | 01 | 06 | 4 | |
| | P | 7/27/1980 | -257.58 | -0.21 | 694.42 | 01 | 06 | 4 | |
| | P | 7/28/1980 | -257.93 | -0.35 | 694.07 | 01 | 06 | 4 | |
| | P | 7/29/1980 | -257.88 | 0.05 | 694.12 | 01 | 06 | 4 | |
| | P | 7/30/1980 | -258.43 | -0.55 | 693.57 | 01 | 02 | 8 | |
| | P | 7/31/1980 | -258.72 | -0.29 | 693.28 | 01 | 06 | 4 | |
| | P | 8/ 1/1980 | -259.3 | -0.58 | 692.7 | 01 | 06 | 4 | |
| | P | 8/ 2/1980 | -259.36 | -0.06 | 692.64 | 01 | 06 | 4 | |
| | P | 8/ 3/1980 | -259.35 | 0.01 | 692.65 | 01 | 06 | 4 | |
| | P | 8/ 4/1980 | -259.45 | -0.1 | 692.55 | 01 | 06 | 4 | |
| | P | 8/ 5/1980 | -259.7 | -0.25 | 692.3 | 01 | 06 | 4 | |
| | P | 8/ 6/1980 | -259.98 | -0.28 | 692.02 | 01 | 06 | 4 | |
| | P | 8/ 7/1980 | -259.75 | 0.23 | 692.25 | 01 | 06 | 4 | |
| | P | 8/ 8/1980 | -259.31 | 0.44 | 692.69 | 01 | 06 | 4 | |
| | P | 8/ 9/1980 | -258.88 | 0.43 | 693.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/10/1980 | -258.81 | 0.07 | 693.19 | 01 | 06 | 4 | |
| | P | 8/11/1980 | -258.78 | 0.03 | 693.22 | 01 | 06 | 4 | |
| | P | 8/12/1980 | -258.61 | 0.17 | 693.39 | 01 | 06 | 4 | |
| | P | 8/13/1980 | -258.55 | 0.06 | 693.45 | 01 | 06 | 4 | |
| | P | 8/14/1980 | -258.56 | -0.01 | 693.44 | 01 | 06 | 4 | |
| | P | 8/15/1980 | -259.78 | -1.22 | 692.22 | 01 | 02 | 8 | |
| | P | 8/16/1980 | -259.15 | 0.63 | 692.85 | 01 | 06 | 4 | |
| | P | 8/17/1980 | -259.74 | -0.59 | 692.26 | 01 | 06 | 4 | |
| | P | 8/18/1980 | -259.67 | 0.07 | 692.33 | 01 | 06 | 4 | |
| | P | 8/19/1980 | -259.78 | -0.11 | 692.22 | 01 | 06 | 4 | |
| | P | 8/20/1980 | -260.17 | -0.39 | 691.83 | 01 | 06 | 4 | |
| | P | 8/21/1980 | -260.57 | -0.4 | 691.43 | 01 | 06 | 4 | |
| | P | 8/22/1980 | -260.75 | -0.18 | 691.25 | 01 | 06 | 4 | |
| | P | 8/23/1980 | -260.57 | 0.18 | 691.43 | 01 | 06 | 4 | |
| | P | 8/24/1980 | -260.92 | -0.35 | 691.08 | 01 | 06 | 4 | |
| | P | 8/25/1980 | -260.87 | 0.05 | 691.13 | 01 | 06 | 4 | |
| | P | 8/26/1980 | -260.61 | 0.26 | 691.39 | 01 | 06 | 4 | |
| | P | 8/27/1980 | -261.2 | -0.59 | 690.8 | 01 | 06 | 4 | |
| | P | 8/28/1980 | -261.34 | -0.14 | 690.66 | 01 | 06 | 4 | |
| | P | 8/29/1980 | -261.7 | -0.36 | 690.3 | 01 | 06 | 4 | |
| | P | 9/30/1980 | -261.23 | 0.47 | 690.77 | 01 | 02 | 8 | |
| | P | 10/ 1/1980 | -261.31 | -0.08 | 690.69 | 01 | 06 | 4 | |
| | P | 10/ 2/1980 | -261.25 | 0.06 | 690.75 | 01 | 06 | 4 | |
| | P | 10/ 3/1980 | -261.19 | 0.06 | 690.81 | 01 | 06 | 4 | |
| | P | 10/ 4/1980 | -261.13 | 0.06 | 690.87 | 01 | 06 | 4 | |
| | P | 10/ 5/1980 | -261.32 | -0.19 | 690.68 | 01 | 06 | 4 | |
| | P | 10/ 6/1980 | -261.68 | -0.36 | 690.32 | 01 | 06 | 4 | |
| | P | 10/ 7/1980 | -261.65 | 0.03 | 690.35 | 01 | 06 | 4 | |
| | P | 10/ 8/1980 | -261.28 | 0.37 | 690.72 | 01 | 06 | 4 | |
| | P | 10/ 9/1980 | -261.16 | 0.12 | 690.84 | 01 | 06 | 4 | |
| | P | 10/10/1980 | -261.84 | -0.68 | 690.16 | 01 | 06 | 4 | |
| | P | 10/11/1980 | -261.77 | 0.07 | 690.23 | 01 | 06 | 4 | |
| | P | 10/12/1980 | -262.35 | -0.58 | 689.65 | 01 | 06 | 4 | |
| | P | 10/13/1980 | -262.5 | -0.15 | 689.5 | 01 | 06 | 4 | |
| | P | 10/14/1980 | -261.92 | 0.58 | 690.08 | 01 | 06 | 4 | |
| | P | 10/15/1980 | -261.1 | 0.82 | 690.9 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1980 | -261.42 | -0.32 | 690.58 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1980 | -261.38 | 0.04 | 690.62 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1980 | -261.05 | 0.33 | 690.95 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1980 | -260.9 | 0.15 | 691.1 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1980 | -260.94 | -0.04 | 691.06 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1980 | -260.8 | 0.14 | 691.2 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1980 | -260.7 | 0.1 | 691.3 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1980 | -260.75 | -0.05 | 691.25 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1980 | -260.89 | -0.14 | 691.11 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1980 | -260.75 | 0.14 | 691.25 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1980 | -260.45 | 0.3 | 691.55 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1980 | -260.3 | 0.15 | 691.7 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1980 | -260.5 | -0.2 | 691.5 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1980 | -260.76 | -0.26 | 691.24 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1980 | -260.7 | 0.06 | 691.3 | 01 | 02 | 8 | |
| | P | 10 / 31/ 1980 | -260.56 | 0.14 | 691.44 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1980 | -260.48 | 0.08 | 691.52 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1980 | -260.43 | 0.05 | 691.57 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1980 | -260.47 | -0.04 | 691.53 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1980 | -260.5 | -0.03 | 691.5 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1980 | -260.55 | -0.05 | 691.45 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1980 | -260.42 | 0.13 | 691.58 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1980 | -260.26 | 0.16 | 691.74 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1980 | -260.24 | 0.02 | 691.76 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1980 | -260.44 | -0.2 | 691.56 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1980 | -260.62 | -0.18 | 691.38 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1980 | -260.67 | -0.05 | 691.33 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1980 | -260.65 | 0.02 | 691.35 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1980 | -260.54 | 0.11 | 691.46 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1980 | -260.45 | 0.09 | 691.55 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1980 | -260.58 | -0.13 | 691.42 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1980 | -260.43 | 0.15 | 691.57 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1980 | -260.52 | -0.09 | 691.48 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1980 | -260.6 | -0.08 | 691.4 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1980 | -260.54 | 0.06 | 691.46 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1980 | -260.49 | 0.05 | 691.51 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/21/1980 | -260.5 | -0.01 | 691.5 | 01 | 06 | 4 | |
| | P | 11/22/1980 | -260.18 | 0.32 | 691.82 | 01 | 06 | 4 | |
| | P | 11/23/1980 | -260.13 | 0.05 | 691.87 | 01 | 06 | 4 | |
| | P | 11/24/1980 | -260.36 | -0.23 | 691.64 | 01 | 06 | 4 | |
| | P | 11/25/1980 | -260.3 | 0.06 | 691.7 | 01 | 06 | 4 | |
| | P | 11/26/1980 | -260.25 | 0.05 | 691.75 | 01 | 06 | 4 | |
| | P | 11/27/1980 | -260.14 | 0.11 | 691.86 | 01 | 06 | 4 | |
| | P | 11/28/1980 | -260.06 | 0.08 | 691.94 | 01 | 06 | 4 | |
| | P | 11/29/1980 | -260.08 | -0.02 | 691.92 | 01 | 06 | 4 | |
| | P | 11/30/1980 | -259.94 | 0.14 | 692.06 | 01 | 02 | 8 | |
| | P | 12/ 1/1980 | -259.85 | 0.09 | 692.15 | 01 | 06 | 4 | |
| | P | 12/ 2/1980 | -260 | -0.15 | 692 | 01 | 06 | 4 | |
| | P | 12/ 3/1980 | -260.21 | -0.21 | 691.79 | 01 | 06 | 4 | |
| | P | 12/ 4/1980 | -260.61 | -0.4 | 691.39 | 01 | 06 | 4 | |
| | P | 12/ 5/1980 | -260.68 | -0.07 | 691.32 | 01 | 06 | 4 | |
| | P | 12/ 6/1980 | -260.84 | -0.16 | 691.16 | 01 | 06 | 4 | |
| | P | 12/ 7/1980 | -261.05 | -0.21 | 690.95 | 01 | 06 | 4 | |
| | P | 12/ 8/1980 | -261.15 | -0.1 | 690.85 | 01 | 06 | 4 | |
| | P | 12/ 9/1980 | -261.25 | -0.1 | 690.75 | 01 | 06 | 4 | |
| | P | 12/10/1980 | -261.23 | 0.02 | 690.77 | 01 | 06 | 4 | |
| | P | 12/11/1980 | -261.74 | -0.51 | 690.26 | 01 | 06 | 4 | |
| | P | 12/12/1980 | -261.63 | 0.11 | 690.37 | 01 | 06 | 4 | |
| | P | 12/13/1980 | -261.32 | 0.31 | 690.68 | 01 | 06 | 4 | |
| | P | 12/14/1980 | -261.79 | -0.47 | 690.21 | 01 | 06 | 4 | |
| | P | 12/15/1980 | -261.67 | 0.12 | 690.33 | 01 | 02 | 8 | |
| | P | 12/16/1980 | -261.57 | 0.1 | 690.43 | 01 | 06 | 4 | |
| | P | 12/17/1980 | -261.35 | 0.22 | 690.65 | 01 | 06 | 4 | |
| | P | 12/18/1980 | -261.73 | -0.38 | 690.27 | 01 | 06 | 4 | |
| | P | 12/19/1980 | -261.87 | -0.14 | 690.13 | 01 | 06 | 4 | |
| | P | 12/20/1980 | -262.19 | -0.32 | 689.81 | 01 | 06 | 4 | |
| | P | 12/21/1980 | -262.21 | -0.02 | 689.79 | 01 | 06 | 4 | |
| | P | 12/22/1980 | -261.99 | 0.22 | 690.01 | 01 | 06 | 4 | |
| | P | 12/23/1980 | -261.76 | 0.23 | 690.24 | 01 | 06 | 4 | |
| | P | 12/24/1980 | -262.07 | -0.31 | 689.93 | 01 | 06 | 4 | |
| | P | 12/25/1980 | -262.21 | -0.14 | 689.79 | 01 | 06 | 4 | |
| | P | 12/26/1980 | -262.12 | 0.09 | 689.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/27/1980 | -262.3 | -0.18 | 689.7 | 01 | 06 | 4 | |
| | P | 12/28/1980 | -262.27 | 0.03 | 689.73 | 01 | 06 | 4 | |
| | P | 12/29/1980 | -262.27 | | 689.73 | 01 | 06 | 4 | |
| | P | 12/30/1980 | -262.39 | -0.12 | 689.61 | 01 | 02 | 8 | |
| | P | 12/31/1980 | -262.22 | 0.17 | 689.78 | 01 | 06 | 4 | |
| | P | 1/ 1/1981 | -262.34 | -0.12 | 689.66 | 01 | 06 | 4 | |
| | P | 1/ 2/1981 | -262.45 | -0.11 | 689.55 | 01 | 06 | 4 | |
| | P | 1/ 3/1981 | -262.38 | 0.07 | 689.62 | 01 | 06 | 4 | |
| | P | 1/ 4/1981 | -262.52 | -0.14 | 689.48 | 01 | 06 | 4 | |
| | P | 1/ 5/1981 | -262.34 | 0.18 | 689.66 | 01 | 06 | 4 | |
| | P | 1/ 6/1981 | -262.33 | 0.01 | 689.67 | 01 | 06 | 4 | |
| | P | 1/ 7/1981 | -262.46 | -0.13 | 689.54 | 01 | 06 | 4 | |
| | P | 1/ 8/1981 | -262.47 | -0.01 | 689.53 | 01 | 06 | 4 | |
| | P | 1/ 9/1981 | -262.22 | 0.25 | 689.78 | 01 | 06 | 4 | |
| | P | 1/10/1981 | -262.72 | -0.5 | 689.28 | 01 | 06 | 4 | |
| | P | 1/11/1981 | -262.89 | -0.17 | 689.11 | 01 | 06 | 4 | |
| | P | 1/12/1981 | -262.74 | 0.15 | 689.26 | 01 | 06 | 4 | |
| | P | 1/13/1981 | -262.5 | 0.24 | 689.5 | 01 | 06 | 4 | |
| | P | 1/14/1981 | -262.46 | 0.04 | 689.54 | 01 | 06 | 4 | |
| | P | 1/15/1981 | -262.63 | -0.17 | 689.37 | 01 | 02 | 8 | |
| | P | 1/16/1981 | -262.77 | -0.14 | 689.23 | 01 | 06 | 4 | |
| | P | 1/17/1981 | -263.01 | -0.24 | 688.99 | 01 | 06 | 4 | |
| | P | 1/18/1981 | -262.82 | 0.19 | 689.18 | 01 | 06 | 4 | |
| | P | 1/19/1981 | -262.41 | 0.41 | 689.59 | 01 | 06 | 4 | |
| | P | 1/20/1981 | -261.74 | 0.67 | 690.26 | 01 | 06 | 4 | |
| | P | 1/21/1981 | -262.56 | -0.82 | 689.44 | 01 | 06 | 4 | |
| | P | 1/22/1981 | -262.69 | -0.13 | 689.31 | 01 | 06 | 4 | |
| | P | 1/23/1981 | -262.47 | 0.22 | 689.53 | 01 | 06 | 4 | |
| | P | 1/24/1981 | -262.19 | 0.28 | 689.81 | 01 | 06 | 4 | |
| | P | 1/25/1981 | -262.47 | -0.28 | 689.53 | 01 | 06 | 4 | |
| | P | 1/26/1981 | -262.56 | -0.09 | 689.44 | 01 | 06 | 4 | |
| | P | 1/27/1981 | -262.59 | -0.03 | 689.41 | 01 | 06 | 4 | |
| | P | 1/28/1981 | -262.72 | -0.13 | 689.28 | 01 | 06 | 4 | |
| | P | 1/29/1981 | -262.21 | 0.51 | 689.79 | 01 | 06 | 4 | |
| | P | 1/30/1981 | -262.8 | -0.59 | 689.2 | 01 | 02 | 8 | |
| | P | 1/31/1981 | -262.46 | 0.34 | 689.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/1981 | -262.53 | -0.07 | 689.47 | 01 | 06 | 4 | |
| | P | 2/ 2/1981 | -263.08 | -0.55 | 688.92 | 01 | 06 | 4 | |
| | P | 2/ 3/1981 | -263.05 | 0.03 | 688.95 | 01 | 06 | 4 | |
| | P | 2/ 4/1981 | -262.89 | 0.16 | 689.11 | 01 | 06 | 4 | |
| | P | 2/ 5/1981 | -262.55 | 0.34 | 689.45 | 01 | 06 | 4 | |
| | P | 2/ 6/1981 | -262.03 | 0.52 | 689.97 | 01 | 06 | 4 | |
| | P | 2/ 7/1981 | -262.53 | -0.5 | 689.47 | 01 | 06 | 4 | |
| | P | 2/ 8/1981 | -262.67 | -0.14 | 689.33 | 01 | 06 | 4 | |
| | P | 2/25/1981 | -262.99 | -0.32 | 689.01 | 01 | 06 | 4 | |
| | P | 2/26/1981 | -263.09 | -0.1 | 688.91 | 01 | 06 | 4 | |
| | P | 2/27/1981 | -263.12 | -0.03 | 688.88 | 01 | 06 | 4 | |
| | P | 2/28/1981 | -263.13 | -0.01 | 688.87 | 01 | 06 | 4 | |
| | P | 3/ 1/1981 | -263.12 | 0.01 | 688.88 | 01 | 06 | 4 | |
| | P | 3/ 2/1981 | -263.16 | -0.04 | 688.84 | 01 | 06 | 4 | |
| | P | 3/ 3/1981 | -262.85 | 0.31 | 689.15 | 01 | 06 | 4 | |
| | P | 3/ 4/1981 | -262.92 | -0.07 | 689.08 | 01 | 06 | 4 | |
| | P | 3/ 5/1981 | -263.19 | -0.27 | 688.81 | 01 | 06 | 4 | |
| | P | 3/ 6/1981 | -263.12 | 0.07 | 688.88 | 01 | 06 | 4 | |
| | P | 3/ 7/1981 | -263.13 | -0.01 | 688.87 | 01 | 06 | 4 | |
| | P | 3/ 8/1981 | -263.43 | -0.3 | 688.57 | 01 | 06 | 4 | |
| | P | 3/ 9/1981 | -263.51 | -0.08 | 688.49 | 01 | 06 | 4 | |
| | P | 3/10/1981 | -263.46 | 0.05 | 688.54 | 01 | 06 | 4 | |
| | P | 3/11/1981 | -263.42 | 0.04 | 688.58 | 01 | 06 | 4 | |
| | P | 3/12/1981 | -263.14 | 0.28 | 688.86 | 01 | 06 | 4 | |
| | P | 3/13/1981 | -262.85 | 0.29 | 689.15 | 01 | 06 | 4 | |
| | P | 3/14/1981 | -262.88 | -0.03 | 689.12 | 01 | 06 | 4 | |
| | P | 3/15/1981 | -262.91 | -0.03 | 689.09 | 01 | 02 | 8 | |
| | P | 3/16/1981 | -263.07 | -0.16 | 688.93 | 01 | 06 | 4 | |
| | P | 3/17/1981 | -262.69 | 0.38 | 689.31 | 01 | 06 | 4 | |
| | P | 3/18/1981 | -262.75 | -0.06 | 689.25 | 01 | 06 | 4 | |
| | P | 3/19/1981 | -262.68 | 0.07 | 689.32 | 01 | 06 | 4 | |
| | P | 3/20/1981 | -262.25 | 0.43 | 689.75 | 01 | 06 | 4 | |
| | P | 3/21/1981 | -262.45 | -0.2 | 689.55 | 01 | 06 | 4 | |
| | P | 3/22/1981 | -262.44 | 0.01 | 689.56 | 01 | 06 | 4 | |
| | P | 3/23/1981 | -262.66 | -0.22 | 689.34 | 01 | 06 | 4 | |
| | P | 3/24/1981 | -262.8 | -0.14 | 689.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/25/1981 | -262.64 | 0.16 | 689.36 | 01 | 06 | 4 | |
| | P | 3/26/1981 | -262.4 | 0.24 | 689.6 | 01 | 06 | 4 | |
| | P | 3/27/1981 | -262.12 | 0.28 | 689.88 | 01 | 06 | 4 | |
| | P | 3/28/1981 | -261.91 | 0.21 | 690.09 | 01 | 06 | 4 | |
| | P | 3/29/1981 | -262.61 | -0.7 | 689.39 | 01 | 06 | 4 | |
| | P | 3/30/1981 | -262.84 | -0.23 | 689.16 | 01 | 02 | 8 | |
| | P | 3/31/1981 | -262.98 | -0.14 | 689.02 | 01 | 06 | 4 | |
| | P | 4/ 1/1981 | -263.14 | -0.16 | 688.86 | 01 | 06 | 4 | |
| | P | 4/ 2/1981 | -262.54 | 0.6 | 689.46 | 01 | 06 | 4 | |
| | P | 4/ 3/1981 | -262.52 | 0.02 | 689.48 | 01 | 06 | 4 | |
| | P | 4/ 4/1981 | -262.68 | -0.16 | 689.32 | 01 | 06 | 4 | |
| | P | 4/ 5/1981 | -263.13 | -0.45 | 688.87 | 01 | 06 | 4 | |
| | P | 4/ 6/1981 | -263.13 | | 688.87 | 01 | 06 | 4 | |
| | P | 4/ 7/1981 | -262.95 | 0.18 | 689.05 | 01 | 06 | 4 | |
| | P | 4/ 8/1981 | -262.89 | 0.06 | 689.11 | 01 | 06 | 4 | |
| | P | 4/ 9/1981 | -263.08 | -0.19 | 688.92 | 01 | 06 | 4 | |
| | P | 4/10/1981 | -263 | 0.08 | 689 | 01 | 06 | 4 | |
| | P | 4/11/1981 | -262.95 | 0.05 | 689.05 | 01 | 06 | 4 | |
| | P | 4/12/1981 | -263.14 | -0.19 | 688.86 | 01 | 06 | 4 | |
| | P | 4/13/1981 | -263.24 | -0.1 | 688.76 | 01 | 06 | 4 | |
| | P | 4/14/1981 | -263.14 | 0.1 | 688.86 | 01 | 06 | 4 | |
| | P | 4/15/1981 | -263.19 | -0.05 | 688.81 | 01 | 02 | 8 | |
| | P | 4/16/1981 | -262.97 | 0.22 | 689.03 | 01 | 06 | 4 | |
| | P | 4/17/1981 | -262.9 | 0.07 | 689.1 | 01 | 06 | 4 | |
| | P | 4/18/1981 | -262.93 | -0.03 | 689.07 | 01 | 06 | 4 | |
| | P | 4/19/1981 | -262.52 | 0.41 | 689.48 | 01 | 06 | 4 | |
| | P | 4/20/1981 | -262.79 | -0.27 | 689.21 | 01 | 06 | 4 | |
| | P | 4/21/1981 | -262.59 | 0.2 | 689.41 | 01 | 06 | 4 | |
| | P | 4/22/1981 | -262.48 | 0.11 | 689.52 | 01 | 06 | 4 | |
| | P | 4/23/1981 | -263.14 | -0.66 | 688.86 | 01 | 06 | 4 | |
| | P | 4/24/1981 | -263.22 | -0.08 | 688.78 | 01 | 06 | 4 | |
| | P | 4/25/1981 | -263.35 | -0.13 | 688.65 | 01 | 06 | 4 | |
| | P | 4/26/1981 | -263.42 | -0.07 | 688.58 | 01 | 06 | 4 | |
| | P | 4/27/1981 | -262.99 | 0.43 | 689.01 | 01 | 06 | 4 | |
| | P | 4/28/1981 | -262.96 | 0.03 | 689.04 | 01 | 06 | 4 | |
| | P | 4/29/1981 | -262.88 | 0.08 | 689.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/1981 | -262.74 | 0.14 | 689.26 | 01 | 02 | 8 | |
| | P | 5/ 1/1981 | -262.75 | -0.01 | 689.25 | 01 | 06 | 4 | |
| | P | 5/ 2/1981 | -263.31 | -0.56 | 688.69 | 01 | 06 | 4 | |
| | P | 5/ 3/1981 | -263.27 | 0.04 | 688.73 | 01 | 06 | 4 | |
| | P | 5/ 4/1981 | -263.31 | -0.04 | 688.69 | 01 | 06 | 4 | |
| | P | 5/ 5/1981 | -263.47 | -0.16 | 688.53 | 01 | 06 | 4 | |
| | P | 5/ 6/1981 | -263.48 | -0.01 | 688.52 | 01 | 06 | 4 | |
| | P | 5/ 7/1981 | -262.86 | 0.62 | 689.14 | 01 | 06 | 4 | |
| | P | 5/ 8/1981 | -262.64 | 0.22 | 689.36 | 01 | 06 | 4 | |
| | P | 5/ 9/1981 | -262.75 | -0.11 | 689.25 | 01 | 06 | 4 | |
| | P | 5/10/1981 | -262.96 | -0.21 | 689.04 | 01 | 06 | 4 | |
| | P | 5/11/1981 | -262.74 | 0.22 | 689.26 | 01 | 06 | 4 | |
| | P | 5/12/1981 | -262.62 | 0.12 | 689.38 | 01 | 06 | 4 | |
| | P | 5/13/1981 | -262.84 | -0.22 | 689.16 | 01 | 06 | 4 | |
| | P | 5/14/1981 | -262.94 | -0.1 | 689.06 | 01 | 06 | 4 | |
| | P | 5/15/1981 | -262.82 | 0.12 | 689.18 | 01 | 02 | 8 | |
| | P | 5/16/1981 | -262.88 | -0.06 | 689.12 | 01 | 06 | 4 | |
| | P | 5/17/1981 | -263.35 | -0.47 | 688.65 | 01 | 06 | 4 | |
| | P | 5/18/1981 | -263.74 | -0.39 | 688.26 | 01 | 06 | 4 | |
| | P | 5/19/1981 | -263.58 | 0.16 | 688.42 | 01 | 06 | 4 | |
| | P | 5/20/1981 | -263.54 | 0.04 | 688.46 | 01 | 06 | 4 | |
| | P | 5/21/1981 | -263.78 | -0.24 | 688.22 | 01 | 06 | 4 | |
| | P | 5/22/1981 | -263.62 | 0.16 | 688.38 | 01 | 06 | 4 | |
| | P | 5/23/1981 | -263.56 | 0.06 | 688.44 | 01 | 06 | 4 | |
| | P | 5/24/1981 | -263.75 | -0.19 | 688.25 | 01 | 06 | 4 | |
| | P | 5/25/1981 | -264 | -0.25 | 688 | 01 | 06 | 4 | |
| | P | 5/26/1981 | -263.6 | 0.4 | 688.4 | 01 | 06 | 4 | |
| | P | 5/27/1981 | -263.45 | 0.15 | 688.55 | 01 | 06 | 4 | |
| | P | 5/28/1981 | -263.44 | 0.01 | 688.56 | 01 | 06 | 4 | |
| | P | 5/29/1981 | -263.47 | -0.03 | 688.53 | 01 | 06 | 4 | |
| | P | 5/30/1981 | -263.43 | 0.04 | 688.57 | 01 | 02 | 8 | |
| | P | 5/31/1981 | -263.18 | 0.25 | 688.82 | 01 | 06 | 4 | |
| | P | 6/ 1/1981 | -263.11 | 0.07 | 688.89 | 01 | 06 | 4 | |
| | P | 6/ 2/1981 | -262.92 | 0.19 | 689.08 | 01 | 06 | 4 | |
| | P | 6/ 3/1981 | -263.46 | -0.54 | 688.54 | 01 | 06 | 4 | |
| | P | 6/ 4/1981 | -263.44 | 0.02 | 688.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 5/1981 | -263.02 | 0.42 | 688.98 | 01 | 06 | 4 | |
| | P | 6/ 6/1981 | -263.04 | -0.02 | 688.96 | 01 | 06 | 4 | |
| | P | 6/ 7/1981 | -263.05 | -0.01 | 688.95 | 01 | 06 | 4 | |
| | P | 6/ 8/1981 | -262.95 | 0.1 | 689.05 | 01 | 06 | 4 | |
| | P | 6/ 9/1981 | -262.54 | 0.41 | 689.46 | 01 | 06 | 4 | |
| | P | 6/10/1981 | -262.49 | 0.05 | 689.51 | 01 | 06 | 4 | |
| | P | 6/11/1981 | -262.62 | -0.13 | 689.38 | 01 | 06 | 4 | |
| | P | 6/12/1981 | -263.06 | -0.44 | 688.94 | 01 | 06 | 4 | |
| | P | 6/13/1981 | -262.13 | 0.93 | 689.87 | 01 | 06 | 4 | |
| | P | 6/14/1981 | -259.43 | 2.7 | 692.57 | 01 | 06 | 4 | |
| | P | 6/15/1981 | -258.77 | 0.66 | 693.23 | 01 | 02 | 8 | |
| | P | 6/16/1981 | -258.3 | 0.47 | 693.7 | 01 | 06 | 4 | |
| | P | 6/24/1981 | -256.12 | 2.18 | 695.88 | 01 | 06 | 4 | |
| | P | 6/25/1981 | -255.8 | 0.32 | 696.2 | 01 | 06 | 4 | |
| | P | 6/26/1981 | -255.81 | -0.01 | 696.19 | 01 | 06 | 4 | |
| | P | 6/27/1981 | -255.58 | 0.23 | 696.42 | 01 | 06 | 4 | |
| | P | 6/28/1981 | -255.48 | 0.1 | 696.52 | 01 | 06 | 4 | |
| | P | 6/29/1981 | -255.42 | 0.06 | 696.58 | 01 | 06 | 4 | |
| | P | 6/30/1981 | -255.25 | 0.17 | 696.75 | 01 | 02 | 8 | |
| | P | 7/ 1/1981 | -255.03 | 0.22 | 696.97 | 01 | 06 | 4 | |
| | P | 7/ 2/1981 | -254.97 | 0.06 | 697.03 | 01 | 06 | 4 | |
| | P | 7/ 3/1981 | -254.54 | 0.43 | 697.46 | 01 | 06 | 4 | |
| | P | 7/ 4/1981 | -254.12 | 0.42 | 697.88 | 01 | 06 | 4 | |
| | P | 7/ 5/1981 | -254.05 | 0.07 | 697.95 | 01 | 06 | 4 | |
| | P | 7/ 6/1981 | -254.08 | -0.03 | 697.92 | 01 | 06 | 4 | |
| | P | 7/ 7/1981 | -254.18 | -0.1 | 697.82 | 01 | 06 | 4 | |
| | P | 7/ 8/1981 | -254.27 | -0.09 | 697.73 | 01 | 06 | 4 | |
| | P | 7/ 9/1981 | -253.82 | 0.45 | 698.18 | 01 | 06 | 4 | |
| | P | 7/10/1981 | -253.65 | 0.17 | 698.35 | 01 | 06 | 4 | |
| | P | 7/11/1981 | -253.53 | 0.12 | 698.47 | 01 | 06 | 4 | |
| | P | 7/12/1981 | -253.51 | 0.02 | 698.49 | 01 | 06 | 4 | |
| | P | 7/13/1981 | -253.22 | 0.29 | 698.78 | 01 | 06 | 4 | |
| | P | 7/14/1981 | -253.2 | 0.02 | 698.8 | 01 | 06 | 4 | |
| | P | 7/15/1981 | -253.25 | -0.05 | 698.75 | 01 | 02 | 8 | |
| | P | 7/16/1981 | -253.36 | -0.11 | 698.64 | 01 | 06 | 4 | |
| | P | 7/17/1981 | -253.33 | 0.03 | 698.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1981 | -253.31 | 0.02 | 698.69 | 01 | 06 | 4 | |
| | P | 7/19/1981 | -253.4 | -0.09 | 698.6 | 01 | 06 | 4 | |
| | P | 7/20/1981 | -253.59 | -0.19 | 698.41 | 01 | 06 | 4 | |
| | P | 7/22/1981 | -253.84 | -0.25 | 698.16 | 01 | 06 | 4 | |
| | P | 7/24/1981 | -254.3 | -0.46 | 697.7 | 01 | 06 | 4 | |
| | P | 7/25/1981 | -254.38 | -0.08 | 697.62 | 01 | 06 | 4 | |
| | P | 7/26/1981 | -254.57 | -0.19 | 697.43 | 01 | 06 | 4 | |
| | P | 7/27/1981 | -254.37 | 0.2 | 697.63 | 01 | 06 | 4 | |
| | P | 7/28/1981 | -254.36 | 0.01 | 697.64 | 01 | 06 | 4 | |
| | P | 7/29/1981 | -254.48 | -0.12 | 697.52 | 01 | 06 | 4 | |
| | P | 7/30/1981 | -254.49 | -0.01 | 697.51 | 01 | 02 | 8 | |
| | P | 7/31/1981 | -255.09 | -0.6 | 696.91 | 01 | 06 | 4 | |
| | P | 8/ 1/1981 | -255.13 | -0.04 | 696.87 | 01 | 06 | 4 | |
| | P | 8/ 2/1981 | -255.27 | -0.14 | 696.73 | 01 | 06 | 4 | |
| | P | 8/ 3/1981 | -255.29 | -0.02 | 696.71 | 01 | 06 | 4 | |
| | P | 8/ 4/1981 | -255.74 | -0.45 | 696.26 | 01 | 06 | 4 | |
| | P | 8/ 5/1981 | -255.8 | -0.06 | 696.2 | 01 | 06 | 4 | |
| | P | 8/ 6/1981 | -255.92 | -0.12 | 696.08 | 01 | 06 | 4 | |
| | P | 8/ 7/1981 | -255.95 | -0.03 | 696.05 | 01 | 06 | 4 | |
| | P | 8/ 8/1981 | -255.46 | 0.49 | 696.54 | 01 | 06 | 4 | |
| | P | 8/ 9/1981 | -256 | -0.54 | 696 | 01 | 06 | 4 | |
| | P | 8/10/1981 | -256.17 | -0.17 | 695.83 | 01 | 06 | 4 | |
| | P | 8/11/1981 | -256.28 | -0.11 | 695.72 | 01 | 06 | 4 | |
| | P | 8/12/1981 | -256.25 | 0.03 | 695.75 | 01 | 06 | 4 | |
| | P | 8/13/1981 | -256.3 | -0.05 | 695.7 | 01 | 06 | 4 | |
| | P | 8/14/1981 | -255.72 | 0.58 | 696.28 | 01 | 06 | 4 | |
| | P | 8/15/1981 | -255.53 | 0.19 | 696.47 | 01 | 02 | 8 | |
| | P | 8/16/1981 | -256.03 | -0.5 | 695.97 | 01 | 06 | 4 | |
| | P | 8/17/1981 | -256.36 | -0.33 | 695.64 | 01 | 06 | 4 | |
| | P | 8/18/1981 | -255.51 | 0.85 | 696.49 | 01 | 06 | 4 | |
| | P | 8/19/1981 | -255.41 | 0.1 | 696.59 | 01 | 06 | 4 | |
| | P | 8/20/1981 | -255.15 | 0.26 | 696.85 | 01 | 06 | 4 | |
| | P | 8/21/1981 | -254.95 | 0.2 | 697.05 | 01 | 06 | 4 | |
| | P | 8/22/1981 | -254.95 | | 697.05 | 01 | 06 | 4 | |
| | P | 8/23/1981 | -255.08 | -0.13 | 696.92 | 01 | 06 | 4 | |
| | P | 8/24/1981 | -255.39 | -0.31 | 696.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/1981 | -255.45 | -0.06 | 696.55 | 01 | 06 | 4 | |
| | P | 8/26/1981 | -255.52 | -0.07 | 696.48 | 01 | 06 | 4 | |
| | P | 8/27/1981 | -255.47 | 0.05 | 696.53 | 01 | 06 | 4 | |
| | P | 8/28/1981 | -255.51 | -0.04 | 696.49 | 01 | 06 | 4 | |
| | P | 8/29/1981 | -255.87 | -0.36 | 696.13 | 01 | 06 | 4 | |
| | P | 8/30/1981 | -255.1 | 0.77 | 696.9 | 01 | 02 | 8 | |
| | P | 8/31/1981 | -254.9 | 0.2 | 697.1 | 01 | 06 | 4 | |
| | P | 9/ 1/1981 | -254.92 | -0.02 | 697.08 | 01 | 06 | 4 | |
| | P | 9/ 2/1981 | -254.93 | -0.01 | 697.07 | 01 | 06 | 4 | |
| | P | 9/ 3/1981 | -254.98 | -0.05 | 697.02 | 01 | 06 | 4 | |
| | P | 9/ 4/1981 | -254.86 | 0.12 | 697.14 | 01 | 06 | 4 | |
| | P | 9/ 5/1981 | -254.84 | 0.02 | 697.16 | 01 | 06 | 4 | |
| | P | 9/ 6/1981 | -255.1 | -0.26 | 696.9 | 01 | 06 | 4 | |
| | P | 9/ 7/1981 | -255.21 | -0.11 | 696.79 | 01 | 06 | 4 | |
| | P | 9/ 8/1981 | -255.15 | 0.06 | 696.85 | 01 | 06 | 4 | |
| | P | 9/ 9/1981 | -254.93 | 0.22 | 697.07 | 01 | 06 | 4 | |
| | P | 9/10/1981 | -254.76 | 0.17 | 697.24 | 01 | 06 | 4 | |
| | P | 9/11/1981 | -254.77 | -0.01 | 697.23 | 01 | 06 | 4 | |
| | P | 9/12/1981 | -254.9 | -0.13 | 697.1 | 01 | 06 | 4 | |
| | P | 9/13/1981 | -255 | -0.1 | 697 | 01 | 06 | 4 | |
| | P | 9/14/1981 | -255.04 | -0.04 | 696.96 | 01 | 06 | 4 | |
| | P | 9/15/1981 | -254.99 | 0.05 | 697.01 | 01 | 02 | 8 | |
| | P | 9/16/1981 | -255.07 | -0.08 | 696.93 | 01 | 06 | 4 | |
| | P | 9/17/1981 | -255.02 | 0.05 | 696.98 | 01 | 06 | 4 | |
| | P | 9/18/1981 | -255 | 0.02 | 697 | 01 | 06 | 4 | |
| | P | 9/19/1981 | -254.92 | 0.08 | 697.08 | 01 | 06 | 4 | |
| | P | 9/20/1981 | -255.01 | -0.09 | 696.99 | 01 | 06 | 4 | |
| | P | 9/21/1981 | -254.9 | 0.11 | 697.1 | 01 | 06 | 4 | |
| | P | 9/22/1981 | -255.09 | -0.19 | 696.91 | 01 | 06 | 4 | |
| | P | 9/23/1981 | -255.22 | -0.13 | 696.78 | 01 | 06 | 4 | |
| | P | 9/24/1981 | -255.26 | -0.04 | 696.74 | 01 | 06 | 4 | |
| | P | 9/25/1981 | -255.28 | -0.02 | 696.72 | 01 | 06 | 4 | |
| | P | 9/26/1981 | -255.05 | 0.23 | 696.95 | 01 | 06 | 4 | |
| | P | 9/27/1981 | -255.49 | -0.44 | 696.51 | 01 | 06 | 4 | |
| | P | 9/28/1981 | -255.88 | -0.39 | 696.12 | 01 | 06 | 4 | |
| | P | 9/29/1981 | -255.69 | 0.19 | 696.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1981 | -255.51 | 0.18 | 696.49 | 01 | 02 | 8 | |
| | P | 10/ 1/1981 | -255.77 | -0.26 | 696.23 | 01 | 06 | 4 | |
| | P | 10/ 2/1981 | -255.55 | 0.22 | 696.45 | 01 | 06 | 4 | |
| | P | 10/ 3/1981 | -255.72 | -0.17 | 696.28 | 01 | 06 | 4 | |
| | P | 10/ 4/1981 | -256.12 | -0.4 | 695.88 | 01 | 06 | 4 | |
| | P | 10/ 5/1981 | -256.38 | -0.26 | 695.62 | 01 | 06 | 4 | |
| | P | 10/ 6/1981 | -255.75 | 0.63 | 696.25 | 01 | 06 | 4 | |
| | P | 10/ 7/1981 | -254.82 | 0.93 | 697.18 | 01 | 06 | 4 | |
| | P | 10/ 8/1981 | -254.71 | 0.11 | 697.29 | 01 | 06 | 4 | |
| | P | 10/ 9/1981 | -254.63 | 0.08 | 697.37 | 01 | 06 | 4 | |
| | P | 10/10/1981 | -254.87 | -0.24 | 697.13 | 01 | 06 | 4 | |
| | P | 10/11/1981 | -254.71 | 0.16 | 697.29 | 01 | 06 | 4 | |
| | P | 10/12/1981 | -254.52 | 0.19 | 697.48 | 01 | 06 | 4 | |
| | P | 10/13/1981 | -254.57 | -0.05 | 697.43 | 01 | 06 | 4 | |
| | P | 10/14/1981 | -254.77 | -0.2 | 697.23 | 01 | 06 | 4 | |
| | P | 10/15/1981 | -254.61 | 0.16 | 697.39 | 01 | 02 | 8 | |
| | P | 10/16/1981 | -254.48 | 0.13 | 697.52 | 01 | 06 | 4 | |
| | P | 10/17/1981 | -254.63 | -0.15 | 697.37 | 01 | 06 | 4 | |
| | P | 10/18/1981 | -254.62 | 0.01 | 697.38 | 01 | 06 | 4 | |
| | P | 10/19/1981 | -254.67 | -0.05 | 697.33 | 01 | 06 | 4 | |
| | P | 10/20/1981 | -254.59 | 0.08 | 697.41 | 01 | 06 | 4 | |
| | P | 10/21/1981 | -254.5 | 0.09 | 697.5 | 01 | 06 | 4 | |
| | P | 10/22/1981 | -254.73 | -0.23 | 697.27 | 01 | 06 | 4 | |
| | P | 10/23/1981 | -254.93 | -0.2 | 697.07 | 01 | 06 | 4 | |
| | P | 10/24/1981 | -254.5 | 0.43 | 697.5 | 01 | 06 | 4 | |
| | P | 10/25/1981 | -254.56 | -0.06 | 697.44 | 01 | 06 | 4 | |
| | P | 10/26/1981 | -254.62 | -0.06 | 697.38 | 01 | 06 | 4 | |
| | P | 10/27/1981 | -254.63 | -0.01 | 697.37 | 01 | 06 | 4 | |
| | P | 10/28/1981 | -254.52 | 0.11 | 697.48 | 01 | 06 | 4 | |
| | P | 10/29/1981 | -254.42 | 0.1 | 697.58 | 01 | 06 | 4 | |
| | P | 10/30/1981 | -254.39 | 0.03 | 697.61 | 01 | 02 | 8 | |
| | P | 10/31/1981 | -254.4 | -0.01 | 697.6 | 01 | 06 | 4 | |
| | P | 11/ 1/1981 | -252.91 | 1.49 | 699.09 | 01 | 06 | 4 | |
| | P | 11/ 2/1981 | -252.47 | 0.44 | 699.53 | 01 | 06 | 4 | |
| | P | 11/ 3/1981 | -252.38 | 0.09 | 699.62 | 01 | 06 | 4 | |
| | P | 11/ 4/1981 | -252.5 | -0.12 | 699.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 5/1981 | -252.48 | 0.02 | 699.52 | 01 | 06 | 4 | |
| | P | 11/ 6/1981 | -252.59 | -0.11 | 699.41 | 01 | 06 | 4 | |
| | P | 11/ 7/1981 | -252.51 | 0.08 | 699.49 | 01 | 06 | 4 | |
| | P | 11/ 8/1981 | -252.6 | -0.09 | 699.4 | 01 | 06 | 4 | |
| | P | 11/ 9/1981 | -252.86 | -0.26 | 699.14 | 01 | 06 | 4 | |
| | P | 11/10/1981 | -252.98 | -0.12 | 699.02 | 01 | 06 | 4 | |
| | P | 11/11/1981 | -252.97 | 0.01 | 699.03 | 01 | 06 | 4 | |
| | P | 11/12/1981 | -252.96 | 0.01 | 699.04 | 01 | 06 | 4 | |
| | P | 11/13/1981 | -252.88 | 0.08 | 699.12 | 01 | 06 | 4 | |
| | P | 11/14/1981 | -252.92 | -0.04 | 699.08 | 01 | 06 | 4 | |
| | P | 11/15/1981 | -252.9 | 0.02 | 699.1 | 01 | 02 | 8 | |
| | P | 11/16/1981 | -252.84 | 0.06 | 699.16 | 01 | 06 | 4 | |
| | P | 11/17/1981 | -252.65 | 0.19 | 699.35 | 01 | 06 | 4 | |
| | P | 11/18/1981 | -252.45 | 0.2 | 699.55 | 01 | 06 | 4 | |
| | P | 11/19/1981 | -252.44 | 0.01 | 699.56 | 01 | 06 | 4 | |
| | P | 11/20/1981 | -252.8 | -0.36 | 699.2 | 01 | 06 | 4 | |
| | P | 11/21/1981 | -252.75 | 0.05 | 699.25 | 01 | 06 | 4 | |
| | P | 11/22/1981 | -252.7 | 0.05 | 699.3 | 01 | 06 | 4 | |
| | P | 11/23/1981 | -252.7 | | 699.3 | 01 | 06 | 4 | |
| | P | 11/24/1981 | -252.87 | -0.17 | 699.13 | 01 | 06 | 4 | |
| | P | 11/25/1981 | -252.58 | 0.29 | 699.42 | 01 | 06 | 4 | |
| | P | 11/26/1981 | -252.46 | 0.12 | 699.54 | 01 | 06 | 4 | |
| | P | 11/27/1981 | -252.93 | -0.47 | 699.07 | 01 | 06 | 4 | |
| | P | 11/28/1981 | -252.92 | 0.01 | 699.08 | 01 | 06 | 4 | |
| | P | 11/29/1981 | -252.65 | 0.27 | 699.35 | 01 | 06 | 4 | |
| | P | 11/30/1981 | -252.54 | 0.11 | 699.46 | 01 | 02 | 8 | |
| | P | 12/ 1/1981 | -252.65 | -0.11 | 699.35 | 01 | 06 | 4 | |
| | P | 12/ 2/1981 | -252.69 | -0.04 | 699.31 | 01 | 06 | 4 | |
| | P | 12/ 3/1981 | -252.67 | 0.02 | 699.33 | 01 | 06 | 4 | |
| | P | 12/ 4/1981 | -252.81 | -0.14 | 699.19 | 01 | 06 | 4 | |
| | P | 12/ 5/1981 | -252.92 | -0.11 | 699.08 | 01 | 06 | 4 | |
| | P | 12/ 6/1981 | -252.79 | 0.13 | 699.21 | 01 | 06 | 4 | |
| | P | 12/ 7/1981 | -252.64 | 0.15 | 699.36 | 01 | 06 | 4 | |
| | P | 12/ 8/1981 | -252.85 | -0.21 | 699.15 | 01 | 06 | 4 | |
| | P | 12/ 9/1981 | -252.85 | | 699.15 | 01 | 06 | 4 | |
| | P | 12/10/1981 | -252.48 | 0.37 | 699.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 11/ 1981 | -252.39 | 0.09 | 699.61 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1981 | -252.44 | -0.05 | 699.56 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1981 | -252.61 | -0.17 | 699.39 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1981 | -252.57 | 0.04 | 699.43 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1981 | -252.71 | -0.14 | 699.29 | 01 | 02 | 8 | |
| | P | 12/ 16/ 1981 | -252.62 | 0.09 | 699.38 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1981 | -252.74 | -0.12 | 699.26 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1981 | -252.87 | -0.13 | 699.13 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1981 | -252.69 | 0.18 | 699.31 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1981 | -252.56 | 0.13 | 699.44 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1981 | -252.35 | 0.21 | 699.65 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1981 | -252.31 | 0.04 | 699.69 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1981 | -252.8 | -0.49 | 699.2 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1981 | -252.89 | -0.09 | 699.11 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1981 | -252.71 | 0.18 | 699.29 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1981 | -252.66 | 0.05 | 699.34 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1981 | -252.83 | -0.17 | 699.17 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1981 | -252.85 | -0.02 | 699.15 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1981 | -253.16 | -0.31 | 698.84 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1981 | -252.72 | 0.44 | 699.28 | 01 | 02 | 8 | |
| | P | 12/ 31/ 1981 | -252.7 | 0.02 | 699.3 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1982 | -252.82 | -0.12 | 699.18 | 01 | 06 | 4 | |
| | P | 1/ 2/ 1982 | -252.69 | 0.13 | 699.31 | 01 | 06 | 4 | |
| | P | 1/ 3/ 1982 | -252.65 | 0.04 | 699.35 | 01 | 06 | 4 | |
| | P | 1/ 4/ 1982 | -253.13 | -0.48 | 698.87 | 01 | 06 | 4 | |
| | P | 1/ 5/ 1982 | -252.9 | 0.23 | 699.1 | 01 | 06 | 4 | |
| | P | 1/ 6/ 1982 | -252.9 | | 699.1 | 01 | 06 | 4 | |
| | P | 1/ 7/ 1982 | -252.91 | -0.01 | 699.09 | 01 | 06 | 4 | |
| | P | 1/ 8/ 1982 | -253.31 | -0.4 | 698.69 | 01 | 06 | 4 | |
| | P | 1/ 9/ 1982 | -253.4 | -0.09 | 698.6 | 01 | 06 | 4 | |
| | P | 1/ 10/ 1982 | -253.38 | 0.02 | 698.62 | 01 | 06 | 4 | |
| | P | 1/ 11/ 1982 | -253.15 | 0.23 | 698.85 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1982 | -252.62 | 0.53 | 699.38 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1982 | -252.92 | -0.3 | 699.08 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1982 | -253 | -0.08 | 699 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1982 | -252.91 | 0.09 | 699.09 | 01 | 02 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 16/ 1982 | -252.95 | -0.04 | 699.05 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1982 | -253.09 | -0.14 | 698.91 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1982 | -253.05 | 0.04 | 698.95 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1982 | -253.11 | -0.06 | 698.89 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1982 | -253.12 | -0.01 | 698.88 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1982 | -253.32 | -0.2 | 698.68 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1982 | -253.31 | 0.01 | 698.69 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1982 | -253.79 | -0.48 | 698.21 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1982 | -253.65 | 0.14 | 698.35 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1982 | -253.6 | 0.05 | 698.4 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1982 | -253.7 | -0.1 | 698.3 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1982 | -253.52 | 0.18 | 698.48 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1982 | -253.58 | -0.06 | 698.42 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1982 | -253.32 | 0.26 | 698.68 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1982 | -253.62 | -0.3 | 698.38 | 01 | 02 | 8 | |
| | P | 1/ 31/ 1982 | -253.82 | -0.2 | 698.18 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1982 | -253.65 | 0.17 | 698.35 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1982 | -253.77 | -0.12 | 698.23 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1982 | -254 | -0.23 | 698 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1982 | -253.99 | 0.01 | 698.01 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1982 | -254.22 | -0.23 | 697.78 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1982 | -254.33 | -0.11 | 697.67 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1982 | -254.03 | 0.3 | 697.97 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1982 | -253.66 | 0.37 | 698.34 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1982 | -254.06 | -0.4 | 697.94 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1982 | -253.99 | 0.07 | 698.01 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1982 | -254.01 | -0.02 | 697.99 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1982 | -254.42 | -0.41 | 697.58 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1982 | -254.35 | 0.07 | 697.65 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1982 | -254.13 | 0.22 | 697.87 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1982 | -254.08 | 0.05 | 697.92 | 01 | 02 | 8 | |
| | P | 2/ 16/ 1982 | -254.13 | -0.05 | 697.87 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1982 | -254.25 | -0.12 | 697.75 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1982 | -254.57 | -0.32 | 697.43 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1982 | -254.6 | -0.03 | 697.4 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1982 | -254.61 | -0.01 | 697.39 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/21/1982 | -254.58 | 0.03 | 697.42 | 01 | 06 | 4 | |
| | P | 2/22/1982 | -254.83 | -0.25 | 697.17 | 01 | 06 | 4 | |
| | P | 2/23/1982 | -254.89 | -0.06 | 697.11 | 01 | 06 | 4 | |
| | P | 2/24/1982 | -254.73 | 0.16 | 697.27 | 01 | 06 | 4 | |
| | P | 2/25/1982 | -254.74 | -0.01 | 697.26 | 01 | 06 | 4 | |
| | P | 2/26/1982 | -254.89 | -0.15 | 697.11 | 01 | 06 | 4 | |
| | P | 2/27/1982 | -254.93 | -0.04 | 697.07 | 01 | 06 | 4 | |
| | P | 2/28/1982 | -254.93 | | 697.07 | 01 | 06 | 4 | |
| | P | 3/ 1/1982 | -255.08 | -0.15 | 696.92 | 01 | 06 | 4 | |
| | P | 3/ 2/1982 | -254.74 | 0.34 | 697.26 | 01 | 06 | 4 | |
| | P | 3/ 3/1982 | -254.64 | 0.1 | 697.36 | 01 | 06 | 4 | |
| | P | 3/ 4/1982 | -254.67 | -0.03 | 697.33 | 01 | 06 | 4 | |
| | P | 3/ 5/1982 | -254.88 | -0.21 | 697.12 | 01 | 06 | 4 | |
| | P | 3/ 6/1982 | -255.06 | -0.18 | 696.94 | 01 | 06 | 4 | |
| | P | 3/ 7/1982 | -255.23 | -0.17 | 696.77 | 01 | 06 | 4 | |
| | P | 3/ 8/1982 | -255.46 | -0.23 | 696.54 | 01 | 06 | 4 | |
| | P | 3/ 9/1982 | -255.44 | 0.02 | 696.56 | 01 | 06 | 4 | |
| | P | 3/10/1982 | -255.45 | -0.01 | 696.55 | 01 | 06 | 4 | |
| | P | 3/11/1982 | -255.31 | 0.14 | 696.69 | 01 | 06 | 4 | |
| | P | 3/12/1982 | -255.37 | -0.06 | 696.63 | 01 | 06 | 4 | |
| | P | 3/13/1982 | -255.55 | -0.18 | 696.45 | 01 | 06 | 4 | |
| | P | 3/14/1982 | -255.6 | -0.05 | 696.4 | 01 | 06 | 4 | |
| | P | 3/15/1982 | -256.19 | -0.59 | 695.81 | 01 | 02 | 8 | |
| | P | 3/16/1982 | -255.87 | 0.32 | 696.13 | 01 | 06 | 4 | |
| | P | 3/17/1982 | -255.92 | -0.05 | 696.08 | 01 | 06 | 4 | |
| | P | 3/18/1982 | -255.99 | -0.07 | 696.01 | 01 | 06 | 4 | |
| | P | 3/19/1982 | -256.3 | -0.31 | 695.7 | 01 | 06 | 4 | |
| | P | 3/20/1982 | -256.26 | 0.04 | 695.74 | 01 | 06 | 4 | |
| | P | 3/21/1982 | -256.1 | 0.16 | 695.9 | 01 | 06 | 4 | |
| | P | 3/22/1982 | -256.25 | -0.15 | 695.75 | 01 | 06 | 4 | |
| | P | 3/23/1982 | -256.33 | -0.08 | 695.67 | 01 | 06 | 4 | |
| | P | 3/24/1982 | -256.02 | 0.31 | 695.98 | 01 | 06 | 4 | |
| | P | 3/25/1982 | -256.06 | -0.04 | 695.94 | 01 | 06 | 4 | |
| | P | 3/26/1982 | -256.21 | -0.15 | 695.79 | 01 | 06 | 4 | |
| | P | 3/27/1982 | -256.03 | 0.18 | 695.97 | 01 | 06 | 4 | |
| | P | 3/28/1982 | -256.02 | 0.01 | 695.98 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/29/1982 | -255.82 | 0.2 | 696.18 | 01 | 06 | 4 | |
| | P | 3/30/1982 | -255.81 | 0.01 | 696.19 | 01 | 02 | 8 | |
| | P | 3/31/1982 | -255.98 | -0.17 | 696.02 | 01 | 06 | 4 | |
| | P | 4/ 1/1982 | -256.07 | -0.09 | 695.93 | 01 | 06 | 4 | |
| | P | 4/ 2/1982 | -255.98 | 0.09 | 696.02 | 01 | 06 | 4 | |
| | P | 4/ 3/1982 | -256.25 | -0.27 | 695.75 | 01 | 06 | 4 | |
| | P | 4/ 4/1982 | -256.36 | -0.11 | 695.64 | 01 | 06 | 4 | |
| | P | 4/ 5/1982 | -256.33 | 0.03 | 695.67 | 01 | 06 | 4 | |
| | P | 4/ 6/1982 | -256.65 | -0.32 | 695.35 | 01 | 06 | 4 | |
| | P | 4/ 7/1982 | -256.7 | -0.05 | 695.3 | 01 | 06 | 4 | |
| | P | 4/ 8/1982 | -256.61 | 0.09 | 695.39 | 01 | 06 | 4 | |
| | P | 4/ 9/1982 | -256.9 | -0.29 | 695.1 | 01 | 06 | 4 | |
| | P | 4/10/1982 | -256.96 | -0.06 | 695.04 | 01 | 06 | 4 | |
| | P | 4/11/1982 | -257.32 | -0.36 | 694.68 | 01 | 06 | 4 | |
| | P | 4/12/1982 | -257.48 | -0.16 | 694.52 | 01 | 06 | 4 | |
| | P | 4/13/1982 | -257.48 | | 694.52 | 01 | 06 | 4 | |
| | P | 4/14/1982 | -257.47 | 0.01 | 694.53 | 01 | 06 | 4 | |
| | P | 4/15/1982 | -257.55 | -0.08 | 694.45 | 01 | 02 | 8 | |
| | P | 4/16/1982 | -257.66 | -0.11 | 694.34 | 01 | 06 | 4 | |
| | P | 4/17/1982 | -257.75 | -0.09 | 694.25 | 01 | 06 | 4 | |
| | P | 4/18/1982 | -257.69 | 0.06 | 694.31 | 01 | 06 | 4 | |
| | P | 4/19/1982 | -257.39 | 0.3 | 694.61 | 01 | 06 | 4 | |
| | P | 4/20/1982 | -257.53 | -0.14 | 694.47 | 01 | 06 | 4 | |
| | P | 4/21/1982 | -258.09 | -0.56 | 693.91 | 01 | 06 | 4 | |
| | P | 4/22/1982 | -257.96 | 0.13 | 694.04 | 01 | 06 | 4 | |
| | P | 4/23/1982 | -257.46 | 0.5 | 694.54 | 01 | 06 | 4 | |
| | P | 4/24/1982 | -257.07 | 0.39 | 694.93 | 01 | 06 | 4 | |
| | P | 4/25/1982 | -257.23 | -0.16 | 694.77 | 01 | 06 | 4 | |
| | P | 4/26/1982 | -257.27 | -0.04 | 694.73 | 01 | 06 | 4 | |
| | P | 4/27/1982 | -257.52 | -0.25 | 694.48 | 01 | 06 | 4 | |
| | P | 4/28/1982 | -257.64 | -0.12 | 694.36 | 01 | 06 | 4 | |
| | P | 4/29/1982 | -257.68 | -0.04 | 694.32 | 01 | 06 | 4 | |
| | P | 4/30/1982 | -257.79 | -0.11 | 694.21 | 01 | 02 | 8 | |
| | P | 5/ 8/1982 | -255.76 | 2.03 | 696.24 | 01 | 06 | 4 | |
| | P | 5/ 9/1982 | -256.14 | -0.38 | 695.86 | 01 | 06 | 4 | |
| | P | 5/10/1982 | -256.53 | -0.39 | 695.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 11/ 1982 | -256.85 | -0.32 | 695.15 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1982 | -256.93 | -0.08 | 695.07 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1982 | -252.67 | 4.26 | 699.33 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1982 | -252.85 | -0.18 | 699.15 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1982 | -252.95 | -0.1 | 699.05 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1982 | -252.89 | 0.06 | 699.11 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1982 | -252.71 | 0.18 | 699.29 | 01 | 02 | 8 | |
| | P | 5/ 31/ 1982 | -252.73 | -0.02 | 699.27 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1982 | -252.83 | -0.1 | 699.17 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1982 | -252.72 | 0.11 | 699.28 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1982 | -252.9 | -0.18 | 699.1 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1982 | -253.01 | -0.11 | 698.99 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1982 | -253.12 | -0.11 | 698.88 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1982 | -253.43 | -0.31 | 698.57 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1982 | -253.37 | 0.06 | 698.63 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1982 | -253.28 | 0.09 | 698.72 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1982 | -253.59 | -0.31 | 698.41 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1982 | -253.94 | -0.35 | 698.06 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1982 | -253.76 | 0.18 | 698.24 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1982 | -253.56 | 0.2 | 698.44 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1982 | -253.6 | -0.04 | 698.4 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1982 | -253.27 | 0.33 | 698.73 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1982 | -253.2 | 0.07 | 698.8 | 01 | 02 | 8 | |
| | P | 6/ 16/ 1982 | -253.62 | -0.42 | 698.38 | 01 | 06 | 4 | |
| | P | 6/ 17/ 1982 | -253.68 | -0.06 | 698.32 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1982 | -253.87 | -0.19 | 698.13 | 01 | 06 | 4 | |
| | P | 6/ 19/ 1982 | -253.95 | -0.08 | 698.05 | 01 | 06 | 4 | |
| | P | 6/ 20/ 1982 | -253.82 | 0.13 | 698.18 | 01 | 06 | 4 | |
| | P | 6/ 21/ 1982 | -253.01 | 0.81 | 698.99 | 01 | 06 | 4 | |
| | P | 6/ 22/ 1982 | -254.19 | -1.18 | 697.81 | 01 | 06 | 4 | |
| | P | 6/ 23/ 1982 | -254.45 | -0.26 | 697.55 | 01 | 06 | 4 | |
| | P | 6/ 24/ 1982 | -254.44 | 0.01 | 697.56 | 01 | 06 | 4 | |
| | P | 6/ 25/ 1982 | -254.46 | -0.02 | 697.54 | 01 | 06 | 4 | |
| | P | 6/ 26/ 1982 | -254.86 | -0.4 | 697.14 | 01 | 06 | 4 | |
| | P | 6/ 27/ 1982 | -254.84 | 0.02 | 697.16 | 01 | 06 | 4 | |
| | P | 6/ 28/ 1982 | -254.97 | -0.13 | 697.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/29/1982 | -255.23 | -0.26 | 696.77 | 01 | 06 | 4 | |
| | P | 6/30/1982 | -255.39 | -0.16 | 696.61 | 01 | 02 | 8 | |
| | P | 7/ 1/1982 | -255.26 | 0.13 | 696.74 | 01 | 06 | 4 | |
| | P | 7/ 2/1982 | -255.24 | 0.02 | 696.76 | 01 | 06 | 4 | |
| | P | 7/ 3/1982 | -255.23 | 0.01 | 696.77 | 01 | 06 | 4 | |
| | P | 7/ 4/1982 | -255.5 | -0.27 | 696.5 | 01 | 06 | 4 | |
| | P | 7/ 5/1982 | -255.76 | -0.26 | 696.24 | 01 | 06 | 4 | |
| | P | 7/ 6/1982 | -256.04 | -0.28 | 695.96 | 01 | 06 | 4 | |
| | P | 7/ 7/1982 | -256.19 | -0.15 | 695.81 | 01 | 06 | 4 | |
| | P | 7/ 8/1982 | -256.61 | -0.42 | 695.39 | 01 | 06 | 4 | |
| | P | 7/ 9/1982 | -256.74 | -0.13 | 695.26 | 01 | 06 | 4 | |
| | P | 7/10/1982 | -257.02 | -0.28 | 694.98 | 01 | 06 | 4 | |
| | P | 7/11/1982 | -257.14 | -0.12 | 694.86 | 01 | 06 | 4 | |
| | P | 7/12/1982 | -257.58 | -0.44 | 694.42 | 01 | 06 | 4 | |
| | P | 7/13/1982 | -257.78 | -0.2 | 694.22 | 01 | 06 | 4 | |
| | P | 7/14/1982 | -258.1 | -0.32 | 693.9 | 01 | 06 | 4 | |
| | P | 7/15/1982 | -257.67 | 0.43 | 694.33 | 01 | 02 | 8 | |
| | P | 7/16/1982 | -258.3 | -0.63 | 693.7 | 01 | 06 | 4 | |
| | P | 7/17/1982 | -258.51 | -0.21 | 693.49 | 01 | 06 | 4 | |
| | P | 7/18/1982 | -258.78 | -0.27 | 693.22 | 01 | 06 | 4 | |
| | P | 7/19/1982 | -258.88 | -0.1 | 693.12 | 01 | 06 | 4 | |
| | P | 7/20/1982 | -258.8 | 0.08 | 693.2 | 01 | 06 | 4 | |
| | P | 7/21/1982 | -258.86 | -0.06 | 693.14 | 01 | 06 | 4 | |
| | P | 7/22/1982 | -258.7 | 0.16 | 693.3 | 01 | 06 | 4 | |
| | P | 7/23/1982 | -258.7 | | 693.3 | 01 | 06 | 4 | |
| | P | 7/24/1982 | -258.55 | 0.15 | 693.45 | 01 | 06 | 4 | |
| | P | 7/25/1982 | -259.07 | -0.52 | 692.93 | 01 | 06 | 4 | |
| | P | 7/26/1982 | -259.63 | -0.56 | 692.37 | 01 | 06 | 4 | |
| | P | 7/27/1982 | -259.8 | -0.17 | 692.2 | 01 | 06 | 4 | |
| | P | 7/28/1982 | -260.06 | -0.26 | 691.94 | 01 | 06 | 4 | |
| | P | 7/29/1982 | -260.17 | -0.11 | 691.83 | 01 | 06 | 4 | |
| | P | 7/30/1982 | -260.42 | -0.25 | 691.58 | 01 | 02 | 8 | |
| | P | 7/31/1982 | -260.35 | 0.07 | 691.65 | 01 | 06 | 4 | |
| | P | 8/ 1/1982 | -260.53 | -0.18 | 691.47 | 01 | 06 | 4 | |
| | P | 8/ 2/1982 | -260.75 | -0.22 | 691.25 | 01 | 06 | 4 | |
| | P | 8/ 3/1982 | -260.54 | 0.21 | 691.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 4/1982 | -260.85 | -0.31 | 691.15 | 01 | 06 | 4 | |
| | P | 8/ 5/1982 | -261.31 | -0.46 | 690.69 | 01 | 06 | 4 | |
| | P | 8/ 6/1982 | -261.58 | -0.27 | 690.42 | 01 | 06 | 4 | |
| | P | 8/ 7/1982 | -261.75 | -0.17 | 690.25 | 01 | 06 | 4 | |
| | P | 8/ 8/1982 | -261.52 | 0.23 | 690.48 | 01 | 06 | 4 | |
| | P | 8/ 9/1982 | -261.13 | 0.39 | 690.87 | 01 | 06 | 4 | |
| | P | 8/10/1982 | -260.85 | 0.28 | 691.15 | 01 | 06 | 4 | |
| | P | 8/11/1982 | -260.81 | 0.04 | 691.19 | 01 | 06 | 4 | |
| | P | 8/12/1982 | -260.89 | -0.08 | 691.11 | 01 | 06 | 4 | |
| | P | 8/13/1982 | -260.9 | -0.01 | 691.1 | 01 | 06 | 4 | |
| | P | 8/14/1982 | -261.2 | -0.3 | 690.8 | 01 | 06 | 4 | |
| | P | 8/15/1982 | -261.6 | -0.4 | 690.4 | 01 | 02 | 8 | |
| | P | 8/16/1982 | -262.06 | -0.46 | 689.94 | 01 | 06 | 4 | |
| | P | 8/17/1982 | -262.31 | -0.25 | 689.69 | 01 | 06 | 4 | |
| | P | 8/18/1982 | -262.34 | -0.03 | 689.66 | 01 | 06 | 4 | |
| | P | 8/19/1982 | -262.38 | -0.04 | 689.62 | 01 | 06 | 4 | |
| | P | 8/20/1982 | -262.51 | -0.13 | 689.49 | 01 | 06 | 4 | |
| | P | 8/21/1982 | -262.62 | -0.11 | 689.38 | 01 | 06 | 4 | |
| | P | 8/22/1982 | -262.91 | -0.29 | 689.09 | 01 | 06 | 4 | |
| | P | 8/23/1982 | -263.2 | -0.29 | 688.8 | 01 | 06 | 4 | |
| | P | 8/24/1982 | -263.29 | -0.09 | 688.71 | 01 | 06 | 4 | |
| | P | 8/25/1982 | -263.71 | -0.42 | 688.29 | 01 | 06 | 4 | |
| | P | 8/26/1982 | -263.91 | -0.2 | 688.09 | 01 | 06 | 4 | |
| | P | 8/27/1982 | -263.93 | -0.02 | 688.07 | 01 | 06 | 4 | |
| | P | 8/28/1982 | -263.99 | -0.06 | 688.01 | 01 | 06 | 4 | |
| | P | 8/29/1982 | -264.29 | -0.3 | 687.71 | 01 | 06 | 4 | |
| | P | 8/30/1982 | -264.17 | 0.12 | 687.83 | 01 | 02 | 8 | |
| | P | 8/31/1982 | -264.01 | 0.16 | 687.99 | 01 | 06 | 4 | |
| | P | 9/ 1/1982 | -264.22 | -0.21 | 687.78 | 01 | 06 | 4 | |
| | P | 9/ 2/1982 | -264.15 | 0.07 | 687.85 | 01 | 06 | 4 | |
| | P | 9/ 3/1982 | -264.41 | -0.26 | 687.59 | 01 | 06 | 4 | |
| | P | 9/ 4/1982 | -264.25 | 0.16 | 687.75 | 01 | 06 | 4 | |
| | P | 9/ 5/1982 | -264.3 | -0.05 | 687.7 | 01 | 06 | 4 | |
| | P | 9/ 6/1982 | -264.63 | -0.33 | 687.37 | 01 | 06 | 4 | |
| | P | 9/ 7/1982 | -263.91 | 0.72 | 688.09 | 01 | 06 | 4 | |
| | P | 9/ 8/1982 | -263.87 | 0.04 | 688.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 9/1982 | -263.85 | 0.02 | 688.15 | 01 | 06 | 4 | |
| | P | 9/10/1982 | -263.85 | | 688.15 | 01 | 06 | 4 | |
| | P | 9/11/1982 | -263.91 | -0.06 | 688.09 | 01 | 06 | 4 | |
| | P | 9/12/1982 | -264.25 | -0.34 | 687.75 | 01 | 06 | 4 | |
| | P | 9/13/1982 | -264.48 | -0.23 | 687.52 | 01 | 06 | 4 | |
| | P | 9/14/1982 | -264.37 | 0.11 | 687.63 | 01 | 06 | 4 | |
| | P | 9/15/1982 | -264.42 | -0.05 | 687.58 | 01 | 02 | 8 | |
| | P | 9/16/1982 | -264.33 | 0.09 | 687.67 | 01 | 06 | 4 | |
| | P | 9/17/1982 | -264.2 | 0.13 | 687.8 | 01 | 06 | 4 | |
| | P | 9/18/1982 | -264.39 | -0.19 | 687.61 | 01 | 06 | 4 | |
| | P | 9/19/1982 | -264.7 | -0.31 | 687.3 | 01 | 06 | 4 | |
| | P | 9/20/1982 | -264.51 | 0.19 | 687.49 | 01 | 06 | 4 | |
| | P | 9/21/1982 | -264.51 | | 687.49 | 01 | 06 | 4 | |
| | P | 9/22/1982 | -264.6 | -0.09 | 687.4 | 01 | 06 | 4 | |
| | P | 9/23/1982 | -264.55 | 0.05 | 687.45 | 01 | 06 | 4 | |
| | P | 9/24/1982 | -264.59 | -0.04 | 687.41 | 01 | 06 | 4 | |
| | P | 9/25/1982 | -264.64 | -0.05 | 687.36 | 01 | 06 | 4 | |
| | P | 9/26/1982 | -265.06 | -0.42 | 686.94 | 01 | 06 | 4 | |
| | P | 9/27/1982 | -264.43 | 0.63 | 687.57 | 01 | 06 | 4 | |
| | P | 9/28/1982 | -265.79 | -1.36 | 686.21 | 01 | 06 | 4 | |
| | P | 9/29/1982 | -265.3 | 0.49 | 686.7 | 01 | 06 | 4 | |
| | P | 9/30/1982 | -265.15 | 0.15 | 686.85 | 01 | 02 | 8 | |
| | P | 10/ 1/1982 | -265 | 0.15 | 687 | 01 | 06 | 4 | |
| | P | 10/ 2/1982 | -265.01 | -0.01 | 686.99 | 01 | 06 | 4 | |
| | P | 10/ 3/1982 | -265.27 | -0.26 | 686.73 | 01 | 06 | 4 | |
| | P | 10/ 4/1982 | -265.54 | -0.27 | 686.46 | 01 | 06 | 4 | |
| | P | 10/ 5/1982 | -265.87 | -0.33 | 686.13 | 01 | 06 | 4 | |
| | P | 10/ 6/1982 | -265.39 | 0.48 | 686.61 | 01 | 06 | 4 | |
| | P | 10/ 7/1982 | -265.2 | 0.19 | 686.8 | 01 | 06 | 4 | |
| | P | 10/ 8/1982 | -265.12 | 0.08 | 686.88 | 01 | 06 | 4 | |
| | P | 10/ 9/1982 | -265.06 | 0.06 | 686.94 | 01 | 06 | 4 | |
| | P | 10/10/1982 | -265.03 | 0.03 | 686.97 | 01 | 06 | 4 | |
| | P | 10/11/1982 | -265.04 | -0.01 | 686.96 | 01 | 06 | 4 | |
| | P | 10/12/1982 | -264.94 | 0.1 | 687.06 | 01 | 06 | 4 | |
| | P | 10/13/1982 | -265.11 | -0.17 | 686.89 | 01 | 06 | 4 | |
| | P | 10/14/1982 | -265.07 | 0.04 | 686.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1982 | -265.04 | 0.03 | 686.96 | 01 | 02 | 8 | |
| | P | 10 / 16/ 1982 | -265.24 | -0.2 | 686.76 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1982 | -265.14 | 0.1 | 686.86 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1982 | -265.08 | 0.06 | 686.92 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1982 | -265.11 | -0.03 | 686.89 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1982 | -265.31 | -0.2 | 686.69 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1982 | -265.4 | -0.09 | 686.6 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1982 | -265.52 | -0.12 | 686.48 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1982 | -265.55 | -0.03 | 686.45 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1982 | -265.5 | 0.05 | 686.5 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1982 | -265.62 | -0.12 | 686.38 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1982 | -265.61 | 0.01 | 686.39 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1982 | -265.3 | 0.31 | 686.7 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1982 | -265.26 | 0.04 | 686.74 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1982 | -265.63 | -0.37 | 686.37 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1982 | -265.86 | -0.23 | 686.14 | 01 | 02 | 8 | |
| | P | 10 / 31/ 1982 | -265.81 | 0.05 | 686.19 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1982 | -265.93 | -0.12 | 686.07 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1982 | -265.91 | 0.02 | 686.09 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1982 | -265.95 | -0.04 | 686.05 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1982 | -265.81 | 0.14 | 686.19 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1982 | -265.66 | 0.15 | 686.34 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1982 | -265.61 | 0.05 | 686.39 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1982 | -265.58 | 0.03 | 686.42 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1982 | -265.58 | | 686.42 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1982 | -265.65 | -0.07 | 686.35 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1982 | -265.8 | -0.15 | 686.2 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1982 | -265.37 | 0.43 | 686.63 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1982 | -265.55 | -0.18 | 686.45 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1982 | -265.88 | -0.33 | 686.12 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1982 | -265.8 | 0.08 | 686.2 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1982 | -265.72 | 0.08 | 686.28 | 01 | 02 | 8 | |
| | P | 11 / 16/ 1982 | -265.72 | | 686.28 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1982 | -265.55 | 0.17 | 686.45 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1982 | -265.63 | -0.08 | 686.37 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1982 | -265.51 | 0.12 | 686.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 20/ 1982 | -265.51 | | 686.49 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1982 | -265.81 | -0.3 | 686.19 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1982 | -265.59 | 0.22 | 686.41 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1982 | -265.57 | 0.02 | 686.43 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1982 | -265.89 | -0.32 | 686.11 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1982 | -265.75 | 0.14 | 686.25 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1982 | -265.62 | 0.13 | 686.38 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1982 | -265.58 | 0.04 | 686.42 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1982 | -265.44 | 0.14 | 686.56 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1982 | -265.49 | -0.05 | 686.51 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1982 | -265.61 | -0.12 | 686.39 | 01 | 02 | 8 | |
| | P | 12 / 1 / 1982 | -265.54 | 0.07 | 686.46 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1982 | -265.53 | 0.01 | 686.47 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1982 | -265.76 | -0.23 | 686.24 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1982 | -265.64 | 0.12 | 686.36 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1982 | -265.79 | -0.15 | 686.21 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1982 | -265.93 | -0.14 | 686.07 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1982 | -266 | -0.07 | 686 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1982 | -266.06 | -0.06 | 685.94 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1982 | -265.95 | 0.11 | 686.05 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1982 | -265.67 | 0.28 | 686.33 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1982 | -265.82 | -0.15 | 686.18 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1982 | -265.75 | 0.07 | 686.25 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1982 | -265.58 | 0.17 | 686.42 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1982 | -265.7 | -0.12 | 686.3 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1982 | -265.82 | -0.12 | 686.18 | 01 | 02 | 8 | |
| | P | 12 / 16/ 1982 | -265.95 | -0.13 | 686.05 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1982 | -265.58 | 0.37 | 686.42 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1982 | -265.63 | -0.05 | 686.37 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1982 | -265.96 | -0.33 | 686.04 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1982 | -265.78 | 0.18 | 686.22 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1982 | -265.53 | 0.25 | 686.47 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1982 | -265.68 | -0.15 | 686.32 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1982 | -265.37 | 0.31 | 686.63 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1982 | -265.49 | -0.12 | 686.51 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1982 | -265.85 | -0.36 | 686.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/26/1982 | -265.8 | 0.05 | 686.2 | 01 | 06 | 4 | |
| | P | 12/27/1982 | -265.64 | 0.16 | 686.36 | 01 | 06 | 4 | |
| | P | 12/28/1982 | -265.9 | -0.26 | 686.1 | 01 | 06 | 4 | |
| | P | 12/29/1982 | -266.01 | -0.11 | 685.99 | 01 | 06 | 4 | |
| | P | 12/30/1982 | -265.84 | 0.17 | 686.16 | 01 | 02 | 8 | |
| | P | 12/31/1982 | -265.64 | 0.2 | 686.36 | 01 | 06 | 4 | |
| | P | 1/ 1/1983 | -265.8 | -0.16 | 686.2 | 01 | 06 | 4 | |
| | P | 1/ 2/1983 | -265.79 | 0.01 | 686.21 | 01 | 06 | 4 | |
| | P | 1/ 3/1983 | -265.8 | -0.01 | 686.2 | 01 | 06 | 4 | |
| | P | 1/ 4/1983 | -265.74 | 0.06 | 686.26 | 01 | 06 | 4 | |
| | P | 1/ 5/1983 | -265.68 | 0.06 | 686.32 | 01 | 06 | 4 | |
| | P | 1/ 6/1983 | -265.68 | | 686.32 | 01 | 06 | 4 | |
| | P | 1/ 7/1983 | -265.41 | 0.27 | 686.59 | 01 | 06 | 4 | |
| | P | 1/ 8/1983 | -265.52 | -0.11 | 686.48 | 01 | 06 | 4 | |
| | P | 1/ 9/1983 | -265.54 | -0.02 | 686.46 | 01 | 06 | 4 | |
| | P | 1/10/1983 | -265.65 | -0.11 | 686.35 | 01 | 06 | 4 | |
| | P | 1/11/1983 | -265.8 | -0.15 | 686.2 | 01 | 06 | 4 | |
| | P | 1/12/1983 | -265.9 | -0.1 | 686.1 | 01 | 06 | 4 | |
| | P | 1/13/1983 | -265.92 | -0.02 | 686.08 | 01 | 06 | 4 | |
| | P | 1/14/1983 | -265.91 | 0.01 | 686.09 | 01 | 06 | 4 | |
| | P | 1/15/1983 | -265.96 | -0.05 | 686.04 | 01 | 12 | 8 | |
| | P | 1/16/1983 | -265.87 | 0.09 | 686.13 | 01 | 06 | 4 | |
| | P | 1/17/1983 | -265.8 | 0.07 | 686.2 | 01 | 06 | 4 | |
| | P | 1/18/1983 | -265.9 | -0.1 | 686.1 | 01 | 06 | 4 | |
| | P | 1/19/1983 | -265.69 | 0.21 | 686.31 | 01 | 06 | 4 | |
| | P | 1/20/1983 | -265.66 | 0.03 | 686.34 | 01 | 06 | 4 | |
| | P | 1/21/1983 | -265.81 | -0.15 | 686.19 | 01 | 06 | 4 | |
| | P | 1/22/1983 | -265.91 | -0.1 | 686.09 | 01 | 06 | 4 | |
| | P | 1/23/1983 | -265.8 | 0.11 | 686.2 | 01 | 06 | 4 | |
| | P | 1/24/1983 | -265.92 | -0.12 | 686.08 | 01 | 06 | 4 | |
| | P | 1/25/1983 | -265.92 | | 686.08 | 01 | 06 | 4 | |
| | P | 1/26/1983 | -265.88 | 0.04 | 686.12 | 01 | 06 | 4 | |
| | P | 1/27/1983 | -265.93 | -0.05 | 686.07 | 01 | 06 | 4 | |
| | P | 1/28/1983 | -265.73 | 0.2 | 686.27 | 01 | 06 | 4 | |
| | P | 1/29/1983 | -265.92 | -0.19 | 686.08 | 01 | 06 | 4 | |
| | P | 1/30/1983 | -265.76 | 0.16 | 686.24 | 01 | 12 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 31/ 1983 | -265.55 | 0.21 | 686.45 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1983 | -265.74 | -0.19 | 686.26 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1983 | -265.99 | -0.25 | 686.01 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1983 | -266.14 | -0.15 | 685.86 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1983 | -266.05 | 0.09 | 685.95 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1983 | -265.83 | 0.22 | 686.17 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1983 | -265.96 | -0.13 | 686.04 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1983 | -266.13 | -0.17 | 685.87 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1983 | -266.07 | 0.06 | 685.93 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1983 | -265.99 | 0.08 | 686.01 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1983 | -266.05 | -0.06 | 685.95 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1983 | -266.16 | -0.11 | 685.84 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1983 | -266.33 | -0.17 | 685.67 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1983 | -266.07 | 0.26 | 685.93 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1983 | -265.74 | 0.33 | 686.26 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1983 | -265.89 | -0.15 | 686.11 | 01 | 12 | 8 | |
| | P | 2/ 16/ 1983 | -265.98 | -0.09 | 686.02 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1983 | -266.06 | -0.08 | 685.94 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1983 | -266.05 | 0.01 | 685.95 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1983 | -265.92 | 0.13 | 686.08 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1983 | -266.07 | -0.15 | 685.93 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1983 | -266.14 | -0.07 | 685.86 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1983 | -266.13 | 0.01 | 685.87 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1983 | -265.95 | 0.18 | 686.05 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1983 | -265.97 | -0.02 | 686.03 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1983 | -266.05 | -0.08 | 685.95 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1983 | -266.18 | -0.13 | 685.82 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1983 | -266.38 | -0.2 | 685.62 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1983 | -266.3 | 0.08 | 685.7 | 01 | 12 | 8 | |
| | P | 3/ 1/ 1983 | -266.41 | -0.11 | 685.59 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1983 | -266.21 | 0.2 | 685.79 | 01 | 06 | 4 | |
| | P | 3/ 3/ 1983 | -266.06 | 0.15 | 685.94 | 01 | 06 | 4 | |
| | P | 3/ 4/ 1983 | -265.96 | 0.1 | 686.04 | 01 | 06 | 4 | |
| | P | 3/ 5/ 1983 | -266.05 | -0.09 | 685.95 | 01 | 06 | 4 | |
| | P | 3/ 6/ 1983 | -266.25 | -0.2 | 685.75 | 01 | 06 | 4 | |
| | P | 3/ 7/ 1983 | -266.45 | -0.2 | 685.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 8/1983 | -266.58 | -0.13 | 685.42 | 01 | 06 | 4 | |
| | P | 3/ 9/1983 | -266.65 | -0.07 | 685.35 | 01 | 06 | 4 | |
| | P | 3/10/1983 | -266.62 | 0.03 | 685.38 | 01 | 06 | 4 | |
| | P | 3/11/1983 | -266.7 | -0.08 | 685.3 | 01 | 06 | 4 | |
| | P | 3/12/1983 | -266.73 | -0.03 | 685.27 | 01 | 06 | 4 | |
| | P | 3/13/1983 | -266.72 | 0.01 | 685.28 | 01 | 06 | 4 | |
| | P | 3/14/1983 | -266.82 | -0.1 | 685.18 | 01 | 06 | 4 | |
| | P | 3/15/1983 | -266.56 | 0.26 | 685.44 | 01 | 12 | 8 | |
| | P | 3/16/1983 | -266.55 | 0.01 | 685.45 | 01 | 06 | 4 | |
| | P | 3/17/1983 | -266.65 | -0.1 | 685.35 | 01 | 06 | 4 | |
| | P | 3/18/1983 | -266.6 | 0.05 | 685.4 | 01 | 06 | 4 | |
| | P | 3/19/1983 | -266.44 | 0.16 | 685.56 | 01 | 06 | 4 | |
| | P | 3/20/1983 | -266.63 | -0.19 | 685.37 | 01 | 06 | 4 | |
| | P | 3/21/1983 | -266.68 | -0.05 | 685.32 | 01 | 06 | 4 | |
| | P | 3/22/1983 | -266.6 | 0.08 | 685.4 | 01 | 06 | 4 | |
| | P | 3/23/1983 | -266.39 | 0.21 | 685.61 | 01 | 06 | 4 | |
| | P | 3/24/1983 | -266.34 | 0.05 | 685.66 | 01 | 06 | 4 | |
| | P | 3/25/1983 | -266.06 | 0.28 | 685.94 | 01 | 06 | 4 | |
| | P | 3/26/1983 | -266 | 0.06 | 686 | 01 | 06 | 4 | |
| | P | 3/27/1983 | -266.18 | -0.18 | 685.82 | 01 | 06 | 4 | |
| | P | 3/28/1983 | -265.93 | 0.25 | 686.07 | 01 | 06 | 4 | |
| | P | 3/29/1983 | -265.82 | 0.11 | 686.18 | 01 | 06 | 4 | |
| | P | 3/30/1983 | -265.95 | -0.13 | 686.05 | 01 | 12 | 8 | |
| | P | 3/31/1983 | -265.72 | 0.23 | 686.28 | 01 | 06 | 4 | |
| | P | 4/ 1/1983 | -265.65 | 0.07 | 686.35 | 01 | 06 | 4 | |
| | P | 4/ 2/1983 | -266.11 | -0.46 | 685.89 | 01 | 06 | 4 | |
| | P | 4/ 3/1983 | -266.09 | 0.02 | 685.91 | 01 | 06 | 4 | |
| | P | 4/ 4/1983 | -266.06 | 0.03 | 685.94 | 01 | 06 | 4 | |
| | P | 4/ 5/1983 | -266.43 | -0.37 | 685.57 | 01 | 06 | 4 | |
| | P | 4/ 6/1983 | -266.43 | | 685.57 | 01 | 06 | 4 | |
| | P | 4/ 7/1983 | -266.59 | -0.16 | 685.41 | 01 | 06 | 4 | |
| | P | 4/ 8/1983 | -266.64 | -0.05 | 685.36 | 01 | 06 | 4 | |
| | P | 4/ 9/1983 | -266.69 | -0.05 | 685.31 | 01 | 06 | 4 | |
| | P | 4/10/1983 | -267.42 | -0.73 | 684.58 | 01 | 06 | 4 | |
| | P | 4/11/1983 | -267.52 | -0.1 | 684.48 | 01 | 06 | 4 | |
| | P | 4/12/1983 | -266.96 | 0.56 | 685.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 13/ 1983 | -266.93 | 0.03 | 685.07 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1983 | -267.33 | -0.4 | 684.67 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1983 | -267.36 | -0.03 | 684.64 | 01 | 12 | 8 | |
| | P | 4/ 16/ 1983 | -267.24 | 0.12 | 684.76 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1983 | -267.71 | -0.47 | 684.29 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1983 | -267.38 | 0.33 | 684.62 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1983 | -267.47 | -0.09 | 684.53 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1983 | -267.53 | -0.06 | 684.47 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1983 | -267.28 | 0.25 | 684.72 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1983 | -267.09 | 0.19 | 684.91 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1983 | -267.5 | -0.41 | 684.5 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1983 | -267.69 | -0.19 | 684.31 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1983 | -268.29 | -0.6 | 683.71 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1983 | -267.93 | 0.36 | 684.07 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1983 | -267.79 | 0.14 | 684.21 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1983 | -267.93 | -0.14 | 684.07 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1983 | -267.81 | 0.12 | 684.19 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1983 | -267.58 | 0.23 | 684.42 | 01 | 12 | 8 | |
| | P | 5/ 1/ 1983 | -267.68 | -0.1 | 684.32 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1983 | -268.14 | -0.46 | 683.86 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1983 | -268.36 | -0.22 | 683.64 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1983 | -268.44 | -0.08 | 683.56 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1983 | -268.38 | 0.06 | 683.62 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1983 | -268.63 | -0.25 | 683.37 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1983 | -268.63 | | 683.37 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1983 | -269.65 | -1.02 | 682.35 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1983 | -269.12 | 0.53 | 682.88 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1983 | -268.65 | 0.47 | 683.35 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1983 | -268.48 | 0.17 | 683.52 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1983 | -268.29 | 0.19 | 683.71 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1983 | -268.37 | -0.08 | 683.63 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1983 | -268.23 | 0.14 | 683.77 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1983 | -268.31 | -0.08 | 683.69 | 01 | 12 | 8 | |
| | P | 5/ 16/ 1983 | -268.42 | -0.11 | 683.58 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1983 | -268.29 | 0.13 | 683.71 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1983 | -268.25 | 0.04 | 683.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/19/1983 | -268.48 | -0.23 | 683.52 | 01 | 06 | 4 | |
| | P | 5/20/1983 | -268.31 | 0.17 | 683.69 | 01 | 06 | 4 | |
| | P | 5/21/1983 | -267.08 | 1.23 | 684.92 | 01 | 06 | 4 | |
| | P | 5/22/1983 | -266.15 | 0.93 | 685.85 | 01 | 06 | 4 | |
| | P | 5/23/1983 | -265.83 | 0.32 | 686.17 | 01 | 06 | 4 | |
| | P | 5/24/1983 | -265.78 | 0.05 | 686.22 | 01 | 06 | 4 | |
| | P | 5/25/1983 | -265.67 | 0.11 | 686.33 | 01 | 06 | 4 | |
| | P | 5/26/1983 | -265.93 | -0.26 | 686.07 | 01 | 06 | 4 | |
| | P | 5/27/1983 | -266.22 | -0.29 | 685.78 | 01 | 06 | 4 | |
| | P | 5/28/1983 | -266.64 | -0.42 | 685.36 | 01 | 06 | 4 | |
| | P | 5/29/1983 | -266.79 | -0.15 | 685.21 | 01 | 06 | 4 | |
| | P | 5/30/1983 | -266.95 | -0.16 | 685.05 | 01 | 12 | 8 | |
| | P | 5/31/1983 | -267.1 | -0.15 | 684.9 | 01 | 06 | 4 | |
| | P | 6/ 1/1983 | -267.18 | -0.08 | 684.82 | 01 | 06 | 4 | |
| | P | 6/ 2/1983 | -267.16 | 0.02 | 684.84 | 01 | 06 | 4 | |
| | P | 6/ 3/1983 | -267.29 | -0.13 | 684.71 | 01 | 06 | 4 | |
| | P | 6/ 4/1983 | -267.63 | -0.34 | 684.37 | 01 | 06 | 4 | |
| | P | 6/ 5/1983 | -267.54 | 0.09 | 684.46 | 01 | 06 | 4 | |
| | P | 6/ 6/1983 | -267.36 | 0.18 | 684.64 | 01 | 06 | 4 | |
| | P | 6/ 7/1983 | -267.43 | -0.07 | 684.57 | 01 | 06 | 4 | |
| | P | 6/ 8/1983 | -267.35 | 0.08 | 684.65 | 01 | 06 | 4 | |
| | P | 6/ 9/1983 | -267.49 | -0.14 | 684.51 | 01 | 06 | 4 | |
| | P | 6/10/1983 | -267.56 | -0.07 | 684.44 | 01 | 06 | 4 | |
| | P | 6/11/1983 | -267.42 | 0.14 | 684.58 | 01 | 06 | 4 | |
| | P | 6/12/1983 | -267.48 | -0.06 | 684.52 | 01 | 06 | 4 | |
| | P | 6/13/1983 | -268.03 | -0.55 | 683.97 | 01 | 06 | 4 | |
| | P | 6/14/1983 | -268.39 | -0.36 | 683.61 | 01 | 06 | 4 | |
| | P | 6/15/1983 | -268.14 | 0.25 | 683.86 | 01 | 12 | 8 | |
| | P | 6/16/1983 | -268.03 | 0.11 | 683.97 | 01 | 06 | 4 | |
| | P | 6/17/1983 | -267.92 | 0.11 | 684.08 | 01 | 06 | 4 | |
| | P | 6/18/1983 | -267.89 | 0.03 | 684.11 | 01 | 06 | 4 | |
| | P | 6/19/1983 | -268.25 | -0.36 | 683.75 | 01 | 06 | 4 | |
| | P | 6/20/1983 | -268.61 | -0.36 | 683.39 | 01 | 06 | 4 | |
| | P | 6/21/1983 | -269.05 | -0.44 | 682.95 | 01 | 06 | 4 | |
| | P | 6/22/1983 | -268.92 | 0.13 | 683.08 | 01 | 06 | 4 | |
| | P | 6/23/1983 | -268.94 | -0.02 | 683.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/24/1983 | -269.22 | -0.28 | 682.78 | 01 | 06 | 4 | |
| | P | 6/25/1983 | -268.94 | 0.28 | 683.06 | 01 | 06 | 4 | |
| | P | 6/26/1983 | -268.76 | 0.18 | 683.24 | 01 | 06 | 4 | |
| | P | 6/27/1983 | -268.76 | | 683.24 | 01 | 06 | 4 | |
| | P | 6/28/1983 | -269.3 | -0.54 | 682.7 | 01 | 06 | 4 | |
| | P | 6/29/1983 | -269.51 | -0.21 | 682.49 | 01 | 06 | 4 | |
| | P | 6/30/1983 | -270.23 | -0.72 | 681.77 | 01 | 12 | 8 | |
| | P | 7/ 1/1983 | -269.88 | 0.35 | 682.12 | 01 | 06 | 4 | |
| | P | 7/ 2/1983 | -269.92 | -0.04 | 682.08 | 01 | 06 | 4 | |
| | P | 7/ 3/1983 | -270.61 | -0.69 | 681.39 | 01 | 06 | 4 | |
| | P | 7/ 4/1983 | -270.88 | -0.27 | 681.12 | 01 | 06 | 4 | |
| | P | 7/ 5/1983 | -271.03 | -0.15 | 680.97 | 01 | 06 | 4 | |
| | P | 7/ 6/1983 | -270.02 | 1.01 | 681.98 | 01 | 06 | 4 | |
| | P | 7/ 7/1983 | -270.17 | -0.15 | 681.83 | 01 | 06 | 4 | |
| | P | 7/ 8/1983 | -270.77 | -0.6 | 681.23 | 01 | 06 | 4 | |
| | P | 7/ 9/1983 | -271.11 | -0.34 | 680.89 | 01 | 06 | 4 | |
| | P | 7/10/1983 | -271.26 | -0.15 | 680.74 | 01 | 06 | 4 | |
| | P | 7/11/1983 | -271.47 | -0.21 | 680.53 | 01 | 06 | 4 | |
| | P | 7/12/1983 | -271.55 | -0.08 | 680.45 | 01 | 06 | 4 | |
| | P | 7/13/1983 | -270.7 | 0.85 | 681.3 | 01 | 06 | 4 | |
| | P | 7/14/1983 | -270.52 | 0.18 | 681.48 | 01 | 06 | 4 | |
| | P | 7/15/1983 | -270.39 | 0.13 | 681.61 | 01 | 12 | 8 | |
| | P | 7/16/1983 | -270.21 | 0.18 | 681.79 | 01 | 06 | 4 | |
| | P | 7/17/1983 | -270.24 | -0.03 | 681.76 | 01 | 06 | 4 | |
| | P | 7/18/1983 | -270.27 | -0.03 | 681.73 | 01 | 06 | 4 | |
| | P | 7/19/1983 | -270.09 | 0.18 | 681.91 | 01 | 06 | 4 | |
| | P | 7/20/1983 | -270.01 | 0.08 | 681.99 | 01 | 06 | 4 | |
| | P | 7/21/1983 | -270.15 | -0.14 | 681.85 | 01 | 06 | 4 | |
| | P | 7/22/1983 | -270.35 | -0.2 | 681.65 | 01 | 06 | 4 | |
| | P | 7/23/1983 | -270.31 | 0.04 | 681.69 | 01 | 06 | 4 | |
| | P | 7/24/1983 | -270.58 | -0.27 | 681.42 | 01 | 06 | 4 | |
| | P | 7/25/1983 | -270.9 | -0.32 | 681.1 | 01 | 06 | 4 | |
| | P | 7/26/1983 | -271.07 | -0.17 | 680.93 | 01 | 06 | 4 | |
| | P | 7/27/1983 | -271.3 | -0.23 | 680.7 | 01 | 06 | 4 | |
| | P | 7/28/1983 | -271.54 | -0.24 | 680.46 | 01 | 06 | 4 | |
| | P | 7/29/1983 | -271.6 | -0.06 | 680.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1983 | -271.86 | -0.26 | 680.14 | 01 | 12 | 8 | |
| | P | 7/31/1983 | -272.37 | -0.51 | 679.63 | 01 | 06 | 4 | |
| | P | 8/ 1/1983 | -272.56 | -0.19 | 679.44 | 01 | 06 | 4 | |
| | P | 8/ 2/1983 | -272.65 | -0.09 | 679.35 | 01 | 06 | 4 | |
| | P | 8/ 3/1983 | -272.75 | -0.1 | 679.25 | 01 | 06 | 4 | |
| | P | 8/ 4/1983 | -271.99 | 0.76 | 680.01 | 01 | 06 | 4 | |
| | P | 8/ 5/1983 | -271.85 | 0.14 | 680.15 | 01 | 06 | 4 | |
| | P | 8/ 6/1983 | -271.56 | 0.29 | 680.44 | 01 | 06 | 4 | |
| | P | 8/ 7/1983 | -271.36 | 0.2 | 680.64 | 01 | 06 | 4 | |
| | P | 8/ 8/1983 | -271.2 | 0.16 | 680.8 | 01 | 06 | 4 | |
| | P | 8/ 9/1983 | -271.3 | -0.1 | 680.7 | 01 | 06 | 4 | |
| | P | 8/10/1983 | -271.36 | -0.06 | 680.64 | 01 | 06 | 4 | |
| | P | 8/11/1983 | -271.28 | 0.08 | 680.72 | 01 | 06 | 4 | |
| | P | 8/12/1983 | -271.42 | -0.14 | 680.58 | 01 | 06 | 4 | |
| | P | 8/13/1983 | -271.54 | -0.12 | 680.46 | 01 | 06 | 4 | |
| | P | 8/14/1983 | -271.81 | -0.27 | 680.19 | 01 | 06 | 4 | |
| | P | 8/15/1983 | -272.15 | -0.34 | 679.85 | 01 | 12 | 8 | |
| | P | 8/16/1983 | -272.15 | | 679.85 | 01 | 06 | 4 | |
| | P | 8/17/1983 | -272.42 | -0.27 | 679.58 | 01 | 06 | 4 | |
| | P | 8/18/1983 | -272.37 | 0.05 | 679.63 | 01 | 06 | 4 | |
| | P | 8/19/1983 | -272.61 | -0.24 | 679.39 | 01 | 06 | 4 | |
| | P | 8/20/1983 | -272.63 | -0.02 | 679.37 | 01 | 06 | 4 | |
| | P | 8/21/1983 | -272.9 | -0.27 | 679.1 | 01 | 06 | 4 | |
| | P | 8/22/1983 | -272.85 | 0.05 | 679.15 | 01 | 06 | 4 | |
| | P | 8/23/1983 | -273.35 | -0.5 | 678.65 | 01 | 06 | 4 | |
| | P | 8/24/1983 | -273.11 | 0.24 | 678.89 | 01 | 06 | 4 | |
| | P | 8/25/1983 | -272.86 | 0.25 | 679.14 | 01 | 06 | 4 | |
| | P | 8/26/1983 | -272.65 | 0.21 | 679.35 | 01 | 06 | 4 | |
| | P | 8/27/1983 | -272.99 | -0.34 | 679.01 | 01 | 06 | 4 | |
| | P | 8/28/1983 | -273.39 | -0.4 | 678.61 | 01 | 06 | 4 | |
| | P | 8/29/1983 | -273.06 | 0.33 | 678.94 | 01 | 06 | 4 | |
| | P | 8/30/1983 | -273.16 | -0.1 | 678.84 | 01 | 12 | 8 | |
| | P | 8/31/1983 | -273.4 | -0.24 | 678.6 | 01 | 06 | 4 | |
| | P | 9/ 1/1983 | -273.53 | -0.13 | 678.47 | 01 | 06 | 4 | |
| | P | 9/ 2/1983 | -273.71 | -0.18 | 678.29 | 01 | 06 | 4 | |
| | P | 9/ 3/1983 | -273.67 | 0.04 | 678.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/1983 | -273.85 | -0.18 | 678.15 | 01 | 06 | 4 | |
| | P | 9/ 5/1983 | -273.76 | 0.09 | 678.24 | 01 | 06 | 4 | |
| | P | 9/ 6/1983 | -273.61 | 0.15 | 678.39 | 01 | 06 | 4 | |
| | P | 9/ 7/1983 | -273.3 | 0.31 | 678.7 | 01 | 06 | 4 | |
| | P | 9/ 8/1983 | -273.18 | 0.12 | 678.82 | 01 | 06 | 4 | |
| | P | 9/ 9/1983 | -272.96 | 0.22 | 679.04 | 01 | 06 | 4 | |
| | P | 9/10/1983 | -273.02 | -0.06 | 678.98 | 01 | 06 | 4 | |
| | P | 9/11/1983 | -272.62 | 0.4 | 679.38 | 01 | 06 | 4 | |
| | P | 9/12/1983 | -272.8 | -0.18 | 679.2 | 01 | 06 | 4 | |
| | P | 9/13/1983 | -272.87 | -0.07 | 679.13 | 01 | 06 | 4 | |
| | P | 9/14/1983 | -273.16 | -0.29 | 678.84 | 01 | 06 | 4 | |
| | P | 9/15/1983 | -273.27 | -0.11 | 678.73 | 01 | 12 | 8 | |
| | P | 9/16/1983 | -273.06 | 0.21 | 678.94 | 01 | 06 | 4 | |
| | P | 9/17/1983 | -273.22 | -0.16 | 678.78 | 01 | 06 | 4 | |
| | P | 9/18/1983 | -273.07 | 0.15 | 678.93 | 01 | 06 | 4 | |
| | P | 9/19/1983 | -273.21 | -0.14 | 678.79 | 01 | 06 | 4 | |
| | P | 9/20/1983 | -273.09 | 0.12 | 678.91 | 01 | 06 | 4 | |
| | P | 9/21/1983 | -273.1 | -0.01 | 678.9 | 01 | 06 | 4 | |
| | P | 9/22/1983 | -273.13 | -0.03 | 678.87 | 01 | 06 | 4 | |
| | P | 9/23/1983 | -273.17 | -0.04 | 678.83 | 01 | 06 | 4 | |
| | P | 9/24/1983 | -273.5 | -0.33 | 678.5 | 01 | 06 | 4 | |
| | P | 9/25/1983 | -273.33 | 0.17 | 678.67 | 01 | 06 | 4 | |
| | P | 9/26/1983 | -273.56 | -0.23 | 678.44 | 01 | 06 | 4 | |
| | P | 9/27/1983 | -273.6 | -0.04 | 678.4 | 01 | 06 | 4 | |
| | P | 9/28/1983 | -273.54 | 0.06 | 678.46 | 01 | 06 | 4 | |
| | P | 9/29/1983 | -273.57 | -0.03 | 678.43 | 01 | 06 | 4 | |
| | P | 9/30/1983 | -273.87 | -0.3 | 678.13 | 01 | 12 | 8 | |
| | P | 10/ 1/1983 | -273.95 | -0.08 | 678.05 | 01 | 06 | 4 | |
| | P | 10/ 2/1983 | -273.95 | | 678.05 | 01 | 06 | 4 | |
| | P | 10/ 3/1983 | -274.17 | -0.22 | 677.83 | 01 | 06 | 4 | |
| | P | 10/ 4/1983 | -273.95 | 0.22 | 678.05 | 01 | 06 | 4 | |
| | P | 10/ 5/1983 | -274.34 | -0.39 | 677.66 | 01 | 06 | 4 | |
| | P | 10/ 6/1983 | -274.36 | -0.02 | 677.64 | 01 | 06 | 4 | |
| | P | 10/ 7/1983 | -274.38 | -0.02 | 677.62 | 01 | 06 | 4 | |
| | P | 10/ 8/1983 | -274.22 | 0.16 | 677.78 | 01 | 06 | 4 | |
| | P | 10/ 9/1983 | -274.04 | 0.18 | 677.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 10/ 1983 | -273.89 | 0.15 | 678.11 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1983 | -273.71 | 0.18 | 678.29 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1983 | -273.28 | 0.43 | 678.72 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1983 | -273.13 | 0.15 | 678.87 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1983 | -273.78 | -0.65 | 678.22 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1983 | -273.85 | -0.07 | 678.15 | 01 | 12 | 8 | |
| | P | 10 / 16/ 1983 | -273.81 | 0.04 | 678.19 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1983 | -273.72 | 0.09 | 678.28 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1983 | -273.76 | -0.04 | 678.24 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1983 | -273.77 | -0.01 | 678.23 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1983 | -273.84 | -0.07 | 678.16 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1983 | -273.78 | 0.06 | 678.22 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1983 | -274.02 | -0.24 | 677.98 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1983 | -273.91 | 0.11 | 678.09 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1983 | -274.12 | -0.21 | 677.88 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1983 | -274.46 | -0.34 | 677.54 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1983 | -274.33 | 0.13 | 677.67 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1983 | -274.24 | 0.09 | 677.76 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1983 | -274.14 | 0.1 | 677.86 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1983 | -274.4 | -0.26 | 677.6 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1983 | -274.39 | 0.01 | 677.61 | 01 | 12 | 8 | |
| | P | 10 / 31/ 1983 | -274.42 | -0.03 | 677.58 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1983 | -274.4 | 0.02 | 677.6 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1983 | -274.46 | -0.06 | 677.54 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1983 | -274.22 | 0.24 | 677.78 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1983 | -274 | 0.22 | 678 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1983 | -273.94 | 0.06 | 678.06 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1983 | -273.95 | -0.01 | 678.05 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1983 | -273.98 | -0.03 | 678.02 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1983 | -273.94 | 0.04 | 678.06 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1983 | -274.27 | -0.33 | 677.73 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1983 | -274.4 | -0.13 | 677.6 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1983 | -274.29 | 0.11 | 677.71 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1983 | -274.23 | 0.06 | 677.77 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1983 | -274.33 | -0.1 | 677.67 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1983 | -274.47 | -0.14 | 677.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1983 | -274.46 | 0.01 | 677.54 | 01 | 12 | 8 | |
| | P | 11/16/1983 | -274.2 | 0.26 | 677.8 | 01 | 06 | 4 | |
| | P | 11/17/1983 | -274.05 | 0.15 | 677.95 | 01 | 06 | 4 | |
| | P | 11/18/1983 | -273.89 | 0.16 | 678.11 | 01 | 06 | 4 | |
| | P | 11/19/1983 | -273.8 | 0.09 | 678.2 | 01 | 06 | 4 | |
| | P | 11/20/1983 | -274.23 | -0.43 | 677.77 | 01 | 06 | 4 | |
| | P | 11/21/1983 | -274.35 | -0.12 | 677.65 | 01 | 06 | 4 | |
| | P | 11/22/1983 | -274.04 | 0.31 | 677.96 | 01 | 06 | 4 | |
| | P | 11/23/1983 | -274.23 | -0.19 | 677.77 | 01 | 06 | 4 | |
| | P | 11/24/1983 | -274.4 | -0.17 | 677.6 | 01 | 06 | 4 | |
| | P | 11/25/1983 | -274.19 | 0.21 | 677.81 | 01 | 06 | 4 | |
| | P | 11/26/1983 | -273.96 | 0.23 | 678.04 | 01 | 06 | 4 | |
| | P | 11/27/1983 | -274.19 | -0.23 | 677.81 | 01 | 06 | 4 | |
| | P | 11/28/1983 | -274.19 | | 677.81 | 01 | 06 | 4 | |
| | P | 11/29/1983 | -274.02 | 0.17 | 677.98 | 01 | 06 | 4 | |
| | P | 11/30/1983 | -274.04 | -0.02 | 677.96 | 01 | 12 | 8 | |
| | P | 12/1/1983 | -274 | 0.04 | 678 | 01 | 06 | 4 | |
| | P | 12/2/1983 | -273.61 | 0.39 | 678.39 | 01 | 06 | 4 | |
| | P | 12/3/1983 | -273.55 | 0.06 | 678.45 | 01 | 06 | 4 | |
| | P | 12/4/1983 | -273.75 | -0.2 | 678.25 | 01 | 06 | 4 | |
| | P | 12/5/1983 | -273.71 | 0.04 | 678.29 | 01 | 06 | 4 | |
| | P | 12/6/1983 | -274.42 | -0.71 | 677.58 | 01 | 06 | 4 | |
| | P | 12/7/1983 | -274.41 | 0.01 | 677.59 | 01 | 06 | 4 | |
| | P | 12/8/1983 | -274.33 | 0.08 | 677.67 | 01 | 06 | 4 | |
| | P | 12/9/1983 | -274.27 | 0.06 | 677.73 | 01 | 06 | 4 | |
| | P | 12/10/1983 | -274.33 | -0.06 | 677.67 | 01 | 06 | 4 | |
| | P | 12/11/1983 | -274.39 | -0.06 | 677.61 | 01 | 06 | 4 | |
| | P | 12/12/1983 | -274.38 | 0.01 | 677.62 | 01 | 06 | 4 | |
| | P | 12/13/1983 | -274.18 | 0.2 | 677.82 | 01 | 06 | 4 | |
| | P | 12/14/1983 | -274.31 | -0.13 | 677.69 | 01 | 06 | 4 | |
| | P | 12/15/1983 | -274.56 | -0.25 | 677.44 | 01 | 12 | 8 | |
| | P | 12/16/1983 | -274.62 | -0.06 | 677.38 | 01 | 06 | 4 | |
| | P | 12/17/1983 | -274.73 | -0.11 | 677.27 | 01 | 06 | 4 | |
| | P | 3/28/1984 | -276.6 | -1.87 | 675.4 | 01 | 06 | 4 | |
| | P | 3/29/1984 | -276.53 | 0.07 | 675.47 | 01 | 06 | 4 | |
| | P | 3/30/1984 | -276.62 | -0.09 | 675.38 | 01 | 12 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1984 | -276.45 | 0.17 | 675.55 | 01 | 06 | 4 | |
| | P | 4/ 1/1984 | -276.75 | -0.3 | 675.25 | 01 | 06 | 4 | |
| | P | 4/ 2/1984 | -276.01 | 0.74 | 675.99 | 01 | 06 | 4 | |
| | P | 4/ 3/1984 | -276.53 | -0.52 | 675.47 | 01 | 06 | 4 | |
| | P | 4/ 4/1984 | -276.87 | -0.34 | 675.13 | 01 | 06 | 4 | |
| | P | 4/ 5/1984 | -277.02 | -0.15 | 674.98 | 01 | 06 | 4 | |
| | P | 4/ 6/1984 | -276.74 | 0.28 | 675.26 | 01 | 06 | 4 | |
| | P | 4/ 7/1984 | -276.44 | 0.3 | 675.56 | 01 | 06 | 4 | |
| | P | 4/ 8/1984 | -276.47 | -0.03 | 675.53 | 01 | 06 | 4 | |
| | P | 4/ 9/1984 | -277.04 | -0.57 | 674.96 | 01 | 06 | 4 | |
| | P | 4/10/1984 | -276.78 | 0.26 | 675.22 | 01 | 06 | 4 | |
| | P | 4/11/1984 | -277.05 | -0.27 | 674.95 | 01 | 06 | 4 | |
| | P | 4/12/1984 | -277.14 | -0.09 | 674.86 | 01 | 06 | 4 | |
| | P | 4/13/1984 | -277.15 | -0.01 | 674.85 | 01 | 06 | 4 | |
| | P | 4/14/1984 | -277.49 | -0.34 | 674.51 | 01 | 06 | 4 | |
| | P | 4/15/1984 | -277.6 | -0.11 | 674.4 | 01 | 12 | 8 | |
| | P | 4/16/1984 | -277.59 | 0.01 | 674.41 | 01 | 06 | 4 | |
| | P | 4/17/1984 | -277.54 | 0.05 | 674.46 | 01 | 06 | 4 | |
| | P | 4/18/1984 | -277.57 | -0.03 | 674.43 | 01 | 06 | 4 | |
| | P | 4/19/1984 | -277.63 | -0.06 | 674.37 | 01 | 06 | 4 | |
| | P | 4/20/1984 | -277.66 | -0.03 | 674.34 | 01 | 06 | 4 | |
| | P | 4/21/1984 | -277.95 | -0.29 | 674.05 | 01 | 06 | 4 | |
| | P | 4/22/1984 | -278.33 | -0.38 | 673.67 | 01 | 06 | 4 | |
| | P | 4/23/1984 | -278.09 | 0.24 | 673.91 | 01 | 06 | 4 | |
| | P | 4/24/1984 | -278.11 | -0.02 | 673.89 | 01 | 06 | 4 | |
| | P | 4/25/1984 | -278.04 | 0.07 | 673.96 | 01 | 06 | 4 | |
| | P | 4/26/1984 | -277.89 | 0.15 | 674.11 | 01 | 06 | 4 | |
| | P | 4/27/1984 | -278.27 | -0.38 | 673.73 | 01 | 06 | 4 | |
| | P | 4/28/1984 | -278.48 | -0.21 | 673.52 | 01 | 06 | 4 | |
| | P | 4/29/1984 | -278.37 | 0.11 | 673.63 | 01 | 06 | 4 | |
| | P | 4/30/1984 | -278.35 | 0.02 | 673.65 | 01 | 12 | 8 | |
| | P | 5/ 1/1984 | -278.34 | 0.01 | 673.66 | 01 | 06 | 4 | |
| | P | 5/ 2/1984 | -278.16 | 0.18 | 673.84 | 01 | 06 | 4 | |
| | P | 5/ 3/1984 | -278.39 | -0.23 | 673.61 | 01 | 06 | 4 | |
| | P | 5/ 4/1984 | -278.78 | -0.39 | 673.22 | 01 | 06 | 4 | |
| | P | 5/ 5/1984 | -278.76 | 0.02 | 673.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1984 | -278.91 | -0.15 | 673.09 | 01 | 06 | 4 | |
| | P | 5/ 7/1984 | -279.14 | -0.23 | 672.86 | 01 | 06 | 4 | |
| | P | 5/ 8/1984 | -278.75 | 0.39 | 673.25 | 01 | 06 | 4 | |
| | P | 5/ 9/1984 | -279.02 | -0.27 | 672.98 | 01 | 06 | 4 | |
| | P | 5/10/1984 | -279.16 | -0.14 | 672.84 | 01 | 06 | 4 | |
| | P | 5/11/1984 | -279.12 | 0.04 | 672.88 | 01 | 06 | 4 | |
| | P | 5/12/1984 | -279.3 | -0.18 | 672.7 | 01 | 06 | 4 | |
| | P | 5/13/1984 | -279.49 | -0.19 | 672.51 | 01 | 06 | 4 | |
| | P | 5/14/1984 | -279.5 | -0.01 | 672.5 | 01 | 06 | 4 | |
| | P | 5/15/1984 | -279.45 | 0.05 | 672.55 | 01 | 12 | 8 | |
| | P | 5/16/1984 | -278.89 | 0.56 | 673.11 | 01 | 06 | 4 | |
| | P | 5/17/1984 | -278.32 | 0.57 | 673.68 | 01 | 06 | 4 | |
| | P | 5/18/1984 | -278.06 | 0.26 | 673.94 | 01 | 06 | 4 | |
| | P | 5/19/1984 | -278.66 | -0.6 | 673.34 | 01 | 06 | 4 | |
| | P | 5/20/1984 | -278.65 | 0.01 | 673.35 | 01 | 06 | 4 | |
| | P | 5/21/1984 | -278.74 | -0.09 | 673.26 | 01 | 06 | 4 | |
| | P | 5/22/1984 | -278.76 | -0.02 | 673.24 | 01 | 06 | 4 | |
| | P | 5/23/1984 | -279.14 | -0.38 | 672.86 | 01 | 06 | 4 | |
| | P | 5/24/1984 | -279.22 | -0.08 | 672.78 | 01 | 06 | 4 | |
| | P | 5/25/1984 | -279.31 | -0.09 | 672.69 | 01 | 06 | 4 | |
| | P | 5/26/1984 | -279.37 | -0.06 | 672.63 | 01 | 06 | 4 | |
| | P | 5/27/1984 | -279.06 | 0.31 | 672.94 | 01 | 06 | 4 | |
| | P | 5/28/1984 | -279.4 | -0.34 | 672.6 | 01 | 06 | 4 | |
| | P | 5/29/1984 | -278.57 | 0.83 | 673.43 | 01 | 06 | 4 | |
| | P | 5/30/1984 | -278.39 | 0.18 | 673.61 | 01 | 12 | 8 | |
| | P | 5/31/1984 | -279.26 | -0.87 | 672.74 | 01 | 06 | 4 | |
| | P | 6/ 1/1984 | -279.39 | -0.13 | 672.61 | 01 | 06 | 4 | |
| | P | 6/ 2/1984 | -279.63 | -0.24 | 672.37 | 01 | 06 | 4 | |
| | P | 6/ 3/1984 | -279.2 | 0.43 | 672.8 | 01 | 06 | 4 | |
| | P | 6/ 4/1984 | -279.12 | 0.08 | 672.88 | 01 | 06 | 4 | |
| | P | 6/ 5/1984 | -279.47 | -0.35 | 672.53 | 01 | 06 | 4 | |
| | P | 6/ 6/1984 | -279.46 | 0.01 | 672.54 | 01 | 06 | 4 | |
| | P | 6/ 7/1984 | -279.46 | | 672.54 | 01 | 06 | 4 | |
| | P | 6/ 8/1984 | -279.48 | -0.02 | 672.52 | 01 | 06 | 4 | |
| | P | 6/ 9/1984 | -279.52 | -0.04 | 672.48 | 01 | 06 | 4 | |
| | P | 6/10/1984 | -279.72 | -0.2 | 672.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/11/1984 | -279.92 | -0.2 | 672.08 | 01 | 06 | 4 | |
| | P | 6/12/1984 | -279.5 | 0.42 | 672.5 | 01 | 06 | 4 | |
| | P | 6/13/1984 | -279.75 | -0.25 | 672.25 | 01 | 06 | 4 | |
| | P | 6/14/1984 | -279.82 | -0.07 | 672.18 | 01 | 06 | 4 | |
| | P | 6/15/1984 | -279.16 | 0.66 | 672.84 | 01 | 12 | 8 | |
| | P | 6/16/1984 | -278.8 | 0.36 | 673.2 | 01 | 06 | 4 | |
| | P | 6/17/1984 | -279.89 | -1.09 | 672.11 | 01 | 06 | 4 | |
| | P | 6/18/1984 | -280.11 | -0.22 | 671.89 | 01 | 06 | 4 | |
| | P | 6/19/1984 | -279.91 | 0.2 | 672.09 | 01 | 06 | 4 | |
| | P | 6/20/1984 | -279.95 | -0.04 | 672.05 | 01 | 06 | 4 | |
| | P | 6/21/1984 | -280.23 | -0.28 | 671.77 | 01 | 06 | 4 | |
| | P | 6/22/1984 | -280.41 | -0.18 | 671.59 | 01 | 06 | 4 | |
| | P | 6/23/1984 | -280.03 | 0.38 | 671.97 | 01 | 06 | 4 | |
| | P | 6/24/1984 | -280.65 | -0.62 | 671.35 | 01 | 06 | 4 | |
| | P | 6/25/1984 | -280.68 | -0.03 | 671.32 | 01 | 06 | 4 | |
| | P | 6/26/1984 | -280.6 | 0.08 | 671.4 | 01 | 06 | 4 | |
| | P | 6/27/1984 | -280.21 | 0.39 | 671.79 | 01 | 06 | 4 | |
| | P | 6/28/1984 | -280.68 | -0.47 | 671.32 | 01 | 06 | 4 | |
| | P | 6/29/1984 | -280.13 | 0.55 | 671.87 | 01 | 06 | 4 | |
| | P | 6/30/1984 | -280.44 | -0.31 | 671.56 | 01 | 12 | 8 | |
| | P | 7/ 1/1984 | -279.15 | 1.29 | 672.85 | 01 | 06 | 4 | |
| | P | 7/ 2/1984 | -279.01 | 0.14 | 672.99 | 01 | 06 | 4 | |
| | P | 7/ 3/1984 | -279.05 | -0.04 | 672.95 | 01 | 06 | 4 | |
| | P | 7/ 4/1984 | -280.16 | -1.11 | 671.84 | 01 | 06 | 4 | |
| | P | 7/ 5/1984 | -279.95 | 0.21 | 672.05 | 01 | 06 | 4 | |
| | P | 7/ 6/1984 | -280.59 | -0.64 | 671.41 | 01 | 06 | 4 | |
| | P | 7/ 7/1984 | -280.7 | -0.11 | 671.3 | 01 | 06 | 4 | |
| | P | 7/ 8/1984 | -280.92 | -0.22 | 671.08 | 01 | 06 | 4 | |
| | P | 7/ 9/1984 | -280.95 | -0.03 | 671.05 | 01 | 06 | 4 | |
| | P | 7/10/1984 | -281.05 | -0.1 | 670.95 | 01 | 06 | 4 | |
| | P | 7/11/1984 | -281.09 | -0.04 | 670.91 | 01 | 06 | 4 | |
| | P | 7/12/1984 | -281 | 0.09 | 671 | 01 | 06 | 4 | |
| | P | 7/13/1984 | -281.09 | -0.09 | 670.91 | 01 | 06 | 4 | |
| | P | 7/14/1984 | -281.22 | -0.13 | 670.78 | 01 | 06 | 4 | |
| | P | 7/15/1984 | -281.37 | -0.15 | 670.63 | 01 | 12 | 8 | |
| | P | 7/16/1984 | -281.25 | 0.12 | 670.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/17/1984 | -281.35 | -0.1 | 670.65 | 01 | 06 | 4 | |
| | P | 7/18/1984 | -281.4 | -0.05 | 670.6 | 01 | 06 | 4 | |
| | P | 7/19/1984 | -281.41 | -0.01 | 670.59 | 01 | 06 | 4 | |
| | P | 7/20/1984 | -281.45 | -0.04 | 670.55 | 01 | 06 | 4 | |
| | P | 7/21/1984 | -281.55 | -0.1 | 670.45 | 01 | 06 | 4 | |
| | P | 7/22/1984 | -281.66 | -0.11 | 670.34 | 01 | 06 | 4 | |
| | P | 7/23/1984 | -281.69 | -0.03 | 670.31 | 01 | 06 | 4 | |
| | P | 7/24/1984 | -281.65 | 0.04 | 670.35 | 01 | 06 | 4 | |
| | P | 7/25/1984 | -281.3 | 0.35 | 670.7 | 01 | 06 | 4 | |
| | P | 7/26/1984 | -281.73 | -0.43 | 670.27 | 01 | 06 | 4 | |
| | P | 7/27/1984 | -281.66 | 0.07 | 670.34 | 01 | 06 | 4 | |
| | P | 7/28/1984 | -281.6 | 0.06 | 670.4 | 01 | 06 | 4 | |
| | P | 7/29/1984 | -281.78 | -0.18 | 670.22 | 01 | 06 | 4 | |
| | P | 7/30/1984 | -281.85 | -0.07 | 670.15 | 01 | 12 | 8 | |
| | P | 7/31/1984 | -281.85 | | 670.15 | 01 | 06 | 4 | |
| | P | 8/ 1/1984 | -282.01 | -0.16 | 669.99 | 01 | 06 | 4 | |
| | P | 8/ 2/1984 | -282.15 | -0.14 | 669.85 | 01 | 06 | 4 | |
| | P | 8/ 3/1984 | -282.1 | 0.05 | 669.9 | 01 | 06 | 4 | |
| | P | 8/ 4/1984 | -282.09 | 0.01 | 669.91 | 01 | 06 | 4 | |
| | P | 8/ 5/1984 | -282.14 | -0.05 | 669.86 | 01 | 06 | 4 | |
| | P | 8/ 6/1984 | -282.12 | 0.02 | 669.88 | 01 | 06 | 4 | |
| | P | 8/ 7/1984 | -282.17 | -0.05 | 669.83 | 01 | 06 | 4 | |
| | P | 8/ 8/1984 | -282.3 | -0.13 | 669.7 | 01 | 06 | 4 | |
| | P | 8/ 9/1984 | -282.37 | -0.07 | 669.63 | 01 | 06 | 4 | |
| | P | 8/10/1984 | -282.49 | -0.12 | 669.51 | 01 | 06 | 4 | |
| | P | 8/11/1984 | -282.44 | 0.05 | 669.56 | 01 | 06 | 4 | |
| | P | 8/12/1984 | -282.47 | -0.03 | 669.53 | 01 | 06 | 4 | |
| | P | 8/13/1984 | -281.65 | 0.82 | 670.35 | 01 | 06 | 4 | |
| | P | 8/14/1984 | -281.31 | 0.34 | 670.69 | 01 | 06 | 4 | |
| | P | 8/15/1984 | -280.98 | 0.33 | 671.02 | 01 | 12 | 8 | |
| | P | 8/16/1984 | -281.75 | -0.77 | 670.25 | 01 | 06 | 4 | |
| | P | 8/17/1984 | -281.75 | | 670.25 | 01 | 06 | 4 | |
| | P | 8/18/1984 | -281.28 | 0.47 | 670.72 | 01 | 06 | 4 | |
| | P | 8/19/1984 | -281.84 | -0.56 | 670.16 | 01 | 06 | 4 | |
| | P | 8/20/1984 | -282.07 | -0.23 | 669.93 | 01 | 06 | 4 | |
| | P | 8/21/1984 | -282.26 | -0.19 | 669.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1984 | -282.04 | 0.22 | 669.96 | 01 | 06 | 4 | |
| | P | 8/23/1984 | -282.43 | -0.39 | 669.57 | 01 | 06 | 4 | |
| | P | 8/24/1984 | -282.45 | -0.02 | 669.55 | 01 | 06 | 4 | |
| | P | 8/25/1984 | -281.65 | 0.8 | 670.35 | 01 | 06 | 4 | |
| | P | 8/26/1984 | -281.63 | 0.02 | 670.37 | 01 | 06 | 4 | |
| | P | 8/27/1984 | -281.59 | 0.04 | 670.41 | 01 | 06 | 4 | |
| | P | 8/28/1984 | -282.07 | -0.48 | 669.93 | 01 | 06 | 4 | |
| | P | 8/29/1984 | -282.29 | -0.22 | 669.71 | 01 | 06 | 4 | |
| | P | 8/30/1984 | -282.71 | -0.42 | 669.29 | 01 | 12 | 8 | |
| | P | 8/31/1984 | -282.78 | -0.07 | 669.22 | 01 | 06 | 4 | |
| | P | 9/ 1/1984 | -282.51 | 0.27 | 669.49 | 01 | 06 | 4 | |
| | P | 9/ 2/1984 | -282.02 | 0.49 | 669.98 | 01 | 06 | 4 | |
| | P | 9/ 3/1984 | -282.7 | -0.68 | 669.3 | 01 | 06 | 4 | |
| | P | 9/ 4/1984 | -282.58 | 0.12 | 669.42 | 01 | 06 | 4 | |
| | P | 9/ 5/1984 | -282.11 | 0.47 | 669.89 | 01 | 06 | 4 | |
| | P | 9/ 6/1984 | -281.94 | 0.17 | 670.06 | 01 | 06 | 4 | |
| | P | 9/ 7/1984 | -281.81 | 0.13 | 670.19 | 01 | 06 | 4 | |
| | P | 9/ 8/1984 | -281.64 | 0.17 | 670.36 | 01 | 06 | 4 | |
| | P | 9/ 9/1984 | -282.07 | -0.43 | 669.93 | 01 | 06 | 4 | |
| | P | 9/10/1984 | -282.25 | -0.18 | 669.75 | 01 | 06 | 4 | |
| | P | 9/11/1984 | -282.23 | 0.02 | 669.77 | 01 | 06 | 4 | |
| | P | 9/12/1984 | -282.33 | -0.1 | 669.67 | 01 | 06 | 4 | |
| | P | 9/13/1984 | -282.79 | -0.46 | 669.21 | 01 | 06 | 4 | |
| | P | 9/14/1984 | -283.01 | -0.22 | 668.99 | 01 | 06 | 4 | |
| | P | 9/15/1984 | -283.11 | -0.1 | 668.89 | 01 | 12 | 8 | |
| | P | 9/16/1984 | -283.23 | -0.12 | 668.77 | 01 | 06 | 4 | |
| | P | 9/17/1984 | -283.25 | -0.02 | 668.75 | 01 | 06 | 4 | |
| | P | 9/18/1984 | -283.02 | 0.23 | 668.98 | 01 | 06 | 4 | |
| | P | 9/19/1984 | -283.26 | -0.24 | 668.74 | 01 | 06 | 4 | |
| | P | 9/20/1984 | -283.18 | 0.08 | 668.82 | 01 | 06 | 4 | |
| | P | 9/21/1984 | -282.73 | 0.45 | 669.27 | 01 | 06 | 4 | |
| | P | 9/22/1984 | -282.72 | 0.01 | 669.28 | 01 | 06 | 4 | |
| | P | 9/23/1984 | -283.27 | -0.55 | 668.73 | 01 | 06 | 4 | |
| | P | 9/24/1984 | -283.45 | -0.18 | 668.55 | 01 | 06 | 4 | |
| | P | 9/25/1984 | -283.5 | -0.05 | 668.5 | 01 | 06 | 4 | |
| | P | 9/26/1984 | -283.71 | -0.21 | 668.29 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/27/1984 | -283.61 | 0.1 | 668.39 | 01 | 06 | 4 | |
| | P | 9/28/1984 | -283.7 | -0.09 | 668.3 | 01 | 06 | 4 | |
| | P | 9/29/1984 | -282.49 | 1.21 | 669.51 | 01 | 06 | 4 | |
| | P | 9/30/1984 | -282.12 | 0.37 | 669.88 | 01 | 12 | 8 | |
| | P | 10/ 1/1984 | -282.11 | 0.01 | 669.89 | 01 | 06 | 4 | |
| | P | 10/ 2/1984 | -283.34 | -1.23 | 668.66 | 01 | 06 | 4 | |
| | P | 10/ 3/1984 | -283.29 | 0.05 | 668.71 | 01 | 06 | 4 | |
| | P | 10/ 4/1984 | -283.27 | 0.02 | 668.73 | 01 | 06 | 4 | |
| | P | 10/ 5/1984 | -283.37 | -0.1 | 668.63 | 01 | 06 | 4 | |
| | P | 10/ 6/1984 | -283.5 | -0.13 | 668.5 | 01 | 06 | 4 | |
| | P | 10/ 7/1984 | -282.37 | 1.13 | 669.63 | 01 | 06 | 4 | |
| | P | 10/ 8/1984 | -281.98 | 0.39 | 670.02 | 01 | 06 | 4 | |
| | P | 10/ 9/1984 | -282.67 | -0.69 | 669.33 | 01 | 06 | 4 | |
| | P | 10/10/1984 | -282.96 | -0.29 | 669.04 | 01 | 06 | 4 | |
| | P | 10/11/1984 | -282.42 | 0.54 | 669.58 | 01 | 06 | 4 | |
| | P | 10/12/1984 | -283.19 | -0.77 | 668.81 | 01 | 06 | 4 | |
| | P | 10/13/1984 | -283.03 | 0.16 | 668.97 | 01 | 06 | 4 | |
| | P | 10/14/1984 | -282.77 | 0.26 | 669.23 | 01 | 06 | 4 | |
| | P | 10/15/1984 | -282.67 | 0.1 | 669.33 | 01 | 12 | 8 | |
| | P | 10/16/1984 | -282.71 | -0.04 | 669.29 | 01 | 06 | 4 | |
| | P | 10/17/1984 | -282.89 | -0.18 | 669.11 | 01 | 06 | 4 | |
| | P | 10/18/1984 | -282.91 | -0.02 | 669.09 | 01 | 06 | 4 | |
| | P | 10/19/1984 | -283.03 | -0.12 | 668.97 | 01 | 06 | 4 | |
| | P | 10/20/1984 | -282.9 | 0.13 | 669.1 | 01 | 06 | 4 | |
| | P | 10/21/1984 | -282.95 | -0.05 | 669.05 | 01 | 06 | 4 | |
| | P | 10/22/1984 | -283.05 | -0.1 | 668.95 | 01 | 06 | 4 | |
| | P | 10/23/1984 | -282.99 | 0.06 | 669.01 | 01 | 06 | 4 | |
| | P | 10/24/1984 | -282.82 | 0.17 | 669.18 | 01 | 06 | 4 | |
| | P | 10/25/1984 | -282.83 | -0.01 | 669.17 | 01 | 06 | 4 | |
| | P | 10/26/1984 | -282.72 | 0.11 | 669.28 | 01 | 06 | 4 | |
| | P | 10/27/1984 | -282.64 | 0.08 | 669.36 | 01 | 06 | 4 | |
| | P | 10/28/1984 | -282.68 | -0.04 | 669.32 | 01 | 06 | 4 | |
| | P | 10/29/1984 | -282.55 | 0.13 | 669.45 | 01 | 06 | 4 | |
| | P | 10/30/1984 | -282.4 | 0.15 | 669.6 | 01 | 12 | 8 | |
| | P | 10/31/1984 | -282.27 | 0.13 | 669.73 | 01 | 06 | 4 | |
| | P | 11/ 1/1984 | -282.18 | 0.09 | 669.82 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 2/1984 | -282.34 | -0.16 | 669.66 | 01 | 06 | 4 | |
| | P | 11/ 3/1984 | -282.22 | 0.12 | 669.78 | 01 | 06 | 4 | |
| | P | 11/ 4/1984 | -282.17 | 0.05 | 669.83 | 01 | 06 | 4 | |
| | P | 11/ 5/1984 | -282.65 | -0.48 | 669.35 | 01 | 06 | 4 | |
| | P | 11/ 6/1984 | -282.67 | -0.02 | 669.33 | 01 | 06 | 4 | |
| | P | 11/ 7/1984 | -282.52 | 0.15 | 669.48 | 01 | 06 | 4 | |
| | P | 11/ 8/1984 | -282.55 | -0.03 | 669.45 | 01 | 06 | 4 | |
| | P | 11/ 9/1984 | -282.46 | 0.09 | 669.54 | 01 | 06 | 4 | |
| | P | 11/10/1984 | -282.53 | -0.07 | 669.47 | 01 | 06 | 4 | |
| | P | 11/11/1984 | -282.7 | -0.17 | 669.3 | 01 | 06 | 4 | |
| | P | 11/12/1984 | -282.71 | -0.01 | 669.29 | 01 | 06 | 4 | |
| | P | 11/13/1984 | -282.73 | -0.02 | 669.27 | 01 | 06 | 4 | |
| | P | 11/14/1984 | -282.61 | 0.12 | 669.39 | 01 | 06 | 4 | |
| | P | 11/15/1984 | -282.58 | 0.03 | 669.42 | 01 | 12 | 8 | |
| | P | 11/16/1984 | -282.7 | -0.12 | 669.3 | 01 | 06 | 4 | |
| | P | 11/17/1984 | -282.32 | 0.38 | 669.68 | 01 | 06 | 4 | |
| | P | 11/18/1984 | -282.35 | -0.03 | 669.65 | 01 | 06 | 4 | |
| | P | 11/19/1984 | -282.58 | -0.23 | 669.42 | 01 | 06 | 4 | |
| | P | 11/20/1984 | -282.74 | -0.16 | 669.26 | 01 | 06 | 4 | |
| | P | 11/21/1984 | -281.65 | 1.09 | 670.35 | 01 | 06 | 4 | |
| | P | 11/22/1984 | -281.29 | 0.36 | 670.71 | 01 | 06 | 4 | |
| | P | 11/23/1984 | -281.03 | 0.26 | 670.97 | 01 | 06 | 4 | |
| | P | 11/24/1984 | -280.73 | 0.3 | 671.27 | 01 | 06 | 4 | |
| | P | 11/25/1984 | -280.75 | -0.02 | 671.25 | 01 | 06 | 4 | |
| | P | 11/26/1984 | -280.67 | 0.08 | 671.33 | 01 | 06 | 4 | |
| | P | 11/27/1984 | -280.86 | -0.19 | 671.14 | 01 | 06 | 4 | |
| | P | 11/28/1984 | -280.81 | 0.05 | 671.19 | 01 | 06 | 4 | |
| | P | 11/29/1984 | -280.74 | 0.07 | 671.26 | 01 | 06 | 4 | |
| | P | 11/30/1984 | -281.72 | -0.98 | 670.28 | 01 | 12 | 8 | |
| | P | 12/ 1/1984 | -282.1 | -0.38 | 669.9 | 01 | 06 | 4 | |
| | P | 12/ 2/1984 | -282.13 | -0.03 | 669.87 | 01 | 06 | 4 | |
| | P | 12/ 3/1984 | -282.36 | -0.23 | 669.64 | 01 | 06 | 4 | |
| | P | 12/ 4/1984 | -282.18 | 0.18 | 669.82 | 01 | 06 | 4 | |
| | P | 12/ 5/1984 | -282.22 | -0.04 | 669.78 | 01 | 06 | 4 | |
| | P | 12/ 6/1984 | -282.56 | -0.34 | 669.44 | 01 | 06 | 4 | |
| | P | 12/ 7/1984 | -282.22 | 0.34 | 669.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 8/1984 | -282.07 | 0.15 | 669.93 | 01 | 06 | 4 | |
| | P | 12/ 9/1984 | -282.01 | 0.06 | 669.99 | 01 | 06 | 4 | |
| | P | 12/10/1984 | -282.05 | -0.04 | 669.95 | 01 | 06 | 4 | |
| | P | 12/11/1984 | -281.91 | 0.14 | 670.09 | 01 | 06 | 4 | |
| | P | 12/12/1984 | -281.6 | 0.31 | 670.4 | 01 | 06 | 4 | |
| | P | 12/13/1984 | -281.71 | -0.11 | 670.29 | 01 | 06 | 4 | |
| | P | 12/14/1984 | -281.72 | -0.01 | 670.28 | 01 | 06 | 4 | |
| | P | 12/15/1984 | -281.92 | -0.2 | 670.08 | 01 | 12 | 8 | |
| | P | 12/16/1984 | -281.96 | -0.04 | 670.04 | 01 | 06 | 4 | |
| | P | 12/17/1984 | -281.79 | 0.17 | 670.21 | 01 | 06 | 4 | |
| | P | 12/18/1984 | -281.59 | 0.2 | 670.41 | 01 | 06 | 4 | |
| | P | 12/19/1984 | -281.59 | | 670.41 | 01 | 06 | 4 | |
| | P | 12/20/1984 | -281.31 | 0.28 | 670.69 | 01 | 06 | 4 | |
| | P | 12/21/1984 | -281.23 | 0.08 | 670.77 | 01 | 06 | 4 | |
| | P | 12/22/1984 | -281.6 | -0.37 | 670.4 | 01 | 06 | 4 | |
| | P | 12/23/1984 | -281.6 | | 670.4 | 01 | 06 | 4 | |
| | P | 12/24/1984 | -281.3 | 0.3 | 670.7 | 01 | 06 | 4 | |
| | P | 12/25/1984 | -281.59 | -0.29 | 670.41 | 01 | 06 | 4 | |
| | P | 12/26/1984 | -281.18 | 0.41 | 670.82 | 01 | 06 | 4 | |
| | P | 12/27/1984 | -281.29 | -0.11 | 670.71 | 01 | 06 | 4 | |
| | P | 12/28/1984 | -281.28 | 0.01 | 670.72 | 01 | 06 | 4 | |
| | P | 12/29/1984 | -281.43 | -0.15 | 670.57 | 01 | 06 | 4 | |
| | P | 12/30/1984 | -281.6 | -0.17 | 670.4 | 01 | 12 | 8 | |
| | P | 12/31/1984 | -281.22 | 0.38 | 670.78 | 01 | 06 | 4 | |
| | P | 1/ 1/1985 | -281.18 | 0.04 | 670.82 | 01 | 06 | 4 | |
| | P | 1/ 2/1985 | -281.28 | -0.1 | 670.72 | 01 | 06 | 4 | |
| | P | 1/ 3/1985 | -281.2 | 0.08 | 670.8 | 01 | 06 | 4 | |
| | P | 1/ 4/1985 | -281.06 | 0.14 | 670.94 | 01 | 06 | 4 | |
| | P | 1/ 5/1985 | -280.92 | 0.14 | 671.08 | 01 | 06 | 4 | |
| | P | 1/ 6/1985 | -280.67 | 0.25 | 671.33 | 01 | 06 | 4 | |
| | P | 1/ 7/1985 | -280.62 | 0.05 | 671.38 | 01 | 06 | 4 | |
| | P | 1/ 8/1985 | -280.51 | 0.11 | 671.49 | 01 | 06 | 4 | |
| | P | 1/ 9/1985 | -280.18 | 0.33 | 671.82 | 01 | 06 | 4 | |
| | P | 1/10/1985 | -280.35 | -0.17 | 671.65 | 01 | 06 | 4 | |
| | P | 1/11/1985 | -280.63 | -0.28 | 671.37 | 01 | 06 | 4 | |
| | P | 1/12/1985 | -280.64 | -0.01 | 671.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 13/ 1985 | -280.55 | 0.09 | 671.45 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1985 | -280.46 | 0.09 | 671.54 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1985 | -280.17 | 0.29 | 671.83 | 01 | 12 | 8 | |
| | P | 1/ 16/ 1985 | -279.82 | 0.35 | 672.18 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1985 | -279.59 | 0.23 | 672.41 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1985 | -279.18 | 0.41 | 672.82 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1985 | -278.82 | 0.36 | 673.18 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1985 | -279.26 | -0.44 | 672.74 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1985 | -279.66 | -0.4 | 672.34 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1985 | -279.57 | 0.09 | 672.43 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1985 | -279.21 | 0.36 | 672.79 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1985 | -279.16 | 0.05 | 672.84 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1985 | -279.07 | 0.09 | 672.93 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1985 | -278.2 | 0.87 | 673.8 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1985 | -278 | 0.2 | 674 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1985 | -278.42 | -0.42 | 673.58 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1985 | -278.58 | -0.16 | 673.42 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1985 | -278.34 | 0.24 | 673.66 | 01 | 12 | 8 | |
| | P | 1/ 31/ 1985 | -278.64 | -0.3 | 673.36 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1985 | -278.98 | -0.34 | 673.02 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1985 | -278.99 | -0.01 | 673.01 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1985 | -279.15 | -0.16 | 672.85 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1985 | -278.88 | 0.27 | 673.12 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1985 | -279.34 | -0.46 | 672.66 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1985 | -279.23 | 0.11 | 672.77 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1985 | -279.4 | -0.17 | 672.6 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1985 | -278.92 | 0.48 | 673.08 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1985 | -278.61 | 0.31 | 673.39 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1985 | -279.08 | -0.47 | 672.92 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1985 | -279.42 | -0.34 | 672.58 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1985 | -279.15 | 0.27 | 672.85 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1985 | -278.93 | 0.22 | 673.07 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1985 | -278.37 | 0.56 | 673.63 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1985 | -278.26 | 0.11 | 673.74 | 01 | 12 | 8 | |
| | P | 2/ 16/ 1985 | -278.36 | -0.1 | 673.64 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1985 | -278.56 | -0.2 | 673.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/18/1985 | -278.63 | -0.07 | 673.37 | 01 | 06 | 4 | |
| | P | 2/19/1985 | -278.73 | -0.1 | 673.27 | 01 | 06 | 4 | |
| | P | 2/20/1985 | -278.55 | 0.18 | 673.45 | 01 | 06 | 4 | |
| | P | 2/21/1985 | -278.46 | 0.09 | 673.54 | 01 | 06 | 4 | |
| | P | 2/22/1985 | -278.5 | -0.04 | 673.5 | 01 | 06 | 4 | |
| | P | 2/23/1985 | -277.56 | 0.94 | 674.44 | 01 | 06 | 4 | |
| | P | 2/24/1985 | -276.7 | 0.86 | 675.3 | 01 | 06 | 4 | |
| | P | 2/25/1985 | -275.83 | 0.87 | 676.17 | 01 | 06 | 4 | |
| | P | 2/26/1985 | -275.56 | 0.27 | 676.44 | 01 | 06 | 4 | |
| | P | 2/27/1985 | -275.56 | | 676.44 | 01 | 06 | 4 | |
| | P | 2/28/1985 | -275.43 | 0.13 | 676.57 | 01 | 12 | 8 | |
| | P | 3/ 1/1985 | -275.11 | 0.32 | 676.89 | 01 | 06 | 4 | |
| | P | 3/ 2/1985 | -275.1 | 0.01 | 676.9 | 01 | 06 | 4 | |
| | P | 3/ 3/1985 | -274.83 | 0.27 | 677.17 | 01 | 06 | 4 | |
| | P | 3/ 4/1985 | -274.89 | -0.06 | 677.11 | 01 | 06 | 4 | |
| | P | 3/ 5/1985 | -275.33 | -0.44 | 676.67 | 01 | 06 | 4 | |
| | P | 3/ 6/1985 | -275.65 | -0.32 | 676.35 | 01 | 06 | 4 | |
| | P | 3/ 7/1985 | -275.66 | -0.01 | 676.34 | 01 | 06 | 4 | |
| | P | 3/ 8/1985 | -275.75 | -0.09 | 676.25 | 01 | 06 | 4 | |
| | P | 3/ 9/1985 | -275.9 | -0.15 | 676.1 | 01 | 06 | 4 | |
| | P | 3/10/1985 | -276.1 | -0.2 | 675.9 | 01 | 06 | 4 | |
| | P | 3/11/1985 | -276.2 | -0.1 | 675.8 | 01 | 06 | 4 | |
| | P | 3/12/1985 | -276.06 | 0.14 | 675.94 | 01 | 06 | 4 | |
| | P | 3/13/1985 | -275.96 | 0.1 | 676.04 | 01 | 06 | 4 | |
| | P | 3/14/1985 | -275.68 | 0.28 | 676.32 | 01 | 06 | 4 | |
| | P | 3/15/1985 | -274.36 | 1.32 | 677.64 | 01 | 12 | 8 | |
| | P | 3/16/1985 | -274.01 | 0.35 | 677.99 | 01 | 06 | 4 | |
| | P | 3/17/1985 | -273.82 | 0.19 | 678.18 | 01 | 06 | 4 | |
| | P | 3/18/1985 | -273.61 | 0.21 | 678.39 | 01 | 06 | 4 | |
| | P | 3/19/1985 | -273.32 | 0.29 | 678.68 | 01 | 06 | 4 | |
| | P | 3/26/1985 | -273.57 | -0.25 | 678.43 | 01 | 06 | 4 | |
| | P | 3/27/1985 | -273.62 | -0.05 | 678.38 | 01 | 06 | 4 | |
| | P | 3/28/1985 | -273.63 | -0.01 | 678.37 | 01 | 06 | 4 | |
| | P | 3/29/1985 | -273.66 | -0.03 | 678.34 | 01 | 06 | 4 | |
| | P | 3/30/1985 | -273.71 | -0.05 | 678.29 | 01 | 12 | 8 | |
| | P | 3/31/1985 | -274.24 | -0.53 | 677.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 1/1985 | -274.35 | -0.11 | 677.65 | 01 | 06 | 4 | |
| | P | 4/ 2/1985 | -274.4 | -0.05 | 677.6 | 01 | 06 | 4 | |
| | P | 4/ 3/1985 | -274.23 | 0.17 | 677.77 | 01 | 06 | 4 | |
| | P | 4/ 4/1985 | -274.06 | 0.17 | 677.94 | 01 | 06 | 4 | |
| | P | 4/ 5/1985 | -273.71 | 0.35 | 678.29 | 01 | 06 | 4 | |
| | P | 4/ 6/1985 | -274.15 | -0.44 | 677.85 | 01 | 06 | 4 | |
| | P | 4/ 7/1985 | -274.54 | -0.39 | 677.46 | 01 | 06 | 4 | |
| | P | 4/ 8/1985 | -274.45 | 0.09 | 677.55 | 01 | 06 | 4 | |
| | P | 4/ 9/1985 | -274.1 | 0.35 | 677.9 | 01 | 06 | 4 | |
| | P | 4/10/1985 | -273.13 | 0.97 | 678.87 | 01 | 06 | 4 | |
| | P | 4/11/1985 | -273.61 | -0.48 | 678.39 | 01 | 06 | 4 | |
| | P | 4/12/1985 | -273.56 | 0.05 | 678.44 | 01 | 06 | 4 | |
| | P | 4/13/1985 | -273.53 | 0.03 | 678.47 | 01 | 06 | 4 | |
| | P | 4/14/1985 | -273.13 | 0.4 | 678.87 | 01 | 06 | 4 | |
| | P | 4/15/1985 | -272.92 | 0.21 | 679.08 | 01 | 12 | 8 | |
| | P | 4/16/1985 | -273.34 | -0.42 | 678.66 | 01 | 06 | 4 | |
| | P | 4/17/1985 | -273.85 | -0.51 | 678.15 | 01 | 06 | 4 | |
| | P | 4/18/1985 | -273.53 | 0.32 | 678.47 | 01 | 06 | 4 | |
| | P | 4/19/1985 | -273.25 | 0.28 | 678.75 | 01 | 06 | 4 | |
| | P | 4/20/1985 | -273 | 0.25 | 679 | 01 | 06 | 4 | |
| | P | 4/21/1985 | -273.61 | -0.61 | 678.39 | 01 | 06 | 4 | |
| | P | 4/22/1985 | -273.19 | 0.42 | 678.81 | 01 | 06 | 4 | |
| | P | 4/23/1985 | -273.67 | -0.48 | 678.33 | 01 | 06 | 4 | |
| | P | 4/24/1985 | -273.82 | -0.15 | 678.18 | 01 | 06 | 4 | |
| | P | 4/25/1985 | -273.14 | 0.68 | 678.86 | 01 | 06 | 4 | |
| | P | 4/26/1985 | -273 | 0.14 | 679 | 01 | 06 | 4 | |
| | P | 4/27/1985 | -273.31 | -0.31 | 678.69 | 01 | 06 | 4 | |
| | P | 4/28/1985 | -273.21 | 0.1 | 678.79 | 01 | 06 | 4 | |
| | P | 4/29/1985 | -273.06 | 0.15 | 678.94 | 01 | 06 | 4 | |
| | P | 4/30/1985 | -272.82 | 0.24 | 679.18 | 01 | 12 | 8 | |
| | P | 5/ 1/1985 | -273.17 | -0.35 | 678.83 | 01 | 06 | 4 | |
| | P | 5/ 2/1985 | -273.25 | -0.08 | 678.75 | 01 | 06 | 4 | |
| | P | 5/ 3/1985 | -273.36 | -0.11 | 678.64 | 01 | 06 | 4 | |
| | P | 5/ 4/1985 | -273.33 | 0.03 | 678.67 | 01 | 06 | 4 | |
| | P | 5/ 5/1985 | -273.2 | 0.13 | 678.8 | 01 | 06 | 4 | |
| | P | 5/ 6/1985 | -273.27 | -0.07 | 678.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 7/1985 | -273.55 | -0.28 | 678.45 | 01 | 06 | 4 | |
| | P | 5/ 8/1985 | -273.6 | -0.05 | 678.4 | 01 | 06 | 4 | |
| | P | 5/ 9/1985 | -273.63 | -0.03 | 678.37 | 01 | 06 | 4 | |
| | P | 5/10/1985 | -273.35 | 0.28 | 678.65 | 01 | 06 | 4 | |
| | P | 5/11/1985 | -273.02 | 0.33 | 678.98 | 01 | 06 | 4 | |
| | P | 5/12/1985 | -273.06 | -0.04 | 678.94 | 01 | 06 | 4 | |
| | P | 5/13/1985 | -272.98 | 0.08 | 679.02 | 01 | 06 | 4 | |
| | P | 5/14/1985 | -273.01 | -0.03 | 678.99 | 01 | 06 | 4 | |
| | P | 5/15/1985 | -273.14 | -0.13 | 678.86 | 01 | 12 | 8 | |
| | P | 5/16/1985 | -273.39 | -0.25 | 678.61 | 01 | 06 | 4 | |
| | P | 5/17/1985 | -273.06 | 0.33 | 678.94 | 01 | 06 | 4 | |
| | P | 5/18/1985 | -272.87 | 0.19 | 679.13 | 01 | 06 | 4 | |
| | P | 5/19/1985 | -272.95 | -0.08 | 679.05 | 01 | 06 | 4 | |
| | P | 5/20/1985 | -272.97 | -0.02 | 679.03 | 01 | 06 | 4 | |
| | P | 5/21/1985 | -273.07 | -0.1 | 678.93 | 01 | 06 | 4 | |
| | P | 5/22/1985 | -273.37 | -0.3 | 678.63 | 01 | 06 | 4 | |
| | P | 5/23/1985 | -273.52 | -0.15 | 678.48 | 01 | 06 | 4 | |
| | P | 5/24/1985 | -273.32 | 0.2 | 678.68 | 01 | 06 | 4 | |
| | P | 5/25/1985 | -273.15 | 0.17 | 678.85 | 01 | 06 | 4 | |
| | P | 5/26/1985 | -273.04 | 0.11 | 678.96 | 01 | 06 | 4 | |
| | P | 5/27/1985 | -273.04 | | 678.96 | 01 | 06 | 4 | |
| | P | 5/28/1985 | -272.98 | 0.06 | 679.02 | 01 | 06 | 4 | |
| | P | 5/29/1985 | -273.3 | -0.32 | 678.7 | 01 | 06 | 4 | |
| | P | 5/30/1985 | -273.36 | -0.06 | 678.64 | 01 | 12 | 8 | |
| | P | 5/31/1985 | -273.65 | -0.29 | 678.35 | 01 | 06 | 4 | |
| | P | 6/ 1/1985 | -273.86 | -0.21 | 678.14 | 01 | 06 | 4 | |
| | P | 6/ 2/1985 | -273.76 | 0.1 | 678.24 | 01 | 06 | 4 | |
| | P | 6/ 3/1985 | -273.53 | 0.23 | 678.47 | 01 | 06 | 4 | |
| | P | 6/ 4/1985 | -273.69 | -0.16 | 678.31 | 01 | 06 | 4 | |
| | P | 6/ 5/1985 | -273.85 | -0.16 | 678.15 | 01 | 06 | 4 | |
| | P | 6/ 6/1985 | -272.35 | 1.5 | 679.65 | 01 | 06 | 4 | |
| | P | 6/ 7/1985 | -270.49 | 1.86 | 681.51 | 01 | 06 | 4 | |
| | P | 6/ 8/1985 | -269.99 | 0.5 | 682.01 | 01 | 06 | 4 | |
| | P | 6/ 9/1985 | -269.52 | 0.47 | 682.48 | 01 | 06 | 4 | |
| | P | 6/10/1985 | -269.36 | 0.16 | 682.64 | 01 | 06 | 4 | |
| | P | 6/11/1985 | -269.36 | | 682.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/12/1985 | -269.46 | -0.1 | 682.54 | 01 | 06 | 4 | |
| | P | 6/13/1985 | -269.46 | | 682.54 | 01 | 06 | 4 | |
| | P | 6/14/1985 | -269.3 | 0.16 | 682.7 | 01 | 06 | 4 | |
| | P | 6/15/1985 | -269.37 | -0.07 | 682.63 | 01 | 12 | 8 | |
| | P | 6/16/1985 | -269.83 | -0.46 | 682.17 | 01 | 06 | 4 | |
| | P | 6/17/1985 | -270.11 | -0.28 | 681.89 | 01 | 06 | 4 | |
| | P | 6/18/1985 | -269.8 | 0.31 | 682.2 | 01 | 06 | 4 | |
| | P | 6/19/1985 | -269.56 | 0.24 | 682.44 | 01 | 06 | 4 | |
| | P | 6/20/1985 | -269.28 | 0.28 | 682.72 | 01 | 06 | 4 | |
| | P | 6/26/1985 | -266.85 | 2.43 | 685.15 | 01 | 06 | 4 | |
| | P | 6/27/1985 | -266.72 | 0.13 | 685.28 | 01 | 06 | 4 | |
| | P | 6/28/1985 | -266.58 | 0.14 | 685.42 | 01 | 06 | 4 | |
| | P | 6/29/1985 | -266.7 | -0.12 | 685.3 | 01 | 06 | 4 | |
| | P | 6/30/1985 | -266.51 | 0.19 | 685.49 | 01 | 12 | 8 | |
| | P | 7/ 1/1985 | -266.84 | -0.33 | 685.16 | 01 | 06 | 4 | |
| | P | 7/ 2/1985 | -266.77 | 0.07 | 685.23 | 01 | 06 | 4 | |
| | P | 7/ 3/1985 | -266.23 | 0.54 | 685.77 | 01 | 06 | 4 | |
| | P | 7/ 4/1985 | -264.16 | 2.07 | 687.84 | 01 | 06 | 4 | |
| | P | 7/ 5/1985 | -263.33 | 0.83 | 688.67 | 01 | 06 | 4 | |
| | P | 7/ 6/1985 | -263.17 | 0.16 | 688.83 | 01 | 06 | 4 | |
| | P | 7/ 7/1985 | -263.15 | 0.02 | 688.85 | 01 | 06 | 4 | |
| | P | 7/ 8/1985 | -263.04 | 0.11 | 688.96 | 01 | 06 | 4 | |
| | P | 7/ 9/1985 | -263.24 | -0.2 | 688.76 | 01 | 06 | 4 | |
| | P | 7/10/1985 | -263.33 | -0.09 | 688.67 | 01 | 06 | 4 | |
| | P | 7/11/1985 | -263.14 | 0.19 | 688.86 | 01 | 06 | 4 | |
| | P | 7/12/1985 | -262.64 | 0.5 | 689.36 | 01 | 06 | 4 | |
| | P | 7/13/1985 | -262.33 | 0.31 | 689.67 | 01 | 06 | 4 | |
| | P | 7/14/1985 | -262.03 | 0.3 | 689.97 | 01 | 06 | 4 | |
| | P | 7/15/1985 | -261.98 | 0.05 | 690.02 | 01 | 12 | 8 | |
| | P | 7/16/1985 | -261.75 | 0.23 | 690.25 | 01 | 06 | 4 | |
| | P | 7/17/1985 | -261.85 | -0.1 | 690.15 | 01 | 06 | 4 | |
| | P | 7/18/1985 | -261.82 | 0.03 | 690.18 | 01 | 06 | 4 | |
| | P | 7/19/1985 | -261.85 | -0.03 | 690.15 | 01 | 06 | 4 | |
| | P | 7/20/1985 | -261.87 | -0.02 | 690.13 | 01 | 06 | 4 | |
| | P | 7/21/1985 | -261.74 | 0.13 | 690.26 | 01 | 06 | 4 | |
| | P | 7/22/1985 | -261.83 | -0.09 | 690.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/23/1985 | -261.58 | 0.25 | 690.42 | 01 | 06 | 4 | |
| | P | 7/24/1985 | -261.45 | 0.13 | 690.55 | 01 | 06 | 4 | |
| | P | 7/25/1985 | -261.48 | -0.03 | 690.52 | 01 | 06 | 4 | |
| | P | 7/26/1985 | -261.62 | -0.14 | 690.38 | 01 | 06 | 4 | |
| | P | 7/27/1985 | -261.76 | -0.14 | 690.24 | 01 | 06 | 4 | |
| | P | 7/28/1985 | -261.83 | -0.07 | 690.17 | 01 | 06 | 4 | |
| | P | 7/29/1985 | -261.75 | 0.08 | 690.25 | 01 | 06 | 4 | |
| | P | 7/30/1985 | -261.54 | 0.21 | 690.46 | 01 | 12 | 8 | |
| | P | 7/31/1985 | -261.84 | -0.3 | 690.16 | 01 | 06 | 4 | |
| | P | 8/ 1/1985 | -261.84 | | 690.16 | 01 | 06 | 4 | |
| | P | 8/ 2/1985 | -261.82 | 0.02 | 690.18 | 01 | 06 | 4 | |
| | P | 8/ 3/1985 | -261.75 | 0.07 | 690.25 | 01 | 06 | 4 | |
| | P | 8/ 4/1985 | -261.87 | -0.12 | 690.13 | 01 | 06 | 4 | |
| | P | 8/ 5/1985 | -262.03 | -0.16 | 689.97 | 01 | 06 | 4 | |
| | P | 8/ 6/1985 | -262.1 | -0.07 | 689.9 | 01 | 06 | 4 | |
| | P | 8/ 7/1985 | -262.18 | -0.08 | 689.82 | 01 | 06 | 4 | |
| | P | 8/ 8/1985 | -262.23 | -0.05 | 689.77 | 01 | 06 | 4 | |
| | P | 8/ 9/1985 | -262.27 | -0.04 | 689.73 | 01 | 06 | 4 | |
| | P | 8/10/1985 | -262.28 | -0.01 | 689.72 | 01 | 06 | 4 | |
| | P | 8/11/1985 | -262.36 | -0.08 | 689.64 | 01 | 06 | 4 | |
| | P | 8/12/1985 | -262.27 | 0.09 | 689.73 | 01 | 06 | 4 | |
| | P | 8/13/1985 | -262.31 | -0.04 | 689.69 | 01 | 06 | 4 | |
| | P | 8/14/1985 | -262.27 | 0.04 | 689.73 | 01 | 06 | 4 | |
| | P | 8/15/1985 | -262.23 | 0.04 | 689.77 | 01 | 12 | 8 | |
| | P | 8/16/1985 | -262.31 | -0.08 | 689.69 | 01 | 06 | 4 | |
| | P | 8/17/1985 | -262.48 | -0.17 | 689.52 | 01 | 06 | 4 | |
| | P | 8/18/1985 | -262.68 | -0.2 | 689.32 | 01 | 06 | 4 | |
| | P | 8/19/1985 | -262.71 | -0.03 | 689.29 | 01 | 06 | 4 | |
| | P | 8/20/1985 | -262.8 | -0.09 | 689.2 | 01 | 06 | 4 | |
| | P | 8/21/1985 | -262.94 | -0.14 | 689.06 | 01 | 06 | 4 | |
| | P | 8/22/1985 | -263 | -0.06 | 689 | 01 | 06 | 4 | |
| | P | 8/23/1985 | -262.96 | 0.04 | 689.04 | 01 | 06 | 4 | |
| | P | 8/24/1985 | -263.06 | -0.1 | 688.94 | 01 | 06 | 4 | |
| | P | 8/25/1985 | -263.21 | -0.15 | 688.79 | 01 | 06 | 4 | |
| | P | 8/26/1985 | -263.42 | -0.21 | 688.58 | 01 | 06 | 4 | |
| | P | 8/27/1985 | -263.32 | 0.1 | 688.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/28/1985 | -263.29 | 0.03 | 688.71 | 01 | 06 | 4 | |
| | P | 8/29/1985 | -262.98 | 0.31 | 689.02 | 01 | 06 | 4 | |
| | P | 8/30/1985 | -263.01 | -0.03 | 688.99 | 01 | 12 | 8 | |
| | P | 8/31/1985 | -263.19 | -0.18 | 688.81 | 01 | 06 | 4 | |
| | P | 9/ 1/1985 | -263.38 | -0.19 | 688.62 | 01 | 06 | 4 | |
| | P | 9/ 2/1985 | -263.26 | 0.12 | 688.74 | 01 | 06 | 4 | |
| | P | 9/ 3/1985 | -263.46 | -0.2 | 688.54 | 01 | 06 | 4 | |
| | P | 9/ 4/1985 | -263.59 | -0.13 | 688.41 | 01 | 06 | 4 | |
| | P | 9/ 5/1985 | -263.54 | 0.05 | 688.46 | 01 | 06 | 4 | |
| | P | 9/ 6/1985 | -263.41 | 0.13 | 688.59 | 01 | 06 | 4 | |
| | P | 9/ 7/1985 | -262.89 | 0.52 | 689.11 | 01 | 06 | 4 | |
| | P | 9/ 8/1985 | -263.35 | -0.46 | 688.65 | 01 | 06 | 4 | |
| | P | 9/ 9/1985 | -263.51 | -0.16 | 688.49 | 01 | 06 | 4 | |
| | P | 9/10/1985 | -263.6 | -0.09 | 688.4 | 01 | 06 | 4 | |
| | P | 9/11/1985 | -263.24 | 0.36 | 688.76 | 01 | 06 | 4 | |
| | P | 9/12/1985 | -263.29 | -0.05 | 688.71 | 01 | 06 | 4 | |
| | P | 9/13/1985 | -263.36 | -0.07 | 688.64 | 01 | 06 | 4 | |
| | P | 9/14/1985 | -263.45 | -0.09 | 688.55 | 01 | 06 | 4 | |
| | P | 9/15/1985 | -263.31 | 0.14 | 688.69 | 01 | 12 | 8 | |
| | P | 9/16/1985 | -263.19 | 0.12 | 688.81 | 01 | 06 | 4 | |
| | P | 9/17/1985 | -263.18 | 0.01 | 688.82 | 01 | 06 | 4 | |
| | P | 9/18/1985 | -263.28 | -0.1 | 688.72 | 01 | 06 | 4 | |
| | P | 9/19/1985 | -263.25 | 0.03 | 688.75 | 01 | 06 | 4 | |
| | P | 9/20/1985 | -263.25 | | 688.75 | 01 | 06 | 4 | |
| | P | 9/21/1985 | -263.23 | 0.02 | 688.77 | 01 | 06 | 4 | |
| | P | 9/22/1985 | -263.19 | 0.04 | 688.81 | 01 | 06 | 4 | |
| | P | 9/23/1985 | -263.23 | -0.04 | 688.77 | 01 | 06 | 4 | |
| | P | 9/24/1985 | -263.46 | -0.23 | 688.54 | 01 | 06 | 4 | |
| | P | 9/25/1985 | -263.29 | 0.17 | 688.71 | 01 | 06 | 4 | |
| | P | 9/26/1985 | -263.35 | -0.06 | 688.65 | 01 | 06 | 4 | |
| | P | 9/27/1985 | -263.55 | -0.2 | 688.45 | 01 | 06 | 4 | |
| | P | 9/28/1985 | -263.3 | 0.25 | 688.7 | 01 | 06 | 4 | |
| | P | 9/29/1985 | -263.03 | 0.27 | 688.97 | 01 | 06 | 4 | |
| | P | 9/30/1985 | -262.47 | 0.56 | 689.53 | 01 | 12 | 8 | |
| | P | 10/ 1/1985 | -262.29 | 0.18 | 689.71 | 01 | 06 | 4 | |
| | P | 10/ 2/1985 | -262.32 | -0.03 | 689.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 3 / 1985 | -262.54 | -0.22 | 689.46 | 01 | 06 | 4 | |
| | P | 10 / 4 / 1985 | -262.62 | -0.08 | 689.38 | 01 | 06 | 4 | |
| | P | 10 / 5 / 1985 | -262.99 | -0.37 | 689.01 | 01 | 06 | 4 | |
| | P | 10 / 6 / 1985 | -262.9 | 0.09 | 689.1 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1985 | -262.72 | 0.18 | 689.28 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1985 | -262.54 | 0.18 | 689.46 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1985 | -262.37 | 0.17 | 689.63 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1985 | -262.64 | -0.27 | 689.36 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1985 | -262.74 | -0.1 | 689.26 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1985 | -262.73 | 0.01 | 689.27 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1985 | -262.88 | -0.15 | 689.12 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1985 | -262.85 | 0.03 | 689.15 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1985 | -262.77 | 0.08 | 689.23 | 01 | 12 | 8 | |
| | P | 10 / 16/ 1985 | -262.76 | 0.01 | 689.24 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1985 | -262.6 | 0.16 | 689.4 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1985 | -262.63 | -0.03 | 689.37 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1985 | -262.06 | 0.57 | 689.94 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1985 | -260.59 | 1.47 | 691.41 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1985 | -260.05 | 0.54 | 691.95 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1985 | -259.66 | 0.39 | 692.34 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1985 | -259.49 | 0.17 | 692.51 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1985 | -259.46 | 0.03 | 692.54 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1985 | -259.69 | -0.23 | 692.31 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1985 | -259.71 | -0.02 | 692.29 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1985 | -259.79 | -0.08 | 692.21 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1985 | -259.73 | 0.06 | 692.27 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1985 | -259.57 | 0.16 | 692.43 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1985 | -259.7 | -0.13 | 692.3 | 01 | 12 | 8 | |
| | P | 10 / 31/ 1985 | -259.74 | -0.04 | 692.26 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1985 | -259.71 | 0.03 | 692.29 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1985 | -259.99 | -0.28 | 692.01 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1985 | -260.03 | -0.04 | 691.97 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1985 | -260.16 | -0.13 | 691.84 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1985 | -259.94 | 0.22 | 692.06 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1985 | -259.75 | 0.19 | 692.25 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1985 | -259.89 | -0.14 | 692.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 8/1985 | -259.9 | -0.01 | 692.1 | 01 | 06 | 4 | |
| | P | 11/ 9/1985 | -259.77 | 0.13 | 692.23 | 01 | 06 | 4 | |
| | P | 11/10/1985 | -259.82 | -0.05 | 692.18 | 01 | 06 | 4 | |
| | P | 11/11/1985 | -259.93 | -0.11 | 692.07 | 01 | 06 | 4 | |
| | P | 11/12/1985 | -259.7 | 0.23 | 692.3 | 01 | 06 | 4 | |
| | P | 11/13/1985 | -259.68 | 0.02 | 692.32 | 01 | 06 | 4 | |
| | P | 11/14/1985 | -259.66 | 0.02 | 692.34 | 01 | 06 | 4 | |
| | P | 11/15/1985 | -259.81 | -0.15 | 692.19 | 01 | 12 | 8 | |
| | P | 11/16/1985 | -259.68 | 0.13 | 692.32 | 01 | 06 | 4 | |
| | P | 11/17/1985 | -259.56 | 0.12 | 692.44 | 01 | 06 | 4 | |
| | P | 11/18/1985 | -259.58 | -0.02 | 692.42 | 01 | 06 | 4 | |
| | P | 11/19/1985 | -259.52 | 0.06 | 692.48 | 01 | 06 | 4 | |
| | P | 11/20/1985 | -259.73 | -0.21 | 692.27 | 01 | 06 | 4 | |
| | P | 11/21/1985 | -259.5 | 0.23 | 692.5 | 01 | 06 | 4 | |
| | P | 11/22/1985 | -259.45 | 0.05 | 692.55 | 01 | 06 | 4 | |
| | P | 11/23/1985 | -259.45 | | 692.55 | 01 | 06 | 4 | |
| | P | 11/24/1985 | -259.28 | 0.17 | 692.72 | 01 | 06 | 4 | |
| | P | 11/25/1985 | -258.27 | 1.01 | 693.73 | 01 | 06 | 4 | |
| | P | 11/26/1985 | -257.94 | 0.33 | 694.06 | 01 | 06 | 4 | |
| | P | 11/27/1985 | -256.63 | 1.31 | 695.37 | 01 | 06 | 4 | |
| | P | 11/28/1985 | -255.9 | 0.73 | 696.1 | 01 | 06 | 4 | |
| | P | 11/29/1985 | -255.62 | 0.28 | 696.38 | 01 | 06 | 4 | |
| | P | 11/30/1985 | -255.4 | 0.22 | 696.6 | 01 | 12 | 8 | |
| | P | 12/ 1/1985 | -255.44 | -0.04 | 696.56 | 01 | 06 | 4 | |
| | P | 12/ 2/1985 | -255.81 | -0.37 | 696.19 | 01 | 06 | 4 | |
| | P | 12/ 3/1985 | -255.47 | 0.34 | 696.53 | 01 | 06 | 4 | |
| | P | 12/ 4/1985 | -255.37 | 0.1 | 696.63 | 01 | 06 | 4 | |
| | P | 12/ 5/1985 | -255.53 | -0.16 | 696.47 | 01 | 06 | 4 | |
| | P | 12/ 6/1985 | -255.4 | 0.13 | 696.6 | 01 | 06 | 4 | |
| | P | 12/ 7/1985 | -255.19 | 0.21 | 696.81 | 01 | 06 | 4 | |
| | P | 12/ 8/1985 | -255.12 | 0.07 | 696.88 | 01 | 06 | 4 | |
| | P | 12/ 9/1985 | -255.05 | 0.07 | 696.95 | 01 | 06 | 4 | |
| | P | 12/10/1985 | -254.99 | 0.06 | 697.01 | 01 | 06 | 4 | |
| | P | 12/11/1985 | -255.03 | -0.04 | 696.97 | 01 | 06 | 4 | |
| | P | 12/12/1985 | -255.05 | -0.02 | 696.95 | 01 | 06 | 4 | |
| | P | 12/13/1985 | -255.04 | 0.01 | 696.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/14/1985 | -255.47 | -0.43 | 696.53 | 01 | 06 | 4 | |
| | P | 12/15/1985 | -255.27 | 0.2 | 696.73 | 01 | 12 | 8 | |
| | P | 12/16/1985 | -255.23 | 0.04 | 696.77 | 01 | 06 | 4 | |
| | P | 12/17/1985 | -255.45 | -0.22 | 696.55 | 01 | 06 | 4 | |
| | P | 12/18/1985 | -255.44 | 0.01 | 696.56 | 01 | 06 | 4 | |
| | P | 12/19/1985 | -255.75 | -0.31 | 696.25 | 01 | 06 | 4 | |
| | P | 12/20/1985 | -255.76 | -0.01 | 696.24 | 01 | 06 | 4 | |
| | P | 12/21/1985 | -255.7 | 0.06 | 696.3 | 01 | 06 | 4 | |
| | P | 12/22/1985 | -255.56 | 0.14 | 696.44 | 01 | 06 | 4 | |
| | P | 12/23/1985 | -255.52 | 0.04 | 696.48 | 01 | 06 | 4 | |
| | P | 12/24/1985 | -255.47 | 0.05 | 696.53 | 01 | 06 | 4 | |
| | P | 12/25/1985 | -255.81 | -0.34 | 696.19 | 01 | 06 | 4 | |
| | P | 12/26/1985 | -255.64 | 0.17 | 696.36 | 01 | 06 | 4 | |
| | P | 12/27/1985 | -255.41 | 0.23 | 696.59 | 01 | 06 | 4 | |
| | P | 12/28/1985 | -255.53 | -0.12 | 696.47 | 01 | 06 | 4 | |
| | P | 12/29/1985 | -255.54 | -0.01 | 696.46 | 01 | 06 | 4 | |
| | P | 12/30/1985 | -255.54 | | 696.46 | 01 | 12 | 8 | |
| | P | 12/31/1985 | -255.42 | 0.12 | 696.58 | 01 | 06 | 4 | |
| | P | 1/ 1/1986 | -255.62 | -0.2 | 696.38 | 01 | 06 | 4 | |
| | P | 1/ 2/1986 | -255.47 | 0.15 | 696.53 | 01 | 06 | 4 | |
| | P | 1/ 3/1986 | -255.64 | -0.17 | 696.36 | 01 | 06 | 4 | |
| | P | 1/ 4/1986 | -255.57 | 0.07 | 696.43 | 01 | 06 | 4 | |
| | P | 1/ 5/1986 | -255.94 | -0.37 | 696.06 | 01 | 06 | 4 | |
| | P | 1/ 6/1986 | -255.58 | 0.36 | 696.42 | 01 | 06 | 4 | |
| | P | 1/ 7/1986 | -255.54 | 0.04 | 696.46 | 01 | 06 | 4 | |
| | P | 1/ 8/1986 | -256.03 | -0.49 | 695.97 | 01 | 06 | 4 | |
| | P | 1/ 9/1986 | -255.92 | 0.11 | 696.08 | 01 | 06 | 4 | |
| | P | 1/10/1986 | -255.67 | 0.25 | 696.33 | 01 | 06 | 4 | |
| | P | 1/11/1986 | -255.74 | -0.07 | 696.26 | 01 | 06 | 4 | |
| | P | 1/12/1986 | -255.71 | 0.03 | 696.29 | 01 | 06 | 4 | |
| | P | 1/13/1986 | -255.83 | -0.12 | 696.17 | 01 | 06 | 4 | |
| | P | 1/14/1986 | -255.67 | 0.16 | 696.33 | 01 | 06 | 4 | |
| | P | 1/15/1986 | -255.71 | -0.04 | 696.29 | 01 | 06 | 4 | |
| | P | 1/16/1986 | -255.65 | 0.06 | 696.35 | 01 | 06 | 4 | |
| | P | 1/17/1986 | -255.6 | 0.05 | 696.4 | 01 | 06 | 4 | |
| | P | 1/18/1986 | -255.45 | 0.15 | 696.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 19/ 1986 | -255.55 | -0.1 | 696.45 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1986 | -255.47 | 0.08 | 696.53 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1986 | -255.33 | 0.14 | 696.67 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1986 | -255.59 | -0.26 | 696.41 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1986 | -255.75 | -0.16 | 696.25 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1986 | -255.43 | 0.32 | 696.57 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1986 | -255.54 | -0.11 | 696.46 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1986 | -255.96 | -0.42 | 696.04 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1986 | -255.87 | 0.09 | 696.13 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1986 | -255.61 | 0.26 | 696.39 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1986 | -255.53 | 0.08 | 696.47 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1986 | -255.9 | -0.37 | 696.1 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1986 | -255.92 | -0.02 | 696.08 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1986 | -255.99 | -0.07 | 696.01 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1986 | -256.16 | -0.17 | 695.84 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1986 | -255.88 | 0.28 | 696.12 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1986 | -255.61 | 0.27 | 696.39 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1986 | -255.85 | -0.24 | 696.15 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1986 | -255.76 | 0.09 | 696.24 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1986 | -255.71 | 0.05 | 696.29 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1986 | -256.19 | -0.48 | 695.81 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1986 | -256.04 | 0.15 | 695.96 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1986 | -255.95 | 0.09 | 696.05 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1986 | -256.51 | -0.56 | 695.49 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1986 | -256.63 | -0.12 | 695.37 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1986 | -256.35 | 0.28 | 695.65 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1986 | -256.26 | 0.09 | 695.74 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1986 | -256.36 | -0.1 | 695.64 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1986 | -256.19 | 0.17 | 695.81 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1986 | -256.15 | 0.04 | 695.85 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1986 | -256.28 | -0.13 | 695.72 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1986 | -256.31 | -0.03 | 695.69 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1986 | -256.36 | -0.05 | 695.64 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1986 | -256.59 | -0.23 | 695.41 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1986 | -256.66 | -0.07 | 695.34 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1986 | -256.6 | 0.06 | 695.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/24/1986 | -256.59 | 0.01 | 695.41 | 01 | 06 | 4 | |
| | P | 2/25/1986 | -256.68 | -0.09 | 695.32 | 01 | 06 | 4 | |
| | P | 2/26/1986 | -256.49 | 0.19 | 695.51 | 01 | 06 | 4 | |
| | P | 2/27/1986 | -256.36 | 0.13 | 695.64 | 01 | 06 | 4 | |
| | P | 2/28/1986 | -256.84 | -0.48 | 695.16 | 01 | 06 | 4 | |
| | P | 3/ 1/1986 | -256.88 | -0.04 | 695.12 | 01 | 06 | 4 | |
| | P | 3/ 2/1986 | -256.73 | 0.15 | 695.27 | 01 | 06 | 4 | |
| | P | 3/ 3/1986 | -256.8 | -0.07 | 695.2 | 01 | 06 | 4 | |
| | P | 3/ 4/1986 | -257.05 | -0.25 | 694.95 | 01 | 06 | 4 | |
| | P | 3/ 5/1986 | -256.9 | 0.15 | 695.1 | 01 | 06 | 4 | |
| | P | 3/ 6/1986 | -256.98 | -0.08 | 695.02 | 01 | 06 | 4 | |
| | P | 3/ 7/1986 | -257.01 | -0.03 | 694.99 | 01 | 06 | 4 | |
| | P | 3/ 8/1986 | -257.03 | -0.02 | 694.97 | 01 | 06 | 4 | |
| | P | 3/ 9/1986 | -257.08 | -0.05 | 694.92 | 01 | 06 | 4 | |
| | P | 3/10/1986 | -257.19 | -0.11 | 694.81 | 01 | 06 | 4 | |
| | P | 3/11/1986 | -256.85 | 0.34 | 695.15 | 01 | 06 | 4 | |
| | P | 3/12/1986 | -256.94 | -0.09 | 695.06 | 01 | 06 | 4 | |
| | P | 3/13/1986 | -257.01 | -0.07 | 694.99 | 01 | 06 | 4 | |
| | P | 3/14/1986 | -257.17 | -0.16 | 694.83 | 01 | 06 | 4 | |
| | P | 3/15/1986 | -257.26 | -0.09 | 694.74 | 01 | 06 | 4 | |
| | P | 3/16/1986 | -257.37 | -0.11 | 694.63 | 01 | 06 | 4 | |
| | P | 3/17/1986 | -257.25 | 0.12 | 694.75 | 01 | 06 | 4 | |
| | P | 3/18/1986 | -257.17 | 0.08 | 694.83 | 01 | 06 | 4 | |
| | P | 3/19/1986 | -257.48 | -0.31 | 694.52 | 01 | 06 | 4 | |
| | P | 3/20/1986 | -257.89 | -0.41 | 694.11 | 01 | 06 | 4 | |
| | P | 3/21/1986 | -258.16 | -0.27 | 693.84 | 01 | 06 | 4 | |
| | P | 3/22/1986 | -258.15 | 0.01 | 693.85 | 01 | 06 | 4 | |
| | P | 3/23/1986 | -258.19 | -0.04 | 693.81 | 01 | 06 | 4 | |
| | P | 3/24/1986 | -258.33 | -0.14 | 693.67 | 01 | 06 | 4 | |
| | P | 3/25/1986 | -258.24 | 0.09 | 693.76 | 01 | 06 | 4 | |
| | P | 3/26/1986 | -258.2 | 0.04 | 693.8 | 01 | 06 | 4 | |
| | P | 3/27/1986 | -258.43 | -0.23 | 693.57 | 01 | 06 | 4 | |
| | P | 3/28/1986 | -258.43 | | 693.57 | 01 | 06 | 4 | |
| | P | 3/29/1986 | -258.53 | -0.1 | 693.47 | 01 | 06 | 4 | |
| | P | 3/30/1986 | -258.73 | -0.2 | 693.27 | 01 | 06 | 4 | |
| | P | 3/31/1986 | -258.73 | | 693.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 1/1986 | -258.6 | 0.13 | 693.4 | 01 | 06 | 4 | |
| | P | 4/ 2/1986 | -258.4 | 0.2 | 693.6 | 01 | 06 | 4 | |
| | P | 4/ 3/1986 | -258.4 | | 693.6 | 01 | 06 | 4 | |
| | P | 4/ 4/1986 | -258.39 | 0.01 | 693.61 | 01 | 06 | 4 | |
| | P | 4/ 5/1986 | -258.49 | -0.1 | 693.51 | 01 | 06 | 4 | |
| | P | 4/ 6/1986 | -258.69 | -0.2 | 693.31 | 01 | 06 | 4 | |
| | P | 4/ 7/1986 | -258.66 | 0.03 | 693.34 | 01 | 06 | 4 | |
| | P | 4/ 8/1986 | -258.65 | 0.01 | 693.35 | 01 | 06 | 4 | |
| | P | 4/ 9/1986 | -258.77 | -0.12 | 693.23 | 01 | 06 | 4 | |
| | P | 4/10/1986 | -258.7 | 0.07 | 693.3 | 01 | 06 | 4 | |
| | P | 4/11/1986 | -258.65 | 0.05 | 693.35 | 01 | 06 | 4 | |
| | P | 4/12/1986 | -258.65 | | 693.35 | 01 | 06 | 4 | |
| | P | 4/13/1986 | -259.07 | -0.42 | 692.93 | 01 | 06 | 4 | |
| | P | 4/14/1986 | -259.46 | -0.39 | 692.54 | 01 | 06 | 4 | |
| | P | 4/15/1986 | -259.74 | -0.28 | 692.26 | 01 | 06 | 4 | |
| | P | 4/16/1986 | -259.69 | 0.05 | 692.31 | 01 | 06 | 4 | |
| | P | 4/17/1986 | -259.54 | 0.15 | 692.46 | 01 | 06 | 4 | |
| | P | 4/18/1986 | -259.52 | 0.02 | 692.48 | 01 | 06 | 4 | |
| | P | 4/19/1986 | -259.59 | -0.07 | 692.41 | 01 | 06 | 4 | |
| | P | 4/20/1986 | -259.71 | -0.12 | 692.29 | 01 | 06 | 4 | |
| | P | 4/21/1986 | -260.13 | -0.42 | 691.87 | 01 | 06 | 4 | |
| | P | 4/22/1986 | -260.26 | -0.13 | 691.74 | 01 | 06 | 4 | |
| | P | 4/23/1986 | -260.52 | -0.26 | 691.48 | 01 | 06 | 4 | |
| | P | 4/24/1986 | -260.56 | -0.04 | 691.44 | 01 | 06 | 4 | |
| | P | 4/25/1986 | -260.6 | -0.04 | 691.4 | 01 | 06 | 4 | |
| | P | 4/26/1986 | -260.55 | 0.05 | 691.45 | 01 | 06 | 4 | |
| | P | 4/27/1986 | -260.62 | -0.07 | 691.38 | 01 | 06 | 4 | |
| | P | 4/28/1986 | -260.82 | -0.2 | 691.18 | 01 | 06 | 4 | |
| | P | 4/29/1986 | -260.95 | -0.13 | 691.05 | 01 | 06 | 4 | |
| | P | 4/30/1986 | -260.87 | 0.08 | 691.13 | 01 | 06 | 4 | |
| | P | 5/ 1/1986 | -260.88 | -0.01 | 691.12 | 01 | 06 | 4 | |
| | P | 5/ 2/1986 | -261.02 | -0.14 | 690.98 | 01 | 06 | 4 | |
| | P | 5/ 3/1986 | -261.15 | -0.13 | 690.85 | 01 | 06 | 4 | |
| | P | 5/ 4/1986 | -261.02 | 0.13 | 690.98 | 01 | 06 | 4 | |
| | P | 5/ 5/1986 | -260.92 | 0.1 | 691.08 | 01 | 06 | 4 | |
| | P | 5/ 6/1986 | -261.05 | -0.13 | 690.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 7/1986 | -261.21 | -0.16 | 690.79 | 01 | 06 | 4 | |
| | P | 5/ 8/1986 | -261.15 | 0.06 | 690.85 | 01 | 06 | 4 | |
| | P | 5/ 9/1986 | -261.24 | -0.09 | 690.76 | 01 | 06 | 4 | |
| | P | 5/10/1986 | -261.23 | 0.01 | 690.77 | 01 | 06 | 4 | |
| | P | 5/11/1986 | -261.4 | -0.17 | 690.6 | 01 | 06 | 4 | |
| | P | 5/12/1986 | -261.44 | -0.04 | 690.56 | 01 | 06 | 4 | |
| | P | 5/13/1986 | -261.49 | -0.05 | 690.51 | 01 | 06 | 4 | |
| | P | 5/14/1986 | -261.55 | -0.06 | 690.45 | 01 | 06 | 4 | |
| | P | 5/15/1986 | -261.46 | 0.09 | 690.54 | 01 | 06 | 4 | |
| | P | 5/16/1986 | -261.53 | -0.07 | 690.47 | 01 | 06 | 4 | |
| | P | 5/17/1986 | -261.46 | 0.07 | 690.54 | 01 | 06 | 4 | |
| | P | 5/18/1986 | -261.72 | -0.26 | 690.28 | 01 | 06 | 4 | |
| | P | 5/19/1986 | -261.83 | -0.11 | 690.17 | 01 | 06 | 4 | |
| | P | 5/20/1986 | -261.88 | -0.05 | 690.12 | 01 | 06 | 4 | |
| | P | 5/21/1986 | -261.87 | 0.01 | 690.13 | 01 | 06 | 4 | |
| | P | 5/22/1986 | -261.86 | 0.01 | 690.14 | 01 | 06 | 4 | |
| | P | 5/23/1986 | -262.01 | -0.15 | 689.99 | 01 | 06 | 4 | |
| | P | 5/24/1986 | -262.15 | -0.14 | 689.85 | 01 | 06 | 4 | |
| | P | 5/25/1986 | -262.33 | -0.18 | 689.67 | 01 | 06 | 4 | |
| | P | 5/26/1986 | -262.18 | 0.15 | 689.82 | 01 | 06 | 4 | |
| | P | 5/27/1986 | -262.06 | 0.12 | 689.94 | 01 | 06 | 4 | |
| | P | 5/28/1986 | -262.06 | | 689.94 | 01 | 06 | 4 | |
| | P | 5/29/1986 | -262.08 | -0.02 | 689.92 | 01 | 06 | 4 | |
| | P | 5/30/1986 | -261.96 | 0.12 | 690.04 | 01 | 06 | 4 | |
| | P | 5/31/1986 | -260.16 | 1.8 | 691.84 | 01 | 06 | 4 | |
| | P | 6/ 1/1986 | -259.22 | 0.94 | 692.78 | 01 | 06 | 4 | |
| | P | 6/ 2/1986 | -259.15 | 0.07 | 692.85 | 01 | 06 | 4 | |
| | P | 6/ 3/1986 | -259.2 | -0.05 | 692.8 | 01 | 06 | 4 | |
| | P | 6/ 4/1986 | -257.55 | 1.65 | 694.45 | 01 | 06 | 4 | |
| | P | 6/ 5/1986 | -257.21 | 0.34 | 694.79 | 01 | 06 | 4 | |
| | P | 6/ 6/1986 | -257.26 | -0.05 | 694.74 | 01 | 06 | 4 | |
| | P | 6/ 7/1986 | -257.17 | 0.09 | 694.83 | 01 | 06 | 4 | |
| | P | 6/ 8/1986 | -257.09 | 0.08 | 694.91 | 01 | 06 | 4 | |
| | P | 6/ 9/1986 | -257 | 0.09 | 695 | 01 | 06 | 4 | |
| | P | 6/10/1986 | -257.04 | -0.04 | 694.96 | 01 | 06 | 4 | |
| | P | 6/11/1986 | -257.06 | -0.02 | 694.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/12/1986 | -257.04 | 0.02 | 694.96 | 01 | 06 | 4 | |
| | P | 6/13/1986 | -257.01 | 0.03 | 694.99 | 01 | 06 | 4 | |
| | P | 6/14/1986 | -256.98 | 0.03 | 695.02 | 01 | 06 | 4 | |
| | P | 6/15/1986 | -256.93 | 0.05 | 695.07 | 01 | 06 | 4 | |
| | P | 6/16/1986 | -256.91 | 0.02 | 695.09 | 01 | 06 | 4 | |
| | P | 6/17/1986 | -256.92 | -0.01 | 695.08 | 01 | 06 | 4 | |
| | P | 6/18/1986 | -255.73 | 1.19 | 696.27 | 01 | 06 | 4 | |
| | P | 6/19/1986 | -255.04 | 0.69 | 696.96 | 01 | 06 | 4 | |
| | P | 6/20/1986 | -254.87 | 0.17 | 697.13 | 01 | 06 | 4 | |
| | P | 6/21/1986 | -254.8 | 0.07 | 697.2 | 01 | 06 | 4 | |
| | P | 6/22/1986 | -254.67 | 0.13 | 697.33 | 01 | 06 | 4 | |
| | P | 6/23/1986 | -254.57 | 0.1 | 697.43 | 01 | 06 | 4 | |
| | P | 6/24/1986 | -254.4 | 0.17 | 697.6 | 01 | 06 | 4 | |
| | P | 6/25/1986 | -254.27 | 0.13 | 697.73 | 01 | 06 | 4 | |
| | P | 6/26/1986 | -254.26 | 0.01 | 697.74 | 01 | 06 | 4 | |
| | P | 6/27/1986 | -254.24 | 0.02 | 697.76 | 01 | 06 | 4 | |
| | P | 6/28/1986 | -254.14 | 0.1 | 697.86 | 01 | 06 | 4 | |
| | P | 6/29/1986 | -254.04 | 0.1 | 697.96 | 01 | 06 | 4 | |
| | P | 6/30/1986 | -254.09 | -0.05 | 697.91 | 01 | 06 | 4 | |
| | P | 7/1/1986 | -254.08 | 0.01 | 697.92 | 01 | 06 | 4 | |
| | P | 7/2/1986 | -254.3 | -0.22 | 697.7 | 01 | 06 | 4 | |
| | P | 7/3/1986 | -254.21 | 0.09 | 697.79 | 01 | 06 | 4 | |
| | P | 7/4/1986 | -254.07 | 0.14 | 697.93 | 01 | 06 | 4 | |
| | P | 7/5/1986 | -254.09 | -0.02 | 697.91 | 01 | 06 | 4 | |
| | P | 7/6/1986 | -254.18 | -0.09 | 697.82 | 01 | 06 | 4 | |
| | P | 7/7/1986 | -254.14 | 0.04 | 697.86 | 01 | 06 | 4 | |
| | P | 7/8/1986 | -253.77 | 0.37 | 698.23 | 01 | 06 | 4 | |
| | P | 7/9/1986 | -253.77 | | 698.23 | 01 | 06 | 4 | |
| | P | 7/10/1986 | -253.75 | 0.02 | 698.25 | 01 | 06 | 4 | |
| | P | 7/11/1986 | -253.77 | -0.02 | 698.23 | 01 | 06 | 4 | |
| | P | 7/12/1986 | -253.8 | -0.03 | 698.2 | 01 | 06 | 4 | |
| | P | 7/13/1986 | -254.02 | -0.22 | 697.98 | 01 | 06 | 4 | |
| | P | 7/14/1986 | -254.07 | -0.05 | 697.93 | 01 | 06 | 4 | |
| | P | 7/15/1986 | -254.34 | -0.27 | 697.66 | 01 | 06 | 4 | |
| | P | 7/16/1986 | -254.15 | 0.19 | 697.85 | 01 | 06 | 4 | |
| | P | 7/17/1986 | -254.26 | -0.11 | 697.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1986 | -254.44 | -0.18 | 697.56 | 01 | 06 | 4 | |
| | P | 7/19/1986 | -254.56 | -0.12 | 697.44 | 01 | 06 | 4 | |
| | P | 7/20/1986 | -254.65 | -0.09 | 697.35 | 01 | 06 | 4 | |
| | P | 7/21/1986 | -254.65 | | 697.35 | 01 | 06 | 4 | |
| | P | 7/22/1986 | -254.69 | -0.04 | 697.31 | 01 | 06 | 4 | |
| | P | 7/23/1986 | -254.22 | 0.47 | 697.78 | 01 | 06 | 4 | |
| | P | 7/24/1986 | -254.76 | -0.54 | 697.24 | 01 | 06 | 4 | |
| | P | 7/25/1986 | -254.86 | -0.1 | 697.14 | 01 | 06 | 4 | |
| | P | 7/26/1986 | -254.9 | -0.04 | 697.1 | 01 | 06 | 4 | |
| | P | 7/27/1986 | -254.7 | 0.2 | 697.3 | 01 | 06 | 4 | |
| | P | 7/28/1986 | -254.73 | -0.03 | 697.27 | 01 | 06 | 4 | |
| | P | 7/29/1986 | -254.61 | 0.12 | 697.39 | 01 | 06 | 4 | |
| | P | 7/30/1986 | -254.36 | 0.25 | 697.64 | 01 | 06 | 4 | |
| | P | 7/31/1986 | -254.7 | -0.34 | 697.3 | 01 | 06 | 4 | |
| | P | 8/ 1/1986 | -255.5 | -0.8 | 696.5 | 01 | 06 | 4 | |
| | P | 8/ 2/1986 | -255.71 | -0.21 | 696.29 | 01 | 06 | 4 | |
| | P | 8/ 3/1986 | -255.67 | 0.04 | 696.33 | 01 | 06 | 4 | |
| | P | 8/ 4/1986 | -255.56 | 0.11 | 696.44 | 01 | 06 | 4 | |
| | P | 8/ 5/1986 | -255.75 | -0.19 | 696.25 | 01 | 06 | 4 | |
| | P | 8/ 6/1986 | -255.68 | 0.07 | 696.32 | 01 | 06 | 4 | |
| | P | 8/ 7/1986 | -255.75 | -0.07 | 696.25 | 01 | 06 | 4 | |
| | P | 8/ 8/1986 | -256.14 | -0.39 | 695.86 | 01 | 06 | 4 | |
| | P | 8/ 9/1986 | -256.12 | 0.02 | 695.88 | 01 | 06 | 4 | |
| | P | 8/10/1986 | -256.2 | -0.08 | 695.8 | 01 | 06 | 4 | |
| | P | 8/11/1986 | -256.17 | 0.03 | 695.83 | 01 | 06 | 4 | |
| | P | 8/12/1986 | -255.92 | 0.25 | 696.08 | 01 | 06 | 4 | |
| | P | 8/13/1986 | -256.15 | -0.23 | 695.85 | 01 | 06 | 4 | |
| | P | 8/14/1986 | -256.23 | -0.08 | 695.77 | 01 | 06 | 4 | |
| | P | 8/15/1986 | -256.48 | -0.25 | 695.52 | 01 | 06 | 4 | |
| | P | 8/16/1986 | -256.45 | 0.03 | 695.55 | 01 | 06 | 4 | |
| | P | 8/17/1986 | -256.09 | 0.36 | 695.91 | 01 | 06 | 4 | |
| | P | 8/18/1986 | -256.45 | -0.36 | 695.55 | 01 | 06 | 4 | |
| | P | 8/19/1986 | -256.79 | -0.34 | 695.21 | 01 | 06 | 4 | |
| | P | 8/20/1986 | -256.87 | -0.08 | 695.13 | 01 | 06 | 4 | |
| | P | 8/21/1986 | -256.87 | | 695.13 | 01 | 06 | 4 | |
| | P | 8/22/1986 | -256.95 | -0.08 | 695.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/23/1986 | -257.09 | -0.14 | 694.91 | 01 | 06 | 4 | |
| | P | 8/24/1986 | -257.1 | -0.01 | 694.9 | 01 | 06 | 4 | |
| | P | 8/25/1986 | -257.15 | -0.05 | 694.85 | 01 | 06 | 4 | |
| | P | 8/26/1986 | -256.99 | 0.16 | 695.01 | 01 | 06 | 4 | |
| | P | 8/27/1986 | -257.25 | -0.26 | 694.75 | 01 | 06 | 4 | |
| | P | 8/28/1986 | -257.31 | -0.06 | 694.69 | 01 | 06 | 4 | |
| | P | 8/29/1986 | -257.42 | -0.11 | 694.58 | 01 | 06 | 4 | |
| | P | 8/30/1986 | -257.64 | -0.22 | 694.36 | 01 | 06 | 4 | |
| | P | 8/31/1986 | -257.76 | -0.12 | 694.24 | 01 | 06 | 4 | |
| | P | 9/ 1/1986 | -257.26 | 0.5 | 694.74 | 01 | 06 | 4 | |
| | P | 9/ 2/1986 | -257.55 | -0.29 | 694.45 | 01 | 06 | 4 | |
| | P | 9/ 3/1986 | -257.77 | -0.22 | 694.23 | 01 | 06 | 4 | |
| | P | 9/ 4/1986 | -257.94 | -0.17 | 694.06 | 01 | 06 | 4 | |
| | P | 9/ 5/1986 | -258.03 | -0.09 | 693.97 | 01 | 06 | 4 | |
| | P | 9/ 6/1986 | -258.04 | -0.01 | 693.96 | 01 | 06 | 4 | |
| | P | 9/ 7/1986 | -258.02 | 0.02 | 693.98 | 01 | 06 | 4 | |
| | P | 9/ 8/1986 | -257.96 | 0.06 | 694.04 | 01 | 06 | 4 | |
| | P | 9/ 9/1986 | -257.94 | 0.02 | 694.06 | 01 | 06 | 4 | |
| | P | 9/10/1986 | -257.95 | -0.01 | 694.05 | 01 | 06 | 4 | |
| | P | 9/11/1986 | -258.03 | -0.08 | 693.97 | 01 | 06 | 4 | |
| | P | 9/12/1986 | -258.18 | -0.15 | 693.82 | 01 | 06 | 4 | |
| | P | 9/13/1986 | -258.24 | -0.06 | 693.76 | 01 | 06 | 4 | |
| | P | 9/14/1986 | -258.34 | -0.1 | 693.66 | 01 | 06 | 4 | |
| | P | 9/15/1986 | -258.36 | -0.02 | 693.64 | 01 | 06 | 4 | |
| | P | 9/16/1986 | -258.43 | -0.07 | 693.57 | 01 | 06 | 4 | |
| | P | 9/17/1986 | -258.47 | -0.04 | 693.53 | 01 | 06 | 4 | |
| | P | 9/18/1986 | -258.57 | -0.1 | 693.43 | 01 | 06 | 4 | |
| | P | 9/19/1986 | -258.51 | 0.06 | 693.49 | 01 | 06 | 4 | |
| | P | 9/20/1986 | -258.7 | -0.19 | 693.3 | 01 | 06 | 4 | |
| | P | 9/21/1986 | -258.69 | 0.01 | 693.31 | 01 | 06 | 4 | |
| | P | 9/22/1986 | -258.66 | 0.03 | 693.34 | 01 | 06 | 4 | |
| | P | 9/23/1986 | -258.66 | | 693.34 | 01 | 06 | 4 | |
| | P | 9/24/1986 | -258.57 | 0.09 | 693.43 | 01 | 06 | 4 | |
| | P | 9/25/1986 | -258.35 | 0.22 | 693.65 | 01 | 06 | 4 | |
| | P | 9/26/1986 | -258.3 | 0.05 | 693.7 | 01 | 06 | 4 | |
| | P | 9/27/1986 | -258.66 | -0.36 | 693.34 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/28/1986 | -258.35 | 0.31 | 693.65 | 01 | 06 | 4 | |
| | P | 9/29/1986 | -258.16 | 0.19 | 693.84 | 01 | 06 | 4 | |
| | P | 9/30/1986 | -258.06 | 0.1 | 693.94 | 01 | 06 | 4 | |
| | P | 10/ 1/1986 | -258.2 | -0.14 | 693.8 | 01 | 06 | 4 | |
| | P | 10/ 2/1986 | -258.17 | 0.03 | 693.83 | 01 | 06 | 4 | |
| | P | 10/ 3/1986 | -258.16 | 0.01 | 693.84 | 01 | 06 | 4 | |
| | P | 10/ 4/1986 | -258.38 | -0.22 | 693.62 | 01 | 06 | 4 | |
| | P | 10/ 5/1986 | -257.91 | 0.47 | 694.09 | 01 | 06 | 4 | |
| | P | 10/ 6/1986 | -257.85 | 0.06 | 694.15 | 01 | 06 | 4 | |
| | P | 10/ 7/1986 | -257.73 | 0.12 | 694.27 | 01 | 06 | 4 | |
| | P | 10/ 8/1986 | -258.31 | -0.58 | 693.69 | 01 | 06 | 4 | |
| | P | 10/ 9/1986 | -258.43 | -0.12 | 693.57 | 01 | 06 | 4 | |
| | P | 10/10/1986 | -258.5 | -0.07 | 693.5 | 01 | 06 | 4 | |
| | P | 10/11/1986 | -258.12 | 0.38 | 693.88 | 01 | 06 | 4 | |
| | P | 10/12/1986 | -256.43 | 1.69 | 695.57 | 01 | 06 | 4 | |
| | P | 10/13/1986 | -255.64 | 0.79 | 696.36 | 01 | 06 | 4 | |
| | P | 10/14/1986 | -255.55 | 0.09 | 696.45 | 01 | 06 | 4 | |
| | P | 10/15/1986 | -255.69 | -0.14 | 696.31 | 01 | 06 | 4 | |
| | P | 10/16/1986 | -255.73 | -0.04 | 696.27 | 01 | 06 | 4 | |
| | P | 10/17/1986 | -255.68 | 0.05 | 696.32 | 01 | 06 | 4 | |
| | P | 10/18/1986 | -255.75 | -0.07 | 696.25 | 01 | 06 | 4 | |
| | P | 10/19/1986 | -255.78 | -0.03 | 696.22 | 01 | 06 | 4 | |
| | P | 10/20/1986 | -255.8 | -0.02 | 696.2 | 01 | 06 | 4 | |
| | P | 10/21/1986 | -255.79 | 0.01 | 696.21 | 01 | 06 | 4 | |
| | P | 10/22/1986 | -255.61 | 0.18 | 696.39 | 01 | 06 | 4 | |
| | P | 10/23/1986 | -255.31 | 0.3 | 696.69 | 01 | 06 | 4 | |
| | P | 10/24/1986 | -255.01 | 0.3 | 696.99 | 01 | 06 | 4 | |
| | P | 10/25/1986 | -254.8 | 0.21 | 697.2 | 01 | 06 | 4 | |
| | P | 10/26/1986 | -254.64 | 0.16 | 697.36 | 01 | 06 | 4 | |
| | P | 10/27/1986 | -254.6 | 0.04 | 697.4 | 01 | 06 | 4 | |
| | P | 10/28/1986 | -254.55 | 0.05 | 697.45 | 01 | 06 | 4 | |
| | P | 10/29/1986 | -254.51 | 0.04 | 697.49 | 01 | 06 | 4 | |
| | P | 10/30/1986 | -254.5 | 0.01 | 697.5 | 01 | 06 | 4 | |
| | P | 10/31/1986 | -254.45 | 0.05 | 697.55 | 01 | 06 | 4 | |
| | P | 11/ 1/1986 | -254.52 | -0.07 | 697.48 | 01 | 06 | 4 | |
| | P | 11/ 2/1986 | -254.51 | 0.01 | 697.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 3/1986 | -254.42 | 0.09 | 697.58 | 01 | 06 | 4 | |
| | P | 11/ 4/1986 | -254.09 | 0.33 | 697.91 | 01 | 06 | 4 | |
| | P | 11/ 5/1986 | -254.17 | -0.08 | 697.83 | 01 | 06 | 4 | |
| | P | 11/ 6/1986 | -254.46 | -0.29 | 697.54 | 01 | 06 | 4 | |
| | P | 11/ 7/1986 | -254.43 | 0.03 | 697.57 | 01 | 06 | 4 | |
| | P | 11/ 8/1986 | -254.46 | -0.03 | 697.54 | 01 | 06 | 4 | |
| | P | 11/ 9/1986 | -254.6 | -0.14 | 697.4 | 01 | 06 | 4 | |
| | P | 11/10/1986 | -254.55 | 0.05 | 697.45 | 01 | 06 | 4 | |
| | P | 11/11/1986 | -254.64 | -0.09 | 697.36 | 01 | 06 | 4 | |
| | P | 11/12/1986 | -254.7 | -0.06 | 697.3 | 01 | 06 | 4 | |
| | P | 11/13/1986 | -255.04 | -0.34 | 696.96 | 01 | 06 | 4 | |
| | P | 11/14/1986 | -254.71 | 0.33 | 697.29 | 01 | 06 | 4 | |
| | P | 11/15/1986 | -254.49 | 0.22 | 697.51 | 01 | 06 | 4 | |
| | P | 11/16/1986 | -254.4 | 0.09 | 697.6 | 01 | 06 | 4 | |
| | P | 11/17/1986 | -254.34 | 0.06 | 697.66 | 01 | 06 | 4 | |
| | P | 11/18/1986 | -254.35 | -0.01 | 697.65 | 01 | 06 | 4 | |
| | P | 11/19/1986 | -254.4 | -0.05 | 697.6 | 01 | 06 | 4 | |
| | P | 11/20/1986 | -254.44 | -0.04 | 697.56 | 01 | 06 | 4 | |
| | P | 11/21/1986 | -254.57 | -0.13 | 697.43 | 01 | 06 | 4 | |
| | P | 11/22/1986 | -254.38 | 0.19 | 697.62 | 01 | 06 | 4 | |
| | P | 11/23/1986 | -254.39 | -0.01 | 697.61 | 01 | 06 | 4 | |
| | P | 11/24/1986 | -254.52 | -0.13 | 697.48 | 01 | 06 | 4 | |
| | P | 11/25/1986 | -254.37 | 0.15 | 697.63 | 01 | 06 | 4 | |
| | P | 11/26/1986 | -254.48 | -0.11 | 697.52 | 01 | 06 | 4 | |
| | P | 11/27/1986 | -254.65 | -0.17 | 697.35 | 01 | 06 | 4 | |
| | P | 11/28/1986 | -254.58 | 0.07 | 697.42 | 01 | 06 | 4 | |
| | P | 11/29/1986 | -254.48 | 0.1 | 697.52 | 01 | 06 | 4 | |
| | P | 11/30/1986 | -254.32 | 0.16 | 697.68 | 01 | 06 | 4 | |
| | P | 12/ 1/1986 | -254.12 | 0.2 | 697.88 | 01 | 06 | 4 | |
| | P | 12/ 2/1986 | -253.83 | 0.29 | 698.17 | 01 | 06 | 4 | |
| | P | 12/ 3/1986 | -253.71 | 0.12 | 698.29 | 01 | 06 | 4 | |
| | P | 12/ 4/1986 | -253.63 | 0.08 | 698.37 | 01 | 06 | 4 | |
| | P | 12/ 5/1986 | -253.45 | 0.18 | 698.55 | 01 | 06 | 4 | |
| | P | 12/ 6/1986 | -253.13 | 0.32 | 698.87 | 01 | 06 | 4 | |
| | P | 12/ 7/1986 | -252.9 | 0.23 | 699.1 | 01 | 06 | 4 | |
| | P | 12/ 8/1986 | -252.74 | 0.16 | 699.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 9/1986 | -252.79 | -0.05 | 699.21 | 01 | 06 | 4 | |
| | P | 12/10/1986 | -252.9 | -0.11 | 699.1 | 01 | 06 | 4 | |
| | P | 12/11/1986 | -252.82 | 0.08 | 699.18 | 01 | 06 | 4 | |
| | P | 12/12/1986 | -252.95 | -0.13 | 699.05 | 01 | 06 | 4 | |
| | P | 12/13/1986 | -252.87 | 0.08 | 699.13 | 01 | 06 | 4 | |
| | P | 12/14/1986 | -252.65 | 0.22 | 699.35 | 01 | 06 | 4 | |
| | P | 12/15/1986 | -252.19 | 0.46 | 699.81 | 01 | 06 | 4 | |
| | P | 12/16/1986 | -251.81 | 0.38 | 700.19 | 01 | 06 | 4 | |
| | P | 12/17/1986 | -251.55 | 0.26 | 700.45 | 01 | 06 | 4 | |
| | P | 12/18/1986 | -251.46 | 0.09 | 700.54 | 01 | 06 | 4 | |
| | P | 12/19/1986 | -251.48 | -0.02 | 700.52 | 01 | 06 | 4 | |
| | P | 12/20/1986 | -251.47 | 0.01 | 700.53 | 01 | 06 | 4 | |
| | P | 12/21/1986 | -251.37 | 0.1 | 700.63 | 01 | 06 | 4 | |
| | P | 12/22/1986 | -248.81 | 2.56 | 703.19 | 01 | 06 | 4 | |
| | P | 12/23/1986 | -247.7 | 1.11 | 704.3 | 01 | 06 | 4 | |
| | P | 12/24/1986 | -247.46 | 0.24 | 704.54 | 01 | 06 | 4 | |
| | P | 12/25/1986 | -247.44 | 0.02 | 704.56 | 01 | 06 | 4 | |
| | P | 12/26/1986 | -247.49 | -0.05 | 704.51 | 01 | 06 | 4 | |
| | P | 12/27/1986 | -247.36 | 0.13 | 704.64 | 01 | 06 | 4 | |
| | P | 12/28/1986 | -247.25 | 0.11 | 704.75 | 01 | 06 | 4 | |
| | P | 12/29/1986 | -247.1 | 0.15 | 704.9 | 01 | 06 | 4 | |
| | P | 12/30/1986 | -246.85 | 0.25 | 705.15 | 01 | 06 | 4 | |
| | P | 12/31/1986 | -246.6 | 0.25 | 705.4 | 01 | 06 | 4 | |
| | P | 1/ 1/1987 | -246.63 | -0.03 | 705.37 | 01 | 06 | 4 | |
| | P | 1/ 2/1987 | -246.21 | 0.42 | 705.79 | 01 | 06 | 4 | |
| | P | 1/ 3/1987 | -246.22 | -0.01 | 705.78 | 01 | 06 | 4 | |
| | P | 1/ 4/1987 | -246.29 | -0.07 | 705.71 | 01 | 06 | 4 | |
| | P | 1/ 5/1987 | -245.92 | 0.37 | 706.08 | 01 | 06 | 4 | |
| | P | 1/ 6/1987 | -245.83 | 0.09 | 706.17 | 01 | 06 | 4 | |
| | P | 1/ 7/1987 | -245.74 | 0.09 | 706.26 | 01 | 06 | 4 | |
| | P | 1/ 8/1987 | -245.45 | 0.29 | 706.55 | 01 | 06 | 4 | |
| | P | 1/ 9/1987 | -245.37 | 0.08 | 706.63 | 01 | 06 | 4 | |
| | P | 1/10/1987 | -245.48 | -0.11 | 706.52 | 01 | 06 | 4 | |
| | P | 1/11/1987 | -245.52 | -0.04 | 706.48 | 01 | 06 | 4 | |
| | P | 1/12/1987 | -245.2 | 0.32 | 706.8 | 01 | 06 | 4 | |
| | P | 1/13/1987 | -244.9 | 0.3 | 707.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 14/ 1987 | -244.59 | 0.31 | 707.41 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1987 | -244.54 | 0.05 | 707.46 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1987 | -244.51 | 0.03 | 707.49 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1987 | -244.19 | 0.32 | 707.81 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1987 | -244.34 | -0.15 | 707.66 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1987 | -244.36 | -0.02 | 707.64 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1987 | -244.32 | 0.04 | 707.68 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1987 | -244.11 | 0.21 | 707.89 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1987 | -244.14 | -0.03 | 707.86 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1987 | -243.78 | 0.36 | 708.22 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1987 | -243.53 | 0.25 | 708.47 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1987 | -243.73 | -0.2 | 708.27 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1987 | -243.85 | -0.12 | 708.15 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1987 | -243.64 | 0.21 | 708.36 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1987 | -243.44 | 0.2 | 708.56 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1987 | -243.39 | 0.05 | 708.61 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1987 | -243.54 | -0.15 | 708.46 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1987 | -243.19 | 0.35 | 708.81 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1987 | -243.14 | 0.05 | 708.86 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1987 | -243.25 | -0.11 | 708.75 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1987 | -243.23 | 0.02 | 708.77 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1987 | -243.25 | -0.02 | 708.75 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1987 | -243.29 | -0.04 | 708.71 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1987 | -243.43 | -0.14 | 708.57 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1987 | -243.43 | | 708.57 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1987 | -243.24 | 0.19 | 708.76 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1987 | -243.34 | -0.1 | 708.66 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1987 | -243.18 | 0.16 | 708.82 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1987 | -243.12 | 0.06 | 708.88 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1987 | -243.13 | -0.01 | 708.87 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1987 | -242.95 | 0.18 | 709.05 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1987 | -242.55 | 0.4 | 709.45 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1987 | -242.5 | 0.05 | 709.5 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1987 | -242.76 | -0.26 | 709.24 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1987 | -242.95 | -0.19 | 709.05 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1987 | -243.06 | -0.11 | 708.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/19/1987 | -243.01 | 0.05 | 708.99 | 01 | 06 | 4 | |
| | P | 2/20/1987 | -243 | 0.01 | 709 | 01 | 06 | 4 | |
| | P | 2/21/1987 | -242.83 | 0.17 | 709.17 | 01 | 06 | 4 | |
| | P | 2/22/1987 | -242.86 | -0.03 | 709.14 | 01 | 06 | 4 | |
| | P | 2/23/1987 | -242.77 | 0.09 | 709.23 | 01 | 06 | 4 | |
| | P | 2/24/1987 | -242.64 | 0.13 | 709.36 | 01 | 06 | 4 | |
| | P | 2/25/1987 | -242.36 | 0.28 | 709.64 | 01 | 06 | 4 | |
| | P | 2/26/1987 | -241.18 | 1.18 | 710.82 | 01 | 06 | 4 | |
| | P | 2/27/1987 | -240.55 | 0.63 | 711.45 | 01 | 06 | 4 | |
| | P | 2/28/1987 | -238.75 | 1.8 | 713.25 | 01 | 06 | 4 | |
| | P | 3/ 1/1987 | -240.49 | -1.74 | 711.51 | 01 | 06 | 4 | |
| | P | 3/ 2/1987 | -240.37 | 0.12 | 711.63 | 01 | 06 | 4 | |
| | P | 3/ 3/1987 | -240.39 | -0.02 | 711.61 | 01 | 06 | 4 | |
| | P | 3/ 4/1987 | -240.39 | | 711.61 | 01 | 06 | 4 | |
| | P | 3/ 5/1987 | -240.1 | 0.29 | 711.9 | 01 | 06 | 4 | |
| | P | 3/ 6/1987 | -239.9 | 0.2 | 712.1 | 01 | 06 | 4 | |
| | P | 3/ 7/1987 | -239.71 | 0.19 | 712.29 | 01 | 06 | 4 | |
| | P | 3/ 8/1987 | -239.6 | 0.11 | 712.4 | 01 | 06 | 4 | |
| | P | 3/ 9/1987 | -239.65 | -0.05 | 712.35 | 01 | 06 | 4 | |
| | P | 3/10/1987 | -239.62 | 0.03 | 712.38 | 01 | 06 | 4 | |
| | P | 3/11/1987 | -239.65 | -0.03 | 712.35 | 01 | 06 | 4 | |
| | P | 3/12/1987 | -239.62 | 0.03 | 712.38 | 01 | 06 | 4 | |
| | P | 3/13/1987 | -239.37 | 0.25 | 712.63 | 01 | 06 | 4 | |
| | P | 3/14/1987 | -239.05 | 0.32 | 712.95 | 01 | 06 | 4 | |
| | P | 3/15/1987 | -238.95 | 0.1 | 713.05 | 01 | 06 | 4 | |
| | P | 3/16/1987 | -238.57 | 0.38 | 713.43 | 01 | 06 | 4 | |
| | P | 3/17/1987 | -238.61 | -0.04 | 713.39 | 01 | 06 | 4 | |
| | P | 3/18/1987 | -238.75 | -0.14 | 713.25 | 01 | 06 | 4 | |
| | P | 3/19/1987 | -238.84 | -0.09 | 713.16 | 01 | 06 | 4 | |
| | P | 3/20/1987 | -238.78 | 0.06 | 713.22 | 01 | 06 | 4 | |
| | P | 3/21/1987 | -238.64 | 0.14 | 713.36 | 01 | 06 | 4 | |
| | P | 3/22/1987 | -238.39 | 0.25 | 713.61 | 01 | 06 | 4 | |
| | P | 3/23/1987 | -238.35 | 0.04 | 713.65 | 01 | 06 | 4 | |
| | P | 3/24/1987 | -238.47 | -0.12 | 713.53 | 01 | 06 | 4 | |
| | P | 3/25/1987 | -238.62 | -0.15 | 713.38 | 01 | 06 | 4 | |
| | P | 3/26/1987 | -238.53 | 0.09 | 713.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/27/1987 | -238.3 | 0.23 | 713.7 | 01 | 06 | 4 | |
| | P | 3/28/1987 | -238.38 | -0.08 | 713.62 | 01 | 06 | 4 | |
| | P | 3/29/1987 | -238.36 | 0.02 | 713.64 | 01 | 06 | 4 | |
| | P | 3/30/1987 | -238.75 | -0.39 | 713.25 | 01 | 06 | 4 | |
| | P | 3/31/1987 | -238.63 | 0.12 | 713.37 | 01 | 06 | 4 | |
| | P | 4/ 1/1987 | -238.4 | 0.23 | 713.6 | 01 | 06 | 4 | |
| | P | 4/ 2/1987 | -238.48 | -0.08 | 713.52 | 01 | 06 | 4 | |
| | P | 4/ 3/1987 | -238.68 | -0.2 | 713.32 | 01 | 06 | 4 | |
| | P | 4/ 4/1987 | -238.64 | 0.04 | 713.36 | 01 | 06 | 4 | |
| | P | 4/ 5/1987 | -238.62 | 0.02 | 713.38 | 01 | 06 | 4 | |
| | P | 4/ 6/1987 | -238.59 | 0.03 | 713.41 | 01 | 06 | 4 | |
| | P | 4/ 7/1987 | -238.54 | 0.05 | 713.46 | 01 | 06 | 4 | |
| | P | 4/ 8/1987 | -238.54 | | 713.46 | 01 | 06 | 4 | |
| | P | 4/ 9/1987 | -238.48 | 0.06 | 713.52 | 01 | 06 | 4 | |
| | P | 4/10/1987 | -238.4 | 0.08 | 713.6 | 01 | 06 | 4 | |
| | P | 4/11/1987 | -238.38 | 0.02 | 713.62 | 01 | 06 | 4 | |
| | P | 4/12/1987 | -238.43 | -0.05 | 713.57 | 01 | 06 | 4 | |
| | P | 4/13/1987 | -238.48 | -0.05 | 713.52 | 01 | 06 | 4 | |
| | P | 4/14/1987 | -238.82 | -0.34 | 713.18 | 01 | 06 | 4 | |
| | P | 4/15/1987 | -238.76 | 0.06 | 713.24 | 01 | 06 | 4 | |
| | P | 4/16/1987 | -238.76 | | 713.24 | 01 | 06 | 4 | |
| | P | 4/17/1987 | -238.79 | -0.03 | 713.21 | 01 | 06 | 4 | |
| | P | 4/18/1987 | -238.86 | -0.07 | 713.14 | 01 | 06 | 4 | |
| | P | 4/19/1987 | -239 | -0.14 | 713 | 01 | 06 | 4 | |
| | P | 4/20/1987 | -239.15 | -0.15 | 712.85 | 01 | 06 | 4 | |
| | P | 4/21/1987 | -239.28 | -0.13 | 712.72 | 01 | 06 | 4 | |
| | P | 4/22/1987 | -239.28 | | 712.72 | 01 | 06 | 4 | |
| | P | 4/23/1987 | -239.24 | 0.04 | 712.76 | 01 | 06 | 4 | |
| | P | 4/24/1987 | -239.3 | -0.06 | 712.7 | 01 | 06 | 4 | |
| | P | 4/25/1987 | -239.31 | -0.01 | 712.69 | 01 | 06 | 4 | |
| | P | 4/26/1987 | -239.32 | -0.01 | 712.68 | 01 | 06 | 4 | |
| | P | 4/27/1987 | -239.34 | -0.02 | 712.66 | 01 | 06 | 4 | |
| | P | 4/28/1987 | -239.37 | -0.03 | 712.63 | 01 | 06 | 4 | |
| | P | 4/29/1987 | -239.35 | 0.02 | 712.65 | 01 | 06 | 4 | |
| | P | 4/30/1987 | -239.32 | 0.03 | 712.68 | 01 | 06 | 4 | |
| | P | 5/ 1/1987 | -239.27 | 0.05 | 712.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 2/1987 | -239.25 | 0.02 | 712.75 | 01 | 06 | 4 | |
| | P | 5/ 3/1987 | -239.27 | -0.02 | 712.73 | 01 | 06 | 4 | |
| | P | 5/ 4/1987 | -239.49 | -0.22 | 712.51 | 01 | 06 | 4 | |
| | P | 5/ 5/1987 | -239.53 | -0.04 | 712.47 | 01 | 06 | 4 | |
| | P | 5/ 6/1987 | -239.58 | -0.05 | 712.42 | 01 | 06 | 4 | |
| | P | 5/ 7/1987 | -239.57 | 0.01 | 712.43 | 01 | 06 | 4 | |
| | P | 5/ 8/1987 | -239.55 | 0.02 | 712.45 | 01 | 06 | 4 | |
| | P | 5/ 9/1987 | -239.51 | 0.04 | 712.49 | 01 | 06 | 4 | |
| | P | 5/10/1987 | -239.42 | 0.09 | 712.58 | 01 | 06 | 4 | |
| | P | 5/11/1987 | -239.56 | -0.14 | 712.44 | 01 | 06 | 4 | |
| | P | 5/12/1987 | -239.48 | 0.08 | 712.52 | 01 | 06 | 4 | |
| | P | 5/13/1987 | -239.52 | -0.04 | 712.48 | 01 | 06 | 4 | |
| | P | 5/14/1987 | -239.6 | -0.08 | 712.4 | 01 | 06 | 4 | |
| | P | 5/15/1987 | -239.63 | -0.03 | 712.37 | 01 | 06 | 4 | |
| | P | 5/16/1987 | -239.58 | 0.05 | 712.42 | 01 | 06 | 4 | |
| | P | 5/17/1987 | -239.57 | 0.01 | 712.43 | 01 | 06 | 4 | |
| | P | 5/18/1987 | -239.63 | -0.06 | 712.37 | 01 | 06 | 4 | |
| | P | 5/19/1987 | -239.55 | 0.08 | 712.45 | 01 | 06 | 4 | |
| | P | 5/20/1987 | -239.58 | -0.03 | 712.42 | 01 | 06 | 4 | |
| | P | 5/21/1987 | -239.7 | -0.12 | 712.3 | 01 | 06 | 4 | |
| | P | 5/22/1987 | -239.78 | -0.08 | 712.22 | 01 | 06 | 4 | |
| | P | 5/23/1987 | -239.73 | 0.05 | 712.27 | 01 | 06 | 4 | |
| | P | 5/24/1987 | -239.64 | 0.09 | 712.36 | 01 | 06 | 4 | |
| | P | 5/25/1987 | -239.64 | | 712.36 | 01 | 06 | 4 | |
| | P | 5/26/1987 | -239.64 | | 712.36 | 01 | 06 | 4 | |
| | P | 5/27/1987 | -239.72 | -0.08 | 712.28 | 01 | 06 | 4 | |
| | P | 5/28/1987 | -239.77 | -0.05 | 712.23 | 01 | 06 | 4 | |
| | P | 5/29/1987 | -239.73 | 0.04 | 712.27 | 01 | 06 | 4 | |
| | P | 5/30/1987 | -238.6 | 1.13 | 713.4 | 01 | 06 | 4 | |
| | P | 5/31/1987 | -237.6 | 1 | 714.4 | 01 | 06 | 4 | |
| | P | 6/ 1/1987 | -236.6 | 1 | 715.4 | 01 | 06 | 4 | |
| | P | 6/ 2/1987 | -235.37 | 1.23 | 716.63 | 01 | 06 | 4 | |
| | P | 6/ 3/1987 | -234.65 | 0.72 | 717.35 | 01 | 06 | 4 | |
| | P | 6/ 4/1987 | -233.6 | 1.05 | 718.4 | 01 | 06 | 4 | |
| | P | 6/ 5/1987 | -233.08 | 0.52 | 718.92 | 01 | 06 | 4 | |
| | P | 6/ 6/1987 | -232.94 | 0.14 | 719.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 7/1987 | -233.01 | -0.07 | 718.99 | 01 | 06 | 4 | |
| | P | 6/ 8/1987 | -232.83 | 0.18 | 719.17 | 01 | 06 | 4 | |
| | P | 6/ 9/1987 | -232.6 | 0.23 | 719.4 | 01 | 06 | 4 | |
| | P | 6/10/1987 | -231.24 | 1.36 | 720.76 | 01 | 06 | 4 | |
| | P | 6/11/1987 | -229.54 | 1.7 | 722.46 | 01 | 06 | 4 | |
| | P | 6/12/1987 | -229.14 | 0.4 | 722.86 | 01 | 06 | 4 | |
| | P | 6/13/1987 | -228.73 | 0.41 | 723.27 | 01 | 06 | 4 | |
| | P | 6/14/1987 | -228.46 | 0.27 | 723.54 | 01 | 06 | 4 | |
| | P | 6/15/1987 | -228.39 | 0.07 | 723.61 | 01 | 06 | 4 | |
| | P | 6/16/1987 | -228.34 | 0.05 | 723.66 | 01 | 06 | 4 | |
| | P | 6/17/1987 | -228.3 | 0.04 | 723.7 | 01 | 06 | 4 | |
| | P | 6/18/1987 | -228.19 | 0.11 | 723.81 | 01 | 06 | 4 | |
| | P | 6/19/1987 | -228.02 | 0.17 | 723.98 | 01 | 06 | 4 | |
| | P | 6/20/1987 | -227.87 | 0.15 | 724.13 | 01 | 06 | 4 | |
| | P | 6/21/1987 | -227.71 | 0.16 | 724.29 | 01 | 06 | 4 | |
| | P | 6/22/1987 | -227.61 | 0.1 | 724.39 | 01 | 06 | 4 | |
| | P | 6/23/1987 | -227.52 | 0.09 | 724.48 | 01 | 06 | 4 | |
| | P | 6/24/1987 | -227.46 | 0.06 | 724.54 | 01 | 06 | 4 | |
| | P | 6/25/1987 | -227.26 | 0.2 | 724.74 | 01 | 06 | 4 | |
| | P | 6/26/1987 | -227.19 | 0.07 | 724.81 | 01 | 06 | 4 | |
| | P | 6/27/1987 | -227.11 | 0.08 | 724.89 | 01 | 06 | 4 | |
| | P | 6/28/1987 | -226.93 | 0.18 | 725.07 | 01 | 06 | 4 | |
| | P | 6/29/1987 | -226.76 | 0.17 | 725.24 | 01 | 06 | 4 | |
| | P | 6/30/1987 | -226.7 | 0.06 | 725.3 | 01 | 06 | 4 | |
| | P | 7/ 1/1987 | -226.63 | 0.07 | 725.37 | 01 | 06 | 4 | |
| | P | 7/ 2/1987 | -226.56 | 0.07 | 725.44 | 01 | 06 | 4 | |
| | P | 7/ 3/1987 | -226.56 | | 725.44 | 01 | 06 | 4 | |
| | P | 7/ 4/1987 | -226.46 | 0.1 | 725.54 | 01 | 06 | 4 | |
| | P | 7/ 5/1987 | -226.41 | 0.05 | 725.59 | 01 | 06 | 4 | |
| | P | 7/ 6/1987 | -226.31 | 0.1 | 725.69 | 01 | 06 | 4 | |
| | P | 7/ 7/1987 | -226.18 | 0.13 | 725.82 | 01 | 06 | 4 | |
| | P | 7/ 8/1987 | -226.07 | 0.11 | 725.93 | 01 | 06 | 4 | |
| | P | 7/ 9/1987 | -225.93 | 0.14 | 726.07 | 01 | 06 | 4 | |
| | P | 7/10/1987 | -225.75 | 0.18 | 726.25 | 01 | 06 | 4 | |
| | P | 7/11/1987 | -225.68 | 0.07 | 726.32 | 01 | 06 | 4 | |
| | P | 7/12/1987 | -225.62 | 0.06 | 726.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/13/1987 | -225.64 | -0.02 | 726.36 | 01 | 06 | 4 | |
| | P | 7/14/1987 | -225.56 | 0.08 | 726.44 | 01 | 06 | 4 | |
| | P | 7/15/1987 | -225.33 | 0.23 | 726.67 | 01 | 06 | 4 | |
| | P | 7/16/1987 | -225.2 | 0.13 | 726.8 | 01 | 06 | 4 | |
| | P | 7/17/1987 | -225.18 | 0.02 | 726.82 | 01 | 06 | 4 | |
| | P | 7/18/1987 | -225.14 | 0.04 | 726.86 | 01 | 06 | 4 | |
| | P | 7/19/1987 | -225.11 | 0.03 | 726.89 | 01 | 06 | 4 | |
| | P | 7/20/1987 | -225.04 | 0.07 | 726.96 | 01 | 06 | 4 | |
| | P | 7/21/1987 | -225.02 | 0.02 | 726.98 | 01 | 06 | 4 | |
| | P | 7/22/1987 | -224.85 | 0.17 | 727.15 | 01 | 06 | 4 | |
| | P | 7/23/1987 | -224.73 | 0.12 | 727.27 | 01 | 06 | 4 | |
| | P | 7/24/1987 | -224.75 | -0.02 | 727.25 | 01 | 06 | 4 | |
| | P | 7/25/1987 | -224.78 | -0.03 | 727.22 | 01 | 06 | 4 | |
| | P | 7/26/1987 | -224.62 | 0.16 | 727.38 | 01 | 06 | 4 | |
| | P | 7/27/1987 | -224.48 | 0.14 | 727.52 | 01 | 06 | 4 | |
| | P | 7/28/1987 | -224.41 | 0.07 | 727.59 | 01 | 06 | 4 | |
| | P | 7/29/1987 | -224.38 | 0.03 | 727.62 | 01 | 06 | 4 | |
| | P | 7/30/1987 | -224.39 | -0.01 | 727.61 | 01 | 06 | 4 | |
| | P | 7/31/1987 | -224.45 | -0.06 | 727.55 | 01 | 06 | 4 | |
| | P | 8/ 1/1987 | -224.42 | 0.03 | 727.58 | 01 | 06 | 4 | |
| | P | 8/ 2/1987 | -224.4 | 0.02 | 727.6 | 01 | 06 | 4 | |
| | P | 8/ 3/1987 | -224.44 | -0.04 | 727.56 | 01 | 06 | 4 | |
| | P | 8/ 4/1987 | -224.45 | -0.01 | 727.55 | 01 | 06 | 4 | |
| | P | 8/ 5/1987 | -224.47 | -0.02 | 727.53 | 01 | 06 | 4 | |
| | P | 8/ 6/1987 | -224.46 | 0.01 | 727.54 | 01 | 06 | 4 | |
| | P | 8/ 7/1987 | -224.55 | -0.09 | 727.45 | 01 | 06 | 4 | |
| | P | 8/ 8/1987 | -224.52 | 0.03 | 727.48 | 01 | 06 | 4 | |
| | P | 8/ 9/1987 | -224.51 | 0.01 | 727.49 | 01 | 06 | 4 | |
| | P | 8/10/1987 | -224.54 | -0.03 | 727.46 | 01 | 06 | 4 | |
| | P | 8/11/1987 | -224.53 | 0.01 | 727.47 | 01 | 06 | 4 | |
| | P | 8/12/1987 | -224.57 | -0.04 | 727.43 | 01 | 06 | 4 | |
| | P | 8/13/1987 | -224.6 | -0.03 | 727.4 | 01 | 06 | 4 | |
| | P | 8/14/1987 | -224.68 | -0.08 | 727.32 | 01 | 06 | 4 | |
| | P | 8/15/1987 | -224.83 | -0.15 | 727.17 | 01 | 06 | 4 | |
| | P | 8/16/1987 | -224.87 | -0.04 | 727.13 | 01 | 06 | 4 | |
| | P | 8/17/1987 | -225.01 | -0.14 | 726.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/18/1987 | -225.08 | -0.07 | 726.92 | 01 | 06 | 4 | |
| | P | 8/19/1987 | -225.18 | -0.1 | 726.82 | 01 | 06 | 4 | |
| | P | 8/20/1987 | -225.26 | -0.08 | 726.74 | 01 | 06 | 4 | |
| | P | 8/21/1987 | -225.34 | -0.08 | 726.66 | 01 | 06 | 4 | |
| | P | 8/22/1987 | -225.35 | -0.01 | 726.65 | 01 | 06 | 4 | |
| | P | 8/23/1987 | -225.4 | -0.05 | 726.6 | 01 | 06 | 4 | |
| | P | 8/24/1987 | -225.43 | -0.03 | 726.57 | 01 | 06 | 4 | |
| | P | 8/25/1987 | -225.44 | -0.01 | 726.56 | 01 | 06 | 4 | |
| | P | 8/26/1987 | -225.51 | -0.07 | 726.49 | 01 | 06 | 4 | |
| | P | 8/27/1987 | -225.62 | -0.11 | 726.38 | 01 | 06 | 4 | |
| | P | 8/28/1987 | -225.81 | -0.19 | 726.19 | 01 | 06 | 4 | |
| | P | 8/29/1987 | -225.75 | 0.06 | 726.25 | 01 | 06 | 4 | |
| | P | 8/30/1987 | -225.74 | 0.01 | 726.26 | 01 | 06 | 4 | |
| | P | 8/31/1987 | -225.7 | 0.04 | 726.3 | 01 | 06 | 4 | |
| | P | 9/ 1/1987 | -225.68 | 0.02 | 726.32 | 01 | 06 | 4 | |
| | P | 9/ 2/1987 | -225.67 | 0.01 | 726.33 | 01 | 06 | 4 | |
| | P | 9/ 3/1987 | -225.67 | | 726.33 | 01 | 06 | 4 | |
| | P | 9/ 4/1987 | -225.74 | -0.07 | 726.26 | 01 | 06 | 4 | |
| | P | 9/ 5/1987 | -225.77 | -0.03 | 726.23 | 01 | 06 | 4 | |
| | P | 9/ 6/1987 | -225.83 | -0.06 | 726.17 | 01 | 06 | 4 | |
| | P | 9/ 7/1987 | -225.86 | -0.03 | 726.14 | 01 | 06 | 4 | |
| | P | 9/ 8/1987 | -225.73 | 0.13 | 726.27 | 01 | 06 | 4 | |
| | P | 9/ 9/1987 | -225.82 | -0.09 | 726.18 | 01 | 06 | 4 | |
| | P | 9/10/1987 | -225.77 | 0.05 | 726.23 | 01 | 06 | 4 | |
| | P | 9/11/1987 | -225.83 | -0.06 | 726.17 | 01 | 06 | 4 | |
| | P | 9/12/1987 | -225.85 | -0.02 | 726.15 | 01 | 06 | 4 | |
| | P | 9/13/1987 | -225.91 | -0.06 | 726.09 | 01 | 06 | 4 | |
| | P | 9/14/1987 | -225.98 | -0.07 | 726.02 | 01 | 06 | 4 | |
| | P | 9/15/1987 | -225.93 | 0.05 | 726.07 | 01 | 06 | 4 | |
| | P | 9/16/1987 | -225.95 | -0.02 | 726.05 | 01 | 06 | 4 | |
| | P | 9/17/1987 | -226.01 | -0.06 | 725.99 | 01 | 06 | 4 | |
| | P | 9/18/1987 | -226.11 | -0.1 | 725.89 | 01 | 06 | 4 | |
| | P | 9/19/1987 | -226.17 | -0.06 | 725.83 | 01 | 06 | 4 | |
| | P | 9/20/1987 | -226.2 | -0.03 | 725.8 | 01 | 06 | 4 | |
| | P | 9/21/1987 | -226.27 | -0.07 | 725.73 | 01 | 06 | 4 | |
| | P | 9/22/1987 | -226.42 | -0.15 | 725.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 23/ 1987 | -226.46 | -0.04 | 725.54 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1987 | -226.41 | 0.05 | 725.59 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1987 | -226.45 | -0.04 | 725.55 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1987 | -226.5 | -0.05 | 725.5 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1987 | -226.57 | -0.07 | 725.43 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1987 | -226.59 | -0.02 | 725.41 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1987 | -226.65 | -0.06 | 725.35 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1987 | -226.8 | -0.15 | 725.2 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1987 | -226.99 | -0.19 | 725.01 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1987 | -227.02 | -0.03 | 724.98 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1987 | -227.24 | -0.22 | 724.76 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1987 | -227.21 | 0.03 | 724.79 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1987 | -227.07 | 0.14 | 724.93 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1987 | -227.18 | -0.11 | 724.82 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1987 | -227.37 | -0.19 | 724.63 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1987 | -227.45 | -0.08 | 724.55 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1987 | -227.52 | -0.07 | 724.48 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1987 | -227.68 | -0.16 | 724.32 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1987 | -227.77 | -0.09 | 724.23 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1987 | -227.79 | -0.02 | 724.21 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1987 | -227.79 | | 724.21 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1987 | -227.82 | -0.03 | 724.18 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1987 | -227.88 | -0.06 | 724.12 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1987 | -227.95 | -0.07 | 724.05 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1987 | -228.08 | -0.13 | 723.92 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1987 | -228.02 | 0.06 | 723.98 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1987 | -228.02 | | 723.98 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1987 | -228.15 | -0.13 | 723.85 | 01 | 06 | 4 | |
| | P | 10/ 21/ 1987 | -228.38 | -0.23 | 723.62 | 01 | 06 | 4 | |
| | P | 10/ 22/ 1987 | -228.2 | 0.18 | 723.8 | 01 | 06 | 4 | |
| | P | 10/ 23/ 1987 | -228.13 | 0.07 | 723.87 | 01 | 06 | 4 | |
| | P | 10/ 24/ 1987 | -228.15 | -0.02 | 723.85 | 01 | 06 | 4 | |
| | P | 10/ 25/ 1987 | -228.17 | -0.02 | 723.83 | 01 | 06 | 4 | |
| | P | 10/ 26/ 1987 | -228.09 | 0.08 | 723.91 | 01 | 06 | 4 | |
| | P | 10/ 27/ 1987 | -228.27 | -0.18 | 723.73 | 01 | 06 | 4 | |
| | P | 10/ 28/ 1987 | -228.46 | -0.19 | 723.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 29/ 1987 | -228.38 | 0.08 | 723.62 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1987 | -228.42 | -0.04 | 723.58 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1987 | -228.54 | -0.12 | 723.46 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1987 | -228.7 | -0.16 | 723.3 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1987 | -228.65 | 0.05 | 723.35 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1987 | -228.62 | 0.03 | 723.38 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1987 | -228.68 | -0.06 | 723.32 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1987 | -228.8 | -0.12 | 723.2 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1987 | -228.99 | -0.19 | 723.01 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1987 | -228.85 | 0.14 | 723.15 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1987 | -228.85 | | 723.15 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1987 | -228.96 | -0.11 | 723.04 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1987 | -229.17 | -0.21 | 722.83 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1987 | -229.3 | -0.13 | 722.7 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1987 | -229.16 | 0.14 | 722.84 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1987 | -229.01 | 0.15 | 722.99 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1987 | -228.88 | 0.13 | 723.12 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1987 | -228.84 | 0.04 | 723.16 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1987 | -228.88 | -0.04 | 723.12 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1987 | -229.18 | -0.3 | 722.82 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1987 | -229.29 | -0.11 | 722.71 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1987 | -229.61 | -0.32 | 722.39 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1987 | -229.61 | | 722.39 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1987 | -229.38 | 0.23 | 722.62 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1987 | -229.28 | 0.1 | 722.72 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1987 | -229.35 | -0.07 | 722.65 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1987 | -229.45 | -0.1 | 722.55 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1987 | -229.45 | | 722.55 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1987 | -229.55 | -0.1 | 722.45 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1987 | -229.59 | -0.04 | 722.41 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1987 | -229.68 | -0.09 | 722.32 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1987 | -229.62 | 0.06 | 722.38 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1987 | -229.63 | -0.01 | 722.37 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1987 | -229.74 | -0.11 | 722.26 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1987 | -229.8 | -0.06 | 722.2 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1987 | -229.86 | -0.06 | 722.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 4/1987 | -229.98 | -0.12 | 722.02 | 01 | 06 | 4 | |
| | P | 12/ 5/1987 | -229.8 | 0.18 | 722.2 | 01 | 06 | 4 | |
| | P | 12/ 6/1987 | -229.76 | 0.04 | 722.24 | 01 | 06 | 4 | |
| | P | 12/ 7/1987 | -229.95 | -0.19 | 722.05 | 01 | 06 | 4 | |
| | P | 12/ 8/1987 | -229.93 | 0.02 | 722.07 | 01 | 06 | 4 | |
| | P | 12/ 9/1987 | -230.15 | -0.22 | 721.85 | 01 | 06 | 4 | |
| | P | 12/10/1987 | -230.1 | 0.05 | 721.9 | 01 | 06 | 4 | |
| | P | 12/11/1987 | -229.98 | 0.12 | 722.02 | 01 | 06 | 4 | |
| | P | 12/12/1987 | -230.1 | -0.12 | 721.9 | 01 | 06 | 4 | |
| | P | 12/13/1987 | -230.07 | 0.03 | 721.93 | 01 | 06 | 4 | |
| | P | 12/14/1987 | -230.09 | -0.02 | 721.91 | 01 | 06 | 4 | |
| | P | 12/15/1987 | -230.61 | -0.52 | 721.39 | 01 | 06 | 4 | |
| | P | 12/16/1987 | -230.86 | -0.25 | 721.14 | 01 | 06 | 4 | |
| | P | 12/17/1987 | -230.62 | 0.24 | 721.38 | 01 | 06 | 4 | |
| | P | 12/18/1987 | -230.35 | 0.27 | 721.65 | 01 | 06 | 4 | |
| | P | 12/19/1987 | -230.24 | 0.11 | 721.76 | 01 | 06 | 4 | |
| | P | 12/20/1987 | -230.49 | -0.25 | 721.51 | 01 | 06 | 4 | |
| | P | 12/21/1987 | -230.65 | -0.16 | 721.35 | 01 | 06 | 4 | |
| | P | 12/22/1987 | -230.69 | -0.04 | 721.31 | 01 | 06 | 4 | |
| | P | 12/23/1987 | -230.49 | 0.2 | 721.51 | 01 | 06 | 4 | |
| | P | 12/24/1987 | -230.5 | -0.01 | 721.5 | 01 | 06 | 4 | |
| | P | 12/25/1987 | -230.57 | -0.07 | 721.43 | 01 | 06 | 4 | |
| | P | 12/26/1987 | -230.79 | -0.22 | 721.21 | 01 | 06 | 4 | |
| | P | 12/27/1987 | -231.04 | -0.25 | 720.96 | 01 | 06 | 4 | |
| | P | 12/28/1987 | -231.05 | -0.01 | 720.95 | 01 | 06 | 4 | |
| | P | 12/29/1987 | -231.23 | -0.18 | 720.77 | 01 | 06 | 4 | |
| | P | 12/30/1987 | -230.89 | 0.34 | 721.11 | 01 | 06 | 4 | |
| | P | 12/31/1987 | -231.81 | -0.92 | 720.19 | 01 | 06 | 4 | |
| | P | 1/ 1/1988 | -231.09 | 0.72 | 720.91 | 01 | 06 | 4 | |
| | P | 1/ 2/1988 | -231.16 | -0.07 | 720.84 | 01 | 06 | 4 | |
| | P | 1/ 3/1988 | -231.05 | 0.11 | 720.95 | 01 | 06 | 4 | |
| | P | 1/ 4/1988 | -231.19 | -0.14 | 720.81 | 01 | 06 | 4 | |
| | P | 1/ 5/1988 | -231.26 | -0.07 | 720.74 | 01 | 06 | 4 | |
| | P | 1/ 6/1988 | -230.96 | 0.3 | 721.04 | 01 | 06 | 4 | |
| | P | 1/ 7/1988 | -231.09 | -0.13 | 720.91 | 01 | 06 | 4 | |
| | P | 1/ 8/1988 | -231.24 | -0.15 | 720.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 9/1988 | -231.28 | -0.04 | 720.72 | 01 | 06 | 4 | |
| | P | 1/10/1988 | -231.48 | -0.2 | 720.52 | 01 | 06 | 4 | |
| | P | 1/11/1988 | -231.26 | 0.22 | 720.74 | 01 | 06 | 4 | |
| | P | 1/12/1988 | -231.22 | 0.04 | 720.78 | 01 | 06 | 4 | |
| | P | 1/13/1988 | -231.55 | -0.33 | 720.45 | 01 | 06 | 4 | |
| | P | 1/14/1988 | -231.58 | -0.03 | 720.42 | 01 | 06 | 4 | |
| | P | 1/15/1988 | -231.39 | 0.19 | 720.61 | 01 | 06 | 4 | |
| | P | 1/16/1988 | -231.15 | 0.24 | 720.85 | 01 | 06 | 4 | |
| | P | 1/17/1988 | -231.21 | -0.06 | 720.79 | 01 | 06 | 4 | |
| | P | 1/18/1988 | -230.99 | 0.22 | 721.01 | 01 | 06 | 4 | |
| | P | 1/19/1988 | -231.13 | -0.14 | 720.87 | 01 | 06 | 4 | |
| | P | 1/20/1988 | -231.55 | -0.42 | 720.45 | 01 | 06 | 4 | |
| | P | 1/21/1988 | -231.78 | -0.23 | 720.22 | 01 | 06 | 4 | |
| | P | 1/22/1988 | -231.87 | -0.09 | 720.13 | 01 | 06 | 4 | |
| | P | 1/23/1988 | -231.72 | 0.15 | 720.28 | 01 | 06 | 4 | |
| | P | 1/24/1988 | -231.72 | | 720.28 | 01 | 06 | 4 | |
| | P | 1/25/1988 | -232.19 | -0.47 | 719.81 | 01 | 06 | 4 | |
| | P | 1/26/1988 | -232.12 | 0.07 | 719.88 | 01 | 06 | 4 | |
| | P | 1/27/1988 | -232.37 | -0.25 | 719.63 | 01 | 06 | 4 | |
| | P | 1/28/1988 | -232.32 | 0.05 | 719.68 | 01 | 06 | 4 | |
| | P | 1/29/1988 | -232.24 | 0.08 | 719.76 | 01 | 06 | 4 | |
| | P | 1/30/1988 | -232.3 | -0.06 | 719.7 | 01 | 06 | 4 | |
| | P | 1/31/1988 | -232.32 | -0.02 | 719.68 | 01 | 06 | 4 | |
| | P | 2/ 1/1988 | -232.37 | -0.05 | 719.63 | 01 | 06 | 4 | |
| | P | 2/ 2/1988 | -232.57 | -0.2 | 719.43 | 01 | 06 | 4 | |
| | P | 2/ 3/1988 | -232.6 | -0.03 | 719.4 | 01 | 06 | 4 | |
| | P | 2/ 4/1988 | -232.77 | -0.17 | 719.23 | 01 | 06 | 4 | |
| | P | 2/ 5/1988 | -232.99 | -0.22 | 719.01 | 01 | 06 | 4 | |
| | P | 2/ 6/1988 | -233.13 | -0.14 | 718.87 | 01 | 06 | 4 | |
| | P | 2/ 7/1988 | -232.94 | 0.19 | 719.06 | 01 | 06 | 4 | |
| | P | 2/ 8/1988 | -232.88 | 0.06 | 719.12 | 01 | 06 | 4 | |
| | P | 2/ 9/1988 | -232.89 | -0.01 | 719.11 | 01 | 06 | 4 | |
| | P | 2/10/1988 | -232.9 | -0.01 | 719.1 | 01 | 06 | 4 | |
| | P | 2/11/1988 | -233.05 | -0.15 | 718.95 | 01 | 06 | 4 | |
| | P | 2/12/1988 | -233.28 | -0.23 | 718.72 | 01 | 06 | 4 | |
| | P | 2/13/1988 | -233.13 | 0.15 | 718.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/14/1988 | -233.07 | 0.06 | 718.93 | 01 | 06 | 4 | |
| | P | 2/15/1988 | -233.4 | -0.33 | 718.6 | 01 | 06 | 4 | |
| | P | 2/16/1988 | -233.36 | 0.04 | 718.64 | 01 | 06 | 4 | |
| | P | 2/17/1988 | -232.4 | 0.96 | 719.6 | 01 | 06 | 4 | |
| | P | 2/18/1988 | -233.33 | -0.93 | 718.67 | 01 | 06 | 4 | |
| | P | 2/19/1988 | -233.44 | -0.11 | 718.56 | 01 | 06 | 4 | |
| | P | 2/20/1988 | -233.67 | -0.23 | 718.33 | 01 | 06 | 4 | |
| | P | 2/21/1988 | -233.88 | -0.21 | 718.12 | 01 | 06 | 4 | |
| | P | 2/22/1988 | -233.66 | 0.22 | 718.34 | 01 | 06 | 4 | |
| | P | 2/23/1988 | -233.75 | -0.09 | 718.25 | 01 | 06 | 4 | |
| | P | 2/24/1988 | -234.1 | -0.35 | 717.9 | 01 | 06 | 4 | |
| | P | 2/25/1988 | -234.08 | 0.02 | 717.92 | 01 | 06 | 4 | |
| | P | 2/26/1988 | -234.02 | 0.06 | 717.98 | 01 | 06 | 4 | |
| | P | 2/27/1988 | -234 | 0.02 | 718 | 01 | 06 | 4 | |
| | P | 2/28/1988 | -234.06 | -0.06 | 717.94 | 01 | 06 | 4 | |
| | P | 2/29/1988 | -234.11 | -0.05 | 717.89 | 01 | 06 | 4 | |
| | P | 3/ 1/1988 | -234.03 | 0.08 | 717.97 | 01 | 06 | 4 | |
| | P | 3/ 2/1988 | -233.77 | 0.26 | 718.23 | 01 | 06 | 4 | |
| | P | 3/ 3/1988 | -234.05 | -0.28 | 717.95 | 01 | 06 | 4 | |
| | P | 3/ 4/1988 | -234.34 | -0.29 | 717.66 | 01 | 06 | 4 | |
| | P | 3/ 5/1988 | -234.41 | -0.07 | 717.59 | 01 | 06 | 4 | |
| | P | 3/ 6/1988 | -234.48 | -0.07 | 717.52 | 01 | 06 | 4 | |
| | P | 3/ 7/1988 | -234.35 | 0.13 | 717.65 | 01 | 06 | 4 | |
| | P | 3/ 8/1988 | -234.32 | 0.03 | 717.68 | 01 | 06 | 4 | |
| | P | 3/ 9/1988 | -234.51 | -0.19 | 717.49 | 01 | 06 | 4 | |
| | P | 3/10/1988 | -234.39 | 0.12 | 717.61 | 01 | 06 | 4 | |
| | P | 3/11/1988 | -234.42 | -0.03 | 717.58 | 01 | 06 | 4 | |
| | P | 3/12/1988 | -234.56 | -0.14 | 717.44 | 01 | 06 | 4 | |
| | P | 3/13/1988 | -234.43 | 0.13 | 717.57 | 01 | 06 | 4 | |
| | P | 3/14/1988 | -235.12 | -0.69 | 716.88 | 01 | 06 | 4 | |
| | P | 3/15/1988 | -235.04 | 0.08 | 716.96 | 01 | 06 | 4 | |
| | P | 3/16/1988 | -235.1 | -0.06 | 716.9 | 01 | 06 | 4 | |
| | P | 3/17/1988 | -235 | 0.1 | 717 | 01 | 06 | 4 | |
| | P | 3/18/1988 | -235.31 | -0.31 | 716.69 | 01 | 06 | 4 | |
| | P | 3/19/1988 | -235.37 | -0.06 | 716.63 | 01 | 06 | 4 | |
| | P | 3/20/1988 | -235.33 | 0.04 | 716.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/21/1988 | -235.33 | | 716.67 | 01 | 06 | 4 | |
| | P | 3/22/1988 | -235.35 | -0.02 | 716.65 | 01 | 06 | 4 | |
| | P | 3/23/1988 | -235.36 | -0.01 | 716.64 | 01 | 06 | 4 | |
| | P | 3/24/1988 | -235.39 | -0.03 | 716.61 | 01 | 06 | 4 | |
| | P | 3/25/1988 | -235.43 | -0.04 | 716.57 | 01 | 06 | 4 | |
| | P | 3/26/1988 | -235.51 | -0.08 | 716.49 | 01 | 06 | 4 | |
| | P | 3/27/1988 | -235.68 | -0.17 | 716.32 | 01 | 06 | 4 | |
| | P | 3/28/1988 | -235.61 | 0.07 | 716.39 | 01 | 06 | 4 | |
| | P | 3/29/1988 | -235.62 | -0.01 | 716.38 | 01 | 06 | 4 | |
| | P | 3/30/1988 | -235.83 | -0.21 | 716.17 | 01 | 06 | 4 | |
| | P | 3/31/1988 | -235.66 | 0.17 | 716.34 | 01 | 06 | 4 | |
| | P | 4/ 1/1988 | -235.71 | -0.05 | 716.29 | 01 | 06 | 4 | |
| | P | 4/ 2/1988 | -235.98 | -0.27 | 716.02 | 01 | 06 | 4 | |
| | P | 4/ 3/1988 | -236.07 | -0.09 | 715.93 | 01 | 06 | 4 | |
| | P | 4/ 4/1988 | -236.15 | -0.08 | 715.85 | 01 | 06 | 4 | |
| | P | 4/ 5/1988 | -236.27 | -0.12 | 715.73 | 01 | 06 | 4 | |
| | P | 4/ 6/1988 | -236.49 | -0.22 | 715.51 | 01 | 06 | 4 | |
| | P | 4/ 7/1988 | -236.46 | 0.03 | 715.54 | 01 | 06 | 4 | |
| | P | 4/ 8/1988 | -236.44 | 0.02 | 715.56 | 01 | 06 | 4 | |
| | P | 4/ 9/1988 | -236.5 | -0.06 | 715.5 | 01 | 06 | 4 | |
| | P | 4/10/1988 | -236.69 | -0.19 | 715.31 | 01 | 06 | 4 | |
| | P | 4/11/1988 | -236.71 | -0.02 | 715.29 | 01 | 06 | 4 | |
| | P | 4/12/1988 | -236.77 | -0.06 | 715.23 | 01 | 06 | 4 | |
| | P | 4/13/1988 | -236.89 | -0.12 | 715.11 | 01 | 06 | 4 | |
| | P | 4/14/1988 | -236.8 | 0.09 | 715.2 | 01 | 06 | 4 | |
| | P | 4/15/1988 | -236.95 | -0.15 | 715.05 | 01 | 06 | 4 | |
| | P | 4/16/1988 | -237.03 | -0.08 | 714.97 | 01 | 06 | 4 | |
| | P | 4/17/1988 | -236.86 | 0.17 | 715.14 | 01 | 06 | 4 | |
| | P | 4/18/1988 | -236.9 | -0.04 | 715.1 | 01 | 06 | 4 | |
| | P | 4/19/1988 | -237.18 | -0.28 | 714.82 | 01 | 06 | 4 | |
| | P | 4/20/1988 | -237.23 | -0.05 | 714.77 | 01 | 06 | 4 | |
| | P | 4/21/1988 | -237.22 | 0.01 | 714.78 | 01 | 06 | 4 | |
| | P | 4/22/1988 | -237.23 | -0.01 | 714.77 | 01 | 06 | 4 | |
| | P | 4/23/1988 | -237.33 | -0.1 | 714.67 | 01 | 06 | 4 | |
| | P | 4/24/1988 | -237.55 | -0.22 | 714.45 | 01 | 06 | 4 | |
| | P | 4/25/1988 | -237.65 | -0.1 | 714.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/26/1988 | -237.76 | -0.11 | 714.24 | 01 | 06 | 4 | |
| | P | 4/27/1988 | -237.94 | -0.18 | 714.06 | 01 | 06 | 4 | |
| | P | 4/28/1988 | -238.15 | -0.21 | 713.85 | 01 | 06 | 4 | |
| | P | 4/29/1988 | -237.97 | 0.18 | 714.03 | 01 | 06 | 4 | |
| | P | 4/30/1988 | -238.08 | -0.11 | 713.92 | 01 | 06 | 4 | |
| | P | 5/ 1/1988 | -238.19 | -0.11 | 713.81 | 01 | 06 | 4 | |
| | P | 5/ 2/1988 | -238.23 | -0.04 | 713.77 | 01 | 06 | 4 | |
| | P | 5/ 3/1988 | -238.41 | -0.18 | 713.59 | 01 | 06 | 4 | |
| | P | 5/ 4/1988 | -238.51 | -0.1 | 713.49 | 01 | 06 | 4 | |
| | P | 5/ 5/1988 | -238.72 | -0.21 | 713.28 | 01 | 06 | 4 | |
| | P | 5/ 6/1988 | -238.16 | 0.56 | 713.84 | 01 | 06 | 4 | |
| | P | 5/ 7/1988 | -238.17 | -0.01 | 713.83 | 01 | 06 | 4 | |
| | P | 5/ 8/1988 | -238.18 | -0.01 | 713.82 | 01 | 06 | 4 | |
| | P | 5/ 9/1988 | -238.34 | -0.16 | 713.66 | 01 | 06 | 4 | |
| | P | 5/10/1988 | -237.08 | 1.26 | 714.92 | 01 | 06 | 4 | |
| | P | 5/11/1988 | -239.2 | -2.12 | 712.8 | 01 | 06 | 4 | |
| | P | 5/12/1988 | -239.35 | -0.15 | 712.65 | 01 | 06 | 4 | |
| | P | 5/13/1988 | -239.38 | -0.03 | 712.62 | 01 | 06 | 4 | |
| | P | 5/14/1988 | -239.36 | 0.02 | 712.64 | 01 | 06 | 4 | |
| | P | 5/15/1988 | -239.38 | -0.02 | 712.62 | 01 | 06 | 4 | |
| | P | 5/16/1988 | -239.53 | -0.15 | 712.47 | 01 | 06 | 4 | |
| | P | 5/17/1988 | -239.68 | -0.15 | 712.32 | 01 | 06 | 4 | |
| | P | 5/18/1988 | -239.69 | -0.01 | 712.31 | 01 | 06 | 4 | |
| | P | 5/19/1988 | -239.79 | -0.1 | 712.21 | 01 | 06 | 4 | |
| | P | 5/20/1988 | -239.88 | -0.09 | 712.12 | 01 | 06 | 4 | |
| | P | 5/21/1988 | -239.99 | -0.11 | 712.01 | 01 | 06 | 4 | |
| | P | 5/22/1988 | -240.14 | -0.15 | 711.86 | 01 | 06 | 4 | |
| | P | 5/23/1988 | -240.18 | -0.04 | 711.82 | 01 | 06 | 4 | |
| | P | 5/24/1988 | -240.24 | -0.06 | 711.76 | 01 | 06 | 4 | |
| | P | 5/25/1988 | -240.42 | -0.18 | 711.58 | 01 | 06 | 4 | |
| | P | 5/26/1988 | -240.59 | -0.17 | 711.41 | 01 | 06 | 4 | |
| | P | 5/27/1988 | -240.64 | -0.05 | 711.36 | 01 | 06 | 4 | |
| | P | 5/28/1988 | -240.62 | 0.02 | 711.38 | 01 | 06 | 4 | |
| | P | 5/29/1988 | -240.62 | | 711.38 | 01 | 06 | 4 | |
| | P | 5/30/1988 | -240.71 | -0.09 | 711.29 | 01 | 06 | 4 | |
| | P | 5/31/1988 | -240.85 | -0.14 | 711.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 1/1988 | -241.02 | -0.17 | 710.98 | 01 | 06 | 4 | |
| | P | 6/ 2/1988 | -241.06 | -0.04 | 710.94 | 01 | 06 | 4 | |
| | P | 6/ 3/1988 | -240.5 | 0.56 | 711.5 | 01 | 06 | 4 | |
| | P | 6/ 4/1988 | -240.47 | 0.03 | 711.53 | 01 | 06 | 4 | |
| | P | 6/ 5/1988 | -240.7 | -0.23 | 711.3 | 01 | 06 | 4 | |
| | P | 6/ 6/1988 | -240.85 | -0.15 | 711.15 | 01 | 06 | 4 | |
| | P | 6/ 7/1988 | -240.95 | -0.1 | 711.05 | 01 | 06 | 4 | |
| | P | 6/ 8/1988 | -240.94 | 0.01 | 711.06 | 01 | 06 | 4 | |
| | P | 6/ 9/1988 | -240.96 | -0.02 | 711.04 | 01 | 06 | 4 | |
| | P | 6/10/1988 | -241.26 | -0.3 | 710.74 | 01 | 06 | 4 | |
| | P | 6/11/1988 | -241.5 | -0.24 | 710.5 | 01 | 06 | 4 | |
| | P | 6/12/1988 | -241.5 | | 710.5 | 01 | 06 | 4 | |
| | P | 6/13/1988 | -241.62 | -0.12 | 710.38 | 01 | 06 | 4 | |
| | P | 6/14/1988 | -241.73 | -0.11 | 710.27 | 01 | 06 | 4 | |
| | P | 6/15/1988 | -241.88 | -0.15 | 710.12 | 01 | 06 | 4 | |
| | P | 6/16/1988 | -241.89 | -0.01 | 710.11 | 01 | 06 | 4 | |
| | P | 6/17/1988 | -241.94 | -0.05 | 710.06 | 01 | 06 | 4 | |
| | P | 6/18/1988 | -242.05 | -0.11 | 709.95 | 01 | 06 | 4 | |
| | P | 6/19/1988 | -242.26 | -0.21 | 709.74 | 01 | 06 | 4 | |
| | P | 6/20/1988 | -242.41 | -0.15 | 709.59 | 01 | 06 | 4 | |
| | P | 6/21/1988 | -242.54 | -0.13 | 709.46 | 01 | 06 | 4 | |
| | P | 6/22/1988 | -242.62 | -0.08 | 709.38 | 01 | 06 | 4 | |
| | P | 6/23/1988 | -242.73 | -0.11 | 709.27 | 01 | 06 | 4 | |
| | P | 6/24/1988 | -242.76 | -0.03 | 709.24 | 01 | 06 | 4 | |
| | P | 6/25/1988 | -242.85 | -0.09 | 709.15 | 01 | 06 | 4 | |
| | P | 6/26/1988 | -242.65 | 0.2 | 709.35 | 01 | 06 | 4 | |
| | P | 6/27/1988 | -242.65 | | 709.35 | 01 | 06 | 4 | |
| | P | 6/28/1988 | -242.62 | 0.03 | 709.38 | 01 | 06 | 4 | |
| | P | 6/29/1988 | -242.65 | -0.03 | 709.35 | 01 | 06 | 4 | |
| | P | 6/30/1988 | -242.71 | -0.06 | 709.29 | 01 | 06 | 4 | |
| | P | 7/ 1/1988 | -242.85 | -0.14 | 709.15 | 01 | 06 | 4 | |
| | P | 7/ 2/1988 | -243.04 | -0.19 | 708.96 | 01 | 06 | 4 | |
| | P | 7/ 3/1988 | -243.16 | -0.12 | 708.84 | 01 | 06 | 4 | |
| | P | 7/ 4/1988 | -243.23 | -0.07 | 708.77 | 01 | 06 | 4 | |
| | P | 7/ 5/1988 | -243.33 | -0.1 | 708.67 | 01 | 06 | 4 | |
| | P | 7/ 6/1988 | -243.43 | -0.1 | 708.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 7/1988 | -243.54 | -0.11 | 708.46 | 01 | 06 | 4 | |
| | P | 7/ 8/1988 | -243.63 | -0.09 | 708.37 | 01 | 06 | 4 | |
| | P | 7/ 9/1988 | -243.72 | -0.09 | 708.28 | 01 | 06 | 4 | |
| | P | 7/10/1988 | -243.72 | | 708.28 | 01 | 06 | 4 | |
| | P | 7/11/1988 | -243.82 | -0.1 | 708.18 | 01 | 06 | 4 | |
| | P | 7/12/1988 | -243.82 | | 708.18 | 01 | 06 | 4 | |
| | P | 7/13/1988 | -243.93 | -0.11 | 708.07 | 01 | 06 | 4 | |
| | P | 7/14/1988 | -244.09 | -0.16 | 707.91 | 01 | 06 | 4 | |
| | P | 7/15/1988 | -244.26 | -0.17 | 707.74 | 01 | 06 | 4 | |
| | P | 7/16/1988 | -244.38 | -0.12 | 707.62 | 01 | 06 | 4 | |
| | P | 7/17/1988 | -244.54 | -0.16 | 707.46 | 01 | 06 | 4 | |
| | P | 7/18/1988 | -244.64 | -0.1 | 707.36 | 01 | 06 | 4 | |
| | P | 7/19/1988 | -244.73 | -0.09 | 707.27 | 01 | 06 | 4 | |
| | P | 7/20/1988 | -244.94 | -0.21 | 707.06 | 01 | 06 | 4 | |
| | P | 7/21/1988 | -244.73 | 0.21 | 707.27 | 01 | 06 | 4 | |
| | P | 7/22/1988 | -244.67 | 0.06 | 707.33 | 01 | 06 | 4 | |
| | P | 7/23/1988 | -244.68 | -0.01 | 707.32 | 01 | 06 | 4 | |
| | P | 7/24/1988 | -244.8 | -0.12 | 707.2 | 01 | 06 | 4 | |
| | P | 7/25/1988 | -244.92 | -0.12 | 707.08 | 01 | 06 | 4 | |
| | P | 7/26/1988 | -244.95 | -0.03 | 707.05 | 01 | 06 | 4 | |
| | P | 7/27/1988 | -245.06 | -0.11 | 706.94 | 01 | 06 | 4 | |
| | P | 7/28/1988 | -245.18 | -0.12 | 706.82 | 01 | 06 | 4 | |
| | P | 7/29/1988 | -245.3 | -0.12 | 706.7 | 01 | 06 | 4 | |
| | P | 7/30/1988 | -245.42 | -0.12 | 706.58 | 01 | 06 | 4 | |
| | P | 7/31/1988 | -245.35 | 0.07 | 706.65 | 01 | 06 | 4 | |
| | P | 8/ 1/1988 | -245.36 | -0.01 | 706.64 | 01 | 06 | 4 | |
| | P | 8/ 2/1988 | -245.4 | -0.04 | 706.6 | 01 | 06 | 4 | |
| | P | 8/ 3/1988 | -245.49 | -0.09 | 706.51 | 01 | 06 | 4 | |
| | P | 8/ 4/1988 | -245.5 | -0.01 | 706.5 | 01 | 06 | 4 | |
| | P | 8/ 5/1988 | -245.54 | -0.04 | 706.46 | 01 | 06 | 4 | |
| | P | 8/ 6/1988 | -245.65 | -0.11 | 706.35 | 01 | 06 | 4 | |
| | P | 8/ 7/1988 | -245.8 | -0.15 | 706.2 | 01 | 06 | 4 | |
| | P | 8/ 8/1988 | -246.01 | -0.21 | 705.99 | 01 | 06 | 4 | |
| | P | 8/ 9/1988 | -246.09 | -0.08 | 705.91 | 01 | 06 | 4 | |
| | P | 8/10/1988 | -246.2 | -0.11 | 705.8 | 01 | 06 | 4 | |
| | P | 8/11/1988 | -246.4 | -0.2 | 705.6 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/12/1988 | -246.6 | -0.2 | 705.4 | 01 | 06 | 4 | |
| | P | 8/13/1988 | -246.69 | -0.09 | 705.31 | 01 | 06 | 4 | |
| | P | 8/14/1988 | -246.88 | -0.19 | 705.12 | 01 | 06 | 4 | |
| | P | 8/15/1988 | -246.95 | -0.07 | 705.05 | 01 | 06 | 4 | |
| | P | 8/16/1988 | -247 | -0.05 | 705 | 01 | 06 | 4 | |
| | P | 8/17/1988 | -247.1 | -0.1 | 704.9 | 01 | 06 | 4 | |
| | P | 8/18/1988 | -247.22 | -0.12 | 704.78 | 01 | 06 | 4 | |
| | P | 8/19/1988 | -247.35 | -0.13 | 704.65 | 01 | 06 | 4 | |
| | P | 8/20/1988 | -247.43 | -0.08 | 704.57 | 01 | 06 | 4 | |
| | P | 8/21/1988 | -247.6 | -0.17 | 704.4 | 01 | 06 | 4 | |
| | P | 8/22/1988 | -247.77 | -0.17 | 704.23 | 01 | 06 | 4 | |
| | P | 8/23/1988 | -247.96 | -0.19 | 704.04 | 01 | 06 | 4 | |
| | P | 8/24/1988 | -247.13 | 0.83 | 704.87 | 01 | 06 | 4 | |
| | P | 8/25/1988 | -248.03 | -0.9 | 703.97 | 01 | 06 | 4 | |
| | P | 8/26/1988 | -248.14 | -0.11 | 703.86 | 01 | 06 | 4 | |
| | P | 8/27/1988 | -248.3 | -0.16 | 703.7 | 01 | 06 | 4 | |
| | P | 8/28/1988 | -248.51 | -0.21 | 703.49 | 01 | 06 | 4 | |
| | P | 8/29/1988 | -248.71 | -0.2 | 703.29 | 01 | 06 | 4 | |
| | P | 8/30/1988 | -248.71 | | 703.29 | 01 | 06 | 4 | |
| | P | 8/31/1988 | -248.8 | -0.09 | 703.2 | 01 | 06 | 4 | |
| | P | 9/1/1988 | -248.97 | -0.17 | 703.03 | 01 | 06 | 4 | |
| | P | 9/2/1988 | -249.1 | -0.13 | 702.9 | 01 | 06 | 4 | |
| | P | 9/3/1988 | -249.11 | -0.01 | 702.89 | 01 | 06 | 4 | |
| | P | 9/4/1988 | -249.2 | -0.09 | 702.8 | 01 | 06 | 4 | |
| | P | 9/5/1988 | -249.38 | -0.18 | 702.62 | 01 | 06 | 4 | |
| | P | 9/6/1988 | -249.54 | -0.16 | 702.46 | 01 | 06 | 4 | |
| | P | 9/7/1988 | -249.72 | -0.18 | 702.28 | 01 | 06 | 4 | |
| | P | 9/8/1988 | -249.79 | -0.07 | 702.21 | 01 | 06 | 4 | |
| | P | 9/9/1988 | -249.95 | -0.16 | 702.05 | 01 | 06 | 4 | |
| | P | 9/10/1988 | -250.11 | -0.16 | 701.89 | 01 | 06 | 4 | |
| | P | 9/11/1988 | -250.26 | -0.15 | 701.74 | 01 | 06 | 4 | |
| | P | 9/12/1988 | -250.4 | -0.14 | 701.6 | 01 | 06 | 4 | |
| | P | 9/13/1988 | -250.55 | -0.15 | 701.45 | 01 | 06 | 4 | |
| | P | 9/14/1988 | -250.6 | -0.05 | 701.4 | 01 | 06 | 4 | |
| | P | 9/15/1988 | -250.56 | 0.04 | 701.44 | 01 | 06 | 4 | |
| | P | 9/16/1988 | -250.56 | | 701.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/17/1988 | -250.5 | 0.06 | 701.5 | 01 | 06 | 4 | |
| | P | 9/18/1988 | -250.43 | 0.07 | 701.57 | 01 | 06 | 4 | |
| | P | 9/19/1988 | -250.45 | -0.02 | 701.55 | 01 | 06 | 4 | |
| | P | 9/20/1988 | -250.56 | -0.11 | 701.44 | 01 | 06 | 4 | |
| | P | 9/21/1988 | -250.71 | -0.15 | 701.29 | 01 | 06 | 4 | |
| | P | 9/22/1988 | -250.72 | -0.01 | 701.28 | 01 | 06 | 4 | |
| | P | 9/23/1988 | -250.74 | -0.02 | 701.26 | 01 | 06 | 4 | |
| | P | 9/24/1988 | -250.91 | -0.17 | 701.09 | 01 | 06 | 4 | |
| | P | 9/25/1988 | -251.11 | -0.2 | 700.89 | 01 | 06 | 4 | |
| | P | 9/26/1988 | -251.27 | -0.16 | 700.73 | 01 | 06 | 4 | |
| | P | 9/27/1988 | -251.35 | -0.08 | 700.65 | 01 | 06 | 4 | |
| | P | 9/28/1988 | -251.38 | -0.03 | 700.62 | 01 | 06 | 4 | |
| | P | 9/29/1988 | -251.46 | -0.08 | 700.54 | 01 | 06 | 4 | |
| | P | 9/30/1988 | -251.49 | -0.03 | 700.51 | 01 | 06 | 4 | |
| | P | 10/ 1/1988 | -251.4 | 0.09 | 700.6 | 01 | 06 | 4 | |
| | P | 10/ 2/1988 | -251.48 | -0.08 | 700.52 | 01 | 06 | 4 | |
| | P | 10/ 3/1988 | -251.63 | -0.15 | 700.37 | 01 | 06 | 4 | |
| | P | 10/ 4/1988 | -251.74 | -0.11 | 700.26 | 01 | 06 | 4 | |
| | P | 10/ 5/1988 | -251.87 | -0.13 | 700.13 | 01 | 06 | 4 | |
| | P | 10/ 6/1988 | -251.43 | 0.44 | 700.57 | 01 | 06 | 4 | |
| | P | 10/ 7/1988 | -252.02 | -0.59 | 699.98 | 01 | 06 | 4 | |
| | P | 10/ 8/1988 | -252.08 | -0.06 | 699.92 | 01 | 06 | 4 | |
| | P | 10/ 9/1988 | -252.04 | 0.04 | 699.96 | 01 | 06 | 4 | |
| | P | 10/10/1988 | -252.17 | -0.13 | 699.83 | 01 | 06 | 4 | |
| | P | 10/11/1988 | -252.15 | 0.02 | 699.85 | 01 | 06 | 4 | |
| | P | 10/12/1988 | -252.32 | -0.17 | 699.68 | 01 | 06 | 4 | |
| | P | 10/13/1988 | -252.5 | -0.18 | 699.5 | 01 | 06 | 4 | |
| | P | 10/14/1988 | -252.49 | 0.01 | 699.51 | 01 | 06 | 4 | |
| | P | 10/15/1988 | -252.49 | | 699.51 | 01 | 06 | 4 | |
| | P | 10/16/1988 | -252.61 | -0.12 | 699.39 | 01 | 06 | 4 | |
| | P | 10/17/1988 | -252.77 | -0.16 | 699.23 | 01 | 06 | 4 | |
| | P | 10/18/1988 | -252.85 | -0.08 | 699.15 | 01 | 06 | 4 | |
| | P | 10/19/1988 | -252.01 | 0.84 | 699.99 | 01 | 06 | 4 | |
| | P | 10/20/1988 | -252.01 | | 699.99 | 01 | 06 | 4 | |
| | P | 10/21/1988 | -253.05 | -1.04 | 698.95 | 01 | 06 | 4 | |
| | P | 10/22/1988 | -253.05 | | 698.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 23/ 1988 | -253.02 | 0.03 | 698.98 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1988 | -253.23 | -0.21 | 698.77 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1988 | -253.25 | -0.02 | 698.75 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1988 | -253.3 | -0.05 | 698.7 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1988 | -253.27 | 0.03 | 698.73 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1988 | -253.49 | -0.22 | 698.51 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1988 | -253.65 | -0.16 | 698.35 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1988 | -253.66 | -0.01 | 698.34 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1988 | -256.65 | -2.99 | 695.35 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1988 | -253.67 | 2.98 | 698.33 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1988 | -253.49 | 0.18 | 698.51 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1988 | -253.45 | 0.04 | 698.55 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1988 | -253.43 | 0.02 | 698.57 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1988 | -253.72 | -0.29 | 698.28 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1988 | -254.05 | -0.33 | 697.95 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1988 | -253.92 | 0.13 | 698.08 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1988 | -254.22 | -0.3 | 697.78 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1988 | -254.17 | 0.05 | 697.83 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1988 | -254.25 | -0.08 | 697.75 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1988 | -254.28 | -0.03 | 697.72 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1988 | -254.25 | 0.03 | 697.75 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1988 | -254.63 | -0.38 | 697.37 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1988 | -254.11 | 0.52 | 697.89 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1988 | -254.43 | -0.32 | 697.57 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1988 | -254.54 | -0.11 | 697.46 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1988 | -254.69 | -0.15 | 697.31 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1988 | -254.56 | 0.13 | 697.44 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1988 | -254.48 | 0.08 | 697.52 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1988 | -254.95 | -0.47 | 697.05 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1988 | -255.06 | -0.11 | 696.94 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1988 | -255.01 | 0.05 | 696.99 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1988 | -254.96 | 0.05 | 697.04 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1988 | -254.85 | 0.11 | 697.15 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1988 | -254.79 | 0.06 | 697.21 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1988 | -254.71 | 0.08 | 697.29 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1988 | -255.15 | -0.44 | 696.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/28/1988 | -255.38 | -0.23 | 696.62 | 01 | 06 | 4 | |
| | P | 11/29/1988 | -255.22 | 0.16 | 696.78 | 01 | 06 | 4 | |
| | P | 11/30/1988 | -255.41 | -0.19 | 696.59 | 01 | 06 | 4 | |
| | P | 12/ 1/1988 | -255.68 | -0.27 | 696.32 | 01 | 06 | 4 | |
| | P | 12/ 2/1988 | -255.74 | -0.06 | 696.26 | 01 | 06 | 4 | |
| | P | 12/ 3/1988 | -255.74 | | 696.26 | 01 | 06 | 4 | |
| | P | 12/ 4/1988 | -255.83 | -0.09 | 696.17 | 01 | 06 | 4 | |
| | P | 12/ 5/1988 | -255.85 | -0.02 | 696.15 | 01 | 06 | 4 | |
| | P | 12/ 6/1988 | -255.63 | 0.22 | 696.37 | 01 | 06 | 4 | |
| | P | 12/ 7/1988 | -255.54 | 0.09 | 696.46 | 01 | 06 | 4 | |
| | P | 12/ 8/1988 | -255.73 | -0.19 | 696.27 | 01 | 06 | 4 | |
| | P | 12/ 9/1988 | -255.99 | -0.26 | 696.01 | 01 | 06 | 4 | |
| | P | 12/10/1988 | -255.8 | 0.19 | 696.2 | 01 | 06 | 4 | |
| | P | 12/11/1988 | -255.89 | -0.09 | 696.11 | 01 | 06 | 4 | |
| | P | 12/12/1988 | -256.1 | -0.21 | 695.9 | 01 | 06 | 4 | |
| | P | 12/13/1988 | -255.93 | 0.17 | 696.07 | 01 | 06 | 4 | |
| | P | 12/14/1988 | -255.76 | 0.17 | 696.24 | 01 | 06 | 4 | |
| | P | 12/15/1988 | -255.89 | -0.13 | 696.11 | 01 | 06 | 4 | |
| | P | 12/16/1988 | -256.39 | -0.5 | 695.61 | 01 | 06 | 4 | |
| | P | 12/17/1988 | -256.33 | 0.06 | 695.67 | 01 | 06 | 4 | |
| | P | 12/18/1988 | -256.17 | 0.16 | 695.83 | 01 | 06 | 4 | |
| | P | 12/19/1988 | -255.93 | 0.24 | 696.07 | 01 | 06 | 4 | |
| | P | 12/20/1988 | -256.02 | -0.09 | 695.98 | 01 | 06 | 4 | |
| | P | 12/21/1988 | -256.3 | -0.28 | 695.7 | 01 | 06 | 4 | |
| | P | 12/22/1988 | -256.28 | 0.02 | 695.72 | 01 | 06 | 4 | |
| | P | 12/23/1988 | -256.27 | 0.01 | 695.73 | 01 | 06 | 4 | |
| | P | 12/24/1988 | -256.35 | -0.08 | 695.65 | 01 | 06 | 4 | |
| | P | 12/25/1988 | -256.45 | -0.1 | 695.55 | 01 | 06 | 4 | |
| | P | 12/26/1988 | -256.37 | 0.08 | 695.63 | 01 | 06 | 4 | |
| | P | 12/27/1988 | -256.34 | 0.03 | 695.66 | 01 | 06 | 4 | |
| | P | 12/28/1988 | -256.74 | -0.4 | 695.26 | 01 | 06 | 4 | |
| | P | 12/29/1988 | -256.6 | 0.14 | 695.4 | 01 | 06 | 4 | |
| | P | 12/30/1988 | -256.53 | 0.07 | 695.47 | 01 | 06 | 4 | |
| | P | 12/31/1988 | -256.55 | -0.02 | 695.45 | 01 | 06 | 4 | |
| | P | 1/ 1/1989 | -256.67 | -0.12 | 695.33 | 01 | 06 | 4 | |
| | P | 1/ 2/1989 | -256.69 | -0.02 | 695.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 3/1989 | -256.76 | -0.07 | 695.24 | 01 | 06 | 4 | |
| | P | 1/ 4/1989 | -256.83 | -0.07 | 695.17 | 01 | 06 | 4 | |
| | P | 1/ 5/1989 | -256.59 | 0.24 | 695.41 | 01 | 06 | 4 | |
| | P | 1/ 6/1989 | -256.62 | -0.03 | 695.38 | 01 | 06 | 4 | |
| | P | 1/ 7/1989 | -256.63 | -0.01 | 695.37 | 01 | 06 | 4 | |
| | P | 1/ 8/1989 | -257.08 | -0.45 | 694.92 | 01 | 06 | 4 | |
| | P | 1/ 9/1989 | -257.21 | -0.13 | 694.79 | 01 | 06 | 4 | |
| | P | 1/10/1989 | -257.08 | 0.13 | 694.92 | 01 | 06 | 4 | |
| | P | 1/11/1989 | -256.96 | 0.12 | 695.04 | 01 | 06 | 4 | |
| | P | 1/12/1989 | -256.98 | -0.02 | 695.02 | 01 | 06 | 4 | |
| | P | 1/13/1989 | -257.24 | -0.26 | 694.76 | 01 | 06 | 4 | |
| | P | 1/14/1989 | -257.13 | 0.11 | 694.87 | 01 | 06 | 4 | |
| | P | 1/15/1989 | -257.1 | 0.03 | 694.9 | 01 | 06 | 4 | |
| | P | 1/16/1989 | -257.32 | -0.22 | 694.68 | 01 | 06 | 4 | |
| | P | 1/17/1989 | -257.2 | 0.12 | 694.8 | 01 | 06 | 4 | |
| | P | 1/18/1989 | -257.13 | 0.07 | 694.87 | 01 | 06 | 4 | |
| | P | 1/19/1989 | -257.13 | | 694.87 | 01 | 06 | 4 | |
| | P | 1/20/1989 | -257.25 | -0.12 | 694.75 | 01 | 06 | 4 | |
| | P | 1/21/1989 | -257.39 | -0.14 | 694.61 | 01 | 06 | 4 | |
| | P | 1/22/1989 | -257.27 | 0.12 | 694.73 | 01 | 06 | 4 | |
| | P | 1/23/1989 | -257.21 | 0.06 | 694.79 | 01 | 06 | 4 | |
| | P | 1/24/1989 | -257.23 | -0.02 | 694.77 | 01 | 06 | 4 | |
| | P | 1/25/1989 | -257.23 | | 694.77 | 01 | 06 | 4 | |
| | P | 1/26/1989 | -257.32 | -0.09 | 694.68 | 01 | 06 | 4 | |
| | P | 1/27/1989 | -257.26 | 0.06 | 694.74 | 01 | 06 | 4 | |
| | P | 1/28/1989 | -257.15 | 0.11 | 694.85 | 01 | 06 | 4 | |
| | P | 1/29/1989 | -257.24 | -0.09 | 694.76 | 01 | 06 | 4 | |
| | P | 1/30/1989 | -257.29 | -0.05 | 694.71 | 01 | 06 | 4 | |
| | P | 1/31/1989 | -257.15 | 0.14 | 694.85 | 01 | 06 | 4 | |
| | P | 2/ 1/1989 | -257.07 | 0.08 | 694.93 | 01 | 06 | 4 | |
| | P | 2/ 2/1989 | -257.15 | -0.08 | 694.85 | 01 | 06 | 4 | |
| | P | 2/ 3/1989 | -257.35 | -0.2 | 694.65 | 01 | 06 | 4 | |
| | P | 2/ 4/1989 | -257.6 | -0.25 | 694.4 | 01 | 06 | 4 | |
| | P | 2/ 5/1989 | -257.5 | 0.1 | 694.5 | 01 | 06 | 4 | |
| | P | 2/ 6/1989 | -257.65 | -0.15 | 694.35 | 01 | 06 | 4 | |
| | P | 2/ 7/1989 | -257.77 | -0.12 | 694.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 8/1989 | -257.88 | -0.11 | 694.12 | 01 | 06 | 4 | |
| | P | 2/ 9/1989 | -257.91 | -0.03 | 694.09 | 01 | 06 | 4 | |
| | P | 2/10/1989 | -257.66 | 0.25 | 694.34 | 01 | 06 | 4 | |
| | P | 2/11/1989 | -257.54 | 0.12 | 694.46 | 01 | 06 | 4 | |
| | P | 2/12/1989 | -257.39 | 0.15 | 694.61 | 01 | 06 | 4 | |
| | P | 2/13/1989 | -257.34 | 0.05 | 694.66 | 01 | 06 | 4 | |
| | P | 2/14/1989 | -257.51 | -0.17 | 694.49 | 01 | 06 | 4 | |
| | P | 2/15/1989 | -257.66 | -0.15 | 694.34 | 01 | 06 | 4 | |
| | P | 2/16/1989 | -257.94 | -0.28 | 694.06 | 01 | 06 | 4 | |
| | P | 2/17/1989 | -257.83 | 0.11 | 694.17 | 01 | 06 | 4 | |
| | P | 2/18/1989 | -257.8 | 0.03 | 694.2 | 01 | 06 | 4 | |
| | P | 2/19/1989 | -257.51 | 0.29 | 694.49 | 01 | 06 | 4 | |
| | P | 2/20/1989 | -257.38 | 0.13 | 694.62 | 01 | 06 | 4 | |
| | P | 2/21/1989 | -257.59 | -0.21 | 694.41 | 01 | 06 | 4 | |
| | P | 2/22/1989 | -258.07 | -0.48 | 693.93 | 01 | 06 | 4 | |
| | P | 2/23/1989 | -258.06 | 0.01 | 693.94 | 01 | 06 | 4 | |
| | P | 2/24/1989 | -258 | 0.06 | 694 | 01 | 06 | 4 | |
| | P | 2/25/1989 | -257.86 | 0.14 | 694.14 | 01 | 06 | 4 | |
| | P | 2/26/1989 | -257.68 | 0.18 | 694.32 | 01 | 06 | 4 | |
| | P | 2/27/1989 | -257.61 | 0.07 | 694.39 | 01 | 06 | 4 | |
| | P | 2/28/1989 | -257.8 | -0.19 | 694.2 | 01 | 06 | 4 | |
| | P | 3/ 1/1989 | -258 | -0.2 | 694 | 01 | 06 | 4 | |
| | P | 3/ 2/1989 | -257.86 | 0.14 | 694.14 | 01 | 06 | 4 | |
| | P | 3/ 3/1989 | -257.72 | 0.14 | 694.28 | 01 | 06 | 4 | |
| | P | 3/ 4/1989 | -257.77 | -0.05 | 694.23 | 01 | 06 | 4 | |
| | P | 3/ 5/1989 | -258.41 | -0.64 | 693.59 | 01 | 06 | 4 | |
| | P | 3/ 6/1989 | -258.37 | 0.04 | 693.63 | 01 | 06 | 4 | |
| | P | 3/ 7/1989 | -258.34 | 0.03 | 693.66 | 01 | 06 | 4 | |
| | P | 3/ 8/1989 | -258.35 | -0.01 | 693.65 | 01 | 06 | 4 | |
| | P | 3/ 9/1989 | -258.52 | -0.17 | 693.48 | 01 | 06 | 4 | |
| | P | 3/10/1989 | -258.57 | -0.05 | 693.43 | 01 | 06 | 4 | |
| | P | 3/11/1989 | -258.53 | 0.04 | 693.47 | 01 | 06 | 4 | |
| | P | 3/12/1989 | -258.54 | -0.01 | 693.46 | 01 | 06 | 4 | |
| | P | 3/13/1989 | -258.56 | -0.02 | 693.44 | 01 | 06 | 4 | |
| | P | 3/14/1989 | -258.47 | 0.09 | 693.53 | 01 | 06 | 4 | |
| | P | 3/15/1989 | -258.7 | -0.23 | 693.3 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/16/1989 | -258.96 | -0.26 | 693.04 | 01 | 06 | 4 | |
| | P | 3/17/1989 | -258.95 | 0.01 | 693.05 | 01 | 06 | 4 | |
| | P | 3/18/1989 | -259.03 | -0.08 | 692.97 | 01 | 06 | 4 | |
| | P | 3/19/1989 | -259.05 | -0.02 | 692.95 | 01 | 06 | 4 | |
| | P | 3/20/1989 | -258.93 | 0.12 | 693.07 | 01 | 06 | 4 | |
| | P | 3/21/1989 | -259.17 | -0.24 | 692.83 | 01 | 06 | 4 | |
| | P | 3/22/1989 | -259.15 | 0.02 | 692.85 | 01 | 06 | 4 | |
| | P | 3/23/1989 | -259.17 | -0.02 | 692.83 | 01 | 06 | 4 | |
| | P | 3/24/1989 | -259.16 | 0.01 | 692.84 | 01 | 06 | 4 | |
| | P | 3/25/1989 | -259.08 | 0.08 | 692.92 | 01 | 06 | 4 | |
| | P | 3/26/1989 | -259.02 | 0.06 | 692.98 | 01 | 06 | 4 | |
| | P | 3/27/1989 | -259.08 | -0.06 | 692.92 | 01 | 06 | 4 | |
| | P | 3/28/1989 | -259.11 | -0.03 | 692.89 | 01 | 06 | 4 | |
| | P | 3/29/1989 | -259.13 | -0.02 | 692.87 | 01 | 06 | 4 | |
| | P | 3/30/1989 | -259.08 | 0.05 | 692.92 | 01 | 06 | 4 | |
| | P | 3/31/1989 | -259.43 | -0.35 | 692.57 | 01 | 06 | 4 | |
| | P | 4/ 1/1989 | -259.58 | -0.15 | 692.42 | 01 | 06 | 4 | |
| | P | 4/ 2/1989 | -259.45 | 0.13 | 692.55 | 01 | 06 | 4 | |
| | P | 4/ 3/1989 | -259.53 | -0.08 | 692.47 | 01 | 06 | 4 | |
| | P | 4/ 4/1989 | -259.63 | -0.1 | 692.37 | 01 | 06 | 4 | |
| | P | 4/ 5/1989 | -260 | -0.37 | 692 | 01 | 06 | 4 | |
| | P | 4/ 6/1989 | -259.9 | 0.1 | 692.1 | 01 | 06 | 4 | |
| | P | 4/ 7/1989 | -259.85 | 0.05 | 692.15 | 01 | 06 | 4 | |
| | P | 4/ 8/1989 | -259.73 | 0.12 | 692.27 | 01 | 06 | 4 | |
| | P | 4/ 9/1989 | -260.07 | -0.34 | 691.93 | 01 | 06 | 4 | |
| | P | 4/10/1989 | -260.38 | -0.31 | 691.62 | 01 | 06 | 4 | |
| | P | 4/11/1989 | -260.24 | 0.14 | 691.76 | 01 | 06 | 4 | |
| | P | 4/12/1989 | -260.27 | -0.03 | 691.73 | 01 | 06 | 4 | |
| | P | 4/13/1989 | -260.26 | 0.01 | 691.74 | 01 | 06 | 4 | |
| | P | 4/14/1989 | -260.19 | 0.07 | 691.81 | 01 | 06 | 4 | |
| | P | 4/15/1989 | -260.17 | 0.02 | 691.83 | 01 | 06 | 4 | |
| | P | 4/16/1989 | -260.15 | 0.02 | 691.85 | 01 | 06 | 4 | |
| | P | 4/17/1989 | -260.21 | -0.06 | 691.79 | 01 | 06 | 4 | |
| | P | 4/18/1989 | -260.26 | -0.05 | 691.74 | 01 | 06 | 4 | |
| | P | 4/19/1989 | -260.33 | -0.07 | 691.67 | 01 | 06 | 4 | |
| | P | 4/20/1989 | -260.28 | 0.05 | 691.72 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/21/1989 | -260.25 | 0.03 | 691.75 | 01 | 06 | 4 | |
| | P | 4/22/1989 | -260.31 | -0.06 | 691.69 | 01 | 06 | 4 | |
| | P | 4/23/1989 | -260.37 | -0.06 | 691.63 | 01 | 06 | 4 | |
| | P | 4/24/1989 | -260.47 | -0.1 | 691.53 | 01 | 06 | 4 | |
| | P | 4/25/1989 | -260.55 | -0.08 | 691.45 | 01 | 06 | 4 | |
| | P | 4/26/1989 | -260.56 | -0.01 | 691.44 | 01 | 06 | 4 | |
| | P | 4/27/1989 | -260.53 | 0.03 | 691.47 | 01 | 06 | 4 | |
| | P | 4/28/1989 | -260.61 | -0.08 | 691.39 | 01 | 06 | 4 | |
| | P | 4/29/1989 | -260.67 | -0.06 | 691.33 | 01 | 06 | 4 | |
| | P | 4/30/1989 | -260.74 | -0.07 | 691.26 | 01 | 06 | 4 | |
| | P | 5/ 1/1989 | -260.82 | -0.08 | 691.18 | 01 | 06 | 4 | |
| | P | 5/ 2/1989 | -260.73 | 0.09 | 691.27 | 01 | 06 | 4 | |
| | P | 5/ 3/1989 | -260.71 | 0.02 | 691.29 | 01 | 06 | 4 | |
| | P | 5/ 4/1989 | -260.64 | 0.07 | 691.36 | 01 | 06 | 4 | |
| | P | 5/ 5/1989 | -260.79 | -0.15 | 691.21 | 01 | 06 | 4 | |
| | P | 5/ 6/1989 | -261.1 | -0.31 | 690.9 | 01 | 06 | 4 | |
| | P | 5/ 7/1989 | -261.22 | -0.12 | 690.78 | 01 | 06 | 4 | |
| | P | 5/ 8/1989 | -261.16 | 0.06 | 690.84 | 01 | 06 | 4 | |
| | P | 5/ 9/1989 | -261.13 | 0.03 | 690.87 | 01 | 06 | 4 | |
| | P | 5/10/1989 | -261.42 | -0.29 | 690.58 | 01 | 06 | 4 | |
| | P | 5/11/1989 | -261.48 | -0.06 | 690.52 | 01 | 06 | 4 | |
| | P | 5/12/1989 | -261.42 | 0.06 | 690.58 | 01 | 06 | 4 | |
| | P | 5/13/1989 | -261.4 | 0.02 | 690.6 | 01 | 06 | 4 | |
| | P | 5/14/1989 | -261.52 | -0.12 | 690.48 | 01 | 06 | 4 | |
| | P | 5/15/1989 | -261.64 | -0.12 | 690.36 | 01 | 06 | 4 | |
| | P | 5/16/1989 | -261.55 | 0.09 | 690.45 | 01 | 06 | 4 | |
| | P | 5/17/1989 | -261.5 | 0.05 | 690.5 | 01 | 06 | 4 | |
| | P | 5/18/1989 | -261.68 | -0.18 | 690.32 | 01 | 06 | 4 | |
| | P | 5/19/1989 | -261.83 | -0.15 | 690.17 | 01 | 06 | 4 | |
| | P | 5/20/1989 | -261.93 | -0.1 | 690.07 | 01 | 06 | 4 | |
| | P | 5/21/1989 | -262.03 | -0.1 | 689.97 | 01 | 06 | 4 | |
| | P | 5/22/1989 | -262.03 | | 689.97 | 01 | 06 | 4 | |
| | P | 5/23/1989 | -262.15 | -0.12 | 689.85 | 01 | 06 | 4 | |
| | P | 5/24/1989 | -262.07 | 0.08 | 689.93 | 01 | 06 | 4 | |
| | P | 5/25/1989 | -262.17 | -0.1 | 689.83 | 01 | 06 | 4 | |
| | P | 5/26/1989 | -262.33 | -0.16 | 689.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/27/1989 | -262.7 | -0.37 | 689.3 | 01 | 06 | 4 | |
| | P | 5/28/1989 | -262.72 | -0.02 | 689.28 | 01 | 06 | 4 | |
| | P | 5/29/1989 | -262.73 | -0.01 | 689.27 | 01 | 06 | 4 | |
| | P | 5/30/1989 | -262.78 | -0.05 | 689.22 | 01 | 06 | 4 | |
| | P | 5/31/1989 | -262.92 | -0.14 | 689.08 | 01 | 06 | 4 | |
| | P | 6/ 1/1989 | -263.25 | -0.33 | 688.75 | 01 | 06 | 4 | |
| | P | 6/ 2/1989 | -263.4 | -0.15 | 688.6 | 01 | 06 | 4 | |
| | P | 6/ 3/1989 | -263.63 | -0.23 | 688.37 | 01 | 06 | 4 | |
| | P | 6/ 4/1989 | -263.55 | 0.08 | 688.45 | 01 | 06 | 4 | |
| | P | 6/ 5/1989 | -263.84 | -0.29 | 688.16 | 01 | 06 | 4 | |
| | P | 6/ 6/1989 | -263.78 | 0.06 | 688.22 | 01 | 06 | 4 | |
| | P | 6/ 7/1989 | -263.76 | 0.02 | 688.24 | 01 | 06 | 4 | |
| | P | 6/ 8/1989 | -263.99 | -0.23 | 688.01 | 01 | 06 | 4 | |
| | P | 6/ 9/1989 | -264.55 | -0.56 | 687.45 | 01 | 06 | 4 | |
| | P | 6/10/1989 | -264.63 | -0.08 | 687.37 | 01 | 06 | 4 | |
| | P | 6/11/1989 | -264.27 | 0.36 | 687.73 | 01 | 06 | 4 | |
| | P | 6/12/1989 | -264.25 | 0.02 | 687.75 | 01 | 06 | 4 | |
| | P | 6/13/1989 | -264.37 | -0.12 | 687.63 | 01 | 06 | 4 | |
| | P | 6/14/1989 | -264.32 | 0.05 | 687.68 | 01 | 06 | 4 | |
| | P | 6/15/1989 | -264.51 | -0.19 | 687.49 | 01 | 06 | 4 | |
| | P | 6/16/1989 | -264.5 | 0.01 | 687.5 | 01 | 06 | 4 | |
| | P | 6/17/1989 | -264.55 | -0.05 | 687.45 | 01 | 06 | 4 | |
| | P | 6/18/1989 | -264.65 | -0.1 | 687.35 | 01 | 06 | 4 | |
| | P | 6/19/1989 | -264.77 | -0.12 | 687.23 | 01 | 06 | 4 | |
| | P | 6/20/1989 | -264.75 | 0.02 | 687.25 | 01 | 06 | 4 | |
| | P | 6/21/1989 | -264.84 | -0.09 | 687.16 | 01 | 06 | 4 | |
| | P | 6/22/1989 | -264.91 | -0.07 | 687.09 | 01 | 06 | 4 | |
| | P | 6/23/1989 | -264.95 | -0.04 | 687.05 | 01 | 06 | 4 | |
| | P | 6/24/1989 | -264.89 | 0.06 | 687.11 | 01 | 06 | 4 | |
| | P | 6/25/1989 | -264.84 | 0.05 | 687.16 | 01 | 06 | 4 | |
| | P | 6/26/1989 | -264.77 | 0.07 | 687.23 | 01 | 06 | 4 | |
| | P | 6/27/1989 | -264.76 | 0.01 | 687.24 | 01 | 06 | 4 | |
| | P | 6/28/1989 | -265.02 | -0.26 | 686.98 | 01 | 06 | 4 | |
| | P | 6/29/1989 | -265.13 | -0.11 | 686.87 | 01 | 06 | 4 | |
| | P | 6/30/1989 | -265.27 | -0.14 | 686.73 | 01 | 06 | 4 | |
| | P | 7/ 1/1989 | -265.33 | -0.06 | 686.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 2/1989 | -264.41 | 0.92 | 687.59 | 01 | 06 | 4 | |
| | P | 7/ 3/1989 | -265.6 | -1.19 | 686.4 | 01 | 06 | 4 | |
| | P | 7/ 4/1989 | -265.78 | -0.18 | 686.22 | 01 | 06 | 4 | |
| | P | 7/ 5/1989 | -265.78 | | 686.22 | 01 | 06 | 4 | |
| | P | 7/ 6/1989 | -265.8 | -0.02 | 686.2 | 01 | 06 | 4 | |
| | P | 7/ 7/1989 | -265.85 | -0.05 | 686.15 | 01 | 06 | 4 | |
| | P | 7/ 8/1989 | -265.92 | -0.07 | 686.08 | 01 | 06 | 4 | |
| | P | 7/ 9/1989 | -266.05 | -0.13 | 685.95 | 01 | 06 | 4 | |
| | P | 7/10/1989 | -266.1 | -0.05 | 685.9 | 01 | 06 | 4 | |
| | P | 7/11/1989 | -266.4 | -0.3 | 685.6 | 01 | 06 | 4 | |
| | P | 7/12/1989 | -266.55 | -0.15 | 685.45 | 01 | 06 | 4 | |
| | P | 7/13/1989 | -266.51 | 0.04 | 685.49 | 01 | 06 | 4 | |
| | P | 7/14/1989 | -266.7 | -0.19 | 685.3 | 01 | 06 | 4 | |
| | P | 7/15/1989 | -266.82 | -0.12 | 685.18 | 01 | 06 | 4 | |
| | P | 7/16/1989 | -267.07 | -0.25 | 684.93 | 01 | 06 | 4 | |
| | P | 7/17/1989 | -267.15 | -0.08 | 684.85 | 01 | 06 | 4 | |
| | P | 7/18/1989 | -267.08 | 0.07 | 684.92 | 01 | 06 | 4 | |
| | P | 7/19/1989 | -267.32 | -0.24 | 684.68 | 01 | 06 | 4 | |
| | P | 7/20/1989 | -267.38 | -0.06 | 684.62 | 01 | 06 | 4 | |
| | P | 7/21/1989 | -267.53 | -0.15 | 684.47 | 01 | 06 | 4 | |
| | P | 7/22/1989 | -267.73 | -0.2 | 684.27 | 01 | 06 | 4 | |
| | P | 7/23/1989 | -267.75 | -0.02 | 684.25 | 01 | 06 | 4 | |
| | P | 7/24/1989 | -267.67 | 0.08 | 684.33 | 01 | 06 | 4 | |
| | P | 7/25/1989 | -267.69 | -0.02 | 684.31 | 01 | 06 | 4 | |
| | P | 7/26/1989 | -267.69 | | 684.31 | 01 | 06 | 4 | |
| | P | 7/27/1989 | -267.73 | -0.04 | 684.27 | 01 | 06 | 4 | |
| | P | 7/28/1989 | -267.77 | -0.04 | 684.23 | 01 | 06 | 4 | |
| | P | 7/29/1989 | -267.8 | -0.03 | 684.2 | 01 | 06 | 4 | |
| | P | 7/30/1989 | -267.91 | -0.11 | 684.09 | 01 | 06 | 4 | |
| | P | 7/31/1989 | -267.97 | -0.06 | 684.03 | 01 | 06 | 4 | |
| | P | 8/ 1/1989 | -268.05 | -0.08 | 683.95 | 01 | 06 | 4 | |
| | P | 8/ 2/1989 | -268.13 | -0.08 | 683.87 | 01 | 06 | 4 | |
| | P | 8/ 3/1989 | -268.26 | -0.13 | 683.74 | 01 | 06 | 4 | |
| | P | 8/ 4/1989 | -268.33 | -0.07 | 683.67 | 01 | 06 | 4 | |
| | P | 8/ 5/1989 | -268.4 | -0.07 | 683.6 | 01 | 06 | 4 | |
| | P | 8/ 6/1989 | -268.52 | -0.12 | 683.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 7/1989 | -268.6 | -0.08 | 683.4 | 01 | 06 | 4 | |
| | P | 8/ 8/1989 | -268.5 | 0.1 | 683.5 | 01 | 06 | 4 | |
| | P | 8/ 9/1989 | -268.4 | 0.1 | 683.6 | 01 | 06 | 4 | |
| | P | 8/10/1989 | -268.41 | -0.01 | 683.59 | 01 | 06 | 4 | |
| | P | 8/11/1989 | -268.38 | 0.03 | 683.62 | 01 | 06 | 4 | |
| | P | 8/12/1989 | -268.43 | -0.05 | 683.57 | 01 | 06 | 4 | |
| | P | 8/13/1989 | -268.65 | -0.22 | 683.35 | 01 | 06 | 4 | |
| | P | 8/14/1989 | -268.77 | -0.12 | 683.23 | 01 | 06 | 4 | |
| | P | 8/15/1989 | -268.8 | -0.03 | 683.2 | 01 | 06 | 4 | |
| | P | 8/16/1989 | -268.92 | -0.12 | 683.08 | 01 | 06 | 4 | |
| | P | 8/17/1989 | -269.06 | -0.14 | 682.94 | 01 | 06 | 4 | |
| | P | 8/18/1989 | -269.23 | -0.17 | 682.77 | 01 | 06 | 4 | |
| | P | 8/19/1989 | -269.11 | 0.12 | 682.89 | 01 | 06 | 4 | |
| | P | 8/20/1989 | -269.17 | -0.06 | 682.83 | 01 | 06 | 4 | |
| | P | 8/21/1989 | -269.3 | -0.13 | 682.7 | 01 | 06 | 4 | |
| | P | 8/22/1989 | -269.4 | -0.1 | 682.6 | 01 | 06 | 4 | |
| | P | 8/23/1989 | -269.55 | -0.15 | 682.45 | 01 | 06 | 4 | |
| | P | 8/24/1989 | -269.63 | -0.08 | 682.37 | 01 | 06 | 4 | |
| | P | 8/25/1989 | -269.63 | | 682.37 | 01 | 06 | 4 | |
| | P | 8/26/1989 | -269.7 | -0.07 | 682.3 | 01 | 06 | 4 | |
| | P | 8/27/1989 | -269.76 | -0.06 | 682.24 | 01 | 06 | 4 | |
| | P | 8/28/1989 | -269.83 | -0.07 | 682.17 | 01 | 06 | 4 | |
| | P | 8/29/1989 | -269.87 | -0.04 | 682.13 | 01 | 06 | 4 | |
| | P | 8/30/1989 | -269.87 | | 682.13 | 01 | 06 | 4 | |
| | P | 8/31/1989 | -269.91 | -0.04 | 682.09 | 01 | 06 | 4 | |
| | P | 9/ 1/1989 | -270.03 | -0.12 | 681.97 | 01 | 06 | 4 | |
| | P | 9/ 2/1989 | -270.13 | -0.1 | 681.87 | 01 | 06 | 4 | |
| | P | 9/ 3/1989 | -270.15 | -0.02 | 681.85 | 01 | 06 | 4 | |
| | P | 9/ 4/1989 | -270.24 | -0.09 | 681.76 | 01 | 06 | 4 | |
| | P | 9/ 5/1989 | -270.28 | -0.04 | 681.72 | 01 | 06 | 4 | |
| | P | 9/ 6/1989 | -270.25 | 0.03 | 681.75 | 01 | 06 | 4 | |
| | P | 9/ 7/1989 | -270.21 | 0.04 | 681.79 | 01 | 06 | 4 | |
| | P | 9/ 8/1989 | -270.23 | -0.02 | 681.77 | 01 | 06 | 4 | |
| | P | 9/ 9/1989 | -270.27 | -0.04 | 681.73 | 01 | 06 | 4 | |
| | P | 9/10/1989 | -270.45 | -0.18 | 681.55 | 01 | 06 | 4 | |
| | P | 9/11/1989 | -270.6 | -0.15 | 681.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 12/ 1989 | -270.6 | | 681.4 | 01 | 06 | 4 | |
| | P | 9/ 13/ 1989 | -270.57 | 0.03 | 681.43 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1989 | -270.53 | 0.04 | 681.47 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1989 | -270.51 | 0.02 | 681.49 | 01 | 06 | 4 | |
| | P | 9/ 16/ 1989 | -270.56 | -0.05 | 681.44 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1989 | -270.6 | -0.04 | 681.4 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1989 | -270.65 | -0.05 | 681.35 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1989 | -270.73 | -0.08 | 681.27 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1989 | -270.88 | -0.15 | 681.12 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1989 | -270.92 | -0.04 | 681.08 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1989 | -270.95 | -0.03 | 681.05 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1989 | -271.05 | -0.1 | 680.95 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1989 | -271.05 | | 680.95 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1989 | -271.12 | -0.07 | 680.88 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1989 | -271.21 | -0.09 | 680.79 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1989 | -271.27 | -0.06 | 680.73 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1989 | -271.28 | -0.01 | 680.72 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1989 | -271.28 | | 680.72 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1989 | -271.28 | | 680.72 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1989 | -271.3 | -0.02 | 680.7 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1989 | -271.41 | -0.11 | 680.59 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1989 | -271.6 | -0.19 | 680.4 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1989 | -271.7 | -0.1 | 680.3 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1989 | -271.62 | 0.08 | 680.38 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1989 | -271.66 | -0.04 | 680.34 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1989 | -271.54 | 0.12 | 680.46 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1989 | -271.43 | 0.11 | 680.57 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1989 | -271.42 | 0.01 | 680.58 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1989 | -271.45 | -0.03 | 680.55 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1989 | -271.45 | | 680.55 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1989 | -271.53 | -0.08 | 680.47 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1989 | -271.66 | -0.13 | 680.34 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1989 | -271.66 | | 680.34 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1989 | -271.62 | 0.04 | 680.38 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1989 | -271.71 | -0.09 | 680.29 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1989 | -271.91 | -0.2 | 680.09 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 18/ 1989 | -272.06 | -0.15 | 679.94 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1989 | -271.1 | 0.96 | 680.9 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1989 | -271.89 | -0.79 | 680.11 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1989 | -271.88 | 0.01 | 680.12 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1989 | -271.95 | -0.07 | 680.05 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1989 | -272.11 | -0.16 | 679.89 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1989 | -272.13 | -0.02 | 679.87 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1989 | -272.14 | -0.01 | 679.86 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1989 | -272.16 | -0.02 | 679.84 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1989 | -272.08 | 0.08 | 679.92 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1989 | -271.96 | 0.12 | 680.04 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1989 | -271.84 | 0.12 | 680.16 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1989 | -271.86 | -0.02 | 680.14 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1989 | -271.92 | -0.06 | 680.08 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1989 | -271.89 | 0.03 | 680.11 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1989 | -272.04 | -0.15 | 679.96 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1989 | -271.87 | 0.17 | 680.13 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1989 | -271.75 | 0.12 | 680.25 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1989 | -271.75 | | 680.25 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1989 | -271.8 | -0.05 | 680.2 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1989 | -271.24 | 0.56 | 680.76 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1989 | -271.26 | -0.02 | 680.74 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1989 | -271.94 | -0.68 | 680.06 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1989 | -271.93 | 0.01 | 680.07 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1989 | -271.93 | | 680.07 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1989 | -271.96 | -0.03 | 680.04 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1989 | -271.81 | 0.15 | 680.19 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1989 | -271.81 | | 680.19 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1989 | -271.75 | 0.06 | 680.25 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1989 | -272.05 | -0.3 | 679.95 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1989 | -271.94 | 0.11 | 680.06 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1989 | -271.92 | 0.02 | 680.08 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1989 | -271.96 | -0.04 | 680.04 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1989 | -271.87 | 0.09 | 680.13 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1989 | -271.6 | 0.27 | 680.4 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1989 | -271.58 | 0.02 | 680.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 23/ 1989 | -271.91 | -0.33 | 680.09 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1989 | -271.72 | 0.19 | 680.28 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1989 | -271.65 | 0.07 | 680.35 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1989 | -270.7 | 0.95 | 681.3 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1989 | -271.68 | -0.98 | 680.32 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1989 | -271.95 | -0.27 | 680.05 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1989 | -272.13 | -0.18 | 679.87 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1989 | -272.22 | -0.09 | 679.78 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1989 | -272.2 | 0.02 | 679.8 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1989 | -272.31 | -0.11 | 679.69 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1989 | -272.43 | -0.12 | 679.57 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1989 | -272.33 | 0.1 | 679.67 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1989 | -272.15 | 0.18 | 679.85 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1989 | -272.13 | 0.02 | 679.87 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1989 | -272.2 | -0.07 | 679.8 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1989 | -272.57 | -0.37 | 679.43 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1989 | -272.54 | 0.03 | 679.46 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1989 | -272.36 | 0.18 | 679.64 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1989 | -272.47 | -0.11 | 679.53 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1989 | -272.68 | -0.21 | 679.32 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1989 | -272.88 | -0.2 | 679.12 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1989 | -272.69 | 0.19 | 679.31 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1989 | -272.64 | 0.05 | 679.36 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1989 | -272.98 | -0.34 | 679.02 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1989 | -273.14 | -0.16 | 678.86 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1989 | -273.22 | -0.08 | 678.78 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1989 | -273 | 0.22 | 679 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1989 | -273.05 | -0.05 | 678.95 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1989 | -273.15 | -0.1 | 678.85 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1989 | -273.81 | -0.66 | 678.19 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1989 | -273.67 | 0.14 | 678.33 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1989 | -273.51 | 0.16 | 678.49 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1989 | -273.32 | 0.19 | 678.68 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1989 | -273.24 | 0.08 | 678.76 | 01 | 06 | 4 | |
| | P | 12 / 27/ 1989 | -273.2 | 0.04 | 678.8 | 01 | 06 | 4 | |
| | P | 12 / 28/ 1989 | -273.11 | 0.09 | 678.89 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/29/1989 | -272.91 | 0.2 | 679.09 | 01 | 06 | 4 | |
| | P | 12/30/1989 | -272.83 | 0.08 | 679.17 | 01 | 06 | 4 | |
| | P | 12/31/1989 | -272.87 | -0.04 | 679.13 | 01 | 06 | 4 | |
| | P | 1/ 1/1990 | -273.2 | -0.33 | 678.8 | 01 | 06 | 4 | |
| | P | 1/ 2/1990 | -272.98 | 0.22 | 679.02 | 01 | 06 | 4 | |
| | P | 1/ 3/1990 | -272.75 | 0.23 | 679.25 | 01 | 06 | 4 | |
| | P | 1/ 4/1990 | -272.85 | -0.1 | 679.15 | 01 | 06 | 4 | |
| | P | 1/ 5/1990 | -272.82 | 0.03 | 679.18 | 01 | 06 | 4 | |
| | P | 1/ 6/1990 | -272.81 | 0.01 | 679.19 | 01 | 06 | 4 | |
| | P | 1/ 7/1990 | -272.73 | 0.08 | 679.27 | 01 | 06 | 4 | |
| | P | 1/ 8/1990 | -272.68 | 0.05 | 679.32 | 01 | 06 | 4 | |
| | P | 1/ 9/1990 | -272.65 | 0.03 | 679.35 | 01 | 06 | 4 | |
| | P | 1/10/1990 | -272.83 | -0.18 | 679.17 | 01 | 06 | 4 | |
| | P | 1/11/1990 | -272.68 | 0.15 | 679.32 | 01 | 06 | 4 | |
| | P | 1/12/1990 | -272.85 | -0.17 | 679.15 | 01 | 06 | 4 | |
| | P | 1/13/1990 | -272.86 | -0.01 | 679.14 | 01 | 06 | 4 | |
| | P | 1/14/1990 | -272.65 | 0.21 | 679.35 | 01 | 06 | 4 | |
| | P | 1/15/1990 | -272.75 | -0.1 | 679.25 | 01 | 06 | 4 | |
| | P | 1/16/1990 | -272.87 | -0.12 | 679.13 | 01 | 06 | 4 | |
| | P | 1/17/1990 | -272.8 | 0.07 | 679.2 | 01 | 06 | 4 | |
| | P | 1/18/1990 | -272.93 | -0.13 | 679.07 | 01 | 06 | 4 | |
| | P | 1/19/1990 | -273.07 | -0.14 | 678.93 | 01 | 06 | 4 | |
| | P | 1/20/1990 | -273.88 | -0.81 | 678.12 | 01 | 06 | 4 | |
| | P | 1/21/1990 | -272.24 | 1.64 | 679.76 | 01 | 06 | 4 | |
| | P | 1/22/1990 | -274.41 | -2.17 | 677.59 | 01 | 06 | 4 | |
| | P | 1/23/1990 | -274.38 | 0.03 | 677.62 | 01 | 06 | 4 | |
| | P | 1/24/1990 | -274.41 | -0.03 | 677.59 | 01 | 06 | 4 | |
| | P | 1/25/1990 | -274.8 | -0.39 | 677.2 | 01 | 06 | 4 | |
| | P | 1/26/1990 | -274.82 | -0.02 | 677.18 | 01 | 06 | 4 | |
| | P | 1/27/1990 | -274.75 | 0.07 | 677.25 | 01 | 06 | 4 | |
| | P | 1/28/1990 | -275.01 | -0.26 | 676.99 | 01 | 06 | 4 | |
| | P | 1/29/1990 | -274.86 | 0.15 | 677.14 | 01 | 06 | 4 | |
| | P | 1/30/1990 | -274.82 | 0.04 | 677.18 | 01 | 06 | 4 | |
| | P | 1/31/1990 | -274.95 | -0.13 | 677.05 | 01 | 06 | 4 | |
| | P | 2/ 1/1990 | -274.74 | 0.21 | 677.26 | 01 | 06 | 4 | |
| | P | 2/ 2/1990 | -274.82 | -0.08 | 677.18 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 3/1990 | -274.9 | -0.08 | 677.1 | 01 | 06 | 4 | |
| | P | 2/ 4/1990 | -275.32 | -0.42 | 676.68 | 01 | 06 | 4 | |
| | P | 2/ 5/1990 | -275.07 | 0.25 | 676.93 | 01 | 06 | 4 | |
| | P | 2/ 6/1990 | -274.4 | 0.67 | 677.6 | 01 | 06 | 4 | |
| | P | 2/ 7/1990 | -274.05 | 0.35 | 677.95 | 01 | 06 | 4 | |
| | P | 2/ 8/1990 | -273.77 | 0.28 | 678.23 | 01 | 06 | 4 | |
| | P | 2/ 9/1990 | -273.81 | -0.04 | 678.19 | 01 | 06 | 4 | |
| | P | 2/10/1990 | -273.83 | -0.02 | 678.17 | 01 | 06 | 4 | |
| | P | 2/11/1990 | -273.84 | -0.01 | 678.16 | 01 | 06 | 4 | |
| | P | 2/12/1990 | -273.97 | -0.13 | 678.03 | 01 | 06 | 4 | |
| | P | 2/13/1990 | -273.79 | 0.18 | 678.21 | 01 | 06 | 4 | |
| | P | 2/14/1990 | -273.77 | 0.02 | 678.23 | 01 | 06 | 4 | |
| | P | 2/15/1990 | -274.77 | -1 | 677.23 | 01 | 06 | 4 | |
| | P | 2/16/1990 | -275.3 | -0.53 | 676.7 | 01 | 06 | 4 | |
| | P | 2/17/1990 | -275.7 | -0.4 | 676.3 | 01 | 06 | 4 | |
| | P | 2/18/1990 | -275.57 | 0.13 | 676.43 | 01 | 06 | 4 | |
| | P | 2/19/1990 | -275.54 | 0.03 | 676.46 | 01 | 06 | 4 | |
| | P | 2/20/1990 | -275.6 | -0.06 | 676.4 | 01 | 06 | 4 | |
| | P | 2/21/1990 | -275.43 | 0.17 | 676.57 | 01 | 06 | 4 | |
| | P | 2/22/1990 | -275.47 | -0.04 | 676.53 | 01 | 06 | 4 | |
| | P | 2/23/1990 | -275.65 | -0.18 | 676.35 | 01 | 06 | 4 | |
| | P | 2/24/1990 | -275.65 | | 676.35 | 01 | 06 | 4 | |
| | P | 2/25/1990 | -275.6 | 0.05 | 676.4 | 01 | 06 | 4 | |
| | P | 2/26/1990 | -275.8 | -0.2 | 676.2 | 01 | 06 | 4 | |
| | P | 2/27/1990 | -275.67 | 0.13 | 676.33 | 01 | 06 | 4 | |
| | P | 2/28/1990 | -275.68 | -0.01 | 676.32 | 01 | 06 | 4 | |
| | P | 3/ 1/1990 | -275.45 | 0.23 | 676.55 | 01 | 06 | 4 | |
| | P | 3/ 2/1990 | -275.23 | 0.22 | 676.77 | 01 | 06 | 4 | |
| | P | 3/ 3/1990 | -275.3 | -0.07 | 676.7 | 01 | 06 | 4 | |
| | P | 3/ 4/1990 | -275.33 | -0.03 | 676.67 | 01 | 06 | 4 | |
| | P | 3/ 5/1990 | -275.37 | -0.04 | 676.63 | 01 | 06 | 4 | |
| | P | 3/ 6/1990 | -275.34 | 0.03 | 676.66 | 01 | 06 | 4 | |
| | P | 3/ 7/1990 | -275.68 | -0.34 | 676.32 | 01 | 06 | 4 | |
| | P | 3/ 8/1990 | -275.81 | -0.13 | 676.19 | 01 | 06 | 4 | |
| | P | 3/ 9/1990 | -275.61 | 0.2 | 676.39 | 01 | 06 | 4 | |
| | P | 3/10/1990 | -275.43 | 0.18 | 676.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/11/1990 | -275.18 | 0.25 | 676.82 | 01 | 06 | 4 | |
| | P | 3/12/1990 | -275.15 | 0.03 | 676.85 | 01 | 06 | 4 | |
| | P | 3/13/1990 | -275.02 | 0.13 | 676.98 | 01 | 06 | 4 | |
| | P | 3/14/1990 | -275.06 | -0.04 | 676.94 | 01 | 06 | 4 | |
| | P | 3/15/1990 | -272.78 | 2.28 | 679.22 | 01 | 06 | 4 | |
| | P | 3/16/1990 | -272.5 | 0.28 | 679.5 | 01 | 06 | 4 | |
| | P | 3/17/1990 | -272.56 | -0.06 | 679.44 | 01 | 06 | 4 | |
| | P | 3/18/1990 | -272.73 | -0.17 | 679.27 | 01 | 06 | 4 | |
| | P | 3/19/1990 | -273.73 | -1 | 678.27 | 01 | 06 | 4 | |
| | P | 3/20/1990 | -274.17 | -0.44 | 677.83 | 01 | 06 | 4 | |
| | P | 3/21/1990 | -274.16 | 0.01 | 677.84 | 01 | 06 | 4 | |
| | P | 3/22/1990 | -274.25 | -0.09 | 677.75 | 01 | 06 | 4 | |
| | P | 3/23/1990 | -274.56 | -0.31 | 677.44 | 01 | 06 | 4 | |
| | P | 3/24/1990 | -274.55 | 0.01 | 677.45 | 01 | 06 | 4 | |
| | P | 3/25/1990 | -274.83 | -0.28 | 677.17 | 01 | 06 | 4 | |
| | P | 3/26/1990 | -274.62 | 0.21 | 677.38 | 01 | 06 | 4 | |
| | P | 3/27/1990 | -274.33 | 0.29 | 677.67 | 01 | 06 | 4 | |
| | P | 3/28/1990 | -274.13 | 0.2 | 677.87 | 01 | 06 | 4 | |
| | P | 3/29/1990 | -274.06 | 0.07 | 677.94 | 01 | 06 | 4 | |
| | P | 3/30/1990 | -274.08 | -0.02 | 677.92 | 01 | 06 | 4 | |
| | P | 3/31/1990 | -274.07 | 0.01 | 677.93 | 01 | 06 | 4 | |
| | P | 4/ 1/1990 | -274.05 | 0.02 | 677.95 | 01 | 06 | 4 | |
| | P | 4/ 2/1990 | -274.12 | -0.07 | 677.88 | 01 | 06 | 4 | |
| | P | 4/ 3/1990 | -273.99 | 0.13 | 678.01 | 01 | 06 | 4 | |
| | P | 4/ 4/1990 | -272.92 | 1.07 | 679.08 | 01 | 06 | 4 | |
| | P | 4/ 5/1990 | -273.75 | -0.83 | 678.25 | 01 | 06 | 4 | |
| | P | 4/ 6/1990 | -273.8 | -0.05 | 678.2 | 01 | 06 | 4 | |
| | P | 4/ 7/1990 | -274.11 | -0.31 | 677.89 | 01 | 06 | 4 | |
| | P | 4/ 8/1990 | -274.2 | -0.09 | 677.8 | 01 | 06 | 4 | |
| | P | 4/ 9/1990 | -273.85 | 0.35 | 678.15 | 01 | 06 | 4 | |
| | P | 4/10/1990 | -273.8 | 0.05 | 678.2 | 01 | 06 | 4 | |
| | P | 4/11/1990 | -274 | -0.2 | 678 | 01 | 06 | 4 | |
| | P | 4/12/1990 | -274.13 | -0.13 | 677.87 | 01 | 06 | 4 | |
| | P | 4/13/1990 | -274.05 | 0.08 | 677.95 | 01 | 06 | 4 | |
| | P | 4/14/1990 | -273.83 | 0.22 | 678.17 | 01 | 06 | 4 | |
| | P | 4/15/1990 | -274.03 | -0.2 | 677.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/16/1990 | -273.95 | 0.08 | 678.05 | 01 | 06 | 4 | |
| | P | 4/17/1990 | -273.89 | 0.06 | 678.11 | 01 | 06 | 4 | |
| | P | 4/18/1990 | -273.96 | -0.07 | 678.04 | 01 | 06 | 4 | |
| | P | 4/19/1990 | -273.9 | 0.06 | 678.1 | 01 | 06 | 4 | |
| | P | 4/20/1990 | -274.13 | -0.23 | 677.87 | 01 | 06 | 4 | |
| | P | 4/21/1990 | -274.35 | -0.22 | 677.65 | 01 | 06 | 4 | |
| | P | 4/22/1990 | -274.74 | -0.39 | 677.26 | 01 | 06 | 4 | |
| | P | 4/23/1990 | -274.74 | | 677.26 | 01 | 06 | 4 | |
| | P | 4/24/1990 | -274.37 | 0.37 | 677.63 | 01 | 06 | 4 | |
| | P | 4/25/1990 | -274.33 | 0.04 | 677.67 | 01 | 06 | 4 | |
| | P | 4/26/1990 | -273.78 | 0.55 | 678.22 | 01 | 06 | 4 | |
| | P | 4/27/1990 | -273.8 | -0.02 | 678.2 | 01 | 06 | 4 | |
| | P | 4/28/1990 | -273.84 | -0.04 | 678.16 | 01 | 06 | 4 | |
| | P | 4/29/1990 | -273.9 | -0.06 | 678.1 | 01 | 06 | 4 | |
| | P | 4/30/1990 | -274 | -0.1 | 678 | 01 | 06 | 4 | |
| | P | 5/ 1/1990 | -274.1 | -0.1 | 677.9 | 01 | 06 | 4 | |
| | P | 5/ 2/1990 | -273.93 | 0.17 | 678.07 | 01 | 06 | 4 | |
| | P | 5/ 3/1990 | -273.46 | 0.47 | 678.54 | 01 | 06 | 4 | |
| | P | 5/ 4/1990 | -273.37 | 0.09 | 678.63 | 01 | 06 | 4 | |
| | P | 5/ 5/1990 | -273.2 | 0.17 | 678.8 | 01 | 06 | 4 | |
| | P | 5/ 6/1990 | -271.7 | 1.5 | 680.3 | 01 | 06 | 4 | |
| | P | 5/ 7/1990 | -271.63 | 0.07 | 680.37 | 01 | 06 | 4 | |
| | P | 5/ 8/1990 | -271.82 | -0.19 | 680.18 | 01 | 06 | 4 | |
| | P | 5/ 9/1990 | -272.4 | -0.58 | 679.6 | 01 | 06 | 4 | |
| | P | 5/10/1990 | -273.18 | -0.78 | 678.82 | 01 | 06 | 4 | |
| | P | 5/11/1990 | -273.13 | 0.05 | 678.87 | 01 | 06 | 4 | |
| | P | 5/12/1990 | -272.53 | 0.6 | 679.47 | 01 | 06 | 4 | |
| | P | 5/13/1990 | -273.32 | -0.79 | 678.68 | 01 | 06 | 4 | |
| | P | 5/14/1990 | -272.45 | 0.87 | 679.55 | 01 | 06 | 4 | |
| | P | 5/15/1990 | -272.17 | 0.28 | 679.83 | 01 | 06 | 4 | |
| | P | 5/16/1990 | -272.77 | -0.6 | 679.23 | 01 | 06 | 4 | |
| | P | 5/17/1990 | -273.03 | -0.26 | 678.97 | 01 | 06 | 4 | |
| | P | 5/18/1990 | -272.06 | 0.97 | 679.94 | 01 | 06 | 4 | |
| | P | 5/19/1990 | -272.36 | -0.3 | 679.64 | 01 | 06 | 4 | |
| | P | 5/20/1990 | -272.64 | -0.28 | 679.36 | 01 | 06 | 4 | |
| | P | 5/21/1990 | -272.86 | -0.22 | 679.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/22/1990 | -272.71 | 0.15 | 679.29 | 01 | 06 | 4 | |
| | P | 5/23/1990 | -272.54 | 0.17 | 679.46 | 01 | 06 | 4 | |
| | P | 5/24/1990 | -273.16 | -0.62 | 678.84 | 01 | 06 | 4 | |
| | P | 5/25/1990 | -273.6 | -0.44 | 678.4 | 01 | 06 | 4 | |
| | P | 5/26/1990 | -273.66 | -0.06 | 678.34 | 01 | 06 | 4 | |
| | P | 5/27/1990 | -273.85 | -0.19 | 678.15 | 01 | 06 | 4 | |
| | P | 5/28/1990 | -273.99 | -0.14 | 678.01 | 01 | 06 | 4 | |
| | P | 5/29/1990 | -274.08 | -0.09 | 677.92 | 01 | 06 | 4 | |
| | P | 5/30/1990 | -274.02 | 0.06 | 677.98 | 01 | 06 | 4 | |
| | P | 5/31/1990 | -274.06 | -0.04 | 677.94 | 01 | 06 | 4 | |
| | P | 6/ 1/1990 | -272.26 | 1.8 | 679.74 | 01 | 06 | 4 | |
| | P | 6/ 2/1990 | -274.5 | -2.24 | 677.5 | 01 | 06 | 4 | |
| | P | 6/ 3/1990 | -274.8 | -0.3 | 677.2 | 01 | 06 | 4 | |
| | P | 6/ 4/1990 | -274.6 | 0.2 | 677.4 | 01 | 06 | 4 | |
| | P | 6/ 5/1990 | -274.49 | 0.11 | 677.51 | 01 | 06 | 4 | |
| | P | 6/ 6/1990 | -274.6 | -0.11 | 677.4 | 01 | 06 | 4 | |
| | P | 6/ 7/1990 | -274.75 | -0.15 | 677.25 | 01 | 06 | 4 | |
| | P | 6/ 8/1990 | -274.9 | -0.15 | 677.1 | 01 | 06 | 4 | |
| | P | 6/ 9/1990 | -275.06 | -0.16 | 676.94 | 01 | 06 | 4 | |
| | P | 6/10/1990 | -275.28 | -0.22 | 676.72 | 01 | 06 | 4 | |
| | P | 6/11/1990 | -275.37 | -0.09 | 676.63 | 01 | 06 | 4 | |
| | P | 6/12/1990 | -275.33 | 0.04 | 676.67 | 01 | 06 | 4 | |
| | P | 6/13/1990 | -275.47 | -0.14 | 676.53 | 01 | 06 | 4 | |
| | P | 6/14/1990 | -275.64 | -0.17 | 676.36 | 01 | 06 | 4 | |
| | P | 6/15/1990 | -275.75 | -0.11 | 676.25 | 01 | 06 | 4 | |
| | P | 6/16/1990 | -275.85 | -0.1 | 676.15 | 01 | 06 | 4 | |
| | P | 6/17/1990 | -276.08 | -0.23 | 675.92 | 01 | 06 | 4 | |
| | P | 6/18/1990 | -276.22 | -0.14 | 675.78 | 01 | 06 | 4 | |
| | P | 6/19/1990 | -276.2 | 0.02 | 675.8 | 01 | 06 | 4 | |
| | P | 6/20/1990 | -276.3 | -0.1 | 675.7 | 01 | 06 | 4 | |
| | P | 6/21/1990 | -276.53 | -0.23 | 675.47 | 01 | 06 | 4 | |
| | P | 6/22/1990 | -276.6 | -0.07 | 675.4 | 01 | 06 | 4 | |
| | P | 6/23/1990 | -276.75 | -0.15 | 675.25 | 01 | 06 | 4 | |
| | P | 6/24/1990 | -276.9 | -0.15 | 675.1 | 01 | 06 | 4 | |
| | P | 6/25/1990 | -276.96 | -0.06 | 675.04 | 01 | 06 | 4 | |
| | P | 6/26/1990 | -277.08 | -0.12 | 674.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/27/1990 | -277.2 | -0.12 | 674.8 | 01 | 06 | 4 | |
| | P | 6/28/1990 | -277.41 | -0.21 | 674.59 | 01 | 06 | 4 | |
| | P | 6/29/1990 | -277.5 | -0.09 | 674.5 | 01 | 06 | 4 | |
| | P | 6/30/1990 | -277 | 0.5 | 675 | 01 | 06 | 4 | |
| | P | 7/ 1/1990 | -276.67 | 0.33 | 675.33 | 01 | 06 | 4 | |
| | P | 7/ 2/1990 | -276.9 | -0.23 | 675.1 | 01 | 06 | 4 | |
| | P | 7/ 3/1990 | -276.83 | 0.07 | 675.17 | 01 | 06 | 4 | |
| | P | 7/ 4/1990 | -277.39 | -0.56 | 674.61 | 01 | 06 | 4 | |
| | P | 7/ 5/1990 | -277.45 | -0.06 | 674.55 | 01 | 06 | 4 | |
| | P | 7/ 6/1990 | -277.59 | -0.14 | 674.41 | 01 | 06 | 4 | |
| | P | 7/ 7/1990 | -277.5 | 0.09 | 674.5 | 01 | 06 | 4 | |
| | P | 7/ 8/1990 | -277.55 | -0.05 | 674.45 | 01 | 06 | 4 | |
| | P | 7/ 9/1990 | -277.64 | -0.09 | 674.36 | 01 | 06 | 4 | |
| | P | 7/10/1990 | -277.76 | -0.12 | 674.24 | 01 | 06 | 4 | |
| | P | 7/11/1990 | -277.9 | -0.14 | 674.1 | 01 | 06 | 4 | |
| | P | 7/12/1990 | -277.9 | | 674.1 | 01 | 06 | 4 | |
| | P | 7/13/1990 | -278 | -0.1 | 674 | 01 | 06 | 4 | |
| | P | 7/14/1990 | -278.1 | -0.1 | 673.9 | 01 | 06 | 4 | |
| | P | 7/15/1990 | -277.93 | 0.17 | 674.07 | 01 | 06 | 4 | |
| | P | 7/16/1990 | -277.4 | 0.53 | 674.6 | 01 | 06 | 4 | |
| | P | 7/17/1990 | -275.9 | 1.5 | 676.1 | 01 | 06 | 4 | |
| | P | 7/18/1990 | -274.85 | 1.05 | 677.15 | 01 | 06 | 4 | |
| | P | 7/19/1990 | -274.15 | 0.7 | 677.85 | 01 | 06 | 4 | |
| | P | 7/20/1990 | -273.98 | 0.17 | 678.02 | 01 | 06 | 4 | |
| | P | 7/21/1990 | -273.86 | 0.12 | 678.14 | 01 | 06 | 4 | |
| | P | 7/22/1990 | -274.1 | -0.24 | 677.9 | 01 | 06 | 4 | |
| | P | 7/23/1990 | -274.45 | -0.35 | 677.55 | 01 | 06 | 4 | |
| | P | 7/24/1990 | -275.03 | -0.58 | 676.97 | 01 | 06 | 4 | |
| | P | 7/25/1990 | -275.27 | -0.24 | 676.73 | 01 | 06 | 4 | |
| | P | 7/26/1990 | -275.7 | -0.43 | 676.3 | 01 | 06 | 4 | |
| | P | 7/27/1990 | -275.81 | -0.11 | 676.19 | 01 | 06 | 4 | |
| | P | 7/28/1990 | -275.98 | -0.17 | 676.02 | 01 | 06 | 4 | |
| | P | 7/29/1990 | -276.1 | -0.12 | 675.9 | 01 | 06 | 4 | |
| | P | 7/30/1990 | -276.1 | | 675.9 | 01 | 06 | 4 | |
| | P | 7/31/1990 | -276.04 | 0.06 | 675.96 | 01 | 06 | 4 | |
| | P | 8/ 1/1990 | -276.07 | -0.03 | 675.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 2/1990 | -276.06 | 0.01 | 675.94 | 01 | 06 | 4 | |
| | P | 8/ 3/1990 | -275.88 | 0.18 | 676.12 | 01 | 06 | 4 | |
| | P | 8/ 4/1990 | -275.94 | -0.06 | 676.06 | 01 | 06 | 4 | |
| | P | 8/ 5/1990 | -276.06 | -0.12 | 675.94 | 01 | 06 | 4 | |
| | P | 8/ 6/1990 | -276.09 | -0.03 | 675.91 | 01 | 06 | 4 | |
| | P | 8/ 7/1990 | -276.13 | -0.04 | 675.87 | 01 | 06 | 4 | |
| | P | 8/ 8/1990 | -276.23 | -0.1 | 675.77 | 01 | 06 | 4 | |
| | P | 8/ 9/1990 | -276.24 | -0.01 | 675.76 | 01 | 06 | 4 | |
| | P | 8/10/1990 | -276.3 | -0.06 | 675.7 | 01 | 06 | 4 | |
| | P | 8/11/1990 | -276.4 | -0.1 | 675.6 | 01 | 06 | 4 | |
| | P | 8/12/1990 | -276.53 | -0.13 | 675.47 | 01 | 06 | 4 | |
| | P | 8/13/1990 | -276.5 | 0.03 | 675.5 | 01 | 06 | 4 | |
| | P | 8/14/1990 | -276.57 | -0.07 | 675.43 | 01 | 06 | 4 | |
| | P | 8/15/1990 | -276.65 | -0.08 | 675.35 | 01 | 06 | 4 | |
| | P | 8/16/1990 | -276.62 | 0.03 | 675.38 | 01 | 06 | 4 | |
| | P | 8/17/1990 | -276.74 | -0.12 | 675.26 | 01 | 06 | 4 | |
| | P | 8/18/1990 | -276.91 | -0.17 | 675.09 | 01 | 06 | 4 | |
| | P | 8/19/1990 | -276.95 | -0.04 | 675.05 | 01 | 06 | 4 | |
| | P | 8/20/1990 | -276.99 | -0.04 | 675.01 | 01 | 06 | 4 | |
| | P | 8/21/1990 | -277.06 | -0.07 | 674.94 | 01 | 06 | 4 | |
| | P | 8/22/1990 | -277.07 | -0.01 | 674.93 | 01 | 06 | 4 | |
| | P | 8/23/1990 | -277.15 | -0.08 | 674.85 | 01 | 06 | 4 | |
| | P | 8/24/1990 | -277.35 | -0.2 | 674.65 | 01 | 06 | 4 | |
| | P | 8/25/1990 | -277.45 | -0.1 | 674.55 | 01 | 06 | 4 | |
| | P | 8/26/1990 | -277.55 | -0.1 | 674.45 | 01 | 06 | 4 | |
| | P | 8/27/1990 | -277.53 | 0.02 | 674.47 | 01 | 06 | 4 | |
| | P | 8/28/1990 | -277.57 | -0.04 | 674.43 | 01 | 06 | 4 | |
| | P | 8/29/1990 | -277.6 | -0.03 | 674.4 | 01 | 06 | 4 | |
| | P | 8/30/1990 | -277.67 | -0.07 | 674.33 | 01 | 06 | 4 | |
| | P | 8/31/1990 | -277.77 | -0.1 | 674.23 | 01 | 06 | 4 | |
| | P | 9/ 1/1990 | -277.87 | -0.1 | 674.13 | 01 | 06 | 4 | |
| | P | 9/ 2/1990 | -277.73 | 0.14 | 674.27 | 01 | 06 | 4 | |
| | P | 9/ 3/1990 | -277.62 | 0.11 | 674.38 | 01 | 06 | 4 | |
| | P | 9/ 4/1990 | -277.57 | 0.05 | 674.43 | 01 | 06 | 4 | |
| | P | 9/ 5/1990 | -277.55 | 0.02 | 674.45 | 01 | 06 | 4 | |
| | P | 9/ 6/1990 | -277.63 | -0.08 | 674.37 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 7/1990 | -277.72 | -0.09 | 674.28 | 01 | 06 | 4 | |
| | P | 9/ 8/1990 | -277.86 | -0.14 | 674.14 | 01 | 06 | 4 | |
| | P | 9/ 9/1990 | -277.91 | -0.05 | 674.09 | 01 | 06 | 4 | |
| | P | 9/10/1990 | -277.54 | 0.37 | 674.46 | 01 | 06 | 4 | |
| | P | 9/11/1990 | -277.49 | 0.05 | 674.51 | 01 | 06 | 4 | |
| | P | 9/12/1990 | -277.48 | 0.01 | 674.52 | 01 | 06 | 4 | |
| | P | 9/13/1990 | -277.24 | 0.24 | 674.76 | 01 | 06 | 4 | |
| | P | 9/14/1990 | -277.32 | -0.08 | 674.68 | 01 | 06 | 4 | |
| | P | 9/15/1990 | -277.3 | 0.02 | 674.7 | 01 | 06 | 4 | |
| | P | 9/16/1990 | -277.32 | -0.02 | 674.68 | 01 | 06 | 4 | |
| | P | 9/17/1990 | -277.4 | -0.08 | 674.6 | 01 | 06 | 4 | |
| | P | 9/18/1990 | -277.48 | -0.08 | 674.52 | 01 | 06 | 4 | |
| | P | 9/19/1990 | -277.33 | 0.15 | 674.67 | 01 | 06 | 4 | |
| | P | 9/20/1990 | -277.3 | 0.03 | 674.7 | 01 | 06 | 4 | |
| | P | 9/21/1990 | -277.37 | -0.07 | 674.63 | 01 | 06 | 4 | |
| | P | 9/22/1990 | -277.45 | -0.08 | 674.55 | 01 | 06 | 4 | |
| | P | 9/23/1990 | -277.57 | -0.12 | 674.43 | 01 | 06 | 4 | |
| | P | 9/24/1990 | -277.58 | -0.01 | 674.42 | 01 | 06 | 4 | |
| | P | 9/25/1990 | -277.48 | 0.1 | 674.52 | 01 | 06 | 4 | |
| | P | 9/26/1990 | -277.52 | -0.04 | 674.48 | 01 | 06 | 4 | |
| | P | 9/27/1990 | -277.6 | -0.08 | 674.4 | 01 | 06 | 4 | |
| | P | 9/28/1990 | -277.7 | -0.1 | 674.3 | 01 | 06 | 4 | |
| | P | 9/29/1990 | -277.73 | -0.03 | 674.27 | 01 | 06 | 4 | |
| | P | 9/30/1990 | -277.82 | -0.09 | 674.18 | 01 | 06 | 4 | |
| | P | 10/ 1/1990 | -277.83 | -0.01 | 674.17 | 01 | 06 | 4 | |
| | P | 10/ 2/1990 | -277.64 | 0.19 | 674.36 | 01 | 06 | 4 | |
| | P | 10/ 3/1990 | -277.65 | -0.01 | 674.35 | 01 | 06 | 4 | |
| | P | 10/ 4/1990 | -277.85 | -0.2 | 674.15 | 01 | 06 | 4 | |
| | P | 10/ 5/1990 | -277.95 | -0.1 | 674.05 | 01 | 06 | 4 | |
| | P | 10/ 6/1990 | -277.97 | -0.02 | 674.03 | 01 | 06 | 4 | |
| | P | 10/ 7/1990 | -278.04 | -0.07 | 673.96 | 01 | 06 | 4 | |
| | P | 10/ 8/1990 | -278.05 | -0.01 | 673.95 | 01 | 06 | 4 | |
| | P | 10/ 9/1990 | -277.84 | 0.21 | 674.16 | 01 | 06 | 4 | |
| | P | 10/10/1990 | -277.66 | 0.18 | 674.34 | 01 | 06 | 4 | |
| | P | 10/11/1990 | -277.55 | 0.11 | 674.45 | 01 | 06 | 4 | |
| | P | 10/12/1990 | -277.56 | -0.01 | 674.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 13/ 1990 | -277.56 | | 674.44 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1990 | -277.55 | 0.01 | 674.45 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1990 | -277.73 | -0.18 | 674.27 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1990 | -277.75 | -0.02 | 674.25 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1990 | -277.7 | 0.05 | 674.3 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1990 | -277.93 | -0.23 | 674.07 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1990 | -277.73 | 0.2 | 674.27 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1990 | -277.67 | 0.06 | 674.33 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1990 | -277.75 | -0.08 | 674.25 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1990 | -277.66 | 0.09 | 674.34 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1990 | -277.55 | 0.11 | 674.45 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1990 | -277.6 | -0.05 | 674.4 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1990 | -277.7 | -0.1 | 674.3 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1990 | -277.63 | 0.07 | 674.37 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1990 | -277.63 | | 674.37 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1990 | -277.8 | -0.17 | 674.2 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1990 | -277.75 | 0.05 | 674.25 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1990 | -277.73 | 0.02 | 674.27 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1990 | -277.7 | 0.03 | 674.3 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1990 | -277.6 | 0.1 | 674.4 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1990 | -277.64 | -0.04 | 674.36 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1990 | -277.54 | 0.1 | 674.46 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1990 | -277.57 | -0.03 | 674.43 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1990 | -277.51 | 0.06 | 674.49 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1990 | -277.5 | 0.01 | 674.5 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1990 | -277.56 | -0.06 | 674.44 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1990 | -277.32 | 0.24 | 674.68 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1990 | -277.42 | -0.1 | 674.58 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1990 | -277.56 | -0.14 | 674.44 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1990 | -277.59 | -0.03 | 674.41 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1990 | -277.56 | 0.03 | 674.44 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1990 | -277.42 | 0.14 | 674.58 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1990 | -277.39 | 0.03 | 674.61 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1990 | -277.38 | 0.01 | 674.62 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1990 | -277.38 | | 674.62 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1990 | -277.32 | 0.06 | 674.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1990 | -277.2 | 0.12 | 674.8 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1990 | -277.22 | -0.02 | 674.78 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1990 | -277.35 | -0.13 | 674.65 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1990 | -277.4 | -0.05 | 674.6 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1990 | -277.44 | -0.04 | 674.56 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1990 | -277.49 | -0.05 | 674.51 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1990 | -277.44 | 0.05 | 674.56 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1990 | -277.4 | 0.04 | 674.6 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1990 | -277.32 | 0.08 | 674.68 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1990 | -277.31 | 0.01 | 674.69 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1990 | -277.6 | -0.29 | 674.4 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1990 | -277.97 | -0.37 | 674.03 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1990 | -277.57 | 0.4 | 674.43 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1990 | -277.44 | 0.13 | 674.56 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1990 | -277.48 | -0.04 | 674.52 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1990 | -277.57 | -0.09 | 674.43 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1990 | -277.92 | -0.35 | 674.08 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1990 | -277.55 | 0.37 | 674.45 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1990 | -277.41 | 0.14 | 674.59 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1990 | -277.83 | -0.42 | 674.17 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1990 | -277.81 | 0.02 | 674.19 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1990 | -277.8 | 0.01 | 674.2 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1990 | -277.67 | 0.13 | 674.33 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1990 | -277.55 | 0.12 | 674.45 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1990 | -277.47 | 0.08 | 674.53 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1990 | -277.57 | -0.1 | 674.43 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1990 | -277.68 | -0.11 | 674.32 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1990 | -277.68 | | 674.32 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1990 | -277.75 | -0.07 | 674.25 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1990 | -277.56 | 0.19 | 674.44 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1990 | -277.67 | -0.11 | 674.33 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1990 | -277.77 | -0.1 | 674.23 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1990 | -277.76 | 0.01 | 674.24 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1990 | -277.8 | -0.04 | 674.2 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1990 | -276.93 | 0.87 | 675.07 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1990 | -276.92 | 0.01 | 675.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/24/1990 | -278.1 | -1.18 | 673.9 | 01 | 06 | 4 | |
| | P | 12/25/1990 | -277.98 | 0.12 | 674.02 | 01 | 06 | 4 | |
| | P | 12/26/1990 | -277.85 | 0.13 | 674.15 | 01 | 06 | 4 | |
| | P | 12/27/1990 | -277.78 | 0.07 | 674.22 | 01 | 06 | 4 | |
| | P | 12/28/1990 | -277.7 | 0.08 | 674.3 | 01 | 06 | 4 | |
| | P | 12/29/1990 | -277.64 | 0.06 | 674.36 | 01 | 06 | 4 | |
| | P | 12/30/1990 | -277.8 | -0.16 | 674.2 | 01 | 06 | 4 | |
| | P | 12/31/1990 | -278.05 | -0.25 | 673.95 | 01 | 06 | 4 | |
| | P | 1/ 1/1991 | -277.96 | 0.09 | 674.04 | 01 | 06 | 4 | |
| | P | 1/ 2/1991 | -277.86 | 0.1 | 674.14 | 01 | 06 | 4 | |
| | P | 1/ 3/1991 | -277.9 | -0.04 | 674.1 | 01 | 06 | 4 | |
| | P | 1/ 4/1991 | -277.85 | 0.05 | 674.15 | 01 | 06 | 4 | |
| | P | 1/ 5/1991 | -277.7 | 0.15 | 674.3 | 01 | 06 | 4 | |
| | P | 1/ 6/1991 | -277.77 | -0.07 | 674.23 | 01 | 06 | 4 | |
| | P | 1/ 7/1991 | -277.93 | -0.16 | 674.07 | 01 | 06 | 4 | |
| | P | 1/ 8/1991 | -277.8 | 0.13 | 674.2 | 01 | 06 | 4 | |
| | P | 1/ 9/1991 | -277.69 | 0.11 | 674.31 | 01 | 06 | 4 | |
| | P | 1/10/1991 | -277.57 | 0.12 | 674.43 | 01 | 06 | 4 | |
| | P | 1/11/1991 | -277.7 | -0.13 | 674.3 | 01 | 06 | 4 | |
| | P | 1/12/1991 | -277.87 | -0.17 | 674.13 | 01 | 06 | 4 | |
| | P | 1/13/1991 | -277.7 | 0.17 | 674.3 | 01 | 06 | 4 | |
| | P | 1/14/1991 | -277.43 | 0.27 | 674.57 | 01 | 06 | 4 | |
| | P | 1/15/1991 | -277.5 | -0.07 | 674.5 | 01 | 06 | 4 | |
| | P | 1/16/1991 | -277.63 | -0.13 | 674.37 | 01 | 06 | 4 | |
| | P | 1/17/1991 | -277.72 | -0.09 | 674.28 | 01 | 06 | 4 | |
| | P | 1/18/1991 | -277.52 | 0.2 | 674.48 | 01 | 06 | 4 | |
| | P | 1/19/1991 | -277.36 | 0.16 | 674.64 | 01 | 06 | 4 | |
| | P | 1/20/1991 | -277.3 | 0.06 | 674.7 | 01 | 06 | 4 | |
| | P | 1/21/1991 | -277.47 | -0.17 | 674.53 | 01 | 06 | 4 | |
| | P | 1/22/1991 | -277.17 | 0.3 | 674.83 | 01 | 06 | 4 | |
| | P | 1/23/1991 | -277.1 | 0.07 | 674.9 | 01 | 06 | 4 | |
| | P | 1/24/1991 | -277.13 | -0.03 | 674.87 | 01 | 06 | 4 | |
| | P | 1/25/1991 | -277.17 | -0.04 | 674.83 | 01 | 06 | 4 | |
| | P | 1/26/1991 | -277.13 | 0.04 | 674.87 | 01 | 06 | 4 | |
| | P | 1/27/1991 | -276.87 | 0.26 | 675.13 | 01 | 06 | 4 | |
| | P | 1/28/1991 | -276.87 | | 675.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 29/ 1991 | -276.79 | 0.08 | 675.21 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1991 | -276.95 | -0.16 | 675.05 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1991 | -277.3 | -0.35 | 674.7 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1991 | -277.2 | 0.1 | 674.8 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1991 | -277.03 | 0.17 | 674.97 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1991 | -276.87 | 0.16 | 675.13 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1991 | -276.12 | 0.75 | 675.88 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1991 | -275.1 | 1.02 | 676.9 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1991 | -274.94 | 0.16 | 677.06 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1991 | -274.9 | 0.04 | 677.1 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1991 | -275.3 | -0.4 | 676.7 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1991 | -275.37 | -0.07 | 676.63 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1991 | -275.47 | -0.1 | 676.53 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1991 | -275.54 | -0.07 | 676.46 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1991 | -275.35 | 0.19 | 676.65 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1991 | -275.18 | 0.17 | 676.82 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1991 | -275.35 | -0.17 | 676.65 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1991 | -275.7 | -0.35 | 676.3 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1991 | -275.35 | 0.35 | 676.65 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1991 | -275.21 | 0.14 | 676.79 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1991 | -275.2 | 0.01 | 676.8 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1991 | -274.3 | 0.9 | 677.7 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1991 | -274.34 | -0.04 | 677.66 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1991 | -275.21 | -0.87 | 676.79 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1991 | -275.15 | 0.06 | 676.85 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1991 | -275.25 | -0.1 | 676.75 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1991 | -275.1 | 0.15 | 676.9 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1991 | -275.14 | -0.04 | 676.86 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1991 | -275.33 | -0.19 | 676.67 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1991 | -275.13 | 0.2 | 676.87 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1991 | -274.92 | 0.21 | 677.08 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1991 | -274.84 | 0.08 | 677.16 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1991 | -274.82 | 0.02 | 677.18 | 01 | 06 | 4 | |
| | P | 3/ 3/ 1991 | -275.02 | -0.2 | 676.98 | 01 | 06 | 4 | |
| | P | 3/ 4/ 1991 | -275.05 | -0.03 | 676.95 | 01 | 06 | 4 | |
| | P | 3/ 5/ 1991 | -274.98 | 0.07 | 677.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 6/1991 | -275.03 | -0.05 | 676.97 | 01 | 06 | 4 | |
| | P | 3/ 7/1991 | -275.2 | -0.17 | 676.8 | 01 | 06 | 4 | |
| | P | 3/ 8/1991 | -275.3 | -0.1 | 676.7 | 01 | 06 | 4 | |
| | P | 3/ 9/1991 | -275.42 | -0.12 | 676.58 | 01 | 06 | 4 | |
| | P | 3/10/1991 | -275.58 | -0.16 | 676.42 | 01 | 06 | 4 | |
| | P | 3/11/1991 | -275.21 | 0.37 | 676.79 | 01 | 06 | 4 | |
| | P | 3/12/1991 | -275.03 | 0.18 | 676.97 | 01 | 06 | 4 | |
| | P | 3/13/1991 | -275.27 | -0.24 | 676.73 | 01 | 06 | 4 | |
| | P | 3/14/1991 | -275.34 | -0.07 | 676.66 | 01 | 06 | 4 | |
| | P | 3/15/1991 | -275.24 | 0.1 | 676.76 | 01 | 06 | 4 | |
| | P | 3/16/1991 | -274.97 | 0.27 | 677.03 | 01 | 06 | 4 | |
| | P | 3/17/1991 | -275 | -0.03 | 677 | 01 | 06 | 4 | |
| | P | 3/18/1991 | -275.1 | -0.1 | 676.9 | 01 | 06 | 4 | |
| | P | 3/19/1991 | -274.02 | 1.08 | 677.98 | 01 | 06 | 4 | |
| | P | 3/20/1991 | -273.5 | 0.52 | 678.5 | 01 | 06 | 4 | |
| | P | 3/21/1991 | -273.4 | 0.1 | 678.6 | 01 | 06 | 4 | |
| | P | 3/22/1991 | -273.53 | -0.13 | 678.47 | 01 | 06 | 4 | |
| | P | 3/23/1991 | -273.85 | -0.32 | 678.15 | 01 | 06 | 4 | |
| | P | 3/24/1991 | -273.76 | 0.09 | 678.24 | 01 | 06 | 4 | |
| | P | 3/25/1991 | -273.73 | 0.03 | 678.27 | 01 | 06 | 4 | |
| | P | 3/26/1991 | -273.44 | 0.29 | 678.56 | 01 | 06 | 4 | |
| | P | 3/27/1991 | -273.46 | -0.02 | 678.54 | 01 | 06 | 4 | |
| | P | 3/28/1991 | -273.22 | 0.24 | 678.78 | 01 | 06 | 4 | |
| | P | 3/29/1991 | -273.5 | -0.28 | 678.5 | 01 | 06 | 4 | |
| | P | 3/30/1991 | -273.83 | -0.33 | 678.17 | 01 | 06 | 4 | |
| | P | 3/31/1991 | -273.88 | -0.05 | 678.12 | 01 | 06 | 4 | |
| | P | 4/ 1/1991 | -273.7 | 0.18 | 678.3 | 01 | 06 | 4 | |
| | P | 4/ 2/1991 | -273.37 | 0.33 | 678.63 | 01 | 06 | 4 | |
| | P | 4/ 3/1991 | -273.45 | -0.08 | 678.55 | 01 | 06 | 4 | |
| | P | 4/ 4/1991 | -273.5 | -0.05 | 678.5 | 01 | 06 | 4 | |
| | P | 4/ 5/1991 | -271.1 | 2.4 | 680.9 | 01 | 06 | 4 | |
| | P | 4/ 6/1991 | -269.57 | 1.53 | 682.43 | 01 | 06 | 4 | |
| | P | 4/ 7/1991 | -268.85 | 0.72 | 683.15 | 01 | 06 | 4 | |
| | P | 4/ 8/1991 | -268.63 | 0.22 | 683.37 | 01 | 06 | 4 | |
| | P | 4/ 9/1991 | -268.58 | 0.05 | 683.42 | 01 | 06 | 4 | |
| | P | 4/10/1991 | -268.36 | 0.22 | 683.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 11/ 1991 | -268.15 | 0.21 | 683.85 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1991 | -268.12 | 0.03 | 683.88 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1991 | -268.02 | 0.1 | 683.98 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1991 | -267.98 | 0.04 | 684.02 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1991 | -267.82 | 0.16 | 684.18 | 01 | 06 | 4 | |
| | P | 4/ 16/ 1991 | -267.54 | 0.28 | 684.46 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1991 | -267.48 | 0.06 | 684.52 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1991 | -267.93 | -0.45 | 684.07 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1991 | -268.05 | -0.12 | 683.95 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1991 | -268.19 | -0.14 | 683.81 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1991 | -268 | 0.19 | 684 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1991 | -267.95 | 0.05 | 684.05 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1991 | -268.14 | -0.19 | 683.86 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1991 | -268.23 | -0.09 | 683.77 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1991 | -268.2 | 0.03 | 683.8 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1991 | -268.2 | | 683.8 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1991 | -268.24 | -0.04 | 683.76 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1991 | -267.85 | 0.39 | 684.15 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1991 | -267.85 | | 684.15 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1991 | -268.5 | -0.65 | 683.5 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1991 | -268.7 | -0.2 | 683.3 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1991 | -268.42 | 0.28 | 683.58 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1991 | -267.71 | 0.71 | 684.29 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1991 | -266.33 | 1.38 | 685.67 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1991 | -265.78 | 0.55 | 686.22 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1991 | -265.32 | 0.46 | 686.68 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1991 | -265.03 | 0.29 | 686.97 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1991 | -264.83 | 0.2 | 687.17 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1991 | -264.53 | 0.3 | 687.47 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1991 | -264.36 | 0.17 | 687.64 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1991 | -264.28 | 0.08 | 687.72 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1991 | -264.03 | 0.25 | 687.97 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1991 | -263.72 | 0.31 | 688.28 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1991 | -263.44 | 0.28 | 688.56 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1991 | -263.3 | 0.14 | 688.7 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1991 | -263.24 | 0.06 | 688.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/17/1991 | -263.16 | 0.08 | 688.84 | 01 | 06 | 4 | |
| | P | 5/18/1991 | -263.15 | 0.01 | 688.85 | 01 | 06 | 4 | |
| | P | 5/19/1991 | -262.93 | 0.22 | 689.07 | 01 | 06 | 4 | |
| | P | 5/20/1991 | -262.79 | 0.14 | 689.21 | 01 | 06 | 4 | |
| | P | 5/21/1991 | -262.79 | | 689.21 | 01 | 06 | 4 | |
| | P | 5/22/1991 | -262.68 | 0.11 | 689.32 | 01 | 06 | 4 | |
| | P | 5/23/1991 | -262.59 | 0.09 | 689.41 | 01 | 06 | 4 | |
| | P | 5/24/1991 | -262.74 | -0.15 | 689.26 | 01 | 06 | 4 | |
| | P | 5/25/1991 | -262.48 | 0.26 | 689.52 | 01 | 06 | 4 | |
| | P | 5/26/1991 | -262.48 | | 689.52 | 01 | 06 | 4 | |
| | P | 5/27/1991 | -262.6 | -0.12 | 689.4 | 01 | 06 | 4 | |
| | P | 5/28/1991 | -262.55 | 0.05 | 689.45 | 01 | 06 | 4 | |
| | P | 5/29/1991 | -262.51 | 0.04 | 689.49 | 01 | 06 | 4 | |
| | P | 5/30/1991 | -267.42 | -4.91 | 684.58 | 01 | 06 | 4 | |
| | P | 5/31/1991 | -262.55 | 4.87 | 689.45 | 01 | 06 | 4 | |
| | P | 6/ 1/1991 | -262.67 | -0.12 | 689.33 | 01 | 06 | 4 | |
| | P | 6/ 2/1991 | -262.85 | -0.18 | 689.15 | 01 | 06 | 4 | |
| | P | 6/ 3/1991 | -262.9 | -0.05 | 689.1 | 01 | 06 | 4 | |
| | P | 6/ 4/1991 | -262.85 | 0.05 | 689.15 | 01 | 06 | 4 | |
| | P | 6/ 5/1991 | -263.04 | -0.19 | 688.96 | 01 | 06 | 4 | |
| | P | 6/ 6/1991 | -263.15 | -0.11 | 688.85 | 01 | 06 | 4 | |
| | P | 6/ 7/1991 | -263.05 | 0.1 | 688.95 | 01 | 06 | 4 | |
| | P | 6/ 8/1991 | -263 | 0.05 | 689 | 01 | 06 | 4 | |
| | P | 6/ 9/1991 | -262.97 | 0.03 | 689.03 | 01 | 06 | 4 | |
| | P | 6/10/1991 | -262.95 | 0.02 | 689.05 | 01 | 06 | 4 | |
| | P | 6/11/1991 | -262.92 | 0.03 | 689.08 | 01 | 06 | 4 | |
| | P | 6/12/1991 | -262.77 | 0.15 | 689.23 | 01 | 06 | 4 | |
| | P | 6/13/1991 | -262.73 | 0.04 | 689.27 | 01 | 06 | 4 | |
| | P | 6/14/1991 | -262.75 | -0.02 | 689.25 | 01 | 06 | 4 | |
| | P | 6/15/1991 | -262.75 | | 689.25 | 01 | 06 | 4 | |
| | P | 6/16/1991 | -262.76 | -0.01 | 689.24 | 01 | 06 | 4 | |
| | P | 6/17/1991 | -262.77 | -0.01 | 689.23 | 01 | 06 | 4 | |
| | P | 6/18/1991 | -262.77 | | 689.23 | 01 | 06 | 4 | |
| | P | 6/19/1991 | -263.07 | -0.3 | 688.93 | 01 | 06 | 4 | |
| | P | 6/20/1991 | -263.22 | -0.15 | 688.78 | 01 | 06 | 4 | |
| | P | 6/21/1991 | -263.3 | -0.08 | 688.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/22/1991 | -263.4 | -0.1 | 688.6 | 01 | 06 | 4 | |
| | P | 6/23/1991 | -263.05 | 0.35 | 688.95 | 01 | 06 | 4 | |
| | P | 6/24/1991 | -262.42 | 0.63 | 689.58 | 01 | 06 | 4 | |
| | P | 6/25/1991 | -262.02 | 0.4 | 689.98 | 01 | 06 | 4 | |
| | P | 6/26/1991 | -261.88 | 0.14 | 690.12 | 01 | 06 | 4 | |
| | P | 6/27/1991 | -261.95 | -0.07 | 690.05 | 01 | 06 | 4 | |
| | P | 6/28/1991 | -262.1 | -0.15 | 689.9 | 01 | 06 | 4 | |
| | P | 6/29/1991 | -262.2 | -0.1 | 689.8 | 01 | 06 | 4 | |
| | P | 6/30/1991 | -262.14 | 0.06 | 689.86 | 01 | 06 | 4 | |
| | P | 7/ 1/1991 | -262.1 | 0.04 | 689.9 | 01 | 06 | 4 | |
| | P | 7/ 2/1991 | -262.1 | | 689.9 | 01 | 06 | 4 | |
| | P | 7/ 3/1991 | -262.18 | -0.08 | 689.82 | 01 | 06 | 4 | |
| | P | 7/ 4/1991 | -262.18 | | 689.82 | 01 | 06 | 4 | |
| | P | 7/ 5/1991 | -262.18 | | 689.82 | 01 | 06 | 4 | |
| | P | 7/ 6/1991 | -262.19 | -0.01 | 689.81 | 01 | 06 | 4 | |
| | P | 7/ 7/1991 | -262.23 | -0.04 | 689.77 | 01 | 06 | 4 | |
| | P | 7/ 8/1991 | -262.3 | -0.07 | 689.7 | 01 | 06 | 4 | |
| | P | 7/ 9/1991 | -262.17 | 0.13 | 689.83 | 01 | 06 | 4 | |
| | P | 7/10/1991 | -262.12 | 0.05 | 689.88 | 01 | 06 | 4 | |
| | P | 7/11/1991 | -262.2 | -0.08 | 689.8 | 01 | 06 | 4 | |
| | P | 7/12/1991 | -262.37 | -0.17 | 689.63 | 01 | 06 | 4 | |
| | P | 7/13/1991 | -262.5 | -0.13 | 689.5 | 01 | 06 | 4 | |
| | P | 7/14/1991 | -262.65 | -0.15 | 689.35 | 01 | 06 | 4 | |
| | P | 7/15/1991 | -262.67 | -0.02 | 689.33 | 01 | 06 | 4 | |
| | P | 7/16/1991 | -262.77 | -0.1 | 689.23 | 01 | 06 | 4 | |
| | P | 7/17/1991 | -262.65 | 0.12 | 689.35 | 01 | 06 | 4 | |
| | P | 7/18/1991 | -262.51 | 0.14 | 689.49 | 01 | 06 | 4 | |
| | P | 7/19/1991 | -262.56 | -0.05 | 689.44 | 01 | 06 | 4 | |
| | P | 7/20/1991 | -262.7 | -0.14 | 689.3 | 01 | 06 | 4 | |
| | P | 7/21/1991 | -262.9 | -0.2 | 689.1 | 01 | 06 | 4 | |
| | P | 7/22/1991 | -262.8 | 0.1 | 689.2 | 01 | 06 | 4 | |
| | P | 7/23/1991 | -262.65 | 0.15 | 689.35 | 01 | 06 | 4 | |
| | P | 7/24/1991 | -262.6 | 0.05 | 689.4 | 01 | 06 | 4 | |
| | P | 7/25/1991 | -262.67 | -0.07 | 689.33 | 01 | 06 | 4 | |
| | P | 7/26/1991 | -262.83 | -0.16 | 689.17 | 01 | 06 | 4 | |
| | P | 7/27/1991 | -262.93 | -0.1 | 689.07 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/28/1991 | -263.05 | -0.12 | 688.95 | 01 | 06 | 4 | |
| | P | 7/29/1991 | -263.19 | -0.14 | 688.81 | 01 | 06 | 4 | |
| | P | 7/30/1991 | -263.22 | -0.03 | 688.78 | 01 | 06 | 4 | |
| | P | 7/31/1991 | -263.44 | -0.22 | 688.56 | 01 | 06 | 4 | |
| | P | 8/ 1/1991 | -263.61 | -0.17 | 688.39 | 01 | 06 | 4 | |
| | P | 8/ 2/1991 | -263.7 | -0.09 | 688.3 | 01 | 06 | 4 | |
| | P | 8/ 3/1991 | -263.9 | -0.2 | 688.1 | 01 | 06 | 4 | |
| | P | 8/ 4/1991 | -264.07 | -0.17 | 687.93 | 01 | 06 | 4 | |
| | P | 8/ 5/1991 | -264.12 | -0.05 | 687.88 | 01 | 06 | 4 | |
| | P | 8/ 6/1991 | -266.13 | -2.01 | 685.87 | 01 | 06 | 4 | |
| | P | 8/ 7/1991 | -264.32 | 1.81 | 687.68 | 01 | 06 | 4 | |
| | P | 8/ 8/1991 | -264.28 | 0.04 | 687.72 | 01 | 06 | 4 | |
| | P | 8/ 9/1991 | -264.39 | -0.11 | 687.61 | 01 | 06 | 4 | |
| | P | 8/10/1991 | -264.62 | -0.23 | 687.38 | 01 | 06 | 4 | |
| | P | 8/11/1991 | -264.86 | -0.24 | 687.14 | 01 | 06 | 4 | |
| | P | 8/12/1991 | -265.05 | -0.19 | 686.95 | 01 | 06 | 4 | |
| | P | 8/13/1991 | -265.03 | 0.02 | 686.97 | 01 | 06 | 4 | |
| | P | 8/14/1991 | -265.13 | -0.1 | 686.87 | 01 | 06 | 4 | |
| | P | 8/15/1991 | -265.25 | -0.12 | 686.75 | 01 | 06 | 4 | |
| | P | 8/16/1991 | -265.31 | -0.06 | 686.69 | 01 | 06 | 4 | |
| | P | 8/17/1991 | -265.45 | -0.14 | 686.55 | 01 | 06 | 4 | |
| | P | 8/18/1991 | -265.5 | -0.05 | 686.5 | 01 | 06 | 4 | |
| | P | 8/19/1991 | -265.5 | | 686.5 | 01 | 06 | 4 | |
| | P | 8/20/1991 | -265.71 | -0.21 | 686.29 | 01 | 06 | 4 | |
| | P | 8/21/1991 | -265.9 | -0.19 | 686.1 | 01 | 06 | 4 | |
| | P | 8/22/1991 | -265.9 | | 686.1 | 01 | 06 | 4 | |
| | P | 8/23/1991 | -265.75 | 0.15 | 686.25 | 01 | 06 | 4 | |
| | P | 8/24/1991 | -265.75 | | 686.25 | 01 | 06 | 4 | |
| | P | 8/25/1991 | -265.75 | | 686.25 | 01 | 06 | 4 | |
| | P | 8/26/1991 | -265.76 | -0.01 | 686.24 | 01 | 06 | 4 | |
| | P | 8/27/1991 | -265.77 | -0.01 | 686.23 | 01 | 06 | 4 | |
| | P | 8/28/1991 | -265.92 | -0.15 | 686.08 | 01 | 06 | 4 | |
| | P | 8/29/1991 | -266.08 | -0.16 | 685.92 | 01 | 06 | 4 | |
| | P | 8/30/1991 | -266.17 | -0.09 | 685.83 | 01 | 06 | 4 | |
| | P | 8/31/1991 | -266.17 | | 685.83 | 01 | 06 | 4 | |
| | P | 9/ 1/1991 | -266.22 | -0.05 | 685.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 2/1991 | -266.3 | -0.08 | 685.7 | 01 | 06 | 4 | |
| | P | 9/ 3/1991 | -266.17 | 0.13 | 685.83 | 01 | 06 | 4 | |
| | P | 9/ 4/1991 | -266.1 | 0.07 | 685.9 | 01 | 06 | 4 | |
| | P | 9/ 5/1991 | -266.11 | -0.01 | 685.89 | 01 | 06 | 4 | |
| | P | 9/ 6/1991 | -266.2 | -0.09 | 685.8 | 01 | 06 | 4 | |
| | P | 9/ 7/1991 | -266.3 | -0.1 | 685.7 | 01 | 06 | 4 | |
| | P | 9/ 8/1991 | -266.3 | | 685.7 | 01 | 06 | 4 | |
| | P | 9/ 9/1991 | -266.4 | -0.1 | 685.6 | 01 | 06 | 4 | |
| | P | 9/10/1991 | -266.57 | -0.17 | 685.43 | 01 | 06 | 4 | |
| | P | 9/11/1991 | -266.65 | -0.08 | 685.35 | 01 | 06 | 4 | |
| | P | 9/12/1991 | -266.6 | 0.05 | 685.4 | 01 | 06 | 4 | |
| | P | 9/13/1991 | -266.55 | 0.05 | 685.45 | 01 | 06 | 4 | |
| | P | 9/14/1991 | -266.55 | | 685.45 | 01 | 06 | 4 | |
| | P | 9/15/1991 | -266.57 | -0.02 | 685.43 | 01 | 06 | 4 | |
| | P | 9/16/1991 | -266.65 | -0.08 | 685.35 | 01 | 06 | 4 | |
| | P | 9/17/1991 | -266.58 | 0.07 | 685.42 | 01 | 06 | 4 | |
| | P | 9/18/1991 | -266.6 | -0.02 | 685.4 | 01 | 06 | 4 | |
| | P | 9/19/1991 | -266.75 | -0.15 | 685.25 | 01 | 06 | 4 | |
| | P | 9/20/1991 | -266.8 | -0.05 | 685.2 | 01 | 06 | 4 | |
| | P | 9/21/1991 | -266.73 | 0.07 | 685.27 | 01 | 06 | 4 | |
| | P | 9/22/1991 | -266.72 | 0.01 | 685.28 | 01 | 06 | 4 | |
| | P | 9/23/1991 | -266.83 | -0.11 | 685.17 | 01 | 06 | 4 | |
| | P | 9/24/1991 | -266.67 | 0.16 | 685.33 | 01 | 06 | 4 | |
| | P | 9/25/1991 | -266.75 | -0.08 | 685.25 | 01 | 06 | 4 | |
| | P | 9/26/1991 | -266.77 | -0.02 | 685.23 | 01 | 06 | 4 | |
| | P | 9/27/1991 | -266.84 | -0.07 | 685.16 | 01 | 06 | 4 | |
| | P | 9/28/1991 | -266.95 | -0.11 | 685.05 | 01 | 06 | 4 | |
| | P | 9/29/1991 | -267.14 | -0.19 | 684.86 | 01 | 06 | 4 | |
| | P | 9/30/1991 | -267.19 | -0.05 | 684.81 | 01 | 06 | 4 | |
| | P | 10/ 1/1991 | -267.11 | 0.08 | 684.89 | 01 | 06 | 4 | |
| | P | 10/ 2/1991 | -267.12 | -0.01 | 684.88 | 01 | 06 | 4 | |
| | P | 10/ 3/1991 | -267.19 | -0.07 | 684.81 | 01 | 06 | 4 | |
| | P | 10/ 4/1991 | -267.23 | -0.04 | 684.77 | 01 | 06 | 4 | |
| | P | 10/ 5/1991 | -267.43 | -0.2 | 684.57 | 01 | 06 | 4 | |
| | P | 10/ 6/1991 | -267.7 | -0.27 | 684.3 | 01 | 06 | 4 | |
| | P | 10/ 7/1991 | -267.77 | -0.07 | 684.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 8 / 1991 | -267.76 | 0.01 | 684.24 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1991 | -267.93 | -0.17 | 684.07 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1991 | -268.22 | -0.29 | 683.78 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1991 | -268.22 | | 683.78 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1991 | -268.23 | -0.01 | 683.77 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1991 | -268.46 | -0.23 | 683.54 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1991 | -268.55 | -0.09 | 683.45 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1991 | -268.76 | -0.21 | 683.24 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1991 | -268.81 | -0.05 | 683.19 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1991 | -268.93 | -0.12 | 683.07 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1991 | -269.06 | -0.13 | 682.94 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1991 | -269.18 | -0.12 | 682.82 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1991 | -269.16 | 0.02 | 682.84 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1991 | -269.25 | -0.09 | 682.75 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1991 | -269.27 | -0.02 | 682.73 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1991 | -269.33 | -0.06 | 682.67 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1991 | -269.41 | -0.08 | 682.59 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1991 | -269.48 | -0.07 | 682.52 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1991 | -269.53 | -0.05 | 682.47 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1991 | -269.5 | 0.03 | 682.5 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1991 | -269.49 | 0.01 | 682.51 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1991 | -269.52 | -0.03 | 682.48 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1991 | -269.65 | -0.13 | 682.35 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1991 | -269.56 | 0.09 | 682.44 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1991 | -269.7 | -0.14 | 682.3 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1991 | -269.83 | -0.13 | 682.17 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1991 | -269.99 | -0.16 | 682.01 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1991 | -269.85 | 0.14 | 682.15 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1991 | -269.66 | 0.19 | 682.34 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1991 | -269.65 | 0.01 | 682.35 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1991 | -269.65 | | 682.35 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1991 | -270.05 | -0.4 | 681.95 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1991 | -269.9 | 0.15 | 682.1 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1991 | -269.83 | 0.07 | 682.17 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1991 | -270 | -0.17 | 682 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1991 | -270.14 | -0.14 | 681.86 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 13/ 1991 | -270 | 0.14 | 682 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1991 | -269.9 | 0.1 | 682.1 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1991 | -270 | -0.1 | 682 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1991 | -270 | | 682 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1991 | -270 | | 682 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1991 | -269.91 | 0.09 | 682.09 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1991 | -269.9 | 0.01 | 682.1 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1991 | -270.33 | -0.43 | 681.67 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1991 | -270.21 | 0.12 | 681.79 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1991 | -270.17 | 0.04 | 681.83 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1991 | -270.46 | -0.29 | 681.54 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1991 | -270.46 | | 681.54 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1991 | -270.51 | -0.05 | 681.49 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1991 | -270.45 | 0.06 | 681.55 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1991 | -270.48 | -0.03 | 681.52 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1991 | -270.36 | 0.12 | 681.64 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1991 | -270.3 | 0.06 | 681.7 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1991 | -270.37 | -0.07 | 681.63 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1991 | -270.56 | -0.19 | 681.44 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1991 | -270.55 | 0.01 | 681.45 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1991 | -270.61 | -0.06 | 681.39 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1991 | -270.98 | -0.37 | 681.02 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1991 | -270.67 | 0.31 | 681.33 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1991 | -270.65 | 0.02 | 681.35 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1991 | -270.6 | 0.05 | 681.4 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1991 | -270.6 | | 681.4 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1991 | -270.73 | -0.13 | 681.27 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1991 | -270.7 | 0.03 | 681.3 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1991 | -270.57 | 0.13 | 681.43 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1991 | -270.58 | -0.01 | 681.42 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1991 | -270.72 | -0.14 | 681.28 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1991 | -270.87 | -0.15 | 681.13 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1991 | -271.03 | -0.16 | 680.97 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1991 | -270.92 | 0.11 | 681.08 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1991 | -270.8 | 0.12 | 681.2 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1991 | -270.77 | 0.03 | 681.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/19/1991 | -267.45 | 3.32 | 684.55 | 01 | 06 | 4 | |
| | P | 12/20/1991 | -265.25 | 2.2 | 686.75 | 01 | 06 | 4 | |
| | P | 12/21/1991 | -263.1 | 2.15 | 688.9 | 01 | 06 | 4 | |
| | P | 12/22/1991 | -262.2 | 0.9 | 689.8 | 01 | 06 | 4 | |
| | P | 12/23/1991 | -262 | 0.2 | 690 | 01 | 06 | 4 | |
| | P | 12/24/1991 | -262.1 | -0.1 | 689.9 | 01 | 06 | 4 | |
| | P | 12/25/1991 | -262.18 | -0.08 | 689.82 | 01 | 06 | 4 | |
| | P | 12/26/1991 | -262.18 | | 689.82 | 01 | 06 | 4 | |
| | P | 12/27/1991 | -262.13 | 0.05 | 689.87 | 01 | 06 | 4 | |
| | P | 12/28/1991 | -261.78 | 0.35 | 690.22 | 01 | 06 | 4 | |
| | P | 12/29/1991 | -261.46 | 0.32 | 690.54 | 01 | 06 | 4 | |
| | P | 12/30/1991 | -261.3 | 0.16 | 690.7 | 01 | 06 | 4 | |
| | P | 12/31/1991 | -260.94 | 0.36 | 691.06 | 01 | 06 | 4 | |
| | P | 1/ 1/1992 | -260.52 | 0.42 | 691.48 | 01 | 06 | 4 | |
| | P | 1/ 2/1992 | -260.23 | 0.29 | 691.77 | 01 | 06 | 4 | |
| | P | 1/ 3/1992 | -259.86 | 0.37 | 692.14 | 01 | 06 | 4 | |
| | P | 1/ 4/1992 | -259.67 | 0.19 | 692.33 | 01 | 06 | 4 | |
| | P | 1/ 5/1992 | -259.3 | 0.37 | 692.7 | 01 | 06 | 4 | |
| | P | 1/ 6/1992 | -258.9 | 0.4 | 693.1 | 01 | 06 | 4 | |
| | P | 1/ 7/1992 | -258.53 | 0.37 | 693.47 | 01 | 06 | 4 | |
| | P | 1/ 8/1992 | -258.42 | 0.11 | 693.58 | 01 | 06 | 4 | |
| | P | 1/ 9/1992 | -257.66 | 0.76 | 694.34 | 01 | 06 | 4 | |
| | P | 1/10/1992 | -257.65 | 0.01 | 694.35 | 01 | 06 | 4 | |
| | P | 1/11/1992 | -257.35 | 0.3 | 694.65 | 01 | 06 | 4 | |
| | P | 1/12/1992 | -257 | 0.35 | 695 | 01 | 06 | 4 | |
| | P | 1/13/1992 | -256.97 | 0.03 | 695.03 | 01 | 06 | 4 | |
| | P | 1/14/1992 | -256.93 | 0.04 | 695.07 | 01 | 06 | 4 | |
| | P | 1/15/1992 | -256.83 | 0.1 | 695.17 | 01 | 04 | 1 | |
| | P | 1/16/1992 | -256.67 | 0.16 | 695.33 | 01 | 06 | 4 | |
| | P | 1/17/1992 | -256.23 | 0.44 | 695.77 | 01 | 06 | 4 | |
| | P | 1/18/1992 | -255.95 | 0.28 | 696.05 | 01 | 06 | 4 | |
| | P | 1/19/1992 | -256.11 | -0.16 | 695.89 | 01 | 06 | 4 | |
| | P | 1/20/1992 | -255.78 | 0.33 | 696.22 | 01 | 06 | 4 | |
| | P | 1/21/1992 | -255.12 | 0.66 | 696.88 | 01 | 06 | 4 | |
| | P | 1/22/1992 | -254.77 | 0.35 | 697.23 | 01 | 06 | 4 | |
| | P | 1/23/1992 | -254.88 | -0.11 | 697.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 24/ 1992 | -254.65 | 0.23 | 697.35 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1992 | -254.42 | 0.23 | 697.58 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1992 | -253.4 | 1.02 | 698.6 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1992 | -252.5 | 0.9 | 699.5 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1992 | -252.03 | 0.47 | 699.97 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1992 | -251.81 | 0.22 | 700.19 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1992 | -251.5 | 0.31 | 700.5 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1992 | -251.26 | 0.24 | 700.74 | 01 | 04 | 1 | |
| | P | 2/ 1/ 1992 | -250.95 | 0.31 | 701.05 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1992 | -250.53 | 0.42 | 701.47 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1992 | -249.3 | 1.23 | 702.7 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1992 | -248.1 | 1.2 | 703.9 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1992 | -247.63 | 0.47 | 704.37 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1992 | -247.22 | 0.41 | 704.78 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1992 | -247.05 | 0.17 | 704.95 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1992 | -246.93 | 0.12 | 705.07 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1992 | -246.7 | 0.23 | 705.3 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1992 | -246.45 | 0.25 | 705.55 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1992 | -246.22 | 0.23 | 705.78 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1992 | -245.85 | 0.37 | 706.15 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1992 | -245.53 | 0.32 | 706.47 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1992 | -245.23 | 0.3 | 706.77 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1992 | -245.14 | 0.09 | 706.86 | 01 | 04 | 1 | |
| | P | 2/ 16/ 1992 | -244.63 | 0.51 | 707.37 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1992 | -244.47 | 0.16 | 707.53 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1992 | -244.4 | 0.07 | 707.6 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1992 | -244.35 | 0.05 | 707.65 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1992 | -244.05 | 0.3 | 707.95 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1992 | -243.7 | 0.35 | 708.3 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1992 | -243.23 | 0.47 | 708.77 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1992 | -242.93 | 0.3 | 709.07 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1992 | -242.6 | 0.33 | 709.4 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1992 | -242.38 | 0.22 | 709.62 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1992 | -241.98 | 0.4 | 710.02 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1992 | -241.6 | 0.38 | 710.4 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1992 | -241.27 | 0.33 | 710.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/29/1992 | -241.08 | 0.19 | 710.92 | 01 | 04 | 1 | |
| | P | 3/ 1/1992 | -240.81 | 0.27 | 711.19 | 01 | 06 | 4 | |
| | P | 3/ 2/1992 | -240.52 | 0.29 | 711.48 | 01 | 06 | 4 | |
| | P | 3/ 3/1992 | -240 | 0.52 | 712 | 01 | 06 | 4 | |
| | P | 3/ 4/1992 | -238.25 | 1.75 | 713.75 | 01 | 06 | 4 | |
| | P | 3/ 5/1992 | -237.42 | 0.83 | 714.58 | 01 | 06 | 4 | |
| | P | 3/ 6/1992 | -237.06 | 0.36 | 714.94 | 01 | 06 | 4 | |
| | P | 3/ 7/1992 | -236.78 | 0.28 | 715.22 | 01 | 06 | 4 | |
| | P | 3/ 8/1992 | -236.85 | -0.07 | 715.15 | 01 | 06 | 4 | |
| | P | 3/ 9/1992 | -236.17 | 0.68 | 715.83 | 01 | 06 | 4 | |
| | P | 3/10/1992 | -236.25 | -0.08 | 715.75 | 01 | 06 | 4 | |
| | P | 3/11/1992 | -235.9 | 0.35 | 716.1 | 01 | 06 | 4 | |
| | P | 3/12/1992 | -235.65 | 0.25 | 716.35 | 01 | 06 | 4 | |
| | P | 3/13/1992 | -235.45 | 0.2 | 716.55 | 01 | 06 | 4 | |
| | P | 3/14/1992 | -235.18 | 0.27 | 716.82 | 01 | 06 | 4 | |
| | P | 3/15/1992 | -234.94 | 0.24 | 717.06 | 01 | 04 | 1 | |
| | P | 3/16/1992 | -234.61 | 0.33 | 717.39 | 01 | 06 | 4 | |
| | P | 3/17/1992 | -234.16 | 0.45 | 717.84 | 01 | 06 | 4 | |
| | P | 3/18/1992 | -234.01 | 0.15 | 717.99 | 01 | 06 | 4 | |
| | P | 3/19/1992 | -234.11 | -0.1 | 717.89 | 01 | 06 | 4 | |
| | P | 3/20/1992 | -233.95 | 0.16 | 718.05 | 01 | 06 | 4 | |
| | P | 3/21/1992 | -233.36 | 0.59 | 718.64 | 01 | 06 | 4 | |
| | P | 3/22/1992 | -233.21 | 0.15 | 718.79 | 01 | 06 | 4 | |
| | P | 3/23/1992 | -233.21 | | 718.79 | 01 | 06 | 4 | |
| | P | 3/24/1992 | -232.99 | 0.22 | 719.01 | 01 | 06 | 4 | |
| | P | 3/25/1992 | -232.91 | 0.08 | 719.09 | 01 | 06 | 4 | |
| | P | 3/26/1992 | -232.74 | 0.17 | 719.26 | 01 | 06 | 4 | |
| | P | 3/27/1992 | -232.39 | 0.35 | 719.61 | 01 | 06 | 4 | |
| | P | 3/28/1992 | -232.01 | 0.38 | 719.99 | 01 | 06 | 4 | |
| | P | 3/29/1992 | -231.65 | 0.36 | 720.35 | 01 | 06 | 4 | |
| | P | 3/30/1992 | -231.08 | 0.57 | 720.92 | 01 | 06 | 4 | |
| | P | 3/31/1992 | -230.56 | 0.52 | 721.44 | 01 | 04 | 1 | |
| | P | 4/ 1/1992 | -230.4 | 0.16 | 721.6 | 01 | 06 | 4 | |
| | P | 4/ 2/1992 | -230.15 | 0.25 | 721.85 | 01 | 06 | 4 | |
| | P | 4/ 3/1992 | -229.85 | 0.3 | 722.15 | 01 | 06 | 4 | |
| | P | 4/ 4/1992 | -229.57 | 0.28 | 722.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 5/1992 | -229.3 | 0.27 | 722.7 | 01 | 06 | 4 | |
| | P | 4/ 6/1992 | -229.15 | 0.15 | 722.85 | 01 | 06 | 4 | |
| | P | 4/ 7/1992 | -228.88 | 0.27 | 723.12 | 01 | 06 | 4 | |
| | P | 4/ 8/1992 | -228.64 | 0.24 | 723.36 | 01 | 06 | 4 | |
| | P | 4/ 9/1992 | -228.4 | 0.24 | 723.6 | 01 | 06 | 4 | |
| | P | 4/10/1992 | -228.15 | 0.25 | 723.85 | 01 | 06 | 4 | |
| | P | 4/11/1992 | -228.03 | 0.12 | 723.97 | 01 | 06 | 4 | |
| | P | 4/12/1992 | -227.93 | 0.1 | 724.07 | 01 | 06 | 4 | |
| | P | 4/13/1992 | -227.72 | 0.21 | 724.28 | 01 | 06 | 4 | |
| | P | 4/14/1992 | -227.37 | 0.35 | 724.63 | 01 | 06 | 4 | |
| | P | 4/15/1992 | -227.11 | 0.26 | 724.89 | 01 | 04 | 1 | |
| | P | 4/16/1992 | -226.87 | 0.24 | 725.13 | 01 | 06 | 4 | |
| | P | 4/17/1992 | -226.47 | 0.4 | 725.53 | 01 | 06 | 4 | |
| | P | 4/18/1992 | -225.98 | 0.49 | 726.02 | 01 | 06 | 4 | |
| | P | 4/19/1992 | -225.81 | 0.17 | 726.19 | 01 | 06 | 4 | |
| | P | 4/20/1992 | -225.85 | -0.04 | 726.15 | 01 | 06 | 4 | |
| | P | 4/21/1992 | -225.68 | 0.17 | 726.32 | 01 | 06 | 4 | |
| | P | 4/22/1992 | -225.65 | 0.03 | 726.35 | 01 | 06 | 4 | |
| | P | 4/23/1992 | -225.47 | 0.18 | 726.53 | 01 | 06 | 4 | |
| | P | 4/24/1992 | -225.25 | 0.22 | 726.75 | 01 | 06 | 4 | |
| | P | 4/25/1992 | -225.17 | 0.08 | 726.83 | 01 | 06 | 4 | |
| | P | 4/26/1992 | -225.01 | 0.16 | 726.99 | 01 | 06 | 4 | |
| | P | 4/27/1992 | -224.72 | 0.29 | 727.28 | 01 | 06 | 4 | |
| | P | 4/28/1992 | -224.32 | 0.4 | 727.68 | 01 | 06 | 4 | |
| | P | 4/29/1992 | -224.23 | 0.09 | 727.77 | 01 | 06 | 4 | |
| | P | 4/30/1992 | -224.18 | 0.05 | 727.82 | 01 | 04 | 1 | |
| | P | 5/ 1/1992 | -224.08 | 0.1 | 727.92 | 01 | 06 | 4 | |
| | P | 5/ 2/1992 | -224.03 | 0.05 | 727.97 | 01 | 06 | 4 | |
| | P | 5/ 3/1992 | -223.94 | 0.09 | 728.06 | 01 | 06 | 4 | |
| | P | 5/ 4/1992 | -223.57 | 0.37 | 728.43 | 01 | 06 | 4 | |
| | P | 5/ 5/1992 | -223.4 | 0.17 | 728.6 | 01 | 06 | 4 | |
| | P | 5/ 6/1992 | -223.4 | | 728.6 | 01 | 06 | 4 | |
| | P | 5/ 7/1992 | -223.25 | 0.15 | 728.75 | 01 | 06 | 4 | |
| | P | 5/ 8/1992 | -222.95 | 0.3 | 729.05 | 01 | 06 | 4 | |
| | P | 5/ 9/1992 | -222.77 | 0.18 | 729.23 | 01 | 06 | 4 | |
| | P | 5/10/1992 | -222.7 | 0.07 | 729.3 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 11/ 1992 | -222.57 | 0.13 | 729.43 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1992 | -222.45 | 0.12 | 729.55 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1992 | -222.45 | | 729.55 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1992 | -222.27 | 0.18 | 729.73 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1992 | -222 | 0.27 | 730 | 01 | 04 | 1 | |
| | P | 5/ 16/ 1992 | -221.77 | 0.23 | 730.23 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1992 | -221.65 | 0.12 | 730.35 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1992 | -220.6 | 1.05 | 731.4 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1992 | -219.6 | 1 | 732.4 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1992 | -219.33 | 0.27 | 732.67 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1992 | -219.1 | 0.23 | 732.9 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1992 | -218.1 | 1 | 733.9 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1992 | -217.65 | 0.45 | 734.35 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1992 | -217.4 | 0.25 | 734.6 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1992 | -217.2 | 0.2 | 734.8 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1992 | -217 | 0.2 | 735 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1992 | -216.8 | 0.2 | 735.2 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1992 | -216.6 | 0.2 | 735.4 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1992 | -216.53 | 0.07 | 735.47 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1992 | -216.39 | 0.14 | 735.61 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1992 | -216.03 | 0.36 | 735.97 | 01 | 04 | 1 | |
| | P | 6/ 1/ 1992 | -215.68 | 0.35 | 736.32 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1992 | -215.3 | 0.38 | 736.7 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1992 | -214.94 | 0.36 | 737.06 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1992 | -214.75 | 0.19 | 737.25 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1992 | -214.45 | 0.3 | 737.55 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1992 | -214.34 | 0.11 | 737.66 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1992 | -214.14 | 0.2 | 737.86 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1992 | -213.9 | 0.24 | 738.1 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1992 | -213.42 | 0.48 | 738.58 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1992 | -212.97 | 0.45 | 739.03 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1992 | -212.6 | 0.37 | 739.4 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1992 | -212.25 | 0.35 | 739.75 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1992 | -211.87 | 0.38 | 740.13 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1992 | -211.57 | 0.3 | 740.43 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1992 | -211.44 | 0.13 | 740.56 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/16/1992 | -211.3 | 0.14 | 740.7 | 01 | 06 | 4 | |
| | P | 6/17/1992 | -211.11 | 0.19 | 740.89 | 01 | 06 | 4 | |
| | P | 6/18/1992 | -210.96 | 0.15 | 741.04 | 01 | 06 | 4 | |
| | P | 6/19/1992 | -210.7 | 0.26 | 741.3 | 01 | 06 | 4 | |
| | P | 6/20/1992 | -210.58 | 0.12 | 741.42 | 01 | 06 | 4 | |
| | P | 6/21/1992 | -210.5 | 0.08 | 741.5 | 01 | 06 | 4 | |
| | P | 6/22/1992 | -210.31 | 0.19 | 741.69 | 01 | 06 | 4 | |
| | P | 6/23/1992 | -210.03 | 0.28 | 741.97 | 01 | 06 | 4 | |
| | P | 6/24/1992 | -209.93 | 0.1 | 742.07 | 01 | 06 | 4 | |
| | P | 6/25/1992 | -209.97 | -0.04 | 742.03 | 01 | 06 | 4 | |
| | P | 6/26/1992 | -209.66 | 0.31 | 742.34 | 01 | 06 | 4 | |
| | P | 6/27/1992 | -209.43 | 0.23 | 742.57 | 01 | 06 | 4 | |
| | P | 6/28/1992 | -209.03 | 0.4 | 742.97 | 01 | 06 | 4 | |
| | P | 6/29/1992 | -209.1 | -0.07 | 742.9 | 01 | 06 | 4 | |
| | P | 6/30/1992 | -209.1 | | 742.9 | 01 | 04 | 1 | |
| | P | 7/ 1/1992 | -209.1 | | 742.9 | 01 | 06 | 4 | |
| | P | 7/ 2/1992 | -209.14 | -0.04 | 742.86 | 01 | 06 | 4 | |
| | P | 7/ 3/1992 | -209.2 | -0.06 | 742.8 | 01 | 06 | 4 | |
| | P | 7/ 4/1992 | -209.1 | 0.1 | 742.9 | 01 | 06 | 4 | |
| | P | 7/ 5/1992 | -208.82 | 0.28 | 743.18 | 01 | 06 | 4 | |
| | P | 7/ 6/1992 | -208.83 | -0.01 | 743.17 | 01 | 06 | 4 | |
| | P | 7/ 7/1992 | -208.77 | 0.06 | 743.23 | 01 | 06 | 4 | |
| | P | 7/ 8/1992 | -208.64 | 0.13 | 743.36 | 01 | 06 | 4 | |
| | P | 7/ 9/1992 | -208.5 | 0.14 | 743.5 | 01 | 06 | 4 | |
| | P | 7/10/1992 | -208.39 | 0.11 | 743.61 | 01 | 06 | 4 | |
| | P | 7/11/1992 | -208.26 | 0.13 | 743.74 | 01 | 06 | 4 | |
| | P | 7/12/1992 | -208.17 | 0.09 | 743.83 | 01 | 06 | 4 | |
| | P | 7/13/1992 | -208.03 | 0.14 | 743.97 | 01 | 06 | 4 | |
| | P | 7/14/1992 | -207.93 | 0.1 | 744.07 | 01 | 06 | 4 | |
| | P | 7/15/1992 | -207.82 | 0.11 | 744.18 | 01 | 04 | 1 | |
| | P | 7/16/1992 | -207.75 | 0.07 | 744.25 | 01 | 06 | 4 | |
| | P | 7/17/1992 | -207.82 | -0.07 | 744.18 | 01 | 06 | 4 | |
| | P | 7/18/1992 | -207.78 | 0.04 | 744.22 | 01 | 06 | 4 | |
| | P | 7/19/1992 | -207.45 | 0.33 | 744.55 | 01 | 06 | 4 | |
| | P | 7/20/1992 | -207.24 | 0.21 | 744.76 | 01 | 06 | 4 | |
| | P | 7/21/1992 | -207.15 | 0.09 | 744.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/22/1992 | -206.63 | 0.52 | 745.37 | 01 | 06 | 4 | |
| | P | 7/23/1992 | -206.59 | 0.04 | 745.41 | 01 | 06 | 4 | |
| | P | 7/24/1992 | -206.26 | 0.33 | 745.74 | 01 | 06 | 4 | |
| | P | 7/25/1992 | -206.57 | -0.31 | 745.43 | 01 | 06 | 4 | |
| | P | 7/26/1992 | -206.47 | 0.1 | 745.53 | 01 | 06 | 4 | |
| | P | 7/27/1992 | -206.46 | 0.01 | 745.54 | 01 | 06 | 4 | |
| | P | 7/28/1992 | -206.36 | 0.1 | 745.64 | 01 | 06 | 4 | |
| | P | 7/29/1992 | -206.24 | 0.12 | 745.76 | 01 | 06 | 4 | |
| | P | 7/30/1992 | -206.34 | -0.1 | 745.66 | 01 | 04 | 1 | |
| | P | 7/31/1992 | -206.34 | | 745.66 | 01 | 06 | 4 | |
| | P | 8/ 1/1992 | -206.34 | | 745.66 | 01 | 06 | 4 | |
| | P | 8/ 2/1992 | -206.24 | 0.1 | 745.76 | 01 | 06 | 4 | |
| | P | 8/ 3/1992 | -205.83 | 0.41 | 746.17 | 01 | 06 | 4 | |
| | P | 8/ 4/1992 | -205.67 | 0.16 | 746.33 | 01 | 06 | 4 | |
| | P | 8/ 5/1992 | -205.66 | 0.01 | 746.34 | 01 | 06 | 4 | |
| | P | 8/ 6/1992 | -205.65 | 0.01 | 746.35 | 01 | 06 | 4 | |
| | P | 8/ 7/1992 | -205.69 | -0.04 | 746.31 | 01 | 06 | 4 | |
| | P | 8/ 8/1992 | -205.66 | 0.03 | 746.34 | 01 | 06 | 4 | |
| | P | 8/ 9/1992 | -205.65 | 0.01 | 746.35 | 01 | 06 | 4 | |
| | P | 8/10/1992 | -205.56 | 0.09 | 746.44 | 01 | 06 | 4 | |
| | P | 8/11/1992 | -205.56 | | 746.44 | 01 | 06 | 4 | |
| | P | 8/12/1992 | -205.44 | 0.12 | 746.56 | 01 | 06 | 4 | |
| | P | 8/13/1992 | -205.41 | 0.03 | 746.59 | 01 | 06 | 4 | |
| | P | 9/11/1992 | -205.21 | 0.2 | 746.79 | 01 | 06 | 4 | |
| | P | 9/12/1992 | -205.15 | 0.06 | 746.85 | 01 | 06 | 4 | |
| | P | 9/13/1992 | -205.05 | 0.1 | 746.95 | 01 | 06 | 4 | |
| | P | 9/14/1992 | -205.04 | 0.01 | 746.96 | 01 | 06 | 4 | |
| | P | 9/15/1992 | -205.07 | -0.03 | 746.93 | 01 | 04 | 1 | |
| | P | 9/16/1992 | -205.05 | 0.02 | 746.95 | 01 | 06 | 4 | |
| | P | 9/17/1992 | -205 | 0.05 | 747 | 01 | 06 | 4 | |
| | P | 9/18/1992 | -205.01 | -0.01 | 746.99 | 01 | 06 | 4 | |
| | P | 9/19/1992 | -205.06 | -0.05 | 746.94 | 01 | 06 | 4 | |
| | P | 9/20/1992 | -205.03 | 0.03 | 746.97 | 01 | 06 | 4 | |
| | P | 9/21/1992 | -205.04 | -0.01 | 746.96 | 01 | 06 | 4 | |
| | P | 9/22/1992 | -205.15 | -0.11 | 746.85 | 01 | 06 | 4 | |
| | P | 9/23/1992 | -205.43 | -0.28 | 746.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/24/1992 | -205.42 | 0.01 | 746.58 | 01 | 06 | 4 | |
| | P | 9/25/1992 | -205.36 | 0.06 | 746.64 | 01 | 06 | 4 | |
| | P | 9/26/1992 | -205.41 | -0.05 | 746.59 | 01 | 06 | 4 | |
| | P | 9/27/1992 | -205.65 | -0.24 | 746.35 | 01 | 06 | 4 | |
| | P | 9/28/1992 | -205.72 | -0.07 | 746.28 | 01 | 06 | 4 | |
| | P | 9/29/1992 | -205.86 | -0.14 | 746.14 | 01 | 06 | 4 | |
| | P | 9/30/1992 | -205.88 | -0.02 | 746.12 | 01 | 04 | 1 | |
| | P | 10/ 1/1992 | -205.83 | 0.05 | 746.17 | 01 | 06 | 4 | |
| | P | 10/ 2/1992 | -205.83 | | 746.17 | 01 | 06 | 4 | |
| | P | 10/ 3/1992 | -205.85 | -0.02 | 746.15 | 01 | 06 | 4 | |
| | P | 10/ 4/1992 | -205.95 | -0.1 | 746.05 | 01 | 06 | 4 | |
| | P | 10/ 5/1992 | -206.14 | -0.19 | 745.86 | 01 | 06 | 4 | |
| | P | 10/ 6/1992 | -206.24 | -0.1 | 745.76 | 01 | 06 | 4 | |
| | P | 10/ 7/1992 | -206.08 | 0.16 | 745.92 | 01 | 06 | 4 | |
| | P | 10/ 8/1992 | -206.25 | -0.17 | 745.75 | 01 | 06 | 4 | |
| | P | 10/ 9/1992 | -206.29 | -0.04 | 745.71 | 01 | 06 | 4 | |
| | P | 10/10/1992 | -206.3 | -0.01 | 745.7 | 01 | 06 | 4 | |
| | P | 10/11/1992 | -206.57 | -0.27 | 745.43 | 01 | 06 | 4 | |
| | P | 10/12/1992 | -206.68 | -0.11 | 745.32 | 01 | 06 | 4 | |
| | P | 10/13/1992 | -206.67 | 0.01 | 745.33 | 01 | 06 | 4 | |
| | P | 10/14/1992 | -206.74 | -0.07 | 745.26 | 01 | 06 | 4 | |
| | P | 10/15/1992 | -206.8 | -0.06 | 745.2 | 01 | 04 | 1 | |
| | P | 10/16/1992 | -206.62 | 0.18 | 745.38 | 01 | 06 | 4 | |
| | P | 10/17/1992 | -206.99 | -0.37 | 745.01 | 01 | 06 | 4 | |
| | P | 10/18/1992 | -207.15 | -0.16 | 744.85 | 01 | 06 | 4 | |
| | P | 10/19/1992 | -207.27 | -0.12 | 744.73 | 01 | 06 | 4 | |
| | P | 10/20/1992 | -207.24 | 0.03 | 744.76 | 01 | 06 | 4 | |
| | P | 10/21/1992 | -207.43 | -0.19 | 744.57 | 01 | 06 | 4 | |
| | P | 10/22/1992 | -207.65 | -0.22 | 744.35 | 01 | 06 | 4 | |
| | P | 10/23/1992 | -207.76 | -0.11 | 744.24 | 01 | 06 | 4 | |
| | P | 10/24/1992 | -207.76 | | 744.24 | 01 | 06 | 4 | |
| | P | 10/25/1992 | -207.74 | 0.02 | 744.26 | 01 | 06 | 4 | |
| | P | 10/26/1992 | -207.83 | -0.09 | 744.17 | 01 | 06 | 4 | |
| | P | 10/27/1992 | -207.92 | -0.09 | 744.08 | 01 | 06 | 4 | |
| | P | 10/28/1992 | -208 | -0.08 | 744 | 01 | 06 | 4 | |
| | P | 10/29/1992 | -208.01 | -0.01 | 743.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/30/1992 | -208.05 | -0.04 | 743.95 | 01 | 04 | 1 | |
| | P | 10/31/1992 | -208.1 | -0.05 | 743.9 | 01 | 06 | 4 | |
| | P | 11/ 1/1992 | -208.1 | | 743.9 | 01 | 06 | 4 | |
| | P | 11/ 2/1992 | -208.1 | | 743.9 | 01 | 06 | 4 | |
| | P | 11/ 3/1992 | -208.12 | -0.02 | 743.88 | 01 | 06 | 4 | |
| | P | 11/ 4/1992 | -208.51 | -0.39 | 743.49 | 01 | 06 | 4 | |
| | P | 11/ 5/1992 | -208.7 | -0.19 | 743.3 | 01 | 06 | 4 | |
| | P | 11/ 6/1992 | -208.6 | 0.1 | 743.4 | 01 | 06 | 4 | |
| | P | 11/ 7/1992 | -208.32 | 0.28 | 743.68 | 01 | 06 | 4 | |
| | P | 11/ 8/1992 | -208.79 | -0.47 | 743.21 | 01 | 06 | 4 | |
| | P | 11/ 9/1992 | -208.85 | -0.06 | 743.15 | 01 | 06 | 4 | |
| | P | 11/10/1992 | -208.96 | -0.11 | 743.04 | 01 | 06 | 4 | |
| | P | 11/11/1992 | -208.96 | | 743.04 | 01 | 06 | 4 | |
| | P | 11/12/1992 | -209.04 | -0.08 | 742.96 | 01 | 06 | 4 | |
| | P | 11/13/1992 | -209.51 | -0.47 | 742.49 | 01 | 06 | 4 | |
| | P | 11/14/1992 | -209.57 | -0.06 | 742.43 | 01 | 06 | 4 | |
| | P | 11/15/1992 | -209.66 | -0.09 | 742.34 | 01 | 06 | 4 | |
| | P | 11/16/1992 | -209.65 | 0.01 | 742.35 | 01 | 06 | 4 | |
| | P | 11/17/1992 | -209.62 | 0.03 | 742.38 | 01 | 06 | 4 | |
| | P | 11/18/1992 | -209.65 | -0.03 | 742.35 | 01 | 06 | 4 | |
| | P | 11/19/1992 | -208.45 | 1.2 | 743.55 | 01 | 06 | 4 | |
| | P | 11/20/1992 | -207.9 | 0.55 | 744.1 | 01 | 06 | 4 | |
| | P | 11/21/1992 | -207.7 | 0.2 | 744.3 | 01 | 06 | 4 | |
| | P | 11/22/1992 | -207.75 | -0.05 | 744.25 | 01 | 06 | 4 | |
| | P | 11/23/1992 | -207.78 | -0.03 | 744.22 | 01 | 06 | 4 | |
| | P | 11/24/1992 | -208.29 | -0.51 | 743.71 | 01 | 06 | 4 | |
| | P | 11/25/1992 | -208.77 | -0.48 | 743.23 | 01 | 06 | 4 | |
| | P | 11/26/1992 | -209.12 | -0.35 | 742.88 | 01 | 06 | 4 | |
| | P | 11/27/1992 | -209.01 | 0.11 | 742.99 | 01 | 06 | 4 | |
| | P | 11/28/1992 | -208.86 | 0.15 | 743.14 | 01 | 06 | 4 | |
| | P | 11/29/1992 | -208.92 | -0.06 | 743.08 | 01 | 06 | 4 | |
| | P | 11/30/1992 | -209.14 | -0.22 | 742.86 | 01 | 06 | 4 | |
| | P | 12/ 1/1992 | -208.98 | 0.16 | 743.02 | 01 | 06 | 4 | |
| | P | 12/ 2/1992 | -209.1 | -0.12 | 742.9 | 01 | 06 | 4 | |
| | P | 12/ 3/1992 | -209.04 | 0.06 | 742.96 | 01 | 06 | 4 | |
| | P | 12/ 4/1992 | -209.05 | -0.01 | 742.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 5/1992 | -209.37 | -0.32 | 742.63 | 01 | 06 | 4 | |
| | P | 12/ 6/1992 | -209.23 | 0.14 | 742.77 | 01 | 06 | 4 | |
| | P | 12/ 7/1992 | -209.27 | -0.04 | 742.73 | 01 | 06 | 4 | |
| | P | 12/ 8/1992 | -209.26 | 0.01 | 742.74 | 01 | 06 | 4 | |
| | P | 12/ 9/1992 | -209.11 | 0.15 | 742.89 | 01 | 06 | 4 | |
| | P | 12/10/1992 | -209.5 | -0.39 | 742.5 | 01 | 06 | 4 | |
| | P | 12/11/1992 | -209.35 | 0.15 | 742.65 | 01 | 06 | 4 | |
| | P | 12/12/1992 | -209.24 | 0.11 | 742.76 | 01 | 06 | 4 | |
| | P | 12/13/1992 | -209.3 | -0.06 | 742.7 | 01 | 06 | 4 | |
| | P | 12/14/1992 | -209.47 | -0.17 | 742.53 | 01 | 06 | 4 | |
| | P | 12/15/1992 | -209.25 | 0.22 | 742.75 | 01 | 06 | 4 | |
| | P | 12/16/1992 | -209.22 | 0.03 | 742.78 | 01 | 06 | 4 | |
| | P | 12/17/1992 | -209.31 | -0.09 | 742.69 | 01 | 06 | 4 | |
| | P | 12/18/1992 | -209.15 | 0.16 | 742.85 | 01 | 06 | 4 | |
| | P | 12/19/1992 | -209.13 | 0.02 | 742.87 | 01 | 06 | 4 | |
| | P | 12/20/1992 | -209.42 | -0.29 | 742.58 | 01 | 06 | 4 | |
| | P | 12/21/1992 | -209.37 | 0.05 | 742.63 | 01 | 06 | 4 | |
| | P | 12/22/1992 | -209.38 | -0.01 | 742.62 | 01 | 06 | 4 | |
| | P | 12/23/1992 | -209.54 | -0.16 | 742.46 | 01 | 06 | 4 | |
| | P | 12/24/1992 | -209.49 | 0.05 | 742.51 | 01 | 06 | 4 | |
| | P | 12/25/1992 | -209.55 | -0.06 | 742.45 | 01 | 06 | 4 | |
| | P | 12/26/1992 | -209.61 | -0.06 | 742.39 | 01 | 06 | 4 | |
| | P | 12/27/1992 | -209.64 | -0.03 | 742.36 | 01 | 06 | 4 | |
| | P | 12/28/1992 | -209.71 | -0.07 | 742.29 | 01 | 06 | 4 | |
| | P | 12/29/1992 | -209.7 | 0.01 | 742.3 | 01 | 06 | 4 | |
| | P | 12/30/1992 | -209.71 | -0.01 | 742.29 | 01 | 06 | 4 | |
| | P | 12/31/1992 | -209.85 | -0.14 | 742.15 | 01 | 06 | 4 | |
| | P | 1/ 1/1993 | -209.9 | -0.05 | 742.1 | 01 | 06 | 4 | |
| | P | 1/ 2/1993 | -209.75 | 0.15 | 742.25 | 01 | 06 | 4 | |
| | P | 1/ 3/1993 | -209.7 | 0.05 | 742.3 | 01 | 06 | 4 | |
| | P | 1/ 4/1993 | -209.9 | -0.2 | 742.1 | 01 | 06 | 4 | |
| | P | 1/ 5/1993 | -210 | -0.1 | 742 | 01 | 06 | 4 | |
| | P | 1/ 6/1993 | -209.88 | 0.12 | 742.12 | 01 | 06 | 4 | |
| | P | 1/ 7/1993 | -209.76 | 0.12 | 742.24 | 01 | 06 | 4 | |
| | P | 1/ 8/1993 | -209.81 | -0.05 | 742.19 | 01 | 06 | 4 | |
| | P | 1/ 9/1993 | -209.94 | -0.13 | 742.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 10/ 1993 | -210.3 | -0.36 | 741.7 | 01 | 06 | 4 | |
| | P | 1/ 11/ 1993 | -210.24 | 0.06 | 741.76 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1993 | -210.17 | 0.07 | 741.83 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1993 | -210.5 | -0.33 | 741.5 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1993 | -210.46 | 0.04 | 741.54 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1993 | -210.43 | 0.03 | 741.57 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1993 | -210.49 | -0.06 | 741.51 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1993 | -210.56 | -0.07 | 741.44 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1993 | -210.62 | -0.06 | 741.38 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1993 | -210.7 | -0.08 | 741.3 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1993 | -210.76 | -0.06 | 741.24 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1993 | -210.85 | -0.09 | 741.15 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1993 | -210.91 | -0.06 | 741.09 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1993 | -210.79 | 0.12 | 741.21 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1993 | -211.1 | -0.31 | 740.9 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1993 | -211.26 | -0.16 | 740.74 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1993 | -211.34 | -0.08 | 740.66 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1993 | -211.36 | -0.02 | 740.64 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1993 | -211.32 | 0.04 | 740.68 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1993 | -211.33 | -0.01 | 740.67 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1993 | -211.8 | -0.47 | 740.2 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1993 | -211.8 | | 740.2 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1993 | -211.74 | 0.06 | 740.26 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1993 | -211.73 | 0.01 | 740.27 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1993 | -211.78 | -0.05 | 740.22 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1993 | -211.99 | -0.21 | 740.01 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1993 | -212.12 | -0.13 | 739.88 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1993 | -212.22 | -0.1 | 739.78 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1993 | -212.14 | 0.08 | 739.86 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1993 | -212.19 | -0.05 | 739.81 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1993 | -212.21 | -0.02 | 739.79 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1993 | -211.75 | 0.46 | 740.25 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1993 | -211.72 | 0.03 | 740.28 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1993 | -211.83 | -0.11 | 740.17 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1993 | -211.85 | -0.02 | 740.15 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1993 | -211.79 | 0.06 | 740.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/1993 | -211.62 | 0.17 | 740.38 | 01 | 06 | 4 | |
| | P | 2/16/1993 | -211.89 | -0.27 | 740.11 | 01 | 06 | 4 | |
| | P | 2/17/1993 | -211.33 | 0.56 | 740.67 | 01 | 06 | 4 | |
| | P | 2/18/1993 | -212.25 | -0.92 | 739.75 | 01 | 06 | 4 | |
| | P | 2/19/1993 | -212.13 | 0.12 | 739.87 | 01 | 06 | 4 | |
| | P | 2/20/1993 | -211.98 | 0.15 | 740.02 | 01 | 06 | 4 | |
| | P | 2/21/1993 | -212.01 | -0.03 | 739.99 | 01 | 06 | 4 | |
| | P | 2/22/1993 | -212.19 | -0.18 | 739.81 | 01 | 06 | 4 | |
| | P | 2/23/1993 | -212.45 | -0.26 | 739.55 | 01 | 06 | 4 | |
| | P | 2/24/1993 | -212.42 | 0.03 | 739.58 | 01 | 06 | 4 | |
| | P | 2/25/1993 | -212.43 | -0.01 | 739.57 | 01 | 06 | 4 | |
| | P | 2/26/1993 | -212.73 | -0.3 | 739.27 | 01 | 06 | 4 | |
| | P | 2/27/1993 | -212.92 | -0.19 | 739.08 | 01 | 06 | 4 | |
| | P | 2/28/1993 | -212.84 | 0.08 | 739.16 | 01 | 06 | 4 | |
| | P | 3/ 1/1993 | -212.65 | 0.19 | 739.35 | 01 | 06 | 4 | |
| | P | 3/ 2/1993 | -212.62 | 0.03 | 739.38 | 01 | 06 | 4 | |
| | P | 3/ 3/1993 | -212.55 | 0.07 | 739.45 | 01 | 06 | 4 | |
| | P | 3/ 4/1993 | -212.79 | -0.24 | 739.21 | 01 | 06 | 4 | |
| | P | 3/ 5/1993 | -213.02 | -0.23 | 738.98 | 01 | 06 | 4 | |
| | P | 3/ 6/1993 | -212.99 | 0.03 | 739.01 | 01 | 06 | 4 | |
| | P | 3/ 7/1993 | -213.07 | -0.08 | 738.93 | 01 | 06 | 4 | |
| | P | 3/ 8/1993 | -213.13 | -0.06 | 738.87 | 01 | 06 | 4 | |
| | P | 3/ 9/1993 | -213.1 | 0.03 | 738.9 | 01 | 06 | 4 | |
| | P | 3/10/1993 | -213.14 | -0.04 | 738.86 | 01 | 06 | 4 | |
| | P | 3/11/1993 | -213.19 | -0.05 | 738.81 | 01 | 06 | 4 | |
| | P | 3/12/1993 | -213.2 | -0.01 | 738.8 | 01 | 06 | 4 | |
| | P | 3/13/1993 | -213.6 | -0.4 | 738.4 | 01 | 06 | 4 | |
| | P | 3/14/1993 | -213.54 | 0.06 | 738.46 | 01 | 06 | 4 | |
| | P | 3/15/1993 | -213.34 | 0.2 | 738.66 | 01 | 06 | 4 | |
| | P | 3/16/1993 | -213.33 | 0.01 | 738.67 | 01 | 06 | 4 | |
| | P | 3/17/1993 | -213.58 | -0.25 | 738.42 | 01 | 06 | 4 | |
| | P | 3/18/1993 | -213.61 | -0.03 | 738.39 | 01 | 06 | 4 | |
| | P | 3/19/1993 | -213.62 | -0.01 | 738.38 | 01 | 06 | 4 | |
| | P | 3/20/1993 | -213.83 | -0.21 | 738.17 | 01 | 06 | 4 | |
| | P | 3/21/1993 | -213.86 | -0.03 | 738.14 | 01 | 06 | 4 | |
| | P | 3/22/1993 | -213.87 | -0.01 | 738.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/23/1993 | -214.06 | -0.19 | 737.94 | 01 | 06 | 4 | |
| | P | 3/24/1993 | -214.01 | 0.05 | 737.99 | 01 | 06 | 4 | |
| | P | 3/25/1993 | -214.06 | -0.05 | 737.94 | 01 | 06 | 4 | |
| | P | 3/26/1993 | -214.14 | -0.08 | 737.86 | 01 | 06 | 4 | |
| | P | 3/27/1993 | -214.19 | -0.05 | 737.81 | 01 | 06 | 4 | |
| | P | 3/28/1993 | -214.2 | -0.01 | 737.8 | 01 | 06 | 4 | |
| | P | 3/29/1993 | -214.14 | 0.06 | 737.86 | 01 | 06 | 4 | |
| | P | 3/30/1993 | -214.14 | | 737.86 | 01 | 06 | 4 | |
| | P | 3/31/1993 | -214.32 | -0.18 | 737.68 | 01 | 06 | 4 | |
| | P | 4/ 1/1993 | -214.57 | -0.25 | 737.43 | 01 | 06 | 4 | |
| | P | 4/ 2/1993 | -214.73 | -0.16 | 737.27 | 01 | 06 | 4 | |
| | P | 4/ 3/1993 | -214.63 | 0.1 | 737.37 | 01 | 06 | 4 | |
| | P | 4/ 4/1993 | -214.62 | 0.01 | 737.38 | 01 | 06 | 4 | |
| | P | 4/ 5/1993 | -214.86 | -0.24 | 737.14 | 01 | 06 | 4 | |
| | P | 4/ 6/1993 | -214.86 | | 737.14 | 01 | 06 | 4 | |
| | P | 4/ 7/1993 | -214.85 | 0.01 | 737.15 | 01 | 06 | 4 | |
| | P | 4/ 8/1993 | -214.94 | -0.09 | 737.06 | 01 | 06 | 4 | |
| | P | 4/ 9/1993 | -215.08 | -0.14 | 736.92 | 01 | 06 | 4 | |
| | P | 4/10/1993 | -215.09 | -0.01 | 736.91 | 01 | 06 | 4 | |
| | P | 4/11/1993 | -215.11 | -0.02 | 736.89 | 01 | 06 | 4 | |
| | P | 4/12/1993 | -215.21 | -0.1 | 736.79 | 01 | 06 | 4 | |
| | P | 4/13/1993 | -215.2 | 0.01 | 736.8 | 01 | 06 | 4 | |
| | P | 4/14/1993 | -215.06 | 0.14 | 736.94 | 01 | 06 | 4 | |
| | P | 4/15/1993 | -215.46 | -0.4 | 736.54 | 01 | 06 | 4 | |
| | P | 4/16/1993 | -215.77 | -0.31 | 736.23 | 01 | 06 | 4 | |
| | P | 4/17/1993 | -215.83 | -0.06 | 736.17 | 01 | 06 | 4 | |
| | P | 4/18/1993 | -215.85 | -0.02 | 736.15 | 01 | 06 | 4 | |
| | P | 4/19/1993 | -215.83 | 0.02 | 736.17 | 01 | 06 | 4 | |
| | P | 4/20/1993 | -215.95 | -0.12 | 736.05 | 01 | 06 | 4 | |
| | P | 4/21/1993 | -216.47 | -0.52 | 735.53 | 01 | 06 | 4 | |
| | P | 4/22/1993 | -216.39 | 0.08 | 735.61 | 01 | 06 | 4 | |
| | P | 4/23/1993 | -216.3 | 0.09 | 735.7 | 01 | 06 | 4 | |
| | P | 4/24/1993 | -216.36 | -0.06 | 735.64 | 01 | 06 | 4 | |
| | P | 4/25/1993 | -216.52 | -0.16 | 735.48 | 01 | 06 | 4 | |
| | P | 4/26/1993 | -216.97 | -0.45 | 735.03 | 01 | 06 | 4 | |
| | P | 4/27/1993 | -216.98 | -0.01 | 735.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/28/1993 | -216.96 | 0.02 | 735.04 | 01 | 06 | 4 | |
| | P | 4/29/1993 | -216.97 | -0.01 | 735.03 | 01 | 06 | 4 | |
| | P | 4/30/1993 | -216.9 | 0.07 | 735.1 | 01 | 06 | 4 | |
| | P | 5/ 1/1993 | -216.66 | 0.24 | 735.34 | 01 | 06 | 4 | |
| | P | 5/ 2/1993 | -216.89 | -0.23 | 735.11 | 01 | 06 | 4 | |
| | P | 5/ 3/1993 | -217.19 | -0.3 | 734.81 | 01 | 06 | 4 | |
| | P | 5/ 4/1993 | -217.3 | -0.11 | 734.7 | 01 | 06 | 4 | |
| | P | 5/ 5/1993 | -215.83 | 1.47 | 736.17 | 01 | 06 | 4 | |
| | P | 5/ 6/1993 | -214.61 | 1.22 | 737.39 | 01 | 06 | 4 | |
| | P | 5/ 7/1993 | -214.02 | 0.59 | 737.98 | 01 | 06 | 4 | |
| | P | 5/ 8/1993 | -213.63 | 0.39 | 738.37 | 01 | 06 | 4 | |
| | P | 5/ 9/1993 | -213.41 | 0.22 | 738.59 | 01 | 06 | 4 | |
| | P | 5/10/1993 | -213.47 | -0.06 | 738.53 | 01 | 06 | 4 | |
| | P | 5/11/1993 | -213.06 | 0.41 | 738.94 | 01 | 06 | 4 | |
| | P | 5/12/1993 | -212.96 | 0.1 | 739.04 | 01 | 06 | 4 | |
| | P | 5/13/1993 | -212.84 | 0.12 | 739.16 | 01 | 06 | 4 | |
| | P | 5/14/1993 | -212.75 | 0.09 | 739.25 | 01 | 06 | 4 | |
| | P | 5/15/1993 | -212.7 | 0.05 | 739.3 | 01 | 06 | 4 | |
| | P | 5/16/1993 | -212.65 | 0.05 | 739.35 | 01 | 06 | 4 | |
| | P | 5/17/1993 | -212.5 | 0.15 | 739.5 | 01 | 06 | 4 | |
| | P | 5/18/1993 | -212.34 | 0.16 | 739.66 | 01 | 06 | 4 | |
| | P | 5/19/1993 | -212.33 | 0.01 | 739.67 | 01 | 06 | 4 | |
| | P | 5/20/1993 | -212.28 | 0.05 | 739.72 | 01 | 06 | 4 | |
| | P | 5/21/1993 | -212.25 | 0.03 | 739.75 | 01 | 06 | 4 | |
| | P | 5/22/1993 | -212.13 | 0.12 | 739.87 | 01 | 06 | 4 | |
| | P | 5/23/1993 | -211.85 | 0.28 | 740.15 | 01 | 06 | 4 | |
| | P | 5/24/1993 | -211.71 | 0.14 | 740.29 | 01 | 06 | 4 | |
| | P | 5/25/1993 | -211.69 | 0.02 | 740.31 | 01 | 06 | 4 | |
| | P | 5/26/1993 | -211.61 | 0.08 | 740.39 | 01 | 06 | 4 | |
| | P | 5/27/1993 | -211.45 | 0.16 | 740.55 | 01 | 06 | 4 | |
| | P | 5/28/1993 | -211.36 | 0.09 | 740.64 | 01 | 06 | 4 | |
| | P | 5/29/1993 | -211.23 | 0.13 | 740.77 | 01 | 06 | 4 | |
| | P | 5/30/1993 | -211.04 | 0.19 | 740.96 | 01 | 06 | 4 | |
| | P | 5/31/1993 | -211.01 | 0.03 | 740.99 | 01 | 06 | 4 | |
| | P | 6/ 1/1993 | -210.9 | 0.11 | 741.1 | 01 | 06 | 4 | |
| | P | 6/ 2/1993 | -210.72 | 0.18 | 741.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 3/1993 | -210.69 | 0.03 | 741.31 | 01 | 06 | 4 | |
| | P | 6/ 4/1993 | -210.76 | -0.07 | 741.24 | 01 | 06 | 4 | |
| | P | 6/ 5/1993 | -210.84 | -0.08 | 741.16 | 01 | 06 | 4 | |
| | P | 6/ 6/1993 | -210.85 | -0.01 | 741.15 | 01 | 06 | 4 | |
| | P | 6/ 7/1993 | -210.73 | 0.12 | 741.27 | 01 | 06 | 4 | |
| | P | 6/ 8/1993 | -210.7 | 0.03 | 741.3 | 01 | 06 | 4 | |
| | P | 6/ 9/1993 | -210.73 | -0.03 | 741.27 | 01 | 06 | 4 | |
| | P | 6/10/1993 | -210.85 | -0.12 | 741.15 | 01 | 06 | 4 | |
| | P | 6/11/1993 | -210.92 | -0.07 | 741.08 | 01 | 06 | 4 | |
| | P | 6/12/1993 | -210.95 | -0.03 | 741.05 | 01 | 06 | 4 | |
| | P | 6/13/1993 | -210.81 | 0.14 | 741.19 | 01 | 06 | 4 | |
| | P | 6/14/1993 | -210.79 | 0.02 | 741.21 | 01 | 06 | 4 | |
| | P | 6/15/1993 | -210.75 | 0.04 | 741.25 | 01 | 06 | 4 | |
| | P | 6/16/1993 | -210.66 | 0.09 | 741.34 | 01 | 06 | 4 | |
| | P | 6/17/1993 | -210.7 | -0.04 | 741.3 | 01 | 06 | 4 | |
| | P | 6/18/1993 | -210.75 | -0.05 | 741.25 | 01 | 06 | 4 | |
| | P | 6/19/1993 | -210.65 | 0.1 | 741.35 | 01 | 06 | 4 | |
| | P | 6/20/1993 | -210.62 | 0.03 | 741.38 | 01 | 06 | 4 | |
| | P | 6/21/1993 | -210.47 | 0.15 | 741.53 | 01 | 06 | 4 | |
| | P | 6/22/1993 | -210.33 | 0.14 | 741.67 | 01 | 06 | 4 | |
| | P | 6/23/1993 | -210.26 | 0.07 | 741.74 | 01 | 06 | 4 | |
| | P | 6/24/1993 | -210.26 | | 741.74 | 01 | 06 | 4 | |
| | P | 6/25/1993 | -210.31 | -0.05 | 741.69 | 01 | 06 | 4 | |
| | P | 6/26/1993 | -210.15 | 0.16 | 741.85 | 01 | 06 | 4 | |
| | P | 6/27/1993 | -209.95 | 0.2 | 742.05 | 01 | 06 | 4 | |
| | P | 6/28/1993 | -209.89 | 0.06 | 742.11 | 01 | 06 | 4 | |
| | P | 6/29/1993 | -209.81 | 0.08 | 742.19 | 01 | 06 | 4 | |
| | P | 6/30/1993 | -209.76 | 0.05 | 742.24 | 01 | 06 | 4 | |
| | P | 7/ 1/1993 | -209.77 | -0.01 | 742.23 | 01 | 06 | 4 | |
| | P | 7/ 2/1993 | -209.15 | 0.62 | 742.85 | 01 | 06 | 4 | |
| | P | 7/ 3/1993 | -209.66 | -0.51 | 742.34 | 01 | 06 | 4 | |
| | P | 7/ 4/1993 | -209.62 | 0.04 | 742.38 | 01 | 06 | 4 | |
| | P | 7/ 5/1993 | -209.7 | -0.08 | 742.3 | 01 | 06 | 4 | |
| | P | 7/ 6/1993 | -209.75 | -0.05 | 742.25 | 01 | 06 | 4 | |
| | P | 7/ 7/1993 | -209.79 | -0.04 | 742.21 | 01 | 06 | 4 | |
| | P | 7/ 8/1993 | -209.87 | -0.08 | 742.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 9/1993 | -209.89 | -0.02 | 742.11 | 01 | 06 | 4 | |
| | P | 7/10/1993 | -209.95 | -0.06 | 742.05 | 01 | 06 | 4 | |
| | P | 7/11/1993 | -209.94 | 0.01 | 742.06 | 01 | 06 | 4 | |
| | P | 7/12/1993 | -209.95 | -0.01 | 742.05 | 01 | 06 | 4 | |
| | P | 7/13/1993 | -209.97 | -0.02 | 742.03 | 01 | 06 | 4 | |
| | P | 7/14/1993 | -210.07 | -0.1 | 741.93 | 01 | 06 | 4 | |
| | P | 7/15/1993 | -210.15 | -0.08 | 741.85 | 01 | 06 | 4 | |
| | P | 7/16/1993 | -210.16 | -0.01 | 741.84 | 01 | 06 | 4 | |
| | P | 7/17/1993 | -210.26 | -0.1 | 741.74 | 01 | 06 | 4 | |
| | P | 7/18/1993 | -210.39 | -0.13 | 741.61 | 01 | 06 | 4 | |
| | P | 7/19/1993 | -210.55 | -0.16 | 741.45 | 01 | 06 | 4 | |
| | P | 7/20/1993 | -210.62 | -0.07 | 741.38 | 01 | 06 | 4 | |
| | P | 7/21/1993 | -210.75 | -0.13 | 741.25 | 01 | 06 | 4 | |
| | P | 7/22/1993 | -210.8 | -0.05 | 741.2 | 01 | 06 | 4 | |
| | P | 7/23/1993 | -210.99 | -0.19 | 741.01 | 01 | 06 | 4 | |
| | P | 7/24/1993 | -211.09 | -0.1 | 740.91 | 01 | 06 | 4 | |
| | P | 7/25/1993 | -210.97 | 0.12 | 741.03 | 01 | 06 | 4 | |
| | P | 7/26/1993 | -211.48 | -0.51 | 740.52 | 01 | 06 | 4 | |
| | P | 7/27/1993 | -211.39 | 0.09 | 740.61 | 01 | 06 | 4 | |
| | P | 7/28/1993 | -211.51 | -0.12 | 740.49 | 01 | 06 | 4 | |
| | P | 7/29/1993 | -211.89 | -0.38 | 740.11 | 01 | 06 | 4 | |
| | P | 7/30/1993 | -212.09 | -0.2 | 739.91 | 01 | 06 | 4 | |
| | P | 7/31/1993 | -212.22 | -0.13 | 739.78 | 01 | 06 | 4 | |
| | P | 8/ 1/1993 | -212.39 | -0.17 | 739.61 | 01 | 06 | 4 | |
| | P | 8/ 2/1993 | -212.43 | -0.04 | 739.57 | 01 | 06 | 4 | |
| | P | 8/ 3/1993 | -212.64 | -0.21 | 739.36 | 01 | 06 | 4 | |
| | P | 8/ 4/1993 | -212.95 | -0.31 | 739.05 | 01 | 06 | 4 | |
| | P | 8/ 5/1993 | -213.05 | -0.1 | 738.95 | 01 | 06 | 4 | |
| | P | 8/ 6/1993 | -213.2 | -0.15 | 738.8 | 01 | 06 | 4 | |
| | P | 8/ 7/1993 | -213.37 | -0.17 | 738.63 | 01 | 06 | 4 | |
| | P | 8/ 8/1993 | -213.61 | -0.24 | 738.39 | 01 | 06 | 4 | |
| | P | 8/ 9/1993 | -213.88 | -0.27 | 738.12 | 01 | 06 | 4 | |
| | P | 8/10/1993 | -214.03 | -0.15 | 737.97 | 01 | 06 | 4 | |
| | P | 8/11/1993 | -214.12 | -0.09 | 737.88 | 01 | 06 | 4 | |
| | P | 8/12/1993 | -214.31 | -0.19 | 737.69 | 01 | 06 | 4 | |
| | P | 8/13/1993 | -214.53 | -0.22 | 737.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/14/1993 | -214.74 | -0.21 | 737.26 | 01 | 06 | 4 | |
| | P | 8/15/1993 | -214.95 | -0.21 | 737.05 | 01 | 06 | 4 | |
| | P | 8/16/1993 | -214.12 | 0.83 | 737.88 | 01 | 06 | 4 | |
| | P | 8/17/1993 | -215.33 | -1.21 | 736.67 | 01 | 06 | 4 | |
| | P | 8/18/1993 | -215.51 | -0.18 | 736.49 | 01 | 06 | 4 | |
| | P | 8/19/1993 | -215.68 | -0.17 | 736.32 | 01 | 06 | 4 | |
| | P | 8/20/1993 | -215.96 | -0.28 | 736.04 | 01 | 06 | 4 | |
| | P | 8/21/1993 | -216.15 | -0.19 | 735.85 | 01 | 06 | 4 | |
| | P | 8/22/1993 | -216.33 | -0.18 | 735.67 | 01 | 06 | 4 | |
| | P | 8/23/1993 | -216.51 | -0.18 | 735.49 | 01 | 06 | 4 | |
| | P | 8/24/1993 | -216.65 | -0.14 | 735.35 | 01 | 06 | 4 | |
| | P | 8/25/1993 | -216.92 | -0.27 | 735.08 | 01 | 06 | 4 | |
| | P | 8/26/1993 | -217.04 | -0.12 | 734.96 | 01 | 06 | 4 | |
| | P | 8/27/1993 | -217.16 | -0.12 | 734.84 | 01 | 06 | 4 | |
| | P | 8/28/1993 | -217.25 | -0.09 | 734.75 | 01 | 06 | 4 | |
| | P | 8/29/1993 | -217.52 | -0.27 | 734.48 | 01 | 06 | 4 | |
| | P | 8/30/1993 | -217.63 | -0.11 | 734.37 | 01 | 06 | 4 | |
| | P | 8/31/1993 | -217.84 | -0.21 | 734.16 | 01 | 06 | 4 | |
| | P | 9/ 1/1993 | -217.89 | -0.05 | 734.11 | 01 | 06 | 4 | |
| | P | 9/ 2/1993 | -218.1 | -0.21 | 733.9 | 01 | 06 | 4 | |
| | P | 9/ 3/1993 | -218.36 | -0.26 | 733.64 | 01 | 06 | 4 | |
| | P | 9/ 4/1993 | -218.59 | -0.23 | 733.41 | 01 | 06 | 4 | |
| | P | 9/ 5/1993 | -218.62 | -0.03 | 733.38 | 01 | 06 | 4 | |
| | P | 9/ 6/1993 | -218.88 | -0.26 | 733.12 | 01 | 06 | 4 | |
| | P | 9/ 7/1993 | -218.25 | 0.63 | 733.75 | 01 | 06 | 4 | |
| | P | 9/ 8/1993 | -219.77 | -1.52 | 732.23 | 01 | 06 | 4 | |
| | P | 9/ 9/1993 | -219.74 | 0.03 | 732.26 | 01 | 06 | 4 | |
| | P | 9/10/1993 | -219.79 | -0.05 | 732.21 | 01 | 06 | 4 | |
| | P | 9/11/1993 | -220.27 | -0.48 | 731.73 | 01 | 06 | 4 | |
| | P | 9/12/1993 | -220.29 | -0.02 | 731.71 | 01 | 06 | 4 | |
| | P | 9/13/1993 | -219.82 | 0.47 | 732.18 | 01 | 06 | 4 | |
| | P | 9/14/1993 | -219.8 | 0.02 | 732.2 | 01 | 06 | 4 | |
| | P | 9/15/1993 | -220.86 | -1.06 | 731.14 | 01 | 06 | 4 | |
| | P | 9/16/1993 | -221.01 | -0.15 | 730.99 | 01 | 06 | 4 | |
| | P | 9/17/1993 | -221.16 | -0.15 | 730.84 | 01 | 06 | 4 | |
| | P | 9/18/1993 | -221.32 | -0.16 | 730.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/19/1993 | -221.45 | -0.13 | 730.55 | 01 | 06 | 4 | |
| | P | 9/20/1993 | -221.67 | -0.22 | 730.33 | 01 | 06 | 4 | |
| | P | 10/ 7/1993 | -224.56 | -2.89 | 727.44 | 01 | 06 | 4 | |
| | P | 10/ 8/1993 | -224.58 | -0.02 | 727.42 | 01 | 06 | 4 | |
| | P | 10/ 9/1993 | -224.73 | -0.15 | 727.27 | 01 | 06 | 4 | |
| | P | 10/10/1993 | -225.14 | -0.41 | 726.86 | 01 | 06 | 4 | |
| | P | 10/11/1993 | -225.22 | -0.08 | 726.78 | 01 | 06 | 4 | |
| | P | 10/12/1993 | -225.24 | -0.02 | 726.76 | 01 | 06 | 4 | |
| | P | 10/13/1993 | -225.3 | -0.06 | 726.7 | 01 | 06 | 4 | |
| | P | 10/14/1993 | -225.57 | -0.27 | 726.43 | 01 | 06 | 4 | |
| | P | 10/15/1993 | -225.62 | -0.05 | 726.38 | 01 | 06 | 4 | |
| | P | 10/16/1993 | -225.68 | -0.06 | 726.32 | 01 | 06 | 4 | |
| | P | 10/17/1993 | -225.8 | -0.12 | 726.2 | 01 | 06 | 4 | |
| | P | 10/18/1993 | -225.93 | -0.13 | 726.07 | 01 | 06 | 4 | |
| | P | 10/19/1993 | -226.19 | -0.26 | 725.81 | 01 | 06 | 4 | |
| | P | 10/20/1993 | -226.25 | -0.06 | 725.75 | 01 | 06 | 4 | |
| | P | 10/21/1993 | -226.57 | -0.32 | 725.43 | 01 | 06 | 4 | |
| | P | 10/22/1993 | -226.79 | -0.22 | 725.21 | 01 | 06 | 4 | |
| | P | 10/23/1993 | -226.88 | -0.09 | 725.12 | 01 | 06 | 4 | |
| | P | 10/24/1993 | -226.89 | -0.01 | 725.11 | 01 | 06 | 4 | |
| | P | 10/25/1993 | -226.9 | -0.01 | 725.1 | 01 | 06 | 4 | |
| | P | 10/26/1993 | -226.98 | -0.08 | 725.02 | 01 | 06 | 4 | |
| | P | 10/27/1993 | -227.13 | -0.15 | 724.87 | 01 | 06 | 4 | |
| | P | 10/28/1993 | -227.02 | 0.11 | 724.98 | 01 | 06 | 4 | |
| | P | 10/29/1993 | -226.99 | 0.03 | 725.01 | 01 | 06 | 4 | |
| | P | 10/30/1993 | -227.4 | -0.41 | 724.6 | 01 | 06 | 4 | |
| | P | 10/31/1993 | -227.69 | -0.29 | 724.31 | 01 | 06 | 4 | |
| | P | 11/ 1/1993 | -227.76 | -0.07 | 724.24 | 01 | 06 | 4 | |
| | P | 11/ 2/1993 | -228 | -0.24 | 724 | 01 | 06 | 4 | |
| | P | 11/ 3/1993 | -228.18 | -0.18 | 723.82 | 01 | 06 | 4 | |
| | P | 11/ 4/1993 | -228.06 | 0.12 | 723.94 | 01 | 06 | 4 | |
| | P | 11/ 5/1993 | -228.09 | -0.03 | 723.91 | 01 | 06 | 4 | |
| | P | 11/ 6/1993 | -228.51 | -0.42 | 723.49 | 01 | 06 | 4 | |
| | P | 11/ 7/1993 | -228.73 | -0.22 | 723.27 | 01 | 06 | 4 | |
| | P | 11/ 8/1993 | -228.73 | | 723.27 | 01 | 06 | 4 | |
| | P | 11/ 9/1993 | -228.8 | -0.07 | 723.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1993 | -229.02 | -0.22 | 722.98 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1993 | -228.84 | 0.18 | 723.16 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1993 | -228.78 | 0.06 | 723.22 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1993 | -228.88 | -0.1 | 723.12 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1993 | -229.07 | -0.19 | 722.93 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1993 | -229.5 | -0.43 | 722.5 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1993 | -229.45 | 0.05 | 722.55 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1993 | -229.74 | -0.29 | 722.26 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1993 | -229.73 | 0.01 | 722.27 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1993 | -229.73 | | 722.27 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1993 | -230.07 | -0.34 | 721.93 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1993 | -230.13 | -0.06 | 721.87 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1993 | -230.24 | -0.11 | 721.76 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1993 | -230.23 | 0.01 | 721.77 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1993 | -230.2 | 0.03 | 721.8 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1993 | -230.48 | -0.28 | 721.52 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1993 | -230.66 | -0.18 | 721.34 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1993 | -230.71 | -0.05 | 721.29 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1993 | -230.83 | -0.12 | 721.17 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1993 | -230.9 | -0.07 | 721.1 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1993 | -231.05 | -0.15 | 720.95 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1993 | -231.09 | -0.04 | 720.91 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1993 | -231.14 | -0.05 | 720.86 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1993 | -231.15 | -0.01 | 720.85 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1993 | -231.3 | -0.15 | 720.7 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1993 | -231.41 | -0.11 | 720.59 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1993 | -231.53 | -0.12 | 720.47 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1993 | -231.7 | -0.17 | 720.3 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1993 | -231.76 | -0.06 | 720.24 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1993 | -231.74 | 0.02 | 720.26 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1993 | -231.8 | -0.06 | 720.2 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1993 | -232.24 | -0.44 | 719.76 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1993 | -231.83 | 0.41 | 720.17 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1993 | -231.87 | -0.04 | 720.13 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1993 | -232.37 | -0.5 | 719.63 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1993 | -232.46 | -0.09 | 719.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1993 | -232.56 | -0.1 | 719.44 | 01 | 06 | 4 | |
| | P | 12/17/1993 | -232.74 | -0.18 | 719.26 | 01 | 06 | 4 | |
| | P | 12/18/1993 | -232.92 | -0.18 | 719.08 | 01 | 06 | 4 | |
| | P | 12/19/1993 | -232.84 | 0.08 | 719.16 | 01 | 06 | 4 | |
| | P | 12/20/1993 | -232.83 | 0.01 | 719.17 | 01 | 06 | 4 | |
| | P | 12/21/1993 | -233.14 | -0.31 | 718.86 | 01 | 06 | 4 | |
| | P | 12/22/1993 | -233.1 | 0.04 | 718.9 | 01 | 06 | 4 | |
| | P | 12/23/1993 | -233.38 | -0.28 | 718.62 | 01 | 06 | 4 | |
| | P | 12/24/1993 | -233.46 | -0.08 | 718.54 | 01 | 06 | 4 | |
| | P | 12/25/1993 | -233.59 | -0.13 | 718.41 | 01 | 06 | 4 | |
| | P | 12/26/1993 | -233.6 | -0.01 | 718.4 | 01 | 06 | 4 | |
| | P | 12/27/1993 | -233.61 | -0.01 | 718.39 | 01 | 06 | 4 | |
| | P | 12/28/1993 | -233.71 | -0.1 | 718.29 | 01 | 06 | 4 | |
| | P | 12/29/1993 | -234 | -0.29 | 718 | 01 | 06 | 4 | |
| | P | 12/30/1993 | -234.16 | -0.16 | 717.84 | 01 | 06 | 4 | |
| | P | 12/31/1993 | -234.05 | 0.11 | 717.95 | 01 | 06 | 4 | |
| | P | 1/ 1/1994 | -234.01 | 0.04 | 717.99 | 01 | 06 | 4 | |
| | P | 1/ 2/1994 | -234.07 | -0.06 | 717.93 | 01 | 06 | 4 | |
| | P | 1/ 3/1994 | -234.33 | -0.26 | 717.67 | 01 | 06 | 4 | |
| | P | 1/ 4/1994 | -234.33 | | 717.67 | 01 | 06 | 4 | |
| | P | 1/ 5/1994 | -234.4 | -0.07 | 717.6 | 01 | 06 | 4 | |
| | P | 1/ 6/1994 | -234.31 | 0.09 | 717.69 | 01 | 06 | 4 | |
| | P | 1/ 7/1994 | -234.5 | -0.19 | 717.5 | 01 | 06 | 4 | |
| | P | 1/ 8/1994 | -234.04 | 0.46 | 717.96 | 01 | 06 | 4 | |
| | P | 1/ 9/1994 | -234.93 | -0.89 | 717.07 | 01 | 06 | 4 | |
| | P | 1/10/1994 | -234.96 | -0.03 | 717.04 | 01 | 06 | 4 | |
| | P | 1/11/1994 | -235.18 | -0.22 | 716.82 | 01 | 06 | 4 | |
| | P | 1/12/1994 | -235.35 | -0.17 | 716.65 | 01 | 06 | 4 | |
| | P | 1/13/1994 | -235.3 | 0.05 | 716.7 | 01 | 06 | 4 | |
| | P | 1/14/1994 | -235.48 | -0.18 | 716.52 | 01 | 06 | 4 | |
| | P | 1/15/1994 | -235.55 | -0.07 | 716.45 | 01 | 06 | 4 | |
| | P | 1/16/1994 | -235.42 | 0.13 | 716.58 | 01 | 06 | 4 | |
| | P | 1/17/1994 | -235.46 | -0.04 | 716.54 | 01 | 06 | 4 | |
| | P | 1/18/1994 | -236 | -0.54 | 716 | 01 | 06 | 4 | |
| | P | 1/19/1994 | -236.02 | -0.02 | 715.98 | 01 | 06 | 4 | |
| | P | 1/20/1994 | -236 | 0.02 | 716 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1994 | -236.27 | -0.27 | 715.73 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1994 | -236.26 | 0.01 | 715.74 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1994 | -236.2 | 0.06 | 715.8 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1994 | -236.16 | 0.04 | 715.84 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1994 | -236.19 | -0.03 | 715.81 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1994 | -236.16 | 0.03 | 715.84 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1994 | -236.2 | -0.04 | 715.8 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1994 | -236.6 | -0.4 | 715.4 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1994 | -236.77 | -0.17 | 715.23 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1994 | -236.88 | -0.11 | 715.12 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1994 | -237 | -0.12 | 715 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1994 | -237.19 | -0.19 | 714.81 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1994 | -237.15 | 0.04 | 714.85 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1994 | -237.15 | | 714.85 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1994 | -237.13 | 0.02 | 714.87 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1994 | -237.13 | | 714.87 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1994 | -237.34 | -0.21 | 714.66 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1994 | -237.43 | -0.09 | 714.57 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1994 | -237.32 | 0.11 | 714.68 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1994 | -237.38 | -0.06 | 714.62 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1994 | -237.74 | -0.36 | 714.26 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1994 | -237.76 | -0.02 | 714.24 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1994 | -237.76 | | 714.24 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1994 | -238.25 | -0.49 | 713.75 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1994 | -238.08 | 0.17 | 713.92 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1994 | -238.06 | 0.02 | 713.94 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1994 | -238.29 | -0.23 | 713.71 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1994 | -238.28 | 0.01 | 713.72 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1994 | -238.22 | 0.06 | 713.78 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1994 | -238.23 | -0.01 | 713.77 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1994 | -238.48 | -0.25 | 713.52 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1994 | -238.6 | -0.12 | 713.4 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1994 | -238.46 | 0.14 | 713.54 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1994 | -238.46 | | 713.54 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1994 | -238.85 | -0.39 | 713.15 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1994 | -238.85 | | 713.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1994 | -239.24 | -0.39 | 712.76 | 01 | 06 | 4 | |
| | P | 2/27/1994 | -239.16 | 0.08 | 712.84 | 01 | 06 | 4 | |
| | P | 2/28/1994 | -239.05 | 0.11 | 712.95 | 01 | 06 | 4 | |
| | P | 3/ 1/1994 | -239.07 | -0.02 | 712.93 | 01 | 06 | 4 | |
| | P | 3/ 2/1994 | -239.48 | -0.41 | 712.52 | 01 | 06 | 4 | |
| | P | 4/ 6/1994 | -241.82 | -2.34 | 710.18 | 01 | 06 | 4 | |
| | P | 4/ 7/1994 | -241.77 | 0.05 | 710.23 | 01 | 06 | 4 | |
| | P | 4/ 8/1994 | -241.69 | 0.08 | 710.31 | 01 | 06 | 4 | |
| | P | 4/ 9/1994 | -241.67 | 0.02 | 710.33 | 01 | 06 | 4 | |
| | P | 4/10/1994 | -241.77 | -0.1 | 710.23 | 01 | 06 | 4 | |
| | P | 4/11/1994 | -241.93 | -0.16 | 710.07 | 01 | 06 | 4 | |
| | P | 4/12/1994 | -242.25 | -0.32 | 709.75 | 01 | 06 | 4 | |
| | P | 4/13/1994 | -242.14 | 0.11 | 709.86 | 01 | 06 | 4 | |
| | P | 4/14/1994 | -242.19 | -0.05 | 709.81 | 01 | 06 | 4 | |
| | P | 4/15/1994 | -242.23 | -0.04 | 709.77 | 01 | 06 | 4 | |
| | P | 4/16/1994 | -242.65 | -0.42 | 709.35 | 01 | 06 | 4 | |
| | P | 4/17/1994 | -242.68 | -0.03 | 709.32 | 01 | 06 | 4 | |
| | P | 4/18/1994 | -242.65 | 0.03 | 709.35 | 01 | 06 | 4 | |
| | P | 4/19/1994 | -242.65 | | 709.35 | 01 | 06 | 4 | |
| | P | 4/20/1994 | -242.76 | -0.11 | 709.24 | 01 | 06 | 4 | |
| | P | 4/21/1994 | -242.46 | 0.3 | 709.54 | 01 | 06 | 4 | |
| | P | 4/22/1994 | -242.79 | -0.33 | 709.21 | 01 | 06 | 4 | |
| | P | 4/23/1994 | -242.91 | -0.12 | 709.09 | 01 | 06 | 4 | |
| | P | 4/24/1994 | -242.91 | | 709.09 | 01 | 06 | 4 | |
| | P | 4/25/1994 | -242.93 | -0.02 | 709.07 | 01 | 06 | 4 | |
| | P | 4/26/1994 | -242.53 | 0.4 | 709.47 | 01 | 06 | 4 | |
| | P | 4/27/1994 | -243.12 | -0.59 | 708.88 | 01 | 06 | 4 | |
| | P | 4/28/1994 | -243.27 | -0.15 | 708.73 | 01 | 06 | 4 | |
| | P | 4/29/1994 | -243.22 | 0.05 | 708.78 | 01 | 06 | 4 | |
| | P | 4/30/1994 | -243.55 | -0.33 | 708.45 | 01 | 06 | 4 | |
| | P | 5/ 1/1994 | -243.33 | 0.22 | 708.67 | 01 | 06 | 4 | |
| | P | 5/ 2/1994 | -243.14 | 0.19 | 708.86 | 01 | 06 | 4 | |
| | P | 5/ 3/1994 | -243.15 | -0.01 | 708.85 | 01 | 06 | 4 | |
| | P | 5/ 4/1994 | -243.2 | -0.05 | 708.8 | 01 | 06 | 4 | |
| | P | 5/ 5/1994 | -243.27 | -0.07 | 708.73 | 01 | 06 | 4 | |
| | P | 5/ 6/1994 | -243.23 | 0.04 | 708.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 7/1994 | -243.28 | -0.05 | 708.72 | 01 | 06 | 4 | |
| | P | 5/ 8/1994 | -243.35 | -0.07 | 708.65 | 01 | 06 | 4 | |
| | P | 5/ 9/1994 | -243.38 | -0.03 | 708.62 | 01 | 06 | 4 | |
| | P | 5/10/1994 | -243.49 | -0.11 | 708.51 | 01 | 06 | 4 | |
| | P | 5/11/1994 | -243.56 | -0.07 | 708.44 | 01 | 06 | 4 | |
| | P | 5/12/1994 | -243.54 | 0.02 | 708.46 | 01 | 06 | 4 | |
| | P | 5/13/1994 | -243.33 | 0.21 | 708.67 | 01 | 06 | 4 | |
| | P | 5/14/1994 | -242.55 | 0.78 | 709.45 | 01 | 06 | 4 | |
| | P | 5/15/1994 | -241.82 | 0.73 | 710.18 | 01 | 06 | 4 | |
| | P | 5/16/1994 | -241.49 | 0.33 | 710.51 | 01 | 06 | 4 | |
| | P | 5/17/1994 | -241.39 | 0.1 | 710.61 | 01 | 06 | 4 | |
| | P | 5/18/1994 | -241.33 | 0.06 | 710.67 | 01 | 06 | 4 | |
| | P | 5/19/1994 | -241.24 | 0.09 | 710.76 | 01 | 06 | 4 | |
| | P | 5/20/1994 | -241.23 | 0.01 | 710.77 | 01 | 06 | 4 | |
| | P | 5/21/1994 | -241.28 | -0.05 | 710.72 | 01 | 06 | 4 | |
| | P | 5/22/1994 | -241.35 | -0.07 | 710.65 | 01 | 06 | 4 | |
| | P | 5/23/1994 | -241.41 | -0.06 | 710.59 | 01 | 06 | 4 | |
| | P | 5/24/1994 | -241.36 | 0.05 | 710.64 | 01 | 06 | 4 | |
| | P | 5/25/1994 | -241.34 | 0.02 | 710.66 | 01 | 06 | 4 | |
| | P | 5/26/1994 | -241.35 | -0.01 | 710.65 | 01 | 06 | 4 | |
| | P | 5/27/1994 | -241.63 | -0.28 | 710.37 | 01 | 06 | 4 | |
| | P | 5/28/1994 | -241.84 | -0.21 | 710.16 | 01 | 06 | 4 | |
| | P | 5/29/1994 | -241.95 | -0.11 | 710.05 | 01 | 06 | 4 | |
| | P | 5/30/1994 | -242.14 | -0.19 | 709.86 | 01 | 06 | 4 | |
| | P | 5/31/1994 | -242.4 | -0.26 | 709.6 | 01 | 06 | 4 | |
| | P | 6/ 1/1994 | -242.53 | -0.13 | 709.47 | 01 | 06 | 4 | |
| | P | 6/ 2/1994 | -242.58 | -0.05 | 709.42 | 01 | 06 | 4 | |
| | P | 6/ 3/1994 | -242.73 | -0.15 | 709.27 | 01 | 06 | 4 | |
| | P | 6/ 4/1994 | -242.82 | -0.09 | 709.18 | 01 | 06 | 4 | |
| | P | 6/ 5/1994 | -242.85 | -0.03 | 709.15 | 01 | 06 | 4 | |
| | P | 6/ 6/1994 | -242.9 | -0.05 | 709.1 | 01 | 06 | 4 | |
| | P | 6/ 7/1994 | -242.99 | -0.09 | 709.01 | 01 | 06 | 4 | |
| | P | 6/ 8/1994 | -243.16 | -0.17 | 708.84 | 01 | 06 | 4 | |
| | P | 6/ 9/1994 | -243.35 | -0.19 | 708.65 | 01 | 06 | 4 | |
| | P | 6/10/1994 | -243.43 | -0.08 | 708.57 | 01 | 06 | 4 | |
| | P | 6/11/1994 | -243.53 | -0.1 | 708.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/12/1994 | -243.17 | 0.36 | 708.83 | 01 | 06 | 4 | |
| | P | 6/13/1994 | -243.93 | -0.76 | 708.07 | 01 | 06 | 4 | |
| | P | 6/14/1994 | -243.25 | 0.68 | 708.75 | 01 | 06 | 4 | |
| | P | 6/15/1994 | -243.6 | -0.35 | 708.4 | 01 | 06 | 4 | |
| | P | 6/16/1994 | -243.75 | -0.15 | 708.25 | 01 | 06 | 4 | |
| | P | 6/17/1994 | -243.82 | -0.07 | 708.18 | 01 | 06 | 4 | |
| | P | 6/18/1994 | -243.86 | -0.04 | 708.14 | 01 | 06 | 4 | |
| | P | 6/19/1994 | -244.04 | -0.18 | 707.96 | 01 | 06 | 4 | |
| | P | 6/20/1994 | -244.01 | 0.03 | 707.99 | 01 | 06 | 4 | |
| | P | 6/21/1994 | -243.43 | 0.58 | 708.57 | 01 | 06 | 4 | |
| | P | 6/22/1994 | -242.87 | 0.56 | 709.13 | 01 | 06 | 4 | |
| | P | 6/23/1994 | -242.72 | 0.15 | 709.28 | 01 | 06 | 4 | |
| | P | 6/24/1994 | -242.75 | -0.03 | 709.25 | 01 | 06 | 4 | |
| | P | 6/25/1994 | -243.1 | -0.35 | 708.9 | 01 | 06 | 4 | |
| | P | 6/26/1994 | -243.59 | -0.49 | 708.41 | 01 | 06 | 4 | |
| | P | 6/27/1994 | -244.02 | -0.43 | 707.98 | 01 | 06 | 4 | |
| | P | 6/28/1994 | -244.26 | -0.24 | 707.74 | 01 | 06 | 4 | |
| | P | 6/29/1994 | -244.61 | -0.35 | 707.39 | 01 | 06 | 4 | |
| | P | 6/30/1994 | -244.79 | -0.18 | 707.21 | 01 | 06 | 4 | |
| | P | 7/ 1/1994 | -244.96 | -0.17 | 707.04 | 01 | 06 | 4 | |
| | P | 7/ 2/1994 | -245.15 | -0.19 | 706.85 | 01 | 06 | 4 | |
| | P | 7/ 3/1994 | -245.3 | -0.15 | 706.7 | 01 | 06 | 4 | |
| | P | 7/ 4/1994 | -245.45 | -0.15 | 706.55 | 01 | 06 | 4 | |
| | P | 7/ 5/1994 | -245.66 | -0.21 | 706.34 | 01 | 06 | 4 | |
| | P | 7/ 6/1994 | -245.71 | -0.05 | 706.29 | 01 | 06 | 4 | |
| | P | 7/ 7/1994 | -245.84 | -0.13 | 706.16 | 01 | 06 | 4 | |
| | P | 7/ 8/1994 | -246.07 | -0.23 | 705.93 | 01 | 06 | 4 | |
| | P | 7/ 9/1994 | -246.37 | -0.3 | 705.63 | 01 | 06 | 4 | |
| | P | 7/10/1994 | -246.42 | -0.05 | 705.58 | 01 | 06 | 4 | |
| | P | 7/11/1994 | -246.46 | -0.04 | 705.54 | 01 | 06 | 4 | |
| | P | 7/12/1994 | -246.56 | -0.1 | 705.44 | 01 | 06 | 4 | |
| | P | 7/13/1994 | -246.53 | 0.03 | 705.47 | 01 | 06 | 4 | |
| | P | 7/14/1994 | -246.87 | -0.34 | 705.13 | 01 | 06 | 4 | |
| | P | 7/15/1994 | -246.77 | 0.1 | 705.23 | 01 | 06 | 4 | |
| | P | 7/16/1994 | -247.21 | -0.44 | 704.79 | 01 | 06 | 4 | |
| | P | 7/17/1994 | -247.5 | -0.29 | 704.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1994 | -247.62 | -0.12 | 704.38 | 01 | 06 | 4 | |
| | P | 7/19/1994 | -247.68 | -0.06 | 704.32 | 01 | 06 | 4 | |
| | P | 7/20/1994 | -247.84 | -0.16 | 704.16 | 01 | 06 | 4 | |
| | P | 7/21/1994 | -247.99 | -0.15 | 704.01 | 01 | 06 | 4 | |
| | P | 7/22/1994 | -248.02 | -0.03 | 703.98 | 01 | 06 | 4 | |
| | P | 7/23/1994 | -248.1 | -0.08 | 703.9 | 01 | 06 | 4 | |
| | P | 7/24/1994 | -248.27 | -0.17 | 703.73 | 01 | 06 | 4 | |
| | P | 7/25/1994 | -248.38 | -0.11 | 703.62 | 01 | 06 | 4 | |
| | P | 7/26/1994 | -248.65 | -0.27 | 703.35 | 01 | 06 | 4 | |
| | P | 7/27/1994 | -248.79 | -0.14 | 703.21 | 01 | 06 | 4 | |
| | P | 7/28/1994 | -249.04 | -0.25 | 702.96 | 01 | 06 | 4 | |
| | P | 7/29/1994 | -249.22 | -0.18 | 702.78 | 01 | 06 | 4 | |
| | P | 7/30/1994 | -249.36 | -0.14 | 702.64 | 01 | 06 | 4 | |
| | P | 7/31/1994 | -249.52 | -0.16 | 702.48 | 01 | 06 | 4 | |
| | P | 8/ 1/1994 | -249.54 | -0.02 | 702.46 | 01 | 06 | 4 | |
| | P | 8/ 2/1994 | -249.67 | -0.13 | 702.33 | 01 | 06 | 4 | |
| | P | 8/ 3/1994 | -249.82 | -0.15 | 702.18 | 01 | 06 | 4 | |
| | P | 8/ 4/1994 | -250.07 | -0.25 | 701.93 | 01 | 06 | 4 | |
| | P | 8/ 5/1994 | -250.21 | -0.14 | 701.79 | 01 | 06 | 4 | |
| | P | 8/ 6/1994 | -250.23 | -0.02 | 701.77 | 01 | 06 | 4 | |
| | P | 8/ 7/1994 | -250.27 | -0.04 | 701.73 | 01 | 06 | 4 | |
| | P | 8/ 9/1994 | -249.95 | 0.32 | 702.05 | 01 | 06 | 4 | |
| | P | 8/10/1994 | -249.65 | 0.3 | 702.35 | 01 | 06 | 4 | |
| | P | 8/11/1994 | -249.67 | -0.02 | 702.33 | 01 | 06 | 4 | |
| | P | 8/12/1994 | -250 | -0.33 | 702 | 01 | 06 | 4 | |
| | P | 8/30/1994 | -253.4 | -3.4 | 698.6 | 01 | 06 | 4 | |
| | P | 8/31/1994 | -253.4 | | 698.6 | 01 | 06 | 4 | |
| | P | 9/ 1/1994 | -253.18 | 0.22 | 698.82 | 01 | 06 | 4 | |
| | P | 9/ 2/1994 | -253.46 | -0.28 | 698.54 | 01 | 06 | 4 | |
| | P | 9/ 3/1994 | -253.52 | -0.06 | 698.48 | 01 | 06 | 4 | |
| | P | 9/ 4/1994 | -253.56 | -0.04 | 698.44 | 01 | 06 | 4 | |
| | P | 9/ 5/1994 | -253.62 | -0.06 | 698.38 | 01 | 06 | 4 | |
| | P | 9/ 6/1994 | -253.88 | -0.26 | 698.12 | 01 | 06 | 4 | |
| | P | 9/ 7/1994 | -253.98 | -0.1 | 698.02 | 01 | 06 | 4 | |
| | P | 9/ 8/1994 | -253.74 | 0.24 | 698.26 | 01 | 06 | 4 | |
| | P | 9/ 9/1994 | -253.41 | 0.33 | 698.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/10/1994 | -253.22 | 0.19 | 698.78 | 01 | 06 | 4 | |
| | P | 9/11/1994 | -253.27 | -0.05 | 698.73 | 01 | 06 | 4 | |
| | P | 9/12/1994 | -253.53 | -0.26 | 698.47 | 01 | 06 | 4 | |
| | P | 9/13/1994 | -253.5 | 0.03 | 698.5 | 01 | 06 | 4 | |
| | P | 9/14/1994 | -252.92 | 0.58 | 699.08 | 01 | 06 | 4 | |
| | P | 9/15/1994 | -252.1 | 0.82 | 699.9 | 01 | 06 | 4 | |
| | P | 9/16/1994 | -252.05 | 0.05 | 699.95 | 01 | 06 | 4 | |
| | P | 9/17/1994 | -252.17 | -0.12 | 699.83 | 01 | 06 | 4 | |
| | P | 9/18/1994 | -252.71 | -0.54 | 699.29 | 01 | 06 | 4 | |
| | P | 9/19/1994 | -252.99 | -0.28 | 699.01 | 01 | 06 | 4 | |
| | P | 9/20/1994 | -252.99 | | 699.01 | 01 | 06 | 4 | |
| | P | 9/21/1994 | -253 | -0.01 | 699 | 01 | 06 | 4 | |
| | P | 9/22/1994 | -253.01 | -0.01 | 698.99 | 01 | 06 | 4 | |
| | P | 9/23/1994 | -253.14 | -0.13 | 698.86 | 01 | 06 | 4 | |
| | P | 9/24/1994 | -253.13 | 0.01 | 698.87 | 01 | 06 | 4 | |
| | P | 9/25/1994 | -253.42 | -0.29 | 698.58 | 01 | 06 | 4 | |
| | P | 9/26/1994 | -253.47 | -0.05 | 698.53 | 01 | 06 | 4 | |
| | P | 9/27/1994 | -253.49 | -0.02 | 698.51 | 01 | 06 | 4 | |
| | P | 9/28/1994 | -253.64 | -0.15 | 698.36 | 01 | 06 | 4 | |
| | P | 9/29/1994 | -253.77 | -0.13 | 698.23 | 01 | 06 | 4 | |
| | P | 9/30/1994 | -253.83 | -0.06 | 698.17 | 01 | 06 | 4 | |
| | P | 10/ 1/1994 | -253.82 | 0.01 | 698.18 | 01 | 06 | 4 | |
| | P | 10/ 2/1994 | -253.82 | | 698.18 | 01 | 06 | 4 | |
| | P | 10/ 3/1994 | -253.91 | -0.09 | 698.09 | 01 | 06 | 4 | |
| | P | 10/ 4/1994 | -254.2 | -0.29 | 697.8 | 01 | 06 | 4 | |
| | P | 10/ 5/1994 | -254.22 | -0.02 | 697.78 | 01 | 06 | 4 | |
| | P | 10/ 6/1994 | -254.16 | 0.06 | 697.84 | 01 | 06 | 4 | |
| | P | 10/ 7/1994 | -254.22 | -0.06 | 697.78 | 01 | 06 | 4 | |
| | P | 10/ 8/1994 | -252.35 | 1.87 | 699.65 | 01 | 06 | 4 | |
| | P | 10/ 9/1994 | -251.66 | 0.69 | 700.34 | 01 | 06 | 4 | |
| | P | 10/10/1994 | -251.66 | | 700.34 | 01 | 06 | 4 | |
| | P | 10/11/1994 | -251.65 | 0.01 | 700.35 | 01 | 06 | 4 | |
| | P | 10/12/1994 | -251.9 | -0.25 | 700.1 | 01 | 06 | 4 | |
| | P | 10/13/1994 | -252.18 | -0.28 | 699.82 | 01 | 06 | 4 | |
| | P | 10/14/1994 | -252.98 | -0.8 | 699.02 | 01 | 06 | 4 | |
| | P | 10/15/1994 | -252.87 | 0.11 | 699.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1994 | -252.94 | -0.07 | 699.06 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1994 | -253.05 | -0.11 | 698.95 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1994 | -252.64 | 0.41 | 699.36 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1994 | -252.75 | -0.11 | 699.25 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1994 | -252.45 | 0.3 | 699.55 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1994 | -252.17 | 0.28 | 699.83 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1994 | -252.17 | | 699.83 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1994 | -252.24 | -0.07 | 699.76 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1994 | -252.45 | -0.21 | 699.55 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1994 | -252.4 | 0.05 | 699.6 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1994 | -251.76 | 0.64 | 700.24 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1994 | -251.73 | 0.03 | 700.27 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1994 | -251.49 | 0.24 | 700.51 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1994 | -251.45 | 0.04 | 700.55 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1994 | -251.63 | -0.18 | 700.37 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1994 | -251.62 | 0.01 | 700.38 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1994 | -251.7 | -0.08 | 700.3 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1994 | -251.61 | 0.09 | 700.39 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1994 | -251.73 | -0.12 | 700.27 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1994 | -251.76 | -0.03 | 700.24 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1994 | -251.85 | -0.09 | 700.15 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1994 | -252.16 | -0.31 | 699.84 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1994 | -252.2 | -0.04 | 699.8 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1994 | -251.45 | 0.75 | 700.55 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1994 | -251.26 | 0.19 | 700.74 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1994 | -251.94 | -0.68 | 700.06 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1994 | -251.93 | 0.01 | 700.07 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1994 | -251.85 | 0.08 | 700.15 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1994 | -251.74 | 0.11 | 700.26 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1994 | -251.82 | -0.08 | 700.18 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1994 | -252.04 | -0.22 | 699.96 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1994 | -251.98 | 0.06 | 700.02 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1994 | -251.82 | 0.16 | 700.18 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1994 | -251.98 | -0.16 | 700.02 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1994 | -251.94 | 0.04 | 700.06 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1994 | -251.85 | 0.09 | 700.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 21/ 1994 | -252.03 | -0.18 | 699.97 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1994 | -252.22 | -0.19 | 699.78 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1994 | -252.37 | -0.15 | 699.63 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1994 | -252.2 | 0.17 | 699.8 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1994 | -252.1 | 0.1 | 699.9 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1994 | -251.94 | 0.16 | 700.06 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1994 | -251.86 | 0.08 | 700.14 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1994 | -252.17 | -0.31 | 699.83 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1994 | -252.34 | -0.17 | 699.66 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1994 | -252.65 | -0.31 | 699.35 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1994 | -252.5 | 0.15 | 699.5 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1994 | -252.27 | 0.23 | 699.73 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1994 | -252.26 | 0.01 | 699.74 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1994 | -252.32 | -0.06 | 699.68 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1994 | -252.46 | -0.14 | 699.54 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1994 | -252.49 | -0.03 | 699.51 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1994 | -252.44 | 0.05 | 699.56 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1994 | -252.5 | -0.06 | 699.5 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1994 | -252.55 | -0.05 | 699.45 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1994 | -252.67 | -0.12 | 699.33 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1994 | -252.71 | -0.04 | 699.29 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1994 | -252.67 | 0.04 | 699.33 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1994 | -252.67 | | 699.33 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1994 | -252.65 | 0.02 | 699.35 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1994 | -252.69 | -0.04 | 699.31 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1994 | -252.7 | -0.01 | 699.3 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1994 | -252.89 | -0.19 | 699.11 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1994 | -252.98 | -0.09 | 699.02 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1994 | -252.8 | 0.18 | 699.2 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1994 | -252.82 | -0.02 | 699.18 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1994 | -252.98 | -0.16 | 699.02 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1994 | -253.07 | -0.09 | 698.93 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1994 | -253.12 | -0.05 | 698.88 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1994 | -253.09 | 0.03 | 698.91 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1994 | -253.16 | -0.07 | 698.84 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1994 | -253.19 | -0.03 | 698.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/27/1994 | -253.09 | 0.1 | 698.91 | 01 | 06 | 4 | |
| | P | 12/28/1994 | -253 | 0.09 | 699 | 01 | 06 | 4 | |
| | P | 12/29/1994 | -252.5 | 0.5 | 699.5 | 01 | 06 | 4 | |
| | P | 12/30/1994 | -252.17 | 0.33 | 699.83 | 01 | 06 | 4 | |
| | P | 12/31/1994 | -252.07 | 0.1 | 699.93 | 01 | 06 | 4 | |
| | P | 1/ 1/1995 | -252.33 | -0.26 | 699.67 | 01 | 06 | 4 | |
| | P | 1/ 2/1995 | -252.48 | -0.15 | 699.52 | 01 | 06 | 4 | |
| | P | 1/ 3/1995 | -252.48 | | 699.52 | 01 | 06 | 4 | |
| | P | 1/ 4/1995 | -252.64 | -0.16 | 699.36 | 01 | 06 | 4 | |
| | P | 1/ 5/1995 | -252.26 | 0.38 | 699.74 | 01 | 06 | 4 | |
| | P | 1/ 6/1995 | -252.16 | 0.1 | 699.84 | 01 | 06 | 4 | |
| | P | 1/ 7/1995 | -252.48 | -0.32 | 699.52 | 01 | 06 | 4 | |
| | P | 1/ 8/1995 | -252.67 | -0.19 | 699.33 | 01 | 06 | 4 | |
| | P | 1/ 9/1995 | -252.68 | -0.01 | 699.32 | 01 | 06 | 4 | |
| | P | 1/10/1995 | -252.6 | 0.08 | 699.4 | 01 | 06 | 4 | |
| | P | 1/11/1995 | -252.49 | 0.11 | 699.51 | 01 | 06 | 4 | |
| | P | 1/12/1995 | -252.33 | 0.16 | 699.67 | 01 | 06 | 4 | |
| | P | 1/13/1995 | -252.36 | -0.03 | 699.64 | 01 | 06 | 4 | |
| | P | 1/14/1995 | -252.61 | -0.25 | 699.39 | 01 | 06 | 4 | |
| | P | 1/15/1995 | -252.7 | -0.09 | 699.3 | 01 | 06 | 4 | |
| | P | 1/16/1995 | -252.52 | 0.18 | 699.48 | 01 | 06 | 4 | |
| | P | 1/17/1995 | -252.55 | -0.03 | 699.45 | 01 | 06 | 4 | |
| | P | 1/18/1995 | -252.53 | 0.02 | 699.47 | 01 | 06 | 4 | |
| | P | 1/19/1995 | -252.92 | -0.39 | 699.08 | 01 | 06 | 4 | |
| | P | 1/20/1995 | -252.89 | 0.03 | 699.11 | 01 | 06 | 4 | |
| | P | 1/21/1995 | -252.86 | 0.03 | 699.14 | 01 | 06 | 4 | |
| | P | 1/22/1995 | -252.72 | 0.14 | 699.28 | 01 | 06 | 4 | |
| | P | 1/23/1995 | -253.04 | -0.32 | 698.96 | 01 | 06 | 4 | |
| | P | 1/24/1995 | -253.11 | -0.07 | 698.89 | 01 | 06 | 4 | |
| | P | 1/25/1995 | -253.02 | 0.09 | 698.98 | 01 | 06 | 4 | |
| | P | 1/26/1995 | -252.84 | 0.18 | 699.16 | 01 | 06 | 4 | |
| | P | 1/27/1995 | -252.74 | 0.1 | 699.26 | 01 | 06 | 4 | |
| | P | 1/28/1995 | -252.86 | -0.12 | 699.14 | 01 | 06 | 4 | |
| | P | 1/29/1995 | -253.08 | -0.22 | 698.92 | 01 | 06 | 4 | |
| | P | 1/30/1995 | -253.21 | -0.13 | 698.79 | 01 | 06 | 4 | |
| | P | 1/31/1995 | -253.06 | 0.15 | 698.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/1995 | -253.05 | 0.01 | 698.95 | 01 | 06 | 4 | |
| | P | 2/ 2/1995 | -253.21 | -0.16 | 698.79 | 01 | 06 | 4 | |
| | P | 2/ 3/1995 | -253.25 | -0.04 | 698.75 | 01 | 06 | 4 | |
| | P | 2/ 4/1995 | -253.51 | -0.26 | 698.49 | 01 | 06 | 4 | |
| | P | 2/ 5/1995 | -253.51 | | 698.49 | 01 | 06 | 4 | |
| | P | 2/ 6/1995 | -253.51 | | 698.49 | 01 | 06 | 4 | |
| | P | 2/ 7/1995 | -253.46 | 0.05 | 698.54 | 01 | 06 | 4 | |
| | P | 2/ 8/1995 | -253.75 | -0.29 | 698.25 | 01 | 06 | 4 | |
| | P | 2/ 9/1995 | -253.46 | 0.29 | 698.54 | 01 | 06 | 4 | |
| | P | 2/10/1995 | -253.36 | 0.1 | 698.64 | 01 | 06 | 4 | |
| | P | 2/11/1995 | -253.39 | -0.03 | 698.61 | 01 | 06 | 4 | |
| | P | 2/12/1995 | -253.87 | -0.48 | 698.13 | 01 | 06 | 4 | |
| | P | 2/13/1995 | -253.82 | 0.05 | 698.18 | 01 | 06 | 4 | |
| | P | 2/14/1995 | -253.66 | 0.16 | 698.34 | 01 | 06 | 4 | |
| | P | 2/15/1995 | -253.7 | -0.04 | 698.3 | 01 | 06 | 4 | |
| | P | 2/16/1995 | -253.79 | -0.09 | 698.21 | 01 | 06 | 4 | |
| | P | 2/17/1995 | -254.18 | -0.39 | 697.82 | 01 | 06 | 4 | |
| | P | 2/18/1995 | -254.04 | 0.14 | 697.96 | 01 | 06 | 4 | |
| | P | 2/19/1995 | -254.09 | -0.05 | 697.91 | 01 | 06 | 4 | |
| | P | 2/20/1995 | -254.28 | -0.19 | 697.72 | 01 | 06 | 4 | |
| | P | 2/21/1995 | -254.27 | 0.01 | 697.73 | 01 | 06 | 4 | |
| | P | 2/22/1995 | -254.14 | 0.13 | 697.86 | 01 | 06 | 4 | |
| | P | 2/23/1995 | -254.13 | 0.01 | 697.87 | 01 | 06 | 4 | |
| | P | 2/24/1995 | -254.23 | -0.1 | 697.77 | 01 | 06 | 4 | |
| | P | 2/25/1995 | -254.09 | 0.14 | 697.91 | 01 | 06 | 4 | |
| | P | 2/26/1995 | -254.93 | -0.84 | 697.07 | 01 | 06 | 4 | |
| | P | 2/27/1995 | -253.99 | 0.94 | 698.01 | 01 | 06 | 4 | |
| | P | 2/28/1995 | -253.97 | 0.02 | 698.03 | 01 | 06 | 4 | |
| | P | 3/ 1/1995 | -254.26 | -0.29 | 697.74 | 01 | 06 | 4 | |
| | P | 3/ 2/1995 | -254.28 | -0.02 | 697.72 | 01 | 06 | 4 | |
| | P | 3/ 3/1995 | -254.23 | 0.05 | 697.77 | 01 | 06 | 4 | |
| | P | 3/ 4/1995 | -254.1 | 0.13 | 697.9 | 01 | 06 | 4 | |
| | P | 3/ 5/1995 | -254.11 | -0.01 | 697.89 | 01 | 06 | 4 | |
| | P | 3/ 6/1995 | -254.01 | 0.1 | 697.99 | 01 | 06 | 4 | |
| | P | 3/ 7/1995 | -254.04 | -0.03 | 697.96 | 01 | 06 | 4 | |
| | P | 3/ 8/1995 | -254.64 | -0.6 | 697.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 9/1995 | -254.57 | 0.07 | 697.43 | 01 | 06 | 4 | |
| | P | 3/10/1995 | -254.49 | 0.08 | 697.51 | 01 | 06 | 4 | |
| | P | 3/11/1995 | -254.42 | 0.07 | 697.58 | 01 | 06 | 4 | |
| | P | 3/12/1995 | -254.26 | 0.16 | 697.74 | 01 | 06 | 4 | |
| | P | 3/13/1995 | -254.27 | -0.01 | 697.73 | 01 | 06 | 4 | |
| | P | 3/14/1995 | -254.38 | -0.11 | 697.62 | 01 | 06 | 4 | |
| | P | 3/15/1995 | -254.5 | -0.12 | 697.5 | 01 | 06 | 4 | |
| | P | 3/16/1995 | -254.54 | -0.04 | 697.46 | 01 | 06 | 4 | |
| | P | 3/17/1995 | -254.65 | -0.11 | 697.35 | 01 | 06 | 4 | |
| | P | 3/18/1995 | -254.7 | -0.05 | 697.3 | 01 | 06 | 4 | |
| | P | 3/19/1995 | -254.56 | 0.14 | 697.44 | 01 | 06 | 4 | |
| | P | 3/20/1995 | -254.61 | -0.05 | 697.39 | 01 | 06 | 4 | |
| | P | 3/21/1995 | -254.73 | -0.12 | 697.27 | 01 | 06 | 4 | |
| | P | 3/22/1995 | -254.76 | -0.03 | 697.24 | 01 | 06 | 4 | |
| | P | 3/23/1995 | -254.86 | -0.1 | 697.14 | 01 | 06 | 4 | |
| | P | 3/24/1995 | -254.87 | -0.01 | 697.13 | 01 | 06 | 4 | |
| | P | 3/25/1995 | -254.9 | -0.03 | 697.1 | 01 | 06 | 4 | |
| | P | 3/26/1995 | -254.98 | -0.08 | 697.02 | 01 | 06 | 4 | |
| | P | 3/27/1995 | -255.19 | -0.21 | 696.81 | 01 | 06 | 4 | |
| | P | 3/28/1995 | -255.17 | 0.02 | 696.83 | 01 | 06 | 4 | |
| | P | 3/29/1995 | -255.17 | | 696.83 | 01 | 06 | 4 | |
| | P | 3/30/1995 | -255.15 | 0.02 | 696.85 | 01 | 06 | 4 | |
| | P | 3/31/1995 | -255.19 | -0.04 | 696.81 | 01 | 06 | 4 | |
| | P | 4/ 1/1995 | -255.28 | -0.09 | 696.72 | 01 | 06 | 4 | |
| | P | 4/ 2/1995 | -255.3 | -0.02 | 696.7 | 01 | 06 | 4 | |
| | P | 4/ 3/1995 | -255.22 | 0.08 | 696.78 | 01 | 06 | 4 | |
| | P | 4/ 4/1995 | -255.15 | 0.07 | 696.85 | 01 | 06 | 4 | |
| | P | 4/ 5/1995 | -255.1 | 0.05 | 696.9 | 01 | 06 | 4 | |
| | P | 4/ 6/1995 | -254.99 | 0.11 | 697.01 | 01 | 06 | 4 | |
| | P | 4/ 7/1995 | -254.92 | 0.07 | 697.08 | 01 | 06 | 4 | |
| | P | 4/ 8/1995 | -254.86 | 0.06 | 697.14 | 01 | 06 | 4 | |
| | P | 4/ 9/1995 | -254.79 | 0.07 | 697.21 | 01 | 06 | 4 | |
| | P | 4/10/1995 | -254.8 | -0.01 | 697.2 | 01 | 06 | 4 | |
| | P | 4/11/1995 | -255.12 | -0.32 | 696.88 | 01 | 06 | 4 | |
| | P | 4/12/1995 | -255.36 | -0.24 | 696.64 | 01 | 06 | 4 | |
| | P | 4/13/1995 | -255.39 | -0.03 | 696.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 14/ 1995 | -255.16 | 0.23 | 696.84 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1995 | -255.3 | -0.14 | 696.7 | 01 | 06 | 4 | |
| | P | 4/ 16/ 1995 | -255.2 | 0.1 | 696.8 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1995 | -255.14 | 0.06 | 696.86 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1995 | -255.34 | -0.2 | 696.66 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1995 | -255.19 | 0.15 | 696.81 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1995 | -255.27 | -0.08 | 696.73 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1995 | -255.47 | -0.2 | 696.53 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1995 | -255.41 | 0.06 | 696.59 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1995 | -255.69 | -0.28 | 696.31 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1995 | -255.89 | -0.2 | 696.11 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1995 | -255.88 | 0.01 | 696.12 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1995 | -255.81 | 0.07 | 696.19 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1995 | -255.98 | -0.17 | 696.02 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1995 | -255.96 | 0.02 | 696.04 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1995 | -255.96 | | 696.04 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1995 | -256.38 | -0.42 | 695.62 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1995 | -256.23 | 0.15 | 695.77 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1995 | -256.45 | -0.22 | 695.55 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1995 | -256.47 | -0.02 | 695.53 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1995 | -256.57 | -0.1 | 695.43 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1995 | -256.76 | -0.19 | 695.24 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1995 | -256.76 | | 695.24 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1995 | -256.68 | 0.08 | 695.32 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1995 | -256.69 | -0.01 | 695.31 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1995 | -256.7 | -0.01 | 695.3 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1995 | -256.76 | -0.06 | 695.24 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1995 | -256.9 | -0.14 | 695.1 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1995 | -256.73 | 0.17 | 695.27 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1995 | -256.84 | -0.11 | 695.16 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1995 | -256.14 | 0.7 | 695.86 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1995 | -256 | 0.14 | 696 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1995 | -257.25 | -1.25 | 694.75 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1995 | -257.33 | -0.08 | 694.67 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1995 | -257.43 | -0.1 | 694.57 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1995 | -257.65 | -0.22 | 694.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/20/1995 | -257.73 | -0.08 | 694.27 | 01 | 06 | 4 | |
| | P | 5/21/1995 | -257.75 | -0.02 | 694.25 | 01 | 06 | 4 | |
| | P | 5/22/1995 | -257.93 | -0.18 | 694.07 | 01 | 06 | 4 | |
| | P | 5/23/1995 | -258.01 | -0.08 | 693.99 | 01 | 06 | 4 | |
| | P | 5/24/1995 | -258.01 | | 693.99 | 01 | 06 | 4 | |
| | P | 5/25/1995 | -258.07 | -0.06 | 693.93 | 01 | 06 | 4 | |
| | P | 5/26/1995 | -258.04 | 0.03 | 693.96 | 01 | 06 | 4 | |
| | P | 5/27/1995 | -257.1 | 0.94 | 694.9 | 01 | 06 | 4 | |
| | P | 5/28/1995 | -256.93 | 0.17 | 695.07 | 01 | 06 | 4 | |
| | P | 5/29/1995 | -256.9 | 0.03 | 695.1 | 01 | 06 | 4 | |
| | P | 5/30/1995 | -255.82 | 1.08 | 696.18 | 01 | 06 | 4 | |
| | P | 5/31/1995 | -255.74 | 0.08 | 696.26 | 01 | 06 | 4 | |
| | P | 6/ 1/1995 | -255.38 | 0.36 | 696.62 | 01 | 06 | 4 | |
| | P | 6/ 2/1995 | -255.7 | -0.32 | 696.3 | 01 | 06 | 4 | |
| | P | 6/ 3/1995 | -255.27 | 0.43 | 696.73 | 01 | 06 | 4 | |
| | P | 6/ 4/1995 | -256.23 | -0.96 | 695.77 | 01 | 06 | 4 | |
| | P | 6/ 5/1995 | -256.57 | -0.34 | 695.43 | 01 | 06 | 4 | |
| | P | 6/ 6/1995 | -256.82 | -0.25 | 695.18 | 01 | 06 | 4 | |
| | P | 6/ 7/1995 | -256.6 | 0.22 | 695.4 | 01 | 06 | 4 | |
| | P | 6/ 8/1995 | -256.45 | 0.15 | 695.55 | 01 | 06 | 4 | |
| | P | 6/ 9/1995 | -257.24 | -0.79 | 694.76 | 01 | 06 | 4 | |
| | P | 6/10/1995 | -257.66 | -0.42 | 694.34 | 01 | 06 | 4 | |
| | P | 6/11/1995 | -256.94 | 0.72 | 695.06 | 01 | 06 | 4 | |
| | P | 6/12/1995 | -255.51 | 1.43 | 696.49 | 01 | 06 | 4 | |
| | P | 6/13/1995 | -255.45 | 0.06 | 696.55 | 01 | 06 | 4 | |
| | P | 6/14/1995 | -255.72 | -0.27 | 696.28 | 01 | 06 | 4 | |
| | P | 6/15/1995 | -255.82 | -0.1 | 696.18 | 01 | 06 | 4 | |
| | P | 6/16/1995 | -256.54 | -0.72 | 695.46 | 01 | 06 | 4 | |
| | P | 6/17/1995 | -257.02 | -0.48 | 694.98 | 01 | 06 | 4 | |
| | P | 6/18/1995 | -257.16 | -0.14 | 694.84 | 01 | 06 | 4 | |
| | P | 6/19/1995 | -256.44 | 0.72 | 695.56 | 01 | 06 | 4 | |
| | P | 6/20/1995 | -256.39 | 0.05 | 695.61 | 01 | 06 | 4 | |
| | P | 6/21/1995 | -256.89 | -0.5 | 695.11 | 01 | 06 | 4 | |
| | P | 6/22/1995 | -257.16 | -0.27 | 694.84 | 01 | 06 | 4 | |
| | P | 6/23/1995 | -257.35 | -0.19 | 694.65 | 01 | 06 | 4 | |
| | P | 6/24/1995 | -257.44 | -0.09 | 694.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 25/ 1995 | -257.54 | -0.1 | 694.46 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1995 | -257.66 | -0.12 | 694.34 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1995 | -257.52 | 0.14 | 694.48 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1995 | -257.74 | -0.22 | 694.26 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1995 | -256.49 | 1.25 | 695.51 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1995 | -255.77 | 0.72 | 696.23 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1995 | -255.8 | -0.03 | 696.2 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1995 | -255.93 | -0.13 | 696.07 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1995 | -256.08 | -0.15 | 695.92 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1995 | -256 | 0.08 | 696 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1995 | -255.98 | 0.02 | 696.02 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1995 | -256.14 | -0.16 | 695.86 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1995 | -256.2 | -0.06 | 695.8 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1995 | -256.24 | -0.04 | 695.76 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1995 | -256.6 | -0.36 | 695.4 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1995 | -256.85 | -0.25 | 695.15 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1995 | -256.95 | -0.1 | 695.05 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1995 | -257.23 | -0.28 | 694.77 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1995 | -257.22 | 0.01 | 694.78 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1995 | -257.43 | -0.21 | 694.57 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1995 | -257.5 | -0.07 | 694.5 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1995 | -257.64 | -0.14 | 694.36 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1995 | -257.8 | -0.16 | 694.2 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1995 | -257.89 | -0.09 | 694.11 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1995 | -257.97 | -0.08 | 694.03 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1995 | -258.19 | -0.22 | 693.81 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1995 | -258.38 | -0.19 | 693.62 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1995 | -258.46 | -0.08 | 693.54 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1995 | -258.56 | -0.1 | 693.44 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1995 | -258.77 | -0.21 | 693.23 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1995 | -259.25 | -0.48 | 692.75 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1995 | -259.41 | -0.16 | 692.59 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1995 | -259.47 | -0.06 | 692.53 | 01 | 06 | 4 | |
| | P | 7 / 28/ 1995 | -259.67 | -0.2 | 692.33 | 01 | 06 | 4 | |
| | P | 7 / 29/ 1995 | -259.76 | -0.09 | 692.24 | 01 | 06 | 4 | |
| | P | 7 / 30/ 1995 | -258.97 | 0.79 | 693.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/31/1995 | -258.67 | 0.3 | 693.33 | 01 | 06 | 4 | |
| | P | 8/ 1/1995 | -259.11 | -0.44 | 692.89 | 01 | 06 | 4 | |
| | P | 8/ 2/1995 | -259.56 | -0.45 | 692.44 | 01 | 06 | 4 | |
| | P | 8/ 3/1995 | -259.67 | -0.11 | 692.33 | 01 | 06 | 4 | |
| | P | 8/ 4/1995 | -259.88 | -0.21 | 692.12 | 01 | 06 | 4 | |
| | P | 8/ 5/1995 | -260.04 | -0.16 | 691.96 | 01 | 06 | 4 | |
| | P | 8/ 6/1995 | -260.24 | -0.2 | 691.76 | 01 | 06 | 4 | |
| | P | 8/ 7/1995 | -260.13 | 0.11 | 691.87 | 01 | 06 | 4 | |
| | P | 8/ 8/1995 | -260.36 | -0.23 | 691.64 | 01 | 06 | 4 | |
| | P | 8/ 9/1995 | -260.96 | -0.6 | 691.04 | 01 | 06 | 4 | |
| | P | 8/10/1995 | -260.67 | 0.29 | 691.33 | 01 | 06 | 4 | |
| | P | 8/11/1995 | -260.89 | -0.22 | 691.11 | 01 | 06 | 4 | |
| | P | 8/12/1995 | -260.99 | -0.1 | 691.01 | 01 | 06 | 4 | |
| | P | 8/13/1995 | -260.93 | 0.06 | 691.07 | 01 | 06 | 4 | |
| | P | 8/14/1995 | -261.07 | -0.14 | 690.93 | 01 | 06 | 4 | |
| | P | 8/15/1995 | -261.3 | -0.23 | 690.7 | 01 | 06 | 4 | |
| | P | 8/16/1995 | -261.33 | -0.03 | 690.67 | 01 | 06 | 4 | |
| | P | 8/17/1995 | -261.45 | -0.12 | 690.55 | 01 | 06 | 4 | |
| | P | 8/18/1995 | -261.56 | -0.11 | 690.44 | 01 | 06 | 4 | |
| | P | 8/19/1995 | -261.55 | 0.01 | 690.45 | 01 | 06 | 4 | |
| | P | 8/20/1995 | -261.7 | -0.15 | 690.3 | 01 | 06 | 4 | |
| | P | 8/21/1995 | -261.77 | -0.07 | 690.23 | 01 | 06 | 4 | |
| | P | 8/22/1995 | -261.65 | 0.12 | 690.35 | 01 | 06 | 4 | |
| | P | 8/23/1995 | -261.66 | -0.01 | 690.34 | 01 | 06 | 4 | |
| | P | 8/24/1995 | -261.73 | -0.07 | 690.27 | 01 | 06 | 4 | |
| | P | 8/25/1995 | -261.54 | 0.19 | 690.46 | 01 | 06 | 4 | |
| | P | 8/26/1995 | -261.58 | -0.04 | 690.42 | 01 | 06 | 4 | |
| | P | 8/27/1995 | -261.11 | 0.47 | 690.89 | 01 | 06 | 4 | |
| | P | 8/28/1995 | -261.77 | -0.66 | 690.23 | 01 | 06 | 4 | |
| | P | 8/29/1995 | -261.79 | -0.02 | 690.21 | 01 | 06 | 4 | |
| | P | 8/30/1995 | -261.85 | -0.06 | 690.15 | 01 | 06 | 4 | |
| | P | 8/31/1995 | -261.85 | | 690.15 | 01 | 06 | 4 | |
| | P | 9/ 1/1995 | -261.78 | 0.07 | 690.22 | 01 | 06 | 4 | |
| | P | 9/ 2/1995 | -261.79 | -0.01 | 690.21 | 01 | 06 | 4 | |
| | P | 9/ 3/1995 | -262.02 | -0.23 | 689.98 | 01 | 06 | 4 | |
| | P | 9/ 4/1995 | -262.03 | -0.01 | 689.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 5/1995 | -262.02 | 0.01 | 689.98 | 01 | 06 | 4 | |
| | P | 9/ 6/1995 | -262.4 | -0.38 | 689.6 | 01 | 06 | 4 | |
| | P | 9/ 7/1995 | -262.38 | 0.02 | 689.62 | 01 | 06 | 4 | |
| | P | 9/ 8/1995 | -261.86 | 0.52 | 690.14 | 01 | 06 | 4 | |
| | P | 9/ 9/1995 | -262.35 | -0.49 | 689.65 | 01 | 06 | 4 | |
| | P | 9/10/1995 | -262.72 | -0.37 | 689.28 | 01 | 06 | 4 | |
| | P | 9/11/1995 | -262.79 | -0.07 | 689.21 | 01 | 06 | 4 | |
| | P | 9/12/1995 | -262.32 | 0.47 | 689.68 | 01 | 06 | 4 | |
| | P | 9/13/1995 | -261.97 | 0.35 | 690.03 | 01 | 06 | 4 | |
| | P | 9/14/1995 | -263.15 | -1.18 | 688.85 | 01 | 06 | 4 | |
| | P | 9/15/1995 | -263.4 | -0.25 | 688.6 | 01 | 06 | 4 | |
| | P | 9/16/1995 | -263.53 | -0.13 | 688.47 | 01 | 06 | 4 | |
| | P | 9/17/1995 | -263.72 | -0.19 | 688.28 | 01 | 06 | 4 | |
| | P | 9/18/1995 | -263.89 | -0.17 | 688.11 | 01 | 06 | 4 | |
| | P | 9/19/1995 | -263.96 | -0.07 | 688.04 | 01 | 06 | 4 | |
| | P | 9/20/1995 | -263 | 0.96 | 689 | 01 | 06 | 4 | |
| | P | 9/21/1995 | -262.81 | 0.19 | 689.19 | 01 | 06 | 4 | |
| | P | 9/22/1995 | -263.07 | -0.26 | 688.93 | 01 | 06 | 4 | |
| | P | 9/23/1995 | -262.95 | 0.12 | 689.05 | 01 | 06 | 4 | |
| | P | 9/24/1995 | -262.62 | 0.33 | 689.38 | 01 | 06 | 4 | |
| | P | 9/25/1995 | -262.48 | 0.14 | 689.52 | 01 | 06 | 4 | |
| | P | 9/26/1995 | -262.59 | -0.11 | 689.41 | 01 | 06 | 4 | |
| | P | 9/27/1995 | -263.06 | -0.47 | 688.94 | 01 | 06 | 4 | |
| | P | 9/28/1995 | -263.2 | -0.14 | 688.8 | 01 | 06 | 4 | |
| | P | 9/29/1995 | -263.29 | -0.09 | 688.71 | 01 | 06 | 4 | |
| | P | 9/30/1995 | -263.31 | -0.02 | 688.69 | 01 | 06 | 4 | |
| | P | 10/ 1/1995 | -263.45 | -0.14 | 688.55 | 01 | 06 | 4 | |
| | P | 10/ 2/1995 | -263.26 | 0.19 | 688.74 | 01 | 06 | 4 | |
| | P | 10/ 3/1995 | -263.28 | -0.02 | 688.72 | 01 | 06 | 4 | |
| | P | 10/ 4/1995 | -262.24 | 1.04 | 689.76 | 01 | 06 | 4 | |
| | P | 10/ 5/1995 | -263.3 | -1.06 | 688.7 | 01 | 06 | 4 | |
| | P | 10/ 6/1995 | -263.78 | -0.48 | 688.22 | 01 | 06 | 4 | |
| | P | 10/ 7/1995 | -263.79 | -0.01 | 688.21 | 01 | 06 | 4 | |
| | P | 10/ 8/1995 | -263.74 | 0.05 | 688.26 | 01 | 06 | 4 | |
| | P | 10/ 9/1995 | -263.84 | -0.1 | 688.16 | 01 | 06 | 4 | |
| | P | 10/10/1995 | -263.69 | 0.15 | 688.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 11/ 1995 | -263.78 | -0.09 | 688.22 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1995 | -263.73 | 0.05 | 688.27 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1995 | -263.77 | -0.04 | 688.23 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1995 | -263.91 | -0.14 | 688.09 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1995 | -263.9 | 0.01 | 688.1 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1995 | -264.06 | -0.16 | 687.94 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1995 | -264.06 | | 687.94 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1995 | -264.06 | | 687.94 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1995 | -264.16 | -0.1 | 687.84 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1995 | -264.36 | -0.2 | 687.64 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1995 | -264.12 | 0.24 | 687.88 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1995 | -264.18 | -0.06 | 687.82 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1995 | -264.36 | -0.18 | 687.64 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1995 | -264.48 | -0.12 | 687.52 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1995 | -264.28 | 0.2 | 687.72 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1995 | -264.17 | 0.11 | 687.83 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1995 | -264.23 | -0.06 | 687.77 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1995 | -264.55 | -0.32 | 687.45 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1995 | -264.54 | 0.01 | 687.46 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1995 | -264.42 | 0.12 | 687.58 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1995 | -264.3 | 0.12 | 687.7 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1995 | -264.13 | 0.17 | 687.87 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1995 | -264.13 | | 687.87 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1995 | -264.3 | -0.17 | 687.7 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1995 | -264.33 | -0.03 | 687.67 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1995 | -264.13 | 0.2 | 687.87 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1995 | -263.99 | 0.14 | 688.01 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1995 | -264.09 | -0.1 | 687.91 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1995 | -264.31 | -0.22 | 687.69 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1995 | -264.05 | 0.26 | 687.95 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1995 | -264.07 | -0.02 | 687.93 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1995 | -264.22 | -0.15 | 687.78 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1995 | -264.36 | -0.14 | 687.64 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1995 | -264.34 | 0.02 | 687.66 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1995 | -264.49 | -0.15 | 687.51 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1995 | -264.5 | -0.01 | 687.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/16/1995 | -264.59 | -0.09 | 687.41 | 01 | 06 | 4 | |
| | P | 11/17/1995 | -264.45 | 0.14 | 687.55 | 01 | 06 | 4 | |
| | P | 11/18/1995 | -264.47 | -0.02 | 687.53 | 01 | 06 | 4 | |
| | P | 11/19/1995 | -264.4 | 0.07 | 687.6 | 01 | 06 | 4 | |
| | P | 11/20/1995 | -264.42 | -0.02 | 687.58 | 01 | 06 | 4 | |
| | P | 11/21/1995 | -264.53 | -0.11 | 687.47 | 01 | 06 | 4 | |
| | P | 11/22/1995 | -264.38 | 0.15 | 687.62 | 01 | 06 | 4 | |
| | P | 11/23/1995 | -264.46 | -0.08 | 687.54 | 01 | 06 | 4 | |
| | P | 11/24/1995 | -264.73 | -0.27 | 687.27 | 01 | 06 | 4 | |
| | P | 11/25/1995 | -264.62 | 0.11 | 687.38 | 01 | 06 | 4 | |
| | P | 11/26/1995 | -264.45 | 0.17 | 687.55 | 01 | 06 | 4 | |
| | P | 11/27/1995 | -264.42 | 0.03 | 687.58 | 01 | 06 | 4 | |
| | P | 11/28/1995 | -264.71 | -0.29 | 687.29 | 01 | 06 | 4 | |
| | P | 11/29/1995 | -264.85 | -0.14 | 687.15 | 01 | 06 | 4 | |
| | P | 11/30/1995 | -264.84 | 0.01 | 687.16 | 01 | 06 | 4 | |
| | P | 12/ 1/1995 | -264.75 | 0.09 | 687.25 | 01 | 06 | 4 | |
| | P | 12/ 2/1995 | -264.78 | -0.03 | 687.22 | 01 | 06 | 4 | |
| | P | 12/ 3/1995 | -264.82 | -0.04 | 687.18 | 01 | 06 | 4 | |
| | P | 12/ 4/1995 | -264.84 | -0.02 | 687.16 | 01 | 06 | 4 | |
| | P | 12/ 5/1995 | -264.81 | 0.03 | 687.19 | 01 | 06 | 4 | |
| | P | 12/ 6/1995 | -264.03 | 0.78 | 687.97 | 01 | 06 | 4 | |
| | P | 12/ 7/1995 | -265.02 | -0.99 | 686.98 | 01 | 06 | 4 | |
| | P | 12/ 8/1995 | -264.9 | 0.12 | 687.1 | 01 | 06 | 4 | |
| | P | 12/ 9/1995 | -265.14 | -0.24 | 686.86 | 01 | 06 | 4 | |
| | P | 12/10/1995 | -265.27 | -0.13 | 686.73 | 01 | 06 | 4 | |
| | P | 12/11/1995 | -265.01 | 0.26 | 686.99 | 01 | 06 | 4 | |
| | P | 12/12/1995 | -264.97 | 0.04 | 687.03 | 01 | 06 | 4 | |
| | P | 12/13/1995 | -265 | -0.03 | 687 | 01 | 06 | 4 | |
| | P | 12/14/1995 | -265.05 | -0.05 | 686.95 | 01 | 06 | 4 | |
| | P | 12/15/1995 | -265.1 | -0.05 | 686.9 | 01 | 06 | 4 | |
| | P | 12/16/1995 | -265.12 | -0.02 | 686.88 | 01 | 06 | 4 | |
| | P | 12/17/1995 | -264.98 | 0.14 | 687.02 | 01 | 06 | 4 | |
| | P | 12/18/1995 | -265.04 | -0.06 | 686.96 | 01 | 06 | 4 | |
| | P | 12/19/1995 | -265.28 | -0.24 | 686.72 | 01 | 06 | 4 | |
| | P | 12/20/1995 | -265.27 | 0.01 | 686.73 | 01 | 06 | 4 | |
| | P | 12/21/1995 | -265.16 | 0.11 | 686.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/22/1995 | -265.21 | -0.05 | 686.79 | 01 | 06 | 4 | |
| | P | 12/23/1995 | -265.35 | -0.14 | 686.65 | 01 | 06 | 4 | |
| | P | 12/24/1995 | -265.3 | 0.05 | 686.7 | 01 | 06 | 4 | |
| | P | 12/25/1995 | -265.31 | -0.01 | 686.69 | 01 | 06 | 4 | |
| | P | 12/26/1995 | -265.25 | 0.06 | 686.75 | 01 | 06 | 4 | |
| | P | 12/27/1995 | -265.22 | 0.03 | 686.78 | 01 | 06 | 4 | |
| | P | 12/28/1995 | -265.34 | -0.12 | 686.66 | 01 | 06 | 4 | |
| | P | 12/29/1995 | -265.25 | 0.09 | 686.75 | 01 | 06 | 4 | |
| | P | 12/30/1995 | -265.13 | 0.12 | 686.87 | 01 | 06 | 4 | |
| | P | 12/31/1995 | -265.98 | -0.85 | 686.02 | 01 | 06 | 4 | |
| | P | 1/ 1/1996 | -264.96 | 1.02 | 687.04 | 01 | 06 | 4 | |
| | P | 1/ 2/1996 | -265.38 | -0.42 | 686.62 | 01 | 06 | 4 | |
| | P | 1/ 3/1996 | -265.44 | -0.06 | 686.56 | 01 | 06 | 4 | |
| | P | 1/ 4/1996 | -265.38 | 0.06 | 686.62 | 01 | 06 | 4 | |
| | P | 1/ 5/1996 | -265.52 | -0.14 | 686.48 | 01 | 06 | 4 | |
| | P | 1/ 6/1996 | -265.68 | -0.16 | 686.32 | 01 | 06 | 4 | |
| | P | 1/ 7/1996 | -265.97 | -0.29 | 686.03 | 01 | 06 | 4 | |
| | P | 1/ 8/1996 | -265.72 | 0.25 | 686.28 | 01 | 06 | 4 | |
| | P | 1/ 9/1996 | -265.66 | 0.06 | 686.34 | 01 | 06 | 4 | |
| | P | 1/10/1996 | -265.65 | 0.01 | 686.35 | 01 | 06 | 4 | |
| | P | 1/11/1996 | -265.64 | 0.01 | 686.36 | 01 | 06 | 4 | |
| | P | 1/12/1996 | -265.93 | -0.29 | 686.07 | 01 | 06 | 4 | |
| | P | 1/13/1996 | -265.95 | -0.02 | 686.05 | 01 | 06 | 4 | |
| | P | 1/14/1996 | -265.87 | 0.08 | 686.13 | 01 | 06 | 4 | |
| | P | 1/15/1996 | -265.87 | | 686.13 | 01 | 06 | 4 | |
| | P | 1/16/1996 | -265.96 | -0.09 | 686.04 | 01 | 06 | 4 | |
| | P | 1/17/1996 | -265.67 | 0.29 | 686.33 | 01 | 06 | 4 | |
| | P | 1/18/1996 | -265.87 | -0.2 | 686.13 | 01 | 06 | 4 | |
| | P | 1/19/1996 | -266.22 | -0.35 | 685.78 | 01 | 06 | 4 | |
| | P | 1/20/1996 | -266.07 | 0.15 | 685.93 | 01 | 06 | 4 | |
| | P | 1/21/1996 | -266.4 | -0.33 | 685.6 | 01 | 06 | 4 | |
| | P | 1/22/1996 | -266.21 | 0.19 | 685.79 | 01 | 06 | 4 | |
| | P | 1/23/1996 | -266.14 | 0.07 | 685.86 | 01 | 06 | 4 | |
| | P | 1/24/1996 | -266.47 | -0.33 | 685.53 | 01 | 06 | 4 | |
| | P | 1/25/1996 | -266.22 | 0.25 | 685.78 | 01 | 06 | 4 | |
| | P | 1/26/1996 | -266.18 | 0.04 | 685.82 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/27/1996 | -266.63 | -0.45 | 685.37 | 01 | 06 | 4 | |
| | P | 1/28/1996 | -266.34 | 0.29 | 685.66 | 01 | 06 | 4 | |
| | P | 1/29/1996 | -266.29 | 0.05 | 685.71 | 01 | 06 | 4 | |
| | P | 1/30/1996 | -266.47 | -0.18 | 685.53 | 01 | 06 | 4 | |
| | P | 1/31/1996 | -266.53 | -0.06 | 685.47 | 01 | 06 | 4 | |
| | P | 2/ 1/1996 | -266.43 | 0.1 | 685.57 | 01 | 06 | 4 | |
| | P | 2/ 2/1996 | -266.51 | -0.08 | 685.49 | 01 | 06 | 4 | |
| | P | 2/ 3/1996 | -266.76 | -0.25 | 685.24 | 01 | 06 | 4 | |
| | P | 2/ 4/1996 | -266.96 | -0.2 | 685.04 | 01 | 06 | 4 | |
| | P | 2/ 5/1996 | -266.63 | 0.33 | 685.37 | 01 | 06 | 4 | |
| | P | 2/ 6/1996 | -266.67 | -0.04 | 685.33 | 01 | 06 | 4 | |
| | P | 2/ 7/1996 | -266.62 | 0.05 | 685.38 | 01 | 06 | 4 | |
| | P | 2/ 8/1996 | -266.75 | -0.13 | 685.25 | 01 | 06 | 4 | |
| | P | 2/ 9/1996 | -266.93 | -0.18 | 685.07 | 01 | 06 | 4 | |
| | P | 2/10/1996 | -266.95 | -0.02 | 685.05 | 01 | 06 | 4 | |
| | P | 2/11/1996 | -267.11 | -0.16 | 684.89 | 01 | 06 | 4 | |
| | P | 2/12/1996 | -267.3 | -0.19 | 684.7 | 01 | 06 | 4 | |
| | P | 2/13/1996 | -267.17 | 0.13 | 684.83 | 01 | 06 | 4 | |
| | P | 2/14/1996 | -266.98 | 0.19 | 685.02 | 01 | 06 | 4 | |
| | P | 2/15/1996 | -267.07 | -0.09 | 684.93 | 01 | 06 | 4 | |
| | P | 2/16/1996 | -267.46 | -0.39 | 684.54 | 01 | 06 | 4 | |
| | P | 2/17/1996 | -267.18 | 0.28 | 684.82 | 01 | 06 | 4 | |
| | P | 2/18/1996 | -267.06 | 0.12 | 684.94 | 01 | 06 | 4 | |
| | P | 2/19/1996 | -267.12 | -0.06 | 684.88 | 01 | 06 | 4 | |
| | P | 2/20/1996 | -267.5 | -0.38 | 684.5 | 01 | 06 | 4 | |
| | P | 2/21/1996 | -267.61 | -0.11 | 684.39 | 01 | 06 | 4 | |
| | P | 2/22/1996 | -267.68 | -0.07 | 684.32 | 01 | 06 | 4 | |
| | P | 2/23/1996 | -267.69 | -0.01 | 684.31 | 01 | 06 | 4 | |
| | P | 2/24/1996 | -267.98 | -0.29 | 684.02 | 01 | 06 | 4 | |
| | P | 2/25/1996 | -267.93 | 0.05 | 684.07 | 01 | 06 | 4 | |
| | P | 2/26/1996 | -267.94 | -0.01 | 684.06 | 01 | 06 | 4 | |
| | P | 2/27/1996 | -267.92 | 0.02 | 684.08 | 01 | 06 | 4 | |
| | P | 2/28/1996 | -268.12 | -0.2 | 683.88 | 01 | 06 | 4 | |
| | P | 2/29/1996 | -268.17 | -0.05 | 683.83 | 01 | 06 | 4 | |
| | P | 3/ 1/1996 | -268 | 0.17 | 684 | 01 | 06 | 4 | |
| | P | 3/ 2/1996 | -268.01 | -0.01 | 683.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 3/1996 | -268.12 | -0.11 | 683.88 | 01 | 06 | 4 | |
| | P | 3/ 4/1996 | -268.01 | 0.11 | 683.99 | 01 | 06 | 4 | |
| | P | 3/ 5/1996 | -267.91 | 0.1 | 684.09 | 01 | 06 | 4 | |
| | P | 3/ 6/1996 | -267.96 | -0.05 | 684.04 | 01 | 06 | 4 | |
| | P | 3/ 7/1996 | -268.42 | -0.46 | 683.58 | 01 | 06 | 4 | |
| | P | 3/ 8/1996 | -268.62 | -0.2 | 683.38 | 01 | 06 | 4 | |
| | P | 3/ 9/1996 | -268.57 | 0.05 | 683.43 | 01 | 06 | 4 | |
| | P | 3/10/1996 | -268.55 | 0.02 | 683.45 | 01 | 06 | 4 | |
| | P | 3/11/1996 | -268.48 | 0.07 | 683.52 | 01 | 06 | 4 | |
| | P | 3/12/1996 | -268.43 | 0.05 | 683.57 | 01 | 06 | 4 | |
| | P | 3/13/1996 | -268.48 | -0.05 | 683.52 | 01 | 06 | 4 | |
| | P | 3/14/1996 | -268.58 | -0.1 | 683.42 | 01 | 06 | 4 | |
| | P | 3/15/1996 | -268.77 | -0.19 | 683.23 | 01 | 06 | 4 | |
| | P | 3/16/1996 | -268.89 | -0.12 | 683.11 | 01 | 06 | 4 | |
| | P | 3/17/1996 | -268.97 | -0.08 | 683.03 | 01 | 06 | 4 | |
| | P | 3/18/1996 | -269.12 | -0.15 | 682.88 | 01 | 06 | 4 | |
| | P | 3/19/1996 | -269.48 | -0.36 | 682.52 | 01 | 06 | 4 | |
| | P | 3/20/1996 | -269.48 | | 682.52 | 01 | 06 | 4 | |
| | P | 3/21/1996 | -269.31 | 0.17 | 682.69 | 01 | 06 | 4 | |
| | P | 3/22/1996 | -269.37 | -0.06 | 682.63 | 01 | 06 | 4 | |
| | P | 3/23/1996 | -269.42 | -0.05 | 682.58 | 01 | 06 | 4 | |
| | P | 3/24/1996 | -269.41 | 0.01 | 682.59 | 01 | 06 | 4 | |
| | P | 3/25/1996 | -269.62 | -0.21 | 682.38 | 01 | 06 | 4 | |
| | P | 3/26/1996 | -269.71 | -0.09 | 682.29 | 01 | 06 | 4 | |
| | P | 3/27/1996 | -269.58 | 0.13 | 682.42 | 01 | 06 | 4 | |
| | P | 3/28/1996 | -269.52 | 0.06 | 682.48 | 01 | 06 | 4 | |
| | P | 3/29/1996 | -269.45 | 0.07 | 682.55 | 01 | 06 | 4 | |
| | P | 3/30/1996 | -269.47 | -0.02 | 682.53 | 01 | 06 | 4 | |
| | P | 3/31/1996 | -269.84 | -0.37 | 682.16 | 01 | 06 | 4 | |
| | P | 4/ 1/1996 | -270.07 | -0.23 | 681.93 | 01 | 06 | 4 | |
| | P | 4/ 2/1996 | -269.98 | 0.09 | 682.02 | 01 | 06 | 4 | |
| | P | 4/ 3/1996 | -269.95 | 0.03 | 682.05 | 01 | 06 | 4 | |
| | P | 4/ 4/1996 | -270.09 | -0.14 | 681.91 | 01 | 06 | 4 | |
| | P | 4/ 5/1996 | -270.11 | -0.02 | 681.89 | 01 | 06 | 4 | |
| | P | 4/ 6/1996 | -269.99 | 0.12 | 682.01 | 01 | 06 | 4 | |
| | P | 4/ 7/1996 | -269.93 | 0.06 | 682.07 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1996 | -269.96 | -0.03 | 682.04 | 01 | 06 | 4 | |
| | P | 4/ 9/1996 | -270.19 | -0.23 | 681.81 | 01 | 06 | 4 | |
| | P | 4/10/1996 | -270.34 | -0.15 | 681.66 | 01 | 06 | 4 | |
| | P | 4/11/1996 | -270.22 | 0.12 | 681.78 | 01 | 06 | 4 | |
| | P | 4/12/1996 | -269.99 | 0.23 | 682.01 | 01 | 06 | 4 | |
| | P | 4/13/1996 | -270.03 | -0.04 | 681.97 | 01 | 06 | 4 | |
| | P | 4/14/1996 | -270.24 | -0.21 | 681.76 | 01 | 06 | 4 | |
| | P | 4/15/1996 | -270.67 | -0.43 | 681.33 | 01 | 06 | 4 | |
| | P | 4/16/1996 | -270.52 | 0.15 | 681.48 | 01 | 06 | 4 | |
| | P | 4/17/1996 | -270.45 | 0.07 | 681.55 | 01 | 06 | 4 | |
| | P | 4/18/1996 | -270.42 | 0.03 | 681.58 | 01 | 06 | 4 | |
| | P | 4/19/1996 | -270.71 | -0.29 | 681.29 | 01 | 06 | 4 | |
| | P | 4/20/1996 | -270.93 | -0.22 | 681.07 | 01 | 06 | 4 | |
| | P | 4/21/1996 | -270.96 | -0.03 | 681.04 | 01 | 06 | 4 | |
| | P | 4/22/1996 | -271.06 | -0.1 | 680.94 | 01 | 06 | 4 | |
| | P | 4/23/1996 | -271.18 | -0.12 | 680.82 | 01 | 06 | 4 | |
| | P | 4/24/1996 | -270.55 | 0.63 | 681.45 | 01 | 06 | 4 | |
| | P | 4/25/1996 | -270.84 | -0.29 | 681.16 | 01 | 06 | 4 | |
| | P | 4/26/1996 | -271.08 | -0.24 | 680.92 | 01 | 06 | 4 | |
| | P | 4/27/1996 | -271.3 | -0.22 | 680.7 | 01 | 06 | 4 | |
| | P | 4/28/1996 | -271.39 | -0.09 | 680.61 | 01 | 06 | 4 | |
| | P | 4/29/1996 | -271.49 | -0.1 | 680.51 | 01 | 06 | 4 | |
| | P | 4/30/1996 | -271.27 | 0.22 | 680.73 | 01 | 06 | 4 | |
| | P | 5/ 1/1996 | -271.29 | -0.02 | 680.71 | 01 | 06 | 4 | |
| | P | 5/ 2/1996 | -271.46 | -0.17 | 680.54 | 01 | 06 | 4 | |
| | P | 5/ 3/1996 | -271.56 | -0.1 | 680.44 | 01 | 06 | 4 | |
| | P | 5/ 4/1996 | -271.69 | -0.13 | 680.31 | 01 | 06 | 4 | |
| | P | 5/ 5/1996 | -272.02 | -0.33 | 679.98 | 01 | 06 | 4 | |
| | P | 5/ 6/1996 | -271.77 | 0.25 | 680.23 | 01 | 06 | 4 | |
| | P | 5/ 7/1996 | -271.78 | -0.01 | 680.22 | 01 | 06 | 4 | |
| | P | 5/13/1996 | -271.83 | -0.05 | 680.17 | 01 | 06 | 4 | |
| | P | 5/14/1996 | -271.9 | -0.07 | 680.1 | 01 | 06 | 4 | |
| | P | 5/15/1996 | -271.97 | -0.07 | 680.03 | 01 | 06 | 4 | |
| | P | 5/16/1996 | -272.14 | -0.17 | 679.86 | 01 | 06 | 4 | |
| | P | 5/17/1996 | -272.28 | -0.14 | 679.72 | 01 | 06 | 4 | |
| | P | 5/18/1996 | -272.42 | -0.14 | 679.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/19/1996 | -272.5 | -0.08 | 679.5 | 01 | 06 | 4 | |
| | P | 5/20/1996 | -272.42 | 0.08 | 679.58 | 01 | 06 | 4 | |
| | P | 5/21/1996 | -272.5 | -0.08 | 679.5 | 01 | 06 | 4 | |
| | P | 5/22/1996 | -272.02 | 0.48 | 679.98 | 01 | 06 | 4 | |
| | P | 5/23/1996 | -272.45 | -0.43 | 679.55 | 01 | 06 | 4 | |
| | P | 5/24/1996 | -272.9 | -0.45 | 679.1 | 01 | 06 | 4 | |
| | P | 5/25/1996 | -272.94 | -0.04 | 679.06 | 01 | 06 | 4 | |
| | P | 5/26/1996 | -272.9 | 0.04 | 679.1 | 01 | 06 | 4 | |
| | P | 5/27/1996 | -272.79 | 0.11 | 679.21 | 01 | 06 | 4 | |
| | P | 5/28/1996 | -272.75 | 0.04 | 679.25 | 01 | 06 | 4 | |
| | P | 5/29/1996 | -272.85 | -0.1 | 679.15 | 01 | 06 | 4 | |
| | P | 5/30/1996 | -272.87 | -0.02 | 679.13 | 01 | 06 | 4 | |
| | P | 5/31/1996 | -273.09 | -0.22 | 678.91 | 01 | 06 | 4 | |
| | P | 6/ 1/1996 | -273.03 | 0.06 | 678.97 | 01 | 06 | 4 | |
| | P | 6/ 2/1996 | -273.15 | -0.12 | 678.85 | 01 | 06 | 4 | |
| | P | 6/ 3/1996 | -272.98 | 0.17 | 679.02 | 01 | 06 | 4 | |
| | P | 6/ 4/1996 | -272.92 | 0.06 | 679.08 | 01 | 06 | 4 | |
| | P | 6/ 5/1996 | -273.02 | -0.1 | 678.98 | 01 | 06 | 4 | |
| | P | 6/ 6/1996 | -273.06 | -0.04 | 678.94 | 01 | 06 | 4 | |
| | P | 6/ 7/1996 | -273.35 | -0.29 | 678.65 | 01 | 06 | 4 | |
| | P | 6/ 8/1996 | -273.19 | 0.16 | 678.81 | 01 | 06 | 4 | |
| | P | 6/ 9/1996 | -273.19 | | 678.81 | 01 | 06 | 4 | |
| | P | 6/10/1996 | -273.2 | -0.01 | 678.8 | 01 | 06 | 4 | |
| | P | 6/11/1996 | -273.33 | -0.13 | 678.67 | 01 | 06 | 4 | |
| | P | 6/12/1996 | -273.71 | -0.38 | 678.29 | 01 | 06 | 4 | |
| | P | 6/13/1996 | -273.68 | 0.03 | 678.32 | 01 | 06 | 4 | |
| | P | 6/14/1996 | -273.68 | | 678.32 | 01 | 06 | 4 | |
| | P | 6/15/1996 | -273.67 | 0.01 | 678.33 | 01 | 06 | 4 | |
| | P | 6/16/1996 | -274.19 | -0.52 | 677.81 | 01 | 06 | 4 | |
| | P | 6/17/1996 | -274.08 | 0.11 | 677.92 | 01 | 06 | 4 | |
| | P | 6/18/1996 | -274.04 | 0.04 | 677.96 | 01 | 06 | 4 | |
| | P | 6/19/1996 | -274.13 | -0.09 | 677.87 | 01 | 06 | 4 | |
| | P | 6/20/1996 | -274.01 | 0.12 | 677.99 | 01 | 06 | 4 | |
| | P | 6/21/1996 | -274.36 | -0.35 | 677.64 | 01 | 06 | 4 | |
| | P | 6/22/1996 | -274.52 | -0.16 | 677.48 | 01 | 06 | 4 | |
| | P | 6/23/1996 | -274.17 | 0.35 | 677.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/24/1996 | -274.23 | -0.06 | 677.77 | 01 | 06 | 4 | |
| | P | 6/25/1996 | -274.86 | -0.63 | 677.14 | 01 | 06 | 4 | |
| | P | 6/26/1996 | -274.81 | 0.05 | 677.19 | 01 | 06 | 4 | |
| | P | 6/27/1996 | -274.71 | 0.1 | 677.29 | 01 | 06 | 4 | |
| | P | 6/28/1996 | -274.78 | -0.07 | 677.22 | 01 | 06 | 4 | |
| | P | 6/29/1996 | -274.92 | -0.14 | 677.08 | 01 | 06 | 4 | |
| | P | 6/30/1996 | -275.37 | -0.45 | 676.63 | 01 | 06 | 4 | |
| | P | 7/ 1/1996 | -275.31 | 0.06 | 676.69 | 01 | 06 | 4 | |
| | P | 7/ 2/1996 | -275.32 | -0.01 | 676.68 | 01 | 06 | 4 | |
| | P | 7/ 3/1996 | -275.46 | -0.14 | 676.54 | 01 | 06 | 4 | |
| | P | 7/ 4/1996 | -275.57 | -0.11 | 676.43 | 01 | 06 | 4 | |
| | P | 7/ 5/1996 | -275.72 | -0.15 | 676.28 | 01 | 06 | 4 | |
| | P | 7/ 6/1996 | -275.91 | -0.19 | 676.09 | 01 | 06 | 4 | |
| | P | 7/ 7/1996 | -276.28 | -0.37 | 675.72 | 01 | 06 | 4 | |
| | P | 7/ 8/1996 | -276.23 | 0.05 | 675.77 | 01 | 06 | 4 | |
| | P | 7/ 9/1996 | -276.11 | 0.12 | 675.89 | 01 | 06 | 4 | |
| | P | 7/10/1996 | -275.97 | 0.14 | 676.03 | 01 | 06 | 4 | |
| | P | 7/11/1996 | -275.84 | 0.13 | 676.16 | 01 | 06 | 4 | |
| | P | 7/12/1996 | -276.03 | -0.19 | 675.97 | 01 | 06 | 4 | |
| | P | 7/13/1996 | -276.1 | -0.07 | 675.9 | 01 | 06 | 4 | |
| | P | 7/14/1996 | -276.6 | -0.5 | 675.4 | 01 | 06 | 4 | |
| | P | 7/15/1996 | -276.67 | -0.07 | 675.33 | 01 | 06 | 4 | |
| | P | 7/16/1996 | -276.55 | 0.12 | 675.45 | 01 | 06 | 4 | |
| | P | 7/17/1996 | -276.62 | -0.07 | 675.38 | 01 | 06 | 4 | |
| | P | 7/18/1996 | -276.67 | -0.05 | 675.33 | 01 | 06 | 4 | |
| | P | 7/19/1996 | -276.72 | -0.05 | 675.28 | 01 | 06 | 4 | |
| | P | 7/20/1996 | -276.75 | -0.03 | 675.25 | 01 | 06 | 4 | |
| | P | 7/21/1996 | -277.15 | -0.4 | 674.85 | 01 | 06 | 4 | |
| | P | 7/22/1996 | -277.25 | -0.1 | 674.75 | 01 | 06 | 4 | |
| | P | 7/23/1996 | -277.17 | 0.08 | 674.83 | 01 | 06 | 4 | |
| | P | 7/24/1996 | -277.22 | -0.05 | 674.78 | 01 | 06 | 4 | |
| | P | 7/25/1996 | -277.34 | -0.12 | 674.66 | 01 | 06 | 4 | |
| | P | 7/26/1996 | -277.25 | 0.09 | 674.75 | 01 | 06 | 4 | |
| | P | 7/27/1996 | -277.11 | 0.14 | 674.89 | 01 | 06 | 4 | |
| | P | 7/28/1996 | -277.19 | -0.08 | 674.81 | 01 | 06 | 4 | |
| | P | 7/29/1996 | -277.26 | -0.07 | 674.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1996 | -277.17 | 0.09 | 674.83 | 01 | 06 | 4 | |
| | P | 7/31/1996 | -277.2 | -0.03 | 674.8 | 01 | 06 | 4 | |
| | P | 8/ 1/1996 | -277.24 | -0.04 | 674.76 | 01 | 06 | 4 | |
| | P | 8/ 2/1996 | -277.34 | -0.1 | 674.66 | 01 | 06 | 4 | |
| | P | 8/ 3/1996 | -277.43 | -0.09 | 674.57 | 01 | 06 | 4 | |
| | P | 8/ 4/1996 | -277.72 | -0.29 | 674.28 | 01 | 06 | 4 | |
| | P | 8/ 5/1996 | -277.71 | 0.01 | 674.29 | 01 | 06 | 4 | |
| | P | 8/ 6/1996 | -277.85 | -0.14 | 674.15 | 01 | 06 | 4 | |
| | P | 8/ 7/1996 | -277.76 | 0.09 | 674.24 | 01 | 06 | 4 | |
| | P | 8/ 8/1996 | -277.82 | -0.06 | 674.18 | 01 | 06 | 4 | |
| | P | 8/ 9/1996 | -277.85 | -0.03 | 674.15 | 01 | 06 | 4 | |
| | P | 8/10/1996 | -277.84 | 0.01 | 674.16 | 01 | 06 | 4 | |
| | P | 8/11/1996 | -277.94 | -0.1 | 674.06 | 01 | 06 | 4 | |
| | P | 8/12/1996 | -278.28 | -0.34 | 673.72 | 01 | 06 | 4 | |
| | P | 8/13/1996 | -278.21 | 0.07 | 673.79 | 01 | 06 | 4 | |
| | P | 8/14/1996 | -278.06 | 0.15 | 673.94 | 01 | 06 | 4 | |
| | P | 8/15/1996 | -278.07 | -0.01 | 673.93 | 01 | 06 | 4 | |
| | P | 8/16/1996 | -278.1 | -0.03 | 673.9 | 01 | 06 | 4 | |
| | P | 8/17/1996 | -278.13 | -0.03 | 673.87 | 01 | 06 | 4 | |
| | P | 8/18/1996 | -278.25 | -0.12 | 673.75 | 01 | 06 | 4 | |
| | P | 8/19/1996 | -278.64 | -0.39 | 673.36 | 01 | 06 | 4 | |
| | P | 8/20/1996 | -278.6 | 0.04 | 673.4 | 01 | 06 | 4 | |
| | P | 8/21/1996 | -278.43 | 0.17 | 673.57 | 01 | 06 | 4 | |
| | P | 8/22/1996 | -278.44 | -0.01 | 673.56 | 01 | 06 | 4 | |
| | P | 8/23/1996 | -278.47 | -0.03 | 673.53 | 01 | 06 | 4 | |
| | P | 8/24/1996 | -278.39 | 0.08 | 673.61 | 01 | 06 | 4 | |
| | P | 8/25/1996 | -278.41 | -0.02 | 673.59 | 01 | 06 | 4 | |
| | P | 8/26/1996 | -278.32 | 0.09 | 673.68 | 01 | 06 | 4 | |
| | P | 8/27/1996 | -278.21 | 0.11 | 673.79 | 01 | 06 | 4 | |
| | P | 8/28/1996 | -278.17 | 0.04 | 673.83 | 01 | 06 | 4 | |
| | P | 8/29/1996 | -278.22 | -0.05 | 673.78 | 01 | 06 | 4 | |
| | P | 8/30/1996 | -278.17 | 0.05 | 673.83 | 01 | 06 | 4 | |
| | P | 8/31/1996 | -278.18 | -0.01 | 673.82 | 01 | 06 | 4 | |
| | P | 9/ 1/1996 | -278.14 | 0.04 | 673.86 | 01 | 06 | 4 | |
| | P | 9/ 2/1996 | -278.16 | -0.02 | 673.84 | 01 | 06 | 4 | |
| | P | 9/ 3/1996 | -278.2 | -0.04 | 673.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/1996 | -278.24 | -0.04 | 673.76 | 01 | 06 | 4 | |
| | P | 9/ 5/1996 | -278.25 | -0.01 | 673.75 | 01 | 06 | 4 | |
| | P | 9/ 6/1996 | -278.25 | | 673.75 | 01 | 06 | 4 | |
| | P | 9/ 7/1996 | -278.29 | -0.04 | 673.71 | 01 | 06 | 4 | |
| | P | 9/ 8/1996 | -278.34 | -0.05 | 673.66 | 01 | 06 | 4 | |
| | P | 9/ 9/1996 | -278.35 | -0.01 | 673.65 | 01 | 06 | 4 | |
| | P | 9/10/1996 | -278.27 | 0.08 | 673.73 | 01 | 06 | 4 | |
| | P | 9/11/1996 | -278.3 | -0.03 | 673.7 | 01 | 06 | 4 | |
| | P | 9/12/1996 | -278.4 | -0.1 | 673.6 | 01 | 06 | 4 | |
| | P | 9/13/1996 | -278.38 | 0.02 | 673.62 | 01 | 06 | 4 | |
| | P | 9/14/1996 | -278.35 | 0.03 | 673.65 | 01 | 06 | 4 | |
| | P | 9/15/1996 | -278.27 | 0.08 | 673.73 | 01 | 06 | 4 | |
| | P | 9/16/1996 | -278.31 | -0.04 | 673.69 | 01 | 06 | 4 | |
| | P | 9/17/1996 | -278.47 | -0.16 | 673.53 | 01 | 06 | 4 | |
| | P | 9/18/1996 | -278.49 | -0.02 | 673.51 | 01 | 06 | 4 | |
| | P | 9/19/1996 | -278.38 | 0.11 | 673.62 | 01 | 06 | 4 | |
| | P | 9/20/1996 | -278.37 | 0.01 | 673.63 | 01 | 06 | 4 | |
| | P | 9/21/1996 | -278.4 | -0.03 | 673.6 | 01 | 06 | 4 | |
| | P | 9/22/1996 | -278.5 | -0.1 | 673.5 | 01 | 06 | 4 | |
| | P | 9/23/1996 | -278.33 | 0.17 | 673.67 | 01 | 06 | 4 | |
| | P | 9/24/1996 | -277.42 | 0.91 | 674.58 | 01 | 06 | 4 | |
| | P | 9/25/1996 | -277.42 | | 674.58 | 01 | 06 | 4 | |
| | P | 9/26/1996 | -276.86 | 0.56 | 675.14 | 01 | 06 | 4 | |
| | P | 9/27/1996 | -277.24 | -0.38 | 674.76 | 01 | 06 | 4 | |
| | P | 9/28/1996 | -277.77 | -0.53 | 674.23 | 01 | 06 | 4 | |
| | P | 9/29/1996 | -277.77 | | 674.23 | 01 | 06 | 4 | |
| | P | 9/30/1996 | -277.67 | 0.1 | 674.33 | 01 | 06 | 4 | |
| | P | 10/ 1/1996 | -277.74 | -0.07 | 674.26 | 01 | 06 | 4 | |
| | P | 10/ 2/1996 | -277.79 | -0.05 | 674.21 | 01 | 06 | 4 | |
| | P | 10/ 3/1996 | -277.95 | -0.16 | 674.05 | 01 | 06 | 4 | |
| | P | 10/ 4/1996 | -277.87 | 0.08 | 674.13 | 01 | 06 | 4 | |
| | P | 10/ 5/1996 | -277.83 | 0.04 | 674.17 | 01 | 06 | 4 | |
| | P | 10/ 6/1996 | -277.78 | 0.05 | 674.22 | 01 | 06 | 4 | |
| | P | 10/ 7/1996 | -277.72 | 0.06 | 674.28 | 01 | 06 | 4 | |
| | P | 10/ 8/1996 | -277.79 | -0.07 | 674.21 | 01 | 06 | 4 | |
| | P | 10/ 9/1996 | -277.99 | -0.2 | 674.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 10/ 1996 | -278.08 | -0.09 | 673.92 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1996 | -277.95 | 0.13 | 674.05 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1996 | -278.06 | -0.11 | 673.94 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1996 | -278.19 | -0.13 | 673.81 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1996 | -278.05 | 0.14 | 673.95 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1996 | -278.04 | 0.01 | 673.96 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1996 | -278.01 | 0.03 | 673.99 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1996 | -278.1 | -0.09 | 673.9 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1996 | -278.26 | -0.16 | 673.74 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1996 | -278.16 | 0.1 | 673.84 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1996 | -278.2 | -0.04 | 673.8 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1996 | -278.09 | 0.11 | 673.91 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1996 | -278.27 | -0.18 | 673.73 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1996 | -278.16 | 0.11 | 673.84 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1996 | -278.12 | 0.04 | 673.88 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1996 | -277.98 | 0.14 | 674.02 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1996 | -278.12 | -0.14 | 673.88 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1996 | -278.49 | -0.37 | 673.51 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1996 | -278.14 | 0.35 | 673.86 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1996 | -278.13 | 0.01 | 673.87 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1996 | -278.21 | -0.08 | 673.79 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1996 | -278.12 | 0.09 | 673.88 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1996 | -278.19 | -0.07 | 673.81 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1996 | -278.46 | -0.27 | 673.54 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1996 | -278.44 | 0.02 | 673.56 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1996 | -278.26 | 0.18 | 673.74 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1996 | -278.24 | 0.02 | 673.76 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1996 | -278.14 | 0.1 | 673.86 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1996 | -278.22 | -0.08 | 673.78 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1996 | -278.54 | -0.32 | 673.46 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1996 | -278.44 | 0.1 | 673.56 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1996 | -278.49 | -0.05 | 673.51 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1996 | -278.51 | -0.02 | 673.49 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1996 | -278.62 | -0.11 | 673.38 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1996 | -278.49 | 0.13 | 673.51 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1996 | -278.4 | 0.09 | 673.6 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1996 | -278.3 | 0.1 | 673.7 | 01 | 06 | 4 | |
| | P | 11/16/1996 | -278.2 | 0.1 | 673.8 | 01 | 06 | 4 | |
| | P | 11/17/1996 | -278.35 | -0.15 | 673.65 | 01 | 06 | 4 | |
| | P | 11/18/1996 | -278.28 | 0.07 | 673.72 | 01 | 06 | 4 | |
| | P | 11/19/1996 | -278.16 | 0.12 | 673.84 | 01 | 06 | 4 | |
| | P | 11/20/1996 | -278.09 | 0.07 | 673.91 | 01 | 06 | 4 | |
| | P | 11/21/1996 | -278.2 | -0.11 | 673.8 | 01 | 06 | 4 | |
| | P | 11/22/1996 | -278.32 | -0.12 | 673.68 | 01 | 06 | 4 | |
| | P | 11/23/1996 | -278.08 | 0.24 | 673.92 | 01 | 06 | 4 | |
| | P | 11/24/1996 | -278.15 | -0.07 | 673.85 | 01 | 06 | 4 | |
| | P | 11/25/1996 | -278.24 | -0.09 | 673.76 | 01 | 06 | 4 | |
| | P | 11/26/1996 | -278.34 | -0.1 | 673.66 | 01 | 06 | 4 | |
| | P | 11/27/1996 | -278.26 | 0.08 | 673.74 | 01 | 06 | 4 | |
| | P | 11/28/1996 | -277.85 | 0.41 | 674.15 | 01 | 06 | 4 | |
| | P | 11/29/1996 | -277.7 | 0.15 | 674.3 | 01 | 06 | 4 | |
| | P | 11/30/1996 | -277.68 | 0.02 | 674.32 | 01 | 06 | 4 | |
| | P | 12/ 1/1996 | -277.88 | -0.2 | 674.12 | 01 | 06 | 4 | |
| | P | 12/ 2/1996 | -277.74 | 0.14 | 674.26 | 01 | 06 | 4 | |
| | P | 12/ 3/1996 | -277.77 | -0.03 | 674.23 | 01 | 06 | 4 | |
| | P | 12/ 4/1996 | -277.55 | 0.22 | 674.45 | 01 | 06 | 4 | |
| | P | 12/ 5/1996 | -277.42 | 0.13 | 674.58 | 01 | 06 | 4 | |
| | P | 12/ 6/1996 | -277.25 | 0.17 | 674.75 | 01 | 06 | 4 | |
| | P | 12/ 7/1996 | -277.34 | -0.09 | 674.66 | 01 | 06 | 4 | |
| | P | 12/ 8/1996 | -277.44 | -0.1 | 674.56 | 01 | 06 | 4 | |
| | P | 12/ 9/1996 | -277.22 | 0.22 | 674.78 | 01 | 06 | 4 | |
| | P | 12/10/1996 | -276.86 | 0.36 | 675.14 | 01 | 06 | 4 | |
| | P | 12/11/1996 | -276.82 | 0.04 | 675.18 | 01 | 06 | 4 | |
| | P | 12/12/1996 | -276.94 | -0.12 | 675.06 | 01 | 06 | 4 | |
| | P | 12/13/1996 | -277.01 | -0.07 | 674.99 | 01 | 06 | 4 | |
| | P | 12/14/1996 | -278.75 | -1.74 | 673.25 | 01 | 06 | 4 | |
| | P | 12/15/1996 | -278.77 | -0.02 | 673.23 | 01 | 06 | 4 | |
| | P | 12/16/1996 | -278.49 | 0.28 | 673.51 | 01 | 06 | 4 | |
| | P | 12/17/1996 | -278.47 | 0.02 | 673.53 | 01 | 06 | 4 | |
| | P | 12/18/1996 | -278.8 | -0.33 | 673.2 | 01 | 06 | 4 | |
| | P | 12/19/1996 | -278.87 | -0.07 | 673.13 | 01 | 06 | 4 | |
| | N | 12/30/1996 | | | | 01 | 06 | | 51 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 1/ 15/ 1997 | | | | 01 | 06 | | 51 |
| | P | 1/ 24/ 1997 | -276.76 | | 675.24 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1997 | -277.14 | -0.38 | 674.86 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1997 | -276.68 | 0.46 | 675.32 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1997 | -277.04 | -0.36 | 674.96 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1997 | -277.03 | 0.01 | 674.97 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1997 | -277.07 | -0.04 | 674.93 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1997 | -276.77 | 0.3 | 675.23 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1997 | -277.1 | -0.33 | 674.9 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1997 | -277.23 | -0.13 | 674.77 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1997 | -277.38 | -0.15 | 674.62 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1997 | -277.53 | -0.15 | 674.47 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1997 | -277.23 | 0.3 | 674.77 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1997 | -277.34 | -0.11 | 674.66 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1997 | -277.12 | 0.22 | 674.88 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1997 | -276.94 | 0.18 | 675.06 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1997 | -277.27 | -0.33 | 674.73 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1997 | -277.17 | 0.1 | 674.83 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1997 | -277.16 | 0.01 | 674.84 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1997 | -276.89 | 0.27 | 675.11 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1997 | -276.67 | 0.22 | 675.33 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1997 | -276.86 | -0.19 | 675.14 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1997 | -276.94 | -0.08 | 675.06 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1997 | -277.07 | -0.13 | 674.93 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1997 | -277.11 | -0.04 | 674.89 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1997 | -277.12 | -0.01 | 674.88 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1997 | -276.82 | 0.3 | 675.18 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1997 | -276.73 | 0.09 | 675.27 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1997 | -276.55 | 0.18 | 675.45 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1997 | -276.58 | -0.03 | 675.42 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1997 | -277.19 | -0.61 | 674.81 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1997 | -276.99 | 0.2 | 675.01 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1997 | -276.84 | 0.15 | 675.16 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1997 | -276.48 | 0.36 | 675.52 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1997 | -276.32 | 0.16 | 675.68 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1997 | -276.68 | -0.36 | 675.32 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1997 | -276.67 | 0.01 | 675.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1997 | -276.68 | -0.01 | 675.32 | 01 | 06 | 4 | |
| | P | 3/ 2/1997 | -276.99 | -0.31 | 675.01 | 01 | 06 | 4 | |
| | P | 3/ 3/1997 | -276.68 | 0.31 | 675.32 | 01 | 06 | 4 | |
| | P | 3/ 4/1997 | -276.78 | -0.1 | 675.22 | 01 | 06 | 4 | |
| | P | 3/ 5/1997 | -276.6 | 0.18 | 675.4 | 01 | 06 | 4 | |
| | P | 3/ 6/1997 | -276.86 | -0.26 | 675.14 | 01 | 06 | 4 | |
| | P | 3/ 7/1997 | -276.55 | 0.31 | 675.45 | 01 | 06 | 4 | |
| | P | 3/ 8/1997 | -276.67 | -0.12 | 675.33 | 01 | 06 | 4 | |
| | P | 3/ 9/1997 | -276.56 | 0.11 | 675.44 | 01 | 06 | 4 | |
| | P | 3/10/1997 | -276.56 | | 675.44 | 01 | 06 | 4 | |
| | P | 3/11/1997 | -276.44 | 0.12 | 675.56 | 01 | 06 | 4 | |
| | P | 3/12/1997 | -276.36 | 0.08 | 675.64 | 01 | 06 | 4 | |
| | P | 3/13/1997 | -276.16 | 0.2 | 675.84 | 01 | 06 | 4 | |
| | P | 3/14/1997 | -276.08 | 0.08 | 675.92 | 01 | 06 | 4 | |
| | P | 3/15/1997 | -276.47 | -0.39 | 675.53 | 01 | 06 | 4 | |
| | P | 3/16/1997 | -276.24 | 0.23 | 675.76 | 01 | 06 | 4 | |
| | P | 3/17/1997 | -275.92 | 0.32 | 676.08 | 01 | 06 | 4 | |
| | P | 3/18/1997 | -276.01 | -0.09 | 675.99 | 01 | 06 | 4 | |
| | P | 3/19/1997 | -276.21 | -0.2 | 675.79 | 01 | 06 | 4 | |
| | P | 3/20/1997 | -276.07 | 0.14 | 675.93 | 01 | 06 | 4 | |
| | P | 3/21/1997 | -276 | 0.07 | 676 | 01 | 06 | 4 | |
| | P | 3/22/1997 | -276.35 | -0.35 | 675.65 | 01 | 06 | 4 | |
| | P | 3/23/1997 | -276.83 | -0.48 | 675.17 | 01 | 06 | 4 | |
| | P | 3/24/1997 | -276.71 | 0.12 | 675.29 | 01 | 06 | 4 | |
| | P | 3/25/1997 | -276.61 | 0.1 | 675.39 | 01 | 06 | 4 | |
| | P | 3/26/1997 | -276.55 | 0.06 | 675.45 | 01 | 06 | 4 | |
| | P | 3/27/1997 | -276.43 | 0.12 | 675.57 | 01 | 06 | 4 | |
| | P | 3/28/1997 | -276.19 | 0.24 | 675.81 | 01 | 06 | 4 | |
| | P | 3/29/1997 | -276.82 | -0.63 | 675.18 | 01 | 06 | 4 | |
| | P | 3/30/1997 | -276.97 | -0.15 | 675.03 | 01 | 06 | 4 | |
| | P | 3/31/1997 | -276.53 | 0.44 | 675.47 | 01 | 06 | 4 | |
| | P | 4/ 1/1997 | -276.29 | 0.24 | 675.71 | 01 | 06 | 4 | |
| | P | 4/ 2/1997 | -276.13 | 0.16 | 675.87 | 01 | 06 | 4 | |
| | P | 4/ 3/1997 | -275.61 | 0.52 | 676.39 | 01 | 06 | 4 | |
| | P | 4/ 4/1997 | -275.27 | 0.34 | 676.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 5/1997 | -274.79 | 0.48 | 677.21 | 01 | 06 | 4 | |
| | P | 4/ 6/1997 | -274.02 | 0.77 | 677.98 | 01 | 06 | 4 | |
| | P | 4/ 7/1997 | -273.71 | 0.31 | 678.29 | 01 | 06 | 4 | |
| | P | 4/ 8/1997 | -273.39 | 0.32 | 678.61 | 01 | 06 | 4 | |
| | P | 4/ 9/1997 | -273.81 | -0.42 | 678.19 | 01 | 06 | 4 | |
| | P | 4/10/1997 | -273.82 | -0.01 | 678.18 | 01 | 06 | 4 | |
| | P | 4/11/1997 | -273.71 | 0.11 | 678.29 | 01 | 06 | 4 | |
| | P | 4/12/1997 | -274.1 | -0.39 | 677.9 | 01 | 06 | 4 | |
| | P | 4/13/1997 | -274.28 | -0.18 | 677.72 | 01 | 06 | 4 | |
| | P | 4/14/1997 | -274.13 | 0.15 | 677.87 | 01 | 06 | 4 | |
| | P | 4/15/1997 | -274.17 | -0.04 | 677.83 | 01 | 06 | 4 | |
| | P | 4/16/1997 | -274.07 | 0.1 | 677.93 | 01 | 06 | 4 | |
| | P | 4/17/1997 | -274.36 | -0.29 | 677.64 | 01 | 06 | 4 | |
| | P | 4/18/1997 | -274 | 0.36 | 678 | 01 | 06 | 4 | |
| | P | 4/19/1997 | -273.9 | 0.1 | 678.1 | 01 | 06 | 4 | |
| | P | 4/20/1997 | -274.25 | -0.35 | 677.75 | 01 | 06 | 4 | |
| | P | 4/21/1997 | -274.42 | -0.17 | 677.58 | 01 | 06 | 4 | |
| | P | 4/22/1997 | -274.2 | 0.22 | 677.8 | 01 | 06 | 4 | |
| | P | 4/23/1997 | -274.7 | -0.5 | 677.3 | 01 | 06 | 4 | |
| | P | 4/24/1997 | -274.2 | 0.5 | 677.8 | 01 | 06 | 4 | |
| | P | 4/25/1997 | -273.95 | 0.25 | 678.05 | 01 | 06 | 4 | |
| | P | 4/26/1997 | -273.9 | 0.05 | 678.1 | 01 | 06 | 4 | |
| | P | 4/27/1997 | -273.71 | 0.19 | 678.29 | 01 | 06 | 4 | |
| | P | 4/28/1997 | -273.6 | 0.11 | 678.4 | 01 | 06 | 4 | |
| | P | 4/29/1997 | -273.64 | -0.04 | 678.36 | 01 | 06 | 4 | |
| | P | 4/30/1997 | -273.67 | -0.03 | 678.33 | 01 | 06 | 4 | |
| | P | 5/ 1/1997 | -273.8 | -0.13 | 678.2 | 01 | 06 | 4 | |
| | P | 5/ 2/1997 | -273.76 | 0.04 | 678.24 | 01 | 06 | 4 | |
| | P | 5/ 3/1997 | -274.36 | -0.6 | 677.64 | 01 | 06 | 4 | |
| | P | 5/ 4/1997 | -274.56 | -0.2 | 677.44 | 01 | 06 | 4 | |
| | P | 5/ 5/1997 | -274.33 | 0.23 | 677.67 | 01 | 06 | 4 | |
| | P | 5/ 6/1997 | -274.06 | 0.27 | 677.94 | 01 | 06 | 4 | |
| | P | 5/ 7/1997 | -274.07 | -0.01 | 677.93 | 01 | 06 | 4 | |
| | P | 5/ 8/1997 | -274.18 | -0.11 | 677.82 | 01 | 06 | 4 | |
| | P | 5/ 9/1997 | -273.73 | 0.45 | 678.27 | 01 | 06 | 4 | |
| | P | 5/10/1997 | -273.64 | 0.09 | 678.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 11/ 1997 | -273.51 | 0.13 | 678.49 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1997 | -273.36 | 0.15 | 678.64 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1997 | -273.29 | 0.07 | 678.71 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1997 | -273.35 | -0.06 | 678.65 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1997 | -273.37 | -0.02 | 678.63 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1997 | -273.18 | 0.19 | 678.82 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1997 | -273.1 | 0.08 | 678.9 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1997 | -273.09 | 0.01 | 678.91 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1997 | -273.08 | 0.01 | 678.92 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1997 | -272.96 | 0.12 | 679.04 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1997 | -272.76 | 0.2 | 679.24 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1997 | -272.64 | 0.12 | 679.36 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1997 | -272.49 | 0.15 | 679.51 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1997 | -272.3 | 0.19 | 679.7 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1997 | -272.21 | 0.09 | 679.79 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1997 | -272.28 | -0.07 | 679.72 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1997 | -272.35 | -0.07 | 679.65 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1997 | -272.35 | | 679.65 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1997 | -272.28 | 0.07 | 679.72 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1997 | -272.27 | 0.01 | 679.73 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1997 | -272.26 | 0.01 | 679.74 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1997 | -272.33 | -0.07 | 679.67 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1997 | -272.34 | -0.01 | 679.66 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1997 | -272.59 | -0.25 | 679.41 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1997 | -272.59 | | 679.41 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1997 | -272.31 | 0.28 | 679.69 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1997 | -272.11 | 0.2 | 679.89 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1997 | -272.1 | 0.01 | 679.9 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1997 | -271.93 | 0.17 | 680.07 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1997 | -271.78 | 0.15 | 680.22 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1997 | -270.67 | 1.11 | 681.33 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1997 | -270.07 | 0.6 | 681.93 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1997 | -269.86 | 0.21 | 682.14 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1997 | -269.86 | | 682.14 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1997 | -269.92 | -0.06 | 682.08 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1997 | -269.67 | 0.25 | 682.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/16/1997 | -269.52 | 0.15 | 682.48 | 01 | 06 | 4 | |
| | P | 6/17/1997 | -269.46 | 0.06 | 682.54 | 01 | 06 | 4 | |
| | P | 6/18/1997 | -269.82 | -0.36 | 682.18 | 01 | 06 | 4 | |
| | P | 6/19/1997 | -269.99 | -0.17 | 682.01 | 01 | 06 | 4 | |
| | P | 6/20/1997 | -270.21 | -0.22 | 681.79 | 01 | 06 | 4 | |
| | P | 6/21/1997 | -269.41 | 0.8 | 682.59 | 01 | 06 | 4 | |
| | P | 6/22/1997 | -267.44 | 1.97 | 684.56 | 01 | 06 | 4 | |
| | P | 6/23/1997 | -266.52 | 0.92 | 685.48 | 01 | 06 | 4 | |
| | P | 6/24/1997 | -266.03 | 0.49 | 685.97 | 01 | 06 | 4 | |
| | P | 6/25/1997 | -265.78 | 0.25 | 686.22 | 01 | 06 | 4 | |
| | P | 6/26/1997 | -265.55 | 0.23 | 686.45 | 01 | 06 | 4 | |
| | P | 6/27/1997 | -265.29 | 0.26 | 686.71 | 01 | 06 | 4 | |
| | P | 6/28/1997 | -264.98 | 0.31 | 687.02 | 01 | 06 | 4 | |
| | P | 6/29/1997 | -264.75 | 0.23 | 687.25 | 01 | 06 | 4 | |
| | P | 6/30/1997 | -264.77 | -0.02 | 687.23 | 01 | 06 | 4 | |
| | P | 7/ 1/1997 | -264.67 | 0.1 | 687.33 | 01 | 06 | 4 | |
| | P | 7/ 2/1997 | -264.45 | 0.22 | 687.55 | 01 | 06 | 4 | |
| | P | 7/ 3/1997 | -264.25 | 0.2 | 687.75 | 01 | 06 | 4 | |
| | P | 7/ 4/1997 | -264.22 | 0.03 | 687.78 | 01 | 06 | 4 | |
| | P | 7/ 5/1997 | -264.06 | 0.16 | 687.94 | 01 | 06 | 4 | |
| | P | 7/ 6/1997 | -263.75 | 0.31 | 688.25 | 01 | 06 | 4 | |
| | P | 7/ 7/1997 | -263.88 | -0.13 | 688.12 | 01 | 06 | 4 | |
| | P | 7/ 8/1997 | -263.79 | 0.09 | 688.21 | 01 | 06 | 4 | |
| | P | 7/ 9/1997 | -263.59 | 0.2 | 688.41 | 01 | 06 | 4 | |
| | P | 7/10/1997 | -263.48 | 0.11 | 688.52 | 01 | 06 | 4 | |
| | P | 7/11/1997 | -263.4 | 0.08 | 688.6 | 01 | 06 | 4 | |
| | P | 7/12/1997 | -263.36 | 0.04 | 688.64 | 01 | 06 | 4 | |
| | P | 7/13/1997 | -263.24 | 0.12 | 688.76 | 01 | 06 | 4 | |
| | P | 7/14/1997 | -262.9 | 0.34 | 689.1 | 01 | 06 | 4 | |
| | P | 7/15/1997 | -262.77 | 0.13 | 689.23 | 01 | 06 | 4 | |
| | P | 7/16/1997 | -262.87 | -0.1 | 689.13 | 01 | 06 | 4 | |
| | P | 7/17/1997 | -262.76 | 0.11 | 689.24 | 01 | 06 | 4 | |
| | P | 7/18/1997 | -262.66 | 0.1 | 689.34 | 01 | 06 | 4 | |
| | P | 7/19/1997 | -262.81 | -0.15 | 689.19 | 01 | 06 | 4 | |
| | P | 7/20/1997 | -262.59 | 0.22 | 689.41 | 01 | 06 | 4 | |
| | P | 7/21/1997 | -262.62 | -0.03 | 689.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/22/1997 | -262.4 | 0.22 | 689.6 | 01 | 06 | 4 | |
| | P | 7/23/1997 | -262.32 | 0.08 | 689.68 | 01 | 06 | 4 | |
| | P | 7/24/1997 | -262.38 | -0.06 | 689.62 | 01 | 06 | 4 | |
| | P | 7/25/1997 | -262.13 | 0.25 | 689.87 | 01 | 06 | 4 | |
| | P | 7/26/1997 | -262.19 | -0.06 | 689.81 | 01 | 06 | 4 | |
| | P | 7/27/1997 | -262.26 | -0.07 | 689.74 | 01 | 06 | 4 | |
| | P | 7/28/1997 | -261.98 | 0.28 | 690.02 | 01 | 06 | 4 | |
| | P | 7/29/1997 | -261.99 | -0.01 | 690.01 | 01 | 06 | 4 | |
| | P | 7/30/1997 | -261.97 | 0.02 | 690.03 | 01 | 06 | 4 | |
| | P | 7/31/1997 | -261.89 | 0.08 | 690.11 | 01 | 06 | 4 | |
| | P | 8/ 1/1997 | -261.76 | 0.13 | 690.24 | 01 | 06 | 4 | |
| | P | 8/ 2/1997 | -262.02 | -0.26 | 689.98 | 01 | 06 | 4 | |
| | P | 8/ 3/1997 | -261.98 | 0.04 | 690.02 | 01 | 06 | 4 | |
| | P | 8/ 4/1997 | -261.79 | 0.19 | 690.21 | 01 | 06 | 4 | |
| | P | 8/ 5/1997 | -261.76 | 0.03 | 690.24 | 01 | 06 | 4 | |
| | P | 8/ 6/1997 | -261.74 | 0.02 | 690.26 | 01 | 06 | 4 | |
| | P | 8/ 7/1997 | -261.88 | -0.14 | 690.12 | 01 | 06 | 4 | |
| | P | 8/ 8/1997 | -261.8 | 0.08 | 690.2 | 01 | 06 | 4 | |
| | P | 8/ 9/1997 | -261.57 | 0.23 | 690.43 | 01 | 06 | 4 | |
| | P | 8/10/1997 | -261.87 | -0.3 | 690.13 | 01 | 06 | 4 | |
| | P | 8/11/1997 | -261.85 | 0.02 | 690.15 | 01 | 06 | 4 | |
| | P | 8/12/1997 | -261.95 | -0.1 | 690.05 | 01 | 06 | 4 | |
| | P | 8/13/1997 | -262.05 | -0.1 | 689.95 | 01 | 06 | 4 | |
| | P | 8/14/1997 | -261.92 | 0.13 | 690.08 | 01 | 06 | 4 | |
| | P | 8/15/1997 | -261.97 | -0.05 | 690.03 | 01 | 06 | 4 | |
| | P | 8/16/1997 | -262.45 | -0.48 | 689.55 | 01 | 06 | 4 | |
| | P | 8/17/1997 | -262.63 | -0.18 | 689.37 | 01 | 06 | 4 | |
| | P | 8/18/1997 | -262.39 | 0.24 | 689.61 | 01 | 06 | 4 | |
| | P | 8/19/1997 | -262.38 | 0.01 | 689.62 | 01 | 06 | 4 | |
| | P | 8/20/1997 | -262.88 | -0.5 | 689.12 | 01 | 06 | 4 | |
| | P | 8/21/1997 | -262.93 | -0.05 | 689.07 | 01 | 06 | 4 | |
| | P | 8/22/1997 | -263.08 | -0.15 | 688.92 | 01 | 06 | 4 | |
| | P | 8/23/1997 | -262.46 | 0.62 | 689.54 | 01 | 06 | 4 | |
| | P | 8/24/1997 | -262.19 | 0.27 | 689.81 | 01 | 06 | 4 | |
| | P | 8/25/1997 | -262.29 | -0.1 | 689.71 | 01 | 06 | 4 | |
| | P | 8/26/1997 | -262.6 | -0.31 | 689.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/27/1997 | -262.7 | -0.1 | 689.3 | 01 | 06 | 4 | |
| | P | 8/28/1997 | -262.75 | -0.05 | 689.25 | 01 | 06 | 4 | |
| | P | 8/29/1997 | -262.8 | -0.05 | 689.2 | 01 | 06 | 4 | |
| | P | 8/30/1997 | -262.97 | -0.17 | 689.03 | 01 | 06 | 4 | |
| | P | 8/31/1997 | -262.99 | -0.02 | 689.01 | 01 | 06 | 4 | |
| | P | 9/ 1/1997 | -263.16 | -0.17 | 688.84 | 01 | 06 | 4 | |
| | P | 9/ 2/1997 | -263.21 | -0.05 | 688.79 | 01 | 06 | 4 | |
| | P | 9/ 3/1997 | -262.99 | 0.22 | 689.01 | 01 | 06 | 4 | |
| | P | 9/ 4/1997 | -262.84 | 0.15 | 689.16 | 01 | 06 | 4 | |
| | P | 9/ 5/1997 | -263 | -0.16 | 689 | 01 | 06 | 4 | |
| | P | 9/ 6/1997 | -263.15 | -0.15 | 688.85 | 01 | 06 | 4 | |
| | P | 9/ 7/1997 | -263.24 | -0.09 | 688.76 | 01 | 06 | 4 | |
| | P | 9/ 8/1997 | -263.31 | -0.07 | 688.69 | 01 | 06 | 4 | |
| | P | 9/ 9/1997 | -263.27 | 0.04 | 688.73 | 01 | 06 | 4 | |
| | P | 9/10/1997 | -263.06 | 0.21 | 688.94 | 01 | 06 | 4 | |
| | P | 9/11/1997 | -263.06 | | 688.94 | 01 | 06 | 4 | |
| | P | 9/12/1997 | -263.08 | -0.02 | 688.92 | 01 | 06 | 4 | |
| | P | 9/13/1997 | -263.25 | -0.17 | 688.75 | 01 | 06 | 4 | |
| | P | 9/14/1997 | -263.5 | -0.25 | 688.5 | 01 | 06 | 4 | |
| | P | 9/15/1997 | -263.47 | 0.03 | 688.53 | 01 | 06 | 4 | |
| | P | 9/16/1997 | -263.5 | -0.03 | 688.5 | 01 | 06 | 4 | |
| | P | 9/17/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/18/1997 | -263.58 | -0.08 | 688.42 | 01 | 06 | 4 | |
| | P | 9/19/1997 | -263.69 | -0.11 | 688.31 | 01 | 06 | 4 | |
| | P | 9/20/1997 | -263.82 | -0.13 | 688.18 | 01 | 06 | 4 | |
| | P | 9/21/1997 | -263.73 | 0.09 | 688.27 | 01 | 06 | 4 | |
| | P | 9/22/1997 | -263.5 | 0.23 | 688.5 | 01 | 06 | 4 | |
| | P | 9/23/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/24/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/25/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/26/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/27/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 9/28/1997 | -263.56 | -0.06 | 688.44 | 01 | 06 | 4 | |
| | P | 9/29/1997 | -263.72 | -0.16 | 688.28 | 01 | 06 | 4 | |
| | P | 9/30/1997 | -263.77 | -0.05 | 688.23 | 01 | 06 | 4 | |
| | P | 10/ 1/1997 | -263.87 | -0.1 | 688.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 2/1997 | -263.85 | 0.02 | 688.15 | 01 | 06 | 4 | |
| | P | 10/ 3/1997 | -263.82 | 0.03 | 688.18 | 01 | 06 | 4 | |
| | P | 10/ 4/1997 | -263.99 | -0.17 | 688.01 | 01 | 06 | 4 | |
| | P | 10/ 5/1997 | -264.08 | -0.09 | 687.92 | 01 | 06 | 4 | |
| | P | 10/ 6/1997 | -263.89 | 0.19 | 688.11 | 01 | 06 | 4 | |
| | P | 10/ 7/1997 | -263.57 | 0.32 | 688.43 | 01 | 06 | 4 | |
| | P | 10/ 8/1997 | -263.5 | 0.07 | 688.5 | 01 | 06 | 4 | |
| | P | 10/ 9/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/10/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/11/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/12/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/13/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/14/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/15/1997 | -263.47 | 0.03 | 688.53 | 01 | 06 | 4 | |
| | P | 10/16/1997 | -263.5 | -0.03 | 688.5 | 01 | 06 | 4 | |
| | P | 10/17/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/18/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/19/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/20/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/21/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/22/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/23/1997 | -263.5 | | 688.5 | 01 | 06 | 4 | |
| | P | 10/24/1997 | -262.85 | 0.65 | 689.15 | 01 | 06 | 4 | |
| | P | 10/25/1997 | -262.92 | -0.07 | 689.08 | 01 | 06 | 4 | |
| | P | 10/26/1997 | -263.25 | -0.33 | 688.75 | 01 | 06 | 4 | |
| | P | 10/27/1997 | -263.48 | -0.23 | 688.52 | 01 | 06 | 4 | |
| | P | 10/28/1997 | -263.32 | 0.16 | 688.68 | 01 | 06 | 4 | |
| | P | 10/29/1997 | -263.3 | 0.02 | 688.7 | 01 | 06 | 4 | |
| | P | 10/30/1997 | -263.17 | 0.13 | 688.83 | 01 | 06 | 4 | |
| | P | 10/31/1997 | -263.11 | 0.06 | 688.89 | 01 | 06 | 4 | |
| | P | 11/ 1/1997 | -263.15 | -0.04 | 688.85 | 01 | 06 | 4 | |
| | P | 11/ 2/1997 | -263.62 | -0.47 | 688.38 | 01 | 06 | 4 | |
| | P | 11/ 3/1997 | -263.71 | -0.09 | 688.29 | 01 | 06 | 4 | |
| | P | 11/ 4/1997 | -263.49 | 0.22 | 688.51 | 01 | 06 | 4 | |
| | P | 11/ 5/1997 | -263.54 | -0.05 | 688.46 | 01 | 06 | 4 | |
| | P | 11/ 6/1997 | -263.73 | -0.19 | 688.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 7/1997 | -263.72 | 0.01 | 688.28 | 01 | 06 | 4 | |
| | P | 11/ 8/1997 | -263.6 | 0.12 | 688.4 | 01 | 06 | 4 | |
| | P | 11/ 9/1997 | -263.55 | 0.05 | 688.45 | 01 | 06 | 4 | |
| | P | 11/10/1997 | -263.56 | -0.01 | 688.44 | 01 | 06 | 4 | |
| | P | 11/11/1997 | -263.46 | 0.1 | 688.54 | 01 | 06 | 4 | |
| | P | 11/12/1997 | -263.2 | 0.26 | 688.8 | 01 | 06 | 4 | |
| | P | 11/13/1997 | -263.09 | 0.11 | 688.91 | 01 | 06 | 4 | |
| | P | 11/14/1997 | -263.22 | -0.13 | 688.78 | 01 | 06 | 4 | |
| | P | 11/15/1997 | -263.47 | -0.25 | 688.53 | 01 | 06 | 4 | |
| | P | 11/16/1997 | -263.67 | -0.2 | 688.33 | 01 | 06 | 4 | |
| | P | 11/17/1997 | -263.51 | 0.16 | 688.49 | 01 | 06 | 4 | |
| | P | 11/18/1997 | -263.34 | 0.17 | 688.66 | 01 | 06 | 4 | |
| | P | 11/19/1997 | -263.3 | 0.04 | 688.7 | 01 | 06 | 4 | |
| | P | 11/20/1997 | -263.06 | 0.24 | 688.94 | 01 | 06 | 4 | |
| | P | 11/21/1997 | -263.06 | | 688.94 | 01 | 06 | 4 | |
| | P | 11/22/1997 | -263.16 | -0.1 | 688.84 | 01 | 06 | 4 | |
| | P | 11/23/1997 | -263.4 | -0.24 | 688.6 | 01 | 06 | 4 | |
| | P | 11/24/1997 | -263.43 | -0.03 | 688.57 | 01 | 06 | 4 | |
| | P | 11/25/1997 | -263.3 | 0.13 | 688.7 | 01 | 06 | 4 | |
| | P | 11/26/1997 | -263.25 | 0.05 | 688.75 | 01 | 06 | 4 | |
| | P | 11/27/1997 | -263.01 | 0.24 | 688.99 | 01 | 06 | 4 | |
| | P | 11/28/1997 | -263 | 0.01 | 689 | 01 | 06 | 4 | |
| | P | 11/29/1997 | -263.15 | -0.15 | 688.85 | 01 | 06 | 4 | |
| | P | 11/30/1997 | -263.17 | -0.02 | 688.83 | 01 | 06 | 4 | |
| | P | 12/ 1/1997 | -263.26 | -0.09 | 688.74 | 01 | 06 | 4 | |
| | P | 12/ 2/1997 | -263.22 | 0.04 | 688.78 | 01 | 06 | 4 | |
| | P | 12/ 3/1997 | -263.25 | -0.03 | 688.75 | 01 | 06 | 4 | |
| | P | 12/ 4/1997 | -263.77 | -0.52 | 688.23 | 01 | 06 | 4 | |
| | P | 12/ 5/1997 | -263.79 | -0.02 | 688.21 | 01 | 06 | 4 | |
| | P | 12/ 6/1997 | -263.8 | -0.01 | 688.2 | 01 | 06 | 4 | |
| | P | 12/ 7/1997 | -263.49 | 0.31 | 688.51 | 01 | 06 | 4 | |
| | P | 12/ 8/1997 | -263.46 | 0.03 | 688.54 | 01 | 06 | 4 | |
| | P | 12/ 9/1997 | -263.42 | 0.04 | 688.58 | 01 | 06 | 4 | |
| | P | 12/10/1997 | -263.61 | -0.19 | 688.39 | 01 | 06 | 4 | |
| | P | 12/11/1997 | -263.9 | -0.29 | 688.1 | 01 | 06 | 4 | |
| | P | 12/12/1997 | -263.98 | -0.08 | 688.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/13/1997 | -263.78 | 0.2 | 688.22 | 01 | 06 | 4 | |
| | P | 12/14/1997 | -263.84 | -0.06 | 688.16 | 01 | 06 | 4 | |
| | P | 12/15/1997 | -263.77 | 0.07 | 688.23 | 01 | 06 | 4 | |
| | P | 12/16/1997 | -263.74 | 0.03 | 688.26 | 01 | 06 | 4 | |
| | P | 12/17/1997 | -263.86 | -0.12 | 688.14 | 01 | 06 | 4 | |
| | P | 12/18/1997 | -263.81 | 0.05 | 688.19 | 01 | 06 | 4 | |
| | P | 12/19/1997 | -263.79 | 0.02 | 688.21 | 01 | 06 | 4 | |
| | P | 12/20/1997 | -263.46 | 0.33 | 688.54 | 01 | 06 | 4 | |
| | P | 12/21/1997 | -263.33 | 0.13 | 688.67 | 01 | 06 | 4 | |
| | P | 12/22/1997 | -263.46 | -0.13 | 688.54 | 01 | 06 | 4 | |
| | P | 12/23/1997 | -263.28 | 0.18 | 688.72 | 01 | 06 | 4 | |
| | P | 12/24/1997 | -263.36 | -0.08 | 688.64 | 01 | 06 | 4 | |
| | P | 12/25/1997 | -263.5 | -0.14 | 688.5 | 01 | 06 | 4 | |
| | P | 12/26/1997 | -263.55 | -0.05 | 688.45 | 01 | 06 | 4 | |
| | P | 12/27/1997 | -263.53 | 0.02 | 688.47 | 01 | 06 | 4 | |
| | P | 12/28/1997 | -263.34 | 0.19 | 688.66 | 01 | 06 | 4 | |
| | P | 12/29/1997 | -263.49 | -0.15 | 688.51 | 01 | 06 | 4 | |
| | P | 12/30/1997 | -263.47 | 0.02 | 688.53 | 01 | 06 | 4 | |
| | P | 12/31/1997 | -263.66 | -0.19 | 688.34 | 01 | 06 | 4 | |
| | P | 1/ 1/1998 | -263.48 | 0.18 | 688.52 | 01 | 06 | 4 | |
| | P | 1/ 2/1998 | -263.38 | 0.1 | 688.62 | 01 | 06 | 4 | |
| | P | 1/ 3/1998 | -263.32 | 0.06 | 688.68 | 01 | 06 | 4 | |
| | P | 1/ 4/1998 | -263.23 | 0.09 | 688.77 | 01 | 06 | 4 | |
| | P | 1/ 5/1998 | -263.2 | 0.03 | 688.8 | 01 | 06 | 4 | |
| | P | 1/ 6/1998 | -262.56 | 0.64 | 689.44 | 01 | 06 | 4 | |
| | P | 1/ 7/1998 | -261.33 | 1.23 | 690.67 | 01 | 06 | 4 | |
| | P | 1/ 8/1998 | -261.17 | 0.16 | 690.83 | 01 | 06 | 4 | |
| | P | 1/ 9/1998 | -261.27 | -0.1 | 690.73 | 01 | 06 | 4 | |
| | P | 1/10/1998 | -261.76 | -0.49 | 690.24 | 01 | 06 | 4 | |
| | P | 1/11/1998 | -262.18 | -0.42 | 689.82 | 01 | 06 | 4 | |
| | P | 1/12/1998 | -261.97 | 0.21 | 690.03 | 01 | 06 | 4 | |
| | P | 1/13/1998 | -262.07 | -0.1 | 689.93 | 01 | 06 | 4 | |
| | P | 1/14/1998 | -262.01 | 0.06 | 689.99 | 01 | 06 | 4 | |
| | P | 1/15/1998 | -262.07 | -0.06 | 689.93 | 01 | 06 | 4 | |
| | P | 1/16/1998 | -262.02 | 0.05 | 689.98 | 01 | 06 | 4 | |
| | P | 1/17/1998 | -262.09 | -0.07 | 689.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 18/ 1998 | -262.06 | 0.03 | 689.94 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1998 | -262.05 | 0.01 | 689.95 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1998 | -261.88 | 0.17 | 690.12 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1998 | -261.8 | 0.08 | 690.2 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1998 | -261.89 | -0.09 | 690.11 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1998 | -262.12 | -0.23 | 689.88 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1998 | -262.17 | -0.05 | 689.83 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1998 | -261.97 | 0.2 | 690.03 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1998 | -262.05 | -0.08 | 689.95 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1998 | -262.15 | -0.1 | 689.85 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1998 | -261.96 | 0.19 | 690.04 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1998 | -262 | -0.04 | 690 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1998 | -261.87 | 0.13 | 690.13 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1998 | -261.78 | 0.09 | 690.22 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1998 | -261.53 | 0.25 | 690.47 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1998 | -261.49 | 0.04 | 690.51 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1998 | -261.37 | 0.12 | 690.63 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1998 | -261.41 | -0.04 | 690.59 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1998 | -261.3 | 0.11 | 690.7 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1998 | -261.49 | -0.19 | 690.51 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1998 | -261.5 | -0.01 | 690.5 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1998 | -261.43 | 0.07 | 690.57 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1998 | -261.29 | 0.14 | 690.71 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1998 | -261.15 | 0.14 | 690.85 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1998 | -261.42 | -0.27 | 690.58 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1998 | -261.4 | 0.02 | 690.6 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1998 | -261.41 | -0.01 | 690.59 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1998 | -261.31 | 0.1 | 690.69 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1998 | -260.87 | 0.44 | 691.13 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1998 | -260.82 | 0.05 | 691.18 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1998 | -260.85 | -0.03 | 691.15 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1998 | -260.64 | 0.21 | 691.36 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1998 | -260.59 | 0.05 | 691.41 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1998 | -260.68 | -0.09 | 691.32 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1998 | -260.33 | 0.35 | 691.67 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1998 | -259.64 | 0.69 | 692.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/23/1998 | -259.26 | 0.38 | 692.74 | 01 | 06 | 4 | |
| | P | 2/24/1998 | -258.86 | 0.4 | 693.14 | 01 | 06 | 4 | |
| | P | 2/25/1998 | -258.61 | 0.25 | 693.39 | 01 | 06 | 4 | |
| | P | 2/26/1998 | -258.17 | 0.44 | 693.83 | 01 | 06 | 4 | |
| | P | 2/27/1998 | -257.89 | 0.28 | 694.11 | 01 | 06 | 4 | |
| | P | 2/28/1998 | -257.87 | 0.02 | 694.13 | 01 | 06 | 4 | |
| | P | 3/ 1/1998 | -257.81 | 0.06 | 694.19 | 01 | 06 | 4 | |
| | P | 3/ 2/1998 | -257.8 | 0.01 | 694.2 | 01 | 06 | 4 | |
| | P | 3/ 3/1998 | -257.57 | 0.23 | 694.43 | 01 | 06 | 4 | |
| | P | 3/ 4/1998 | -257.47 | 0.1 | 694.53 | 01 | 06 | 4 | |
| | P | 3/ 5/1998 | -257.39 | 0.08 | 694.61 | 01 | 06 | 4 | |
| | P | 3/ 6/1998 | -257.43 | -0.04 | 694.57 | 01 | 06 | 4 | |
| | P | 3/ 7/1998 | -257.24 | 0.19 | 694.76 | 01 | 06 | 4 | |
| | P | 3/ 8/1998 | -257.38 | -0.14 | 694.62 | 01 | 06 | 4 | |
| | P | 3/ 9/1998 | -257.93 | -0.55 | 694.07 | 01 | 06 | 4 | |
| | P | 3/10/1998 | -258.07 | -0.14 | 693.93 | 01 | 06 | 4 | |
| | P | 3/11/1998 | -258.07 | | 693.93 | 01 | 06 | 4 | |
| | P | 3/12/1998 | -258.07 | | 693.93 | 01 | 06 | 4 | |
| | P | 3/13/1998 | -257.9 | 0.17 | 694.1 | 01 | 06 | 4 | |
| | P | 3/14/1998 | -257.63 | 0.27 | 694.37 | 01 | 06 | 4 | |
| | P | 3/15/1998 | -256.97 | 0.66 | 695.03 | 01 | 06 | 4 | |
| | P | 3/16/1998 | -255.16 | 1.81 | 696.84 | 01 | 06 | 4 | |
| | P | 3/17/1998 | -254.59 | 0.57 | 697.41 | 01 | 06 | 4 | |
| | P | 3/18/1998 | -254.44 | 0.15 | 697.56 | 01 | 06 | 4 | |
| | P | 3/19/1998 | -254.34 | 0.1 | 697.66 | 01 | 06 | 4 | |
| | P | 3/20/1998 | -254.3 | 0.04 | 697.7 | 01 | 06 | 4 | |
| | P | 3/21/1998 | -254.25 | 0.05 | 697.75 | 01 | 06 | 4 | |
| | P | 3/22/1998 | -254.25 | | 697.75 | 01 | 06 | 4 | |
| | P | 3/23/1998 | -254.06 | 0.19 | 697.94 | 01 | 06 | 4 | |
| | P | 3/24/1998 | -253.94 | 0.12 | 698.06 | 01 | 06 | 4 | |
| | P | 3/25/1998 | -253.91 | 0.03 | 698.09 | 01 | 06 | 4 | |
| | P | 3/26/1998 | -253.64 | 0.27 | 698.36 | 01 | 06 | 4 | |
| | P | 3/27/1998 | -253.46 | 0.18 | 698.54 | 01 | 06 | 4 | |
| | P | 3/28/1998 | -253.41 | 0.05 | 698.59 | 01 | 06 | 4 | |
| | P | 3/29/1998 | -253.28 | 0.13 | 698.72 | 01 | 06 | 4 | |
| | P | 3/30/1998 | -253.04 | 0.24 | 698.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1998 | -253.26 | -0.22 | 698.74 | 01 | 06 | 4 | |
| | P | 4/ 1/1998 | -253.31 | -0.05 | 698.69 | 01 | 06 | 4 | |
| | P | 4/ 2/1998 | -253.22 | 0.09 | 698.78 | 01 | 06 | 4 | |
| | P | 4/ 3/1998 | -253.26 | -0.04 | 698.74 | 01 | 06 | 4 | |
| | P | 4/ 4/1998 | -253.24 | 0.02 | 698.76 | 01 | 06 | 4 | |
| | P | 4/ 5/1998 | -253.11 | 0.13 | 698.89 | 01 | 06 | 4 | |
| | P | 4/ 6/1998 | -252.88 | 0.23 | 699.12 | 01 | 06 | 4 | |
| | P | 4/ 7/1998 | -252.82 | 0.06 | 699.18 | 01 | 06 | 4 | |
| | P | 4/ 8/1998 | -252.84 | -0.02 | 699.16 | 01 | 06 | 4 | |
| | P | 4/ 9/1998 | -253.08 | -0.24 | 698.92 | 01 | 06 | 4 | |
| | P | 4/10/1998 | -253.21 | -0.13 | 698.79 | 01 | 06 | 4 | |
| | P | 4/11/1998 | -253.06 | 0.15 | 698.94 | 01 | 06 | 4 | |
| | P | 4/12/1998 | -252.74 | 0.32 | 699.26 | 01 | 06 | 4 | |
| | P | 4/13/1998 | -252.83 | -0.09 | 699.17 | 01 | 06 | 4 | |
| | P | 4/14/1998 | -252.77 | 0.06 | 699.23 | 01 | 06 | 4 | |
| | P | 4/15/1998 | -252.65 | 0.12 | 699.35 | 01 | 06 | 4 | |
| | P | 4/16/1998 | -252.73 | -0.08 | 699.27 | 01 | 06 | 4 | |
| | P | 4/17/1998 | -253.04 | -0.31 | 698.96 | 01 | 06 | 4 | |
| | P | 4/18/1998 | -253.11 | -0.07 | 698.89 | 01 | 06 | 4 | |
| | P | 4/19/1998 | -253.35 | -0.24 | 698.65 | 01 | 06 | 4 | |
| | P | 4/20/1998 | -253.42 | -0.07 | 698.58 | 01 | 06 | 4 | |
| | P | 4/21/1998 | -253.52 | -0.1 | 698.48 | 01 | 06 | 4 | |
| | P | 4/22/1998 | -253.6 | -0.08 | 698.4 | 01 | 06 | 4 | |
| | P | 4/23/1998 | -253.6 | | 698.4 | 01 | 06 | 4 | |
| | P | 4/24/1998 | -253.55 | 0.05 | 698.45 | 01 | 06 | 4 | |
| | P | 4/25/1998 | -253.6 | -0.05 | 698.4 | 01 | 06 | 4 | |
| | P | 4/26/1998 | -253.52 | 0.08 | 698.48 | 01 | 06 | 4 | |
| | P | 4/27/1998 | -253.76 | -0.24 | 698.24 | 01 | 06 | 4 | |
| | P | 4/28/1998 | -254.05 | -0.29 | 697.95 | 01 | 06 | 4 | |
| | P | 4/29/1998 | -254.17 | -0.12 | 697.83 | 01 | 06 | 4 | |
| | P | 4/30/1998 | -254.17 | | 697.83 | 01 | 06 | 4 | |
| | P | 5/ 1/1998 | -254.22 | -0.05 | 697.78 | 01 | 06 | 4 | |
| | P | 5/ 2/1998 | -254.32 | -0.1 | 697.68 | 01 | 06 | 4 | |
| | P | 5/ 3/1998 | -254.44 | -0.12 | 697.56 | 01 | 06 | 4 | |
| | P | 5/ 4/1998 | -254.54 | -0.1 | 697.46 | 01 | 06 | 4 | |
| | P | 5/ 5/1998 | -254.53 | 0.01 | 697.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1998 | -254.57 | -0.04 | 697.43 | 01 | 06 | 4 | |
| | P | 5/ 7/1998 | -254.74 | -0.17 | 697.26 | 01 | 06 | 4 | |
| | P | 5/ 8/1998 | -254.84 | -0.1 | 697.16 | 01 | 06 | 4 | |
| | P | 5/ 9/1998 | -254.85 | -0.01 | 697.15 | 01 | 06 | 4 | |
| | P | 5/10/1998 | -255.16 | -0.31 | 696.84 | 01 | 06 | 4 | |
| | P | 5/11/1998 | -255.42 | -0.26 | 696.58 | 01 | 06 | 4 | |
| | P | 5/12/1998 | -255.49 | -0.07 | 696.51 | 01 | 06 | 4 | |
| | P | 5/13/1998 | -255.58 | -0.09 | 696.42 | 01 | 06 | 4 | |
| | P | 5/14/1998 | -255.7 | -0.12 | 696.3 | 01 | 06 | 4 | |
| | P | 5/15/1998 | -255.77 | -0.07 | 696.23 | 01 | 06 | 4 | |
| | P | 5/16/1998 | -256.06 | -0.29 | 695.94 | 01 | 06 | 4 | |
| | P | 5/17/1998 | -256.17 | -0.11 | 695.83 | 01 | 06 | 4 | |
| | P | 5/18/1998 | -256.26 | -0.09 | 695.74 | 01 | 06 | 4 | |
| | P | 5/19/1998 | -256.34 | -0.08 | 695.66 | 01 | 06 | 4 | |
| | P | 5/20/1998 | -256.48 | -0.14 | 695.52 | 01 | 06 | 4 | |
| | P | 5/21/1998 | -256.54 | -0.06 | 695.46 | 01 | 06 | 4 | |
| | P | 5/22/1998 | -256.66 | -0.12 | 695.34 | 01 | 06 | 4 | |
| | P | 5/23/1998 | -256.78 | -0.12 | 695.22 | 01 | 06 | 4 | |
| | P | 5/24/1998 | -256.92 | -0.14 | 695.08 | 01 | 06 | 4 | |
| | P | 5/25/1998 | -257.06 | -0.14 | 694.94 | 01 | 06 | 4 | |
| | P | 5/26/1998 | -257.04 | 0.02 | 694.96 | 01 | 06 | 4 | |
| | P | 5/27/1998 | -257.11 | -0.07 | 694.89 | 01 | 06 | 4 | |
| | P | 5/28/1998 | -257.15 | -0.04 | 694.85 | 01 | 06 | 4 | |
| | P | 5/29/1998 | -257.26 | -0.11 | 694.74 | 01 | 06 | 4 | |
| | P | 5/30/1998 | -257.37 | -0.11 | 694.63 | 01 | 06 | 4 | |
| | P | 5/31/1998 | -257.52 | -0.15 | 694.48 | 01 | 06 | 4 | |
| | P | 6/ 1/1998 | -257.78 | -0.26 | 694.22 | 01 | 06 | 4 | |
| | P | 6/ 2/1998 | -257.87 | -0.09 | 694.13 | 01 | 06 | 4 | |
| | P | 6/ 3/1998 | -257.97 | -0.1 | 694.03 | 01 | 06 | 4 | |
| | P | 6/ 4/1998 | -258.11 | -0.14 | 693.89 | 01 | 06 | 4 | |
| | P | 6/ 5/1998 | -258.22 | -0.11 | 693.78 | 01 | 06 | 4 | |
| | P | 6/ 6/1998 | -258.59 | -0.37 | 693.41 | 01 | 06 | 4 | |
| | P | 6/ 7/1998 | -258.85 | -0.26 | 693.15 | 01 | 06 | 4 | |
| | P | 6/ 8/1998 | -258.73 | 0.12 | 693.27 | 01 | 06 | 4 | |
| | P | 6/ 9/1998 | -258.95 | -0.22 | 693.05 | 01 | 06 | 4 | |
| | P | 6/10/1998 | -259 | -0.05 | 693 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/11/1998 | -258.63 | 0.37 | 693.37 | 01 | 06 | 4 | |
| | P | 6/12/1998 | -258.64 | -0.01 | 693.36 | 01 | 06 | 4 | |
| | P | 6/13/1998 | -258.68 | -0.04 | 693.32 | 01 | 06 | 4 | |
| | P | 6/14/1998 | -258.84 | -0.16 | 693.16 | 01 | 06 | 4 | |
| | P | 6/15/1998 | -257.5 | 1.34 | 694.5 | 01 | 06 | 4 | |
| | P | 6/16/1998 | -258.86 | -1.36 | 693.14 | 01 | 06 | 4 | |
| | P | 6/17/1998 | -259.27 | -0.41 | 692.73 | 01 | 06 | 4 | |
| | P | 6/18/1998 | -259.63 | -0.36 | 692.37 | 01 | 06 | 4 | |
| | P | 6/19/1998 | -259.81 | -0.18 | 692.19 | 01 | 06 | 4 | |
| | P | 6/20/1998 | -259.93 | -0.12 | 692.07 | 01 | 06 | 4 | |
| | P | 6/21/1998 | -260.17 | -0.24 | 691.83 | 01 | 06 | 4 | |
| | P | 6/22/1998 | -260.45 | -0.28 | 691.55 | 01 | 06 | 4 | |
| | P | 6/23/1998 | -260.58 | -0.13 | 691.42 | 01 | 06 | 4 | |
| | P | 6/24/1998 | -260.75 | -0.17 | 691.25 | 01 | 06 | 4 | |
| | P | 6/25/1998 | -260.95 | -0.2 | 691.05 | 01 | 06 | 4 | |
| | P | 6/26/1998 | -260.91 | 0.04 | 691.09 | 01 | 06 | 4 | |
| | P | 6/27/1998 | -260.97 | -0.06 | 691.03 | 01 | 06 | 4 | |
| | P | 6/28/1998 | -261.32 | -0.35 | 690.68 | 01 | 06 | 4 | |
| | P | 6/29/1998 | -261.22 | 0.1 | 690.78 | 01 | 06 | 4 | |
| | P | 6/30/1998 | -258.97 | 2.25 | 693.03 | 01 | 06 | 4 | |
| | P | 7/ 1/1998 | -261.47 | -2.5 | 690.53 | 01 | 06 | 4 | |
| | P | 7/ 2/1998 | -261.52 | -0.05 | 690.48 | 01 | 06 | 4 | |
| | P | 7/ 3/1998 | -261.36 | 0.16 | 690.64 | 01 | 06 | 4 | |
| | P | 7/ 4/1998 | -261.29 | 0.07 | 690.71 | 01 | 06 | 4 | |
| | P | 7/ 5/1998 | -261.41 | -0.12 | 690.59 | 01 | 06 | 4 | |
| | P | 7/ 6/1998 | -261.71 | -0.3 | 690.29 | 01 | 06 | 4 | |
| | P | 7/ 7/1998 | -261.84 | -0.13 | 690.16 | 01 | 06 | 4 | |
| | P | 7/ 8/1998 | -262.17 | -0.33 | 689.83 | 01 | 06 | 4 | |
| | P | 7/ 9/1998 | -262.29 | -0.12 | 689.71 | 01 | 06 | 4 | |
| | P | 7/10/1998 | -262.5 | -0.21 | 689.5 | 01 | 06 | 4 | |
| | P | 7/11/1998 | -262.6 | -0.1 | 689.4 | 01 | 06 | 4 | |
| | P | 7/12/1998 | -262.93 | -0.33 | 689.07 | 01 | 06 | 4 | |
| | P | 7/13/1998 | -262.95 | -0.02 | 689.05 | 01 | 06 | 4 | |
| | P | 7/14/1998 | -262.89 | 0.06 | 689.11 | 01 | 06 | 4 | |
| | P | 7/15/1998 | -261.3 | 1.59 | 690.7 | 01 | 06 | 4 | |
| | P | 7/16/1998 | -263.38 | -2.08 | 688.62 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/17/1998 | -263.95 | -0.57 | 688.05 | 01 | 06 | 4 | |
| | P | 7/18/1998 | -264 | -0.05 | 688 | 01 | 06 | 4 | |
| | P | 7/19/1998 | -264.36 | -0.36 | 687.64 | 01 | 06 | 4 | |
| | P | 7/20/1998 | -264.56 | -0.2 | 687.44 | 01 | 06 | 4 | |
| | P | 7/21/1998 | -264.7 | -0.14 | 687.3 | 01 | 06 | 4 | |
| | P | 7/22/1998 | -264.87 | -0.17 | 687.13 | 01 | 06 | 4 | |
| | P | 7/23/1998 | -265.03 | -0.16 | 686.97 | 01 | 06 | 4 | |
| | P | 7/24/1998 | -265.23 | -0.2 | 686.77 | 01 | 06 | 4 | |
| | P | 7/25/1998 | -265.39 | -0.16 | 686.61 | 01 | 06 | 4 | |
| | P | 7/26/1998 | -265.73 | -0.34 | 686.27 | 01 | 06 | 4 | |
| | P | 7/27/1998 | -265.78 | -0.05 | 686.22 | 01 | 06 | 4 | |
| | P | 7/28/1998 | -265.85 | -0.07 | 686.15 | 01 | 06 | 4 | |
| | P | 7/29/1998 | -266 | -0.15 | 686 | 01 | 06 | 4 | |
| | P | 7/30/1998 | -261.85 | 4.15 | 690.15 | 01 | 06 | 4 | |
| | P | 7/31/1998 | -266.44 | -4.59 | 685.56 | 01 | 06 | 4 | |
| | P | 8/ 1/1998 | -266.5 | -0.06 | 685.5 | 01 | 06 | 4 | |
| | P | 8/ 2/1998 | -266.83 | -0.33 | 685.17 | 01 | 06 | 4 | |
| | P | 8/ 3/1998 | -266.82 | 0.01 | 685.18 | 01 | 06 | 4 | |
| | P | 8/ 4/1998 | -266.91 | -0.09 | 685.09 | 01 | 06 | 4 | |
| | P | 8/ 5/1998 | -267.04 | -0.13 | 684.96 | 01 | 06 | 4 | |
| | P | 8/ 6/1998 | -266.81 | 0.23 | 685.19 | 01 | 06 | 4 | |
| | P | 8/ 7/1998 | -266.67 | 0.14 | 685.33 | 01 | 06 | 4 | |
| | P | 8/ 8/1998 | -266.79 | -0.12 | 685.21 | 01 | 06 | 4 | |
| | P | 8/ 9/1998 | -267.01 | -0.22 | 684.99 | 01 | 06 | 4 | |
| | P | 8/10/1998 | -267.02 | -0.01 | 684.98 | 01 | 06 | 4 | |
| | P | 8/11/1998 | -267.1 | -0.08 | 684.9 | 01 | 06 | 4 | |
| | P | 8/12/1998 | -267.31 | -0.21 | 684.69 | 01 | 06 | 4 | |
| | P | 8/13/1998 | -267.34 | -0.03 | 684.66 | 01 | 06 | 4 | |
| | P | 8/14/1998 | -267.37 | -0.03 | 684.63 | 01 | 06 | 4 | |
| | P | 8/15/1998 | -267.19 | 0.18 | 684.81 | 01 | 06 | 4 | |
| | P | 8/16/1998 | -267.22 | -0.03 | 684.78 | 01 | 06 | 4 | |
| | P | 8/17/1998 | -267.29 | -0.07 | 684.71 | 01 | 06 | 4 | |
| | P | 8/18/1998 | -267.15 | 0.14 | 684.85 | 01 | 06 | 4 | |
| | P | 8/19/1998 | -266.76 | 0.39 | 685.24 | 01 | 06 | 4 | |
| | P | 8/20/1998 | -267.05 | -0.29 | 684.95 | 01 | 06 | 4 | |
| | P | 8/21/1998 | -267.1 | -0.05 | 684.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1998 | -266.78 | 0.32 | 685.22 | 01 | 06 | 4 | |
| | P | 8/23/1998 | -265.65 | 1.13 | 686.35 | 01 | 06 | 4 | |
| | P | 8/24/1998 | -264.85 | 0.8 | 687.15 | 01 | 06 | 4 | |
| | P | 8/25/1998 | -264.8 | 0.05 | 687.2 | 01 | 06 | 4 | |
| | P | 8/26/1998 | -264.85 | -0.05 | 687.15 | 01 | 06 | 4 | |
| | P | 8/27/1998 | -265.35 | -0.5 | 686.65 | 01 | 06 | 4 | |
| | P | 8/28/1998 | -265.83 | -0.48 | 686.17 | 01 | 06 | 4 | |
| | P | 8/29/1998 | -265.87 | -0.04 | 686.13 | 01 | 06 | 4 | |
| | P | 8/30/1998 | -266.08 | -0.21 | 685.92 | 01 | 06 | 4 | |
| | P | 8/31/1998 | -266.03 | 0.05 | 685.97 | 01 | 06 | 4 | |
| | P | 9/ 1/1998 | -265.95 | 0.08 | 686.05 | 01 | 06 | 4 | |
| | P | 9/ 2/1998 | -266.01 | -0.06 | 685.99 | 01 | 06 | 4 | |
| | P | 9/ 3/1998 | -266.08 | -0.07 | 685.92 | 01 | 06 | 4 | |
| | P | 9/ 4/1998 | -266.29 | -0.21 | 685.71 | 01 | 06 | 4 | |
| | P | 9/ 5/1998 | -266.44 | -0.15 | 685.56 | 01 | 06 | 4 | |
| | P | 9/ 6/1998 | -266.67 | -0.23 | 685.33 | 01 | 06 | 4 | |
| | P | 9/ 7/1998 | -266.6 | 0.07 | 685.4 | 01 | 06 | 4 | |
| | P | 9/ 8/1998 | -266.68 | -0.08 | 685.32 | 01 | 06 | 4 | |
| | P | 9/ 9/1998 | -266.69 | -0.01 | 685.31 | 01 | 06 | 4 | |
| | P | 9/10/1998 | -266.7 | -0.01 | 685.3 | 01 | 06 | 4 | |
| | P | 9/11/1998 | -266.4 | 0.3 | 685.6 | 01 | 06 | 4 | |
| | P | 9/12/1998 | -266.4 | | 685.6 | 01 | 06 | 4 | |
| | P | 9/13/1998 | -266.44 | -0.04 | 685.56 | 01 | 06 | 4 | |
| | P | 9/14/1998 | -266.49 | -0.05 | 685.51 | 01 | 06 | 4 | |
| | P | 9/15/1998 | -266.55 | -0.06 | 685.45 | 01 | 06 | 4 | |
| | P | 9/16/1998 | -266.49 | 0.06 | 685.51 | 01 | 06 | 4 | |
| | P | 9/17/1998 | -266.42 | 0.07 | 685.58 | 01 | 06 | 4 | |
| | P | 9/18/1998 | -266.33 | 0.09 | 685.67 | 01 | 06 | 4 | |
| | P | 9/19/1998 | -266.3 | 0.03 | 685.7 | 01 | 06 | 4 | |
| | P | 9/20/1998 | -266.39 | -0.09 | 685.61 | 01 | 06 | 4 | |
| | P | 9/21/1998 | -266.51 | -0.12 | 685.49 | 01 | 06 | 4 | |
| | P | 9/22/1998 | -266.61 | -0.1 | 685.39 | 01 | 06 | 4 | |
| | P | 9/23/1998 | -266.72 | -0.11 | 685.28 | 01 | 06 | 4 | |
| | P | 9/24/1998 | -266.77 | -0.05 | 685.23 | 01 | 06 | 4 | |
| | P | 9/25/1998 | -266.88 | -0.11 | 685.12 | 01 | 06 | 4 | |
| | P | 9/26/1998 | -266.9 | -0.02 | 685.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/27/1998 | -266.97 | -0.07 | 685.03 | 01 | 06 | 4 | |
| | P | 9/28/1998 | -267.15 | -0.18 | 684.85 | 01 | 06 | 4 | |
| | P | 9/29/1998 | -267.17 | -0.02 | 684.83 | 01 | 06 | 4 | |
| | P | 9/30/1998 | -267.25 | -0.08 | 684.75 | 01 | 06 | 4 | |
| | P | 10/ 1/1998 | -267.35 | -0.1 | 684.65 | 01 | 06 | 4 | |
| | P | 10/ 2/1998 | -267.36 | -0.01 | 684.64 | 01 | 06 | 4 | |
| | P | 10/ 3/1998 | -267.44 | -0.08 | 684.56 | 01 | 06 | 4 | |
| | P | 10/ 4/1998 | -267.53 | -0.09 | 684.47 | 01 | 06 | 4 | |
| | P | 10/ 5/1998 | -267.48 | 0.05 | 684.52 | 01 | 06 | 4 | |
| | P | 10/ 6/1998 | -267.55 | -0.07 | 684.45 | 01 | 06 | 4 | |
| | P | 10/ 7/1998 | -267.46 | 0.09 | 684.54 | 01 | 06 | 4 | |
| | P | 10/ 8/1998 | -267.4 | 0.06 | 684.6 | 01 | 06 | 4 | |
| | P | 10/ 9/1998 | -267.31 | 0.09 | 684.69 | 01 | 06 | 4 | |
| | P | 10/10/1998 | -267.31 | | 684.69 | 01 | 06 | 4 | |
| | P | 10/11/1998 | -267.37 | -0.06 | 684.63 | 01 | 06 | 4 | |
| | P | 10/12/1998 | -267.5 | -0.13 | 684.5 | 01 | 06 | 4 | |
| | P | 10/13/1998 | -267.5 | | 684.5 | 01 | 06 | 4 | |
| | P | 10/14/1998 | -267.4 | 0.1 | 684.6 | 01 | 06 | 4 | |
| | P | 10/15/1998 | -267.42 | -0.02 | 684.58 | 01 | 06 | 4 | |
| | P | 10/16/1998 | -267.4 | 0.02 | 684.6 | 01 | 06 | 4 | |
| | P | 10/17/1998 | -264.4 | 3 | 687.6 | 01 | 06 | 4 | |
| | P | 10/18/1998 | -261.55 | 2.85 | 690.45 | 01 | 06 | 4 | |
| | P | 10/19/1998 | -260.36 | 1.19 | 691.64 | 01 | 06 | 4 | |
| | P | 10/20/1998 | -259.62 | 0.74 | 692.38 | 01 | 06 | 4 | |
| | P | 10/21/1998 | -259.44 | 0.18 | 692.56 | 01 | 06 | 4 | |
| | P | 10/22/1998 | -259.29 | 0.15 | 692.71 | 01 | 06 | 4 | |
| | P | 10/23/1998 | -258.84 | 0.45 | 693.16 | 01 | 06 | 4 | |
| | P | 10/24/1998 | -258.3 | 0.54 | 693.7 | 01 | 06 | 4 | |
| | P | 10/25/1998 | -257.8 | 0.5 | 694.2 | 01 | 06 | 4 | |
| | P | 10/26/1998 | -257.4 | 0.4 | 694.6 | 01 | 06 | 4 | |
| | P | 10/27/1998 | -256.94 | 0.46 | 695.06 | 01 | 06 | 4 | |
| | P | 10/28/1998 | -256.41 | 0.53 | 695.59 | 01 | 06 | 4 | |
| | P | 10/29/1998 | -256.03 | 0.38 | 695.97 | 01 | 06 | 4 | |
| | P | 10/30/1998 | -255.67 | 0.36 | 696.33 | 01 | 06 | 4 | |
| | P | 10/31/1998 | -255.15 | 0.52 | 696.85 | 01 | 06 | 4 | |
| | P | 11/ 1/1998 | -254.8 | 0.35 | 697.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 2/1998 | -254.37 | 0.43 | 697.63 | 01 | 06 | 4 | |
| | P | 11/ 3/1998 | -254.04 | 0.33 | 697.96 | 01 | 06 | 4 | |
| | P | 11/ 4/1998 | -253.77 | 0.27 | 698.23 | 01 | 06 | 4 | |
| | P | 11/ 5/1998 | -253.4 | 0.37 | 698.6 | 01 | 06 | 4 | |
| | P | 11/ 6/1998 | -252.87 | 0.53 | 699.13 | 01 | 06 | 4 | |
| | P | 11/ 7/1998 | -252.45 | 0.42 | 699.55 | 01 | 06 | 4 | |
| | P | 11/ 8/1998 | -251.92 | 0.53 | 700.08 | 01 | 06 | 4 | |
| | P | 11/ 9/1998 | -251.25 | 0.67 | 700.75 | 01 | 06 | 4 | |
| | P | 11/10/1998 | -251.25 | | 700.75 | 01 | 06 | 4 | |
| | P | 11/11/1998 | -251.04 | 0.21 | 700.96 | 01 | 06 | 4 | |
| | P | 11/12/1998 | -250.51 | 0.53 | 701.49 | 01 | 06 | 4 | |
| | P | 11/13/1998 | -250.03 | 0.48 | 701.97 | 01 | 06 | 4 | |
| | P | 11/14/1998 | -249.56 | 0.47 | 702.44 | 01 | 06 | 4 | |
| | P | 11/15/1998 | -249.02 | 0.54 | 702.98 | 01 | 06 | 4 | |
| | P | 11/16/1998 | -248.59 | 0.43 | 703.41 | 01 | 06 | 4 | |
| | P | 11/17/1998 | -248.32 | 0.27 | 703.68 | 01 | 06 | 4 | |
| | P | 11/18/1998 | -247.91 | 0.41 | 704.09 | 01 | 06 | 4 | |
| | P | 11/19/1998 | -247.61 | 0.3 | 704.39 | 01 | 06 | 4 | |
| | P | 11/20/1998 | -247.48 | 0.13 | 704.52 | 01 | 06 | 4 | |
| | P | 11/21/1998 | -247.18 | 0.3 | 704.82 | 01 | 06 | 4 | |
| | P | 11/22/1998 | -246.79 | 0.39 | 705.21 | 01 | 06 | 4 | |
| | P | 11/23/1998 | -246.58 | 0.21 | 705.42 | 01 | 06 | 4 | |
| | P | 11/24/1998 | -246.21 | 0.37 | 705.79 | 01 | 06 | 4 | |
| | P | 11/25/1998 | -246.03 | 0.18 | 705.97 | 01 | 06 | 4 | |
| | P | 11/26/1998 | -245.78 | 0.25 | 706.22 | 01 | 06 | 4 | |
| | P | 11/27/1998 | -245.47 | 0.31 | 706.53 | 01 | 06 | 4 | |
| | P | 11/28/1998 | -245.14 | 0.33 | 706.86 | 01 | 06 | 4 | |
| | P | 11/29/1998 | -244.77 | 0.37 | 707.23 | 01 | 06 | 4 | |
| | P | 11/30/1998 | -244.8 | -0.03 | 707.2 | 01 | 06 | 4 | |
| | P | 12/ 1/1998 | -244.72 | 0.08 | 707.28 | 01 | 06 | 4 | |
| | P | 12/ 2/1998 | -244.27 | 0.45 | 707.73 | 01 | 06 | 4 | |
| | P | 12/ 3/1998 | -243.89 | 0.38 | 708.11 | 01 | 06 | 4 | |
| | P | 12/ 4/1998 | -243.82 | 0.07 | 708.18 | 01 | 06 | 4 | |
| | P | 12/ 5/1998 | -243.53 | 0.29 | 708.47 | 01 | 06 | 4 | |
| | P | 12/ 6/1998 | -243.32 | 0.21 | 708.68 | 01 | 06 | 4 | |
| | P | 12/ 7/1998 | -243.25 | 0.07 | 708.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 8/1998 | -243.31 | -0.06 | 708.69 | 01 | 06 | 4 | |
| | P | 12/ 9/1998 | -242.91 | 0.4 | 709.09 | 01 | 06 | 4 | |
| | P | 12/10/1998 | -242.58 | 0.33 | 709.42 | 01 | 06 | 4 | |
| | P | 12/11/1998 | -242.54 | 0.04 | 709.46 | 01 | 06 | 4 | |
| | P | 12/12/1998 | -242.35 | 0.19 | 709.65 | 01 | 06 | 4 | |
| | P | 12/13/1998 | -242.2 | 0.15 | 709.8 | 01 | 06 | 4 | |
| | P | 12/14/1998 | -242.03 | 0.17 | 709.97 | 01 | 06 | 4 | |
| | P | 12/15/1998 | -241.75 | 0.28 | 710.25 | 01 | 06 | 4 | |
| | P | 12/16/1998 | -241.52 | 0.23 | 710.48 | 01 | 06 | 4 | |
| | P | 12/17/1998 | -241.25 | 0.27 | 710.75 | 01 | 06 | 4 | |
| | P | 12/18/1998 | -240.74 | 0.51 | 711.26 | 01 | 06 | 4 | |
| | P | 12/19/1998 | -240.76 | -0.02 | 711.24 | 01 | 06 | 4 | |
| | P | 12/20/1998 | -240.74 | 0.02 | 711.26 | 01 | 06 | 4 | |
| | P | 12/21/1998 | -240.53 | 0.21 | 711.47 | 01 | 06 | 4 | |
| | P | 12/22/1998 | -240.69 | -0.16 | 711.31 | 01 | 06 | 4 | |
| | P | 12/23/1998 | -240.5 | 0.19 | 711.5 | 01 | 06 | 4 | |
| | P | 12/24/1998 | -240.42 | 0.08 | 711.58 | 01 | 06 | 4 | |
| | P | 12/25/1998 | -240.13 | 0.29 | 711.87 | 01 | 06 | 4 | |
| | P | 12/26/1998 | -239.85 | 0.28 | 712.15 | 01 | 06 | 4 | |
| | P | 12/27/1998 | -239.65 | 0.2 | 712.35 | 01 | 06 | 4 | |
| | P | 12/28/1998 | -239.57 | 0.08 | 712.43 | 01 | 06 | 4 | |
| | P | 12/29/1998 | -239.5 | 0.07 | 712.5 | 01 | 06 | 4 | |
| | P | 12/30/1998 | -239.45 | 0.05 | 712.55 | 01 | 06 | 4 | |
| | P | 12/31/1998 | -239.39 | 0.06 | 712.61 | 01 | 06 | 4 | |
| | P | 1/ 1/1999 | -238.93 | 0.46 | 713.07 | 01 | 06 | 4 | |
| | P | 1/ 2/1999 | -239.03 | -0.1 | 712.97 | 01 | 06 | 4 | |
| | P | 1/ 3/1999 | -239.45 | -0.42 | 712.55 | 01 | 06 | 4 | |
| | P | 1/ 4/1999 | -239.42 | 0.03 | 712.58 | 01 | 06 | 4 | |
| | P | 1/ 5/1999 | -238.9 | 0.52 | 713.1 | 01 | 06 | 4 | |
| | P | 1/ 6/1999 | -238.81 | 0.09 | 713.19 | 01 | 06 | 4 | |
| | P | 1/ 7/1999 | -238.62 | 0.19 | 713.38 | 01 | 06 | 4 | |
| | P | 1/ 8/1999 | -238.49 | 0.13 | 713.51 | 01 | 06 | 4 | |
| | P | 1/ 9/1999 | -238.7 | -0.21 | 713.3 | 01 | 06 | 4 | |
| | P | 1/10/1999 | -238.79 | -0.09 | 713.21 | 01 | 06 | 4 | |
| | P | 1/11/1999 | -238.42 | 0.37 | 713.58 | 01 | 06 | 4 | |
| | P | 1/12/1999 | -238.23 | 0.19 | 713.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 13/ 1999 | -238.32 | -0.09 | 713.68 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1999 | -238.56 | -0.24 | 713.44 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1999 | -238.32 | 0.24 | 713.68 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1999 | -237.9 | 0.42 | 714.1 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1999 | -237.72 | 0.18 | 714.28 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1999 | -238.15 | -0.43 | 713.85 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1999 | -238.01 | 0.14 | 713.99 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1999 | -237.99 | 0.02 | 714.01 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1999 | -237.74 | 0.25 | 714.26 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1999 | -237.79 | -0.05 | 714.21 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1999 | -238.36 | -0.57 | 713.64 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1999 | -238.52 | -0.16 | 713.48 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1999 | -238.56 | -0.04 | 713.44 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1999 | -238.32 | 0.24 | 713.68 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1999 | -238.2 | 0.12 | 713.8 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1999 | -238.05 | 0.15 | 713.95 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1999 | -238.01 | 0.04 | 713.99 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1999 | -238.29 | -0.28 | 713.71 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1999 | -238.36 | -0.07 | 713.64 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1999 | -238.17 | 0.19 | 713.83 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1999 | -238.26 | -0.09 | 713.74 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1999 | -238.08 | 0.18 | 713.92 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1999 | -238.23 | -0.15 | 713.77 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1999 | -238.33 | -0.1 | 713.67 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1999 | -238.23 | 0.1 | 713.77 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1999 | -238.26 | -0.03 | 713.74 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1999 | -238.27 | -0.01 | 713.73 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1999 | -238.29 | -0.02 | 713.71 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1999 | -238.23 | 0.06 | 713.77 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1999 | -238.21 | 0.02 | 713.79 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1999 | -238.85 | -0.64 | 713.15 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1999 | -238.77 | 0.08 | 713.23 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1999 | -238.52 | 0.25 | 713.48 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1999 | -238.22 | 0.3 | 713.78 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1999 | -238.24 | -0.02 | 713.76 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1999 | -238.27 | -0.03 | 713.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/18/1999 | -238.32 | -0.05 | 713.68 | 01 | 06 | 4 | |
| | P | 2/19/1999 | -238.52 | -0.2 | 713.48 | 01 | 06 | 4 | |
| | P | 2/20/1999 | -238.58 | -0.06 | 713.42 | 01 | 06 | 4 | |
| | P | 2/21/1999 | -238.93 | -0.35 | 713.07 | 01 | 06 | 4 | |
| | P | 2/22/1999 | -238.72 | 0.21 | 713.28 | 01 | 06 | 4 | |
| | P | 2/23/1999 | -238.72 | | 713.28 | 01 | 06 | 4 | |
| | P | 2/24/1999 | -238.87 | -0.15 | 713.13 | 01 | 06 | 4 | |
| | P | 2/25/1999 | -238.73 | 0.14 | 713.27 | 01 | 06 | 4 | |
| | P | 2/26/1999 | -238.7 | 0.03 | 713.3 | 01 | 06 | 4 | |
| | P | 2/27/1999 | -238.69 | 0.01 | 713.31 | 01 | 06 | 4 | |
| | P | 2/28/1999 | -238.93 | -0.24 | 713.07 | 01 | 06 | 4 | |
| | P | 3/ 1/1999 | -238.68 | 0.25 | 713.32 | 01 | 06 | 4 | |
| | P | 3/ 2/1999 | -238.78 | -0.1 | 713.22 | 01 | 06 | 4 | |
| | P | 3/ 3/1999 | -239.14 | -0.36 | 712.86 | 01 | 06 | 4 | |
| | P | 3/ 4/1999 | -238.94 | 0.2 | 713.06 | 01 | 06 | 4 | |
| | P | 3/ 5/1999 | -238.97 | -0.03 | 713.03 | 01 | 06 | 4 | |
| | P | 3/ 6/1999 | -239.08 | -0.11 | 712.92 | 01 | 06 | 4 | |
| | P | 3/ 7/1999 | -239.11 | -0.03 | 712.89 | 01 | 06 | 4 | |
| | P | 3/ 8/1999 | -238.69 | 0.42 | 713.31 | 01 | 06 | 4 | |
| | P | 3/ 9/1999 | -239.07 | -0.38 | 712.93 | 01 | 06 | 4 | |
| | P | 3/10/1999 | -239.2 | -0.13 | 712.8 | 01 | 06 | 4 | |
| | P | 3/11/1999 | -239.2 | | 712.8 | 01 | 06 | 4 | |
| | P | 3/12/1999 | -238.96 | 0.24 | 713.04 | 01 | 06 | 4 | |
| | P | 3/13/1999 | -239.06 | -0.1 | 712.94 | 01 | 06 | 4 | |
| | P | 3/14/1999 | -239.45 | -0.39 | 712.55 | 01 | 06 | 4 | |
| | P | 3/15/1999 | -239.54 | -0.09 | 712.46 | 01 | 06 | 4 | |
| | P | 3/16/1999 | -239.38 | 0.16 | 712.62 | 01 | 06 | 4 | |
| | P | 3/17/1999 | -239.3 | 0.08 | 712.7 | 01 | 06 | 4 | |
| | P | 3/18/1999 | -239.41 | -0.11 | 712.59 | 01 | 06 | 4 | |
| | P | 3/19/1999 | -239.64 | -0.23 | 712.36 | 01 | 06 | 4 | |
| | P | 3/20/1999 | -239.65 | -0.01 | 712.35 | 01 | 06 | 4 | |
| | P | 3/21/1999 | -239.68 | -0.03 | 712.32 | 01 | 06 | 4 | |
| | P | 3/22/1999 | -239.52 | 0.16 | 712.48 | 01 | 06 | 4 | |
| | P | 3/23/1999 | -239.5 | 0.02 | 712.5 | 01 | 06 | 4 | |
| | P | 3/24/1999 | -239.6 | -0.1 | 712.4 | 01 | 06 | 4 | |
| | P | 3/25/1999 | -239.68 | -0.08 | 712.32 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/26/1999 | -239.81 | -0.13 | 712.19 | 01 | 06 | 4 | |
| | P | 3/27/1999 | -239.6 | 0.21 | 712.4 | 01 | 06 | 4 | |
| | P | 3/28/1999 | -239.45 | 0.15 | 712.55 | 01 | 06 | 4 | |
| | P | 3/29/1999 | -239.57 | -0.12 | 712.43 | 01 | 06 | 4 | |
| | P | 3/30/1999 | -239.58 | -0.01 | 712.42 | 01 | 06 | 4 | |
| | P | 3/31/1999 | -239.44 | 0.14 | 712.56 | 01 | 06 | 4 | |
| | P | 4/ 1/1999 | -239.42 | 0.02 | 712.58 | 01 | 06 | 4 | |
| | P | 4/ 2/1999 | -239.49 | -0.07 | 712.51 | 01 | 06 | 4 | |
| | P | 4/ 3/1999 | -239.54 | -0.05 | 712.46 | 01 | 06 | 4 | |
| | P | 4/ 4/1999 | -239.61 | -0.07 | 712.39 | 01 | 06 | 4 | |
| | P | 4/ 5/1999 | -239.63 | -0.02 | 712.37 | 01 | 06 | 4 | |
| | P | 4/ 6/1999 | -239.97 | -0.34 | 712.03 | 01 | 06 | 4 | |
| | P | 4/ 7/1999 | -240.1 | -0.13 | 711.9 | 01 | 06 | 4 | |
| | P | 4/ 8/1999 | -239.99 | 0.11 | 712.01 | 01 | 06 | 4 | |
| | P | 4/ 9/1999 | -239.96 | 0.03 | 712.04 | 01 | 06 | 4 | |
| | P | 4/10/1999 | -239.96 | | 712.04 | 01 | 06 | 4 | |
| | P | 4/11/1999 | -240.3 | -0.34 | 711.7 | 01 | 06 | 4 | |
| | P | 4/12/1999 | -240.59 | -0.29 | 711.41 | 01 | 06 | 4 | |
| | P | 4/13/1999 | -240.13 | 0.46 | 711.87 | 01 | 06 | 4 | |
| | P | 4/14/1999 | -240.04 | 0.09 | 711.96 | 01 | 06 | 4 | |
| | P | 4/15/1999 | -240.33 | -0.29 | 711.67 | 01 | 06 | 4 | |
| | P | 4/16/1999 | -240.8 | -0.47 | 711.2 | 01 | 06 | 4 | |
| | P | 4/17/1999 | -240.88 | -0.08 | 711.12 | 01 | 06 | 4 | |
| | P | 4/18/1999 | -240.94 | -0.06 | 711.06 | 01 | 06 | 4 | |
| | P | 4/19/1999 | -240.92 | 0.02 | 711.08 | 01 | 06 | 4 | |
| | P | 4/20/1999 | -240.74 | 0.18 | 711.26 | 01 | 06 | 4 | |
| | P | 4/21/1999 | -240.72 | 0.02 | 711.28 | 01 | 06 | 4 | |
| | P | 4/22/1999 | -240.72 | | 711.28 | 01 | 06 | 4 | |
| | P | 4/23/1999 | -240.94 | -0.22 | 711.06 | 01 | 06 | 4 | |
| | P | 4/24/1999 | -241.25 | -0.31 | 710.75 | 01 | 06 | 4 | |
| | P | 4/25/1999 | -241.07 | 0.18 | 710.93 | 01 | 06 | 4 | |
| | P | 4/26/1999 | -240.91 | 0.16 | 711.09 | 01 | 06 | 4 | |
| | P | 4/27/1999 | -241.09 | -0.18 | 710.91 | 01 | 06 | 4 | |
| | P | 4/28/1999 | -241.19 | -0.1 | 710.81 | 01 | 06 | 4 | |
| | P | 4/29/1999 | -241.19 | | 710.81 | 01 | 06 | 4 | |
| | P | 4/30/1999 | -241.44 | -0.25 | 710.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 1/1999 | -241.44 | | 710.56 | 01 | 06 | 4 | |
| | P | 5/ 2/1999 | -241.44 | | 710.56 | 01 | 06 | 4 | |
| | P | 5/ 3/1999 | -241.28 | 0.16 | 710.72 | 01 | 06 | 4 | |
| | P | 5/ 4/1999 | -241.19 | 0.09 | 710.81 | 01 | 06 | 4 | |
| | P | 5/ 5/1999 | -241.23 | -0.04 | 710.77 | 01 | 06 | 4 | |
| | P | 5/ 6/1999 | -241.62 | -0.39 | 710.38 | 01 | 06 | 4 | |
| | P | 5/ 7/1999 | -241.91 | -0.29 | 710.09 | 01 | 06 | 4 | |
| | P | 5/ 8/1999 | -241.98 | -0.07 | 710.02 | 01 | 06 | 4 | |
| | P | 5/ 9/1999 | -242.06 | -0.08 | 709.94 | 01 | 06 | 4 | |
| | P | 5/10/1999 | -241.98 | 0.08 | 710.02 | 01 | 06 | 4 | |
| | P | 5/11/1999 | -241.88 | 0.1 | 710.12 | 01 | 06 | 4 | |
| | P | 5/12/1999 | -241.89 | -0.01 | 710.11 | 01 | 06 | 4 | |
| | P | 5/13/1999 | -242.09 | -0.2 | 709.91 | 01 | 06 | 4 | |
| | P | 5/14/1999 | -242.12 | -0.03 | 709.88 | 01 | 06 | 4 | |
| | P | 5/15/1999 | -242.18 | -0.06 | 709.82 | 01 | 06 | 4 | |
| | P | 5/16/1999 | -242.32 | -0.14 | 709.68 | 01 | 06 | 4 | |
| | P | 5/17/1999 | -242.41 | -0.09 | 709.59 | 01 | 06 | 4 | |
| | P | 5/18/1999 | -241.95 | 0.46 | 710.05 | 01 | 06 | 4 | |
| | P | 5/19/1999 | -242.3 | -0.35 | 709.7 | 01 | 06 | 4 | |
| | P | 5/20/1999 | -242.45 | -0.15 | 709.55 | 01 | 06 | 4 | |
| | P | 5/21/1999 | -242.5 | -0.05 | 709.5 | 01 | 06 | 4 | |
| | P | 5/22/1999 | -242.7 | -0.2 | 709.3 | 01 | 06 | 4 | |
| | P | 5/23/1999 | -242.86 | -0.16 | 709.14 | 01 | 06 | 4 | |
| | P | 5/24/1999 | -243 | -0.14 | 709 | 01 | 06 | 4 | |
| | P | 5/25/1999 | -243.1 | -0.1 | 708.9 | 01 | 06 | 4 | |
| | P | 5/26/1999 | -243.18 | -0.08 | 708.82 | 01 | 06 | 4 | |
| | P | 5/27/1999 | -243.34 | -0.16 | 708.66 | 01 | 06 | 4 | |
| | P | 5/28/1999 | -243.57 | -0.23 | 708.43 | 01 | 06 | 4 | |
| | P | 5/29/1999 | -243.51 | 0.06 | 708.49 | 01 | 06 | 4 | |
| | P | 5/30/1999 | -243.62 | -0.11 | 708.38 | 01 | 06 | 4 | |
| | P | 5/31/1999 | -243.78 | -0.16 | 708.22 | 01 | 06 | 4 | |
| | P | 6/ 1/1999 | -243.93 | -0.15 | 708.07 | 01 | 06 | 4 | |
| | P | 6/ 2/1999 | -244.13 | -0.2 | 707.87 | 01 | 06 | 4 | |
| | P | 6/ 3/1999 | -244.36 | -0.23 | 707.64 | 01 | 06 | 4 | |
| | P | 6/ 4/1999 | -244.5 | -0.14 | 707.5 | 01 | 06 | 4 | |
| | P | 6/ 5/1999 | -244.57 | -0.07 | 707.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 6/1999 | -244.82 | -0.25 | 707.18 | 01 | 06 | 4 | |
| | P | 6/ 7/1999 | -245.08 | -0.26 | 706.92 | 01 | 06 | 4 | |
| | P | 6/ 8/1999 | -245.11 | -0.03 | 706.89 | 01 | 06 | 4 | |
| | P | 6/ 9/1999 | -245.2 | -0.09 | 706.8 | 01 | 06 | 4 | |
| | P | 6/10/1999 | -245.36 | -0.16 | 706.64 | 01 | 06 | 4 | |
| | P | 6/11/1999 | -245.55 | -0.19 | 706.45 | 01 | 06 | 4 | |
| | P | 6/12/1999 | -245.75 | -0.2 | 706.25 | 01 | 06 | 4 | |
| | P | 6/13/1999 | -245.75 | | 706.25 | 01 | 06 | 4 | |
| | P | 6/14/1999 | -245.74 | 0.01 | 706.26 | 01 | 06 | 4 | |
| | P | 6/15/1999 | -245.65 | 0.09 | 706.35 | 01 | 06 | 4 | |
| | P | 6/16/1999 | -245.67 | -0.02 | 706.33 | 01 | 06 | 4 | |
| | P | 6/17/1999 | -245.72 | -0.05 | 706.28 | 01 | 06 | 4 | |
| | P | 6/18/1999 | -245.9 | -0.18 | 706.1 | 01 | 06 | 4 | |
| | P | 6/19/1999 | -245.95 | -0.05 | 706.05 | 01 | 06 | 4 | |
| | P | 6/20/1999 | -245.17 | 0.78 | 706.83 | 01 | 06 | 4 | |
| | P | 6/21/1999 | -244.59 | 0.58 | 707.41 | 01 | 06 | 4 | |
| | P | 6/22/1999 | -244.16 | 0.43 | 707.84 | 01 | 06 | 4 | |
| | P | 6/23/1999 | -243.98 | 0.18 | 708.02 | 01 | 06 | 4 | |
| | P | 6/24/1999 | -243.98 | | 708.02 | 01 | 06 | 4 | |
| | P | 6/25/1999 | -243.98 | | 708.02 | 01 | 06 | 4 | |
| | P | 6/26/1999 | -244 | -0.02 | 708 | 01 | 06 | 4 | |
| | P | 6/27/1999 | -244.03 | -0.03 | 707.97 | 01 | 06 | 4 | |
| | P | 6/28/1999 | -244.11 | -0.08 | 707.89 | 01 | 06 | 4 | |
| | P | 6/29/1999 | -244.8 | -0.69 | 707.2 | 01 | 06 | 4 | |
| | P | 6/30/1999 | -245.09 | -0.29 | 706.91 | 01 | 06 | 4 | |
| | P | 7/ 1/1999 | -245.3 | -0.21 | 706.7 | 01 | 06 | 4 | |
| | P | 7/ 2/1999 | -245.61 | -0.31 | 706.39 | 01 | 06 | 4 | |
| | P | 7/ 3/1999 | -245.86 | -0.25 | 706.14 | 01 | 06 | 4 | |
| | P | 7/ 4/1999 | -245.94 | -0.08 | 706.06 | 01 | 06 | 4 | |
| | P | 7/ 5/1999 | -246.04 | -0.1 | 705.96 | 01 | 06 | 4 | |
| | P | 7/ 6/1999 | -246.06 | -0.02 | 705.94 | 01 | 06 | 4 | |
| | P | 7/ 7/1999 | -246.06 | | 705.94 | 01 | 06 | 4 | |
| | P | 7/ 8/1999 | -246.08 | -0.02 | 705.92 | 01 | 06 | 4 | |
| | P | 7/ 9/1999 | -246.18 | -0.1 | 705.82 | 01 | 06 | 4 | |
| | P | 7/10/1999 | -246.37 | -0.19 | 705.63 | 01 | 06 | 4 | |
| | P | 7/11/1999 | -246.27 | 0.1 | 705.73 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/12/1999 | -245.44 | 0.83 | 706.56 | 01 | 06 | 4 | |
| | P | 7/13/1999 | -245.27 | 0.17 | 706.73 | 01 | 06 | 4 | |
| | P | 7/14/1999 | -245.34 | -0.07 | 706.66 | 01 | 06 | 4 | |
| | P | 7/15/1999 | -245.5 | -0.16 | 706.5 | 01 | 06 | 4 | |
| | P | 7/16/1999 | -245.72 | -0.22 | 706.28 | 01 | 06 | 4 | |
| | P | 7/17/1999 | -245.83 | -0.11 | 706.17 | 01 | 06 | 4 | |
| | P | 7/18/1999 | -245.38 | 0.45 | 706.62 | 01 | 06 | 4 | |
| | P | 7/19/1999 | -245.22 | 0.16 | 706.78 | 01 | 06 | 4 | |
| | P | 7/20/1999 | -245.42 | -0.2 | 706.58 | 01 | 06 | 4 | |
| | P | 7/21/1999 | -245.56 | -0.14 | 706.44 | 01 | 06 | 4 | |
| | P | 7/22/1999 | -245.72 | -0.16 | 706.28 | 01 | 06 | 4 | |
| | P | 7/23/1999 | -245.73 | -0.01 | 706.27 | 01 | 06 | 4 | |
| | P | 7/24/1999 | -245.73 | | 706.27 | 01 | 06 | 4 | |
| | P | 7/25/1999 | -245.82 | -0.09 | 706.18 | 01 | 06 | 4 | |
| | P | 7/26/1999 | -245.95 | -0.13 | 706.05 | 01 | 06 | 4 | |
| | P | 7/27/1999 | -246.08 | -0.13 | 705.92 | 01 | 06 | 4 | |
| | P | 7/28/1999 | -246.19 | -0.11 | 705.81 | 01 | 06 | 4 | |
| | P | 7/29/1999 | -246.24 | -0.05 | 705.76 | 01 | 06 | 4 | |
| | P | 7/30/1999 | -246.23 | 0.01 | 705.77 | 01 | 06 | 4 | |
| | P | 7/31/1999 | -246.27 | -0.04 | 705.73 | 01 | 06 | 4 | |
| | P | 8/ 1/1999 | -246.52 | -0.25 | 705.48 | 01 | 06 | 4 | |
| | P | 8/ 2/1999 | -246.68 | -0.16 | 705.32 | 01 | 06 | 4 | |
| | P | 8/ 3/1999 | -246.87 | -0.19 | 705.13 | 01 | 06 | 4 | |
| | P | 8/ 4/1999 | -246.97 | -0.1 | 705.03 | 01 | 06 | 4 | |
| | P | 8/ 5/1999 | -246.9 | 0.07 | 705.1 | 01 | 06 | 4 | |
| | P | 8/ 6/1999 | -246.97 | -0.07 | 705.03 | 01 | 06 | 4 | |
| | P | 8/ 7/1999 | -247.16 | -0.19 | 704.84 | 01 | 06 | 4 | |
| | P | 8/ 8/1999 | -247.36 | -0.2 | 704.64 | 01 | 06 | 4 | |
| | P | 8/ 9/1999 | -247.47 | -0.11 | 704.53 | 01 | 06 | 4 | |
| | P | 8/10/1999 | -247.61 | -0.14 | 704.39 | 01 | 06 | 4 | |
| | P | 8/11/1999 | -247.82 | -0.21 | 704.18 | 01 | 06 | 4 | |
| | P | 8/12/1999 | -248 | -0.18 | 704 | 01 | 06 | 4 | |
| | P | 8/25/1999 | -249.84 | -1.84 | 702.16 | 01 | 06 | 4 | |
| | P | 8/26/1999 | -249.95 | -0.11 | 702.05 | 01 | 06 | 4 | |
| | P | 8/27/1999 | -250.15 | -0.2 | 701.85 | 01 | 06 | 4 | |
| | P | 9/21/1999 | -253.49 | -3.34 | 698.51 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/22/1999 | -253.49 | | 698.51 | 01 | 06 | 4 | |
| | P | 9/23/1999 | -253.49 | | 698.51 | 01 | 06 | 4 | |
| | P | 9/24/1999 | -253.66 | -0.17 | 698.34 | 01 | 06 | 4 | |
| | P | 9/25/1999 | -253.83 | -0.17 | 698.17 | 01 | 06 | 4 | |
| | P | 9/26/1999 | -253.93 | -0.1 | 698.07 | 01 | 06 | 4 | |
| | P | 9/27/1999 | -254.2 | -0.27 | 697.8 | 01 | 06 | 4 | |
| | P | 9/28/1999 | -254.42 | -0.22 | 697.58 | 01 | 06 | 4 | |
| | P | 9/29/1999 | -254.66 | -0.24 | 697.34 | 01 | 06 | 4 | |
| | P | 9/30/1999 | -254.69 | -0.03 | 697.31 | 01 | 06 | 4 | |
| | P | 10/ 1/1999 | -254.67 | 0.02 | 697.33 | 01 | 06 | 4 | |
| | P | 10/ 2/1999 | -254.74 | -0.07 | 697.26 | 01 | 06 | 4 | |
| | P | 10/ 3/1999 | -254.98 | -0.24 | 697.02 | 01 | 06 | 4 | |
| | P | 10/ 4/1999 | -255.14 | -0.16 | 696.86 | 01 | 06 | 4 | |
| | P | 10/ 5/1999 | -255.29 | -0.15 | 696.71 | 01 | 06 | 4 | |
| | P | 10/ 6/1999 | -255.38 | -0.09 | 696.62 | 01 | 06 | 4 | |
| | P | 10/ 7/1999 | -255.35 | 0.03 | 696.65 | 01 | 06 | 4 | |
| | P | 10/ 8/1999 | -255.5 | -0.15 | 696.5 | 01 | 06 | 4 | |
| | P | 10/ 9/1999 | -255.77 | -0.27 | 696.23 | 01 | 06 | 4 | |
| | P | 10/10/1999 | -255.91 | -0.14 | 696.09 | 01 | 06 | 4 | |
| | P | 10/11/1999 | -256.06 | -0.15 | 695.94 | 01 | 06 | 4 | |
| | P | 10/12/1999 | -256.31 | -0.25 | 695.69 | 01 | 06 | 4 | |
| | P | 10/13/1999 | -256.6 | -0.29 | 695.4 | 01 | 06 | 4 | |
| | P | 10/14/1999 | -256.84 | -0.24 | 695.16 | 01 | 06 | 4 | |
| | P | 10/15/1999 | -256.94 | -0.1 | 695.06 | 01 | 06 | 4 | |
| | P | 10/16/1999 | -257.1 | -0.16 | 694.9 | 01 | 06 | 4 | |
| | P | 10/17/1999 | -257.26 | -0.16 | 694.74 | 01 | 06 | 4 | |
| | P | 10/18/1999 | -257.25 | 0.01 | 694.75 | 01 | 06 | 4 | |
| | P | 10/19/1999 | -256.89 | 0.36 | 695.11 | 01 | 06 | 4 | |
| | P | 10/20/1999 | -257.14 | -0.25 | 694.86 | 01 | 06 | 4 | |
| | P | 10/21/1999 | -256.98 | 0.16 | 695.02 | 01 | 06 | 4 | |
| | P | 10/22/1999 | -257.03 | -0.05 | 694.97 | 01 | 06 | 4 | |
| | P | 10/23/1999 | -257.14 | -0.11 | 694.86 | 01 | 06 | 4 | |
| | P | 10/24/1999 | -257.35 | -0.21 | 694.65 | 01 | 06 | 4 | |
| | P | 10/25/1999 | -257.46 | -0.11 | 694.54 | 01 | 06 | 4 | |
| | P | 10/26/1999 | -257.52 | -0.06 | 694.48 | 01 | 06 | 4 | |
| | P | 10/27/1999 | -257.58 | -0.06 | 694.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 28/ 1999 | -257.62 | -0.04 | 694.38 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1999 | -257.65 | -0.03 | 694.35 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1999 | -257.65 | | 694.35 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1999 | -257.72 | -0.07 | 694.28 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1999 | -257.73 | -0.01 | 694.27 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1999 | -257.86 | -0.13 | 694.14 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1999 | -257.94 | -0.08 | 694.06 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1999 | -257.95 | -0.01 | 694.05 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1999 | -258.03 | -0.08 | 693.97 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1999 | -258.32 | -0.29 | 693.68 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1999 | -258.3 | 0.02 | 693.7 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1999 | -258.28 | 0.02 | 693.72 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1999 | -258.31 | -0.03 | 693.69 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1999 | -258.38 | -0.07 | 693.62 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1999 | -258.47 | -0.09 | 693.53 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1999 | -258.6 | -0.13 | 693.4 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1999 | -258.8 | -0.2 | 693.2 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1999 | -258.8 | | 693.2 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1999 | -258.83 | -0.03 | 693.17 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1999 | -258.83 | | 693.17 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1999 | -258.85 | -0.02 | 693.15 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1999 | -258.95 | -0.1 | 693.05 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1999 | -259.03 | -0.08 | 692.97 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1999 | -259.11 | -0.08 | 692.89 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1999 | -259.02 | 0.09 | 692.98 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1999 | -259.09 | -0.07 | 692.91 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1999 | -259.33 | -0.24 | 692.67 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1999 | -259.59 | -0.26 | 692.41 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1999 | -259.47 | 0.12 | 692.53 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1999 | -259.44 | 0.03 | 692.56 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1999 | -259.49 | -0.05 | 692.51 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1999 | -259.68 | -0.19 | 692.32 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1999 | -259.93 | -0.25 | 692.07 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1999 | -260.06 | -0.13 | 691.94 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1999 | -259.85 | 0.21 | 692.15 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1999 | -259.64 | 0.21 | 692.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 3/1999 | -259.64 | | 692.36 | 01 | 06 | 4 | |
| | P | 12/ 4/1999 | -259.71 | -0.07 | 692.29 | 01 | 06 | 4 | |
| | P | 12/ 5/1999 | -260.25 | -0.54 | 691.75 | 01 | 06 | 4 | |
| | P | 12/ 6/1999 | -260.2 | 0.05 | 691.8 | 01 | 06 | 4 | |
| | P | 12/ 7/1999 | -259.96 | 0.24 | 692.04 | 01 | 06 | 4 | |
| | P | 12/ 8/1999 | -259.91 | 0.05 | 692.09 | 01 | 06 | 4 | |
| | P | 12/ 9/1999 | -260.01 | -0.1 | 691.99 | 01 | 06 | 4 | |
| | P | 12/10/1999 | -260.11 | -0.1 | 691.89 | 01 | 06 | 4 | |
| | P | 12/11/1999 | -259.73 | 0.38 | 692.27 | 01 | 06 | 4 | |
| | P | 12/12/1999 | -259.79 | -0.06 | 692.21 | 01 | 06 | 4 | |
| | P | 12/13/1999 | -260.12 | -0.33 | 691.88 | 01 | 06 | 4 | |
| | P | 12/14/1999 | -260.1 | 0.02 | 691.9 | 01 | 06 | 4 | |
| | P | 12/15/1999 | -260.33 | -0.23 | 691.67 | 01 | 06 | 4 | |
| | P | 12/16/1999 | -260.33 | | 691.67 | 01 | 06 | 4 | |
| | P | 12/17/1999 | -260.27 | 0.06 | 691.73 | 01 | 06 | 4 | |
| | P | 12/18/1999 | -260.27 | | 691.73 | 01 | 06 | 4 | |
| | P | 12/19/1999 | -260.14 | 0.13 | 691.86 | 01 | 06 | 4 | |
| | P | 12/20/1999 | -260.33 | -0.19 | 691.67 | 01 | 06 | 4 | |
| | P | 12/21/1999 | -260.56 | -0.23 | 691.44 | 01 | 06 | 4 | |
| | P | 12/22/1999 | -260.65 | -0.09 | 691.35 | 01 | 06 | 4 | |
| | P | 12/23/1999 | -260.76 | -0.11 | 691.24 | 01 | 06 | 4 | |
| | P | 12/24/1999 | -260.66 | 0.1 | 691.34 | 01 | 06 | 4 | |
| | P | 12/25/1999 | -260.69 | -0.03 | 691.31 | 01 | 06 | 4 | |
| | P | 12/26/1999 | -260.78 | -0.09 | 691.22 | 01 | 06 | 4 | |
| | P | 12/27/1999 | -260.69 | 0.09 | 691.31 | 01 | 06 | 4 | |
| | P | 12/28/1999 | -260.74 | -0.05 | 691.26 | 01 | 06 | 4 | |
| | P | 12/29/1999 | -260.72 | 0.02 | 691.28 | 01 | 06 | 4 | |
| | P | 12/30/1999 | -260.72 | | 691.28 | 01 | 06 | 4 | |
| | P | 12/31/1999 | -260.87 | -0.15 | 691.13 | 01 | 06 | 4 | |
| | P | 1/ 1/2000 | -260.86 | 0.01 | 691.14 | 01 | 06 | 4 | |
| | P | 1/ 2/2000 | -260.8 | 0.06 | 691.2 | 01 | 06 | 4 | |
| | P | 1/ 3/2000 | -260.85 | -0.05 | 691.15 | 01 | 06 | 4 | |
| | P | 1/ 4/2000 | -261.4 | -0.55 | 690.6 | 01 | 06 | 4 | |
| | P | 1/ 5/2000 | -261.08 | 0.32 | 690.92 | 01 | 06 | 4 | |
| | P | 1/ 6/2000 | -261.11 | -0.03 | 690.89 | 01 | 06 | 4 | |
| | P | 1/ 7/2000 | -261.11 | | 690.89 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 8/2000 | -260.91 | 0.2 | 691.09 | 01 | 06 | 4 | |
| | P | 1/ 9/2000 | -260.84 | 0.07 | 691.16 | 01 | 06 | 4 | |
| | P | 1/10/2000 | -260.9 | -0.06 | 691.1 | 01 | 06 | 4 | |
| | P | 1/11/2000 | -261.06 | -0.16 | 690.94 | 01 | 06 | 4 | |
| | P | 1/12/2000 | -261.11 | -0.05 | 690.89 | 01 | 06 | 4 | |
| | P | 1/13/2000 | -261.19 | -0.08 | 690.81 | 01 | 06 | 4 | |
| | P | 1/14/2000 | -261.51 | -0.32 | 690.49 | 01 | 06 | 4 | |
| | P | 1/15/2000 | -261.54 | -0.03 | 690.46 | 01 | 06 | 4 | |
| | P | 1/16/2000 | -261.54 | | 690.46 | 01 | 06 | 4 | |
| | P | 1/17/2000 | -261.6 | -0.06 | 690.4 | 01 | 06 | 4 | |
| | P | 1/18/2000 | -261.54 | 0.06 | 690.46 | 01 | 06 | 4 | |
| | P | 1/19/2000 | -261.48 | 0.06 | 690.52 | 01 | 06 | 4 | |
| | P | 1/20/2000 | -261.63 | -0.15 | 690.37 | 01 | 06 | 4 | |
| | P | 1/21/2000 | -261.68 | -0.05 | 690.32 | 01 | 06 | 4 | |
| | P | 1/22/2000 | -261.66 | 0.02 | 690.34 | 01 | 06 | 4 | |
| | P | 1/23/2000 | -261.78 | -0.12 | 690.22 | 01 | 06 | 4 | |
| | P | 1/24/2000 | -262.09 | -0.31 | 689.91 | 01 | 06 | 4 | |
| | P | 1/25/2000 | -262.08 | 0.01 | 689.92 | 01 | 06 | 4 | |
| | P | 1/26/2000 | -262.08 | | 689.92 | 01 | 06 | 4 | |
| | P | 1/27/2000 | -262.03 | 0.05 | 689.97 | 01 | 06 | 4 | |
| | P | 1/28/2000 | -262.22 | -0.19 | 689.78 | 01 | 06 | 4 | |
| | P | 1/29/2000 | -262.32 | -0.1 | 689.68 | 01 | 06 | 4 | |
| | P | 1/30/2000 | -262.3 | 0.02 | 689.7 | 01 | 06 | 4 | |
| | P | 1/31/2000 | -262.22 | 0.08 | 689.78 | 01 | 06 | 4 | |
| | P | 2/ 1/2000 | -262.17 | 0.05 | 689.83 | 01 | 06 | 4 | |
| | P | 2/ 2/2000 | -262.11 | 0.06 | 689.89 | 01 | 06 | 4 | |
| | P | 2/ 3/2000 | -262.11 | | 689.89 | 01 | 06 | 4 | |
| | P | 2/ 4/2000 | -262.27 | -0.16 | 689.73 | 01 | 06 | 4 | |
| | P | 2/ 5/2000 | -262.43 | -0.16 | 689.57 | 01 | 06 | 4 | |
| | P | 2/ 6/2000 | -262.37 | 0.06 | 689.63 | 01 | 06 | 4 | |
| | P | 2/ 7/2000 | -262.44 | -0.07 | 689.56 | 01 | 06 | 4 | |
| | P | 2/ 8/2000 | -262.59 | -0.15 | 689.41 | 01 | 06 | 4 | |
| | P | 2/ 9/2000 | -262.41 | 0.18 | 689.59 | 01 | 06 | 4 | |
| | P | 2/10/2000 | -262.39 | 0.02 | 689.61 | 01 | 06 | 4 | |
| | P | 2/11/2000 | -262.43 | -0.04 | 689.57 | 01 | 06 | 4 | |
| | P | 2/12/2000 | -262.68 | -0.25 | 689.32 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/13/2000 | -262.61 | 0.07 | 689.39 | 01 | 06 | 4 | |
| | P | 2/14/2000 | -262.78 | -0.17 | 689.22 | 01 | 06 | 4 | |
| | P | 2/15/2000 | -262.98 | -0.2 | 689.02 | 01 | 06 | 4 | |
| | P | 2/16/2000 | -263.11 | -0.13 | 688.89 | 01 | 06 | 4 | |
| | P | 2/17/2000 | -263.05 | 0.06 | 688.95 | 01 | 06 | 4 | |
| | P | 2/18/2000 | -262.85 | 0.2 | 689.15 | 01 | 06 | 4 | |
| | P | 2/19/2000 | -262.97 | -0.12 | 689.03 | 01 | 06 | 4 | |
| | P | 2/20/2000 | -262.9 | 0.07 | 689.1 | 01 | 06 | 4 | |
| | P | 2/21/2000 | -262.61 | 0.29 | 689.39 | 01 | 06 | 4 | |
| | P | 2/22/2000 | -262.33 | 0.28 | 689.67 | 01 | 06 | 4 | |
| | P | 2/23/2000 | -262.16 | 0.17 | 689.84 | 01 | 06 | 4 | |
| | P | 2/24/2000 | -262.12 | 0.04 | 689.88 | 01 | 06 | 4 | |
| | P | 2/25/2000 | -262.22 | -0.1 | 689.78 | 01 | 06 | 4 | |
| | P | 2/26/2000 | -262.64 | -0.42 | 689.36 | 01 | 06 | 4 | |
| | P | 2/27/2000 | -262.94 | -0.3 | 689.06 | 01 | 06 | 4 | |
| | P | 2/28/2000 | -263.12 | -0.18 | 688.88 | 01 | 06 | 4 | |
| | P | 2/29/2000 | -263.05 | 0.07 | 688.95 | 01 | 06 | 4 | |
| | P | 3/ 1/2000 | -263.12 | -0.07 | 688.88 | 01 | 06 | 4 | |
| | P | 3/ 2/2000 | -263.04 | 0.08 | 688.96 | 01 | 06 | 4 | |
| | P | 3/ 3/2000 | -263.18 | -0.14 | 688.82 | 01 | 06 | 4 | |
| | P | 3/ 4/2000 | -263.4 | -0.22 | 688.6 | 01 | 06 | 4 | |
| | P | 3/ 5/2000 | -263.39 | 0.01 | 688.61 | 01 | 06 | 4 | |
| | P | 3/ 6/2000 | -263.51 | -0.12 | 688.49 | 01 | 06 | 4 | |
| | P | 3/ 7/2000 | -263.5 | 0.01 | 688.5 | 01 | 06 | 4 | |
| | P | 3/ 8/2000 | -263.62 | -0.12 | 688.38 | 01 | 06 | 4 | |
| | P | 3/ 9/2000 | -263.72 | -0.1 | 688.28 | 01 | 06 | 4 | |
| | P | 3/10/2000 | -263.77 | -0.05 | 688.23 | 01 | 06 | 4 | |
| | P | 3/11/2000 | -263.95 | -0.18 | 688.05 | 01 | 06 | 4 | |
| | P | 3/12/2000 | -264.11 | -0.16 | 687.89 | 01 | 06 | 4 | |
| | P | 3/13/2000 | -264.1 | 0.01 | 687.9 | 01 | 06 | 4 | |
| | P | 3/14/2000 | -264.01 | 0.09 | 687.99 | 01 | 06 | 4 | |
| | P | 3/15/2000 | -263.91 | 0.1 | 688.09 | 01 | 06 | 4 | |
| | P | 3/16/2000 | -263.95 | -0.04 | 688.05 | 01 | 06 | 4 | |
| | P | 3/17/2000 | -264.29 | -0.34 | 687.71 | 01 | 06 | 4 | |
| | P | 3/18/2000 | -263.95 | 0.34 | 688.05 | 01 | 06 | 4 | |
| | P | 3/19/2000 | -264.15 | -0.2 | 687.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/20/2000 | -264.08 | 0.07 | 687.92 | 01 | 06 | 4 | |
| | P | 3/21/2000 | -264.16 | -0.08 | 687.84 | 01 | 06 | 4 | |
| | P | 3/22/2000 | -264.25 | -0.09 | 687.75 | 01 | 06 | 4 | |
| | P | 3/23/2000 | -264.29 | -0.04 | 687.71 | 01 | 06 | 4 | |
| | P | 3/24/2000 | -264.34 | -0.05 | 687.66 | 01 | 06 | 4 | |
| | P | 3/25/2000 | -264.44 | -0.1 | 687.56 | 01 | 06 | 4 | |
| | P | 3/26/2000 | -264.41 | 0.03 | 687.59 | 01 | 06 | 4 | |
| | P | 3/27/2000 | -264.41 | | 687.59 | 01 | 06 | 4 | |
| | P | 3/28/2000 | -264.5 | -0.09 | 687.5 | 01 | 06 | 4 | |
| | P | 3/29/2000 | -264.48 | 0.02 | 687.52 | 01 | 06 | 4 | |
| | P | 3/30/2000 | -264.72 | -0.24 | 687.28 | 01 | 06 | 4 | |
| | P | 3/31/2000 | -264.91 | -0.19 | 687.09 | 01 | 06 | 4 | |
| | P | 4/ 1/2000 | -264.76 | 0.15 | 687.24 | 01 | 06 | 4 | |
| | P | 4/ 2/2000 | -264.81 | -0.05 | 687.19 | 01 | 06 | 4 | |
| | P | 4/ 3/2000 | -265.05 | -0.24 | 686.95 | 01 | 06 | 4 | |
| | P | 4/ 4/2000 | -265.23 | -0.18 | 686.77 | 01 | 06 | 4 | |
| | P | 4/ 5/2000 | -265.05 | 0.18 | 686.95 | 01 | 06 | 4 | |
| | P | 4/ 6/2000 | -264.56 | 0.49 | 687.44 | 01 | 06 | 4 | |
| | P | 4/ 7/2000 | -264.6 | -0.04 | 687.4 | 01 | 06 | 4 | |
| | P | 4/ 8/2000 | -265.11 | -0.51 | 686.89 | 01 | 06 | 4 | |
| | P | 4/ 9/2000 | -265.22 | -0.11 | 686.78 | 01 | 06 | 4 | |
| | P | 4/10/2000 | -265.18 | 0.04 | 686.82 | 01 | 06 | 4 | |
| | P | 4/11/2000 | -265.17 | 0.01 | 686.83 | 01 | 06 | 4 | |
| | P | 4/12/2000 | -265.31 | -0.14 | 686.69 | 01 | 06 | 4 | |
| | P | 4/13/2000 | -265.28 | 0.03 | 686.72 | 01 | 06 | 4 | |
| | P | 4/14/2000 | -265.14 | 0.14 | 686.86 | 01 | 06 | 4 | |
| | P | 4/15/2000 | -265.14 | | 686.86 | 01 | 06 | 4 | |
| | P | 4/16/2000 | -265.3 | -0.16 | 686.7 | 01 | 06 | 4 | |
| | P | 4/17/2000 | -265.57 | -0.27 | 686.43 | 01 | 06 | 4 | |
| | P | 4/18/2000 | -265.52 | 0.05 | 686.48 | 01 | 06 | 4 | |
| | P | 4/19/2000 | -265.5 | 0.02 | 686.5 | 01 | 06 | 4 | |
| | P | 4/20/2000 | -265.69 | -0.19 | 686.31 | 01 | 06 | 4 | |
| | P | 4/21/2000 | -265.9 | -0.21 | 686.1 | 01 | 06 | 4 | |
| | P | 4/22/2000 | -265.78 | 0.12 | 686.22 | 01 | 06 | 4 | |
| | P | 4/23/2000 | -265.78 | | 686.22 | 01 | 06 | 4 | |
| | P | 4/24/2000 | -266 | -0.22 | 686 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 25/ 2000 | -266.43 | -0.43 | 685.57 | 01 | 06 | 4 | |
| | P | 4/ 26/ 2000 | -266.66 | -0.23 | 685.34 | 01 | 06 | 4 | |
| | P | 4/ 27/ 2000 | -266.71 | -0.05 | 685.29 | 01 | 06 | 4 | |
| | P | 4/ 28/ 2000 | -266.84 | -0.13 | 685.16 | 01 | 06 | 4 | |
| | P | 4/ 29/ 2000 | -266.57 | 0.27 | 685.43 | 01 | 06 | 4 | |
| | P | 4/ 30/ 2000 | -266.52 | 0.05 | 685.48 | 01 | 06 | 4 | |
| | P | 5/ 1/ 2000 | -266.3 | 0.22 | 685.7 | 01 | 06 | 4 | |
| | P | 5/ 2/ 2000 | -266.08 | 0.22 | 685.92 | 01 | 06 | 4 | |
| | P | 5/ 3/ 2000 | -265.95 | 0.13 | 686.05 | 01 | 06 | 4 | |
| | P | 5/ 4/ 2000 | -265.98 | -0.03 | 686.02 | 01 | 06 | 4 | |
| | P | 5/ 5/ 2000 | -266.02 | -0.04 | 685.98 | 01 | 06 | 4 | |
| | P | 5/ 6/ 2000 | -266.07 | -0.05 | 685.93 | 01 | 06 | 4 | |
| | P | 5/ 7/ 2000 | -266.14 | -0.07 | 685.86 | 01 | 06 | 4 | |
| | P | 5/ 8/ 2000 | -266.11 | 0.03 | 685.89 | 01 | 06 | 4 | |
| | P | 5/ 9/ 2000 | -267.05 | -0.94 | 684.95 | 01 | 06 | 4 | |
| | P | 5/ 10/ 2000 | -267.53 | -0.48 | 684.47 | 01 | 06 | 4 | |
| | P | 5/ 11/ 2000 | -267.59 | -0.06 | 684.41 | 01 | 06 | 4 | |
| | P | 5/ 12/ 2000 | -267.98 | -0.39 | 684.02 | 01 | 06 | 4 | |
| | P | 5/ 13/ 2000 | -267.54 | 0.44 | 684.46 | 01 | 06 | 4 | |
| | P | 5/ 14/ 2000 | -268.13 | -0.59 | 683.87 | 01 | 06 | 4 | |
| | P | 5/ 15/ 2000 | -267.94 | 0.19 | 684.06 | 01 | 06 | 4 | |
| | P | 5/ 16/ 2000 | -268.18 | -0.24 | 683.82 | 01 | 06 | 4 | |
| | P | 5/ 17/ 2000 | -268.29 | -0.11 | 683.71 | 01 | 06 | 4 | |
| | P | 5/ 18/ 2000 | -268.14 | 0.15 | 683.86 | 01 | 06 | 4 | |
| | P | 5/ 19/ 2000 | -268.51 | -0.37 | 683.49 | 01 | 06 | 4 | |
| | P | 5/ 20/ 2000 | -268.61 | -0.1 | 683.39 | 01 | 06 | 4 | |
| | P | 5/ 21/ 2000 | -268.59 | 0.02 | 683.41 | 01 | 06 | 4 | |
| | P | 5/ 22/ 2000 | -268.65 | -0.06 | 683.35 | 01 | 06 | 4 | |
| | P | 5/ 23/ 2000 | -268.68 | -0.03 | 683.32 | 01 | 06 | 4 | |
| | P | 5/ 24/ 2000 | -268.8 | -0.12 | 683.2 | 01 | 06 | 4 | |
| | P | 5/ 25/ 2000 | -269 | -0.2 | 683 | 01 | 06 | 4 | |
| | P | 5/ 26/ 2000 | -269.16 | -0.16 | 682.84 | 01 | 06 | 4 | |
| | P | 5/ 27/ 2000 | -269.33 | -0.17 | 682.67 | 01 | 06 | 4 | |
| | P | 5/ 28/ 2000 | -269.35 | -0.02 | 682.65 | 01 | 06 | 4 | |
| | P | 5/ 29/ 2000 | -269.3 | 0.05 | 682.7 | 01 | 06 | 4 | |
| | P | 5/ 30/ 2000 | -269.25 | 0.05 | 682.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/31/2000 | -269.65 | -0.4 | 682.35 | 01 | 06 | 4 | |
| | P | 6/ 1/2000 | -269.88 | -0.23 | 682.12 | 01 | 06 | 4 | |
| | P | 6/ 2/2000 | -270.09 | -0.21 | 681.91 | 01 | 06 | 4 | |
| | P | 6/ 3/2000 | -270.06 | 0.03 | 681.94 | 01 | 06 | 4 | |
| | P | 6/ 4/2000 | -269.13 | 0.93 | 682.87 | 01 | 06 | 4 | |
| | P | 6/ 5/2000 | -269.1 | 0.03 | 682.9 | 01 | 06 | 4 | |
| | P | 6/ 6/2000 | -269.86 | -0.76 | 682.14 | 01 | 06 | 4 | |
| | P | 6/ 7/2000 | -270.01 | -0.15 | 681.99 | 01 | 06 | 4 | |
| | P | 6/ 8/2000 | -269.76 | 0.25 | 682.24 | 01 | 06 | 4 | |
| | P | 6/ 9/2000 | -269.41 | 0.35 | 682.59 | 01 | 06 | 4 | |
| | P | 6/10/2000 | -269.16 | 0.25 | 682.84 | 01 | 06 | 4 | |
| | P | 6/11/2000 | -267.75 | 1.41 | 684.25 | 01 | 06 | 4 | |
| | P | 6/12/2000 | -267.81 | -0.06 | 684.19 | 01 | 06 | 4 | |
| | P | 6/13/2000 | -266.81 | 1 | 685.19 | 01 | 06 | 4 | |
| | P | 6/14/2000 | -267.78 | -0.97 | 684.22 | 01 | 06 | 4 | |
| | P | 6/15/2000 | -268.64 | -0.86 | 683.36 | 01 | 06 | 4 | |
| | P | 6/16/2000 | -268.73 | -0.09 | 683.27 | 01 | 06 | 4 | |
| | P | 6/17/2000 | -268.37 | 0.36 | 683.63 | 01 | 06 | 4 | |
| | P | 6/18/2000 | -268.58 | -0.21 | 683.42 | 01 | 06 | 4 | |
| | P | 6/19/2000 | -268.59 | -0.01 | 683.41 | 01 | 06 | 4 | |
| | P | 6/20/2000 | -269.08 | -0.49 | 682.92 | 01 | 06 | 4 | |
| | P | 6/21/2000 | -269.09 | -0.01 | 682.91 | 01 | 06 | 4 | |
| | P | 6/22/2000 | -269.22 | -0.13 | 682.78 | 01 | 06 | 4 | |
| | P | 6/23/2000 | -268.8 | 0.42 | 683.2 | 01 | 06 | 4 | |
| | P | 6/24/2000 | -269.3 | -0.5 | 682.7 | 01 | 06 | 4 | |
| | P | 6/25/2000 | -269.12 | 0.18 | 682.88 | 01 | 06 | 4 | |
| | P | 6/26/2000 | -269.43 | -0.31 | 682.57 | 01 | 06 | 4 | |
| | P | 6/27/2000 | -269.79 | -0.36 | 682.21 | 01 | 06 | 4 | |
| | P | 6/28/2000 | -269.37 | 0.42 | 682.63 | 01 | 06 | 4 | |
| | P | 6/29/2000 | -269 | 0.37 | 683 | 01 | 06 | 4 | |
| | P | 6/30/2000 | -269.1 | -0.1 | 682.9 | 01 | 06 | 4 | |
| | P | 7/ 1/2000 | -269.06 | 0.04 | 682.94 | 01 | 06 | 4 | |
| | P | 7/ 2/2000 | -268.81 | 0.25 | 683.19 | 01 | 06 | 4 | |
| | P | 7/ 3/2000 | -269.12 | -0.31 | 682.88 | 01 | 06 | 4 | |
| | P | 7/ 4/2000 | -269.93 | -0.81 | 682.07 | 01 | 06 | 4 | |
| | P | 7/ 5/2000 | -269.42 | 0.51 | 682.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 6/2000 | -269.2 | 0.22 | 682.8 | 01 | 06 | 4 | |
| | P | 7/ 7/2000 | -269.2 | | 682.8 | 01 | 06 | 4 | |
| | P | 7/ 8/2000 | -269.44 | -0.24 | 682.56 | 01 | 06 | 4 | |
| | P | 7/ 9/2000 | -269.48 | -0.04 | 682.52 | 01 | 06 | 4 | |
| | P | 7/10/2000 | -269.58 | -0.1 | 682.42 | 01 | 06 | 4 | |
| | P | 7/11/2000 | -269.66 | -0.08 | 682.34 | 01 | 06 | 4 | |
| | P | 7/12/2000 | -269.93 | -0.27 | 682.07 | 01 | 06 | 4 | |
| | P | 7/13/2000 | -269.9 | 0.03 | 682.1 | 01 | 06 | 4 | |
| | P | 7/14/2000 | -270.11 | -0.21 | 681.89 | 01 | 06 | 4 | |
| | P | 7/15/2000 | -270.24 | -0.13 | 681.76 | 01 | 06 | 4 | |
| | P | 7/16/2000 | -270.24 | | 681.76 | 01 | 06 | 4 | |
| | P | 7/17/2000 | -270.3 | -0.06 | 681.7 | 01 | 06 | 4 | |
| | P | 7/18/2000 | -270.37 | -0.07 | 681.63 | 01 | 06 | 4 | |
| | P | 7/19/2000 | -270.45 | -0.08 | 681.55 | 01 | 06 | 4 | |
| | P | 7/20/2000 | -270.48 | -0.03 | 681.52 | 01 | 06 | 4 | |
| | P | 7/21/2000 | -270.59 | -0.11 | 681.41 | 01 | 06 | 4 | |
| | P | 7/22/2000 | -270.71 | -0.12 | 681.29 | 01 | 06 | 4 | |
| | P | 7/23/2000 | -270.61 | 0.1 | 681.39 | 01 | 06 | 4 | |
| | P | 7/24/2000 | -270.62 | -0.01 | 681.38 | 01 | 06 | 4 | |
| | P | 7/25/2000 | -270.64 | -0.02 | 681.36 | 01 | 06 | 4 | |
| | P | 7/26/2000 | -270.73 | -0.09 | 681.27 | 01 | 06 | 4 | |
| | P | 7/27/2000 | -270.97 | -0.24 | 681.03 | 01 | 06 | 4 | |
| | P | 7/28/2000 | -271.04 | -0.07 | 680.96 | 01 | 06 | 4 | |
| | P | 7/29/2000 | -271.01 | 0.03 | 680.99 | 01 | 06 | 4 | |
| | P | 7/30/2000 | -271.01 | | 680.99 | 01 | 06 | 4 | |
| | P | 7/31/2000 | -271.09 | -0.08 | 680.91 | 01 | 06 | 4 | |
| | P | 8/ 1/2000 | -271.13 | -0.04 | 680.87 | 01 | 06 | 4 | |
| | P | 8/ 2/2000 | -271.14 | -0.01 | 680.86 | 01 | 06 | 4 | |
| | P | 8/ 3/2000 | -271.26 | -0.12 | 680.74 | 01 | 06 | 4 | |
| | P | 8/ 4/2000 | -271.45 | -0.19 | 680.55 | 01 | 06 | 4 | |
| | P | 8/ 5/2000 | -271.42 | 0.03 | 680.58 | 01 | 06 | 4 | |
| | P | 8/ 6/2000 | -271.4 | 0.02 | 680.6 | 01 | 06 | 4 | |
| | P | 8/ 7/2000 | -271.48 | -0.08 | 680.52 | 01 | 06 | 4 | |
| | P | 8/ 8/2000 | -271.75 | -0.27 | 680.25 | 01 | 06 | 4 | |
| | P | 8/ 9/2000 | -272.95 | -1.2 | 679.05 | 01 | 06 | 4 | |
| | P | 8/10/2000 | -272.35 | 0.6 | 679.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/11/2000 | -272.39 | -0.04 | 679.61 | 01 | 06 | 4 | |
| | P | 8/12/2000 | -271.81 | 0.58 | 680.19 | 01 | 06 | 4 | |
| | P | 8/13/2000 | -271.7 | 0.11 | 680.3 | 01 | 06 | 4 | |
| | P | 8/14/2000 | -272.39 | -0.69 | 679.61 | 01 | 06 | 4 | |
| | P | 8/15/2000 | -272.65 | -0.26 | 679.35 | 01 | 06 | 4 | |
| | P | 8/16/2000 | -272.72 | -0.07 | 679.28 | 01 | 06 | 4 | |
| | P | 8/17/2000 | -272.5 | 0.22 | 679.5 | 01 | 06 | 4 | |
| | P | 8/18/2000 | -272.64 | -0.14 | 679.36 | 01 | 06 | 4 | |
| | P | 8/19/2000 | -272.41 | 0.23 | 679.59 | 01 | 06 | 4 | |
| | P | 8/20/2000 | -272.41 | | 679.59 | 01 | 06 | 4 | |
| | P | 8/21/2000 | -273.83 | -1.42 | 678.17 | 01 | 06 | 4 | |
| | P | 8/22/2000 | -274.61 | -0.78 | 677.39 | 01 | 06 | 4 | |
| | P | 8/23/2000 | -274.05 | 0.56 | 677.95 | 01 | 06 | 4 | |
| | P | 8/24/2000 | -274.66 | -0.61 | 677.34 | 01 | 06 | 4 | |
| | P | 8/25/2000 | -273.74 | 0.92 | 678.26 | 01 | 06 | 4 | |
| | P | 8/26/2000 | -273.58 | 0.16 | 678.42 | 01 | 06 | 4 | |
| | P | 8/27/2000 | -273.2 | 0.38 | 678.8 | 01 | 06 | 4 | |
| | P | 8/28/2000 | -273.84 | -0.64 | 678.16 | 01 | 06 | 4 | |
| | P | 8/29/2000 | -273.95 | -0.11 | 678.05 | 01 | 06 | 4 | |
| | P | 8/30/2000 | -274.18 | -0.23 | 677.82 | 01 | 06 | 4 | |
| | P | 8/31/2000 | -274.07 | 0.11 | 677.93 | 01 | 06 | 4 | |
| | P | 9/ 1/2000 | -274.22 | -0.15 | 677.78 | 01 | 06 | 4 | |
| | P | 9/ 2/2000 | -273.9 | 0.32 | 678.1 | 01 | 06 | 4 | |
| | P | 9/ 3/2000 | -273.73 | 0.17 | 678.27 | 01 | 06 | 4 | |
| | P | 9/ 4/2000 | -274.72 | -0.99 | 677.28 | 01 | 06 | 4 | |
| | P | 9/ 5/2000 | -274.63 | 0.09 | 677.37 | 01 | 06 | 4 | |
| | P | 9/ 6/2000 | -274.5 | 0.13 | 677.5 | 01 | 06 | 4 | |
| | P | 9/ 7/2000 | -274.66 | -0.16 | 677.34 | 01 | 06 | 4 | |
| | P | 9/ 8/2000 | -274.93 | -0.27 | 677.07 | 01 | 06 | 4 | |
| | P | 9/ 9/2000 | -274.62 | 0.31 | 677.38 | 01 | 06 | 4 | |
| | P | 9/10/2000 | -274.9 | -0.28 | 677.1 | 01 | 06 | 4 | |
| | P | 9/11/2000 | -274.78 | 0.12 | 677.22 | 01 | 06 | 4 | |
| | P | 9/12/2000 | -274.86 | -0.08 | 677.14 | 01 | 06 | 4 | |
| | P | 9/13/2000 | -274.59 | 0.27 | 677.41 | 01 | 06 | 4 | |
| | P | 9/14/2000 | -274.37 | 0.22 | 677.63 | 01 | 06 | 4 | |
| | P | 9/15/2000 | -274.18 | 0.19 | 677.82 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/16/2000 | -274.24 | -0.06 | 677.76 | 01 | 06 | 4 | |
| | P | 9/17/2000 | -274.26 | -0.02 | 677.74 | 01 | 06 | 4 | |
| | P | 9/18/2000 | -274.26 | | 677.74 | 01 | 06 | 4 | |
| | P | 9/19/2000 | -274.29 | -0.03 | 677.71 | 01 | 06 | 4 | |
| | P | 9/20/2000 | -274.43 | -0.14 | 677.57 | 01 | 06 | 4 | |
| | P | 9/21/2000 | -274.66 | -0.23 | 677.34 | 01 | 06 | 4 | |
| | P | 9/22/2000 | -274.63 | 0.03 | 677.37 | 01 | 06 | 4 | |
| | P | 9/23/2000 | -274.7 | -0.07 | 677.3 | 01 | 06 | 4 | |
| | P | 9/24/2000 | -274.67 | 0.03 | 677.33 | 01 | 06 | 4 | |
| | P | 9/25/2000 | -274.75 | -0.08 | 677.25 | 01 | 06 | 4 | |
| | P | 9/26/2000 | -274.66 | 0.09 | 677.34 | 01 | 06 | 4 | |
| | P | 9/27/2000 | -274.71 | -0.05 | 677.29 | 01 | 06 | 4 | |
| | P | 9/28/2000 | -274.8 | -0.09 | 677.2 | 01 | 06 | 4 | |
| | P | 9/29/2000 | -274.83 | -0.03 | 677.17 | 01 | 06 | 4 | |
| | P | 9/30/2000 | -274.83 | | 677.17 | 01 | 06 | 4 | |
| | P | 10/ 1/2000 | -274.73 | 0.1 | 677.27 | 01 | 06 | 4 | |
| | P | 10/ 2/2000 | -274.85 | -0.12 | 677.15 | 01 | 06 | 4 | |
| | P | 10/ 3/2000 | -275.08 | -0.23 | 676.92 | 01 | 06 | 4 | |
| | P | 10/ 4/2000 | -275.21 | -0.13 | 676.79 | 01 | 06 | 4 | |
| | P | 10/ 5/2000 | -275.2 | 0.01 | 676.8 | 01 | 06 | 4 | |
| | P | 10/ 6/2000 | -275.27 | -0.07 | 676.73 | 01 | 06 | 4 | |
| | P | 10/ 7/2000 | -275.21 | 0.06 | 676.79 | 01 | 06 | 4 | |
| | P | 10/ 8/2000 | -275.04 | 0.17 | 676.96 | 01 | 06 | 4 | |
| | P | 10/ 9/2000 | -274.57 | 0.47 | 677.43 | 01 | 06 | 4 | |
| | P | 10/10/2000 | -274.47 | 0.1 | 677.53 | 01 | 06 | 4 | |
| | P | 10/11/2000 | -274.56 | -0.09 | 677.44 | 01 | 06 | 4 | |
| | P | 10/12/2000 | -274.59 | -0.03 | 677.41 | 01 | 06 | 4 | |
| | P | 10/13/2000 | -274.55 | 0.04 | 677.45 | 01 | 06 | 4 | |
| | P | 10/14/2000 | -274.54 | 0.01 | 677.46 | 01 | 06 | 4 | |
| | P | 10/15/2000 | -274.51 | 0.03 | 677.49 | 01 | 06 | 4 | |
| | P | 10/16/2000 | -274.59 | -0.08 | 677.41 | 01 | 06 | 4 | |
| | P | 10/17/2000 | -274.63 | -0.04 | 677.37 | 01 | 06 | 4 | |
| | P | 10/18/2000 | -274.51 | 0.12 | 677.49 | 01 | 06 | 4 | |
| | P | 10/19/2000 | -274.51 | | 677.49 | 01 | 06 | 4 | |
| | P | 10/20/2000 | -274.44 | 0.07 | 677.56 | 01 | 06 | 4 | |
| | P | 10/21/2000 | -274.35 | 0.09 | 677.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 22/ 2000 | -274.33 | 0.02 | 677.67 | 01 | 06 | 4 | |
| | P | 10 / 23/ 2000 | -274.42 | -0.09 | 677.58 | 01 | 06 | 4 | |
| | P | 10 / 24/ 2000 | -274.13 | 0.29 | 677.87 | 01 | 06 | 4 | |
| | P | 10 / 25/ 2000 | -273.93 | 0.2 | 678.07 | 01 | 06 | 4 | |
| | P | 10 / 26/ 2000 | -273.91 | 0.02 | 678.09 | 01 | 06 | 4 | |
| | P | 10 / 27/ 2000 | -273.88 | 0.03 | 678.12 | 01 | 06 | 4 | |
| | P | 10 / 28/ 2000 | -273.75 | 0.13 | 678.25 | 01 | 06 | 4 | |
| | P | 10 / 29/ 2000 | -273.76 | -0.01 | 678.24 | 01 | 06 | 4 | |
| | P | 10 / 30/ 2000 | -273.79 | -0.03 | 678.21 | 01 | 06 | 4 | |
| | P | 10 / 31/ 2000 | -273.76 | 0.03 | 678.24 | 01 | 06 | 4 | |
| | P | 11 / 1 / 2000 | -273.77 | -0.01 | 678.23 | 01 | 06 | 4 | |
| | P | 11 / 2 / 2000 | -273.67 | 0.1 | 678.33 | 01 | 06 | 4 | |
| | P | 11 / 3 / 2000 | -271.3 | 2.37 | 680.7 | 01 | 06 | 4 | |
| | P | 11 / 4 / 2000 | -270.25 | 1.05 | 681.75 | 01 | 06 | 4 | |
| | P | 11 / 5 / 2000 | -269.76 | 0.49 | 682.24 | 01 | 06 | 4 | |
| | P | 11 / 6 / 2000 | -269.09 | 0.67 | 682.91 | 01 | 06 | 4 | |
| | P | 11 / 7 / 2000 | -268.88 | 0.21 | 683.12 | 01 | 06 | 4 | |
| | P | 11 / 8 / 2000 | -268.64 | 0.24 | 683.36 | 01 | 06 | 4 | |
| | P | 11 / 9 / 2000 | -268.66 | -0.02 | 683.34 | 01 | 06 | 4 | |
| | P | 11 / 10/ 2000 | -268.62 | 0.04 | 683.38 | 01 | 06 | 4 | |
| | P | 11 / 11/ 2000 | -268.33 | 0.29 | 683.67 | 01 | 06 | 4 | |
| | P | 11 / 12/ 2000 | -268.16 | 0.17 | 683.84 | 01 | 06 | 4 | |
| | P | 11 / 13/ 2000 | -268.28 | -0.12 | 683.72 | 01 | 06 | 4 | |
| | P | 11 / 14/ 2000 | -268.42 | -0.14 | 683.58 | 01 | 06 | 4 | |
| | P | 11 / 15/ 2000 | -267.98 | 0.44 | 684.02 | 01 | 06 | 4 | |
| | P | 11 / 16/ 2000 | -267.94 | 0.04 | 684.06 | 01 | 06 | 4 | |
| | P | 11 / 17/ 2000 | -267.93 | 0.01 | 684.07 | 01 | 06 | 4 | |
| | P | 11 / 18/ 2000 | -267.66 | 0.27 | 684.34 | 01 | 06 | 4 | |
| | P | 11 / 19/ 2000 | -267.19 | 0.47 | 684.81 | 01 | 06 | 4 | |
| | P | 11 / 20/ 2000 | -267.06 | 0.13 | 684.94 | 01 | 06 | 4 | |
| | P | 11 / 21/ 2000 | -266.64 | 0.42 | 685.36 | 01 | 06 | 4 | |
| | P | 11 / 22/ 2000 | -266.17 | 0.47 | 685.83 | 01 | 06 | 4 | |
| | P | 11 / 23/ 2000 | -265.8 | 0.37 | 686.2 | 01 | 06 | 4 | |
| | P | 11 / 24/ 2000 | -265.4 | 0.4 | 686.6 | 01 | 06 | 4 | |
| | P | 11 / 25/ 2000 | -265.41 | -0.01 | 686.59 | 01 | 06 | 4 | |
| | P | 11 / 26/ 2000 | -264.98 | 0.43 | 687.02 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/27/2000 | -264.75 | 0.23 | 687.25 | 01 | 06 | 4 | |
| | P | 11/28/2000 | -264.42 | 0.33 | 687.58 | 01 | 06 | 4 | |
| | P | 11/29/2000 | -264.39 | 0.03 | 687.61 | 01 | 06 | 4 | |
| | P | 11/30/2000 | -264.02 | 0.37 | 687.98 | 01 | 06 | 4 | |
| | P | 12/ 1/2000 | -263.75 | 0.27 | 688.25 | 01 | 06 | 4 | |
| | P | 12/ 2/2000 | -263.81 | -0.06 | 688.19 | 01 | 06 | 4 | |
| | P | 12/ 3/2000 | -263.45 | 0.36 | 688.55 | 01 | 06 | 4 | |
| | P | 12/ 4/2000 | -263.43 | 0.02 | 688.57 | 01 | 06 | 4 | |
| | P | 12/ 5/2000 | -262.86 | 0.57 | 689.14 | 01 | 06 | 4 | |
| | P | 12/ 6/2000 | -262.72 | 0.14 | 689.28 | 01 | 06 | 4 | |
| | P | 12/ 7/2000 | -262.46 | 0.26 | 689.54 | 01 | 06 | 4 | |
| | P | 12/ 8/2000 | -262.35 | 0.11 | 689.65 | 01 | 06 | 4 | |
| | P | 12/ 9/2000 | -262.33 | 0.02 | 689.67 | 01 | 06 | 4 | |
| | P | 12/10/2000 | -262.03 | 0.3 | 689.97 | 01 | 06 | 4 | |
| | P | 12/11/2000 | -261.99 | 0.04 | 690.01 | 01 | 06 | 4 | |
| | P | 12/12/2000 | -262.01 | -0.02 | 689.99 | 01 | 06 | 4 | |
| | P | 12/13/2000 | -261.76 | 0.25 | 690.24 | 01 | 06 | 4 | |
| | P | 12/14/2000 | -261.69 | 0.07 | 690.31 | 01 | 06 | 4 | |
| | P | 12/15/2000 | -261.22 | 0.47 | 690.78 | 01 | 06 | 4 | |
| | P | 12/16/2000 | -261.12 | 0.1 | 690.88 | 01 | 06 | 4 | |
| | P | 12/17/2000 | -261.03 | 0.09 | 690.97 | 01 | 06 | 4 | |
| | P | 12/18/2000 | -260.84 | 0.19 | 691.16 | 01 | 06 | 4 | |
| | P | 12/19/2000 | -260.86 | -0.02 | 691.14 | 01 | 06 | 4 | |
| | P | 12/20/2000 | -260.43 | 0.43 | 691.57 | 01 | 06 | 4 | |
| | P | 12/21/2000 | -260.5 | -0.07 | 691.5 | 01 | 06 | 4 | |
| | P | 12/22/2000 | -260.71 | -0.21 | 691.29 | 01 | 06 | 4 | |
| | P | 12/23/2000 | -260.41 | 0.3 | 691.59 | 01 | 06 | 4 | |
| | P | 12/24/2000 | -260.3 | 0.11 | 691.7 | 01 | 06 | 4 | |
| | P | 12/25/2000 | -260.14 | 0.16 | 691.86 | 01 | 06 | 4 | |
| | P | 12/26/2000 | -259.98 | 0.16 | 692.02 | 01 | 06 | 4 | |
| | P | 12/27/2000 | -259.84 | 0.14 | 692.16 | 01 | 06 | 4 | |
| | P | 12/28/2000 | -259.61 | 0.23 | 692.39 | 01 | 06 | 4 | |
| | P | 12/29/2000 | -259.68 | -0.07 | 692.32 | 01 | 06 | 4 | |
| | P | 12/30/2000 | -259.55 | 0.13 | 692.45 | 01 | 06 | 4 | |
| | P | 1/15/2001 | -256.6 | 2.95 | 695.4 | 01 | 06 | 4 | |
| | P | 1/30/2001 | -254.09 | 2.51 | 697.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/2001 | -251.94 | 2.15 | 700.06 | 01 | 06 | 4 | |
| | P | 2/28/2001 | -251.03 | 0.91 | 700.97 | 01 | 06 | 4 | |
| | P | 3/15/2001 | -248.62 | 2.41 | 703.38 | 01 | 06 | 4 | |
| | P | 3/30/2001 | -246.9 | 1.72 | 705.1 | 01 | 06 | 4 | |
| | P | 4/15/2001 | -246.18 | 0.72 | 705.82 | 01 | 06 | 4 | |
| | P | 4/30/2001 | -244.9 | 1.28 | 707.1 | 01 | 06 | 4 | |
| | P | 5/15/2001 | -242.92 | 1.98 | 709.08 | 01 | 06 | 4 | |
| | P | 5/30/2001 | -243.06 | -0.14 | 708.94 | 01 | 06 | 4 | |
| | P | 6/15/2001 | -244.78 | -1.72 | 707.22 | 01 | 06 | 4 | |
| | P | 6/30/2001 | -244.78 | | 707.22 | 01 | 06 | 4 | |
| | P | 7/15/2001 | -246.63 | -1.85 | 705.37 | 01 | 06 | 4 | |
| | P | 7/30/2001 | -252.26 | -5.63 | 699.74 | 01 | 06 | 4 | |
| | P | 8/15/2001 | -256.09 | -3.83 | 695.91 | 01 | 06 | 4 | |
| | P | 8/30/2001 | -255.74 | 0.35 | 696.26 | 01 | 06 | 4 | |
| | P | 9/15/2001 | -250.09 | 5.65 | 701.91 | 01 | 06 | 4 | |
| | P | 9/30/2001 | -248.87 | 1.22 | 703.13 | 01 | 06 | 4 | |
| | P | 10/15/2001 | -247.3 | 1.57 | 704.7 | 01 | 06 | 4 | |
| | P | 10/30/2001 | -247.26 | 0.04 | 704.74 | 01 | 06 | 4 | |
| | P | 11/7/2001 | -247.28 | -0.02 | 704.72 | 02 | 04 | 2 | |
| | P | 11/15/2001 | -246.06 | 1.22 | 705.94 | 01 | 06 | 4 | |
| | P | 11/30/2001 | -240.94 | 5.12 | 711.06 | 01 | 06 | 4 | |
| | P | 12/4/2001 | -239.77 | 1.17 | 712.23 | 02 | 04 | 2 | |
| | P | 12/15/2001 | -237.95 | 1.82 | 714.05 | 01 | 06 | 4 | |
| | P | 12/30/2001 | -236.36 | 1.59 | 715.64 | 01 | 06 | 4 | |
| | P | 1/8/2002 | -235.5 | 0.86 | 716.5 | 02 | 04 | 2 | |
| | P | 1/15/2002 | -235.29 | 0.21 | 716.71 | 01 | 06 | 4 | |
| | P | 1/30/2002 | -234.69 | 0.6 | 717.31 | 01 | 04 | 4 | |
| | P | 2/6/2002 | -234.85 | -0.16 | 717.15 | 01 | 04 | 2 | |
| | P | 2/15/2002 | -235.15 | -0.3 | 716.85 | 01 | 04 | 4 | |
| | P | 3/4/2002 | -236.51 | -1.36 | 715.49 | 01 | 04 | 2 | |
| | P | 3/15/2002 | -236.62 | -0.11 | 715.38 | 01 | 04 | 4 | |
| | P | 3/30/2002 | -237.35 | -0.73 | 714.65 | 01 | 04 | 4 | |
| | P | 4/2/2002 | -237.69 | -0.34 | 714.31 | 01 | 04 | 2 | |
| | P | 4/15/2002 | -237.99 | -0.3 | 714.01 | 01 | 04 | 4 | |
| | P | 4/30/2002 | -239.28 | -1.29 | 712.72 | 01 | 04 | 4 | |
| | P | 5/2/2002 | -239.42 | -0.14 | 712.58 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/2002 | -240.78 | -1.36 | 711.22 | 01 | 04 | 4 | |
| | P | 5/30/2002 | -241.9 | -1.12 | 710.1 | 01 | 04 | 4 | |
| | P | 6/10/2002 | -243.84 | -1.94 | 708.16 | 01 | 04 | 2 | |
| | P | 6/15/2002 | -245.68 | -1.84 | 706.32 | 01 | 04 | 4 | |
| | P | 6/30/2002 | -248.47 | -2.79 | 703.53 | 01 | 04 | 4 | |
| | P | 7/11/2002 | -236.74 | 11.73 | 715.26 | 01 | 04 | 2 | |
| | P | 7/15/2002 | -234.96 | 1.78 | 717.04 | 01 | 04 | 4 | |
| | P | 7/30/2002 | -230.43 | 4.53 | 721.57 | 01 | 04 | 2 | |
| | P | 8/1/2002 | -230.14 | 0.29 | 721.86 | 01 | 04 | 2 | |
| | P | 8/12/2002 | -230.56 | -0.42 | 721.44 | 01 | 04 | 2 | |
| | P | 8/15/2002 | -230.74 | -0.18 | 721.26 | 01 | 04 | 4 | |
| | P | 8/30/2002 | -230.58 | 0.16 | 721.42 | 01 | 04 | 4 | |
| | P | 9/5/2002 | -230.8 | -0.22 | 721.2 | 01 | 04 | 2 | |
| | P | 12/15/2002 | -218.38 | 12.42 | 733.62 | 01 | 04 | 4 | |
| | P | 12/30/2002 | -216.76 | 1.62 | 735.24 | 01 | 04 | 4 | |
| | P | 1/15/2003 | -216.14 | 0.62 | 735.86 | 01 | 04 | 4 | |
| | P | 1/30/2003 | -214.29 | 1.85 | 737.71 | 01 | 04 | 4 | |
| | P | 2/15/2003 | -213.72 | 0.57 | 738.28 | 01 | 04 | 4 | |
| | P | 3/1/2003 | -213.28 | 0.44 | 738.72 | 01 | 04 | 4 | |
| | P | 3/15/2003 | -212.91 | 0.37 | 739.09 | 01 | 04 | 4 | |
| | P | 3/30/2003 | -213.44 | -0.53 | 738.56 | 01 | 04 | 4 | |
| | P | 4/15/2003 | -214.38 | -0.94 | 737.62 | 01 | 04 | 4 | |
| | P | 4/30/2003 | -215.74 | -1.36 | 736.26 | 01 | 04 | 4 | |
| | P | 5/1/2003 | -215.88 | -0.14 | 736.12 | 01 | 04 | 4 | |
| | P | 5/15/2003 | -216.2 | -0.32 | 735.8 | 01 | 04 | 4 | |
| | P | 5/30/2003 | -220.83 | -4.63 | 731.17 | 01 | 04 | 4 | |
| | P | 6/15/2003 | -221.23 | -0.4 | 730.77 | 01 | 04 | 4 | |
| | P | 6/30/2003 | -225.05 | -3.82 | 726.95 | 01 | 04 | 4 | |
| | P | 7/15/2003 | -223.82 | 1.23 | 728.18 | 01 | 04 | 4 | |
| | P | 7/30/2003 | -224.9 | -1.08 | 727.1 | 01 | 04 | 4 | |
| | P | 8/15/2003 | -226.9 | -2 | 725.1 | 01 | 04 | 4 | |
| | P | 8/30/2003 | -229.03 | -2.13 | 722.97 | 01 | 04 | 4 | |
| | P | 9/15/2003 | -227.51 | 1.52 | 724.49 | 01 | 04 | 4 | |
| | P | 9/30/2003 | -227.3 | 0.21 | 724.7 | 01 | 04 | 4 | |
| | P | 10/15/2003 | -226.18 | 1.12 | 725.82 | 01 | 04 | 4 | |
| | P | 10/30/2003 | -227.99 | -1.81 | 724.01 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2003 | -231.12 | -3.13 | 720.88 | 01 | 04 | 4 | |
| | N | 12/15/2003 | | | | 01 | 04 | | 51 |
| | N | 12/30/2003 | | | | 01 | 04 | | 51 |
| | P | 1/15/2004 | -237.13 | | 714.87 | 01 | 04 | 4 | |
| | P | 1/30/2004 | -236.84 | 0.29 | 715.16 | 01 | 04 | 4 | |
| | P | 2/15/2004 | -238.05 | -1.21 | 713.95 | 01 | 04 | 4 | |
| | P | 3/15/2004 | -237.16 | 0.89 | 714.84 | 01 | 04 | 4 | |
| | P | 3/30/2004 | -237.86 | -0.7 | 714.14 | 01 | 04 | 4 | |
| | N | 4/15/2004 | | | | 01 | 04 | | 51 |
| | P | 4/30/2004 | -237.41 | | 714.59 | 01 | 04 | 4 | |
| | P | 5/15/2004 | -235.32 | 2.09 | 716.68 | 01 | 04 | 4 | |
| | P | 5/30/2004 | -237.82 | -2.5 | 714.18 | 01 | 04 | 4 | |
| | N | 6/15/2004 | | | | 01 | 04 | | 51 |
| | P | 6/30/2004 | -233.48 | | 718.52 | 01 | 04 | 4 | |
| | P | 7/15/2004 | -232.49 | 0.99 | 719.51 | 01 | 04 | 4 | |
| | P | 7/30/2004 | -233.18 | -0.69 | 718.82 | 01 | 04 | 4 | |
| | P | 8/15/2004 | -234.81 | -1.63 | 717.19 | 01 | 04 | 4 | |
| | P | 8/30/2004 | -235.2 | -0.39 | 716.8 | 01 | 04 | 4 | |
| | P | 9/15/2004 | -235.5 | -0.3 | 716.5 | 01 | 04 | 4 | |
| | P | 9/30/2004 | -236.12 | -0.62 | 715.88 | 01 | 04 | 4 | |
| | P | 10/4/2004 | -234.75 | 1.37 | 717.25 | 01 | 04 | 2 | |
| | P | 10/15/2004 | -234.15 | 0.6 | 717.85 | 01 | 04 | 4 | |
| | P | 10/26/2004 | -231.96 | 2.19 | 720.04 | 01 | 04 | 2 | |
| | P | 10/30/2004 | -231.43 | 0.53 | 720.57 | 01 | 04 | 4 | |
| | P | 11/15/2004 | -227.29 | 4.14 | 724.71 | 01 | 04 | 4 | |
| | P | 11/23/2004 | -221.65 | 5.64 | 730.35 | 01 | 04 | 2 | |
| | P | 11/30/2004 | -219.04 | 2.61 | 732.96 | 01 | 04 | 4 | |
| | N | 12/15/2004 | | | | 01 | 04 | | 51 |
| | P | 12/16/2004 | -215.44 | | 736.56 | 01 | 04 | 2 | |
| | P | 12/20/2004 | -214.8 | 0.64 | 737.2 | 01 | 04 | 2 | |
| | N | 12/30/2004 | | | | 01 | 04 | | 51 |
| | P | 1/10/2005 | -211.8 | | 740.2 | 01 | 04 | 2 | |
| | P | 1/15/2005 | -211.39 | 0.41 | 740.61 | 01 | 04 | 4 | |
| | N | 1/30/2005 | | | | 01 | 04 | | 51 |
| | P | 2/15/2005 | -206.83 | | 745.17 | 01 | 04 | 4 | |
| | P | 3/1/2005 | -205.42 | 1.41 | 746.58 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 3 / 15/ 2005 | | | | 01 | 04 | | 51 |
| | P | 3 / 30/ 2005 | -202.24 | | 749.76 | 01 | 04 | 4 | |
| | P | 4 / 12/ 2005 | -203.4 | -1.16 | 748.6 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2005 | -204.12 | -0.72 | 747.88 | 01 | 04 | 4 | |
| | P | 4 / 19/ 2005 | -204.34 | -0.22 | 747.66 | 01 | 04 | 2 | |
| | P | 4 / 30/ 2005 | -205.49 | -1.15 | 746.51 | 01 | 04 | 4 | |
| | P | 5 / 2 / 2005 | -205.59 | -0.1 | 746.41 | 01 | 04 | 2 | |
| | P | 5 / 9 / 2005 | -206 | -0.41 | 746 | 01 | 04 | 2 | |
| | P | 5 / 15/ 2005 | -206.45 | -0.45 | 745.55 | 01 | 04 | 4 | |
| | P | 5 / 30/ 2005 | -207.69 | -1.24 | 744.31 | 01 | 04 | 4 | |
| | P | 6 / 1 / 2005 | -207.8 | -0.11 | 744.2 | 01 | 04 | 2 | |
| | P | 6 / 7 / 2005 | -208.36 | -0.56 | 743.64 | 01 | 04 | 2 | |
| | P | 6 / 15/ 2005 | -208.28 | 0.08 | 743.72 | 01 | 04 | 4 | |
| | P | 6 / 22/ 2005 | -209.68 | -1.4 | 742.32 | 01 | 04 | 2 | |
| | P | 6 / 27/ 2005 | -210.73 | -1.05 | 741.27 | 01 | 04 | 2 | |
| | P | 6 / 30/ 2005 | -211.43 | -0.7 | 740.57 | 01 | 04 | 4 | |
| | P | 7 / 15/ 2005 | -215.48 | -4.05 | 736.52 | 01 | 04 | 4 | |
| | P | 7 / 19/ 2005 | -214.63 | 0.85 | 737.37 | 01 | 06 | 4 | |
| | P | 7 / 26/ 2005 | -216.68 | -2.05 | 735.32 | 01 | 04 | 2 | |
| | P | 7 / 29/ 2005 | -216.48 | 0.2 | 735.52 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2005 | -217.62 | -1.14 | 734.38 | 01 | 04 | 4 | |
| | P | 8 / 2 / 2005 | -218.12 | -0.5 | 733.88 | 01 | 04 | 2 | |
| | P | 8 / 10/ 2005 | -219.88 | -1.76 | 732.12 | 01 | 04 | 2 | |
| | P | 8 / 11/ 2005 | -219.14 | 0.74 | 732.86 | 01 | 04 | 2 | |
| | P | 8 / 15/ 2005 | -219.39 | -0.25 | 732.61 | 01 | 04 | 4 | |
| | P | 8 / 30/ 2005 | -223.44 | -4.05 | 728.56 | 01 | 04 | 4 | |
| | P | 8 / 31/ 2005 | -223.39 | 0.05 | 728.61 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2005 | -224.04 | -0.65 | 727.96 | 01 | 04 | 2 | |
| | P | 9 / 2 / 2005 | -224.17 | -0.13 | 727.83 | 01 | 04 | 2 | |
| | P | 9 / 15/ 2005 | -225.9 | -1.73 | 726.1 | 01 | 04 | 2 | |
| | P | 9 / 20/ 2005 | -226.97 | -1.07 | 725.03 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -229.87 | -2.9 | 722.13 | 01 | 06 | 4 | |
| | P | 7 / 20/ 2006 | -260.28 | -30.4 | 691.72 | 01 | 06 | 4 | |
| | P | 10 / 17/ 2006 | -264.31 | -4.03 | 687.69 | 01 | 06 | 4 | |
| | P | 7 / 20/ 2007 | -230.73 | 33.58 | 721.27 | 01 | 06 | 4 | |
| | P | 7 / 28/ 2008 | -240.74 | -10.0 | 711.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 5 / 2009 | -243.48 | -2.74 | 708.52 | 01 | 06 | 4 | |
| | P | 3 / 1 / 2010 | -243.58 | -0.1 | 708.42 | 01 | 06 | 4 | |

**Min** *-284.25* **Max** *-202.24* **Avg** *-258.094*

***6829104*** *( Aquifer: 218EBFZA Well Depth: 602 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 17 / 1972 | -200.01 | | 683.99 | 01 | 12 | 7 | |

**Min** *-200.01* **Max** *-200.01* **Avg** *-200.01*

***6829107*** *( Aquifer: 218EBFZA Well Depth: 600 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 17 / 1972 | -201.43 | | 673.57 | 01 | 01 | 1 | |
| | P | 3 / 22 / 1972 | -200.8 | 0.63 | 674.2 | 01 | 01 | 1 | |
| | P | 4 / 27 / 1972 | -203.74 | -2.94 | 671.26 | 01 | 01 | 1 | |
| | P | 7 / 24 / 1972 | -196.7 | 7.04 | 678.3 | 01 | 01 | 1 | |
| | P | 8 / 19 / 1972 | -197.31 | -0.61 | 677.69 | 01 | 01 | 1 | |
| | P | 9 / 22 / 1972 | -204.5 | -7.19 | 670.5 | 01 | 01 | 1 | |

**Min** *-204.5* **Max** *-196.7* **Avg** *-200.747*

***6829109*** *( Aquifer: 218EBFZA Well Depth: 460 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 0 / 1952 | -290 | | 685 | 01 | 12 | 7 | |
| | P | 3 / 10 / 1971 | -300.86 | -10.9 | 674.14 | 01 | 04 | 1 | |

**Min** *-300.86* **Max** *-290* **Avg** *-295.43*

***6829111*** *( Aquifer: 218EBFZA Well Depth: 370 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 2 / 1981 | -135.16 | | 774.84 | 01 | 04 | 1 | |
| | P | 7 / 14 / 1981 | -135.14 | 0.02 | 774.86 | 01 | 04 | 1 | |
| | P | 7 / 23 / 1981 | -135.24 | -0.1 | 774.76 | 01 | 04 | 1 | |
| | P | 7 / 28 / 1981 | -135.26 | -0.02 | 774.74 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1981 | -135.21 | 0.05 | 774.79 | 01 | 04 | 1 | |
| | P | 8 / 18 / 1983 | -135.33 | -0.12 | 774.67 | 01 | 04 | 1 | |
| | P | 6 / 28 / 1984 | -136.32 | -0.99 | 773.68 | 01 | 04 | 1 | |
| | P | 8 / 18 / 1984 | -136.32 | | 773.68 | 01 | 06 | 1 | |
| | P | 7 / 10 / 1989 | -136.68 | -0.36 | 773.32 | 01 | 06 | 1 | |
| | P | 6 / 23 / 1992 | -132.75 | 3.93 | 777.25 | 01 | 01 | 1 | |

**Min** *-136.68* **Max** *-132.75* **Avg** *-135.341*

***6829112*** *( Aquifer: 218EBFZA Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 9 / 1998 | -178 | | 711 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 26/ 1998 | -176.77 | 1.23 | 712.23 | 01 | 04 | 1 | |
| | P | 12 / 12/ 2004 | -110.19 | 66.58 | 778.81 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2005 | -139.89 | -29.7 | 749.11 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -159.22 | -19.3 | 729.78 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -165.93 | -6.71 | 723.07 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -179.39 | -13.5 | 709.61 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2006 | -179.6 | -0.21 | 709.4 | 01 | 04 | 2 | |
| | P | 8 / 23/ 2006 | -175.04 | 4.56 | 713.96 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -175.06 | -0.02 | 713.94 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -123.35 | 51.71 | 765.65 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -169.23 | -45.9 | 719.77 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -178.66 | -9.43 | 710.34 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -181.34 | -2.68 | 707.66 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -154.46 | 26.88 | 734.54 | 01 | 04 | 2 | 22 |
| | P | 2 / 24/ 2010 | -136.72 | 17.74 | 752.28 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -160.15 | -23.4 | 728.85 | 01 | 04 | 2 | |

**Min** *-181.34* **Max** *-110.19* **Avg** *-161.353*

***6829113*** *( Aquifer: 218EBFZA Well Depth: 241 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 19/ 1998 | -185 | | 703 | 01 | 04 | 1 | |
| | P | 2 / 19/ 1998 | -190.55 | -5.55 | 697.45 | 02 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -171.68 | 18.87 | 716.32 | 01 | 04 | 1 | |
| | P | 12 / 12/ 2004 | -121.93 | 49.75 | 766.07 | 01 | 04 | 1 | |
| | P | 12 / 12/ 2005 | -160.87 | -38.9 | 727.13 | 01 | 04 | 2 | |
| | P | 8 / 23/ 2006 | -184.54 | -23.7 | 703.46 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -185.31 | -0.77 | 702.69 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -119.99 | 65.32 | 768.01 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -166.91 | -46.9 | 721.09 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -178.21 | -11.3 | 709.79 | 01 | 04 | 2 | |
| | P | 8 / 5 / 2009 | -186.91 | -8.7 | 701.09 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -154.41 | 32.5 | 733.59 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -142.78 | 11.63 | 745.22 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -154.37 | -11.6 | 733.63 | 01 | 04 | 2 | |

**Min** *-190.55* **Max** *-119.99* **Avg** *-164.533*

***6829114*** *( Aquifer: 218EBFZA Well Depth: 201 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 27/ 1998 | -143 | | 702 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 17/ 2004 | -98.54 | 44.46 | 746.46 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -104.52 | -5.98 | 740.48 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -122 | -17.5 | 723 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -127.79 | -5.79 | 717.21 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -149.21 | -21.4 | 695.79 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -150.35 | -1.14 | 694.65 | 01 | 04 | 2 | |
| | P | 8 / 21/ 2006 | -153.09 | -2.74 | 691.91 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -156.33 | -3.24 | 688.67 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -92.2 | 64.13 | 752.8 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -130.7 | -38.5 | 714.3 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -140.09 | -9.39 | 704.91 | 01 | 04 | 2 | |
| | P | 1 / 19/ 2010 | -132.56 | 7.53 | 712.44 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -123.7 | 8.86 | 721.3 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -118.61 | 5.09 | 726.39 | 01 | 04 | 2 | |

**Min** *-156.33* **Max** *-92.2* **Avg** *-129.513*

***6829202*** *( Aquifer: 218EDRDA Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 28/ 1964 | -235 | | 655 | 01 | 12 | 7 | |

**Min** *-235* **Max** *-235* **Avg** *-235*

***6829207*** *( Aquifer: 218EBFZA Well Depth: 300 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 20/ 1932 | -259 | | 689 | 01 | 12 | 7 | |
| | P | 5 / 22/ 1934 | -259.7 | -0.7 | 688.3 | 01 | 12 | 7 | |
| | P | 8 / 28/ 1956 | -266.78 | -7.08 | 681.22 | 01 | 12 | 7 | |

**Min** *-266.78* **Max** *-259* **Avg** *-261.827*

***6829208*** *( Aquifer: 218EBFZA Well Depth: 266 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 1 / 1977 | -165 | | 750 | 01 | 07 | 7 | |
| | P | 3 / 15/ 1977 | -167 | -2 | 748 | 01 | 01 | 6 | |
| | P | 6 / 28/ 1984 | -215.42 | -48.4 | 699.58 | 01 | 04 | 1 | |

**Min** *-215.42* **Max** *-165* **Avg** *-182.473*

***6829209*** *( Aquifer: 218EBFZA Well Depth: 315 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 20/ 1977 | -213 | | 749 | 01 | 07 | 7 | |
| | P | 6 / 29/ 1984 | -260.78 | -47.8 | 701.22 | 01 | 04 | 2 | |
| | P | 4 / 12/ 1990 | -230.4 | 30.38 | 731.6 | 01 | 06 | 1 | |
| | P | 4 / 30/ 1990 | -217.42 | 12.98 | 744.58 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 29/ 1990 | -214.86 | 2.56 | 747.14 | 01 | 06 | 1 | |
| | P | 7 / 2 / 1990 | -222.75 | -7.89 | 739.25 | 01 | 06 | 1 | |
| | P | 7 / 30/ 1990 | -232.65 | -9.9 | 729.35 | 01 | 06 | 1 | |
| | P | 9 / 17/ 1990 | -242.8 | -10.2 | 719.2 | 01 | 06 | 1 | |
| | P | 10 / 9 / 1990 | -242.68 | 0.12 | 719.32 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1990 | -247.1 | -4.42 | 714.9 | 01 | 06 | 1 | |
| | P | 12 / 31/ 1990 | -190.7 | 56.4 | 771.3 | 01 | 06 | 1 | |
| | P | 4 / 12/ 1991 | -230.4 | -39.7 | 731.6 | 01 | 06 | 1 | |
| | P | 4 / 30/ 1991 | -217.42 | 12.98 | 744.58 | 01 | 06 | 1 | |
| | P | 5 / 29/ 1991 | -214.86 | 2.56 | 747.14 | 01 | 06 | 1 | |
| | P | 7 / 2 / 1991 | -222.75 | -7.89 | 739.25 | 01 | 06 | 1 | |
| | P | 7 / 30/ 1991 | -232.65 | -9.9 | 729.35 | 01 | 06 | 1 | |
| | P | 9 / 17/ 1991 | -242.8 | -10.2 | 719.2 | 01 | 06 | 1 | |
| | P | 10 / 9 / 1991 | -242.68 | 0.12 | 719.32 | 01 | 06 | 1 | |
| | P | 11 / 11/ 1991 | -247.1 | -4.42 | 714.9 | 01 | 06 | 1 | |
| | P | 12 / 31/ 1991 | -190.7 | 56.4 | 771.3 | 01 | 06 | 1 | |
| | P | 2 / 5 / 1992 | -183.2 | 7.5 | 778.8 | 01 | 06 | 1 | |
| | P | 3 / 5 / 1992 | -167.8 | 15.4 | 794.2 | 01 | 06 | 1 | |
| | P | 4 / 1 / 1992 | -163.54 | 4.26 | 798.46 | 01 | 06 | 1 | |
| | P | 4 / 28/ 1992 | -163.38 | 0.16 | 798.62 | 01 | 06 | 1 | |
| | P | 1 / 18/ 1994 | -245.7 | -82.3 | 716.3 | 01 | 06 | 6 | |
| | N | 4 / 25/ 1995 | | | | 01 | 06 | | 40 |

**Min** *-260.78* **Max** *-163.38* **Avg** *-219.205*

***6829210*** *( Aquifer: 218EBFZA Well Depth: 329 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 8 / 1977 | -149.25 | | 752.75 | 01 | 06 | 1 | |
| | P | 1 / 18/ 1977 | -149.25 | | 752.75 | 01 | 04 | 1 | |
| | P | 7 / 10/ 1989 | -202.45 | -53.2 | 699.55 | 01 | 06 | 1 | |
| | P | 6 / 23/ 1992 | -103 | 99.45 | 799 | 01 | 01 | 1 | |

**Min** *-202.45* **Max** *-103* **Avg** *-150.988*

***6829213*** *( Aquifer: 218EBFZA Well Depth: 222 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1998 | -167 | | 682 | 01 | 04 | 2 | |
| | P | 3 / 2 / 1998 | -162 | 5 | 687 | 01 | 04 | 1 | |
| | P | 4 / 26/ 1998 | -159.24 | 2.76 | 689.76 | 01 | 04 | 1 | |
| | P | 12 / 17/ 2004 | -119.23 | 40.01 | 729.77 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -132.7 | -13.5 | 716.3 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 27/ 2005 | -145.29 | -12.6 | 703.71 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -148.73 | -3.44 | 700.27 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -170.25 | -21.5 | 678.75 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -170.74 | -0.49 | 678.26 | 01 | 04 | 2 | |
| | P | 8 / 18/ 2006 | -174.79 | -4.05 | 674.21 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -174.83 | -0.04 | 674.17 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -120.9 | 53.93 | 728.1 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -155.58 | -34.7 | 693.42 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -159.86 | -4.28 | 689.14 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -180.66 | -20.8 | 668.34 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -155.79 | 24.87 | 693.21 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -146.9 | 8.89 | 702.1 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -145.14 | 1.76 | 703.86 | 01 | 04 | 1 | |

**Min** *-180.66* **Max** *-119.23* **Avg** *-154.979*

***6829214*** *( Aquifer: 218EBFZA Well Depth: 222 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 17/ 1998 | -125 | | 678 | 01 | 04 | 1 | |
| | P | 3 / 17/ 1998 | -122.7 | 2.3 | 680.3 | 02 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -120.03 | 2.67 | 682.97 | 01 | 04 | 1 | |
| | P | 12 / 12/ 2004 | -75.68 | 44.35 | 727.32 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -87.15 | -11.5 | 715.85 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -100.49 | -13.3 | 702.51 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -105.21 | -4.72 | 697.79 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -135.19 | -30 | 667.81 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -136.22 | -1.03 | 666.78 | 01 | 04 | 2 | |
| | P | 8 / 16/ 2006 | -142.09 | -5.87 | 660.91 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -139.26 | 2.83 | 663.74 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -77.04 | 62.22 | 725.96 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -115.2 | -38.2 | 687.8 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -121.4 | -6.2 | 681.6 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -153.3 | -31.9 | 649.7 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -115.96 | 37.34 | 687.04 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -106.53 | 9.43 | 696.47 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -100.8 | 5.73 | 702.2 | 01 | 04 | 2 | |

**Min** *-153.3* **Max** *-75.68* **Avg** *-115.514*

***6829215*** *( Aquifer: 218EBFZA Well Depth: 181 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 17/ 1998 | -130 | | 698 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -86.01 | 43.99 | 741.99 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -96.84 | -10.8 | 731.16 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -109.85 | -13.0 | 718.15 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -114.54 | -4.69 | 713.46 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -135.32 | -20.8 | 692.68 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -135.2 | 0.12 | 692.8 | 01 | 04 | 2 | |
| | P | 8 / 17/ 2006 | -138.8 | -3.6 | 689.2 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -141.48 | -2.68 | 686.52 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -86.91 | 54.57 | 741.09 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -120.94 | -34.0 | 707.06 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -126.83 | -5.89 | 701.17 | 01 | 04 | 2 | |
| | P | 8 / 3 / 2009 | -130.37 | -3.54 | 697.63 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -119.84 | 10.53 | 708.16 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -112.31 | 7.53 | 715.69 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -107.91 | 4.4 | 720.09 | 01 | 04 | 2 | |

**Min** *-141.48* **Max** *-86.01* **Avg** *-118.322*

***6829216*** *( Aquifer: 218EBFZA Well Depth: 261 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 19/ 1998 | -209 | | 711 | 01 | 04 | 2 | |
| | P | 12 / 2 / 2004 | -139.45 | 69.55 | 780.55 | 01 | 04 | 2 | |
| | P | 12 / 2 / 2004 | -140.24 | -0.79 | 779.76 | 02 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -134.02 | 6.22 | 785.98 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -168.1 | -34.1 | 751.9 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -193.84 | -25.7 | 726.16 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -216.65 | -22.8 | 703.35 | 01 | 04 | 2 | |
| | P | 8 / 22/ 2006 | -218.24 | -1.59 | 701.76 | 01 | 04 | 2 | |
| | P | 12 / 13/ 2006 | -220.7 | -2.46 | 699.3 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -152.23 | 68.47 | 767.77 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -196.91 | -44.7 | 723.09 | 01 | 06 | 2 | |
| | P | 10 / 24/ 2008 | -207.3 | -10.4 | 712.7 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -207.81 | -0.51 | 712.19 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2009 | -223.57 | -15.8 | 696.43 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -191.37 | 32.2 | 728.63 | 01 | 04 | 2 | 22 |
| | P | 2 / 23/ 2010 | -174.35 | 17.02 | 745.65 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -179.88 | -5.53 | 740.12 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -223.57** | | **Max -134.02** | **Avg -186.686** | | | | | | |
| ***6829217*** | *( Aquifer: 218EBFZA* | | *Well Depth: 260 )* | | | | | | |
| | P | 7 / 7 / 1998 | -211 | | 709 | 01 | 04 | 2 | |
| | P | 12 / 17/ 2004 | -130.24 | 80.76 | 789.76 | 01 | 04 | 2 | |
| | P | 7 / 18/ 2005 | -164.57 | -34.3 | 755.43 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -184.28 | -19.7 | 735.72 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -190.66 | -6.38 | 729.34 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -214.66 | -24 | 705.34 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -215.95 | -1.29 | 704.05 | 01 | 04 | 2 | |
| | P | 8 / 17/ 2006 | -217.65 | -1.7 | 702.35 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -218.89 | -1.24 | 701.11 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -148.64 | 70.25 | 771.36 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -194.59 | -46 | 725.41 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -206.08 | -11.5 | 713.92 | 01 | 04 | 2 | |
| | P | 7 / 31/ 2009 | -221.9 | -15.8 | 698.1 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2010 | -189.91 | 31.99 | 730.09 | 01 | 04 | 2 | 22 |
| | P | 2 / 23/ 2010 | -171.51 | 18.4 | 748.49 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2010 | -177.07 | -5.56 | 742.93 | 01 | 04 | 2 | |
| **Min -221.9** | | **Max -130.24** | **Avg -191.1** | | | | | | |
| ***6829301*** | *( Aquifer: 218EDRDA* | | *Well Depth: 518 )* | | | | | | |
| | P | 12 / 14/ 1961 | -226.65 | | 696.35 | 01 | 12 | 7 | |
| **Min -226.65** | | **Max -226.65** | **Avg -226.65** | | | | | | |
| ***6829303*** | *( Aquifer: 218EBFZA* | | *Well Depth: 527 )* | | | | | | |
| | P | 11 / 14/ 1971 | -180 | | 650 | 01 | 12 | 7 | |
| **Min -180** | | **Max -180** | **Avg -180** | | | | | | |
| ***6829304*** | *( Aquifer: 218EBFZA* | | *Well Depth: 360 )* | | | | | | |
| | P | 7 / 20/ 1932 | -234.08 | | 620.92 | 01 | 12 | 7 | |
| | P | 9 / 13/ 1949 | -241.56 | -7.48 | 613.44 | 01 | 04 | 1 | |
| | P | 1 / 6 / 1955 | -269.89 | -28.3 | 585.11 | 01 | 12 | 7 | |
| | P | 3 / 4 / 1960 | -230.91 | 38.98 | 624.09 | 01 | 04 | 1 | |
| | P | 5 / 3 / 1960 | -231.74 | -0.83 | 623.26 | 01 | 04 | 1 | |
| | P | 7 / 7 / 1960 | -236.79 | -5.05 | 618.21 | 01 | 04 | 1 | |
| | P | 9 / 8 / 1960 | -233.4 | 3.39 | 621.6 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 9/1961 | -225.62 | 7.78 | 629.38 | 01 | 04 | 1 | |
| | P | 12/21/1971 | -237.2 | -11.6 | 617.8 | 01 | 04 | 1 | |
| | P | 1/ 3/1972 | -235.95 | 1.25 | 619.05 | 01 | 04 | 1 | |
| | P | 2/10/1973 | -242.6 | -6.65 | 612.4 | 01 | 04 | 1 | |
| | P | 7/15/1974 | -251 | -8.4 | 604 | 01 | 04 | 1 | |
| | P | 7/15/1975 | -251 | | 604 | 01 | 04 | 1 | |
| | P | 3/ 5/1976 | -235.33 | 15.67 | 619.67 | 01 | 04 | 1 | |
| | N | 2/ 3/1977 | | | | 01 | 01 | 1 | 47 |
| | P | 2/20/1981 | -213.99 | | 641.01 | 01 | 01 | 1 | |
| | P | 2/10/1982 | -216.48 | -2.49 | 638.52 | 01 | 01 | 1 | |
| | P | 2/ 9/1983 | -237.91 | -21.4 | 617.09 | 01 | 01 | 1 | |
| | P | 2/23/1984 | -247.81 | -9.9 | 607.19 | 01 | 01 | 1 | |
| | P | 2/11/1985 | -254.31 | -6.5 | 600.69 | 01 | 01 | 1 | |
| | N | 2/10/1986 | | | | 01 | 01 | 1 | 47 |
| | P | 12/ 8/1986 | -227.5 | | 627.5 | 01 | 01 | 1 | |
| | N | 3/17/1988 | | | | 01 | 01 | 1 | 44 |
| | N | 1/17/1989 | | | | 01 | 01 | 1 | 44 |
| | N | 1/22/1990 | | | | 01 | 01 | 1 | 44 |
| | N | 1/21/1991 | | | | 01 | 01 | 1 | 44 |

**Min** *-269.89* **Max** *-213.99* **Avg** *-237.754*

***6829305*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 3/ 5/1992 | -224.05 | | 703.95 | 01 | 06 | 1 |
| | P | 4/ 1/1992 | -216.83 | 7.22 | 711.17 | 01 | 06 | 1 |
| | P | 4/28/1992 | -215.2 | 1.63 | 712.8 | 01 | 06 | 1 |
| | P | 6/ 5/1992 | -207.61 | 7.59 | 720.39 | 01 | 06 | 1 |
| | P | 7/ 6/1992 | -204.77 | 2.84 | 723.23 | 01 | 06 | 1 |
| | P | 8/11/1992 | -206.45 | -1.68 | 721.55 | 01 | 06 | 1 |
| | P | 9/11/1992 | -208.72 | -2.27 | 719.28 | 01 | 06 | 1 |
| | P | 10/16/1992 | -211.7 | -2.98 | 716.3 | 01 | 06 | 1 |
| | P | 11/ 5/1992 | -213.58 | -1.88 | 714.42 | 01 | 06 | 1 |
| | P | 12/10/1992 | -214.34 | -0.76 | 713.66 | 01 | 06 | 1 |
| | P | 1/12/1993 | -216.68 | -2.34 | 711.32 | 01 | 06 | 1 |
| | P | 2/ 4/1993 | -216.77 | -0.09 | 711.23 | 01 | 06 | 1 |
| | P | 3/ 1/1993 | -218.29 | -1.52 | 709.71 | 01 | 06 | 1 |
| | P | 4/ 5/1993 | -218.31 | -0.02 | 709.69 | 01 | 06 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/27/1993 | -222.87 | -4.56 | 705.13 | 01 | 06 | 1 | |
| | P | 6/ 1/1993 | -222.69 | 0.18 | 705.31 | 01 | 06 | 1 | |
| | P | 7/ 2/1993 | -216.99 | 5.7 | 711.01 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -221.68 | -4.69 | 706.32 | 01 | 06 | 1 | |
| | P | 10/ 6/1993 | -232.14 | -10.5 | 695.86 | 01 | 06 | 1 | |
| | P | 11/ 1/1993 | -234.44 | -2.3 | 693.56 | 01 | 06 | 1 | |
| | P | 12/ 9/1993 | -240.34 | -5.9 | 687.66 | 01 | 06 | 1 | |
| | P | 1/ 5/1994 | -235.27 | 5.07 | 692.73 | 01 | 06 | 1 | |
| | P | 2/ 2/1994 | -236.95 | -1.68 | 691.05 | 01 | 06 | 1 | |
| | P | 3/ 1/1994 | -238.64 | -1.69 | 689.36 | 01 | 06 | 1 | |
| | P | 4/ 7/1994 | -239.2 | -0.56 | 688.8 | 01 | 06 | 1 | |
| | P | 5/ 4/1994 | -240.54 | -1.34 | 687.46 | 01 | 06 | 1 | |
| | P | 5/26/1994 | -237.33 | 3.21 | 690.67 | 01 | 06 | 1 | |
| | P | 6/28/1994 | -245.44 | -8.11 | 682.56 | 01 | 06 | 1 | |
| | P | 8/ 2/1994 | -253.01 | -7.57 | 674.99 | 01 | 06 | 1 | |
| | P | 8/31/1994 | -254.8 | -1.79 | 673.2 | 01 | 06 | 1 | |
| | P | 10/ 5/1994 | -252.68 | 2.12 | 675.32 | 01 | 06 | 1 | |
| | P | 11/ 2/1994 | -245.83 | 6.85 | 682.17 | 01 | 06 | 1 | |
| | P | 12/ 7/1994 | -245.15 | 0.68 | 682.85 | 01 | 06 | 1 | |
| | P | 1/ 5/1995 | -244.49 | 0.66 | 683.51 | 01 | 06 | 1 | |
| | P | 2/21/1995 | -245.79 | -1.3 | 682.21 | 01 | 06 | 1 | |
| | P | 4/ 5/1995 | -249.87 | -4.08 | 678.13 | 01 | 06 | 1 | |
| | P | 5/ 5/1995 | -248.9 | 0.97 | 679.1 | 01 | 06 | 1 | |
| | P | 5/31/1995 | -251.67 | -2.77 | 676.33 | 01 | 06 | 1 | |
| | P | 6/28/1995 | -257.27 | -5.6 | 670.73 | 01 | 06 | 1 | |
| | P | 8/ 2/1995 | -259.93 | -2.66 | 668.07 | 01 | 06 | 1 | |
| | P | 9/ 8/1995 | -259.34 | 0.59 | 668.66 | 01 | 06 | 1 | |
| | P | 10/12/1995 | -255.61 | 3.73 | 672.39 | 01 | 06 | 1 | |
| | P | 11/30/1995 | -256.34 | -0.73 | 671.66 | 01 | 06 | 1 | |
| | P | 1/ 2/1996 | -255.57 | 0.77 | 672.43 | 01 | 06 | 1 | |
| | P | 2/12/1996 | -260.72 | -5.15 | 667.28 | 01 | 06 | 1 | |
| | P | 2/27/1996 | -266.03 | -5.31 | 661.97 | 01 | 06 | 1 | |
| | P | 3/19/1996 | -262.69 | 3.34 | 665.31 | 01 | 06 | 1 | |
| | P | 4/ 3/1996 | -263.19 | -0.5 | 664.81 | 01 | 06 | 1 | |
| | P | 5/13/1996 | -267.99 | -4.8 | 660.01 | 01 | 06 | 1 | |
| | P | 5/31/1996 | -271.89 | -3.9 | 656.11 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 8/1996 | -277.6 | -5.71 | 650.4 | 01 | 06 | 1 | |
| | P | 8/ 5/1996 | -285.42 | -7.82 | 642.58 | 01 | 06 | 1 | |
| | P | 9/10/1996 | -277.34 | 8.08 | 650.66 | 01 | 06 | 1 | |
| | P | 10/ 7/1996 | -276.74 | 0.6 | 651.26 | 01 | 06 | 1 | |
| | P | 11/14/1996 | -274.36 | 2.38 | 653.64 | 01 | 06 | 1 | |
| | P | 12/13/1996 | -271.88 | 2.48 | 656.12 | 01 | 06 | 1 | |
| | P | 1/24/1997 | -276.31 | -4.43 | 651.69 | 01 | 06 | 1 | |
| | P | 2/19/1997 | -270 | 6.31 | 658 | 01 | 06 | 1 | |
| | P | 3/25/1997 | -265.42 | 4.58 | 662.58 | 01 | 06 | 1 | |
| | P | 4/ 5/1997 | -260.54 | 4.88 | 667.46 | 01 | 06 | 1 | |
| | P | 7/31/1997 | -244.79 | 15.75 | 683.21 | 01 | 06 | 1 | |
| | P | 9/11/1997 | -253.65 | -8.86 | 674.35 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -250.3 | 3.35 | 677.7 | 01 | 06 | 1 | |
| | P | 1/12/1998 | -247.1 | 3.2 | 680.9 | 01 | 06 | 1 | |
| | P | 2/12/1998 | -246.52 | 0.58 | 681.48 | 01 | 06 | 1 | |
| | P | 3/18/1998 | -241.99 | 4.53 | 686.01 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -245.2 | -3.21 | 682.8 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -256.8 | -11.6 | 671.2 | 01 | 06 | 1 | |
| | P | 7/23/1998 | -263.58 | -6.78 | 664.42 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -260.36 | 3.22 | 667.64 | 01 | 06 | 1 | |
| | P | 10/27/1998 | -236 | 24.36 | 692 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -227.56 | 8.44 | 700.44 | 01 | 06 | 1 | |
| | P | 1/20/1999 | -226.07 | 1.49 | 701.93 | 01 | 06 | 1 | |
| | P | 2/23/1999 | -229.38 | -3.31 | 698.62 | 01 | 06 | 1 | |
| | P | 3/23/1999 | -231.87 | -2.49 | 696.13 | 01 | 06 | 1 | |
| | P | 4/27/1999 | -233.95 | -2.08 | 694.05 | 01 | 06 | 1 | |
| | P | 5/26/1999 | -236.96 | -3.01 | 691.04 | 01 | 06 | 1 | |
| | P | 6/23/1999 | -242.33 | -5.37 | 685.67 | 01 | 06 | 1 | |
| | P | 7/14/1999 | -240.95 | 1.38 | 687.05 | 01 | 06 | 1 | |
| | P | 8/25/1999 | -247.21 | -6.26 | 680.79 | 01 | 06 | 1 | |
| | P | 9/21/1999 | -250.47 | -3.26 | 677.53 | 01 | 06 | 1 | |
| | P | 10/19/1999 | -253.9 | -3.43 | 674.1 | 01 | 06 | 1 | |
| | P | 12/ 3/1999 | -252.26 | 1.64 | 675.74 | 01 | 06 | 1 | |
| | P | 1/12/2000 | -253.96 | -1.7 | 674.04 | 01 | 06 | 1 | |
| | P | 2/16/2000 | -254.54 | -0.58 | 673.46 | 01 | 06 | 1 | |
| | P | 4/ 6/2000 | -257.03 | -2.49 | 670.97 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 11/ 2000 | -260.8 | -3.77 | 667.2 | 01 | 06 | 1 | |
| | P | 6 / 21/ 2000 | -260.24 | 0.56 | 667.76 | 01 | 06 | 1 | |
| | P | 8 / 14/ 2000 | -264.03 | -3.79 | 663.97 | 01 | 06 | 1 | |
| | P | 9 / 20/ 2000 | -271.85 | -7.82 | 656.15 | 01 | 06 | 1 | |
| | P | 1 / 22/ 2001 | -243.11 | 28.74 | 684.89 | 01 | 06 | 1 | |
| | P | 5 / 2 / 2001 | -237.61 | 5.5 | 690.39 | 01 | 06 | 1 | |
| | P | 6 / 15/ 2001 | -241.63 | -4.02 | 686.37 | 01 | 06 | 1 | |
| | P | 1 / 15/ 2002 | -231.64 | 9.99 | 696.36 | 01 | 06 | 1 | |
| | P | 4 / 29/ 2002 | -236.83 | -5.19 | 691.17 | 01 | 06 | 1 | |
| | P | 6 / 12/ 2002 | -248.7 | -11.9 | 679.3 | 01 | 06 | 1 | |

**Min** *-285.42* **Max** *-204.77* **Avg** *-244.827*

***6829306*** *( Aquifer: 218EDRDA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 19/ 1996 | -250.34 | | 577.66 | 01 | 04 | 1 | 04 |

**Min** *-250.34* **Max** *-250.34* **Avg** *-250.34*

***6829401*** *( Aquifer: 218EBFZA Well Depth: 517 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 9 / 1972 | -201.98 | | 671.02 | 01 | 04 | 1 | |

**Min** *-201.98* **Max** *-201.98* **Avg** *-201.98*

***6829402*** *( Aquifer: 218EDRDA Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 0 / 1954 | -250 | | 635 | 01 | 12 | 7 | |

**Min** *-250* **Max** *-250* **Avg** *-250*

***6829410*** *( Aquifer: 218EBFZA Well Depth: 376 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 1 / 1963 | -210 | | 665 | 01 | 04 | 3 | |
| | P | 2 / 9 / 1972 | -202.55 | 7.45 | 672.45 | 01 | 04 | 1 | |

**Min** *-210* **Max** *-202.55* **Avg** *-206.275*

***6829411*** *( Aquifer: 218EBFZA Well Depth: 415 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 29/ 1933 | -157.12 | | 673.88 | 01 | 12 | 7 | |
| | P | 11 / 4 / 1954 | -178.39 | -21.3 | 652.61 | 01 | 12 | 7 | |
| | P | 9 / 5 / 1986 | -299 | -121 | 532 | 01 | 07 | 7 | |

**Min** *-299* **Max** *-157.12* **Avg** *-211.503*

***6829413*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 2 / 1981 | -97 | | 683 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 14/ 1981 | -96.28 | 0.72 | 683.72 | 01 | 04 | 1 | |
| | P | 7 / 16/ 1981 | -96.55 | -0.27 | 683.45 | 01 | 04 | 1 | |
| | P | 7 / 23/ 1981 | -97.9 | -1.35 | 682.1 | 01 | 04 | 1 | |
| | P | 7 / 28/ 1981 | -98.65 | -0.75 | 681.35 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1981 | -99.79 | -1.14 | 680.21 | 01 | 04 | 1 | |
| | P | 6 / 27/ 1984 | -154.28 | -54.5 | 625.72 | 01 | 04 | 1 | |
| | N | 6 / 23/ 1992 | | | | 01 | 01 | | 40 |

**Min** *-154.28* **Max** *-96.28* **Avg** *-105.779*

***6829414*** *( Aquifer: 218EBFZA Well Depth: 710 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 25/ 1983 | -195 | | 645 | 01 | 07 | 7 | |

**Min** *-195* **Max** *-195* **Avg** *-195*

***6829415*** *( Aquifer: 218EBFZA Well Depth: 1078 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 5 / 1986 | -137 | | 698 | 01 | 07 | 3 | |

**Min** *-137* **Max** *-137* **Avg** *-137*

***6829417*** *( Aquifer: 218EBFZA Well Depth: 415 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 12/ 1994 | -168.18 | | 694.82 | 01 | 01 | 1 | |

**Min** *-168.18* **Max** *-168.18* **Avg** *-168.18*

***6829418*** *( Aquifer: 218EBFZA Well Depth: 181 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 24/ 1998 | -124.6 | | 705.4 | 01 | 04 | 2 | |
| | P | 4 / 26/ 1998 | -123.8 | 0.8 | 706.2 | 01 | 04 | 1 | |
| | P | 12 / 17/ 2004 | -85.27 | 38.53 | 744.73 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2005 | -93.9 | -8.63 | 736.1 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -107.14 | -13.2 | 722.86 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2005 | -111.22 | -4.08 | 718.78 | 01 | 04 | 2 | |
| | P | 7 / 17/ 2006 | -137.25 | -26.0 | 692.75 | 01 | 04 | 2 | |
| | P | 7 / 19/ 2006 | -138.63 | -1.38 | 691.37 | 01 | 04 | 2 | |
| | P | 8 / 21/ 2006 | -141.49 | -2.86 | 688.51 | 01 | 04 | 2 | |
| | P | 12 / 11/ 2006 | -143.31 | -1.82 | 686.69 | 01 | 04 | 2 | |
| | P | 12 / 12/ 2007 | -82.65 | 60.66 | 747.35 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -116.97 | -34.3 | 713.03 | 01 | 06 | 2 | |
| | P | 10 / 23/ 2008 | -124.87 | -7.9 | 705.13 | 01 | 04 | 2 | |
| | P | 1 / 19/ 2010 | -118.26 | 6.61 | 711.74 | 01 | 04 | 2 | 22 |
| | P | 2 / 22/ 2010 | -109.04 | 9.22 | 720.96 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 14/ 2010 | -105.6 | 3.44 | 724.4 | 01 | 04 | 2 | |
| Min -143.31 | | Max -82.65 | Avg | -116.5 | | | | | |
| **6829419** | ( Aquifer: 218EBFZA | | Well Depth: 915 ) | | | | | | |
| | P | 6 / 21/ 1999 | -184 | | 656 | 01 | 07 | 7 | |
| Min -184 | | Max -184 | Avg | -184 | | | | | |
| **6829421** | ( Aquifer: 218EBFZA | | Well Depth: 400 ) | | | | | | |
| | P | 3 / 13/ 2000 | -82.5 | | 685.5 | 01 | 07 | 7 | |
| | P | 3 / 14/ 2000 | -92.5 | -10 | 675.5 | 01 | 07 | 7 | 02 |
| Min -92.5 | | Max -82.5 | Avg | -87.5 | | | | | |
| **6829502** | ( Aquifer: 218EBFZA | | Well Depth: 264 ) | | | | | | |
| | P | 5 / 0 / 1946 | -107 | | 674 | 01 | 07 | 7 | |
| | P | 8 / 23/ 1968 | -115.6 | -8.6 | 665.4 | 01 | 04 | 1 | |
| Min -115.6 | | Max -107 | Avg | -111.3 | | | | | |
| **6829503** | ( Aquifer: 218EDRDA | | Well Depth: 349 ) | | | | | | |
| | P | 8 / 23/ 1968 | -105.04 | | 659.96 | 01 | 04 | 1 | |
| Min -105.04 | | Max -105.04 | Avg | -105.04 | | | | | |
| **6829505** | ( Aquifer: 218EBFZA | | Well Depth: 807 ) | | | | | | |
| | P | 2 / 24/ 1955 | -162 | | 613 | 01 | 12 | 7 | |
| Min -162 | | Max -162 | Avg | -162 | | | | | |
| **6829506** | ( Aquifer: 218EBFZA | | Well Depth: 694 ) | | | | | | |
| | P | 9 / 26/ 1972 | -123.25 | | 664.75 | 01 | 12 | 7 | |
| | P | 7 / 16/ 1974 | -113.35 | 9.9 | 674.65 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -107.2 | 6.15 | 680.8 | 01 | 04 | 1 | |
| | P | 2 / 14/ 1978 | -103.2 | 4 | 684.8 | 01 | 01 | 1 | |
| | P | 3 / 22/ 1979 | -99.06 | 4.14 | 688.94 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -130.24 | -31.2 | 657.76 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1982 | -111.53 | 18.71 | 676.47 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1983 | -123.74 | -12.2 | 664.26 | 01 | 01 | 1 | |
| | P | 6 / 27/ 1984 | -160.45 | -36.7 | 627.55 | 01 | 04 | 1 | |
| | P | 2 / 11/ 1985 | -138.49 | 21.96 | 649.51 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1986 | -116.44 | 22.05 | 671.56 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 9 / 1986 | -111.75 | 4.69 | 676.25 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1988 | -106.7 | 5.05 | 681.3 | 01 | 01 | 1 | |
| | P | 1 / 17/ 1989 | -129.35 | -22.7 | 658.65 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1990 | -145.6 | -16.3 | 642.4 | 01 | 01 | 1 | |
| | P | 1 / 21/ 1991 | -133.8 | 11.8 | 654.2 | 01 | 01 | 1 | |
| | P | 1 / 28/ 1992 | -99.4 | 34.4 | 688.6 | 01 | 01 | 1 | |
| | P | 6 / 23/ 1992 | -69.38 | 30.02 | 718.62 | 01 | 01 | 1 | |
| | P | 3 / 2 / 1993 | -85.39 | -16.0 | 702.61 | 01 | 06 | 1 | |
| | P | 5 / 19/ 1994 | -99.47 | -14.1 | 688.53 | 01 | 06 | 1 | |
| | P | 4 / 6 / 1995 | -115.04 | -15.6 | 672.96 | 01 | 06 | 1 | |
| | P | 3 / 19/ 1996 | -137.53 | -22.5 | 650.47 | 01 | 06 | 1 | |
| | P | 7 / 19/ 2005 | -73.92 | 63.61 | 714.08 | 01 | 04 | 1 | |
| | P | 10 / 27/ 2005 | -102 | -28.1 | 686 | 01 | 04 | 1 | |
| | P | 7 / 19/ 2006 | -135.12 | -33.1 | 652.88 | 01 | 04 | 1 | |
| | P | 7 / 29/ 2008 | -113.6 | 21.52 | 674.4 | 01 | 06 | 2 | |
| | N | 1 / 30/ 2009 | | | | 01 | 01 | | 40 |
| | P | 7 / 31/ 2009 | -145.29 | | 642.71 | 01 | 06 | 2 | |
| | P | 2 / 22/ 2010 | -99.6 | 45.69 | 688.4 | 01 | 06 | 2 | |

**Min** *-160.45* **Max** *-69.38* **Avg** *-115.353*

***6829507*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 5 / 1937 | -126.85 | | 694.15 | 01 | 12 | 7 | |

**Min** *-126.85* **Max** *-126.85* **Avg** *-126.85*

***6829508*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 20/ 1932 | -202.14 | | 671.86 | 01 | 12 | 7 | |
| | P | 9 / 13/ 1949 | -212.36 | -10.2 | 661.64 | 01 | 04 | 1 | |
| | P | 11 / 2 / 1954 | -240.15 | -27.8 | 633.85 | 01 | 12 | 7 | |
| | P | 1 / 6 / 1955 | -238.88 | 1.27 | 635.12 | 01 | 04 | 1 | |
| | P | 3 / 2 / 1955 | -237.51 | 1.37 | 636.49 | 01 | 04 | 1 | |
| | P | 5 / 3 / 1955 | -242.45 | -4.94 | 631.55 | 01 | 04 | 1 | |
| | P | 7 / 6 / 1955 | -244.69 | -2.24 | 629.31 | 01 | 04 | 1 | |
| | P | 9 / 1 / 1955 | -246.76 | -2.07 | 627.24 | 01 | 04 | 1 | |
| | P | 11 / 2 / 1955 | -246.89 | -0.13 | 627.11 | 01 | 04 | 1 | |
| | P | 1 / 4 / 1956 | -244.7 | 2.19 | 629.3 | 01 | 04 | 1 | |
| | P | 3 / 8 / 1956 | -244.86 | -0.16 | 629.14 | 01 | 04 | 1 | |
| | P | 5 / 2 / 1956 | -248.03 | -3.17 | 625.97 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 3/1956 | -252.63 | -4.6 | 621.37 | 01 | 04 | 1 | |
| | P | 8/28/1956 | -255.09 | -2.46 | 618.91 | 01 | 04 | 1 | |
| | P | 11/ 7/1956 | -251.59 | 3.5 | 622.41 | 01 | 04 | 1 | |
| | P | 1/ 3/1957 | -248.62 | 2.97 | 625.38 | 01 | 06 | 1 | |
| | P | 3/ 5/1957 | -247 | 1.62 | 627 | 01 | 04 | 1 | |
| | P | 5/ 8/1957 | -235.51 | 11.49 | 638.49 | 01 | 04 | 1 | |
| | P | 7/ 2/1957 | -231.25 | 4.26 | 642.75 | 01 | 04 | 1 | |
| | P | 9/ 4/1957 | -241.55 | -10.3 | 632.45 | 01 | 04 | 1 | |
| | P | 11/ 5/1957 | -226.1 | 15.45 | 647.9 | 01 | 04 | 1 | |
| | P | 1/ 7/1958 | -218.79 | 7.31 | 655.21 | 01 | 04 | 1 | |
| | P | 3/ 5/1958 | -205.1 | 13.69 | 668.9 | 01 | 04 | 1 | |
| | P | 5/ 8/1958 | -200.65 | 4.45 | 673.35 | 01 | 04 | 1 | |
| | P | 7/ 3/1958 | -205.5 | -4.85 | 668.5 | 01 | 04 | 1 | |
| | P | 9/ 4/1958 | -213.4 | -7.9 | 660.6 | 01 | 04 | 1 | |
| | P | 11/ 4/1958 | -195.3 | 18.1 | 678.7 | 01 | 04 | 1 | |
| | P | 1/12/1959 | -196.13 | -0.83 | 677.87 | 01 | 04 | 1 | |
| | P | 3/ 2/1959 | -192.35 | 3.78 | 681.65 | 01 | 04 | 1 | |
| | P | 5/ 6/1959 | -194.87 | -2.52 | 679.13 | 01 | 04 | 1 | |
| | P | 7/ 6/1959 | -202.21 | -7.34 | 671.79 | 01 | 04 | 1 | |
| | P | 9/ 2/1959 | -205.11 | -2.9 | 668.89 | 01 | 04 | 1 | |
| | P | 9/ 7/1959 | -205.11 | | 668.89 | 01 | 06 | 1 | |
| | P | 11/ 5/1959 | -201.29 | 3.82 | 672.71 | 01 | 04 | 1 | |
| | P | 1/14/1960 | -198.92 | 2.37 | 675.08 | 01 | 04 | 1 | |
| | P | 3/ 2/1960 | -199.24 | -0.32 | 674.76 | 01 | 06 | 1 | |
| | P | 3/ 4/1960 | -199.84 | -0.6 | 674.16 | 01 | 04 | 1 | |
| | P | 2/10/1973 | -206 | -6.16 | 668 | 01 | 04 | 1 | |
| | P | 5/10/1973 | -206 | | 668 | 01 | 06 | 1 | |
| | P | 1/31/1983 | -220.34 | -14.3 | 653.66 | 01 | 04 | 1 | |
| | P | 2/28/1983 | -220.34 | | 653.66 | 01 | 06 | 1 | |
| | P | 6/29/1984 | -251 | -30.7 | 623 | 01 | 04 | 1 | |
| | P | 7/10/1989 | -247.45 | 3.55 | 626.55 | 01 | 06 | 1 | |
| | P | 6/23/1992 | -166.53 | 80.92 | 707.47 | 01 | 01 | 1 | |

**Min** *-255.09* **Max** *-166.53* **Avg** *-222.505*

***6829509*** *( Aquifer: 218EBFZA Well Depth: 725 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 1/1954 | -157 | | 615 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -157** | | **Max -157** | **Avg** | **-157** | | | | | |
| ***6829512*** | *( Aquifer: 211ASTN* | | *Well Depth: 115 )* | | | | | | |
| | P | 5 / 21/ 2009 | -85.32 | | 680.68 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2009 | -85.21 | 0.11 | 680.79 | 01 | 04 | 2 | |
| | P | 7 / 25/ 2009 | -85.21 | | 680.79 | 01 | 04 | 1 | |
| | P | 7 / 28/ 2009 | -85.42 | -0.21 | 680.58 | 01 | 04 | 2 | |
| | P | 7 / 29/ 2009 | -85.26 | 0.16 | 680.74 | 01 | 04 | 2 | |
| | P | 8 / 25/ 2009 | -85.11 | 0.15 | 680.89 | 01 | 04 | 2 | |
| | P | 10 / 20/ 2009 | -81 | 4.11 | 685 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2010 | -68.91 | 12.09 | 697.09 | 01 | 04 | 2 | |
| | P | 1 / 25/ 2010 | -75.39 | -6.48 | 690.61 | 01 | 04 | 2 | |
| | P | 3 / 31/ 2010 | -78.7 | -3.31 | 687.3 | 01 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -72.45 | 6.25 | 693.55 | 01 | 04 | 2 | |
| | P | 6 / 25/ 2010 | -87.35 | -14.9 | 678.65 | 01 | 04 | 2 | |
| | P | 9 / 22/ 2010 | -73.77 | 13.58 | 692.23 | 01 | 04 | 2 | |
| | P | 10 / 25/ 2010 | -86.05 | -12.3 | 679.95 | 01 | 04 | 2 | |
| | P | 10 / 26/ 2010 | -85.68 | 0.37 | 680.32 | 01 | 04 | 2 | |
| | P | 11 / 3 / 2010 | -84.52 | 1.16 | 681.48 | 01 | 04 | 2 | |
| | P | 12 / 10/ 2010 | -85.93 | -1.41 | 680.07 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2011 | -84.86 | 1.07 | 681.14 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -86.21 | -1.35 | 679.79 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2011 | -86.22 | -0.01 | 679.78 | 01 | 04 | 2 | |
| | P | 8 / 1 / 2011 | -85.05 | 1.17 | 680.95 | 01 | 04 | 2 | |
| | P | 9 / 7 / 2011 | -86.05 | -1 | 679.95 | 01 | 04 | 2 | |
| **Min -87.35** | | **Max -68.91** | **Avg** | **-82.7123** | | | | | |
| ***6829513*** | *( Aquifer: 211ASTN* | | *Well Depth: 124 )* | | | | | | |
| | P | 1 / 21/ 2009 | -36.1 | | 708.9 | 01 | 04 | 2 | |
| | P | 5 / 21/ 2009 | -68.26 | -32.2 | 676.74 | 01 | 04 | 2 | |
| | P | 7 / 30/ 2009 | -68.39 | -0.13 | 676.61 | 01 | 04 | 2 | |
| | P | 8 / 25/ 2009 | -68.68 | -0.29 | 676.32 | 01 | 04 | 2 | |
| | P | 9 / 29/ 2009 | -46.15 | 22.53 | 698.85 | 01 | 04 | 2 | |
| | P | 10 / 20/ 2009 | -43.79 | 2.36 | 701.21 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2010 | -36.1 | 7.69 | 708.9 | 01 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -42.08 | -5.98 | 702.92 | 01 | 04 | 2 | |
| | P | 6 / 25/ 2010 | -57.59 | -15.5 | 687.41 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 22/ 2010 | -43.72 | 13.87 | 701.28 | 01 | 04 | 2 | |
| | P | 12 / 10/ 2010 | -65.65 | -21.9 | 679.35 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -66.71 | -1.06 | 678.29 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2011 | -66.64 | 0.07 | 678.36 | 01 | 04 | 2 | |
| | P | 8 / 2 / 2011 | -66.66 | -0.02 | 678.34 | 01 | 04 | 2 | |
| | P | 9 / 7 / 2011 | -67.4 | -0.74 | 677.6 | 01 | 04 | 2 | |

**Min** *-68.68* **Max** *-36.1* **Avg** *-56.2613*

***6829514*** *( Aquifer: 211ASTN Well Depth: 119 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 21/ 2009 | -67 | | 678 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2009 | -68.5 | -1.5 | 676.5 | 01 | 04 | 1 | |
| | P | 8 / 25/ 2009 | -69.05 | -0.55 | 675.95 | 01 | 04 | 2 | |
| | P | 9 / 29/ 2009 | -66.77 | 2.28 | 678.23 | 01 | 04 | 2 | |
| | P | 10 / 20/ 2009 | -53.04 | 13.73 | 691.96 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2010 | -51.85 | 1.19 | 693.15 | 01 | 04 | 2 | |
| | P | 9 / 22/ 2010 | -46.15 | 5.7 | 698.85 | 01 | 04 | 2 | |
| | P | 12 / 10/ 2010 | -61.68 | -15.5 | 683.32 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -62.88 | -1.2 | 682.12 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2011 | -64.3 | -1.42 | 680.7 | 01 | 04 | 2 | |
| | P | 8 / 2 / 2011 | -64.99 | -0.69 | 680.01 | 01 | 04 | 2 | |
| | P | 9 / 7 / 2011 | -66.38 | -1.39 | 678.62 | 01 | 04 | 2 | |

**Min** *-69.05* **Max** *-46.15* **Avg** *-61.8825*

***6829601*** *( Aquifer: 218EDRDA Well Depth: 710 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 14/ 1964 | -280 | | 615 | 01 | 12 | 7 | |

**Min** *-280* **Max** *-280* **Avg** *-280*

***6829604*** *( Aquifer: 218EBFZA Well Depth: 457 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 1946 | -146.55 | | 668.45 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -184.49 | -37.9 | 630.51 | 01 | 12 | 7 | |

**Min** *-184.49* **Max** *-146.55* **Avg** *-165.52*

***6829605*** *( Aquifer: 218EBFZA Well Depth: 438 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 1946 | -139.95 | | 668.05 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -176.4 | -36.5 | 631.6 | 01 | 12 | 7 | |
| | P | 3 / 4 / 1960 | -137.31 | 39.09 | 670.69 | 01 | 04 | 1 | |
| | P | 5 / 3 / 1960 | -137.69 | -0.38 | 670.31 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 7/1960 | -147.12 | -9.43 | 660.88 | 01 | 04 | 1 | |
| | P | 9/ 8/1960 | -142.86 | 4.26 | 665.14 | 01 | 04 | 1 | |
| | P | 11/ 7/1960 | -134.16 | 8.7 | 673.84 | 01 | 04 | 1 | |
| | P | 1/ 9/1961 | -132.41 | 1.75 | 675.59 | 01 | 04 | 1 | |
| | P | 12/21/1971 | -138.31 | -5.9 | 669.69 | 01 | 04 | 1 | |
| | P | 2/ 3/1972 | -139.59 | -1.28 | 668.41 | 01 | 04 | 1 | |
| | P | 5/ 8/1972 | -150.9 | -11.3 | 657.1 | 01 | 04 | 1 | |
| | P | 5/10/1972 | -142.98 | 7.92 | 665.02 | 01 | 04 | 1 | |
| | P | 6/ 8/1972 | -141.9 | 1.08 | 666.1 | 01 | 04 | 1 | |
| | P | 2/10/1973 | -144.22 | -2.32 | 663.78 | 01 | 06 | 1 | |
| | P | 3/10/1973 | -144.22 | | 663.78 | 01 | 04 | 1 | |
| | P | 4/16/1973 | -134.1 | 10.12 | 673.9 | 01 | 04 | 1 | |
| | P | 7/26/1973 | -124.35 | 9.75 | 683.65 | 01 | 04 | 1 | |
| | P | 7/15/1974 | -147.09 | -22.7 | 660.91 | 01 | 04 | 1 | |
| | P | 3/12/1975 | -123.31 | 23.78 | 684.69 | 01 | 04 | 1 | |
| | P | 7/17/1975 | -127.1 | -3.79 | 680.9 | 01 | 04 | 1 | |
| | P | 2/ 1/1983 | -140.57 | -13.5 | 667.43 | 01 | 04 | 1 | |
| | P | 6/27/1984 | -173.62 | -33.1 | 634.38 | 01 | 04 | 1 | |
| | P | 7/11/1989 | -156.52 | 17.1 | 651.48 | 01 | 06 | 1 | |
| | N | 6/25/1992 | | | | 01 | 01 | | 61 |
| | P | 7/19/2005 | -108.86 | | 699.14 | 01 | 04 | 2 | |
| | P | 7/20/2006 | -149 | -40.1 | 659 | 01 | 04 | 2 | |
| | P | 7/29/2008 | -135.73 | 13.27 | 672.27 | 01 | 06 | 2 | |
| | P | 2/22/2010 | -125.1 | 10.63 | 682.9 | 01 | 06 | 2 | |

**Min** *-176.4* **Max** *-108.86* **Avg** *-140.569*

***6829606*** *( Aquifer: 218EBFZA Well Depth: 654 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/14/1972 | -186.05 | | 665.95 | 01 | 12 | 7 | |

**Min** *-186.05* **Max** *-186.05* **Avg** *-186.05*

***6829611*** *( Aquifer: 218EBFZA Well Depth: 785 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/10/1985 | -175 | | 655 | 01 | 07 | 7 | |

**Min** *-175* **Max** *-175* **Avg** *-175*

***6829612*** *( Aquifer: 218EBFZA Well Depth: 817 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 9/1986 | -157.88 | | 662.12 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -157.88** | | **Max -157.88** | **Avg** | **-157.88** | | | | | |
| ***6829613*** | *( Aquifer: 218EBFZA* | | *Well Depth: 815 )* | | | | | | |
| | P | 9 / 30/ 1986 | -165 | | 655 | 01 | 07 | 7 | |
| **Min -165** | | **Max -165** | **Avg** | **-165** | | | | | |
| ***6829614*** | *( Aquifer: 218EBFZA* | | *Well Depth: 810 )* | | | | | | |
| | P | 12 / 12/ 1986 | -146 | | 669 | 01 | 07 | 7 | |
| **Min -146** | | **Max -146** | **Avg** | **-146** | | | | | |
| ***6829701*** | *( Aquifer: 218EBFZA* | | *Well Depth: 500 )* | | | | | | |
| | P | 9 / 9 / 1942 | -100 | | 678 | 01 | 12 | 7 | |
| | P | 5 / 21/ 1952 | -134.99 | -35 | 643.01 | 01 | 06 | 4 | |
| | P | 5 / 22/ 1952 | -135.18 | -0.19 | 642.82 | 01 | 06 | 4 | |
| | P | 5 / 23/ 1952 | -135.51 | -0.33 | 642.49 | 01 | 06 | 4 | |
| | P | 5 / 24/ 1952 | -136.05 | -0.54 | 641.95 | 01 | 06 | 4 | |
| | P | 5 / 25/ 1952 | -136.24 | -0.19 | 641.76 | 01 | 06 | 4 | |
| | P | 5 / 26/ 1952 | -135.18 | 1.06 | 642.82 | 01 | 06 | 4 | |
| | P | 5 / 27/ 1952 | -134.28 | 0.9 | 643.72 | 01 | 06 | 4 | |
| | P | 5 / 28/ 1952 | -134.28 | | 643.72 | 01 | 06 | 4 | |
| | P | 5 / 29/ 1952 | -133.92 | 0.36 | 644.08 | 01 | 06 | 4 | |
| | P | 5 / 30/ 1952 | -133.73 | 0.19 | 644.27 | 01 | 06 | 4 | |
| | P | 5 / 31/ 1952 | -133.84 | -0.11 | 644.16 | 01 | 06 | 4 | |
| | P | 6 / 1 / 1952 | -133.75 | 0.09 | 644.25 | 01 | 06 | 4 | |
| | P | 6 / 2 / 1952 | -134.21 | -0.46 | 643.79 | 01 | 06 | 4 | |
| | P | 6 / 3 / 1952 | -134.69 | -0.48 | 643.31 | 01 | 06 | 4 | |
| | P | 6 / 4 / 1952 | -136.96 | -2.27 | 641.04 | 01 | 06 | 4 | |
| | P | 6 / 5 / 1952 | -134.78 | 2.18 | 643.22 | 01 | 06 | 4 | |
| | P | 6 / 6 / 1952 | -134.52 | 0.26 | 643.48 | 01 | 06 | 4 | |
| | P | 6 / 7 / 1952 | -134.31 | 0.21 | 643.69 | 01 | 06 | 4 | |
| | P | 6 / 8 / 1952 | -134.27 | 0.04 | 643.73 | 01 | 06 | 4 | |
| | P | 6 / 9 / 1952 | -134.9 | -0.63 | 643.1 | 01 | 06 | 4 | |
| | P | 6 / 10/ 1952 | -134.84 | 0.06 | 643.16 | 01 | 06 | 4 | |
| | P | 6 / 11/ 1952 | -134.44 | 0.4 | 643.56 | 01 | 06 | 4 | |
| | P | 6 / 12/ 1952 | -134.61 | -0.17 | 643.39 | 01 | 06 | 4 | |
| | P | 6 / 13/ 1952 | -135.01 | -0.4 | 642.99 | 01 | 06 | 4 | |
| | P | 6 / 14/ 1952 | -135.19 | -0.18 | 642.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 1952 | -135.26 | -0.07 | 642.74 | 01 | 06 | 4 | |
| | P | 6 / 16/ 1952 | -136 | -0.74 | 642 | 01 | 06 | 4 | |
| | P | 6 / 17/ 1952 | -136.62 | -0.62 | 641.38 | 01 | 06 | 4 | |
| | P | 6 / 18/ 1952 | -137.02 | -0.4 | 640.98 | 01 | 06 | 4 | |
| | P | 6 / 19/ 1952 | -137.3 | -0.28 | 640.7 | 01 | 06 | 4 | |
| | P | 6 / 20/ 1952 | -137.52 | -0.22 | 640.48 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1952 | -137.41 | 0.11 | 640.59 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1952 | -138.18 | -0.77 | 639.82 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1952 | -139.44 | -1.26 | 638.56 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1952 | -138.4 | 1.04 | 639.6 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1952 | -138.53 | -0.13 | 639.47 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1952 | -137.99 | 0.54 | 640.01 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1952 | -137.29 | 0.7 | 640.71 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1952 | -136.87 | 0.42 | 641.13 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1952 | -137.8 | -0.93 | 640.2 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1952 | -137.53 | 0.27 | 640.47 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1952 | -137.53 | | 640.47 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1952 | -137.63 | -0.1 | 640.37 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1952 | -137.9 | -0.27 | 640.1 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1952 | -138.32 | -0.42 | 639.68 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1952 | -138.58 | -0.26 | 639.42 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1952 | -138.95 | -0.37 | 639.05 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1952 | -139.14 | -0.19 | 638.86 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1952 | -139 | 0.14 | 639 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1952 | -139.15 | -0.15 | 638.85 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1952 | -139.55 | -0.4 | 638.45 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1952 | -139.97 | -0.42 | 638.03 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1952 | -140.12 | -0.15 | 637.88 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1952 | -138.26 | 1.86 | 639.74 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1952 | -137.9 | 0.36 | 640.1 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1952 | -137.43 | 0.47 | 640.57 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1952 | -137.15 | 0.28 | 640.85 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1952 | -136.84 | 0.31 | 641.16 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1952 | -137.15 | -0.31 | 640.85 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1952 | -137.38 | -0.23 | 640.62 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1952 | -137.69 | -0.31 | 640.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1952 | -138.04 | -0.35 | 639.96 | 01 | 06 | 4 | |
| | P | 7/26/1952 | -138.35 | -0.31 | 639.65 | 01 | 06 | 4 | |
| | P | 7/27/1952 | -138.38 | -0.03 | 639.62 | 01 | 06 | 4 | |
| | P | 7/28/1952 | -138.42 | -0.04 | 639.58 | 01 | 06 | 4 | |
| | P | 7/29/1952 | -138.9 | -0.48 | 639.1 | 01 | 06 | 4 | |
| | P | 7/30/1952 | -139.39 | -0.49 | 638.61 | 01 | 06 | 4 | |
| | P | 7/31/1952 | -139.73 | -0.34 | 638.27 | 01 | 06 | 4 | |
| | P | 8/ 1/1952 | -139.58 | 0.15 | 638.42 | 01 | 06 | 4 | |
| | P | 8/ 2/1952 | -139.71 | -0.13 | 638.29 | 01 | 06 | 4 | |
| | P | 8/ 3/1952 | -139.59 | 0.12 | 638.41 | 01 | 06 | 4 | |
| | P | 8/ 4/1952 | -139.61 | -0.02 | 638.39 | 01 | 06 | 4 | |
| | P | 8/ 5/1952 | -140.12 | -0.51 | 637.88 | 01 | 06 | 4 | |
| | P | 8/ 6/1952 | -140.55 | -0.43 | 637.45 | 01 | 06 | 4 | |
| | P | 8/ 7/1952 | -140.8 | -0.25 | 637.2 | 01 | 06 | 4 | |
| | P | 8/ 8/1952 | -141.08 | -0.28 | 636.92 | 01 | 06 | 4 | |
| | P | 8/ 9/1952 | -141.23 | -0.15 | 636.77 | 01 | 06 | 4 | |
| | P | 8/10/1952 | -141.25 | -0.02 | 636.75 | 01 | 06 | 4 | |
| | P | 8/11/1952 | -141.19 | 0.06 | 636.81 | 01 | 06 | 4 | |
| | P | 8/12/1952 | -141.77 | -0.58 | 636.23 | 01 | 06 | 4 | |
| | P | 8/13/1952 | -142.22 | -0.45 | 635.78 | 01 | 06 | 4 | |
| | P | 8/14/1952 | -142.43 | -0.21 | 635.57 | 01 | 06 | 4 | |
| | P | 8/15/1952 | -142.55 | -0.12 | 635.45 | 01 | 06 | 4 | |
| | P | 8/23/1952 | -142.6 | -0.05 | 635.4 | 01 | 06 | 4 | |
| | P | 8/24/1952 | -142.4 | 0.2 | 635.6 | 01 | 06 | 4 | |
| | P | 8/25/1952 | -142.4 | | 635.6 | 01 | 06 | 4 | |
| | P | 8/26/1952 | -142.9 | -0.5 | 635.1 | 01 | 06 | 4 | |
| | P | 8/27/1952 | -142.2 | 0.7 | 635.8 | 01 | 06 | 4 | |
| | P | 8/31/1952 | -144.2 | -2 | 633.8 | 01 | 06 | 4 | |
| | P | 9/ 1/1952 | -143 | 1.2 | 635 | 01 | 06 | 4 | |
| | P | 9/ 2/1952 | -143.3 | -0.3 | 634.7 | 01 | 06 | 4 | |
| | P | 9/ 7/1952 | -143.3 | | 634.7 | 01 | 06 | 4 | |
| | P | 9/ 8/1952 | -143 | 0.3 | 635 | 01 | 06 | 4 | |
| | P | 9/ 9/1952 | -142 | 1 | 636 | 01 | 06 | 4 | |
| | P | 9/10/1952 | -140.3 | 1.7 | 637.7 | 01 | 06 | 4 | |
| | P | 9/11/1952 | -136.8 | 3.5 | 641.2 | 01 | 06 | 4 | |
| | P | 9/12/1952 | -135.9 | 0.9 | 642.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 13/ 1952 | -135.5 | 0.4 | 642.5 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1952 | -135.2 | 0.3 | 642.8 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1952 | -135.1 | 0.1 | 642.9 | 01 | 06 | 4 | |
| | P | 9/ 16/ 1952 | -135.1 | | 642.9 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1952 | -135.1 | | 642.9 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1952 | -134.5 | 0.6 | 643.5 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1952 | -134.4 | 0.1 | 643.6 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1952 | -134.2 | 0.2 | 643.8 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1952 | -134.1 | 0.1 | 643.9 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1952 | -134.1 | | 643.9 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1952 | -134.7 | -0.6 | 643.3 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1952 | -134.6 | 0.1 | 643.4 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1952 | -134.6 | | 643.4 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1952 | -134.7 | -0.1 | 643.3 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1952 | -134.7 | | 643.3 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1952 | -134.9 | -0.2 | 643.1 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1952 | -135.2 | -0.3 | 642.8 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1952 | -135.7 | -0.5 | 642.3 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1952 | -135.4 | 0.3 | 642.6 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1952 | -135.6 | -0.2 | 642.4 | 01 | 06 | 4 | |
| | P | 10/ 25/ 1952 | -136.4 | -0.8 | 641.6 | 01 | 06 | 4 | |
| | P | 10/ 26/ 1952 | -136.15 | 0.25 | 641.85 | 01 | 06 | 4 | |
| | P | 10/ 27/ 1952 | -136.55 | -0.4 | 641.45 | 01 | 06 | 4 | |
| | P | 10/ 28/ 1952 | -136.47 | 0.08 | 641.53 | 01 | 06 | 4 | |
| | P | 10/ 29/ 1952 | -136.58 | -0.11 | 641.42 | 01 | 06 | 4 | |
| | P | 10/ 30/ 1952 | -136.46 | 0.12 | 641.54 | 01 | 06 | 4 | |
| | P | 10/ 31/ 1952 | -136.46 | | 641.54 | 01 | 06 | 4 | |
| | P | 11/ 1/ 1952 | -136.41 | 0.05 | 641.59 | 01 | 06 | 4 | |
| | P | 11/ 2/ 1952 | -136.36 | 0.05 | 641.64 | 01 | 06 | 4 | |
| | P | 11/ 3/ 1952 | -136.58 | -0.22 | 641.42 | 01 | 06 | 4 | |
| | P | 11/ 4/ 1952 | -136.43 | 0.15 | 641.57 | 01 | 06 | 4 | |
| | P | 11/ 5/ 1952 | -136.37 | 0.06 | 641.63 | 01 | 06 | 4 | |
| | P | 11/ 6/ 1952 | -136.54 | -0.17 | 641.46 | 01 | 06 | 4 | |
| | P | 11/ 7/ 1952 | -136.37 | 0.17 | 641.63 | 01 | 06 | 4 | |
| | P | 11/ 8/ 1952 | -136.08 | 0.29 | 641.92 | 01 | 06 | 4 | |
| | P | 11/ 9/ 1952 | -136.65 | -0.57 | 641.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 10/ 1952 | -135.55 | 1.1 | 642.45 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1952 | -135.41 | 0.14 | 642.59 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1952 | -135.36 | 0.05 | 642.64 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1952 | -135.34 | 0.02 | 642.66 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1952 | -135.33 | 0.01 | 642.67 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1952 | -135.29 | 0.04 | 642.71 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1952 | -135.02 | 0.27 | 642.98 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1952 | -135.16 | -0.14 | 642.84 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1952 | -134.94 | 0.22 | 643.06 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1952 | -134.83 | 0.11 | 643.17 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1952 | -134.72 | 0.11 | 643.28 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1952 | -134.62 | 0.1 | 643.38 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1952 | -134.45 | 0.17 | 643.55 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1952 | -134.01 | 0.44 | 643.99 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1952 | -133.95 | 0.06 | 644.05 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1952 | -134.46 | -0.51 | 643.54 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1952 | -134.22 | 0.24 | 643.78 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1952 | -134.19 | 0.03 | 643.81 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1952 | -133.28 | 0.91 | 644.72 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1952 | -130.55 | 2.73 | 647.45 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1952 | -129.48 | 1.07 | 648.52 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1952 | -129.57 | -0.09 | 648.43 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1952 | -130.18 | -0.61 | 647.82 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1952 | -130.39 | -0.21 | 647.61 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1952 | -130.27 | 0.12 | 647.73 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1952 | -130.71 | -0.44 | 647.29 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1952 | -130.68 | 0.03 | 647.32 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1952 | -130.61 | 0.07 | 647.39 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1952 | -130.68 | -0.07 | 647.32 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1952 | -130.92 | -0.24 | 647.08 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1952 | -130.87 | 0.05 | 647.13 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1952 | -130.89 | -0.02 | 647.11 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1952 | -130.92 | -0.03 | 647.08 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1952 | -130.93 | -0.01 | 647.07 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1952 | -130.82 | 0.11 | 647.18 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1952 | -130.9 | -0.08 | 647.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/17/1952 | -130.87 | 0.03 | 647.13 | 01 | 06 | 4 | |
| | P | 12/18/1952 | -130.93 | -0.06 | 647.07 | 01 | 06 | 4 | |
| | P | 12/19/1952 | -130.89 | 0.04 | 647.11 | 01 | 06 | 4 | |
| | P | 12/20/1952 | -130.41 | 0.48 | 647.59 | 01 | 06 | 4 | |
| | P | 12/21/1952 | -129.86 | 0.55 | 648.14 | 01 | 06 | 4 | |
| | P | 12/22/1952 | -129.62 | 0.24 | 648.38 | 01 | 06 | 4 | |
| | P | 12/23/1952 | -129.78 | -0.16 | 648.22 | 01 | 06 | 4 | |
| | P | 12/24/1952 | -129.77 | 0.01 | 648.23 | 01 | 06 | 4 | |
| | P | 12/25/1952 | -129.7 | 0.07 | 648.3 | 01 | 06 | 4 | |
| | P | 12/26/1952 | -129.49 | 0.21 | 648.51 | 01 | 06 | 4 | |
| | P | 12/27/1952 | -129.5 | -0.01 | 648.5 | 01 | 06 | 4 | |
| | P | 12/28/1952 | -129.38 | 0.12 | 648.62 | 01 | 06 | 4 | |
| | P | 12/29/1952 | -129.22 | 0.16 | 648.78 | 01 | 06 | 4 | |
| | P | 12/30/1952 | -129.5 | -0.28 | 648.5 | 01 | 06 | 4 | |
| | P | 12/31/1952 | -126.14 | 3.36 | 651.86 | 01 | 06 | 4 | |
| | P | 1/ 1/1953 | -125.92 | 0.22 | 652.08 | 01 | 06 | 4 | |
| | P | 1/ 2/1953 | -125.82 | 0.1 | 652.18 | 01 | 06 | 4 | |
| | P | 1/ 3/1953 | -126.13 | -0.31 | 651.87 | 01 | 06 | 4 | |
| | P | 1/ 4/1953 | -127.17 | -1.04 | 650.83 | 01 | 06 | 4 | |
| | P | 1/ 5/1953 | -126.08 | 1.09 | 651.92 | 01 | 06 | 4 | |
| | P | 1/ 6/1953 | -126.31 | -0.23 | 651.69 | 01 | 06 | 4 | |
| | P | 1/ 7/1953 | -126.48 | -0.17 | 651.52 | 01 | 06 | 4 | |
| | P | 1/ 8/1953 | -126.97 | -0.49 | 651.03 | 01 | 06 | 4 | |
| | P | 1/ 9/1953 | -127.09 | -0.12 | 650.91 | 01 | 06 | 4 | |
| | P | 1/10/1953 | -127.3 | -0.21 | 650.7 | 01 | 06 | 4 | |
| | P | 1/11/1953 | -127.26 | 0.04 | 650.74 | 01 | 06 | 4 | |
| | P | 1/12/1953 | -127.36 | -0.1 | 650.64 | 01 | 06 | 4 | |
| | P | 1/13/1953 | -127.36 | | 650.64 | 01 | 06 | 4 | |
| | P | 1/14/1953 | -127.44 | -0.08 | 650.56 | 01 | 06 | 4 | |
| | P | 1/15/1953 | -127.53 | -0.09 | 650.47 | 01 | 06 | 4 | |
| | P | 1/16/1953 | -127.84 | -0.31 | 650.16 | 01 | 06 | 4 | |
| | P | 1/17/1953 | -127.92 | -0.08 | 650.08 | 01 | 06 | 4 | |
| | P | 1/18/1953 | -127.64 | 0.28 | 650.36 | 01 | 06 | 4 | |
| | P | 1/19/1953 | -127.48 | 0.16 | 650.52 | 01 | 06 | 4 | |
| | P | 1/20/1953 | -127.71 | -0.23 | 650.29 | 01 | 06 | 4 | |
| | P | 1/21/1953 | -127.99 | -0.28 | 650.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 22/ 1953 | -127.96 | 0.03 | 650.04 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1953 | -128.22 | -0.26 | 649.78 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1953 | -128.41 | -0.19 | 649.59 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1953 | -128.54 | -0.13 | 649.46 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1953 | -128.39 | 0.15 | 649.61 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1953 | -128.64 | -0.25 | 649.36 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1953 | -128.87 | -0.23 | 649.13 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1953 | -128.93 | -0.06 | 649.07 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1953 | -128.99 | -0.06 | 649.01 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1953 | -129.13 | -0.14 | 648.87 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1953 | -129.03 | 0.1 | 648.97 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1953 | -128.81 | 0.22 | 649.19 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1953 | -129.16 | -0.35 | 648.84 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1953 | -129.48 | -0.32 | 648.52 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1953 | -129.57 | -0.09 | 648.43 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1953 | -129.76 | -0.19 | 648.24 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1953 | -129.82 | -0.06 | 648.18 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1953 | -129.94 | -0.12 | 648.06 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1953 | -129.76 | 0.18 | 648.24 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1953 | -129.94 | -0.18 | 648.06 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1953 | -130.09 | -0.15 | 647.91 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1953 | -129.95 | 0.14 | 648.05 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1953 | -130.12 | -0.17 | 647.88 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1953 | -129.98 | 0.14 | 648.02 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1953 | -129.7 | 0.28 | 648.3 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1953 | -129.66 | 0.04 | 648.34 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1953 | -130.22 | -0.56 | 647.78 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1953 | -130.15 | 0.07 | 647.85 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1953 | -129.92 | 0.23 | 648.08 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1953 | -130.04 | -0.12 | 647.96 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1953 | -130.46 | -0.42 | 647.54 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1953 | -130.45 | 0.01 | 647.55 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1953 | -130.18 | 0.27 | 647.82 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1953 | -130.05 | 0.13 | 647.95 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1953 | -129.99 | 0.06 | 648.01 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1953 | -130.07 | -0.08 | 647.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/27/1953 | -130.06 | 0.01 | 647.94 | 01 | 06 | 4 | |
| | P | 2/28/1953 | -130.4 | -0.34 | 647.6 | 01 | 06 | 4 | |
| | P | 3/ 1/1953 | -130.22 | 0.18 | 647.78 | 01 | 06 | 4 | |
| | P | 3/ 2/1953 | -130.28 | -0.06 | 647.72 | 01 | 06 | 4 | |
| | P | 3/ 3/1953 | -130.36 | -0.08 | 647.64 | 01 | 06 | 4 | |
| | P | 3/ 4/1953 | -131.07 | -0.71 | 646.93 | 01 | 06 | 4 | |
| | P | 3/ 5/1953 | -131.14 | -0.07 | 646.86 | 01 | 06 | 4 | |
| | P | 3/ 6/1953 | -131.34 | -0.2 | 646.66 | 01 | 06 | 4 | |
| | P | 3/ 7/1953 | -131.57 | -0.23 | 646.43 | 01 | 06 | 4 | |
| | P | 3/ 8/1953 | -131.2 | 0.37 | 646.8 | 01 | 06 | 4 | |
| | P | 3/ 9/1953 | -131.04 | 0.16 | 646.96 | 01 | 06 | 4 | |
| | P | 3/10/1953 | -131.05 | -0.01 | 646.95 | 01 | 06 | 4 | |
| | P | 3/11/1953 | -131.03 | 0.02 | 646.97 | 01 | 06 | 4 | |
| | P | 3/12/1953 | -131.14 | -0.11 | 646.86 | 01 | 06 | 4 | |
| | P | 3/13/1953 | -131.12 | 0.02 | 646.88 | 01 | 06 | 4 | |
| | P | 3/14/1953 | -131.08 | 0.04 | 646.92 | 01 | 06 | 4 | |
| | P | 3/15/1953 | -131.14 | -0.06 | 646.86 | 01 | 06 | 4 | |
| | P | 3/16/1953 | -131.04 | 0.1 | 646.96 | 01 | 06 | 4 | |
| | P | 3/17/1953 | -131.01 | 0.03 | 646.99 | 01 | 06 | 4 | |
| | P | 3/18/1953 | -131.35 | -0.34 | 646.65 | 01 | 06 | 4 | |
| | P | 3/19/1953 | -131.74 | -0.39 | 646.26 | 01 | 06 | 4 | |
| | P | 3/20/1953 | -132 | -0.26 | 646 | 01 | 06 | 4 | |
| | P | 3/21/1953 | -132.21 | -0.21 | 645.79 | 01 | 06 | 4 | |
| | P | 3/22/1953 | -132.33 | -0.12 | 645.67 | 01 | 06 | 4 | |
| | P | 3/23/1953 | -132.26 | 0.07 | 645.74 | 01 | 06 | 4 | |
| | P | 3/24/1953 | -132.88 | -0.62 | 645.12 | 01 | 06 | 4 | |
| | P | 3/25/1953 | -133.33 | -0.45 | 644.67 | 01 | 06 | 4 | |
| | P | 3/26/1953 | -133.57 | -0.24 | 644.43 | 01 | 06 | 4 | |
| | P | 3/27/1953 | -133.15 | 0.42 | 644.85 | 01 | 06 | 4 | |
| | P | 3/28/1953 | -133.43 | -0.28 | 644.57 | 01 | 06 | 4 | |
| | P | 3/30/1953 | -134.76 | -1.33 | 643.24 | 01 | 06 | 4 | |
| | P | 3/31/1953 | -133.67 | 1.09 | 644.33 | 01 | 06 | 4 | |
| | P | 4/ 1/1953 | -134.05 | -0.38 | 643.95 | 01 | 06 | 4 | |
| | P | 4/ 2/1953 | -134.35 | -0.3 | 643.65 | 01 | 06 | 4 | |
| | P | 4/ 9/1953 | -133.55 | 0.8 | 644.45 | 01 | 06 | 4 | |
| | P | 4/10/1953 | -133.81 | -0.26 | 644.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 11/ 1953 | -133.85 | -0.04 | 644.15 | 01 | 06 | 4 | |
| | P | 4/ 12/ 1953 | -134 | -0.15 | 644 | 01 | 06 | 4 | |
| | P | 4/ 13/ 1953 | -133.32 | 0.68 | 644.68 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1953 | -133.26 | 0.06 | 644.74 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1953 | -133.16 | 0.1 | 644.84 | 01 | 06 | 4 | |
| | P | 4/ 16/ 1953 | -133.52 | -0.36 | 644.48 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1953 | -133.53 | -0.01 | 644.47 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1953 | -133.74 | -0.21 | 644.26 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1953 | -133.83 | -0.09 | 644.17 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1953 | -133.71 | 0.12 | 644.29 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1953 | -134.12 | -0.41 | 643.88 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1953 | -134.59 | -0.47 | 643.41 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1953 | -134.72 | -0.13 | 643.28 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1953 | -134.5 | 0.22 | 643.5 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1953 | -133.93 | 0.57 | 644.07 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1953 | -134.18 | -0.25 | 643.82 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1953 | -133.92 | 0.26 | 644.08 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1953 | -134.05 | -0.13 | 643.95 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1953 | -133.45 | 0.6 | 644.55 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1953 | -133.67 | -0.22 | 644.33 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1953 | -134.67 | -1 | 643.33 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1953 | -135.25 | -0.58 | 642.75 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1953 | -135.63 | -0.38 | 642.37 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1953 | -135.29 | 0.34 | 642.71 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1953 | -134.95 | 0.34 | 643.05 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1953 | -135.22 | -0.27 | 642.78 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1953 | -135.66 | -0.44 | 642.34 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1953 | -136.13 | -0.47 | 641.87 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1953 | -136.5 | -0.37 | 641.5 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1953 | -136.22 | 0.28 | 641.78 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1953 | -135.98 | 0.24 | 642.02 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1953 | -136.25 | -0.27 | 641.75 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1953 | -135.95 | 0.3 | 642.05 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1953 | -135.14 | 0.81 | 642.86 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1953 | -134.82 | 0.32 | 643.18 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1953 | -134.56 | 0.26 | 643.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/17/1953 | -134.47 | 0.09 | 643.53 | 01 | 06 | 4 | |
| | P | 5/18/1953 | -134.25 | 0.22 | 643.75 | 01 | 06 | 4 | |
| | P | 5/28/1953 | -137.69 | -3.44 | 640.31 | 01 | 06 | 4 | |
| | P | 5/29/1953 | -137.96 | -0.27 | 640.04 | 01 | 06 | 4 | |
| | P | 5/30/1953 | -138.18 | -0.22 | 639.82 | 01 | 06 | 4 | |
| | P | 5/31/1953 | -138.2 | -0.02 | 639.8 | 01 | 06 | 4 | |
| | P | 6/ 1/1953 | -138.18 | 0.02 | 639.82 | 01 | 06 | 4 | |
| | P | 6/ 2/1953 | -138.51 | -0.33 | 639.49 | 01 | 06 | 4 | |
| | P | 6/ 3/1953 | -139.04 | -0.53 | 638.96 | 01 | 06 | 4 | |
| | P | 6/ 4/1953 | -139.37 | -0.33 | 638.63 | 01 | 06 | 4 | |
| | P | 6/ 5/1953 | -139.65 | -0.28 | 638.35 | 01 | 06 | 4 | |
| | P | 6/ 6/1953 | -139.84 | -0.19 | 638.16 | 01 | 06 | 4 | |
| | P | 6/ 7/1953 | -139.62 | 0.22 | 638.38 | 01 | 06 | 4 | |
| | P | 6/ 8/1953 | -139.58 | 0.04 | 638.42 | 01 | 06 | 4 | |
| | P | 6/ 9/1953 | -140.69 | -1.11 | 637.31 | 01 | 06 | 4 | |
| | P | 6/10/1953 | -141.17 | -0.48 | 636.83 | 01 | 06 | 4 | |
| | P | 6/11/1953 | -141.47 | -0.3 | 636.53 | 01 | 06 | 4 | |
| | P | 6/12/1953 | -141.69 | -0.22 | 636.31 | 01 | 06 | 4 | |
| | P | 6/13/1953 | -141.16 | 0.53 | 636.84 | 01 | 06 | 4 | |
| | P | 6/14/1953 | -141.07 | 0.09 | 636.93 | 01 | 06 | 4 | |
| | P | 6/15/1953 | -141.27 | -0.2 | 636.73 | 01 | 06 | 4 | |
| | P | 6/16/1953 | -141.72 | -0.45 | 636.28 | 01 | 06 | 4 | |
| | P | 6/17/1953 | -142.14 | -0.42 | 635.86 | 01 | 06 | 4 | |
| | P | 6/18/1953 | -142.25 | -0.11 | 635.75 | 01 | 06 | 4 | |
| | P | 6/19/1953 | -142.68 | -0.43 | 635.32 | 01 | 06 | 4 | |
| | P | 6/20/1953 | -142.81 | -0.13 | 635.19 | 01 | 06 | 4 | |
| | P | 6/21/1953 | -142.76 | 0.05 | 635.24 | 01 | 06 | 4 | |
| | P | 6/22/1953 | -142.6 | 0.16 | 635.4 | 01 | 06 | 4 | |
| | P | 6/23/1953 | -143.07 | -0.47 | 634.93 | 01 | 06 | 4 | |
| | P | 6/24/1953 | -143.37 | -0.3 | 634.63 | 01 | 06 | 4 | |
| | P | 6/25/1953 | -143.72 | -0.35 | 634.28 | 01 | 06 | 4 | |
| | P | 6/26/1953 | -143.92 | -0.2 | 634.08 | 01 | 06 | 4 | |
| | P | 6/27/1953 | -143.79 | 0.13 | 634.21 | 01 | 06 | 4 | |
| | P | 6/28/1953 | -143.68 | 0.11 | 634.32 | 01 | 06 | 4 | |
| | P | 6/29/1953 | -142.7 | 0.98 | 635.3 | 01 | 06 | 4 | |
| | P | 6/30/1953 | -141.53 | 1.17 | 636.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 1/1953 | -141.03 | 0.5 | 636.97 | 01 | 06 | 4 | |
| | P | 7/ 2/1953 | -140.5 | 0.53 | 637.5 | 01 | 06 | 4 | |
| | P | 7/ 3/1953 | -140.46 | 0.04 | 637.54 | 01 | 06 | 4 | |
| | P | 7/ 4/1953 | -140.43 | 0.03 | 637.57 | 01 | 06 | 4 | |
| | P | 7/ 5/1953 | -140.19 | 0.24 | 637.81 | 01 | 06 | 4 | |
| | P | 7/ 6/1953 | -140.37 | -0.18 | 637.63 | 01 | 06 | 4 | |
| | P | 7/ 7/1953 | -140.81 | -0.44 | 637.19 | 01 | 06 | 4 | |
| | P | 7/ 8/1953 | -141.36 | -0.55 | 636.64 | 01 | 06 | 4 | |
| | P | 7/ 9/1953 | -141.9 | -0.54 | 636.1 | 01 | 06 | 4 | |
| | P | 7/10/1953 | -142.22 | -0.32 | 635.78 | 01 | 06 | 4 | |
| | P | 7/11/1953 | -142.32 | -0.1 | 635.68 | 01 | 06 | 4 | |
| | P | 7/12/1953 | -142.05 | 0.27 | 635.95 | 01 | 06 | 4 | |
| | P | 7/13/1953 | -142.05 | | 635.95 | 01 | 06 | 4 | |
| | P | 7/14/1953 | -142.02 | 0.03 | 635.98 | 01 | 06 | 4 | |
| | P | 7/15/1953 | -142.44 | -0.42 | 635.56 | 01 | 06 | 4 | |
| | P | 7/16/1953 | -142.55 | -0.11 | 635.45 | 01 | 06 | 4 | |
| | P | 7/17/1953 | -142.87 | -0.32 | 635.13 | 01 | 06 | 4 | |
| | P | 7/18/1953 | -142.12 | 0.75 | 635.88 | 01 | 06 | 4 | |
| | P | 7/19/1953 | -142.87 | -0.75 | 635.13 | 01 | 06 | 4 | |
| | P | 7/20/1953 | -142.8 | 0.07 | 635.2 | 01 | 06 | 4 | |
| | P | 7/25/1953 | -142.6 | 0.2 | 635.4 | 01 | 06 | 4 | |
| | P | 7/26/1953 | -143.31 | -0.71 | 634.69 | 01 | 06 | 4 | |
| | P | 7/27/1953 | -143.48 | -0.17 | 634.52 | 01 | 06 | 4 | |
| | P | 7/28/1953 | -143.88 | -0.4 | 634.12 | 01 | 06 | 4 | |
| | P | 7/30/1953 | -144.5 | -0.62 | 633.5 | 01 | 06 | 4 | |
| | P | 8/ 3/1953 | -144.38 | 0.12 | 633.62 | 01 | 06 | 4 | |
| | P | 8/ 4/1953 | -144.89 | -0.51 | 633.11 | 01 | 06 | 4 | |
| | P | 8/ 5/1953 | -145.26 | -0.37 | 632.74 | 01 | 06 | 4 | |
| | P | 8/ 6/1953 | -145.43 | -0.17 | 632.57 | 01 | 06 | 4 | |
| | P | 8/ 7/1953 | -145.78 | -0.35 | 632.22 | 01 | 06 | 4 | |
| | P | 8/ 8/1953 | -145.94 | -0.16 | 632.06 | 01 | 06 | 4 | |
| | P | 8/ 9/1953 | -145.7 | 0.24 | 632.3 | 01 | 06 | 4 | |
| | P | 8/10/1953 | -145.61 | 0.09 | 632.39 | 01 | 06 | 4 | |
| | P | 8/11/1953 | -146.13 | -0.52 | 631.87 | 01 | 06 | 4 | |
| | P | 8/20/1953 | -145.87 | 0.26 | 632.13 | 01 | 06 | 4 | |
| | P | 8/21/1953 | -144.83 | 1.04 | 633.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/22/1953 | -144.25 | 0.58 | 633.75 | 01 | 06 | 4 | |
| | P | 8/24/1953 | -143.75 | 0.5 | 634.25 | 01 | 06 | 4 | |
| | P | 8/25/1953 | -143.06 | 0.69 | 634.94 | 01 | 06 | 4 | |
| | P | 8/26/1953 | -142.57 | 0.49 | 635.43 | 01 | 06 | 4 | |
| | P | 8/27/1953 | -141.83 | 0.74 | 636.17 | 01 | 06 | 4 | |
| | P | 8/28/1953 | -141.04 | 0.79 | 636.96 | 01 | 06 | 4 | |
| | P | 8/29/1953 | -140.4 | 0.64 | 637.6 | 01 | 06 | 4 | |
| | P | 8/30/1953 | -139.52 | 0.88 | 638.48 | 01 | 06 | 4 | |
| | P | 8/31/1953 | -138.61 | 0.91 | 639.39 | 01 | 06 | 4 | |
| | P | 9/ 1/1953 | -137.4 | 1.21 | 640.6 | 01 | 06 | 4 | |
| | P | 9/ 2/1953 | -135.71 | 1.69 | 642.29 | 01 | 06 | 4 | |
| | P | 9/ 3/1953 | -134.8 | 0.91 | 643.2 | 01 | 06 | 4 | |
| | P | 9/ 4/1953 | -132.23 | 2.57 | 645.77 | 01 | 06 | 4 | |
| | P | 9/ 5/1953 | -131.31 | 0.92 | 646.69 | 01 | 06 | 4 | |
| | P | 9/ 6/1953 | -130.55 | 0.76 | 647.45 | 01 | 06 | 4 | |
| | P | 9/ 7/1953 | -130.05 | 0.5 | 647.95 | 01 | 06 | 4 | |
| | P | 9/ 8/1953 | -129.88 | 0.17 | 648.12 | 01 | 06 | 4 | |
| | P | 9/ 9/1953 | -129.94 | -0.06 | 648.06 | 01 | 06 | 4 | |
| | P | 9/10/1953 | -129.96 | -0.02 | 648.04 | 01 | 06 | 4 | |
| | P | 9/11/1953 | -130.04 | -0.08 | 647.96 | 01 | 06 | 4 | |
| | P | 9/12/1953 | -130.12 | -0.08 | 647.88 | 01 | 06 | 4 | |
| | P | 9/13/1953 | -130.06 | 0.06 | 647.94 | 01 | 06 | 4 | |
| | P | 9/14/1953 | -130.11 | -0.05 | 647.89 | 01 | 06 | 4 | |
| | P | 9/15/1953 | -130.69 | -0.58 | 647.31 | 01 | 06 | 4 | |
| | P | 9/16/1953 | -131.31 | -0.62 | 646.69 | 01 | 06 | 4 | |
| | P | 9/17/1953 | -131.67 | -0.36 | 646.33 | 01 | 06 | 4 | |
| | P | 9/18/1953 | -131.94 | -0.27 | 646.06 | 01 | 06 | 4 | |
| | P | 9/19/1953 | -131.9 | 0.04 | 646.1 | 01 | 06 | 4 | |
| | P | 9/20/1953 | -132.13 | -0.23 | 645.87 | 01 | 06 | 4 | |
| | P | 9/21/1953 | -132.32 | -0.19 | 645.68 | 01 | 06 | 4 | |
| | P | 9/22/1953 | -132.93 | -0.61 | 645.07 | 01 | 06 | 4 | |
| | P | 9/23/1953 | -133.2 | -0.27 | 644.8 | 01 | 06 | 4 | |
| | P | 9/24/1953 | -133.36 | -0.16 | 644.64 | 01 | 06 | 4 | |
| | P | 9/25/1953 | -133.64 | -0.28 | 644.36 | 01 | 06 | 4 | |
| | P | 9/26/1953 | -133.74 | -0.1 | 644.26 | 01 | 06 | 4 | |
| | P | 9/27/1953 | -133.79 | -0.05 | 644.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/28/1953 | -133.98 | -0.19 | 644.02 | 01 | 06 | 4 | |
| | P | 9/29/1953 | -134.63 | -0.65 | 643.37 | 01 | 06 | 4 | |
| | P | 9/30/1953 | -134.86 | -0.23 | 643.14 | 01 | 06 | 4 | |
| | P | 10/ 1/1953 | -135.09 | -0.23 | 642.91 | 01 | 06 | 4 | |
| | P | 10/ 2/1953 | -135.25 | -0.16 | 642.75 | 01 | 06 | 4 | |
| | P | 10/ 3/1953 | -134.8 | 0.45 | 643.2 | 01 | 06 | 4 | |
| | P | 10/ 4/1953 | -134.06 | 0.74 | 643.94 | 01 | 06 | 4 | |
| | P | 10/ 5/1953 | -133.5 | 0.56 | 644.5 | 01 | 06 | 4 | |
| | P | 10/ 6/1953 | -133.32 | 0.18 | 644.68 | 01 | 06 | 4 | |
| | P | 10/ 7/1953 | -133.31 | 0.01 | 644.69 | 01 | 06 | 4 | |
| | P | 10/ 8/1953 | -133.27 | 0.04 | 644.73 | 01 | 06 | 4 | |
| | P | 10/ 9/1953 | -133.34 | -0.07 | 644.66 | 01 | 06 | 4 | |
| | P | 10/10/1953 | -133.51 | -0.17 | 644.49 | 01 | 06 | 4 | |
| | P | 10/11/1953 | -133.53 | -0.02 | 644.47 | 01 | 06 | 4 | |
| | P | 10/12/1953 | -133.46 | 0.07 | 644.54 | 01 | 06 | 4 | |
| | P | 10/13/1953 | -134 | -0.54 | 644 | 01 | 06 | 4 | |
| | P | 10/14/1953 | -134.25 | -0.25 | 643.75 | 01 | 06 | 4 | |
| | P | 10/15/1953 | -134.33 | -0.08 | 643.67 | 01 | 06 | 4 | |
| | P | 10/16/1953 | -134.63 | -0.3 | 643.37 | 01 | 06 | 4 | |
| | P | 10/17/1953 | -134.64 | -0.01 | 643.36 | 01 | 06 | 4 | |
| | P | 10/18/1953 | -134.65 | -0.01 | 643.35 | 01 | 06 | 4 | |
| | P | 10/19/1953 | -134.38 | 0.27 | 643.62 | 01 | 06 | 4 | |
| | P | 10/20/1953 | -134.69 | -0.31 | 643.31 | 01 | 06 | 4 | |
| | P | 10/21/1953 | -134.7 | -0.01 | 643.3 | 01 | 06 | 4 | |
| | P | 10/22/1953 | -134.85 | -0.15 | 643.15 | 01 | 06 | 4 | |
| | P | 10/23/1953 | -134.73 | 0.12 | 643.27 | 01 | 06 | 4 | |
| | P | 10/24/1953 | -134.32 | 0.41 | 643.68 | 01 | 06 | 4 | |
| | P | 10/25/1953 | -133.78 | 0.54 | 644.22 | 01 | 06 | 4 | |
| | P | 10/26/1953 | -133.43 | 0.35 | 644.57 | 01 | 06 | 4 | |
| | P | 10/27/1953 | -133.46 | -0.03 | 644.54 | 01 | 06 | 4 | |
| | P | 10/28/1953 | -133.34 | 0.12 | 644.66 | 01 | 06 | 4 | |
| | P | 10/29/1953 | -133.23 | 0.11 | 644.77 | 01 | 06 | 4 | |
| | P | 10/30/1953 | -133.09 | 0.14 | 644.91 | 01 | 06 | 4 | |
| | P | 10/31/1953 | -132.94 | 0.15 | 645.06 | 01 | 06 | 4 | |
| | P | 11/ 1/1953 | -132.62 | 0.32 | 645.38 | 01 | 06 | 4 | |
| | P | 11/ 2/1953 | -132.35 | 0.27 | 645.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 3/1953 | -132.34 | 0.01 | 645.66 | 01 | 06 | 4 | |
| | P | 11/ 4/1953 | -132.14 | 0.2 | 645.86 | 01 | 06 | 4 | |
| | P | 11/ 5/1953 | -132.2 | -0.06 | 645.8 | 01 | 06 | 4 | |
| | P | 11/ 6/1953 | -132.07 | 0.13 | 645.93 | 01 | 06 | 4 | |
| | P | 11/ 7/1953 | -131.91 | 0.16 | 646.09 | 01 | 06 | 4 | |
| | P | 11/ 8/1953 | -131.97 | -0.06 | 646.03 | 01 | 06 | 4 | |
| | P | 11/ 9/1953 | -131.81 | 0.16 | 646.19 | 01 | 06 | 4 | |
| | P | 11/10/1953 | -131.93 | -0.12 | 646.07 | 01 | 06 | 4 | |
| | P | 11/11/1953 | -131.89 | 0.04 | 646.11 | 01 | 06 | 4 | |
| | P | 11/12/1953 | -131.98 | -0.09 | 646.02 | 01 | 06 | 4 | |
| | P | 11/13/1953 | -132.13 | -0.15 | 645.87 | 01 | 06 | 4 | |
| | P | 11/14/1953 | -132.2 | -0.07 | 645.8 | 01 | 06 | 4 | |
| | P | 11/15/1953 | -132.07 | 0.13 | 645.93 | 01 | 06 | 4 | |
| | P | 11/16/1953 | -131.88 | 0.19 | 646.12 | 01 | 06 | 4 | |
| | P | 11/17/1953 | -131.98 | -0.1 | 646.02 | 01 | 06 | 4 | |
| | P | 11/18/1953 | -132 | -0.02 | 646 | 01 | 06 | 4 | |
| | P | 11/19/1953 | -131.93 | 0.07 | 646.07 | 01 | 06 | 4 | |
| | P | 11/20/1953 | -132.09 | -0.16 | 645.91 | 01 | 06 | 4 | |
| | P | 11/21/1953 | -132.18 | -0.09 | 645.82 | 01 | 06 | 4 | |
| | P | 11/22/1953 | -132.13 | 0.05 | 645.87 | 01 | 06 | 4 | |
| | P | 11/23/1953 | -131.95 | 0.18 | 646.05 | 01 | 06 | 4 | |
| | P | 11/24/1953 | -132.16 | -0.21 | 645.84 | 01 | 06 | 4 | |
| | P | 11/25/1953 | -132.51 | -0.35 | 645.49 | 01 | 06 | 4 | |
| | P | 11/26/1953 | -132.78 | -0.27 | 645.22 | 01 | 06 | 4 | |
| | P | 11/27/1953 | -132.52 | 0.26 | 645.48 | 01 | 06 | 4 | |
| | P | 11/28/1953 | -132.84 | -0.32 | 645.16 | 01 | 06 | 4 | |
| | P | 11/29/1953 | -132.64 | 0.2 | 645.36 | 01 | 06 | 4 | |
| | P | 11/30/1953 | -132.38 | 0.26 | 645.62 | 01 | 06 | 4 | |
| | P | 12/ 1/1953 | -132.42 | -0.04 | 645.58 | 01 | 06 | 4 | |
| | P | 12/ 2/1953 | -131.97 | 0.45 | 646.03 | 01 | 06 | 4 | |
| | P | 12/ 3/1953 | -131.77 | 0.2 | 646.23 | 01 | 06 | 4 | |
| | P | 12/ 4/1953 | -131.88 | -0.11 | 646.12 | 01 | 06 | 4 | |
| | P | 12/ 5/1953 | -131.64 | 0.24 | 646.36 | 01 | 06 | 4 | |
| | P | 12/ 6/1953 | -131.84 | -0.2 | 646.16 | 01 | 06 | 4 | |
| | P | 12/ 7/1953 | -131.62 | 0.22 | 646.38 | 01 | 06 | 4 | |
| | P | 12/ 8/1953 | -131.56 | 0.06 | 646.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 9/1953 | -131.84 | -0.28 | 646.16 | 01 | 06 | 4 | |
| | P | 12/10/1953 | -131.94 | -0.1 | 646.06 | 01 | 06 | 4 | |
| | P | 12/11/1953 | -131.72 | 0.22 | 646.28 | 01 | 06 | 4 | |
| | P | 12/12/1953 | -131.73 | -0.01 | 646.27 | 01 | 06 | 4 | |
| | P | 12/13/1953 | -131.44 | 0.29 | 646.56 | 01 | 06 | 4 | |
| | P | 12/14/1953 | -131.47 | -0.03 | 646.53 | 01 | 06 | 4 | |
| | P | 12/15/1953 | -131.55 | -0.08 | 646.45 | 01 | 06 | 4 | |
| | P | 12/16/1953 | -131.53 | 0.02 | 646.47 | 01 | 06 | 4 | |
| | P | 12/17/1953 | -131.6 | -0.07 | 646.4 | 01 | 06 | 4 | |
| | P | 12/18/1953 | -131.61 | -0.01 | 646.39 | 01 | 06 | 4 | |
| | P | 12/19/1953 | -131.41 | 0.2 | 646.59 | 01 | 06 | 4 | |
| | P | 12/20/1953 | -131.12 | 0.29 | 646.88 | 01 | 06 | 4 | |
| | P | 12/21/1953 | -130.88 | 0.24 | 647.12 | 01 | 06 | 4 | |
| | P | 12/22/1953 | -131.34 | -0.46 | 646.66 | 01 | 06 | 4 | |
| | P | 12/23/1953 | -131.92 | -0.58 | 646.08 | 01 | 06 | 4 | |
| | P | 12/24/1953 | -132.01 | -0.09 | 645.99 | 01 | 06 | 4 | |
| | P | 12/25/1953 | -131.75 | 0.26 | 646.25 | 01 | 06 | 4 | |
| | P | 12/26/1953 | -131.44 | 0.31 | 646.56 | 01 | 06 | 4 | |
| | P | 12/27/1953 | -131.17 | 0.27 | 646.83 | 01 | 06 | 4 | |
| | P | 12/28/1953 | -131.15 | 0.02 | 646.85 | 01 | 06 | 4 | |
| | P | 12/29/1953 | -131.27 | -0.12 | 646.73 | 01 | 06 | 4 | |
| | P | 12/30/1953 | -131.68 | -0.41 | 646.32 | 01 | 06 | 4 | |
| | P | 12/31/1953 | -131.83 | -0.15 | 646.17 | 01 | 06 | 4 | |
| | P | 1/ 1/1954 | -131.04 | 0.79 | 646.96 | 01 | 06 | 4 | |
| | P | 1/ 2/1954 | -131.33 | -0.29 | 646.67 | 01 | 06 | 4 | |
| | P | 1/ 3/1954 | -131.53 | -0.2 | 646.47 | 01 | 06 | 4 | |
| | P | 1/ 4/1954 | -131.45 | 0.08 | 646.55 | 01 | 06 | 4 | |
| | P | 1/ 5/1954 | -131.83 | -0.38 | 646.17 | 01 | 06 | 4 | |
| | P | 1/ 6/1954 | -132.07 | -0.24 | 645.93 | 01 | 06 | 4 | |
| | P | 1/ 7/1954 | -132.28 | -0.21 | 645.72 | 01 | 06 | 4 | |
| | P | 1/ 8/1954 | -132.27 | 0.01 | 645.73 | 01 | 06 | 4 | |
| | P | 1/ 9/1954 | -132.38 | -0.11 | 645.62 | 01 | 06 | 4 | |
| | P | 1/10/1954 | -132.3 | 0.08 | 645.7 | 01 | 06 | 4 | |
| | P | 1/11/1954 | -132.35 | -0.05 | 645.65 | 01 | 06 | 4 | |
| | P | 1/12/1954 | -132.62 | -0.27 | 645.38 | 01 | 06 | 4 | |
| | P | 1/13/1954 | -132.54 | 0.08 | 645.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 14/ 1954 | -132.2 | 0.34 | 645.8 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1954 | -132.02 | 0.18 | 645.98 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1954 | -133.17 | -1.15 | 644.83 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1954 | -132.22 | 0.95 | 645.78 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1954 | -131.89 | 0.33 | 646.11 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1954 | -132 | -0.11 | 646 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1954 | -132.13 | -0.13 | 645.87 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1954 | -132.58 | -0.45 | 645.42 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1954 | -132.75 | -0.17 | 645.25 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1954 | -132.64 | 0.11 | 645.36 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1954 | -132.47 | 0.17 | 645.53 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1954 | -132.4 | 0.07 | 645.6 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1954 | -132.55 | -0.15 | 645.45 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1954 | -132.84 | -0.29 | 645.16 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1954 | -132.77 | 0.07 | 645.23 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1954 | -132.73 | 0.04 | 645.27 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1954 | -132.92 | -0.19 | 645.08 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1954 | -133.12 | -0.2 | 644.88 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1954 | -132.87 | 0.25 | 645.13 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1954 | -133.09 | -0.22 | 644.91 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1954 | -133.16 | -0.07 | 644.84 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1954 | -133.47 | -0.31 | 644.53 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1954 | -133.8 | -0.33 | 644.2 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1954 | -133.82 | -0.02 | 644.18 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1954 | -133.88 | -0.06 | 644.12 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1954 | -133.61 | 0.27 | 644.39 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1954 | -133.8 | -0.19 | 644.2 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1954 | -133.98 | -0.18 | 644.02 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1954 | -134.37 | -0.39 | 643.63 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1954 | -134.72 | -0.35 | 643.28 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1954 | -134.55 | 0.17 | 643.45 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1954 | -134.25 | 0.3 | 643.75 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1954 | -134.1 | 0.15 | 643.9 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1954 | -134.54 | -0.44 | 643.46 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1954 | -134.8 | -0.26 | 643.2 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1954 | -134.9 | -0.1 | 643.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/19/1954 | -134.58 | 0.32 | 643.42 | 01 | 06 | 4 | |
| | P | 2/20/1954 | -134.81 | -0.23 | 643.19 | 01 | 06 | 4 | |
| | P | 2/21/1954 | -135.03 | -0.22 | 642.97 | 01 | 06 | 4 | |
| | P | 2/22/1954 | -135 | 0.03 | 643 | 01 | 06 | 4 | |
| | P | 2/23/1954 | -135.45 | -0.45 | 642.55 | 01 | 06 | 4 | |
| | P | 2/24/1954 | -135.45 | | 642.55 | 01 | 06 | 4 | |
| | P | 2/25/1954 | -135.72 | -0.27 | 642.28 | 01 | 06 | 4 | |
| | P | 2/26/1954 | -131.05 | 4.67 | 646.95 | 01 | 06 | 4 | |
| | P | 2/27/1954 | -131.3 | -0.25 | 646.7 | 01 | 06 | 4 | |
| | P | 2/28/1954 | -136.5 | -5.2 | 641.5 | 01 | 06 | 4 | |
| | P | 3/ 1/1954 | -135.97 | 0.53 | 642.03 | 01 | 06 | 4 | |
| | P | 3/ 2/1954 | -136.2 | -0.23 | 641.8 | 01 | 06 | 4 | |
| | P | 3/ 3/1954 | -136.65 | -0.45 | 641.35 | 01 | 06 | 4 | |
| | P | 3/ 4/1954 | -136.49 | 0.16 | 641.51 | 01 | 06 | 4 | |
| | P | 3/11/1954 | -137.66 | -1.17 | 640.34 | 01 | 06 | 4 | |
| | P | 3/12/1954 | -137.46 | 0.2 | 640.54 | 01 | 06 | 4 | |
| | P | 3/13/1954 | -137.76 | -0.3 | 640.24 | 01 | 06 | 4 | |
| | P | 3/14/1954 | -137.67 | 0.09 | 640.33 | 01 | 06 | 4 | |
| | P | 3/15/1954 | -137.57 | 0.1 | 640.43 | 01 | 06 | 4 | |
| | P | 3/16/1954 | -137.42 | 0.15 | 640.58 | 01 | 06 | 4 | |
| | P | 3/17/1954 | -137.83 | -0.41 | 640.17 | 01 | 06 | 4 | |
| | P | 3/18/1954 | -137.4 | 0.43 | 640.6 | 01 | 06 | 4 | |
| | P | 3/19/1954 | -138.26 | -0.86 | 639.74 | 01 | 06 | 4 | |
| | P | 3/20/1954 | -137.76 | 0.5 | 640.24 | 01 | 06 | 4 | |
| | P | 3/21/1954 | -138.24 | -0.48 | 639.76 | 01 | 06 | 4 | |
| | P | 3/22/1954 | -138.12 | 0.12 | 639.88 | 01 | 06 | 4 | |
| | P | 3/23/1954 | -138.15 | -0.03 | 639.85 | 01 | 06 | 4 | |
| | P | 3/24/1954 | -138.21 | -0.06 | 639.79 | 01 | 06 | 4 | |
| | P | 3/25/1954 | -138.75 | -0.54 | 639.25 | 01 | 06 | 4 | |
| | P | 4/ 1/1954 | -139.74 | -0.99 | 638.26 | 01 | 06 | 4 | |
| | P | 4/ 2/1954 | -139.65 | 0.09 | 638.35 | 01 | 06 | 4 | |
| | P | 4/ 3/1954 | -140.3 | -0.65 | 637.7 | 01 | 06 | 4 | |
| | P | 4/ 4/1954 | -139.93 | 0.37 | 638.07 | 01 | 06 | 4 | |
| | P | 4/ 5/1954 | -139.91 | 0.02 | 638.09 | 01 | 06 | 4 | |
| | P | 4/ 6/1954 | -140.38 | -0.47 | 637.62 | 01 | 06 | 4 | |
| | P | 4/ 7/1954 | -140.72 | -0.34 | 637.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1954 | -141.11 | -0.39 | 636.89 | 01 | 06 | 4 | |
| | P | 4/ 9/1954 | -140.09 | 1.02 | 637.91 | 01 | 06 | 4 | |
| | P | 4/10/1954 | -139.55 | 0.54 | 638.45 | 01 | 06 | 4 | |
| | P | 4/11/1954 | -139.16 | 0.39 | 638.84 | 01 | 06 | 4 | |
| | P | 4/12/1954 | -138.9 | 0.26 | 639.1 | 01 | 06 | 4 | |
| | P | 4/13/1954 | -139.43 | -0.53 | 638.57 | 01 | 06 | 4 | |
| | P | 4/14/1954 | -139.42 | 0.01 | 638.58 | 01 | 06 | 4 | |
| | P | 4/15/1954 | -138.86 | 0.56 | 639.14 | 01 | 06 | 4 | |
| | P | 4/16/1954 | -139.08 | -0.22 | 638.92 | 01 | 06 | 4 | |
| | P | 4/17/1954 | -139.06 | 0.02 | 638.94 | 01 | 06 | 4 | |
| | P | 4/18/1954 | -139.2 | -0.14 | 638.8 | 01 | 06 | 4 | |
| | P | 4/19/1954 | -138.93 | 0.27 | 639.07 | 01 | 06 | 4 | |
| | P | 4/20/1954 | -139.85 | -0.92 | 638.15 | 01 | 06 | 4 | |
| | P | 4/21/1954 | -140.38 | -0.53 | 637.62 | 01 | 06 | 4 | |
| | P | 4/22/1954 | -140.67 | -0.29 | 637.33 | 01 | 06 | 4 | |
| | P | 4/23/1954 | -140.93 | -0.26 | 637.07 | 01 | 06 | 4 | |
| | P | 4/24/1954 | -140.94 | -0.01 | 637.06 | 01 | 06 | 4 | |
| | P | 4/25/1954 | -141.1 | -0.16 | 636.9 | 01 | 06 | 4 | |
| | P | 4/26/1954 | -140.78 | 0.32 | 637.22 | 01 | 06 | 4 | |
| | P | 4/27/1954 | -141.22 | -0.44 | 636.78 | 01 | 06 | 4 | |
| | P | 4/28/1954 | -140.71 | 0.51 | 637.29 | 01 | 06 | 4 | |
| | P | 4/29/1954 | -140.04 | 0.67 | 637.96 | 01 | 06 | 4 | |
| | P | 4/30/1954 | -139.68 | 0.36 | 638.32 | 01 | 06 | 4 | |
| | P | 5/ 1/1954 | -139.28 | 0.4 | 638.72 | 01 | 06 | 4 | |
| | P | 5/ 2/1954 | -138.98 | 0.3 | 639.02 | 01 | 06 | 4 | |
| | P | 5/ 3/1954 | -138.75 | 0.23 | 639.25 | 01 | 06 | 4 | |
| | P | 5/ 4/1954 | -138.84 | -0.09 | 639.16 | 01 | 06 | 4 | |
| | P | 5/ 5/1954 | -139.04 | -0.2 | 638.96 | 01 | 06 | 4 | |
| | P | 5/ 6/1954 | -139.45 | -0.41 | 638.55 | 01 | 06 | 4 | |
| | P | 5/ 7/1954 | -139.73 | -0.28 | 638.27 | 01 | 06 | 4 | |
| | P | 5/ 8/1954 | -140.38 | -0.65 | 637.62 | 01 | 06 | 4 | |
| | P | 5/ 9/1954 | -140.52 | -0.14 | 637.48 | 01 | 06 | 4 | |
| | P | 5/10/1954 | -140.25 | 0.27 | 637.75 | 01 | 06 | 4 | |
| | P | 5/11/1954 | -140.9 | -0.65 | 637.1 | 01 | 06 | 4 | |
| | P | 5/12/1954 | -140.51 | 0.39 | 637.49 | 01 | 06 | 4 | |
| | P | 5/13/1954 | -139.99 | 0.52 | 638.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 14/ 1954 | -139.92 | 0.07 | 638.08 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1954 | -140.07 | -0.15 | 637.93 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1954 | -140.02 | 0.05 | 637.98 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1954 | -139.93 | 0.09 | 638.07 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1954 | -140.65 | -0.72 | 637.35 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1954 | -140.88 | -0.23 | 637.12 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1954 | -140.76 | 0.12 | 637.24 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1954 | -140.55 | 0.21 | 637.45 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1954 | -140.55 | | 637.45 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1954 | -140.4 | 0.15 | 637.6 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1954 | -140.1 | 0.3 | 637.9 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1954 | -139.12 | 0.98 | 638.88 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1954 | -139.38 | -0.26 | 638.62 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1954 | -139.28 | 0.1 | 638.72 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1954 | -139.61 | -0.33 | 638.39 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1954 | -139.95 | -0.34 | 638.05 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1954 | -140.32 | -0.37 | 637.68 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1954 | -140.18 | 0.14 | 637.82 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1954 | -141.04 | -0.86 | 636.96 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1954 | -141.42 | -0.38 | 636.58 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1954 | -142.17 | -0.75 | 635.83 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1954 | -142.38 | -0.21 | 635.62 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1954 | -142.53 | -0.15 | 635.47 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1954 | -142.52 | 0.01 | 635.48 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1954 | -142.36 | 0.16 | 635.64 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1954 | -143.26 | -0.9 | 634.74 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1954 | -143.75 | -0.49 | 634.25 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1954 | -144.84 | -1.09 | 633.16 | 01 | 06 | 4 | |
| | P | 6/ 16/ 1954 | -144.63 | 0.21 | 633.37 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1954 | -145.55 | -0.92 | 632.45 | 01 | 06 | 4 | |
| | P | 6/ 19/ 1954 | -145.25 | 0.3 | 632.75 | 01 | 06 | 4 | |
| | P | 6/ 20/ 1954 | -144.57 | 0.68 | 633.43 | 01 | 06 | 4 | |
| | P | 6/ 21/ 1954 | -143.98 | 0.59 | 634.02 | 01 | 06 | 4 | |
| | P | 6/ 22/ 1954 | -144.42 | -0.44 | 633.58 | 01 | 06 | 4 | |
| | P | 6/ 23/ 1954 | -145.03 | -0.61 | 632.97 | 01 | 06 | 4 | |
| | P | 6/ 24/ 1954 | -145.5 | -0.47 | 632.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/25/1954 | -145.49 | 0.01 | 632.51 | 01 | 06 | 4 | |
| | P | 6/26/1954 | -143.99 | 1.5 | 634.01 | 01 | 06 | 4 | |
| | P | 6/27/1954 | -143.15 | 0.84 | 634.85 | 01 | 06 | 4 | |
| | P | 6/28/1954 | -142.6 | 0.55 | 635.4 | 01 | 06 | 4 | |
| | P | 6/29/1954 | -142.44 | 0.16 | 635.56 | 01 | 06 | 4 | |
| | P | 6/30/1954 | -142.47 | -0.03 | 635.53 | 01 | 06 | 4 | |
| | P | 7/ 1/1954 | -142.72 | -0.25 | 635.28 | 01 | 06 | 4 | |
| | P | 7/ 2/1954 | -143.02 | -0.3 | 634.98 | 01 | 06 | 4 | |
| | P | 7/ 3/1954 | -143.03 | -0.01 | 634.97 | 01 | 06 | 4 | |
| | P | 7/ 4/1954 | -143.36 | -0.33 | 634.64 | 01 | 06 | 4 | |
| | P | 7/ 5/1954 | -142.38 | 0.98 | 635.62 | 01 | 06 | 4 | |
| | P | 7/ 6/1954 | -143.08 | -0.7 | 634.92 | 01 | 06 | 4 | |
| | P | 7/ 7/1954 | -143.46 | -0.38 | 634.54 | 01 | 06 | 4 | |
| | P | 7/ 8/1954 | -143.98 | -0.52 | 634.02 | 01 | 06 | 4 | |
| | P | 7/ 9/1954 | -144.45 | -0.47 | 633.55 | 01 | 06 | 4 | |
| | P | 7/10/1954 | -144.75 | -0.3 | 633.25 | 01 | 06 | 4 | |
| | P | 7/11/1954 | -144.87 | -0.12 | 633.13 | 01 | 06 | 4 | |
| | P | 7/12/1954 | -144.74 | 0.13 | 633.26 | 01 | 06 | 4 | |
| | P | 7/13/1954 | -145 | -0.26 | 633 | 01 | 06 | 4 | |
| | P | 7/14/1954 | -145.15 | -0.15 | 632.85 | 01 | 06 | 4 | |
| | P | 7/15/1954 | -145.95 | -0.8 | 632.05 | 01 | 06 | 4 | |
| | P | 7/16/1954 | -146.03 | -0.08 | 631.97 | 01 | 06 | 4 | |
| | P | 7/17/1954 | -146.3 | -0.27 | 631.7 | 01 | 06 | 4 | |
| | P | 7/18/1954 | -146.18 | 0.12 | 631.82 | 01 | 06 | 4 | |
| | P | 7/19/1954 | -145.98 | 0.2 | 632.02 | 01 | 06 | 4 | |
| | P | 7/20/1954 | -146.69 | -0.71 | 631.31 | 01 | 06 | 4 | |
| | P | 7/21/1954 | -147.02 | -0.33 | 630.98 | 01 | 06 | 4 | |
| | P | 7/22/1954 | -147.18 | -0.16 | 630.82 | 01 | 06 | 4 | |
| | P | 7/23/1954 | -148.72 | -1.54 | 629.28 | 01 | 06 | 4 | |
| | P | 7/24/1954 | -149.1 | -0.38 | 628.9 | 01 | 06 | 4 | |
| | P | 7/30/1954 | -149.09 | 0.01 | 628.91 | 01 | 06 | 4 | |
| | P | 7/31/1954 | -147.34 | 1.75 | 630.66 | 01 | 06 | 4 | |
| | P | 8/ 1/1954 | -146.39 | 0.95 | 631.61 | 01 | 06 | 4 | |
| | P | 8/ 2/1954 | -145.72 | 0.67 | 632.28 | 01 | 06 | 4 | |
| | P | 8/ 3/1954 | -146.28 | -0.56 | 631.72 | 01 | 06 | 4 | |
| | P | 8/ 4/1954 | -146.8 | -0.52 | 631.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 5/1954 | -147.37 | -0.57 | 630.63 | 01 | 06 | 4 | |
| | P | 8/ 6/1954 | -147.63 | -0.26 | 630.37 | 01 | 06 | 4 | |
| | P | 8/ 7/1954 | -147.8 | -0.17 | 630.2 | 01 | 06 | 4 | |
| | P | 8/ 8/1954 | -147.73 | 0.07 | 630.27 | 01 | 06 | 4 | |
| | P | 8/ 9/1954 | -147.6 | 0.13 | 630.4 | 01 | 06 | 4 | |
| | P | 8/10/1954 | -149.05 | -1.45 | 628.95 | 01 | 06 | 4 | |
| | P | 8/11/1954 | -149.1 | -0.05 | 628.9 | 01 | 06 | 4 | |
| | P | 8/12/1954 | -149.25 | -0.15 | 628.75 | 01 | 06 | 4 | |
| | P | 8/13/1954 | -149.41 | -0.16 | 628.59 | 01 | 06 | 4 | |
| | P | 8/14/1954 | -149.44 | -0.03 | 628.56 | 01 | 06 | 4 | |
| | P | 8/17/1954 | -149.03 | 0.41 | 628.97 | 01 | 06 | 4 | |
| | P | 8/18/1954 | -149.05 | -0.02 | 628.95 | 01 | 06 | 4 | |
| | P | 8/19/1954 | -149.28 | -0.23 | 628.72 | 01 | 06 | 4 | |
| | P | 8/20/1954 | -149.03 | 0.25 | 628.97 | 01 | 06 | 4 | |
| | P | 8/21/1954 | -148.8 | 0.23 | 629.2 | 01 | 06 | 4 | |
| | P | 8/22/1954 | -148.83 | -0.03 | 629.17 | 01 | 06 | 4 | |
| | P | 8/23/1954 | -147.88 | 0.95 | 630.12 | 01 | 06 | 4 | |
| | P | 8/24/1954 | -148.38 | -0.5 | 629.62 | 01 | 06 | 4 | |
| | P | 8/25/1954 | -148.76 | -0.38 | 629.24 | 01 | 06 | 4 | |
| | P | 8/26/1954 | -146.57 | 2.19 | 631.43 | 01 | 06 | 4 | |
| | P | 8/27/1954 | -146.34 | 0.23 | 631.66 | 01 | 06 | 4 | |
| | P | 8/28/1954 | -146.8 | -0.46 | 631.2 | 01 | 06 | 4 | |
| | P | 8/29/1954 | -148.8 | -2 | 629.2 | 01 | 06 | 4 | |
| | P | 8/30/1954 | -148.28 | 0.52 | 629.72 | 01 | 06 | 4 | |
| | P | 8/31/1954 | -147.73 | 0.55 | 630.27 | 01 | 06 | 4 | |
| | P | 9/ 1/1954 | -147.95 | -0.22 | 630.05 | 01 | 06 | 4 | |
| | P | 9/ 2/1954 | -148.1 | -0.15 | 629.9 | 01 | 06 | 4 | |
| | P | 9/ 3/1954 | -147.72 | 0.38 | 630.28 | 01 | 06 | 4 | |
| | P | 9/ 5/1954 | -148.45 | -0.73 | 629.55 | 01 | 06 | 4 | |
| | P | 9/ 6/1954 | -147.6 | 0.85 | 630.4 | 01 | 06 | 4 | |
| | P | 9/ 8/1954 | -148.54 | -0.94 | 629.46 | 01 | 06 | 4 | |
| | P | 9/26/1954 | -148.61 | -0.07 | 629.39 | 01 | 06 | 4 | |
| | P | 9/27/1954 | -148.13 | 0.48 | 629.87 | 01 | 06 | 4 | |
| | P | 9/28/1954 | -148.5 | -0.37 | 629.5 | 01 | 06 | 4 | |
| | P | 9/29/1954 | -148.75 | -0.25 | 629.25 | 01 | 06 | 4 | |
| | P | 9/30/1954 | -148 | 0.75 | 630 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 1 / 1954 | -147.23 | 0.77 | 630.77 | 01 | 06 | 4 | |
| | P | 10 / 2 / 1954 | -146.62 | 0.61 | 631.38 | 01 | 06 | 4 | |
| | P | 10 / 3 / 1954 | -146.15 | 0.47 | 631.85 | 01 | 06 | 4 | |
| | P | 10 / 4 / 1954 | -145.76 | 0.39 | 632.24 | 01 | 06 | 4 | |
| | P | 10 / 5 / 1954 | -145.55 | 0.21 | 632.45 | 01 | 06 | 4 | |
| | P | 10 / 6 / 1954 | -145.12 | 0.43 | 632.88 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1954 | -144.9 | 0.22 | 633.1 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1954 | -144.65 | 0.25 | 633.35 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1954 | -144.35 | 0.3 | 633.65 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1954 | -143.98 | 0.37 | 634.02 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1954 | -143.65 | 0.33 | 634.35 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1954 | -143.86 | -0.21 | 634.14 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1954 | -144.06 | -0.2 | 633.94 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1954 | -144.25 | -0.19 | 633.75 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1954 | -144.45 | -0.2 | 633.55 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1954 | -144.35 | 0.1 | 633.65 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1954 | -144.2 | 0.15 | 633.8 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1954 | -144.17 | 0.03 | 633.83 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1954 | -144.74 | -0.57 | 633.26 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1954 | -144.92 | -0.18 | 633.08 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1954 | -145.05 | -0.13 | 632.95 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1954 | -145.18 | -0.13 | 632.82 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1954 | -144.93 | 0.25 | 633.07 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1954 | -144.63 | 0.3 | 633.37 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1954 | -144.37 | 0.26 | 633.63 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1954 | -144.77 | -0.4 | 633.23 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1954 | -145.12 | -0.35 | 632.88 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1954 | -144.6 | 0.52 | 633.4 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1954 | -144.33 | 0.27 | 633.67 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1954 | -144.28 | 0.05 | 633.72 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1954 | -144.15 | 0.13 | 633.85 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1954 | -143.83 | 0.32 | 634.17 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1954 | -144.27 | -0.44 | 633.73 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1954 | -143.92 | 0.35 | 634.08 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1954 | -143.58 | 0.34 | 634.42 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1954 | -143.64 | -0.06 | 634.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 6/1954 | -143.52 | 0.12 | 634.48 | 01 | 06 | 4 | |
| | P | 11/ 7/1954 | -143.3 | 0.22 | 634.7 | 01 | 06 | 4 | |
| | P | 11/ 8/1954 | -143.23 | 0.07 | 634.77 | 01 | 06 | 4 | |
| | P | 11/ 9/1954 | -143.45 | -0.22 | 634.55 | 01 | 06 | 4 | |
| | P | 11/10/1954 | -143 | 0.45 | 635 | 01 | 06 | 4 | |
| | P | 11/11/1954 | -142.82 | 0.18 | 635.18 | 01 | 06 | 4 | |
| | P | 11/12/1954 | -142.7 | 0.12 | 635.3 | 01 | 06 | 4 | |
| | P | 11/16/1954 | -142.05 | 0.65 | 635.95 | 01 | 06 | 4 | |
| | P | 11/17/1954 | -142.02 | 0.03 | 635.98 | 01 | 06 | 4 | |
| | P | 11/18/1954 | -142.23 | -0.21 | 635.77 | 01 | 06 | 4 | |
| | P | 11/19/1954 | -142.31 | -0.08 | 635.69 | 01 | 06 | 4 | |
| | P | 11/20/1954 | -142.26 | 0.05 | 635.74 | 01 | 06 | 4 | |
| | P | 11/22/1954 | -142.1 | 0.16 | 635.9 | 01 | 06 | 4 | |
| | P | 11/26/1954 | -142.15 | -0.05 | 635.85 | 01 | 06 | 4 | |
| | P | 11/27/1954 | -142.47 | -0.32 | 635.53 | 01 | 06 | 4 | |
| | P | 11/29/1954 | -142.41 | 0.06 | 635.59 | 01 | 06 | 4 | |
| | P | 11/30/1954 | -142.58 | -0.17 | 635.42 | 01 | 06 | 4 | |
| | P | 12/ 1/1954 | -142.64 | -0.06 | 635.36 | 01 | 06 | 4 | |
| | P | 12/ 2/1954 | -142.74 | -0.1 | 635.26 | 01 | 06 | 4 | |
| | P | 12/ 3/1954 | -142.65 | 0.09 | 635.35 | 01 | 06 | 4 | |
| | P | 12/ 4/1954 | -142.86 | -0.21 | 635.14 | 01 | 06 | 4 | |
| | P | 12/ 5/1954 | -142.78 | 0.08 | 635.22 | 01 | 06 | 4 | |
| | P | 12/ 6/1954 | -142.63 | 0.15 | 635.37 | 01 | 06 | 4 | |
| | P | 12/ 7/1954 | -142.73 | -0.1 | 635.27 | 01 | 06 | 4 | |
| | P | 12/ 8/1954 | -142.6 | 0.13 | 635.4 | 01 | 06 | 4 | |
| | P | 12/ 9/1954 | -142.94 | -0.34 | 635.06 | 01 | 06 | 4 | |
| | P | 12/10/1954 | -142.89 | 0.05 | 635.11 | 01 | 06 | 4 | |
| | P | 12/11/1954 | -142.56 | 0.33 | 635.44 | 01 | 06 | 4 | |
| | P | 12/12/1954 | -142.43 | 0.13 | 635.57 | 01 | 06 | 4 | |
| | P | 12/13/1954 | -142.14 | 0.29 | 635.86 | 01 | 06 | 4 | |
| | P | 12/14/1954 | -142.17 | -0.03 | 635.83 | 01 | 06 | 4 | |
| | P | 12/15/1954 | -142.32 | -0.15 | 635.68 | 01 | 06 | 4 | |
| | P | 12/16/1954 | -142.3 | 0.02 | 635.7 | 01 | 06 | 4 | |
| | P | 12/17/1954 | -142.56 | -0.26 | 635.44 | 01 | 06 | 4 | |
| | P | 12/18/1954 | -142.4 | 0.16 | 635.6 | 01 | 06 | 4 | |
| | P | 12/19/1954 | -142.28 | 0.12 | 635.72 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/20/1954 | -142.16 | 0.12 | 635.84 | 01 | 06 | 4 | |
| | P | 12/21/1954 | -142.43 | -0.27 | 635.57 | 01 | 06 | 4 | |
| | P | 12/22/1954 | -142.62 | -0.19 | 635.38 | 01 | 06 | 4 | |
| | P | 12/23/1954 | -142.62 | | 635.38 | 01 | 06 | 4 | |
| | P | 12/24/1954 | -142.58 | 0.04 | 635.42 | 01 | 06 | 4 | |
| | P | 12/25/1954 | -142.08 | 0.5 | 635.92 | 01 | 06 | 4 | |
| | P | 12/26/1954 | -141.7 | 0.38 | 636.3 | 01 | 06 | 4 | |
| | P | 12/27/1954 | -141.55 | 0.15 | 636.45 | 01 | 06 | 4 | |
| | P | 12/28/1954 | -141.87 | -0.32 | 636.13 | 01 | 06 | 4 | |
| | P | 12/29/1954 | -141.85 | 0.02 | 636.15 | 01 | 06 | 4 | |
| | P | 12/30/1954 | -141.8 | 0.05 | 636.2 | 01 | 06 | 4 | |
| | P | 12/31/1954 | -141.57 | 0.23 | 636.43 | 01 | 06 | 4 | |
| | P | 1/ 1/1955 | -141.57 | | 636.43 | 01 | 06 | 4 | |
| | P | 1/ 2/1955 | -141.51 | 0.06 | 636.49 | 01 | 06 | 4 | |
| | P | 1/ 3/1955 | -141.22 | 0.29 | 636.78 | 01 | 06 | 4 | |
| | P | 1/ 4/1955 | -141.63 | -0.41 | 636.37 | 01 | 06 | 4 | |
| | P | 1/ 5/1955 | -141.83 | -0.2 | 636.17 | 01 | 06 | 4 | |
| | P | 1/ 6/1955 | -141.96 | -0.13 | 636.04 | 01 | 06 | 4 | |
| | P | 1/ 7/1955 | -141.93 | 0.03 | 636.07 | 01 | 06 | 4 | |
| | P | 1/ 8/1955 | -141.71 | 0.22 | 636.29 | 01 | 06 | 4 | |
| | P | 1/ 9/1955 | -141.49 | 0.22 | 636.51 | 01 | 06 | 4 | |
| | P | 1/10/1955 | -141.21 | 0.28 | 636.79 | 01 | 06 | 4 | |
| | P | 1/11/1955 | -141.33 | -0.12 | 636.67 | 01 | 06 | 4 | |
| | P | 1/12/1955 | -141.26 | 0.07 | 636.74 | 01 | 06 | 4 | |
| | P | 1/13/1955 | -141.31 | -0.05 | 636.69 | 01 | 06 | 4 | |
| | P | 1/14/1955 | -141.05 | 0.26 | 636.95 | 01 | 06 | 4 | |
| | P | 1/15/1955 | -141 | 0.05 | 637 | 01 | 06 | 4 | |
| | P | 1/16/1955 | -140.74 | 0.26 | 637.26 | 01 | 06 | 4 | |
| | P | 1/17/1955 | -140.6 | 0.14 | 637.4 | 01 | 06 | 4 | |
| | P | 1/18/1955 | -140.78 | -0.18 | 637.22 | 01 | 06 | 4 | |
| | P | 1/19/1955 | -140.9 | -0.12 | 637.1 | 01 | 06 | 4 | |
| | P | 1/20/1955 | -140.74 | 0.16 | 637.26 | 01 | 06 | 4 | |
| | P | 1/21/1955 | -140.57 | 0.17 | 637.43 | 01 | 06 | 4 | |
| | P | 1/22/1955 | -140.6 | -0.03 | 637.4 | 01 | 06 | 4 | |
| | P | 1/23/1955 | -140.47 | 0.13 | 637.53 | 01 | 06 | 4 | |
| | P | 1/24/1955 | -140.32 | 0.15 | 637.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 25/ 1955 | -140.61 | -0.29 | 637.39 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1955 | -140.77 | -0.16 | 637.23 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1955 | -140.91 | -0.14 | 637.09 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1955 | -140.88 | 0.03 | 637.12 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1955 | -140.98 | -0.1 | 637.02 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1955 | -140.9 | 0.08 | 637.1 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1955 | -140.88 | 0.02 | 637.12 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1955 | -141.1 | -0.22 | 636.9 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1955 | -141.45 | -0.35 | 636.55 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1955 | -141.67 | -0.22 | 636.33 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1955 | -141.45 | 0.22 | 636.55 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1955 | -141.09 | 0.36 | 636.91 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1955 | -140.51 | 0.58 | 637.49 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1955 | -140.26 | 0.25 | 637.74 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1955 | -140.3 | -0.04 | 637.7 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1955 | -140.15 | 0.15 | 637.85 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1955 | -140.09 | 0.06 | 637.91 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1955 | -140.65 | -0.56 | 637.35 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1955 | -140.57 | 0.08 | 637.43 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1955 | -140.26 | 0.31 | 637.74 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1955 | -140.09 | 0.17 | 637.91 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1955 | -140.34 | -0.25 | 637.66 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1955 | -140.38 | -0.04 | 637.62 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1955 | -140.59 | -0.21 | 637.41 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1955 | -140.65 | -0.06 | 637.35 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1955 | -140.34 | 0.31 | 637.66 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1955 | -140.3 | 0.04 | 637.7 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1955 | -140.02 | 0.28 | 637.98 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1955 | -140.02 | | 637.98 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1955 | -140.07 | -0.05 | 637.93 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1955 | -140.2 | -0.13 | 637.8 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1955 | -140.26 | -0.06 | 637.74 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1955 | -140.12 | 0.14 | 637.88 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1955 | -140.12 | | 637.88 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1955 | -140.18 | -0.06 | 637.82 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1955 | -140.54 | -0.36 | 637.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 2/1955 | -140.54 | | 637.46 | 01 | 06 | 4 | |
| | P | 3/ 3/1955 | -141.11 | -0.57 | 636.89 | 01 | 06 | 4 | |
| | P | 3/ 4/1955 | -141.3 | -0.19 | 636.7 | 01 | 06 | 4 | |
| | P | 3/ 5/1955 | -141.5 | -0.2 | 636.5 | 01 | 06 | 4 | |
| | P | 3/ 6/1955 | -141.76 | -0.26 | 636.24 | 01 | 06 | 4 | |
| | P | 3/ 7/1955 | -141.17 | 0.59 | 636.83 | 01 | 06 | 4 | |
| | P | 3/ 8/1955 | -141.25 | -0.08 | 636.75 | 01 | 06 | 4 | |
| | P | 3/ 9/1955 | -141.43 | -0.18 | 636.57 | 01 | 06 | 4 | |
| | P | 3/10/1955 | -141.77 | -0.34 | 636.23 | 01 | 06 | 4 | |
| | P | 3/11/1955 | -142.28 | -0.51 | 635.72 | 01 | 06 | 4 | |
| | P | 3/12/1955 | -142.6 | -0.32 | 635.4 | 01 | 06 | 4 | |
| | P | 3/13/1955 | -142.78 | -0.18 | 635.22 | 01 | 06 | 4 | |
| | P | 3/14/1955 | -142.55 | 0.23 | 635.45 | 01 | 06 | 4 | |
| | P | 3/15/1955 | -142.89 | -0.34 | 635.11 | 01 | 06 | 4 | |
| | P | 3/16/1955 | -143.15 | -0.26 | 634.85 | 01 | 06 | 4 | |
| | P | 3/17/1955 | -142.57 | 0.58 | 635.43 | 01 | 06 | 4 | |
| | P | 3/18/1955 | -142.94 | -0.37 | 635.06 | 01 | 06 | 4 | |
| | P | 3/19/1955 | -143.03 | -0.09 | 634.97 | 01 | 06 | 4 | |
| | P | 3/20/1955 | -142.74 | 0.29 | 635.26 | 01 | 06 | 4 | |
| | P | 3/21/1955 | -142.08 | 0.66 | 635.92 | 01 | 06 | 4 | |
| | P | 3/22/1955 | -142.18 | -0.1 | 635.82 | 01 | 06 | 4 | |
| | P | 3/23/1955 | -141.99 | 0.19 | 636.01 | 01 | 06 | 4 | |
| | P | 3/24/1955 | -142.17 | -0.18 | 635.83 | 01 | 06 | 4 | |
| | P | 3/25/1955 | -142.43 | -0.26 | 635.57 | 01 | 06 | 4 | |
| | P | 3/26/1955 | -142.95 | -0.52 | 635.05 | 01 | 06 | 4 | |
| | P | 3/27/1955 | -142.38 | 0.57 | 635.62 | 01 | 06 | 4 | |
| | P | 3/28/1955 | -141.88 | 0.5 | 636.12 | 01 | 06 | 4 | |
| | P | 3/29/1955 | -142.5 | -0.62 | 635.5 | 01 | 06 | 4 | |
| | P | 3/30/1955 | -142.85 | -0.35 | 635.15 | 01 | 06 | 4 | |
| | P | 3/31/1955 | -143.41 | -0.56 | 634.59 | 01 | 06 | 4 | |
| | P | 4/ 1/1955 | -143.39 | 0.02 | 634.61 | 01 | 06 | 4 | |
| | P | 4/ 2/1955 | -143.39 | | 634.61 | 01 | 06 | 4 | |
| | P | 4/ 3/1955 | -143.56 | -0.17 | 634.44 | 01 | 06 | 4 | |
| | P | 4/ 4/1955 | -143.45 | 0.11 | 634.55 | 01 | 06 | 4 | |
| | P | 4/ 5/1955 | -144.36 | -0.91 | 633.64 | 01 | 06 | 4 | |
| | P | 4/ 6/1955 | -144.83 | -0.47 | 633.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 7/1955 | -144.62 | 0.21 | 633.38 | 01 | 06 | 4 | |
| | P | 4/ 8/1955 | -144.4 | 0.22 | 633.6 | 01 | 06 | 4 | |
| | P | 4/ 9/1955 | -144 | 0.4 | 634 | 01 | 06 | 4 | |
| | P | 4/10/1955 | -143.43 | 0.57 | 634.57 | 01 | 06 | 4 | |
| | P | 4/11/1955 | -143.23 | 0.2 | 634.77 | 01 | 06 | 4 | |
| | P | 4/12/1955 | -143.58 | -0.35 | 634.42 | 01 | 06 | 4 | |
| | P | 4/13/1955 | -144 | -0.42 | 634 | 01 | 06 | 4 | |
| | P | 4/14/1955 | -144.68 | -0.68 | 633.32 | 01 | 06 | 4 | |
| | P | 4/15/1955 | -145.32 | -0.64 | 632.68 | 01 | 06 | 4 | |
| | P | 4/16/1955 | -145.62 | -0.3 | 632.38 | 01 | 06 | 4 | |
| | P | 4/17/1955 | -145.68 | -0.06 | 632.32 | 01 | 06 | 4 | |
| | P | 4/18/1955 | -145.57 | 0.11 | 632.43 | 01 | 06 | 4 | |
| | P | 4/19/1955 | -145.84 | -0.27 | 632.16 | 01 | 06 | 4 | |
| | P | 4/20/1955 | -146.18 | -0.34 | 631.82 | 01 | 06 | 4 | |
| | P | 4/21/1955 | -146.57 | -0.39 | 631.43 | 01 | 06 | 4 | |
| | P | 4/22/1955 | -146.82 | -0.25 | 631.18 | 01 | 06 | 4 | |
| | P | 4/23/1955 | -146.62 | 0.2 | 631.38 | 01 | 06 | 4 | |
| | P | 4/24/1955 | -146.95 | -0.33 | 631.05 | 01 | 06 | 4 | |
| | P | 4/25/1955 | -146.93 | 0.02 | 631.07 | 01 | 06 | 4 | |
| | P | 4/26/1955 | -147.67 | -0.74 | 630.33 | 01 | 06 | 4 | |
| | P | 4/27/1955 | -148.05 | -0.38 | 629.95 | 01 | 06 | 4 | |
| | P | 4/28/1955 | -147.49 | 0.56 | 630.51 | 01 | 06 | 4 | |
| | P | 4/29/1955 | -147.97 | -0.48 | 630.03 | 01 | 06 | 4 | |
| | P | 4/30/1955 | -148.15 | -0.18 | 629.85 | 01 | 06 | 4 | |
| | P | 5/ 1/1955 | -147.89 | 0.26 | 630.11 | 01 | 06 | 4 | |
| | P | 5/ 2/1955 | -147.9 | -0.01 | 630.1 | 01 | 06 | 4 | |
| | P | 5/ 3/1955 | -148.5 | -0.6 | 629.5 | 01 | 06 | 4 | |
| | P | 5/ 4/1955 | -148.93 | -0.43 | 629.07 | 01 | 06 | 4 | |
| | P | 5/ 5/1955 | -149 | -0.07 | 629 | 01 | 06 | 4 | |
| | P | 5/ 6/1955 | -149.08 | -0.08 | 628.92 | 01 | 06 | 4 | |
| | P | 5/ 7/1955 | -149.03 | 0.05 | 628.97 | 01 | 06 | 4 | |
| | P | 5/ 8/1955 | -148.43 | 0.6 | 629.57 | 01 | 06 | 4 | |
| | P | 5/ 9/1955 | -148.2 | 0.23 | 629.8 | 01 | 06 | 4 | |
| | P | 5/10/1955 | -148.84 | -0.64 | 629.16 | 01 | 06 | 4 | |
| | P | 5/11/1955 | -147.75 | 1.09 | 630.25 | 01 | 06 | 4 | |
| | P | 5/12/1955 | -146.99 | 0.76 | 631.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 13/ 1955 | -146.47 | 0.52 | 631.53 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1955 | -146.13 | 0.34 | 631.87 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1955 | -145.89 | 0.24 | 632.11 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1955 | -145.58 | 0.31 | 632.42 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1955 | -145.42 | 0.16 | 632.58 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1955 | -144.87 | 0.55 | 633.13 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1955 | -144.35 | 0.52 | 633.65 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1955 | -143.61 | 0.74 | 634.39 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1955 | -143.67 | -0.06 | 634.33 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1955 | -143.75 | -0.08 | 634.25 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1955 | -143.58 | 0.17 | 634.42 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1955 | -144.24 | -0.66 | 633.76 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1955 | -144.73 | -0.49 | 633.27 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1955 | -145.02 | -0.29 | 632.98 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1955 | -145.65 | -0.63 | 632.35 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1955 | -145.87 | -0.22 | 632.13 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1955 | -145.9 | -0.03 | 632.1 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1955 | -145.25 | 0.65 | 632.75 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1955 | -145.9 | -0.65 | 632.1 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1955 | -146.4 | -0.5 | 631.6 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1955 | -147.01 | -0.61 | 630.99 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1955 | -147.44 | -0.43 | 630.56 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1955 | -147.7 | -0.26 | 630.3 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1955 | -146.98 | 0.72 | 631.02 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1955 | -146.23 | 0.75 | 631.77 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1955 | -146.37 | -0.14 | 631.63 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1955 | -146.7 | -0.33 | 631.3 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1955 | -146.16 | 0.54 | 631.84 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1955 | -146.05 | 0.11 | 631.95 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1955 | -146.05 | | 631.95 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1955 | -146.88 | -0.83 | 631.12 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1955 | -147.47 | -0.59 | 630.53 | 01 | 06 | 4 | |
| | P | 6/ 16/ 1955 | -147.96 | -0.49 | 630.04 | 01 | 06 | 4 | |
| | P | 6/ 17/ 1955 | -148.5 | -0.54 | 629.5 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1955 | -148.82 | -0.32 | 629.18 | 01 | 06 | 4 | |
| | P | 6/ 19/ 1955 | -148.79 | 0.03 | 629.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 1955 | -148.59 | 0.2 | 629.41 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1955 | -148.5 | 0.09 | 629.5 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1955 | -148.23 | 0.27 | 629.77 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1955 | -148.45 | -0.22 | 629.55 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1955 | -148.86 | -0.41 | 629.14 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1955 | -149.33 | -0.47 | 628.67 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1955 | -149.75 | -0.42 | 628.25 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1955 | -149.67 | 0.08 | 628.33 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1955 | -150.39 | -0.72 | 627.61 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1955 | -150.9 | -0.51 | 627.1 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1955 | -150.96 | -0.06 | 627.04 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1955 | -151.12 | -0.16 | 626.88 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1955 | -151.19 | -0.07 | 626.81 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1955 | -151.12 | 0.07 | 626.88 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1955 | -150.45 | 0.67 | 627.55 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1955 | -150.2 | 0.25 | 627.8 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1955 | -150.97 | -0.77 | 627.03 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1955 | -151.45 | -0.48 | 626.55 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1955 | -151.75 | -0.3 | 626.25 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1955 | -151.87 | -0.12 | 626.13 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1955 | -150.93 | 0.94 | 627.07 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1955 | -150.32 | 0.61 | 627.68 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1955 | -151.22 | -0.9 | 626.78 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1955 | -150.63 | 0.59 | 627.37 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1955 | -150.47 | 0.16 | 627.53 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1955 | -150.42 | 0.05 | 627.58 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1955 | -150.05 | 0.37 | 627.95 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1955 | -149.88 | 0.17 | 628.12 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1955 | -149.68 | 0.2 | 628.32 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1955 | -150.4 | -0.72 | 627.6 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1955 | -150.54 | -0.14 | 627.46 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1955 | -149.97 | 0.57 | 628.03 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1955 | -150.1 | -0.13 | 627.9 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1955 | -150.42 | -0.32 | 627.58 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1955 | -150.85 | -0.43 | 627.15 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1955 | -150.92 | -0.07 | 627.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/26/1955 | -151.04 | -0.12 | 626.96 | 01 | 06 | 4 | |
| | P | 7/27/1955 | -151.23 | -0.19 | 626.77 | 01 | 06 | 4 | |
| | P | 7/28/1955 | -151.6 | -0.37 | 626.4 | 01 | 06 | 4 | |
| | P | 7/29/1955 | -151.62 | -0.02 | 626.38 | 01 | 06 | 4 | |
| | P | 7/30/1955 | -151.55 | 0.07 | 626.45 | 01 | 06 | 4 | |
| | P | 7/31/1955 | -151.6 | -0.05 | 626.4 | 01 | 06 | 4 | |
| | P | 8/ 1/1955 | -151.03 | 0.57 | 626.97 | 01 | 06 | 4 | |
| | P | 8/ 2/1955 | -151.35 | -0.32 | 626.65 | 01 | 06 | 4 | |
| | P | 8/ 3/1955 | -151.7 | -0.35 | 626.3 | 01 | 06 | 4 | |
| | P | 8/ 4/1955 | -151.5 | 0.2 | 626.5 | 01 | 06 | 4 | |
| | P | 8/ 5/1955 | -151.64 | -0.14 | 626.36 | 01 | 06 | 4 | |
| | P | 8/ 6/1955 | -151.64 | | 626.36 | 01 | 06 | 4 | |
| | P | 8/ 7/1955 | -151.45 | 0.19 | 626.55 | 01 | 06 | 4 | |
| | P | 8/ 8/1955 | -151.37 | 0.08 | 626.63 | 01 | 06 | 4 | |
| | P | 8/ 9/1955 | -152.4 | -1.03 | 625.6 | 01 | 06 | 4 | |
| | P | 8/10/1955 | -153 | -0.6 | 625 | 01 | 06 | 4 | |
| | P | 8/11/1955 | -153.18 | -0.18 | 624.82 | 01 | 06 | 4 | |
| | P | 8/12/1955 | -152.35 | 0.83 | 625.65 | 01 | 06 | 4 | |
| | P | 8/13/1955 | -151.39 | 0.96 | 626.61 | 01 | 06 | 4 | |
| | P | 8/14/1955 | -150.81 | 0.58 | 627.19 | 01 | 06 | 4 | |
| | P | 8/15/1955 | -150.48 | 0.33 | 627.52 | 01 | 06 | 4 | |
| | P | 8/16/1955 | -151.14 | -0.66 | 626.86 | 01 | 06 | 4 | |
| | P | 8/17/1955 | -151.65 | -0.51 | 626.35 | 01 | 06 | 4 | |
| | P | 8/18/1955 | -152.1 | -0.45 | 625.9 | 01 | 06 | 4 | |
| | P | 8/19/1955 | -151.79 | 0.31 | 626.21 | 01 | 06 | 4 | |
| | P | 8/20/1955 | -151.29 | 0.5 | 626.71 | 01 | 06 | 4 | |
| | P | 8/21/1955 | -150.95 | 0.34 | 627.05 | 01 | 06 | 4 | |
| | P | 8/22/1955 | -150.76 | 0.19 | 627.24 | 01 | 06 | 4 | |
| | P | 8/23/1955 | -151.57 | -0.81 | 626.43 | 01 | 06 | 4 | |
| | P | 8/24/1955 | -152.42 | -0.85 | 625.58 | 01 | 06 | 4 | |
| | P | 8/25/1955 | -152.89 | -0.47 | 625.11 | 01 | 06 | 4 | |
| | P | 8/26/1955 | -152.94 | -0.05 | 625.06 | 01 | 06 | 4 | |
| | P | 8/27/1955 | -153 | -0.06 | 625 | 01 | 06 | 4 | |
| | P | 8/28/1955 | -153 | | 625 | 01 | 06 | 4 | |
| | P | 8/29/1955 | -152.57 | 0.43 | 625.43 | 01 | 06 | 4 | |
| | P | 8/30/1955 | -153.22 | -0.65 | 624.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/31/1955 | -152.35 | 0.87 | 625.65 | 01 | 06 | 4 | |
| | P | 9/ 1/1955 | -151.47 | 0.88 | 626.53 | 01 | 06 | 4 | |
| | P | 9/ 2/1955 | -151.08 | 0.39 | 626.92 | 01 | 06 | 4 | |
| | P | 9/ 3/1955 | -150.97 | 0.11 | 627.03 | 01 | 06 | 4 | |
| | P | 9/ 4/1955 | -150.91 | 0.06 | 627.09 | 01 | 06 | 4 | |
| | P | 9/ 5/1955 | -150.95 | -0.04 | 627.05 | 01 | 06 | 4 | |
| | P | 9/ 6/1955 | -151.27 | -0.32 | 626.73 | 01 | 06 | 4 | |
| | P | 9/ 7/1955 | -151.36 | -0.09 | 626.64 | 01 | 06 | 4 | |
| | P | 9/ 8/1955 | -151.32 | 0.04 | 626.68 | 01 | 06 | 4 | |
| | P | 9/ 9/1955 | -151.75 | -0.43 | 626.25 | 01 | 06 | 4 | |
| | P | 9/10/1955 | -152.01 | -0.26 | 625.99 | 01 | 06 | 4 | |
| | P | 9/11/1955 | -152.01 | | 625.99 | 01 | 06 | 4 | |
| | P | 9/12/1955 | -151.26 | 0.75 | 626.74 | 01 | 06 | 4 | |
| | P | 9/13/1955 | -151.55 | -0.29 | 626.45 | 01 | 06 | 4 | |
| | P | 9/14/1955 | -151.94 | -0.39 | 626.06 | 01 | 06 | 4 | |
| | P | 9/15/1955 | -151.84 | 0.1 | 626.16 | 01 | 06 | 4 | |
| | P | 9/16/1955 | -152.23 | -0.39 | 625.77 | 01 | 06 | 4 | |
| | P | 9/17/1955 | -152.27 | -0.04 | 625.73 | 01 | 06 | 4 | |
| | P | 9/18/1955 | -152.25 | 0.02 | 625.75 | 01 | 06 | 4 | |
| | P | 9/19/1955 | -152.03 | 0.22 | 625.97 | 01 | 06 | 4 | |
| | P | 9/20/1955 | -152.4 | -0.37 | 625.6 | 01 | 06 | 4 | |
| | P | 9/21/1955 | -152.08 | 0.32 | 625.92 | 01 | 06 | 4 | |
| | P | 9/22/1955 | -152.05 | 0.03 | 625.95 | 01 | 06 | 4 | |
| | P | 9/23/1955 | -152.02 | 0.03 | 625.98 | 01 | 06 | 4 | |
| | P | 9/24/1955 | -151.87 | 0.15 | 626.13 | 01 | 06 | 4 | |
| | P | 9/25/1955 | -151.41 | 0.46 | 626.59 | 01 | 06 | 4 | |
| | P | 9/26/1955 | -151.16 | 0.25 | 626.84 | 01 | 06 | 4 | |
| | P | 9/27/1955 | -151.32 | -0.16 | 626.68 | 01 | 06 | 4 | |
| | P | 9/28/1955 | -151.37 | -0.05 | 626.63 | 01 | 06 | 4 | |
| | P | 9/29/1955 | -151.45 | -0.08 | 626.55 | 01 | 06 | 4 | |
| | P | 9/30/1955 | -151.63 | -0.18 | 626.37 | 01 | 06 | 4 | |
| | P | 10/ 1/1955 | -151.98 | -0.35 | 626.02 | 01 | 06 | 4 | |
| | P | 10/ 2/1955 | -151.75 | 0.23 | 626.25 | 01 | 06 | 4 | |
| | P | 10/ 3/1955 | -151.24 | 0.51 | 626.76 | 01 | 06 | 4 | |
| | P | 10/ 4/1955 | -150.91 | 0.33 | 627.09 | 01 | 06 | 4 | |
| | P | 10/ 5/1955 | -150.97 | -0.06 | 627.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 6 / 1955 | -151.15 | -0.18 | 626.85 | 01 | 06 | 4 | |
| | P | 10 / 7 / 1955 | -151.24 | -0.09 | 626.76 | 01 | 06 | 4 | |
| | P | 10 / 8 / 1955 | -151.11 | 0.13 | 626.89 | 01 | 06 | 4 | |
| | P | 10 / 9 / 1955 | -150.99 | 0.12 | 627.01 | 01 | 06 | 4 | |
| | P | 10 / 10 / 1955 | -150.77 | 0.22 | 627.23 | 01 | 06 | 4 | |
| | P | 10 / 11 / 1955 | -150.65 | 0.12 | 627.35 | 01 | 06 | 4 | |
| | P | 10 / 12 / 1955 | -150.54 | 0.11 | 627.46 | 01 | 06 | 4 | |
| | P | 10 / 13 / 1955 | -150.74 | -0.2 | 627.26 | 01 | 06 | 4 | |
| | P | 10 / 14 / 1955 | -150.78 | -0.04 | 627.22 | 01 | 06 | 4 | |
| | P | 10 / 15 / 1955 | -151.03 | -0.25 | 626.97 | 01 | 06 | 4 | |
| | P | 10 / 16 / 1955 | -151.06 | -0.03 | 626.94 | 01 | 06 | 4 | |
| | P | 10 / 17 / 1955 | -151.1 | -0.04 | 626.9 | 01 | 06 | 4 | |
| | P | 10 / 18 / 1955 | -151.39 | -0.29 | 626.61 | 01 | 06 | 4 | |
| | P | 10 / 19 / 1955 | -151.67 | -0.28 | 626.33 | 01 | 06 | 4 | |
| | P | 10 / 20 / 1955 | -151.99 | -0.32 | 626.01 | 01 | 06 | 4 | |
| | P | 10 / 21 / 1955 | -152.03 | -0.04 | 625.97 | 01 | 06 | 4 | |
| | P | 10 / 22 / 1955 | -152.03 | | 625.97 | 01 | 06 | 4 | |
| | P | 10 / 23 / 1955 | -151.94 | 0.09 | 626.06 | 01 | 06 | 4 | |
| | P | 10 / 24 / 1955 | -151.75 | 0.19 | 626.25 | 01 | 06 | 4 | |
| | P | 10 / 25 / 1955 | -151.57 | 0.18 | 626.43 | 01 | 06 | 4 | |
| | P | 10 / 26 / 1955 | -151.6 | -0.03 | 626.4 | 01 | 06 | 4 | |
| | P | 10 / 27 / 1955 | -151.76 | -0.16 | 626.24 | 01 | 06 | 4 | |
| | P | 10 / 28 / 1955 | -151.95 | -0.19 | 626.05 | 01 | 06 | 4 | |
| | P | 10 / 29 / 1955 | -151.75 | 0.2 | 626.25 | 01 | 06 | 4 | |
| | P | 10 / 30 / 1955 | -151.73 | 0.02 | 626.27 | 01 | 06 | 4 | |
| | P | 10 / 31 / 1955 | -151.24 | 0.49 | 626.76 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1955 | -151.43 | -0.19 | 626.57 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1955 | -151.81 | -0.38 | 626.19 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1955 | -151.43 | 0.38 | 626.57 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1955 | -151.19 | 0.24 | 626.81 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1955 | -151.19 | | 626.81 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1955 | -151.14 | 0.05 | 626.86 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1955 | -150.9 | 0.24 | 627.1 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1955 | -150.65 | 0.25 | 627.35 | 01 | 06 | 4 | |
| | P | 11 / 12 / 1955 | -149.37 | 1.28 | 628.63 | 01 | 06 | 4 | |
| | P | 11 / 13 / 1955 | -149.12 | 0.25 | 628.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 14/ 1955 | -148.9 | 0.22 | 629.1 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1955 | -149 | -0.1 | 629 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1955 | -149.05 | -0.05 | 628.95 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1955 | -149.19 | -0.14 | 628.81 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1955 | -148.91 | 0.28 | 629.09 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1955 | -148.87 | 0.04 | 629.13 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1955 | -148.92 | -0.05 | 629.08 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1955 | -148.73 | 0.19 | 629.27 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1955 | -149 | -0.27 | 629 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1955 | -148.05 | 0.95 | 629.95 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1955 | -148.6 | -0.55 | 629.4 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1955 | -148.8 | -0.2 | 629.2 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1955 | -148.5 | 0.3 | 629.5 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1955 | -148.65 | -0.15 | 629.35 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1955 | -148.84 | -0.19 | 629.16 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1955 | -148.72 | 0.12 | 629.28 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1955 | -148.14 | 0.58 | 629.86 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1955 | -147.77 | 0.37 | 630.23 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1955 | -147.86 | -0.09 | 630.14 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1955 | -147.74 | 0.12 | 630.26 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1955 | -147.52 | 0.22 | 630.48 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1955 | -147.54 | -0.02 | 630.46 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1955 | -147.63 | -0.09 | 630.37 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1955 | -147.8 | -0.17 | 630.2 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1955 | -147.81 | -0.01 | 630.19 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1955 | -147.66 | 0.15 | 630.34 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1955 | -147.57 | 0.09 | 630.43 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1955 | -147.59 | -0.02 | 630.41 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1955 | -147.51 | 0.08 | 630.49 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1955 | -147.12 | 0.39 | 630.88 | 01 | 06 | 4 | |
| | P | 12 / 27/ 1955 | -147.36 | -0.24 | 630.64 | 01 | 06 | 4 | |
| | P | 12 / 28/ 1955 | -147.54 | -0.18 | 630.46 | 01 | 06 | 4 | |
| | P | 12 / 29/ 1955 | -147.75 | -0.21 | 630.25 | 01 | 06 | 4 | |
| | P | 12 / 30/ 1955 | -147.86 | -0.11 | 630.14 | 01 | 06 | 4 | |
| | P | 12 / 31/ 1955 | -147.74 | 0.12 | 630.26 | 01 | 06 | 4 | |
| | P | 1 / 1 / 1956 | -147.39 | 0.35 | 630.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 2/1956 | -147.04 | 0.35 | 630.96 | 01 | 06 | 4 | |
| | P | 1/ 3/1956 | -147.5 | -0.46 | 630.5 | 01 | 06 | 4 | |
| | P | 1/ 4/1956 | -147.74 | -0.24 | 630.26 | 01 | 06 | 4 | |
| | P | 1/ 5/1956 | -147.76 | -0.02 | 630.24 | 01 | 06 | 4 | |
| | P | 1/ 6/1956 | -147.9 | -0.14 | 630.1 | 01 | 06 | 4 | |
| | P | 1/ 7/1956 | -148.17 | -0.27 | 629.83 | 01 | 06 | 4 | |
| | P | 1/ 8/1956 | -148.1 | 0.07 | 629.9 | 01 | 06 | 4 | |
| | P | 1/ 9/1956 | -147.61 | 0.49 | 630.39 | 01 | 06 | 4 | |
| | P | 1/10/1956 | -147.9 | -0.29 | 630.1 | 01 | 06 | 4 | |
| | P | 1/11/1956 | -148.05 | -0.15 | 629.95 | 01 | 06 | 4 | |
| | P | 1/12/1956 | -148.14 | -0.09 | 629.86 | 01 | 06 | 4 | |
| | P | 1/13/1956 | -148.24 | -0.1 | 629.76 | 01 | 06 | 4 | |
| | P | 1/14/1956 | -148.13 | 0.11 | 629.87 | 01 | 06 | 4 | |
| | P | 1/15/1956 | -147.94 | 0.19 | 630.06 | 01 | 06 | 4 | |
| | P | 1/16/1956 | -147.95 | -0.01 | 630.05 | 01 | 06 | 4 | |
| | P | 1/17/1956 | -148.15 | -0.2 | 629.85 | 01 | 06 | 4 | |
| | P | 1/18/1956 | -148.11 | 0.04 | 629.89 | 01 | 06 | 4 | |
| | P | 1/19/1956 | -147.52 | 0.59 | 630.48 | 01 | 06 | 4 | |
| | P | 1/20/1956 | -147.51 | 0.01 | 630.49 | 01 | 06 | 4 | |
| | P | 1/21/1956 | -147.36 | 0.15 | 630.64 | 01 | 06 | 4 | |
| | P | 1/22/1956 | -147.12 | 0.24 | 630.88 | 01 | 06 | 4 | |
| | P | 1/23/1956 | -146.88 | 0.24 | 631.12 | 01 | 06 | 4 | |
| | P | 1/24/1956 | -146.9 | -0.02 | 631.1 | 01 | 06 | 4 | |
| | P | 1/25/1956 | -146.92 | -0.02 | 631.08 | 01 | 06 | 4 | |
| | P | 1/26/1956 | -146.95 | -0.03 | 631.05 | 01 | 06 | 4 | |
| | P | 1/27/1956 | -146.87 | 0.08 | 631.13 | 01 | 06 | 4 | |
| | P | 1/28/1956 | -146.85 | 0.02 | 631.15 | 01 | 06 | 4 | |
| | P | 1/29/1956 | -146.71 | 0.14 | 631.29 | 01 | 06 | 4 | |
| | P | 1/30/1956 | -146.87 | -0.16 | 631.13 | 01 | 06 | 4 | |
| | P | 1/31/1956 | -146.9 | -0.03 | 631.1 | 01 | 06 | 4 | |
| | P | 2/ 1/1956 | -146.71 | 0.19 | 631.29 | 01 | 06 | 4 | |
| | P | 2/ 2/1956 | -146.65 | 0.06 | 631.35 | 01 | 06 | 4 | |
| | P | 2/ 3/1956 | -146.75 | -0.1 | 631.25 | 01 | 06 | 4 | |
| | P | 2/ 4/1956 | -146.56 | 0.19 | 631.44 | 01 | 06 | 4 | |
| | P | 2/ 5/1956 | -146.46 | 0.1 | 631.54 | 01 | 06 | 4 | |
| | P | 2/ 6/1956 | -146.23 | 0.23 | 631.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 7/1956 | -146.61 | -0.38 | 631.39 | 01 | 06 | 4 | |
| | P | 2/ 8/1956 | -146.54 | 0.07 | 631.46 | 01 | 06 | 4 | |
| | P | 2/ 9/1956 | -146.55 | -0.01 | 631.45 | 01 | 06 | 4 | |
| | P | 2/10/1956 | -146.5 | 0.05 | 631.5 | 01 | 06 | 4 | |
| | P | 2/11/1956 | -146.42 | 0.08 | 631.58 | 01 | 06 | 4 | |
| | P | 2/12/1956 | -146.33 | 0.09 | 631.67 | 01 | 06 | 4 | |
| | P | 2/13/1956 | -146.23 | 0.1 | 631.77 | 01 | 06 | 4 | |
| | P | 2/14/1956 | -146.54 | -0.31 | 631.46 | 01 | 06 | 4 | |
| | P | 2/15/1956 | -146.86 | -0.32 | 631.14 | 01 | 06 | 4 | |
| | P | 2/16/1956 | -147.08 | -0.22 | 630.92 | 01 | 06 | 4 | |
| | P | 2/17/1956 | -147.14 | -0.06 | 630.86 | 01 | 06 | 4 | |
| | P | 2/18/1956 | -147.47 | -0.33 | 630.53 | 01 | 06 | 4 | |
| | P | 2/19/1956 | -147.56 | -0.09 | 630.44 | 01 | 06 | 4 | |
| | P | 2/20/1956 | -147.57 | -0.01 | 630.43 | 01 | 06 | 4 | |
| | P | 2/21/1956 | -147.77 | -0.2 | 630.23 | 01 | 06 | 4 | |
| | P | 2/22/1956 | -147.83 | -0.06 | 630.17 | 01 | 06 | 4 | |
| | P | 2/23/1956 | -147.79 | 0.04 | 630.21 | 01 | 06 | 4 | |
| | P | 2/24/1956 | -147.26 | 0.53 | 630.74 | 01 | 06 | 4 | |
| | P | 2/25/1956 | -147.66 | -0.4 | 630.34 | 01 | 06 | 4 | |
| | P | 2/26/1956 | -147.66 | | 630.34 | 01 | 06 | 4 | |
| | P | 2/27/1956 | -147.65 | 0.01 | 630.35 | 01 | 06 | 4 | |
| | P | 2/28/1956 | -148.33 | -0.68 | 629.67 | 01 | 06 | 4 | |
| | P | 2/29/1956 | -148.67 | -0.34 | 629.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1956 | -148.61 | 0.06 | 629.39 | 01 | 06 | 4 | |
| | P | 3/ 2/1956 | -148.94 | -0.33 | 629.06 | 01 | 06 | 4 | |
| | P | 3/ 3/1956 | -149.25 | -0.31 | 628.75 | 01 | 06 | 4 | |
| | P | 3/ 4/1956 | -149.35 | -0.1 | 628.65 | 01 | 06 | 4 | |
| | P | 3/ 5/1956 | -149.25 | 0.1 | 628.75 | 01 | 06 | 4 | |
| | P | 3/ 6/1956 | -149.56 | -0.31 | 628.44 | 01 | 06 | 4 | |
| | P | 3/ 7/1956 | -149.9 | -0.34 | 628.1 | 01 | 06 | 4 | |
| | P | 3/ 8/1956 | -149.76 | 0.14 | 628.24 | 01 | 06 | 4 | |
| | P | 3/ 9/1956 | -149.83 | -0.07 | 628.17 | 01 | 06 | 4 | |
| | P | 3/10/1956 | -149.99 | -0.16 | 628.01 | 01 | 06 | 4 | |
| | P | 3/11/1956 | -150.41 | -0.42 | 627.59 | 01 | 06 | 4 | |
| | P | 3/12/1956 | -150.18 | 0.23 | 627.82 | 01 | 06 | 4 | |
| | P | 3/13/1956 | -149.62 | 0.56 | 628.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/14/1956 | -149.5 | 0.12 | 628.5 | 01 | 06 | 4 | |
| | P | 3/15/1956 | -149.35 | 0.15 | 628.65 | 01 | 06 | 4 | |
| | P | 3/16/1956 | -150.26 | -0.91 | 627.74 | 01 | 06 | 4 | |
| | P | 3/17/1956 | -149.96 | 0.3 | 628.04 | 01 | 06 | 4 | |
| | P | 3/21/1956 | -150.06 | -0.1 | 627.94 | 01 | 06 | 4 | |
| | P | 3/22/1956 | -149.91 | 0.15 | 628.09 | 01 | 06 | 4 | |
| | P | 3/23/1956 | -150.08 | -0.17 | 627.92 | 01 | 06 | 4 | |
| | P | 3/24/1956 | -150.3 | -0.22 | 627.7 | 01 | 06 | 4 | |
| | P | 3/25/1956 | -150.56 | -0.26 | 627.44 | 01 | 06 | 4 | |
| | P | 3/26/1956 | -150.35 | 0.21 | 627.65 | 01 | 06 | 4 | |
| | P | 3/27/1956 | -150.79 | -0.44 | 627.21 | 01 | 06 | 4 | |
| | P | 3/29/1956 | -152.76 | -1.97 | 625.24 | 01 | 06 | 4 | |
| | P | 4/ 1/1956 | -151.92 | 0.84 | 626.08 | 01 | 06 | 4 | |
| | P | 4/ 2/1956 | -151.31 | 0.61 | 626.69 | 01 | 06 | 4 | |
| | P | 4/ 3/1956 | -152.13 | -0.82 | 625.87 | 01 | 06 | 4 | |
| | P | 4/ 4/1956 | -152.57 | -0.44 | 625.43 | 01 | 06 | 4 | |
| | P | 4/ 5/1956 | -152.85 | -0.28 | 625.15 | 01 | 06 | 4 | |
| | P | 4/ 6/1956 | -152.86 | -0.01 | 625.14 | 01 | 06 | 4 | |
| | P | 4/ 7/1956 | -153.18 | -0.32 | 624.82 | 01 | 06 | 4 | |
| | P | 4/ 8/1956 | -152.7 | 0.48 | 625.3 | 01 | 06 | 4 | |
| | P | 4/ 9/1956 | -152.1 | 0.6 | 625.9 | 01 | 06 | 4 | |
| | P | 4/10/1956 | -152.32 | -0.22 | 625.68 | 01 | 06 | 4 | |
| | P | 4/11/1956 | -153.24 | -0.92 | 624.76 | 01 | 06 | 4 | |
| | P | 4/12/1956 | -153.5 | -0.26 | 624.5 | 01 | 06 | 4 | |
| | P | 4/13/1956 | -153.73 | -0.23 | 624.27 | 01 | 06 | 4 | |
| | P | 4/14/1956 | -153.77 | -0.04 | 624.23 | 01 | 06 | 4 | |
| | P | 4/15/1956 | -153.67 | 0.1 | 624.33 | 01 | 06 | 4 | |
| | P | 4/16/1956 | -153.35 | 0.32 | 624.65 | 01 | 06 | 4 | |
| | P | 4/17/1956 | -154.1 | -0.75 | 623.9 | 01 | 06 | 4 | |
| | P | 4/18/1956 | -154.36 | -0.26 | 623.64 | 01 | 06 | 4 | |
| | P | 4/19/1956 | -154 | 0.36 | 624 | 01 | 06 | 4 | |
| | P | 4/20/1956 | -153.69 | 0.31 | 624.31 | 01 | 06 | 4 | |
| | P | 4/21/1956 | -153.15 | 0.54 | 624.85 | 01 | 06 | 4 | |
| | P | 4/22/1956 | -152.7 | 0.45 | 625.3 | 01 | 06 | 4 | |
| | P | 4/23/1956 | -152.69 | 0.01 | 625.31 | 01 | 06 | 4 | |
| | P | 4/24/1956 | -152.23 | 0.46 | 625.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 25/ 1956 | -152.37 | -0.14 | 625.63 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1956 | -152.95 | -0.58 | 625.05 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1956 | -152.9 | 0.05 | 625.1 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1956 | -153.22 | -0.32 | 624.78 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1956 | -153.09 | 0.13 | 624.91 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1956 | -153.05 | 0.04 | 624.95 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1956 | -153 | 0.05 | 625 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1956 | -152.62 | 0.38 | 625.38 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1956 | -152.69 | -0.07 | 625.31 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1956 | -152.85 | -0.16 | 625.15 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1956 | -154.87 | -2.02 | 623.13 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1956 | -155.03 | -0.16 | 622.97 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1956 | -154.92 | 0.11 | 623.08 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1956 | -154.67 | 0.25 | 623.33 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1956 | -154.6 | 0.07 | 623.4 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1956 | -154.18 | 0.42 | 623.82 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1956 | -153.82 | 0.36 | 624.18 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1956 | -153.9 | -0.08 | 624.1 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1956 | -154.15 | -0.25 | 623.85 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1956 | -154.37 | -0.22 | 623.63 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1956 | -154.17 | 0.2 | 623.83 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1956 | -154.91 | -0.74 | 623.09 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1956 | -155.11 | -0.2 | 622.89 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1956 | -155.35 | -0.24 | 622.65 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1956 | -157.65 | -2.3 | 620.35 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1956 | -157.77 | -0.12 | 620.23 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1956 | -157.65 | 0.12 | 620.35 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1956 | -157.27 | 0.38 | 620.73 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1956 | -157.82 | -0.55 | 620.18 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1956 | -158.36 | -0.54 | 619.64 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1956 | -158.56 | -0.2 | 619.44 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1956 | -158.86 | -0.3 | 619.14 | 01 | 06 | 4 | |
| | P | 6/ 16/ 1956 | -158.89 | -0.03 | 619.11 | 01 | 06 | 4 | |
| | P | 6/ 17/ 1956 | -158.72 | 0.17 | 619.28 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1956 | -157.98 | 0.74 | 620.02 | 01 | 06 | 4 | |
| | P | 6/ 19/ 1956 | -157.92 | 0.06 | 620.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 1956 | -157.09 | 0.83 | 620.91 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1956 | -156.9 | 0.19 | 621.1 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1956 | -157.18 | -0.28 | 620.82 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1956 | -157.49 | -0.31 | 620.51 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1956 | -157.69 | -0.2 | 620.31 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1956 | -157.28 | 0.41 | 620.72 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1956 | -158.13 | -0.85 | 619.87 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1956 | -158.76 | -0.63 | 619.24 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1956 | -159.23 | -0.47 | 618.77 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1956 | -159.63 | -0.4 | 618.37 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1956 | -159.62 | 0.01 | 618.38 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1956 | -159.49 | 0.13 | 618.51 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1956 | -159.22 | 0.27 | 618.78 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1956 | -159.6 | -0.38 | 618.4 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1956 | -158.69 | 0.91 | 619.31 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1956 | -158.9 | -0.21 | 619.1 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1956 | -159.7 | -0.8 | 618.3 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1956 | -160.08 | -0.38 | 617.92 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1956 | -159.75 | 0.33 | 618.25 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1956 | -159.45 | 0.3 | 618.55 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1956 | -159.69 | -0.24 | 618.31 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1956 | -159.26 | 0.43 | 618.74 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1956 | -159.55 | -0.29 | 618.45 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1956 | -159.95 | -0.4 | 618.05 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1956 | -160.13 | -0.18 | 617.87 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1956 | -160.21 | -0.08 | 617.79 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1956 | -159.97 | 0.24 | 618.03 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1956 | -161.24 | -1.27 | 616.76 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1956 | -161.01 | 0.23 | 616.99 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1956 | -161.74 | -0.73 | 616.26 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1956 | -160.32 | 1.42 | 617.68 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1956 | -161.52 | -1.2 | 616.48 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1956 | -162.1 | -0.58 | 615.9 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1956 | -161.58 | 0.52 | 616.42 | 01 | 06 | 4 | |
| | P | 7 / 28/ 1956 | -161.74 | -0.16 | 616.26 | 01 | 06 | 4 | |
| | P | 7 / 29/ 1956 | -161.79 | -0.05 | 616.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1956 | -161.65 | 0.14 | 616.35 | 01 | 06 | 4 | |
| | P | 7/31/1956 | -162.27 | -0.62 | 615.73 | 01 | 06 | 4 | |
| | P | 8/ 1/1956 | -162.63 | -0.36 | 615.37 | 01 | 06 | 4 | |
| | P | 8/ 2/1956 | -162.82 | -0.19 | 615.18 | 01 | 06 | 4 | |
| | P | 8/ 3/1956 | -163 | -0.18 | 615 | 01 | 06 | 4 | |
| | P | 8/ 4/1956 | -163.15 | -0.15 | 614.85 | 01 | 06 | 4 | |
| | P | 8/ 5/1956 | -163.1 | 0.05 | 614.9 | 01 | 06 | 4 | |
| | P | 8/ 6/1956 | -162.78 | 0.32 | 615.22 | 01 | 06 | 4 | |
| | P | 8/ 7/1956 | -162.8 | -0.02 | 615.2 | 01 | 06 | 4 | |
| | P | 8/ 8/1956 | -163 | -0.2 | 615 | 01 | 06 | 4 | |
| | P | 8/ 9/1956 | -163.52 | -0.52 | 614.48 | 01 | 06 | 4 | |
| | P | 8/10/1956 | -163.94 | -0.42 | 614.06 | 01 | 06 | 4 | |
| | P | 8/11/1956 | -164.05 | -0.11 | 613.95 | 01 | 06 | 4 | |
| | P | 8/12/1956 | -163.91 | 0.14 | 614.09 | 01 | 06 | 4 | |
| | P | 8/13/1956 | -163.62 | 0.29 | 614.38 | 01 | 06 | 4 | |
| | P | 8/14/1956 | -164.43 | -0.81 | 613.57 | 01 | 06 | 4 | |
| | P | 8/15/1956 | -164.59 | -0.16 | 613.41 | 01 | 06 | 4 | |
| | P | 8/16/1956 | -164.88 | -0.29 | 613.12 | 01 | 06 | 4 | |
| | P | 8/17/1956 | -165.1 | -0.22 | 612.9 | 01 | 06 | 4 | |
| | P | 8/18/1956 | -164.94 | 0.16 | 613.06 | 01 | 06 | 4 | |
| | P | 8/19/1956 | -164.75 | 0.19 | 613.25 | 01 | 06 | 4 | |
| | P | 8/20/1956 | -163.04 | 1.71 | 614.96 | 01 | 06 | 4 | |
| | P | 8/21/1956 | -161.89 | 1.15 | 616.11 | 01 | 06 | 4 | |
| | P | 8/22/1956 | -161.28 | 0.61 | 616.72 | 01 | 06 | 4 | |
| | P | 8/23/1956 | -161.1 | 0.18 | 616.9 | 01 | 06 | 4 | |
| | P | 8/24/1956 | -161.27 | -0.17 | 616.73 | 01 | 06 | 4 | |
| | P | 8/25/1956 | -161.28 | -0.01 | 616.72 | 01 | 06 | 4 | |
| | P | 8/26/1956 | -160.81 | 0.47 | 617.19 | 01 | 06 | 4 | |
| | P | 9/13/1956 | -158.79 | 2.02 | 619.21 | 01 | 06 | 4 | |
| | P | 9/14/1956 | -158.9 | -0.11 | 619.1 | 01 | 06 | 4 | |
| | P | 9/15/1956 | -158.91 | -0.01 | 619.09 | 01 | 06 | 4 | |
| | P | 9/18/1956 | -159.23 | -0.32 | 618.77 | 01 | 06 | 4 | |
| | P | 9/19/1956 | -159.7 | -0.47 | 618.3 | 01 | 06 | 4 | |
| | P | 9/20/1956 | -160.07 | -0.37 | 617.93 | 01 | 06 | 4 | |
| | P | 9/21/1956 | -159.7 | 0.37 | 618.3 | 01 | 06 | 4 | |
| | P | 9/22/1956 | -159.72 | -0.02 | 618.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/23/1956 | -159.69 | 0.03 | 618.31 | 01 | 06 | 4 | |
| | P | 9/24/1956 | -159.45 | 0.24 | 618.55 | 01 | 06 | 4 | |
| | P | 9/25/1956 | -159.86 | -0.41 | 618.14 | 01 | 06 | 4 | |
| | P | 10/ 5/1956 | -160.82 | -0.96 | 617.18 | 01 | 06 | 4 | |
| | P | 10/ 6/1956 | -160.92 | -0.1 | 617.08 | 01 | 06 | 4 | |
| | P | 10/ 7/1956 | -160.93 | -0.01 | 617.07 | 01 | 06 | 4 | |
| | P | 10/ 8/1956 | -160.81 | 0.12 | 617.19 | 01 | 06 | 4 | |
| | P | 10/ 9/1956 | -161.37 | -0.56 | 616.63 | 01 | 06 | 4 | |
| | P | 10/10/1956 | -161.66 | -0.29 | 616.34 | 01 | 06 | 4 | |
| | P | 10/11/1956 | -161.71 | -0.05 | 616.29 | 01 | 06 | 4 | |
| | P | 10/12/1956 | -161.61 | 0.1 | 616.39 | 01 | 06 | 4 | |
| | P | 10/13/1956 | -160.91 | 0.7 | 617.09 | 01 | 06 | 4 | |
| | P | 10/14/1956 | -160.33 | 0.58 | 617.67 | 01 | 06 | 4 | |
| | P | 10/15/1956 | -159.94 | 0.39 | 618.06 | 01 | 06 | 4 | |
| | P | 10/16/1956 | -159.41 | 0.53 | 618.59 | 01 | 06 | 4 | |
| | P | 10/17/1956 | -158.77 | 0.64 | 619.23 | 01 | 06 | 4 | |
| | P | 10/18/1956 | -158.16 | 0.61 | 619.84 | 01 | 06 | 4 | |
| | P | 10/19/1956 | -157.6 | 0.56 | 620.4 | 01 | 06 | 4 | |
| | P | 10/20/1956 | -157.25 | 0.35 | 620.75 | 01 | 06 | 4 | |
| | P | 10/21/1956 | -156.88 | 0.37 | 621.12 | 01 | 06 | 4 | |
| | P | 10/22/1956 | -156.68 | 0.2 | 621.32 | 01 | 06 | 4 | |
| | P | 10/23/1956 | -156.54 | 0.14 | 621.46 | 01 | 06 | 4 | |
| | P | 10/24/1956 | -156.42 | 0.12 | 621.58 | 01 | 06 | 4 | |
| | P | 10/25/1956 | -156.28 | 0.14 | 621.72 | 01 | 06 | 4 | |
| | P | 10/26/1956 | -156.36 | -0.08 | 621.64 | 01 | 06 | 4 | |
| | P | 10/27/1956 | -156.2 | 0.16 | 621.8 | 01 | 06 | 4 | |
| | P | 10/28/1956 | -156.05 | 0.15 | 621.95 | 01 | 06 | 4 | |
| | P | 10/29/1956 | -155.74 | 0.31 | 622.26 | 01 | 06 | 4 | |
| | P | 10/30/1956 | -155.99 | -0.25 | 622.01 | 01 | 06 | 4 | |
| | P | 10/31/1956 | -155.75 | 0.24 | 622.25 | 01 | 06 | 4 | |
| | P | 11/ 1/1956 | -155.77 | -0.02 | 622.23 | 01 | 06 | 4 | |
| | P | 11/ 2/1956 | -155.88 | -0.11 | 622.12 | 01 | 06 | 4 | |
| | P | 1/23/1957 | -152.52 | 3.36 | 625.48 | 01 | 06 | 4 | |
| | P | 1/24/1957 | -152.28 | 0.24 | 625.72 | 01 | 06 | 4 | |
| | P | 1/25/1957 | -152.35 | -0.07 | 625.65 | 01 | 06 | 4 | |
| | P | 1/28/1957 | -151.6 | 0.75 | 626.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 29/ 1957 | -151.7 | -0.1 | 626.3 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1957 | -152 | -0.3 | 626 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1957 | -152.74 | -0.74 | 625.26 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1957 | -152.74 | | 625.26 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1957 | -152.85 | -0.11 | 625.15 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1957 | -153.15 | -0.3 | 624.85 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1957 | -153.44 | -0.29 | 624.56 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1957 | -153.26 | 0.18 | 624.74 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1957 | -153.35 | -0.09 | 624.65 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1957 | -153.69 | -0.34 | 624.31 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1957 | -153.13 | 0.56 | 624.87 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1957 | -152.55 | 0.58 | 625.45 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1957 | -152.4 | 0.15 | 625.6 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1957 | -152.18 | 0.22 | 625.82 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1957 | -152.08 | 0.1 | 625.92 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1957 | -151.92 | 0.16 | 626.08 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1957 | -151.66 | 0.26 | 626.34 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1957 | -150.89 | 0.77 | 627.11 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1957 | -150.56 | 0.33 | 627.44 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1957 | -150.7 | -0.14 | 627.3 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1957 | -151.05 | -0.35 | 626.95 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1957 | -151.1 | -0.05 | 626.9 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1957 | -151.32 | -0.22 | 626.68 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1957 | -151.38 | -0.06 | 626.62 | 01 | 06 | 4 | |
| | P | 3/ 3/ 1957 | -151.34 | 0.04 | 626.66 | 01 | 06 | 4 | |
| | P | 3/ 4/ 1957 | -151.01 | 0.33 | 626.99 | 01 | 06 | 4 | |
| | P | 3/ 5/ 1957 | -150.7 | 0.31 | 627.3 | 01 | 06 | 4 | |
| | P | 3/ 6/ 1957 | -150.33 | 0.37 | 627.67 | 01 | 06 | 4 | |
| | P | 3/ 7/ 1957 | -151.22 | -0.89 | 626.78 | 01 | 06 | 4 | |
| | P | 3/ 8/ 1957 | -150.92 | 0.3 | 627.08 | 01 | 06 | 4 | |
| | P | 3/ 9/ 1957 | -150.87 | 0.05 | 627.13 | 01 | 06 | 4 | |
| | P | 3/ 10/ 1957 | -150.82 | 0.05 | 627.18 | 01 | 06 | 4 | |
| | P | 3/ 11/ 1957 | -150.71 | 0.11 | 627.29 | 01 | 06 | 4 | |
| | P | 3/ 12/ 1957 | -151.3 | -0.59 | 626.7 | 01 | 06 | 4 | |
| | P | 3/ 13/ 1957 | -151.42 | -0.12 | 626.58 | 01 | 06 | 4 | |
| | P | 3/ 14/ 1957 | -151.58 | -0.16 | 626.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/15/1957 | -151.89 | -0.31 | 626.11 | 01 | 06 | 4 | |
| | P | 3/16/1957 | -151.83 | 0.06 | 626.17 | 01 | 06 | 4 | |
| | P | 3/17/1957 | -151.58 | 0.25 | 626.42 | 01 | 06 | 4 | |
| | P | 3/18/1957 | -150.87 | 0.71 | 627.13 | 01 | 06 | 4 | |
| | P | 3/19/1957 | -150.73 | 0.14 | 627.27 | 01 | 06 | 4 | |
| | P | 3/20/1957 | -150.34 | 0.39 | 627.66 | 01 | 06 | 4 | |
| | P | 3/21/1957 | -147.53 | 2.81 | 630.47 | 01 | 06 | 4 | |
| | P | 3/22/1957 | -147.11 | 0.42 | 630.89 | 01 | 06 | 4 | |
| | P | 3/23/1957 | -147.57 | -0.46 | 630.43 | 01 | 06 | 4 | |
| | P | 3/24/1957 | -147.86 | -0.29 | 630.14 | 01 | 06 | 4 | |
| | P | 3/25/1957 | -147.92 | -0.06 | 630.08 | 01 | 06 | 4 | |
| | P | 3/26/1957 | -148.73 | -0.81 | 629.27 | 01 | 06 | 4 | |
| | P | 3/27/1957 | -149.35 | -0.62 | 628.65 | 01 | 06 | 4 | |
| | P | 3/28/1957 | -150.27 | -0.92 | 627.73 | 01 | 06 | 4 | |
| | P | 3/29/1957 | -149.78 | 0.49 | 628.22 | 01 | 06 | 4 | |
| | P | 3/30/1957 | -148.35 | 1.43 | 629.65 | 01 | 06 | 4 | |
| | P | 3/31/1957 | -147.67 | 0.68 | 630.33 | 01 | 06 | 4 | |
| | P | 4/ 1/1957 | -147.27 | 0.4 | 630.73 | 01 | 06 | 4 | |
| | P | 4/ 2/1957 | -147.51 | -0.24 | 630.49 | 01 | 06 | 4 | |
| | P | 4/ 3/1957 | -147.67 | -0.16 | 630.33 | 01 | 06 | 4 | |
| | P | 4/ 4/1957 | -147.85 | -0.18 | 630.15 | 01 | 06 | 4 | |
| | P | 4/ 5/1957 | -148.2 | -0.35 | 629.8 | 01 | 06 | 4 | |
| | P | 4/ 6/1957 | -148.32 | -0.12 | 629.68 | 01 | 06 | 4 | |
| | P | 4/ 7/1957 | -148.22 | 0.1 | 629.78 | 01 | 06 | 4 | |
| | P | 4/ 8/1957 | -148.48 | -0.26 | 629.52 | 01 | 06 | 4 | |
| | P | 4/ 9/1957 | -148.7 | -0.22 | 629.3 | 01 | 06 | 4 | |
| | P | 4/10/1957 | -148.86 | -0.16 | 629.14 | 01 | 06 | 4 | |
| | P | 4/11/1957 | -148.94 | -0.08 | 629.06 | 01 | 06 | 4 | |
| | P | 4/12/1957 | -149.05 | -0.11 | 628.95 | 01 | 06 | 4 | |
| | P | 4/13/1957 | -149.18 | -0.13 | 628.82 | 01 | 06 | 4 | |
| | P | 4/14/1957 | -148.92 | 0.26 | 629.08 | 01 | 06 | 4 | |
| | P | 4/15/1957 | -148.49 | 0.43 | 629.51 | 01 | 06 | 4 | |
| | P | 4/16/1957 | -148.5 | -0.01 | 629.5 | 01 | 06 | 4 | |
| | P | 4/17/1957 | -148.55 | -0.05 | 629.45 | 01 | 06 | 4 | |
| | P | 4/18/1957 | -148.76 | -0.21 | 629.24 | 01 | 06 | 4 | |
| | P | 4/19/1957 | -146.13 | 2.63 | 631.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 20/ 1957 | -145.08 | 1.05 | 632.92 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1957 | -144.81 | 0.27 | 633.19 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1957 | -142.87 | 1.94 | 635.13 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1957 | -142.25 | 0.62 | 635.75 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1957 | -141.3 | 0.95 | 636.7 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1957 | -139.55 | 1.75 | 638.45 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1957 | -137.47 | 2.08 | 640.53 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1957 | -135.17 | 2.3 | 642.83 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1957 | -133.75 | 1.42 | 644.25 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1957 | -133.03 | 0.72 | 644.97 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1957 | -133.05 | -0.02 | 644.95 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1957 | -133.42 | -0.37 | 644.58 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1957 | -133.86 | -0.44 | 644.14 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1957 | -134.14 | -0.28 | 643.86 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1957 | -134.39 | -0.25 | 643.61 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1957 | -134.6 | -0.21 | 643.4 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1957 | -134.75 | -0.15 | 643.25 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1957 | -135.28 | -0.53 | 642.72 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1957 | -135.47 | -0.19 | 642.53 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1957 | -135.81 | -0.34 | 642.19 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1957 | -136.39 | -0.58 | 641.61 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1957 | -136.85 | -0.46 | 641.15 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1957 | -137.43 | -0.58 | 640.57 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1957 | -137.66 | -0.23 | 640.34 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1957 | -137.75 | -0.09 | 640.25 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1957 | -138 | -0.25 | 640 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1957 | -137.25 | 0.75 | 640.75 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1957 | -136.62 | 0.63 | 641.38 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1957 | -136.33 | 0.29 | 641.67 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1957 | -136.67 | -0.34 | 641.33 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1957 | -136.99 | -0.32 | 641.01 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1957 | -137.4 | -0.41 | 640.6 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1957 | -137.68 | -0.28 | 640.32 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1957 | -137.95 | -0.27 | 640.05 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1957 | -138.2 | -0.25 | 639.8 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1957 | -132.36 | 5.84 | 645.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 28/ 1957 | -129.7 | 2.66 | 648.3 | 01 | 06 | 4 | |
| | P | 5 / 29/ 1957 | -129.17 | 0.53 | 648.83 | 01 | 06 | 4 | |
| | P | 5 / 30/ 1957 | -128.85 | 0.32 | 649.15 | 01 | 06 | 4 | |
| | P | 5 / 31/ 1957 | -126.27 | 2.58 | 651.73 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1957 | -127.63 | -1.36 | 650.37 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1957 | -127.52 | 0.11 | 650.48 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1957 | -127.26 | 0.26 | 650.74 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1957 | -127.26 | | 650.74 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1957 | -127.23 | 0.03 | 650.77 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1957 | -127.3 | -0.07 | 650.7 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1957 | -127.33 | -0.03 | 650.67 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1957 | -127 | 0.33 | 651 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1957 | -127.51 | -0.51 | 650.49 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1957 | -127.23 | 0.28 | 650.77 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1957 | -127.46 | -0.23 | 650.54 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1957 | -127.52 | -0.06 | 650.48 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1957 | -127.75 | -0.23 | 650.25 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1957 | -127.96 | -0.21 | 650.04 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1957 | -128.32 | -0.36 | 649.68 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1957 | -128.3 | 0.02 | 649.7 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1957 | -128.02 | 0.28 | 649.98 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1957 | -128.3 | -0.28 | 649.7 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1957 | -125.95 | 2.35 | 652.05 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1957 | -125.33 | 0.62 | 652.67 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1957 | -125.57 | -0.24 | 652.43 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1957 | -125.31 | 0.26 | 652.69 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1957 | -125.56 | -0.25 | 652.44 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1957 | -125.57 | -0.01 | 652.43 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1957 | -125.52 | 0.05 | 652.48 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1957 | -125.43 | 0.09 | 652.57 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1957 | -125.33 | 0.1 | 652.67 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1957 | -124.52 | 0.81 | 653.48 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1957 | -124.31 | 0.21 | 653.69 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1957 | -124.05 | 0.26 | 653.95 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1957 | -123.7 | 0.35 | 654.3 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1957 | -123.6 | 0.1 | 654.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/29/1957 | -123.23 | 0.37 | 654.77 | 01 | 06 | 4 | |
| | P | 11/30/1957 | -123.66 | -0.43 | 654.34 | 01 | 06 | 4 | |
| | P | 12/ 1/1957 | -123.46 | 0.2 | 654.54 | 01 | 06 | 4 | |
| | P | 12/ 2/1957 | -123.13 | 0.33 | 654.87 | 01 | 06 | 4 | |
| | P | 12/ 3/1957 | -123.16 | -0.03 | 654.84 | 01 | 06 | 4 | |
| | P | 12/ 4/1957 | -123.44 | -0.28 | 654.56 | 01 | 06 | 4 | |
| | P | 12/ 5/1957 | -123.4 | 0.04 | 654.6 | 01 | 06 | 4 | |
| | P | 12/ 6/1957 | -123.17 | 0.23 | 654.83 | 01 | 06 | 4 | |
| | P | 12/ 7/1957 | -123.2 | -0.03 | 654.8 | 01 | 06 | 4 | |
| | P | 12/ 8/1957 | -123.29 | -0.09 | 654.71 | 01 | 06 | 4 | |
| | P | 12/ 9/1957 | -123.32 | -0.03 | 654.68 | 01 | 06 | 4 | |
| | P | 12/10/1957 | -123.37 | -0.05 | 654.63 | 01 | 06 | 4 | |
| | P | 12/11/1957 | -123.85 | -0.48 | 654.15 | 01 | 06 | 4 | |
| | P | 12/12/1957 | -123.97 | -0.12 | 654.03 | 01 | 06 | 4 | |
| | P | 12/26/1957 | -123.74 | 0.23 | 654.26 | 01 | 06 | 4 | |
| | P | 12/27/1957 | -123.57 | 0.17 | 654.43 | 01 | 06 | 4 | |
| | P | 12/28/1957 | -123.63 | -0.06 | 654.37 | 01 | 06 | 4 | |
| | P | 12/29/1957 | -123.43 | 0.2 | 654.57 | 01 | 06 | 4 | |
| | P | 1/ 1/1958 | -123.67 | -0.24 | 654.33 | 01 | 06 | 4 | |
| | P | 1/ 2/1958 | -123.47 | 0.2 | 654.53 | 01 | 06 | 4 | |
| | P | 1/ 3/1958 | -123.59 | -0.12 | 654.41 | 01 | 06 | 4 | |
| | P | 1/ 4/1958 | -123.62 | -0.03 | 654.38 | 01 | 06 | 4 | |
| | P | 1/ 5/1958 | -121.09 | 2.53 | 656.91 | 01 | 06 | 4 | |
| | P | 1/ 6/1958 | -120.45 | 0.64 | 657.55 | 01 | 06 | 4 | |
| | P | 1/ 7/1958 | -120.12 | 0.33 | 657.88 | 01 | 06 | 4 | |
| | P | 1/ 8/1958 | -119.87 | 0.25 | 658.13 | 01 | 06 | 4 | |
| | P | 1/ 9/1958 | -119.57 | 0.3 | 658.43 | 01 | 06 | 4 | |
| | P | 1/10/1958 | -119.3 | 0.27 | 658.7 | 01 | 06 | 4 | |
| | P | 1/11/1958 | -119.07 | 0.23 | 658.93 | 01 | 06 | 4 | |
| | P | 1/12/1958 | -117.77 | 1.3 | 660.23 | 01 | 06 | 4 | |
| | P | 1/13/1958 | -117.35 | 0.42 | 660.65 | 01 | 06 | 4 | |
| | P | 1/14/1958 | -117.07 | 0.28 | 660.93 | 01 | 06 | 4 | |
| | P | 1/15/1958 | -117.08 | -0.01 | 660.92 | 01 | 06 | 4 | |
| | P | 1/16/1958 | -116.93 | 0.15 | 661.07 | 01 | 06 | 4 | |
| | P | 1/17/1958 | -116.67 | 0.26 | 661.33 | 01 | 06 | 4 | |
| | P | 1/18/1958 | -116.52 | 0.15 | 661.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 19/ 1958 | -116.12 | 0.4 | 661.88 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1958 | -115.8 | 0.32 | 662.2 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1958 | -115.98 | -0.18 | 662.02 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1958 | -115.98 | | 662.02 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1958 | -115.67 | 0.31 | 662.33 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1958 | -114.95 | 0.72 | 663.05 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1958 | -114.52 | 0.43 | 663.48 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1958 | -114.24 | 0.28 | 663.76 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1958 | -113.88 | 0.36 | 664.12 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1958 | -113.8 | 0.08 | 664.2 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1958 | -113.8 | | 664.2 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1958 | -113.7 | 0.1 | 664.3 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1958 | -113.56 | 0.14 | 664.44 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1958 | -113.8 | -0.24 | 664.2 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1958 | -113.64 | 0.16 | 664.36 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1958 | -113.52 | 0.12 | 664.48 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1958 | -113.54 | -0.02 | 664.46 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1958 | -113.46 | 0.08 | 664.54 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1958 | -113.59 | -0.13 | 664.41 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1958 | -113.85 | -0.26 | 664.15 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1958 | -113.85 | | 664.15 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1958 | -113.63 | 0.22 | 664.37 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1958 | -113.4 | 0.23 | 664.6 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1958 | -113.46 | -0.06 | 664.54 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1958 | -113.62 | -0.16 | 664.38 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1958 | -113.78 | -0.16 | 664.22 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1958 | -113.62 | 0.16 | 664.38 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1958 | -113.84 | -0.22 | 664.16 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1958 | -113.85 | -0.01 | 664.15 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1958 | -113.72 | 0.13 | 664.28 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1958 | -113.95 | -0.23 | 664.05 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1958 | -114.1 | -0.15 | 663.9 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1958 | -114.16 | -0.06 | 663.84 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1958 | -111.27 | 2.89 | 666.73 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1958 | -109.19 | 2.08 | 668.81 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1958 | -107.73 | 1.46 | 670.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/24/1958 | -107.21 | 0.52 | 670.79 | 01 | 06 | 4 | |
| | P | 2/25/1958 | -106.95 | 0.26 | 671.05 | 01 | 06 | 4 | |
| | P | 2/26/1958 | -106.71 | 0.24 | 671.29 | 01 | 06 | 4 | |
| | P | 2/27/1958 | -106.45 | 0.26 | 671.55 | 01 | 06 | 4 | |
| | P | 2/28/1958 | -106.4 | 0.05 | 671.6 | 01 | 06 | 4 | |
| | P | 3/ 1/1958 | -106.25 | 0.15 | 671.75 | 01 | 06 | 4 | |
| | P | 3/ 2/1958 | -106.01 | 0.24 | 671.99 | 01 | 06 | 4 | |
| | P | 3/ 3/1958 | -105.78 | 0.23 | 672.22 | 01 | 06 | 4 | |
| | P | 3/ 4/1958 | -105.73 | 0.05 | 672.27 | 01 | 06 | 4 | |
| | P | 3/ 5/1958 | -105.62 | 0.11 | 672.38 | 01 | 06 | 4 | |
| | P | 3/ 6/1958 | -105.5 | 0.12 | 672.5 | 01 | 06 | 4 | |
| | P | 3/ 7/1958 | -105.6 | -0.1 | 672.4 | 01 | 06 | 4 | |
| | P | 3/ 8/1958 | -105.63 | -0.03 | 672.37 | 01 | 06 | 4 | |
| | P | 3/ 9/1958 | -105.63 | | 672.37 | 01 | 06 | 4 | |
| | P | 3/10/1958 | -105.5 | 0.13 | 672.5 | 01 | 06 | 4 | |
| | P | 3/11/1958 | -105.67 | -0.17 | 672.33 | 01 | 06 | 4 | |
| | P | 3/12/1958 | -105.6 | 0.07 | 672.4 | 01 | 06 | 4 | |
| | P | 3/13/1958 | -105.66 | -0.06 | 672.34 | 01 | 06 | 4 | |
| | P | 3/14/1958 | -105.8 | -0.14 | 672.2 | 01 | 06 | 4 | |
| | P | 3/15/1958 | -105.85 | -0.05 | 672.15 | 01 | 06 | 4 | |
| | P | 3/16/1958 | -105.75 | 0.1 | 672.25 | 01 | 06 | 4 | |
| | P | 3/17/1958 | -105.51 | 0.24 | 672.49 | 01 | 06 | 4 | |
| | P | 3/18/1958 | -105.79 | -0.28 | 672.21 | 01 | 06 | 4 | |
| | P | 3/19/1958 | -105.77 | 0.02 | 672.23 | 01 | 06 | 4 | |
| | P | 3/20/1958 | -105.93 | -0.16 | 672.07 | 01 | 06 | 4 | |
| | P | 3/21/1958 | -105.9 | 0.03 | 672.1 | 01 | 06 | 4 | |
| | P | 3/22/1958 | -105.85 | 0.05 | 672.15 | 01 | 06 | 4 | |
| | P | 3/23/1958 | -105.78 | 0.07 | 672.22 | 01 | 06 | 4 | |
| | P | 3/24/1958 | -105.75 | 0.03 | 672.25 | 01 | 06 | 4 | |
| | P | 3/25/1958 | -105.93 | -0.18 | 672.07 | 01 | 06 | 4 | |
| | P | 3/26/1958 | -105.97 | -0.04 | 672.03 | 01 | 06 | 4 | |
| | P | 3/27/1958 | -106.1 | -0.13 | 671.9 | 01 | 06 | 4 | |
| | P | 3/28/1958 | -106.32 | -0.22 | 671.68 | 01 | 06 | 4 | |
| | P | 3/29/1958 | -106.19 | 0.13 | 671.81 | 01 | 06 | 4 | |
| | P | 3/30/1958 | -106.47 | -0.28 | 671.53 | 01 | 06 | 4 | |
| | P | 3/31/1958 | -106.52 | -0.05 | 671.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 1/1958 | -106.71 | -0.19 | 671.29 | 01 | 06 | 4 | |
| | P | 4/ 2/1958 | -106.72 | -0.01 | 671.28 | 01 | 06 | 4 | |
| | P | 4/ 3/1958 | -106.73 | -0.01 | 671.27 | 01 | 06 | 4 | |
| | P | 4/ 4/1958 | -107.03 | -0.3 | 670.97 | 01 | 06 | 4 | |
| | P | 4/ 5/1958 | -107.35 | -0.32 | 670.65 | 01 | 06 | 4 | |
| | P | 4/ 6/1958 | -107.63 | -0.28 | 670.37 | 01 | 06 | 4 | |
| | P | 4/ 7/1958 | -107.77 | -0.14 | 670.23 | 01 | 06 | 4 | |
| | P | 4/ 8/1958 | -105.14 | 2.63 | 672.86 | 01 | 06 | 4 | |
| | P | 4/ 9/1958 | -108.31 | -3.17 | 669.69 | 01 | 06 | 4 | |
| | P | 4/10/1958 | -108.31 | | 669.69 | 01 | 06 | 4 | |
| | P | 4/11/1958 | -108.61 | -0.3 | 669.39 | 01 | 06 | 4 | |
| | P | 4/12/1958 | -108.86 | -0.25 | 669.14 | 01 | 06 | 4 | |
| | P | 4/13/1958 | -108.49 | 0.37 | 669.51 | 01 | 06 | 4 | |
| | P | 4/14/1958 | -108.38 | 0.11 | 669.62 | 01 | 06 | 4 | |
| | P | 4/15/1958 | -108.41 | -0.03 | 669.59 | 01 | 06 | 4 | |
| | P | 4/16/1958 | -108.56 | -0.15 | 669.44 | 01 | 06 | 4 | |
| | P | 4/17/1958 | -108.7 | -0.14 | 669.3 | 01 | 06 | 4 | |
| | P | 4/18/1958 | -108.83 | -0.13 | 669.17 | 01 | 06 | 4 | |
| | P | 4/19/1958 | -108.87 | -0.04 | 669.13 | 01 | 06 | 4 | |
| | P | 4/20/1958 | -108.82 | 0.05 | 669.18 | 01 | 06 | 4 | |
| | P | 4/21/1958 | -108.7 | 0.12 | 669.3 | 01 | 06 | 4 | |
| | P | 4/22/1958 | -109.11 | -0.41 | 668.89 | 01 | 06 | 4 | |
| | P | 4/23/1958 | -109.4 | -0.29 | 668.6 | 01 | 06 | 4 | |
| | P | 4/24/1958 | -110.06 | -0.66 | 667.94 | 01 | 06 | 4 | |
| | P | 4/25/1958 | -110.13 | -0.07 | 667.87 | 01 | 06 | 4 | |
| | P | 4/26/1958 | -110.04 | 0.09 | 667.96 | 01 | 06 | 4 | |
| | P | 4/27/1958 | -109.92 | 0.12 | 668.08 | 01 | 06 | 4 | |
| | P | 4/28/1958 | -109.8 | 0.12 | 668.2 | 01 | 06 | 4 | |
| | P | 4/29/1958 | -110.1 | -0.3 | 667.9 | 01 | 06 | 4 | |
| | P | 4/30/1958 | -110.18 | -0.08 | 667.82 | 01 | 06 | 4 | |
| | P | 5/ 1/1958 | -111.23 | -1.05 | 666.77 | 01 | 06 | 4 | |
| | P | 5/ 2/1958 | -108.62 | 2.61 | 669.38 | 01 | 06 | 4 | |
| | P | 5/ 3/1958 | -105.3 | 3.32 | 672.7 | 01 | 06 | 4 | |
| | P | 5/ 4/1958 | -104.66 | 0.64 | 673.34 | 01 | 06 | 4 | |
| | P | 5/ 5/1958 | -104.2 | 0.46 | 673.8 | 01 | 06 | 4 | |
| | P | 5/ 6/1958 | -104 | 0.2 | 674 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 7/1958 | -103.78 | 0.22 | 674.22 | 01 | 06 | 4 | |
| | P | 5/ 8/1958 | -103.7 | 0.08 | 674.3 | 01 | 06 | 4 | |
| | P | 5/ 9/1958 | -103.93 | -0.23 | 674.07 | 01 | 06 | 4 | |
| | P | 5/10/1958 | -104.04 | -0.11 | 673.96 | 01 | 06 | 4 | |
| | P | 5/11/1958 | -104.1 | -0.06 | 673.9 | 01 | 06 | 4 | |
| | P | 5/12/1958 | -104.12 | -0.02 | 673.88 | 01 | 06 | 4 | |
| | P | 5/13/1958 | -104.5 | -0.38 | 673.5 | 01 | 06 | 4 | |
| | P | 5/14/1958 | -104.52 | -0.02 | 673.48 | 01 | 06 | 4 | |
| | P | 5/15/1958 | -104.32 | 0.2 | 673.68 | 01 | 06 | 4 | |
| | P | 5/16/1958 | -104.26 | 0.06 | 673.74 | 01 | 06 | 4 | |
| | P | 5/17/1958 | -104.34 | -0.08 | 673.66 | 01 | 06 | 4 | |
| | P | 5/18/1958 | -104.41 | -0.07 | 673.59 | 01 | 06 | 4 | |
| | P | 5/19/1958 | -104.22 | 0.19 | 673.78 | 01 | 06 | 4 | |
| | P | 5/20/1958 | -104.3 | -0.08 | 673.7 | 01 | 06 | 4 | |
| | P | 5/21/1958 | -104.37 | -0.07 | 673.63 | 01 | 06 | 4 | |
| | P | 5/22/1958 | -104.57 | -0.2 | 673.43 | 01 | 06 | 4 | |
| | P | 5/23/1958 | -104.84 | -0.27 | 673.16 | 01 | 06 | 4 | |
| | P | 5/24/1958 | -105.26 | -0.42 | 672.74 | 01 | 06 | 4 | |
| | P | 5/25/1958 | -105.57 | -0.31 | 672.43 | 01 | 06 | 4 | |
| | P | 5/26/1958 | -105.52 | 0.05 | 672.48 | 01 | 06 | 4 | |
| | P | 5/27/1958 | -106.21 | -0.69 | 671.79 | 01 | 06 | 4 | |
| | P | 5/28/1958 | -106.82 | -0.61 | 671.18 | 01 | 06 | 4 | |
| | P | 5/29/1958 | -107.55 | -0.73 | 670.45 | 01 | 06 | 4 | |
| | P | 5/30/1958 | -108 | -0.45 | 670 | 01 | 06 | 4 | |
| | P | 5/31/1958 | -108.12 | -0.12 | 669.88 | 01 | 06 | 4 | |
| | P | 6/ 1/1958 | -108.87 | -0.75 | 669.13 | 01 | 06 | 4 | |
| | P | 6/ 2/1958 | -108.97 | -0.1 | 669.03 | 01 | 06 | 4 | |
| | P | 6/ 3/1958 | -109.98 | -1.01 | 668.02 | 01 | 06 | 4 | |
| | P | 6/ 4/1958 | -110.98 | -1 | 667.02 | 01 | 06 | 4 | |
| | P | 6/ 5/1958 | -111.64 | -0.66 | 666.36 | 01 | 06 | 4 | |
| | P | 6/ 6/1958 | -112.02 | -0.38 | 665.98 | 01 | 06 | 4 | |
| | P | 6/ 7/1958 | -112.5 | -0.48 | 665.5 | 01 | 06 | 4 | |
| | P | 6/ 8/1958 | -112.85 | -0.35 | 665.15 | 01 | 06 | 4 | |
| | P | 6/ 9/1958 | -112.84 | 0.01 | 665.16 | 01 | 06 | 4 | |
| | P | 6/10/1958 | -113.76 | -0.92 | 664.24 | 01 | 06 | 4 | |
| | P | 6/11/1958 | -114.62 | -0.86 | 663.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/12/1958 | -115.27 | -0.65 | 662.73 | 01 | 06 | 4 | |
| | P | 6/13/1958 | -115.87 | -0.6 | 662.13 | 01 | 06 | 4 | |
| | P | 6/14/1958 | -116.31 | -0.44 | 661.69 | 01 | 06 | 4 | |
| | P | 6/15/1958 | -115.34 | 0.97 | 662.66 | 01 | 06 | 4 | |
| | P | 6/16/1958 | -115.3 | 0.04 | 662.7 | 01 | 06 | 4 | |
| | P | 6/17/1958 | -115.78 | -0.48 | 662.22 | 01 | 06 | 4 | |
| | P | 6/18/1958 | -115.55 | 0.23 | 662.45 | 01 | 06 | 4 | |
| | P | 6/19/1958 | -115.58 | -0.03 | 662.42 | 01 | 06 | 4 | |
| | P | 6/20/1958 | -115.98 | -0.4 | 662.02 | 01 | 06 | 4 | |
| | P | 6/21/1958 | -116.42 | -0.44 | 661.58 | 01 | 06 | 4 | |
| | P | 6/22/1958 | -114.59 | 1.83 | 663.41 | 01 | 06 | 4 | |
| | P | 6/23/1958 | -113.95 | 0.64 | 664.05 | 01 | 06 | 4 | |
| | P | 6/24/1958 | -113.49 | 0.46 | 664.51 | 01 | 06 | 4 | |
| | P | 6/25/1958 | -113.2 | 0.29 | 664.8 | 01 | 06 | 4 | |
| | P | 6/26/1958 | -113.31 | -0.11 | 664.69 | 01 | 06 | 4 | |
| | P | 6/27/1958 | -113.22 | 0.09 | 664.78 | 01 | 06 | 4 | |
| | P | 6/28/1958 | -113.33 | -0.11 | 664.67 | 01 | 06 | 4 | |
| | P | 6/29/1958 | -113.18 | 0.15 | 664.82 | 01 | 06 | 4 | |
| | P | 6/30/1958 | -113.21 | -0.03 | 664.79 | 01 | 06 | 4 | |
| | P | 7/1/1958 | -113.76 | -0.55 | 664.24 | 01 | 06 | 4 | |
| | P | 7/2/1958 | -114.39 | -0.63 | 663.61 | 01 | 06 | 4 | |
| | P | 7/3/1958 | -114.61 | -0.22 | 663.39 | 01 | 06 | 4 | |
| | P | 7/4/1958 | -114.86 | -0.25 | 663.14 | 01 | 06 | 4 | |
| | P | 7/5/1958 | -114.99 | -0.13 | 663.01 | 01 | 06 | 4 | |
| | P | 7/6/1958 | -115.23 | -0.24 | 662.77 | 01 | 06 | 4 | |
| | P | 7/7/1958 | -113.2 | 2.03 | 664.8 | 01 | 06 | 4 | |
| | P | 7/8/1958 | -112.3 | 0.9 | 665.7 | 01 | 06 | 4 | |
| | P | 7/9/1958 | -112.29 | 0.01 | 665.71 | 01 | 06 | 4 | |
| | P | 7/10/1958 | -112.2 | 0.09 | 665.8 | 01 | 06 | 4 | |
| | P | 7/11/1958 | -111.97 | 0.23 | 666.03 | 01 | 06 | 4 | |
| | P | 7/12/1958 | -111.85 | 0.12 | 666.15 | 01 | 06 | 4 | |
| | P | 7/13/1958 | -111.81 | 0.04 | 666.19 | 01 | 06 | 4 | |
| | P | 7/14/1958 | -111.75 | 0.06 | 666.25 | 01 | 06 | 4 | |
| | P | 7/15/1958 | -112.31 | -0.56 | 665.69 | 01 | 06 | 4 | |
| | P | 7/16/1958 | -113.03 | -0.72 | 664.97 | 01 | 06 | 4 | |
| | P | 7/17/1958 | -113.48 | -0.45 | 664.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1958 | -113.96 | -0.48 | 664.04 | 01 | 06 | 4 | |
| | P | 7/19/1958 | -114.4 | -0.44 | 663.6 | 01 | 06 | 4 | |
| | P | 7/20/1958 | -114.59 | -0.19 | 663.41 | 01 | 06 | 4 | |
| | P | 7/21/1958 | -114.77 | -0.18 | 663.23 | 01 | 06 | 4 | |
| | P | 7/22/1958 | -115.57 | -0.8 | 662.43 | 01 | 06 | 4 | |
| | P | 7/23/1958 | -116.13 | -0.56 | 661.87 | 01 | 06 | 4 | |
| | P | 7/24/1958 | -116.68 | -0.55 | 661.32 | 01 | 06 | 4 | |
| | P | 7/25/1958 | -117.3 | -0.62 | 660.7 | 01 | 06 | 4 | |
| | P | 7/26/1958 | -117.63 | -0.33 | 660.37 | 01 | 06 | 4 | |
| | P | 7/27/1958 | -117.85 | -0.22 | 660.15 | 01 | 06 | 4 | |
| | P | 7/28/1958 | -117.89 | -0.04 | 660.11 | 01 | 06 | 4 | |
| | P | 7/29/1958 | -118.76 | -0.87 | 659.24 | 01 | 06 | 4 | |
| | P | 7/30/1958 | -119.46 | -0.7 | 658.54 | 01 | 06 | 4 | |
| | P | 7/31/1958 | -119.98 | -0.52 | 658.02 | 01 | 06 | 4 | |
| | P | 8/ 1/1958 | -120.46 | -0.48 | 657.54 | 01 | 06 | 4 | |
| | P | 8/ 2/1958 | -120.84 | -0.38 | 657.16 | 01 | 06 | 4 | |
| | P | 8/ 3/1958 | -120.97 | -0.13 | 657.03 | 01 | 06 | 4 | |
| | P | 8/ 4/1958 | -120.67 | 0.3 | 657.33 | 01 | 06 | 4 | |
| | P | 8/ 5/1958 | -121.5 | -0.83 | 656.5 | 01 | 06 | 4 | |
| | P | 8/ 6/1958 | -122.15 | -0.65 | 655.85 | 01 | 06 | 4 | |
| | P | 8/ 7/1958 | -122.63 | -0.48 | 655.37 | 01 | 06 | 4 | |
| | P | 8/ 8/1958 | -123 | -0.37 | 655 | 01 | 06 | 4 | |
| | P | 8/ 9/1958 | -123.33 | -0.33 | 654.67 | 01 | 06 | 4 | |
| | P | 8/10/1958 | -123.35 | -0.02 | 654.65 | 01 | 06 | 4 | |
| | P | 8/11/1958 | -123 | 0.35 | 655 | 01 | 06 | 4 | |
| | P | 8/12/1958 | -122.09 | 0.91 | 655.91 | 01 | 06 | 4 | |
| | P | 8/13/1958 | -122.67 | -0.58 | 655.33 | 01 | 06 | 4 | |
| | P | 8/14/1958 | -122.74 | -0.07 | 655.26 | 01 | 06 | 4 | |
| | P | 8/15/1958 | -122.57 | 0.17 | 655.43 | 01 | 06 | 4 | |
| | P | 8/16/1958 | -122.85 | -0.28 | 655.15 | 01 | 06 | 4 | |
| | P | 8/17/1958 | -122.95 | -0.1 | 655.05 | 01 | 06 | 4 | |
| | P | 8/18/1958 | -123 | -0.05 | 655 | 01 | 06 | 4 | |
| | P | 8/19/1958 | -123.05 | -0.05 | 654.95 | 01 | 06 | 4 | |
| | P | 8/20/1958 | -123.15 | -0.1 | 654.85 | 01 | 06 | 4 | |
| | P | 8/21/1958 | -123.55 | -0.4 | 654.45 | 01 | 06 | 4 | |
| | P | 8/22/1958 | -123.73 | -0.18 | 654.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/23/1958 | -123.64 | 0.09 | 654.36 | 01 | 06 | 4 | |
| | P | 8/24/1958 | -122.8 | 0.84 | 655.2 | 01 | 06 | 4 | |
| | P | 8/25/1958 | -122.17 | 0.63 | 655.83 | 01 | 06 | 4 | |
| | P | 8/26/1958 | -122.2 | -0.03 | 655.8 | 01 | 06 | 4 | |
| | P | 8/27/1958 | -122.58 | -0.38 | 655.42 | 01 | 06 | 4 | |
| | P | 8/28/1958 | -123 | -0.42 | 655 | 01 | 06 | 4 | |
| | P | 8/29/1958 | -123.65 | -0.65 | 654.35 | 01 | 06 | 4 | |
| | P | 8/30/1958 | -123.85 | -0.2 | 654.15 | 01 | 06 | 4 | |
| | P | 8/31/1958 | -123.92 | -0.07 | 654.08 | 01 | 06 | 4 | |
| | P | 9/ 1/1958 | -123.51 | 0.41 | 654.49 | 01 | 06 | 4 | |
| | P | 9/ 2/1958 | -123.92 | -0.41 | 654.08 | 01 | 06 | 4 | |
| | P | 9/ 3/1958 | -124.21 | -0.29 | 653.79 | 01 | 06 | 4 | |
| | P | 9/ 4/1958 | -124.55 | -0.34 | 653.45 | 01 | 06 | 4 | |
| | P | 9/ 5/1958 | -123.83 | 0.72 | 654.17 | 01 | 06 | 4 | |
| | P | 9/ 6/1958 | -122.68 | 1.15 | 655.32 | 01 | 06 | 4 | |
| | P | 9/ 7/1958 | -121.37 | 1.31 | 656.63 | 01 | 06 | 4 | |
| | P | 9/ 8/1958 | -120.8 | 0.57 | 657.2 | 01 | 06 | 4 | |
| | P | 9/ 9/1958 | -120.25 | 0.55 | 657.75 | 01 | 06 | 4 | |
| | P | 9/10/1958 | -119.75 | 0.5 | 658.25 | 01 | 06 | 4 | |
| | P | 9/11/1958 | -119.4 | 0.35 | 658.6 | 01 | 06 | 4 | |
| | P | 9/12/1958 | -119.16 | 0.24 | 658.84 | 01 | 06 | 4 | |
| | P | 9/13/1958 | -118.7 | 0.46 | 659.3 | 01 | 06 | 4 | |
| | P | 9/14/1958 | -118.27 | 0.43 | 659.73 | 01 | 06 | 4 | |
| | P | 9/15/1958 | -117.75 | 0.52 | 660.25 | 01 | 06 | 4 | |
| | P | 9/16/1958 | -118 | -0.25 | 660 | 01 | 06 | 4 | |
| | P | 9/17/1958 | -117.19 | 0.81 | 660.81 | 01 | 06 | 4 | |
| | P | 9/18/1958 | -116.61 | 0.58 | 661.39 | 01 | 06 | 4 | |
| | P | 9/19/1958 | -116.06 | 0.55 | 661.94 | 01 | 06 | 4 | |
| | P | 9/20/1958 | -109 | 7.06 | 669 | 01 | 06 | 4 | |
| | P | 9/21/1958 | -106.45 | 2.55 | 671.55 | 01 | 06 | 4 | |
| | P | 9/22/1958 | -105.9 | 0.55 | 672.1 | 01 | 06 | 4 | |
| | P | 9/23/1958 | -105.6 | 0.3 | 672.4 | 01 | 06 | 4 | |
| | P | 9/24/1958 | -105.06 | 0.54 | 672.94 | 01 | 06 | 4 | |
| | P | 9/25/1958 | -104.94 | 0.12 | 673.06 | 01 | 06 | 4 | |
| | P | 9/26/1958 | -104.15 | 0.79 | 673.85 | 01 | 06 | 4 | |
| | P | 9/27/1958 | -103.05 | 1.1 | 674.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/28/1958 | -102.7 | 0.35 | 675.3 | 01 | 06 | 4 | |
| | P | 9/29/1958 | -102.45 | 0.25 | 675.55 | 01 | 06 | 4 | |
| | P | 9/30/1958 | -102.5 | -0.05 | 675.5 | 01 | 06 | 4 | |
| | P | 10/ 1/1958 | -102.38 | 0.12 | 675.62 | 01 | 06 | 4 | |
| | P | 10/ 2/1958 | -102.1 | 0.28 | 675.9 | 01 | 06 | 4 | |
| | P | 10/ 3/1958 | -101.96 | 0.14 | 676.04 | 01 | 06 | 4 | |
| | P | 10/ 4/1958 | -101.85 | 0.11 | 676.15 | 01 | 06 | 4 | |
| | P | 10/ 5/1958 | -101.82 | 0.03 | 676.18 | 01 | 06 | 4 | |
| | P | 10/ 6/1958 | -101.71 | 0.11 | 676.29 | 01 | 06 | 4 | |
| | P | 10/ 7/1958 | -101.82 | -0.11 | 676.18 | 01 | 06 | 4 | |
| | P | 10/ 8/1958 | -101.96 | -0.14 | 676.04 | 01 | 06 | 4 | |
| | P | 10/ 9/1958 | -102.12 | -0.16 | 675.88 | 01 | 06 | 4 | |
| | P | 10/10/1958 | -102.28 | -0.16 | 675.72 | 01 | 06 | 4 | |
| | P | 10/11/1958 | -102.49 | -0.21 | 675.51 | 01 | 06 | 4 | |
| | P | 10/12/1958 | -102.24 | 0.25 | 675.76 | 01 | 06 | 4 | |
| | P | 10/13/1958 | -102.05 | 0.19 | 675.95 | 01 | 06 | 4 | |
| | P | 10/14/1958 | -102.09 | -0.04 | 675.91 | 01 | 06 | 4 | |
| | P | 10/15/1958 | -102.09 | | 675.91 | 01 | 06 | 4 | |
| | P | 10/16/1958 | -101.98 | 0.11 | 676.02 | 01 | 06 | 4 | |
| | P | 10/17/1958 | -102 | -0.02 | 676 | 01 | 06 | 4 | |
| | P | 10/18/1958 | -101.97 | 0.03 | 676.03 | 01 | 06 | 4 | |
| | P | 10/19/1958 | -102.03 | -0.06 | 675.97 | 01 | 06 | 4 | |
| | P | 10/20/1958 | -101.85 | 0.18 | 676.15 | 01 | 06 | 4 | |
| | P | 10/21/1958 | -102.01 | -0.16 | 675.99 | 01 | 06 | 4 | |
| | P | 10/22/1958 | -102.11 | -0.1 | 675.89 | 01 | 06 | 4 | |
| | P | 10/23/1958 | -101.94 | 0.17 | 676.06 | 01 | 06 | 4 | |
| | P | 10/24/1958 | -101.85 | 0.09 | 676.15 | 01 | 06 | 4 | |
| | P | 10/25/1958 | -101.68 | 0.17 | 676.32 | 01 | 06 | 4 | |
| | P | 10/26/1958 | -100.7 | 0.98 | 677.3 | 01 | 06 | 4 | |
| | P | 10/27/1958 | -100.37 | 0.33 | 677.63 | 01 | 06 | 4 | |
| | P | 10/28/1958 | -99.95 | 0.42 | 678.05 | 01 | 06 | 4 | |
| | P | 10/29/1958 | -98.78 | 1.17 | 679.22 | 01 | 06 | 4 | |
| | P | 10/30/1958 | -97.75 | 1.03 | 680.25 | 01 | 06 | 4 | |
| | P | 10/31/1958 | -97.18 | 0.57 | 680.82 | 01 | 06 | 4 | |
| | P | 11/ 1/1958 | -96.62 | 0.56 | 681.38 | 01 | 06 | 4 | |
| | P | 11/ 2/1958 | -96.12 | 0.5 | 681.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 3/1958 | -95.95 | 0.17 | 682.05 | 01 | 06 | 4 | |
| | P | 11/ 4/1958 | -95.82 | 0.13 | 682.18 | 01 | 06 | 4 | |
| | P | 11/ 5/1958 | -95.73 | 0.09 | 682.27 | 01 | 06 | 4 | |
| | P | 11/ 6/1958 | -95.72 | 0.01 | 682.28 | 01 | 06 | 4 | |
| | P | 11/ 7/1958 | -95.72 | | 682.28 | 01 | 06 | 4 | |
| | P | 11/ 8/1958 | -95.62 | 0.1 | 682.38 | 01 | 06 | 4 | |
| | P | 11/ 9/1958 | -95.55 | 0.07 | 682.45 | 01 | 06 | 4 | |
| | P | 11/10/1958 | -95.47 | 0.08 | 682.53 | 01 | 06 | 4 | |
| | P | 11/11/1958 | -95.63 | -0.16 | 682.37 | 01 | 06 | 4 | |
| | P | 11/12/1958 | -95.7 | -0.07 | 682.3 | 01 | 06 | 4 | |
| | P | 11/13/1958 | -95.7 | | 682.3 | 01 | 06 | 4 | |
| | P | 11/14/1958 | -95.67 | 0.03 | 682.33 | 01 | 06 | 4 | |
| | P | 11/15/1958 | -95.8 | -0.13 | 682.2 | 01 | 06 | 4 | |
| | P | 11/16/1958 | -95.74 | 0.06 | 682.26 | 01 | 06 | 4 | |
| | P | 11/17/1958 | -95.62 | 0.12 | 682.38 | 01 | 06 | 4 | |
| | P | 11/18/1958 | -95.85 | -0.23 | 682.15 | 01 | 06 | 4 | |
| | P | 11/19/1958 | -96.03 | -0.18 | 681.97 | 01 | 06 | 4 | |
| | P | 11/20/1958 | -96.11 | -0.08 | 681.89 | 01 | 06 | 4 | |
| | P | 11/21/1958 | -96.2 | -0.09 | 681.8 | 01 | 06 | 4 | |
| | P | 11/22/1958 | -96.2 | | 681.8 | 01 | 06 | 4 | |
| | P | 11/23/1958 | -96.15 | 0.05 | 681.85 | 01 | 06 | 4 | |
| | P | 11/24/1958 | -96.1 | 0.05 | 681.9 | 01 | 06 | 4 | |
| | P | 11/25/1958 | -96.23 | -0.13 | 681.77 | 01 | 06 | 4 | |
| | P | 11/26/1958 | -96.27 | -0.04 | 681.73 | 01 | 06 | 4 | |
| | P | 11/27/1958 | -96.32 | -0.05 | 681.68 | 01 | 06 | 4 | |
| | P | 11/28/1958 | -96.15 | 0.17 | 681.85 | 01 | 06 | 4 | |
| | P | 11/29/1958 | -96.46 | -0.31 | 681.54 | 01 | 06 | 4 | |
| | P | 11/30/1958 | -96.51 | -0.05 | 681.49 | 01 | 06 | 4 | |
| | P | 12/ 1/1958 | -96.31 | 0.2 | 681.69 | 01 | 06 | 4 | |
| | P | 12/ 2/1958 | -96.5 | -0.19 | 681.5 | 01 | 06 | 4 | |
| | P | 12/ 3/1958 | -96.57 | -0.07 | 681.43 | 01 | 06 | 4 | |
| | P | 12/ 4/1958 | -96.61 | -0.04 | 681.39 | 01 | 06 | 4 | |
| | P | 12/ 5/1958 | -96.82 | -0.21 | 681.18 | 01 | 06 | 4 | |
| | P | 12/ 6/1958 | -97.06 | -0.24 | 680.94 | 01 | 06 | 4 | |
| | P | 12/ 7/1958 | -97.06 | | 680.94 | 01 | 06 | 4 | |
| | P | 12/ 8/1958 | -96.87 | 0.19 | 681.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 9/1958 | -97.07 | -0.2 | 680.93 | 01 | 06 | 4 | |
| | P | 12/10/1958 | -97.3 | -0.23 | 680.7 | 01 | 06 | 4 | |
| | P | 12/11/1958 | -97.44 | -0.14 | 680.56 | 01 | 06 | 4 | |
| | P | 12/12/1958 | -97.7 | -0.26 | 680.3 | 01 | 06 | 4 | |
| | P | 12/13/1958 | -97.86 | -0.16 | 680.14 | 01 | 06 | 4 | |
| | P | 12/14/1958 | -98.12 | -0.26 | 679.88 | 01 | 06 | 4 | |
| | P | 12/15/1958 | -98.07 | 0.05 | 679.93 | 01 | 06 | 4 | |
| | P | 12/16/1958 | -98.13 | -0.06 | 679.87 | 01 | 06 | 4 | |
| | P | 12/17/1958 | -98.17 | -0.04 | 679.83 | 01 | 06 | 4 | |
| | P | 12/18/1958 | -98.3 | -0.13 | 679.7 | 01 | 06 | 4 | |
| | P | 12/19/1958 | -98.38 | -0.08 | 679.62 | 01 | 06 | 4 | |
| | P | 12/20/1958 | -98.52 | -0.14 | 679.48 | 01 | 06 | 4 | |
| | P | 12/21/1958 | -98.45 | 0.07 | 679.55 | 01 | 06 | 4 | |
| | P | 12/22/1958 | -98.35 | 0.1 | 679.65 | 01 | 06 | 4 | |
| | P | 12/23/1958 | -98.43 | -0.08 | 679.57 | 01 | 06 | 4 | |
| | P | 12/24/1958 | -98.61 | -0.18 | 679.39 | 01 | 06 | 4 | |
| | P | 12/25/1958 | -98.53 | 0.08 | 679.47 | 01 | 06 | 4 | |
| | P | 12/26/1958 | -98.25 | 0.28 | 679.75 | 01 | 06 | 4 | |
| | P | 12/27/1958 | -98.29 | -0.04 | 679.71 | 01 | 06 | 4 | |
| | P | 12/28/1958 | -98.31 | -0.02 | 679.69 | 01 | 06 | 4 | |
| | P | 12/29/1958 | -98.28 | 0.03 | 679.72 | 01 | 06 | 4 | |
| | P | 12/30/1958 | -98.49 | -0.21 | 679.51 | 01 | 06 | 4 | |
| | P | 12/31/1958 | -98.5 | -0.01 | 679.5 | 01 | 06 | 4 | |
| | P | 1/ 1/1959 | -98.37 | 0.13 | 679.63 | 01 | 06 | 4 | |
| | P | 1/ 2/1959 | -98.22 | 0.15 | 679.78 | 01 | 06 | 4 | |
| | P | 1/ 3/1959 | -98.35 | -0.13 | 679.65 | 01 | 06 | 4 | |
| | P | 1/ 4/1959 | -98.58 | -0.23 | 679.42 | 01 | 06 | 4 | |
| | P | 1/ 5/1959 | -98.89 | -0.31 | 679.11 | 01 | 06 | 4 | |
| | P | 1/ 6/1959 | -99 | -0.11 | 679 | 01 | 06 | 4 | |
| | P | 1/ 7/1959 | -98.86 | 0.14 | 679.14 | 01 | 06 | 4 | |
| | P | 1/ 8/1959 | -98.88 | -0.02 | 679.12 | 01 | 06 | 4 | |
| | P | 1/ 9/1959 | -99.06 | -0.18 | 678.94 | 01 | 06 | 4 | |
| | P | 1/10/1959 | -99.08 | -0.02 | 678.92 | 01 | 06 | 4 | |
| | P | 1/11/1959 | -99 | 0.08 | 679 | 01 | 06 | 4 | |
| | P | 1/12/1959 | -98.87 | 0.13 | 679.13 | 01 | 06 | 4 | |
| | P | 1/13/1959 | -98.94 | -0.07 | 679.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 14/ 1959 | -98.93 | 0.01 | 679.07 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1959 | -98.97 | -0.04 | 679.03 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1959 | -99.43 | -0.46 | 678.57 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1959 | -99.4 | 0.03 | 678.6 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1959 | -99.31 | 0.09 | 678.69 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1959 | -99.08 | 0.23 | 678.92 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1959 | -99.12 | -0.04 | 678.88 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1959 | -99.42 | -0.3 | 678.58 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1959 | -99.72 | -0.3 | 678.28 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1959 | -99.86 | -0.14 | 678.14 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1959 | -99.92 | -0.06 | 678.08 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1959 | -99.7 | 0.22 | 678.3 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1959 | -99.45 | 0.25 | 678.55 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1959 | -99.65 | -0.2 | 678.35 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1959 | -99.72 | -0.07 | 678.28 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1959 | -99.82 | -0.1 | 678.18 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1959 | -99.93 | -0.11 | 678.07 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1959 | -99.94 | -0.01 | 678.06 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1959 | -99.94 | | 678.06 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1959 | -99.79 | 0.15 | 678.21 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1959 | -99.69 | 0.1 | 678.31 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1959 | -99.57 | 0.12 | 678.43 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1959 | -99.71 | -0.14 | 678.29 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1959 | -100.02 | -0.31 | 677.98 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1959 | -100.01 | 0.01 | 677.99 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1959 | -99.84 | 0.17 | 678.16 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1959 | -99.63 | 0.21 | 678.37 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1959 | -99.88 | -0.25 | 678.12 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1959 | -100.1 | -0.22 | 677.9 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1959 | -100.1 | | 677.9 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1959 | -100.05 | 0.05 | 677.95 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1959 | -99.57 | 0.48 | 678.43 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1959 | -99.18 | 0.39 | 678.82 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1959 | -98.89 | 0.29 | 679.11 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1959 | -98.87 | 0.02 | 679.13 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1959 | -99.01 | -0.14 | 678.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/19/1959 | -99.2 | -0.19 | 678.8 | 01 | 06 | 4 | |
| | P | 2/20/1959 | -99.22 | -0.02 | 678.78 | 01 | 06 | 4 | |
| | P | 2/21/1959 | -99.17 | 0.05 | 678.83 | 01 | 06 | 4 | |
| | P | 2/22/1959 | -98.94 | 0.23 | 679.06 | 01 | 06 | 4 | |
| | P | 2/23/1959 | -98.84 | 0.1 | 679.16 | 01 | 06 | 4 | |
| | P | 2/24/1959 | -98.96 | -0.12 | 679.04 | 01 | 06 | 4 | |
| | P | 2/25/1959 | -98.96 | | 679.04 | 01 | 06 | 4 | |
| | P | 2/26/1959 | -98.96 | | 679.04 | 01 | 06 | 4 | |
| | P | 2/27/1959 | -98.91 | 0.05 | 679.09 | 01 | 06 | 4 | |
| | P | 2/28/1959 | -98.94 | -0.03 | 679.06 | 01 | 06 | 4 | |
| | P | 3/ 1/1959 | -99.04 | -0.1 | 678.96 | 01 | 06 | 4 | |
| | P | 3/ 2/1959 | -98.83 | 0.21 | 679.17 | 01 | 06 | 4 | |
| | P | 3/ 3/1959 | -99.07 | -0.24 | 678.93 | 01 | 06 | 4 | |
| | P | 3/ 4/1959 | -99.05 | 0.02 | 678.95 | 01 | 06 | 4 | |
| | P | 3/ 5/1959 | -99.1 | -0.05 | 678.9 | 01 | 06 | 4 | |
| | P | 3/ 6/1959 | -99.27 | -0.17 | 678.73 | 01 | 06 | 4 | |
| | P | 3/ 7/1959 | -99.43 | -0.16 | 678.57 | 01 | 06 | 4 | |
| | P | 3/ 8/1959 | -99.38 | 0.05 | 678.62 | 01 | 06 | 4 | |
| | P | 3/ 9/1959 | -99.42 | -0.04 | 678.58 | 01 | 06 | 4 | |
| | P | 3/10/1959 | -99.75 | -0.33 | 678.25 | 01 | 06 | 4 | |
| | P | 3/11/1959 | -99.61 | 0.14 | 678.39 | 01 | 06 | 4 | |
| | P | 3/12/1959 | -99.8 | -0.19 | 678.2 | 01 | 06 | 4 | |
| | P | 3/13/1959 | -99.87 | -0.07 | 678.13 | 01 | 06 | 4 | |
| | P | 3/14/1959 | -99.87 | | 678.13 | 01 | 06 | 4 | |
| | P | 3/15/1959 | -100.25 | -0.38 | 677.75 | 01 | 06 | 4 | |
| | P | 3/16/1959 | -100.2 | 0.05 | 677.8 | 01 | 06 | 4 | |
| | P | 3/17/1959 | -100.4 | -0.2 | 677.6 | 01 | 06 | 4 | |
| | P | 3/18/1959 | -100.72 | -0.32 | 677.28 | 01 | 06 | 4 | |
| | P | 3/19/1959 | -100.83 | -0.11 | 677.17 | 01 | 06 | 4 | |
| | P | 3/20/1959 | -100.93 | -0.1 | 677.07 | 01 | 06 | 4 | |
| | P | 3/21/1959 | -101.23 | -0.3 | 676.77 | 01 | 06 | 4 | |
| | P | 3/22/1959 | -101.13 | 0.1 | 676.87 | 01 | 06 | 4 | |
| | P | 3/23/1959 | -101.25 | -0.12 | 676.75 | 01 | 06 | 4 | |
| | P | 3/24/1959 | -101.52 | -0.27 | 676.48 | 01 | 06 | 4 | |
| | P | 3/25/1959 | -101.68 | -0.16 | 676.32 | 01 | 06 | 4 | |
| | P | 3/26/1959 | -101.57 | 0.11 | 676.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/27/1959 | -101.64 | -0.07 | 676.36 | 01 | 06 | 4 | |
| | P | 3/28/1959 | -101.66 | -0.02 | 676.34 | 01 | 06 | 4 | |
| | P | 3/29/1959 | -101.79 | -0.13 | 676.21 | 01 | 06 | 4 | |
| | P | 3/30/1959 | -101.62 | 0.17 | 676.38 | 01 | 06 | 4 | |
| | P | 3/31/1959 | -102 | -0.38 | 676 | 01 | 06 | 4 | |
| | P | 4/ 1/1959 | -102.39 | -0.39 | 675.61 | 01 | 06 | 4 | |
| | P | 4/ 2/1959 | -102.15 | 0.24 | 675.85 | 01 | 06 | 4 | |
| | P | 4/ 3/1959 | -102.18 | -0.03 | 675.82 | 01 | 06 | 4 | |
| | P | 4/ 5/1959 | -102.78 | -0.6 | 675.22 | 01 | 06 | 4 | |
| | P | 4/ 6/1959 | -102.85 | -0.07 | 675.15 | 01 | 06 | 4 | |
| | P | 4/ 7/1959 | -103.24 | -0.39 | 674.76 | 01 | 06 | 4 | |
| | P | 4/ 8/1959 | -103.18 | 0.06 | 674.82 | 01 | 06 | 4 | |
| | P | 4/ 9/1959 | -102.7 | 0.48 | 675.3 | 01 | 06 | 4 | |
| | P | 4/10/1959 | -102.39 | 0.31 | 675.61 | 01 | 06 | 4 | |
| | P | 4/11/1959 | -102 | 0.39 | 676 | 01 | 06 | 4 | |
| | P | 4/12/1959 | -101.63 | 0.37 | 676.37 | 01 | 06 | 4 | |
| | P | 4/13/1959 | -101.42 | 0.21 | 676.58 | 01 | 06 | 4 | |
| | P | 4/14/1959 | -101.39 | 0.03 | 676.61 | 01 | 06 | 4 | |
| | P | 4/15/1959 | -101.27 | 0.12 | 676.73 | 01 | 06 | 4 | |
| | P | 4/16/1959 | -101.05 | 0.22 | 676.95 | 01 | 06 | 4 | |
| | P | 4/17/1959 | -100.94 | 0.11 | 677.06 | 01 | 06 | 4 | |
| | P | 4/18/1959 | -100.8 | 0.14 | 677.2 | 01 | 06 | 4 | |
| | P | 4/19/1959 | -100.68 | 0.12 | 677.32 | 01 | 06 | 4 | |
| | P | 4/20/1959 | -100.57 | 0.11 | 677.43 | 01 | 06 | 4 | |
| | P | 4/21/1959 | -100.8 | -0.23 | 677.2 | 01 | 06 | 4 | |
| | P | 4/22/1959 | -100.88 | -0.08 | 677.12 | 01 | 06 | 4 | |
| | P | 4/23/1959 | -101.02 | -0.14 | 676.98 | 01 | 06 | 4 | |
| | P | 4/24/1959 | -101.26 | -0.24 | 676.74 | 01 | 06 | 4 | |
| | P | 4/25/1959 | -101.28 | -0.02 | 676.72 | 01 | 06 | 4 | |
| | P | 4/26/1959 | -101.28 | | 676.72 | 01 | 06 | 4 | |
| | P | 4/27/1959 | -101.22 | 0.06 | 676.78 | 01 | 06 | 4 | |
| | P | 4/28/1959 | -101.51 | -0.29 | 676.49 | 01 | 06 | 4 | |
| | P | 4/29/1959 | -101.88 | -0.37 | 676.12 | 01 | 06 | 4 | |
| | P | 4/30/1959 | -102.09 | -0.21 | 675.91 | 01 | 06 | 4 | |
| | P | 5/ 1/1959 | -102.4 | -0.31 | 675.6 | 01 | 06 | 4 | |
| | P | 5/ 2/1959 | -102.15 | 0.25 | 675.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 3/1959 | -101.86 | 0.29 | 676.14 | 01 | 06 | 4 | |
| | P | 5/ 4/1959 | -101.53 | 0.33 | 676.47 | 01 | 06 | 4 | |
| | P | 5/ 5/1959 | -101.62 | -0.09 | 676.38 | 01 | 06 | 4 | |
| | P | 5/ 6/1959 | -101.68 | -0.06 | 676.32 | 01 | 06 | 4 | |
| | P | 5/ 7/1959 | -101.81 | -0.13 | 676.19 | 01 | 06 | 4 | |
| | P | 5/ 8/1959 | -101.86 | -0.05 | 676.14 | 01 | 06 | 4 | |
| | P | 5/ 9/1959 | -101.89 | -0.03 | 676.11 | 01 | 06 | 4 | |
| | P | 5/10/1959 | -101.8 | 0.09 | 676.2 | 01 | 06 | 4 | |
| | P | 5/11/1959 | -101.59 | 0.21 | 676.41 | 01 | 06 | 4 | |
| | P | 5/12/1959 | -102 | -0.41 | 676 | 01 | 06 | 4 | |
| | P | 5/13/1959 | -102.3 | -0.3 | 675.7 | 01 | 06 | 4 | |
| | P | 5/14/1959 | -102.7 | -0.4 | 675.3 | 01 | 06 | 4 | |
| | P | 5/15/1959 | -102.94 | -0.24 | 675.06 | 01 | 06 | 4 | |
| | P | 5/16/1959 | -103.18 | -0.24 | 674.82 | 01 | 06 | 4 | |
| | P | 5/17/1959 | -102.68 | 0.5 | 675.32 | 01 | 06 | 4 | |
| | P | 5/18/1959 | -102.44 | 0.24 | 675.56 | 01 | 06 | 4 | |
| | P | 5/19/1959 | -102.61 | -0.17 | 675.39 | 01 | 06 | 4 | |
| | P | 5/20/1959 | -103.22 | -0.61 | 674.78 | 01 | 06 | 4 | |
| | P | 5/21/1959 | -103.15 | 0.07 | 674.85 | 01 | 06 | 4 | |
| | P | 5/22/1959 | -103.25 | -0.1 | 674.75 | 01 | 06 | 4 | |
| | P | 5/23/1959 | -103.19 | 0.06 | 674.81 | 01 | 06 | 4 | |
| | P | 5/24/1959 | -102.92 | 0.27 | 675.08 | 01 | 06 | 4 | |
| | P | 5/25/1959 | -102.7 | 0.22 | 675.3 | 01 | 06 | 4 | |
| | P | 5/26/1959 | -102.9 | -0.2 | 675.1 | 01 | 06 | 4 | |
| | P | 5/27/1959 | -103.32 | -0.42 | 674.68 | 01 | 06 | 4 | |
| | P | 5/28/1959 | -103.65 | -0.33 | 674.35 | 01 | 06 | 4 | |
| | P | 5/29/1959 | -103.93 | -0.28 | 674.07 | 01 | 06 | 4 | |
| | P | 5/30/1959 | -104.29 | -0.36 | 673.71 | 01 | 06 | 4 | |
| | P | 5/31/1959 | -104.66 | -0.37 | 673.34 | 01 | 06 | 4 | |
| | P | 6/ 1/1959 | -104.93 | -0.27 | 673.07 | 01 | 06 | 4 | |
| | P | 6/ 2/1959 | -105.61 | -0.68 | 672.39 | 01 | 06 | 4 | |
| | P | 6/ 3/1959 | -106.15 | -0.54 | 671.85 | 01 | 06 | 4 | |
| | P | 6/ 4/1959 | -106.41 | -0.26 | 671.59 | 01 | 06 | 4 | |
| | P | 6/ 5/1959 | -106.71 | -0.3 | 671.29 | 01 | 06 | 4 | |
| | P | 6/ 6/1959 | -106.68 | 0.03 | 671.32 | 01 | 06 | 4 | |
| | P | 6/ 7/1959 | -106.56 | 0.12 | 671.44 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 8/1959 | -106.51 | 0.05 | 671.49 | 01 | 06 | 4 | |
| | P | 6/ 9/1959 | -107.28 | -0.77 | 670.72 | 01 | 06 | 4 | |
| | P | 6/10/1959 | -108.06 | -0.78 | 669.94 | 01 | 06 | 4 | |
| | P | 6/11/1959 | -108.97 | -0.91 | 669.03 | 01 | 06 | 4 | |
| | P | 6/12/1959 | -109.96 | -0.99 | 668.04 | 01 | 06 | 4 | |
| | P | 6/13/1959 | -109.8 | 0.16 | 668.2 | 01 | 06 | 4 | |
| | P | 6/14/1959 | -110.06 | -0.26 | 667.94 | 01 | 06 | 4 | |
| | P | 6/15/1959 | -110.19 | -0.13 | 667.81 | 01 | 06 | 4 | |
| | P | 6/16/1959 | -110.98 | -0.79 | 667.02 | 01 | 06 | 4 | |
| | P | 6/17/1959 | -111.45 | -0.47 | 666.55 | 01 | 06 | 4 | |
| | P | 6/22/1959 | -114.3 | -2.85 | 663.7 | 01 | 06 | 4 | |
| | P | 6/23/1959 | -113.99 | 0.31 | 664.01 | 01 | 06 | 4 | |
| | P | 6/24/1959 | -114.28 | -0.29 | 663.72 | 01 | 06 | 4 | |
| | P | 6/25/1959 | -112.47 | 1.81 | 665.53 | 01 | 06 | 4 | |
| | P | 6/26/1959 | -111.51 | 0.96 | 666.49 | 01 | 06 | 4 | |
| | P | 6/27/1959 | -110.38 | 1.13 | 667.62 | 01 | 06 | 4 | |
| | P | 6/28/1959 | -109.6 | 0.78 | 668.4 | 01 | 06 | 4 | |
| | P | 6/29/1959 | -109.03 | 0.57 | 668.97 | 01 | 06 | 4 | |
| | P | 6/30/1959 | -109.14 | -0.11 | 668.86 | 01 | 06 | 4 | |
| | P | 7/ 1/1959 | -109.34 | -0.2 | 668.66 | 01 | 06 | 4 | |
| | P | 7/ 2/1959 | -109.66 | -0.32 | 668.34 | 01 | 06 | 4 | |
| | P | 7/ 3/1959 | -109.89 | -0.23 | 668.11 | 01 | 06 | 4 | |
| | P | 7/ 4/1959 | -110.02 | -0.13 | 667.98 | 01 | 06 | 4 | |
| | P | 7/ 5/1959 | -109.89 | 0.13 | 668.11 | 01 | 06 | 4 | |
| | P | 7/ 6/1959 | -109.98 | -0.09 | 668.02 | 01 | 06 | 4 | |
| | P | 7/ 7/1959 | -110.67 | -0.69 | 667.33 | 01 | 06 | 4 | |
| | P | 7/ 8/1959 | -111.17 | -0.5 | 666.83 | 01 | 06 | 4 | |
| | P | 7/ 9/1959 | -111.77 | -0.6 | 666.23 | 01 | 06 | 4 | |
| | P | 7/10/1959 | -111.9 | -0.13 | 666.1 | 01 | 06 | 4 | |
| | P | 7/11/1959 | -112.06 | -0.16 | 665.94 | 01 | 06 | 4 | |
| | P | 7/12/1959 | -111.86 | 0.2 | 666.14 | 01 | 06 | 4 | |
| | P | 7/13/1959 | -109.72 | 2.14 | 668.28 | 01 | 06 | 4 | |
| | P | 7/14/1959 | -109.8 | -0.08 | 668.2 | 01 | 06 | 4 | |
| | P | 7/15/1959 | -110.11 | -0.31 | 667.89 | 01 | 06 | 4 | |
| | P | 7/16/1959 | -110.69 | -0.58 | 667.31 | 01 | 06 | 4 | |
| | P | 7/17/1959 | -111.57 | -0.88 | 666.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1959 | -111.7 | -0.13 | 666.3 | 01 | 06 | 4 | |
| | P | 7/19/1959 | -111.67 | 0.03 | 666.33 | 01 | 06 | 4 | |
| | P | 7/20/1959 | -110.87 | 0.8 | 667.13 | 01 | 06 | 4 | |
| | P | 7/21/1959 | -110.29 | 0.58 | 667.71 | 01 | 06 | 4 | |
| | P | 7/22/1959 | -109.58 | 0.71 | 668.42 | 01 | 06 | 4 | |
| | P | 7/23/1959 | -109.41 | 0.17 | 668.59 | 01 | 06 | 4 | |
| | P | 7/24/1959 | -109.4 | 0.01 | 668.6 | 01 | 06 | 4 | |
| | P | 7/25/1959 | -109.06 | 0.34 | 668.94 | 01 | 06 | 4 | |
| | P | 7/26/1959 | -108.68 | 0.38 | 669.32 | 01 | 06 | 4 | |
| | P | 7/27/1959 | -108.33 | 0.35 | 669.67 | 01 | 06 | 4 | |
| | P | 7/28/1959 | -108.34 | -0.01 | 669.66 | 01 | 06 | 4 | |
| | P | 7/29/1959 | -108.62 | -0.28 | 669.38 | 01 | 06 | 4 | |
| | P | 7/30/1959 | -109.11 | -0.49 | 668.89 | 01 | 06 | 4 | |
| | P | 7/31/1959 | -109.44 | -0.33 | 668.56 | 01 | 06 | 4 | |
| | P | 8/ 1/1959 | -110.11 | -0.67 | 667.89 | 01 | 06 | 4 | |
| | P | 8/ 2/1959 | -110.54 | -0.43 | 667.46 | 01 | 06 | 4 | |
| | P | 8/ 3/1959 | -110.68 | -0.14 | 667.32 | 01 | 06 | 4 | |
| | P | 8/ 4/1959 | -111.74 | -1.06 | 666.26 | 01 | 06 | 4 | |
| | P | 8/ 5/1959 | -112.54 | -0.8 | 665.46 | 01 | 06 | 4 | |
| | P | 8/ 6/1959 | -113.32 | -0.78 | 664.68 | 01 | 06 | 4 | |
| | P | 8/ 7/1959 | -113.87 | -0.55 | 664.13 | 01 | 06 | 4 | |
| | P | 8/ 8/1959 | -113.75 | 0.12 | 664.25 | 01 | 06 | 4 | |
| | P | 8/ 9/1959 | -112.92 | 0.83 | 665.08 | 01 | 06 | 4 | |
| | P | 8/10/1959 | -111.95 | 0.97 | 666.05 | 01 | 06 | 4 | |
| | P | 8/11/1959 | -112.3 | -0.35 | 665.7 | 01 | 06 | 4 | |
| | P | 8/12/1959 | -112.82 | -0.52 | 665.18 | 01 | 06 | 4 | |
| | P | 8/13/1959 | -113.41 | -0.59 | 664.59 | 01 | 06 | 4 | |
| | P | 8/14/1959 | -113.2 | 0.21 | 664.8 | 01 | 06 | 4 | |
| | P | 8/15/1959 | -112.93 | 0.27 | 665.07 | 01 | 06 | 4 | |
| | P | 8/18/1959 | -114.9 | -1.97 | 663.1 | 01 | 06 | 4 | |
| | P | 8/19/1959 | -114.5 | 0.4 | 663.5 | 01 | 06 | 4 | |
| | P | 8/20/1959 | -115.08 | -0.58 | 662.92 | 01 | 06 | 4 | |
| | P | 8/21/1959 | -115.42 | -0.34 | 662.58 | 01 | 06 | 4 | |
| | P | 8/22/1959 | -115.6 | -0.18 | 662.4 | 01 | 06 | 4 | |
| | P | 8/23/1959 | -114.32 | 1.28 | 663.68 | 01 | 06 | 4 | |
| | P | 8/24/1959 | -113.15 | 1.17 | 664.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/1959 | -112.49 | 0.66 | 665.51 | 01 | 06 | 4 | |
| | P | 8/26/1959 | -111.72 | 0.77 | 666.28 | 01 | 06 | 4 | |
| | P | 8/27/1959 | -111.1 | 0.62 | 666.9 | 01 | 06 | 4 | |
| | P | 8/28/1959 | -110.86 | 0.24 | 667.14 | 01 | 06 | 4 | |
| | P | 8/29/1959 | -110.89 | -0.03 | 667.11 | 01 | 06 | 4 | |
| | P | 8/30/1959 | -110.66 | 0.23 | 667.34 | 01 | 06 | 4 | |
| | P | 8/31/1959 | -111.52 | -0.86 | 666.48 | 01 | 06 | 4 | |
| | P | 9/ 1/1959 | -110.76 | 0.76 | 667.24 | 01 | 06 | 4 | |
| | P | 9/ 2/1959 | -111.3 | -0.54 | 666.7 | 01 | 06 | 4 | |
| | P | 9/ 3/1959 | -111.74 | -0.44 | 666.26 | 01 | 06 | 4 | |
| | P | 9/ 4/1959 | -112.3 | -0.56 | 665.7 | 01 | 06 | 4 | |
| | P | 9/ 5/1959 | -112.81 | -0.51 | 665.19 | 01 | 06 | 4 | |
| | P | 9/ 6/1959 | -113.04 | -0.23 | 664.96 | 01 | 06 | 4 | |
| | P | 9/ 7/1959 | -112.7 | 0.34 | 665.3 | 01 | 06 | 4 | |
| | P | 9/ 8/1959 | -112.67 | 0.03 | 665.33 | 01 | 06 | 4 | |
| | P | 9/ 9/1959 | -112.06 | 0.61 | 665.94 | 01 | 06 | 4 | |
| | P | 9/10/1959 | -112.11 | -0.05 | 665.89 | 01 | 06 | 4 | |
| | P | 9/11/1959 | -111.8 | 0.31 | 666.2 | 01 | 06 | 4 | |
| | P | 9/12/1959 | -111.5 | 0.3 | 666.5 | 01 | 06 | 4 | |
| | P | 9/13/1959 | -111.22 | 0.28 | 666.78 | 01 | 06 | 4 | |
| | P | 9/14/1959 | -110.62 | 0.6 | 667.38 | 01 | 06 | 4 | |
| | P | 9/15/1959 | -110.52 | 0.1 | 667.48 | 01 | 06 | 4 | |
| | P | 9/16/1959 | -110.85 | -0.33 | 667.15 | 01 | 06 | 4 | |
| | P | 9/17/1959 | -111.42 | -0.57 | 666.58 | 01 | 06 | 4 | |
| | P | 9/18/1959 | -111.92 | -0.5 | 666.08 | 01 | 06 | 4 | |
| | P | 9/19/1959 | -112.38 | -0.46 | 665.62 | 01 | 06 | 4 | |
| | P | 9/20/1959 | -112.63 | -0.25 | 665.37 | 01 | 06 | 4 | |
| | P | 9/21/1959 | -112.51 | 0.12 | 665.49 | 01 | 06 | 4 | |
| | P | 9/22/1959 | -113 | -0.49 | 665 | 01 | 06 | 4 | |
| | P | 9/23/1959 | -112.55 | 0.45 | 665.45 | 01 | 06 | 4 | |
| | P | 9/24/1959 | -111.83 | 0.72 | 666.17 | 01 | 06 | 4 | |
| | P | 9/25/1959 | -111.44 | 0.39 | 666.56 | 01 | 06 | 4 | |
| | P | 9/26/1959 | -110.92 | 0.52 | 667.08 | 01 | 06 | 4 | |
| | P | 9/27/1959 | -110.78 | 0.14 | 667.22 | 01 | 06 | 4 | |
| | P | 9/28/1959 | -110.54 | 0.24 | 667.46 | 01 | 06 | 4 | |
| | P | 9/29/1959 | -110.72 | -0.18 | 667.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1959 | -110.7 | 0.02 | 667.3 | 01 | 06 | 4 | |
| | P | 10/ 1/1959 | -110.91 | -0.21 | 667.09 | 01 | 06 | 4 | |
| | P | 10/ 2/1959 | -111.14 | -0.23 | 666.86 | 01 | 06 | 4 | |
| | P | 10/ 3/1959 | -111.4 | -0.26 | 666.6 | 01 | 06 | 4 | |
| | P | 10/ 4/1959 | -106.22 | 5.18 | 671.78 | 01 | 06 | 4 | |
| | P | 10/ 5/1959 | -105.75 | 0.47 | 672.25 | 01 | 06 | 4 | |
| | P | 10/ 6/1959 | -105.97 | -0.22 | 672.03 | 01 | 06 | 4 | |
| | P | 10/ 7/1959 | -105.97 | | 672.03 | 01 | 06 | 4 | |
| | P | 10/ 8/1959 | -106.07 | -0.1 | 671.93 | 01 | 06 | 4 | |
| | P | 10/ 9/1959 | -106.08 | -0.01 | 671.92 | 01 | 06 | 4 | |
| | P | 10/10/1959 | -106.01 | 0.07 | 671.99 | 01 | 06 | 4 | |
| | P | 10/11/1959 | -106 | 0.01 | 672 | 01 | 06 | 4 | |
| | P | 10/12/1959 | -105.83 | 0.17 | 672.17 | 01 | 06 | 4 | |
| | P | 10/13/1959 | -105.94 | -0.11 | 672.06 | 01 | 06 | 4 | |
| | P | 10/14/1959 | -105.63 | 0.31 | 672.37 | 01 | 06 | 4 | |
| | P | 10/15/1959 | -105.37 | 0.26 | 672.63 | 01 | 06 | 4 | |
| | P | 10/16/1959 | -105.21 | 0.16 | 672.79 | 01 | 06 | 4 | |
| | P | 10/17/1959 | -105.1 | 0.11 | 672.9 | 01 | 06 | 4 | |
| | P | 10/18/1959 | -104.93 | 0.17 | 673.07 | 01 | 06 | 4 | |
| | P | 10/19/1959 | -104.67 | 0.26 | 673.33 | 01 | 06 | 4 | |
| | P | 10/20/1959 | -104.78 | -0.11 | 673.22 | 01 | 06 | 4 | |
| | P | 10/21/1959 | -104.85 | -0.07 | 673.15 | 01 | 06 | 4 | |
| | P | 10/22/1959 | -104.93 | -0.08 | 673.07 | 01 | 06 | 4 | |
| | P | 10/23/1959 | -104.93 | | 673.07 | 01 | 06 | 4 | |
| | P | 10/24/1959 | -105.13 | -0.2 | 672.87 | 01 | 06 | 4 | |
| | P | 10/25/1959 | -105.12 | 0.01 | 672.88 | 01 | 06 | 4 | |
| | P | 10/26/1959 | -104.88 | 0.24 | 673.12 | 01 | 06 | 4 | |
| | P | 10/27/1959 | -105.33 | -0.45 | 672.67 | 01 | 06 | 4 | |
| | P | 10/28/1959 | -105.3 | 0.03 | 672.7 | 01 | 06 | 4 | |
| | P | 10/29/1959 | -105.45 | -0.15 | 672.55 | 01 | 06 | 4 | |
| | P | 10/30/1959 | -105.18 | 0.27 | 672.82 | 01 | 06 | 4 | |
| | P | 10/31/1959 | -105.14 | 0.04 | 672.86 | 01 | 06 | 4 | |
| | P | 11/ 1/1959 | -104.82 | 0.32 | 673.18 | 01 | 06 | 4 | |
| | P | 11/ 2/1959 | -104.57 | 0.25 | 673.43 | 01 | 06 | 4 | |
| | P | 11/ 3/1959 | -104.6 | -0.03 | 673.4 | 01 | 06 | 4 | |
| | P | 11/ 4/1959 | -104.52 | 0.08 | 673.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 5/1959 | -104.63 | -0.11 | 673.37 | 01 | 06 | 4 | |
| | P | 11/ 6/1959 | -104.92 | -0.29 | 673.08 | 01 | 06 | 4 | |
| | P | 11/ 7/1959 | -104.95 | -0.03 | 673.05 | 01 | 06 | 4 | |
| | P | 11/ 8/1959 | -104.77 | 0.18 | 673.23 | 01 | 06 | 4 | |
| | P | 11/ 9/1959 | -104.57 | 0.2 | 673.43 | 01 | 06 | 4 | |
| | P | 11/10/1959 | -104.78 | -0.21 | 673.22 | 01 | 06 | 4 | |
| | P | 11/11/1959 | -104.68 | 0.1 | 673.32 | 01 | 06 | 4 | |
| | P | 11/12/1959 | -104.86 | -0.18 | 673.14 | 01 | 06 | 4 | |
| | P | 11/13/1959 | -104.74 | 0.12 | 673.26 | 01 | 06 | 4 | |
| | P | 11/14/1959 | -104.8 | -0.06 | 673.2 | 01 | 06 | 4 | |
| | P | 11/15/1959 | -104.33 | 0.47 | 673.67 | 01 | 06 | 4 | |
| | P | 11/16/1959 | -104.08 | 0.25 | 673.92 | 01 | 06 | 4 | |
| | P | 11/17/1959 | -104.32 | -0.24 | 673.68 | 01 | 06 | 4 | |
| | P | 11/18/1959 | -104.35 | -0.03 | 673.65 | 01 | 06 | 4 | |
| | P | 11/19/1959 | -104.15 | 0.2 | 673.85 | 01 | 06 | 4 | |
| | P | 11/20/1959 | -104.02 | 0.13 | 673.98 | 01 | 06 | 4 | |
| | P | 11/21/1959 | -103.98 | 0.04 | 674.02 | 01 | 06 | 4 | |
| | P | 11/22/1959 | -103.77 | 0.21 | 674.23 | 01 | 06 | 4 | |
| | P | 11/23/1959 | -103.66 | 0.11 | 674.34 | 01 | 06 | 4 | |
| | P | 11/24/1959 | -103.53 | 0.13 | 674.47 | 01 | 06 | 4 | |
| | P | 11/25/1959 | -103.53 | | 674.47 | 01 | 06 | 4 | |
| | P | 11/26/1959 | -103.49 | 0.04 | 674.51 | 01 | 06 | 4 | |
| | P | 11/27/1959 | -103.45 | 0.04 | 674.55 | 01 | 06 | 4 | |
| | P | 11/28/1959 | -103.67 | -0.22 | 674.33 | 01 | 06 | 4 | |
| | P | 11/29/1959 | -103.57 | 0.1 | 674.43 | 01 | 06 | 4 | |
| | P | 11/30/1959 | -103.37 | 0.2 | 674.63 | 01 | 06 | 4 | |
| | P | 12/ 1/1959 | -103.48 | -0.11 | 674.52 | 01 | 06 | 4 | |
| | P | 12/ 2/1959 | -103.62 | -0.14 | 674.38 | 01 | 06 | 4 | |
| | P | 12/ 3/1959 | -103.67 | -0.05 | 674.33 | 01 | 06 | 4 | |
| | P | 12/ 4/1959 | -103.67 | | 674.33 | 01 | 06 | 4 | |
| | P | 12/ 5/1959 | -103.58 | 0.09 | 674.42 | 01 | 06 | 4 | |
| | P | 12/ 6/1959 | -103.62 | -0.04 | 674.38 | 01 | 06 | 4 | |
| | P | 12/ 7/1959 | -103.45 | 0.17 | 674.55 | 01 | 06 | 4 | |
| | P | 12/ 8/1959 | -103.66 | -0.21 | 674.34 | 01 | 06 | 4 | |
| | P | 12/ 9/1959 | -103.82 | -0.16 | 674.18 | 01 | 06 | 4 | |
| | P | 12/10/1959 | -103.74 | 0.08 | 674.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 11/ 1959 | -103.68 | 0.06 | 674.32 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1959 | -103.77 | -0.09 | 674.23 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1959 | -103.72 | 0.05 | 674.28 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1959 | -103.5 | 0.22 | 674.5 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1959 | -103.53 | -0.03 | 674.47 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1959 | -103.42 | 0.11 | 674.58 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1959 | -103.13 | 0.29 | 674.87 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1959 | -103.23 | -0.1 | 674.77 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1959 | -103.17 | 0.06 | 674.83 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1959 | -103.03 | 0.14 | 674.97 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1959 | -102.92 | 0.11 | 675.08 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1959 | -103 | -0.08 | 675 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1959 | -103 | | 675 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1959 | -103.5 | -0.5 | 674.5 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1959 | -102.87 | 0.63 | 675.13 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1959 | -102.48 | 0.39 | 675.52 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1959 | -102.45 | 0.03 | 675.55 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1959 | -102.46 | -0.01 | 675.54 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1959 | -102.68 | -0.22 | 675.32 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1959 | -102.79 | -0.11 | 675.21 | 01 | 06 | 4 | |
| | P | 12/ 31/ 1959 | -102.79 | | 675.21 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1960 | -102.4 | 0.39 | 675.6 | 01 | 06 | 4 | |
| | P | 1/ 2/ 1960 | -102.24 | 0.16 | 675.76 | 01 | 06 | 4 | |
| | P | 1/ 3/ 1960 | -102.3 | -0.06 | 675.7 | 01 | 06 | 4 | |
| | P | 1/ 4/ 1960 | -102.24 | 0.06 | 675.76 | 01 | 06 | 4 | |
| | P | 1/ 5/ 1960 | -102.26 | -0.02 | 675.74 | 01 | 06 | 4 | |
| | P | 1/ 6/ 1960 | -102.24 | 0.02 | 675.76 | 01 | 06 | 4 | |
| | P | 1/ 7/ 1960 | -102.32 | -0.08 | 675.68 | 01 | 06 | 4 | |
| | P | 1/ 8/ 1960 | -102.28 | 0.04 | 675.72 | 01 | 06 | 4 | |
| | P | 1/ 9/ 1960 | -102.25 | 0.03 | 675.75 | 01 | 06 | 4 | |
| | P | 1/ 10/ 1960 | -102.05 | 0.2 | 675.95 | 01 | 06 | 4 | |
| | P | 1/ 11/ 1960 | -101.92 | 0.13 | 676.08 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1960 | -101.94 | -0.02 | 676.06 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1960 | -102.05 | -0.11 | 675.95 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1960 | -101.93 | 0.12 | 676.07 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1960 | -102.02 | -0.09 | 675.98 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 16/ 1960 | -101.98 | 0.04 | 676.02 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1960 | -101.82 | 0.16 | 676.18 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1960 | -101.87 | -0.05 | 676.13 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1960 | -102.22 | -0.35 | 675.78 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1960 | -102.33 | -0.11 | 675.67 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1960 | -102.46 | -0.13 | 675.54 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1960 | -102.46 | | 675.54 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1960 | -102.4 | 0.06 | 675.6 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1960 | -102.25 | 0.15 | 675.75 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1960 | -102.1 | 0.15 | 675.9 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1960 | -102.07 | 0.03 | 675.93 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1960 | -102.16 | -0.09 | 675.84 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1960 | -102.25 | -0.09 | 675.75 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1960 | -102.48 | -0.23 | 675.52 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1960 | -102.47 | 0.01 | 675.53 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1960 | -102.43 | 0.04 | 675.57 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1960 | -102.26 | 0.17 | 675.74 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1960 | -102.39 | -0.13 | 675.61 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1960 | -102.18 | 0.21 | 675.82 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1960 | -101.97 | 0.21 | 676.03 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1960 | -102.09 | -0.12 | 675.91 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1960 | -102.13 | -0.04 | 675.87 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1960 | -102.07 | 0.06 | 675.93 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1960 | -101.97 | 0.1 | 676.03 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1960 | -101.9 | 0.07 | 676.1 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1960 | -102.05 | -0.15 | 675.95 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1960 | -102.3 | -0.25 | 675.7 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1960 | -102.42 | -0.12 | 675.58 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1960 | -102.36 | 0.06 | 675.64 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1960 | -102.33 | 0.03 | 675.67 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1960 | -102.24 | 0.09 | 675.76 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1960 | -102.47 | -0.23 | 675.53 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1960 | -102.48 | -0.01 | 675.52 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1960 | -102.65 | -0.17 | 675.35 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1960 | -102.82 | -0.17 | 675.18 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1960 | -102.62 | 0.2 | 675.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/21/1960 | -102.36 | 0.26 | 675.64 | 01 | 06 | 4 | |
| | P | 2/22/1960 | -102.16 | 0.2 | 675.84 | 01 | 06 | 4 | |
| | P | 2/23/1960 | -102.32 | -0.16 | 675.68 | 01 | 06 | 4 | |
| | P | 2/24/1960 | -102.39 | -0.07 | 675.61 | 01 | 06 | 4 | |
| | P | 2/25/1960 | -102.57 | -0.18 | 675.43 | 01 | 06 | 4 | |
| | P | 2/26/1960 | -102.72 | -0.15 | 675.28 | 01 | 06 | 4 | |
| | P | 2/27/1960 | -102.64 | 0.08 | 675.36 | 01 | 06 | 4 | |
| | P | 2/28/1960 | -102.45 | 0.19 | 675.55 | 01 | 06 | 4 | |
| | P | 2/29/1960 | -102.42 | 0.03 | 675.58 | 01 | 06 | 4 | |
| | P | 3/ 1/1960 | -102.54 | -0.12 | 675.46 | 01 | 06 | 4 | |
| | P | 3/ 2/1960 | -102.44 | 0.1 | 675.56 | 01 | 06 | 4 | |
| | P | 3/ 3/1960 | -102.69 | -0.25 | 675.31 | 01 | 06 | 4 | |
| | P | 3/ 4/1960 | -102.78 | -0.09 | 675.22 | 01 | 06 | 4 | |
| | P | 3/ 5/1960 | -102.75 | 0.03 | 675.25 | 01 | 06 | 4 | |
| | P | 3/ 6/1960 | -102.64 | 0.11 | 675.36 | 01 | 06 | 4 | |
| | P | 3/ 7/1960 | -102.43 | 0.21 | 675.57 | 01 | 06 | 4 | |
| | P | 3/ 8/1960 | -102.48 | -0.05 | 675.52 | 01 | 06 | 4 | |
| | P | 3/ 9/1960 | -102.5 | -0.02 | 675.5 | 01 | 06 | 4 | |
| | P | 3/10/1960 | -102.64 | -0.14 | 675.36 | 01 | 06 | 4 | |
| | P | 3/11/1960 | -102.78 | -0.14 | 675.22 | 01 | 06 | 4 | |
| | P | 3/12/1960 | -102.87 | -0.09 | 675.13 | 01 | 06 | 4 | |
| | P | 3/13/1960 | -102.74 | 0.13 | 675.26 | 01 | 06 | 4 | |
| | P | 3/14/1960 | -102.52 | 0.22 | 675.48 | 01 | 06 | 4 | |
| | P | 3/15/1960 | -102.44 | 0.08 | 675.56 | 01 | 06 | 4 | |
| | P | 3/16/1960 | -102.73 | -0.29 | 675.27 | 01 | 06 | 4 | |
| | P | 3/17/1960 | -102.95 | -0.22 | 675.05 | 01 | 06 | 4 | |
| | P | 3/18/1960 | -103.03 | -0.08 | 674.97 | 01 | 06 | 4 | |
| | P | 3/19/1960 | -103.18 | -0.15 | 674.82 | 01 | 06 | 4 | |
| | P | 3/20/1960 | -103.47 | -0.29 | 674.53 | 01 | 06 | 4 | |
| | P | 3/21/1960 | -103.49 | -0.02 | 674.51 | 01 | 06 | 4 | |
| | P | 3/22/1960 | -103.86 | -0.37 | 674.14 | 01 | 06 | 4 | |
| | P | 3/23/1960 | -104.03 | -0.17 | 673.97 | 01 | 06 | 4 | |
| | P | 3/24/1960 | -104.17 | -0.14 | 673.83 | 01 | 06 | 4 | |
| | P | 3/25/1960 | -104.41 | -0.24 | 673.59 | 01 | 06 | 4 | |
| | P | 3/26/1960 | -103.72 | 0.69 | 674.28 | 01 | 06 | 4 | |
| | P | 3/27/1960 | -103.31 | 0.41 | 674.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/28/1960 | -102.96 | 0.35 | 675.04 | 01 | 06 | 4 | |
| | P | 3/29/1960 | -102.84 | 0.12 | 675.16 | 01 | 06 | 4 | |
| | P | 3/30/1960 | -102.93 | -0.09 | 675.07 | 01 | 06 | 4 | |
| | P | 3/31/1960 | -102.97 | -0.04 | 675.03 | 01 | 06 | 4 | |
| | P | 4/ 1/1960 | -103 | -0.03 | 675 | 01 | 06 | 4 | |
| | P | 4/ 2/1960 | -103.16 | -0.16 | 674.84 | 01 | 06 | 4 | |
| | P | 4/ 3/1960 | -102.99 | 0.17 | 675.01 | 01 | 06 | 4 | |
| | P | 4/ 4/1960 | -102.79 | 0.2 | 675.21 | 01 | 06 | 4 | |
| | P | 4/ 5/1960 | -103.33 | -0.54 | 674.67 | 01 | 06 | 4 | |
| | P | 4/ 6/1960 | -103.62 | -0.29 | 674.38 | 01 | 06 | 4 | |
| | P | 4/ 7/1960 | -103.88 | -0.26 | 674.12 | 01 | 06 | 4 | |
| | P | 4/ 8/1960 | -104.06 | -0.18 | 673.94 | 01 | 06 | 4 | |
| | P | 4/ 9/1960 | -104.2 | -0.14 | 673.8 | 01 | 06 | 4 | |
| | P | 4/10/1960 | -104.19 | 0.01 | 673.81 | 01 | 06 | 4 | |
| | P | 4/11/1960 | -104.09 | 0.1 | 673.91 | 01 | 06 | 4 | |
| | P | 4/12/1960 | -104.09 | | 673.91 | 01 | 06 | 4 | |
| | P | 4/13/1960 | -103.94 | 0.15 | 674.06 | 01 | 06 | 4 | |
| | P | 4/14/1960 | -103.97 | -0.03 | 674.03 | 01 | 06 | 4 | |
| | P | 4/15/1960 | -104 | -0.03 | 674 | 01 | 06 | 4 | |
| | P | 4/16/1960 | -104.35 | -0.35 | 673.65 | 01 | 06 | 4 | |
| | P | 4/17/1960 | -104.47 | -0.12 | 673.53 | 01 | 06 | 4 | |
| | P | 4/18/1960 | -104.22 | 0.25 | 673.78 | 01 | 06 | 4 | |
| | P | 4/19/1960 | -104.64 | -0.42 | 673.36 | 01 | 06 | 4 | |
| | P | 4/20/1960 | -104.88 | -0.24 | 673.12 | 01 | 06 | 4 | |
| | P | 4/21/1960 | -105.35 | -0.47 | 672.65 | 01 | 06 | 4 | |
| | P | 4/22/1960 | -105.75 | -0.4 | 672.25 | 01 | 06 | 4 | |
| | P | 4/23/1960 | -105.65 | 0.1 | 672.35 | 01 | 06 | 4 | |
| | P | 4/24/1960 | -105.62 | 0.03 | 672.38 | 01 | 06 | 4 | |
| | P | 4/25/1960 | -105.23 | 0.39 | 672.77 | 01 | 06 | 4 | |
| | P | 4/26/1960 | -104.94 | 0.29 | 673.06 | 01 | 06 | 4 | |
| | P | 4/27/1960 | -104.81 | 0.13 | 673.19 | 01 | 06 | 4 | |
| | P | 4/28/1960 | -104.76 | 0.05 | 673.24 | 01 | 06 | 4 | |
| | P | 5/ 6/1960 | -103.21 | 1.55 | 674.79 | 01 | 06 | 4 | |
| | P | 5/ 7/1960 | -103.43 | -0.22 | 674.57 | 01 | 06 | 4 | |
| | P | 5/ 8/1960 | -103.57 | -0.14 | 674.43 | 01 | 06 | 4 | |
| | P | 5/ 9/1960 | -103.47 | 0.1 | 674.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/10/1960 | -104.21 | -0.74 | 673.79 | 01 | 06 | 4 | |
| | P | 5/11/1960 | -104.79 | -0.58 | 673.21 | 01 | 06 | 4 | |
| | P | 5/12/1960 | -104.53 | 0.26 | 673.47 | 01 | 06 | 4 | |
| | P | 5/13/1960 | -104.3 | 0.23 | 673.7 | 01 | 06 | 4 | |
| | P | 5/14/1960 | -104.29 | 0.01 | 673.71 | 01 | 06 | 4 | |
| | P | 5/15/1960 | -104.51 | -0.22 | 673.49 | 01 | 06 | 4 | |
| | P | 5/16/1960 | -104.68 | -0.17 | 673.32 | 01 | 06 | 4 | |
| | P | 5/17/1960 | -105.28 | -0.6 | 672.72 | 01 | 06 | 4 | |
| | P | 5/24/1960 | -106.02 | -0.74 | 671.98 | 01 | 06 | 4 | |
| | P | 5/25/1960 | -105.77 | 0.25 | 672.23 | 01 | 06 | 4 | |
| | P | 5/26/1960 | -105.99 | -0.22 | 672.01 | 01 | 06 | 4 | |
| | P | 5/27/1960 | -106.61 | -0.62 | 671.39 | 01 | 06 | 4 | |
| | P | 5/28/1960 | -107.17 | -0.56 | 670.83 | 01 | 06 | 4 | |
| | P | 5/29/1960 | -107.44 | -0.27 | 670.56 | 01 | 06 | 4 | |
| | P | 5/30/1960 | -107.32 | 0.12 | 670.68 | 01 | 06 | 4 | |
| | P | 5/31/1960 | -108.23 | -0.91 | 669.77 | 01 | 06 | 4 | |
| | P | 6/ 1/1960 | -109.08 | -0.85 | 668.92 | 01 | 06 | 4 | |
| | P | 6/ 2/1960 | -109.88 | -0.8 | 668.12 | 01 | 06 | 4 | |
| | P | 6/ 3/1960 | -110.29 | -0.41 | 667.71 | 01 | 06 | 4 | |
| | P | 6/ 4/1960 | -111.24 | -0.95 | 666.76 | 01 | 06 | 4 | |
| | P | 6/ 6/1960 | -111.63 | -0.39 | 666.37 | 01 | 06 | 4 | |
| | P | 6/ 7/1960 | -112.34 | -0.71 | 665.66 | 01 | 06 | 4 | |
| | P | 6/ 8/1960 | -112.95 | -0.61 | 665.05 | 01 | 06 | 4 | |
| | P | 6/ 9/1960 | -113.57 | -0.62 | 664.43 | 01 | 06 | 4 | |
| | P | 6/10/1960 | -114.11 | -0.54 | 663.89 | 01 | 06 | 4 | |
| | P | 6/11/1960 | -113.9 | 0.21 | 664.1 | 01 | 06 | 4 | |
| | P | 6/12/1960 | -114.07 | -0.17 | 663.93 | 01 | 06 | 4 | |
| | P | 6/13/1960 | -114.2 | -0.13 | 663.8 | 01 | 06 | 4 | |
| | P | 6/14/1960 | -115.15 | -0.95 | 662.85 | 01 | 06 | 4 | |
| | P | 6/15/1960 | -116.15 | -1 | 661.85 | 01 | 06 | 4 | |
| | P | 6/16/1960 | -116.81 | -0.66 | 661.19 | 01 | 06 | 4 | |
| | P | 6/17/1960 | -117.54 | -0.73 | 660.46 | 01 | 06 | 4 | |
| | P | 6/18/1960 | -118.08 | -0.54 | 659.92 | 01 | 06 | 4 | |
| | P | 6/19/1960 | -118.02 | 0.06 | 659.98 | 01 | 06 | 4 | |
| | P | 6/20/1960 | -117.52 | 0.5 | 660.48 | 01 | 06 | 4 | |
| | P | 6/21/1960 | -118.39 | -0.87 | 659.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/22/1960 | -118.85 | -0.46 | 659.15 | 01 | 06 | 4 | |
| | P | 6/23/1960 | -119.12 | -0.27 | 658.88 | 01 | 06 | 4 | |
| | P | 6/24/1960 | -116.52 | 2.6 | 661.48 | 01 | 06 | 4 | |
| | P | 6/25/1960 | -113.05 | 3.47 | 664.95 | 01 | 06 | 4 | |
| | P | 6/26/1960 | -112.15 | 0.9 | 665.85 | 01 | 06 | 4 | |
| | P | 6/27/1960 | -111.5 | 0.65 | 666.5 | 01 | 06 | 4 | |
| | P | 6/28/1960 | -111.5 | | 666.5 | 01 | 06 | 4 | |
| | P | 6/29/1960 | -111.47 | 0.03 | 666.53 | 01 | 06 | 4 | |
| | P | 6/30/1960 | -111.53 | -0.06 | 666.47 | 01 | 06 | 4 | |
| | P | 7/1/1960 | -111.59 | -0.06 | 666.41 | 01 | 06 | 4 | |
| | P | 7/2/1960 | -111.79 | -0.2 | 666.21 | 01 | 06 | 4 | |
| | P | 7/3/1960 | -111.75 | 0.04 | 666.25 | 01 | 06 | 4 | |
| | P | 7/4/1960 | -111.47 | 0.28 | 666.53 | 01 | 06 | 4 | |
| | P | 7/5/1960 | -111.72 | -0.25 | 666.28 | 01 | 06 | 4 | |
| | P | 7/6/1960 | -112.41 | -0.69 | 665.59 | 01 | 06 | 4 | |
| | P | 7/8/1960 | -113.24 | -0.83 | 664.76 | 01 | 06 | 4 | |
| | P | 7/9/1960 | -113.28 | -0.04 | 664.72 | 01 | 06 | 4 | |
| | P | 7/10/1960 | -113.48 | -0.2 | 664.52 | 01 | 06 | 4 | |
| | P | 7/11/1960 | -113.42 | 0.06 | 664.58 | 01 | 06 | 4 | |
| | P | 7/12/1960 | -114.31 | -0.89 | 663.69 | 01 | 06 | 4 | |
| | P | 7/13/1960 | -115.18 | -0.87 | 662.82 | 01 | 06 | 4 | |
| | P | 7/14/1960 | -115.15 | 0.03 | 662.85 | 01 | 06 | 4 | |
| | P | 7/15/1960 | -115 | 0.15 | 663 | 01 | 06 | 4 | |
| | P | 7/16/1960 | -113.57 | 1.43 | 664.43 | 01 | 06 | 4 | |
| | P | 7/17/1960 | -112.05 | 1.52 | 665.95 | 01 | 06 | 4 | |
| | P | 7/18/1960 | -111.35 | 0.7 | 666.65 | 01 | 06 | 4 | |
| | P | 7/19/1960 | -110.73 | 0.62 | 667.27 | 01 | 06 | 4 | |
| | P | 7/20/1960 | -109.8 | 0.93 | 668.2 | 01 | 06 | 4 | |
| | P | 7/21/1960 | -108.7 | 1.1 | 669.3 | 01 | 06 | 4 | |
| | P | 7/22/1960 | -108.27 | 0.43 | 669.73 | 01 | 06 | 4 | |
| | P | 7/23/1960 | -108.09 | 0.18 | 669.91 | 01 | 06 | 4 | |
| | P | 7/24/1960 | -107.31 | 0.78 | 670.69 | 01 | 06 | 4 | |
| | P | 7/25/1960 | -107.64 | -0.33 | 670.36 | 01 | 06 | 4 | |
| | P | 7/26/1960 | -108.2 | -0.56 | 669.8 | 01 | 06 | 4 | |
| | P | 7/27/1960 | -108.7 | -0.5 | 669.3 | 01 | 06 | 4 | |
| | P | 7/28/1960 | -109.31 | -0.61 | 668.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/29/1960 | -109.99 | -0.68 | 668.01 | 01 | 06 | 4 | |
| | P | 7/30/1960 | -110.65 | -0.66 | 667.35 | 01 | 06 | 4 | |
| | P | 7/31/1960 | -111.23 | -0.58 | 666.77 | 01 | 06 | 4 | |
| | P | 8/ 1/1960 | -111.47 | -0.24 | 666.53 | 01 | 06 | 4 | |
| | P | 8/ 2/1960 | -112.31 | -0.84 | 665.69 | 01 | 06 | 4 | |
| | P | 8/ 3/1960 | -112.73 | -0.42 | 665.27 | 01 | 06 | 4 | |
| | P | 8/ 4/1960 | -113.26 | -0.53 | 664.74 | 01 | 06 | 4 | |
| | P | 8/ 5/1960 | -113.75 | -0.49 | 664.25 | 01 | 06 | 4 | |
| | P | 8/ 6/1960 | -114.27 | -0.52 | 663.73 | 01 | 06 | 4 | |
| | P | 8/ 7/1960 | -114.63 | -0.36 | 663.37 | 01 | 06 | 4 | |
| | P | 8/ 8/1960 | -114.27 | 0.36 | 663.73 | 01 | 06 | 4 | |
| | P | 8/ 9/1960 | -114.73 | -0.46 | 663.27 | 01 | 06 | 4 | |
| | P | 8/10/1960 | -115.17 | -0.44 | 662.83 | 01 | 06 | 4 | |
| | P | 8/11/1960 | -115.17 | | 662.83 | 01 | 06 | 4 | |
| | P | 8/12/1960 | -114.37 | 0.8 | 663.63 | 01 | 06 | 4 | |
| | P | 8/13/1960 | -114.43 | -0.06 | 663.57 | 01 | 06 | 4 | |
| | P | 8/14/1960 | -113.45 | 0.98 | 664.55 | 01 | 06 | 4 | |
| | P | 8/15/1960 | -108.59 | 4.86 | 669.41 | 01 | 06 | 4 | |
| | P | 8/16/1960 | -107.52 | 1.07 | 670.48 | 01 | 06 | 4 | |
| | P | 8/17/1960 | -107.12 | 0.4 | 670.88 | 01 | 06 | 4 | |
| | P | 8/18/1960 | -107.07 | 0.05 | 670.93 | 01 | 06 | 4 | |
| | P | 8/19/1960 | -107.16 | -0.09 | 670.84 | 01 | 06 | 4 | |
| | P | 8/20/1960 | -107.32 | -0.16 | 670.68 | 01 | 06 | 4 | |
| | P | 8/21/1960 | -107.3 | 0.02 | 670.7 | 01 | 06 | 4 | |
| | P | 8/22/1960 | -107 | 0.3 | 671 | 01 | 06 | 4 | |
| | P | 8/23/1960 | -107.53 | -0.53 | 670.47 | 01 | 06 | 4 | |
| | P | 8/24/1960 | -107.87 | -0.34 | 670.13 | 01 | 06 | 4 | |
| | P | 8/25/1960 | -108.23 | -0.36 | 669.77 | 01 | 06 | 4 | |
| | P | 8/26/1960 | -108.77 | -0.54 | 669.23 | 01 | 06 | 4 | |
| | P | 8/27/1960 | -109.23 | -0.46 | 668.77 | 01 | 06 | 4 | |
| | P | 8/28/1960 | -108.57 | 0.66 | 669.43 | 01 | 06 | 4 | |
| | P | 8/29/1960 | -108.22 | 0.35 | 669.78 | 01 | 06 | 4 | |
| | P | 8/30/1960 | -108.07 | 0.15 | 669.93 | 01 | 06 | 4 | |
| | P | 8/31/1960 | -108.09 | -0.02 | 669.91 | 01 | 06 | 4 | |
| | P | 9/ 1/1960 | -108.24 | -0.15 | 669.76 | 01 | 06 | 4 | |
| | P | 9/ 2/1960 | -108.35 | -0.11 | 669.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 3/1960 | -108.58 | -0.23 | 669.42 | 01 | 06 | 4 | |
| | P | 9/ 4/1960 | -108.44 | 0.14 | 669.56 | 01 | 06 | 4 | |
| | P | 9/ 5/1960 | -107.92 | 0.52 | 670.08 | 01 | 06 | 4 | |
| | P | 9/ 6/1960 | -108.14 | -0.22 | 669.86 | 01 | 06 | 4 | |
| | P | 9/ 7/1960 | -108.37 | -0.23 | 669.63 | 01 | 06 | 4 | |
| | P | 9/ 8/1960 | -108.51 | -0.14 | 669.49 | 01 | 06 | 4 | |
| | P | 9/ 9/1960 | -108.61 | -0.1 | 669.39 | 01 | 06 | 4 | |
| | P | 9/10/1960 | -108.79 | -0.18 | 669.21 | 01 | 06 | 4 | |
| | P | 9/11/1960 | -108.74 | 0.05 | 669.26 | 01 | 06 | 4 | |
| | P | 9/12/1960 | -108.7 | 0.04 | 669.3 | 01 | 06 | 4 | |
| | P | 9/13/1960 | -109.28 | -0.58 | 668.72 | 01 | 06 | 4 | |
| | P | 9/14/1960 | -109.8 | -0.52 | 668.2 | 01 | 06 | 4 | |
| | P | 9/15/1960 | -110.29 | -0.49 | 667.71 | 01 | 06 | 4 | |
| | P | 9/16/1960 | -100.67 | 9.62 | 677.33 | 01 | 06 | 4 | |
| | P | 9/17/1960 | -111.03 | -10.4 | 666.97 | 01 | 06 | 4 | |
| | P | 9/18/1960 | -111.25 | -0.22 | 666.75 | 01 | 06 | 4 | |
| | P | 9/19/1960 | -111.25 | | 666.75 | 01 | 06 | 4 | |
| | P | 9/20/1960 | -111.68 | -0.43 | 666.32 | 01 | 06 | 4 | |
| | P | 9/21/1960 | -112.12 | -0.44 | 665.88 | 01 | 06 | 4 | |
| | P | 9/22/1960 | -112.27 | -0.15 | 665.73 | 01 | 06 | 4 | |
| | P | 9/23/1960 | -112.27 | | 665.73 | 01 | 06 | 4 | |
| | P | 9/24/1960 | -112.06 | 0.21 | 665.94 | 01 | 06 | 4 | |
| | P | 9/25/1960 | -111.13 | 0.93 | 666.87 | 01 | 06 | 4 | |
| | P | 9/26/1960 | -110.53 | 0.6 | 667.47 | 01 | 06 | 4 | |
| | P | 9/27/1960 | -110.73 | -0.2 | 667.27 | 01 | 06 | 4 | |
| | P | 9/28/1960 | -110.64 | 0.09 | 667.36 | 01 | 06 | 4 | |
| | P | 9/29/1960 | -110.84 | -0.2 | 667.16 | 01 | 06 | 4 | |
| | P | 9/30/1960 | -111.25 | -0.41 | 666.75 | 01 | 06 | 4 | |
| | P | 10/ 1/1960 | -111.44 | -0.19 | 666.56 | 01 | 06 | 4 | |
| | P | 10/ 2/1960 | -111.55 | -0.11 | 666.45 | 01 | 06 | 4 | |
| | P | 10/ 3/1960 | -111.42 | 0.13 | 666.58 | 01 | 06 | 4 | |
| | P | 10/ 4/1960 | -111.94 | -0.52 | 666.06 | 01 | 06 | 4 | |
| | P | 10/ 5/1960 | -112.27 | -0.33 | 665.73 | 01 | 06 | 4 | |
| | P | 10/ 6/1960 | -111.72 | 0.55 | 666.28 | 01 | 06 | 4 | |
| | P | 10/ 7/1960 | -111.17 | 0.55 | 666.83 | 01 | 06 | 4 | |
| | P | 10/ 8/1960 | -110.94 | 0.23 | 667.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 9 / 1960 | -110.78 | 0.16 | 667.22 | 01 | 06 | 4 | |
| | P | 10 / 10/ 1960 | -110.67 | 0.11 | 667.33 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1960 | -111.14 | -0.47 | 666.86 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1960 | -111.33 | -0.19 | 666.67 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1960 | -111.23 | 0.1 | 666.77 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1960 | -111.15 | 0.08 | 666.85 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1960 | -110.54 | 0.61 | 667.46 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1960 | -109.52 | 1.02 | 668.48 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1960 | -109.03 | 0.49 | 668.97 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1960 | -105.75 | 3.28 | 672.25 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1960 | -104.97 | 0.78 | 673.03 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1960 | -105.02 | -0.05 | 672.98 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1960 | -105.15 | -0.13 | 672.85 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1960 | -105.23 | -0.08 | 672.77 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1960 | -106.14 | -0.91 | 671.86 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1960 | -104.96 | 1.18 | 673.04 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1960 | -104.97 | -0.01 | 673.03 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1960 | -104.78 | 0.19 | 673.22 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1960 | -104.58 | 0.2 | 673.42 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1960 | -104.45 | 0.13 | 673.55 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1960 | -100.12 | 4.33 | 677.88 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1960 | -99.18 | 0.94 | 678.82 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1960 | -98.77 | 0.41 | 679.23 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1960 | -98.63 | 0.14 | 679.37 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1960 | -98.56 | 0.07 | 679.44 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1960 | -98.61 | -0.05 | 679.39 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1960 | -98.58 | 0.03 | 679.42 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1960 | -98.59 | -0.01 | 679.41 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1960 | -98.63 | -0.04 | 679.37 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1960 | -98.5 | 0.13 | 679.5 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1960 | -98.57 | -0.07 | 679.43 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1960 | -98.64 | -0.07 | 679.36 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1960 | -98.87 | -0.23 | 679.13 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1960 | -98.85 | 0.02 | 679.15 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1960 | -98.9 | -0.05 | 679.1 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1960 | -98.85 | 0.05 | 679.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/14/1960 | -98.81 | 0.04 | 679.19 | 01 | 06 | 4 | |
| | P | 11/15/1960 | -99.08 | -0.27 | 678.92 | 01 | 06 | 4 | |
| | P | 11/16/1960 | -99.27 | -0.19 | 678.73 | 01 | 06 | 4 | |
| | P | 11/17/1960 | -99.45 | -0.18 | 678.55 | 01 | 06 | 4 | |
| | P | 11/18/1960 | -99.4 | 0.05 | 678.6 | 01 | 06 | 4 | |
| | P | 11/19/1960 | -99.53 | -0.13 | 678.47 | 01 | 06 | 4 | |
| | P | 11/20/1960 | -99.5 | 0.03 | 678.5 | 01 | 06 | 4 | |
| | P | 11/21/1960 | -99.48 | 0.02 | 678.52 | 01 | 06 | 4 | |
| | P | 11/22/1960 | -99.53 | -0.05 | 678.47 | 01 | 06 | 4 | |
| | P | 11/23/1960 | -99.69 | -0.16 | 678.31 | 01 | 06 | 4 | |
| | P | 11/24/1960 | -99.77 | -0.08 | 678.23 | 01 | 06 | 4 | |
| | P | 11/25/1960 | -99.59 | 0.18 | 678.41 | 01 | 06 | 4 | |
| | P | 11/26/1960 | -99.69 | -0.1 | 678.31 | 01 | 06 | 4 | |
| | P | 11/27/1960 | -99.66 | 0.03 | 678.34 | 01 | 06 | 4 | |
| | P | 11/28/1960 | -99.6 | 0.06 | 678.4 | 01 | 06 | 4 | |
| | P | 11/29/1960 | -99.97 | -0.37 | 678.03 | 01 | 06 | 4 | |
| | P | 11/30/1960 | -100.16 | -0.19 | 677.84 | 01 | 06 | 4 | |
| | P | 12/ 1/1960 | -100.25 | -0.09 | 677.75 | 01 | 06 | 4 | |
| | P | 12/ 2/1960 | -100.33 | -0.08 | 677.67 | 01 | 06 | 4 | |
| | P | 12/ 3/1960 | -100.25 | 0.08 | 677.75 | 01 | 06 | 4 | |
| | P | 12/ 4/1960 | -100.25 | | 677.75 | 01 | 06 | 4 | |
| | P | 12/ 5/1960 | -100.01 | 0.24 | 677.99 | 01 | 06 | 4 | |
| | P | 12/ 6/1960 | -100.23 | -0.22 | 677.77 | 01 | 06 | 4 | |
| | P | 12/ 7/1960 | -100.41 | -0.18 | 677.59 | 01 | 06 | 4 | |
| | P | 12/ 8/1960 | -99.4 | 1.01 | 678.6 | 01 | 06 | 4 | |
| | P | 12/ 9/1960 | -98.69 | 0.71 | 679.31 | 01 | 06 | 4 | |
| | P | 12/10/1960 | -98.28 | 0.41 | 679.72 | 01 | 06 | 4 | |
| | P | 12/11/1960 | -97.96 | 0.32 | 680.04 | 01 | 06 | 4 | |
| | P | 12/12/1960 | -97.82 | 0.14 | 680.18 | 01 | 06 | 4 | |
| | P | 12/13/1960 | -97.8 | 0.02 | 680.2 | 01 | 06 | 4 | |
| | P | 12/14/1960 | -97.66 | 0.14 | 680.34 | 01 | 06 | 4 | |
| | P | 12/15/1960 | -97.48 | 0.18 | 680.52 | 01 | 06 | 4 | |
| | P | 12/16/1960 | -97.65 | -0.17 | 680.35 | 01 | 06 | 4 | |
| | P | 12/17/1960 | -97.63 | 0.02 | 680.37 | 01 | 06 | 4 | |
| | P | 12/18/1960 | -97.54 | 0.09 | 680.46 | 01 | 06 | 4 | |
| | P | 12/19/1960 | -97.42 | 0.12 | 680.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/20/1960 | -97.47 | -0.05 | 680.53 | 01 | 06 | 4 | |
| | P | 12/21/1960 | -97.66 | -0.19 | 680.34 | 01 | 06 | 4 | |
| | P | 12/22/1960 | -97.67 | -0.01 | 680.33 | 01 | 06 | 4 | |
| | P | 12/23/1960 | -97.74 | -0.07 | 680.26 | 01 | 06 | 4 | |
| | P | 12/24/1960 | -97.68 | 0.06 | 680.32 | 01 | 06 | 4 | |
| | P | 12/25/1960 | -97.53 | 0.15 | 680.47 | 01 | 06 | 4 | |
| | P | 12/26/1960 | -97.32 | 0.21 | 680.68 | 01 | 06 | 4 | |
| | P | 12/27/1960 | -97.32 | | 680.68 | 01 | 06 | 4 | |
| | P | 12/28/1960 | -97.37 | -0.05 | 680.63 | 01 | 06 | 4 | |
| | P | 12/29/1960 | -97.44 | -0.07 | 680.56 | 01 | 06 | 4 | |
| | P | 12/30/1960 | -97.47 | -0.03 | 680.53 | 01 | 06 | 4 | |
| | P | 12/31/1960 | -97.34 | 0.13 | 680.66 | 01 | 06 | 4 | |
| | P | 1/ 1/1961 | -97.22 | 0.12 | 680.78 | 01 | 06 | 4 | |
| | P | 1/ 2/1961 | -97.03 | 0.19 | 680.97 | 01 | 06 | 4 | |
| | P | 1/ 3/1961 | -97.12 | -0.09 | 680.88 | 01 | 06 | 4 | |
| | P | 1/ 4/1961 | -97.23 | -0.11 | 680.77 | 01 | 06 | 4 | |
| | P | 1/ 5/1961 | -97.18 | 0.05 | 680.82 | 01 | 06 | 4 | |
| | P | 1/ 6/1961 | -97.13 | 0.05 | 680.87 | 01 | 06 | 4 | |
| | P | 1/ 7/1961 | -96.94 | 0.19 | 681.06 | 01 | 06 | 4 | |
| | P | 1/ 8/1961 | -96.91 | 0.03 | 681.09 | 01 | 06 | 4 | |
| | P | 1/ 9/1961 | -96.79 | 0.12 | 681.21 | 01 | 06 | 4 | |
| | P | 1/10/1961 | -96.8 | -0.01 | 681.2 | 01 | 06 | 4 | |
| | P | 1/11/1961 | -96.76 | 0.04 | 681.24 | 01 | 06 | 4 | |
| | P | 1/12/1961 | -96.7 | 0.06 | 681.3 | 01 | 06 | 4 | |
| | P | 1/13/1961 | -96.63 | 0.07 | 681.37 | 01 | 06 | 4 | |
| | P | 1/14/1961 | -96.61 | 0.02 | 681.39 | 01 | 06 | 4 | |
| | P | 1/15/1961 | -96.58 | 0.03 | 681.42 | 01 | 06 | 4 | |
| | P | 1/16/1961 | -96.52 | 0.06 | 681.48 | 01 | 06 | 4 | |
| | P | 1/17/1961 | -96.69 | -0.17 | 681.31 | 01 | 06 | 4 | |
| | P | 1/18/1961 | -96.75 | -0.06 | 681.25 | 01 | 06 | 4 | |
| | P | 1/19/1961 | -96.83 | -0.08 | 681.17 | 01 | 06 | 4 | |
| | P | 1/20/1961 | -96.87 | -0.04 | 681.13 | 01 | 06 | 4 | |
| | P | 1/21/1961 | -96.92 | -0.05 | 681.08 | 01 | 06 | 4 | |
| | P | 1/22/1961 | -96.82 | 0.1 | 681.18 | 01 | 06 | 4 | |
| | P | 1/23/1961 | -96.63 | 0.19 | 681.37 | 01 | 06 | 4 | |
| | P | 1/24/1961 | -96.87 | -0.24 | 681.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 25/ 1961 | -97.06 | -0.19 | 680.94 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1961 | -97.11 | -0.05 | 680.89 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1961 | -97.15 | -0.04 | 680.85 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1961 | -97.12 | 0.03 | 680.88 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1961 | -97.1 | 0.02 | 680.9 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1961 | -97.07 | 0.03 | 680.93 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1961 | -97.2 | -0.13 | 680.8 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1961 | -97.15 | 0.05 | 680.85 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1961 | -97.25 | -0.1 | 680.75 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1961 | -97.4 | -0.15 | 680.6 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1961 | -97.42 | -0.02 | 680.58 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1961 | -96.61 | 0.81 | 681.39 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1961 | -96.09 | 0.52 | 681.91 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1961 | -95.74 | 0.35 | 682.26 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1961 | -95.61 | 0.13 | 682.39 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1961 | -95.48 | 0.13 | 682.52 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1961 | -95.38 | 0.1 | 682.62 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1961 | -95.32 | 0.06 | 682.68 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1961 | -95.16 | 0.16 | 682.84 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1961 | -94.98 | 0.18 | 683.02 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1961 | -95.1 | -0.12 | 682.9 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1961 | -95.34 | -0.24 | 682.66 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1961 | -95.57 | -0.23 | 682.43 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1961 | -95.4 | 0.17 | 682.6 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1961 | -95.3 | 0.1 | 682.7 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1961 | -95.27 | 0.03 | 682.73 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1961 | -95.04 | 0.23 | 682.96 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1961 | -95.08 | -0.04 | 682.92 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1961 | -95.03 | 0.05 | 682.97 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1961 | -95.04 | -0.01 | 682.96 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1961 | -95.18 | -0.14 | 682.82 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1961 | -95.28 | -0.1 | 682.72 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1961 | -95.37 | -0.09 | 682.63 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1961 | -95.28 | 0.09 | 682.72 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1961 | -95.57 | -0.29 | 682.43 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1961 | -95.72 | -0.15 | 682.28 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 2/1961 | -95.78 | -0.06 | 682.22 | 01 | 06 | 4 | |
| | P | 3/ 3/1961 | -95.86 | -0.08 | 682.14 | 01 | 06 | 4 | |
| | P | 3/ 4/1961 | -95.86 | | 682.14 | 01 | 06 | 4 | |
| | P | 3/ 5/1961 | -95.9 | -0.04 | 682.1 | 01 | 06 | 4 | |
| | P | 3/ 6/1961 | -95.97 | -0.07 | 682.03 | 01 | 06 | 4 | |
| | P | 3/ 7/1961 | -96.33 | -0.36 | 681.67 | 01 | 06 | 4 | |
| | P | 3/ 8/1961 | -96.69 | -0.36 | 681.31 | 01 | 06 | 4 | |
| | P | 3/ 9/1961 | -96.88 | -0.19 | 681.12 | 01 | 06 | 4 | |
| | P | 3/10/1961 | -97.08 | -0.2 | 680.92 | 01 | 06 | 4 | |
| | P | 3/11/1961 | -96.98 | 0.1 | 681.02 | 01 | 06 | 4 | |
| | P | 3/12/1961 | -96.98 | | 681.02 | 01 | 06 | 4 | |
| | P | 3/13/1961 | -97.06 | -0.08 | 680.94 | 01 | 06 | 4 | |
| | P | 3/14/1961 | -97.52 | -0.46 | 680.48 | 01 | 06 | 4 | |
| | P | 3/15/1961 | -97.77 | -0.25 | 680.23 | 01 | 06 | 4 | |
| | P | 3/16/1961 | -97.78 | -0.01 | 680.22 | 01 | 06 | 4 | |
| | P | 3/17/1961 | -97.51 | 0.27 | 680.49 | 01 | 06 | 4 | |
| | P | 3/18/1961 | -97.84 | -0.33 | 680.16 | 01 | 06 | 4 | |
| | P | 3/19/1961 | -98.13 | -0.29 | 679.87 | 01 | 06 | 4 | |
| | P | 3/20/1961 | -97.82 | 0.31 | 680.18 | 01 | 06 | 4 | |
| | P | 3/21/1961 | -98.25 | -0.43 | 679.75 | 01 | 06 | 4 | |
| | P | 3/22/1961 | -98.54 | -0.29 | 679.46 | 01 | 06 | 4 | |
| | P | 3/23/1961 | -99.01 | -0.47 | 678.99 | 01 | 06 | 4 | |
| | P | 3/24/1961 | -99.22 | -0.21 | 678.78 | 01 | 06 | 4 | |
| | P | 3/25/1961 | -99.33 | -0.11 | 678.67 | 01 | 06 | 4 | |
| | P | 3/26/1961 | -98.82 | 0.51 | 679.18 | 01 | 06 | 4 | |
| | P | 3/27/1961 | -98.97 | -0.15 | 679.03 | 01 | 06 | 4 | |
| | P | 3/28/1961 | -99.43 | -0.46 | 678.57 | 01 | 06 | 4 | |
| | P | 3/29/1961 | -99.84 | -0.41 | 678.16 | 01 | 06 | 4 | |
| | P | 3/30/1961 | -99.8 | 0.04 | 678.2 | 01 | 06 | 4 | |
| | P | 3/31/1961 | -99.4 | 0.4 | 678.6 | 01 | 06 | 4 | |
| | P | 4/ 1/1961 | -99.44 | -0.04 | 678.56 | 01 | 06 | 4 | |
| | P | 4/ 2/1961 | -99.9 | -0.46 | 678.1 | 01 | 06 | 4 | |
| | P | 4/ 3/1961 | -99.65 | 0.25 | 678.35 | 01 | 06 | 4 | |
| | P | 4/ 4/1961 | -100.3 | -0.65 | 677.7 | 01 | 06 | 4 | |
| | P | 4/ 5/1961 | -100.75 | -0.45 | 677.25 | 01 | 06 | 4 | |
| | P | 4/ 6/1961 | -100.52 | 0.23 | 677.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 7/1961 | -100.24 | 0.28 | 677.76 | 01 | 06 | 4 | |
| | P | 4/ 8/1961 | -100.03 | 0.21 | 677.97 | 01 | 06 | 4 | |
| | P | 4/ 9/1961 | -99.84 | 0.19 | 678.16 | 01 | 06 | 4 | |
| | P | 4/10/1961 | -100.02 | -0.18 | 677.98 | 01 | 06 | 4 | |
| | P | 4/11/1961 | -100.36 | -0.34 | 677.64 | 01 | 06 | 4 | |
| | P | 4/12/1961 | -100.7 | -0.34 | 677.3 | 01 | 06 | 4 | |
| | P | 4/13/1961 | -101.29 | -0.59 | 676.71 | 01 | 06 | 4 | |
| | P | 4/14/1961 | -101.47 | -0.18 | 676.53 | 01 | 06 | 4 | |
| | P | 4/15/1961 | -102.2 | -0.73 | 675.8 | 01 | 06 | 4 | |
| | P | 4/16/1961 | -101.86 | 0.34 | 676.14 | 01 | 06 | 4 | |
| | P | 4/17/1961 | -102 | -0.14 | 676 | 01 | 06 | 4 | |
| | P | 4/18/1961 | -102.52 | -0.52 | 675.48 | 01 | 06 | 4 | |
| | P | 4/19/1961 | -102.95 | -0.43 | 675.05 | 01 | 06 | 4 | |
| | P | 4/20/1961 | -102.96 | -0.01 | 675.04 | 01 | 06 | 4 | |
| | P | 4/21/1961 | -103.01 | -0.05 | 674.99 | 01 | 06 | 4 | |
| | P | 4/22/1961 | -103.03 | -0.02 | 674.97 | 01 | 06 | 4 | |
| | P | 4/23/1961 | -103.22 | -0.19 | 674.78 | 01 | 06 | 4 | |
| | P | 4/24/1961 | -103.09 | 0.13 | 674.91 | 01 | 06 | 4 | |
| | P | 4/25/1961 | -103.61 | -0.52 | 674.39 | 01 | 06 | 4 | |
| | P | 4/26/1961 | -103.97 | -0.36 | 674.03 | 01 | 06 | 4 | |
| | P | 4/27/1961 | -104.42 | -0.45 | 673.58 | 01 | 06 | 4 | |
| | P | 4/28/1961 | -105.15 | -0.73 | 672.85 | 01 | 06 | 4 | |
| | P | 4/29/1961 | -104.33 | 0.82 | 673.67 | 01 | 06 | 4 | |
| | P | 4/30/1961 | -103.67 | 0.66 | 674.33 | 01 | 06 | 4 | |
| | P | 5/ 1/1961 | -103.65 | 0.02 | 674.35 | 01 | 06 | 4 | |
| | P | 5/ 2/1961 | -104.3 | -0.65 | 673.7 | 01 | 06 | 4 | |
| | P | 5/ 3/1961 | -104.27 | 0.03 | 673.73 | 01 | 06 | 4 | |
| | P | 5/ 4/1961 | -104.7 | -0.43 | 673.3 | 01 | 06 | 4 | |
| | P | 5/ 5/1961 | -104.77 | -0.07 | 673.23 | 01 | 06 | 4 | |
| | P | 5/ 6/1961 | -104.83 | -0.06 | 673.17 | 01 | 06 | 4 | |
| | P | 5/ 7/1961 | -104.87 | -0.04 | 673.13 | 01 | 06 | 4 | |
| | P | 5/ 8/1961 | -104.98 | -0.11 | 673.02 | 01 | 06 | 4 | |
| | P | 5/ 9/1961 | -105.63 | -0.65 | 672.37 | 01 | 06 | 4 | |
| | P | 5/10/1961 | -106.16 | -0.53 | 671.84 | 01 | 06 | 4 | |
| | P | 5/11/1961 | -106.73 | -0.57 | 671.27 | 01 | 06 | 4 | |
| | P | 5/12/1961 | -107.04 | -0.31 | 670.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/13/1961 | -107.31 | -0.27 | 670.69 | 01 | 06 | 4 | |
| | P | 5/14/1961 | -107.37 | -0.06 | 670.63 | 01 | 06 | 4 | |
| | P | 5/16/1961 | -107.87 | -0.5 | 670.13 | 01 | 06 | 4 | |
| | P | 5/17/1961 | -108.22 | -0.35 | 669.78 | 01 | 06 | 4 | |
| | P | 5/18/1961 | -108.5 | -0.28 | 669.5 | 01 | 06 | 4 | |
| | P | 5/19/1961 | -108.82 | -0.32 | 669.18 | 01 | 06 | 4 | |
| | P | 5/20/1961 | -109.2 | -0.38 | 668.8 | 01 | 06 | 4 | |
| | P | 5/21/1961 | -109.48 | -0.28 | 668.52 | 01 | 06 | 4 | |
| | P | 5/22/1961 | -109.23 | 0.25 | 668.77 | 01 | 06 | 4 | |
| | P | 5/23/1961 | -110.06 | -0.83 | 667.94 | 01 | 06 | 4 | |
| | P | 5/24/1961 | -109.5 | 0.56 | 668.5 | 01 | 06 | 4 | |
| | P | 5/25/1961 | -110.53 | -1.03 | 667.47 | 01 | 06 | 4 | |
| | P | 5/26/1961 | -109.92 | 0.61 | 668.08 | 01 | 06 | 4 | |
| | P | 5/27/1961 | -110 | -0.08 | 668 | 01 | 06 | 4 | |
| | P | 5/28/1961 | -110.06 | -0.06 | 667.94 | 01 | 06 | 4 | |
| | P | 5/29/1961 | -109.83 | 0.23 | 668.17 | 01 | 06 | 4 | |
| | P | 5/30/1961 | -110.72 | -0.89 | 667.28 | 01 | 06 | 4 | |
| | P | 5/31/1961 | -111.4 | -0.68 | 666.6 | 01 | 06 | 4 | |
| | P | 6/ 1/1961 | -111.6 | -0.2 | 666.4 | 01 | 06 | 4 | |
| | P | 6/ 2/1961 | -111.92 | -0.32 | 666.08 | 01 | 06 | 4 | |
| | P | 6/ 3/1961 | -112.12 | -0.2 | 665.88 | 01 | 06 | 4 | |
| | P | 6/ 4/1961 | -112.19 | -0.07 | 665.81 | 01 | 06 | 4 | |
| | P | 6/ 5/1961 | -111.9 | 0.29 | 666.1 | 01 | 06 | 4 | |
| | P | 6/ 6/1961 | -112.58 | -0.68 | 665.42 | 01 | 06 | 4 | |
| | P | 6/ 7/1961 | -112.88 | -0.3 | 665.12 | 01 | 06 | 4 | |
| | P | 6/ 8/1961 | -113.11 | -0.23 | 664.89 | 01 | 06 | 4 | |
| | P | 6/ 9/1961 | -112.01 | 1.1 | 665.99 | 01 | 06 | 4 | |
| | P | 6/10/1961 | -110.83 | 1.18 | 667.17 | 01 | 06 | 4 | |
| | P | 6/11/1961 | -110.02 | 0.81 | 667.98 | 01 | 06 | 4 | |
| | P | 6/12/1961 | -109.33 | 0.69 | 668.67 | 01 | 06 | 4 | |
| | P | 6/13/1961 | -109.19 | 0.14 | 668.81 | 01 | 06 | 4 | |
| | P | 6/14/1961 | -108.54 | 0.65 | 669.46 | 01 | 06 | 4 | |
| | P | 6/15/1961 | -108.02 | 0.52 | 669.98 | 01 | 06 | 4 | |
| | P | 6/16/1961 | -107.25 | 0.77 | 670.75 | 01 | 06 | 4 | |
| | P | 6/17/1961 | -106.44 | 0.81 | 671.56 | 01 | 06 | 4 | |
| | P | 6/18/1961 | -102.26 | 4.18 | 675.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1961 | -101.55 | 0.71 | 676.45 | 01 | 06 | 4 | |
| | P | 6/20/1961 | -101.32 | 0.23 | 676.68 | 01 | 06 | 4 | |
| | P | 6/21/1961 | -101.3 | 0.02 | 676.7 | 01 | 06 | 4 | |
| | P | 6/22/1961 | -101.46 | -0.16 | 676.54 | 01 | 06 | 4 | |
| | P | 6/23/1961 | -101.83 | -0.37 | 676.17 | 01 | 06 | 4 | |
| | P | 6/24/1961 | -102.27 | -0.44 | 675.73 | 01 | 06 | 4 | |
| | P | 6/25/1961 | -102.39 | -0.12 | 675.61 | 01 | 06 | 4 | |
| | P | 6/26/1961 | -102.42 | -0.03 | 675.58 | 01 | 06 | 4 | |
| | P | 6/27/1961 | -102.93 | -0.51 | 675.07 | 01 | 06 | 4 | |
| | P | 6/28/1961 | -103.37 | -0.44 | 674.63 | 01 | 06 | 4 | |
| | P | 6/29/1961 | -103.79 | -0.42 | 674.21 | 01 | 06 | 4 | |
| | P | 6/30/1961 | -104.14 | -0.35 | 673.86 | 01 | 06 | 4 | |
| | P | 7/ 1/1961 | -104.31 | -0.17 | 673.69 | 01 | 06 | 4 | |
| | P | 7/ 2/1961 | -104.36 | -0.05 | 673.64 | 01 | 06 | 4 | |
| | P | 7/ 3/1961 | -104.41 | -0.05 | 673.59 | 01 | 06 | 4 | |
| | P | 7/ 4/1961 | -104.68 | -0.27 | 673.32 | 01 | 06 | 4 | |
| | P | 7/ 5/1961 | -105.07 | -0.39 | 672.93 | 01 | 06 | 4 | |
| | P | 7/ 6/1961 | -105.43 | -0.36 | 672.57 | 01 | 06 | 4 | |
| | P | 7/ 7/1961 | -105.9 | -0.47 | 672.1 | 01 | 06 | 4 | |
| | P | 7/ 8/1961 | -106 | -0.1 | 672 | 01 | 06 | 4 | |
| | P | 7/ 9/1961 | -105.68 | 0.32 | 672.32 | 01 | 06 | 4 | |
| | P | 7/10/1961 | -104.07 | 1.61 | 673.93 | 01 | 06 | 4 | |
| | P | 7/11/1961 | -103.52 | 0.55 | 674.48 | 01 | 06 | 4 | |
| | P | 7/12/1961 | -103.23 | 0.29 | 674.77 | 01 | 06 | 4 | |
| | P | 7/13/1961 | -103.25 | -0.02 | 674.75 | 01 | 06 | 4 | |
| | P | 7/14/1961 | -103.01 | 0.24 | 674.99 | 01 | 06 | 4 | |
| | P | 7/15/1961 | -102.91 | 0.1 | 675.09 | 01 | 06 | 4 | |
| | P | 7/16/1961 | -102.78 | 0.13 | 675.22 | 01 | 06 | 4 | |
| | P | 7/17/1961 | -102.83 | -0.05 | 675.17 | 01 | 06 | 4 | |
| | P | 7/18/1961 | -103.13 | -0.3 | 674.87 | 01 | 06 | 4 | |
| | P | 7/19/1961 | -103.53 | -0.4 | 674.47 | 01 | 06 | 4 | |
| | P | 7/20/1961 | -104.81 | -1.28 | 673.19 | 01 | 06 | 4 | |
| | P | 7/21/1961 | -104.13 | 0.68 | 673.87 | 01 | 06 | 4 | |
| | P | 7/22/1961 | -103.5 | 0.63 | 674.5 | 01 | 06 | 4 | |
| | P | 7/23/1961 | -101.25 | 2.25 | 676.75 | 01 | 06 | 4 | |
| | P | 7/24/1961 | -100.69 | 0.56 | 677.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1961 | -100.48 | 0.21 | 677.52 | 01 | 06 | 4 | |
| | P | 7/26/1961 | -100.5 | -0.02 | 677.5 | 01 | 06 | 4 | |
| | P | 7/27/1961 | -100.61 | -0.11 | 677.39 | 01 | 06 | 4 | |
| | P | 7/28/1961 | -100.76 | -0.15 | 677.24 | 01 | 06 | 4 | |
| | P | 7/29/1961 | -100.74 | 0.02 | 677.26 | 01 | 06 | 4 | |
| | P | 7/30/1961 | -100.87 | -0.13 | 677.13 | 01 | 06 | 4 | |
| | P | 7/31/1961 | -100.92 | -0.05 | 677.08 | 01 | 06 | 4 | |
| | P | 8/ 1/1961 | -101.33 | -0.41 | 676.67 | 01 | 06 | 4 | |
| | P | 8/ 2/1961 | -101.6 | -0.27 | 676.4 | 01 | 06 | 4 | |
| | P | 8/ 3/1961 | -101.94 | -0.34 | 676.06 | 01 | 06 | 4 | |
| | P | 8/ 4/1961 | -102.28 | -0.34 | 675.72 | 01 | 06 | 4 | |
| | P | 8/ 5/1961 | -112.28 | -10 | 665.72 | 01 | 06 | 4 | |
| | P | 8/ 6/1961 | -101.94 | 10.34 | 676.06 | 01 | 06 | 4 | |
| | P | 8/ 7/1961 | -101.9 | 0.04 | 676.1 | 01 | 06 | 4 | |
| | P | 8/ 8/1961 | -102.33 | -0.43 | 675.67 | 01 | 06 | 4 | |
| | P | 8/ 9/1961 | -102.72 | -0.39 | 675.28 | 01 | 06 | 4 | |
| | P | 8/10/1961 | -103.1 | -0.38 | 674.9 | 01 | 06 | 4 | |
| | P | 8/11/1961 | -103 | 0.1 | 675 | 01 | 06 | 4 | |
| | P | 8/12/1961 | -102.95 | 0.05 | 675.05 | 01 | 06 | 4 | |
| | P | 8/13/1961 | -102.94 | 0.01 | 675.06 | 01 | 06 | 4 | |
| | P | 8/14/1961 | -103.15 | -0.21 | 674.85 | 01 | 06 | 4 | |
| | P | 8/15/1961 | -103.72 | -0.57 | 674.28 | 01 | 06 | 4 | |
| | P | 8/16/1961 | -104.08 | -0.36 | 673.92 | 01 | 06 | 4 | |
| | P | 8/17/1961 | -104.46 | -0.38 | 673.54 | 01 | 06 | 4 | |
| | P | 8/18/1961 | -104.57 | -0.11 | 673.43 | 01 | 06 | 4 | |
| | P | 8/19/1961 | -104.64 | -0.07 | 673.36 | 01 | 06 | 4 | |
| | P | 8/20/1961 | -104.66 | -0.02 | 673.34 | 01 | 06 | 4 | |
| | P | 8/21/1961 | -104.37 | 0.29 | 673.63 | 01 | 06 | 4 | |
| | P | 8/22/1961 | -105.07 | -0.7 | 672.93 | 01 | 06 | 4 | |
| | P | 8/23/1961 | -105.63 | -0.56 | 672.37 | 01 | 06 | 4 | |
| | P | 8/24/1961 | -106.05 | -0.42 | 671.95 | 01 | 06 | 4 | |
| | P | 8/25/1961 | -106.3 | -0.25 | 671.7 | 01 | 06 | 4 | |
| | P | 8/26/1961 | -106.5 | -0.2 | 671.5 | 01 | 06 | 4 | |
| | P | 8/27/1961 | -106.59 | -0.09 | 671.41 | 01 | 06 | 4 | |
| | P | 8/28/1961 | -106.57 | 0.02 | 671.43 | 01 | 06 | 4 | |
| | P | 8/29/1961 | -107.01 | -0.44 | 670.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/1961 | -107.12 | -0.11 | 670.88 | 01 | 06 | 4 | |
| | P | 8/31/1961 | -107.37 | -0.25 | 670.63 | 01 | 06 | 4 | |
| | P | 9/ 1/1961 | -107.67 | -0.3 | 670.33 | 01 | 06 | 4 | |
| | P | 9/ 2/1961 | -108.22 | -0.55 | 669.78 | 01 | 06 | 4 | |
| | P | 9/ 3/1961 | -108.23 | -0.01 | 669.77 | 01 | 06 | 4 | |
| | P | 9/ 4/1961 | -107.82 | 0.41 | 670.18 | 01 | 06 | 4 | |
| | P | 9/ 5/1961 | -108.17 | -0.35 | 669.83 | 01 | 06 | 4 | |
| | P | 9/ 6/1961 | -108.41 | -0.24 | 669.59 | 01 | 06 | 4 | |
| | P | 9/ 7/1961 | -108.81 | -0.4 | 669.19 | 01 | 06 | 4 | |
| | P | 9/ 8/1961 | -109.07 | -0.26 | 668.93 | 01 | 06 | 4 | |
| | P | 9/ 9/1961 | -108.93 | 0.14 | 669.07 | 01 | 06 | 4 | |
| | P | 9/10/1961 | -108.46 | 0.47 | 669.54 | 01 | 06 | 4 | |
| | P | 9/11/1961 | -107.04 | 1.42 | 670.96 | 01 | 06 | 4 | |
| | P | 9/12/1961 | -106.47 | 0.57 | 671.53 | 01 | 06 | 4 | |
| | P | 9/13/1961 | -106.12 | 0.35 | 671.88 | 01 | 06 | 4 | |
| | P | 9/14/1961 | -105.71 | 0.41 | 672.29 | 01 | 06 | 4 | |
| | P | 9/15/1961 | -105.49 | 0.22 | 672.51 | 01 | 06 | 4 | |
| | P | 9/16/1961 | -105.16 | 0.33 | 672.84 | 01 | 06 | 4 | |
| | P | 9/17/1961 | -104.92 | 0.24 | 673.08 | 01 | 06 | 4 | |
| | P | 9/18/1961 | -104.61 | 0.31 | 673.39 | 01 | 06 | 4 | |
| | P | 9/19/1961 | -104.67 | -0.06 | 673.33 | 01 | 06 | 4 | |
| | P | 9/20/1961 | -104.73 | -0.06 | 673.27 | 01 | 06 | 4 | |
| | P | 9/21/1961 | -104.94 | -0.21 | 673.06 | 01 | 06 | 4 | |
| | P | 9/22/1961 | -105.16 | -0.22 | 672.84 | 01 | 06 | 4 | |
| | P | 9/23/1961 | -105.46 | -0.3 | 672.54 | 01 | 06 | 4 | |
| | P | 9/24/1961 | -105.59 | -0.13 | 672.41 | 01 | 06 | 4 | |
| | P | 9/25/1961 | -105.47 | 0.12 | 672.53 | 01 | 06 | 4 | |
| | P | 9/26/1961 | -105.03 | 0.44 | 672.97 | 01 | 06 | 4 | |
| | P | 9/27/1961 | -104.96 | 0.07 | 673.04 | 01 | 06 | 4 | |
| | P | 9/28/1961 | -105.02 | -0.06 | 672.98 | 01 | 06 | 4 | |
| | P | 9/29/1961 | -105 | 0.02 | 673 | 01 | 06 | 4 | |
| | P | 9/30/1961 | -104.98 | 0.02 | 673.02 | 01 | 06 | 4 | |
| | P | 10/ 1/1961 | -105.04 | -0.06 | 672.96 | 01 | 06 | 4 | |
| | P | 10/ 2/1961 | -104.94 | 0.1 | 673.06 | 01 | 06 | 4 | |
| | P | 10/ 3/1961 | -104.57 | 0.37 | 673.43 | 01 | 06 | 4 | |
| | P | 10/ 4/1961 | -104.33 | 0.24 | 673.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 5/1961 | -104.24 | 0.09 | 673.76 | 01 | 06 | 4 | |
| | P | 10/ 6/1961 | -104.23 | 0.01 | 673.77 | 01 | 06 | 4 | |
| | P | 10/ 7/1961 | -104.22 | 0.01 | 673.78 | 01 | 06 | 4 | |
| | P | 10/ 8/1961 | -104.08 | 0.14 | 673.92 | 01 | 06 | 4 | |
| | P | 10/ 9/1961 | -103.99 | 0.09 | 674.01 | 01 | 06 | 4 | |
| | P | 10/10/1961 | -102.24 | 1.75 | 675.76 | 01 | 06 | 4 | |
| | P | 10/11/1961 | -100.47 | 1.77 | 677.53 | 01 | 06 | 4 | |
| | P | 10/12/1961 | -100.14 | 0.33 | 677.86 | 01 | 06 | 4 | |
| | P | 10/13/1961 | -100.22 | -0.08 | 677.78 | 01 | 06 | 4 | |
| | P | 10/14/1961 | -100.57 | -0.35 | 677.43 | 01 | 06 | 4 | |
| | P | 10/15/1961 | -100.91 | -0.34 | 677.09 | 01 | 06 | 4 | |
| | P | 10/16/1961 | -101.03 | -0.12 | 676.97 | 01 | 06 | 4 | |
| | P | 10/17/1961 | -101.46 | -0.43 | 676.54 | 01 | 06 | 4 | |
| | P | 10/18/1961 | -101.67 | -0.21 | 676.33 | 01 | 06 | 4 | |
| | P | 10/19/1961 | -101.97 | -0.3 | 676.03 | 01 | 06 | 4 | |
| | P | 10/20/1961 | -102.3 | -0.33 | 675.7 | 01 | 06 | 4 | |
| | P | 10/21/1961 | -102.45 | -0.15 | 675.55 | 01 | 06 | 4 | |
| | P | 10/22/1961 | -102.54 | -0.09 | 675.46 | 01 | 06 | 4 | |
| | P | 10/23/1961 | -102.47 | 0.07 | 675.53 | 01 | 06 | 4 | |
| | P | 10/24/1961 | -102.79 | -0.32 | 675.21 | 01 | 06 | 4 | |
| | P | 10/25/1961 | -103.16 | -0.37 | 674.84 | 01 | 06 | 4 | |
| | P | 10/26/1961 | -103.21 | -0.05 | 674.79 | 01 | 06 | 4 | |
| | P | 10/27/1961 | -102.85 | 0.36 | 675.15 | 01 | 06 | 4 | |
| | P | 10/28/1961 | -102.63 | 0.22 | 675.37 | 01 | 06 | 4 | |
| | P | 10/29/1961 | -102.38 | 0.25 | 675.62 | 01 | 06 | 4 | |
| | P | 10/30/1961 | -102.32 | 0.06 | 675.68 | 01 | 06 | 4 | |
| | P | 10/31/1961 | -102.48 | -0.16 | 675.52 | 01 | 06 | 4 | |
| | P | 11/ 1/1961 | -102.43 | 0.05 | 675.57 | 01 | 06 | 4 | |
| | P | 11/ 2/1961 | -102.32 | 0.11 | 675.68 | 01 | 06 | 4 | |
| | P | 11/ 3/1961 | -102.39 | -0.07 | 675.61 | 01 | 06 | 4 | |
| | P | 11/ 4/1961 | -102.37 | 0.02 | 675.63 | 01 | 06 | 4 | |
| | P | 11/ 5/1961 | -102.28 | 0.09 | 675.72 | 01 | 06 | 4 | |
| | P | 11/ 6/1961 | -102.1 | 0.18 | 675.9 | 01 | 06 | 4 | |
| | P | 11/ 7/1961 | -102.2 | -0.1 | 675.8 | 01 | 06 | 4 | |
| | P | 11/ 8/1961 | -102.35 | -0.15 | 675.65 | 01 | 06 | 4 | |
| | P | 11/ 9/1961 | -102.45 | -0.1 | 675.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1961 | -102.41 | 0.04 | 675.59 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1961 | -102.27 | 0.14 | 675.73 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1961 | -102.13 | 0.14 | 675.87 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1961 | -102.05 | 0.08 | 675.95 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1961 | -101.99 | 0.06 | 676.01 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1961 | -101.88 | 0.11 | 676.12 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1961 | -101.96 | -0.08 | 676.04 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1961 | -101.98 | -0.02 | 676.02 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1961 | -101.84 | 0.14 | 676.16 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1961 | -101.7 | 0.14 | 676.3 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1961 | -101.62 | 0.08 | 676.38 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1961 | -101.67 | -0.05 | 676.33 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1961 | -101.58 | 0.09 | 676.42 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1961 | -101.74 | -0.16 | 676.26 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1961 | -101.67 | 0.07 | 676.33 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1961 | -101.79 | -0.12 | 676.21 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1961 | -101.77 | 0.02 | 676.23 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1961 | -101.67 | 0.1 | 676.33 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1961 | -101.89 | -0.22 | 676.11 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1961 | -101.93 | -0.04 | 676.07 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1961 | -101.94 | -0.01 | 676.06 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1961 | -101.96 | -0.02 | 676.04 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1961 | -102.03 | -0.07 | 675.97 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1961 | -101.99 | 0.04 | 676.01 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1961 | -101.86 | 0.13 | 676.14 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1961 | -102.05 | -0.19 | 675.95 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1961 | -102.12 | -0.07 | 675.88 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1961 | -102.26 | -0.14 | 675.74 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1961 | -102.11 | 0.15 | 675.89 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1961 | -102.93 | -0.82 | 675.07 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1961 | -102.95 | -0.02 | 675.05 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1961 | -102.84 | 0.11 | 675.16 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1961 | -102.95 | -0.11 | 675.05 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1961 | -102.24 | 0.71 | 675.76 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1961 | -102.24 | | 675.76 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1961 | -102.19 | 0.05 | 675.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1961 | -102.11 | 0.08 | 675.89 | 01 | 06 | 4 | |
| | P | 12/17/1961 | -102.94 | -0.83 | 675.06 | 01 | 06 | 4 | |
| | P | 12/18/1961 | -102.82 | 0.12 | 675.18 | 01 | 06 | 4 | |
| | P | 12/19/1961 | -102.1 | 0.72 | 675.9 | 01 | 06 | 4 | |
| | P | 12/20/1961 | -102.24 | -0.14 | 675.76 | 01 | 06 | 4 | |
| | P | 12/21/1961 | -102.22 | 0.02 | 675.78 | 01 | 06 | 4 | |
| | P | 12/22/1961 | -102.22 | | 675.78 | 01 | 06 | 4 | |
| | P | 12/23/1961 | -102.32 | -0.1 | 675.68 | 01 | 06 | 4 | |
| | P | 12/24/1961 | -102.34 | -0.02 | 675.66 | 01 | 06 | 4 | |
| | P | 12/25/1961 | -102.12 | 0.22 | 675.88 | 01 | 06 | 4 | |
| | P | 12/26/1961 | -101.93 | 0.19 | 676.07 | 01 | 06 | 4 | |
| | P | 12/27/1961 | -102.18 | -0.25 | 675.82 | 01 | 06 | 4 | |
| | P | 12/28/1961 | -102.38 | -0.2 | 675.62 | 01 | 06 | 4 | |
| | P | 12/29/1961 | -102.52 | -0.14 | 675.48 | 01 | 06 | 4 | |
| | P | 12/30/1961 | -102.55 | -0.03 | 675.45 | 01 | 06 | 4 | |
| | P | 12/31/1961 | -102.45 | 0.1 | 675.55 | 01 | 06 | 4 | |
| | P | 1/ 1/1962 | -102.46 | -0.01 | 675.54 | 01 | 06 | 4 | |
| | P | 1/ 2/1962 | -102.4 | 0.06 | 675.6 | 01 | 06 | 4 | |
| | P | 1/ 3/1962 | -102.66 | -0.26 | 675.34 | 01 | 06 | 4 | |
| | P | 1/ 4/1962 | -102.67 | -0.01 | 675.33 | 01 | 06 | 4 | |
| | P | 1/ 5/1962 | -102.88 | -0.21 | 675.12 | 01 | 06 | 4 | |
| | P | 1/ 6/1962 | -103.01 | -0.13 | 674.99 | 01 | 06 | 4 | |
| | P | 1/ 7/1962 | -102.9 | 0.11 | 675.1 | 01 | 06 | 4 | |
| | P | 1/ 8/1962 | -102.85 | 0.05 | 675.15 | 01 | 06 | 4 | |
| | P | 1/ 9/1962 | -103.19 | -0.34 | 674.81 | 01 | 06 | 4 | |
| | P | 1/10/1962 | -103.28 | -0.09 | 674.72 | 01 | 06 | 4 | |
| | P | 1/11/1962 | -104.13 | -0.85 | 673.87 | 01 | 06 | 4 | |
| | P | 1/12/1962 | -104.47 | -0.34 | 673.53 | 01 | 06 | 4 | |
| | P | 1/13/1962 | -104.57 | -0.1 | 673.43 | 01 | 06 | 4 | |
| | P | 1/14/1962 | -104.16 | 0.41 | 673.84 | 01 | 06 | 4 | |
| | P | 1/15/1962 | -104.11 | 0.05 | 673.89 | 01 | 06 | 4 | |
| | P | 1/16/1962 | -104.11 | | 673.89 | 01 | 06 | 4 | |
| | P | 1/17/1962 | -104.3 | -0.19 | 673.7 | 01 | 06 | 4 | |
| | P | 1/18/1962 | -104.16 | 0.14 | 673.84 | 01 | 06 | 4 | |
| | P | 1/19/1962 | -104.12 | 0.04 | 673.88 | 01 | 06 | 4 | |
| | P | 1/20/1962 | -104.1 | 0.02 | 673.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1962 | -103.81 | 0.29 | 674.19 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1962 | -103.53 | 0.28 | 674.47 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1962 | -104.02 | -0.49 | 673.98 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1962 | -103.92 | 0.1 | 674.08 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1962 | -103.66 | 0.26 | 674.34 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1962 | -103.55 | 0.11 | 674.45 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1962 | -103.73 | -0.18 | 674.27 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1962 | -103.72 | 0.01 | 674.28 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1962 | -103.66 | 0.06 | 674.34 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1962 | -104.09 | -0.43 | 673.91 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1962 | -104.19 | -0.1 | 673.81 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1962 | -104.21 | -0.02 | 673.79 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1962 | -104.32 | -0.11 | 673.68 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1962 | -104.42 | -0.1 | 673.58 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1962 | -104.37 | 0.05 | 673.63 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1962 | -104.28 | 0.09 | 673.72 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1962 | -104.62 | -0.34 | 673.38 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1962 | -104.59 | 0.03 | 673.41 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1962 | -104.71 | -0.12 | 673.29 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1962 | -105.04 | -0.33 | 672.96 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1962 | -105.44 | -0.4 | 672.56 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1962 | -105.79 | -0.35 | 672.21 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1962 | -105.73 | 0.06 | 672.27 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1962 | -106.24 | -0.51 | 671.76 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1962 | -106.6 | -0.36 | 671.4 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1962 | -106.36 | 0.24 | 671.64 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1962 | -105.85 | 0.51 | 672.15 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1962 | -105.72 | 0.13 | 672.28 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1962 | -105.56 | 0.16 | 672.44 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1962 | -105.65 | -0.09 | 672.35 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1962 | -105.91 | -0.26 | 672.09 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1962 | -105.63 | 0.28 | 672.37 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1962 | -105.67 | -0.04 | 672.33 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1962 | -105.86 | -0.19 | 672.14 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1962 | -105.75 | 0.11 | 672.25 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1962 | -105.73 | 0.02 | 672.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1962 | -105.67 | 0.06 | 672.33 | 01 | 06 | 4 | |
| | P | 2/27/1962 | -105.57 | 0.1 | 672.43 | 01 | 06 | 4 | |
| | P | 2/28/1962 | -105.57 | | 672.43 | 01 | 06 | 4 | |
| | P | 3/ 1/1962 | -105.67 | -0.1 | 672.33 | 01 | 06 | 4 | |
| | P | 3/ 2/1962 | -105.48 | 0.19 | 672.52 | 01 | 06 | 4 | |
| | P | 3/ 3/1962 | -105.58 | -0.1 | 672.42 | 01 | 06 | 4 | |
| | P | 3/ 4/1962 | -105.59 | -0.01 | 672.41 | 01 | 06 | 4 | |
| | P | 3/ 5/1962 | -105.84 | -0.25 | 672.16 | 01 | 06 | 4 | |
| | P | 3/ 6/1962 | -106.25 | -0.41 | 671.75 | 01 | 06 | 4 | |
| | P | 3/ 7/1962 | -106.25 | | 671.75 | 01 | 06 | 4 | |
| | P | 3/ 8/1962 | -106.23 | 0.02 | 671.77 | 01 | 06 | 4 | |
| | P | 3/ 9/1962 | -106.21 | 0.02 | 671.79 | 01 | 06 | 4 | |
| | P | 3/10/1962 | -106.19 | 0.02 | 671.81 | 01 | 06 | 4 | |
| | P | 3/11/1962 | -106.97 | -0.78 | 671.03 | 01 | 06 | 4 | |
| | P | 3/12/1962 | -106.82 | 0.15 | 671.18 | 01 | 06 | 4 | |
| | P | 3/13/1962 | -107.92 | -1.1 | 670.08 | 01 | 06 | 4 | |
| | P | 3/14/1962 | -106.92 | 1 | 671.08 | 01 | 06 | 4 | |
| | P | 3/15/1962 | -106.55 | 0.37 | 671.45 | 01 | 06 | 4 | |
| | P | 3/16/1962 | -106.44 | 0.11 | 671.56 | 01 | 06 | 4 | |
| | P | 3/17/1962 | -106.43 | 0.01 | 671.57 | 01 | 06 | 4 | |
| | P | 3/18/1962 | -106.13 | 0.3 | 671.87 | 01 | 06 | 4 | |
| | P | 3/19/1962 | -105.77 | 0.36 | 672.23 | 01 | 06 | 4 | |
| | P | 3/20/1962 | -105.69 | 0.08 | 672.31 | 01 | 06 | 4 | |
| | P | 3/21/1962 | -106.06 | -0.37 | 671.94 | 01 | 06 | 4 | |
| | P | 3/22/1962 | -106.55 | -0.49 | 671.45 | 01 | 06 | 4 | |
| | P | 3/23/1962 | -106.97 | -0.42 | 671.03 | 01 | 06 | 4 | |
| | P | 3/24/1962 | -107.12 | -0.15 | 670.88 | 01 | 06 | 4 | |
| | P | 3/25/1962 | -107.42 | -0.3 | 670.58 | 01 | 06 | 4 | |
| | P | 3/26/1962 | -107.49 | -0.07 | 670.51 | 01 | 06 | 4 | |
| | P | 3/27/1962 | -108.38 | -0.89 | 669.62 | 01 | 06 | 4 | |
| | P | 3/29/1962 | -108.98 | -0.6 | 669.02 | 01 | 06 | 4 | |
| | P | 3/30/1962 | -109.16 | -0.18 | 668.84 | 01 | 06 | 4 | |
| | P | 3/31/1962 | -108.6 | 0.56 | 669.4 | 01 | 06 | 4 | |
| | P | 4/ 1/1962 | -108.23 | 0.37 | 669.77 | 01 | 06 | 4 | |
| | P | 4/ 2/1962 | -108.46 | -0.23 | 669.54 | 01 | 06 | 4 | |
| | P | 4/ 3/1962 | -108.76 | -0.3 | 669.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 4/1962 | -108.57 | 0.19 | 669.43 | 01 | 06 | 4 | |
| | P | 4/ 5/1962 | -108.13 | 0.44 | 669.87 | 01 | 06 | 4 | |
| | P | 4/ 6/1962 | -108.73 | -0.6 | 669.27 | 01 | 06 | 4 | |
| | P | 4/ 7/1962 | -106.87 | 1.86 | 671.13 | 01 | 06 | 4 | |
| | P | 4/ 8/1962 | -106.45 | 0.42 | 671.55 | 01 | 06 | 4 | |
| | P | 4/ 9/1962 | -106.27 | 0.18 | 671.73 | 01 | 06 | 4 | |
| | P | 4/10/1962 | -106.42 | -0.15 | 671.58 | 01 | 06 | 4 | |
| | P | 4/11/1962 | -106.64 | -0.22 | 671.36 | 01 | 06 | 4 | |
| | P | 4/12/1962 | -106.6 | 0.04 | 671.4 | 01 | 06 | 4 | |
| | P | 4/13/1962 | -106.95 | -0.35 | 671.05 | 01 | 06 | 4 | |
| | P | 4/14/1962 | -107.4 | -0.45 | 670.6 | 01 | 06 | 4 | |
| | P | 4/15/1962 | -107.61 | -0.21 | 670.39 | 01 | 06 | 4 | |
| | P | 4/16/1962 | -107.91 | -0.3 | 670.09 | 01 | 06 | 4 | |
| | P | 4/17/1962 | -107.82 | 0.09 | 670.18 | 01 | 06 | 4 | |
| | P | 4/18/1962 | -108.58 | -0.76 | 669.42 | 01 | 06 | 4 | |
| | P | 4/19/1962 | -108.74 | -0.16 | 669.26 | 01 | 06 | 4 | |
| | P | 4/20/1962 | -109.05 | -0.31 | 668.95 | 01 | 06 | 4 | |
| | P | 4/21/1962 | -109.15 | -0.1 | 668.85 | 01 | 06 | 4 | |
| | P | 4/22/1962 | -109.12 | 0.03 | 668.88 | 01 | 06 | 4 | |
| | P | 4/23/1962 | -108.33 | 0.79 | 669.67 | 01 | 06 | 4 | |
| | P | 4/24/1962 | -107.71 | 0.62 | 670.29 | 01 | 06 | 4 | |
| | P | 4/25/1962 | -106.73 | 0.98 | 671.27 | 01 | 06 | 4 | |
| | P | 4/26/1962 | -106.4 | 0.33 | 671.6 | 01 | 06 | 4 | |
| | P | 4/27/1962 | -105.24 | 1.16 | 672.76 | 01 | 06 | 4 | |
| | P | 4/28/1962 | -104.62 | 0.62 | 673.38 | 01 | 06 | 4 | |
| | P | 4/29/1962 | -104.33 | 0.29 | 673.67 | 01 | 06 | 4 | |
| | P | 4/30/1962 | -104.33 | | 673.67 | 01 | 06 | 4 | |
| | P | 5/ 1/1962 | -104.82 | -0.49 | 673.18 | 01 | 06 | 4 | |
| | P | 5/ 2/1962 | -104.92 | -0.1 | 673.08 | 01 | 06 | 4 | |
| | P | 5/ 3/1962 | -105.33 | -0.41 | 672.67 | 01 | 06 | 4 | |
| | P | 5/ 4/1962 | -105.48 | -0.15 | 672.52 | 01 | 06 | 4 | |
| | P | 5/ 5/1962 | -105.87 | -0.39 | 672.13 | 01 | 06 | 4 | |
| | P | 5/ 6/1962 | -106.2 | -0.33 | 671.8 | 01 | 06 | 4 | |
| | P | 5/ 7/1962 | -106.36 | -0.16 | 671.64 | 01 | 06 | 4 | |
| | P | 5/ 8/1962 | -106.97 | -0.61 | 671.03 | 01 | 06 | 4 | |
| | P | 5/ 9/1962 | -107.64 | -0.67 | 670.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 10/ 1962 | -108.13 | -0.49 | 669.87 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1962 | -108.58 | -0.45 | 669.42 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1962 | -108.96 | -0.38 | 669.04 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1962 | -109.42 | -0.46 | 668.58 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1962 | -109.14 | 0.28 | 668.86 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1962 | -109.95 | -0.81 | 668.05 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1962 | -110.55 | -0.6 | 667.45 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1962 | -110.78 | -0.23 | 667.22 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1962 | -111.34 | -0.56 | 666.66 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1962 | -111.78 | -0.44 | 666.22 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1962 | -112.27 | -0.49 | 665.73 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1962 | -112.3 | -0.03 | 665.7 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1962 | -112.98 | -0.68 | 665.02 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1962 | -113.69 | -0.71 | 664.31 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1962 | -114.14 | -0.45 | 663.86 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1962 | -114.6 | -0.46 | 663.4 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1962 | -114.92 | -0.32 | 663.08 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1962 | -115.35 | -0.43 | 662.65 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1962 | -115.23 | 0.12 | 662.77 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1962 | -114.65 | 0.58 | 663.35 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1962 | -113.91 | 0.74 | 664.09 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1962 | -113.34 | 0.57 | 664.66 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1962 | -112.8 | 0.54 | 665.2 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1962 | -111.58 | 1.22 | 666.42 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1962 | -110.9 | 0.68 | 667.1 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1962 | -110.44 | 0.46 | 667.56 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1962 | -110.36 | 0.08 | 667.64 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1962 | -110.29 | 0.07 | 667.71 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1962 | -110.31 | -0.02 | 667.69 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1962 | -110.51 | -0.2 | 667.49 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1962 | -110.74 | -0.23 | 667.26 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1962 | -110.83 | -0.09 | 667.17 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1962 | -110.81 | 0.02 | 667.19 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1962 | -111.71 | -0.9 | 666.29 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1962 | -112.5 | -0.79 | 665.5 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1962 | -113.08 | -0.58 | 664.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/1962 | -113.75 | -0.67 | 664.25 | 01 | 06 | 4 | |
| | P | 6/16/1962 | -114.4 | -0.65 | 663.6 | 01 | 06 | 4 | |
| | P | 6/17/1962 | -114.53 | -0.13 | 663.47 | 01 | 06 | 4 | |
| | P | 6/18/1962 | -114.6 | -0.07 | 663.4 | 01 | 06 | 4 | |
| | P | 6/19/1962 | -115.52 | -0.92 | 662.48 | 01 | 06 | 4 | |
| | P | 6/20/1962 | -115.65 | -0.13 | 662.35 | 01 | 06 | 4 | |
| | P | 6/21/1962 | -116.22 | -0.57 | 661.78 | 01 | 06 | 4 | |
| | P | 6/22/1962 | -116.25 | -0.03 | 661.75 | 01 | 06 | 4 | |
| | P | 6/23/1962 | -117.23 | -0.98 | 660.77 | 01 | 06 | 4 | |
| | P | 6/24/1962 | -117.38 | -0.15 | 660.62 | 01 | 06 | 4 | |
| | P | 6/25/1962 | -117.21 | 0.17 | 660.79 | 01 | 06 | 4 | |
| | P | 6/26/1962 | -117.9 | -0.69 | 660.1 | 01 | 06 | 4 | |
| | P | 6/27/1962 | -116.92 | 0.98 | 661.08 | 01 | 06 | 4 | |
| | P | 6/28/1962 | -116.03 | 0.89 | 661.97 | 01 | 06 | 4 | |
| | P | 6/29/1962 | -115.53 | 0.5 | 662.47 | 01 | 06 | 4 | |
| | P | 6/30/1962 | -115.3 | 0.23 | 662.7 | 01 | 06 | 4 | |
| | P | 7/ 1/1962 | -114.8 | 0.5 | 663.2 | 01 | 06 | 4 | |
| | P | 7/ 2/1962 | -114.32 | 0.48 | 663.68 | 01 | 06 | 4 | |
| | P | 7/ 3/1962 | -114.94 | -0.62 | 663.06 | 01 | 06 | 4 | |
| | P | 7/ 4/1962 | -115.55 | -0.61 | 662.45 | 01 | 06 | 4 | |
| | P | 7/ 5/1962 | -116 | -0.45 | 662 | 01 | 06 | 4 | |
| | P | 7/ 6/1962 | -116.93 | -0.93 | 661.07 | 01 | 06 | 4 | |
| | P | 7/ 7/1962 | -117.56 | -0.63 | 660.44 | 01 | 06 | 4 | |
| | P | 7/ 8/1962 | -117.92 | -0.36 | 660.08 | 01 | 06 | 4 | |
| | P | 7/ 9/1962 | -117.84 | 0.08 | 660.16 | 01 | 06 | 4 | |
| | P | 7/10/1962 | -119.08 | -1.24 | 658.92 | 01 | 06 | 4 | |
| | P | 7/11/1962 | -119.85 | -0.77 | 658.15 | 01 | 06 | 4 | |
| | P | 7/12/1962 | -120.7 | -0.85 | 657.3 | 01 | 06 | 4 | |
| | P | 7/13/1962 | -121.2 | -0.5 | 656.8 | 01 | 06 | 4 | |
| | P | 7/14/1962 | -121.53 | -0.33 | 656.47 | 01 | 06 | 4 | |
| | P | 7/15/1962 | -121.76 | -0.23 | 656.24 | 01 | 06 | 4 | |
| | P | 7/16/1962 | -121.6 | 0.16 | 656.4 | 01 | 06 | 4 | |
| | P | 7/17/1962 | -122.22 | -0.62 | 655.78 | 01 | 06 | 4 | |
| | P | 7/18/1962 | -122.82 | -0.6 | 655.18 | 01 | 06 | 4 | |
| | P | 7/19/1962 | -123.35 | -0.53 | 654.65 | 01 | 06 | 4 | |
| | P | 7/20/1962 | -123.85 | -0.5 | 654.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/21/1962 | -124.25 | -0.4 | 653.75 | 01 | 06 | 4 | |
| | P | 7/22/1962 | -124.51 | -0.26 | 653.49 | 01 | 06 | 4 | |
| | P | 7/23/1962 | -124.1 | 0.41 | 653.9 | 01 | 06 | 4 | |
| | P | 7/24/1962 | -124.89 | -0.79 | 653.11 | 01 | 06 | 4 | |
| | P | 7/25/1962 | -125.53 | -0.64 | 652.47 | 01 | 06 | 4 | |
| | P | 7/26/1962 | -126.14 | -0.61 | 651.86 | 01 | 06 | 4 | |
| | P | 7/27/1962 | -126.39 | -0.25 | 651.61 | 01 | 06 | 4 | |
| | P | 7/28/1962 | -126.5 | -0.11 | 651.5 | 01 | 06 | 4 | |
| | P | 7/29/1962 | -126.39 | 0.11 | 651.61 | 01 | 06 | 4 | |
| | P | 7/30/1962 | -126.22 | 0.17 | 651.78 | 01 | 06 | 4 | |
| | P | 7/31/1962 | -127.22 | -1 | 650.78 | 01 | 06 | 4 | |
| | P | 8/ 1/1962 | -127.76 | -0.54 | 650.24 | 01 | 06 | 4 | |
| | P | 8/ 2/1962 | -128.03 | -0.27 | 649.97 | 01 | 06 | 4 | |
| | P | 8/22/1962 | -130.09 | -2.06 | 647.91 | 01 | 06 | 4 | |
| | P | 8/23/1962 | -129.77 | 0.32 | 648.23 | 01 | 06 | 4 | |
| | P | 8/24/1962 | -130.12 | -0.35 | 647.88 | 01 | 06 | 4 | |
| | P | 8/25/1962 | -128.28 | 1.84 | 649.72 | 01 | 06 | 4 | |
| | P | 8/26/1962 | -126.7 | 1.58 | 651.3 | 01 | 06 | 4 | |
| | P | 8/27/1962 | -125.75 | 0.95 | 652.25 | 01 | 06 | 4 | |
| | P | 8/28/1962 | -125.8 | -0.05 | 652.2 | 01 | 06 | 4 | |
| | P | 8/29/1962 | -125.88 | -0.08 | 652.12 | 01 | 06 | 4 | |
| | P | 8/30/1962 | -126 | -0.12 | 652 | 01 | 06 | 4 | |
| | P | 8/31/1962 | -126.16 | -0.16 | 651.84 | 01 | 06 | 4 | |
| | P | 9/ 1/1962 | -126.19 | -0.03 | 651.81 | 01 | 06 | 4 | |
| | P | 9/ 2/1962 | -125.85 | 0.34 | 652.15 | 01 | 06 | 4 | |
| | P | 9/ 3/1962 | -125.23 | 0.62 | 652.77 | 01 | 06 | 4 | |
| | P | 9/ 4/1962 | -125.66 | -0.43 | 652.34 | 01 | 06 | 4 | |
| | P | 9/ 5/1962 | -126.21 | -0.55 | 651.79 | 01 | 06 | 4 | |
| | P | 9/ 6/1962 | -125.63 | 0.58 | 652.37 | 01 | 06 | 4 | |
| | P | 9/ 7/1962 | -124.62 | 1.01 | 653.38 | 01 | 06 | 4 | |
| | P | 9/ 8/1962 | -121.88 | 2.74 | 656.12 | 01 | 06 | 4 | |
| | P | 9/ 9/1962 | -120.8 | 1.08 | 657.2 | 01 | 06 | 4 | |
| | P | 9/10/1962 | -120.28 | 0.52 | 657.72 | 01 | 06 | 4 | |
| | P | 9/11/1962 | -120.48 | -0.2 | 657.52 | 01 | 06 | 4 | |
| | P | 9/12/1962 | -120.56 | -0.08 | 657.44 | 01 | 06 | 4 | |
| | P | 9/13/1962 | -120.76 | -0.2 | 657.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/14/1962 | -121.08 | -0.32 | 656.92 | 01 | 06 | 4 | |
| | P | 9/15/1962 | -121.43 | -0.35 | 656.57 | 01 | 06 | 4 | |
| | P | 9/16/1962 | -121.63 | -0.2 | 656.37 | 01 | 06 | 4 | |
| | P | 9/17/1962 | -121.72 | -0.09 | 656.28 | 01 | 06 | 4 | |
| | P | 9/18/1962 | -120.98 | 0.74 | 657.02 | 01 | 06 | 4 | |
| | P | 9/19/1962 | -120.69 | 0.29 | 657.31 | 01 | 06 | 4 | |
| | P | 9/20/1962 | -120.86 | -0.17 | 657.14 | 01 | 06 | 4 | |
| | P | 9/21/1962 | -121.18 | -0.32 | 656.82 | 01 | 06 | 4 | |
| | P | 9/22/1962 | -121.39 | -0.21 | 656.61 | 01 | 06 | 4 | |
| | P | 9/23/1962 | -121.49 | -0.1 | 656.51 | 01 | 06 | 4 | |
| | P | 9/24/1962 | -121.33 | 0.16 | 656.67 | 01 | 06 | 4 | |
| | P | 9/25/1962 | -121.88 | -0.55 | 656.12 | 01 | 06 | 4 | |
| | P | 9/26/1962 | -121.55 | 0.33 | 656.45 | 01 | 06 | 4 | |
| | P | 9/27/1962 | -120.67 | 0.88 | 657.33 | 01 | 06 | 4 | |
| | P | 9/28/1962 | -120.08 | 0.59 | 657.92 | 01 | 06 | 4 | |
| | P | 9/29/1962 | -119.66 | 0.42 | 658.34 | 01 | 06 | 4 | |
| | P | 9/30/1962 | -119.3 | 0.36 | 658.7 | 01 | 06 | 4 | |
| | P | 10/ 1/1962 | -119.21 | 0.09 | 658.79 | 01 | 06 | 4 | |
| | P | 10/ 2/1962 | -119.55 | -0.34 | 658.45 | 01 | 06 | 4 | |
| | P | 10/ 3/1962 | -119.77 | -0.22 | 658.23 | 01 | 06 | 4 | |
| | P | 10/ 4/1962 | -120.07 | -0.3 | 657.93 | 01 | 06 | 4 | |
| | P | 10/ 5/1962 | -120.34 | -0.27 | 657.66 | 01 | 06 | 4 | |
| | P | 10/ 6/1962 | -120.28 | 0.06 | 657.72 | 01 | 06 | 4 | |
| | P | 10/ 7/1962 | -120.43 | -0.15 | 657.57 | 01 | 06 | 4 | |
| | P | 10/ 8/1962 | -120.52 | -0.09 | 657.48 | 01 | 06 | 4 | |
| | P | 10/ 9/1962 | -121.12 | -0.6 | 656.88 | 01 | 06 | 4 | |
| | P | 10/10/1962 | -120.68 | 0.44 | 657.32 | 01 | 06 | 4 | |
| | P | 10/11/1962 | -120.77 | -0.09 | 657.23 | 01 | 06 | 4 | |
| | P | 10/12/1962 | -120.92 | -0.15 | 657.08 | 01 | 06 | 4 | |
| | P | 10/13/1962 | -120.19 | 0.73 | 657.81 | 01 | 06 | 4 | |
| | P | 10/14/1962 | -121.17 | -0.98 | 656.83 | 01 | 06 | 4 | |
| | P | 10/15/1962 | -120.97 | 0.2 | 657.03 | 01 | 06 | 4 | |
| | P | 10/16/1962 | -121.48 | -0.51 | 656.52 | 01 | 06 | 4 | |
| | P | 10/17/1962 | -121.38 | 0.1 | 656.62 | 01 | 06 | 4 | |
| | P | 10/18/1962 | -120.98 | 0.4 | 657.02 | 01 | 06 | 4 | |
| | P | 10/19/1962 | -120.92 | 0.06 | 657.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 20/ 1962 | -120.8 | 0.12 | 657.2 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1962 | -120.64 | 0.16 | 657.36 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1962 | -120.19 | 0.45 | 657.81 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1962 | -120.6 | -0.41 | 657.4 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1962 | -120.89 | -0.29 | 657.11 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1962 | -120.98 | -0.09 | 657.02 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1962 | -120.68 | 0.3 | 657.32 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1962 | -120.82 | -0.14 | 657.18 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1962 | -120.51 | 0.31 | 657.49 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1962 | -119.85 | 0.66 | 658.15 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1962 | -119.79 | 0.06 | 658.21 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1962 | -119.77 | 0.02 | 658.23 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1962 | -119.67 | 0.1 | 658.33 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1962 | -119.98 | -0.31 | 658.02 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1962 | -119.21 | 0.77 | 658.79 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1962 | -119.88 | -0.67 | 658.12 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1962 | -119.57 | 0.31 | 658.43 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1962 | -119.77 | -0.2 | 658.23 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1962 | -119.24 | 0.53 | 658.76 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1962 | -119.17 | 0.07 | 658.83 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1962 | -118.99 | 0.18 | 659.01 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1962 | -118.87 | 0.12 | 659.13 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1962 | -118.84 | 0.03 | 659.16 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1962 | -118.79 | 0.05 | 659.21 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1962 | -119.14 | -0.35 | 658.86 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1962 | -119.28 | -0.14 | 658.72 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1962 | -119.27 | 0.01 | 658.73 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1962 | -119.35 | -0.08 | 658.65 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1962 | -119.43 | -0.08 | 658.57 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1962 | -118.99 | 0.44 | 659.01 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1962 | -119.5 | -0.51 | 658.5 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1962 | -117.97 | 1.53 | 660.03 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1962 | -117.61 | 0.36 | 660.39 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1962 | -117.67 | -0.06 | 660.33 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1962 | -117.32 | 0.35 | 660.68 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1962 | -117.35 | -0.03 | 660.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/25/1962 | -117.04 | 0.31 | 660.96 | 01 | 06 | 4 | |
| | P | 11/26/1962 | -116.6 | 0.44 | 661.4 | 01 | 06 | 4 | |
| | P | 11/27/1962 | -113.53 | 3.07 | 664.47 | 01 | 06 | 4 | |
| | P | 11/28/1962 | -112.73 | 0.8 | 665.27 | 01 | 06 | 4 | |
| | P | 11/29/1962 | -113 | -0.27 | 665 | 01 | 06 | 4 | |
| | P | 11/30/1962 | -113.38 | -0.38 | 664.62 | 01 | 06 | 4 | |
| | P | 12/ 1/1962 | -113.51 | -0.13 | 664.49 | 01 | 06 | 4 | |
| | P | 12/ 2/1962 | -113.37 | 0.14 | 664.63 | 01 | 06 | 4 | |
| | P | 12/ 3/1962 | -113.09 | 0.28 | 664.91 | 01 | 06 | 4 | |
| | P | 12/ 4/1962 | -113 | 0.09 | 665 | 01 | 06 | 4 | |
| | P | 12/ 5/1962 | -113.1 | -0.1 | 664.9 | 01 | 06 | 4 | |
| | P | 12/ 6/1962 | -113.21 | -0.11 | 664.79 | 01 | 06 | 4 | |
| | P | 12/ 7/1962 | -113.06 | 0.15 | 664.94 | 01 | 06 | 4 | |
| | P | 12/ 8/1962 | -113.17 | -0.11 | 664.83 | 01 | 06 | 4 | |
| | P | 12/ 9/1962 | -113.13 | 0.04 | 664.87 | 01 | 06 | 4 | |
| | P | 12/10/1962 | -112.97 | 0.16 | 665.03 | 01 | 06 | 4 | |
| | P | 12/11/1962 | -113.09 | -0.12 | 664.91 | 01 | 06 | 4 | |
| | P | 12/12/1962 | -113.59 | -0.5 | 664.41 | 01 | 06 | 4 | |
| | P | 12/13/1962 | -113.75 | -0.16 | 664.25 | 01 | 06 | 4 | |
| | P | 12/14/1962 | -113.51 | 0.24 | 664.49 | 01 | 06 | 4 | |
| | P | 12/15/1962 | -113.33 | 0.18 | 664.67 | 01 | 06 | 4 | |
| | P | 12/16/1962 | -113.17 | 0.16 | 664.83 | 01 | 06 | 4 | |
| | P | 12/17/1962 | -113.19 | -0.02 | 664.81 | 01 | 06 | 4 | |
| | P | 12/18/1962 | -113.33 | -0.14 | 664.67 | 01 | 06 | 4 | |
| | P | 12/19/1962 | -113.39 | -0.06 | 664.61 | 01 | 06 | 4 | |
| | P | 12/20/1962 | -113.47 | -0.08 | 664.53 | 01 | 06 | 4 | |
| | P | 12/21/1962 | -113.44 | 0.03 | 664.56 | 01 | 06 | 4 | |
| | P | 12/22/1962 | -113.33 | 0.11 | 664.67 | 01 | 06 | 4 | |
| | P | 12/23/1962 | -113.26 | 0.07 | 664.74 | 01 | 06 | 4 | |
| | P | 12/24/1962 | -113.06 | 0.2 | 664.94 | 01 | 06 | 4 | |
| | P | 12/25/1962 | -112.88 | 0.18 | 665.12 | 01 | 06 | 4 | |
| | P | 12/26/1962 | -112.77 | 0.11 | 665.23 | 01 | 06 | 4 | |
| | P | 12/27/1962 | -112.87 | -0.1 | 665.13 | 01 | 06 | 4 | |
| | P | 12/28/1962 | -112.74 | 0.13 | 665.26 | 01 | 06 | 4 | |
| | P | 12/29/1962 | -112.88 | -0.14 | 665.12 | 01 | 06 | 4 | |
| | P | 12/30/1962 | -112.87 | 0.01 | 665.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/31/1962 | -112.58 | 0.29 | 665.42 | 01 | 06 | 4 | |
| | P | 1/ 1/1963 | -112.57 | 0.01 | 665.43 | 01 | 06 | 4 | |
| | P | 1/ 2/1963 | -112.43 | 0.14 | 665.57 | 01 | 06 | 4 | |
| | P | 1/ 3/1963 | -112.73 | -0.3 | 665.27 | 01 | 06 | 4 | |
| | P | 1/ 4/1963 | -112.77 | -0.04 | 665.23 | 01 | 06 | 4 | |
| | P | 1/ 5/1963 | -112.77 | | 665.23 | 01 | 06 | 4 | |
| | P | 1/ 6/1963 | -112.89 | -0.12 | 665.11 | 01 | 06 | 4 | |
| | P | 1/ 7/1963 | -112.63 | 0.26 | 665.37 | 01 | 06 | 4 | |
| | P | 1/ 8/1963 | -112.93 | -0.3 | 665.07 | 01 | 06 | 4 | |
| | P | 1/ 9/1963 | -112.96 | -0.03 | 665.04 | 01 | 06 | 4 | |
| | P | 1/10/1963 | -113.18 | -0.22 | 664.82 | 01 | 06 | 4 | |
| | P | 1/11/1963 | -113.5 | -0.32 | 664.5 | 01 | 06 | 4 | |
| | P | 1/12/1963 | -114.01 | -0.51 | 663.99 | 01 | 06 | 4 | |
| | P | 1/13/1963 | -114.42 | -0.41 | 663.58 | 01 | 06 | 4 | |
| | P | 1/14/1963 | -114.79 | -0.37 | 663.21 | 01 | 06 | 4 | |
| | P | 1/15/1963 | -114.88 | -0.09 | 663.12 | 01 | 06 | 4 | |
| | P | 1/16/1963 | -114.83 | 0.05 | 663.17 | 01 | 06 | 4 | |
| | P | 1/17/1963 | -114.53 | 0.3 | 663.47 | 01 | 06 | 4 | |
| | P | 1/18/1963 | -114.18 | 0.35 | 663.82 | 01 | 06 | 4 | |
| | P | 1/19/1963 | -114.23 | -0.05 | 663.77 | 01 | 06 | 4 | |
| | P | 1/20/1963 | -114.59 | -0.36 | 663.41 | 01 | 06 | 4 | |
| | P | 1/21/1963 | -114.69 | -0.1 | 663.31 | 01 | 06 | 4 | |
| | P | 1/22/1963 | -114.52 | 0.17 | 663.48 | 01 | 06 | 4 | |
| | P | 1/23/1963 | -114.66 | -0.14 | 663.34 | 01 | 06 | 4 | |
| | P | 1/24/1963 | -115.48 | -0.82 | 662.52 | 01 | 06 | 4 | |
| | P | 1/25/1963 | -115.42 | 0.06 | 662.58 | 01 | 06 | 4 | |
| | P | 1/26/1963 | -115.03 | 0.39 | 662.97 | 01 | 06 | 4 | |
| | P | 1/27/1963 | -115.44 | -0.41 | 662.56 | 01 | 06 | 4 | |
| | P | 1/28/1963 | -115.28 | 0.16 | 662.72 | 01 | 06 | 4 | |
| | P | 1/29/1963 | -115.24 | 0.04 | 662.76 | 01 | 06 | 4 | |
| | P | 1/30/1963 | -115.24 | | 662.76 | 01 | 06 | 4 | |
| | P | 1/31/1963 | -115.19 | 0.05 | 662.81 | 01 | 06 | 4 | |
| | P | 2/ 1/1963 | -115.2 | -0.01 | 662.8 | 01 | 06 | 4 | |
| | P | 2/ 2/1963 | -115.17 | 0.03 | 662.83 | 01 | 06 | 4 | |
| | P | 2/ 3/1963 | -115.53 | -0.36 | 662.47 | 01 | 06 | 4 | |
| | P | 2/ 4/1963 | -115.33 | 0.2 | 662.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 5/1963 | -115.57 | -0.24 | 662.43 | 01 | 06 | 4 | |
| | P | 2/ 6/1963 | -115.83 | -0.26 | 662.17 | 01 | 06 | 4 | |
| | P | 2/ 7/1963 | -116.09 | -0.26 | 661.91 | 01 | 06 | 4 | |
| | P | 2/ 8/1963 | -116.37 | -0.28 | 661.63 | 01 | 06 | 4 | |
| | P | 2/ 9/1963 | -116.67 | -0.3 | 661.33 | 01 | 06 | 4 | |
| | P | 2/10/1963 | -116.65 | 0.02 | 661.35 | 01 | 06 | 4 | |
| | P | 2/11/1963 | -116.5 | 0.15 | 661.5 | 01 | 06 | 4 | |
| | P | 2/12/1963 | -116.59 | -0.09 | 661.41 | 01 | 06 | 4 | |
| | P | 2/13/1963 | -116.52 | 0.07 | 661.48 | 01 | 06 | 4 | |
| | P | 2/14/1963 | -116.49 | 0.03 | 661.51 | 01 | 06 | 4 | |
| | P | 2/15/1963 | -116.69 | -0.2 | 661.31 | 01 | 06 | 4 | |
| | P | 2/16/1963 | -116.71 | -0.02 | 661.29 | 01 | 06 | 4 | |
| | P | 2/17/1963 | -116.16 | 0.55 | 661.84 | 01 | 06 | 4 | |
| | P | 2/18/1963 | -114.4 | 1.76 | 663.6 | 01 | 06 | 4 | |
| | P | 2/19/1963 | -113.88 | 0.52 | 664.12 | 01 | 06 | 4 | |
| | P | 2/20/1963 | -113.89 | -0.01 | 664.11 | 01 | 06 | 4 | |
| | P | 2/21/1963 | -113.7 | 0.19 | 664.3 | 01 | 06 | 4 | |
| | P | 2/22/1963 | -114.05 | -0.35 | 663.95 | 01 | 06 | 4 | |
| | P | 2/23/1963 | -113.79 | 0.26 | 664.21 | 01 | 06 | 4 | |
| | P | 2/24/1963 | -113.56 | 0.23 | 664.44 | 01 | 06 | 4 | |
| | P | 2/25/1963 | -113.39 | 0.17 | 664.61 | 01 | 06 | 4 | |
| | P | 2/26/1963 | -113.59 | -0.2 | 664.41 | 01 | 06 | 4 | |
| | P | 2/27/1963 | -113.64 | -0.05 | 664.36 | 01 | 06 | 4 | |
| | P | 2/28/1963 | -113.67 | -0.03 | 664.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1963 | -113.75 | -0.08 | 664.25 | 01 | 06 | 4 | |
| | P | 3/ 2/1963 | -113.84 | -0.09 | 664.16 | 01 | 06 | 4 | |
| | P | 3/ 3/1963 | -113.97 | -0.13 | 664.03 | 01 | 06 | 4 | |
| | P | 3/ 4/1963 | -113.53 | 0.44 | 664.47 | 01 | 06 | 4 | |
| | P | 3/ 5/1963 | -114.18 | -0.65 | 663.82 | 01 | 06 | 4 | |
| | P | 3/ 6/1963 | -114.1 | 0.08 | 663.9 | 01 | 06 | 4 | |
| | P | 3/ 7/1963 | -114.55 | -0.45 | 663.45 | 01 | 06 | 4 | |
| | P | 3/ 8/1963 | -114.87 | -0.32 | 663.13 | 01 | 06 | 4 | |
| | P | 3/ 9/1963 | -114.74 | 0.13 | 663.26 | 01 | 06 | 4 | |
| | P | 3/10/1963 | -114.71 | 0.03 | 663.29 | 01 | 06 | 4 | |
| | P | 3/11/1963 | -114.2 | 0.51 | 663.8 | 01 | 06 | 4 | |
| | P | 3/12/1963 | -114.94 | -0.74 | 663.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/13/1963 | -115.62 | -0.68 | 662.38 | 01 | 06 | 4 | |
| | P | 3/14/1963 | -116 | -0.38 | 662 | 01 | 06 | 4 | |
| | P | 3/15/1963 | -115.56 | 0.44 | 662.44 | 01 | 06 | 4 | |
| | P | 3/16/1963 | -115.17 | 0.39 | 662.83 | 01 | 06 | 4 | |
| | P | 3/17/1963 | -115.04 | 0.13 | 662.96 | 01 | 06 | 4 | |
| | P | 3/18/1963 | -114.94 | 0.1 | 663.06 | 01 | 06 | 4 | |
| | P | 3/19/1963 | -115.71 | -0.77 | 662.29 | 01 | 06 | 4 | |
| | P | 3/20/1963 | -116.02 | -0.31 | 661.98 | 01 | 06 | 4 | |
| | P | 3/21/1963 | -116.6 | -0.58 | 661.4 | 01 | 06 | 4 | |
| | P | 3/22/1963 | -116.75 | -0.15 | 661.25 | 01 | 06 | 4 | |
| | P | 3/23/1963 | -116.87 | -0.12 | 661.13 | 01 | 06 | 4 | |
| | P | 3/24/1963 | -116.64 | 0.23 | 661.36 | 01 | 06 | 4 | |
| | P | 3/25/1963 | -116.72 | -0.08 | 661.28 | 01 | 06 | 4 | |
| | P | 3/26/1963 | -117.4 | -0.68 | 660.6 | 01 | 06 | 4 | |
| | P | 3/27/1963 | -117.72 | -0.32 | 660.28 | 01 | 06 | 4 | |
| | P | 3/28/1963 | -118.29 | -0.57 | 659.71 | 01 | 06 | 4 | |
| | P | 3/29/1963 | -118.76 | -0.47 | 659.24 | 01 | 06 | 4 | |
| | P | 3/30/1963 | -118.86 | -0.1 | 659.14 | 01 | 06 | 4 | |
| | P | 3/31/1963 | -119.07 | -0.21 | 658.93 | 01 | 06 | 4 | |
| | P | 4/ 1/1963 | -119.06 | 0.01 | 658.94 | 01 | 06 | 4 | |
| | P | 4/ 2/1963 | -119.18 | -0.12 | 658.82 | 01 | 06 | 4 | |
| | P | 4/ 3/1963 | -119.43 | -0.25 | 658.57 | 01 | 06 | 4 | |
| | P | 4/ 4/1963 | -119.86 | -0.43 | 658.14 | 01 | 06 | 4 | |
| | P | 4/ 5/1963 | -119.36 | 0.5 | 658.64 | 01 | 06 | 4 | |
| | P | 4/ 6/1963 | -117.62 | 1.74 | 660.38 | 01 | 06 | 4 | |
| | P | 4/ 7/1963 | -117.19 | 0.43 | 660.81 | 01 | 06 | 4 | |
| | P | 4/ 8/1963 | -116.68 | 0.51 | 661.32 | 01 | 06 | 4 | |
| | P | 4/ 9/1963 | -116.73 | -0.05 | 661.27 | 01 | 06 | 4 | |
| | P | 4/10/1963 | -117.12 | -0.39 | 660.88 | 01 | 06 | 4 | |
| | P | 4/11/1963 | -117.51 | -0.39 | 660.49 | 01 | 06 | 4 | |
| | P | 4/12/1963 | -117.67 | -0.16 | 660.33 | 01 | 06 | 4 | |
| | P | 4/13/1963 | -117.67 | | 660.33 | 01 | 06 | 4 | |
| | P | 4/14/1963 | -117.92 | -0.25 | 660.08 | 01 | 06 | 4 | |
| | P | 4/15/1963 | -117.49 | 0.43 | 660.51 | 01 | 06 | 4 | |
| | P | 4/16/1963 | -117.68 | -0.19 | 660.32 | 01 | 06 | 4 | |
| | P | 4/17/1963 | -118.19 | -0.51 | 659.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 18/ 1963 | -118.7 | -0.51 | 659.3 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1963 | -119.15 | -0.45 | 658.85 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1963 | -119.17 | -0.02 | 658.83 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1963 | -119.2 | -0.03 | 658.8 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1963 | -119.12 | 0.08 | 658.88 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1963 | -120.15 | -1.03 | 657.85 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1963 | -120.67 | -0.52 | 657.33 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1963 | -120.75 | -0.08 | 657.25 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1963 | -121.07 | -0.32 | 656.93 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1963 | -121.05 | 0.02 | 656.95 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1963 | -120.71 | 0.34 | 657.29 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1963 | -119.97 | 0.74 | 658.03 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1963 | -120.68 | -0.71 | 657.32 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1963 | -121 | -0.32 | 657 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1963 | -120.15 | 0.85 | 657.85 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1963 | -119.83 | 0.32 | 658.17 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1963 | -120.15 | -0.32 | 657.85 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1963 | -120.2 | -0.05 | 657.8 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1963 | -119.47 | 0.73 | 658.53 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1963 | -118.92 | 0.55 | 659.08 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1963 | -118.97 | -0.05 | 659.03 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1963 | -119.11 | -0.14 | 658.89 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1963 | -119.46 | -0.35 | 658.54 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1963 | -120.28 | -0.82 | 657.72 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1963 | -120.55 | -0.27 | 657.45 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1963 | -120.45 | 0.1 | 657.55 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1963 | -121.75 | -1.3 | 656.25 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1963 | -122.63 | -0.88 | 655.37 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1963 | -123.19 | -0.56 | 654.81 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1963 | -123.69 | -0.5 | 654.31 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1963 | -124.26 | -0.57 | 653.74 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1963 | -123.96 | 0.3 | 654.04 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1963 | -123.23 | 0.73 | 654.77 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1963 | -122.46 | 0.77 | 655.54 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1963 | -122.84 | -0.38 | 655.16 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1963 | -122.89 | -0.05 | 655.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/24/1963 | -122.94 | -0.05 | 655.06 | 01 | 06 | 4 | |
| | P | 5/25/1963 | -123.36 | -0.42 | 654.64 | 01 | 06 | 4 | |
| | P | 5/26/1963 | -123.71 | -0.35 | 654.29 | 01 | 06 | 4 | |
| | P | 5/27/1963 | -123.95 | -0.24 | 654.05 | 01 | 06 | 4 | |
| | P | 5/28/1963 | -124.98 | -1.03 | 653.02 | 01 | 06 | 4 | |
| | P | 5/29/1963 | -125.73 | -0.75 | 652.27 | 01 | 06 | 4 | |
| | P | 5/30/1963 | -126.52 | -0.79 | 651.48 | 01 | 06 | 4 | |
| | P | 5/31/1963 | -126.95 | -0.43 | 651.05 | 01 | 06 | 4 | |
| | P | 6/ 1/1963 | -127.16 | -0.21 | 650.84 | 01 | 06 | 4 | |
| | P | 6/ 2/1963 | -127.02 | 0.14 | 650.98 | 01 | 06 | 4 | |
| | P | 6/ 3/1963 | -127.15 | -0.13 | 650.85 | 01 | 06 | 4 | |
| | P | 6/ 4/1963 | -128.4 | -1.25 | 649.6 | 01 | 06 | 4 | |
| | P | 6/ 5/1963 | -128.99 | -0.59 | 649.01 | 01 | 06 | 4 | |
| | P | 6/ 6/1963 | -129.43 | -0.44 | 648.57 | 01 | 06 | 4 | |
| | P | 6/ 7/1963 | -130.01 | -0.58 | 647.99 | 01 | 06 | 4 | |
| | P | 6/ 8/1963 | -130.03 | -0.02 | 647.97 | 01 | 06 | 4 | |
| | P | 6/ 9/1963 | -130.07 | -0.04 | 647.93 | 01 | 06 | 4 | |
| | P | 6/10/1963 | -129.9 | 0.17 | 648.1 | 01 | 06 | 4 | |
| | P | 6/11/1963 | -131.27 | -1.37 | 646.73 | 01 | 06 | 4 | |
| | P | 6/12/1963 | -131.89 | -0.62 | 646.11 | 01 | 06 | 4 | |
| | P | 6/13/1963 | -132.01 | -0.12 | 645.99 | 01 | 06 | 4 | |
| | P | 6/14/1963 | -132.51 | -0.5 | 645.49 | 01 | 06 | 4 | |
| | P | 6/15/1963 | -132.84 | -0.33 | 645.16 | 01 | 06 | 4 | |
| | P | 6/16/1963 | -132.92 | -0.08 | 645.08 | 01 | 06 | 4 | |
| | P | 6/17/1963 | -131.1 | 1.82 | 646.9 | 01 | 06 | 4 | |
| | P | 6/18/1963 | -129.85 | 1.25 | 648.15 | 01 | 06 | 4 | |
| | P | 6/19/1963 | -129.21 | 0.64 | 648.79 | 01 | 06 | 4 | |
| | P | 6/20/1963 | -128.9 | 0.31 | 649.1 | 01 | 06 | 4 | |
| | P | 6/21/1963 | -128.23 | 0.67 | 649.77 | 01 | 06 | 4 | |
| | P | 6/22/1963 | -127.9 | 0.33 | 650.1 | 01 | 06 | 4 | |
| | P | 6/23/1963 | -128.14 | -0.24 | 649.86 | 01 | 06 | 4 | |
| | P | 6/24/1963 | -128.22 | -0.08 | 649.78 | 01 | 06 | 4 | |
| | P | 6/25/1963 | -128.04 | 0.18 | 649.96 | 01 | 06 | 4 | |
| | P | 6/26/1963 | -127.74 | 0.3 | 650.26 | 01 | 06 | 4 | |
| | P | 6/27/1963 | -127.28 | 0.46 | 650.72 | 01 | 06 | 4 | |
| | P | 6/28/1963 | -127.43 | -0.15 | 650.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/29/1963 | -127.85 | -0.42 | 650.15 | 01 | 06 | 4 | |
| | P | 6/30/1963 | -128.31 | -0.46 | 649.69 | 01 | 06 | 4 | |
| | P | 7/ 1/1963 | -127.75 | 0.56 | 650.25 | 01 | 06 | 4 | |
| | P | 7/ 2/1963 | -127.95 | -0.2 | 650.05 | 01 | 06 | 4 | |
| | P | 7/ 3/1963 | -127.31 | 0.64 | 650.69 | 01 | 06 | 4 | |
| | P | 7/ 4/1963 | -127.12 | 0.19 | 650.88 | 01 | 06 | 4 | |
| | P | 7/ 5/1963 | -127.37 | -0.25 | 650.63 | 01 | 06 | 4 | |
| | P | 7/ 6/1963 | -128.09 | -0.72 | 649.91 | 01 | 06 | 4 | |
| | P | 7/ 7/1963 | -128.65 | -0.56 | 649.35 | 01 | 06 | 4 | |
| | P | 7/ 8/1963 | -128.87 | -0.22 | 649.13 | 01 | 06 | 4 | |
| | P | 7/ 9/1963 | -130.12 | -1.25 | 647.88 | 01 | 06 | 4 | |
| | P | 7/10/1963 | -131.02 | -0.9 | 646.98 | 01 | 06 | 4 | |
| | P | 7/11/1963 | -131.57 | -0.55 | 646.43 | 01 | 06 | 4 | |
| | P | 7/12/1963 | -132.01 | -0.44 | 645.99 | 01 | 06 | 4 | |
| | P | 7/13/1963 | -132.57 | -0.56 | 645.43 | 01 | 06 | 4 | |
| | P | 7/14/1963 | -132.65 | -0.08 | 645.35 | 01 | 06 | 4 | |
| | P | 7/15/1963 | -132.55 | 0.1 | 645.45 | 01 | 06 | 4 | |
| | P | 7/16/1963 | -133.72 | -1.17 | 644.28 | 01 | 06 | 4 | |
| | P | 7/17/1963 | -134.47 | -0.75 | 643.53 | 01 | 06 | 4 | |
| | P | 7/18/1963 | -134.83 | -0.36 | 643.17 | 01 | 06 | 4 | |
| | P | 7/19/1963 | -135.35 | -0.52 | 642.65 | 01 | 06 | 4 | |
| | P | 7/20/1963 | -135.32 | 0.03 | 642.68 | 01 | 06 | 4 | |
| | P | 7/21/1963 | -135.34 | -0.02 | 642.66 | 01 | 06 | 4 | |
| | P | 7/22/1963 | -135.06 | 0.28 | 642.94 | 01 | 06 | 4 | |
| | P | 7/23/1963 | -136.08 | -1.02 | 641.92 | 01 | 06 | 4 | |
| | P | 7/24/1963 | -136.62 | -0.54 | 641.38 | 01 | 06 | 4 | |
| | P | 7/25/1963 | -137 | -0.38 | 641 | 01 | 06 | 4 | |
| | P | 7/26/1963 | -137.14 | -0.14 | 640.86 | 01 | 06 | 4 | |
| | P | 7/27/1963 | -136.89 | 0.25 | 641.11 | 01 | 06 | 4 | |
| | P | 7/28/1963 | -136.74 | 0.15 | 641.26 | 01 | 06 | 4 | |
| | P | 7/29/1963 | -136.52 | 0.22 | 641.48 | 01 | 06 | 4 | |
| | P | 7/30/1963 | -137.62 | -1.1 | 640.38 | 01 | 06 | 4 | |
| | P | 7/31/1963 | -138.31 | -0.69 | 639.69 | 01 | 06 | 4 | |
| | P | 8/ 1/1963 | -138.74 | -0.43 | 639.26 | 01 | 06 | 4 | |
| | P | 9/14/1963 | -137.7 | 1.04 | 640.3 | 01 | 06 | 4 | |
| | P | 9/15/1963 | -136.45 | 1.25 | 641.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/16/1963 | -135.68 | 0.77 | 642.32 | 01 | 06 | 4 | |
| | P | 9/17/1963 | -135.32 | 0.36 | 642.68 | 01 | 06 | 4 | |
| | P | 9/26/1963 | -134.31 | 1.01 | 643.69 | 01 | 06 | 4 | |
| | P | 9/27/1963 | -134.44 | -0.13 | 643.56 | 01 | 06 | 4 | |
| | P | 9/28/1963 | -134.39 | 0.05 | 643.61 | 01 | 06 | 4 | |
| | P | 9/29/1963 | -134.52 | -0.13 | 643.48 | 01 | 06 | 4 | |
| | P | 9/30/1963 | -134.28 | 0.24 | 643.72 | 01 | 06 | 4 | |
| | P | 10/ 1/1963 | -134.67 | -0.39 | 643.33 | 01 | 06 | 4 | |
| | P | 10/ 2/1963 | -134.92 | -0.25 | 643.08 | 01 | 06 | 4 | |
| | P | 10/ 3/1963 | -134.98 | -0.06 | 643.02 | 01 | 06 | 4 | |
| | P | 10/ 4/1963 | -135.32 | -0.34 | 642.68 | 01 | 06 | 4 | |
| | P | 10/ 5/1963 | -135.49 | -0.17 | 642.51 | 01 | 06 | 4 | |
| | P | 10/ 6/1963 | -135.5 | -0.01 | 642.5 | 01 | 06 | 4 | |
| | P | 10/ 7/1963 | -135.23 | 0.27 | 642.77 | 01 | 06 | 4 | |
| | P | 10/ 8/1963 | -135.52 | -0.29 | 642.48 | 01 | 06 | 4 | |
| | P | 10/ 9/1963 | -135.88 | -0.36 | 642.12 | 01 | 06 | 4 | |
| | P | 10/10/1963 | -136.16 | -0.28 | 641.84 | 01 | 06 | 4 | |
| | P | 10/11/1963 | -136.15 | 0.01 | 641.85 | 01 | 06 | 4 | |
| | P | 10/12/1963 | -136.1 | 0.05 | 641.9 | 01 | 06 | 4 | |
| | P | 10/13/1963 | -135.92 | 0.18 | 642.08 | 01 | 06 | 4 | |
| | P | 10/14/1963 | -135.54 | 0.38 | 642.46 | 01 | 06 | 4 | |
| | P | 10/15/1963 | -135.77 | -0.23 | 642.23 | 01 | 06 | 4 | |
| | P | 10/16/1963 | -135.93 | -0.16 | 642.07 | 01 | 06 | 4 | |
| | P | 10/17/1963 | -135.95 | -0.02 | 642.05 | 01 | 06 | 4 | |
| | P | 10/18/1963 | -135.72 | 0.23 | 642.28 | 01 | 06 | 4 | |
| | P | 10/19/1963 | -135.41 | 0.31 | 642.59 | 01 | 06 | 4 | |
| | P | 10/20/1963 | -134.92 | 0.49 | 643.08 | 01 | 06 | 4 | |
| | P | 10/21/1963 | -134.49 | 0.43 | 643.51 | 01 | 06 | 4 | |
| | P | 10/22/1963 | -135.05 | -0.56 | 642.95 | 01 | 06 | 4 | |
| | P | 10/23/1963 | -135.39 | -0.34 | 642.61 | 01 | 06 | 4 | |
| | P | 10/24/1963 | -133.9 | 1.49 | 644.1 | 01 | 06 | 4 | |
| | P | 10/25/1963 | -133.14 | 0.76 | 644.86 | 01 | 06 | 4 | |
| | P | 10/26/1963 | -131.81 | 1.33 | 646.19 | 01 | 06 | 4 | |
| | P | 10/27/1963 | -131.13 | 0.68 | 646.87 | 01 | 06 | 4 | |
| | P | 10/28/1963 | -130.58 | 0.55 | 647.42 | 01 | 06 | 4 | |
| | P | 10/29/1963 | -130.58 | | 647.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 1963 | -130.27 | 0.31 | 647.73 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1963 | -129.96 | 0.31 | 648.04 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1963 | -129.97 | -0.01 | 648.03 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1963 | -129.74 | 0.23 | 648.26 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1963 | -129.32 | 0.42 | 648.68 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1963 | -128.99 | 0.33 | 649.01 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1963 | -129.18 | -0.19 | 648.82 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1963 | -129.47 | -0.29 | 648.53 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1963 | -129.4 | 0.07 | 648.6 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1963 | -129.26 | 0.14 | 648.74 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1963 | -128.7 | 0.56 | 649.3 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1963 | -128.27 | 0.43 | 649.73 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1963 | -128.03 | 0.24 | 649.97 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1963 | -128.23 | -0.2 | 649.77 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1963 | -128.22 | 0.01 | 649.78 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1963 | -128.17 | 0.05 | 649.83 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1963 | -128.02 | 0.15 | 649.98 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1963 | -128.02 | | 649.98 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1963 | -127.82 | 0.2 | 650.18 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1963 | -127.83 | -0.01 | 650.17 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1963 | -127.84 | -0.01 | 650.16 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1963 | -127.96 | -0.12 | 650.04 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1963 | -127.92 | 0.04 | 650.08 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1963 | -128.02 | -0.1 | 649.98 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1963 | -128.07 | -0.05 | 649.93 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1963 | -127.77 | 0.3 | 650.23 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1963 | -127.31 | 0.46 | 650.69 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1963 | -127.42 | -0.11 | 650.58 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1963 | -127.19 | 0.23 | 650.81 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1963 | -126.86 | 0.33 | 651.14 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1963 | -126.76 | 0.1 | 651.24 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1963 | -126.74 | 0.02 | 651.26 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1963 | -126.48 | 0.26 | 651.52 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1963 | -126.32 | 0.16 | 651.68 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1963 | -126.67 | -0.35 | 651.33 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1963 | -126.66 | 0.01 | 651.34 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 5/1963 | -126.8 | -0.14 | 651.2 | 01 | 06 | 4 | |
| | P | 12/ 6/1963 | -126.78 | 0.02 | 651.22 | 01 | 06 | 4 | |
| | P | 12/ 7/1963 | -126.47 | 0.31 | 651.53 | 01 | 06 | 4 | |
| | P | 12/ 8/1963 | -126.59 | -0.12 | 651.41 | 01 | 06 | 4 | |
| | P | 12/ 9/1963 | -126.34 | 0.25 | 651.66 | 01 | 06 | 4 | |
| | P | 12/10/1963 | -126.21 | 0.13 | 651.79 | 01 | 06 | 4 | |
| | P | 12/11/1963 | -126.12 | 0.09 | 651.88 | 01 | 06 | 4 | |
| | P | 12/12/1963 | -126.49 | -0.37 | 651.51 | 01 | 06 | 4 | |
| | P | 12/13/1963 | -126.28 | 0.21 | 651.72 | 01 | 06 | 4 | |
| | P | 12/14/1963 | -126.37 | -0.09 | 651.63 | 01 | 06 | 4 | |
| | P | 12/15/1963 | -126.28 | 0.09 | 651.72 | 01 | 06 | 4 | |
| | P | 12/16/1963 | -126.12 | 0.16 | 651.88 | 01 | 06 | 4 | |
| | P | 12/17/1963 | -126.17 | -0.05 | 651.83 | 01 | 06 | 4 | |
| | P | 12/18/1963 | -126.14 | 0.03 | 651.86 | 01 | 06 | 4 | |
| | P | 12/19/1963 | -126.13 | 0.01 | 651.87 | 01 | 06 | 4 | |
| | P | 12/20/1963 | -125.85 | 0.28 | 652.15 | 01 | 06 | 4 | |
| | P | 12/21/1963 | -125.85 | | 652.15 | 01 | 06 | 4 | |
| | P | 12/22/1963 | -125.7 | 0.15 | 652.3 | 01 | 06 | 4 | |
| | P | 12/23/1963 | -125.87 | -0.17 | 652.13 | 01 | 06 | 4 | |
| | P | 12/24/1963 | -126.19 | -0.32 | 651.81 | 01 | 06 | 4 | |
| | P | 12/25/1963 | -125.81 | 0.38 | 652.19 | 01 | 06 | 4 | |
| | P | 12/26/1963 | -125.36 | 0.45 | 652.64 | 01 | 06 | 4 | |
| | P | 12/27/1963 | -125.79 | -0.43 | 652.21 | 01 | 06 | 4 | |
| | P | 12/28/1963 | -125.79 | | 652.21 | 01 | 06 | 4 | |
| | P | 12/29/1963 | -125.72 | 0.07 | 652.28 | 01 | 06 | 4 | |
| | P | 12/30/1963 | -125.65 | 0.07 | 652.35 | 01 | 06 | 4 | |
| | P | 12/31/1963 | -125.87 | -0.22 | 652.13 | 01 | 06 | 4 | |
| | P | 1/ 1/1964 | -125.69 | 0.18 | 652.31 | 01 | 06 | 4 | |
| | P | 1/28/1964 | -126.5 | -0.81 | 651.5 | 01 | 06 | 4 | |
| | P | 1/29/1964 | -126.58 | -0.08 | 651.42 | 01 | 06 | 4 | |
| | P | 1/30/1964 | -122.7 | 3.88 | 655.3 | 01 | 06 | 4 | |
| | P | 1/31/1964 | -121.3 | 1.4 | 656.7 | 01 | 06 | 4 | |
| | P | 2/ 1/1964 | -120.91 | 0.39 | 657.09 | 01 | 06 | 4 | |
| | P | 2/ 2/1964 | -121.11 | -0.2 | 656.89 | 01 | 06 | 4 | |
| | P | 2/ 3/1964 | -121.23 | -0.12 | 656.77 | 01 | 06 | 4 | |
| | P | 2/ 4/1964 | -121.24 | -0.01 | 656.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 5/1964 | -120.75 | 0.49 | 657.25 | 01 | 06 | 4 | |
| | P | 2/ 6/1964 | -120.65 | 0.1 | 657.35 | 01 | 06 | 4 | |
| | P | 2/ 7/1964 | -121.09 | -0.44 | 656.91 | 01 | 06 | 4 | |
| | P | 2/ 8/1964 | -121.33 | -0.24 | 656.67 | 01 | 06 | 4 | |
| | P | 2/ 9/1964 | -121.34 | -0.01 | 656.66 | 01 | 06 | 4 | |
| | P | 2/10/1964 | -121.14 | 0.2 | 656.86 | 01 | 06 | 4 | |
| | P | 2/11/1964 | -121.62 | -0.48 | 656.38 | 01 | 06 | 4 | |
| | P | 2/12/1964 | -121.58 | 0.04 | 656.42 | 01 | 06 | 4 | |
| | P | 2/13/1964 | -121.62 | -0.04 | 656.38 | 01 | 06 | 4 | |
| | P | 2/14/1964 | -121.78 | -0.16 | 656.22 | 01 | 06 | 4 | |
| | P | 2/15/1964 | -121.69 | 0.09 | 656.31 | 01 | 06 | 4 | |
| | P | 2/16/1964 | -121.71 | -0.02 | 656.29 | 01 | 06 | 4 | |
| | P | 2/17/1964 | -121.56 | 0.15 | 656.44 | 01 | 06 | 4 | |
| | P | 2/18/1964 | -121.8 | -0.24 | 656.2 | 01 | 06 | 4 | |
| | P | 2/19/1964 | -122.17 | -0.37 | 655.83 | 01 | 06 | 4 | |
| | P | 2/20/1964 | -122.34 | -0.17 | 655.66 | 01 | 06 | 4 | |
| | P | 2/21/1964 | -122.37 | -0.03 | 655.63 | 01 | 06 | 4 | |
| | P | 2/22/1964 | -122.22 | 0.15 | 655.78 | 01 | 06 | 4 | |
| | P | 2/23/1964 | -122.08 | 0.14 | 655.92 | 01 | 06 | 4 | |
| | P | 2/24/1964 | -121.79 | 0.29 | 656.21 | 01 | 06 | 4 | |
| | P | 2/25/1964 | -121.78 | 0.01 | 656.22 | 01 | 06 | 4 | |
| | P | 2/26/1964 | -121.8 | -0.02 | 656.2 | 01 | 06 | 4 | |
| | P | 2/27/1964 | -121.8 | | 656.2 | 01 | 06 | 4 | |
| | P | 2/28/1964 | -122.09 | -0.29 | 655.91 | 01 | 06 | 4 | |
| | P | 2/29/1964 | -122.03 | 0.06 | 655.97 | 01 | 06 | 4 | |
| | P | 3/ 1/1964 | -121.77 | 0.26 | 656.23 | 01 | 06 | 4 | |
| | P | 3/ 2/1964 | -121.54 | 0.23 | 656.46 | 01 | 06 | 4 | |
| | P | 3/ 3/1964 | -121.81 | -0.27 | 656.19 | 01 | 06 | 4 | |
| | P | 3/ 4/1964 | -122.01 | -0.2 | 655.99 | 01 | 06 | 4 | |
| | P | 3/ 5/1964 | -122.29 | -0.28 | 655.71 | 01 | 06 | 4 | |
| | P | 3/ 6/1964 | -122.43 | -0.14 | 655.57 | 01 | 06 | 4 | |
| | P | 3/ 7/1964 | -122.62 | -0.19 | 655.38 | 01 | 06 | 4 | |
| | P | 3/ 8/1964 | -122.48 | 0.14 | 655.52 | 01 | 06 | 4 | |
| | P | 3/ 9/1964 | -122.39 | 0.09 | 655.61 | 01 | 06 | 4 | |
| | P | 3/10/1964 | -122.72 | -0.33 | 655.28 | 01 | 06 | 4 | |
| | P | 3/11/1964 | -123.02 | -0.3 | 654.98 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/12/1964 | -123.25 | -0.23 | 654.75 | 01 | 06 | 4 | |
| | P | 3/13/1964 | -123.34 | -0.09 | 654.66 | 01 | 06 | 4 | |
| | P | 3/14/1964 | -123.36 | -0.02 | 654.64 | 01 | 06 | 4 | |
| | P | 3/15/1964 | -123.65 | -0.29 | 654.35 | 01 | 06 | 4 | |
| | P | 3/16/1964 | -123.84 | -0.19 | 654.16 | 01 | 06 | 4 | |
| | P | 3/17/1964 | -124.22 | -0.38 | 653.78 | 01 | 06 | 4 | |
| | P | 3/18/1964 | -124.54 | -0.32 | 653.46 | 01 | 06 | 4 | |
| | P | 3/19/1964 | -123.8 | 0.74 | 654.2 | 01 | 06 | 4 | |
| | P | 3/20/1964 | -123.38 | 0.42 | 654.62 | 01 | 06 | 4 | |
| | P | 3/21/1964 | -123.36 | 0.02 | 654.64 | 01 | 06 | 4 | |
| | P | 3/22/1964 | -123.03 | 0.33 | 654.97 | 01 | 06 | 4 | |
| | P | 3/23/1964 | -122.63 | 0.4 | 655.37 | 01 | 06 | 4 | |
| | P | 3/24/1964 | -122.9 | -0.27 | 655.1 | 01 | 06 | 4 | |
| | P | 3/25/1964 | -122.87 | 0.03 | 655.13 | 01 | 06 | 4 | |
| | P | 3/26/1964 | -123.13 | -0.26 | 654.87 | 01 | 06 | 4 | |
| | P | 3/27/1964 | -123.19 | -0.06 | 654.81 | 01 | 06 | 4 | |
| | P | 3/28/1964 | -123.24 | -0.05 | 654.76 | 01 | 06 | 4 | |
| | P | 3/29/1964 | -123.58 | -0.34 | 654.42 | 01 | 06 | 4 | |
| | P | 3/30/1964 | -123.32 | 0.26 | 654.68 | 01 | 06 | 4 | |
| | P | 3/31/1964 | -123.72 | -0.4 | 654.28 | 01 | 06 | 4 | |
| | P | 4/ 1/1964 | -123.63 | 0.09 | 654.37 | 01 | 06 | 4 | |
| | P | 4/ 2/1964 | -123.5 | 0.13 | 654.5 | 01 | 06 | 4 | |
| | P | 4/ 3/1964 | -123.67 | -0.17 | 654.33 | 01 | 06 | 4 | |
| | P | 4/ 4/1964 | -124.07 | -0.4 | 653.93 | 01 | 06 | 4 | |
| | P | 4/ 5/1964 | -123.89 | 0.18 | 654.11 | 01 | 06 | 4 | |
| | P | 4/ 6/1964 | -123.87 | 0.02 | 654.13 | 01 | 06 | 4 | |
| | P | 4/ 7/1964 | -124.4 | -0.53 | 653.6 | 01 | 06 | 4 | |
| | P | 4/ 8/1964 | -124.53 | -0.13 | 653.47 | 01 | 06 | 4 | |
| | P | 4/ 9/1964 | -124.68 | -0.15 | 653.32 | 01 | 06 | 4 | |
| | P | 4/10/1964 | -124.08 | 0.6 | 653.92 | 01 | 06 | 4 | |
| | P | 4/11/1964 | -124.37 | -0.29 | 653.63 | 01 | 06 | 4 | |
| | P | 4/12/1964 | -125.14 | -0.77 | 652.86 | 01 | 06 | 4 | |
| | P | 4/13/1964 | -125.32 | -0.18 | 652.68 | 01 | 06 | 4 | |
| | P | 4/14/1964 | -126.02 | -0.7 | 651.98 | 01 | 06 | 4 | |
| | P | 4/15/1964 | -126.89 | -0.87 | 651.11 | 01 | 06 | 4 | |
| | P | 4/16/1964 | -128.21 | -1.32 | 649.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/17/1964 | -126.37 | 1.84 | 651.63 | 01 | 06 | 4 | |
| | P | 4/18/1964 | -125.81 | 0.56 | 652.19 | 01 | 06 | 4 | |
| | P | 4/19/1964 | -125.48 | 0.33 | 652.52 | 01 | 06 | 4 | |
| | P | 4/20/1964 | -125.23 | 0.25 | 652.77 | 01 | 06 | 4 | |
| | P | 4/21/1964 | -125.57 | -0.34 | 652.43 | 01 | 06 | 4 | |
| | P | 4/22/1964 | -125.82 | -0.25 | 652.18 | 01 | 06 | 4 | |
| | P | 4/23/1964 | -125.93 | -0.11 | 652.07 | 01 | 06 | 4 | |
| | P | 4/24/1964 | -126.23 | -0.3 | 651.77 | 01 | 06 | 4 | |
| | P | 4/25/1964 | -126.2 | 0.03 | 651.8 | 01 | 06 | 4 | |
| | P | 4/26/1964 | -125.58 | 0.62 | 652.42 | 01 | 06 | 4 | |
| | P | 4/27/1964 | -125.18 | 0.4 | 652.82 | 01 | 06 | 4 | |
| | P | 4/28/1964 | -125.87 | -0.69 | 652.13 | 01 | 06 | 4 | |
| | P | 4/29/1964 | -126.56 | -0.69 | 651.44 | 01 | 06 | 4 | |
| | P | 4/30/1964 | -126.67 | -0.11 | 651.33 | 01 | 06 | 4 | |
| | P | 5/ 1/1964 | -126.77 | -0.1 | 651.23 | 01 | 06 | 4 | |
| | P | 5/ 2/1964 | -126.66 | 0.11 | 651.34 | 01 | 06 | 4 | |
| | P | 5/ 3/1964 | -127.13 | -0.47 | 650.87 | 01 | 06 | 4 | |
| | P | 5/ 4/1964 | -127.47 | -0.34 | 650.53 | 01 | 06 | 4 | |
| | P | 5/ 5/1964 | -128.44 | -0.97 | 649.56 | 01 | 06 | 4 | |
| | P | 5/ 6/1964 | -128.5 | -0.06 | 649.5 | 01 | 06 | 4 | |
| | P | 5/ 7/1964 | -128.4 | 0.1 | 649.6 | 01 | 06 | 4 | |
| | P | 5/ 8/1964 | -128.49 | -0.09 | 649.51 | 01 | 06 | 4 | |
| | P | 5/ 9/1964 | -129.01 | -0.52 | 648.99 | 01 | 06 | 4 | |
| | P | 5/10/1964 | -129.3 | -0.29 | 648.7 | 01 | 06 | 4 | |
| | P | 5/11/1964 | -129.3 | | 648.7 | 01 | 06 | 4 | |
| | P | 5/12/1964 | -128.83 | 0.47 | 649.17 | 01 | 06 | 4 | |
| | P | 5/13/1964 | -129.82 | -0.99 | 648.18 | 01 | 06 | 4 | |
| | P | 5/14/1964 | -130.55 | -0.73 | 647.45 | 01 | 06 | 4 | |
| | P | 5/15/1964 | -131.36 | -0.81 | 646.64 | 01 | 06 | 4 | |
| | P | 5/16/1964 | -131.8 | -0.44 | 646.2 | 01 | 06 | 4 | |
| | P | 5/17/1964 | -132.25 | -0.45 | 645.75 | 01 | 06 | 4 | |
| | P | 5/18/1964 | -132.48 | -0.23 | 645.52 | 01 | 06 | 4 | |
| | P | 5/19/1964 | -133.49 | -1.01 | 644.51 | 01 | 06 | 4 | |
| | P | 5/20/1964 | -134.19 | -0.7 | 643.81 | 01 | 06 | 4 | |
| | P | 5/21/1964 | -134.05 | 0.14 | 643.95 | 01 | 06 | 4 | |
| | P | 5/22/1964 | -132.96 | 1.09 | 645.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/23/1964 | -132.32 | 0.64 | 645.68 | 01 | 06 | 4 | |
| | P | 5/24/1964 | -131.87 | 0.45 | 646.13 | 01 | 06 | 4 | |
| | P | 5/25/1964 | -131.58 | 0.29 | 646.42 | 01 | 06 | 4 | |
| | P | 5/26/1964 | -131.63 | -0.05 | 646.37 | 01 | 06 | 4 | |
| | P | 5/27/1964 | -132.01 | -0.38 | 645.99 | 01 | 06 | 4 | |
| | P | 5/28/1964 | -132.55 | -0.54 | 645.45 | 01 | 06 | 4 | |
| | P | 5/29/1964 | -133.18 | -0.63 | 644.82 | 01 | 06 | 4 | |
| | P | 5/30/1964 | -132.4 | 0.78 | 645.6 | 01 | 06 | 4 | |
| | P | 5/31/1964 | -131.49 | 0.91 | 646.51 | 01 | 06 | 4 | |
| | P | 6/ 1/1964 | -131.84 | -0.35 | 646.16 | 01 | 06 | 4 | |
| | P | 6/ 2/1964 | -130.93 | 0.91 | 647.07 | 01 | 06 | 4 | |
| | P | 6/ 3/1964 | -131.15 | -0.22 | 646.85 | 01 | 06 | 4 | |
| | P | 6/ 4/1964 | -131.42 | -0.27 | 646.58 | 01 | 06 | 4 | |
| | P | 6/ 5/1964 | -131.86 | -0.44 | 646.14 | 01 | 06 | 4 | |
| | P | 6/ 6/1964 | -131.19 | 0.67 | 646.81 | 01 | 06 | 4 | |
| | P | 6/ 7/1964 | -131.17 | 0.02 | 646.83 | 01 | 06 | 4 | |
| | P | 6/ 8/1964 | -131.17 | | 646.83 | 01 | 06 | 4 | |
| | P | 6/ 9/1964 | -132.38 | -1.21 | 645.62 | 01 | 06 | 4 | |
| | P | 6/10/1964 | -133.5 | -1.12 | 644.5 | 01 | 06 | 4 | |
| | P | 6/11/1964 | -134.38 | -0.88 | 643.62 | 01 | 06 | 4 | |
| | P | 6/12/1964 | -134.76 | -0.38 | 643.24 | 01 | 06 | 4 | |
| | P | 6/13/1964 | -135.16 | -0.4 | 642.84 | 01 | 06 | 4 | |
| | P | 6/14/1964 | -135.47 | -0.31 | 642.53 | 01 | 06 | 4 | |
| | P | 6/15/1964 | -134.69 | 0.78 | 643.31 | 01 | 06 | 4 | |
| | P | 6/16/1964 | -128.4 | 6.29 | 649.6 | 01 | 06 | 4 | |
| | P | 6/17/1964 | -125.7 | 2.7 | 652.3 | 01 | 06 | 4 | |
| | P | 6/18/1964 | -124.46 | 1.24 | 653.54 | 01 | 06 | 4 | |
| | P | 6/19/1964 | -124.42 | 0.04 | 653.58 | 01 | 06 | 4 | |
| | P | 6/20/1964 | -124.78 | -0.36 | 653.22 | 01 | 06 | 4 | |
| | P | 6/21/1964 | -125.37 | -0.59 | 652.63 | 01 | 06 | 4 | |
| | P | 6/22/1964 | -125.68 | -0.31 | 652.32 | 01 | 06 | 4 | |
| | P | 6/23/1964 | -127.18 | -1.5 | 650.82 | 01 | 06 | 4 | |
| | P | 6/24/1964 | -128.41 | -1.23 | 649.59 | 01 | 06 | 4 | |
| | P | 6/25/1964 | -128.14 | 0.27 | 649.86 | 01 | 06 | 4 | |
| | P | 6/26/1964 | -128.1 | 0.04 | 649.9 | 01 | 06 | 4 | |
| | P | 6/27/1964 | -128.49 | -0.39 | 649.51 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/28/1964 | -128.81 | -0.32 | 649.19 | 01 | 06 | 4 | |
| | P | 6/29/1964 | -129.12 | -0.31 | 648.88 | 01 | 06 | 4 | |
| | P | 6/30/1964 | -130.18 | -1.06 | 647.82 | 01 | 06 | 4 | |
| | P | 7/ 1/1964 | -131.03 | -0.85 | 646.97 | 01 | 06 | 4 | |
| | P | 7/ 2/1964 | -132.13 | -1.1 | 645.87 | 01 | 06 | 4 | |
| | P | 7/ 3/1964 | -132.19 | -0.06 | 645.81 | 01 | 06 | 4 | |
| | P | 7/ 4/1964 | -132.7 | -0.51 | 645.3 | 01 | 06 | 4 | |
| | P | 7/ 5/1964 | -132.69 | 0.01 | 645.31 | 01 | 06 | 4 | |
| | P | 7/ 6/1964 | -133.15 | -0.46 | 644.85 | 01 | 06 | 4 | |
| | P | 7/ 7/1964 | -134.33 | -1.18 | 643.67 | 01 | 06 | 4 | |
| | P | 7/ 8/1964 | -135.16 | -0.83 | 642.84 | 01 | 06 | 4 | |
| | P | 7/ 9/1964 | -135.77 | -0.61 | 642.23 | 01 | 06 | 4 | |
| | P | 7/10/1964 | -136.45 | -0.68 | 641.55 | 01 | 06 | 4 | |
| | P | 7/11/1964 | -136.8 | -0.35 | 641.2 | 01 | 06 | 4 | |
| | P | 7/12/1964 | -136.93 | -0.13 | 641.07 | 01 | 06 | 4 | |
| | P | 7/13/1964 | -135.81 | 1.12 | 642.19 | 01 | 06 | 4 | |
| | P | 7/14/1964 | -136.84 | -1.03 | 641.16 | 01 | 06 | 4 | |
| | P | 7/15/1964 | -137.6 | -0.76 | 640.4 | 01 | 06 | 4 | |
| | P | 7/16/1964 | -138.22 | -0.62 | 639.78 | 01 | 06 | 4 | |
| | P | 7/17/1964 | -138.62 | -0.4 | 639.38 | 01 | 06 | 4 | |
| | P | 7/18/1964 | -138.68 | -0.06 | 639.32 | 01 | 06 | 4 | |
| | P | 7/19/1964 | -138.35 | 0.33 | 639.65 | 01 | 06 | 4 | |
| | P | 7/20/1964 | -136.8 | 1.55 | 641.2 | 01 | 06 | 4 | |
| | P | 7/21/1964 | -137.89 | -1.09 | 640.11 | 01 | 06 | 4 | |
| | P | 7/22/1964 | -138.78 | -0.89 | 639.22 | 01 | 06 | 4 | |
| | P | 7/23/1964 | -139.83 | -1.05 | 638.17 | 01 | 06 | 4 | |
| | P | 7/24/1964 | -140.48 | -0.65 | 637.52 | 01 | 06 | 4 | |
| | P | 7/25/1964 | -140.64 | -0.16 | 637.36 | 01 | 06 | 4 | |
| | P | 7/26/1964 | -140.85 | -0.21 | 637.15 | 01 | 06 | 4 | |
| | P | 7/27/1964 | -140.64 | 0.21 | 637.36 | 01 | 06 | 4 | |
| | P | 7/28/1964 | -141.95 | -1.31 | 636.05 | 01 | 06 | 4 | |
| | P | 7/29/1964 | -142.62 | -0.67 | 635.38 | 01 | 06 | 4 | |
| | P | 7/30/1964 | -142.05 | 0.57 | 635.95 | 01 | 06 | 4 | |
| | P | 7/31/1964 | -141.68 | 0.37 | 636.32 | 01 | 06 | 4 | |
| | P | 8/ 1/1964 | -142.12 | -0.44 | 635.88 | 01 | 06 | 4 | |
| | P | 8/ 2/1964 | -142.13 | -0.01 | 635.87 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 3/1964 | -141.95 | 0.18 | 636.05 | 01 | 06 | 4 | |
| | P | 8/ 6/1964 | -144.32 | -2.37 | 633.68 | 01 | 06 | 4 | |
| | P | 8/ 7/1964 | -143.67 | 0.65 | 634.33 | 01 | 06 | 4 | |
| | P | 8/ 8/1964 | -141.23 | 2.44 | 636.77 | 01 | 06 | 4 | |
| | P | 8/ 9/1964 | -139.79 | 1.44 | 638.21 | 01 | 06 | 4 | |
| | P | 8/10/1964 | -139.15 | 0.64 | 638.85 | 01 | 06 | 4 | |
| | P | 8/11/1964 | -139.78 | -0.63 | 638.22 | 01 | 06 | 4 | |
| | P | 8/12/1964 | -140.33 | -0.55 | 637.67 | 01 | 06 | 4 | |
| | P | 8/13/1964 | -140.92 | -0.59 | 637.08 | 01 | 06 | 4 | |
| | P | 8/14/1964 | -141.47 | -0.55 | 636.53 | 01 | 06 | 4 | |
| | P | 8/15/1964 | -141.73 | -0.26 | 636.27 | 01 | 06 | 4 | |
| | P | 8/16/1964 | -141.76 | -0.03 | 636.24 | 01 | 06 | 4 | |
| | P | 8/17/1964 | -141.47 | 0.29 | 636.53 | 01 | 06 | 4 | |
| | P | 8/18/1964 | -142.99 | -1.52 | 635.01 | 01 | 06 | 4 | |
| | P | 8/21/1964 | -144.26 | -1.27 | 633.74 | 01 | 06 | 4 | |
| | P | 8/22/1964 | -144.42 | -0.16 | 633.58 | 01 | 06 | 4 | |
| | P | 8/23/1964 | -139.71 | 4.71 | 638.29 | 01 | 06 | 4 | |
| | P | 8/24/1964 | -138.83 | 0.88 | 639.17 | 01 | 06 | 4 | |
| | P | 8/25/1964 | -138.11 | 0.72 | 639.89 | 01 | 06 | 4 | |
| | P | 8/26/1964 | -137.83 | 0.28 | 640.17 | 01 | 06 | 4 | |
| | P | 8/27/1964 | -138 | -0.17 | 640 | 01 | 06 | 4 | |
| | P | 8/28/1964 | -137.37 | 0.63 | 640.63 | 01 | 06 | 4 | |
| | P | 8/29/1964 | -138.53 | -1.16 | 639.47 | 01 | 06 | 4 | |
| | P | 8/30/1964 | -138.69 | -0.16 | 639.31 | 01 | 06 | 4 | |
| | P | 8/31/1964 | -138.79 | -0.1 | 639.21 | 01 | 06 | 4 | |
| | P | 9/ 1/1964 | -139.78 | -0.99 | 638.22 | 01 | 06 | 4 | |
| | P | 9/ 2/1964 | -140.08 | -0.3 | 637.92 | 01 | 06 | 4 | |
| | P | 9/ 3/1964 | -140.49 | -0.41 | 637.51 | 01 | 06 | 4 | |
| | P | 9/ 4/1964 | -140.74 | -0.25 | 637.26 | 01 | 06 | 4 | |
| | P | 9/ 5/1964 | -140.72 | 0.02 | 637.28 | 01 | 06 | 4 | |
| | P | 9/ 6/1964 | -140.54 | 0.18 | 637.46 | 01 | 06 | 4 | |
| | P | 9/ 7/1964 | -139.84 | 0.7 | 638.16 | 01 | 06 | 4 | |
| | P | 9/ 8/1964 | -140.56 | -0.72 | 637.44 | 01 | 06 | 4 | |
| | P | 9/ 9/1964 | -140.2 | 0.36 | 637.8 | 01 | 06 | 4 | |
| | P | 9/10/1964 | -140.48 | -0.28 | 637.52 | 01 | 06 | 4 | |
| | P | 9/11/1964 | -140.94 | -0.46 | 637.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 12/ 1964 | -140.63 | 0.31 | 637.37 | 01 | 06 | 4 | |
| | P | 9/ 13/ 1964 | -140.48 | 0.15 | 637.52 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1964 | -140.18 | 0.3 | 637.82 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1964 | -140.84 | -0.66 | 637.16 | 01 | 06 | 4 | |
| | P | 9/ 16/ 1964 | -140.78 | 0.06 | 637.22 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1964 | -139.46 | 1.32 | 638.54 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1964 | -138.88 | 0.58 | 639.12 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1964 | -138.65 | 0.23 | 639.35 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1964 | -138.54 | 0.11 | 639.46 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1964 | -138.22 | 0.32 | 639.78 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1964 | -138.12 | 0.1 | 639.88 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1964 | -137.39 | 0.73 | 640.61 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1964 | -136.9 | 0.49 | 641.1 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1964 | -136.63 | 0.27 | 641.37 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1964 | -136.25 | 0.38 | 641.75 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1964 | -135.34 | 0.91 | 642.66 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1964 | -134.11 | 1.23 | 643.89 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1964 | -133.17 | 0.94 | 644.83 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1964 | -132.6 | 0.57 | 645.4 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1964 | -132.27 | 0.33 | 645.73 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1964 | -132.08 | 0.19 | 645.92 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1964 | -132.11 | -0.03 | 645.89 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1964 | -132.08 | 0.03 | 645.92 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1964 | -132.1 | -0.02 | 645.9 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1964 | -132.33 | -0.23 | 645.67 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1964 | -132.43 | -0.1 | 645.57 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1964 | -132.48 | -0.05 | 645.52 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1964 | -132.83 | -0.35 | 645.17 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1964 | -133.13 | -0.3 | 644.87 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1964 | -132.95 | 0.18 | 645.05 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1964 | -132.82 | 0.13 | 645.18 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1964 | -133.47 | -0.65 | 644.53 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1964 | -133.38 | 0.09 | 644.62 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1964 | -133.58 | -0.2 | 644.42 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1964 | -133.85 | -0.27 | 644.15 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1964 | -134.07 | -0.22 | 643.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 18/ 1964 | -133.92 | 0.15 | 644.08 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1964 | -133.42 | 0.5 | 644.58 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1964 | -133.52 | -0.1 | 644.48 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1964 | -133.7 | -0.18 | 644.3 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1964 | -133.83 | -0.13 | 644.17 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1964 | -134.19 | -0.36 | 643.81 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1964 | -134.17 | 0.02 | 643.83 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1964 | -133.94 | 0.23 | 644.06 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1964 | -133.22 | 0.72 | 644.78 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1964 | -132.21 | 1.01 | 645.79 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1964 | -131.35 | 0.86 | 646.65 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1964 | -131.08 | 0.27 | 646.92 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1964 | -130.83 | 0.25 | 647.17 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1964 | -130.71 | 0.12 | 647.29 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1964 | -130.41 | 0.3 | 647.59 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1964 | -130.08 | 0.33 | 647.92 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1964 | -130.16 | -0.08 | 647.84 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1964 | -125.54 | 4.62 | 652.46 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1964 | -124.32 | 1.22 | 653.68 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1964 | -123.82 | 0.5 | 654.18 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1964 | -123.85 | -0.03 | 654.15 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1964 | -123.82 | 0.03 | 654.18 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1964 | -124.03 | -0.21 | 653.97 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1964 | -124.55 | -0.52 | 653.45 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1964 | -124.78 | -0.23 | 653.22 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1964 | -124.98 | -0.2 | 653.02 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1964 | -125.22 | -0.24 | 652.78 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1964 | -125.3 | -0.08 | 652.7 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1964 | -125.06 | 0.24 | 652.94 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1964 | -124.48 | 0.58 | 653.52 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1964 | -124.62 | -0.14 | 653.38 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1964 | -124.56 | 0.06 | 653.44 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1964 | -124.49 | 0.07 | 653.51 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1964 | -124.79 | -0.3 | 653.21 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1964 | -124.83 | -0.04 | 653.17 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1964 | -124.89 | -0.06 | 653.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 23/ 1964 | -124.77 | 0.12 | 653.23 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1964 | -124.86 | -0.09 | 653.14 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1964 | -124.88 | -0.02 | 653.12 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1964 | -124.88 | | 653.12 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1964 | -124.63 | 0.25 | 653.37 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1964 | -124.96 | -0.33 | 653.04 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1964 | -124.97 | -0.01 | 653.03 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1964 | -125.09 | -0.12 | 652.91 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1964 | -125.26 | -0.17 | 652.74 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1964 | -125 | 0.26 | 653 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1964 | -125.22 | -0.22 | 652.78 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1964 | -125.58 | -0.36 | 652.42 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1964 | -125.67 | -0.09 | 652.33 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1964 | -125.59 | 0.08 | 652.41 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1964 | -125.32 | 0.27 | 652.68 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1964 | -125.54 | -0.22 | 652.46 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1964 | -125.48 | 0.06 | 652.52 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1964 | -125 | 0.48 | 653 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1964 | -124.9 | 0.1 | 653.1 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1964 | -125.02 | -0.12 | 652.98 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1964 | -124.99 | 0.03 | 653.01 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1964 | -124.93 | 0.06 | 653.07 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1964 | -125.18 | -0.25 | 652.82 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1964 | -125 | 0.18 | 653 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1964 | -125.03 | -0.03 | 652.97 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1964 | -125.78 | -0.75 | 652.22 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1964 | -125.66 | 0.12 | 652.34 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1964 | -125.3 | 0.36 | 652.7 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1964 | -125.24 | 0.06 | 652.76 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1964 | -125.29 | -0.05 | 652.71 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1964 | -125.16 | 0.13 | 652.84 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1964 | -125.02 | 0.14 | 652.98 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1964 | -124.92 | 0.1 | 653.08 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1964 | -124.72 | 0.2 | 653.28 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1964 | -124.95 | -0.23 | 653.05 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1964 | -124.76 | 0.19 | 653.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/29/1964 | -124.99 | -0.23 | 653.01 | 01 | 06 | 4 | |
| | P | 12/30/1964 | -125.31 | -0.32 | 652.69 | 01 | 06 | 4 | |
| | P | 12/31/1964 | -125.44 | -0.13 | 652.56 | 01 | 06 | 4 | |
| | P | 1/ 1/1965 | -125.43 | 0.01 | 652.57 | 01 | 06 | 4 | |
| | P | 1/ 2/1965 | -125.09 | 0.34 | 652.91 | 01 | 06 | 4 | |
| | P | 1/ 3/1965 | -125.12 | -0.03 | 652.88 | 01 | 06 | 4 | |
| | P | 1/ 4/1965 | -125.08 | 0.04 | 652.92 | 01 | 06 | 4 | |
| | P | 1/ 5/1965 | -125.2 | -0.12 | 652.8 | 01 | 06 | 4 | |
| | P | 1/ 6/1965 | -125.23 | -0.03 | 652.77 | 01 | 06 | 4 | |
| | P | 1/ 7/1965 | -125.34 | -0.11 | 652.66 | 01 | 06 | 4 | |
| | P | 1/ 8/1965 | -125.51 | -0.17 | 652.49 | 01 | 06 | 4 | |
| | P | 1/ 9/1965 | -125.68 | -0.17 | 652.32 | 01 | 06 | 4 | |
| | P | 1/10/1965 | -125.44 | 0.24 | 652.56 | 01 | 06 | 4 | |
| | P | 1/11/1965 | -125.27 | 0.17 | 652.73 | 01 | 06 | 4 | |
| | P | 1/12/1965 | -125.4 | -0.13 | 652.6 | 01 | 06 | 4 | |
| | P | 1/13/1965 | -125.46 | -0.06 | 652.54 | 01 | 06 | 4 | |
| | P | 1/14/1965 | -125.55 | -0.09 | 652.45 | 01 | 06 | 4 | |
| | P | 1/15/1965 | -125.58 | -0.03 | 652.42 | 01 | 06 | 4 | |
| | P | 1/16/1965 | -125.81 | -0.23 | 652.19 | 01 | 06 | 4 | |
| | P | 1/17/1965 | -125.82 | -0.01 | 652.18 | 01 | 06 | 4 | |
| | P | 1/18/1965 | -125.61 | 0.21 | 652.39 | 01 | 06 | 4 | |
| | P | 1/19/1965 | -125.9 | -0.29 | 652.1 | 01 | 06 | 4 | |
| | P | 1/20/1965 | -125.95 | -0.05 | 652.05 | 01 | 06 | 4 | |
| | P | 1/21/1965 | -125.87 | 0.08 | 652.13 | 01 | 06 | 4 | |
| | P | 1/22/1965 | -124.83 | 1.04 | 653.17 | 01 | 06 | 4 | |
| | P | 1/23/1965 | -124.32 | 0.51 | 653.68 | 01 | 06 | 4 | |
| | P | 1/24/1965 | -124.41 | -0.09 | 653.59 | 01 | 06 | 4 | |
| | P | 1/25/1965 | -124.25 | 0.16 | 653.75 | 01 | 06 | 4 | |
| | P | 1/26/1965 | -124.84 | -0.59 | 653.16 | 01 | 06 | 4 | |
| | P | 1/27/1965 | -125.22 | -0.38 | 652.78 | 01 | 06 | 4 | |
| | P | 1/28/1965 | -125.27 | -0.05 | 652.73 | 01 | 06 | 4 | |
| | P | 1/29/1965 | -125.41 | -0.14 | 652.59 | 01 | 06 | 4 | |
| | P | 1/30/1965 | -125.38 | 0.03 | 652.62 | 01 | 06 | 4 | |
| | P | 1/31/1965 | -125.48 | -0.1 | 652.52 | 01 | 06 | 4 | |
| | P | 2/ 1/1965 | -125.21 | 0.27 | 652.79 | 01 | 06 | 4 | |
| | P | 2/ 2/1965 | -125.81 | -0.6 | 652.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 3/1965 | -125.9 | -0.09 | 652.1 | 01 | 06 | 4 | |
| | P | 2/ 4/1965 | -125.1 | 0.8 | 652.9 | 01 | 06 | 4 | |
| | P | 2/ 5/1965 | -121.74 | 3.36 | 656.26 | 01 | 06 | 4 | |
| | P | 2/ 6/1965 | -120.67 | 1.07 | 657.33 | 01 | 06 | 4 | |
| | P | 2/ 7/1965 | -119.99 | 0.68 | 658.01 | 01 | 06 | 4 | |
| | P | 2/ 8/1965 | -119.88 | 0.11 | 658.12 | 01 | 06 | 4 | |
| | P | 2/ 9/1965 | -118.15 | 1.73 | 659.85 | 01 | 06 | 4 | |
| | P | 2/10/1965 | -117.36 | 0.79 | 660.64 | 01 | 06 | 4 | |
| | P | 2/11/1965 | -116.91 | 0.45 | 661.09 | 01 | 06 | 4 | |
| | P | 2/12/1965 | -116.87 | 0.04 | 661.13 | 01 | 06 | 4 | |
| | P | 2/13/1965 | -116.74 | 0.13 | 661.26 | 01 | 06 | 4 | |
| | P | 2/14/1965 | -116.45 | 0.29 | 661.55 | 01 | 06 | 4 | |
| | P | 2/15/1965 | -116.15 | 0.3 | 661.85 | 01 | 06 | 4 | |
| | P | 2/16/1965 | -116.24 | -0.09 | 661.76 | 01 | 06 | 4 | |
| | P | 2/17/1965 | -115.56 | 0.68 | 662.44 | 01 | 06 | 4 | |
| | P | 2/18/1965 | -114.88 | 0.68 | 663.12 | 01 | 06 | 4 | |
| | P | 2/19/1965 | -114.33 | 0.55 | 663.67 | 01 | 06 | 4 | |
| | P | 2/20/1965 | -113.9 | 0.43 | 664.1 | 01 | 06 | 4 | |
| | P | 2/21/1965 | -113.62 | 0.28 | 664.38 | 01 | 06 | 4 | |
| | P | 2/22/1965 | -113.4 | 0.22 | 664.6 | 01 | 06 | 4 | |
| | P | 2/23/1965 | -113.21 | 0.19 | 664.79 | 01 | 06 | 4 | |
| | P | 2/24/1965 | -113.46 | -0.25 | 664.54 | 01 | 06 | 4 | |
| | P | 2/25/1965 | -113.77 | -0.31 | 664.23 | 01 | 06 | 4 | |
| | P | 2/26/1965 | -113.7 | 0.07 | 664.3 | 01 | 06 | 4 | |
| | P | 2/27/1965 | -113.46 | 0.24 | 664.54 | 01 | 06 | 4 | |
| | P | 2/28/1965 | -113.15 | 0.31 | 664.85 | 01 | 06 | 4 | |
| | P | 3/ 1/1965 | -112.91 | 0.24 | 665.09 | 01 | 06 | 4 | |
| | P | 3/ 2/1965 | -113.35 | -0.44 | 664.65 | 01 | 06 | 4 | |
| | P | 3/ 3/1965 | -113.52 | -0.17 | 664.48 | 01 | 06 | 4 | |
| | P | 3/ 4/1965 | -113.7 | -0.18 | 664.3 | 01 | 06 | 4 | |
| | P | 3/ 5/1965 | -113.75 | -0.05 | 664.25 | 01 | 06 | 4 | |
| | P | 3/ 6/1965 | -113.91 | -0.16 | 664.09 | 01 | 06 | 4 | |
| | P | 3/ 7/1965 | -114.1 | -0.19 | 663.9 | 01 | 06 | 4 | |
| | P | 3/ 8/1965 | -114.05 | 0.05 | 663.95 | 01 | 06 | 4 | |
| | P | 3/ 9/1965 | -114.38 | -0.33 | 663.62 | 01 | 06 | 4 | |
| | P | 3/10/1965 | -114.71 | -0.33 | 663.29 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/11/1965 | -115.05 | -0.34 | 662.95 | 01 | 06 | 4 | |
| | P | 3/12/1965 | -114.98 | 0.07 | 663.02 | 01 | 06 | 4 | |
| | P | 3/13/1965 | -115.45 | -0.47 | 662.55 | 01 | 06 | 4 | |
| | P | 3/14/1965 | -115.17 | 0.28 | 662.83 | 01 | 06 | 4 | |
| | P | 3/15/1965 | -115.19 | -0.02 | 662.81 | 01 | 06 | 4 | |
| | P | 3/16/1965 | -115.43 | -0.24 | 662.57 | 01 | 06 | 4 | |
| | P | 3/17/1965 | -115.72 | -0.29 | 662.28 | 01 | 06 | 4 | |
| | P | 3/18/1965 | -116.18 | -0.46 | 661.82 | 01 | 06 | 4 | |
| | P | 3/19/1965 | -116.35 | -0.17 | 661.65 | 01 | 06 | 4 | |
| | P | 3/20/1965 | -116.57 | -0.22 | 661.43 | 01 | 06 | 4 | |
| | P | 3/21/1965 | -116.52 | 0.05 | 661.48 | 01 | 06 | 4 | |
| | P | 3/22/1965 | -116.41 | 0.11 | 661.59 | 01 | 06 | 4 | |
| | P | 3/23/1965 | -116.69 | -0.28 | 661.31 | 01 | 06 | 4 | |
| | P | 3/24/1965 | -117.04 | -0.35 | 660.96 | 01 | 06 | 4 | |
| | P | 3/25/1965 | -116.98 | 0.06 | 661.02 | 01 | 06 | 4 | |
| | P | 3/26/1965 | -116.99 | -0.01 | 661.01 | 01 | 06 | 4 | |
| | P | 3/27/1965 | -117.36 | -0.37 | 660.64 | 01 | 06 | 4 | |
| | P | 3/28/1965 | -117.38 | -0.02 | 660.62 | 01 | 06 | 4 | |
| | P | 3/29/1965 | -117.08 | 0.3 | 660.92 | 01 | 06 | 4 | |
| | P | 3/30/1965 | -115.9 | 1.18 | 662.1 | 01 | 06 | 4 | |
| | P | 3/31/1965 | -114.22 | 1.68 | 663.78 | 01 | 06 | 4 | |
| | P | 4/ 1/1965 | -113.5 | 0.72 | 664.5 | 01 | 06 | 4 | |
| | P | 4/ 2/1965 | -113.21 | 0.29 | 664.79 | 01 | 06 | 4 | |
| | P | 4/ 3/1965 | -113.07 | 0.14 | 664.93 | 01 | 06 | 4 | |
| | P | 4/ 4/1965 | -112.98 | 0.09 | 665.02 | 01 | 06 | 4 | |
| | P | 4/ 5/1965 | -112.78 | 0.2 | 665.22 | 01 | 06 | 4 | |
| | P | 4/ 6/1965 | -113.03 | -0.25 | 664.97 | 01 | 06 | 4 | |
| | P | 4/ 7/1965 | -112.36 | 0.67 | 665.64 | 01 | 06 | 4 | |
| | P | 4/ 8/1965 | -112.04 | 0.32 | 665.96 | 01 | 06 | 4 | |
| | P | 4/ 9/1965 | -111.93 | 0.11 | 666.07 | 01 | 06 | 4 | |
| | P | 4/10/1965 | -111.76 | 0.17 | 666.24 | 01 | 06 | 4 | |
| | P | 4/11/1965 | -111.63 | 0.13 | 666.37 | 01 | 06 | 4 | |
| | P | 4/12/1965 | -111.4 | 0.23 | 666.6 | 01 | 06 | 4 | |
| | P | 4/13/1965 | -111.78 | -0.38 | 666.22 | 01 | 06 | 4 | |
| | P | 4/14/1965 | -111.83 | -0.05 | 666.17 | 01 | 06 | 4 | |
| | P | 4/15/1965 | -112.08 | -0.25 | 665.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 16/ 1965 | -112.12 | -0.04 | 665.88 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1965 | -112.22 | -0.1 | 665.78 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1965 | -112.37 | -0.15 | 665.63 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1965 | -112.36 | 0.01 | 665.64 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1965 | -112.8 | -0.44 | 665.2 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1965 | -113.41 | -0.61 | 664.59 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1965 | -113.87 | -0.46 | 664.13 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1965 | -114.25 | -0.38 | 663.75 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1965 | -114.4 | -0.15 | 663.6 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1965 | -114.57 | -0.17 | 663.43 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1965 | -114.55 | 0.02 | 663.45 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1965 | -114.37 | 0.18 | 663.63 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1965 | -114.14 | 0.23 | 663.86 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1965 | -114.21 | -0.07 | 663.79 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1965 | -114.35 | -0.14 | 663.65 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1965 | -114.5 | -0.15 | 663.5 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1965 | -114.59 | -0.09 | 663.41 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1965 | -114.58 | 0.01 | 663.42 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1965 | -115.04 | -0.46 | 662.96 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1965 | -115.24 | -0.2 | 662.76 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1965 | -115.28 | -0.04 | 662.72 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1965 | -115.05 | 0.23 | 662.95 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1965 | -114.96 | 0.09 | 663.04 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1965 | -114.32 | 0.64 | 663.68 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1965 | -113.66 | 0.66 | 664.34 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1965 | -112.13 | 1.53 | 665.87 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1965 | -111.21 | 0.92 | 666.79 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1965 | -110.91 | 0.3 | 667.09 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1965 | -110.74 | 0.17 | 667.26 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1965 | -110.64 | 0.1 | 667.36 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1965 | -108.6 | 2.04 | 669.4 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1965 | -100.78 | 7.82 | 677.22 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1965 | -100.32 | 0.46 | 677.68 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1965 | -100.03 | 0.29 | 677.97 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1965 | -99.86 | 0.17 | 678.14 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1965 | -99.59 | 0.27 | 678.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/25/1965 | -99.78 | -0.19 | 678.22 | 01 | 06 | 4 | |
| | P | 5/26/1965 | -99.93 | -0.15 | 678.07 | 01 | 06 | 4 | |
| | P | 5/27/1965 | -100.26 | -0.33 | 677.74 | 01 | 06 | 4 | |
| | P | 5/28/1965 | -100.49 | -0.23 | 677.51 | 01 | 06 | 4 | |
| | P | 5/29/1965 | -100.73 | -0.24 | 677.27 | 01 | 06 | 4 | |
| | P | 5/30/1965 | -100.75 | -0.02 | 677.25 | 01 | 06 | 4 | |
| | P | 5/31/1965 | -100.46 | 0.29 | 677.54 | 01 | 06 | 4 | |
| | P | 6/ 1/1965 | -100.8 | -0.34 | 677.2 | 01 | 06 | 4 | |
| | P | 6/ 2/1965 | -101.39 | -0.59 | 676.61 | 01 | 06 | 4 | |
| | P | 6/ 3/1965 | -101.76 | -0.37 | 676.24 | 01 | 06 | 4 | |
| | P | 6/ 4/1965 | -102.3 | -0.54 | 675.7 | 01 | 06 | 4 | |
| | P | 6/ 5/1965 | -102.15 | 0.15 | 675.85 | 01 | 06 | 4 | |
| | P | 6/ 6/1965 | -101.49 | 0.66 | 676.51 | 01 | 06 | 4 | |
| | P | 6/ 7/1965 | -101.18 | 0.31 | 676.82 | 01 | 06 | 4 | |
| | P | 6/ 8/1965 | -101.49 | -0.31 | 676.51 | 01 | 06 | 4 | |
| | P | 6/ 9/1965 | -101.79 | -0.3 | 676.21 | 01 | 06 | 4 | |
| | P | 6/10/1965 | -102.1 | -0.31 | 675.9 | 01 | 06 | 4 | |
| | P | 6/11/1965 | -102.43 | -0.33 | 675.57 | 01 | 06 | 4 | |
| | P | 6/12/1965 | -102.79 | -0.36 | 675.21 | 01 | 06 | 4 | |
| | P | 6/13/1965 | -103.13 | -0.34 | 674.87 | 01 | 06 | 4 | |
| | P | 6/14/1965 | -103.44 | -0.31 | 674.56 | 01 | 06 | 4 | |
| | P | 6/15/1965 | -104.6 | -1.16 | 673.4 | 01 | 06 | 4 | |
| | P | 6/16/1965 | -105.47 | -0.87 | 672.53 | 01 | 06 | 4 | |
| | P | 6/17/1965 | -106.33 | -0.86 | 671.67 | 01 | 06 | 4 | |
| | P | 6/18/1965 | -106.98 | -0.65 | 671.02 | 01 | 06 | 4 | |
| | P | 6/19/1965 | -107.48 | -0.5 | 670.52 | 01 | 06 | 4 | |
| | P | 6/20/1965 | -107.61 | -0.13 | 670.39 | 01 | 06 | 4 | |
| | P | 6/21/1965 | -107.24 | 0.37 | 670.76 | 01 | 06 | 4 | |
| | P | 6/22/1965 | -107.65 | -0.41 | 670.35 | 01 | 06 | 4 | |
| | P | 6/23/1965 | -107.68 | -0.03 | 670.32 | 01 | 06 | 4 | |
| | P | 6/24/1965 | -108.18 | -0.5 | 669.82 | 01 | 06 | 4 | |
| | P | 6/25/1965 | -108.66 | -0.48 | 669.34 | 01 | 06 | 4 | |
| | P | 6/26/1965 | -109.11 | -0.45 | 668.89 | 01 | 06 | 4 | |
| | P | 6/27/1965 | -109.47 | -0.36 | 668.53 | 01 | 06 | 4 | |
| | P | 6/28/1965 | -109.41 | 0.06 | 668.59 | 01 | 06 | 4 | |
| | P | 6/29/1965 | -110.2 | -0.79 | 667.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1965 | -110.9 | -0.7 | 667.1 | 01 | 06 | 4 | |
| | P | 7/ 1/1965 | -111.5 | -0.6 | 666.5 | 01 | 06 | 4 | |
| | P | 7/ 2/1965 | -112.32 | -0.82 | 665.68 | 01 | 06 | 4 | |
| | P | 7/ 3/1965 | -112.88 | -0.56 | 665.12 | 01 | 06 | 4 | |
| | P | 7/ 4/1965 | -113.1 | -0.22 | 664.9 | 01 | 06 | 4 | |
| | P | 7/ 5/1965 | -112.8 | 0.3 | 665.2 | 01 | 06 | 4 | |
| | P | 7/ 6/1965 | -113.72 | -0.92 | 664.28 | 01 | 06 | 4 | |
| | P | 7/ 7/1965 | -114.61 | -0.89 | 663.39 | 01 | 06 | 4 | |
| | P | 7/ 8/1965 | -115.52 | -0.91 | 662.48 | 01 | 06 | 4 | |
| | P | 7/ 9/1965 | -116.05 | -0.53 | 661.95 | 01 | 06 | 4 | |
| | P | 7/10/1965 | -116.64 | -0.59 | 661.36 | 01 | 06 | 4 | |
| | P | 7/11/1965 | -116.97 | -0.33 | 661.03 | 01 | 06 | 4 | |
| | P | 7/12/1965 | -116.9 | 0.07 | 661.1 | 01 | 06 | 4 | |
| | P | 7/13/1965 | -118.07 | -1.17 | 659.93 | 01 | 06 | 4 | |
| | P | 7/14/1965 | -118.87 | -0.8 | 659.13 | 01 | 06 | 4 | |
| | P | 7/15/1965 | -118.97 | -0.1 | 659.03 | 01 | 06 | 4 | |
| | P | 7/16/1965 | -118.77 | 0.2 | 659.23 | 01 | 06 | 4 | |
| | P | 7/17/1965 | -119.22 | -0.45 | 658.78 | 01 | 06 | 4 | |
| | P | 7/18/1965 | -119.67 | -0.45 | 658.33 | 01 | 06 | 4 | |
| | P | 7/19/1965 | -119.72 | -0.05 | 658.28 | 01 | 06 | 4 | |
| | P | 7/20/1965 | -120.96 | -1.24 | 657.04 | 01 | 06 | 4 | |
| | P | 7/21/1965 | -121.75 | -0.79 | 656.25 | 01 | 06 | 4 | |
| | P | 7/22/1965 | -122.23 | -0.48 | 655.77 | 01 | 06 | 4 | |
| | P | 7/23/1965 | -122.8 | -0.57 | 655.2 | 01 | 06 | 4 | |
| | P | 7/24/1965 | -123.01 | -0.21 | 654.99 | 01 | 06 | 4 | |
| | P | 7/25/1965 | -123.11 | -0.1 | 654.89 | 01 | 06 | 4 | |
| | P | 7/26/1965 | -122.79 | 0.32 | 655.21 | 01 | 06 | 4 | |
| | P | 7/27/1965 | -123.57 | -0.78 | 654.43 | 01 | 06 | 4 | |
| | P | 7/28/1965 | -124.3 | -0.73 | 653.7 | 01 | 06 | 4 | |
| | P | 7/29/1965 | -124.87 | -0.57 | 653.13 | 01 | 06 | 4 | |
| | P | 7/30/1965 | -124.23 | 0.64 | 653.77 | 01 | 06 | 4 | |
| | P | 7/31/1965 | -124.3 | -0.07 | 653.7 | 01 | 06 | 4 | |
| | P | 8/ 1/1965 | -124.58 | -0.28 | 653.42 | 01 | 06 | 4 | |
| | P | 8/ 2/1965 | -124.26 | 0.32 | 653.74 | 01 | 06 | 4 | |
| | P | 8/ 3/1965 | -124.1 | 0.16 | 653.9 | 01 | 06 | 4 | |
| | P | 8/ 4/1965 | -125.1 | -1 | 652.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 5/1965 | -125.7 | -0.6 | 652.3 | 01 | 06 | 4 | |
| | P | 8/ 6/1965 | -124.78 | 0.92 | 653.22 | 01 | 06 | 4 | |
| | P | 8/ 7/1965 | -123.69 | 1.09 | 654.31 | 01 | 06 | 4 | |
| | P | 8/ 8/1965 | -123.3 | 0.39 | 654.7 | 01 | 06 | 4 | |
| | P | 8/ 9/1965 | -123.11 | 0.19 | 654.89 | 01 | 06 | 4 | |
| | P | 8/10/1965 | -124.09 | -0.98 | 653.91 | 01 | 06 | 4 | |
| | P | 8/11/1965 | -124.09 | | 653.91 | 01 | 06 | 4 | |
| | P | 8/12/1965 | -124.82 | -0.73 | 653.18 | 01 | 06 | 4 | |
| | P | 8/13/1965 | -125.45 | -0.63 | 652.55 | 01 | 06 | 4 | |
| | P | 8/14/1965 | -125.8 | -0.35 | 652.2 | 01 | 06 | 4 | |
| | P | 8/15/1965 | -125.18 | 0.62 | 652.82 | 01 | 06 | 4 | |
| | P | 8/16/1965 | -124.38 | 0.8 | 653.62 | 01 | 06 | 4 | |
| | P | 8/17/1965 | -125.6 | -1.22 | 652.4 | 01 | 06 | 4 | |
| | P | 8/18/1965 | -126.4 | -0.8 | 651.6 | 01 | 06 | 4 | |
| | P | 8/19/1965 | -127.31 | -0.91 | 650.69 | 01 | 06 | 4 | |
| | P | 8/20/1965 | -127.38 | -0.07 | 650.62 | 01 | 06 | 4 | |
| | P | 8/21/1965 | -127.18 | 0.2 | 650.82 | 01 | 06 | 4 | |
| | P | 8/22/1965 | -126.82 | 0.36 | 651.18 | 01 | 06 | 4 | |
| | P | 8/23/1965 | -126.78 | 0.04 | 651.22 | 01 | 06 | 4 | |
| | P | 8/24/1965 | -127.91 | -1.13 | 650.09 | 01 | 06 | 4 | |
| | P | 8/25/1965 | -128.39 | -0.48 | 649.61 | 01 | 06 | 4 | |
| | P | 8/26/1965 | -129 | -0.61 | 649 | 01 | 06 | 4 | |
| | P | 8/27/1965 | -129.46 | -0.46 | 648.54 | 01 | 06 | 4 | |
| | P | 8/28/1965 | -129.55 | -0.09 | 648.45 | 01 | 06 | 4 | |
| | P | 8/29/1965 | -128.89 | 0.66 | 649.11 | 01 | 06 | 4 | |
| | P | 8/30/1965 | -127.62 | 1.27 | 650.38 | 01 | 06 | 4 | |
| | P | 8/31/1965 | -127.72 | -0.1 | 650.28 | 01 | 06 | 4 | |
| | P | 9/ 1/1965 | -128.6 | -0.88 | 649.4 | 01 | 06 | 4 | |
| | P | 9/ 2/1965 | -127.8 | 0.8 | 650.2 | 01 | 06 | 4 | |
| | P | 9/ 3/1965 | -127.7 | 0.1 | 650.3 | 01 | 06 | 4 | |
| | P | 9/ 4/1965 | -128.05 | -0.35 | 649.95 | 01 | 06 | 4 | |
| | P | 9/ 5/1965 | -128.33 | -0.28 | 649.67 | 01 | 06 | 4 | |
| | P | 9/ 6/1965 | -128.01 | 0.32 | 649.99 | 01 | 06 | 4 | |
| | P | 9/ 7/1965 | -127.86 | 0.15 | 650.14 | 01 | 06 | 4 | |
| | P | 9/ 8/1965 | -128.32 | -0.46 | 649.68 | 01 | 06 | 4 | |
| | P | 9/ 9/1965 | -128.8 | -0.48 | 649.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 10/ 1965 | -129.16 | -0.36 | 648.84 | 01 | 06 | 4 | |
| | P | 9/ 11/ 1965 | -129.7 | -0.54 | 648.3 | 01 | 06 | 4 | |
| | P | 9/ 12/ 1965 | -130.2 | -0.5 | 647.8 | 01 | 06 | 4 | |
| | P | 9/ 13/ 1965 | -130.11 | 0.09 | 647.89 | 01 | 06 | 4 | |
| | P | 9/ 14/ 1965 | -130.79 | -0.68 | 647.21 | 01 | 06 | 4 | |
| | P | 9/ 15/ 1965 | -131.1 | -0.31 | 646.9 | 01 | 06 | 4 | |
| | P | 9/ 16/ 1965 | -131.11 | -0.01 | 646.89 | 01 | 06 | 4 | |
| | P | 9/ 17/ 1965 | -131.3 | -0.19 | 646.7 | 01 | 06 | 4 | |
| | P | 9/ 18/ 1965 | -131 | 0.3 | 647 | 01 | 06 | 4 | |
| | P | 9/ 19/ 1965 | -130.55 | 0.45 | 647.45 | 01 | 06 | 4 | |
| | P | 9/ 20/ 1965 | -130.23 | 0.32 | 647.77 | 01 | 06 | 4 | |
| | P | 9/ 21/ 1965 | -130.5 | -0.27 | 647.5 | 01 | 06 | 4 | |
| | P | 9/ 22/ 1965 | -130.79 | -0.29 | 647.21 | 01 | 06 | 4 | |
| | P | 9/ 23/ 1965 | -130.41 | 0.38 | 647.59 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1965 | -129.9 | 0.51 | 648.1 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1965 | -129.61 | 0.29 | 648.39 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1965 | -127.52 | 2.09 | 650.48 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1965 | -126.65 | 0.87 | 651.35 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1965 | -126.17 | 0.48 | 651.83 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1965 | -125.65 | 0.52 | 652.35 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1965 | -125.35 | 0.3 | 652.65 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1965 | -125.01 | 0.34 | 652.99 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1965 | -129.6 | -4.59 | 648.4 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1965 | -123.92 | 5.68 | 654.08 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1965 | -123.22 | 0.7 | 654.78 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1965 | -122.73 | 0.49 | 655.27 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1965 | -122.55 | 0.18 | 655.45 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1965 | -122.43 | 0.12 | 655.57 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1965 | -122.42 | 0.01 | 655.58 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1965 | -122.38 | 0.04 | 655.62 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1965 | -122.18 | 0.2 | 655.82 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1965 | -121.98 | 0.2 | 656.02 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1965 | -122.18 | -0.2 | 655.82 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1965 | -122.14 | 0.04 | 655.86 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1965 | -122.18 | -0.04 | 655.82 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1965 | -122.24 | -0.06 | 655.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1965 | -122.32 | -0.08 | 655.68 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1965 | -122.38 | -0.06 | 655.62 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1965 | -120.35 | 2.03 | 657.65 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1965 | -116.9 | 3.45 | 661.1 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1965 | -116.33 | 0.57 | 661.67 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1965 | -116.39 | -0.06 | 661.61 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1965 | -116.69 | -0.3 | 661.31 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1965 | -116.99 | -0.3 | 661.01 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1965 | -117.39 | -0.4 | 660.61 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1965 | -117.52 | -0.13 | 660.48 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1965 | -117.8 | -0.28 | 660.2 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1965 | -118.14 | -0.34 | 659.86 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1965 | -118.46 | -0.32 | 659.54 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1965 | -118.83 | -0.37 | 659.17 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1965 | -119 | -0.17 | 659 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1965 | -118.93 | 0.07 | 659.07 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1965 | -118.84 | 0.09 | 659.16 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1965 | -119.1 | -0.26 | 658.9 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1965 | -118.91 | 0.19 | 659.09 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1965 | -118.62 | 0.29 | 659.38 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1965 | -118.68 | -0.06 | 659.32 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1965 | -118.76 | -0.08 | 659.24 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1965 | -118.7 | 0.06 | 659.3 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1965 | -118.37 | 0.33 | 659.63 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1965 | -118.24 | 0.13 | 659.76 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1965 | -118.35 | -0.11 | 659.65 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1965 | -118.2 | 0.15 | 659.8 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1965 | -118 | 0.2 | 660 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1965 | -118.2 | -0.2 | 659.8 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1965 | -118.09 | 0.11 | 659.91 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1965 | -117.85 | 0.24 | 660.15 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1965 | -118.06 | -0.21 | 659.94 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1965 | -118.13 | -0.07 | 659.87 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1965 | -118.22 | -0.09 | 659.78 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1965 | -118.26 | -0.04 | 659.74 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1965 | -118.2 | 0.06 | 659.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/21/1965 | -118 | 0.2 | 660 | 01 | 06 | 4 | |
| | P | 11/22/1965 | -117.91 | 0.09 | 660.09 | 01 | 06 | 4 | |
| | P | 11/23/1965 | -118.24 | -0.33 | 659.76 | 01 | 06 | 4 | |
| | P | 11/24/1965 | -118.28 | -0.04 | 659.72 | 01 | 06 | 4 | |
| | P | 11/25/1965 | -118.32 | -0.04 | 659.68 | 01 | 06 | 4 | |
| | P | 11/26/1965 | -117.86 | 0.46 | 660.14 | 01 | 06 | 4 | |
| | P | 11/27/1965 | -118.32 | -0.46 | 659.68 | 01 | 06 | 4 | |
| | P | 11/28/1965 | -118.19 | 0.13 | 659.81 | 01 | 06 | 4 | |
| | P | 11/29/1965 | -118.2 | -0.01 | 659.8 | 01 | 06 | 4 | |
| | P | 11/30/1965 | -118.39 | -0.19 | 659.61 | 01 | 06 | 4 | |
| | P | 12/ 1/1965 | -118.54 | -0.15 | 659.46 | 01 | 06 | 4 | |
| | P | 12/ 2/1965 | -116.74 | 1.8 | 661.26 | 01 | 06 | 4 | |
| | P | 12/ 3/1965 | -112.07 | 4.67 | 665.93 | 01 | 06 | 4 | |
| | P | 12/ 4/1965 | -111.02 | 1.05 | 666.98 | 01 | 06 | 4 | |
| | P | 12/ 5/1965 | -110.11 | 0.91 | 667.89 | 01 | 06 | 4 | |
| | P | 12/ 6/1965 | -109.5 | 0.61 | 668.5 | 01 | 06 | 4 | |
| | P | 12/ 7/1965 | -109.5 | | 668.5 | 01 | 06 | 4 | |
| | P | 12/ 8/1965 | -109.25 | 0.25 | 668.75 | 01 | 06 | 4 | |
| | P | 12/ 9/1965 | -109.09 | 0.16 | 668.91 | 01 | 06 | 4 | |
| | P | 12/10/1965 | -109.01 | 0.08 | 668.99 | 01 | 06 | 4 | |
| | P | 12/11/1965 | -108.76 | 0.25 | 669.24 | 01 | 06 | 4 | |
| | P | 12/12/1965 | -108.56 | 0.2 | 669.44 | 01 | 06 | 4 | |
| | P | 12/13/1965 | -108.45 | 0.11 | 669.55 | 01 | 06 | 4 | |
| | P | 12/14/1965 | -108.43 | 0.02 | 669.57 | 01 | 06 | 4 | |
| | P | 12/15/1965 | -108.38 | 0.05 | 669.62 | 01 | 06 | 4 | |
| | P | 12/16/1965 | -108.37 | 0.01 | 669.63 | 01 | 06 | 4 | |
| | P | 12/17/1965 | -108.38 | -0.01 | 669.62 | 01 | 06 | 4 | |
| | P | 12/18/1965 | -108.05 | 0.33 | 669.95 | 01 | 06 | 4 | |
| | P | 12/19/1965 | -107.82 | 0.23 | 670.18 | 01 | 06 | 4 | |
| | P | 12/20/1965 | -107.63 | 0.19 | 670.37 | 01 | 06 | 4 | |
| | P | 12/21/1965 | -107.79 | -0.16 | 670.21 | 01 | 06 | 4 | |
| | P | 12/22/1965 | -107.87 | -0.08 | 670.13 | 01 | 06 | 4 | |
| | P | 12/23/1965 | -107.83 | 0.04 | 670.17 | 01 | 06 | 4 | |
| | P | 12/24/1965 | -107.82 | 0.01 | 670.18 | 01 | 06 | 4 | |
| | P | 12/25/1965 | -107.89 | -0.07 | 670.11 | 01 | 06 | 4 | |
| | P | 12/26/1965 | -107.6 | 0.29 | 670.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/27/1965 | -107.6 | | 670.4 | 01 | 06 | 4 | |
| | P | 12/28/1965 | -107.81 | -0.21 | 670.19 | 01 | 06 | 4 | |
| | P | 12/29/1965 | -108.02 | -0.21 | 669.98 | 01 | 06 | 4 | |
| | P | 12/30/1965 | -108.15 | -0.13 | 669.85 | 01 | 06 | 4 | |
| | P | 12/31/1965 | -108.09 | 0.06 | 669.91 | 01 | 06 | 4 | |
| | P | 1/ 1/1966 | -108.24 | -0.15 | 669.76 | 01 | 06 | 4 | |
| | P | 1/ 2/1966 | -108.03 | 0.21 | 669.97 | 01 | 06 | 4 | |
| | P | 1/ 3/1966 | -108.19 | -0.16 | 669.81 | 01 | 06 | 4 | |
| | P | 1/ 4/1966 | -108.44 | -0.25 | 669.56 | 01 | 06 | 4 | |
| | P | 1/ 5/1966 | -108.34 | 0.1 | 669.66 | 01 | 06 | 4 | |
| | P | 1/ 6/1966 | -108.52 | -0.18 | 669.48 | 01 | 06 | 4 | |
| | P | 1/ 7/1966 | -108.67 | -0.15 | 669.33 | 01 | 06 | 4 | |
| | P | 1/ 8/1966 | -108.93 | -0.26 | 669.07 | 01 | 06 | 4 | |
| | P | 1/ 9/1966 | -108.9 | 0.03 | 669.1 | 01 | 06 | 4 | |
| | P | 1/10/1966 | -108.84 | 0.06 | 669.16 | 01 | 06 | 4 | |
| | P | 1/11/1966 | -109.13 | -0.29 | 668.87 | 01 | 06 | 4 | |
| | P | 1/12/1966 | -109.21 | -0.08 | 668.79 | 01 | 06 | 4 | |
| | P | 1/13/1966 | -109.35 | -0.14 | 668.65 | 01 | 06 | 4 | |
| | P | 1/14/1966 | -109.33 | 0.02 | 668.67 | 01 | 06 | 4 | |
| | P | 1/15/1966 | -109.27 | 0.06 | 668.73 | 01 | 06 | 4 | |
| | P | 1/16/1966 | -109.41 | -0.14 | 668.59 | 01 | 06 | 4 | |
| | P | 1/17/1966 | -109.45 | -0.04 | 668.55 | 01 | 06 | 4 | |
| | P | 1/18/1966 | -109.64 | -0.19 | 668.36 | 01 | 06 | 4 | |
| | P | 1/19/1966 | -109.55 | 0.09 | 668.45 | 01 | 06 | 4 | |
| | P | 1/20/1966 | -109.55 | | 668.45 | 01 | 06 | 4 | |
| | P | 1/21/1966 | -109.55 | | 668.45 | 01 | 06 | 4 | |
| | P | 1/22/1966 | -109.76 | -0.21 | 668.24 | 01 | 06 | 4 | |
| | P | 1/23/1966 | -109.99 | -0.23 | 668.01 | 01 | 06 | 4 | |
| | P | 1/24/1966 | -109.8 | 0.19 | 668.2 | 01 | 06 | 4 | |
| | P | 1/25/1966 | -110.91 | -1.11 | 667.09 | 01 | 06 | 4 | |
| | P | 1/26/1966 | -110.29 | 0.62 | 667.71 | 01 | 06 | 4 | |
| | P | 1/27/1966 | -110.5 | -0.21 | 667.5 | 01 | 06 | 4 | |
| | P | 1/28/1966 | -110.3 | 0.2 | 667.7 | 01 | 06 | 4 | |
| | P | 1/29/1966 | -110.63 | -0.33 | 667.37 | 01 | 06 | 4 | |
| | P | 1/30/1966 | -110.77 | -0.14 | 667.23 | 01 | 06 | 4 | |
| | P | 1/31/1966 | -110.57 | 0.2 | 667.43 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/1966 | -110.66 | -0.09 | 667.34 | 01 | 06 | 4 | |
| | P | 2/ 2/1966 | -110.98 | -0.32 | 667.02 | 01 | 06 | 4 | |
| | P | 2/ 3/1966 | -111.1 | -0.12 | 666.9 | 01 | 06 | 4 | |
| | P | 2/ 4/1966 | -111.31 | -0.21 | 666.69 | 01 | 06 | 4 | |
| | P | 2/ 5/1966 | -111.27 | 0.04 | 666.73 | 01 | 06 | 4 | |
| | P | 2/ 6/1966 | -110.99 | 0.28 | 667.01 | 01 | 06 | 4 | |
| | P | 2/ 7/1966 | -110.93 | 0.06 | 667.07 | 01 | 06 | 4 | |
| | P | 2/ 8/1966 | -111 | -0.07 | 667 | 01 | 06 | 4 | |
| | P | 2/ 9/1966 | -111 | | 667 | 01 | 06 | 4 | |
| | P | 2/10/1966 | -110.56 | 0.44 | 667.44 | 01 | 06 | 4 | |
| | P | 2/11/1966 | -110.34 | 0.22 | 667.66 | 01 | 06 | 4 | |
| | P | 2/12/1966 | -110.03 | 0.31 | 667.97 | 01 | 06 | 4 | |
| | P | 2/13/1966 | -109.51 | 0.52 | 668.49 | 01 | 06 | 4 | |
| | P | 2/14/1966 | -109.35 | 0.16 | 668.65 | 01 | 06 | 4 | |
| | P | 2/15/1966 | -109.39 | -0.04 | 668.61 | 01 | 06 | 4 | |
| | P | 2/16/1966 | -109.29 | 0.1 | 668.71 | 01 | 06 | 4 | |
| | P | 2/17/1966 | -109.42 | -0.13 | 668.58 | 01 | 06 | 4 | |
| | P | 2/18/1966 | -109.35 | 0.07 | 668.65 | 01 | 06 | 4 | |
| | P | 2/19/1966 | -109.37 | -0.02 | 668.63 | 01 | 06 | 4 | |
| | P | 2/20/1966 | -109.45 | -0.08 | 668.55 | 01 | 06 | 4 | |
| | P | 2/21/1966 | -109.35 | 0.1 | 668.65 | 01 | 06 | 4 | |
| | P | 2/22/1966 | -109.5 | -0.15 | 668.5 | 01 | 06 | 4 | |
| | P | 2/23/1966 | -109.81 | -0.31 | 668.19 | 01 | 06 | 4 | |
| | P | 2/24/1966 | -109.77 | 0.04 | 668.23 | 01 | 06 | 4 | |
| | P | 2/25/1966 | -109.65 | 0.12 | 668.35 | 01 | 06 | 4 | |
| | P | 2/26/1966 | -109.46 | 0.19 | 668.54 | 01 | 06 | 4 | |
| | P | 2/27/1966 | -108.92 | 0.54 | 669.08 | 01 | 06 | 4 | |
| | P | 2/28/1966 | -108.9 | 0.02 | 669.1 | 01 | 06 | 4 | |
| | P | 3/ 1/1966 | -108.96 | -0.06 | 669.04 | 01 | 06 | 4 | |
| | P | 3/ 2/1966 | -108.82 | 0.14 | 669.18 | 01 | 06 | 4 | |
| | P | 3/ 3/1966 | -108.94 | -0.12 | 669.06 | 01 | 06 | 4 | |
| | P | 3/ 4/1966 | -109.24 | -0.3 | 668.76 | 01 | 06 | 4 | |
| | P | 3/ 5/1966 | -109.45 | -0.21 | 668.55 | 01 | 06 | 4 | |
| | P | 3/ 6/1966 | -109.48 | -0.03 | 668.52 | 01 | 06 | 4 | |
| | P | 3/ 7/1966 | -109.38 | 0.1 | 668.62 | 01 | 06 | 4 | |
| | P | 3/ 8/1966 | -109.52 | -0.14 | 668.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 9/1966 | -109.53 | -0.01 | 668.47 | 01 | 06 | 4 | |
| | P | 3/10/1966 | -109.5 | 0.03 | 668.5 | 01 | 06 | 4 | |
| | P | 3/11/1966 | -109.38 | 0.12 | 668.62 | 01 | 06 | 4 | |
| | P | 3/12/1966 | -109.5 | -0.12 | 668.5 | 01 | 06 | 4 | |
| | P | 3/13/1966 | -109.4 | 0.1 | 668.6 | 01 | 06 | 4 | |
| | P | 3/14/1966 | -109.31 | 0.09 | 668.69 | 01 | 06 | 4 | |
| | P | 3/15/1966 | -109.63 | -0.32 | 668.37 | 01 | 06 | 4 | |
| | P | 3/16/1966 | -109.82 | -0.19 | 668.18 | 01 | 06 | 4 | |
| | P | 3/17/1966 | -110 | -0.18 | 668 | 01 | 06 | 4 | |
| | P | 3/18/1966 | -110.36 | -0.36 | 667.64 | 01 | 06 | 4 | |
| | P | 3/19/1966 | -110.53 | -0.17 | 667.47 | 01 | 06 | 4 | |
| | P | 3/20/1966 | -110.67 | -0.14 | 667.33 | 01 | 06 | 4 | |
| | P | 3/21/1966 | -110.59 | 0.08 | 667.41 | 01 | 06 | 4 | |
| | P | 3/22/1966 | -111.01 | -0.42 | 666.99 | 01 | 06 | 4 | |
| | P | 3/23/1966 | -111.6 | -0.59 | 666.4 | 01 | 06 | 4 | |
| | P | 3/24/1966 | -111.73 | -0.13 | 666.27 | 01 | 06 | 4 | |
| | P | 3/25/1966 | -111.94 | -0.21 | 666.06 | 01 | 06 | 4 | |
| | P | 3/26/1966 | -111.97 | -0.03 | 666.03 | 01 | 06 | 4 | |
| | P | 3/27/1966 | -111.88 | 0.09 | 666.12 | 01 | 06 | 4 | |
| | P | 3/28/1966 | -111.45 | 0.43 | 666.55 | 01 | 06 | 4 | |
| | P | 3/29/1966 | -111.5 | -0.05 | 666.5 | 01 | 06 | 4 | |
| | P | 3/30/1966 | -111.43 | 0.07 | 666.57 | 01 | 06 | 4 | |
| | P | 3/31/1966 | -111.71 | -0.28 | 666.29 | 01 | 06 | 4 | |
| | P | 4/ 1/1966 | -112.13 | -0.42 | 665.87 | 01 | 06 | 4 | |
| | P | 4/ 2/1966 | -112.6 | -0.47 | 665.4 | 01 | 06 | 4 | |
| | P | 4/ 3/1966 | -112.92 | -0.32 | 665.08 | 01 | 06 | 4 | |
| | P | 4/ 4/1966 | -113.22 | -0.3 | 664.78 | 01 | 06 | 4 | |
| | P | 4/ 5/1966 | -113.63 | -0.41 | 664.37 | 01 | 06 | 4 | |
| | P | 4/ 6/1966 | -113.96 | -0.33 | 664.04 | 01 | 06 | 4 | |
| | P | 4/ 7/1966 | -114.41 | -0.45 | 663.59 | 01 | 06 | 4 | |
| | P | 4/ 8/1966 | -114.81 | -0.4 | 663.19 | 01 | 06 | 4 | |
| | P | 4/ 9/1966 | -114.72 | 0.09 | 663.28 | 01 | 06 | 4 | |
| | P | 4/10/1966 | -115.27 | -0.55 | 662.73 | 01 | 06 | 4 | |
| | P | 4/11/1966 | -114.61 | 0.66 | 663.39 | 01 | 06 | 4 | |
| | P | 4/12/1966 | -115.61 | -1 | 662.39 | 01 | 06 | 4 | |
| | P | 4/13/1966 | -116.42 | -0.81 | 661.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/14/1966 | -116.17 | 0.25 | 661.83 | 01 | 06 | 4 | |
| | P | 4/15/1966 | -116.06 | 0.11 | 661.94 | 01 | 06 | 4 | |
| | P | 4/16/1966 | -116.52 | -0.46 | 661.48 | 01 | 06 | 4 | |
| | P | 4/17/1966 | -116.33 | 0.19 | 661.67 | 01 | 06 | 4 | |
| | P | 4/18/1966 | -115.52 | 0.81 | 662.48 | 01 | 06 | 4 | |
| | P | 4/19/1966 | -115.25 | 0.27 | 662.75 | 01 | 06 | 4 | |
| | P | 4/20/1966 | -115.38 | -0.13 | 662.62 | 01 | 06 | 4 | |
| | P | 4/21/1966 | -115.52 | -0.14 | 662.48 | 01 | 06 | 4 | |
| | P | 4/22/1966 | -115.54 | -0.02 | 662.46 | 01 | 06 | 4 | |
| | P | 4/23/1966 | -115.1 | 0.44 | 662.9 | 01 | 06 | 4 | |
| | P | 4/24/1966 | -114.89 | 0.21 | 663.11 | 01 | 06 | 4 | |
| | P | 4/25/1966 | -112.96 | 1.93 | 665.04 | 01 | 06 | 4 | |
| | P | 4/26/1966 | -112.13 | 0.83 | 665.87 | 01 | 06 | 4 | |
| | P | 4/27/1966 | -111.83 | 0.3 | 666.17 | 01 | 06 | 4 | |
| | P | 4/28/1966 | -111.92 | -0.09 | 666.08 | 01 | 06 | 4 | |
| | P | 4/29/1966 | -111.83 | 0.09 | 666.17 | 01 | 06 | 4 | |
| | P | 4/30/1966 | -111.88 | -0.05 | 666.12 | 01 | 06 | 4 | |
| | P | 5/ 1/1966 | -111.65 | 0.23 | 666.35 | 01 | 06 | 4 | |
| | P | 5/ 2/1966 | -111.11 | 0.54 | 666.89 | 01 | 06 | 4 | |
| | P | 5/ 3/1966 | -110.85 | 0.26 | 667.15 | 01 | 06 | 4 | |
| | P | 5/ 4/1966 | -110.75 | 0.1 | 667.25 | 01 | 06 | 4 | |
| | P | 5/ 5/1966 | -110.43 | 0.32 | 667.57 | 01 | 06 | 4 | |
| | P | 5/ 6/1966 | -110.17 | 0.26 | 667.83 | 01 | 06 | 4 | |
| | P | 5/ 7/1966 | -109.85 | 0.32 | 668.15 | 01 | 06 | 4 | |
| | P | 5/ 8/1966 | -109.64 | 0.21 | 668.36 | 01 | 06 | 4 | |
| | P | 5/ 9/1966 | -109.43 | 0.21 | 668.57 | 01 | 06 | 4 | |
| | P | 5/10/1966 | -109.85 | -0.42 | 668.15 | 01 | 06 | 4 | |
| | P | 5/11/1966 | -109.92 | -0.07 | 668.08 | 01 | 06 | 4 | |
| | P | 5/12/1966 | -109.96 | -0.04 | 668.04 | 01 | 06 | 4 | |
| | P | 5/13/1966 | -110.05 | -0.09 | 667.95 | 01 | 06 | 4 | |
| | P | 5/14/1966 | -110.14 | -0.09 | 667.86 | 01 | 06 | 4 | |
| | P | 5/15/1966 | -110.23 | -0.09 | 667.77 | 01 | 06 | 4 | |
| | P | 5/16/1966 | -110.27 | -0.04 | 667.73 | 01 | 06 | 4 | |
| | P | 5/17/1966 | -110.94 | -0.67 | 667.06 | 01 | 06 | 4 | |
| | P | 5/18/1966 | -111.72 | -0.78 | 666.28 | 01 | 06 | 4 | |
| | P | 5/19/1966 | -110.47 | 1.25 | 667.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/20/1966 | -111.25 | -0.78 | 666.75 | 01 | 06 | 4 | |
| | P | 5/21/1966 | -111.34 | -0.09 | 666.66 | 01 | 06 | 4 | |
| | P | 5/22/1966 | -111.45 | -0.11 | 666.55 | 01 | 06 | 4 | |
| | P | 5/23/1966 | -111.55 | -0.1 | 666.45 | 01 | 06 | 4 | |
| | P | 5/24/1966 | -111.91 | -0.36 | 666.09 | 01 | 06 | 4 | |
| | P | 5/25/1966 | -111.8 | 0.11 | 666.2 | 01 | 06 | 4 | |
| | P | 5/26/1966 | -111.88 | -0.08 | 666.12 | 01 | 06 | 4 | |
| | P | 5/27/1966 | -111.81 | 0.07 | 666.19 | 01 | 06 | 4 | |
| | P | 5/28/1966 | -111.81 | | 666.19 | 01 | 06 | 4 | |
| | P | 5/29/1966 | -111.81 | | 666.19 | 01 | 06 | 4 | |
| | P | 5/30/1966 | -111.58 | 0.23 | 666.42 | 01 | 06 | 4 | |
| | P | 5/31/1966 | -112.22 | -0.64 | 665.78 | 01 | 06 | 4 | |
| | P | 6/ 1/1966 | -112.85 | -0.63 | 665.15 | 01 | 06 | 4 | |
| | P | 6/ 2/1966 | -113.51 | -0.66 | 664.49 | 01 | 06 | 4 | |
| | P | 6/ 3/1966 | -114.08 | -0.57 | 663.92 | 01 | 06 | 4 | |
| | P | 6/20/1966 | -121.33 | -7.25 | 656.67 | 01 | 06 | 4 | |
| | P | 6/21/1966 | -120.7 | 0.63 | 657.3 | 01 | 06 | 4 | |
| | P | 6/22/1966 | -120.68 | 0.02 | 657.32 | 01 | 06 | 4 | |
| | P | 6/23/1966 | -120.38 | 0.3 | 657.62 | 01 | 06 | 4 | |
| | P | 6/24/1966 | -120.19 | 0.19 | 657.81 | 01 | 06 | 4 | |
| | P | 6/25/1966 | -119.75 | 0.44 | 658.25 | 01 | 06 | 4 | |
| | P | 6/26/1966 | -119.31 | 0.44 | 658.69 | 01 | 06 | 4 | |
| | P | 6/27/1966 | -119.02 | 0.29 | 658.98 | 01 | 06 | 4 | |
| | P | 6/28/1966 | -119.46 | -0.44 | 658.54 | 01 | 06 | 4 | |
| | P | 6/29/1966 | -119.92 | -0.46 | 658.08 | 01 | 06 | 4 | |
| | P | 6/30/1966 | -120.5 | -0.58 | 657.5 | 01 | 06 | 4 | |
| | P | 7/ 1/1966 | -121.19 | -0.69 | 656.81 | 01 | 06 | 4 | |
| | P | 7/ 2/1966 | -121.81 | -0.62 | 656.19 | 01 | 06 | 4 | |
| | P | 7/ 3/1966 | -121.99 | -0.18 | 656.01 | 01 | 06 | 4 | |
| | P | 7/ 4/1966 | -121.89 | 0.1 | 656.11 | 01 | 06 | 4 | |
| | P | 7/ 5/1966 | -122.7 | -0.81 | 655.3 | 01 | 06 | 4 | |
| | P | 7/ 6/1966 | -122.79 | -0.09 | 655.21 | 01 | 06 | 4 | |
| | P | 7/ 7/1966 | -122.07 | 0.72 | 655.93 | 01 | 06 | 4 | |
| | P | 7/27/1966 | -132.46 | -10.4 | 645.54 | 01 | 06 | 4 | |
| | P | 7/28/1966 | -133.06 | -0.6 | 644.94 | 01 | 06 | 4 | |
| | P | 7/29/1966 | -133.5 | -0.44 | 644.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1966 | -133.62 | -0.12 | 644.38 | 01 | 06 | 4 | |
| | P | 7/31/1966 | -134 | -0.38 | 644 | 01 | 06 | 4 | |
| | P | 8/ 1/1966 | -133.93 | 0.07 | 644.07 | 01 | 06 | 4 | |
| | P | 8/ 2/1966 | -134.92 | -0.99 | 643.08 | 01 | 06 | 4 | |
| | P | 8/ 3/1966 | -135.18 | -0.26 | 642.82 | 01 | 06 | 4 | |
| | P | 8/ 4/1966 | -133.41 | 1.77 | 644.59 | 01 | 06 | 4 | |
| | P | 8/ 5/1966 | -133.5 | -0.09 | 644.5 | 01 | 06 | 4 | |
| | P | 8/ 6/1966 | -134.1 | -0.6 | 643.9 | 01 | 06 | 4 | |
| | P | 8/ 7/1966 | -132.57 | 1.53 | 645.43 | 01 | 06 | 4 | |
| | P | 8/ 8/1966 | -131.22 | 1.35 | 646.78 | 01 | 06 | 4 | |
| | P | 8/ 9/1966 | -130.77 | 0.45 | 647.23 | 01 | 06 | 4 | |
| | P | 8/10/1966 | -131 | -0.23 | 647 | 01 | 06 | 4 | |
| | P | 8/11/1966 | -131.05 | -0.05 | 646.95 | 01 | 06 | 4 | |
| | P | 8/12/1966 | -129.88 | 1.17 | 648.12 | 01 | 06 | 4 | |
| | P | 8/13/1966 | -129.21 | 0.67 | 648.79 | 01 | 06 | 4 | |
| | P | 8/14/1966 | -128.02 | 1.19 | 649.98 | 01 | 06 | 4 | |
| | P | 8/15/1966 | -127.05 | 0.97 | 650.95 | 01 | 06 | 4 | |
| | P | 8/16/1966 | -126.81 | 0.24 | 651.19 | 01 | 06 | 4 | |
| | P | 8/17/1966 | -127 | -0.19 | 651 | 01 | 06 | 4 | |
| | P | 8/18/1966 | -127.4 | -0.4 | 650.6 | 01 | 06 | 4 | |
| | P | 8/19/1966 | -127.91 | -0.51 | 650.09 | 01 | 06 | 4 | |
| | P | 8/20/1966 | -127.82 | 0.09 | 650.18 | 01 | 06 | 4 | |
| | P | 8/21/1966 | -127.6 | 0.22 | 650.4 | 01 | 06 | 4 | |
| | P | 8/22/1966 | -127.6 | | 650.4 | 01 | 06 | 4 | |
| | P | 8/23/1966 | -128.71 | -1.11 | 649.29 | 01 | 06 | 4 | |
| | P | 8/24/1966 | -128.86 | -0.15 | 649.14 | 01 | 06 | 4 | |
| | P | 8/25/1966 | -128.05 | 0.81 | 649.95 | 01 | 06 | 4 | |
| | P | 8/26/1966 | -126.93 | 1.12 | 651.07 | 01 | 06 | 4 | |
| | P | 8/27/1966 | -126.16 | 0.77 | 651.84 | 01 | 06 | 4 | |
| | P | 8/28/1966 | -125.11 | 1.05 | 652.89 | 01 | 06 | 4 | |
| | P | 8/29/1966 | -124.34 | 0.77 | 653.66 | 01 | 06 | 4 | |
| | P | 8/30/1966 | -124.43 | -0.09 | 653.57 | 01 | 06 | 4 | |
| | P | 8/31/1966 | -124.28 | 0.15 | 653.72 | 01 | 06 | 4 | |
| | P | 9/ 1/1966 | -124.34 | -0.06 | 653.66 | 01 | 06 | 4 | |
| | P | 9/ 2/1966 | -124.54 | -0.2 | 653.46 | 01 | 06 | 4 | |
| | P | 9/ 3/1966 | -124.86 | -0.32 | 653.14 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/1966 | -124.91 | -0.05 | 653.09 | 01 | 06 | 4 | |
| | P | 9/ 5/1966 | -124.26 | 0.65 | 653.74 | 01 | 06 | 4 | |
| | P | 9/ 6/1966 | -124.56 | -0.3 | 653.44 | 01 | 06 | 4 | |
| | P | 9/ 7/1966 | -124.36 | 0.2 | 653.64 | 01 | 06 | 4 | |
| | P | 9/ 8/1966 | -123.88 | 0.48 | 654.12 | 01 | 06 | 4 | |
| | P | 9/ 9/1966 | -123.04 | 0.84 | 654.96 | 01 | 06 | 4 | |
| | P | 9/10/1966 | -122.08 | 0.96 | 655.92 | 01 | 06 | 4 | |
| | P | 9/11/1966 | -121.16 | 0.92 | 656.84 | 01 | 06 | 4 | |
| | P | 9/12/1966 | -120.57 | 0.59 | 657.43 | 01 | 06 | 4 | |
| | P | 9/13/1966 | -120.26 | 0.31 | 657.74 | 01 | 06 | 4 | |
| | P | 9/14/1966 | -120.24 | 0.02 | 657.76 | 01 | 06 | 4 | |
| | P | 9/15/1966 | -120.26 | -0.02 | 657.74 | 01 | 06 | 4 | |
| | P | 9/16/1966 | -120.28 | -0.02 | 657.72 | 01 | 06 | 4 | |
| | P | 9/17/1966 | -119.78 | 0.5 | 658.22 | 01 | 06 | 4 | |
| | P | 9/18/1966 | -118.89 | 0.89 | 659.11 | 01 | 06 | 4 | |
| | P | 9/19/1966 | -118.2 | 0.69 | 659.8 | 01 | 06 | 4 | |
| | P | 9/20/1966 | -118.36 | -0.16 | 659.64 | 01 | 06 | 4 | |
| | P | 9/21/1966 | -118.49 | -0.13 | 659.51 | 01 | 06 | 4 | |
| | P | 9/22/1966 | -118.73 | -0.24 | 659.27 | 01 | 06 | 4 | |
| | P | 9/23/1966 | -119.04 | -0.31 | 658.96 | 01 | 06 | 4 | |
| | P | 9/24/1966 | -119.3 | -0.26 | 658.7 | 01 | 06 | 4 | |
| | P | 9/25/1966 | -119.29 | 0.01 | 658.71 | 01 | 06 | 4 | |
| | P | 9/26/1966 | -119.28 | 0.01 | 658.72 | 01 | 06 | 4 | |
| | P | 9/27/1966 | -119.88 | -0.6 | 658.12 | 01 | 06 | 4 | |
| | P | 9/28/1966 | -120.12 | -0.24 | 657.88 | 01 | 06 | 4 | |
| | P | 9/29/1966 | -119.52 | 0.6 | 658.48 | 01 | 06 | 4 | |
| | P | 9/30/1966 | -119.58 | -0.06 | 658.42 | 01 | 06 | 4 | |
| | P | 10/ 1/1966 | -119.5 | 0.08 | 658.5 | 01 | 06 | 4 | |
| | P | 10/ 2/1966 | -119.09 | 0.41 | 658.91 | 01 | 06 | 4 | |
| | P | 10/ 3/1966 | -119.07 | 0.02 | 658.93 | 01 | 06 | 4 | |
| | P | 10/ 4/1966 | -119.56 | -0.49 | 658.44 | 01 | 06 | 4 | |
| | P | 10/ 5/1966 | -119.56 | | 658.44 | 01 | 06 | 4 | |
| | P | 10/ 6/1966 | -119.23 | 0.33 | 658.77 | 01 | 06 | 4 | |
| | P | 10/ 7/1966 | -119.32 | -0.09 | 658.68 | 01 | 06 | 4 | |
| | P | 10/ 8/1966 | -119.4 | -0.08 | 658.6 | 01 | 06 | 4 | |
| | P | 10/ 9/1966 | -119.44 | -0.04 | 658.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 10/ 1966 | -119.3 | 0.14 | 658.7 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1966 | -119.87 | -0.57 | 658.13 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1966 | -119.81 | 0.06 | 658.19 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1966 | -119.72 | 0.09 | 658.28 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1966 | -119.97 | -0.25 | 658.03 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1966 | -119.96 | 0.01 | 658.04 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1966 | -119.61 | 0.35 | 658.39 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1966 | -119.3 | 0.31 | 658.7 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1966 | -119.29 | 0.01 | 658.71 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1966 | -119.69 | -0.4 | 658.31 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1966 | -119.72 | -0.03 | 658.28 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1966 | -119.84 | -0.12 | 658.16 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1966 | -119.79 | 0.05 | 658.21 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1966 | -120.04 | -0.25 | 657.96 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1966 | -119.9 | 0.14 | 658.1 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1966 | -119.94 | -0.04 | 658.06 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1966 | -120.12 | -0.18 | 657.88 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1966 | -120.37 | -0.25 | 657.63 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1966 | -120.58 | -0.21 | 657.42 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1966 | -120.78 | -0.2 | 657.22 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1966 | -120.77 | 0.01 | 657.23 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1966 | -120.31 | 0.46 | 657.69 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1966 | -120.74 | -0.43 | 657.26 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1966 | -120.67 | 0.07 | 657.33 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1966 | -120.55 | 0.12 | 657.45 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1966 | -120.58 | -0.03 | 657.42 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1966 | -120.74 | -0.16 | 657.26 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1966 | -120.71 | 0.03 | 657.29 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1966 | -120.54 | 0.17 | 657.46 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1966 | -120.84 | -0.3 | 657.16 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1966 | -121.01 | -0.17 | 656.99 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1966 | -121.19 | -0.18 | 656.81 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1966 | -121.19 | | 656.81 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1966 | -121.54 | -0.35 | 656.46 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1966 | -121.52 | 0.02 | 656.48 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1966 | -121.32 | 0.2 | 656.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1966 | -121.54 | -0.22 | 656.46 | 01 | 06 | 4 | |
| | P | 11/16/1966 | -121.68 | -0.14 | 656.32 | 01 | 06 | 4 | |
| | P | 11/17/1966 | -121.78 | -0.1 | 656.22 | 01 | 06 | 4 | |
| | P | 11/18/1966 | -121.89 | -0.11 | 656.11 | 01 | 06 | 4 | |
| | P | 11/19/1966 | -121.92 | -0.03 | 656.08 | 01 | 06 | 4 | |
| | P | 11/20/1966 | -121.77 | 0.15 | 656.23 | 01 | 06 | 4 | |
| | P | 11/21/1966 | -121.52 | 0.25 | 656.48 | 01 | 06 | 4 | |
| | P | 11/22/1966 | -121.83 | -0.31 | 656.17 | 01 | 06 | 4 | |
| | P | 11/23/1966 | -122 | -0.17 | 656 | 01 | 06 | 4 | |
| | P | 11/24/1966 | -122.04 | -0.04 | 655.96 | 01 | 06 | 4 | |
| | P | 11/25/1966 | -121.51 | 0.53 | 656.49 | 01 | 06 | 4 | |
| | P | 11/26/1966 | -121.55 | -0.04 | 656.45 | 01 | 06 | 4 | |
| | P | 11/27/1966 | -121.5 | 0.05 | 656.5 | 01 | 06 | 4 | |
| | P | 11/28/1966 | -121.31 | 0.19 | 656.69 | 01 | 06 | 4 | |
| | P | 11/29/1966 | -121.54 | -0.23 | 656.46 | 01 | 06 | 4 | |
| | P | 11/30/1966 | -121.59 | -0.05 | 656.41 | 01 | 06 | 4 | |
| | P | 12/ 1/1966 | -121.91 | -0.32 | 656.09 | 01 | 06 | 4 | |
| | P | 12/ 2/1966 | -121.99 | -0.08 | 656.01 | 01 | 06 | 4 | |
| | P | 12/ 3/1966 | -122.16 | -0.17 | 655.84 | 01 | 06 | 4 | |
| | P | 12/ 4/1966 | -121.44 | 0.72 | 656.56 | 01 | 06 | 4 | |
| | P | 12/ 5/1966 | -121.03 | 0.41 | 656.97 | 01 | 06 | 4 | |
| | P | 12/ 6/1966 | -121.39 | -0.36 | 656.61 | 01 | 06 | 4 | |
| | P | 12/ 7/1966 | -121.8 | -0.41 | 656.2 | 01 | 06 | 4 | |
| | P | 12/ 8/1966 | -121.99 | -0.19 | 656.01 | 01 | 06 | 4 | |
| | P | 12/ 9/1966 | -121.85 | 0.14 | 656.15 | 01 | 06 | 4 | |
| | P | 12/10/1966 | -121.96 | -0.11 | 656.04 | 01 | 06 | 4 | |
| | P | 12/11/1966 | -121.86 | 0.1 | 656.14 | 01 | 06 | 4 | |
| | P | 12/12/1966 | -121.55 | 0.31 | 656.45 | 01 | 06 | 4 | |
| | P | 12/13/1966 | -121.69 | -0.14 | 656.31 | 01 | 06 | 4 | |
| | P | 12/14/1966 | -121.88 | -0.19 | 656.12 | 01 | 06 | 4 | |
| | P | 12/15/1966 | -121.82 | 0.06 | 656.18 | 01 | 06 | 4 | |
| | P | 12/16/1966 | -121.8 | 0.02 | 656.2 | 01 | 06 | 4 | |
| | P | 12/17/1966 | -121.63 | 0.17 | 656.37 | 01 | 06 | 4 | |
| | P | 12/18/1966 | -121.5 | 0.13 | 656.5 | 01 | 06 | 4 | |
| | P | 12/19/1966 | -121.26 | 0.24 | 656.74 | 01 | 06 | 4 | |
| | P | 12/20/1966 | -121.43 | -0.17 | 656.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/21/1966 | -121.58 | -0.15 | 656.42 | 01 | 06 | 4 | |
| | P | 12/22/1966 | -121.68 | -0.1 | 656.32 | 01 | 06 | 4 | |
| | P | 12/23/1966 | -121.98 | -0.3 | 656.02 | 01 | 06 | 4 | |
| | P | 12/24/1966 | -121.93 | 0.05 | 656.07 | 01 | 06 | 4 | |
| | P | 12/25/1966 | -121.17 | 0.76 | 656.83 | 01 | 06 | 4 | |
| | P | 12/26/1966 | -120.71 | 0.46 | 657.29 | 01 | 06 | 4 | |
| | P | 12/27/1966 | -120.62 | 0.09 | 657.38 | 01 | 06 | 4 | |
| | P | 12/28/1966 | -120.89 | -0.27 | 657.11 | 01 | 06 | 4 | |
| | P | 12/29/1966 | -121.33 | -0.44 | 656.67 | 01 | 06 | 4 | |
| | P | 12/30/1966 | -121.15 | 0.18 | 656.85 | 01 | 06 | 4 | |
| | P | 12/31/1966 | -121.04 | 0.11 | 656.96 | 01 | 06 | 4 | |
| | P | 1/ 1/1967 | -120.75 | 0.29 | 657.25 | 01 | 06 | 4 | |
| | P | 1/ 2/1967 | -120.41 | 0.34 | 657.59 | 01 | 06 | 4 | |
| | P | 1/ 3/1967 | -121.09 | -0.68 | 656.91 | 01 | 06 | 4 | |
| | P | 1/ 4/1967 | -121.48 | -0.39 | 656.52 | 01 | 06 | 4 | |
| | P | 1/ 5/1967 | -121.68 | -0.2 | 656.32 | 01 | 06 | 4 | |
| | P | 1/ 6/1967 | -121.71 | -0.03 | 656.29 | 01 | 06 | 4 | |
| | P | 1/ 7/1967 | -121.95 | -0.24 | 656.05 | 01 | 06 | 4 | |
| | P | 1/ 8/1967 | -121.71 | 0.24 | 656.29 | 01 | 06 | 4 | |
| | P | 1/ 9/1967 | -121.47 | 0.24 | 656.53 | 01 | 06 | 4 | |
| | P | 1/10/1967 | -121.7 | -0.23 | 656.3 | 01 | 06 | 4 | |
| | P | 1/11/1967 | -122 | -0.3 | 656 | 01 | 06 | 4 | |
| | P | 1/12/1967 | -122.13 | -0.13 | 655.87 | 01 | 06 | 4 | |
| | P | 1/13/1967 | -122.16 | -0.03 | 655.84 | 01 | 06 | 4 | |
| | P | 1/14/1967 | -121.8 | 0.36 | 656.2 | 01 | 06 | 4 | |
| | P | 1/15/1967 | -121.99 | -0.19 | 656.01 | 01 | 06 | 4 | |
| | P | 1/16/1967 | -121.7 | 0.29 | 656.3 | 01 | 06 | 4 | |
| | P | 1/17/1967 | -122 | -0.3 | 656 | 01 | 06 | 4 | |
| | P | 1/18/1967 | -122.38 | -0.38 | 655.62 | 01 | 06 | 4 | |
| | P | 1/19/1967 | -122.53 | -0.15 | 655.47 | 01 | 06 | 4 | |
| | P | 1/20/1967 | -122.78 | -0.25 | 655.22 | 01 | 06 | 4 | |
| | P | 1/21/1967 | -122.67 | 0.11 | 655.33 | 01 | 06 | 4 | |
| | P | 1/22/1967 | -122.49 | 0.18 | 655.51 | 01 | 06 | 4 | |
| | P | 1/23/1967 | -122.23 | 0.26 | 655.77 | 01 | 06 | 4 | |
| | P | 1/24/1967 | -122.62 | -0.39 | 655.38 | 01 | 06 | 4 | |
| | P | 1/25/1967 | -123.08 | -0.46 | 654.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 26/ 1967 | -123.2 | -0.12 | 654.8 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1967 | -123.53 | -0.33 | 654.47 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1967 | -123.72 | -0.19 | 654.28 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1967 | -123.8 | -0.08 | 654.2 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1967 | -123.8 | | 654.2 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1967 | -124.38 | -0.58 | 653.62 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1967 | -124.82 | -0.44 | 653.18 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1967 | -125.15 | -0.33 | 652.85 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1967 | -125.35 | -0.2 | 652.65 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1967 | -125.22 | 0.13 | 652.78 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1967 | -125.3 | -0.08 | 652.7 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1967 | -124.93 | 0.37 | 653.07 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1967 | -124.55 | 0.38 | 653.45 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1967 | -124.52 | 0.03 | 653.48 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1967 | -124.39 | 0.13 | 653.61 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1967 | -124.24 | 0.15 | 653.76 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1967 | -124.58 | -0.34 | 653.42 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1967 | -124.82 | -0.24 | 653.18 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1967 | -124.97 | -0.15 | 653.03 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1967 | -125.22 | -0.25 | 652.78 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1967 | -125.58 | -0.36 | 652.42 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1967 | -126.07 | -0.49 | 651.93 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1967 | -125.84 | 0.23 | 652.16 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1967 | -125.9 | -0.06 | 652.1 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1967 | -126.09 | -0.19 | 651.91 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1967 | -125.42 | 0.67 | 652.58 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1967 | -125.41 | 0.01 | 652.59 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1967 | -125.48 | -0.07 | 652.52 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1967 | -125.84 | -0.36 | 652.16 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1967 | -126.11 | -0.27 | 651.89 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1967 | -126.13 | -0.02 | 651.87 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1967 | -125.65 | 0.48 | 652.35 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1967 | -125.51 | 0.14 | 652.49 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1967 | -125.82 | -0.31 | 652.18 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1967 | -126.5 | -0.68 | 651.5 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1967 | -127.26 | -0.76 | 650.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 3/1967 | -127.8 | -0.54 | 650.2 | 01 | 06 | 4 | |
| | P | 3/ 4/1967 | -128.42 | -0.62 | 649.58 | 01 | 06 | 4 | |
| | P | 3/ 5/1967 | -128.24 | 0.18 | 649.76 | 01 | 06 | 4 | |
| | P | 3/ 6/1967 | -128.22 | 0.02 | 649.78 | 01 | 06 | 4 | |
| | P | 3/ 7/1967 | -128 | 0.22 | 650 | 01 | 06 | 4 | |
| | P | 3/ 8/1967 | -128.36 | -0.36 | 649.64 | 01 | 06 | 4 | |
| | P | 3/ 9/1967 | -128.19 | 0.17 | 649.81 | 01 | 06 | 4 | |
| | P | 3/10/1967 | -128.85 | -0.66 | 649.15 | 01 | 06 | 4 | |
| | P | 3/11/1967 | -129.72 | -0.87 | 648.28 | 01 | 06 | 4 | |
| | P | 3/12/1967 | -130.59 | -0.87 | 647.41 | 01 | 06 | 4 | |
| | P | 3/13/1967 | -130.66 | -0.07 | 647.34 | 01 | 06 | 4 | |
| | P | 3/14/1967 | -131.39 | -0.73 | 646.61 | 01 | 06 | 4 | |
| | P | 3/15/1967 | -132.3 | -0.91 | 645.7 | 01 | 06 | 4 | |
| | P | 3/16/1967 | -132.13 | 0.17 | 645.87 | 01 | 06 | 4 | |
| | P | 3/17/1967 | -131.95 | 0.18 | 646.05 | 01 | 06 | 4 | |
| | P | 3/18/1967 | -131.72 | 0.23 | 646.28 | 01 | 06 | 4 | |
| | P | 3/19/1967 | -131.18 | 0.54 | 646.82 | 01 | 06 | 4 | |
| | P | 3/20/1967 | -130.74 | 0.44 | 647.26 | 01 | 06 | 4 | |
| | P | 3/21/1967 | -131.08 | -0.34 | 646.92 | 01 | 06 | 4 | |
| | P | 3/22/1967 | -130.83 | 0.25 | 647.17 | 01 | 06 | 4 | |
| | P | 3/23/1967 | -131.04 | -0.21 | 646.96 | 01 | 06 | 4 | |
| | P | 3/24/1967 | -130.81 | 0.23 | 647.19 | 01 | 06 | 4 | |
| | P | 3/25/1967 | -129.64 | 1.17 | 648.36 | 01 | 06 | 4 | |
| | P | 3/26/1967 | -128.97 | 0.67 | 649.03 | 01 | 06 | 4 | |
| | P | 3/27/1967 | -128.27 | 0.7 | 649.73 | 01 | 06 | 4 | |
| | P | 3/28/1967 | -128.71 | -0.44 | 649.29 | 01 | 06 | 4 | |
| | P | 3/29/1967 | -129.29 | -0.58 | 648.71 | 01 | 06 | 4 | |
| | P | 3/30/1967 | -129.54 | -0.25 | 648.46 | 01 | 06 | 4 | |
| | P | 3/31/1967 | -129.71 | -0.17 | 648.29 | 01 | 06 | 4 | |
| | P | 4/ 1/1967 | -129.79 | -0.08 | 648.21 | 01 | 06 | 4 | |
| | P | 4/ 2/1967 | -129.86 | -0.07 | 648.14 | 01 | 06 | 4 | |
| | P | 4/ 3/1967 | -129.96 | -0.1 | 648.04 | 01 | 06 | 4 | |
| | P | 4/ 4/1967 | -131 | -1.04 | 647 | 01 | 06 | 4 | |
| | P | 4/ 5/1967 | -131.42 | -0.42 | 646.58 | 01 | 06 | 4 | |
| | P | 4/ 6/1967 | -132.06 | -0.64 | 645.94 | 01 | 06 | 4 | |
| | P | 4/ 7/1967 | -132.51 | -0.45 | 645.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1967 | -132.29 | 0.22 | 645.71 | 01 | 06 | 4 | |
| | P | 4/ 9/1967 | -132.51 | -0.22 | 645.49 | 01 | 06 | 4 | |
| | P | 4/10/1967 | -132.41 | 0.1 | 645.59 | 01 | 06 | 4 | |
| | P | 4/11/1967 | -132.88 | -0.47 | 645.12 | 01 | 06 | 4 | |
| | P | 4/12/1967 | -132.42 | 0.46 | 645.58 | 01 | 06 | 4 | |
| | P | 4/13/1967 | -132 | 0.42 | 646 | 01 | 06 | 4 | |
| | P | 4/14/1967 | -131.16 | 0.84 | 646.84 | 01 | 06 | 4 | |
| | P | 4/15/1967 | -130.97 | 0.19 | 647.03 | 01 | 06 | 4 | |
| | P | 4/16/1967 | -130.95 | 0.02 | 647.05 | 01 | 06 | 4 | |
| | P | 4/17/1967 | -130.99 | -0.04 | 647.01 | 01 | 06 | 4 | |
| | P | 4/18/1967 | -131.4 | -0.41 | 646.6 | 01 | 06 | 4 | |
| | P | 4/19/1967 | -130.86 | 0.54 | 647.14 | 01 | 06 | 4 | |
| | P | 4/20/1967 | -130.93 | -0.07 | 647.07 | 01 | 06 | 4 | |
| | P | 4/21/1967 | -131.25 | -0.32 | 646.75 | 01 | 06 | 4 | |
| | P | 4/22/1967 | -131.33 | -0.08 | 646.67 | 01 | 06 | 4 | |
| | P | 4/23/1967 | -131.37 | -0.04 | 646.63 | 01 | 06 | 4 | |
| | P | 4/24/1967 | -130.97 | 0.4 | 647.03 | 01 | 06 | 4 | |
| | P | 4/25/1967 | -131.46 | -0.49 | 646.54 | 01 | 06 | 4 | |
| | P | 4/26/1967 | -132.38 | -0.92 | 645.62 | 01 | 06 | 4 | |
| | P | 4/27/1967 | -132.14 | 0.24 | 645.86 | 01 | 06 | 4 | |
| | P | 4/28/1967 | -132.13 | 0.01 | 645.87 | 01 | 06 | 4 | |
| | P | 4/29/1967 | -132.04 | 0.09 | 645.96 | 01 | 06 | 4 | |
| | P | 4/30/1967 | -132.05 | -0.01 | 645.95 | 01 | 06 | 4 | |
| | P | 5/ 1/1967 | -132.75 | -0.7 | 645.25 | 01 | 06 | 4 | |
| | P | 5/ 2/1967 | -133.11 | -0.36 | 644.89 | 01 | 06 | 4 | |
| | P | 5/ 3/1967 | -132.09 | 1.02 | 645.91 | 01 | 06 | 4 | |
| | P | 5/ 4/1967 | -133.86 | -1.77 | 644.14 | 01 | 06 | 4 | |
| | P | 5/ 5/1967 | -132.52 | 1.34 | 645.48 | 01 | 06 | 4 | |
| | P | 5/ 6/1967 | -132.22 | 0.3 | 645.78 | 01 | 06 | 4 | |
| | P | 5/ 7/1967 | -135.18 | -2.96 | 642.82 | 01 | 06 | 4 | |
| | P | 5/ 8/1967 | -135.88 | -0.7 | 642.12 | 01 | 06 | 4 | |
| | P | 5/ 9/1967 | -136.51 | -0.63 | 641.49 | 01 | 06 | 4 | |
| | P | 5/10/1967 | -136.87 | -0.36 | 641.13 | 01 | 06 | 4 | |
| | P | 5/11/1967 | -138.02 | -1.15 | 639.98 | 01 | 06 | 4 | |
| | P | 5/12/1967 | -139.32 | -1.3 | 638.68 | 01 | 06 | 4 | |
| | P | 5/13/1967 | -139.78 | -0.46 | 638.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/14/1967 | -140.19 | -0.41 | 637.81 | 01 | 06 | 4 | |
| | P | 5/15/1967 | -138.98 | 1.21 | 639.02 | 01 | 06 | 4 | |
| | P | 5/16/1967 | -139.98 | -1 | 638.02 | 01 | 06 | 4 | |
| | P | 5/17/1967 | -141.26 | -1.28 | 636.74 | 01 | 06 | 4 | |
| | P | 5/18/1967 | -142.13 | -0.87 | 635.87 | 01 | 06 | 4 | |
| | P | 5/19/1967 | -142.66 | -0.53 | 635.34 | 01 | 06 | 4 | |
| | P | 5/20/1967 | -141.09 | 1.57 | 636.91 | 01 | 06 | 4 | |
| | P | 5/21/1967 | -139.64 | 1.45 | 638.36 | 01 | 06 | 4 | |
| | P | 5/22/1967 | -138.56 | 1.08 | 639.44 | 01 | 06 | 4 | |
| | P | 5/23/1967 | -139.04 | -0.48 | 638.96 | 01 | 06 | 4 | |
| | P | 5/24/1967 | -140.1 | -1.06 | 637.9 | 01 | 06 | 4 | |
| | P | 5/25/1967 | -140.83 | -0.73 | 637.17 | 01 | 06 | 4 | |
| | P | 5/26/1967 | -141.37 | -0.54 | 636.63 | 01 | 06 | 4 | |
| | P | 5/27/1967 | -141.63 | -0.26 | 636.37 | 01 | 06 | 4 | |
| | P | 5/28/1967 | -141.97 | -0.34 | 636.03 | 01 | 06 | 4 | |
| | P | 5/29/1967 | -140.97 | 1 | 637.03 | 01 | 06 | 4 | |
| | P | 5/30/1967 | -140.03 | 0.94 | 637.97 | 01 | 06 | 4 | |
| | P | 5/31/1967 | -139.99 | 0.04 | 638.01 | 01 | 06 | 4 | |
| | P | 6/ 1/1967 | -140.8 | -0.81 | 637.2 | 01 | 06 | 4 | |
| | P | 6/ 2/1967 | -141.86 | -1.06 | 636.14 | 01 | 06 | 4 | |
| | P | 6/ 3/1967 | -141.69 | 0.17 | 636.31 | 01 | 06 | 4 | |
| | P | 6/ 4/1967 | -141.91 | -0.22 | 636.09 | 01 | 06 | 4 | |
| | P | 6/ 5/1967 | -142.01 | -0.1 | 635.99 | 01 | 06 | 4 | |
| | P | 6/ 6/1967 | -143.31 | -1.3 | 634.69 | 01 | 06 | 4 | |
| | P | 6/ 7/1967 | -144 | -0.69 | 634 | 01 | 06 | 4 | |
| | P | 6/ 8/1967 | -144.62 | -0.62 | 633.38 | 01 | 06 | 4 | |
| | P | 6/ 9/1967 | -145.27 | -0.65 | 632.73 | 01 | 06 | 4 | |
| | P | 6/10/1967 | -145.07 | 0.2 | 632.93 | 01 | 06 | 4 | |
| | P | 6/11/1967 | -144.68 | 0.39 | 633.32 | 01 | 06 | 4 | |
| | P | 6/12/1967 | -144.09 | 0.59 | 633.91 | 01 | 06 | 4 | |
| | P | 6/13/1967 | -144.82 | -0.73 | 633.18 | 01 | 06 | 4 | |
| | P | 6/14/1967 | -146.53 | -1.71 | 631.47 | 01 | 06 | 4 | |
| | P | 6/15/1967 | -146.81 | -0.28 | 631.19 | 01 | 06 | 4 | |
| | P | 6/16/1967 | -147.24 | -0.43 | 630.76 | 01 | 06 | 4 | |
| | P | 6/17/1967 | -147.34 | -0.1 | 630.66 | 01 | 06 | 4 | |
| | P | 6/18/1967 | -147.38 | -0.04 | 630.62 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1967 | -147.06 | 0.32 | 630.94 | 01 | 06 | 4 | |
| | P | 6/20/1967 | -148.29 | -1.23 | 629.71 | 01 | 06 | 4 | |
| | P | 6/21/1967 | -148.61 | -0.32 | 629.39 | 01 | 06 | 4 | |
| | P | 6/22/1967 | -148.89 | -0.28 | 629.11 | 01 | 06 | 4 | |
| | P | 6/23/1967 | -148.96 | -0.07 | 629.04 | 01 | 06 | 4 | |
| | P | 6/24/1967 | -148.72 | 0.24 | 629.28 | 01 | 06 | 4 | |
| | P | 6/25/1967 | -148.77 | -0.05 | 629.23 | 01 | 06 | 4 | |
| | P | 6/26/1967 | -148.63 | 0.14 | 629.37 | 01 | 06 | 4 | |
| | P | 6/27/1967 | -149.84 | -1.21 | 628.16 | 01 | 06 | 4 | |
| | P | 6/28/1967 | -150.57 | -0.73 | 627.43 | 01 | 06 | 4 | |
| | P | 6/29/1967 | -151.09 | -0.52 | 626.91 | 01 | 06 | 4 | |
| | P | 6/30/1967 | -151.42 | -0.33 | 626.58 | 01 | 06 | 4 | |
| | P | 7/ 1/1967 | -151.16 | 0.26 | 626.84 | 01 | 06 | 4 | |
| | P | 7/ 2/1967 | -148.36 | 2.8 | 629.64 | 01 | 06 | 4 | |
| | P | 7/ 3/1967 | -147.14 | 1.22 | 630.86 | 01 | 06 | 4 | |
| | P | 7/ 4/1967 | -146.7 | 0.44 | 631.3 | 01 | 06 | 4 | |
| | P | 7/ 5/1967 | -146.87 | -0.17 | 631.13 | 01 | 06 | 4 | |
| | P | 7/ 6/1967 | -147.71 | -0.84 | 630.29 | 01 | 06 | 4 | |
| | P | 7/ 7/1967 | -148.67 | -0.96 | 629.33 | 01 | 06 | 4 | |
| | P | 7/ 8/1967 | -148.74 | -0.07 | 629.26 | 01 | 06 | 4 | |
| | P | 7/ 9/1967 | -148.73 | 0.01 | 629.27 | 01 | 06 | 4 | |
| | P | 7/10/1967 | -148.74 | -0.01 | 629.26 | 01 | 06 | 4 | |
| | P | 7/11/1967 | -149.97 | -1.23 | 628.03 | 01 | 06 | 4 | |
| | P | 7/12/1967 | -150.49 | -0.52 | 627.51 | 01 | 06 | 4 | |
| | P | 7/13/1967 | -150.58 | -0.09 | 627.42 | 01 | 06 | 4 | |
| | P | 7/14/1967 | -147.98 | 2.6 | 630.02 | 01 | 06 | 4 | |
| | P | 7/15/1967 | -146.84 | 1.14 | 631.16 | 01 | 06 | 4 | |
| | P | 7/16/1967 | -146.07 | 0.77 | 631.93 | 01 | 06 | 4 | |
| | P | 7/17/1967 | -145.84 | 0.23 | 632.16 | 01 | 06 | 4 | |
| | P | 7/18/1967 | -146.55 | -0.71 | 631.45 | 01 | 06 | 4 | |
| | P | 7/19/1967 | -146.68 | -0.13 | 631.32 | 01 | 06 | 4 | |
| | P | 7/20/1967 | -146.47 | 0.21 | 631.53 | 01 | 06 | 4 | |
| | P | 7/21/1967 | -145.26 | 1.21 | 632.74 | 01 | 06 | 4 | |
| | P | 7/22/1967 | -144.46 | 0.8 | 633.54 | 01 | 06 | 4 | |
| | P | 7/23/1967 | -143.88 | 0.58 | 634.12 | 01 | 06 | 4 | |
| | P | 7/24/1967 | -143.95 | -0.07 | 634.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1967 | -144.99 | -1.04 | 633.01 | 01 | 06 | 4 | |
| | P | 7/26/1967 | -145.99 | -1 | 632.01 | 01 | 06 | 4 | |
| | P | 7/27/1967 | -146.6 | -0.61 | 631.4 | 01 | 06 | 4 | |
| | P | 7/28/1967 | -147.37 | -0.77 | 630.63 | 01 | 06 | 4 | |
| | P | 7/29/1967 | -147.69 | -0.32 | 630.31 | 01 | 06 | 4 | |
| | P | 7/30/1967 | -147.93 | -0.24 | 630.07 | 01 | 06 | 4 | |
| | P | 7/31/1967 | -147.99 | -0.06 | 630.01 | 01 | 06 | 4 | |
| | P | 8/ 1/1967 | -149.17 | -1.18 | 628.83 | 01 | 06 | 4 | |
| | P | 8/ 2/1967 | -149.68 | -0.51 | 628.32 | 01 | 06 | 4 | |
| | P | 8/ 3/1967 | -150.16 | -0.48 | 627.84 | 01 | 06 | 4 | |
| | P | 8/ 4/1967 | -150.42 | -0.26 | 627.58 | 01 | 06 | 4 | |
| | P | 8/ 5/1967 | -150.49 | -0.07 | 627.51 | 01 | 06 | 4 | |
| | P | 8/ 6/1967 | -149.86 | 0.63 | 628.14 | 01 | 06 | 4 | |
| | P | 8/ 7/1967 | -150.15 | -0.29 | 627.85 | 01 | 06 | 4 | |
| | P | 8/ 8/1967 | -151.17 | -1.02 | 626.83 | 01 | 06 | 4 | |
| | P | 8/ 9/1967 | -151.86 | -0.69 | 626.14 | 01 | 06 | 4 | |
| | P | 8/10/1967 | -152.29 | -0.43 | 625.71 | 01 | 06 | 4 | |
| | P | 8/11/1967 | -152.38 | -0.09 | 625.62 | 01 | 06 | 4 | |
| | P | 8/12/1967 | -151.83 | 0.55 | 626.17 | 01 | 06 | 4 | |
| | P | 8/13/1967 | -151.73 | 0.1 | 626.27 | 01 | 06 | 4 | |
| | P | 8/14/1967 | -151.27 | 0.46 | 626.73 | 01 | 06 | 4 | |
| | P | 8/15/1967 | -152.05 | -0.78 | 625.95 | 01 | 06 | 4 | |
| | P | 8/16/1967 | -152.13 | -0.08 | 625.87 | 01 | 06 | 4 | |
| | P | 8/17/1967 | -152.35 | -0.22 | 625.65 | 01 | 06 | 4 | |
| | P | 8/18/1967 | -149.37 | 2.98 | 628.63 | 01 | 06 | 4 | |
| | P | 8/19/1967 | -147.65 | 1.72 | 630.35 | 01 | 06 | 4 | |
| | P | 8/20/1967 | -147.46 | 0.19 | 630.54 | 01 | 06 | 4 | |
| | P | 8/21/1967 | -145.7 | 1.76 | 632.3 | 01 | 06 | 4 | |
| | P | 8/22/1967 | -145.83 | -0.13 | 632.17 | 01 | 06 | 4 | |
| | P | 8/23/1967 | -145.73 | 0.1 | 632.27 | 01 | 06 | 4 | |
| | P | 8/24/1967 | -145.19 | 0.54 | 632.81 | 01 | 06 | 4 | |
| | P | 8/25/1967 | -144.83 | 0.36 | 633.17 | 01 | 06 | 4 | |
| | P | 8/26/1967 | -144.35 | 0.48 | 633.65 | 01 | 06 | 4 | |
| | P | 8/27/1967 | -144.06 | 0.29 | 633.94 | 01 | 06 | 4 | |
| | P | 8/28/1967 | -143.91 | 0.15 | 634.09 | 01 | 06 | 4 | |
| | P | 8/29/1967 | -144.17 | -0.26 | 633.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/1967 | -144.25 | -0.08 | 633.75 | 01 | 06 | 4 | |
| | P | 8/31/1967 | -144.6 | -0.35 | 633.4 | 01 | 06 | 4 | |
| | P | 9/ 1/1967 | -143.97 | 0.63 | 634.03 | 01 | 06 | 4 | |
| | P | 9/ 2/1967 | -142.93 | 1.04 | 635.07 | 01 | 06 | 4 | |
| | P | 9/ 3/1967 | -141.21 | 1.72 | 636.79 | 01 | 06 | 4 | |
| | P | 9/ 4/1967 | -140.35 | 0.86 | 637.65 | 01 | 06 | 4 | |
| | P | 9/ 5/1967 | -137.16 | 3.19 | 640.84 | 01 | 06 | 4 | |
| | P | 9/ 6/1967 | -136.68 | 0.48 | 641.32 | 01 | 06 | 4 | |
| | P | 9/ 7/1967 | -136.05 | 0.63 | 641.95 | 01 | 06 | 4 | |
| | P | 9/ 8/1967 | -135.81 | 0.24 | 642.19 | 01 | 06 | 4 | |
| | P | 9/ 9/1967 | -135.52 | 0.29 | 642.48 | 01 | 06 | 4 | |
| | P | 9/10/1967 | -135.56 | -0.04 | 642.44 | 01 | 06 | 4 | |
| | P | 9/11/1967 | -134.84 | 0.72 | 643.16 | 01 | 06 | 4 | |
| | P | 9/12/1967 | -134.64 | 0.2 | 643.36 | 01 | 06 | 4 | |
| | P | 9/13/1967 | -134.5 | 0.14 | 643.5 | 01 | 06 | 4 | |
| | P | 9/14/1967 | -134.19 | 0.31 | 643.81 | 01 | 06 | 4 | |
| | P | 9/15/1967 | -134.45 | -0.26 | 643.55 | 01 | 06 | 4 | |
| | P | 9/16/1967 | -135.41 | -0.96 | 642.59 | 01 | 06 | 4 | |
| | P | 9/17/1967 | -136.98 | -1.57 | 641.02 | 01 | 06 | 4 | |
| | P | 9/18/1967 | -136.39 | 0.59 | 641.61 | 01 | 06 | 4 | |
| | P | 9/19/1967 | -136.64 | -0.25 | 641.36 | 01 | 06 | 4 | |
| | P | 9/20/1967 | -134.99 | 1.65 | 643.01 | 01 | 06 | 4 | |
| | P | 9/21/1967 | -130.79 | 4.2 | 647.21 | 01 | 06 | 4 | |
| | P | 9/22/1967 | -126 | 4.79 | 652 | 01 | 06 | 4 | |
| | P | 9/23/1967 | -125.09 | 0.91 | 652.91 | 01 | 06 | 4 | |
| | P | 9/24/1967 | -124.7 | 0.39 | 653.3 | 01 | 06 | 4 | |
| | P | 9/25/1967 | -124.55 | 0.15 | 653.45 | 01 | 06 | 4 | |
| | P | 9/26/1967 | -124.71 | -0.16 | 653.29 | 01 | 06 | 4 | |
| | P | 9/27/1967 | -124.8 | -0.09 | 653.2 | 01 | 06 | 4 | |
| | P | 9/28/1967 | -125 | -0.2 | 653 | 01 | 06 | 4 | |
| | P | 9/29/1967 | -125.13 | -0.13 | 652.87 | 01 | 06 | 4 | |
| | P | 9/30/1967 | -125.41 | -0.28 | 652.59 | 01 | 06 | 4 | |
| | P | 10/ 1/1967 | -125.62 | -0.21 | 652.38 | 01 | 06 | 4 | |
| | P | 10/ 2/1967 | -125.8 | -0.18 | 652.2 | 01 | 06 | 4 | |
| | P | 10/ 3/1967 | -126.4 | -0.6 | 651.6 | 01 | 06 | 4 | |
| | P | 10/ 4/1967 | -126.64 | -0.24 | 651.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 5/1967 | -126.76 | -0.12 | 651.24 | 01 | 06 | 4 | |
| | P | 10/ 6/1967 | -127.05 | -0.29 | 650.95 | 01 | 06 | 4 | |
| | P | 10/ 7/1967 | -127.15 | -0.1 | 650.85 | 01 | 06 | 4 | |
| | P | 10/ 8/1967 | -126.61 | 0.54 | 651.39 | 01 | 06 | 4 | |
| | P | 10/ 9/1967 | -126.41 | 0.2 | 651.59 | 01 | 06 | 4 | |
| | P | 10/10/1967 | -126.93 | -0.52 | 651.07 | 01 | 06 | 4 | |
| | P | 10/11/1967 | -127.39 | -0.46 | 650.61 | 01 | 06 | 4 | |
| | P | 10/12/1967 | -127.6 | -0.21 | 650.4 | 01 | 06 | 4 | |
| | P | 10/13/1967 | -127.79 | -0.19 | 650.21 | 01 | 06 | 4 | |
| | P | 10/14/1967 | -127.9 | -0.11 | 650.1 | 01 | 06 | 4 | |
| | P | 10/15/1967 | -127.68 | 0.22 | 650.32 | 01 | 06 | 4 | |
| | P | 10/16/1967 | -127 | 0.68 | 651 | 01 | 06 | 4 | |
| | P | 10/17/1967 | -126.75 | 0.25 | 651.25 | 01 | 06 | 4 | |
| | P | 10/18/1967 | -126.76 | -0.01 | 651.24 | 01 | 06 | 4 | |
| | P | 10/19/1967 | -126.69 | 0.07 | 651.31 | 01 | 06 | 4 | |
| | P | 10/20/1967 | -126.71 | -0.02 | 651.29 | 01 | 06 | 4 | |
| | P | 10/21/1967 | -126.7 | 0.01 | 651.3 | 01 | 06 | 4 | |
| | P | 10/22/1967 | -126.47 | 0.23 | 651.53 | 01 | 06 | 4 | |
| | P | 10/23/1967 | -126.28 | 0.19 | 651.72 | 01 | 06 | 4 | |
| | P | 10/24/1967 | -126.57 | -0.29 | 651.43 | 01 | 06 | 4 | |
| | P | 10/25/1967 | -126.88 | -0.31 | 651.12 | 01 | 06 | 4 | |
| | P | 10/26/1967 | -126.85 | 0.03 | 651.15 | 01 | 06 | 4 | |
| | P | 10/27/1967 | -127.34 | -0.49 | 650.66 | 01 | 06 | 4 | |
| | P | 10/28/1967 | -127.17 | 0.17 | 650.83 | 01 | 06 | 4 | |
| | P | 10/29/1967 | -126.86 | 0.31 | 651.14 | 01 | 06 | 4 | |
| | P | 10/30/1967 | -126.71 | 0.15 | 651.29 | 01 | 06 | 4 | |
| | P | 10/31/1967 | -126.41 | 0.3 | 651.59 | 01 | 06 | 4 | |
| | P | 11/ 1/1967 | -126.16 | 0.25 | 651.84 | 01 | 06 | 4 | |
| | P | 11/ 2/1967 | -126.2 | -0.04 | 651.8 | 01 | 06 | 4 | |
| | P | 11/ 3/1967 | -126.43 | -0.23 | 651.57 | 01 | 06 | 4 | |
| | P | 11/ 4/1967 | -126.36 | 0.07 | 651.64 | 01 | 06 | 4 | |
| | P | 11/ 5/1967 | -126.25 | 0.11 | 651.75 | 01 | 06 | 4 | |
| | P | 11/ 6/1967 | -126.06 | 0.19 | 651.94 | 01 | 06 | 4 | |
| | P | 11/ 7/1967 | -126.26 | -0.2 | 651.74 | 01 | 06 | 4 | |
| | P | 11/ 8/1967 | -125.89 | 0.37 | 652.11 | 01 | 06 | 4 | |
| | P | 11/ 9/1967 | -123.12 | 2.77 | 654.88 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1967 | -121.24 | 1.88 | 656.76 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1967 | -120.45 | 0.79 | 657.55 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1967 | -120 | 0.45 | 658 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1967 | -119.56 | 0.44 | 658.44 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1967 | -119.33 | 0.23 | 658.67 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1967 | -119.18 | 0.15 | 658.82 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1967 | -119.18 | | 658.82 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1967 | -119.01 | 0.17 | 658.99 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1967 | -119.06 | -0.05 | 658.94 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1967 | -118.88 | 0.18 | 659.12 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1967 | -118.58 | 0.3 | 659.42 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1967 | -118.74 | -0.16 | 659.26 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1967 | -118.9 | -0.16 | 659.1 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1967 | -118.95 | -0.05 | 659.05 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1967 | -118.77 | 0.18 | 659.23 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1967 | -119 | -0.23 | 659 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1967 | -119.04 | -0.04 | 658.96 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1967 | -119.2 | -0.16 | 658.8 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1967 | -119.31 | -0.11 | 658.69 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1967 | -119.19 | 0.12 | 658.81 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1967 | -119.21 | -0.02 | 658.79 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1967 | -119.35 | -0.14 | 658.65 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1967 | -119.35 | | 658.65 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1967 | -119.4 | -0.05 | 658.6 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1967 | -119.28 | 0.12 | 658.72 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1967 | -119.58 | -0.3 | 658.42 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1967 | -119.29 | 0.29 | 658.71 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1967 | -119.31 | -0.02 | 658.69 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1967 | -119.26 | 0.05 | 658.74 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1967 | -119.11 | 0.15 | 658.89 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1967 | -119.01 | 0.1 | 658.99 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1967 | -118.78 | 0.23 | 659.22 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1967 | -119.04 | -0.26 | 658.96 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1967 | -119.16 | -0.12 | 658.84 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1967 | -119.39 | -0.23 | 658.61 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1967 | -119.31 | 0.08 | 658.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1967 | -119.03 | 0.28 | 658.97 | 01 | 06 | 4 | |
| | P | 12/17/1967 | -118.5 | 0.53 | 659.5 | 01 | 06 | 4 | |
| | P | 12/18/1967 | -118.52 | -0.02 | 659.48 | 01 | 06 | 4 | |
| | P | 12/19/1967 | -118.8 | -0.28 | 659.2 | 01 | 06 | 4 | |
| | P | 12/20/1967 | -118.8 | | 659.2 | 01 | 06 | 4 | |
| | P | 12/21/1967 | -118.77 | 0.03 | 659.23 | 01 | 06 | 4 | |
| | P | 12/22/1967 | -119.06 | -0.29 | 658.94 | 01 | 06 | 4 | |
| | P | 12/23/1967 | -119.21 | -0.15 | 658.79 | 01 | 06 | 4 | |
| | P | 12/24/1967 | -118.76 | 0.45 | 659.24 | 01 | 06 | 4 | |
| | P | 12/25/1967 | -118.38 | 0.38 | 659.62 | 01 | 06 | 4 | |
| | P | 12/26/1967 | -118.28 | 0.1 | 659.72 | 01 | 06 | 4 | |
| | P | 12/27/1967 | -118.38 | -0.1 | 659.62 | 01 | 06 | 4 | |
| | P | 12/28/1967 | -118.69 | -0.31 | 659.31 | 01 | 06 | 4 | |
| | P | 12/29/1967 | -118.8 | -0.11 | 659.2 | 01 | 06 | 4 | |
| | P | 12/30/1967 | -118.71 | 0.09 | 659.29 | 01 | 06 | 4 | |
| | P | 12/31/1967 | -118.48 | 0.23 | 659.52 | 01 | 06 | 4 | |
| | P | 1/ 1/1968 | -118.35 | 0.13 | 659.65 | 01 | 06 | 4 | |
| | P | 1/ 2/1968 | -118.28 | 0.07 | 659.72 | 01 | 06 | 4 | |
| | P | 1/ 3/1968 | -118.41 | -0.13 | 659.59 | 01 | 06 | 4 | |
| | P | 1/ 4/1968 | -118.61 | -0.2 | 659.39 | 01 | 06 | 4 | |
| | P | 1/ 5/1968 | -118.69 | -0.08 | 659.31 | 01 | 06 | 4 | |
| | P | 1/ 6/1968 | -118.5 | 0.19 | 659.5 | 01 | 06 | 4 | |
| | P | 1/ 7/1968 | -118.66 | -0.16 | 659.34 | 01 | 06 | 4 | |
| | P | 1/ 8/1968 | -118.67 | -0.01 | 659.33 | 01 | 06 | 4 | |
| | P | 1/ 9/1968 | -118.53 | 0.14 | 659.47 | 01 | 06 | 4 | |
| | P | 1/10/1968 | -118.38 | 0.15 | 659.62 | 01 | 06 | 4 | |
| | P | 1/11/1968 | -118.29 | 0.09 | 659.71 | 01 | 06 | 4 | |
| | P | 1/12/1968 | -118.29 | | 659.71 | 01 | 06 | 4 | |
| | P | 1/13/1968 | -118.35 | -0.06 | 659.65 | 01 | 06 | 4 | |
| | P | 1/14/1968 | -118.11 | 0.24 | 659.89 | 01 | 06 | 4 | |
| | P | 1/15/1968 | -117.79 | 0.32 | 660.21 | 01 | 06 | 4 | |
| | P | 1/16/1968 | -118.07 | -0.28 | 659.93 | 01 | 06 | 4 | |
| | P | 1/17/1968 | -118.08 | -0.01 | 659.92 | 01 | 06 | 4 | |
| | P | 1/18/1968 | -112.18 | 5.9 | 665.82 | 01 | 06 | 4 | |
| | P | 1/19/1968 | -109.8 | 2.38 | 668.2 | 01 | 06 | 4 | |
| | P | 1/20/1968 | -105.35 | 4.45 | 672.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1968 | -102.63 | 2.72 | 675.37 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1968 | -101.37 | 1.26 | 676.63 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1968 | -100.52 | 0.85 | 677.48 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1968 | -99.77 | 0.75 | 678.23 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1968 | -99.32 | 0.45 | 678.68 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1968 | -98.96 | 0.36 | 679.04 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1968 | -98.77 | 0.19 | 679.23 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1968 | -98.61 | 0.16 | 679.39 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1968 | -98.48 | 0.13 | 679.52 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1968 | -98.6 | -0.12 | 679.4 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1968 | -98.71 | -0.11 | 679.29 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1968 | -98.66 | 0.05 | 679.34 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1968 | -98.85 | -0.19 | 679.15 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1968 | -98.84 | 0.01 | 679.16 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1968 | -98.75 | 0.09 | 679.25 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1968 | -98.74 | 0.01 | 679.26 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1968 | -98.97 | -0.23 | 679.03 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1968 | -99.18 | -0.21 | 678.82 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1968 | -99.23 | -0.05 | 678.77 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1968 | -99.25 | -0.02 | 678.75 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1968 | -99.25 | | 678.75 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1968 | -99.1 | 0.15 | 678.9 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1968 | -99 | 0.1 | 679 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1968 | -99.21 | -0.21 | 678.79 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1968 | -99.35 | -0.14 | 678.65 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1968 | -99.29 | 0.06 | 678.71 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1968 | -99.39 | -0.1 | 678.61 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1968 | -99.43 | -0.04 | 678.57 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1968 | -98.93 | 0.5 | 679.07 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1968 | -98.69 | 0.24 | 679.31 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1968 | -98.46 | 0.23 | 679.54 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1968 | -98.25 | 0.21 | 679.75 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1968 | -98.23 | 0.02 | 679.77 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1968 | -98.24 | -0.01 | 679.76 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1968 | -98.32 | -0.08 | 679.68 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1968 | -98.16 | 0.16 | 679.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1968 | -98.16 | | 679.84 | 01 | 06 | 4 | |
| | P | 2/27/1968 | -98.25 | -0.09 | 679.75 | 01 | 06 | 4 | |
| | P | 2/28/1968 | -98.26 | -0.01 | 679.74 | 01 | 06 | 4 | |
| | P | 2/29/1968 | -98.41 | -0.15 | 679.59 | 01 | 06 | 4 | |
| | P | 3/ 1/1968 | -98.56 | -0.15 | 679.44 | 01 | 06 | 4 | |
| | P | 3/ 2/1968 | -98.44 | 0.12 | 679.56 | 01 | 06 | 4 | |
| | P | 3/ 3/1968 | -98.64 | -0.2 | 679.36 | 01 | 06 | 4 | |
| | P | 3/ 4/1968 | -98.51 | 0.13 | 679.49 | 01 | 06 | 4 | |
| | P | 3/ 5/1968 | -98.56 | -0.05 | 679.44 | 01 | 06 | 4 | |
| | P | 3/ 6/1968 | -98.52 | 0.04 | 679.48 | 01 | 06 | 4 | |
| | P | 3/ 7/1968 | -98.67 | -0.15 | 679.33 | 01 | 06 | 4 | |
| | P | 3/ 8/1968 | -98.75 | -0.08 | 679.25 | 01 | 06 | 4 | |
| | P | 3/ 9/1968 | -98.66 | 0.09 | 679.34 | 01 | 06 | 4 | |
| | P | 3/10/1968 | -98.67 | -0.01 | 679.33 | 01 | 06 | 4 | |
| | P | 3/11/1968 | -98.63 | 0.04 | 679.37 | 01 | 06 | 4 | |
| | P | 3/12/1968 | -98.73 | -0.1 | 679.27 | 01 | 06 | 4 | |
| | P | 3/13/1968 | -98.86 | -0.13 | 679.14 | 01 | 06 | 4 | |
| | P | 3/14/1968 | -98.81 | 0.05 | 679.19 | 01 | 06 | 4 | |
| | P | 3/15/1968 | -98.78 | 0.03 | 679.22 | 01 | 06 | 4 | |
| | P | 3/16/1968 | -98.91 | -0.13 | 679.09 | 01 | 06 | 4 | |
| | P | 3/17/1968 | -98.9 | 0.01 | 679.1 | 01 | 06 | 4 | |
| | P | 3/18/1968 | -98.68 | 0.22 | 679.32 | 01 | 06 | 4 | |
| | P | 3/19/1968 | -98.79 | -0.11 | 679.21 | 01 | 06 | 4 | |
| | P | 3/20/1968 | -98.75 | 0.04 | 679.25 | 01 | 06 | 4 | |
| | P | 3/21/1968 | -98.91 | -0.16 | 679.09 | 01 | 06 | 4 | |
| | P | 3/22/1968 | -98.95 | -0.04 | 679.05 | 01 | 06 | 4 | |
| | P | 3/23/1968 | -99.14 | -0.19 | 678.86 | 01 | 06 | 4 | |
| | P | 3/24/1968 | -99.2 | -0.06 | 678.8 | 01 | 06 | 4 | |
| | P | 3/25/1968 | -99.11 | 0.09 | 678.89 | 01 | 06 | 4 | |
| | P | 3/26/1968 | -99.45 | -0.34 | 678.55 | 01 | 06 | 4 | |
| | P | 3/27/1968 | -99.6 | -0.15 | 678.4 | 01 | 06 | 4 | |
| | P | 3/28/1968 | -99.58 | 0.02 | 678.42 | 01 | 06 | 4 | |
| | P | 3/29/1968 | -99.61 | -0.03 | 678.39 | 01 | 06 | 4 | |
| | P | 3/30/1968 | -99.7 | -0.09 | 678.3 | 01 | 06 | 4 | |
| | P | 3/31/1968 | -99.81 | -0.11 | 678.19 | 01 | 06 | 4 | |
| | P | 4/ 1/1968 | -99.99 | -0.18 | 678.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 2/1968 | -99.9 | 0.09 | 678.1 | 01 | 06 | 4 | |
| | P | 4/ 3/1968 | -99.85 | 0.05 | 678.15 | 01 | 06 | 4 | |
| | P | 4/ 4/1968 | -100.29 | -0.44 | 677.71 | 01 | 06 | 4 | |
| | P | 4/ 5/1968 | -100.6 | -0.31 | 677.4 | 01 | 06 | 4 | |
| | P | 4/ 6/1968 | -100.85 | -0.25 | 677.15 | 01 | 06 | 4 | |
| | P | 4/ 7/1968 | -101.1 | -0.25 | 676.9 | 01 | 06 | 4 | |
| | P | 4/ 8/1968 | -101.34 | -0.24 | 676.66 | 01 | 06 | 4 | |
| | P | 4/ 9/1968 | -101.46 | -0.12 | 676.54 | 01 | 06 | 4 | |
| | P | 4/10/1968 | -101.09 | 0.37 | 676.91 | 01 | 06 | 4 | |
| | P | 4/11/1968 | -101.09 | | 676.91 | 01 | 06 | 4 | |
| | P | 4/12/1968 | -101.04 | 0.05 | 676.96 | 01 | 06 | 4 | |
| | P | 4/13/1968 | -100.82 | 0.22 | 677.18 | 01 | 06 | 4 | |
| | P | 4/14/1968 | -100.72 | 0.1 | 677.28 | 01 | 06 | 4 | |
| | P | 4/15/1968 | -100.5 | 0.22 | 677.5 | 01 | 06 | 4 | |
| | P | 4/16/1968 | -100.82 | -0.32 | 677.18 | 01 | 06 | 4 | |
| | P | 4/17/1968 | -101 | -0.18 | 677 | 01 | 06 | 4 | |
| | P | 4/18/1968 | -101.05 | -0.05 | 676.95 | 01 | 06 | 4 | |
| | P | 4/19/1968 | -101.05 | | 676.95 | 01 | 06 | 4 | |
| | P | 4/20/1968 | -101.18 | -0.13 | 676.82 | 01 | 06 | 4 | |
| | P | 4/21/1968 | -100.95 | 0.23 | 677.05 | 01 | 06 | 4 | |
| | P | 4/22/1968 | -100.56 | 0.39 | 677.44 | 01 | 06 | 4 | |
| | P | 4/23/1968 | -100.72 | -0.16 | 677.28 | 01 | 06 | 4 | |
| | P | 4/24/1968 | -100.74 | -0.02 | 677.26 | 01 | 06 | 4 | |
| | P | 4/25/1968 | -100.81 | -0.07 | 677.19 | 01 | 06 | 4 | |
| | P | 4/26/1968 | -100.73 | 0.08 | 677.27 | 01 | 06 | 4 | |
| | P | 4/27/1968 | -100.79 | -0.06 | 677.21 | 01 | 06 | 4 | |
| | P | 4/28/1968 | -100.98 | -0.19 | 677.02 | 01 | 06 | 4 | |
| | P | 4/29/1968 | -100.94 | 0.04 | 677.06 | 01 | 06 | 4 | |
| | P | 4/30/1968 | -101.25 | -0.31 | 676.75 | 01 | 06 | 4 | |
| | P | 5/ 1/1968 | -101.52 | -0.27 | 676.48 | 01 | 06 | 4 | |
| | P | 5/ 2/1968 | -101.85 | -0.33 | 676.15 | 01 | 06 | 4 | |
| | P | 5/ 3/1968 | -102.01 | -0.16 | 675.99 | 01 | 06 | 4 | |
| | P | 5/ 4/1968 | -101.64 | 0.37 | 676.36 | 01 | 06 | 4 | |
| | P | 5/ 5/1968 | -101.44 | 0.2 | 676.56 | 01 | 06 | 4 | |
| | P | 5/ 6/1968 | -101.04 | 0.4 | 676.96 | 01 | 06 | 4 | |
| | P | 5/ 7/1968 | -100.65 | 0.39 | 677.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 8/1968 | -100.46 | 0.19 | 677.54 | 01 | 06 | 4 | |
| | P | 5/ 9/1968 | -100.4 | 0.06 | 677.6 | 01 | 06 | 4 | |
| | P | 5/10/1968 | -100.29 | 0.11 | 677.71 | 01 | 06 | 4 | |
| | P | 5/11/1968 | -99.32 | 0.97 | 678.68 | 01 | 06 | 4 | |
| | P | 5/12/1968 | -98.25 | 1.07 | 679.75 | 01 | 06 | 4 | |
| | P | 5/13/1968 | -97.89 | 0.36 | 680.11 | 01 | 06 | 4 | |
| | P | 5/14/1968 | -98.01 | -0.12 | 679.99 | 01 | 06 | 4 | |
| | P | 5/15/1968 | -97.9 | 0.11 | 680.1 | 01 | 06 | 4 | |
| | P | 5/16/1968 | -97.95 | -0.05 | 680.05 | 01 | 06 | 4 | |
| | P | 5/17/1968 | -97.8 | 0.15 | 680.2 | 01 | 06 | 4 | |
| | P | 5/18/1968 | -97.7 | 0.1 | 680.3 | 01 | 06 | 4 | |
| | P | 5/19/1968 | -97.63 | 0.07 | 680.37 | 01 | 06 | 4 | |
| | P | 5/20/1968 | -97.54 | 0.09 | 680.46 | 01 | 06 | 4 | |
| | P | 5/21/1968 | -97.75 | -0.21 | 680.25 | 01 | 06 | 4 | |
| | P | 5/22/1968 | -97.98 | -0.23 | 680.02 | 01 | 06 | 4 | |
| | P | 5/23/1968 | -98.23 | -0.25 | 679.77 | 01 | 06 | 4 | |
| | P | 5/24/1968 | -98.58 | -0.35 | 679.42 | 01 | 06 | 4 | |
| | P | 5/25/1968 | -99.06 | -0.48 | 678.94 | 01 | 06 | 4 | |
| | P | 5/26/1968 | -99.45 | -0.39 | 678.55 | 01 | 06 | 4 | |
| | P | 5/27/1968 | -99.51 | -0.06 | 678.49 | 01 | 06 | 4 | |
| | P | 5/28/1968 | -99.68 | -0.17 | 678.32 | 01 | 06 | 4 | |
| | P | 5/29/1968 | -100.41 | -0.73 | 677.59 | 01 | 06 | 4 | |
| | P | 6/ 8/1968 | -101.69 | -1.28 | 676.31 | 01 | 06 | 4 | |
| | P | 6/ 9/1968 | -102.04 | -0.35 | 675.96 | 01 | 06 | 4 | |
| | P | 6/10/1968 | -102.2 | -0.16 | 675.8 | 01 | 06 | 4 | |
| | P | 6/11/1968 | -103.09 | -0.89 | 674.91 | 01 | 06 | 4 | |
| | P | 6/12/1968 | -104.18 | -1.09 | 673.82 | 01 | 06 | 4 | |
| | P | 6/13/1968 | -105.15 | -0.97 | 672.85 | 01 | 06 | 4 | |
| | P | 6/14/1968 | -106.01 | -0.86 | 671.99 | 01 | 06 | 4 | |
| | P | 6/15/1968 | -106.73 | -0.72 | 671.27 | 01 | 06 | 4 | |
| | P | 6/16/1968 | -106.97 | -0.24 | 671.03 | 01 | 06 | 4 | |
| | P | 6/17/1968 | -106.95 | 0.02 | 671.05 | 01 | 06 | 4 | |
| | P | 6/18/1968 | -107.15 | -0.2 | 670.85 | 01 | 06 | 4 | |
| | P | 6/19/1968 | -107.38 | -0.23 | 670.62 | 01 | 06 | 4 | |
| | P | 6/20/1968 | -106.58 | 0.8 | 671.42 | 01 | 06 | 4 | |
| | P | 6/21/1968 | -105.99 | 0.59 | 672.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/24/1968 | -104.63 | 1.36 | 673.37 | 01 | 06 | 4 | |
| | P | 6/25/1968 | -104.67 | -0.04 | 673.33 | 01 | 06 | 4 | |
| | P | 6/26/1968 | -104.76 | -0.09 | 673.24 | 01 | 06 | 4 | |
| | P | 6/27/1968 | -104.4 | 0.36 | 673.6 | 01 | 06 | 4 | |
| | P | 6/28/1968 | -104.38 | 0.02 | 673.62 | 01 | 06 | 4 | |
| | P | 6/29/1968 | -104.39 | -0.01 | 673.61 | 01 | 06 | 4 | |
| | P | 6/30/1968 | -104.36 | 0.03 | 673.64 | 01 | 06 | 4 | |
| | P | 7/ 1/1968 | -104.47 | -0.11 | 673.53 | 01 | 06 | 4 | |
| | P | 7/ 2/1968 | -104.98 | -0.51 | 673.02 | 01 | 06 | 4 | |
| | P | 7/ 3/1968 | -104.78 | 0.2 | 673.22 | 01 | 06 | 4 | |
| | P | 7/ 4/1968 | -104.65 | 0.13 | 673.35 | 01 | 06 | 4 | |
| | P | 7/ 5/1968 | -104.4 | 0.25 | 673.6 | 01 | 06 | 4 | |
| | P | 7/ 6/1968 | -104.75 | -0.35 | 673.25 | 01 | 06 | 4 | |
| | P | 7/ 7/1968 | -104.95 | -0.2 | 673.05 | 01 | 06 | 4 | |
| | P | 7/ 8/1968 | -104.93 | 0.02 | 673.07 | 01 | 06 | 4 | |
| | P | 7/ 9/1968 | -105.57 | -0.64 | 672.43 | 01 | 06 | 4 | |
| | P | 7/10/1968 | -105.65 | -0.08 | 672.35 | 01 | 06 | 4 | |
| | P | 7/11/1968 | -106.06 | -0.41 | 671.94 | 01 | 06 | 4 | |
| | P | 7/12/1968 | -105.38 | 0.68 | 672.62 | 01 | 06 | 4 | |
| | P | 7/13/1968 | -105.03 | 0.35 | 672.97 | 01 | 06 | 4 | |
| | P | 7/14/1968 | -104.73 | 0.3 | 673.27 | 01 | 06 | 4 | |
| | P | 7/15/1968 | -104.53 | 0.2 | 673.47 | 01 | 06 | 4 | |
| | P | 7/16/1968 | -104.92 | -0.39 | 673.08 | 01 | 06 | 4 | |
| | P | 7/17/1968 | -105.46 | -0.54 | 672.54 | 01 | 06 | 4 | |
| | P | 7/18/1968 | -106.01 | -0.55 | 671.99 | 01 | 06 | 4 | |
| | P | 7/19/1968 | -106.5 | -0.49 | 671.5 | 01 | 06 | 4 | |
| | P | 7/20/1968 | -106.98 | -0.48 | 671.02 | 01 | 06 | 4 | |
| | P | 7/21/1968 | -106.92 | 0.06 | 671.08 | 01 | 06 | 4 | |
| | P | 7/22/1968 | -107.23 | -0.31 | 670.77 | 01 | 06 | 4 | |
| | P | 7/23/1968 | -108.01 | -0.78 | 669.99 | 01 | 06 | 4 | |
| | P | 7/24/1968 | -108.58 | -0.57 | 669.42 | 01 | 06 | 4 | |
| | P | 7/25/1968 | -109.13 | -0.55 | 668.87 | 01 | 06 | 4 | |
| | P | 7/26/1968 | -109.35 | -0.22 | 668.65 | 01 | 06 | 4 | |
| | P | 7/27/1968 | -109.76 | -0.41 | 668.24 | 01 | 06 | 4 | |
| | P | 7/28/1968 | -109.91 | -0.15 | 668.09 | 01 | 06 | 4 | |
| | P | 7/29/1968 | -110.08 | -0.17 | 667.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1968 | -110.93 | -0.85 | 667.07 | 01 | 06 | 4 | |
| | P | 7/31/1968 | -111.72 | -0.79 | 666.28 | 01 | 06 | 4 | |
| | P | 8/ 1/1968 | -112.44 | -0.72 | 665.56 | 01 | 06 | 4 | |
| | P | 8/ 2/1968 | -112.44 | | 665.56 | 01 | 06 | 4 | |
| | P | 8/ 3/1968 | -112.6 | -0.16 | 665.4 | 01 | 06 | 4 | |
| | P | 8/ 4/1968 | -112.97 | -0.37 | 665.03 | 01 | 06 | 4 | |
| | P | 8/ 5/1968 | -112.4 | 0.57 | 665.6 | 01 | 06 | 4 | |
| | P | 8/ 6/1968 | -112.94 | -0.54 | 665.06 | 01 | 06 | 4 | |
| | P | 8/ 7/1968 | -113.66 | -0.72 | 664.34 | 01 | 06 | 4 | |
| | P | 8/ 8/1968 | -114.52 | -0.86 | 663.48 | 01 | 06 | 4 | |
| | P | 8/ 9/1968 | -115.32 | -0.8 | 662.68 | 01 | 06 | 4 | |
| | P | 8/10/1968 | -115.6 | -0.28 | 662.4 | 01 | 06 | 4 | |
| | P | 8/11/1968 | -115.92 | -0.32 | 662.08 | 01 | 06 | 4 | |
| | P | 8/12/1968 | -115.83 | 0.09 | 662.17 | 01 | 06 | 4 | |
| | P | 8/13/1968 | -116.84 | -1.01 | 661.16 | 01 | 06 | 4 | |
| | P | 8/14/1968 | -117.53 | -0.69 | 660.47 | 01 | 06 | 4 | |
| | P | 8/15/1968 | -118.1 | -0.57 | 659.9 | 01 | 06 | 4 | |
| | P | 8/16/1968 | -118.48 | -0.38 | 659.52 | 01 | 06 | 4 | |
| | P | 8/17/1968 | -118.4 | 0.08 | 659.6 | 01 | 06 | 4 | |
| | P | 8/18/1968 | -117.45 | 0.95 | 660.55 | 01 | 06 | 4 | |
| | P | 8/19/1968 | -117.19 | 0.26 | 660.81 | 01 | 06 | 4 | |
| | P | 8/20/1968 | -118.05 | -0.86 | 659.95 | 01 | 06 | 4 | |
| | P | 8/21/1968 | -118.3 | -0.25 | 659.7 | 01 | 06 | 4 | |
| | P | 8/22/1968 | -118.86 | -0.56 | 659.14 | 01 | 06 | 4 | |
| | P | 8/23/1968 | -119.23 | -0.37 | 658.77 | 01 | 06 | 4 | |
| | P | 8/24/1968 | -119.35 | -0.12 | 658.65 | 01 | 06 | 4 | |
| | P | 8/25/1968 | -118.94 | 0.41 | 659.06 | 01 | 06 | 4 | |
| | P | 8/26/1968 | -118.53 | 0.41 | 659.47 | 01 | 06 | 4 | |
| | P | 8/27/1968 | -119.39 | -0.86 | 658.61 | 01 | 06 | 4 | |
| | P | 8/28/1968 | -120 | -0.61 | 658 | 01 | 06 | 4 | |
| | P | 8/29/1968 | -120.33 | -0.33 | 657.67 | 01 | 06 | 4 | |
| | P | 8/30/1968 | -120.78 | -0.45 | 657.22 | 01 | 06 | 4 | |
| | P | 8/31/1968 | -119.14 | 1.64 | 658.86 | 01 | 06 | 4 | |
| | P | 9/ 1/1968 | -117.54 | 1.6 | 660.46 | 01 | 06 | 4 | |
| | P | 9/ 2/1968 | -116.34 | 1.2 | 661.66 | 01 | 06 | 4 | |
| | P | 9/ 3/1968 | -115.45 | 0.89 | 662.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/1968 | -115.1 | 0.35 | 662.9 | 01 | 06 | 4 | |
| | P | 9/ 5/1968 | -113.97 | 1.13 | 664.03 | 01 | 06 | 4 | |
| | P | 9/ 6/1968 | -113.2 | 0.77 | 664.8 | 01 | 06 | 4 | |
| | P | 9/ 7/1968 | -112.94 | 0.26 | 665.06 | 01 | 06 | 4 | |
| | P | 9/ 8/1968 | -112.57 | 0.37 | 665.43 | 01 | 06 | 4 | |
| | P | 9/ 9/1968 | -112.32 | 0.25 | 665.68 | 01 | 06 | 4 | |
| | P | 9/10/1968 | -112.43 | -0.11 | 665.57 | 01 | 06 | 4 | |
| | P | 9/11/1968 | -112.35 | 0.08 | 665.65 | 01 | 06 | 4 | |
| | P | 9/12/1968 | -112.39 | -0.04 | 665.61 | 01 | 06 | 4 | |
| | P | 9/13/1968 | -112.38 | 0.01 | 665.62 | 01 | 06 | 4 | |
| | P | 9/14/1968 | -111.68 | 0.7 | 666.32 | 01 | 06 | 4 | |
| | P | 9/15/1968 | -110.94 | 0.74 | 667.06 | 01 | 06 | 4 | |
| | P | 9/16/1968 | -110.67 | 0.27 | 667.33 | 01 | 06 | 4 | |
| | P | 9/17/1968 | -111 | -0.33 | 667 | 01 | 06 | 4 | |
| | P | 9/18/1968 | -110.94 | 0.06 | 667.06 | 01 | 06 | 4 | |
| | P | 9/19/1968 | -110.93 | 0.01 | 667.07 | 01 | 06 | 4 | |
| | P | 9/20/1968 | -111.05 | -0.12 | 666.95 | 01 | 06 | 4 | |
| | P | 9/21/1968 | -111.36 | -0.31 | 666.64 | 01 | 06 | 4 | |
| | P | 9/22/1968 | -110.84 | 0.52 | 667.16 | 01 | 06 | 4 | |
| | P | 9/23/1968 | -110.81 | 0.03 | 667.19 | 01 | 06 | 4 | |
| | P | 9/24/1968 | -111.07 | -0.26 | 666.93 | 01 | 06 | 4 | |
| | P | 9/25/1968 | -110.94 | 0.13 | 667.06 | 01 | 06 | 4 | |
| | P | 9/26/1968 | -110.64 | 0.3 | 667.36 | 01 | 06 | 4 | |
| | P | 9/27/1968 | -110.72 | -0.08 | 667.28 | 01 | 06 | 4 | |
| | P | 9/28/1968 | -110.55 | 0.17 | 667.45 | 01 | 06 | 4 | |
| | P | 9/29/1968 | -110.61 | -0.06 | 667.39 | 01 | 06 | 4 | |
| | P | 9/30/1968 | -110.64 | -0.03 | 667.36 | 01 | 06 | 4 | |
| | P | 10/ 1/1968 | -111.05 | -0.41 | 666.95 | 01 | 06 | 4 | |
| | P | 10/ 2/1968 | -111.23 | -0.18 | 666.77 | 01 | 06 | 4 | |
| | P | 10/ 3/1968 | -111.55 | -0.32 | 666.45 | 01 | 06 | 4 | |
| | P | 10/ 4/1968 | -111.45 | 0.1 | 666.55 | 01 | 06 | 4 | |
| | P | 10/ 5/1968 | -110.8 | 0.65 | 667.2 | 01 | 06 | 4 | |
| | P | 10/ 6/1968 | -110.28 | 0.52 | 667.72 | 01 | 06 | 4 | |
| | P | 10/ 7/1968 | -110.34 | -0.06 | 667.66 | 01 | 06 | 4 | |
| | P | 10/ 8/1968 | -110.47 | -0.13 | 667.53 | 01 | 06 | 4 | |
| | P | 10/ 9/1968 | -110.41 | 0.06 | 667.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 10/ 1968 | -110.42 | -0.01 | 667.58 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1968 | -110.47 | -0.05 | 667.53 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1968 | -110.35 | 0.12 | 667.65 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1968 | -110.19 | 0.16 | 667.81 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1968 | -110.35 | -0.16 | 667.65 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1968 | -110.64 | -0.29 | 667.36 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1968 | -110.55 | 0.09 | 667.45 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1968 | -110.7 | -0.15 | 667.3 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1968 | -110.49 | 0.21 | 667.51 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1968 | -110.58 | -0.09 | 667.42 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1968 | -110.69 | -0.11 | 667.31 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1968 | -110.7 | -0.01 | 667.3 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1968 | -110.95 | -0.25 | 667.05 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1968 | -111.03 | -0.08 | 666.97 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1968 | -111.31 | -0.28 | 666.69 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1968 | -110.86 | 0.45 | 667.14 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1968 | -110.67 | 0.19 | 667.33 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1968 | -110.48 | 0.19 | 667.52 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1968 | -110.62 | -0.14 | 667.38 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1968 | -110.82 | -0.2 | 667.18 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1968 | -111.17 | -0.35 | 666.83 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1968 | -111.45 | -0.28 | 666.55 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1968 | -111.69 | -0.24 | 666.31 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1968 | -111.68 | 0.01 | 666.32 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1968 | -111.67 | 0.01 | 666.33 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1968 | -110.97 | 0.7 | 667.03 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1968 | -110.98 | -0.01 | 667.02 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1968 | -110.99 | -0.01 | 667.01 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1968 | -111.2 | -0.21 | 666.8 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1968 | -111.02 | 0.18 | 666.98 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1968 | -110.63 | 0.39 | 667.37 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1968 | -110.03 | 0.6 | 667.97 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1968 | -110.07 | -0.04 | 667.93 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1968 | -110.25 | -0.18 | 667.75 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1968 | -110.17 | 0.08 | 667.83 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1968 | -110.19 | -0.02 | 667.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1968 | -110.1 | 0.09 | 667.9 | 01 | 06 | 4 | |
| | P | 11/16/1968 | -109.89 | 0.21 | 668.11 | 01 | 06 | 4 | |
| | P | 11/17/1968 | -109.64 | 0.25 | 668.36 | 01 | 06 | 4 | |
| | P | 11/18/1968 | -109.71 | -0.07 | 668.29 | 01 | 06 | 4 | |
| | P | 11/19/1968 | -109.85 | -0.14 | 668.15 | 01 | 06 | 4 | |
| | P | 11/20/1968 | -109.97 | -0.12 | 668.03 | 01 | 06 | 4 | |
| | P | 11/21/1968 | -110.19 | -0.22 | 667.81 | 01 | 06 | 4 | |
| | P | 11/22/1968 | -110.3 | -0.11 | 667.7 | 01 | 06 | 4 | |
| | P | 11/23/1968 | -110.35 | -0.05 | 667.65 | 01 | 06 | 4 | |
| | P | 11/24/1968 | -110.41 | -0.06 | 667.59 | 01 | 06 | 4 | |
| | P | 11/25/1968 | -110.31 | 0.1 | 667.69 | 01 | 06 | 4 | |
| | P | 11/26/1968 | -110.31 | | 667.69 | 01 | 06 | 4 | |
| | P | 11/27/1968 | -110.11 | 0.2 | 667.89 | 01 | 06 | 4 | |
| | P | 11/28/1968 | -109.4 | 0.71 | 668.6 | 01 | 06 | 4 | |
| | P | 11/29/1968 | -109.21 | 0.19 | 668.79 | 01 | 06 | 4 | |
| | P | 11/30/1968 | -108.4 | 0.81 | 669.6 | 01 | 06 | 4 | |
| | P | 12/ 1/1968 | -107.28 | 1.12 | 670.72 | 01 | 06 | 4 | |
| | P | 12/ 2/1968 | -106.93 | 0.35 | 671.07 | 01 | 06 | 4 | |
| | P | 12/ 3/1968 | -107.15 | -0.22 | 670.85 | 01 | 06 | 4 | |
| | P | 12/ 4/1968 | -107.5 | -0.35 | 670.5 | 01 | 06 | 4 | |
| | P | 12/ 5/1968 | -107.55 | -0.05 | 670.45 | 01 | 06 | 4 | |
| | P | 12/ 6/1968 | -107.68 | -0.13 | 670.32 | 01 | 06 | 4 | |
| | P | 12/ 7/1968 | -107.83 | -0.15 | 670.17 | 01 | 06 | 4 | |
| | P | 12/ 8/1968 | -107.81 | 0.02 | 670.19 | 01 | 06 | 4 | |
| | P | 12/ 9/1968 | -107.68 | 0.13 | 670.32 | 01 | 06 | 4 | |
| | P | 12/10/1968 | -107.82 | -0.14 | 670.18 | 01 | 06 | 4 | |
| | P | 12/11/1968 | -107.86 | -0.04 | 670.14 | 01 | 06 | 4 | |
| | P | 12/12/1968 | -107.74 | 0.12 | 670.26 | 01 | 06 | 4 | |
| | P | 12/13/1968 | -107.82 | -0.08 | 670.18 | 01 | 06 | 4 | |
| | P | 12/14/1968 | -108.01 | -0.19 | 669.99 | 01 | 06 | 4 | |
| | P | 12/15/1968 | -107.8 | 0.21 | 670.2 | 01 | 06 | 4 | |
| | P | 12/16/1968 | -107.59 | 0.21 | 670.41 | 01 | 06 | 4 | |
| | P | 12/17/1968 | -107.68 | -0.09 | 670.32 | 01 | 06 | 4 | |
| | P | 12/18/1968 | -107.73 | -0.05 | 670.27 | 01 | 06 | 4 | |
| | P | 12/19/1968 | -107.96 | -0.23 | 670.04 | 01 | 06 | 4 | |
| | P | 12/20/1968 | -108 | -0.04 | 670 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/21/1968 | -107.81 | 0.19 | 670.19 | 01 | 06 | 4 | |
| | P | 12/22/1968 | -107.73 | 0.08 | 670.27 | 01 | 06 | 4 | |
| | P | 12/23/1968 | -107.82 | -0.09 | 670.18 | 01 | 06 | 4 | |
| | P | 12/24/1968 | -107.92 | -0.1 | 670.08 | 01 | 06 | 4 | |
| | P | 12/25/1968 | -107.62 | 0.3 | 670.38 | 01 | 06 | 4 | |
| | P | 12/26/1968 | -107.28 | 0.34 | 670.72 | 01 | 06 | 4 | |
| | P | 12/27/1968 | -107.42 | -0.14 | 670.58 | 01 | 06 | 4 | |
| | P | 12/28/1968 | -107.7 | -0.28 | 670.3 | 01 | 06 | 4 | |
| | P | 12/29/1968 | -107.6 | 0.1 | 670.4 | 01 | 06 | 4 | |
| | P | 12/30/1968 | -107.49 | 0.11 | 670.51 | 01 | 06 | 4 | |
| | P | 12/31/1968 | -107.87 | -0.38 | 670.13 | 01 | 06 | 4 | |
| | P | 1/ 1/1969 | -108.13 | -0.26 | 669.87 | 01 | 06 | 4 | |
| | P | 1/ 2/1969 | -107.78 | 0.35 | 670.22 | 01 | 06 | 4 | |
| | P | 1/ 3/1969 | -107.61 | 0.17 | 670.39 | 01 | 06 | 4 | |
| | P | 1/ 4/1969 | -107.75 | -0.14 | 670.25 | 01 | 06 | 4 | |
| | P | 1/ 5/1969 | -107.66 | 0.09 | 670.34 | 01 | 06 | 4 | |
| | P | 1/ 6/1969 | -107.58 | 0.08 | 670.42 | 01 | 06 | 4 | |
| | P | 1/ 7/1969 | -107.76 | -0.18 | 670.24 | 01 | 06 | 4 | |
| | P | 1/ 8/1969 | -107.68 | 0.08 | 670.32 | 01 | 06 | 4 | |
| | P | 1/ 9/1969 | -107.99 | -0.31 | 670.01 | 01 | 06 | 4 | |
| | P | 1/10/1969 | -108.15 | -0.16 | 669.85 | 01 | 06 | 4 | |
| | P | 1/11/1969 | -108.11 | 0.04 | 669.89 | 01 | 06 | 4 | |
| | P | 1/12/1969 | -108.01 | 0.1 | 669.99 | 01 | 06 | 4 | |
| | P | 1/13/1969 | -108.03 | -0.02 | 669.97 | 01 | 06 | 4 | |
| | P | 1/14/1969 | -108.23 | -0.2 | 669.77 | 01 | 06 | 4 | |
| | P | 1/15/1969 | -108.22 | 0.01 | 669.78 | 01 | 06 | 4 | |
| | P | 1/16/1969 | -108.22 | | 669.78 | 01 | 06 | 4 | |
| | P | 1/17/1969 | -107.7 | 0.52 | 670.3 | 01 | 06 | 4 | |
| | P | 1/18/1969 | -107.7 | | 670.3 | 01 | 06 | 4 | |
| | P | 1/19/1969 | -107.68 | 0.02 | 670.32 | 01 | 06 | 4 | |
| | P | 1/20/1969 | -107.55 | 0.13 | 670.45 | 01 | 06 | 4 | |
| | P | 1/21/1969 | -107.62 | -0.07 | 670.38 | 01 | 06 | 4 | |
| | P | 1/22/1969 | -107.75 | -0.13 | 670.25 | 01 | 06 | 4 | |
| | P | 1/23/1969 | -107.91 | -0.16 | 670.09 | 01 | 06 | 4 | |
| | P | 1/24/1969 | -108.2 | -0.29 | 669.8 | 01 | 06 | 4 | |
| | P | 1/25/1969 | -108.23 | -0.03 | 669.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/26/1969 | -108.03 | 0.2 | 669.97 | 01 | 06 | 4 | |
| | P | 1/27/1969 | -107.76 | 0.27 | 670.24 | 01 | 06 | 4 | |
| | P | 1/28/1969 | -107.91 | -0.15 | 670.09 | 01 | 06 | 4 | |
| | P | 1/29/1969 | -108.01 | -0.1 | 669.99 | 01 | 06 | 4 | |
| | P | 1/30/1969 | -108.23 | -0.22 | 669.77 | 01 | 06 | 4 | |
| | P | 1/31/1969 | -108.15 | 0.08 | 669.85 | 01 | 06 | 4 | |
| | P | 2/ 1/1969 | -108.03 | 0.12 | 669.97 | 01 | 06 | 4 | |
| | P | 2/ 2/1969 | -107.83 | 0.2 | 670.17 | 01 | 06 | 4 | |
| | P | 2/ 3/1969 | -108.09 | -0.26 | 669.91 | 01 | 06 | 4 | |
| | P | 2/ 4/1969 | -108.43 | -0.34 | 669.57 | 01 | 06 | 4 | |
| | P | 2/ 5/1969 | -108.44 | -0.01 | 669.56 | 01 | 06 | 4 | |
| | P | 2/ 6/1969 | -108.32 | 0.12 | 669.68 | 01 | 06 | 4 | |
| | P | 2/ 7/1969 | -108.57 | -0.25 | 669.43 | 01 | 06 | 4 | |
| | P | 2/ 8/1969 | -108.75 | -0.18 | 669.25 | 01 | 06 | 4 | |
| | P | 2/ 9/1969 | -108.79 | -0.04 | 669.21 | 01 | 06 | 4 | |
| | P | 2/10/1969 | -108.72 | 0.07 | 669.28 | 01 | 06 | 4 | |
| | P | 2/11/1969 | -109 | -0.28 | 669 | 01 | 06 | 4 | |
| | P | 2/12/1969 | -109.27 | -0.27 | 668.73 | 01 | 06 | 4 | |
| | P | 2/13/1969 | -108.25 | 1.02 | 669.75 | 01 | 06 | 4 | |
| | P | 2/14/1969 | -107.87 | 0.38 | 670.13 | 01 | 06 | 4 | |
| | P | 2/15/1969 | -106.98 | 0.89 | 671.02 | 01 | 06 | 4 | |
| | P | 2/16/1969 | -106.41 | 0.57 | 671.59 | 01 | 06 | 4 | |
| | P | 2/17/1969 | -106.2 | 0.21 | 671.8 | 01 | 06 | 4 | |
| | P | 2/18/1969 | -106.5 | -0.3 | 671.5 | 01 | 06 | 4 | |
| | P | 2/19/1969 | -106.52 | -0.02 | 671.48 | 01 | 06 | 4 | |
| | P | 2/20/1969 | -106.52 | | 671.48 | 01 | 06 | 4 | |
| | P | 2/21/1969 | -106.38 | 0.14 | 671.62 | 01 | 06 | 4 | |
| | P | 2/22/1969 | -105.26 | 1.12 | 672.74 | 01 | 06 | 4 | |
| | P | 2/23/1969 | -105.11 | 0.15 | 672.89 | 01 | 06 | 4 | |
| | P | 2/24/1969 | -105.11 | | 672.89 | 01 | 06 | 4 | |
| | P | 2/25/1969 | -105.45 | -0.34 | 672.55 | 01 | 06 | 4 | |
| | P | 2/26/1969 | -105.69 | -0.24 | 672.31 | 01 | 06 | 4 | |
| | P | 2/27/1969 | -105.7 | -0.01 | 672.3 | 01 | 06 | 4 | |
| | P | 2/28/1969 | -106.09 | -0.39 | 671.91 | 01 | 06 | 4 | |
| | P | 3/ 1/1969 | -106.1 | -0.01 | 671.9 | 01 | 06 | 4 | |
| | P | 3/ 2/1969 | -106.1 | | 671.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 3/1969 | -105.9 | 0.2 | 672.1 | 01 | 06 | 4 | |
| | P | 3/ 4/1969 | -106.17 | -0.27 | 671.83 | 01 | 06 | 4 | |
| | P | 3/ 5/1969 | -106.18 | -0.01 | 671.82 | 01 | 06 | 4 | |
| | P | 3/ 6/1969 | -106.11 | 0.07 | 671.89 | 01 | 06 | 4 | |
| | P | 3/ 7/1969 | -106.33 | -0.22 | 671.67 | 01 | 06 | 4 | |
| | P | 3/ 8/1969 | -106.4 | -0.07 | 671.6 | 01 | 06 | 4 | |
| | P | 3/ 9/1969 | -106.67 | -0.27 | 671.33 | 01 | 06 | 4 | |
| | P | 3/10/1969 | -106.69 | -0.02 | 671.31 | 01 | 06 | 4 | |
| | P | 3/11/1969 | -106.8 | -0.11 | 671.2 | 01 | 06 | 4 | |
| | P | 3/12/1969 | -106.8 | | 671.2 | 01 | 06 | 4 | |
| | P | 3/13/1969 | -107.28 | -0.48 | 670.72 | 01 | 06 | 4 | |
| | P | 3/14/1969 | -107.39 | -0.11 | 670.61 | 01 | 06 | 4 | |
| | P | 3/15/1969 | -107.1 | 0.29 | 670.9 | 01 | 06 | 4 | |
| | P | 3/16/1969 | -106.52 | 0.58 | 671.48 | 01 | 06 | 4 | |
| | P | 3/17/1969 | -106.23 | 0.29 | 671.77 | 01 | 06 | 4 | |
| | P | 3/18/1969 | -106.42 | -0.19 | 671.58 | 01 | 06 | 4 | |
| | P | 3/19/1969 | -106.51 | -0.09 | 671.49 | 01 | 06 | 4 | |
| | P | 3/20/1969 | -106.7 | -0.19 | 671.3 | 01 | 06 | 4 | |
| | P | 3/21/1969 | -106.86 | -0.16 | 671.14 | 01 | 06 | 4 | |
| | P | 3/22/1969 | -106.84 | 0.02 | 671.16 | 01 | 06 | 4 | |
| | P | 3/23/1969 | -106.32 | 0.52 | 671.68 | 01 | 06 | 4 | |
| | P | 3/24/1969 | -105.97 | 0.35 | 672.03 | 01 | 06 | 4 | |
| | P | 3/25/1969 | -106.16 | -0.19 | 671.84 | 01 | 06 | 4 | |
| | P | 3/26/1969 | -106.3 | -0.14 | 671.7 | 01 | 06 | 4 | |
| | P | 3/27/1969 | -106.48 | -0.18 | 671.52 | 01 | 06 | 4 | |
| | P | 3/28/1969 | -106.68 | -0.2 | 671.32 | 01 | 06 | 4 | |
| | P | 3/29/1969 | -106.8 | -0.12 | 671.2 | 01 | 06 | 4 | |
| | P | 3/30/1969 | -106.99 | -0.19 | 671.01 | 01 | 06 | 4 | |
| | P | 3/31/1969 | -107.02 | -0.03 | 670.98 | 01 | 06 | 4 | |
| | P | 4/ 1/1969 | -107.42 | -0.4 | 670.58 | 01 | 06 | 4 | |
| | P | 4/ 2/1969 | -107.62 | -0.2 | 670.38 | 01 | 06 | 4 | |
| | P | 4/ 3/1969 | -107.95 | -0.33 | 670.05 | 01 | 06 | 4 | |
| | P | 4/ 4/1969 | -107.88 | 0.07 | 670.12 | 01 | 06 | 4 | |
| | P | 4/ 5/1969 | -107.8 | 0.08 | 670.2 | 01 | 06 | 4 | |
| | P | 4/ 6/1969 | -108.35 | -0.55 | 669.65 | 01 | 06 | 4 | |
| | P | 4/ 7/1969 | -108.16 | 0.19 | 669.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1969 | -108.7 | -0.54 | 669.3 | 01 | 06 | 4 | |
| | P | 4/ 9/1969 | -108.78 | -0.08 | 669.22 | 01 | 06 | 4 | |
| | P | 4/10/1969 | -109.31 | -0.53 | 668.69 | 01 | 06 | 4 | |
| | P | 4/11/1969 | -109.45 | -0.14 | 668.55 | 01 | 06 | 4 | |
| | P | 4/12/1969 | -108.52 | 0.93 | 669.48 | 01 | 06 | 4 | |
| | P | 4/13/1969 | -107.73 | 0.79 | 670.27 | 01 | 06 | 4 | |
| | P | 4/14/1969 | -107.18 | 0.55 | 670.82 | 01 | 06 | 4 | |
| | P | 4/15/1969 | -107.02 | 0.16 | 670.98 | 01 | 06 | 4 | |
| | P | 4/16/1969 | -107.13 | -0.11 | 670.87 | 01 | 06 | 4 | |
| | P | 4/17/1969 | -107.19 | -0.06 | 670.81 | 01 | 06 | 4 | |
| | P | 4/18/1969 | -106.86 | 0.33 | 671.14 | 01 | 06 | 4 | |
| | P | 4/19/1969 | -106.73 | 0.13 | 671.27 | 01 | 06 | 4 | |
| | P | 4/20/1969 | -106.7 | 0.03 | 671.3 | 01 | 06 | 4 | |
| | P | 4/21/1969 | -106.58 | 0.12 | 671.42 | 01 | 06 | 4 | |
| | P | 4/22/1969 | -106.96 | -0.38 | 671.04 | 01 | 06 | 4 | |
| | P | 4/23/1969 | -107.28 | -0.32 | 670.72 | 01 | 06 | 4 | |
| | P | 4/24/1969 | -107.62 | -0.34 | 670.38 | 01 | 06 | 4 | |
| | P | 4/25/1969 | -107.9 | -0.28 | 670.1 | 01 | 06 | 4 | |
| | P | 4/26/1969 | -107.52 | 0.38 | 670.48 | 01 | 06 | 4 | |
| | P | 4/27/1969 | -107.33 | 0.19 | 670.67 | 01 | 06 | 4 | |
| | P | 4/28/1969 | -107.27 | 0.06 | 670.73 | 01 | 06 | 4 | |
| | P | 4/29/1969 | -107.42 | -0.15 | 670.58 | 01 | 06 | 4 | |
| | P | 4/30/1969 | -107.59 | -0.17 | 670.41 | 01 | 06 | 4 | |
| | P | 5/ 1/1969 | -107.22 | 0.37 | 670.78 | 01 | 06 | 4 | |
| | P | 5/ 2/1969 | -107.09 | 0.13 | 670.91 | 01 | 06 | 4 | |
| | P | 5/ 3/1969 | -105.77 | 1.32 | 672.23 | 01 | 06 | 4 | |
| | P | 5/ 4/1969 | -104.92 | 0.85 | 673.08 | 01 | 06 | 4 | |
| | P | 5/ 5/1969 | -104.47 | 0.45 | 673.53 | 01 | 06 | 4 | |
| | P | 5/ 6/1969 | -104.41 | 0.06 | 673.59 | 01 | 06 | 4 | |
| | P | 5/ 7/1969 | -104.39 | 0.02 | 673.61 | 01 | 06 | 4 | |
| | P | 5/ 8/1969 | -104.53 | -0.14 | 673.47 | 01 | 06 | 4 | |
| | P | 5/ 9/1969 | -104.49 | 0.04 | 673.51 | 01 | 06 | 4 | |
| | P | 5/10/1969 | -104.35 | 0.14 | 673.65 | 01 | 06 | 4 | |
| | P | 5/11/1969 | -104.15 | 0.2 | 673.85 | 01 | 06 | 4 | |
| | P | 5/12/1969 | -104.11 | 0.04 | 673.89 | 01 | 06 | 4 | |
| | P | 5/13/1969 | -103.84 | 0.27 | 674.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/14/1969 | -103.66 | 0.18 | 674.34 | 01 | 06 | 4 | |
| | P | 5/15/1969 | -103.64 | 0.02 | 674.36 | 01 | 06 | 4 | |
| | P | 5/16/1969 | -101.34 | 2.3 | 676.66 | 01 | 06 | 4 | |
| | P | 5/17/1969 | -100.26 | 1.08 | 677.74 | 01 | 06 | 4 | |
| | P | 5/18/1969 | -99.56 | 0.7 | 678.44 | 01 | 06 | 4 | |
| | P | 5/19/1969 | -99.25 | 0.31 | 678.75 | 01 | 06 | 4 | |
| | P | 5/20/1969 | -99.34 | -0.09 | 678.66 | 01 | 06 | 4 | |
| | P | 5/21/1969 | -99.53 | -0.19 | 678.47 | 01 | 06 | 4 | |
| | P | 5/22/1969 | -99.65 | -0.12 | 678.35 | 01 | 06 | 4 | |
| | P | 5/23/1969 | -99.96 | -0.31 | 678.04 | 01 | 06 | 4 | |
| | P | 5/24/1969 | -100.2 | -0.24 | 677.8 | 01 | 06 | 4 | |
| | P | 5/25/1969 | -100.36 | -0.16 | 677.64 | 01 | 06 | 4 | |
| | P | 5/26/1969 | -100.69 | -0.33 | 677.31 | 01 | 06 | 4 | |
| | P | 5/27/1969 | -101.27 | -0.58 | 676.73 | 01 | 06 | 4 | |
| | P | 5/28/1969 | -102.02 | -0.75 | 675.98 | 01 | 06 | 4 | |
| | P | 5/29/1969 | -102.91 | -0.89 | 675.09 | 01 | 06 | 4 | |
| | P | 5/30/1969 | -103.68 | -0.77 | 674.32 | 01 | 06 | 4 | |
| | P | 5/31/1969 | -104.61 | -0.93 | 673.39 | 01 | 06 | 4 | |
| | P | 6/ 1/1969 | -105.32 | -0.71 | 672.68 | 01 | 06 | 4 | |
| | P | 6/ 2/1969 | -106.08 | -0.76 | 671.92 | 01 | 06 | 4 | |
| | P | 6/ 3/1969 | -106.91 | -0.83 | 671.09 | 01 | 06 | 4 | |
| | P | 6/ 4/1969 | -106.29 | 0.62 | 671.71 | 01 | 06 | 4 | |
| | P | 6/ 5/1969 | -105.58 | 0.71 | 672.42 | 01 | 06 | 4 | |
| | P | 6/ 6/1969 | -105.41 | 0.17 | 672.59 | 01 | 06 | 4 | |
| | P | 6/ 7/1969 | -105.35 | 0.06 | 672.65 | 01 | 06 | 4 | |
| | P | 6/ 8/1969 | -105.35 | | 672.65 | 01 | 06 | 4 | |
| | P | 6/ 9/1969 | -105.47 | -0.12 | 672.53 | 01 | 06 | 4 | |
| | P | 6/10/1969 | -106.26 | -0.79 | 671.74 | 01 | 06 | 4 | |
| | P | 6/11/1969 | -107.03 | -0.77 | 670.97 | 01 | 06 | 4 | |
| | P | 6/12/1969 | -107.84 | -0.81 | 670.16 | 01 | 06 | 4 | |
| | P | 6/13/1969 | -108.78 | -0.94 | 669.22 | 01 | 06 | 4 | |
| | P | 6/14/1969 | -109.57 | -0.79 | 668.43 | 01 | 06 | 4 | |
| | P | 6/15/1969 | -110.33 | -0.76 | 667.67 | 01 | 06 | 4 | |
| | P | 6/16/1969 | -110.57 | -0.24 | 667.43 | 01 | 06 | 4 | |
| | P | 6/17/1969 | -111.68 | -1.11 | 666.32 | 01 | 06 | 4 | |
| | P | 6/18/1969 | -112.75 | -1.07 | 665.25 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1969 | -113.79 | -1.04 | 664.21 | 01 | 06 | 4 | |
| | P | 6/20/1969 | -114.94 | -1.15 | 663.06 | 01 | 06 | 4 | |
| | P | 6/21/1969 | -115.86 | -0.92 | 662.14 | 01 | 06 | 4 | |
| | P | 6/22/1969 | -116.53 | -0.67 | 661.47 | 01 | 06 | 4 | |
| | P | 6/23/1969 | -116.7 | -0.17 | 661.3 | 01 | 06 | 4 | |
| | P | 6/24/1969 | -117.35 | -0.65 | 660.65 | 01 | 06 | 4 | |
| | P | 6/25/1969 | -116.26 | 1.09 | 661.74 | 01 | 06 | 4 | |
| | P | 6/26/1969 | -115.86 | 0.4 | 662.14 | 01 | 06 | 4 | |
| | P | 6/27/1969 | -116.28 | -0.42 | 661.72 | 01 | 06 | 4 | |
| | P | 6/28/1969 | -116.68 | -0.4 | 661.32 | 01 | 06 | 4 | |
| | P | 6/29/1969 | -116.64 | 0.04 | 661.36 | 01 | 06 | 4 | |
| | P | 6/30/1969 | -116.86 | -0.22 | 661.14 | 01 | 06 | 4 | |
| | P | 7/ 1/1969 | -117.68 | -0.82 | 660.32 | 01 | 06 | 4 | |
| | P | 7/ 2/1969 | -118.34 | -0.66 | 659.66 | 01 | 06 | 4 | |
| | P | 7/ 3/1969 | -118.96 | -0.62 | 659.04 | 01 | 06 | 4 | |
| | P | 7/ 4/1969 | -119.19 | -0.23 | 658.81 | 01 | 06 | 4 | |
| | P | 7/ 5/1969 | -119.05 | 0.14 | 658.95 | 01 | 06 | 4 | |
| | P | 7/ 6/1969 | -119.27 | -0.22 | 658.73 | 01 | 06 | 4 | |
| | P | 7/ 7/1969 | -119.39 | -0.12 | 658.61 | 01 | 06 | 4 | |
| | P | 7/ 8/1969 | -120.36 | -0.97 | 657.64 | 01 | 06 | 4 | |
| | P | 7/ 9/1969 | -121.06 | -0.7 | 656.94 | 01 | 06 | 4 | |
| | P | 7/10/1969 | -121.79 | -0.73 | 656.21 | 01 | 06 | 4 | |
| | P | 7/11/1969 | -122.51 | -0.72 | 655.49 | 01 | 06 | 4 | |
| | P | 7/12/1969 | -122.75 | -0.24 | 655.25 | 01 | 06 | 4 | |
| | P | 7/13/1969 | -122.68 | 0.07 | 655.32 | 01 | 06 | 4 | |
| | P | 7/14/1969 | -122.88 | -0.2 | 655.12 | 01 | 06 | 4 | |
| | P | 7/15/1969 | -123.95 | -1.07 | 654.05 | 01 | 06 | 4 | |
| | P | 7/16/1969 | -124.83 | -0.88 | 653.17 | 01 | 06 | 4 | |
| | P | 7/17/1969 | -125.27 | -0.44 | 652.73 | 01 | 06 | 4 | |
| | P | 7/18/1969 | -124.78 | 0.49 | 653.22 | 01 | 06 | 4 | |
| | P | 7/19/1969 | -125.19 | -0.41 | 652.81 | 01 | 06 | 4 | |
| | P | 7/20/1969 | -125.49 | -0.3 | 652.51 | 01 | 06 | 4 | |
| | P | 7/21/1969 | -125.07 | 0.42 | 652.93 | 01 | 06 | 4 | |
| | P | 7/22/1969 | -123.91 | 1.16 | 654.09 | 01 | 06 | 4 | |
| | P | 7/23/1969 | -124.39 | -0.48 | 653.61 | 01 | 06 | 4 | |
| | P | 7/24/1969 | -124.89 | -0.5 | 653.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1969 | -125.8 | -0.91 | 652.2 | 01 | 06 | 4 | |
| | P | 7/26/1969 | -126.07 | -0.27 | 651.93 | 01 | 06 | 4 | |
| | P | 7/27/1969 | -126.08 | -0.01 | 651.92 | 01 | 06 | 4 | |
| | P | 7/28/1969 | -125.59 | 0.49 | 652.41 | 01 | 06 | 4 | |
| | P | 7/29/1969 | -125.88 | -0.29 | 652.12 | 01 | 06 | 4 | |
| | P | 7/30/1969 | -127.2 | -1.32 | 650.8 | 01 | 06 | 4 | |
| | P | 7/31/1969 | -128.18 | -0.98 | 649.82 | 01 | 06 | 4 | |
| | P | 8/ 1/1969 | -128.68 | -0.5 | 649.32 | 01 | 06 | 4 | |
| | P | 8/ 2/1969 | -128.86 | -0.18 | 649.14 | 01 | 06 | 4 | |
| | P | 8/ 3/1969 | -128.88 | -0.02 | 649.12 | 01 | 06 | 4 | |
| | P | 8/ 4/1969 | -128.83 | 0.05 | 649.17 | 01 | 06 | 4 | |
| | P | 8/ 5/1969 | -128.88 | -0.05 | 649.12 | 01 | 06 | 4 | |
| | P | 8/ 6/1969 | -130.2 | -1.32 | 647.8 | 01 | 06 | 4 | |
| | P | 8/ 7/1969 | -130.58 | -0.38 | 647.42 | 01 | 06 | 4 | |
| | P | 8/ 8/1969 | -130.78 | -0.2 | 647.22 | 01 | 06 | 4 | |
| | P | 8/ 9/1969 | -130.79 | -0.01 | 647.21 | 01 | 06 | 4 | |
| | P | 8/10/1969 | -130.78 | 0.01 | 647.22 | 01 | 06 | 4 | |
| | P | 8/11/1969 | -130.67 | 0.11 | 647.33 | 01 | 06 | 4 | |
| | P | 8/12/1969 | -131.99 | -1.32 | 646.01 | 01 | 06 | 4 | |
| | P | 8/13/1969 | -132.82 | -0.83 | 645.18 | 01 | 06 | 4 | |
| | P | 8/14/1969 | -133.31 | -0.49 | 644.69 | 01 | 06 | 4 | |
| | P | 8/15/1969 | -133.32 | -0.01 | 644.68 | 01 | 06 | 4 | |
| | P | 8/16/1969 | -133.12 | 0.2 | 644.88 | 01 | 06 | 4 | |
| | P | 8/17/1969 | -133.19 | -0.07 | 644.81 | 01 | 06 | 4 | |
| | P | 8/18/1969 | -132.56 | 0.63 | 645.44 | 01 | 06 | 4 | |
| | P | 8/19/1969 | -133.49 | -0.93 | 644.51 | 01 | 06 | 4 | |
| | P | 8/20/1969 | -134.15 | -0.66 | 643.85 | 01 | 06 | 4 | |
| | P | 8/21/1969 | -132.27 | 1.88 | 645.73 | 01 | 06 | 4 | |
| | P | 8/22/1969 | -132.25 | 0.02 | 645.75 | 01 | 06 | 4 | |
| | P | 8/23/1969 | -132.47 | -0.22 | 645.53 | 01 | 06 | 4 | |
| | P | 8/24/1969 | -131.87 | 0.6 | 646.13 | 01 | 06 | 4 | |
| | P | 8/25/1969 | -127.3 | 4.57 | 650.7 | 01 | 06 | 4 | |
| | P | 8/26/1969 | -126.22 | 1.08 | 651.78 | 01 | 06 | 4 | |
| | P | 8/27/1969 | -123.17 | 3.05 | 654.83 | 01 | 06 | 4 | |
| | P | 8/28/1969 | -121.91 | 1.26 | 656.09 | 01 | 06 | 4 | |
| | P | 8/29/1969 | -120.96 | 0.95 | 657.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/1969 | -120.19 | 0.77 | 657.81 | 01 | 06 | 4 | |
| | P | 8/31/1969 | -119.7 | 0.49 | 658.3 | 01 | 06 | 4 | |
| | P | 9/ 1/1969 | -119.35 | 0.35 | 658.65 | 01 | 06 | 4 | |
| | P | 9/ 2/1969 | -119.82 | -0.47 | 658.18 | 01 | 06 | 4 | |
| | P | 9/ 3/1969 | -119.86 | -0.04 | 658.14 | 01 | 06 | 4 | |
| | P | 9/ 4/1969 | -119.85 | 0.01 | 658.15 | 01 | 06 | 4 | |
| | P | 9/ 5/1969 | -119.46 | 0.39 | 658.54 | 01 | 06 | 4 | |
| | P | 9/ 6/1969 | -119.2 | 0.26 | 658.8 | 01 | 06 | 4 | |
| | P | 9/ 7/1969 | -119.2 | | 658.8 | 01 | 06 | 4 | |
| | P | 9/ 8/1969 | -119.3 | -0.1 | 658.7 | 01 | 06 | 4 | |
| | P | 9/ 9/1969 | -119.56 | -0.26 | 658.44 | 01 | 06 | 4 | |
| | P | 9/10/1969 | -119.75 | -0.19 | 658.25 | 01 | 06 | 4 | |
| | P | 9/11/1969 | -119.69 | 0.06 | 658.31 | 01 | 06 | 4 | |
| | P | 9/12/1969 | -119.44 | 0.25 | 658.56 | 01 | 06 | 4 | |
| | P | 9/13/1969 | -119.52 | -0.08 | 658.48 | 01 | 06 | 4 | |
| | P | 9/14/1969 | -119.5 | 0.02 | 658.5 | 01 | 06 | 4 | |
| | P | 9/15/1969 | -119.45 | 0.05 | 658.55 | 01 | 06 | 4 | |
| | P | 9/16/1969 | -120.19 | -0.74 | 657.81 | 01 | 06 | 4 | |
| | P | 9/17/1969 | -120.79 | -0.6 | 657.21 | 01 | 06 | 4 | |
| | P | 9/18/1969 | -120.82 | -0.03 | 657.18 | 01 | 06 | 4 | |
| | P | 9/19/1969 | -120.87 | -0.05 | 657.13 | 01 | 06 | 4 | |
| | P | 9/20/1969 | -120.91 | -0.04 | 657.09 | 01 | 06 | 4 | |
| | P | 9/21/1969 | -120.9 | 0.01 | 657.1 | 01 | 06 | 4 | |
| | P | 9/22/1969 | -120.88 | 0.02 | 657.12 | 01 | 06 | 4 | |
| | P | 9/23/1969 | -120.72 | 0.16 | 657.28 | 01 | 06 | 4 | |
| | P | 9/24/1969 | -119.85 | 0.87 | 658.15 | 01 | 06 | 4 | |
| | P | 9/25/1969 | -119.87 | -0.02 | 658.13 | 01 | 06 | 4 | |
| | P | 9/26/1969 | -119.89 | -0.02 | 658.11 | 01 | 06 | 4 | |
| | P | 9/27/1969 | -119.79 | 0.1 | 658.21 | 01 | 06 | 4 | |
| | P | 9/28/1969 | -119.76 | 0.03 | 658.24 | 01 | 06 | 4 | |
| | P | 9/29/1969 | -119.92 | -0.16 | 658.08 | 01 | 06 | 4 | |
| | P | 9/30/1969 | -120.41 | -0.49 | 657.59 | 01 | 06 | 4 | |
| | P | 10/ 1/1969 | -120.64 | -0.23 | 657.36 | 01 | 06 | 4 | |
| | P | 10/ 2/1969 | -120.94 | -0.3 | 657.06 | 01 | 06 | 4 | |
| | P | 10/ 3/1969 | -121.06 | -0.12 | 656.94 | 01 | 06 | 4 | |
| | P | 10/ 4/1969 | -121.21 | -0.15 | 656.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 5/1969 | -118.84 | 2.37 | 659.16 | 01 | 06 | 4 | |
| | P | 10/ 6/1969 | -117.8 | 1.04 | 660.2 | 01 | 06 | 4 | |
| | P | 10/ 7/1969 | -116.86 | 0.94 | 661.14 | 01 | 06 | 4 | |
| | P | 10/ 8/1969 | -116.76 | 0.1 | 661.24 | 01 | 06 | 4 | |
| | P | 10/ 9/1969 | -116.69 | 0.07 | 661.31 | 01 | 06 | 4 | |
| | P | 10/10/1969 | -116.63 | 0.06 | 661.37 | 01 | 06 | 4 | |
| | P | 10/11/1969 | -116.55 | 0.08 | 661.45 | 01 | 06 | 4 | |
| | P | 10/12/1969 | -115.66 | 0.89 | 662.34 | 01 | 06 | 4 | |
| | P | 10/13/1969 | -114.51 | 1.15 | 663.49 | 01 | 06 | 4 | |
| | P | 10/14/1969 | -114.1 | 0.41 | 663.9 | 01 | 06 | 4 | |
| | P | 10/15/1969 | -113.87 | 0.23 | 664.13 | 01 | 06 | 4 | |
| | P | 10/16/1969 | -114.04 | -0.17 | 663.96 | 01 | 06 | 4 | |
| | P | 10/17/1969 | -113.96 | 0.08 | 664.04 | 01 | 06 | 4 | |
| | P | 10/18/1969 | -114.04 | -0.08 | 663.96 | 01 | 06 | 4 | |
| | P | 10/19/1969 | -113.89 | 0.15 | 664.11 | 01 | 06 | 4 | |
| | P | 10/20/1969 | -113.95 | -0.06 | 664.05 | 01 | 06 | 4 | |
| | P | 10/21/1969 | -114.4 | -0.45 | 663.6 | 01 | 06 | 4 | |
| | P | 10/22/1969 | -114.62 | -0.22 | 663.38 | 01 | 06 | 4 | |
| | P | 10/23/1969 | -114.8 | -0.18 | 663.2 | 01 | 06 | 4 | |
| | P | 10/24/1969 | -114.98 | -0.18 | 663.02 | 01 | 06 | 4 | |
| | P | 10/25/1969 | -115.09 | -0.11 | 662.91 | 01 | 06 | 4 | |
| | P | 10/26/1969 | -114.99 | 0.1 | 663.01 | 01 | 06 | 4 | |
| | P | 10/27/1969 | -114.87 | 0.12 | 663.13 | 01 | 06 | 4 | |
| | P | 10/28/1969 | -114.75 | 0.12 | 663.25 | 01 | 06 | 4 | |
| | P | 10/29/1969 | -114.31 | 0.44 | 663.69 | 01 | 06 | 4 | |
| | P | 10/30/1969 | -113.71 | 0.6 | 664.29 | 01 | 06 | 4 | |
| | P | 10/31/1969 | -113.66 | 0.05 | 664.34 | 01 | 06 | 4 | |
| | P | 11/ 1/1969 | -113.46 | 0.2 | 664.54 | 01 | 06 | 4 | |
| | P | 11/ 2/1969 | -113.26 | 0.2 | 664.74 | 01 | 06 | 4 | |
| | P | 11/ 3/1969 | -113.22 | 0.04 | 664.78 | 01 | 06 | 4 | |
| | P | 11/ 4/1969 | -113.4 | -0.18 | 664.6 | 01 | 06 | 4 | |
| | P | 11/ 5/1969 | -113.31 | 0.09 | 664.69 | 01 | 06 | 4 | |
| | P | 11/ 6/1969 | -113.16 | 0.15 | 664.84 | 01 | 06 | 4 | |
| | P | 11/ 7/1969 | -113.17 | -0.01 | 664.83 | 01 | 06 | 4 | |
| | P | 11/ 8/1969 | -113.05 | 0.12 | 664.95 | 01 | 06 | 4 | |
| | P | 11/ 9/1969 | -112.96 | 0.09 | 665.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1969 | -112.93 | 0.03 | 665.07 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1969 | -113.01 | -0.08 | 664.99 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1969 | -113.12 | -0.11 | 664.88 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1969 | -113.16 | -0.04 | 664.84 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1969 | -113.43 | -0.27 | 664.57 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1969 | -113.18 | 0.25 | 664.82 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1969 | -112.88 | 0.3 | 665.12 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1969 | -112.57 | 0.31 | 665.43 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1969 | -112.69 | -0.12 | 665.31 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1969 | -112.78 | -0.09 | 665.22 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1969 | -112.9 | -0.12 | 665.1 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1969 | -112.68 | 0.22 | 665.32 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1969 | -112.43 | 0.25 | 665.57 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1969 | -112.4 | 0.03 | 665.6 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1969 | -112.14 | 0.26 | 665.86 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1969 | -112.23 | -0.09 | 665.77 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1969 | -112.18 | 0.05 | 665.82 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1969 | -111.84 | 0.34 | 666.16 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1969 | -111.32 | 0.52 | 666.68 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1969 | -111.19 | 0.13 | 666.81 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1969 | -110.98 | 0.21 | 667.02 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1969 | -110.83 | 0.15 | 667.17 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1969 | -110 | 0.83 | 668 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1969 | -111.04 | -1.04 | 666.96 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1969 | -111.17 | -0.13 | 666.83 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1969 | -109.95 | 1.22 | 668.05 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1969 | -108.64 | 1.31 | 669.36 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1969 | -107.83 | 0.81 | 670.17 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1969 | -107.18 | 0.65 | 670.82 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1969 | -106.85 | 0.33 | 671.15 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1969 | -106.58 | 0.27 | 671.42 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1969 | -106.73 | -0.15 | 671.27 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1969 | -106.67 | 0.06 | 671.33 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1969 | -106.55 | 0.12 | 671.45 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1969 | -106.22 | 0.33 | 671.78 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1969 | -106.16 | 0.06 | 671.84 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1969 | -106.36 | -0.2 | 671.64 | 01 | 06 | 4 | |
| | P | 12/17/1969 | -106.51 | -0.15 | 671.49 | 01 | 06 | 4 | |
| | P | 12/18/1969 | -106.66 | -0.15 | 671.34 | 01 | 06 | 4 | |
| | P | 12/19/1969 | -106.87 | -0.21 | 671.13 | 01 | 06 | 4 | |
| | P | 12/20/1969 | -106.8 | 0.07 | 671.2 | 01 | 06 | 4 | |
| | P | 12/21/1969 | -106.57 | 0.23 | 671.43 | 01 | 06 | 4 | |
| | P | 12/22/1969 | -106.6 | -0.03 | 671.4 | 01 | 06 | 4 | |
| | P | 12/23/1969 | -106.88 | -0.28 | 671.12 | 01 | 06 | 4 | |
| | P | 12/24/1969 | -106.97 | -0.09 | 671.03 | 01 | 06 | 4 | |
| | P | 12/25/1969 | -106.95 | 0.02 | 671.05 | 01 | 06 | 4 | |
| | P | 12/26/1969 | -106.82 | 0.13 | 671.18 | 01 | 06 | 4 | |
| | P | 12/27/1969 | -106.79 | 0.03 | 671.21 | 01 | 06 | 4 | |
| | P | 12/28/1969 | -106.63 | 0.16 | 671.37 | 01 | 06 | 4 | |
| | P | 12/29/1969 | -106.57 | 0.06 | 671.43 | 01 | 06 | 4 | |
| | P | 12/30/1969 | -106.8 | -0.23 | 671.2 | 01 | 06 | 4 | |
| | P | 12/31/1969 | -107.15 | -0.35 | 670.85 | 01 | 06 | 4 | |
| | P | 1/ 1/1970 | -107.1 | 0.05 | 670.9 | 01 | 06 | 4 | |
| | P | 1/ 2/1970 | -107 | 0.1 | 671 | 01 | 06 | 4 | |
| | P | 1/ 3/1970 | -107.05 | -0.05 | 670.95 | 01 | 06 | 4 | |
| | P | 1/ 4/1970 | -107.09 | -0.04 | 670.91 | 01 | 06 | 4 | |
| | P | 1/ 5/1970 | -106.86 | 0.23 | 671.14 | 01 | 06 | 4 | |
| | P | 1/ 6/1970 | -106.88 | -0.02 | 671.12 | 01 | 06 | 4 | |
| | P | 1/ 7/1970 | -107.25 | -0.37 | 670.75 | 01 | 06 | 4 | |
| | P | 1/ 8/1970 | -107.67 | -0.42 | 670.33 | 01 | 06 | 4 | |
| | P | 1/ 9/1970 | -107.68 | -0.01 | 670.32 | 01 | 06 | 4 | |
| | P | 1/10/1970 | -107.33 | 0.35 | 670.67 | 01 | 06 | 4 | |
| | P | 1/11/1970 | -106.87 | 0.46 | 671.13 | 01 | 06 | 4 | |
| | P | 1/12/1970 | -107 | -0.13 | 671 | 01 | 06 | 4 | |
| | P | 1/13/1970 | -107.16 | -0.16 | 670.84 | 01 | 06 | 4 | |
| | P | 1/14/1970 | -107.15 | 0.01 | 670.85 | 01 | 06 | 4 | |
| | P | 1/15/1970 | -107.1 | 0.05 | 670.9 | 01 | 06 | 4 | |
| | P | 1/16/1970 | -107.03 | 0.07 | 670.97 | 01 | 06 | 4 | |
| | P | 1/17/1970 | -107.12 | -0.09 | 670.88 | 01 | 06 | 4 | |
| | P | 1/18/1970 | -107 | 0.12 | 671 | 01 | 06 | 4 | |
| | P | 1/19/1970 | -107.01 | -0.01 | 670.99 | 01 | 06 | 4 | |
| | P | 1/20/1970 | -107.21 | -0.2 | 670.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1970 | -107.32 | -0.11 | 670.68 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1970 | -107.3 | 0.02 | 670.7 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1970 | -107.25 | 0.05 | 670.75 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1970 | -107.3 | -0.05 | 670.7 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1970 | -107.08 | 0.22 | 670.92 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1970 | -107.11 | -0.03 | 670.89 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1970 | -107.38 | -0.27 | 670.62 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1970 | -107.42 | -0.04 | 670.58 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1970 | -107.61 | -0.19 | 670.39 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1970 | -107.61 | | 670.39 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1970 | -107.4 | 0.21 | 670.6 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1970 | -106.85 | 0.55 | 671.15 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1970 | -106.73 | 0.12 | 671.27 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1970 | -107.11 | -0.38 | 670.89 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1970 | -107.22 | -0.11 | 670.78 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1970 | -107.15 | 0.07 | 670.85 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1970 | -107.25 | -0.1 | 670.75 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1970 | -107 | 0.25 | 671 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1970 | -106.62 | 0.38 | 671.38 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1970 | -106.57 | 0.05 | 671.43 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1970 | -106.7 | -0.13 | 671.3 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1970 | -106.66 | 0.04 | 671.34 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1970 | -106.81 | -0.15 | 671.19 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1970 | -106.8 | 0.01 | 671.2 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1970 | -106.7 | 0.1 | 671.3 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1970 | -106.66 | 0.04 | 671.34 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1970 | -106.53 | 0.13 | 671.47 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1970 | -106.72 | -0.19 | 671.28 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1970 | -106.77 | -0.05 | 671.23 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1970 | -107.03 | -0.26 | 670.97 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1970 | -107.24 | -0.21 | 670.76 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1970 | -107.18 | 0.06 | 670.82 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1970 | -106.88 | 0.3 | 671.12 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1970 | -106.66 | 0.22 | 671.34 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1970 | -105.34 | 1.32 | 672.66 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1970 | -104.61 | 0.73 | 673.39 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1970 | -104.37 | 0.24 | 673.63 | 01 | 06 | 4 | |
| | P | 2/27/1970 | -104.07 | 0.3 | 673.93 | 01 | 06 | 4 | |
| | P | 2/28/1970 | -103.75 | 0.32 | 674.25 | 01 | 06 | 4 | |
| | P | 3/ 1/1970 | -103.4 | 0.35 | 674.6 | 01 | 06 | 4 | |
| | P | 3/ 2/1970 | -103.18 | 0.22 | 674.82 | 01 | 06 | 4 | |
| | P | 3/ 3/1970 | -103.19 | -0.01 | 674.81 | 01 | 06 | 4 | |
| | P | 3/ 4/1970 | -103.21 | -0.02 | 674.79 | 01 | 06 | 4 | |
| | P | 3/ 5/1970 | -103.13 | 0.08 | 674.87 | 01 | 06 | 4 | |
| | P | 3/ 6/1970 | -103.22 | -0.09 | 674.78 | 01 | 06 | 4 | |
| | P | 3/ 7/1970 | -102.33 | 0.89 | 675.67 | 01 | 06 | 4 | |
| | P | 3/ 8/1970 | -101.71 | 0.62 | 676.29 | 01 | 06 | 4 | |
| | P | 3/ 9/1970 | -101.4 | 0.31 | 676.6 | 01 | 06 | 4 | |
| | P | 3/10/1970 | -101.35 | 0.05 | 676.65 | 01 | 06 | 4 | |
| | P | 3/11/1970 | -101.31 | 0.04 | 676.69 | 01 | 06 | 4 | |
| | P | 3/12/1970 | -101.39 | -0.08 | 676.61 | 01 | 06 | 4 | |
| | P | 3/13/1970 | -101.39 | | 676.61 | 01 | 06 | 4 | |
| | P | 3/14/1970 | -101.41 | -0.02 | 676.59 | 01 | 06 | 4 | |
| | P | 3/15/1970 | -101.34 | 0.07 | 676.66 | 01 | 06 | 4 | |
| | P | 3/16/1970 | -101.3 | 0.04 | 676.7 | 01 | 06 | 4 | |
| | P | 3/17/1970 | -101.18 | 0.12 | 676.82 | 01 | 06 | 4 | |
| | P | 3/18/1970 | -101 | 0.18 | 677 | 01 | 06 | 4 | |
| | P | 3/19/1970 | -100.9 | 0.1 | 677.1 | 01 | 06 | 4 | |
| | P | 3/20/1970 | -101.04 | -0.14 | 676.96 | 01 | 06 | 4 | |
| | P | 3/21/1970 | -100.88 | 0.16 | 677.12 | 01 | 06 | 4 | |
| | P | 3/22/1970 | -100.86 | 0.02 | 677.14 | 01 | 06 | 4 | |
| | P | 3/23/1970 | -100.9 | -0.04 | 677.1 | 01 | 06 | 4 | |
| | P | 3/24/1970 | -101.05 | -0.15 | 676.95 | 01 | 06 | 4 | |
| | P | 3/25/1970 | -101.22 | -0.17 | 676.78 | 01 | 06 | 4 | |
| | P | 3/26/1970 | -101.57 | -0.35 | 676.43 | 01 | 06 | 4 | |
| | P | 3/27/1970 | -101.61 | -0.04 | 676.39 | 01 | 06 | 4 | |
| | P | 3/28/1970 | -101.5 | 0.11 | 676.5 | 01 | 06 | 4 | |
| | P | 3/29/1970 | -101.46 | 0.04 | 676.54 | 01 | 06 | 4 | |
| | P | 3/30/1970 | -101.2 | 0.26 | 676.8 | 01 | 06 | 4 | |
| | P | 3/31/1970 | -101.78 | -0.58 | 676.22 | 01 | 06 | 4 | |
| | P | 4/ 1/1970 | -101.85 | -0.07 | 676.15 | 01 | 06 | 4 | |
| | P | 4/ 2/1970 | -102.19 | -0.34 | 675.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 3/1970 | -102.5 | -0.31 | 675.5 | 01 | 06 | 4 | |
| | P | 4/ 4/1970 | -102.65 | -0.15 | 675.35 | 01 | 06 | 4 | |
| | P | 4/ 5/1970 | -102.8 | -0.15 | 675.2 | 01 | 06 | 4 | |
| | P | 4/ 6/1970 | -102.9 | -0.1 | 675.1 | 01 | 06 | 4 | |
| | P | 4/ 7/1970 | -103.4 | -0.5 | 674.6 | 01 | 06 | 4 | |
| | P | 4/ 8/1970 | -103.62 | -0.22 | 674.38 | 01 | 06 | 4 | |
| | P | 4/ 9/1970 | -103.88 | -0.26 | 674.12 | 01 | 06 | 4 | |
| | P | 4/10/1970 | -103.42 | 0.46 | 674.58 | 01 | 06 | 4 | |
| | P | 4/11/1970 | -103.31 | 0.11 | 674.69 | 01 | 06 | 4 | |
| | P | 4/12/1970 | -103.38 | -0.07 | 674.62 | 01 | 06 | 4 | |
| | P | 4/13/1970 | -103.84 | -0.46 | 674.16 | 01 | 06 | 4 | |
| | P | 4/14/1970 | -103.98 | -0.14 | 674.02 | 01 | 06 | 4 | |
| | P | 4/15/1970 | -104.07 | -0.09 | 673.93 | 01 | 06 | 4 | |
| | P | 4/16/1970 | -103.89 | 0.18 | 674.11 | 01 | 06 | 4 | |
| | P | 4/17/1970 | -104 | -0.11 | 674 | 01 | 06 | 4 | |
| | P | 4/18/1970 | -103.89 | 0.11 | 674.11 | 01 | 06 | 4 | |
| | P | 4/19/1970 | -103.58 | 0.31 | 674.42 | 01 | 06 | 4 | |
| | P | 4/20/1970 | -103.12 | 0.46 | 674.88 | 01 | 06 | 4 | |
| | P | 4/21/1970 | -103.35 | -0.23 | 674.65 | 01 | 06 | 4 | |
| | P | 4/22/1970 | -103.69 | -0.34 | 674.31 | 01 | 06 | 4 | |
| | P | 4/23/1970 | -104.04 | -0.35 | 673.96 | 01 | 06 | 4 | |
| | P | 4/24/1970 | -104.5 | -0.46 | 673.5 | 01 | 06 | 4 | |
| | P | 4/25/1970 | -104.43 | 0.07 | 673.57 | 01 | 06 | 4 | |
| | P | 4/26/1970 | -104.61 | -0.18 | 673.39 | 01 | 06 | 4 | |
| | P | 4/27/1970 | -104.93 | -0.32 | 673.07 | 01 | 06 | 4 | |
| | P | 4/28/1970 | -105.33 | -0.4 | 672.67 | 01 | 06 | 4 | |
| | P | 4/29/1970 | -105.64 | -0.31 | 672.36 | 01 | 06 | 4 | |
| | P | 4/30/1970 | -106.04 | -0.4 | 671.96 | 01 | 06 | 4 | |
| | P | 5/ 1/1970 | -105.8 | 0.24 | 672.2 | 01 | 06 | 4 | |
| | P | 5/ 2/1970 | -105.81 | -0.01 | 672.19 | 01 | 06 | 4 | |
| | P | 5/ 3/1970 | -105.71 | 0.1 | 672.29 | 01 | 06 | 4 | |
| | P | 5/ 4/1970 | -106.21 | -0.5 | 671.79 | 01 | 06 | 4 | |
| | P | 5/ 5/1970 | -107.19 | -0.98 | 670.81 | 01 | 06 | 4 | |
| | P | 5/ 6/1970 | -108.12 | -0.93 | 669.88 | 01 | 06 | 4 | |
| | P | 5/ 7/1970 | -108.85 | -0.73 | 669.15 | 01 | 06 | 4 | |
| | P | 5/ 8/1970 | -109.46 | -0.61 | 668.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 9/1970 | -109.62 | -0.16 | 668.38 | 01 | 06 | 4 | |
| | P | 5/10/1970 | -110.12 | -0.5 | 667.88 | 01 | 06 | 4 | |
| | P | 5/11/1970 | -110.49 | -0.37 | 667.51 | 01 | 06 | 4 | |
| | P | 5/12/1970 | -111.26 | -0.77 | 666.74 | 01 | 06 | 4 | |
| | P | 5/13/1970 | -111.98 | -0.72 | 666.02 | 01 | 06 | 4 | |
| | P | 5/14/1970 | -112.51 | -0.53 | 665.49 | 01 | 06 | 4 | |
| | P | 5/15/1970 | -110.78 | 1.73 | 667.22 | 01 | 06 | 4 | |
| | P | 5/16/1970 | -109.77 | 1.01 | 668.23 | 01 | 06 | 4 | |
| | P | 5/17/1970 | -108.75 | 1.02 | 669.25 | 01 | 06 | 4 | |
| | P | 5/18/1970 | -108.4 | 0.35 | 669.6 | 01 | 06 | 4 | |
| | P | 5/19/1970 | -108.5 | -0.1 | 669.5 | 01 | 06 | 4 | |
| | P | 5/20/1970 | -108.71 | -0.21 | 669.29 | 01 | 06 | 4 | |
| | P | 5/21/1970 | -108.81 | -0.1 | 669.19 | 01 | 06 | 4 | |
| | P | 5/22/1970 | -108.79 | 0.02 | 669.21 | 01 | 06 | 4 | |
| | P | 5/23/1970 | -107.38 | 1.41 | 670.62 | 01 | 06 | 4 | |
| | P | 5/24/1970 | -106.26 | 1.12 | 671.74 | 01 | 06 | 4 | |
| | P | 5/25/1970 | -105.57 | 0.69 | 672.43 | 01 | 06 | 4 | |
| | P | 5/26/1970 | -102.98 | 2.59 | 675.02 | 01 | 06 | 4 | |
| | P | 5/27/1970 | -101.58 | 1.4 | 676.42 | 01 | 06 | 4 | |
| | P | 5/28/1970 | -100.79 | 0.79 | 677.21 | 01 | 06 | 4 | |
| | P | 5/29/1970 | -100.2 | 0.59 | 677.8 | 01 | 06 | 4 | |
| | P | 5/30/1970 | -99.73 | 0.47 | 678.27 | 01 | 06 | 4 | |
| | P | 5/31/1970 | -99.29 | 0.44 | 678.71 | 01 | 06 | 4 | |
| | P | 6/ 1/1970 | -98.9 | 0.39 | 679.1 | 01 | 06 | 4 | |
| | P | 6/ 2/1970 | -98.54 | 0.36 | 679.46 | 01 | 06 | 4 | |
| | P | 6/ 3/1970 | -98.4 | 0.14 | 679.6 | 01 | 06 | 4 | |
| | P | 6/ 4/1970 | -98.5 | -0.1 | 679.5 | 01 | 06 | 4 | |
| | P | 6/ 5/1970 | -98.7 | -0.2 | 679.3 | 01 | 06 | 4 | |
| | P | 6/ 6/1970 | -98.98 | -0.28 | 679.02 | 01 | 06 | 4 | |
| | P | 6/ 7/1970 | -99.17 | -0.19 | 678.83 | 01 | 06 | 4 | |
| | P | 6/ 8/1970 | -99.51 | -0.34 | 678.49 | 01 | 06 | 4 | |
| | P | 6/ 9/1970 | -99.99 | -0.48 | 678.01 | 01 | 06 | 4 | |
| | P | 6/10/1970 | -100.48 | -0.49 | 677.52 | 01 | 06 | 4 | |
| | P | 6/11/1970 | -100.72 | -0.24 | 677.28 | 01 | 06 | 4 | |
| | P | 6/12/1970 | -101.51 | -0.79 | 676.49 | 01 | 06 | 4 | |
| | P | 6/13/1970 | -102.19 | -0.68 | 675.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 14/ 1970 | -102.84 | -0.65 | 675.16 | 01 | 06 | 4 | |
| | P | 6 / 15/ 1970 | -103.3 | -0.46 | 674.7 | 01 | 06 | 4 | |
| | P | 6 / 16/ 1970 | -104.49 | -1.19 | 673.51 | 01 | 06 | 4 | |
| | P | 6 / 17/ 1970 | -105.71 | -1.22 | 672.29 | 01 | 06 | 4 | |
| | P | 6 / 18/ 1970 | -107.05 | -1.34 | 670.95 | 01 | 06 | 4 | |
| | P | 6 / 19/ 1970 | -107.92 | -0.87 | 670.08 | 01 | 06 | 4 | |
| | P | 6 / 20/ 1970 | -108.54 | -0.62 | 669.46 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1970 | -108.95 | -0.41 | 669.05 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1970 | -108.93 | 0.02 | 669.07 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1970 | -109.9 | -0.97 | 668.1 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1970 | -110.23 | -0.33 | 667.77 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1970 | -110.12 | 0.11 | 667.88 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1970 | -110.79 | -0.67 | 667.21 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1970 | -111.32 | -0.53 | 666.68 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1970 | -111.55 | -0.23 | 666.45 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1970 | -111.08 | 0.47 | 666.92 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1970 | -111.62 | -0.54 | 666.38 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1970 | -112.52 | -0.9 | 665.48 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1970 | -113.3 | -0.78 | 664.7 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1970 | -114.02 | -0.72 | 663.98 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1970 | -114.39 | -0.37 | 663.61 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1970 | -114.32 | 0.07 | 663.68 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1970 | -114.67 | -0.35 | 663.33 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1970 | -115.76 | -1.09 | 662.24 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1970 | -116.78 | -1.02 | 661.22 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1970 | -117.43 | -0.65 | 660.57 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1970 | -118.13 | -0.7 | 659.87 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1970 | -118.22 | -0.09 | 659.78 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1970 | -118.45 | -0.23 | 659.55 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1970 | -118.38 | 0.07 | 659.62 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1970 | -118.29 | 0.09 | 659.71 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1970 | -117.31 | 0.98 | 660.69 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1970 | -116.16 | 1.15 | 661.84 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1970 | -115.1 | 1.06 | 662.9 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1970 | -114.59 | 0.51 | 663.41 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1970 | -114.28 | 0.31 | 663.72 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 20/ 1970 | -114.4 | -0.12 | 663.6 | 01 | 06 | 4 | |
| | P | 7/ 21/ 1970 | -115.39 | -0.99 | 662.61 | 01 | 06 | 4 | |
| | P | 7/ 22/ 1970 | -115.65 | -0.26 | 662.35 | 01 | 06 | 4 | |
| | P | 7/ 23/ 1970 | -115.79 | -0.14 | 662.21 | 01 | 06 | 4 | |
| | P | 7/ 24/ 1970 | -116.48 | -0.69 | 661.52 | 01 | 06 | 4 | |
| | P | 7/ 25/ 1970 | -116.67 | -0.19 | 661.33 | 01 | 06 | 4 | |
| | P | 7/ 26/ 1970 | -115.89 | 0.78 | 662.11 | 01 | 06 | 4 | |
| | P | 7/ 27/ 1970 | -115.97 | -0.08 | 662.03 | 01 | 06 | 4 | |
| | P | 7/ 28/ 1970 | -117.03 | -1.06 | 660.97 | 01 | 06 | 4 | |
| | P | 7/ 29/ 1970 | -117.78 | -0.75 | 660.22 | 01 | 06 | 4 | |
| | P | 7/ 30/ 1970 | -118.62 | -0.84 | 659.38 | 01 | 06 | 4 | |
| | P | 7/ 31/ 1970 | -119.23 | -0.61 | 658.77 | 01 | 06 | 4 | |
| | P | 8/ 1/ 1970 | -119.7 | -0.47 | 658.3 | 01 | 06 | 4 | |
| | P | 8/ 2/ 1970 | -120.09 | -0.39 | 657.91 | 01 | 06 | 4 | |
| | P | 8/ 3/ 1970 | -120.11 | -0.02 | 657.89 | 01 | 06 | 4 | |
| | P | 8/ 4/ 1970 | -118.75 | 1.36 | 659.25 | 01 | 06 | 4 | |
| | P | 8/ 5/ 1970 | -117.8 | 0.95 | 660.2 | 01 | 06 | 4 | |
| | P | 8/ 6/ 1970 | -117.86 | -0.06 | 660.14 | 01 | 06 | 4 | |
| | P | 8/ 7/ 1970 | -118.22 | -0.36 | 659.78 | 01 | 06 | 4 | |
| | P | 8/ 8/ 1970 | -118.6 | -0.38 | 659.4 | 01 | 06 | 4 | |
| | P | 8/ 9/ 1970 | -118.95 | -0.35 | 659.05 | 01 | 06 | 4 | |
| | P | 8/ 10/ 1970 | -119.41 | -0.46 | 658.59 | 01 | 06 | 4 | |
| | P | 8/ 11/ 1970 | -120.72 | -1.31 | 657.28 | 01 | 06 | 4 | |
| | P | 8/ 12/ 1970 | -120.29 | 0.43 | 657.71 | 01 | 06 | 4 | |
| | P | 8/ 13/ 1970 | -120.87 | -0.58 | 657.13 | 01 | 06 | 4 | |
| | P | 8/ 14/ 1970 | -121.28 | -0.41 | 656.72 | 01 | 06 | 4 | |
| | P | 8/ 15/ 1970 | -121.7 | -0.42 | 656.3 | 01 | 06 | 4 | |
| | P | 8/ 16/ 1970 | -120.32 | 1.38 | 657.68 | 01 | 06 | 4 | |
| | P | 8/ 17/ 1970 | -120.34 | -0.02 | 657.66 | 01 | 06 | 4 | |
| | P | 8/ 18/ 1970 | -121.15 | -0.81 | 656.85 | 01 | 06 | 4 | |
| | P | 8/ 19/ 1970 | -122.01 | -0.86 | 655.99 | 01 | 06 | 4 | |
| | P | 8/ 20/ 1970 | -122.56 | -0.55 | 655.44 | 01 | 06 | 4 | |
| | P | 8/ 21/ 1970 | -122.97 | -0.41 | 655.03 | 01 | 06 | 4 | |
| | P | 8/ 22/ 1970 | -123.26 | -0.29 | 654.74 | 01 | 06 | 4 | |
| | P | 8/ 23/ 1970 | -123.27 | -0.01 | 654.73 | 01 | 06 | 4 | |
| | P | 8/ 24/ 1970 | -122.42 | 0.85 | 655.58 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/1970 | -122.05 | 0.37 | 655.95 | 01 | 06 | 4 | |
| | P | 8/26/1970 | -122.36 | -0.31 | 655.64 | 01 | 06 | 4 | |
| | P | 8/27/1970 | -122.96 | -0.6 | 655.04 | 01 | 06 | 4 | |
| | P | 8/28/1970 | -123.58 | -0.62 | 654.42 | 01 | 06 | 4 | |
| | P | 8/29/1970 | -123.58 | | 654.42 | 01 | 06 | 4 | |
| | P | 8/30/1970 | -123.12 | 0.46 | 654.88 | 01 | 06 | 4 | |
| | P | 8/31/1970 | -123.41 | -0.29 | 654.59 | 01 | 06 | 4 | |
| | P | 9/ 1/1970 | -123.52 | -0.11 | 654.48 | 01 | 06 | 4 | |
| | P | 9/ 2/1970 | -123 | 0.52 | 655 | 01 | 06 | 4 | |
| | P | 9/ 3/1970 | -123.42 | -0.42 | 654.58 | 01 | 06 | 4 | |
| | P | 9/ 4/1970 | -124.28 | -0.86 | 653.72 | 01 | 06 | 4 | |
| | P | 9/ 5/1970 | -124.34 | -0.06 | 653.66 | 01 | 06 | 4 | |
| | P | 9/ 6/1970 | -124.6 | -0.26 | 653.4 | 01 | 06 | 4 | |
| | P | 9/ 7/1970 | -124.3 | 0.3 | 653.7 | 01 | 06 | 4 | |
| | P | 9/ 8/1970 | -125.3 | -1 | 652.7 | 01 | 06 | 4 | |
| | P | 9/ 9/1970 | -125.95 | -0.65 | 652.05 | 01 | 06 | 4 | |
| | P | 9/10/1970 | -126.56 | -0.61 | 651.44 | 01 | 06 | 4 | |
| | P | 9/11/1970 | -126.14 | 0.42 | 651.86 | 01 | 06 | 4 | |
| | P | 9/12/1970 | -125.25 | 0.89 | 652.75 | 01 | 06 | 4 | |
| | P | 9/13/1970 | -123.6 | 1.65 | 654.4 | 01 | 06 | 4 | |
| | P | 9/14/1970 | -122.51 | 1.09 | 655.49 | 01 | 06 | 4 | |
| | P | 9/15/1970 | -121.78 | 0.73 | 656.22 | 01 | 06 | 4 | |
| | P | 9/16/1970 | -121.31 | 0.47 | 656.69 | 01 | 06 | 4 | |
| | P | 9/17/1970 | -121.07 | 0.24 | 656.93 | 01 | 06 | 4 | |
| | P | 9/18/1970 | -121.12 | -0.05 | 656.88 | 01 | 06 | 4 | |
| | P | 9/19/1970 | -121.06 | 0.06 | 656.94 | 01 | 06 | 4 | |
| | P | 9/20/1970 | -121 | 0.06 | 657 | 01 | 06 | 4 | |
| | P | 9/21/1970 | -120.4 | 0.6 | 657.6 | 01 | 06 | 4 | |
| | P | 9/22/1970 | -120.33 | 0.07 | 657.67 | 01 | 06 | 4 | |
| | P | 9/23/1970 | -120.3 | 0.03 | 657.7 | 01 | 06 | 4 | |
| | P | 9/24/1970 | -119.4 | 0.9 | 658.6 | 01 | 06 | 4 | |
| | P | 9/25/1970 | -118.88 | 0.52 | 659.12 | 01 | 06 | 4 | |
| | P | 9/26/1970 | -117.18 | 1.7 | 660.82 | 01 | 06 | 4 | |
| | P | 9/27/1970 | -116 | 1.18 | 662 | 01 | 06 | 4 | |
| | P | 9/28/1970 | -115.53 | 0.47 | 662.47 | 01 | 06 | 4 | |
| | P | 9/29/1970 | -115.81 | -0.28 | 662.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1970 | -115.82 | -0.01 | 662.18 | 01 | 06 | 4 | |
| | P | 11/ 5/1970 | -114.99 | 0.83 | 663.01 | 01 | 06 | 4 | |
| | P | 11/ 6/1970 | -114.35 | 0.64 | 663.65 | 01 | 06 | 4 | |
| | P | 11/ 7/1970 | -114.28 | 0.07 | 663.72 | 01 | 06 | 4 | |
| | P | 11/ 8/1970 | -114.29 | -0.01 | 663.71 | 01 | 06 | 4 | |
| | P | 11/ 9/1970 | -114.34 | -0.05 | 663.66 | 01 | 06 | 4 | |
| | P | 11/10/1970 | -114.7 | -0.36 | 663.3 | 01 | 06 | 4 | |
| | P | 11/11/1970 | -114.91 | -0.21 | 663.09 | 01 | 06 | 4 | |
| | P | 11/12/1970 | -115.13 | -0.22 | 662.87 | 01 | 06 | 4 | |
| | P | 11/13/1970 | -114.96 | 0.17 | 663.04 | 01 | 06 | 4 | |
| | P | 11/14/1970 | -114.97 | -0.01 | 663.03 | 01 | 06 | 4 | |
| | P | 11/15/1970 | -114.7 | 0.27 | 663.3 | 01 | 06 | 4 | |
| | P | 11/16/1970 | -114.53 | 0.17 | 663.47 | 01 | 06 | 4 | |
| | P | 11/17/1970 | -114.74 | -0.21 | 663.26 | 01 | 06 | 4 | |
| | P | 11/18/1970 | -114.89 | -0.15 | 663.11 | 01 | 06 | 4 | |
| | P | 11/19/1970 | -114.98 | -0.09 | 663.02 | 01 | 06 | 4 | |
| | P | 11/20/1970 | -115.32 | -0.34 | 662.68 | 01 | 06 | 4 | |
| | P | 11/21/1970 | -115.27 | 0.05 | 662.73 | 01 | 06 | 4 | |
| | P | 11/22/1970 | -115.15 | 0.12 | 662.85 | 01 | 06 | 4 | |
| | P | 11/23/1970 | -115.25 | -0.1 | 662.75 | 01 | 06 | 4 | |
| | P | 11/24/1970 | -115.32 | -0.07 | 662.68 | 01 | 06 | 4 | |
| | P | 11/25/1970 | -115.15 | 0.17 | 662.85 | 01 | 06 | 4 | |
| | P | 11/26/1970 | -115.05 | 0.1 | 662.95 | 01 | 06 | 4 | |
| | P | 11/27/1970 | -114.78 | 0.27 | 663.22 | 01 | 06 | 4 | |
| | P | 11/28/1970 | -114.98 | -0.2 | 663.02 | 01 | 06 | 4 | |
| | P | 11/29/1970 | -114.71 | 0.27 | 663.29 | 01 | 06 | 4 | |
| | P | 11/30/1970 | -114.69 | 0.02 | 663.31 | 01 | 06 | 4 | |
| | P | 12/ 1/1970 | -115 | -0.31 | 663 | 01 | 06 | 4 | |
| | P | 12/ 2/1970 | -115.25 | -0.25 | 662.75 | 01 | 06 | 4 | |
| | P | 12/ 3/1970 | -115.32 | -0.07 | 662.68 | 01 | 06 | 4 | |
| | P | 12/ 4/1970 | -115.65 | -0.33 | 662.35 | 01 | 06 | 4 | |
| | P | 12/ 5/1970 | -115.6 | 0.05 | 662.4 | 01 | 06 | 4 | |
| | P | 12/ 6/1970 | -115.54 | 0.06 | 662.46 | 01 | 06 | 4 | |
| | P | 12/ 7/1970 | -115.39 | 0.15 | 662.61 | 01 | 06 | 4 | |
| | P | 12/ 8/1970 | -115.45 | -0.06 | 662.55 | 01 | 06 | 4 | |
| | P | 12/ 9/1970 | -115.5 | -0.05 | 662.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/10/1970 | -115.75 | -0.25 | 662.25 | 01 | 06 | 4 | |
| | P | 12/11/1970 | -115.79 | -0.04 | 662.21 | 01 | 06 | 4 | |
| | P | 12/12/1970 | -115.54 | 0.25 | 662.46 | 01 | 06 | 4 | |
| | P | 12/13/1970 | -115.41 | 0.13 | 662.59 | 01 | 06 | 4 | |
| | P | 12/14/1970 | -115.15 | 0.26 | 662.85 | 01 | 06 | 4 | |
| | P | 12/15/1970 | -115.14 | 0.01 | 662.86 | 01 | 06 | 4 | |
| | P | 12/16/1970 | -115.33 | -0.19 | 662.67 | 01 | 06 | 4 | |
| | P | 12/17/1970 | -115.7 | -0.37 | 662.3 | 01 | 06 | 4 | |
| | P | 12/18/1970 | -115.8 | -0.1 | 662.2 | 01 | 06 | 4 | |
| | P | 12/19/1970 | -115.7 | 0.1 | 662.3 | 01 | 06 | 4 | |
| | P | 12/20/1970 | -115.58 | 0.12 | 662.42 | 01 | 06 | 4 | |
| | P | 12/21/1970 | -115.1 | 0.48 | 662.9 | 01 | 06 | 4 | |
| | P | 12/22/1970 | -115.35 | -0.25 | 662.65 | 01 | 06 | 4 | |
| | P | 12/23/1970 | -115.34 | 0.01 | 662.66 | 01 | 06 | 4 | |
| | P | 12/24/1970 | -115.5 | -0.16 | 662.5 | 01 | 06 | 4 | |
| | P | 12/25/1970 | -115.27 | 0.23 | 662.73 | 01 | 06 | 4 | |
| | P | 12/26/1970 | -114.84 | 0.43 | 663.16 | 01 | 06 | 4 | |
| | P | 12/27/1970 | -114.75 | 0.09 | 663.25 | 01 | 06 | 4 | |
| | P | 12/28/1970 | -114.79 | -0.04 | 663.21 | 01 | 06 | 4 | |
| | P | 12/29/1970 | -115.02 | -0.23 | 662.98 | 01 | 06 | 4 | |
| | P | 12/30/1970 | -115.2 | -0.18 | 662.8 | 01 | 06 | 4 | |
| | P | 12/31/1970 | -115.39 | -0.19 | 662.61 | 01 | 06 | 4 | |
| | P | 1/ 1/1971 | -115.3 | 0.09 | 662.7 | 01 | 06 | 4 | |
| | P | 1/ 2/1971 | -114.97 | 0.33 | 663.03 | 01 | 06 | 4 | |
| | P | 1/ 3/1971 | -114.65 | 0.32 | 663.35 | 01 | 06 | 4 | |
| | P | 1/ 4/1971 | -115.24 | -0.59 | 662.76 | 01 | 06 | 4 | |
| | P | 1/ 5/1971 | -115.6 | -0.36 | 662.4 | 01 | 06 | 4 | |
| | P | 1/ 6/1971 | -115.81 | -0.21 | 662.19 | 01 | 06 | 4 | |
| | P | 1/ 7/1971 | -115.75 | 0.06 | 662.25 | 01 | 06 | 4 | |
| | P | 1/ 8/1971 | -115.7 | 0.05 | 662.3 | 01 | 06 | 4 | |
| | P | 1/ 9/1971 | -115.66 | 0.04 | 662.34 | 01 | 06 | 4 | |
| | P | 1/10/1971 | -115.78 | -0.12 | 662.22 | 01 | 06 | 4 | |
| | P | 1/11/1971 | -116.19 | -0.41 | 661.81 | 01 | 06 | 4 | |
| | P | 1/12/1971 | -116.95 | -0.76 | 661.05 | 01 | 06 | 4 | |
| | P | 1/13/1971 | -116.85 | 0.1 | 661.15 | 01 | 06 | 4 | |
| | P | 1/14/1971 | -117.36 | -0.51 | 660.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 15/ 1971 | -117.39 | -0.03 | 660.61 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1971 | -117.65 | -0.26 | 660.35 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1971 | -117.7 | -0.05 | 660.3 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1971 | -117.9 | -0.2 | 660.1 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1971 | -118.57 | -0.67 | 659.43 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1971 | -118.84 | -0.27 | 659.16 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1971 | -119.03 | -0.19 | 658.97 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1971 | -119.64 | -0.61 | 658.36 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1971 | -119.99 | -0.35 | 658.01 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1971 | -120.06 | -0.07 | 657.94 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1971 | -120.46 | -0.4 | 657.54 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1971 | -121.46 | -1 | 656.54 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1971 | -122.1 | -0.64 | 655.9 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1971 | -122.4 | -0.3 | 655.6 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1971 | -122.7 | -0.3 | 655.3 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1971 | -122.49 | 0.21 | 655.51 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1971 | -122.72 | -0.23 | 655.28 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1971 | -122.84 | -0.12 | 655.16 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1971 | -122.88 | -0.04 | 655.12 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1971 | -122.56 | 0.32 | 655.44 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1971 | -122.13 | 0.43 | 655.87 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1971 | -122.54 | -0.41 | 655.46 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1971 | -122.7 | -0.16 | 655.3 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1971 | -123 | -0.3 | 655 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1971 | -123 | | 655 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1971 | -123.24 | -0.24 | 654.76 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1971 | -123.29 | -0.05 | 654.71 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1971 | -123.32 | -0.03 | 654.68 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1971 | -124.24 | -0.92 | 653.76 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1971 | -123.99 | 0.25 | 654.01 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1971 | -124.24 | -0.25 | 653.76 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1971 | -124.5 | -0.26 | 653.5 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1971 | -125.45 | -0.95 | 652.55 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1971 | -125.85 | -0.4 | 652.15 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1971 | -125.45 | 0.4 | 652.55 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1971 | -125.62 | -0.17 | 652.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/20/1971 | -125.81 | -0.19 | 652.19 | 01 | 06 | 4 | |
| | P | 2/21/1971 | -125.7 | 0.11 | 652.3 | 01 | 06 | 4 | |
| | P | 2/22/1971 | -125.07 | 0.63 | 652.93 | 01 | 06 | 4 | |
| | P | 2/23/1971 | -125.25 | -0.18 | 652.75 | 01 | 06 | 4 | |
| | P | 2/24/1971 | -125.3 | -0.05 | 652.7 | 01 | 06 | 4 | |
| | P | 2/25/1971 | -125.2 | 0.1 | 652.8 | 01 | 06 | 4 | |
| | P | 2/26/1971 | -124.79 | 0.41 | 653.21 | 01 | 06 | 4 | |
| | P | 2/27/1971 | -124.36 | 0.43 | 653.64 | 01 | 06 | 4 | |
| | P | 2/28/1971 | -124.18 | 0.18 | 653.82 | 01 | 06 | 4 | |
| | P | 3/ 1/1971 | -124.04 | 0.14 | 653.96 | 01 | 06 | 4 | |
| | P | 3/ 2/1971 | -124.55 | -0.51 | 653.45 | 01 | 06 | 4 | |
| | P | 3/ 3/1971 | -124.29 | 0.26 | 653.71 | 01 | 06 | 4 | |
| | P | 3/ 4/1971 | -124.13 | 0.16 | 653.87 | 01 | 06 | 4 | |
| | P | 3/ 5/1971 | -124.1 | 0.03 | 653.9 | 01 | 06 | 4 | |
| | P | 3/ 6/1971 | -124.6 | -0.5 | 653.4 | 01 | 06 | 4 | |
| | P | 3/ 7/1971 | -124.58 | 0.02 | 653.42 | 01 | 06 | 4 | |
| | P | 3/ 8/1971 | -124.92 | -0.34 | 653.08 | 01 | 06 | 4 | |
| | P | 3/ 9/1971 | -124.95 | -0.03 | 653.05 | 01 | 06 | 4 | |
| | P | 3/10/1971 | -125.86 | -0.91 | 652.14 | 01 | 06 | 4 | |
| | P | 3/11/1971 | -125.81 | 0.05 | 652.19 | 01 | 06 | 4 | |
| | P | 3/12/1971 | -126.6 | -0.79 | 651.4 | 01 | 06 | 4 | |
| | P | 3/13/1971 | -126.89 | -0.29 | 651.11 | 01 | 06 | 4 | |
| | P | 3/14/1971 | -127.7 | -0.81 | 650.3 | 01 | 06 | 4 | |
| | P | 3/15/1971 | -128.28 | -0.58 | 649.72 | 01 | 06 | 4 | |
| | P | 3/16/1971 | -129.12 | -0.84 | 648.88 | 01 | 06 | 4 | |
| | P | 3/17/1971 | -129.97 | -0.85 | 648.03 | 01 | 06 | 4 | |
| | P | 3/18/1971 | -129.75 | 0.22 | 648.25 | 01 | 06 | 4 | |
| | P | 3/19/1971 | -130.04 | -0.29 | 647.96 | 01 | 06 | 4 | |
| | P | 3/20/1971 | -129.56 | 0.48 | 648.44 | 01 | 06 | 4 | |
| | P | 3/21/1971 | -129.57 | -0.01 | 648.43 | 01 | 06 | 4 | |
| | P | 3/22/1971 | -130.42 | -0.85 | 647.58 | 01 | 06 | 4 | |
| | P | 3/23/1971 | -131.59 | -1.17 | 646.41 | 01 | 06 | 4 | |
| | P | 3/24/1971 | -131.84 | -0.25 | 646.16 | 01 | 06 | 4 | |
| | P | 3/25/1971 | -130.5 | 1.34 | 647.5 | 01 | 06 | 4 | |
| | P | 3/26/1971 | -130.86 | -0.36 | 647.14 | 01 | 06 | 4 | |
| | P | 3/27/1971 | -130.82 | 0.04 | 647.18 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/28/1971 | -131 | -0.18 | 647 | 01 | 06 | 4 | |
| | P | 3/29/1971 | -132.24 | -1.24 | 645.76 | 01 | 06 | 4 | |
| | P | 3/30/1971 | -132.6 | -0.36 | 645.4 | 01 | 06 | 4 | |
| | P | 3/31/1971 | -133.22 | -0.62 | 644.78 | 01 | 06 | 4 | |
| | P | 4/ 1/1971 | -133.16 | 0.06 | 644.84 | 01 | 06 | 4 | |
| | P | 4/ 2/1971 | -133.8 | -0.64 | 644.2 | 01 | 06 | 4 | |
| | P | 4/ 3/1971 | -133.42 | 0.38 | 644.58 | 01 | 06 | 4 | |
| | P | 4/ 4/1971 | -133.09 | 0.33 | 644.91 | 01 | 06 | 4 | |
| | P | 4/ 5/1971 | -132.04 | 1.05 | 645.96 | 01 | 06 | 4 | |
| | P | 4/ 6/1971 | -132.98 | -0.94 | 645.02 | 01 | 06 | 4 | |
| | P | 4/ 7/1971 | -133.46 | -0.48 | 644.54 | 01 | 06 | 4 | |
| | P | 4/ 8/1971 | -134.59 | -1.13 | 643.41 | 01 | 06 | 4 | |
| | P | 4/ 9/1971 | -134.8 | -0.21 | 643.2 | 01 | 06 | 4 | |
| | P | 4/10/1971 | -135 | -0.2 | 643 | 01 | 06 | 4 | |
| | P | 4/11/1971 | -135.46 | -0.46 | 642.54 | 01 | 06 | 4 | |
| | P | 4/12/1971 | -134.53 | 0.93 | 643.47 | 01 | 06 | 4 | |
| | P | 4/13/1971 | -135.75 | -1.22 | 642.25 | 01 | 06 | 4 | |
| | P | 4/14/1971 | -136.72 | -0.97 | 641.28 | 01 | 06 | 4 | |
| | P | 4/15/1971 | -137.23 | -0.51 | 640.77 | 01 | 06 | 4 | |
| | P | 4/16/1971 | -135 | 2.23 | 643 | 01 | 06 | 4 | |
| | P | 4/17/1971 | -133.6 | 1.4 | 644.4 | 01 | 06 | 4 | |
| | P | 4/18/1971 | -132.67 | 0.93 | 645.33 | 01 | 06 | 4 | |
| | P | 4/19/1971 | -132.35 | 0.32 | 645.65 | 01 | 06 | 4 | |
| | P | 4/20/1971 | -132.46 | -0.11 | 645.54 | 01 | 06 | 4 | |
| | P | 4/21/1971 | -131.93 | 0.53 | 646.07 | 01 | 06 | 4 | |
| | P | 4/22/1971 | -132.34 | -0.41 | 645.66 | 01 | 06 | 4 | |
| | P | 4/23/1971 | -132.7 | -0.36 | 645.3 | 01 | 06 | 4 | |
| | P | 4/24/1971 | -133.1 | -0.4 | 644.9 | 01 | 06 | 4 | |
| | P | 4/25/1971 | -133.63 | -0.53 | 644.37 | 01 | 06 | 4 | |
| | P | 4/26/1971 | -133.39 | 0.24 | 644.61 | 01 | 06 | 4 | |
| | P | 4/27/1971 | -133.99 | -0.6 | 644.01 | 01 | 06 | 4 | |
| | P | 4/28/1971 | -135.08 | -1.09 | 642.92 | 01 | 06 | 4 | |
| | P | 4/29/1971 | -135.6 | -0.52 | 642.4 | 01 | 06 | 4 | |
| | P | 4/30/1971 | -136.25 | -0.65 | 641.75 | 01 | 06 | 4 | |
| | P | 5/ 1/1971 | -136.35 | -0.1 | 641.65 | 01 | 06 | 4 | |
| | P | 5/ 2/1971 | -136.66 | -0.31 | 641.34 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 3/1971 | -137.47 | -0.81 | 640.53 | 01 | 06 | 4 | |
| | P | 5/ 4/1971 | -138.34 | -0.87 | 639.66 | 01 | 06 | 4 | |
| | P | 5/ 5/1971 | -138.65 | -0.31 | 639.35 | 01 | 06 | 4 | |
| | P | 5/ 6/1971 | -138.88 | -0.23 | 639.12 | 01 | 06 | 4 | |
| | P | 5/ 7/1971 | -137.58 | 1.3 | 640.42 | 01 | 06 | 4 | |
| | P | 5/ 8/1971 | -137.14 | 0.44 | 640.86 | 01 | 06 | 4 | |
| | P | 5/ 9/1971 | -136.72 | 0.42 | 641.28 | 01 | 06 | 4 | |
| | P | 5/10/1971 | -136.35 | 0.37 | 641.65 | 01 | 06 | 4 | |
| | P | 5/11/1971 | -137.07 | -0.72 | 640.93 | 01 | 06 | 4 | |
| | P | 5/12/1971 | -135.96 | 1.11 | 642.04 | 01 | 06 | 4 | |
| | P | 5/13/1971 | -136.04 | -0.08 | 641.96 | 01 | 06 | 4 | |
| | P | 5/14/1971 | -136.39 | -0.35 | 641.61 | 01 | 06 | 4 | |
| | P | 5/15/1971 | -137.12 | -0.73 | 640.88 | 01 | 06 | 4 | |
| | P | 5/16/1971 | -138.2 | -1.08 | 639.8 | 01 | 06 | 4 | |
| | P | 5/17/1971 | -138.84 | -0.64 | 639.16 | 01 | 06 | 4 | |
| | P | 5/18/1971 | -140.01 | -1.17 | 637.99 | 01 | 06 | 4 | |
| | P | 5/19/1971 | -141.15 | -1.14 | 636.85 | 01 | 06 | 4 | |
| | P | 5/20/1971 | -141.65 | -0.5 | 636.35 | 01 | 06 | 4 | |
| | P | 5/21/1971 | -141.32 | 0.33 | 636.68 | 01 | 06 | 4 | |
| | P | 5/22/1971 | -141.28 | 0.04 | 636.72 | 01 | 06 | 4 | |
| | P | 5/23/1971 | -141.61 | -0.33 | 636.39 | 01 | 06 | 4 | |
| | P | 5/24/1971 | -141.83 | -0.22 | 636.17 | 01 | 06 | 4 | |
| | P | 5/25/1971 | -140.74 | 1.09 | 637.26 | 01 | 06 | 4 | |
| | P | 5/26/1971 | -139.5 | 1.24 | 638.5 | 01 | 06 | 4 | |
| | P | 5/27/1971 | -139.7 | -0.2 | 638.3 | 01 | 06 | 4 | |
| | P | 5/28/1971 | -140.49 | -0.79 | 637.51 | 01 | 06 | 4 | |
| | P | 5/29/1971 | -141.01 | -0.52 | 636.99 | 01 | 06 | 4 | |
| | P | 5/30/1971 | -140.88 | 0.13 | 637.12 | 01 | 06 | 4 | |
| | P | 5/31/1971 | -140.48 | 0.4 | 637.52 | 01 | 06 | 4 | |
| | P | 6/ 1/1971 | -141.63 | -1.15 | 636.37 | 01 | 06 | 4 | |
| | P | 6/ 2/1971 | -142.7 | -1.07 | 635.3 | 01 | 06 | 4 | |
| | P | 6/ 3/1971 | -143.7 | -1 | 634.3 | 01 | 06 | 4 | |
| | P | 6/ 4/1971 | -144.56 | -0.86 | 633.44 | 01 | 06 | 4 | |
| | P | 6/ 5/1971 | -144.9 | -0.34 | 633.1 | 01 | 06 | 4 | |
| | P | 6/ 6/1971 | -145.16 | -0.26 | 632.84 | 01 | 06 | 4 | |
| | P | 6/ 7/1971 | -145.79 | -0.63 | 632.21 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 8/1971 | -147.03 | -1.24 | 630.97 | 01 | 06 | 4 | |
| | P | 6/ 9/1971 | -148.06 | -1.03 | 629.94 | 01 | 06 | 4 | |
| | P | 6/10/1971 | -148.8 | -0.74 | 629.2 | 01 | 06 | 4 | |
| | P | 6/11/1971 | -149.09 | -0.29 | 628.91 | 01 | 06 | 4 | |
| | P | 6/12/1971 | -148.94 | 0.15 | 629.06 | 01 | 06 | 4 | |
| | P | 6/13/1971 | -149.15 | -0.21 | 628.85 | 01 | 06 | 4 | |
| | P | 6/14/1971 | -148.96 | 0.19 | 629.04 | 01 | 06 | 4 | |
| | P | 6/15/1971 | -148.09 | 0.87 | 629.91 | 01 | 06 | 4 | |
| | P | 6/16/1971 | -146.56 | 1.53 | 631.44 | 01 | 06 | 4 | |
| | P | 6/17/1971 | -146.27 | 0.29 | 631.73 | 01 | 06 | 4 | |
| | P | 6/18/1971 | -146.53 | -0.26 | 631.47 | 01 | 06 | 4 | |
| | P | 6/19/1971 | -146.35 | 0.18 | 631.65 | 01 | 06 | 4 | |
| | P | 6/20/1971 | -144.4 | 1.95 | 633.6 | 01 | 06 | 4 | |
| | P | 6/21/1971 | -143.2 | 1.2 | 634.8 | 01 | 06 | 4 | |
| | P | 6/22/1971 | -142.09 | 1.11 | 635.91 | 01 | 06 | 4 | |
| | P | 6/23/1971 | -141.82 | 0.27 | 636.18 | 01 | 06 | 4 | |
| | P | 6/24/1971 | -141.63 | 0.19 | 636.37 | 01 | 06 | 4 | |
| | P | 6/25/1971 | -141.74 | -0.11 | 636.26 | 01 | 06 | 4 | |
| | P | 6/26/1971 | -141.51 | 0.23 | 636.49 | 01 | 06 | 4 | |
| | P | 6/27/1971 | -140.44 | 1.07 | 637.56 | 01 | 06 | 4 | |
| | P | 6/28/1971 | -139.45 | 0.99 | 638.55 | 01 | 06 | 4 | |
| | P | 6/29/1971 | -139.06 | 0.39 | 638.94 | 01 | 06 | 4 | |
| | P | 6/30/1971 | -138.41 | 0.65 | 639.59 | 01 | 06 | 4 | |
| | P | 7/ 1/1971 | -138.01 | 0.4 | 639.99 | 01 | 06 | 4 | |
| | P | 7/ 2/1971 | -138.1 | -0.09 | 639.9 | 01 | 06 | 4 | |
| | P | 7/ 3/1971 | -138.08 | 0.02 | 639.92 | 01 | 06 | 4 | |
| | P | 7/ 4/1971 | -138.08 | | 639.92 | 01 | 06 | 4 | |
| | P | 7/ 5/1971 | -138.12 | -0.04 | 639.88 | 01 | 06 | 4 | |
| | P | 7/ 6/1971 | -139.09 | -0.97 | 638.91 | 01 | 06 | 4 | |
| | P | 7/ 7/1971 | -139.85 | -0.76 | 638.15 | 01 | 06 | 4 | |
| | P | 7/ 8/1971 | -140.55 | -0.7 | 637.45 | 01 | 06 | 4 | |
| | P | 7/ 9/1971 | -140.57 | -0.02 | 637.43 | 01 | 06 | 4 | |
| | P | 7/10/1971 | -140.8 | -0.23 | 637.2 | 01 | 06 | 4 | |
| | P | 7/11/1971 | -140.71 | 0.09 | 637.29 | 01 | 06 | 4 | |
| | P | 7/12/1971 | -140.88 | -0.17 | 637.12 | 01 | 06 | 4 | |
| | P | 7/13/1971 | -142.07 | -1.19 | 635.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/14/1971 | -143.01 | -0.94 | 634.99 | 01 | 06 | 4 | |
| | P | 7/15/1971 | -143.67 | -0.66 | 634.33 | 01 | 06 | 4 | |
| | P | 7/16/1971 | -144.4 | -0.73 | 633.6 | 01 | 06 | 4 | |
| | P | 7/17/1971 | -144.43 | -0.03 | 633.57 | 01 | 06 | 4 | |
| | P | 7/18/1971 | -144.6 | -0.17 | 633.4 | 01 | 06 | 4 | |
| | P | 7/19/1971 | -144.43 | 0.17 | 633.57 | 01 | 06 | 4 | |
| | P | 7/20/1971 | -145.4 | -0.97 | 632.6 | 01 | 06 | 4 | |
| | P | 7/21/1971 | -146.28 | -0.88 | 631.72 | 01 | 06 | 4 | |
| | P | 7/22/1971 | -146.75 | -0.47 | 631.25 | 01 | 06 | 4 | |
| | P | 7/23/1971 | -147.03 | -0.28 | 630.97 | 01 | 06 | 4 | |
| | P | 7/24/1971 | -146.86 | 0.17 | 631.14 | 01 | 06 | 4 | |
| | P | 7/25/1971 | -146.08 | 0.78 | 631.92 | 01 | 06 | 4 | |
| | P | 7/26/1971 | -146.07 | 0.01 | 631.93 | 01 | 06 | 4 | |
| | P | 7/27/1971 | -146.36 | -0.29 | 631.64 | 01 | 06 | 4 | |
| | P | 7/28/1971 | -146.27 | 0.09 | 631.73 | 01 | 06 | 4 | |
| | P | 7/29/1971 | -147 | -0.73 | 631 | 01 | 06 | 4 | |
| | P | 7/30/1971 | -147.79 | -0.79 | 630.21 | 01 | 06 | 4 | |
| | P | 7/31/1971 | -147.19 | 0.6 | 630.81 | 01 | 06 | 4 | |
| | P | 8/ 1/1971 | -146.9 | 0.29 | 631.1 | 01 | 06 | 4 | |
| | P | 8/ 2/1971 | -141.13 | 5.77 | 636.87 | 01 | 06 | 4 | |
| | P | 8/ 3/1971 | -135.81 | 5.32 | 642.19 | 01 | 06 | 4 | |
| | P | 8/ 4/1971 | -134.31 | 1.5 | 643.69 | 01 | 06 | 4 | |
| | P | 8/ 5/1971 | -133.42 | 0.89 | 644.58 | 01 | 06 | 4 | |
| | P | 8/ 6/1971 | -131.92 | 1.5 | 646.08 | 01 | 06 | 4 | |
| | P | 8/ 7/1971 | -130.82 | 1.1 | 647.18 | 01 | 06 | 4 | |
| | P | 8/ 8/1971 | -130.31 | 0.51 | 647.69 | 01 | 06 | 4 | |
| | P | 8/ 9/1971 | -130.15 | 0.16 | 647.85 | 01 | 06 | 4 | |
| | P | 8/10/1971 | -130.78 | -0.63 | 647.22 | 01 | 06 | 4 | |
| | P | 8/11/1971 | -131.2 | -0.42 | 646.8 | 01 | 06 | 4 | |
| | P | 8/12/1971 | -130.41 | 0.79 | 647.59 | 01 | 06 | 4 | |
| | P | 8/13/1971 | -128.27 | 2.14 | 649.73 | 01 | 06 | 4 | |
| | P | 8/14/1971 | -126.04 | 2.23 | 651.96 | 01 | 06 | 4 | |
| | P | 8/15/1971 | -124.63 | 1.41 | 653.37 | 01 | 06 | 4 | |
| | P | 8/16/1971 | -124 | 0.63 | 654 | 01 | 06 | 4 | |
| | P | 8/17/1971 | -123.64 | 0.36 | 654.36 | 01 | 06 | 4 | |
| | P | 8/18/1971 | -123.35 | 0.29 | 654.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/19/1971 | -123.46 | -0.11 | 654.54 | 01 | 06 | 4 | |
| | P | 8/20/1971 | -123.28 | 0.18 | 654.72 | 01 | 06 | 4 | |
| | P | 8/21/1971 | -123.09 | 0.19 | 654.91 | 01 | 06 | 4 | |
| | P | 8/22/1971 | -122.88 | 0.21 | 655.12 | 01 | 06 | 4 | |
| | P | 8/23/1971 | -123.19 | -0.31 | 654.81 | 01 | 06 | 4 | |
| | P | 8/24/1971 | -123.78 | -0.59 | 654.22 | 01 | 06 | 4 | |
| | P | 8/25/1971 | -124.27 | -0.49 | 653.73 | 01 | 06 | 4 | |
| | P | 8/26/1971 | -124.7 | -0.43 | 653.3 | 01 | 06 | 4 | |
| | P | 8/27/1971 | -124.6 | 0.1 | 653.4 | 01 | 06 | 4 | |
| | P | 8/28/1971 | -124.61 | -0.01 | 653.39 | 01 | 06 | 4 | |
| | P | 8/29/1971 | -125.02 | -0.41 | 652.98 | 01 | 06 | 4 | |
| | P | 8/30/1971 | -124.83 | 0.19 | 653.17 | 01 | 06 | 4 | |
| | P | 8/31/1971 | -124.82 | 0.01 | 653.18 | 01 | 06 | 4 | |
| | P | 9/ 1/1971 | -124.82 | | 653.18 | 01 | 06 | 4 | |
| | P | 9/ 2/1971 | -124.9 | -0.08 | 653.1 | 01 | 06 | 4 | |
| | P | 9/ 3/1971 | -124.88 | 0.02 | 653.12 | 01 | 06 | 4 | |
| | P | 9/ 4/1971 | -124.85 | 0.03 | 653.15 | 01 | 06 | 4 | |
| | P | 9/ 5/1971 | -125.08 | -0.23 | 652.92 | 01 | 06 | 4 | |
| | P | 9/ 6/1971 | -125.3 | -0.22 | 652.7 | 01 | 06 | 4 | |
| | P | 9/ 7/1971 | -126.46 | -1.16 | 651.54 | 01 | 06 | 4 | |
| | P | 9/ 8/1971 | -126.99 | -0.53 | 651.01 | 01 | 06 | 4 | |
| | P | 9/ 9/1971 | -127.44 | -0.45 | 650.56 | 01 | 06 | 4 | |
| | P | 9/10/1971 | -126.6 | 0.84 | 651.4 | 01 | 06 | 4 | |
| | P | 9/11/1971 | -124.97 | 1.63 | 653.03 | 01 | 06 | 4 | |
| | P | 9/12/1971 | -123.96 | 1.01 | 654.04 | 01 | 06 | 4 | |
| | P | 9/13/1971 | -123.65 | 0.31 | 654.35 | 01 | 06 | 4 | |
| | P | 9/14/1971 | -123.58 | 0.07 | 654.42 | 01 | 06 | 4 | |
| | P | 9/15/1971 | -123.56 | 0.02 | 654.44 | 01 | 06 | 4 | |
| | P | 9/16/1971 | -123.38 | 0.18 | 654.62 | 01 | 06 | 4 | |
| | P | 9/17/1971 | -123.73 | -0.35 | 654.27 | 01 | 06 | 4 | |
| | P | 9/18/1971 | -123.5 | 0.23 | 654.5 | 01 | 06 | 4 | |
| | P | 9/19/1971 | -123.19 | 0.31 | 654.81 | 01 | 06 | 4 | |
| | P | 9/20/1971 | -122.6 | 0.59 | 655.4 | 01 | 06 | 4 | |
| | P | 9/21/1971 | -122.78 | -0.18 | 655.22 | 01 | 06 | 4 | |
| | P | 9/22/1971 | -122.4 | 0.38 | 655.6 | 01 | 06 | 4 | |
| | P | 9/23/1971 | -121.81 | 0.59 | 656.19 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/24/1971 | -121.33 | 0.48 | 656.67 | 01 | 06 | 4 | |
| | P | 9/25/1971 | -120.82 | 0.51 | 657.18 | 01 | 06 | 4 | |
| | P | 9/26/1971 | -120.63 | 0.19 | 657.37 | 01 | 06 | 4 | |
| | P | 9/27/1971 | -120.54 | 0.09 | 657.46 | 01 | 06 | 4 | |
| | P | 9/28/1971 | -120.55 | -0.01 | 657.45 | 01 | 06 | 4 | |
| | P | 9/29/1971 | -120.48 | 0.07 | 657.52 | 01 | 06 | 4 | |
| | P | 9/30/1971 | -120.15 | 0.33 | 657.85 | 01 | 06 | 4 | |
| | P | 10/ 1/1971 | -119.98 | 0.17 | 658.02 | 01 | 06 | 4 | |
| | P | 10/ 2/1971 | -119.6 | 0.38 | 658.4 | 01 | 06 | 4 | |
| | P | 10/ 3/1971 | -119.51 | 0.09 | 658.49 | 01 | 06 | 4 | |
| | P | 10/ 4/1971 | -119.51 | | 658.49 | 01 | 06 | 4 | |
| | P | 10/ 5/1971 | -118.81 | 0.7 | 659.19 | 01 | 06 | 4 | |
| | P | 10/ 6/1971 | -118.51 | 0.3 | 659.49 | 01 | 06 | 4 | |
| | P | 10/ 7/1971 | -118.27 | 0.24 | 659.73 | 01 | 06 | 4 | |
| | P | 10/ 8/1971 | -118.29 | -0.02 | 659.71 | 01 | 06 | 4 | |
| | P | 10/ 9/1971 | -117.87 | 0.42 | 660.13 | 01 | 06 | 4 | |
| | P | 10/10/1971 | -117.6 | 0.27 | 660.4 | 01 | 06 | 4 | |
| | P | 10/11/1971 | -117.4 | 0.2 | 660.6 | 01 | 06 | 4 | |
| | P | 10/12/1971 | -117.55 | -0.15 | 660.45 | 01 | 06 | 4 | |
| | P | 10/13/1971 | -117.25 | 0.3 | 660.75 | 01 | 06 | 4 | |
| | P | 11/ 5/1971 | -109.95 | 7.3 | 668.05 | 01 | 06 | 4 | |
| | P | 11/ 6/1971 | -109.59 | 0.36 | 668.41 | 01 | 06 | 4 | |
| | P | 11/ 7/1971 | -109.7 | -0.11 | 668.3 | 01 | 06 | 4 | |
| | P | 11/ 8/1971 | -109.27 | 0.43 | 668.73 | 01 | 06 | 4 | |
| | P | 11/ 9/1971 | -109.29 | -0.02 | 668.71 | 01 | 06 | 4 | |
| | P | 11/10/1971 | -109.64 | -0.35 | 668.36 | 01 | 06 | 4 | |
| | P | 11/11/1971 | -109.71 | -0.07 | 668.29 | 01 | 06 | 4 | |
| | P | 11/12/1971 | -109.85 | -0.14 | 668.15 | 01 | 06 | 4 | |
| | P | 11/13/1971 | -109.74 | 0.11 | 668.26 | 01 | 06 | 4 | |
| | P | 11/14/1971 | -109.7 | 0.04 | 668.3 | 01 | 06 | 4 | |
| | P | 11/15/1971 | -109.69 | 0.01 | 668.31 | 01 | 06 | 4 | |
| | P | 11/16/1971 | -110 | -0.31 | 668 | 01 | 06 | 4 | |
| | P | 11/17/1971 | -110 | | 668 | 01 | 06 | 4 | |
| | P | 11/18/1971 | -109.11 | 0.89 | 668.89 | 01 | 06 | 4 | |
| | P | 11/19/1971 | -108.58 | 0.53 | 669.42 | 01 | 06 | 4 | |
| | P | 11/20/1971 | -108.32 | 0.26 | 669.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/21/1971 | -108.18 | 0.14 | 669.82 | 01 | 06 | 4 | |
| | P | 11/22/1971 | -108.04 | 0.14 | 669.96 | 01 | 06 | 4 | |
| | P | 11/23/1971 | -107.88 | 0.16 | 670.12 | 01 | 06 | 4 | |
| | P | 11/24/1971 | -107.92 | -0.04 | 670.08 | 01 | 06 | 4 | |
| | P | 11/25/1971 | -107.71 | 0.21 | 670.29 | 01 | 06 | 4 | |
| | P | 11/26/1971 | -107.36 | 0.35 | 670.64 | 01 | 06 | 4 | |
| | P | 11/27/1971 | -107.56 | -0.2 | 670.44 | 01 | 06 | 4 | |
| | P | 11/28/1971 | -107.26 | 0.3 | 670.74 | 01 | 06 | 4 | |
| | P | 11/29/1971 | -107.25 | 0.01 | 670.75 | 01 | 06 | 4 | |
| | P | 11/30/1971 | -107.58 | -0.33 | 670.42 | 01 | 06 | 4 | |
| | P | 12/ 1/1971 | -107.71 | -0.13 | 670.29 | 01 | 06 | 4 | |
| | P | 12/ 2/1971 | -107.59 | 0.12 | 670.41 | 01 | 06 | 4 | |
| | P | 12/ 3/1971 | -107.21 | 0.38 | 670.79 | 01 | 06 | 4 | |
| | P | 12/ 4/1971 | -106.85 | 0.36 | 671.15 | 01 | 06 | 4 | |
| | P | 12/ 5/1971 | -104.63 | 2.22 | 673.37 | 01 | 06 | 4 | |
| | P | 12/ 6/1971 | -104 | 0.63 | 674 | 01 | 06 | 4 | |
| | P | 12/ 7/1971 | -103.7 | 0.3 | 674.3 | 01 | 06 | 4 | |
| | P | 12/ 8/1971 | -103.64 | 0.06 | 674.36 | 01 | 06 | 4 | |
| | P | 12/ 9/1971 | -103.24 | 0.4 | 674.76 | 01 | 06 | 4 | |
| | P | 12/10/1971 | -103.08 | 0.16 | 674.92 | 01 | 06 | 4 | |
| | P | 12/11/1971 | -103 | 0.08 | 675 | 01 | 06 | 4 | |
| | P | 12/12/1971 | -102.67 | 0.33 | 675.33 | 01 | 06 | 4 | |
| | P | 12/13/1971 | -102.6 | 0.07 | 675.4 | 01 | 06 | 4 | |
| | P | 12/14/1971 | -102.43 | 0.17 | 675.57 | 01 | 06 | 4 | |
| | P | 12/15/1971 | -102.45 | -0.02 | 675.55 | 01 | 06 | 4 | |
| | P | 12/16/1971 | -102.6 | -0.15 | 675.4 | 01 | 06 | 4 | |
| | P | 12/17/1971 | -102.73 | -0.13 | 675.27 | 01 | 06 | 4 | |
| | P | 12/18/1971 | -102.76 | -0.03 | 675.24 | 01 | 06 | 4 | |
| | P | 12/19/1971 | -102.46 | 0.3 | 675.54 | 01 | 06 | 4 | |
| | P | 12/20/1971 | -102.45 | 0.01 | 675.55 | 01 | 06 | 4 | |
| | P | 12/21/1971 | -102.67 | -0.22 | 675.33 | 01 | 06 | 4 | |
| | P | 12/22/1971 | -102.93 | -0.26 | 675.07 | 01 | 06 | 4 | |
| | P | 12/23/1971 | -103.03 | -0.1 | 674.97 | 01 | 06 | 4 | |
| | P | 12/24/1971 | -102.95 | 0.08 | 675.05 | 01 | 06 | 4 | |
| | P | 12/25/1971 | -102.94 | 0.01 | 675.06 | 01 | 06 | 4 | |
| | P | 12/26/1971 | -102.45 | 0.49 | 675.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/27/1971 | -102.38 | 0.07 | 675.62 | 01 | 06 | 4 | |
| | P | 12/28/1971 | -102.72 | -0.34 | 675.28 | 01 | 06 | 4 | |
| | P | 12/29/1971 | -102.86 | -0.14 | 675.14 | 01 | 06 | 4 | |
| | P | 12/30/1971 | -102.91 | -0.05 | 675.09 | 01 | 06 | 4 | |
| | P | 12/31/1971 | -102.91 | | 675.09 | 01 | 06 | 4 | |
| | P | 1/ 1/1972 | -102.73 | 0.18 | 675.27 | 01 | 06 | 4 | |
| | P | 1/ 2/1972 | -102.56 | 0.17 | 675.44 | 01 | 06 | 4 | |
| | P | 1/ 3/1972 | -102.52 | 0.04 | 675.48 | 01 | 06 | 4 | |
| | P | 1/ 4/1972 | -102.86 | -0.34 | 675.14 | 01 | 06 | 4 | |
| | P | 1/ 5/1972 | -103.28 | -0.42 | 674.72 | 01 | 06 | 4 | |
| | P | 1/ 6/1972 | -103.52 | -0.24 | 674.48 | 01 | 06 | 4 | |
| | P | 1/ 7/1972 | -103.66 | -0.14 | 674.34 | 01 | 06 | 4 | |
| | P | 1/ 8/1972 | -103.52 | 0.14 | 674.48 | 01 | 06 | 4 | |
| | P | 1/ 9/1972 | -103.23 | 0.29 | 674.77 | 01 | 06 | 4 | |
| | P | 1/10/1972 | -103.14 | 0.09 | 674.86 | 01 | 06 | 4 | |
| | P | 1/11/1972 | -103.37 | -0.23 | 674.63 | 01 | 06 | 4 | |
| | P | 1/12/1972 | -103.48 | -0.11 | 674.52 | 01 | 06 | 4 | |
| | P | 1/13/1972 | -103.51 | -0.03 | 674.49 | 01 | 06 | 4 | |
| | P | 1/14/1972 | -103.77 | -0.26 | 674.23 | 01 | 06 | 4 | |
| | P | 1/15/1972 | -104.05 | -0.28 | 673.95 | 01 | 06 | 4 | |
| | P | 1/16/1972 | -104.08 | -0.03 | 673.92 | 01 | 06 | 4 | |
| | P | 1/17/1972 | -103.88 | 0.2 | 674.12 | 01 | 06 | 4 | |
| | P | 1/18/1972 | -103.89 | -0.01 | 674.11 | 01 | 06 | 4 | |
| | P | 1/19/1972 | -103.91 | -0.02 | 674.09 | 01 | 06 | 4 | |
| | P | 1/20/1972 | -104.03 | -0.12 | 673.97 | 01 | 06 | 4 | |
| | P | 1/21/1972 | -104.09 | -0.06 | 673.91 | 01 | 06 | 4 | |
| | P | 1/22/1972 | -104.18 | -0.09 | 673.82 | 01 | 06 | 4 | |
| | P | 1/23/1972 | -104.23 | -0.05 | 673.77 | 01 | 06 | 4 | |
| | P | 1/24/1972 | -104.28 | -0.05 | 673.72 | 01 | 06 | 4 | |
| | P | 1/25/1972 | -104.78 | -0.5 | 673.22 | 01 | 06 | 4 | |
| | P | 1/26/1972 | -104.81 | -0.03 | 673.19 | 01 | 06 | 4 | |
| | P | 1/27/1972 | -104.63 | 0.18 | 673.37 | 01 | 06 | 4 | |
| | P | 1/28/1972 | -105 | -0.37 | 673 | 01 | 06 | 4 | |
| | P | 1/29/1972 | -104.77 | 0.23 | 673.23 | 01 | 06 | 4 | |
| | P | 1/30/1972 | -104.49 | 0.28 | 673.51 | 01 | 06 | 4 | |
| | P | 1/31/1972 | -104.45 | 0.04 | 673.55 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 1/1972 | -104.37 | 0.08 | 673.63 | 01 | 06 | 4 | |
| | P | 2/ 2/1972 | -104.29 | 0.08 | 673.71 | 01 | 06 | 4 | |
| | P | 2/ 3/1972 | -104.64 | -0.35 | 673.36 | 01 | 06 | 4 | |
| | P | 2/ 4/1972 | -104.86 | -0.22 | 673.14 | 01 | 06 | 4 | |
| | P | 2/ 5/1972 | -104.78 | 0.08 | 673.22 | 01 | 06 | 4 | |
| | P | 2/ 6/1972 | -104.43 | 0.35 | 673.57 | 01 | 06 | 4 | |
| | P | 2/ 7/1972 | -104.57 | -0.14 | 673.43 | 01 | 06 | 4 | |
| | P | 2/ 8/1972 | -104.79 | -0.22 | 673.21 | 01 | 06 | 4 | |
| | P | 2/ 9/1972 | -104.89 | -0.1 | 673.11 | 01 | 06 | 4 | |
| | P | 2/10/1972 | -104.97 | -0.08 | 673.03 | 01 | 06 | 4 | |
| | P | 2/11/1972 | -104.99 | -0.02 | 673.01 | 01 | 06 | 4 | |
| | P | 2/12/1972 | -104.83 | 0.16 | 673.17 | 01 | 06 | 4 | |
| | P | 2/13/1972 | -104.8 | 0.03 | 673.2 | 01 | 06 | 4 | |
| | P | 2/14/1972 | -104.77 | 0.03 | 673.23 | 01 | 06 | 4 | |
| | P | 2/15/1972 | -104.97 | -0.2 | 673.03 | 01 | 06 | 4 | |
| | P | 2/16/1972 | -105.1 | -0.13 | 672.9 | 01 | 06 | 4 | |
| | P | 2/17/1972 | -105.28 | -0.18 | 672.72 | 01 | 06 | 4 | |
| | P | 2/18/1972 | -105.73 | -0.45 | 672.27 | 01 | 06 | 4 | |
| | P | 2/19/1972 | -105.94 | -0.21 | 672.06 | 01 | 06 | 4 | |
| | P | 2/20/1972 | -105.96 | -0.02 | 672.04 | 01 | 06 | 4 | |
| | P | 2/21/1972 | -106.03 | -0.07 | 671.97 | 01 | 06 | 4 | |
| | P | 2/22/1972 | -106.58 | -0.55 | 671.42 | 01 | 06 | 4 | |
| | P | 2/23/1972 | -106.73 | -0.15 | 671.27 | 01 | 06 | 4 | |
| | P | 2/24/1972 | -106.85 | -0.12 | 671.15 | 01 | 06 | 4 | |
| | P | 2/25/1972 | -107.27 | -0.42 | 670.73 | 01 | 06 | 4 | |
| | P | 2/26/1972 | -107.46 | -0.19 | 670.54 | 01 | 06 | 4 | |
| | P | 2/27/1972 | -107.63 | -0.17 | 670.37 | 01 | 06 | 4 | |
| | P | 2/28/1972 | -108.05 | -0.42 | 669.95 | 01 | 06 | 4 | |
| | P | 2/29/1972 | -108.36 | -0.31 | 669.64 | 01 | 06 | 4 | |
| | P | 3/ 1/1972 | -108.4 | -0.04 | 669.6 | 01 | 06 | 4 | |
| | P | 3/ 2/1972 | -108.75 | -0.35 | 669.25 | 01 | 06 | 4 | |
| | P | 3/ 3/1972 | -108.83 | -0.08 | 669.17 | 01 | 06 | 4 | |
| | P | 3/ 4/1972 | -108.89 | -0.06 | 669.11 | 01 | 06 | 4 | |
| | P | 3/ 5/1972 | -109.68 | -0.79 | 668.32 | 01 | 06 | 4 | |
| | P | 3/ 6/1972 | -109.58 | 0.1 | 668.42 | 01 | 06 | 4 | |
| | P | 3/ 7/1972 | -109.87 | -0.29 | 668.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 8/1972 | -110.58 | -0.71 | 667.42 | 01 | 06 | 4 | |
| | P | 3/ 9/1972 | -110.53 | 0.05 | 667.47 | 01 | 06 | 4 | |
| | P | 3/10/1972 | -110.83 | -0.3 | 667.17 | 01 | 06 | 4 | |
| | P | 3/11/1972 | -111.11 | -0.28 | 666.89 | 01 | 06 | 4 | |
| | P | 3/12/1972 | -111.23 | -0.12 | 666.77 | 01 | 06 | 4 | |
| | P | 3/13/1972 | -111.24 | -0.01 | 666.76 | 01 | 06 | 4 | |
| | P | 3/14/1972 | -111.16 | 0.08 | 666.84 | 01 | 06 | 4 | |
| | P | 3/15/1972 | -111.51 | -0.35 | 666.49 | 01 | 06 | 4 | |
| | P | 3/16/1972 | -111.62 | -0.11 | 666.38 | 01 | 06 | 4 | |
| | P | 3/17/1972 | -112 | -0.38 | 666 | 01 | 06 | 4 | |
| | P | 3/18/1972 | -112.61 | -0.61 | 665.39 | 01 | 06 | 4 | |
| | P | 3/19/1972 | -113.23 | -0.62 | 664.77 | 01 | 06 | 4 | |
| | P | 3/20/1972 | -113.54 | -0.31 | 664.46 | 01 | 06 | 4 | |
| | P | 3/21/1972 | -113.5 | 0.04 | 664.5 | 01 | 06 | 4 | |
| | P | 3/22/1972 | -114.34 | -0.84 | 663.66 | 01 | 06 | 4 | |
| | P | 3/23/1972 | -114.88 | -0.54 | 663.12 | 01 | 06 | 4 | |
| | P | 3/24/1972 | -114.55 | 0.33 | 663.45 | 01 | 06 | 4 | |
| | P | 3/25/1972 | -114.7 | -0.15 | 663.3 | 01 | 06 | 4 | |
| | P | 3/26/1972 | -114.68 | 0.02 | 663.32 | 01 | 06 | 4 | |
| | P | 3/27/1972 | -114 | 0.68 | 664 | 01 | 06 | 4 | |
| | P | 3/28/1972 | -115 | -1 | 663 | 01 | 06 | 4 | |
| | P | 3/29/1972 | -116.08 | -1.08 | 661.92 | 01 | 06 | 4 | |
| | P | 3/30/1972 | -115.63 | 0.45 | 662.37 | 01 | 06 | 4 | |
| | P | 3/31/1972 | -115.77 | -0.14 | 662.23 | 01 | 06 | 4 | |
| | P | 4/ 1/1972 | -116.03 | -0.26 | 661.97 | 01 | 06 | 4 | |
| | P | 4/ 2/1972 | -116.35 | -0.32 | 661.65 | 01 | 06 | 4 | |
| | P | 4/ 3/1972 | -115.9 | 0.45 | 662.1 | 01 | 06 | 4 | |
| | P | 4/ 4/1972 | -117.29 | -1.39 | 660.71 | 01 | 06 | 4 | |
| | P | 4/ 5/1972 | -117.51 | -0.22 | 660.49 | 01 | 06 | 4 | |
| | P | 4/ 6/1972 | -117.44 | 0.07 | 660.56 | 01 | 06 | 4 | |
| | P | 4/ 7/1972 | -118.06 | -0.62 | 659.94 | 01 | 06 | 4 | |
| | P | 4/ 8/1972 | -119.07 | -1.01 | 658.93 | 01 | 06 | 4 | |
| | P | 4/ 9/1972 | -119.71 | -0.64 | 658.29 | 01 | 06 | 4 | |
| | P | 4/10/1972 | -119.09 | 0.62 | 658.91 | 01 | 06 | 4 | |
| | P | 4/11/1972 | -119.58 | -0.49 | 658.42 | 01 | 06 | 4 | |
| | P | 4/12/1972 | -120.35 | -0.77 | 657.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 13/ 1972 | -121.25 | -0.9 | 656.75 | 01 | 06 | 4 | |
| | P | 4/ 14/ 1972 | -122.02 | -0.77 | 655.98 | 01 | 06 | 4 | |
| | P | 4/ 15/ 1972 | -122.44 | -0.42 | 655.56 | 01 | 06 | 4 | |
| | P | 4/ 16/ 1972 | -123.1 | -0.66 | 654.9 | 01 | 06 | 4 | |
| | P | 4/ 17/ 1972 | -123.87 | -0.77 | 654.13 | 01 | 06 | 4 | |
| | P | 4/ 18/ 1972 | -124.58 | -0.71 | 653.42 | 01 | 06 | 4 | |
| | P | 4/ 19/ 1972 | -125.24 | -0.66 | 652.76 | 01 | 06 | 4 | |
| | P | 4/ 20/ 1972 | -125.69 | -0.45 | 652.31 | 01 | 06 | 4 | |
| | P | 4/ 21/ 1972 | -124.87 | 0.82 | 653.13 | 01 | 06 | 4 | |
| | P | 4/ 22/ 1972 | -123.7 | 1.17 | 654.3 | 01 | 06 | 4 | |
| | P | 4/ 23/ 1972 | -123.13 | 0.57 | 654.87 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1972 | -123.12 | 0.01 | 654.88 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1972 | -123.96 | -0.84 | 654.04 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1972 | -124.39 | -0.43 | 653.61 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1972 | -123.18 | 1.21 | 654.82 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1972 | -122.13 | 1.05 | 655.87 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1972 | -121.23 | 0.9 | 656.77 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1972 | -120.93 | 0.3 | 657.07 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1972 | -120.64 | 0.29 | 657.36 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1972 | -120.82 | -0.18 | 657.18 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1972 | -120.53 | 0.29 | 657.47 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1972 | -120.89 | -0.36 | 657.11 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1972 | -121.43 | -0.54 | 656.57 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1972 | -118.6 | 2.83 | 659.4 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1972 | -109.92 | 8.68 | 668.08 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1972 | -108.01 | 1.91 | 669.99 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1972 | -107.01 | 1 | 670.99 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1972 | -104.88 | 2.13 | 673.12 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1972 | -102.86 | 2.02 | 675.14 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1972 | -99.64 | 3.22 | 678.36 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1972 | -98.38 | 1.26 | 679.62 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1972 | -97.37 | 1.01 | 680.63 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1972 | -96.77 | 0.6 | 681.23 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1972 | -96.51 | 0.26 | 681.49 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1972 | -96.1 | 0.41 | 681.9 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1972 | -95.83 | 0.27 | 682.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/19/1972 | -95.87 | -0.04 | 682.13 | 01 | 06 | 4 | |
| | P | 5/20/1972 | -95.77 | 0.1 | 682.23 | 01 | 06 | 4 | |
| | P | 5/21/1972 | -95.77 | | 682.23 | 01 | 06 | 4 | |
| | P | 5/22/1972 | -95.84 | -0.07 | 682.16 | 01 | 06 | 4 | |
| | P | 5/23/1972 | -96.12 | -0.28 | 681.88 | 01 | 06 | 4 | |
| | P | 5/24/1972 | -96.27 | -0.15 | 681.73 | 01 | 06 | 4 | |
| | P | 5/25/1972 | -96.78 | -0.51 | 681.22 | 01 | 06 | 4 | |
| | P | 5/26/1972 | -97.42 | -0.64 | 680.58 | 01 | 06 | 4 | |
| | P | 5/27/1972 | -97.92 | -0.5 | 680.08 | 01 | 06 | 4 | |
| | P | 5/28/1972 | -98.64 | -0.72 | 679.36 | 01 | 06 | 4 | |
| | P | 5/29/1972 | -99.08 | -0.44 | 678.92 | 01 | 06 | 4 | |
| | P | 5/30/1972 | -100.16 | -1.08 | 677.84 | 01 | 06 | 4 | |
| | P | 5/31/1972 | -100.72 | -0.56 | 677.28 | 01 | 06 | 4 | |
| | P | 6/ 1/1972 | -100.77 | -0.05 | 677.23 | 01 | 06 | 4 | |
| | P | 6/ 2/1972 | -101.64 | -0.87 | 676.36 | 01 | 06 | 4 | |
| | P | 6/ 3/1972 | -102.37 | -0.73 | 675.63 | 01 | 06 | 4 | |
| | P | 6/ 4/1972 | -102.98 | -0.61 | 675.02 | 01 | 06 | 4 | |
| | P | 6/ 5/1972 | -103.58 | -0.6 | 674.42 | 01 | 06 | 4 | |
| | P | 6/ 6/1972 | -104.49 | -0.91 | 673.51 | 01 | 06 | 4 | |
| | P | 6/ 7/1972 | -105.54 | -1.05 | 672.46 | 01 | 06 | 4 | |
| | P | 6/ 8/1972 | -106.55 | -1.01 | 671.45 | 01 | 06 | 4 | |
| | P | 6/ 9/1972 | -105.87 | 0.68 | 672.13 | 01 | 06 | 4 | |
| | P | 6/10/1972 | -105 | 0.87 | 673 | 01 | 06 | 4 | |
| | P | 6/11/1972 | -104.37 | 0.63 | 673.63 | 01 | 06 | 4 | |
| | P | 6/12/1972 | -103.93 | 0.44 | 674.07 | 01 | 06 | 4 | |
| | P | 6/13/1972 | -104.05 | -0.12 | 673.95 | 01 | 06 | 4 | |
| | P | 6/14/1972 | -104.2 | -0.15 | 673.8 | 01 | 06 | 4 | |
| | P | 6/15/1972 | -104.25 | -0.05 | 673.75 | 01 | 06 | 4 | |
| | P | 6/16/1972 | -104.45 | -0.2 | 673.55 | 01 | 06 | 4 | |
| | P | 6/17/1972 | -103.81 | 0.64 | 674.19 | 01 | 06 | 4 | |
| | P | 6/18/1972 | -103.14 | 0.67 | 674.86 | 01 | 06 | 4 | |
| | P | 6/19/1972 | -102.84 | 0.3 | 675.16 | 01 | 06 | 4 | |
| | P | 6/20/1972 | -103.18 | -0.34 | 674.82 | 01 | 06 | 4 | |
| | P | 6/21/1972 | -103.71 | -0.53 | 674.29 | 01 | 06 | 4 | |
| | P | 6/22/1972 | -104.23 | -0.52 | 673.77 | 01 | 06 | 4 | |
| | P | 6/23/1972 | -104.9 | -0.67 | 673.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 24/ 1972 | -105.3 | -0.4 | 672.7 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1972 | -105.75 | -0.45 | 672.25 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1972 | -106.34 | -0.59 | 671.66 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1972 | -107.44 | -1.1 | 670.56 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1972 | -108.5 | -1.06 | 669.5 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1972 | -109.44 | -0.94 | 668.56 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1972 | -110.4 | -0.96 | 667.6 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1972 | -110.79 | -0.39 | 667.21 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1972 | -110.83 | -0.04 | 667.17 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1972 | -111.08 | -0.25 | 666.92 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1972 | -111.61 | -0.53 | 666.39 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1972 | -111.14 | 0.47 | 666.86 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1972 | -111.23 | -0.09 | 666.77 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1972 | -111.85 | -0.62 | 666.15 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1972 | -112.44 | -0.59 | 665.56 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1972 | -112.61 | -0.17 | 665.39 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1972 | -112.6 | 0.01 | 665.4 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1972 | -112.64 | -0.04 | 665.36 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1972 | -112.69 | -0.05 | 665.31 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1972 | -112.76 | -0.07 | 665.24 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1972 | -113.3 | -0.54 | 664.7 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1972 | -113.59 | -0.29 | 664.41 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1972 | -113.48 | 0.11 | 664.52 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1972 | -112.48 | 1 | 665.52 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1972 | -111.78 | 0.7 | 666.22 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1972 | -111.24 | 0.54 | 666.76 | 01 | 06 | 4 | |
| | P | 7 / 20/ 1972 | -110.75 | 0.49 | 667.25 | 01 | 06 | 4 | |
| | P | 7 / 21/ 1972 | -110.59 | 0.16 | 667.41 | 01 | 06 | 4 | |
| | P | 7 / 22/ 1972 | -110.32 | 0.27 | 667.68 | 01 | 06 | 4 | |
| | P | 7 / 23/ 1972 | -109.6 | 0.72 | 668.4 | 01 | 06 | 4 | |
| | P | 7 / 24/ 1972 | -109.27 | 0.33 | 668.73 | 01 | 06 | 4 | |
| | P | 7 / 25/ 1972 | -109.46 | -0.19 | 668.54 | 01 | 06 | 4 | |
| | P | 7 / 26/ 1972 | -109.82 | -0.36 | 668.18 | 01 | 06 | 4 | |
| | P | 7 / 27/ 1972 | -110.47 | -0.65 | 667.53 | 01 | 06 | 4 | |
| | P | 7 / 28/ 1972 | -110.95 | -0.48 | 667.05 | 01 | 06 | 4 | |
| | P | 7 / 29/ 1972 | -111.67 | -0.72 | 666.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1972 | -111.82 | -0.15 | 666.18 | 01 | 06 | 4 | |
| | P | 7/31/1972 | -112.27 | -0.45 | 665.73 | 01 | 06 | 4 | |
| | P | 8/ 1/1972 | -112.48 | -0.21 | 665.52 | 01 | 06 | 4 | |
| | P | 8/ 2/1972 | -112.7 | -0.22 | 665.3 | 01 | 06 | 4 | |
| | P | 8/ 3/1972 | -111.78 | 0.92 | 666.22 | 01 | 06 | 4 | |
| | P | 8/ 4/1972 | -110.82 | 0.96 | 667.18 | 01 | 06 | 4 | |
| | P | 8/ 5/1972 | -110.12 | 0.7 | 667.88 | 01 | 06 | 4 | |
| | P | 8/ 6/1972 | -109.59 | 0.53 | 668.41 | 01 | 06 | 4 | |
| | P | 8/ 7/1972 | -109.63 | -0.04 | 668.37 | 01 | 06 | 4 | |
| | P | 8/ 8/1972 | -109.77 | -0.14 | 668.23 | 01 | 06 | 4 | |
| | P | 8/ 9/1972 | -109.83 | -0.06 | 668.17 | 01 | 06 | 4 | |
| | P | 8/10/1972 | -109.98 | -0.15 | 668.02 | 01 | 06 | 4 | |
| | P | 8/11/1972 | -109.92 | 0.06 | 668.08 | 01 | 06 | 4 | |
| | P | 8/12/1972 | -109.18 | 0.74 | 668.82 | 01 | 06 | 4 | |
| | P | 8/13/1972 | -108.63 | 0.55 | 669.37 | 01 | 06 | 4 | |
| | P | 8/14/1972 | -108.53 | 0.1 | 669.47 | 01 | 06 | 4 | |
| | P | 8/15/1972 | -108.95 | -0.42 | 669.05 | 01 | 06 | 4 | |
| | P | 8/16/1972 | -109.23 | -0.28 | 668.77 | 01 | 06 | 4 | |
| | P | 8/17/1972 | -109.78 | -0.55 | 668.22 | 01 | 06 | 4 | |
| | P | 8/18/1972 | -109.78 | | 668.22 | 01 | 06 | 4 | |
| | P | 8/19/1972 | -110.18 | -0.4 | 667.82 | 01 | 06 | 4 | |
| | P | 8/20/1972 | -110.24 | -0.06 | 667.76 | 01 | 06 | 4 | |
| | P | 8/21/1972 | -110.55 | -0.31 | 667.45 | 01 | 06 | 4 | |
| | P | 8/22/1972 | -111.54 | -0.99 | 666.46 | 01 | 06 | 4 | |
| | P | 8/23/1972 | -112.3 | -0.76 | 665.7 | 01 | 06 | 4 | |
| | P | 8/24/1972 | -111.12 | 1.18 | 666.88 | 01 | 06 | 4 | |
| | P | 8/25/1972 | -109.85 | 1.27 | 668.15 | 01 | 06 | 4 | |
| | P | 8/26/1972 | -109.18 | 0.67 | 668.82 | 01 | 06 | 4 | |
| | P | 8/27/1972 | -108.5 | 0.68 | 669.5 | 01 | 06 | 4 | |
| | P | 8/28/1972 | -108.78 | -0.28 | 669.22 | 01 | 06 | 4 | |
| | P | 8/29/1972 | -109.14 | -0.36 | 668.86 | 01 | 06 | 4 | |
| | P | 8/30/1972 | -109.63 | -0.49 | 668.37 | 01 | 06 | 4 | |
| | P | 8/31/1972 | -109.86 | -0.23 | 668.14 | 01 | 06 | 4 | |
| | P | 9/ 1/1972 | -110.41 | -0.55 | 667.59 | 01 | 06 | 4 | |
| | P | 9/ 2/1972 | -110.39 | 0.02 | 667.61 | 01 | 06 | 4 | |
| | P | 9/ 3/1972 | -110.5 | -0.11 | 667.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 4/1972 | -110.43 | 0.07 | 667.57 | 01 | 06 | 4 | |
| | P | 9/ 5/1972 | -111.3 | -0.87 | 666.7 | 01 | 06 | 4 | |
| | P | 9/ 6/1972 | -111.48 | -0.18 | 666.52 | 01 | 06 | 4 | |
| | P | 9/ 7/1972 | -111.98 | -0.5 | 666.02 | 01 | 06 | 4 | |
| | P | 9/ 8/1972 | -112.48 | -0.5 | 665.52 | 01 | 06 | 4 | |
| | P | 9/ 9/1972 | -112.44 | 0.04 | 665.56 | 01 | 06 | 4 | |
| | P | 9/10/1972 | -112.23 | 0.21 | 665.77 | 01 | 06 | 4 | |
| | P | 9/11/1972 | -112.18 | 0.05 | 665.82 | 01 | 06 | 4 | |
| | P | 9/12/1972 | -112.65 | -0.47 | 665.35 | 01 | 06 | 4 | |
| | P | 9/13/1972 | -112.47 | 0.18 | 665.53 | 01 | 06 | 4 | |
| | P | 9/14/1972 | -112.61 | -0.14 | 665.39 | 01 | 06 | 4 | |
| | P | 9/15/1972 | -112.04 | 0.57 | 665.96 | 01 | 06 | 4 | |
| | P | 9/16/1972 | -111.57 | 0.47 | 666.43 | 01 | 06 | 4 | |
| | P | 9/17/1972 | -111.74 | -0.17 | 666.26 | 01 | 06 | 4 | |
| | P | 9/18/1972 | -112.14 | -0.4 | 665.86 | 01 | 06 | 4 | |
| | P | 9/19/1972 | -112.85 | -0.71 | 665.15 | 01 | 06 | 4 | |
| | P | 9/20/1972 | -113.37 | -0.52 | 664.63 | 01 | 06 | 4 | |
| | P | 9/21/1972 | -113.62 | -0.25 | 664.38 | 01 | 06 | 4 | |
| | P | 9/22/1972 | -113.42 | 0.2 | 664.58 | 01 | 06 | 4 | |
| | P | 9/23/1972 | -112.9 | 0.52 | 665.1 | 01 | 06 | 4 | |
| | P | 9/24/1972 | -111.79 | 1.11 | 666.21 | 01 | 06 | 4 | |
| | P | 9/25/1972 | -110.97 | 0.82 | 667.03 | 01 | 06 | 4 | |
| | P | 9/26/1972 | -110.74 | 0.23 | 667.26 | 01 | 06 | 4 | |
| | P | 9/27/1972 | -110.43 | 0.31 | 667.57 | 01 | 06 | 4 | |
| | P | 9/28/1972 | -109.78 | 0.65 | 668.22 | 01 | 06 | 4 | |
| | P | 9/29/1972 | -109.47 | 0.31 | 668.53 | 01 | 06 | 4 | |
| | P | 9/30/1972 | -109.23 | 0.24 | 668.77 | 01 | 06 | 4 | |
| | P | 10/ 1/1972 | -108.97 | 0.26 | 669.03 | 01 | 06 | 4 | |
| | P | 10/ 2/1972 | -108.9 | 0.07 | 669.1 | 01 | 06 | 4 | |
| | P | 10/ 3/1972 | -109.12 | -0.22 | 668.88 | 01 | 06 | 4 | |
| | P | 10/ 4/1972 | -109.43 | -0.31 | 668.57 | 01 | 06 | 4 | |
| | P | 10/ 5/1972 | -109.59 | -0.16 | 668.41 | 01 | 06 | 4 | |
| | P | 10/ 6/1972 | -109.77 | -0.18 | 668.23 | 01 | 06 | 4 | |
| | P | 10/ 7/1972 | -109.77 | | 668.23 | 01 | 06 | 4 | |
| | P | 10/ 8/1972 | -109.68 | 0.09 | 668.32 | 01 | 06 | 4 | |
| | P | 10/ 9/1972 | -109.9 | -0.22 | 668.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 10/ 1972 | -110.53 | -0.63 | 667.47 | 01 | 06 | 4 | |
| | P | 10 / 11/ 1972 | -110.87 | -0.34 | 667.13 | 01 | 06 | 4 | |
| | P | 10 / 12/ 1972 | -110.94 | -0.07 | 667.06 | 01 | 06 | 4 | |
| | P | 10 / 13/ 1972 | -111.15 | -0.21 | 666.85 | 01 | 06 | 4 | |
| | P | 10 / 14/ 1972 | -111.15 | | 666.85 | 01 | 06 | 4 | |
| | P | 10 / 15/ 1972 | -111.28 | -0.13 | 666.72 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1972 | -111.45 | -0.17 | 666.55 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1972 | -111.73 | -0.28 | 666.27 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1972 | -112.17 | -0.44 | 665.83 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1972 | -112.46 | -0.29 | 665.54 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1972 | -111.72 | 0.74 | 666.28 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1972 | -110.92 | 0.8 | 667.08 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1972 | -110.42 | 0.5 | 667.58 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1972 | -109.63 | 0.79 | 668.37 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1972 | -109.34 | 0.29 | 668.66 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1972 | -109.03 | 0.31 | 668.97 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1972 | -108.43 | 0.6 | 669.57 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1972 | -108.29 | 0.14 | 669.71 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1972 | -108.22 | 0.07 | 669.78 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1972 | -107.9 | 0.32 | 670.1 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1972 | -107.92 | -0.02 | 670.08 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1972 | -108.14 | -0.22 | 669.86 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1972 | -108 | 0.14 | 670 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1972 | -107.38 | 0.62 | 670.62 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1972 | -107.17 | 0.21 | 670.83 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1972 | -106.8 | 0.37 | 671.2 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1972 | -106.54 | 0.26 | 671.46 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1972 | -106.37 | 0.17 | 671.63 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1972 | -106.6 | -0.23 | 671.4 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1972 | -106.66 | -0.06 | 671.34 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1972 | -106.59 | 0.07 | 671.41 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1972 | -106.78 | -0.19 | 671.22 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1972 | -106.83 | -0.05 | 671.17 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1972 | -106.51 | 0.32 | 671.49 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1972 | -106.3 | 0.21 | 671.7 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1972 | -105.8 | 0.5 | 672.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 1972 | -105.68 | 0.12 | 672.32 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1972 | -105.73 | -0.05 | 672.27 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1972 | -105.75 | -0.02 | 672.25 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1972 | -105.4 | 0.35 | 672.6 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1972 | -105.42 | -0.02 | 672.58 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1972 | -105.43 | -0.01 | 672.57 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1972 | -105.58 | -0.15 | 672.42 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1972 | -105.62 | -0.04 | 672.38 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1972 | -105.56 | 0.06 | 672.44 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1972 | -105.06 | 0.5 | 672.94 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1972 | -104.76 | 0.3 | 673.24 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1972 | -104.63 | 0.13 | 673.37 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1972 | -104.44 | 0.19 | 673.56 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1972 | -104.76 | -0.32 | 673.24 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1972 | -104.84 | -0.08 | 673.16 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1972 | -104.77 | 0.07 | 673.23 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1972 | -104.87 | -0.1 | 673.13 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1972 | -104.73 | 0.14 | 673.27 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1972 | -104.64 | 0.09 | 673.36 | 01 | 06 | 4 | |
| | P | 12 / 4 / 1972 | -104.63 | 0.01 | 673.37 | 01 | 06 | 4 | |
| | P | 12 / 5 / 1972 | -104.6 | 0.03 | 673.4 | 01 | 06 | 4 | |
| | P | 12 / 6 / 1972 | -104.71 | -0.11 | 673.29 | 01 | 06 | 4 | |
| | P | 12 / 7 / 1972 | -104.9 | -0.19 | 673.1 | 01 | 06 | 4 | |
| | P | 12 / 8 / 1972 | -104.79 | 0.11 | 673.21 | 01 | 06 | 4 | |
| | P | 12 / 9 / 1972 | -104.7 | 0.09 | 673.3 | 01 | 06 | 4 | |
| | P | 12 / 10/ 1972 | -104.45 | 0.25 | 673.55 | 01 | 06 | 4 | |
| | P | 12 / 11/ 1972 | -104.69 | -0.24 | 673.31 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1972 | -104.71 | -0.02 | 673.29 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1972 | -104.79 | -0.08 | 673.21 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1972 | -104.8 | -0.01 | 673.2 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1972 | -104.8 | | 673.2 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1972 | -105.07 | -0.27 | 672.93 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1972 | -105.04 | 0.03 | 672.96 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1972 | -104.89 | 0.15 | 673.11 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1972 | -104.75 | 0.14 | 673.25 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1972 | -104.78 | -0.03 | 673.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 21/ 1972 | -104.78 | | 673.22 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1972 | -104.98 | -0.2 | 673.02 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1972 | -104.95 | 0.03 | 673.05 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1972 | -105.12 | -0.17 | 672.88 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1972 | -104.97 | 0.15 | 673.03 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1972 | -104.8 | 0.17 | 673.2 | 01 | 06 | 4 | |
| | P | 12 / 27/ 1972 | -105.13 | -0.33 | 672.87 | 01 | 06 | 4 | |
| | P | 12 / 28/ 1972 | -105.23 | -0.1 | 672.77 | 01 | 06 | 4 | |
| | P | 12 / 29/ 1972 | -105.24 | -0.01 | 672.76 | 01 | 06 | 4 | |
| | P | 12 / 30/ 1972 | -105.31 | -0.07 | 672.69 | 01 | 06 | 4 | |
| | P | 12 / 31/ 1972 | -105.42 | -0.11 | 672.58 | 01 | 06 | 4 | |
| | P | 1 / 1 / 1973 | -105.33 | 0.09 | 672.67 | 01 | 06 | 4 | |
| | P | 1 / 2 / 1973 | -105.04 | 0.29 | 672.96 | 01 | 06 | 4 | |
| | P | 1 / 3 / 1973 | -104.97 | 0.07 | 673.03 | 01 | 06 | 4 | |
| | P | 1 / 4 / 1973 | -105.09 | -0.12 | 672.91 | 01 | 06 | 4 | |
| | P | 1 / 5 / 1973 | -104.9 | 0.19 | 673.1 | 01 | 06 | 4 | |
| | P | 1 / 6 / 1973 | -104.8 | 0.1 | 673.2 | 01 | 06 | 4 | |
| | P | 1 / 7 / 1973 | -104.55 | 0.25 | 673.45 | 01 | 06 | 4 | |
| | P | 1 / 8 / 1973 | -104.63 | -0.08 | 673.37 | 01 | 06 | 4 | |
| | P | 1 / 9 / 1973 | -104.88 | -0.25 | 673.12 | 01 | 06 | 4 | |
| | P | 1 / 10/ 1973 | -104.99 | -0.11 | 673.01 | 01 | 06 | 4 | |
| | P | 1 / 11/ 1973 | -105 | -0.01 | 673 | 01 | 06 | 4 | |
| | P | 1 / 12/ 1973 | -105.14 | -0.14 | 672.86 | 01 | 06 | 4 | |
| | P | 1 / 13/ 1973 | -105.25 | -0.11 | 672.75 | 01 | 06 | 4 | |
| | P | 1 / 14/ 1973 | -105.13 | 0.12 | 672.87 | 01 | 06 | 4 | |
| | P | 1 / 15/ 1973 | -105.09 | 0.04 | 672.91 | 01 | 06 | 4 | |
| | P | 1 / 16/ 1973 | -105.02 | 0.07 | 672.98 | 01 | 06 | 4 | |
| | P | 1 / 17/ 1973 | -104.95 | 0.07 | 673.05 | 01 | 06 | 4 | |
| | P | 1 / 18/ 1973 | -104.95 | | 673.05 | 01 | 06 | 4 | |
| | P | 1 / 19/ 1973 | -105.06 | -0.11 | 672.94 | 01 | 06 | 4 | |
| | P | 1 / 20/ 1973 | -104.86 | 0.2 | 673.14 | 01 | 06 | 4 | |
| | P | 1 / 21/ 1973 | -104.6 | 0.26 | 673.4 | 01 | 06 | 4 | |
| | P | 1 / 22/ 1973 | -104.53 | 0.07 | 673.47 | 01 | 06 | 4 | |
| | P | 1 / 23/ 1973 | -104.87 | -0.34 | 673.13 | 01 | 06 | 4 | |
| | P | 1 / 24/ 1973 | -104.77 | 0.1 | 673.23 | 01 | 06 | 4 | |
| | P | 1 / 25/ 1973 | -104.38 | 0.39 | 673.62 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 26/ 1973 | -103.79 | 0.59 | 674.21 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1973 | -103.38 | 0.41 | 674.62 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1973 | -103.29 | 0.09 | 674.71 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1973 | -103.32 | -0.03 | 674.68 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1973 | -103.35 | -0.03 | 674.65 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1973 | -103.37 | -0.02 | 674.63 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1973 | -103.23 | 0.14 | 674.77 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1973 | -103.43 | -0.2 | 674.57 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1973 | -103.62 | -0.19 | 674.38 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1973 | -103.64 | -0.02 | 674.36 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1973 | -103.68 | -0.04 | 674.32 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1973 | -103.8 | -0.12 | 674.2 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1973 | -103.7 | 0.1 | 674.3 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1973 | -103.92 | -0.22 | 674.08 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1973 | -103.96 | -0.04 | 674.04 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1973 | -103.94 | 0.02 | 674.06 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1973 | -103.74 | 0.2 | 674.26 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1973 | -103.52 | 0.22 | 674.48 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1973 | -103.62 | -0.1 | 674.38 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1973 | -103.56 | 0.06 | 674.44 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1973 | -103.43 | 0.13 | 674.57 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1973 | -103.58 | -0.15 | 674.42 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1973 | -103.4 | 0.18 | 674.6 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1973 | -102.99 | 0.41 | 675.01 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1973 | -102.73 | 0.26 | 675.27 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1973 | -102.84 | -0.11 | 675.16 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1973 | -102.45 | 0.39 | 675.55 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1973 | -101.58 | 0.87 | 676.42 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1973 | -101.06 | 0.52 | 676.94 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1973 | -100.7 | 0.36 | 677.3 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1973 | -100.33 | 0.37 | 677.67 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1973 | -100.18 | 0.15 | 677.82 | 01 | 06 | 4 | |
| | P | 2/ 27/ 1973 | -100.28 | -0.1 | 677.72 | 01 | 06 | 4 | |
| | P | 2/ 28/ 1973 | -100.05 | 0.23 | 677.95 | 01 | 06 | 4 | |
| | P | 3/ 1/ 1973 | -99.91 | 0.14 | 678.09 | 01 | 06 | 4 | |
| | P | 3/ 2/ 1973 | -100.21 | -0.3 | 677.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 3/1973 | -100.31 | -0.1 | 677.69 | 01 | 06 | 4 | |
| | P | 3/ 4/1973 | -100.03 | 0.28 | 677.97 | 01 | 06 | 4 | |
| | P | 3/ 5/1973 | -100.19 | -0.16 | 677.81 | 01 | 06 | 4 | |
| | P | 3/ 6/1973 | -100.21 | -0.02 | 677.79 | 01 | 06 | 4 | |
| | P | 3/ 7/1973 | -100.62 | -0.41 | 677.38 | 01 | 06 | 4 | |
| | P | 3/ 8/1973 | -100.92 | -0.3 | 677.08 | 01 | 06 | 4 | |
| | P | 3/ 9/1973 | -101.12 | -0.2 | 676.88 | 01 | 06 | 4 | |
| | P | 3/10/1973 | -100.89 | 0.23 | 677.11 | 01 | 06 | 4 | |
| | P | 3/11/1973 | -100.81 | 0.08 | 677.19 | 01 | 06 | 4 | |
| | P | 3/12/1973 | -101.08 | -0.27 | 676.92 | 01 | 06 | 4 | |
| | P | 3/13/1973 | -101.22 | -0.14 | 676.78 | 01 | 06 | 4 | |
| | P | 3/14/1973 | -101.25 | -0.03 | 676.75 | 01 | 06 | 4 | |
| | P | 3/15/1973 | -101.67 | -0.42 | 676.33 | 01 | 06 | 4 | |
| | P | 3/16/1973 | -101.84 | -0.17 | 676.16 | 01 | 06 | 4 | |
| | P | 3/17/1973 | -101.7 | 0.14 | 676.3 | 01 | 06 | 4 | |
| | P | 3/18/1973 | -101.68 | 0.02 | 676.32 | 01 | 06 | 4 | |
| | P | 3/19/1973 | -101.68 | | 676.32 | 01 | 06 | 4 | |
| | P | 3/20/1973 | -102.01 | -0.33 | 675.99 | 01 | 06 | 4 | |
| | P | 3/21/1973 | -102.25 | -0.24 | 675.75 | 01 | 06 | 4 | |
| | P | 3/22/1973 | -102.47 | -0.22 | 675.53 | 01 | 06 | 4 | |
| | P | 3/23/1973 | -102.27 | 0.2 | 675.73 | 01 | 06 | 4 | |
| | P | 3/24/1973 | -101.8 | 0.47 | 676.2 | 01 | 06 | 4 | |
| | P | 3/25/1973 | -101.55 | 0.25 | 676.45 | 01 | 06 | 4 | |
| | P | 3/26/1973 | -101.59 | -0.04 | 676.41 | 01 | 06 | 4 | |
| | P | 3/27/1973 | -101.87 | -0.28 | 676.13 | 01 | 06 | 4 | |
| | P | 3/28/1973 | -101.84 | 0.03 | 676.16 | 01 | 06 | 4 | |
| | P | 3/29/1973 | -101.9 | -0.06 | 676.1 | 01 | 06 | 4 | |
| | P | 3/30/1973 | -101.97 | -0.07 | 676.03 | 01 | 06 | 4 | |
| | P | 3/31/1973 | -101.76 | 0.21 | 676.24 | 01 | 06 | 4 | |
| | P | 4/ 1/1973 | -102.13 | -0.37 | 675.87 | 01 | 06 | 4 | |
| | P | 4/ 2/1973 | -102.31 | -0.18 | 675.69 | 01 | 06 | 4 | |
| | P | 4/ 3/1973 | -102.58 | -0.27 | 675.42 | 01 | 06 | 4 | |
| | P | 4/ 4/1973 | -102.52 | 0.06 | 675.48 | 01 | 06 | 4 | |
| | P | 4/ 5/1973 | -102.48 | 0.04 | 675.52 | 01 | 06 | 4 | |
| | P | 4/ 6/1973 | -102.66 | -0.18 | 675.34 | 01 | 06 | 4 | |
| | P | 4/ 7/1973 | -102 | 0.66 | 676 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1973 | -101.59 | 0.41 | 676.41 | 01 | 06 | 4 | |
| | P | 4/ 9/1973 | -101.58 | 0.01 | 676.42 | 01 | 06 | 4 | |
| | P | 4/10/1973 | -101.86 | -0.28 | 676.14 | 01 | 06 | 4 | |
| | P | 4/11/1973 | -102.06 | -0.2 | 675.94 | 01 | 06 | 4 | |
| | P | 4/12/1973 | -102.08 | -0.02 | 675.92 | 01 | 06 | 4 | |
| | P | 4/13/1973 | -102.26 | -0.18 | 675.74 | 01 | 06 | 4 | |
| | P | 4/14/1973 | -101.96 | 0.3 | 676.04 | 01 | 06 | 4 | |
| | P | 4/15/1973 | -98.5 | 3.46 | 679.5 | 01 | 06 | 4 | |
| | P | 4/16/1973 | -96.53 | 1.97 | 681.47 | 01 | 06 | 4 | |
| | P | 4/17/1973 | -94.41 | 2.12 | 683.59 | 01 | 06 | 4 | |
| | P | 4/18/1973 | -93.22 | 1.19 | 684.78 | 01 | 06 | 4 | |
| | P | 4/19/1973 | -92.67 | 0.55 | 685.33 | 01 | 06 | 4 | |
| | P | 4/20/1973 | -92.3 | 0.37 | 685.7 | 01 | 06 | 4 | |
| | P | 4/21/1973 | -92.17 | 0.13 | 685.83 | 01 | 06 | 4 | |
| | P | 4/22/1973 | -91.98 | 0.19 | 686.02 | 01 | 06 | 4 | |
| | P | 4/23/1973 | -91.78 | 0.2 | 686.22 | 01 | 06 | 4 | |
| | P | 4/24/1973 | -91.8 | -0.02 | 686.2 | 01 | 06 | 4 | |
| | P | 4/25/1973 | -91.72 | 0.08 | 686.28 | 01 | 06 | 4 | |
| | P | 4/26/1973 | -91.82 | -0.1 | 686.18 | 01 | 06 | 4 | |
| | P | 4/27/1973 | -91.99 | -0.17 | 686.01 | 01 | 06 | 4 | |
| | P | 4/28/1973 | -92.02 | -0.03 | 685.98 | 01 | 06 | 4 | |
| | P | 4/29/1973 | -91.94 | 0.08 | 686.06 | 01 | 06 | 4 | |
| | P | 4/30/1973 | -91.93 | 0.01 | 686.07 | 01 | 06 | 4 | |
| | P | 5/ 1/1973 | -92.17 | -0.24 | 685.83 | 01 | 06 | 4 | |
| | P | 5/ 2/1973 | -92.44 | -0.27 | 685.56 | 01 | 06 | 4 | |
| | P | 5/ 3/1973 | -92.56 | -0.12 | 685.44 | 01 | 06 | 4 | |
| | P | 5/ 4/1973 | -92.8 | -0.24 | 685.2 | 01 | 06 | 4 | |
| | P | 5/ 5/1973 | -92.93 | -0.13 | 685.07 | 01 | 06 | 4 | |
| | P | 5/ 6/1973 | -92.87 | 0.06 | 685.13 | 01 | 06 | 4 | |
| | P | 5/ 7/1973 | -92.81 | 0.06 | 685.19 | 01 | 06 | 4 | |
| | P | 5/ 8/1973 | -93.33 | -0.52 | 684.67 | 01 | 06 | 4 | |
| | P | 5/ 9/1973 | -93.66 | -0.33 | 684.34 | 01 | 06 | 4 | |
| | P | 5/10/1973 | -94.49 | -0.83 | 683.51 | 01 | 06 | 4 | |
| | P | 5/11/1973 | -94.78 | -0.29 | 683.22 | 01 | 06 | 4 | |
| | P | 5/12/1973 | -94.82 | -0.04 | 683.18 | 01 | 06 | 4 | |
| | P | 5/13/1973 | -94.53 | 0.29 | 683.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 14/ 1973 | -94.47 | 0.06 | 683.53 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1973 | -94.73 | -0.26 | 683.27 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1973 | -94.96 | -0.23 | 683.04 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1973 | -95.36 | -0.4 | 682.64 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1973 | -95.98 | -0.62 | 682.02 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1973 | -96.58 | -0.6 | 681.42 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1973 | -97.4 | -0.82 | 680.6 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1973 | -98.22 | -0.82 | 679.78 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1973 | -99.13 | -0.91 | 678.87 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1973 | -99.94 | -0.81 | 678.06 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1973 | -100.13 | -0.19 | 677.87 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1973 | -100.81 | -0.68 | 677.19 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1973 | -100.82 | -0.01 | 677.18 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1973 | -101.35 | -0.53 | 676.65 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1973 | -102.1 | -0.75 | 675.9 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1973 | -103.41 | -1.31 | 674.59 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1973 | -104.43 | -1.02 | 673.57 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1973 | -105.48 | -1.05 | 672.52 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1973 | -106.26 | -0.78 | 671.74 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1973 | -106.21 | 0.05 | 671.79 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1973 | -106.52 | -0.31 | 671.48 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1973 | -106.6 | -0.08 | 671.4 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1973 | -107.5 | -0.9 | 670.5 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1973 | -107.61 | -0.11 | 670.39 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1973 | -108.55 | -0.94 | 669.45 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1973 | -109.6 | -1.05 | 668.4 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1973 | -110.14 | -0.54 | 667.86 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1973 | -109.08 | 1.06 | 668.92 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1973 | -107.7 | 1.38 | 670.3 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1973 | -102 | 5.7 | 676 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1973 | -100.47 | 1.53 | 677.53 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1973 | -99.68 | 0.79 | 678.32 | 01 | 06 | 4 | |
| | P | 6/ 15/ 1973 | -99.09 | 0.59 | 678.91 | 01 | 06 | 4 | |
| | P | 6/ 16/ 1973 | -98.57 | 0.52 | 679.43 | 01 | 06 | 4 | |
| | P | 6/ 17/ 1973 | -98.26 | 0.31 | 679.74 | 01 | 06 | 4 | |
| | P | 6/ 18/ 1973 | -98 | 0.26 | 680 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1973 | -98.4 | -0.4 | 679.6 | 01 | 06 | 4 | |
| | P | 6/20/1973 | -98.64 | -0.24 | 679.36 | 01 | 06 | 4 | |
| | P | 6/21/1973 | -98.02 | 0.62 | 679.98 | 01 | 06 | 4 | |
| | P | 6/22/1973 | -97.65 | 0.37 | 680.35 | 01 | 06 | 4 | |
| | P | 6/23/1973 | -97.55 | 0.1 | 680.45 | 01 | 06 | 4 | |
| | P | 6/24/1973 | -97.33 | 0.22 | 680.67 | 01 | 06 | 4 | |
| | P | 6/25/1973 | -94.42 | 2.91 | 683.58 | 01 | 06 | 4 | |
| | P | 6/26/1973 | -92.81 | 1.61 | 685.19 | 01 | 06 | 4 | |
| | P | 6/27/1973 | -92.16 | 0.65 | 685.84 | 01 | 06 | 4 | |
| | P | 6/28/1973 | -91.68 | 0.48 | 686.32 | 01 | 06 | 4 | |
| | P | 6/29/1973 | -91.51 | 0.17 | 686.49 | 01 | 06 | 4 | |
| | P | 6/30/1973 | -91.48 | 0.03 | 686.52 | 01 | 06 | 4 | |
| | P | 7/ 1/1973 | -91.37 | 0.11 | 686.63 | 01 | 06 | 4 | |
| | P | 7/ 2/1973 | -91.67 | -0.3 | 686.33 | 01 | 06 | 4 | |
| | P | 7/ 3/1973 | -91.98 | -0.31 | 686.02 | 01 | 06 | 4 | |
| | P | 7/ 4/1973 | -91.97 | 0.01 | 686.03 | 01 | 06 | 4 | |
| | P | 7/ 5/1973 | -92.05 | -0.08 | 685.95 | 01 | 06 | 4 | |
| | P | 7/ 6/1973 | -92.57 | -0.52 | 685.43 | 01 | 06 | 4 | |
| | P | 7/ 7/1973 | -93.18 | -0.61 | 684.82 | 01 | 06 | 4 | |
| | P | 7/ 8/1973 | -92.01 | 1.17 | 685.99 | 01 | 06 | 4 | |
| | P | 7/ 9/1973 | -91.08 | 0.93 | 686.92 | 01 | 06 | 4 | |
| | P | 7/10/1973 | -90.55 | 0.53 | 687.45 | 01 | 06 | 4 | |
| | P | 7/11/1973 | -90.3 | 0.25 | 687.7 | 01 | 06 | 4 | |
| | P | 7/12/1973 | -90.34 | -0.04 | 687.66 | 01 | 06 | 4 | |
| | P | 7/13/1973 | -90.42 | -0.08 | 687.58 | 01 | 06 | 4 | |
| | P | 7/14/1973 | -90.55 | -0.13 | 687.45 | 01 | 06 | 4 | |
| | P | 7/15/1973 | -90.53 | 0.02 | 687.47 | 01 | 06 | 4 | |
| | P | 7/16/1973 | -87.72 | 2.81 | 690.28 | 01 | 06 | 4 | |
| | P | 7/17/1973 | -86.5 | 1.22 | 691.5 | 01 | 06 | 4 | |
| | P | 7/18/1973 | -85.58 | 0.92 | 692.42 | 01 | 06 | 4 | |
| | P | 7/19/1973 | -85.07 | 0.51 | 692.93 | 01 | 06 | 4 | |
| | P | 7/20/1973 | -84.73 | 0.34 | 693.27 | 01 | 06 | 4 | |
| | P | 7/21/1973 | -84.48 | 0.25 | 693.52 | 01 | 06 | 4 | |
| | P | 7/22/1973 | -84.45 | 0.03 | 693.55 | 01 | 06 | 4 | |
| | P | 7/23/1973 | -84.68 | -0.23 | 693.32 | 01 | 06 | 4 | |
| | P | 7/24/1973 | -85.01 | -0.33 | 692.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1973 | -85.31 | -0.3 | 692.69 | 01 | 06 | 4 | |
| | P | 7/26/1973 | -85.89 | -0.58 | 692.11 | 01 | 06 | 4 | |
| | P | 7/27/1973 | -86.4 | -0.51 | 691.6 | 01 | 06 | 4 | |
| | P | 7/28/1973 | -86.69 | -0.29 | 691.31 | 01 | 06 | 4 | |
| | P | 7/29/1973 | -87.19 | -0.5 | 690.81 | 01 | 06 | 4 | |
| | P | 7/30/1973 | -87.66 | -0.47 | 690.34 | 01 | 06 | 4 | |
| | P | 7/31/1973 | -88.23 | -0.57 | 689.77 | 01 | 06 | 4 | |
| | P | 8/ 1/1973 | -87.75 | 0.48 | 690.25 | 01 | 06 | 4 | |
| | P | 8/ 2/1973 | -87.56 | 0.19 | 690.44 | 01 | 06 | 4 | |
| | P | 8/ 3/1973 | -87.77 | -0.21 | 690.23 | 01 | 06 | 4 | |
| | P | 8/ 4/1973 | -88.02 | -0.25 | 689.98 | 01 | 06 | 4 | |
| | P | 8/ 5/1973 | -88.25 | -0.23 | 689.75 | 01 | 06 | 4 | |
| | P | 8/ 6/1973 | -88.62 | -0.37 | 689.38 | 01 | 06 | 4 | |
| | P | 8/ 7/1973 | -89.19 | -0.57 | 688.81 | 01 | 06 | 4 | |
| | P | 8/ 8/1973 | -89.73 | -0.54 | 688.27 | 01 | 06 | 4 | |
| | P | 8/ 9/1973 | -90.1 | -0.37 | 687.9 | 01 | 06 | 4 | |
| | P | 8/10/1973 | -90.62 | -0.52 | 687.38 | 01 | 06 | 4 | |
| | P | 8/11/1973 | -90.68 | -0.06 | 687.32 | 01 | 06 | 4 | |
| | P | 8/12/1973 | -90.85 | -0.17 | 687.15 | 01 | 06 | 4 | |
| | P | 8/13/1973 | -91.11 | -0.26 | 686.89 | 01 | 06 | 4 | |
| | P | 8/14/1973 | -91.38 | -0.27 | 686.62 | 01 | 06 | 4 | |
| | P | 8/15/1973 | -91.45 | -0.07 | 686.55 | 01 | 06 | 4 | |
| | P | 8/16/1973 | -91.39 | 0.06 | 686.61 | 01 | 06 | 4 | |
| | P | 8/17/1973 | -91.82 | -0.43 | 686.18 | 01 | 06 | 4 | |
| | P | 8/18/1973 | -91.95 | -0.13 | 686.05 | 01 | 06 | 4 | |
| | P | 8/19/1973 | -91.42 | 0.53 | 686.58 | 01 | 06 | 4 | |
| | P | 8/20/1973 | -91.57 | -0.15 | 686.43 | 01 | 06 | 4 | |
| | P | 8/21/1973 | -91.95 | -0.38 | 686.05 | 01 | 06 | 4 | |
| | P | 8/22/1973 | -92.41 | -0.46 | 685.59 | 01 | 06 | 4 | |
| | P | 8/23/1973 | -93.11 | -0.7 | 684.89 | 01 | 06 | 4 | |
| | P | 8/24/1973 | -93.53 | -0.42 | 684.47 | 01 | 06 | 4 | |
| | P | 8/25/1973 | -93.97 | -0.44 | 684.03 | 01 | 06 | 4 | |
| | P | 8/26/1973 | -94.3 | -0.33 | 683.7 | 01 | 06 | 4 | |
| | P | 8/27/1973 | -94.64 | -0.34 | 683.36 | 01 | 06 | 4 | |
| | P | 8/28/1973 | -94.72 | -0.08 | 683.28 | 01 | 06 | 4 | |
| | P | 8/29/1973 | -94.63 | 0.09 | 683.37 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/1973 | -94.05 | 0.58 | 683.95 | 01 | 06 | 4 | |
| | P | 8/31/1973 | -93.63 | 0.42 | 684.37 | 01 | 06 | 4 | |
| | P | 9/ 1/1973 | -93.45 | 0.18 | 684.55 | 01 | 06 | 4 | |
| | P | 9/ 2/1973 | -93.45 | | 684.55 | 01 | 06 | 4 | |
| | P | 9/ 3/1973 | -93.5 | -0.05 | 684.5 | 01 | 06 | 4 | |
| | P | 9/ 4/1973 | -93.88 | -0.38 | 684.12 | 01 | 06 | 4 | |
| | P | 9/ 5/1973 | -93.87 | 0.01 | 684.13 | 01 | 06 | 4 | |
| | P | 9/ 6/1973 | -93.68 | 0.19 | 684.32 | 01 | 06 | 4 | |
| | P | 9/ 7/1973 | -92.81 | 0.87 | 685.19 | 01 | 06 | 4 | |
| | P | 9/ 8/1973 | -92.27 | 0.54 | 685.73 | 01 | 06 | 4 | |
| | P | 9/ 9/1973 | -92.08 | 0.19 | 685.92 | 01 | 06 | 4 | |
| | P | 9/10/1973 | -91.92 | 0.16 | 686.08 | 01 | 06 | 4 | |
| | P | 9/11/1973 | -92.03 | -0.11 | 685.97 | 01 | 06 | 4 | |
| | P | 9/12/1973 | -91.98 | 0.05 | 686.02 | 01 | 06 | 4 | |
| | P | 9/13/1973 | -92.22 | -0.24 | 685.78 | 01 | 06 | 4 | |
| | P | 9/14/1973 | -92.4 | -0.18 | 685.6 | 01 | 06 | 4 | |
| | P | 9/15/1973 | -92.35 | 0.05 | 685.65 | 01 | 06 | 4 | |
| | P | 9/16/1973 | -90.02 | 2.33 | 687.98 | 01 | 06 | 4 | |
| | P | 9/17/1973 | -89.13 | 0.89 | 688.87 | 01 | 06 | 4 | |
| | P | 9/18/1973 | -88.78 | 0.35 | 689.22 | 01 | 06 | 4 | |
| | P | 9/19/1973 | -88.6 | 0.18 | 689.4 | 01 | 06 | 4 | |
| | P | 9/20/1973 | -88.44 | 0.16 | 689.56 | 01 | 06 | 4 | |
| | P | 9/21/1973 | -88.33 | 0.11 | 689.67 | 01 | 06 | 4 | |
| | P | 9/22/1973 | -88.24 | 0.09 | 689.76 | 01 | 06 | 4 | |
| | P | 9/23/1973 | -88.18 | 0.06 | 689.82 | 01 | 06 | 4 | |
| | P | 9/24/1973 | -88.18 | | 689.82 | 01 | 06 | 4 | |
| | P | 9/25/1973 | -88.29 | -0.11 | 689.71 | 01 | 06 | 4 | |
| | P | 9/26/1973 | -87.73 | 0.56 | 690.27 | 01 | 06 | 4 | |
| | P | 9/27/1973 | -83.3 | 4.43 | 694.7 | 01 | 06 | 4 | |
| | P | 9/28/1973 | -82.05 | 1.25 | 695.95 | 01 | 06 | 4 | |
| | P | 9/29/1973 | -81.35 | 0.7 | 696.65 | 01 | 06 | 4 | |
| | P | 9/30/1973 | -80.94 | 0.41 | 697.06 | 01 | 06 | 4 | |
| | P | 10/ 1/1973 | -80.95 | -0.01 | 697.05 | 01 | 06 | 4 | |
| | P | 10/ 2/1973 | -81.05 | -0.1 | 696.95 | 01 | 06 | 4 | |
| | P | 10/ 3/1973 | -81.27 | -0.22 | 696.73 | 01 | 06 | 4 | |
| | P | 10/ 4/1973 | -81.55 | -0.28 | 696.45 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 5/1973 | -81.13 | 0.42 | 696.87 | 01 | 06 | 4 | |
| | P | 10/ 6/1973 | -80.94 | 0.19 | 697.06 | 01 | 06 | 4 | |
| | P | 10/ 7/1973 | -81.02 | -0.08 | 696.98 | 01 | 06 | 4 | |
| | P | 10/ 8/1973 | -81.24 | -0.22 | 696.76 | 01 | 06 | 4 | |
| | P | 10/ 9/1973 | -81.4 | -0.16 | 696.6 | 01 | 06 | 4 | |
| | P | 10/10/1973 | -81.6 | -0.2 | 696.4 | 01 | 06 | 4 | |
| | P | 10/11/1973 | -81.03 | 0.57 | 696.97 | 01 | 06 | 4 | |
| | P | 10/12/1973 | -80.27 | 0.76 | 697.73 | 01 | 06 | 4 | |
| | P | 10/13/1973 | -79.7 | 0.57 | 698.3 | 01 | 06 | 4 | |
| | P | 10/14/1973 | -78.81 | 0.89 | 699.19 | 01 | 06 | 4 | |
| | P | 10/15/1973 | -77.63 | 1.18 | 700.37 | 01 | 06 | 4 | |
| | P | 10/16/1973 | -76.8 | 0.83 | 701.2 | 01 | 06 | 4 | |
| | P | 10/17/1973 | -76.08 | 0.72 | 701.92 | 01 | 06 | 4 | |
| | P | 10/18/1973 | -75.51 | 0.57 | 702.49 | 01 | 06 | 4 | |
| | P | 10/19/1973 | -75.11 | 0.4 | 702.89 | 01 | 06 | 4 | |
| | P | 10/20/1973 | -74.92 | 0.19 | 703.08 | 01 | 06 | 4 | |
| | P | 10/21/1973 | -74.74 | 0.18 | 703.26 | 01 | 06 | 4 | |
| | P | 10/22/1973 | -74.87 | -0.13 | 703.13 | 01 | 06 | 4 | |
| | P | 10/23/1973 | -75.19 | -0.32 | 702.81 | 01 | 06 | 4 | |
| | P | 10/24/1973 | -75.4 | -0.21 | 702.6 | 01 | 06 | 4 | |
| | P | 10/25/1973 | -75.76 | -0.36 | 702.24 | 01 | 06 | 4 | |
| | P | 10/26/1973 | -75.96 | -0.2 | 702.04 | 01 | 06 | 4 | |
| | P | 10/27/1973 | -76.24 | -0.28 | 701.76 | 01 | 06 | 4 | |
| | P | 10/28/1973 | -76.3 | -0.06 | 701.7 | 01 | 06 | 4 | |
| | P | 10/29/1973 | -76.41 | -0.11 | 701.59 | 01 | 06 | 4 | |
| | P | 10/30/1973 | -76.67 | -0.26 | 701.33 | 01 | 06 | 4 | |
| | P | 10/31/1973 | -76.85 | -0.18 | 701.15 | 01 | 06 | 4 | |
| | P | 11/ 1/1973 | -77.05 | -0.2 | 700.95 | 01 | 06 | 4 | |
| | P | 11/ 2/1973 | -77.37 | -0.32 | 700.63 | 01 | 06 | 4 | |
| | P | 11/ 3/1973 | -77.63 | -0.26 | 700.37 | 01 | 06 | 4 | |
| | P | 11/ 4/1973 | -77.75 | -0.12 | 700.25 | 01 | 06 | 4 | |
| | P | 11/ 5/1973 | -77.88 | -0.13 | 700.12 | 01 | 06 | 4 | |
| | P | 11/ 6/1973 | -78.29 | -0.41 | 699.71 | 01 | 06 | 4 | |
| | P | 11/ 7/1973 | -78.48 | -0.19 | 699.52 | 01 | 06 | 4 | |
| | P | 11/ 8/1973 | -78.59 | -0.11 | 699.41 | 01 | 06 | 4 | |
| | P | 11/ 9/1973 | -78.89 | -0.3 | 699.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1973 | -79.09 | -0.2 | 698.91 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1973 | -79.09 | | 698.91 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1973 | -79.25 | -0.16 | 698.75 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1973 | -79.48 | -0.23 | 698.52 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1973 | -79.8 | -0.32 | 698.2 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1973 | -79.94 | -0.14 | 698.06 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1973 | -80.26 | -0.32 | 697.74 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1973 | -80.32 | -0.06 | 697.68 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1973 | -80.29 | 0.03 | 697.71 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1973 | -80.5 | -0.21 | 697.5 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1973 | -80.57 | -0.07 | 697.43 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1973 | -80.63 | -0.06 | 697.37 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1973 | -80.74 | -0.11 | 697.26 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1973 | -80.68 | 0.06 | 697.32 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1973 | -80.74 | -0.06 | 697.26 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1973 | -80.72 | 0.02 | 697.28 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1973 | -80.74 | -0.02 | 697.26 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1973 | -81.09 | -0.35 | 696.91 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1973 | -81.47 | -0.38 | 696.53 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1973 | -81.68 | -0.21 | 696.32 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1973 | -81.98 | -0.3 | 696.02 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1973 | -81.93 | 0.05 | 696.07 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1973 | -81.94 | -0.01 | 696.06 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1973 | -81.85 | 0.09 | 696.15 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1973 | -82.01 | -0.16 | 695.99 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1973 | -82.32 | -0.31 | 695.68 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1973 | -82.49 | -0.17 | 695.51 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1973 | -82.65 | -0.16 | 695.35 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1973 | -82.64 | 0.01 | 695.36 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1973 | -82.66 | -0.02 | 695.34 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1973 | -82.91 | -0.25 | 695.09 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1973 | -82.96 | -0.05 | 695.04 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1973 | -83.14 | -0.18 | 694.86 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1973 | -83.37 | -0.23 | 694.63 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1973 | -83.53 | -0.16 | 694.47 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1973 | -83.78 | -0.25 | 694.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1973 | -83.79 | -0.01 | 694.21 | 01 | 06 | 4 | |
| | P | 12/17/1973 | -83.84 | -0.05 | 694.16 | 01 | 06 | 4 | |
| | P | 12/18/1973 | -83.88 | -0.04 | 694.12 | 01 | 06 | 4 | |
| | P | 12/19/1973 | -84.03 | -0.15 | 693.97 | 01 | 06 | 4 | |
| | P | 12/20/1973 | -84.29 | -0.26 | 693.71 | 01 | 06 | 4 | |
| | P | 12/21/1973 | -84.33 | -0.04 | 693.67 | 01 | 06 | 4 | |
| | P | 12/22/1973 | -84.32 | 0.01 | 693.68 | 01 | 06 | 4 | |
| | P | 12/23/1973 | -84.12 | 0.2 | 693.88 | 01 | 06 | 4 | |
| | P | 12/24/1973 | -84.08 | 0.04 | 693.92 | 01 | 06 | 4 | |
| | P | 12/25/1973 | -84.27 | -0.19 | 693.73 | 01 | 06 | 4 | |
| | P | 12/26/1973 | -84.07 | 0.2 | 693.93 | 01 | 06 | 4 | |
| | P | 12/27/1973 | -84.56 | -0.49 | 693.44 | 01 | 06 | 4 | |
| | P | 12/28/1973 | -84.74 | -0.18 | 693.26 | 01 | 06 | 4 | |
| | P | 12/29/1973 | -84.86 | -0.12 | 693.14 | 01 | 06 | 4 | |
| | P | 12/30/1973 | -84.85 | 0.01 | 693.15 | 01 | 06 | 4 | |
| | P | 12/31/1973 | -84.93 | -0.08 | 693.07 | 01 | 06 | 4 | |
| | P | 1/ 1/1974 | -85.15 | -0.22 | 692.85 | 01 | 06 | 4 | |
| | P | 1/ 2/1974 | -85.08 | 0.07 | 692.92 | 01 | 06 | 4 | |
| | P | 1/ 3/1974 | -85.2 | -0.12 | 692.8 | 01 | 06 | 4 | |
| | P | 1/ 4/1974 | -85.27 | -0.07 | 692.73 | 01 | 06 | 4 | |
| | P | 1/ 5/1974 | -85.27 | | 692.73 | 01 | 06 | 4 | |
| | P | 1/ 6/1974 | -85.22 | 0.05 | 692.78 | 01 | 06 | 4 | |
| | P | 1/ 7/1974 | -85.25 | -0.03 | 692.75 | 01 | 06 | 4 | |
| | P | 1/ 8/1974 | -85.39 | -0.14 | 692.61 | 01 | 06 | 4 | |
| | P | 1/ 9/1974 | -85.55 | -0.16 | 692.45 | 01 | 06 | 4 | |
| | P | 1/10/1974 | -85.5 | 0.05 | 692.5 | 01 | 06 | 4 | |
| | P | 1/11/1974 | -85.56 | -0.06 | 692.44 | 01 | 06 | 4 | |
| | P | 1/12/1974 | -85.64 | -0.08 | 692.36 | 01 | 06 | 4 | |
| | P | 1/13/1974 | -85.57 | 0.07 | 692.43 | 01 | 06 | 4 | |
| | P | 1/14/1974 | -85.6 | -0.03 | 692.4 | 01 | 06 | 4 | |
| | P | 1/15/1974 | -85.82 | -0.22 | 692.18 | 01 | 06 | 4 | |
| | P | 1/16/1974 | -85.94 | -0.12 | 692.06 | 01 | 06 | 4 | |
| | P | 1/17/1974 | -86.14 | -0.2 | 691.86 | 01 | 06 | 4 | |
| | P | 1/18/1974 | -86.18 | -0.04 | 691.82 | 01 | 06 | 4 | |
| | P | 1/19/1974 | -86.46 | -0.28 | 691.54 | 01 | 06 | 4 | |
| | P | 1/20/1974 | -86.59 | -0.13 | 691.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1974 | -86.59 | | 691.41 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1974 | -86.86 | -0.27 | 691.14 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1974 | -87.1 | -0.24 | 690.9 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1974 | -87.11 | -0.01 | 690.89 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1974 | -87.22 | -0.11 | 690.78 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1974 | -86.95 | 0.27 | 691.05 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1974 | -86.85 | 0.1 | 691.15 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1974 | -86.88 | -0.03 | 691.12 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1974 | -87.04 | -0.16 | 690.96 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1974 | -87.19 | -0.15 | 690.81 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1974 | -87.34 | -0.15 | 690.66 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1974 | -87.4 | -0.06 | 690.6 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1974 | -87.47 | -0.07 | 690.53 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1974 | -87.6 | -0.13 | 690.4 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1974 | -87.68 | -0.08 | 690.32 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1974 | -87.86 | -0.18 | 690.14 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1974 | -87.99 | -0.13 | 690.01 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1974 | -88.25 | -0.26 | 689.75 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1974 | -88.5 | -0.25 | 689.5 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1974 | -88.69 | -0.19 | 689.31 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1974 | -88.72 | -0.03 | 689.28 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1974 | -88.8 | -0.08 | 689.2 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1974 | -89.1 | -0.3 | 688.9 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1974 | -89.5 | -0.4 | 688.5 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1974 | -89.75 | -0.25 | 688.25 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1974 | -89.96 | -0.21 | 688.04 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1974 | -90.15 | -0.19 | 687.85 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1974 | -90.2 | -0.05 | 687.8 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1974 | -90.04 | 0.16 | 687.96 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1974 | -90.29 | -0.25 | 687.71 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1974 | -90.68 | -0.39 | 687.32 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1974 | -90.99 | -0.31 | 687.01 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1974 | -91.18 | -0.19 | 686.82 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1974 | -91.3 | -0.12 | 686.7 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1974 | -91.59 | -0.29 | 686.41 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1974 | -91.59 | | 686.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1974 | -91.86 | -0.27 | 686.14 | 01 | 06 | 4 | |
| | P | 2/27/1974 | -91.93 | -0.07 | 686.07 | 01 | 06 | 4 | |
| | P | 2/28/1974 | -92.16 | -0.23 | 685.84 | 01 | 06 | 4 | |
| | P | 3/ 1/1974 | -92.78 | -0.62 | 685.22 | 01 | 06 | 4 | |
| | P | 3/ 2/1974 | -92.94 | -0.16 | 685.06 | 01 | 06 | 4 | |
| | P | 3/ 3/1974 | -93.1 | -0.16 | 684.9 | 01 | 06 | 4 | |
| | P | 3/ 4/1974 | -93.34 | -0.24 | 684.66 | 01 | 06 | 4 | |
| | P | 3/ 5/1974 | -93.8 | -0.46 | 684.2 | 01 | 06 | 4 | |
| | P | 3/ 6/1974 | -94.13 | -0.33 | 683.87 | 01 | 06 | 4 | |
| | P | 3/ 7/1974 | -94.32 | -0.19 | 683.68 | 01 | 06 | 4 | |
| | P | 3/ 8/1974 | -94.53 | -0.21 | 683.47 | 01 | 06 | 4 | |
| | P | 3/ 9/1974 | -94.48 | 0.05 | 683.52 | 01 | 06 | 4 | |
| | P | 3/10/1974 | -94.48 | | 683.52 | 01 | 06 | 4 | |
| | P | 3/11/1974 | -94.65 | -0.17 | 683.35 | 01 | 06 | 4 | |
| | P | 3/12/1974 | -95.14 | -0.49 | 682.86 | 01 | 06 | 4 | |
| | P | 3/13/1974 | -95.39 | -0.25 | 682.61 | 01 | 06 | 4 | |
| | P | 3/14/1974 | -95.5 | -0.11 | 682.5 | 01 | 06 | 4 | |
| | P | 3/15/1974 | -94.98 | 0.52 | 683.02 | 01 | 06 | 4 | |
| | P | 3/16/1974 | -94.5 | 0.48 | 683.5 | 01 | 06 | 4 | |
| | P | 3/17/1974 | -94.09 | 0.41 | 683.91 | 01 | 06 | 4 | |
| | P | 3/18/1974 | -93.94 | 0.15 | 684.06 | 01 | 06 | 4 | |
| | P | 3/19/1974 | -93.82 | 0.12 | 684.18 | 01 | 06 | 4 | |
| | P | 3/20/1974 | -94.23 | -0.41 | 683.77 | 01 | 06 | 4 | |
| | P | 3/21/1974 | -94.52 | -0.29 | 683.48 | 01 | 06 | 4 | |
| | P | 3/22/1974 | -94.35 | 0.17 | 683.65 | 01 | 06 | 4 | |
| | P | 3/23/1974 | -94.29 | 0.06 | 683.71 | 01 | 06 | 4 | |
| | P | 3/24/1974 | -94.55 | -0.26 | 683.45 | 01 | 06 | 4 | |
| | P | 3/25/1974 | -93.99 | 0.56 | 684.01 | 01 | 06 | 4 | |
| | P | 3/26/1974 | -93.81 | 0.18 | 684.19 | 01 | 06 | 4 | |
| | P | 3/27/1974 | -93.84 | -0.03 | 684.16 | 01 | 06 | 4 | |
| | P | 3/28/1974 | -94.05 | -0.21 | 683.95 | 01 | 06 | 4 | |
| | P | 3/29/1974 | -94.25 | -0.2 | 683.75 | 01 | 06 | 4 | |
| | P | 3/30/1974 | -94.75 | -0.5 | 683.25 | 01 | 06 | 4 | |
| | P | 3/31/1974 | -95.28 | -0.53 | 682.72 | 01 | 06 | 4 | |
| | P | 4/ 1/1974 | -95.78 | -0.5 | 682.22 | 01 | 06 | 4 | |
| | P | 4/ 2/1974 | -96.47 | -0.69 | 681.53 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 3/1974 | -96.98 | -0.51 | 681.02 | 01 | 06 | 4 | |
| | P | 4/ 4/1974 | -97.57 | -0.59 | 680.43 | 01 | 06 | 4 | |
| | P | 4/ 5/1974 | -97.79 | -0.22 | 680.21 | 01 | 06 | 4 | |
| | P | 4/ 6/1974 | -97.96 | -0.17 | 680.04 | 01 | 06 | 4 | |
| | P | 4/ 7/1974 | -97.66 | 0.3 | 680.34 | 01 | 06 | 4 | |
| | P | 4/ 8/1974 | -98.55 | -0.89 | 679.45 | 01 | 06 | 4 | |
| | P | 4/ 9/1974 | -98.79 | -0.24 | 679.21 | 01 | 06 | 4 | |
| | P | 4/10/1974 | -99.14 | -0.35 | 678.86 | 01 | 06 | 4 | |
| | P | 4/11/1974 | -98.74 | 0.4 | 679.26 | 01 | 06 | 4 | |
| | P | 4/12/1974 | -98.39 | 0.35 | 679.61 | 01 | 06 | 4 | |
| | P | 4/13/1974 | -98.52 | -0.13 | 679.48 | 01 | 06 | 4 | |
| | P | 4/14/1974 | -98.97 | -0.45 | 679.03 | 01 | 06 | 4 | |
| | P | 4/15/1974 | -98.42 | 0.55 | 679.58 | 01 | 06 | 4 | |
| | P | 4/16/1974 | -98.13 | 0.29 | 679.87 | 01 | 06 | 4 | |
| | P | 4/17/1974 | -98.37 | -0.24 | 679.63 | 01 | 06 | 4 | |
| | P | 4/18/1974 | -98.59 | -0.22 | 679.41 | 01 | 06 | 4 | |
| | P | 4/19/1974 | -98.76 | -0.17 | 679.24 | 01 | 06 | 4 | |
| | P | 4/20/1974 | -98.87 | -0.11 | 679.13 | 01 | 06 | 4 | |
| | P | 4/21/1974 | -98.43 | 0.44 | 679.57 | 01 | 06 | 4 | |
| | P | 4/22/1974 | -98.39 | 0.04 | 679.61 | 01 | 06 | 4 | |
| | P | 4/23/1974 | -98.2 | 0.19 | 679.8 | 01 | 06 | 4 | |
| | P | 4/24/1974 | -98.22 | -0.02 | 679.78 | 01 | 06 | 4 | |
| | P | 4/25/1974 | -98.69 | -0.47 | 679.31 | 01 | 06 | 4 | |
| | P | 4/26/1974 | -99 | -0.31 | 679 | 01 | 06 | 4 | |
| | P | 4/27/1974 | -98.96 | 0.04 | 679.04 | 01 | 06 | 4 | |
| | P | 4/28/1974 | -99.25 | -0.29 | 678.75 | 01 | 06 | 4 | |
| | P | 4/29/1974 | -99.43 | -0.18 | 678.57 | 01 | 06 | 4 | |
| | P | 4/30/1974 | -99.39 | 0.04 | 678.61 | 01 | 06 | 4 | |
| | P | 5/ 1/1974 | -98.49 | 0.9 | 679.51 | 01 | 06 | 4 | |
| | P | 5/ 2/1974 | -97.82 | 0.67 | 680.18 | 01 | 06 | 4 | |
| | P | 5/ 3/1974 | -97.72 | 0.1 | 680.28 | 01 | 06 | 4 | |
| | P | 5/ 4/1974 | -97.3 | 0.42 | 680.7 | 01 | 06 | 4 | |
| | P | 5/ 5/1974 | -96.82 | 0.48 | 681.18 | 01 | 06 | 4 | |
| | P | 5/ 6/1974 | -96.2 | 0.62 | 681.8 | 01 | 06 | 4 | |
| | P | 5/ 7/1974 | -96.02 | 0.18 | 681.98 | 01 | 06 | 4 | |
| | P | 5/ 8/1974 | -95.99 | 0.03 | 682.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 9/1974 | -99.09 | -3.1 | 678.91 | 01 | 06 | 4 | |
| | P | 5/10/1974 | -95.23 | 3.86 | 682.77 | 01 | 06 | 4 | |
| | P | 5/11/1974 | -94.57 | 0.66 | 683.43 | 01 | 06 | 4 | |
| | P | 5/12/1974 | -94.44 | 0.13 | 683.56 | 01 | 06 | 4 | |
| | P | 5/13/1974 | -94.27 | 0.17 | 683.73 | 01 | 06 | 4 | |
| | P | 5/14/1974 | -94.44 | -0.17 | 683.56 | 01 | 06 | 4 | |
| | P | 5/15/1974 | -94.35 | 0.09 | 683.65 | 01 | 06 | 4 | |
| | P | 5/16/1974 | -94.56 | -0.21 | 683.44 | 01 | 06 | 4 | |
| | P | 5/17/1974 | -94.69 | -0.13 | 683.31 | 01 | 06 | 4 | |
| | P | 5/18/1974 | -94.9 | -0.21 | 683.1 | 01 | 06 | 4 | |
| | P | 5/19/1974 | -95 | -0.1 | 683 | 01 | 06 | 4 | |
| | P | 5/20/1974 | -95.54 | -0.54 | 682.46 | 01 | 06 | 4 | |
| | P | 5/21/1974 | -95.9 | -0.36 | 682.1 | 01 | 06 | 4 | |
| | P | 5/22/1974 | -96.52 | -0.62 | 681.48 | 01 | 06 | 4 | |
| | P | 5/23/1974 | -97.45 | -0.93 | 680.55 | 01 | 06 | 4 | |
| | P | 5/24/1974 | -98.22 | -0.77 | 679.78 | 01 | 06 | 4 | |
| | P | 5/25/1974 | -98.83 | -0.61 | 679.17 | 01 | 06 | 4 | |
| | P | 5/26/1974 | -99.43 | -0.6 | 678.57 | 01 | 06 | 4 | |
| | P | 5/27/1974 | -98.78 | 0.65 | 679.22 | 01 | 06 | 4 | |
| | P | 5/28/1974 | -99.14 | -0.36 | 678.86 | 01 | 06 | 4 | |
| | P | 5/29/1974 | -99.68 | -0.54 | 678.32 | 01 | 06 | 4 | |
| | P | 5/30/1974 | -100.18 | -0.5 | 677.82 | 01 | 06 | 4 | |
| | P | 5/31/1974 | -99.74 | 0.44 | 678.26 | 01 | 06 | 4 | |
| | P | 6/ 1/1974 | -99.85 | -0.11 | 678.15 | 01 | 06 | 4 | |
| | P | 6/ 2/1974 | -99.67 | 0.18 | 678.33 | 01 | 06 | 4 | |
| | P | 6/ 3/1974 | -99.77 | -0.1 | 678.23 | 01 | 06 | 4 | |
| | P | 6/ 4/1974 | -100.44 | -0.67 | 677.56 | 01 | 06 | 4 | |
| | P | 6/ 5/1974 | -101.08 | -0.64 | 676.92 | 01 | 06 | 4 | |
| | P | 6/ 6/1974 | -101.45 | -0.37 | 676.55 | 01 | 06 | 4 | |
| | P | 6/ 7/1974 | -102.3 | -0.85 | 675.7 | 01 | 06 | 4 | |
| | P | 6/ 8/1974 | -102.74 | -0.44 | 675.26 | 01 | 06 | 4 | |
| | P | 6/ 9/1974 | -103.43 | -0.69 | 674.57 | 01 | 06 | 4 | |
| | P | 6/10/1974 | -103.32 | 0.11 | 674.68 | 01 | 06 | 4 | |
| | P | 6/11/1974 | -103.2 | 0.12 | 674.8 | 01 | 06 | 4 | |
| | P | 6/12/1974 | -103.8 | -0.6 | 674.2 | 01 | 06 | 4 | |
| | P | 6/13/1974 | -103.69 | 0.11 | 674.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 14/ 1974 | -103.33 | 0.36 | 674.67 | 01 | 06 | 4 | |
| | P | 6 / 15/ 1974 | -103.35 | -0.02 | 674.65 | 01 | 06 | 4 | |
| | P | 6 / 16/ 1974 | -103.6 | -0.25 | 674.4 | 01 | 06 | 4 | |
| | P | 6 / 17/ 1974 | -103.67 | -0.07 | 674.33 | 01 | 06 | 4 | |
| | P | 6 / 18/ 1974 | -104.7 | -1.03 | 673.3 | 01 | 06 | 4 | |
| | P | 6 / 19/ 1974 | -105.57 | -0.87 | 672.43 | 01 | 06 | 4 | |
| | P | 6 / 20/ 1974 | -106.45 | -0.88 | 671.55 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1974 | -106.36 | 0.09 | 671.64 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1974 | -106.8 | -0.44 | 671.2 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1974 | -107.22 | -0.42 | 670.78 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1974 | -108.01 | -0.79 | 669.99 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1974 | -108.2 | -0.19 | 669.8 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1974 | -108.75 | -0.55 | 669.25 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1974 | -109.53 | -0.78 | 668.47 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1974 | -110.08 | -0.55 | 667.92 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1974 | -110.23 | -0.15 | 667.77 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1974 | -110.29 | -0.06 | 667.71 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1974 | -110.44 | -0.15 | 667.56 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1974 | -110.25 | 0.19 | 667.75 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1974 | -110.61 | -0.36 | 667.39 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1974 | -109.88 | 0.73 | 668.12 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1974 | -109.92 | -0.04 | 668.08 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1974 | -110.2 | -0.28 | 667.8 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1974 | -110.29 | -0.09 | 667.71 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1974 | -110.83 | -0.54 | 667.17 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1974 | -111.62 | -0.79 | 666.38 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1974 | -112.06 | -0.44 | 665.94 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1974 | -112.46 | -0.4 | 665.54 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1974 | -110.99 | 1.47 | 667.01 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1974 | -110.05 | 0.94 | 667.95 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1974 | -109.22 | 0.83 | 668.78 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1974 | -109.08 | 0.14 | 668.92 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1974 | -109.16 | -0.08 | 668.84 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1974 | -108.97 | 0.19 | 669.03 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1974 | -108.71 | 0.26 | 669.29 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1974 | -108.9 | -0.19 | 669.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 20/ 1974 | -109.44 | -0.54 | 668.56 | 01 | 06 | 4 | |
| | P | 7/ 21/ 1974 | -109.69 | -0.25 | 668.31 | 01 | 06 | 4 | |
| | P | 7/ 22/ 1974 | -110.16 | -0.47 | 667.84 | 01 | 06 | 4 | |
| | P | 7/ 23/ 1974 | -111.15 | -0.99 | 666.85 | 01 | 06 | 4 | |
| | P | 7/ 24/ 1974 | -112.19 | -1.04 | 665.81 | 01 | 06 | 4 | |
| | P | 7/ 25/ 1974 | -112.87 | -0.68 | 665.13 | 01 | 06 | 4 | |
| | P | 7/ 26/ 1974 | -113.68 | -0.81 | 664.32 | 01 | 06 | 4 | |
| | P | 7/ 27/ 1974 | -113.62 | 0.06 | 664.38 | 01 | 06 | 4 | |
| | P | 7/ 28/ 1974 | -113.9 | -0.28 | 664.1 | 01 | 06 | 4 | |
| | P | 7/ 29/ 1974 | -114.35 | -0.45 | 663.65 | 01 | 06 | 4 | |
| | P | 7/ 30/ 1974 | -115.16 | -0.81 | 662.84 | 01 | 06 | 4 | |
| | P | 7/ 31/ 1974 | -114.83 | 0.33 | 663.17 | 01 | 06 | 4 | |
| | P | 8/ 1/ 1974 | -114.87 | -0.04 | 663.13 | 01 | 06 | 4 | |
| | P | 8/ 2/ 1974 | -115.55 | -0.68 | 662.45 | 01 | 06 | 4 | |
| | P | 8/ 3/ 1974 | -114.77 | 0.78 | 663.23 | 01 | 06 | 4 | |
| | P | 8/ 4/ 1974 | -114.44 | 0.33 | 663.56 | 01 | 06 | 4 | |
| | P | 8/ 5/ 1974 | -113.83 | 0.61 | 664.17 | 01 | 06 | 4 | |
| | P | 8/ 6/ 1974 | -112.54 | 1.29 | 665.46 | 01 | 06 | 4 | |
| | P | 8/ 7/ 1974 | -110.26 | 2.28 | 667.74 | 01 | 06 | 4 | |
| | P | 8/ 8/ 1974 | -105.73 | 4.53 | 672.27 | 01 | 06 | 4 | |
| | P | 8/ 9/ 1974 | -104.47 | 1.26 | 673.53 | 01 | 06 | 4 | |
| | P | 8/ 10/ 1974 | -103.82 | 0.65 | 674.18 | 01 | 06 | 4 | |
| | P | 8/ 11/ 1974 | -103.67 | 0.15 | 674.33 | 01 | 06 | 4 | |
| | P | 8/ 12/ 1974 | -103.7 | -0.03 | 674.3 | 01 | 06 | 4 | |
| | P | 8/ 13/ 1974 | -104.09 | -0.39 | 673.91 | 01 | 06 | 4 | |
| | P | 8/ 14/ 1974 | -104.4 | -0.31 | 673.6 | 01 | 06 | 4 | |
| | P | 8/ 15/ 1974 | -104.82 | -0.42 | 673.18 | 01 | 06 | 4 | |
| | P | 8/ 16/ 1974 | -105.14 | -0.32 | 672.86 | 01 | 06 | 4 | |
| | P | 8/ 17/ 1974 | -105.37 | -0.23 | 672.63 | 01 | 06 | 4 | |
| | P | 8/ 18/ 1974 | -105.63 | -0.26 | 672.37 | 01 | 06 | 4 | |
| | P | 8/ 19/ 1974 | -106.04 | -0.41 | 671.96 | 01 | 06 | 4 | |
| | P | 8/ 20/ 1974 | -106.57 | -0.53 | 671.43 | 01 | 06 | 4 | |
| | P | 8/ 21/ 1974 | -106.95 | -0.38 | 671.05 | 01 | 06 | 4 | |
| | P | 8/ 22/ 1974 | -107.4 | -0.45 | 670.6 | 01 | 06 | 4 | |
| | P | 8/ 23/ 1974 | -107.97 | -0.57 | 670.03 | 01 | 06 | 4 | |
| | P | 8/ 24/ 1974 | -107.78 | 0.19 | 670.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/1974 | -107.31 | 0.47 | 670.69 | 01 | 06 | 4 | |
| | P | 8/26/1974 | -106.59 | 0.72 | 671.41 | 01 | 06 | 4 | |
| | P | 8/27/1974 | -106.4 | 0.19 | 671.6 | 01 | 06 | 4 | |
| | P | 8/28/1974 | -106.37 | 0.03 | 671.63 | 01 | 06 | 4 | |
| | P | 8/29/1974 | -105.54 | 0.83 | 672.46 | 01 | 06 | 4 | |
| | P | 8/30/1974 | -100.98 | 4.56 | 677.02 | 01 | 06 | 4 | |
| | P | 8/31/1974 | -99.2 | 1.78 | 678.8 | 01 | 06 | 4 | |
| | P | 9/ 1/1974 | -98.36 | 0.84 | 679.64 | 01 | 06 | 4 | |
| | P | 9/ 2/1974 | -97.66 | 0.7 | 680.34 | 01 | 06 | 4 | |
| | P | 9/ 3/1974 | -97.78 | -0.12 | 680.22 | 01 | 06 | 4 | |
| | P | 9/ 4/1974 | -97.5 | 0.28 | 680.5 | 01 | 06 | 4 | |
| | P | 9/ 5/1974 | -97.53 | -0.03 | 680.47 | 01 | 06 | 4 | |
| | P | 9/ 6/1974 | -97.58 | -0.05 | 680.42 | 01 | 06 | 4 | |
| | P | 9/ 7/1974 | -97.57 | 0.01 | 680.43 | 01 | 06 | 4 | |
| | P | 9/ 8/1974 | -97.78 | -0.21 | 680.22 | 01 | 06 | 4 | |
| | P | 9/ 9/1974 | -97.98 | -0.2 | 680.02 | 01 | 06 | 4 | |
| | P | 9/10/1974 | -97.86 | 0.12 | 680.14 | 01 | 06 | 4 | |
| | P | 9/11/1974 | -97.74 | 0.12 | 680.26 | 01 | 06 | 4 | |
| | P | 9/12/1974 | -97.69 | 0.05 | 680.31 | 01 | 06 | 4 | |
| | P | 9/13/1974 | -96.39 | 1.3 | 681.61 | 01 | 06 | 4 | |
| | P | 9/14/1974 | -95.84 | 0.55 | 682.16 | 01 | 06 | 4 | |
| | P | 9/15/1974 | -95.43 | 0.41 | 682.57 | 01 | 06 | 4 | |
| | P | 9/16/1974 | -95.32 | 0.11 | 682.68 | 01 | 06 | 4 | |
| | P | 9/17/1974 | -95.39 | -0.07 | 682.61 | 01 | 06 | 4 | |
| | P | 9/18/1974 | -95.54 | -0.15 | 682.46 | 01 | 06 | 4 | |
| | P | 9/19/1974 | -95.66 | -0.12 | 682.34 | 01 | 06 | 4 | |
| | P | 9/20/1974 | -95.67 | -0.01 | 682.33 | 01 | 06 | 4 | |
| | P | 9/21/1974 | -95.69 | -0.02 | 682.31 | 01 | 06 | 4 | |
| | P | 9/22/1974 | -95.66 | 0.03 | 682.34 | 01 | 06 | 4 | |
| | P | 9/23/1974 | -95.55 | 0.11 | 682.45 | 01 | 06 | 4 | |
| | P | 9/24/1974 | -95.72 | -0.17 | 682.28 | 01 | 06 | 4 | |
| | P | 9/25/1974 | -95.63 | 0.09 | 682.37 | 01 | 06 | 4 | |
| | P | 9/26/1974 | -95.56 | 0.07 | 682.44 | 01 | 06 | 4 | |
| | P | 9/27/1974 | -95.65 | -0.09 | 682.35 | 01 | 06 | 4 | |
| | P | 9/28/1974 | -95.76 | -0.11 | 682.24 | 01 | 06 | 4 | |
| | P | 9/29/1974 | -96.06 | -0.3 | 681.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1974 | -96.16 | -0.1 | 681.84 | 01 | 06 | 4 | |
| | P | 10/ 1/1974 | -96.47 | -0.31 | 681.53 | 01 | 06 | 4 | |
| | P | 10/ 2/1974 | -96.86 | -0.39 | 681.14 | 01 | 06 | 4 | |
| | P | 10/ 3/1974 | -97.16 | -0.3 | 680.84 | 01 | 06 | 4 | |
| | P | 10/ 4/1974 | -97.36 | -0.2 | 680.64 | 01 | 06 | 4 | |
| | P | 10/ 5/1974 | -97.44 | -0.08 | 680.56 | 01 | 06 | 4 | |
| | P | 10/ 6/1974 | -97.66 | -0.22 | 680.34 | 01 | 06 | 4 | |
| | P | 10/ 7/1974 | -97.72 | -0.06 | 680.28 | 01 | 06 | 4 | |
| | P | 10/ 8/1974 | -98.05 | -0.33 | 679.95 | 01 | 06 | 4 | |
| | P | 10/ 9/1974 | -98.22 | -0.17 | 679.78 | 01 | 06 | 4 | |
| | P | 10/10/1974 | -98.43 | -0.21 | 679.57 | 01 | 06 | 4 | |
| | P | 10/11/1974 | -98.77 | -0.34 | 679.23 | 01 | 06 | 4 | |
| | P | 10/12/1974 | -98.82 | -0.05 | 679.18 | 01 | 06 | 4 | |
| | P | 10/13/1974 | -98.92 | -0.1 | 679.08 | 01 | 06 | 4 | |
| | P | 10/14/1974 | -98.86 | 0.06 | 679.14 | 01 | 06 | 4 | |
| | P | 10/15/1974 | -99.1 | -0.24 | 678.9 | 01 | 06 | 4 | |
| | P | 10/16/1974 | -98.7 | 0.4 | 679.3 | 01 | 06 | 4 | |
| | P | 10/17/1974 | -98.6 | 0.1 | 679.4 | 01 | 06 | 4 | |
| | P | 10/18/1974 | -98.76 | -0.16 | 679.24 | 01 | 06 | 4 | |
| | P | 10/19/1974 | -98.65 | 0.11 | 679.35 | 01 | 06 | 4 | |
| | P | 10/20/1974 | -98.51 | 0.14 | 679.49 | 01 | 06 | 4 | |
| | P | 10/21/1974 | -98.48 | 0.03 | 679.52 | 01 | 06 | 4 | |
| | P | 10/22/1974 | -98.3 | 0.18 | 679.7 | 01 | 06 | 4 | |
| | P | 10/23/1974 | -98.2 | 0.1 | 679.8 | 01 | 06 | 4 | |
| | P | 10/24/1974 | -97.77 | 0.43 | 680.23 | 01 | 06 | 4 | |
| | P | 10/25/1974 | -97.28 | 0.49 | 680.72 | 01 | 06 | 4 | |
| | P | 10/26/1974 | -97.08 | 0.2 | 680.92 | 01 | 06 | 4 | |
| | P | 10/27/1974 | -96.85 | 0.23 | 681.15 | 01 | 06 | 4 | |
| | P | 10/28/1974 | -96.55 | 0.3 | 681.45 | 01 | 06 | 4 | |
| | P | 10/29/1974 | -96.64 | -0.09 | 681.36 | 01 | 06 | 4 | |
| | P | 10/30/1974 | -96.63 | 0.01 | 681.37 | 01 | 06 | 4 | |
| | P | 10/31/1974 | -96.58 | 0.05 | 681.42 | 01 | 06 | 4 | |
| | P | 11/ 1/1974 | -96.01 | 0.57 | 681.99 | 01 | 06 | 4 | |
| | P | 11/ 2/1974 | -95.79 | 0.22 | 682.21 | 01 | 06 | 4 | |
| | P | 11/ 3/1974 | -95.59 | 0.2 | 682.41 | 01 | 06 | 4 | |
| | P | 11/ 4/1974 | -95.61 | -0.02 | 682.39 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 5/1974 | -95.68 | -0.07 | 682.32 | 01 | 06 | 4 | |
| | P | 11/ 6/1974 | -95.74 | -0.06 | 682.26 | 01 | 06 | 4 | |
| | P | 11/ 7/1974 | -95.76 | -0.02 | 682.24 | 01 | 06 | 4 | |
| | P | 11/ 8/1974 | -95.32 | 0.44 | 682.68 | 01 | 06 | 4 | |
| | P | 11/ 9/1974 | -94.97 | 0.35 | 683.03 | 01 | 06 | 4 | |
| | P | 11/10/1974 | -94.6 | 0.37 | 683.4 | 01 | 06 | 4 | |
| | P | 11/11/1974 | -94.61 | -0.01 | 683.39 | 01 | 06 | 4 | |
| | P | 11/12/1974 | -94.68 | -0.07 | 683.32 | 01 | 06 | 4 | |
| | P | 11/13/1974 | -94.59 | 0.09 | 683.41 | 01 | 06 | 4 | |
| | P | 11/14/1974 | -94.65 | -0.06 | 683.35 | 01 | 06 | 4 | |
| | P | 11/15/1974 | -94.66 | -0.01 | 683.34 | 01 | 06 | 4 | |
| | P | 11/16/1974 | -94.54 | 0.12 | 683.46 | 01 | 06 | 4 | |
| | P | 11/17/1974 | -94.49 | 0.05 | 683.51 | 01 | 06 | 4 | |
| | P | 11/18/1974 | -94.48 | 0.01 | 683.52 | 01 | 06 | 4 | |
| | P | 11/19/1974 | -94.58 | -0.1 | 683.42 | 01 | 06 | 4 | |
| | P | 11/20/1974 | -94.79 | -0.21 | 683.21 | 01 | 06 | 4 | |
| | P | 11/21/1974 | -94.86 | -0.07 | 683.14 | 01 | 06 | 4 | |
| | P | 11/22/1974 | -94.98 | -0.12 | 683.02 | 01 | 06 | 4 | |
| | P | 11/23/1974 | -94.91 | 0.07 | 683.09 | 01 | 06 | 4 | |
| | P | 11/24/1974 | -92.61 | 2.3 | 685.39 | 01 | 06 | 4 | |
| | P | 11/25/1974 | -92.12 | 0.49 | 685.88 | 01 | 06 | 4 | |
| | P | 11/26/1974 | -92.21 | -0.09 | 685.79 | 01 | 06 | 4 | |
| | P | 11/27/1974 | -92.37 | -0.16 | 685.63 | 01 | 06 | 4 | |
| | P | 11/28/1974 | -92.35 | 0.02 | 685.65 | 01 | 06 | 4 | |
| | P | 11/29/1974 | -92.26 | 0.09 | 685.74 | 01 | 06 | 4 | |
| | P | 11/30/1974 | -92.43 | -0.17 | 685.57 | 01 | 06 | 4 | |
| | P | 12/ 1/1974 | -92.5 | -0.07 | 685.5 | 01 | 06 | 4 | |
| | P | 12/ 2/1974 | -92.58 | -0.08 | 685.42 | 01 | 06 | 4 | |
| | P | 12/ 3/1974 | -92.79 | -0.21 | 685.21 | 01 | 06 | 4 | |
| | P | 12/ 4/1974 | -92.93 | -0.14 | 685.07 | 01 | 06 | 4 | |
| | P | 12/ 5/1974 | -93.02 | -0.09 | 684.98 | 01 | 06 | 4 | |
| | P | 12/ 6/1974 | -93.02 | | 684.98 | 01 | 06 | 4 | |
| | P | 12/ 7/1974 | -93.09 | -0.07 | 684.91 | 01 | 06 | 4 | |
| | P | 12/ 8/1974 | -93.17 | -0.08 | 684.83 | 01 | 06 | 4 | |
| | P | 12/ 9/1974 | -93.24 | -0.07 | 684.76 | 01 | 06 | 4 | |
| | P | 12/10/1974 | -93.23 | 0.01 | 684.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 11/ 1974 | -93.2 | 0.03 | 684.8 | 01 | 06 | 4 | |
| | P | 12 / 12/ 1974 | -93.21 | -0.01 | 684.79 | 01 | 06 | 4 | |
| | P | 12 / 13/ 1974 | -93.29 | -0.08 | 684.71 | 01 | 06 | 4 | |
| | P | 12 / 14/ 1974 | -93.32 | -0.03 | 684.68 | 01 | 06 | 4 | |
| | P | 12 / 15/ 1974 | -93.25 | 0.07 | 684.75 | 01 | 06 | 4 | |
| | P | 12 / 16/ 1974 | -93.31 | -0.06 | 684.69 | 01 | 06 | 4 | |
| | P | 12 / 17/ 1974 | -93.59 | -0.28 | 684.41 | 01 | 06 | 4 | |
| | P | 12 / 18/ 1974 | -93.62 | -0.03 | 684.38 | 01 | 06 | 4 | |
| | P | 12 / 19/ 1974 | -93.71 | -0.09 | 684.29 | 01 | 06 | 4 | |
| | P | 12 / 20/ 1974 | -93.81 | -0.1 | 684.19 | 01 | 06 | 4 | |
| | P | 12 / 21/ 1974 | -93.89 | -0.08 | 684.11 | 01 | 06 | 4 | |
| | P | 12 / 22/ 1974 | -93.86 | 0.03 | 684.14 | 01 | 06 | 4 | |
| | P | 12 / 23/ 1974 | -93.78 | 0.08 | 684.22 | 01 | 06 | 4 | |
| | P | 12 / 24/ 1974 | -93.92 | -0.14 | 684.08 | 01 | 06 | 4 | |
| | P | 12 / 25/ 1974 | -93.95 | -0.03 | 684.05 | 01 | 06 | 4 | |
| | P | 12 / 26/ 1974 | -93.73 | 0.22 | 684.27 | 01 | 06 | 4 | |
| | P | 12 / 27/ 1974 | -93.73 | | 684.27 | 01 | 06 | 4 | |
| | P | 12 / 28/ 1974 | -74 | 19.73 | 704 | 01 | 06 | 4 | |
| | P | 12 / 29/ 1974 | -93.54 | -19.5 | 684.46 | 01 | 06 | 4 | |
| | P | 12 / 30/ 1974 | -93.48 | 0.06 | 684.52 | 01 | 06 | 4 | |
| | P | 12 / 31/ 1974 | -93.6 | -0.12 | 684.4 | 01 | 06 | 4 | |
| | P | 1 / 1 / 1975 | -93.6 | | 684.4 | 01 | 06 | 4 | |
| | P | 1 / 2 / 1975 | -93.42 | 0.18 | 684.58 | 01 | 06 | 4 | |
| | P | 1 / 3 / 1975 | -93.55 | -0.13 | 684.45 | 01 | 06 | 4 | |
| | P | 1 / 4 / 1975 | -93.69 | -0.14 | 684.31 | 01 | 06 | 4 | |
| | P | 1 / 5 / 1975 | -93.63 | 0.06 | 684.37 | 01 | 06 | 4 | |
| | P | 1 / 6 / 1975 | -93.63 | | 684.37 | 01 | 06 | 4 | |
| | P | 1 / 7 / 1975 | -93.6 | 0.03 | 684.4 | 01 | 06 | 4 | |
| | P | 1 / 8 / 1975 | -93.78 | -0.18 | 684.22 | 01 | 06 | 4 | |
| | P | 1 / 9 / 1975 | -93.74 | 0.04 | 684.26 | 01 | 06 | 4 | |
| | P | 1 / 10/ 1975 | -93.69 | 0.05 | 684.31 | 01 | 06 | 4 | |
| | P | 1 / 11/ 1975 | -94.1 | -0.41 | 683.9 | 01 | 06 | 4 | |
| | P | 1 / 12/ 1975 | -93.91 | 0.19 | 684.09 | 01 | 06 | 4 | |
| | P | 1 / 13/ 1975 | -93.98 | -0.07 | 684.02 | 01 | 06 | 4 | |
| | P | 1 / 14/ 1975 | -94.14 | -0.16 | 683.86 | 01 | 06 | 4 | |
| | P | 1 / 15/ 1975 | -94.17 | -0.03 | 683.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 16/ 1975 | -94.15 | 0.02 | 683.85 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1975 | -94.18 | -0.03 | 683.82 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1975 | -94.04 | 0.14 | 683.96 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1975 | -93.9 | 0.14 | 684.1 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1975 | -93.95 | -0.05 | 684.05 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1975 | -94.08 | -0.13 | 683.92 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1975 | -94.19 | -0.11 | 683.81 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1975 | -94.14 | 0.05 | 683.86 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1975 | -94.17 | -0.03 | 683.83 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1975 | -94.15 | 0.02 | 683.85 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1975 | -94.12 | 0.03 | 683.88 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1975 | -94.33 | -0.21 | 683.67 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1975 | -94.55 | -0.22 | 683.45 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1975 | -94.57 | -0.02 | 683.43 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1975 | -94.69 | -0.12 | 683.31 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1975 | -94.69 | | 683.31 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1975 | -94.68 | 0.01 | 683.32 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1975 | -92.61 | 2.07 | 685.39 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1975 | -90.67 | 1.94 | 687.33 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1975 | -89.34 | 1.33 | 688.66 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1975 | -88.73 | 0.61 | 689.27 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1975 | -88.35 | 0.38 | 689.65 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1975 | -88.09 | 0.26 | 689.91 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1975 | -87.6 | 0.49 | 690.4 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1975 | -87.54 | 0.06 | 690.46 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1975 | -87.33 | 0.21 | 690.67 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1975 | -87.31 | 0.02 | 690.69 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1975 | -87.57 | -0.26 | 690.43 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1975 | -87.63 | -0.06 | 690.37 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1975 | -87.66 | -0.03 | 690.34 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1975 | -87.69 | -0.03 | 690.31 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1975 | -87.64 | 0.05 | 690.36 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1975 | -87.8 | -0.16 | 690.2 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1975 | -87.9 | -0.1 | 690.1 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1975 | -88.06 | -0.16 | 689.94 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1975 | -88.18 | -0.12 | 689.82 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/21/1975 | -88.33 | -0.15 | 689.67 | 01 | 06 | 4 | |
| | P | 2/22/1975 | -88.46 | -0.13 | 689.54 | 01 | 06 | 4 | |
| | P | 2/23/1975 | -88.58 | -0.12 | 689.42 | 01 | 06 | 4 | |
| | P | 2/24/1975 | -88.52 | 0.06 | 689.48 | 01 | 06 | 4 | |
| | P | 2/25/1975 | -88.82 | -0.3 | 689.18 | 01 | 06 | 4 | |
| | P | 2/26/1975 | -89.16 | -0.34 | 688.84 | 01 | 06 | 4 | |
| | P | 2/27/1975 | -89.5 | -0.34 | 688.5 | 01 | 06 | 4 | |
| | P | 2/28/1975 | -89.67 | -0.17 | 688.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1975 | -89.79 | -0.12 | 688.21 | 01 | 06 | 4 | |
| | P | 3/ 2/1975 | -90.14 | -0.35 | 687.86 | 01 | 06 | 4 | |
| | P | 3/ 3/1975 | -90.3 | -0.16 | 687.7 | 01 | 06 | 4 | |
| | P | 3/ 4/1975 | -90.52 | -0.22 | 687.48 | 01 | 06 | 4 | |
| | P | 3/ 5/1975 | -90.5 | 0.02 | 687.5 | 01 | 06 | 4 | |
| | P | 3/ 6/1975 | -90.51 | -0.01 | 687.49 | 01 | 06 | 4 | |
| | P | 3/ 7/1975 | -90.8 | -0.29 | 687.2 | 01 | 06 | 4 | |
| | P | 3/ 8/1975 | -91.1 | -0.3 | 686.9 | 01 | 06 | 4 | |
| | P | 3/ 9/1975 | -91.04 | 0.06 | 686.96 | 01 | 06 | 4 | |
| | P | 3/10/1975 | -90.83 | 0.21 | 687.17 | 01 | 06 | 4 | |
| | P | 3/11/1975 | -90.88 | -0.05 | 687.12 | 01 | 06 | 4 | |
| | P | 3/12/1975 | -91.13 | -0.25 | 686.87 | 01 | 06 | 4 | |
| | P | 3/13/1975 | -91.55 | -0.42 | 686.45 | 01 | 06 | 4 | |
| | P | 3/14/1975 | -91.57 | -0.02 | 686.43 | 01 | 06 | 4 | |
| | P | 3/15/1975 | -91.8 | -0.23 | 686.2 | 01 | 06 | 4 | |
| | P | 3/16/1975 | -91.72 | 0.08 | 686.28 | 01 | 06 | 4 | |
| | P | 3/17/1975 | -92.21 | -0.49 | 685.79 | 01 | 06 | 4 | |
| | P | 3/18/1975 | -91.99 | 0.22 | 686.01 | 01 | 06 | 4 | |
| | P | 3/19/1975 | -92.36 | -0.37 | 685.64 | 01 | 06 | 4 | |
| | P | 3/20/1975 | -92.84 | -0.48 | 685.16 | 01 | 06 | 4 | |
| | P | 3/21/1975 | -93.26 | -0.42 | 684.74 | 01 | 06 | 4 | |
| | P | 3/22/1975 | -93.36 | -0.1 | 684.64 | 01 | 06 | 4 | |
| | P | 3/23/1975 | -93.42 | -0.06 | 684.58 | 01 | 06 | 4 | |
| | P | 3/24/1975 | -93.56 | -0.14 | 684.44 | 01 | 06 | 4 | |
| | P | 3/25/1975 | -93.93 | -0.37 | 684.07 | 01 | 06 | 4 | |
| | P | 3/26/1975 | -94.26 | -0.33 | 683.74 | 01 | 06 | 4 | |
| | P | 3/27/1975 | -93.79 | 0.47 | 684.21 | 01 | 06 | 4 | |
| | P | 3/28/1975 | -94.26 | -0.47 | 683.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/29/1975 | -94.09 | 0.17 | 683.91 | 01 | 06 | 4 | |
| | P | 3/30/1975 | -93.83 | 0.26 | 684.17 | 01 | 06 | 4 | |
| | P | 3/31/1975 | -93.68 | 0.15 | 684.32 | 01 | 06 | 4 | |
| | P | 4/ 1/1975 | -94.29 | -0.61 | 683.71 | 01 | 06 | 4 | |
| | P | 4/ 2/1975 | -94.83 | -0.54 | 683.17 | 01 | 06 | 4 | |
| | P | 4/ 3/1975 | -95.2 | -0.37 | 682.8 | 01 | 06 | 4 | |
| | P | 4/ 4/1975 | -95.42 | -0.22 | 682.58 | 01 | 06 | 4 | |
| | P | 4/ 5/1975 | -95.68 | -0.26 | 682.32 | 01 | 06 | 4 | |
| | P | 4/ 6/1975 | -95.62 | 0.06 | 682.38 | 01 | 06 | 4 | |
| | P | 4/ 7/1975 | -95.06 | 0.56 | 682.94 | 01 | 06 | 4 | |
| | P | 4/ 8/1975 | -94.88 | 0.18 | 683.12 | 01 | 06 | 4 | |
| | P | 4/ 9/1975 | -94.39 | 0.49 | 683.61 | 01 | 06 | 4 | |
| | P | 4/10/1975 | -94.31 | 0.08 | 683.69 | 01 | 06 | 4 | |
| | P | 4/11/1975 | -94.2 | 0.11 | 683.8 | 01 | 06 | 4 | |
| | P | 4/12/1975 | -94.13 | 0.07 | 683.87 | 01 | 06 | 4 | |
| | P | 4/13/1975 | -93.88 | 0.25 | 684.12 | 01 | 06 | 4 | |
| | P | 4/14/1975 | -93.64 | 0.24 | 684.36 | 01 | 06 | 4 | |
| | P | 4/15/1975 | -93.97 | -0.33 | 684.03 | 01 | 06 | 4 | |
| | P | 4/16/1975 | -93.99 | -0.02 | 684.01 | 01 | 06 | 4 | |
| | P | 4/17/1975 | -94.01 | -0.02 | 683.99 | 01 | 06 | 4 | |
| | P | 4/18/1975 | -94.26 | -0.25 | 683.74 | 01 | 06 | 4 | |
| | P | 4/19/1975 | -94.51 | -0.25 | 683.49 | 01 | 06 | 4 | |
| | P | 4/20/1975 | -94.73 | -0.22 | 683.27 | 01 | 06 | 4 | |
| | P | 4/21/1975 | -94.86 | -0.13 | 683.14 | 01 | 06 | 4 | |
| | P | 4/22/1975 | -94.84 | 0.02 | 683.16 | 01 | 06 | 4 | |
| | P | 4/23/1975 | -94.97 | -0.13 | 683.03 | 01 | 06 | 4 | |
| | P | 4/24/1975 | -95.39 | -0.42 | 682.61 | 01 | 06 | 4 | |
| | P | 4/25/1975 | -95.76 | -0.37 | 682.24 | 01 | 06 | 4 | |
| | P | 4/26/1975 | -96.19 | -0.43 | 681.81 | 01 | 06 | 4 | |
| | P | 4/27/1975 | -96.2 | -0.01 | 681.8 | 01 | 06 | 4 | |
| | P | 4/28/1975 | -96.2 | | 681.8 | 01 | 06 | 4 | |
| | P | 4/29/1975 | -95.52 | 0.68 | 682.48 | 01 | 06 | 4 | |
| | P | 4/30/1975 | -94.62 | 0.9 | 683.38 | 01 | 06 | 4 | |
| | P | 5/ 1/1975 | -94.25 | 0.37 | 683.75 | 01 | 06 | 4 | |
| | P | 5/ 2/1975 | -94.17 | 0.08 | 683.83 | 01 | 06 | 4 | |
| | P | 5/ 3/1975 | -93.99 | 0.18 | 684.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 4/1975 | -93.83 | 0.16 | 684.17 | 01 | 06 | 4 | |
| | P | 5/ 5/1975 | -93.59 | 0.24 | 684.41 | 01 | 06 | 4 | |
| | P | 5/ 6/1975 | -93.52 | 0.07 | 684.48 | 01 | 06 | 4 | |
| | P | 5/ 7/1975 | -93.68 | -0.16 | 684.32 | 01 | 06 | 4 | |
| | P | 5/ 8/1975 | -93.41 | 0.27 | 684.59 | 01 | 06 | 4 | |
| | P | 5/ 9/1975 | -92.28 | 1.13 | 685.72 | 01 | 06 | 4 | |
| | P | 5/10/1975 | -91.63 | 0.65 | 686.37 | 01 | 06 | 4 | |
| | P | 5/11/1975 | -91.49 | 0.14 | 686.51 | 01 | 06 | 4 | |
| | P | 5/12/1975 | -91.38 | 0.11 | 686.62 | 01 | 06 | 4 | |
| | P | 5/13/1975 | -91.57 | -0.19 | 686.43 | 01 | 06 | 4 | |
| | P | 5/14/1975 | -91.67 | -0.1 | 686.33 | 01 | 06 | 4 | |
| | P | 5/15/1975 | -91.68 | -0.01 | 686.32 | 01 | 06 | 4 | |
| | P | 5/16/1975 | -92.17 | -0.49 | 685.83 | 01 | 06 | 4 | |
| | P | 5/17/1975 | -92.27 | -0.1 | 685.73 | 01 | 06 | 4 | |
| | P | 5/18/1975 | -92.39 | -0.12 | 685.61 | 01 | 06 | 4 | |
| | P | 5/19/1975 | -92.5 | -0.11 | 685.5 | 01 | 06 | 4 | |
| | P | 5/20/1975 | -92.46 | 0.04 | 685.54 | 01 | 06 | 4 | |
| | P | 5/21/1975 | -92.49 | -0.03 | 685.51 | 01 | 06 | 4 | |
| | P | 5/22/1975 | -92.65 | -0.16 | 685.35 | 01 | 06 | 4 | |
| | P | 5/23/1975 | -92.51 | 0.14 | 685.49 | 01 | 06 | 4 | |
| | P | 5/24/1975 | -90.45 | 2.06 | 687.55 | 01 | 06 | 4 | |
| | P | 5/25/1975 | -89.96 | 0.49 | 688.04 | 01 | 06 | 4 | |
| | P | 5/26/1975 | -89.67 | 0.29 | 688.33 | 01 | 06 | 4 | |
| | P | 5/27/1975 | -89.81 | -0.14 | 688.19 | 01 | 06 | 4 | |
| | P | 5/28/1975 | -89.88 | -0.07 | 688.12 | 01 | 06 | 4 | |
| | P | 5/29/1975 | -89.95 | -0.07 | 688.05 | 01 | 06 | 4 | |
| | P | 5/30/1975 | -90.04 | -0.09 | 687.96 | 01 | 06 | 4 | |
| | P | 5/31/1975 | -90.02 | 0.02 | 687.98 | 01 | 06 | 4 | |
| | P | 6/ 1/1975 | -90.18 | -0.16 | 687.82 | 01 | 06 | 4 | |
| | P | 6/ 2/1975 | -90.3 | -0.12 | 687.7 | 01 | 06 | 4 | |
| | P | 6/ 3/1975 | -90.75 | -0.45 | 687.25 | 01 | 06 | 4 | |
| | P | 6/ 4/1975 | -91.31 | -0.56 | 686.69 | 01 | 06 | 4 | |
| | P | 6/ 5/1975 | -91.77 | -0.46 | 686.23 | 01 | 06 | 4 | |
| | P | 6/ 6/1975 | -92.55 | -0.78 | 685.45 | 01 | 06 | 4 | |
| | P | 6/ 7/1975 | -93.08 | -0.53 | 684.92 | 01 | 06 | 4 | |
| | P | 6/ 8/1975 | -93.71 | -0.63 | 684.29 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 9/1975 | -93.67 | 0.04 | 684.33 | 01 | 06 | 4 | |
| | P | 6/10/1975 | -91.91 | 1.76 | 686.09 | 01 | 06 | 4 | |
| | P | 6/11/1975 | -91.32 | 0.59 | 686.68 | 01 | 06 | 4 | |
| | P | 6/12/1975 | -90.91 | 0.41 | 687.09 | 01 | 06 | 4 | |
| | P | 6/13/1975 | -90.87 | 0.04 | 687.13 | 01 | 06 | 4 | |
| | P | 6/14/1975 | -90.88 | -0.01 | 687.12 | 01 | 06 | 4 | |
| | P | 6/15/1975 | -90.92 | -0.04 | 687.08 | 01 | 06 | 4 | |
| | P | 6/16/1975 | -91.13 | -0.21 | 686.87 | 01 | 06 | 4 | |
| | P | 6/17/1975 | -91.88 | -0.75 | 686.12 | 01 | 06 | 4 | |
| | P | 6/18/1975 | -92.69 | -0.81 | 685.31 | 01 | 06 | 4 | |
| | P | 6/19/1975 | -93.47 | -0.78 | 684.53 | 01 | 06 | 4 | |
| | P | 6/20/1975 | -94.35 | -0.88 | 683.65 | 01 | 06 | 4 | |
| | P | 6/21/1975 | -94.55 | -0.2 | 683.45 | 01 | 06 | 4 | |
| | P | 6/22/1975 | -94.62 | -0.07 | 683.38 | 01 | 06 | 4 | |
| | P | 6/23/1975 | -94.84 | -0.22 | 683.16 | 01 | 06 | 4 | |
| | P | 6/24/1975 | -95.66 | -0.82 | 682.34 | 01 | 06 | 4 | |
| | P | 6/25/1975 | -96.17 | -0.51 | 681.83 | 01 | 06 | 4 | |
| | P | 6/26/1975 | -96.57 | -0.4 | 681.43 | 01 | 06 | 4 | |
| | P | 6/27/1975 | -97.12 | -0.55 | 680.88 | 01 | 06 | 4 | |
| | P | 6/28/1975 | -97.08 | 0.04 | 680.92 | 01 | 06 | 4 | |
| | P | 6/29/1975 | -96.44 | 0.64 | 681.56 | 01 | 06 | 4 | |
| | P | 6/30/1975 | -96.15 | 0.29 | 681.85 | 01 | 06 | 4 | |
| | P | 7/ 1/1975 | -96.17 | -0.02 | 681.83 | 01 | 06 | 4 | |
| | P | 7/ 2/1975 | -96.18 | -0.01 | 681.82 | 01 | 06 | 4 | |
| | P | 7/ 3/1975 | -95.98 | 0.2 | 682.02 | 01 | 06 | 4 | |
| | P | 7/ 4/1975 | -96.06 | -0.08 | 681.94 | 01 | 06 | 4 | |
| | P | 7/ 5/1975 | -95.68 | 0.38 | 682.32 | 01 | 06 | 4 | |
| | P | 7/ 6/1975 | -95.69 | -0.01 | 682.31 | 01 | 06 | 4 | |
| | P | 7/ 7/1975 | -95.91 | -0.22 | 682.09 | 01 | 06 | 4 | |
| | P | 7/ 8/1975 | -96.48 | -0.57 | 681.52 | 01 | 06 | 4 | |
| | P | 7/ 9/1975 | -97.16 | -0.68 | 680.84 | 01 | 06 | 4 | |
| | P | 7/10/1975 | -97.68 | -0.52 | 680.32 | 01 | 06 | 4 | |
| | P | 7/11/1975 | -98.28 | -0.6 | 679.72 | 01 | 06 | 4 | |
| | P | 7/12/1975 | -97.65 | 0.63 | 680.35 | 01 | 06 | 4 | |
| | P | 7/13/1975 | -97.07 | 0.58 | 680.93 | 01 | 06 | 4 | |
| | P | 7/14/1975 | -96.69 | 0.38 | 681.31 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/15/1975 | -96.45 | 0.24 | 681.55 | 01 | 06 | 4 | |
| | P | 7/16/1975 | -96.11 | 0.34 | 681.89 | 01 | 06 | 4 | |
| | P | 7/17/1975 | -95.97 | 0.14 | 682.03 | 01 | 06 | 4 | |
| | P | 7/18/1975 | -95.54 | 0.43 | 682.46 | 01 | 06 | 4 | |
| | P | 7/19/1975 | -95.36 | 0.18 | 682.64 | 01 | 06 | 4 | |
| | P | 7/20/1975 | -95.29 | 0.07 | 682.71 | 01 | 06 | 4 | |
| | P | 7/21/1975 | -95.49 | -0.2 | 682.51 | 01 | 06 | 4 | |
| | P | 7/22/1975 | -95.92 | -0.43 | 682.08 | 01 | 06 | 4 | |
| | P | 7/23/1975 | -96.6 | -0.68 | 681.4 | 01 | 06 | 4 | |
| | P | 7/24/1975 | -97.08 | -0.48 | 680.92 | 01 | 06 | 4 | |
| | P | 7/25/1975 | -97.25 | -0.17 | 680.75 | 01 | 06 | 4 | |
| | P | 7/26/1975 | -97.09 | 0.16 | 680.91 | 01 | 06 | 4 | |
| | P | 7/27/1975 | -97.05 | 0.04 | 680.95 | 01 | 06 | 4 | |
| | P | 7/28/1975 | -97.4 | -0.35 | 680.6 | 01 | 06 | 4 | |
| | P | 7/29/1975 | -98.23 | -0.83 | 679.77 | 01 | 06 | 4 | |
| | P | 7/30/1975 | -98.97 | -0.74 | 679.03 | 01 | 06 | 4 | |
| | P | 7/31/1975 | -99.51 | -0.54 | 678.49 | 01 | 06 | 4 | |
| | P | 8/ 1/1975 | -100.11 | -0.6 | 677.89 | 01 | 06 | 4 | |
| | P | 8/ 2/1975 | -99.8 | 0.31 | 678.2 | 01 | 06 | 4 | |
| | P | 8/ 3/1975 | -98.8 | 1 | 679.2 | 01 | 06 | 4 | |
| | P | 8/ 4/1975 | -98.4 | 0.4 | 679.6 | 01 | 06 | 4 | |
| | P | 8/ 5/1975 | -98.18 | 0.22 | 679.82 | 01 | 06 | 4 | |
| | P | 8/ 6/1975 | -97.94 | 0.24 | 680.06 | 01 | 06 | 4 | |
| | P | 8/ 7/1975 | -98.19 | -0.25 | 679.81 | 01 | 06 | 4 | |
| | P | 8/ 8/1975 | -98.47 | -0.28 | 679.53 | 01 | 06 | 4 | |
| | P | 8/ 9/1975 | -98.64 | -0.17 | 679.36 | 01 | 06 | 4 | |
| | P | 8/10/1975 | -98.73 | -0.09 | 679.27 | 01 | 06 | 4 | |
| | P | 8/11/1975 | -98.9 | -0.17 | 679.1 | 01 | 06 | 4 | |
| | P | 8/12/1975 | -98.94 | -0.04 | 679.06 | 01 | 06 | 4 | |
| | P | 8/13/1975 | -99.32 | -0.38 | 678.68 | 01 | 06 | 4 | |
| | P | 8/14/1975 | -99.81 | -0.49 | 678.19 | 01 | 06 | 4 | |
| | P | 8/15/1975 | -100.6 | -0.79 | 677.4 | 01 | 06 | 4 | |
| | P | 8/16/1975 | -100.97 | -0.37 | 677.03 | 01 | 06 | 4 | |
| | P | 8/17/1975 | -101.28 | -0.31 | 676.72 | 01 | 06 | 4 | |
| | P | 8/18/1975 | -101.47 | -0.19 | 676.53 | 01 | 06 | 4 | |
| | P | 8/19/1975 | -102.14 | -0.67 | 675.86 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/20/1975 | -102.81 | -0.67 | 675.19 | 01 | 06 | 4 | |
| | P | 8/21/1975 | -103.2 | -0.39 | 674.8 | 01 | 06 | 4 | |
| | P | 8/22/1975 | -103.31 | -0.11 | 674.69 | 01 | 06 | 4 | |
| | P | 8/23/1975 | -103.47 | -0.16 | 674.53 | 01 | 06 | 4 | |
| | P | 8/24/1975 | -102.5 | 0.97 | 675.5 | 01 | 06 | 4 | |
| | P | 8/25/1975 | -102.2 | 0.3 | 675.8 | 01 | 06 | 4 | |
| | P | 8/26/1975 | -102.46 | -0.26 | 675.54 | 01 | 06 | 4 | |
| | P | 8/27/1975 | -102.7 | -0.24 | 675.3 | 01 | 06 | 4 | |
| | P | 8/28/1975 | -102.3 | 0.4 | 675.7 | 01 | 06 | 4 | |
| | P | 8/29/1975 | -102.24 | 0.06 | 675.76 | 01 | 06 | 4 | |
| | P | 8/30/1975 | -102.16 | 0.08 | 675.84 | 01 | 06 | 4 | |
| | P | 8/31/1975 | -102.38 | -0.22 | 675.62 | 01 | 06 | 4 | |
| | P | 9/ 1/1975 | -102.03 | 0.35 | 675.97 | 01 | 06 | 4 | |
| | P | 9/ 2/1975 | -101.95 | 0.08 | 676.05 | 01 | 06 | 4 | |
| | P | 9/ 3/1975 | -101.9 | 0.05 | 676.1 | 01 | 06 | 4 | |
| | P | 9/ 4/1975 | -102.19 | -0.29 | 675.81 | 01 | 06 | 4 | |
| | P | 9/ 5/1975 | -101.8 | 0.39 | 676.2 | 01 | 06 | 4 | |
| | P | 9/ 6/1975 | -101.42 | 0.38 | 676.58 | 01 | 06 | 4 | |
| | P | 9/ 7/1975 | -101.13 | 0.29 | 676.87 | 01 | 06 | 4 | |
| | P | 9/ 8/1975 | -101.1 | 0.03 | 676.9 | 01 | 06 | 4 | |
| | P | 9/ 9/1975 | -101.21 | -0.11 | 676.79 | 01 | 06 | 4 | |
| | P | 9/10/1975 | -101.37 | -0.16 | 676.63 | 01 | 06 | 4 | |
| | P | 9/11/1975 | -101.52 | -0.15 | 676.48 | 01 | 06 | 4 | |
| | P | 9/12/1975 | -101.8 | -0.28 | 676.2 | 01 | 06 | 4 | |
| | P | 9/13/1975 | -101.6 | 0.2 | 676.4 | 01 | 06 | 4 | |
| | P | 9/14/1975 | -101 | 0.6 | 677 | 01 | 06 | 4 | |
| | P | 9/15/1975 | -100.71 | 0.29 | 677.29 | 01 | 06 | 4 | |
| | P | 9/16/1975 | -100.7 | 0.01 | 677.3 | 01 | 06 | 4 | |
| | P | 9/17/1975 | -100.49 | 0.21 | 677.51 | 01 | 06 | 4 | |
| | P | 9/18/1975 | -100.57 | -0.08 | 677.43 | 01 | 06 | 4 | |
| | P | 9/19/1975 | -100.97 | -0.4 | 677.03 | 01 | 06 | 4 | |
| | P | 9/20/1975 | -101.18 | -0.21 | 676.82 | 01 | 06 | 4 | |
| | P | 9/21/1975 | -101.09 | 0.09 | 676.91 | 01 | 06 | 4 | |
| | P | 9/22/1975 | -100.91 | 0.18 | 677.09 | 01 | 06 | 4 | |
| | P | 9/23/1975 | -101.08 | -0.17 | 676.92 | 01 | 06 | 4 | |
| | P | 9/24/1975 | -101.53 | -0.45 | 676.47 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/25/1975 | -102 | -0.47 | 676 | 01 | 06 | 4 | |
| | P | 9/26/1975 | -102.21 | -0.21 | 675.79 | 01 | 06 | 4 | |
| | P | 9/27/1975 | -102.4 | -0.19 | 675.6 | 01 | 06 | 4 | |
| | P | 9/28/1975 | -102.47 | -0.07 | 675.53 | 01 | 06 | 4 | |
| | P | 9/29/1975 | -102.71 | -0.24 | 675.29 | 01 | 06 | 4 | |
| | P | 9/30/1975 | -103 | -0.29 | 675 | 01 | 06 | 4 | |
| | P | 10/ 1/1975 | -103.29 | -0.29 | 674.71 | 01 | 06 | 4 | |
| | P | 10/ 2/1975 | -103.41 | -0.12 | 674.59 | 01 | 06 | 4 | |
| | P | 10/ 3/1975 | -103.43 | -0.02 | 674.57 | 01 | 06 | 4 | |
| | P | 10/ 4/1975 | -103.21 | 0.22 | 674.79 | 01 | 06 | 4 | |
| | P | 10/ 5/1975 | -103.23 | -0.02 | 674.77 | 01 | 06 | 4 | |
| | P | 10/ 6/1975 | -103.44 | -0.21 | 674.56 | 01 | 06 | 4 | |
| | P | 10/ 7/1975 | -103.7 | -0.26 | 674.3 | 01 | 06 | 4 | |
| | P | 10/ 8/1975 | -103.9 | -0.2 | 674.1 | 01 | 06 | 4 | |
| | P | 10/ 9/1975 | -104.2 | -0.3 | 673.8 | 01 | 06 | 4 | |
| | P | 10/10/1975 | -104.52 | -0.32 | 673.48 | 01 | 06 | 4 | |
| | P | 10/11/1975 | -104.49 | 0.03 | 673.51 | 01 | 06 | 4 | |
| | P | 10/12/1975 | -104.65 | -0.16 | 673.35 | 01 | 06 | 4 | |
| | P | 10/13/1975 | -104.68 | -0.03 | 673.32 | 01 | 06 | 4 | |
| | P | 10/14/1975 | -104.92 | -0.24 | 673.08 | 01 | 06 | 4 | |
| | P | 10/15/1975 | -104.95 | -0.03 | 673.05 | 01 | 06 | 4 | |
| | P | 10/16/1975 | -104.87 | 0.08 | 673.13 | 01 | 06 | 4 | |
| | P | 10/17/1975 | -104.69 | 0.18 | 673.31 | 01 | 06 | 4 | |
| | P | 10/18/1975 | -104.67 | 0.02 | 673.33 | 01 | 06 | 4 | |
| | P | 10/19/1975 | -104.4 | 0.27 | 673.6 | 01 | 06 | 4 | |
| | P | 10/20/1975 | -104.42 | -0.02 | 673.58 | 01 | 06 | 4 | |
| | P | 10/21/1975 | -104.63 | -0.21 | 673.37 | 01 | 06 | 4 | |
| | P | 10/22/1975 | -104.79 | -0.16 | 673.21 | 01 | 06 | 4 | |
| | P | 10/23/1975 | -104.45 | 0.34 | 673.55 | 01 | 06 | 4 | |
| | P | 10/24/1975 | -104.48 | -0.03 | 673.52 | 01 | 06 | 4 | |
| | P | 10/25/1975 | -103.5 | 0.98 | 674.5 | 01 | 06 | 4 | |
| | P | 10/26/1975 | -102.7 | 0.8 | 675.3 | 01 | 06 | 4 | |
| | P | 10/27/1975 | -102.19 | 0.51 | 675.81 | 01 | 06 | 4 | |
| | P | 10/28/1975 | -102.05 | 0.14 | 675.95 | 01 | 06 | 4 | |
| | P | 10/29/1975 | -102.04 | 0.01 | 675.96 | 01 | 06 | 4 | |
| | P | 10/30/1975 | -101.93 | 0.11 | 676.07 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/31/1975 | -101.8 | 0.13 | 676.2 | 01 | 06 | 4 | |
| | P | 11/ 1/1975 | -101.55 | 0.25 | 676.45 | 01 | 06 | 4 | |
| | P | 11/ 2/1975 | -101.3 | 0.25 | 676.7 | 01 | 06 | 4 | |
| | P | 11/ 3/1975 | -101.17 | 0.13 | 676.83 | 01 | 06 | 4 | |
| | P | 11/ 4/1975 | -101.38 | -0.21 | 676.62 | 01 | 06 | 4 | |
| | P | 11/ 5/1975 | -101.49 | -0.11 | 676.51 | 01 | 06 | 4 | |
| | P | 11/ 6/1975 | -101.51 | -0.02 | 676.49 | 01 | 06 | 4 | |
| | P | 11/ 7/1975 | -101.46 | 0.05 | 676.54 | 01 | 06 | 4 | |
| | P | 11/ 8/1975 | -101.5 | -0.04 | 676.5 | 01 | 06 | 4 | |
| | P | 11/ 9/1975 | -101.5 | | 676.5 | 01 | 06 | 4 | |
| | P | 11/10/1975 | -101.74 | -0.24 | 676.26 | 01 | 06 | 4 | |
| | P | 11/11/1975 | -101.72 | 0.02 | 676.28 | 01 | 06 | 4 | |
| | P | 11/12/1975 | -101.91 | -0.19 | 676.09 | 01 | 06 | 4 | |
| | P | 11/13/1975 | -101.99 | -0.08 | 676.01 | 01 | 06 | 4 | |
| | P | 11/14/1975 | -101.98 | 0.01 | 676.02 | 01 | 06 | 4 | |
| | P | 11/15/1975 | -101.82 | 0.16 | 676.18 | 01 | 06 | 4 | |
| | P | 11/16/1975 | -101.67 | 0.15 | 676.33 | 01 | 06 | 4 | |
| | P | 11/17/1975 | -101.72 | -0.05 | 676.28 | 01 | 06 | 4 | |
| | P | 11/18/1975 | -101.94 | -0.22 | 676.06 | 01 | 06 | 4 | |
| | P | 11/19/1975 | -101.92 | 0.02 | 676.08 | 01 | 06 | 4 | |
| | P | 11/20/1975 | -102.1 | -0.18 | 675.9 | 01 | 06 | 4 | |
| | P | 11/21/1975 | -102.11 | -0.01 | 675.89 | 01 | 06 | 4 | |
| | P | 11/22/1975 | -101.84 | 0.27 | 676.16 | 01 | 06 | 4 | |
| | P | 11/23/1975 | -101.68 | 0.16 | 676.32 | 01 | 06 | 4 | |
| | P | 11/24/1975 | -101.7 | -0.02 | 676.3 | 01 | 06 | 4 | |
| | P | 11/25/1975 | -101.8 | -0.1 | 676.2 | 01 | 06 | 4 | |
| | P | 11/26/1975 | -101.94 | -0.14 | 676.06 | 01 | 06 | 4 | |
| | P | 11/27/1975 | -101.7 | 0.24 | 676.3 | 01 | 06 | 4 | |
| | P | 11/28/1975 | -101.57 | 0.13 | 676.43 | 01 | 06 | 4 | |
| | P | 11/29/1975 | -101.61 | -0.04 | 676.39 | 01 | 06 | 4 | |
| | P | 11/30/1975 | -101.61 | | 676.39 | 01 | 06 | 4 | |
| | P | 12/ 1/1975 | -101.63 | -0.02 | 676.37 | 01 | 06 | 4 | |
| | P | 12/ 2/1975 | -101.78 | -0.15 | 676.22 | 01 | 06 | 4 | |
| | P | 12/ 3/1975 | -101.98 | -0.2 | 676.02 | 01 | 06 | 4 | |
| | P | 12/ 4/1975 | -102.22 | -0.24 | 675.78 | 01 | 06 | 4 | |
| | P | 12/ 5/1975 | -102.2 | 0.02 | 675.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 6/1975 | -102.15 | 0.05 | 675.85 | 01 | 06 | 4 | |
| | P | 12/ 7/1975 | -102.07 | 0.08 | 675.93 | 01 | 06 | 4 | |
| | P | 12/ 8/1975 | -102.02 | 0.05 | 675.98 | 01 | 06 | 4 | |
| | P | 12/ 9/1975 | -102.16 | -0.14 | 675.84 | 01 | 06 | 4 | |
| | P | 12/10/1975 | -102.3 | -0.14 | 675.7 | 01 | 06 | 4 | |
| | P | 12/11/1975 | -102.35 | -0.05 | 675.65 | 01 | 06 | 4 | |
| | P | 12/12/1975 | -102.48 | -0.13 | 675.52 | 01 | 06 | 4 | |
| | P | 12/13/1975 | -102.22 | 0.26 | 675.78 | 01 | 06 | 4 | |
| | P | 12/14/1975 | -102.12 | 0.1 | 675.88 | 01 | 06 | 4 | |
| | P | 12/15/1975 | -102.1 | 0.02 | 675.9 | 01 | 06 | 4 | |
| | P | 12/16/1975 | -102.08 | 0.02 | 675.92 | 01 | 06 | 4 | |
| | P | 12/17/1975 | -102.02 | 0.06 | 675.98 | 01 | 06 | 4 | |
| | P | 12/18/1975 | -102.14 | -0.12 | 675.86 | 01 | 06 | 4 | |
| | P | 12/19/1975 | -102.2 | -0.06 | 675.8 | 01 | 06 | 4 | |
| | P | 12/20/1975 | -101.81 | 0.39 | 676.19 | 01 | 06 | 4 | |
| | P | 12/21/1975 | -101.85 | -0.04 | 676.15 | 01 | 06 | 4 | |
| | P | 12/22/1975 | -101.76 | 0.09 | 676.24 | 01 | 06 | 4 | |
| | P | 12/23/1975 | -101.99 | -0.23 | 676.01 | 01 | 06 | 4 | |
| | P | 12/24/1975 | -101.65 | 0.34 | 676.35 | 01 | 06 | 4 | |
| | P | 12/25/1975 | -101.36 | 0.29 | 676.64 | 01 | 06 | 4 | |
| | P | 12/26/1975 | -101.08 | 0.28 | 676.92 | 01 | 06 | 4 | |
| | P | 12/27/1975 | -101.1 | -0.02 | 676.9 | 01 | 06 | 4 | |
| | P | 12/28/1975 | -100.87 | 0.23 | 677.13 | 01 | 06 | 4 | |
| | P | 12/29/1975 | -100.78 | 0.09 | 677.22 | 01 | 06 | 4 | |
| | P | 12/30/1975 | -101 | -0.22 | 677 | 01 | 12 | 7 | |
| | P | 12/31/1975 | -101.03 | -0.03 | 676.97 | 01 | 06 | 4 | |
| | P | 1/ 1/1976 | -101.02 | 0.01 | 676.98 | 01 | 06 | 4 | |
| | P | 1/ 2/1976 | -101 | 0.02 | 677 | 01 | 06 | 4 | |
| | P | 1/ 3/1976 | -101.14 | -0.14 | 676.86 | 01 | 06 | 4 | |
| | P | 1/ 4/1976 | -101.21 | -0.07 | 676.79 | 01 | 06 | 4 | |
| | P | 1/ 5/1976 | -101.09 | 0.12 | 676.91 | 01 | 06 | 4 | |
| | P | 1/ 6/1976 | -101.18 | -0.09 | 676.82 | 01 | 06 | 4 | |
| | P | 1/ 7/1976 | -101.31 | -0.13 | 676.69 | 01 | 06 | 4 | |
| | P | 1/ 8/1976 | -101.65 | -0.34 | 676.35 | 01 | 06 | 4 | |
| | P | 1/ 9/1976 | -101.85 | -0.2 | 676.15 | 01 | 06 | 4 | |
| | P | 1/10/1976 | -101.84 | 0.01 | 676.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 11/ 1976 | -101.69 | 0.15 | 676.31 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1976 | -101.82 | -0.13 | 676.18 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1976 | -102.1 | -0.28 | 675.9 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1976 | -102.47 | -0.37 | 675.53 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1976 | -102.37 | 0.1 | 675.63 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1976 | -102.51 | -0.14 | 675.49 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1976 | -102.6 | -0.09 | 675.4 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1976 | -102.7 | -0.1 | 675.3 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1976 | -102.88 | -0.18 | 675.12 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1976 | -102.88 | | 675.12 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1976 | -102.68 | 0.2 | 675.32 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1976 | -102.58 | 0.1 | 675.42 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1976 | -102.62 | -0.04 | 675.38 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1976 | -102.4 | 0.22 | 675.6 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1976 | -102.3 | 0.1 | 675.7 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1976 | -102.65 | -0.35 | 675.35 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1976 | -102.92 | -0.27 | 675.08 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1976 | -103.2 | -0.28 | 674.8 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1976 | -103.4 | -0.2 | 674.6 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1976 | -103.8 | -0.4 | 674.2 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1976 | -104 | -0.2 | 674 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1976 | -104.1 | -0.1 | 673.9 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1976 | -104.46 | -0.36 | 673.54 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1976 | -105.01 | -0.55 | 672.99 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1976 | -105.6 | -0.59 | 672.4 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1976 | -105.98 | -0.38 | 672.02 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1976 | -106.2 | -0.22 | 671.8 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1976 | -106.12 | 0.08 | 671.88 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1976 | -106.01 | 0.11 | 671.99 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1976 | -106.4 | -0.39 | 671.6 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1976 | -107.26 | -0.86 | 670.74 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1976 | -107.9 | -0.64 | 670.1 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1976 | -108.44 | -0.54 | 669.56 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1976 | -108.93 | -0.49 | 669.07 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1976 | -109.25 | -0.32 | 668.75 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1976 | -109.36 | -0.11 | 668.64 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/16/1976 | -109.42 | -0.06 | 668.58 | 01 | 06 | 4 | |
| | P | 2/17/1976 | -109.68 | -0.26 | 668.32 | 01 | 06 | 4 | |
| | P | 2/18/1976 | -110.03 | -0.35 | 667.97 | 01 | 06 | 4 | |
| | P | 2/19/1976 | -110.59 | -0.56 | 667.41 | 01 | 06 | 4 | |
| | P | 2/20/1976 | -111.04 | -0.45 | 666.96 | 01 | 06 | 4 | |
| | P | 2/21/1976 | -110.9 | 0.14 | 667.1 | 01 | 06 | 4 | |
| | P | 2/22/1976 | -110.61 | 0.29 | 667.39 | 01 | 06 | 4 | |
| | P | 2/23/1976 | -110.62 | -0.01 | 667.38 | 01 | 06 | 4 | |
| | P | 2/24/1976 | -111.1 | -0.48 | 666.9 | 01 | 06 | 4 | |
| | P | 2/25/1976 | -111.02 | 0.08 | 666.98 | 01 | 06 | 4 | |
| | P | 2/26/1976 | -111.45 | -0.43 | 666.55 | 01 | 06 | 4 | |
| | P | 2/27/1976 | -112.02 | -0.57 | 665.98 | 01 | 06 | 4 | |
| | P | 2/28/1976 | -111.93 | 0.09 | 666.07 | 01 | 06 | 4 | |
| | P | 2/29/1976 | -111.98 | -0.05 | 666.02 | 01 | 06 | 4 | |
| | P | 3/ 1/1976 | -112.34 | -0.36 | 665.66 | 01 | 06 | 4 | |
| | P | 3/ 2/1976 | -112.68 | -0.34 | 665.32 | 01 | 06 | 4 | |
| | P | 3/ 3/1976 | -113.12 | -0.44 | 664.88 | 01 | 06 | 4 | |
| | P | 3/ 4/1976 | -113.1 | 0.02 | 664.9 | 01 | 06 | 4 | |
| | P | 3/ 5/1976 | -113.53 | -0.43 | 664.47 | 01 | 06 | 4 | |
| | P | 3/ 6/1976 | -112.05 | 1.48 | 665.95 | 01 | 06 | 4 | |
| | P | 3/ 7/1976 | -110.94 | 1.11 | 667.06 | 01 | 06 | 4 | |
| | P | 3/ 8/1976 | -110.3 | 0.64 | 667.7 | 01 | 06 | 4 | |
| | P | 3/ 9/1976 | -110 | 0.3 | 668 | 01 | 06 | 4 | |
| | P | 3/10/1976 | -109.87 | 0.13 | 668.13 | 01 | 06 | 4 | |
| | P | 3/11/1976 | -104.52 | 5.35 | 673.48 | 01 | 06 | 4 | |
| | P | 3/12/1976 | -109.5 | -4.98 | 668.5 | 01 | 06 | 4 | |
| | P | 3/13/1976 | -109.43 | 0.07 | 668.57 | 01 | 06 | 4 | |
| | P | 3/14/1976 | -108.82 | 0.61 | 669.18 | 01 | 06 | 4 | |
| | P | 3/15/1976 | -108.39 | 0.43 | 669.61 | 01 | 06 | 4 | |
| | P | 3/16/1976 | -108.76 | -0.37 | 669.24 | 01 | 06 | 4 | |
| | P | 3/17/1976 | -109.1 | -0.34 | 668.9 | 01 | 06 | 4 | |
| | P | 3/18/1976 | -109.39 | -0.29 | 668.61 | 01 | 06 | 4 | |
| | P | 3/19/1976 | -109.65 | -0.26 | 668.35 | 01 | 06 | 4 | |
| | P | 3/20/1976 | -109.86 | -0.21 | 668.14 | 01 | 06 | 4 | |
| | P | 3/21/1976 | -110.76 | -0.9 | 667.24 | 01 | 06 | 4 | |
| | P | 4/ 7/1976 | -108.84 | 1.92 | 669.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1976 | -108.35 | 0.49 | 669.65 | 01 | 06 | 4 | |
| | P | 4/ 9/1976 | -108.18 | 0.17 | 669.82 | 01 | 06 | 4 | |
| | P | 4/10/1976 | -107.99 | 0.19 | 670.01 | 01 | 06 | 4 | |
| | P | 4/11/1976 | -107.72 | 0.27 | 670.28 | 01 | 06 | 4 | |
| | P | 4/12/1976 | -107.79 | -0.07 | 670.21 | 01 | 06 | 4 | |
| | P | 4/13/1976 | -107.83 | -0.04 | 670.17 | 01 | 06 | 4 | |
| | P | 4/14/1976 | -107.87 | -0.04 | 670.13 | 01 | 06 | 4 | |
| | P | 4/15/1976 | -107.74 | 0.13 | 670.26 | 01 | 06 | 4 | |
| | P | 4/16/1976 | -107.21 | 0.53 | 670.79 | 01 | 06 | 4 | |
| | P | 4/17/1976 | -106.85 | 0.36 | 671.15 | 01 | 06 | 4 | |
| | P | 4/18/1976 | -103.12 | 3.73 | 674.88 | 01 | 06 | 4 | |
| | P | 4/19/1976 | -102.06 | 1.06 | 675.94 | 01 | 06 | 4 | |
| | P | 4/20/1976 | -101.36 | 0.7 | 676.64 | 01 | 06 | 4 | |
| | P | 4/21/1976 | -100.87 | 0.49 | 677.13 | 01 | 06 | 4 | |
| | P | 4/22/1976 | -100.49 | 0.38 | 677.51 | 01 | 06 | 4 | |
| | P | 4/23/1976 | -100.31 | 0.18 | 677.69 | 01 | 06 | 4 | |
| | P | 4/24/1976 | -99.97 | 0.34 | 678.03 | 01 | 06 | 4 | |
| | P | 4/25/1976 | -99.81 | 0.16 | 678.19 | 01 | 06 | 4 | |
| | P | 4/26/1976 | -99.65 | 0.16 | 678.35 | 01 | 06 | 4 | |
| | P | 4/27/1976 | -99.83 | -0.18 | 678.17 | 01 | 06 | 4 | |
| | P | 4/28/1976 | -99.75 | 0.08 | 678.25 | 01 | 06 | 4 | |
| | P | 4/29/1976 | -99.94 | -0.19 | 678.06 | 01 | 06 | 4 | |
| | P | 4/30/1976 | -98.54 | 1.4 | 679.46 | 01 | 06 | 4 | |
| | P | 5/ 1/1976 | -98.39 | 0.15 | 679.61 | 01 | 06 | 4 | |
| | P | 5/ 2/1976 | -98.36 | 0.03 | 679.64 | 01 | 06 | 4 | |
| | P | 5/ 3/1976 | -98.65 | -0.29 | 679.35 | 01 | 06 | 4 | |
| | P | 5/ 4/1976 | -99.14 | -0.49 | 678.86 | 01 | 06 | 4 | |
| | P | 5/ 5/1976 | -99.13 | 0.01 | 678.87 | 01 | 06 | 4 | |
| | P | 5/ 6/1976 | -98.9 | 0.23 | 679.1 | 01 | 06 | 4 | |
| | P | 5/ 7/1976 | -94.84 | 4.06 | 683.16 | 01 | 06 | 4 | |
| | P | 5/ 8/1976 | -93.64 | 1.2 | 684.36 | 01 | 06 | 4 | |
| | P | 5/ 9/1976 | -92.8 | 0.84 | 685.2 | 01 | 06 | 4 | |
| | P | 5/10/1976 | -92.4 | 0.4 | 685.6 | 01 | 06 | 4 | |
| | P | 5/11/1976 | -92.43 | -0.03 | 685.57 | 01 | 06 | 4 | |
| | P | 5/12/1976 | -92.5 | -0.07 | 685.5 | 01 | 06 | 4 | |
| | P | 5/13/1976 | -92.17 | 0.33 | 685.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/14/1976 | -91.57 | 0.6 | 686.43 | 01 | 06 | 4 | |
| | P | 5/15/1976 | -91.31 | 0.26 | 686.69 | 01 | 06 | 4 | |
| | P | 5/16/1976 | -91.19 | 0.12 | 686.81 | 01 | 06 | 4 | |
| | P | 5/17/1976 | -91.34 | -0.15 | 686.66 | 01 | 06 | 4 | |
| | P | 5/18/1976 | -91.66 | -0.32 | 686.34 | 01 | 06 | 4 | |
| | P | 5/19/1976 | -92.1 | -0.44 | 685.9 | 01 | 06 | 4 | |
| | P | 5/20/1976 | -92.12 | -0.02 | 685.88 | 01 | 06 | 4 | |
| | P | 5/21/1976 | -91.84 | 0.28 | 686.16 | 01 | 06 | 4 | |
| | P | 5/22/1976 | -91.69 | 0.15 | 686.31 | 01 | 06 | 4 | |
| | P | 5/23/1976 | -91.6 | 0.09 | 686.4 | 01 | 06 | 4 | |
| | P | 5/24/1976 | -91.83 | -0.23 | 686.17 | 01 | 06 | 4 | |
| | P | 5/25/1976 | -92.18 | -0.35 | 685.82 | 01 | 06 | 4 | |
| | P | 5/26/1976 | -91.55 | 0.63 | 686.45 | 01 | 06 | 4 | |
| | P | 5/27/1976 | -91.26 | 0.29 | 686.74 | 01 | 06 | 4 | |
| | P | 5/28/1976 | -91.3 | -0.04 | 686.7 | 01 | 06 | 4 | |
| | P | 5/29/1976 | -91.2 | 0.1 | 686.8 | 01 | 06 | 4 | |
| | P | 5/30/1976 | -91.2 | | 686.8 | 01 | 06 | 4 | |
| | P | 5/31/1976 | -91.3 | -0.1 | 686.7 | 01 | 06 | 4 | |
| | P | 6/ 1/1976 | -91.56 | -0.26 | 686.44 | 01 | 06 | 4 | |
| | P | 6/ 2/1976 | -91.66 | -0.1 | 686.34 | 01 | 06 | 4 | |
| | P | 6/ 3/1976 | -91.82 | -0.16 | 686.18 | 01 | 06 | 4 | |
| | P | 6/ 4/1976 | -92.2 | -0.38 | 685.8 | 01 | 06 | 4 | |
| | P | 6/ 5/1976 | -92.59 | -0.39 | 685.41 | 01 | 06 | 4 | |
| | P | 6/ 6/1976 | -93.01 | -0.42 | 684.99 | 01 | 06 | 4 | |
| | P | 6/ 7/1976 | -93.61 | -0.6 | 684.39 | 01 | 06 | 4 | |
| | P | 6/ 8/1976 | -94.35 | -0.74 | 683.65 | 01 | 06 | 4 | |
| | P | 6/ 9/1976 | -95.22 | -0.87 | 682.78 | 01 | 06 | 4 | |
| | P | 6/10/1976 | -96.3 | -1.08 | 681.7 | 01 | 06 | 4 | |
| | P | 6/11/1976 | -97.49 | -1.19 | 680.51 | 01 | 06 | 4 | |
| | P | 6/12/1976 | -98.1 | -0.61 | 679.9 | 01 | 06 | 4 | |
| | P | 6/13/1976 | -98.58 | -0.48 | 679.42 | 01 | 06 | 4 | |
| | P | 6/14/1976 | -99.31 | -0.73 | 678.69 | 01 | 06 | 4 | |
| | P | 6/15/1976 | -100.39 | -1.08 | 677.61 | 01 | 06 | 4 | |
| | P | 6/16/1976 | -100.88 | -0.49 | 677.12 | 01 | 06 | 4 | |
| | P | 6/17/1976 | -100.78 | 0.1 | 677.22 | 01 | 06 | 4 | |
| | P | 6/18/1976 | -101.1 | -0.32 | 676.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1976 | -99.95 | 1.15 | 678.05 | 01 | 06 | 4 | |
| | P | 6/20/1976 | -101.72 | -1.77 | 676.28 | 01 | 06 | 4 | |
| | P | 6/21/1976 | -102.07 | -0.35 | 675.93 | 01 | 06 | 4 | |
| | P | 6/22/1976 | -103 | -0.93 | 675 | 01 | 06 | 4 | |
| | P | 6/23/1976 | -103.69 | -0.69 | 674.31 | 01 | 06 | 4 | |
| | P | 6/24/1976 | -104.42 | -0.73 | 673.58 | 01 | 06 | 4 | |
| | P | 6/25/1976 | -104.83 | -0.41 | 673.17 | 01 | 06 | 4 | |
| | P | 6/26/1976 | -103.98 | 0.85 | 674.02 | 01 | 06 | 4 | |
| | P | 6/27/1976 | -103.46 | 0.52 | 674.54 | 01 | 06 | 4 | |
| | P | 6/28/1976 | -103.35 | 0.11 | 674.65 | 01 | 06 | 4 | |
| | P | 6/29/1976 | -103.81 | -0.46 | 674.19 | 01 | 06 | 4 | |
| | P | 6/30/1976 | -104.59 | -0.78 | 673.41 | 01 | 06 | 4 | |
| | P | 7/ 1/1976 | -105.28 | -0.69 | 672.72 | 01 | 06 | 4 | |
| | P | 7/ 2/1976 | -105.86 | -0.58 | 672.14 | 01 | 06 | 4 | |
| | P | 7/ 3/1976 | -106.13 | -0.27 | 671.87 | 01 | 06 | 4 | |
| | P | 7/ 4/1976 | -105.24 | 0.89 | 672.76 | 01 | 06 | 4 | |
| | P | 7/ 5/1976 | -104.28 | 0.96 | 673.72 | 01 | 06 | 4 | |
| | P | 7/ 6/1976 | -103.32 | 0.96 | 674.68 | 01 | 06 | 4 | |
| | P | 7/ 7/1976 | -102.44 | 0.88 | 675.56 | 01 | 06 | 4 | |
| | P | 7/ 8/1976 | -102.18 | 0.26 | 675.82 | 01 | 06 | 4 | |
| | P | 7/ 9/1976 | -101.39 | 0.79 | 676.61 | 01 | 06 | 4 | |
| | P | 7/10/1976 | -100.16 | 1.23 | 677.84 | 01 | 06 | 4 | |
| | P | 7/11/1976 | -98.98 | 1.18 | 679.02 | 01 | 06 | 4 | |
| | P | 7/12/1976 | -98.15 | 0.83 | 679.85 | 01 | 06 | 4 | |
| | P | 7/13/1976 | -97.86 | 0.29 | 680.14 | 01 | 06 | 4 | |
| | P | 7/14/1976 | -97.2 | 0.66 | 680.8 | 01 | 06 | 4 | |
| | P | 7/15/1976 | -96.68 | 0.52 | 681.32 | 01 | 06 | 4 | |
| | P | 7/16/1976 | -96.22 | 0.46 | 681.78 | 01 | 06 | 4 | |
| | P | 7/17/1976 | -95.85 | 0.37 | 682.15 | 01 | 06 | 4 | |
| | P | 7/18/1976 | -95.3 | 0.55 | 682.7 | 01 | 06 | 4 | |
| | P | 7/19/1976 | -95.12 | 0.18 | 682.88 | 01 | 06 | 4 | |
| | P | 7/20/1976 | -95.24 | -0.12 | 682.76 | 01 | 06 | 4 | |
| | P | 7/21/1976 | -95.22 | 0.02 | 682.78 | 01 | 06 | 4 | |
| | P | 7/22/1976 | -95.2 | 0.02 | 682.8 | 01 | 06 | 4 | |
| | P | 7/23/1976 | -95.4 | -0.2 | 682.6 | 01 | 06 | 4 | |
| | P | 7/24/1976 | -95.55 | -0.15 | 682.45 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/25/1976 | -95.78 | -0.23 | 682.22 | 01 | 06 | 4 | |
| | P | 7/26/1976 | -95.93 | -0.15 | 682.07 | 01 | 06 | 4 | |
| | P | 7/27/1976 | -96.42 | -0.49 | 681.58 | 01 | 06 | 4 | |
| | P | 7/28/1976 | -96.82 | -0.4 | 681.18 | 01 | 06 | 4 | |
| | P | 7/29/1976 | -97.32 | -0.5 | 680.68 | 01 | 06 | 4 | |
| | P | 7/30/1976 | -97.83 | -0.51 | 680.17 | 01 | 06 | 4 | |
| | P | 7/31/1976 | -98.1 | -0.27 | 679.9 | 01 | 06 | 4 | |
| | P | 8/ 1/1976 | -98.37 | -0.27 | 679.63 | 01 | 06 | 4 | |
| | P | 8/ 2/1976 | -98.75 | -0.38 | 679.25 | 01 | 06 | 4 | |
| | P | 8/ 3/1976 | -99.52 | -0.77 | 678.48 | 01 | 06 | 4 | |
| | P | 8/ 4/1976 | -99.88 | -0.36 | 678.12 | 01 | 06 | 4 | |
| | P | 8/ 5/1976 | -100.2 | -0.32 | 677.8 | 01 | 06 | 4 | |
| | P | 8/ 6/1976 | -100.3 | -0.1 | 677.7 | 01 | 06 | 4 | |
| | P | 8/ 7/1976 | -101.01 | -0.71 | 676.99 | 01 | 06 | 4 | |
| | P | 8/ 8/1976 | -101.2 | -0.19 | 676.8 | 01 | 06 | 4 | |
| | P | 8/ 9/1976 | -101.77 | -0.57 | 676.23 | 01 | 06 | 4 | |
| | P | 8/10/1976 | -102.52 | -0.75 | 675.48 | 01 | 06 | 4 | |
| | P | 8/11/1976 | -103.18 | -0.66 | 674.82 | 01 | 06 | 4 | |
| | P | 8/12/1976 | -103.45 | -0.27 | 674.55 | 01 | 06 | 4 | |
| | P | 8/13/1976 | -103.6 | -0.15 | 674.4 | 01 | 06 | 4 | |
| | P | 8/14/1976 | -103.57 | 0.03 | 674.43 | 01 | 06 | 4 | |
| | P | 8/15/1976 | -103.82 | -0.25 | 674.18 | 01 | 06 | 4 | |
| | P | 8/16/1976 | -104.1 | -0.28 | 673.9 | 01 | 06 | 4 | |
| | P | 8/17/1976 | -103.75 | 0.35 | 674.25 | 01 | 06 | 4 | |
| | P | 8/18/1976 | -103.72 | 0.03 | 674.28 | 01 | 06 | 4 | |
| | P | 8/19/1976 | -102.7 | 1.02 | 675.3 | 01 | 06 | 4 | |
| | P | 8/20/1976 | -102.41 | 0.29 | 675.59 | 01 | 06 | 4 | |
| | P | 8/21/1976 | -102.12 | 0.29 | 675.88 | 01 | 06 | 4 | |
| | P | 8/22/1976 | -102.27 | -0.15 | 675.73 | 01 | 06 | 4 | |
| | P | 8/23/1976 | -102.73 | -0.46 | 675.27 | 01 | 06 | 4 | |
| | P | 8/24/1976 | -103.02 | -0.29 | 674.98 | 01 | 06 | 4 | |
| | P | 8/25/1976 | -103.5 | -0.48 | 674.5 | 01 | 06 | 4 | |
| | P | 8/26/1976 | -103.9 | -0.4 | 674.1 | 01 | 06 | 4 | |
| | P | 8/27/1976 | -104.2 | -0.3 | 673.8 | 01 | 06 | 4 | |
| | P | 8/28/1976 | -104.33 | -0.13 | 673.67 | 01 | 06 | 4 | |
| | P | 8/29/1976 | -103.76 | 0.57 | 674.24 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/1976 | -102.26 | 1.5 | 675.74 | 01 | 06 | 4 | |
| | P | 8/31/1976 | -101.05 | 1.21 | 676.95 | 01 | 06 | 4 | |
| | P | 9/ 1/1976 | -100.94 | 0.11 | 677.06 | 01 | 06 | 4 | |
| | P | 9/ 2/1976 | -100.78 | 0.16 | 677.22 | 01 | 06 | 4 | |
| | P | 9/ 3/1976 | -99.8 | 0.98 | 678.2 | 01 | 06 | 4 | |
| | P | 9/ 4/1976 | -99.7 | 0.1 | 678.3 | 01 | 06 | 4 | |
| | P | 9/ 5/1976 | -99.78 | -0.08 | 678.22 | 01 | 06 | 4 | |
| | P | 9/ 6/1976 | -99.63 | 0.15 | 678.37 | 01 | 06 | 4 | |
| | P | 9/ 7/1976 | -100.15 | -0.52 | 677.85 | 01 | 06 | 4 | |
| | P | 9/ 8/1976 | -100.5 | -0.35 | 677.5 | 01 | 06 | 4 | |
| | P | 9/ 9/1976 | -101.03 | -0.53 | 676.97 | 01 | 06 | 4 | |
| | P | 9/10/1976 | -101.3 | -0.27 | 676.7 | 01 | 06 | 4 | |
| | P | 9/11/1976 | -101.31 | -0.01 | 676.69 | 01 | 06 | 4 | |
| | P | 9/12/1976 | -101.59 | -0.28 | 676.41 | 01 | 06 | 4 | |
| | P | 9/13/1976 | -101.88 | -0.29 | 676.12 | 01 | 06 | 4 | |
| | P | 9/14/1976 | -101.6 | 0.28 | 676.4 | 01 | 06 | 4 | |
| | P | 9/15/1976 | -101.43 | 0.17 | 676.57 | 01 | 06 | 4 | |
| | P | 9/16/1976 | -101.39 | 0.04 | 676.61 | 01 | 06 | 4 | |
| | P | 9/17/1976 | -101.48 | -0.09 | 676.52 | 01 | 06 | 4 | |
| | P | 9/18/1976 | -101.47 | 0.01 | 676.53 | 01 | 06 | 4 | |
| | P | 9/19/1976 | -101.2 | 0.27 | 676.8 | 01 | 06 | 4 | |
| | P | 9/20/1976 | -99.88 | 1.32 | 678.12 | 01 | 06 | 4 | |
| | P | 9/21/1976 | -98.85 | 1.03 | 679.15 | 01 | 06 | 4 | |
| | P | 9/22/1976 | -98.52 | 0.33 | 679.48 | 01 | 06 | 4 | |
| | P | 9/23/1976 | -98.53 | -0.01 | 679.47 | 01 | 06 | 4 | |
| | P | 9/24/1976 | -98.84 | -0.31 | 679.16 | 01 | 06 | 4 | |
| | P | 9/25/1976 | -98.7 | 0.14 | 679.3 | 01 | 06 | 4 | |
| | P | 9/26/1976 | -98.79 | -0.09 | 679.21 | 01 | 06 | 4 | |
| | P | 9/27/1976 | -98.5 | 0.29 | 679.5 | 01 | 06 | 4 | |
| | P | 9/28/1976 | -96.29 | 2.21 | 681.71 | 01 | 06 | 4 | |
| | P | 9/29/1976 | -95.68 | 0.61 | 682.32 | 01 | 06 | 4 | |
| | P | 9/30/1976 | -95.3 | 0.38 | 682.7 | 01 | 06 | 4 | |
| | P | 10/ 1/1976 | -95.19 | 0.11 | 682.81 | 01 | 06 | 4 | |
| | P | 10/ 2/1976 | -95 | 0.19 | 683 | 01 | 06 | 4 | |
| | P | 10/ 3/1976 | -94.97 | 0.03 | 683.03 | 01 | 06 | 4 | |
| | P | 10/ 4/1976 | -95.2 | -0.23 | 682.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 5/1976 | -94.29 | 0.91 | 683.71 | 01 | 06 | 4 | |
| | P | 10/ 6/1976 | -93.83 | 0.46 | 684.17 | 01 | 06 | 4 | |
| | P | 10/ 7/1976 | -93.64 | 0.19 | 684.36 | 01 | 06 | 4 | |
| | P | 10/ 8/1976 | -93.74 | -0.1 | 684.26 | 01 | 06 | 4 | |
| | P | 10/ 9/1976 | -93.76 | -0.02 | 684.24 | 01 | 06 | 4 | |
| | P | 10/10/1976 | -93.72 | 0.04 | 684.28 | 01 | 06 | 4 | |
| | P | 10/11/1976 | -93.92 | -0.2 | 684.08 | 01 | 06 | 4 | |
| | P | 10/12/1976 | -94.3 | -0.38 | 683.7 | 01 | 06 | 4 | |
| | P | 10/13/1976 | -94.57 | -0.27 | 683.43 | 01 | 06 | 4 | |
| | P | 10/14/1976 | -94.73 | -0.16 | 683.27 | 01 | 06 | 4 | |
| | P | 10/15/1976 | -93.41 | 1.32 | 684.59 | 01 | 06 | 4 | |
| | P | 10/16/1976 | -91.3 | 2.11 | 686.7 | 01 | 06 | 4 | |
| | P | 10/17/1976 | -90.65 | 0.65 | 687.35 | 01 | 06 | 4 | |
| | P | 10/18/1976 | -90.14 | 0.51 | 687.86 | 01 | 06 | 4 | |
| | P | 10/19/1976 | -89.85 | 0.29 | 688.15 | 01 | 06 | 4 | |
| | P | 10/20/1976 | -89.3 | 0.55 | 688.7 | 01 | 06 | 4 | |
| | P | 10/21/1976 | -88.9 | 0.4 | 689.1 | 01 | 06 | 4 | |
| | P | 10/22/1976 | -88.66 | 0.24 | 689.34 | 01 | 06 | 4 | |
| | P | 10/23/1976 | -88.37 | 0.29 | 689.63 | 01 | 06 | 4 | |
| | P | 10/24/1976 | -87.2 | 1.17 | 690.8 | 01 | 06 | 4 | |
| | P | 10/25/1976 | -86.23 | 0.97 | 691.77 | 01 | 06 | 4 | |
| | P | 10/26/1976 | -85.63 | 0.6 | 692.37 | 01 | 06 | 4 | |
| | P | 10/27/1976 | -85.2 | 0.43 | 692.8 | 01 | 06 | 4 | |
| | P | 10/28/1976 | -84.96 | 0.24 | 693.04 | 01 | 06 | 4 | |
| | P | 10/29/1976 | -82.61 | 2.35 | 695.39 | 01 | 06 | 4 | |
| | P | 10/30/1976 | -81.7 | 0.91 | 696.3 | 01 | 06 | 4 | |
| | P | 10/31/1976 | -80.9 | 0.8 | 697.1 | 01 | 06 | 4 | |
| | P | 11/ 1/1976 | -80.38 | 0.52 | 697.62 | 01 | 06 | 4 | |
| | P | 11/ 2/1976 | -80.2 | 0.18 | 697.8 | 01 | 06 | 4 | |
| | P | 11/ 3/1976 | -80.02 | 0.18 | 697.98 | 01 | 06 | 4 | |
| | P | 11/ 4/1976 | -80.08 | -0.06 | 697.92 | 01 | 06 | 4 | |
| | P | 11/ 5/1976 | -80.26 | -0.18 | 697.74 | 01 | 06 | 4 | |
| | P | 11/ 6/1976 | -80.4 | -0.14 | 697.6 | 01 | 06 | 4 | |
| | P | 11/ 7/1976 | -80.48 | -0.08 | 697.52 | 01 | 06 | 4 | |
| | P | 11/ 8/1976 | -80.72 | -0.24 | 697.28 | 01 | 06 | 4 | |
| | P | 11/ 9/1976 | -81.09 | -0.37 | 696.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 10/ 1976 | -81.29 | -0.2 | 696.71 | 01 | 06 | 4 | |
| | P | 11/ 11/ 1976 | -81.57 | -0.28 | 696.43 | 01 | 06 | 4 | |
| | P | 11/ 12/ 1976 | -81.82 | -0.25 | 696.18 | 01 | 06 | 4 | |
| | P | 11/ 13/ 1976 | -81.87 | -0.05 | 696.13 | 01 | 06 | 4 | |
| | P | 11/ 14/ 1976 | -81.8 | 0.07 | 696.2 | 01 | 06 | 4 | |
| | P | 11/ 15/ 1976 | -81.9 | -0.1 | 696.1 | 01 | 06 | 4 | |
| | P | 11/ 16/ 1976 | -82.1 | -0.2 | 695.9 | 01 | 06 | 4 | |
| | P | 11/ 17/ 1976 | -82.31 | -0.21 | 695.69 | 01 | 06 | 4 | |
| | P | 11/ 18/ 1976 | -82.32 | -0.01 | 695.68 | 01 | 06 | 4 | |
| | P | 11/ 19/ 1976 | -82.03 | 0.29 | 695.97 | 01 | 06 | 4 | |
| | P | 11/ 20/ 1976 | -81.68 | 0.35 | 696.32 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1976 | -81.69 | -0.01 | 696.31 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1976 | -81.77 | -0.08 | 696.23 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1976 | -81.81 | -0.04 | 696.19 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1976 | -81.87 | -0.06 | 696.13 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1976 | -81.77 | 0.1 | 696.23 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1976 | -81.4 | 0.37 | 696.6 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1976 | -81.35 | 0.05 | 696.65 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1976 | -81.25 | 0.1 | 696.75 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1976 | -81.45 | -0.2 | 696.55 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1976 | -81.6 | -0.15 | 696.4 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1976 | -81.67 | -0.07 | 696.33 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1976 | -81.81 | -0.14 | 696.19 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1976 | -81.79 | 0.02 | 696.21 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1976 | -81.79 | | 696.21 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1976 | -81.69 | 0.1 | 696.31 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1976 | -81.33 | 0.36 | 696.67 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1976 | -81.23 | 0.1 | 696.77 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1976 | -81.31 | -0.08 | 696.69 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1976 | -81.3 | 0.01 | 696.7 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1976 | -81.26 | 0.04 | 696.74 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1976 | -81.2 | 0.06 | 696.8 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1976 | -81 | 0.2 | 697 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1976 | -80.91 | 0.09 | 697.09 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1976 | -80.85 | 0.06 | 697.15 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1976 | -80.67 | 0.18 | 697.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/16/1976 | -80.7 | -0.03 | 697.3 | 01 | 06 | 4 | |
| | P | 12/17/1976 | -80.77 | -0.07 | 697.23 | 01 | 06 | 4 | |
| | P | 12/18/1976 | -80.54 | 0.23 | 697.46 | 01 | 06 | 4 | |
| | P | 12/19/1976 | -80.39 | 0.15 | 697.61 | 01 | 06 | 4 | |
| | P | 12/20/1976 | -80.43 | -0.04 | 697.57 | 01 | 06 | 4 | |
| | P | 12/21/1976 | -80.6 | -0.17 | 697.4 | 01 | 06 | 4 | |
| | P | 12/22/1976 | -80.77 | -0.17 | 697.23 | 01 | 06 | 4 | |
| | P | 12/23/1976 | -80.82 | -0.05 | 697.18 | 01 | 06 | 4 | |
| | P | 12/24/1976 | -80.7 | 0.12 | 697.3 | 01 | 06 | 4 | |
| | P | 12/25/1976 | -80.5 | 0.2 | 697.5 | 01 | 06 | 4 | |
| | P | 12/26/1976 | -80.6 | -0.1 | 697.4 | 01 | 06 | 4 | |
| | P | 12/27/1976 | -80.5 | 0.1 | 697.5 | 01 | 06 | 4 | |
| | P | 12/28/1976 | -80.58 | -0.08 | 697.42 | 01 | 06 | 4 | |
| | P | 12/29/1976 | -80.79 | -0.21 | 697.21 | 01 | 06 | 4 | |
| | P | 12/30/1976 | -80.87 | -0.08 | 697.13 | 01 | 06 | 4 | |
| | P | 12/31/1976 | -81.1 | -0.23 | 696.9 | 01 | 06 | 4 | |
| | P | 1/ 1/1977 | -81 | 0.1 | 697 | 01 | 06 | 4 | |
| | P | 1/ 2/1977 | -80.93 | 0.07 | 697.07 | 01 | 06 | 4 | |
| | P | 1/ 3/1977 | -81.1 | -0.17 | 696.9 | 01 | 06 | 4 | |
| | P | 1/ 4/1977 | -81.22 | -0.12 | 696.78 | 01 | 06 | 4 | |
| | P | 1/ 5/1977 | -81.4 | -0.18 | 696.6 | 01 | 06 | 4 | |
| | P | 1/ 6/1977 | -81.43 | -0.03 | 696.57 | 01 | 06 | 4 | |
| | P | 1/ 7/1977 | -81.5 | -0.07 | 696.5 | 01 | 06 | 4 | |
| | P | 1/ 8/1977 | -81.42 | 0.08 | 696.58 | 01 | 06 | 4 | |
| | P | 1/ 9/1977 | -81.42 | | 696.58 | 01 | 06 | 4 | |
| | P | 1/10/1977 | -81.79 | -0.37 | 696.21 | 01 | 06 | 4 | |
| | P | 1/11/1977 | -81.97 | -0.18 | 696.03 | 01 | 06 | 4 | |
| | P | 1/12/1977 | -81.9 | 0.07 | 696.1 | 01 | 06 | 4 | |
| | P | 1/13/1977 | -81.67 | 0.23 | 696.33 | 01 | 06 | 4 | |
| | P | 1/14/1977 | -81.4 | 0.27 | 696.6 | 01 | 06 | 4 | |
| | P | 1/15/1977 | -81.28 | 0.12 | 696.72 | 01 | 06 | 4 | |
| | P | 1/16/1977 | -81.27 | 0.01 | 696.73 | 01 | 06 | 4 | |
| | P | 1/17/1977 | -81.3 | -0.03 | 696.7 | 01 | 06 | 4 | |
| | P | 1/18/1977 | -81.29 | 0.01 | 696.71 | 01 | 06 | 4 | |
| | P | 1/19/1977 | -81.47 | -0.18 | 696.53 | 01 | 06 | 4 | |
| | P | 1/20/1977 | -81.35 | 0.12 | 696.65 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 21/ 1977 | -81.48 | -0.13 | 696.52 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1977 | -81.36 | 0.12 | 696.64 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1977 | -80.53 | 0.83 | 697.47 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1977 | -80.29 | 0.24 | 697.71 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1977 | -80.18 | 0.11 | 697.82 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1977 | -80 | 0.18 | 698 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1977 | -79.93 | 0.07 | 698.07 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1977 | -79.9 | 0.03 | 698.1 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1977 | -80.02 | -0.12 | 697.98 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1977 | -79.75 | 0.27 | 698.25 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1977 | -79.56 | 0.19 | 698.44 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1977 | -79.39 | 0.17 | 698.61 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1977 | -79.31 | 0.08 | 698.69 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1977 | -79.16 | 0.15 | 698.84 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1977 | -79.19 | -0.03 | 698.81 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1977 | -79.13 | 0.06 | 698.87 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1977 | -79.1 | 0.03 | 698.9 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1977 | -79.09 | 0.01 | 698.91 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1977 | -79.17 | -0.08 | 698.83 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1977 | -79.15 | 0.02 | 698.85 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1977 | -79.13 | 0.02 | 698.87 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1977 | -78.97 | 0.16 | 699.03 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1977 | -78.85 | 0.12 | 699.15 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1977 | -78.73 | 0.12 | 699.27 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1977 | -78.7 | 0.03 | 699.3 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1977 | -79 | -0.3 | 699 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1977 | -78.86 | 0.14 | 699.14 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1977 | -78.94 | -0.08 | 699.06 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1977 | -79.09 | -0.15 | 698.91 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1977 | -78.99 | 0.1 | 699.01 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1977 | -79.06 | -0.07 | 698.94 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1977 | -79.02 | 0.04 | 698.98 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1977 | -79.23 | -0.21 | 698.77 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1977 | -79.2 | 0.03 | 698.8 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1977 | -79.48 | -0.28 | 698.52 | 01 | 06 | 4 | |
| | P | 2/ 26/ 1977 | -79.8 | -0.32 | 698.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/27/1977 | -80.02 | -0.22 | 697.98 | 01 | 06 | 4 | |
| | P | 2/28/1977 | -80.11 | -0.09 | 697.89 | 01 | 06 | 4 | |
| | P | 3/ 1/1977 | -80.3 | -0.19 | 697.7 | 01 | 06 | 4 | |
| | P | 3/ 2/1977 | -80.2 | 0.1 | 697.8 | 01 | 06 | 4 | |
| | P | 3/ 3/1977 | -80.23 | -0.03 | 697.77 | 01 | 06 | 4 | |
| | P | 3/ 4/1977 | -80.3 | -0.07 | 697.7 | 01 | 06 | 4 | |
| | P | 3/ 5/1977 | -80.28 | 0.02 | 697.72 | 01 | 06 | 4 | |
| | P | 3/ 6/1977 | -80.26 | 0.02 | 697.74 | 01 | 06 | 4 | |
| | P | 3/ 7/1977 | -80.53 | -0.27 | 697.47 | 01 | 06 | 4 | |
| | P | 3/ 8/1977 | -80.93 | -0.4 | 697.07 | 01 | 06 | 4 | |
| | P | 3/ 9/1977 | -81 | -0.07 | 697 | 01 | 06 | 4 | |
| | P | 3/10/1977 | -81.05 | -0.05 | 696.95 | 01 | 06 | 4 | |
| | P | 3/11/1977 | -81.01 | 0.04 | 696.99 | 01 | 06 | 4 | |
| | P | 3/12/1977 | -81.29 | -0.28 | 696.71 | 01 | 06 | 4 | |
| | P | 3/13/1977 | -81.66 | -0.37 | 696.34 | 01 | 06 | 4 | |
| | P | 3/14/1977 | -82.03 | -0.37 | 695.97 | 01 | 06 | 4 | |
| | P | 3/15/1977 | -82.42 | -0.39 | 695.58 | 01 | 06 | 4 | |
| | P | 3/16/1977 | -82.65 | -0.23 | 695.35 | 01 | 06 | 4 | |
| | P | 3/17/1977 | -82.7 | -0.05 | 695.3 | 01 | 06 | 4 | |
| | P | 3/18/1977 | -82.86 | -0.16 | 695.14 | 01 | 06 | 4 | |
| | P | 3/19/1977 | -83.24 | -0.38 | 694.76 | 01 | 06 | 4 | |
| | P | 3/20/1977 | -83.52 | -0.28 | 694.48 | 01 | 06 | 4 | |
| | P | 3/21/1977 | -83.76 | -0.24 | 694.24 | 01 | 06 | 4 | |
| | P | 3/22/1977 | -84.01 | -0.25 | 693.99 | 01 | 06 | 4 | |
| | P | 3/23/1977 | -84.29 | -0.28 | 693.71 | 01 | 06 | 4 | |
| | P | 3/24/1977 | -84.24 | 0.05 | 693.76 | 01 | 06 | 4 | |
| | P | 3/25/1977 | -84.13 | 0.11 | 693.87 | 01 | 06 | 4 | |
| | P | 3/26/1977 | -83.96 | 0.17 | 694.04 | 01 | 06 | 4 | |
| | P | 3/27/1977 | -83.58 | 0.38 | 694.42 | 01 | 06 | 4 | |
| | P | 3/28/1977 | -83.39 | 0.19 | 694.61 | 01 | 06 | 4 | |
| | P | 3/29/1977 | -83.47 | -0.08 | 694.53 | 01 | 06 | 4 | |
| | P | 3/30/1977 | -83.7 | -0.23 | 694.3 | 01 | 06 | 4 | |
| | P | 3/31/1977 | -83.98 | -0.28 | 694.02 | 01 | 06 | 4 | |
| | P | 4/ 1/1977 | -83.9 | 0.08 | 694.1 | 01 | 06 | 4 | |
| | P | 4/ 2/1977 | -83.69 | 0.21 | 694.31 | 01 | 06 | 4 | |
| | P | 4/ 3/1977 | -83.64 | 0.05 | 694.36 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 4/1977 | -84 | -0.36 | 694 | 01 | 06 | 4 | |
| | P | 4/ 5/1977 | -84.2 | -0.2 | 693.8 | 01 | 06 | 4 | |
| | P | 4/ 6/1977 | -84.41 | -0.21 | 693.59 | 01 | 06 | 4 | |
| | P | 4/ 7/1977 | -84.7 | -0.29 | 693.3 | 01 | 06 | 4 | |
| | P | 4/ 8/1977 | -84.99 | -0.29 | 693.01 | 01 | 06 | 4 | |
| | P | 4/ 9/1977 | -85.2 | -0.21 | 692.8 | 01 | 06 | 4 | |
| | P | 4/10/1977 | -85.39 | -0.19 | 692.61 | 01 | 06 | 4 | |
| | P | 4/11/1977 | -85.37 | 0.02 | 692.63 | 01 | 06 | 4 | |
| | P | 4/12/1977 | -85.6 | -0.23 | 692.4 | 01 | 06 | 4 | |
| | P | 4/13/1977 | -85.6 | | 692.4 | 01 | 06 | 4 | |
| | P | 4/14/1977 | -85.3 | 0.3 | 692.7 | 01 | 06 | 4 | |
| | P | 4/15/1977 | -84.72 | 0.58 | 693.28 | 01 | 06 | 4 | |
| | P | 4/16/1977 | -83.02 | 1.7 | 694.98 | 01 | 06 | 4 | |
| | P | 4/17/1977 | -82.22 | 0.8 | 695.78 | 01 | 06 | 4 | |
| | P | 4/18/1977 | -81.8 | 0.42 | 696.2 | 01 | 06 | 4 | |
| | P | 4/19/1977 | -81.72 | 0.08 | 696.28 | 01 | 06 | 4 | |
| | P | 4/20/1977 | -78.78 | 2.94 | 699.22 | 01 | 06 | 4 | |
| | P | 4/21/1977 | -77.71 | 1.07 | 700.29 | 01 | 06 | 4 | |
| | P | 4/22/1977 | -77.21 | 0.5 | 700.79 | 01 | 06 | 4 | |
| | P | 4/23/1977 | -76.76 | 0.45 | 701.24 | 01 | 06 | 4 | |
| | P | 4/24/1977 | -76.58 | 0.18 | 701.42 | 01 | 06 | 4 | |
| | P | 4/25/1977 | -76.52 | 0.06 | 701.48 | 01 | 06 | 4 | |
| | P | 4/26/1977 | -76.8 | -0.28 | 701.2 | 01 | 06 | 4 | |
| | P | 4/27/1977 | -77.09 | -0.29 | 700.91 | 01 | 06 | 4 | |
| | P | 4/28/1977 | -77.36 | -0.27 | 700.64 | 01 | 06 | 4 | |
| | P | 4/29/1977 | -77.56 | -0.2 | 700.44 | 01 | 06 | 4 | |
| | P | 4/30/1977 | -77.68 | -0.12 | 700.32 | 01 | 06 | 4 | |
| | P | 5/ 1/1977 | -77.45 | 0.23 | 700.55 | 01 | 06 | 4 | |
| | P | 5/ 2/1977 | -77.75 | -0.3 | 700.25 | 01 | 06 | 4 | |
| | P | 5/ 3/1977 | -77.88 | -0.13 | 700.12 | 01 | 06 | 4 | |
| | P | 5/ 4/1977 | -78.05 | -0.17 | 699.95 | 01 | 06 | 4 | |
| | P | 5/ 5/1977 | -78.35 | -0.3 | 699.65 | 01 | 06 | 4 | |
| | P | 5/ 6/1977 | -78.4 | -0.05 | 699.6 | 01 | 06 | 4 | |
| | P | 5/ 7/1977 | -78.71 | -0.31 | 699.29 | 01 | 06 | 4 | |
| | P | 5/ 8/1977 | -78.8 | -0.09 | 699.2 | 01 | 06 | 4 | |
| | P | 5/ 9/1977 | -78.87 | -0.07 | 699.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 10/ 1977 | -78.74 | 0.13 | 699.26 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1977 | -79.01 | -0.27 | 698.99 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1977 | -78.91 | 0.1 | 699.09 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1977 | -79.12 | -0.21 | 698.88 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1977 | -79.03 | 0.09 | 698.97 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1977 | -78.97 | 0.06 | 699.03 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1977 | -79.04 | -0.07 | 698.96 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1977 | -79.19 | -0.15 | 698.81 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1977 | -79.35 | -0.16 | 698.65 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1977 | -79.56 | -0.21 | 698.44 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1977 | -79.75 | -0.19 | 698.25 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1977 | -79.73 | 0.02 | 698.27 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1977 | -79.32 | 0.41 | 698.68 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1977 | -79.34 | -0.02 | 698.66 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1977 | -79.57 | -0.23 | 698.43 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1977 | -79.78 | -0.21 | 698.22 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1977 | -80.11 | -0.33 | 697.89 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1977 | -80.57 | -0.46 | 697.43 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1977 | -80.98 | -0.41 | 697.02 | 01 | 06 | 4 | |
| | P | 5/ 29/ 1977 | -81.15 | -0.17 | 696.85 | 01 | 06 | 4 | |
| | P | 5/ 30/ 1977 | -81.46 | -0.31 | 696.54 | 01 | 06 | 4 | |
| | P | 5/ 31/ 1977 | -82.3 | -0.84 | 695.7 | 01 | 06 | 4 | |
| | P | 6/ 1/ 1977 | -82.84 | -0.54 | 695.16 | 01 | 06 | 4 | |
| | P | 6/ 2/ 1977 | -83.01 | -0.17 | 694.99 | 01 | 06 | 4 | |
| | P | 6/ 3/ 1977 | -83.55 | -0.54 | 694.45 | 01 | 06 | 4 | |
| | P | 6/ 4/ 1977 | -84.02 | -0.47 | 693.98 | 01 | 06 | 4 | |
| | P | 6/ 5/ 1977 | -84.58 | -0.56 | 693.42 | 01 | 06 | 4 | |
| | P | 6/ 6/ 1977 | -85.23 | -0.65 | 692.77 | 01 | 06 | 4 | |
| | P | 6/ 7/ 1977 | -85.83 | -0.6 | 692.17 | 01 | 06 | 4 | |
| | P | 6/ 8/ 1977 | -86.81 | -0.98 | 691.19 | 01 | 06 | 4 | |
| | P | 6/ 9/ 1977 | -87.26 | -0.45 | 690.74 | 01 | 06 | 4 | |
| | P | 6/ 10/ 1977 | -88.07 | -0.81 | 689.93 | 01 | 06 | 4 | |
| | P | 6/ 11/ 1977 | -88.4 | -0.33 | 689.6 | 01 | 06 | 4 | |
| | P | 6/ 12/ 1977 | -88.61 | -0.21 | 689.39 | 01 | 06 | 4 | |
| | P | 6/ 13/ 1977 | -88.98 | -0.37 | 689.02 | 01 | 06 | 4 | |
| | P | 6/ 14/ 1977 | -89.41 | -0.43 | 688.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/1977 | -90 | -0.59 | 688 | 01 | 06 | 4 | |
| | P | 6/16/1977 | -89.89 | 0.11 | 688.11 | 01 | 06 | 4 | |
| | P | 6/17/1977 | -90.3 | -0.41 | 687.7 | 01 | 06 | 4 | |
| | P | 6/18/1977 | -90.7 | -0.4 | 687.3 | 01 | 06 | 4 | |
| | P | 6/19/1977 | -90.99 | -0.29 | 687.01 | 01 | 06 | 4 | |
| | P | 6/20/1977 | -91.21 | -0.22 | 686.79 | 01 | 06 | 4 | |
| | P | 6/21/1977 | -91.72 | -0.51 | 686.28 | 01 | 06 | 4 | |
| | P | 6/22/1977 | -91.63 | 0.09 | 686.37 | 01 | 06 | 4 | |
| | P | 6/23/1977 | -90.5 | 1.13 | 687.5 | 01 | 06 | 4 | |
| | P | 6/24/1977 | -89.75 | 0.75 | 688.25 | 01 | 06 | 4 | |
| | P | 6/25/1977 | -89.07 | 0.68 | 688.93 | 01 | 06 | 4 | |
| | P | 6/26/1977 | -88.5 | 0.57 | 689.5 | 01 | 06 | 4 | |
| | P | 6/27/1977 | -88.21 | 0.29 | 689.79 | 01 | 06 | 4 | |
| | P | 6/28/1977 | -88.35 | -0.14 | 689.65 | 01 | 06 | 4 | |
| | P | 6/29/1977 | -88.5 | -0.15 | 689.5 | 01 | 06 | 4 | |
| | P | 6/30/1977 | -88.6 | -0.1 | 689.4 | 01 | 06 | 4 | |
| | P | 7/ 1/1977 | -88.75 | -0.15 | 689.25 | 01 | 06 | 4 | |
| | P | 7/ 2/1977 | -88.85 | -0.1 | 689.15 | 01 | 06 | 4 | |
| | P | 7/ 3/1977 | -88.78 | 0.07 | 689.22 | 01 | 06 | 4 | |
| | P | 7/ 4/1977 | -88.75 | 0.03 | 689.25 | 01 | 06 | 4 | |
| | P | 7/ 5/1977 | -89.12 | -0.37 | 688.88 | 01 | 06 | 4 | |
| | P | 7/ 6/1977 | -89.56 | -0.44 | 688.44 | 01 | 06 | 4 | |
| | P | 7/ 7/1977 | -89.88 | -0.32 | 688.12 | 01 | 06 | 4 | |
| | P | 7/ 8/1977 | -90.51 | -0.63 | 687.49 | 01 | 06 | 4 | |
| | P | 7/ 9/1977 | -90.66 | -0.15 | 687.34 | 01 | 06 | 4 | |
| | P | 7/10/1977 | -91.18 | -0.52 | 686.82 | 01 | 06 | 4 | |
| | P | 7/11/1977 | -91.4 | -0.22 | 686.6 | 01 | 06 | 4 | |
| | P | 7/12/1977 | -91.73 | -0.33 | 686.27 | 01 | 06 | 4 | |
| | P | 7/13/1977 | -92.18 | -0.45 | 685.82 | 01 | 06 | 4 | |
| | P | 7/14/1977 | -92.78 | -0.6 | 685.22 | 01 | 06 | 4 | |
| | P | 7/15/1977 | -92.98 | -0.2 | 685.02 | 01 | 06 | 4 | |
| | P | 7/16/1977 | -93.03 | -0.05 | 684.97 | 01 | 06 | 4 | |
| | P | 7/17/1977 | -93.27 | -0.24 | 684.73 | 01 | 06 | 4 | |
| | P | 7/18/1977 | -93.11 | 0.16 | 684.89 | 01 | 06 | 4 | |
| | P | 7/19/1977 | -93.07 | 0.04 | 684.93 | 01 | 06 | 4 | |
| | P | 7/20/1977 | -93.04 | 0.03 | 684.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/21/1977 | -93 | 0.04 | 685 | 01 | 06 | 4 | |
| | P | 7/22/1977 | -93.44 | -0.44 | 684.56 | 01 | 06 | 4 | |
| | P | 7/23/1977 | -93.94 | -0.5 | 684.06 | 01 | 06 | 4 | |
| | P | 7/24/1977 | -94.03 | -0.09 | 683.97 | 01 | 06 | 4 | |
| | P | 7/25/1977 | -94.56 | -0.53 | 683.44 | 01 | 06 | 4 | |
| | P | 7/26/1977 | -95.18 | -0.62 | 682.82 | 01 | 06 | 4 | |
| | P | 7/27/1977 | -96.43 | -1.25 | 681.57 | 01 | 06 | 4 | |
| | P | 7/28/1977 | -95.57 | 0.86 | 682.43 | 01 | 06 | 4 | |
| | P | 7/29/1977 | -95.78 | -0.21 | 682.22 | 01 | 06 | 4 | |
| | P | 7/30/1977 | -95.29 | 0.49 | 682.71 | 01 | 06 | 4 | |
| | P | 7/31/1977 | -96.69 | -1.4 | 681.31 | 01 | 06 | 4 | |
| | P | 8/ 1/1977 | -96.55 | 0.14 | 681.45 | 01 | 06 | 4 | |
| | P | 8/ 2/1977 | -96.85 | -0.3 | 681.15 | 01 | 06 | 4 | |
| | P | 8/ 3/1977 | -96.51 | 0.34 | 681.49 | 01 | 06 | 4 | |
| | P | 8/ 4/1977 | -96.8 | -0.29 | 681.2 | 01 | 06 | 4 | |
| | P | 8/ 5/1977 | -97.25 | -0.45 | 680.75 | 01 | 06 | 4 | |
| | P | 8/ 6/1977 | -97.3 | -0.05 | 680.7 | 01 | 06 | 4 | |
| | P | 8/ 7/1977 | -97.34 | -0.04 | 680.66 | 01 | 06 | 4 | |
| | P | 8/ 8/1977 | -97.64 | -0.3 | 680.36 | 01 | 06 | 4 | |
| | P | 8/ 9/1977 | -97.95 | -0.31 | 680.05 | 01 | 06 | 4 | |
| | P | 8/10/1977 | -98.2 | -0.25 | 679.8 | 01 | 06 | 4 | |
| | P | 8/11/1977 | -98.41 | -0.21 | 679.59 | 01 | 06 | 4 | |
| | P | 8/12/1977 | -98.72 | -0.31 | 679.28 | 01 | 06 | 4 | |
| | P | 8/13/1977 | -98.17 | 0.55 | 679.83 | 01 | 06 | 4 | |
| | P | 8/14/1977 | -98.15 | 0.02 | 679.85 | 01 | 06 | 4 | |
| | P | 8/15/1977 | -98.35 | -0.2 | 679.65 | 01 | 06 | 4 | |
| | P | 8/16/1977 | -98.33 | 0.02 | 679.67 | 01 | 06 | 4 | |
| | P | 8/17/1977 | -98.65 | -0.32 | 679.35 | 01 | 06 | 4 | |
| | P | 8/18/1977 | -99.15 | -0.5 | 678.85 | 01 | 06 | 4 | |
| | P | 8/19/1977 | -98.01 | 1.14 | 679.99 | 01 | 06 | 4 | |
| | P | 8/20/1977 | -97.35 | 0.66 | 680.65 | 01 | 06 | 4 | |
| | P | 8/21/1977 | -97.65 | -0.3 | 680.35 | 01 | 06 | 4 | |
| | P | 8/22/1977 | -98.16 | -0.51 | 679.84 | 01 | 06 | 4 | |
| | P | 8/23/1977 | -98.81 | -0.65 | 679.19 | 01 | 06 | 4 | |
| | P | 8/24/1977 | -99.28 | -0.47 | 678.72 | 01 | 06 | 4 | |
| | P | 8/25/1977 | -99.62 | -0.34 | 678.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/26/1977 | -99.95 | -0.33 | 678.05 | 01 | 06 | 4 | |
| | P | 8/27/1977 | -99.85 | 0.1 | 678.15 | 01 | 06 | 4 | |
| | P | 8/28/1977 | -99.4 | 0.45 | 678.6 | 01 | 06 | 4 | |
| | P | 8/29/1977 | -98.75 | 0.65 | 679.25 | 01 | 06 | 4 | |
| | P | 8/30/1977 | -98.87 | -0.12 | 679.13 | 01 | 06 | 4 | |
| | P | 8/31/1977 | -98.89 | -0.02 | 679.11 | 01 | 06 | 4 | |
| | P | 9/ 1/1977 | -98.94 | -0.05 | 679.06 | 01 | 06 | 4 | |
| | P | 9/ 2/1977 | -98.47 | 0.47 | 679.53 | 01 | 06 | 4 | |
| | P | 9/ 3/1977 | -98.73 | -0.26 | 679.27 | 01 | 06 | 4 | |
| | P | 9/ 4/1977 | -99.24 | -0.51 | 678.76 | 01 | 06 | 4 | |
| | P | 9/ 5/1977 | -99.48 | -0.24 | 678.52 | 01 | 06 | 4 | |
| | P | 9/ 6/1977 | -99.04 | 0.44 | 678.96 | 01 | 06 | 4 | |
| | P | 9/ 7/1977 | -98.21 | 0.83 | 679.79 | 01 | 06 | 4 | |
| | P | 9/ 8/1977 | -97.56 | 0.65 | 680.44 | 01 | 06 | 4 | |
| | P | 9/ 9/1977 | -97.29 | 0.27 | 680.71 | 01 | 06 | 4 | |
| | P | 9/10/1977 | -97.11 | 0.18 | 680.89 | 01 | 06 | 4 | |
| | P | 9/11/1977 | -97.12 | -0.01 | 680.88 | 01 | 06 | 4 | |
| | P | 9/12/1977 | -97.44 | -0.32 | 680.56 | 01 | 06 | 4 | |
| | P | 9/13/1977 | -96.66 | 0.78 | 681.34 | 01 | 06 | 4 | |
| | P | 9/14/1977 | -96.06 | 0.6 | 681.94 | 01 | 06 | 4 | |
| | P | 9/15/1977 | -95.74 | 0.32 | 682.26 | 01 | 06 | 4 | |
| | P | 9/16/1977 | -95.64 | 0.1 | 682.36 | 01 | 06 | 4 | |
| | P | 9/17/1977 | -95.41 | 0.23 | 682.59 | 01 | 06 | 4 | |
| | P | 9/18/1977 | -95.28 | 0.13 | 682.72 | 01 | 06 | 4 | |
| | P | 9/19/1977 | -95.54 | -0.26 | 682.46 | 01 | 06 | 4 | |
| | P | 9/20/1977 | -95.82 | -0.28 | 682.18 | 01 | 06 | 4 | |
| | P | 9/21/1977 | -95.83 | -0.01 | 682.17 | 01 | 06 | 4 | |
| | P | 9/22/1977 | -96.06 | -0.23 | 681.94 | 01 | 06 | 4 | |
| | P | 9/23/1977 | -96.31 | -0.25 | 681.69 | 01 | 06 | 4 | |
| | P | 9/24/1977 | -96.28 | 0.03 | 681.72 | 01 | 06 | 4 | |
| | P | 9/25/1977 | -96.43 | -0.15 | 681.57 | 01 | 06 | 4 | |
| | P | 9/26/1977 | -96.9 | -0.47 | 681.1 | 01 | 06 | 4 | |
| | P | 9/27/1977 | -97.32 | -0.42 | 680.68 | 01 | 06 | 4 | |
| | P | 9/28/1977 | -97.65 | -0.33 | 680.35 | 01 | 06 | 4 | |
| | P | 9/29/1977 | -97.98 | -0.33 | 680.02 | 01 | 06 | 4 | |
| | P | 9/30/1977 | -98.24 | -0.26 | 679.76 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 1/1977 | -98.25 | -0.01 | 679.75 | 01 | 06 | 4 | |
| | P | 10/ 2/1977 | -98.3 | -0.05 | 679.7 | 01 | 06 | 4 | |
| | P | 10/ 3/1977 | -97.83 | 0.47 | 680.17 | 01 | 06 | 4 | |
| | P | 10/ 4/1977 | -97.4 | 0.43 | 680.6 | 01 | 06 | 4 | |
| | P | 10/ 5/1977 | -97.15 | 0.25 | 680.85 | 01 | 06 | 4 | |
| | P | 10/ 6/1977 | -97.2 | -0.05 | 680.8 | 01 | 06 | 4 | |
| | P | 10/ 7/1977 | -97.3 | -0.1 | 680.7 | 01 | 06 | 4 | |
| | P | 10/ 8/1977 | -97.26 | 0.04 | 680.74 | 01 | 06 | 4 | |
| | P | 10/ 9/1977 | -97.19 | 0.07 | 680.81 | 01 | 06 | 4 | |
| | P | 10/10/1977 | -96.98 | 0.21 | 681.02 | 01 | 06 | 4 | |
| | P | 10/11/1977 | -97.2 | -0.22 | 680.8 | 01 | 06 | 4 | |
| | P | 10/12/1977 | -97.21 | -0.01 | 680.79 | 01 | 06 | 4 | |
| | P | 10/13/1977 | -97.27 | -0.06 | 680.73 | 01 | 06 | 4 | |
| | P | 10/14/1977 | -97.4 | -0.13 | 680.6 | 01 | 06 | 4 | |
| | P | 10/15/1977 | -97.42 | -0.02 | 680.58 | 01 | 06 | 4 | |
| | P | 10/16/1977 | -97.41 | 0.01 | 680.59 | 01 | 06 | 4 | |
| | P | 10/17/1977 | -97.79 | -0.38 | 680.21 | 01 | 06 | 4 | |
| | P | 10/18/1977 | -97.85 | -0.06 | 680.15 | 01 | 06 | 4 | |
| | P | 10/19/1977 | -98.15 | -0.3 | 679.85 | 01 | 06 | 4 | |
| | P | 10/20/1977 | -98.3 | -0.15 | 679.7 | 01 | 06 | 4 | |
| | P | 10/21/1977 | -98.49 | -0.19 | 679.51 | 01 | 06 | 4 | |
| | P | 10/22/1977 | -97.32 | 1.17 | 680.68 | 01 | 06 | 4 | |
| | P | 10/23/1977 | -96.65 | 0.67 | 681.35 | 01 | 06 | 4 | |
| | P | 10/24/1977 | -95.99 | 0.66 | 682.01 | 01 | 06 | 4 | |
| | P | 10/25/1977 | -95.74 | 0.25 | 682.26 | 01 | 06 | 4 | |
| | P | 10/26/1977 | -95.88 | -0.14 | 682.12 | 01 | 06 | 4 | |
| | P | 10/27/1977 | -95.87 | 0.01 | 682.13 | 01 | 06 | 4 | |
| | P | 10/28/1977 | -95.48 | 0.39 | 682.52 | 01 | 06 | 4 | |
| | P | 10/29/1977 | -95.4 | 0.08 | 682.6 | 01 | 06 | 4 | |
| | P | 10/30/1977 | -95.15 | 0.25 | 682.85 | 01 | 06 | 4 | |
| | P | 10/31/1977 | -95.07 | 0.08 | 682.93 | 01 | 06 | 4 | |
| | P | 11/ 4/1977 | -88.79 | 6.28 | 689.21 | 01 | 06 | 4 | |
| | P | 11/ 5/1977 | -88.59 | 0.2 | 689.41 | 01 | 06 | 4 | |
| | P | 11/ 6/1977 | -88.55 | 0.04 | 689.45 | 01 | 06 | 4 | |
| | P | 11/ 7/1977 | -88.65 | -0.1 | 689.35 | 01 | 06 | 4 | |
| | P | 11/ 8/1977 | -88.66 | -0.01 | 689.34 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 9/1977 | -88.62 | 0.04 | 689.38 | 01 | 06 | 4 | |
| | P | 11/10/1977 | -88.62 | | 689.38 | 01 | 06 | 4 | |
| | P | 11/11/1977 | -88.77 | -0.15 | 689.23 | 01 | 06 | 4 | |
| | P | 11/12/1977 | -88.78 | -0.01 | 689.22 | 01 | 06 | 4 | |
| | P | 11/13/1977 | -88.73 | 0.05 | 689.27 | 01 | 06 | 4 | |
| | P | 11/14/1977 | -88.83 | -0.1 | 689.17 | 01 | 06 | 4 | |
| | P | 11/15/1977 | -88.95 | -0.12 | 689.05 | 01 | 06 | 4 | |
| | P | 11/16/1977 | -89.09 | -0.14 | 688.91 | 01 | 06 | 4 | |
| | P | 11/17/1977 | -89.29 | -0.2 | 688.71 | 01 | 06 | 4 | |
| | P | 11/18/1977 | -89.6 | -0.31 | 688.4 | 01 | 06 | 4 | |
| | P | 11/19/1977 | -89.6 | | 688.4 | 01 | 06 | 4 | |
| | P | 11/20/1977 | -89.65 | -0.05 | 688.35 | 01 | 06 | 4 | |
| | P | 11/21/1977 | -89.79 | -0.14 | 688.21 | 01 | 06 | 4 | |
| | P | 11/22/1977 | -89.85 | -0.06 | 688.15 | 01 | 06 | 4 | |
| | P | 11/23/1977 | -89.99 | -0.14 | 688.01 | 01 | 06 | 4 | |
| | P | 11/24/1977 | -90.25 | -0.26 | 687.75 | 01 | 06 | 4 | |
| | P | 11/25/1977 | -90.02 | 0.23 | 687.98 | 01 | 06 | 4 | |
| | P | 11/26/1977 | -90.1 | -0.08 | 687.9 | 01 | 06 | 4 | |
| | P | 11/27/1977 | -89.91 | 0.19 | 688.09 | 01 | 06 | 4 | |
| | P | 11/28/1977 | -90.19 | -0.28 | 687.81 | 01 | 06 | 4 | |
| | P | 11/29/1977 | -90.39 | -0.2 | 687.61 | 01 | 06 | 4 | |
| | P | 11/30/1977 | -90.29 | 0.1 | 687.71 | 01 | 06 | 4 | |
| | P | 12/ 1/1977 | -90.4 | -0.11 | 687.6 | 01 | 06 | 4 | |
| | P | 12/ 2/1977 | -90.55 | -0.15 | 687.45 | 01 | 06 | 4 | |
| | P | 12/ 3/1977 | -90.65 | -0.1 | 687.35 | 01 | 06 | 4 | |
| | P | 12/ 4/1977 | -90.57 | 0.08 | 687.43 | 01 | 06 | 4 | |
| | P | 12/ 5/1977 | -90.6 | -0.03 | 687.4 | 01 | 06 | 4 | |
| | P | 12/ 6/1977 | -90.99 | -0.39 | 687.01 | 01 | 06 | 4 | |
| | P | 12/ 7/1977 | -91.08 | -0.09 | 686.92 | 01 | 06 | 4 | |
| | P | 12/ 8/1977 | -91 | 0.08 | 687 | 01 | 06 | 4 | |
| | P | 12/ 9/1977 | -91.34 | -0.34 | 686.66 | 01 | 06 | 4 | |
| | P | 12/10/1977 | -91.48 | -0.14 | 686.52 | 01 | 06 | 4 | |
| | P | 12/11/1977 | -91.27 | 0.21 | 686.73 | 01 | 06 | 4 | |
| | P | 12/12/1977 | -91.23 | 0.04 | 686.77 | 01 | 06 | 4 | |
| | P | 1/14/1978 | -93.25 | -2.02 | 684.75 | 01 | 06 | 4 | |
| | P | 1/15/1978 | -93.25 | | 684.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 16/ 1978 | -93.3 | -0.05 | 684.7 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1978 | -93.45 | -0.15 | 684.55 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1978 | -93.49 | -0.04 | 684.51 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1978 | -93.9 | -0.41 | 684.1 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1978 | -94.23 | -0.33 | 683.77 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1978 | -94.54 | -0.31 | 683.46 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1978 | -94.69 | -0.15 | 683.31 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1978 | -94.9 | -0.21 | 683.1 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1978 | -95 | -0.1 | 683 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1978 | -94.99 | 0.01 | 683.01 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1978 | -95.2 | -0.21 | 682.8 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1978 | -95.31 | -0.11 | 682.69 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1978 | -95.6 | -0.29 | 682.4 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1978 | -95.75 | -0.15 | 682.25 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1978 | -96 | -0.25 | 682 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1978 | -96.25 | -0.25 | 681.75 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1978 | -96.37 | -0.12 | 681.63 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1978 | -96.59 | -0.22 | 681.41 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1978 | -96.29 | 0.3 | 681.71 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1978 | -96.28 | 0.01 | 681.72 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1978 | -96.4 | -0.12 | 681.6 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1978 | -96.35 | 0.05 | 681.65 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1978 | -96.16 | 0.19 | 681.84 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1978 | -96.05 | 0.11 | 681.95 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1978 | -96.33 | -0.28 | 681.67 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1978 | -96.19 | 0.14 | 681.81 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1978 | -96.23 | -0.04 | 681.77 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1978 | -96.4 | -0.17 | 681.6 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1978 | -96.33 | 0.07 | 681.67 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1978 | -96.26 | 0.07 | 681.74 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1978 | -96.2 | 0.06 | 681.8 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1978 | -96.45 | -0.25 | 681.55 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1978 | -96.5 | -0.05 | 681.5 | 01 | 06 | 4 | |
| | P | 2/ 23/ 1978 | -96.59 | -0.09 | 681.41 | 01 | 06 | 4 | |
| | P | 2/ 24/ 1978 | -96.68 | -0.09 | 681.32 | 01 | 06 | 4 | |
| | P | 2/ 25/ 1978 | -96.8 | -0.12 | 681.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1978 | -97.03 | -0.23 | 680.97 | 01 | 06 | 4 | |
| | P | 2/27/1978 | -96.97 | 0.06 | 681.03 | 01 | 06 | 4 | |
| | P | 2/28/1978 | -96.95 | 0.02 | 681.05 | 01 | 06 | 4 | |
| | P | 3/ 1/1978 | -97.3 | -0.35 | 680.7 | 01 | 06 | 4 | |
| | P | 3/ 2/1978 | -97.19 | 0.11 | 680.81 | 01 | 06 | 4 | |
| | P | 3/ 3/1978 | -97.38 | -0.19 | 680.62 | 01 | 06 | 4 | |
| | P | 3/ 4/1978 | -97.39 | -0.01 | 680.61 | 01 | 06 | 4 | |
| | P | 3/ 5/1978 | -97.15 | 0.24 | 680.85 | 01 | 06 | 4 | |
| | P | 3/ 6/1978 | -97.23 | -0.08 | 680.77 | 01 | 06 | 4 | |
| | P | 3/ 7/1978 | -96.9 | 0.33 | 681.1 | 01 | 06 | 4 | |
| | P | 3/ 8/1978 | -96.93 | -0.03 | 681.07 | 01 | 06 | 4 | |
| | P | 3/ 9/1978 | -97 | -0.07 | 681 | 01 | 06 | 4 | |
| | P | 3/10/1978 | -97.09 | -0.09 | 680.91 | 01 | 06 | 4 | |
| | P | 3/11/1978 | -97.02 | 0.07 | 680.98 | 01 | 06 | 4 | |
| | P | 3/12/1978 | -97.29 | -0.27 | 680.71 | 01 | 06 | 4 | |
| | P | 3/13/1978 | -97.29 | | 680.71 | 01 | 06 | 4 | |
| | P | 3/14/1978 | -97.66 | -0.37 | 680.34 | 01 | 06 | 4 | |
| | P | 3/15/1978 | -98.1 | -0.44 | 679.9 | 01 | 06 | 4 | |
| | P | 3/16/1978 | -98.4 | -0.3 | 679.6 | 01 | 06 | 4 | |
| | P | 3/17/1978 | -98.53 | -0.13 | 679.47 | 01 | 06 | 4 | |
| | P | 3/18/1978 | -98.69 | -0.16 | 679.31 | 01 | 06 | 4 | |
| | P | 3/19/1978 | -98.9 | -0.21 | 679.1 | 01 | 06 | 4 | |
| | P | 3/20/1978 | -99.05 | -0.15 | 678.95 | 01 | 06 | 4 | |
| | P | 3/21/1978 | -99.38 | -0.33 | 678.62 | 01 | 06 | 4 | |
| | P | 3/22/1978 | -99.99 | -0.61 | 678.01 | 01 | 06 | 4 | |
| | P | 3/28/1978 | -99.97 | 0.02 | 678.03 | 01 | 06 | 4 | |
| | P | 3/29/1978 | -100.39 | -0.42 | 677.61 | 01 | 06 | 4 | |
| | P | 3/30/1978 | -100.53 | -0.14 | 677.47 | 01 | 06 | 4 | |
| | P | 3/31/1978 | -100.9 | -0.37 | 677.1 | 01 | 06 | 4 | |
| | P | 4/ 1/1978 | -100.89 | 0.01 | 677.11 | 01 | 06 | 4 | |
| | P | 4/ 2/1978 | -101.08 | -0.19 | 676.92 | 01 | 06 | 4 | |
| | P | 4/ 3/1978 | -101.15 | -0.07 | 676.85 | 01 | 06 | 4 | |
| | P | 4/ 4/1978 | -101.79 | -0.64 | 676.21 | 01 | 06 | 4 | |
| | P | 4/ 5/1978 | -102.15 | -0.36 | 675.85 | 01 | 06 | 4 | |
| | P | 4/ 6/1978 | -102.19 | -0.04 | 675.81 | 01 | 06 | 4 | |
| | P | 4/ 7/1978 | -102.4 | -0.21 | 675.6 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 8/1978 | -102.56 | -0.16 | 675.44 | 01 | 06 | 4 | |
| | P | 4/ 9/1978 | -101.94 | 0.62 | 676.06 | 01 | 06 | 4 | |
| | P | 4/10/1978 | -100.95 | 0.99 | 677.05 | 01 | 06 | 4 | |
| | P | 4/11/1978 | -100.31 | 0.64 | 677.69 | 01 | 06 | 4 | |
| | P | 4/12/1978 | -100.11 | 0.2 | 677.89 | 01 | 06 | 4 | |
| | P | 4/13/1978 | -99.94 | 0.17 | 678.06 | 01 | 06 | 4 | |
| | P | 4/14/1978 | -100.2 | -0.26 | 677.8 | 01 | 06 | 4 | |
| | P | 4/15/1978 | -100.31 | -0.11 | 677.69 | 01 | 06 | 4 | |
| | P | 4/16/1978 | -100.46 | -0.15 | 677.54 | 01 | 06 | 4 | |
| | P | 4/17/1978 | -100.53 | -0.07 | 677.47 | 01 | 06 | 4 | |
| | P | 4/18/1978 | -100.55 | -0.02 | 677.45 | 01 | 06 | 4 | |
| | P | 4/19/1978 | -101.05 | -0.5 | 676.95 | 01 | 06 | 4 | |
| | P | 4/20/1978 | -101.2 | -0.15 | 676.8 | 01 | 06 | 4 | |
| | P | 4/21/1978 | -101.12 | 0.08 | 676.88 | 01 | 06 | 4 | |
| | P | 4/22/1978 | -100.19 | 0.93 | 677.81 | 01 | 06 | 4 | |
| | P | 4/23/1978 | -99.48 | 0.71 | 678.52 | 01 | 06 | 4 | |
| | P | 4/24/1978 | -99.32 | 0.16 | 678.68 | 01 | 06 | 4 | |
| | P | 4/25/1978 | -99.67 | -0.35 | 678.33 | 01 | 06 | 4 | |
| | P | 4/26/1978 | -99.85 | -0.18 | 678.15 | 01 | 06 | 4 | |
| | P | 4/27/1978 | -100.18 | -0.33 | 677.82 | 01 | 06 | 4 | |
| | P | 4/28/1978 | -100.51 | -0.33 | 677.49 | 01 | 06 | 4 | |
| | P | 4/29/1978 | -100.71 | -0.2 | 677.29 | 01 | 06 | 4 | |
| | P | 4/30/1978 | -100.83 | -0.12 | 677.17 | 01 | 06 | 4 | |
| | P | 5/ 1/1978 | -101.41 | -0.58 | 676.59 | 01 | 06 | 4 | |
| | P | 5/ 2/1978 | -101.74 | -0.33 | 676.26 | 01 | 06 | 4 | |
| | P | 5/ 3/1978 | -101.85 | -0.11 | 676.15 | 01 | 06 | 4 | |
| | P | 5/ 4/1978 | -101.49 | 0.36 | 676.51 | 01 | 06 | 4 | |
| | P | 5/ 5/1978 | -101.73 | -0.24 | 676.27 | 01 | 06 | 4 | |
| | P | 5/ 6/1978 | -102.06 | -0.33 | 675.94 | 01 | 06 | 4 | |
| | P | 5/ 7/1978 | -101.87 | 0.19 | 676.13 | 01 | 06 | 4 | |
| | P | 5/ 8/1978 | -102.36 | -0.49 | 675.64 | 01 | 06 | 4 | |
| | P | 5/ 9/1978 | -103.44 | -1.08 | 674.56 | 01 | 06 | 4 | |
| | P | 5/10/1978 | -104.33 | -0.89 | 673.67 | 01 | 06 | 4 | |
| | P | 5/11/1978 | -105.76 | -1.43 | 672.24 | 01 | 06 | 4 | |
| | P | 5/12/1978 | -104.69 | 1.07 | 673.31 | 01 | 06 | 4 | |
| | P | 5/13/1978 | -105.48 | -0.79 | 672.52 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/14/1978 | -105.92 | -0.44 | 672.08 | 01 | 06 | 4 | |
| | P | 5/15/1978 | -106.51 | -0.59 | 671.49 | 01 | 06 | 4 | |
| | P | 5/16/1978 | -107.78 | -1.27 | 670.22 | 01 | 06 | 4 | |
| | P | 5/17/1978 | -108.6 | -0.82 | 669.4 | 01 | 06 | 4 | |
| | P | 5/18/1978 | -109.84 | -1.24 | 668.16 | 01 | 06 | 4 | |
| | P | 5/19/1978 | -110.71 | -0.87 | 667.29 | 01 | 06 | 4 | |
| | P | 5/20/1978 | -110.4 | 0.31 | 667.6 | 01 | 06 | 4 | |
| | P | 5/21/1978 | -109.39 | 1.01 | 668.61 | 01 | 06 | 4 | |
| | P | 5/22/1978 | -108.83 | 0.56 | 669.17 | 01 | 06 | 4 | |
| | P | 5/23/1978 | -108.81 | 0.02 | 669.19 | 01 | 06 | 4 | |
| | P | 5/24/1978 | -109.2 | -0.39 | 668.8 | 01 | 06 | 4 | |
| | P | 5/25/1978 | -109.82 | -0.62 | 668.18 | 01 | 06 | 4 | |
| | P | 5/26/1978 | -110.51 | -0.69 | 667.49 | 01 | 06 | 4 | |
| | P | 5/27/1978 | -110.8 | -0.29 | 667.2 | 01 | 06 | 4 | |
| | P | 5/28/1978 | -111.49 | -0.69 | 666.51 | 01 | 06 | 4 | |
| | P | 5/29/1978 | -112.16 | -0.67 | 665.84 | 01 | 06 | 4 | |
| | P | 5/30/1978 | -111.95 | 0.21 | 666.05 | 01 | 06 | 4 | |
| | P | 5/31/1978 | -111.73 | 0.22 | 666.27 | 01 | 06 | 4 | |
| | P | 6/ 1/1978 | -112.19 | -0.46 | 665.81 | 01 | 06 | 4 | |
| | P | 6/ 2/1978 | -111.61 | 0.58 | 666.39 | 01 | 06 | 4 | |
| | P | 6/ 3/1978 | -110.89 | 0.72 | 667.11 | 01 | 06 | 4 | |
| | P | 6/ 4/1978 | -110.01 | 0.88 | 667.99 | 01 | 06 | 4 | |
| | P | 6/ 5/1978 | -109.3 | 0.71 | 668.7 | 01 | 06 | 4 | |
| | P | 6/ 6/1978 | -109.26 | 0.04 | 668.74 | 01 | 06 | 4 | |
| | P | 6/ 7/1978 | -106.25 | 3.01 | 671.75 | 01 | 06 | 4 | |
| | P | 6/ 8/1978 | -105.71 | 0.54 | 672.29 | 01 | 06 | 4 | |
| | P | 6/ 9/1978 | -105.39 | 0.32 | 672.61 | 01 | 06 | 4 | |
| | P | 6/10/1978 | -105.2 | 0.19 | 672.8 | 01 | 06 | 4 | |
| | P | 6/11/1978 | -105.04 | 0.16 | 672.96 | 01 | 06 | 4 | |
| | P | 6/12/1978 | -105.3 | -0.26 | 672.7 | 01 | 06 | 4 | |
| | P | 6/13/1978 | -106.11 | -0.81 | 671.89 | 01 | 06 | 4 | |
| | P | 6/14/1978 | -106.91 | -0.8 | 671.09 | 01 | 06 | 4 | |
| | P | 6/15/1978 | -107.89 | -0.98 | 670.11 | 01 | 06 | 4 | |
| | P | 6/16/1978 | -109.14 | -1.25 | 668.86 | 01 | 06 | 4 | |
| | P | 6/17/1978 | -110.02 | -0.88 | 667.98 | 01 | 06 | 4 | |
| | P | 6/18/1978 | -110.85 | -0.83 | 667.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/19/1978 | -111.28 | -0.43 | 666.72 | 01 | 06 | 4 | |
| | P | 6/20/1978 | -112.52 | -1.24 | 665.48 | 01 | 06 | 4 | |
| | P | 6/21/1978 | -113.78 | -1.26 | 664.22 | 01 | 06 | 4 | |
| | P | 6/22/1978 | -114.89 | -1.11 | 663.11 | 01 | 06 | 4 | |
| | P | 6/23/1978 | -116.04 | -1.15 | 661.96 | 01 | 06 | 4 | |
| | P | 6/24/1978 | -116.7 | -0.66 | 661.3 | 01 | 06 | 4 | |
| | P | 6/25/1978 | -117.53 | -0.83 | 660.47 | 01 | 06 | 4 | |
| | P | 6/26/1978 | -118.22 | -0.69 | 659.78 | 01 | 06 | 4 | |
| | P | 6/27/1978 | -119.16 | -0.94 | 658.84 | 01 | 06 | 4 | |
| | P | 6/28/1978 | -119.58 | -0.42 | 658.42 | 01 | 06 | 4 | |
| | P | 6/29/1978 | -119.39 | 0.19 | 658.61 | 01 | 06 | 4 | |
| | P | 6/30/1978 | -120.15 | -0.76 | 657.85 | 01 | 06 | 4 | |
| | P | 7/ 1/1978 | -120.29 | -0.14 | 657.71 | 01 | 06 | 4 | |
| | P | 7/ 2/1978 | -120.48 | -0.19 | 657.52 | 01 | 06 | 4 | |
| | P | 7/ 3/1978 | -120.61 | -0.13 | 657.39 | 01 | 06 | 4 | |
| | P | 7/ 4/1978 | -121.07 | -0.46 | 656.93 | 01 | 06 | 4 | |
| | P | 7/ 5/1978 | -121.85 | -0.78 | 656.15 | 01 | 06 | 4 | |
| | P | 7/ 6/1978 | -122.19 | -0.34 | 655.81 | 01 | 06 | 4 | |
| | P | 7/ 7/1978 | -122.76 | -0.57 | 655.24 | 01 | 06 | 4 | |
| | P | 7/ 8/1978 | -122.8 | -0.04 | 655.2 | 01 | 06 | 4 | |
| | P | 7/ 9/1978 | -122.97 | -0.17 | 655.03 | 01 | 06 | 4 | |
| | P | 7/10/1978 | -123.25 | -0.28 | 654.75 | 01 | 06 | 4 | |
| | P | 7/27/1978 | -127.95 | -4.7 | 650.05 | 01 | 06 | 4 | |
| | P | 7/28/1978 | -125.4 | 2.55 | 652.6 | 01 | 06 | 4 | |
| | P | 7/29/1978 | -123 | 2.4 | 655 | 01 | 06 | 4 | |
| | P | 7/30/1978 | -121.68 | 1.32 | 656.32 | 01 | 06 | 4 | |
| | P | 7/31/1978 | -120.29 | 1.39 | 657.71 | 01 | 06 | 4 | |
| | P | 8/ 1/1978 | -116.29 | 4 | 661.71 | 01 | 06 | 4 | |
| | P | 8/ 2/1978 | -113.34 | 2.95 | 664.66 | 01 | 06 | 4 | |
| | P | 8/ 3/1978 | -112.59 | 0.75 | 665.41 | 01 | 06 | 4 | |
| | P | 8/ 4/1978 | -112.28 | 0.31 | 665.72 | 01 | 06 | 4 | |
| | P | 8/ 5/1978 | -112.06 | 0.22 | 665.94 | 01 | 06 | 4 | |
| | P | 8/ 6/1978 | -111.73 | 0.33 | 666.27 | 01 | 06 | 4 | |
| | P | 8/ 7/1978 | -111.29 | 0.44 | 666.71 | 01 | 06 | 4 | |
| | P | 8/ 8/1978 | -110.98 | 0.31 | 667.02 | 01 | 06 | 4 | |
| | P | 8/ 9/1978 | -111 | -0.02 | 667 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/10/1978 | -111.17 | -0.17 | 666.83 | 01 | 06 | 4 | |
| | P | 8/11/1978 | -111.33 | -0.16 | 666.67 | 01 | 06 | 4 | |
| | P | 8/12/1978 | -111.29 | 0.04 | 666.71 | 01 | 06 | 4 | |
| | P | 8/13/1978 | -111.18 | 0.11 | 666.82 | 01 | 06 | 4 | |
| | P | 8/14/1978 | -111.43 | -0.25 | 666.57 | 01 | 06 | 4 | |
| | P | 8/15/1978 | -111.95 | -0.52 | 666.05 | 01 | 06 | 4 | |
| | P | 8/16/1978 | -111.46 | 0.49 | 666.54 | 01 | 06 | 4 | |
| | P | 8/17/1978 | -112.99 | -1.53 | 665.01 | 01 | 06 | 4 | |
| | P | 8/18/1978 | -113.39 | -0.4 | 664.61 | 01 | 06 | 4 | |
| | P | 8/19/1978 | -113.64 | -0.25 | 664.36 | 01 | 06 | 4 | |
| | P | 8/20/1978 | -113.9 | -0.26 | 664.1 | 01 | 06 | 4 | |
| | P | 8/21/1978 | -113.94 | -0.04 | 664.06 | 01 | 06 | 4 | |
| | P | 8/22/1978 | -114.37 | -0.43 | 663.63 | 01 | 06 | 4 | |
| | P | 8/23/1978 | -114.82 | -0.45 | 663.18 | 01 | 06 | 4 | |
| | P | 8/24/1978 | -115.23 | -0.41 | 662.77 | 01 | 06 | 4 | |
| | P | 8/25/1978 | -115.73 | -0.5 | 662.27 | 01 | 06 | 4 | |
| | P | 8/26/1978 | -115.28 | 0.45 | 662.72 | 01 | 06 | 4 | |
| | P | 8/27/1978 | -115.6 | -0.32 | 662.4 | 01 | 06 | 4 | |
| | P | 8/28/1978 | -115.74 | -0.14 | 662.26 | 01 | 06 | 4 | |
| | P | 8/29/1978 | -115.44 | 0.3 | 662.56 | 01 | 06 | 4 | |
| | P | 8/30/1978 | -115.09 | 0.35 | 662.91 | 01 | 06 | 4 | |
| | P | 8/31/1978 | -114.14 | 0.95 | 663.86 | 01 | 06 | 4 | |
| | P | 9/ 1/1978 | -113.31 | 0.83 | 664.69 | 01 | 06 | 4 | |
| | P | 9/ 2/1978 | -112.57 | 0.74 | 665.43 | 01 | 06 | 4 | |
| | P | 9/ 3/1978 | -112.04 | 0.53 | 665.96 | 01 | 06 | 4 | |
| | P | 9/ 4/1978 | -111.57 | 0.47 | 666.43 | 01 | 06 | 4 | |
| | P | 9/ 5/1978 | -111.49 | 0.08 | 666.51 | 01 | 06 | 4 | |
| | P | 9/ 6/1978 | -111.05 | 0.44 | 666.95 | 01 | 06 | 4 | |
| | P | 9/ 7/1978 | -110.18 | 0.87 | 667.82 | 01 | 06 | 4 | |
| | P | 9/ 8/1978 | -107.13 | 3.05 | 670.87 | 01 | 06 | 4 | |
| | P | 9/ 9/1978 | -106.33 | 0.8 | 671.67 | 01 | 06 | 4 | |
| | P | 9/10/1978 | -105.64 | 0.69 | 672.36 | 01 | 06 | 4 | |
| | P | 9/11/1978 | -104.92 | 0.72 | 673.08 | 01 | 06 | 4 | |
| | P | 9/12/1978 | -104.45 | 0.47 | 673.55 | 01 | 06 | 4 | |
| | P | 9/13/1978 | -99.9 | 4.55 | 678.1 | 01 | 06 | 4 | |
| | P | 9/14/1978 | -98.32 | 1.58 | 679.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/15/1978 | -97.87 | 0.45 | 680.13 | 01 | 06 | 4 | |
| | P | 9/16/1978 | -97.76 | 0.11 | 680.24 | 01 | 06 | 4 | |
| | P | 9/17/1978 | -97.52 | 0.24 | 680.48 | 01 | 06 | 4 | |
| | P | 9/18/1978 | -97.49 | 0.03 | 680.51 | 01 | 06 | 4 | |
| | P | 9/19/1978 | -97.84 | -0.35 | 680.16 | 01 | 06 | 4 | |
| | P | 9/20/1978 | -98.1 | -0.26 | 679.9 | 01 | 06 | 4 | |
| | P | 9/21/1978 | -98.38 | -0.28 | 679.62 | 01 | 06 | 4 | |
| | P | 9/22/1978 | -98.62 | -0.24 | 679.38 | 01 | 06 | 4 | |
| | P | 9/23/1978 | -99.09 | -0.47 | 678.91 | 01 | 06 | 4 | |
| | P | 9/24/1978 | -99.1 | -0.01 | 678.9 | 01 | 06 | 4 | |
| | P | 9/25/1978 | -99.3 | -0.2 | 678.7 | 01 | 06 | 4 | |
| | P | 9/26/1978 | -99.72 | -0.42 | 678.28 | 01 | 06 | 4 | |
| | P | 9/27/1978 | -99.9 | -0.18 | 678.1 | 01 | 06 | 4 | |
| | P | 9/28/1978 | -99.94 | -0.04 | 678.06 | 01 | 06 | 4 | |
| | P | 9/29/1978 | -100.18 | -0.24 | 677.82 | 01 | 06 | 4 | |
| | P | 9/30/1978 | -100.25 | -0.07 | 677.75 | 01 | 06 | 4 | |
| | P | 10/ 1/1978 | -100.64 | -0.39 | 677.36 | 01 | 06 | 4 | |
| | P | 10/ 2/1978 | -101 | -0.36 | 677 | 01 | 06 | 4 | |
| | P | 10/ 3/1978 | -101.29 | -0.29 | 676.71 | 01 | 06 | 4 | |
| | P | 10/ 4/1978 | -101.4 | -0.11 | 676.6 | 01 | 06 | 4 | |
| | P | 10/ 5/1978 | -101.8 | -0.4 | 676.2 | 01 | 06 | 4 | |
| | P | 10/ 6/1978 | -102.13 | -0.33 | 675.87 | 01 | 06 | 4 | |
| | P | 10/ 7/1978 | -101.88 | 0.25 | 676.12 | 01 | 06 | 4 | |
| | P | 10/ 8/1978 | -101.88 | | 676.12 | 01 | 06 | 4 | |
| | P | 10/ 9/1978 | -101.49 | 0.39 | 676.51 | 01 | 06 | 4 | |
| | P | 10/10/1978 | -101.68 | -0.19 | 676.32 | 01 | 06 | 4 | |
| | P | 10/11/1978 | -101.81 | -0.13 | 676.19 | 01 | 06 | 4 | |
| | P | 10/12/1978 | -102.05 | -0.24 | 675.95 | 01 | 06 | 4 | |
| | P | 10/13/1978 | -102.25 | -0.2 | 675.75 | 01 | 06 | 4 | |
| | P | 10/14/1978 | -102.68 | -0.43 | 675.32 | 01 | 06 | 4 | |
| | P | 10/15/1978 | -102.46 | 0.22 | 675.54 | 01 | 06 | 4 | |
| | P | 10/16/1978 | -102.66 | -0.2 | 675.34 | 01 | 06 | 4 | |
| | P | 10/17/1978 | -102.92 | -0.26 | 675.08 | 01 | 06 | 4 | |
| | P | 10/18/1978 | -103.27 | -0.35 | 674.73 | 01 | 06 | 4 | |
| | P | 10/19/1978 | -103.5 | -0.23 | 674.5 | 01 | 06 | 4 | |
| | P | 10/20/1978 | -103.78 | -0.28 | 674.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 21/ 1978 | -103.7 | 0.08 | 674.3 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1978 | -103.69 | 0.01 | 674.31 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1978 | -103.85 | -0.16 | 674.15 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1978 | -103.8 | 0.05 | 674.2 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1978 | -103.67 | 0.13 | 674.33 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1978 | -103.46 | 0.21 | 674.54 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1978 | -103.31 | 0.15 | 674.69 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1978 | -103.23 | 0.08 | 674.77 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1978 | -103.07 | 0.16 | 674.93 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1978 | -103.11 | -0.04 | 674.89 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1978 | -103.41 | -0.3 | 674.59 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1978 | -103.63 | -0.22 | 674.37 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1978 | -103.94 | -0.31 | 674.06 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1978 | -104.13 | -0.19 | 673.87 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1978 | -104 | 0.13 | 674 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1978 | -102.57 | 1.43 | 675.43 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1978 | -101.14 | 1.43 | 676.86 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1978 | -100.62 | 0.52 | 677.38 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1978 | -100.17 | 0.45 | 677.83 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1978 | -99.86 | 0.31 | 678.14 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1978 | -99.73 | 0.13 | 678.27 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1978 | -99.71 | 0.02 | 678.29 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1978 | -99.63 | 0.08 | 678.37 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1978 | -99.63 | | 678.37 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1978 | -99.93 | -0.3 | 678.07 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1978 | -100.08 | -0.15 | 677.92 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1978 | -99.95 | 0.13 | 678.05 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1978 | -99.66 | 0.29 | 678.34 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1978 | -99.73 | -0.07 | 678.27 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1978 | -99.62 | 0.11 | 678.38 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1978 | -99.49 | 0.13 | 678.51 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1978 | -99.47 | 0.02 | 678.53 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1978 | -99.35 | 0.12 | 678.65 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1978 | -99.2 | 0.15 | 678.8 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1978 | -99.05 | 0.15 | 678.95 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1978 | -99.03 | 0.02 | 678.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/26/1978 | -97.17 | 1.86 | 680.83 | 01 | 06 | 4 | |
| | P | 11/27/1978 | -96.62 | 0.55 | 681.38 | 01 | 06 | 4 | |
| | P | 11/28/1978 | -96.28 | 0.34 | 681.72 | 01 | 06 | 4 | |
| | P | 11/29/1978 | -96 | 0.28 | 682 | 01 | 06 | 4 | |
| | P | 11/30/1978 | -95.87 | 0.13 | 682.13 | 01 | 06 | 4 | |
| | P | 12/ 1/1978 | -95.77 | 0.1 | 682.23 | 01 | 06 | 4 | |
| | P | 12/ 2/1978 | -95.64 | 0.13 | 682.36 | 01 | 06 | 4 | |
| | P | 12/ 3/1978 | -95.63 | 0.01 | 682.37 | 01 | 06 | 4 | |
| | P | 12/ 4/1978 | -95.71 | -0.08 | 682.29 | 01 | 06 | 4 | |
| | P | 12/ 5/1978 | -95.79 | -0.08 | 682.21 | 01 | 06 | 4 | |
| | P | 12/ 6/1978 | -95.87 | -0.08 | 682.13 | 01 | 06 | 4 | |
| | P | 12/ 7/1978 | -96.02 | -0.15 | 681.98 | 01 | 06 | 4 | |
| | P | 12/ 8/1978 | -96.16 | -0.14 | 681.84 | 01 | 06 | 4 | |
| | P | 12/ 9/1978 | -96.38 | -0.22 | 681.62 | 01 | 06 | 4 | |
| | P | 12/10/1978 | -96.53 | -0.15 | 681.47 | 01 | 06 | 4 | |
| | P | 12/11/1978 | -96.77 | -0.24 | 681.23 | 01 | 06 | 4 | |
| | P | 12/12/1978 | -96.92 | -0.15 | 681.08 | 01 | 06 | 4 | |
| | P | 12/13/1978 | -97.03 | -0.11 | 680.97 | 01 | 06 | 4 | |
| | P | 12/14/1978 | -97.14 | -0.11 | 680.86 | 01 | 06 | 4 | |
| | P | 12/15/1978 | -97.04 | 0.1 | 680.96 | 01 | 06 | 4 | |
| | P | 12/28/1978 | -98.4 | -1.36 | 679.6 | 01 | 06 | 4 | |
| | P | 12/29/1978 | -98.52 | -0.12 | 679.48 | 01 | 06 | 4 | |
| | P | 12/30/1978 | -98.6 | -0.08 | 679.4 | 01 | 06 | 4 | |
| | P | 12/31/1978 | -98.4 | 0.2 | 679.6 | 01 | 06 | 4 | |
| | P | 1/ 1/1979 | -97.53 | 0.87 | 680.47 | 01 | 06 | 4 | |
| | P | 1/ 2/1979 | -97.21 | 0.32 | 680.79 | 01 | 06 | 4 | |
| | P | 1/ 3/1979 | -97.53 | -0.32 | 680.47 | 01 | 06 | 4 | |
| | P | 1/ 4/1979 | -97.38 | 0.15 | 680.62 | 01 | 06 | 4 | |
| | P | 1/ 5/1979 | -97.13 | 0.25 | 680.87 | 01 | 06 | 4 | |
| | P | 1/ 6/1979 | -96.74 | 0.39 | 681.26 | 01 | 06 | 4 | |
| | P | 1/ 7/1979 | -96.48 | 0.26 | 681.52 | 01 | 06 | 4 | |
| | P | 1/ 8/1979 | -96.59 | -0.11 | 681.41 | 01 | 06 | 4 | |
| | P | 1/ 9/1979 | -96.62 | -0.03 | 681.38 | 01 | 06 | 4 | |
| | P | 1/10/1979 | -95.16 | 1.46 | 682.84 | 01 | 06 | 4 | |
| | P | 1/11/1979 | -93.51 | 1.65 | 684.49 | 01 | 06 | 4 | |
| | P | 1/12/1979 | -93.08 | 0.43 | 684.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 13/ 1979 | -92.51 | 0.57 | 685.49 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1979 | -92.49 | 0.02 | 685.51 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1979 | -92.33 | 0.16 | 685.67 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1979 | -92.18 | 0.15 | 685.82 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1979 | -92.14 | 0.04 | 685.86 | 01 | 06 | 4 | |
| | P | 1/ 18/ 1979 | -92.03 | 0.11 | 685.97 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1979 | -91.9 | 0.13 | 686.1 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1979 | -91.71 | 0.19 | 686.29 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1979 | -91.68 | 0.03 | 686.32 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1979 | -91.58 | 0.1 | 686.42 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1979 | -91.53 | 0.05 | 686.47 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1979 | -91.76 | -0.23 | 686.24 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1979 | -91.58 | 0.18 | 686.42 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1979 | -91.57 | 0.01 | 686.43 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1979 | -91.41 | 0.16 | 686.59 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1979 | -91.51 | -0.1 | 686.49 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1979 | -91.5 | 0.01 | 686.5 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1979 | -91.6 | -0.1 | 686.4 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1979 | -91.83 | -0.23 | 686.17 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1979 | -91.88 | -0.05 | 686.12 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1979 | -91.77 | 0.11 | 686.23 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1979 | -91.73 | 0.04 | 686.27 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1979 | -91.6 | 0.13 | 686.4 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1979 | -91.47 | 0.13 | 686.53 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1979 | -91.07 | 0.4 | 686.93 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1979 | -90.53 | 0.54 | 687.47 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1979 | -90.38 | 0.15 | 687.62 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1979 | -90.37 | 0.01 | 687.63 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1979 | -90.12 | 0.25 | 687.88 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1979 | -89.93 | 0.19 | 688.07 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1979 | -89.99 | -0.06 | 688.01 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1979 | -90.01 | -0.02 | 687.99 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1979 | -90.17 | -0.16 | 687.83 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1979 | -90.16 | 0.01 | 687.84 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1979 | -90.25 | -0.09 | 687.75 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1979 | -90.25 | | 687.75 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/18/1979 | -90.34 | -0.09 | 687.66 | 01 | 06 | 4 | |
| | P | 2/19/1979 | -90.31 | 0.03 | 687.69 | 01 | 06 | 4 | |
| | P | 2/20/1979 | -90.41 | -0.1 | 687.59 | 01 | 06 | 4 | |
| | P | 2/21/1979 | -90.48 | -0.07 | 687.52 | 01 | 06 | 4 | |
| | P | 2/22/1979 | -90.49 | -0.01 | 687.51 | 01 | 06 | 4 | |
| | P | 2/23/1979 | -90.59 | -0.1 | 687.41 | 01 | 06 | 4 | |
| | P | 2/24/1979 | -90.63 | -0.04 | 687.37 | 01 | 06 | 4 | |
| | P | 2/25/1979 | -90.83 | -0.2 | 687.17 | 01 | 06 | 4 | |
| | P | 2/26/1979 | -90.95 | -0.12 | 687.05 | 01 | 06 | 4 | |
| | P | 2/27/1979 | -91.07 | -0.12 | 686.93 | 01 | 06 | 4 | |
| | P | 2/28/1979 | -91.28 | -0.21 | 686.72 | 01 | 06 | 4 | |
| | P | 3/ 1/1979 | -91.35 | -0.07 | 686.65 | 01 | 06 | 4 | |
| | P | 3/ 2/1979 | -91.57 | -0.22 | 686.43 | 01 | 06 | 4 | |
| | P | 3/ 3/1979 | -91.48 | 0.09 | 686.52 | 01 | 06 | 4 | |
| | P | 3/ 4/1979 | -91.45 | 0.03 | 686.55 | 01 | 06 | 4 | |
| | P | 3/ 5/1979 | -91.51 | -0.06 | 686.49 | 01 | 06 | 4 | |
| | P | 3/ 6/1979 | -91.64 | -0.13 | 686.36 | 01 | 06 | 4 | |
| | P | 3/ 7/1979 | -92 | -0.36 | 686 | 01 | 06 | 4 | |
| | P | 3/ 8/1979 | -92.19 | -0.19 | 685.81 | 01 | 06 | 4 | |
| | P | 3/ 9/1979 | -92.44 | -0.25 | 685.56 | 01 | 06 | 4 | |
| | P | 3/10/1979 | -92.76 | -0.32 | 685.24 | 01 | 06 | 4 | |
| | P | 3/11/1979 | -92.59 | 0.17 | 685.41 | 01 | 06 | 4 | |
| | P | 3/12/1979 | -92.49 | 0.1 | 685.51 | 01 | 06 | 4 | |
| | P | 3/13/1979 | -92.69 | -0.2 | 685.31 | 01 | 06 | 4 | |
| | P | 3/14/1979 | -93.02 | -0.33 | 684.98 | 01 | 06 | 4 | |
| | P | 3/15/1979 | -93.11 | -0.09 | 684.89 | 01 | 06 | 4 | |
| | P | 3/16/1979 | -92.82 | 0.29 | 685.18 | 01 | 06 | 4 | |
| | P | 3/17/1979 | -92.54 | 0.28 | 685.46 | 01 | 06 | 4 | |
| | P | 3/18/1979 | -92.27 | 0.27 | 685.73 | 01 | 06 | 4 | |
| | P | 3/19/1979 | -92.22 | 0.05 | 685.78 | 01 | 06 | 4 | |
| | P | 3/20/1979 | -92.31 | -0.09 | 685.69 | 01 | 06 | 4 | |
| | P | 3/21/1979 | -90.19 | 2.12 | 687.81 | 01 | 06 | 4 | |
| | P | 3/22/1979 | -89.13 | 1.06 | 688.87 | 01 | 06 | 4 | |
| | P | 3/23/1979 | -88.44 | 0.69 | 689.56 | 01 | 06 | 4 | |
| | P | 3/24/1979 | -87.93 | 0.51 | 690.07 | 01 | 06 | 4 | |
| | P | 3/25/1979 | -87.55 | 0.38 | 690.45 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/26/1979 | -87.45 | 0.1 | 690.55 | 01 | 06 | 4 | |
| | P | 3/27/1979 | -87.49 | -0.04 | 690.51 | 01 | 06 | 4 | |
| | P | 3/28/1979 | -87.42 | 0.07 | 690.58 | 01 | 06 | 4 | |
| | P | 3/29/1979 | -87.31 | 0.11 | 690.69 | 01 | 06 | 4 | |
| | P | 3/30/1979 | -87.01 | 0.3 | 690.99 | 01 | 06 | 4 | |
| | P | 3/31/1979 | -86.97 | 0.04 | 691.03 | 01 | 06 | 4 | |
| | P | 4/ 1/1979 | -86.73 | 0.24 | 691.27 | 01 | 06 | 4 | |
| | P | 4/ 2/1979 | -86.6 | 0.13 | 691.4 | 01 | 06 | 4 | |
| | P | 4/ 3/1979 | -86.57 | 0.03 | 691.43 | 01 | 06 | 4 | |
| | P | 4/ 4/1979 | -86.66 | -0.09 | 691.34 | 01 | 06 | 4 | |
| | P | 4/ 5/1979 | -86.85 | -0.19 | 691.15 | 01 | 06 | 4 | |
| | P | 4/ 6/1979 | -86.98 | -0.13 | 691.02 | 01 | 06 | 4 | |
| | P | 4/ 7/1979 | -86.89 | 0.09 | 691.11 | 01 | 06 | 4 | |
| | P | 4/ 8/1979 | -86.7 | 0.19 | 691.3 | 01 | 06 | 4 | |
| | P | 4/ 9/1979 | -86.87 | -0.17 | 691.13 | 01 | 06 | 4 | |
| | P | 4/10/1979 | -86.87 | | 691.13 | 01 | 06 | 4 | |
| | P | 4/11/1979 | -86.87 | | 691.13 | 01 | 06 | 4 | |
| | P | 4/12/1979 | -87.19 | -0.32 | 690.81 | 01 | 06 | 4 | |
| | P | 4/13/1979 | -87.62 | -0.43 | 690.38 | 01 | 06 | 4 | |
| | P | 4/14/1979 | -87.89 | -0.27 | 690.11 | 01 | 06 | 4 | |
| | P | 4/15/1979 | -88.25 | -0.36 | 689.75 | 01 | 06 | 4 | |
| | P | 4/16/1979 | -88.3 | -0.05 | 689.7 | 01 | 06 | 4 | |
| | P | 4/17/1979 | -88.4 | -0.1 | 689.6 | 01 | 06 | 4 | |
| | P | 4/18/1979 | -88.12 | 0.28 | 689.88 | 01 | 06 | 4 | |
| | P | 4/19/1979 | -87.85 | 0.27 | 690.15 | 01 | 06 | 4 | |
| | P | 4/20/1979 | -87.47 | 0.38 | 690.53 | 01 | 06 | 4 | |
| | P | 4/21/1979 | -84.67 | 2.8 | 693.33 | 01 | 06 | 4 | |
| | P | 4/22/1979 | -84.04 | 0.63 | 693.96 | 01 | 06 | 4 | |
| | P | 4/23/1979 | -83.56 | 0.48 | 694.44 | 01 | 06 | 4 | |
| | P | 4/24/1979 | -83.42 | 0.14 | 694.58 | 01 | 06 | 4 | |
| | P | 4/25/1979 | -83.39 | 0.03 | 694.61 | 01 | 06 | 4 | |
| | P | 4/26/1979 | -83.51 | -0.12 | 694.49 | 01 | 06 | 4 | |
| | P | 4/27/1979 | -83.69 | -0.18 | 694.31 | 01 | 06 | 4 | |
| | P | 4/28/1979 | -83.96 | -0.27 | 694.04 | 01 | 06 | 4 | |
| | P | 4/29/1979 | -83.52 | 0.44 | 694.48 | 01 | 06 | 4 | |
| | P | 4/30/1979 | -83.03 | 0.49 | 694.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 1/1979 | -82.92 | 0.11 | 695.08 | 01 | 06 | 4 | |
| | P | 5/ 2/1979 | -82.86 | 0.06 | 695.14 | 01 | 06 | 4 | |
| | P | 5/ 3/1979 | -82.92 | -0.06 | 695.08 | 01 | 06 | 4 | |
| | P | 5/ 4/1979 | -83.12 | -0.2 | 694.88 | 01 | 06 | 4 | |
| | P | 5/ 5/1979 | -83.23 | -0.11 | 694.77 | 01 | 06 | 4 | |
| | P | 5/ 6/1979 | -83.28 | -0.05 | 694.72 | 01 | 06 | 4 | |
| | P | 5/ 7/1979 | -83.63 | -0.35 | 694.37 | 01 | 06 | 4 | |
| | P | 5/ 8/1979 | -84.04 | -0.41 | 693.96 | 01 | 06 | 4 | |
| | P | 5/ 9/1979 | -84.36 | -0.32 | 693.64 | 01 | 06 | 4 | |
| | P | 5/10/1979 | -84.53 | -0.17 | 693.47 | 01 | 06 | 4 | |
| | P | 5/11/1979 | -85.03 | -0.5 | 692.97 | 01 | 06 | 4 | |
| | P | 5/12/1979 | -84.95 | 0.08 | 693.05 | 01 | 06 | 4 | |
| | P | 5/13/1979 | -85.02 | -0.07 | 692.98 | 01 | 06 | 4 | |
| | P | 5/14/1979 | -85.34 | -0.32 | 692.66 | 01 | 06 | 4 | |
| | P | 5/15/1979 | -86.08 | -0.74 | 691.92 | 01 | 06 | 4 | |
| | P | 5/16/1979 | -86.7 | -0.62 | 691.3 | 01 | 06 | 4 | |
| | P | 5/17/1979 | -87.36 | -0.66 | 690.64 | 01 | 06 | 4 | |
| | P | 5/18/1979 | -88.02 | -0.66 | 689.98 | 01 | 06 | 4 | |
| | P | 5/19/1979 | -89.01 | -0.99 | 688.99 | 01 | 06 | 4 | |
| | P | 5/20/1979 | -89.62 | -0.61 | 688.38 | 01 | 06 | 4 | |
| | P | 5/21/1979 | -89.58 | 0.04 | 688.42 | 01 | 06 | 4 | |
| | P | 5/22/1979 | -89.81 | -0.23 | 688.19 | 01 | 06 | 4 | |
| | P | 5/23/1979 | -89.74 | 0.07 | 688.26 | 01 | 06 | 4 | |
| | P | 5/24/1979 | -89.98 | -0.24 | 688.02 | 01 | 06 | 4 | |
| | P | 5/25/1979 | -90.33 | -0.35 | 687.67 | 01 | 06 | 4 | |
| | P | 5/26/1979 | -90.66 | -0.33 | 687.34 | 01 | 06 | 4 | |
| | P | 5/27/1979 | -90.95 | -0.29 | 687.05 | 01 | 06 | 4 | |
| | P | 5/28/1979 | -90.86 | 0.09 | 687.14 | 01 | 06 | 4 | |
| | P | 5/29/1979 | -90.49 | 0.37 | 687.51 | 01 | 06 | 4 | |
| | P | 5/30/1979 | -90.51 | -0.02 | 687.49 | 01 | 06 | 4 | |
| | P | 5/31/1979 | -90.6 | -0.09 | 687.4 | 01 | 06 | 4 | |
| | P | 6/ 1/1979 | -88.61 | 1.99 | 689.39 | 01 | 06 | 4 | |
| | P | 6/ 2/1979 | -87.75 | 0.86 | 690.25 | 01 | 06 | 4 | |
| | P | 6/ 3/1979 | -87.19 | 0.56 | 690.81 | 01 | 06 | 4 | |
| | P | 6/ 4/1979 | -86.74 | 0.45 | 691.26 | 01 | 06 | 4 | |
| | P | 6/ 5/1979 | -85.5 | 1.24 | 692.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 6/1979 | -84.83 | 0.67 | 693.17 | 01 | 06 | 4 | |
| | P | 6/ 7/1979 | -84.12 | 0.71 | 693.88 | 01 | 06 | 4 | |
| | P | 6/ 8/1979 | -83.78 | 0.34 | 694.22 | 01 | 06 | 4 | |
| | P | 6/ 9/1979 | -83.48 | 0.3 | 694.52 | 01 | 06 | 4 | |
| | P | 6/10/1979 | -83.39 | 0.09 | 694.61 | 01 | 06 | 4 | |
| | P | 6/11/1979 | -83.39 | | 694.61 | 01 | 06 | 4 | |
| | P | 6/12/1979 | -83.62 | -0.23 | 694.38 | 01 | 06 | 4 | |
| | P | 6/13/1979 | -84.11 | -0.49 | 693.89 | 01 | 06 | 4 | |
| | P | 6/14/1979 | -84.54 | -0.43 | 693.46 | 01 | 06 | 4 | |
| | P | 6/15/1979 | -85.03 | -0.49 | 692.97 | 01 | 06 | 4 | |
| | P | 6/16/1979 | -85.47 | -0.44 | 692.53 | 01 | 06 | 4 | |
| | P | 6/17/1979 | -85.91 | -0.44 | 692.09 | 01 | 06 | 4 | |
| | P | 6/18/1979 | -86.29 | -0.38 | 691.71 | 01 | 06 | 4 | |
| | P | 6/19/1979 | -87.28 | -0.99 | 690.72 | 01 | 06 | 4 | |
| | P | 6/20/1979 | -88.18 | -0.9 | 689.82 | 01 | 06 | 4 | |
| | P | 6/21/1979 | -89.2 | -1.02 | 688.8 | 01 | 06 | 4 | |
| | P | 6/22/1979 | -89.9 | -0.7 | 688.1 | 01 | 06 | 4 | |
| | P | 6/23/1979 | -90.45 | -0.55 | 687.55 | 01 | 06 | 4 | |
| | P | 6/24/1979 | -90.88 | -0.43 | 687.12 | 01 | 06 | 4 | |
| | P | 6/25/1979 | -91.53 | -0.65 | 686.47 | 01 | 06 | 4 | |
| | P | 6/26/1979 | -92.2 | -0.67 | 685.8 | 01 | 06 | 4 | |
| | P | 6/27/1979 | -92.89 | -0.69 | 685.11 | 01 | 06 | 4 | |
| | P | 6/28/1979 | -93.71 | -0.82 | 684.29 | 01 | 06 | 4 | |
| | P | 6/29/1979 | -94.3 | -0.59 | 683.7 | 01 | 06 | 4 | |
| | P | 6/30/1979 | -94.88 | -0.58 | 683.12 | 01 | 06 | 4 | |
| | P | 7/ 1/1979 | -95.12 | -0.24 | 682.88 | 01 | 06 | 4 | |
| | P | 7/ 2/1979 | -95.7 | -0.58 | 682.3 | 01 | 06 | 4 | |
| | P | 7/ 3/1979 | -96.34 | -0.64 | 681.66 | 01 | 06 | 4 | |
| | P | 7/ 4/1979 | -96.7 | -0.36 | 681.3 | 01 | 06 | 4 | |
| | P | 7/ 5/1979 | -95.28 | 1.42 | 682.72 | 01 | 06 | 4 | |
| | P | 7/ 6/1979 | -94.72 | 0.56 | 683.28 | 01 | 06 | 4 | |
| | P | 7/ 7/1979 | -94 | 0.72 | 684 | 01 | 06 | 4 | |
| | P | 7/ 8/1979 | -93.4 | 0.6 | 684.6 | 01 | 06 | 4 | |
| | P | 7/ 9/1979 | -93.08 | 0.32 | 684.92 | 01 | 06 | 4 | |
| | P | 7/10/1979 | -93.22 | -0.14 | 684.78 | 01 | 06 | 4 | |
| | P | 7/11/1979 | -92.97 | 0.25 | 685.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 12/ 1979 | -92.97 | | 685.03 | 01 | 06 | 4 | |
| | P | 7/ 13/ 1979 | -93.23 | -0.26 | 684.77 | 01 | 06 | 4 | |
| | P | 7/ 14/ 1979 | -93.39 | -0.16 | 684.61 | 01 | 06 | 4 | |
| | P | 7/ 15/ 1979 | -93.18 | 0.21 | 684.82 | 01 | 06 | 4 | |
| | P | 7/ 16/ 1979 | -93.2 | -0.02 | 684.8 | 01 | 06 | 4 | |
| | P | 7/ 17/ 1979 | -93.53 | -0.33 | 684.47 | 01 | 06 | 4 | |
| | P | 7/ 18/ 1979 | -92.8 | 0.73 | 685.2 | 01 | 06 | 4 | |
| | P | 7/ 19/ 1979 | -92.2 | 0.6 | 685.8 | 01 | 06 | 4 | |
| | P | 7/ 20/ 1979 | -91.71 | 0.49 | 686.29 | 01 | 06 | 4 | |
| | P | 7/ 21/ 1979 | -91.18 | 0.53 | 686.82 | 01 | 06 | 4 | |
| | P | 7/ 22/ 1979 | -90.91 | 0.27 | 687.09 | 01 | 06 | 4 | |
| | P | 7/ 23/ 1979 | -90.8 | 0.11 | 687.2 | 01 | 06 | 4 | |
| | P | 7/ 24/ 1979 | -91.08 | -0.28 | 686.92 | 01 | 06 | 4 | |
| | P | 7/ 25/ 1979 | -91.33 | -0.25 | 686.67 | 01 | 06 | 4 | |
| | P | 7/ 26/ 1979 | -91.9 | -0.57 | 686.1 | 01 | 06 | 4 | |
| | P | 7/ 27/ 1979 | -91.15 | 0.75 | 686.85 | 01 | 06 | 4 | |
| | P | 7/ 28/ 1979 | -90.75 | 0.4 | 687.25 | 01 | 06 | 4 | |
| | P | 7/ 29/ 1979 | -90.27 | 0.48 | 687.73 | 01 | 06 | 4 | |
| | P | 7/ 30/ 1979 | -90.3 | -0.03 | 687.7 | 01 | 06 | 4 | |
| | P | 7/ 31/ 1979 | -90.35 | -0.05 | 687.65 | 01 | 06 | 4 | |
| | P | 8/ 1/ 1979 | -90.52 | -0.17 | 687.48 | 01 | 06 | 4 | |
| | P | 8/ 2/ 1979 | -90.58 | -0.06 | 687.42 | 01 | 06 | 4 | |
| | P | 8/ 3/ 1979 | -90.91 | -0.33 | 687.09 | 01 | 06 | 4 | |
| | P | 8/ 4/ 1979 | -91.3 | -0.39 | 686.7 | 01 | 06 | 4 | |
| | P | 8/ 5/ 1979 | -91.55 | -0.25 | 686.45 | 01 | 06 | 4 | |
| | P | 8/ 6/ 1979 | -91.93 | -0.38 | 686.07 | 01 | 06 | 4 | |
| | P | 8/ 7/ 1979 | -92.5 | -0.57 | 685.5 | 01 | 06 | 4 | |
| | P | 8/ 8/ 1979 | -92.95 | -0.45 | 685.05 | 01 | 06 | 4 | |
| | P | 8/ 9/ 1979 | -93.39 | -0.44 | 684.61 | 01 | 06 | 4 | |
| | P | 8/ 10/ 1979 | -93.79 | -0.4 | 684.21 | 01 | 06 | 4 | |
| | P | 8/ 11/ 1979 | -93.8 | -0.01 | 684.2 | 01 | 06 | 4 | |
| | P | 8/ 12/ 1979 | -93.05 | 0.75 | 684.95 | 01 | 06 | 4 | |
| | P | 8/ 13/ 1979 | -92.57 | 0.48 | 685.43 | 01 | 06 | 4 | |
| | P | 8/ 14/ 1979 | -92.57 | | 685.43 | 01 | 06 | 4 | |
| | P | 8/ 15/ 1979 | -92.6 | -0.03 | 685.4 | 01 | 06 | 4 | |
| | P | 8/ 16/ 1979 | -92.58 | 0.02 | 685.42 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/17/1979 | -92.79 | -0.21 | 685.21 | 01 | 06 | 4 | |
| | P | 8/18/1979 | -92.99 | -0.2 | 685.01 | 01 | 06 | 4 | |
| | P | 8/19/1979 | -93.37 | -0.38 | 684.63 | 01 | 06 | 4 | |
| | P | 8/20/1979 | -93.67 | -0.3 | 684.33 | 01 | 06 | 4 | |
| | P | 8/21/1979 | -94.29 | -0.62 | 683.71 | 01 | 06 | 4 | |
| | P | 8/22/1979 | -94.66 | -0.37 | 683.34 | 01 | 06 | 4 | |
| | P | 8/23/1979 | -94.88 | -0.22 | 683.12 | 01 | 06 | 4 | |
| | P | 8/24/1979 | -94.18 | 0.7 | 683.82 | 01 | 06 | 4 | |
| | P | 8/25/1979 | -93.91 | 0.27 | 684.09 | 01 | 06 | 4 | |
| | P | 8/26/1979 | -93.82 | 0.09 | 684.18 | 01 | 06 | 4 | |
| | P | 8/27/1979 | -94.08 | -0.26 | 683.92 | 01 | 06 | 4 | |
| | P | 8/28/1979 | -94.34 | -0.26 | 683.66 | 01 | 06 | 4 | |
| | P | 8/29/1979 | -94.51 | -0.17 | 683.49 | 01 | 06 | 4 | |
| | P | 8/30/1979 | -94.5 | 0.01 | 683.5 | 01 | 06 | 4 | |
| | P | 8/31/1979 | -94.7 | -0.2 | 683.3 | 01 | 06 | 4 | |
| | P | 9/ 1/1979 | -94.9 | -0.2 | 683.1 | 01 | 06 | 4 | |
| | P | 9/ 2/1979 | -95.27 | -0.37 | 682.73 | 01 | 06 | 4 | |
| | P | 9/ 3/1979 | -95.15 | 0.12 | 682.85 | 01 | 06 | 4 | |
| | P | 9/ 4/1979 | -95.9 | -0.75 | 682.1 | 01 | 06 | 4 | |
| | P | 9/ 5/1979 | -95.59 | 0.31 | 682.41 | 01 | 06 | 4 | |
| | P | 9/ 6/1979 | -95.72 | -0.13 | 682.28 | 01 | 06 | 4 | |
| | P | 9/ 7/1979 | -95.48 | 0.24 | 682.52 | 01 | 06 | 4 | |
| | P | 9/ 8/1979 | -95.31 | 0.17 | 682.69 | 01 | 06 | 4 | |
| | P | 9/ 9/1979 | -95.65 | -0.34 | 682.35 | 01 | 06 | 4 | |
| | P | 9/10/1979 | -96.16 | -0.51 | 681.84 | 01 | 06 | 4 | |
| | P | 9/11/1979 | -96.33 | -0.17 | 681.67 | 01 | 06 | 4 | |
| | P | 9/12/1979 | -96.58 | -0.25 | 681.42 | 01 | 06 | 4 | |
| | P | 9/13/1979 | -96.84 | -0.26 | 681.16 | 01 | 06 | 4 | |
| | P | 9/14/1979 | -97.26 | -0.42 | 680.74 | 01 | 06 | 4 | |
| | P | 9/15/1979 | -97.24 | 0.02 | 680.76 | 01 | 06 | 4 | |
| | P | 9/16/1979 | -97.18 | 0.06 | 680.82 | 01 | 06 | 4 | |
| | P | 9/17/1979 | -97.52 | -0.34 | 680.48 | 01 | 06 | 4 | |
| | P | 9/18/1979 | -97.64 | -0.12 | 680.36 | 01 | 06 | 4 | |
| | P | 9/19/1979 | -96.63 | 1.01 | 681.37 | 01 | 06 | 4 | |
| | P | 9/20/1979 | -96.03 | 0.6 | 681.97 | 01 | 06 | 4 | |
| | P | 9/21/1979 | -95.96 | 0.07 | 682.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/22/1979 | -95.83 | 0.13 | 682.17 | 01 | 06 | 4 | |
| | P | 9/23/1979 | -95.87 | -0.04 | 682.13 | 01 | 06 | 4 | |
| | P | 9/24/1979 | -96.14 | -0.27 | 681.86 | 01 | 06 | 4 | |
| | P | 9/25/1979 | -96.64 | -0.5 | 681.36 | 01 | 06 | 4 | |
| | P | 9/26/1979 | -96.84 | -0.2 | 681.16 | 01 | 06 | 4 | |
| | P | 9/27/1979 | -97.33 | -0.49 | 680.67 | 01 | 06 | 4 | |
| | P | 9/28/1979 | -97.6 | -0.27 | 680.4 | 01 | 06 | 4 | |
| | P | 9/29/1979 | -97.75 | -0.15 | 680.25 | 01 | 06 | 4 | |
| | P | 9/30/1979 | -98.02 | -0.27 | 679.98 | 01 | 06 | 4 | |
| | P | 10/ 1/1979 | -98.35 | -0.33 | 679.65 | 01 | 06 | 4 | |
| | P | 10/ 2/1979 | -98.5 | -0.15 | 679.5 | 01 | 06 | 4 | |
| | P | 10/ 3/1979 | -98.84 | -0.34 | 679.16 | 01 | 06 | 4 | |
| | P | 10/ 4/1979 | -99.12 | -0.28 | 678.88 | 01 | 06 | 4 | |
| | P | 10/ 5/1979 | -99.05 | 0.07 | 678.95 | 01 | 06 | 4 | |
| | P | 10/ 6/1979 | -98.98 | 0.07 | 679.02 | 01 | 06 | 4 | |
| | P | 10/ 7/1979 | -99.2 | -0.22 | 678.8 | 01 | 06 | 4 | |
| | P | 10/ 8/1979 | -99.51 | -0.31 | 678.49 | 01 | 06 | 4 | |
| | P | 10/ 9/1979 | -99.65 | -0.14 | 678.35 | 01 | 06 | 4 | |
| | P | 10/10/1979 | -99.42 | 0.23 | 678.58 | 01 | 06 | 4 | |
| | P | 10/11/1979 | -99.4 | 0.02 | 678.6 | 01 | 06 | 4 | |
| | P | 10/12/1979 | -99.52 | -0.12 | 678.48 | 01 | 06 | 4 | |
| | P | 10/13/1979 | -99.45 | 0.07 | 678.55 | 01 | 06 | 4 | |
| | P | 10/14/1979 | -99.49 | -0.04 | 678.51 | 01 | 06 | 4 | |
| | P | 10/15/1979 | -99.49 | | 678.51 | 01 | 06 | 4 | |
| | P | 10/16/1979 | -99.29 | 0.2 | 678.71 | 01 | 06 | 4 | |
| | P | 10/17/1979 | -99.68 | -0.39 | 678.32 | 01 | 06 | 4 | |
| | P | 10/18/1979 | -99.64 | 0.04 | 678.36 | 01 | 06 | 4 | |
| | P | 10/19/1979 | -99.73 | -0.09 | 678.27 | 01 | 06 | 4 | |
| | P | 10/20/1979 | -99.63 | 0.1 | 678.37 | 01 | 06 | 4 | |
| | P | 10/21/1979 | -99.84 | -0.21 | 678.16 | 01 | 06 | 4 | |
| | P | 10/22/1979 | -100.1 | -0.26 | 677.9 | 01 | 06 | 4 | |
| | P | 10/23/1979 | -99.85 | 0.25 | 678.15 | 01 | 06 | 4 | |
| | P | 10/24/1979 | -99.76 | 0.09 | 678.24 | 01 | 06 | 4 | |
| | P | 10/25/1979 | -99.74 | 0.02 | 678.26 | 01 | 06 | 4 | |
| | P | 10/26/1979 | -99.86 | -0.12 | 678.14 | 01 | 06 | 4 | |
| | P | 10/27/1979 | -99.84 | 0.02 | 678.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 28/ 1979 | -100 | -0.16 | 678 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1979 | -100.19 | -0.19 | 677.81 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1979 | -99.74 | 0.45 | 678.26 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1979 | -99.31 | 0.43 | 678.69 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1979 | -99.34 | -0.03 | 678.66 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1979 | -99.17 | 0.17 | 678.83 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1979 | -99.22 | -0.05 | 678.78 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1979 | -99.15 | 0.07 | 678.85 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1979 | -99.37 | -0.22 | 678.63 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1979 | -99.33 | 0.04 | 678.67 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1979 | -99.19 | 0.14 | 678.81 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1979 | -99.14 | 0.05 | 678.86 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1979 | -99.18 | -0.04 | 678.82 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1979 | -99.34 | -0.16 | 678.66 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1979 | -99.12 | 0.22 | 678.88 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1979 | -99.02 | 0.1 | 678.98 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1979 | -99.22 | -0.2 | 678.78 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1979 | -99.35 | -0.13 | 678.65 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1979 | -99.37 | -0.02 | 678.63 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1979 | -99.42 | -0.05 | 678.58 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1979 | -99.25 | 0.17 | 678.75 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1979 | -98.57 | 0.68 | 679.43 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1979 | -98.5 | 0.07 | 679.5 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1979 | -98.42 | 0.08 | 679.58 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1979 | -98.36 | 0.06 | 679.64 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1979 | -98.17 | 0.19 | 679.83 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1979 | -97.73 | 0.44 | 680.27 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1979 | -97.73 | | 680.27 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1979 | -97.44 | 0.29 | 680.56 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1979 | -97.6 | -0.16 | 680.4 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1979 | -97.7 | -0.1 | 680.3 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1979 | -97.82 | -0.12 | 680.18 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1979 | -98.08 | -0.26 | 679.92 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1979 | -97.87 | 0.21 | 680.13 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1979 | -97.87 | | 680.13 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1979 | -97.87 | | 680.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 3/1979 | -97.9 | -0.03 | 680.1 | 01 | 06 | 4 | |
| | P | 12/ 4/1979 | -97.83 | 0.07 | 680.17 | 01 | 06 | 4 | |
| | P | 12/ 5/1979 | -97.81 | 0.02 | 680.19 | 01 | 06 | 4 | |
| | P | 12/ 6/1979 | -97.83 | -0.02 | 680.17 | 01 | 06 | 4 | |
| | P | 12/ 7/1979 | -97.95 | -0.12 | 680.05 | 01 | 06 | 4 | |
| | P | 12/ 8/1979 | -98.36 | -0.41 | 679.64 | 01 | 06 | 4 | |
| | P | 12/ 9/1979 | -98.31 | 0.05 | 679.69 | 01 | 06 | 4 | |
| | P | 12/10/1979 | -98.39 | -0.08 | 679.61 | 01 | 06 | 4 | |
| | P | 12/11/1979 | -98.28 | 0.11 | 679.72 | 01 | 06 | 4 | |
| | P | 12/12/1979 | -98.33 | -0.05 | 679.67 | 01 | 06 | 4 | |
| | P | 12/13/1979 | -98 | 0.33 | 680 | 01 | 06 | 4 | |
| | P | 12/14/1979 | -97.91 | 0.09 | 680.09 | 01 | 06 | 4 | |
| | P | 12/15/1979 | -97.84 | 0.07 | 680.16 | 01 | 06 | 4 | |
| | P | 12/16/1979 | -97.6 | 0.24 | 680.4 | 01 | 06 | 4 | |
| | P | 12/17/1979 | -97.82 | -0.22 | 680.18 | 01 | 06 | 4 | |
| | P | 12/18/1979 | -97.79 | 0.03 | 680.21 | 01 | 06 | 4 | |
| | P | 12/19/1979 | -97.8 | -0.01 | 680.2 | 01 | 06 | 4 | |
| | P | 12/20/1979 | -97.78 | 0.02 | 680.22 | 01 | 06 | 4 | |
| | P | 12/21/1979 | -97.9 | -0.12 | 680.1 | 01 | 06 | 4 | |
| | P | 12/22/1979 | -97.8 | 0.1 | 680.2 | 01 | 06 | 4 | |
| | P | 12/23/1979 | -97.58 | 0.22 | 680.42 | 01 | 06 | 4 | |
| | P | 12/24/1979 | -97.6 | -0.02 | 680.4 | 01 | 06 | 4 | |
| | P | 12/25/1979 | -97.5 | 0.1 | 680.5 | 01 | 06 | 4 | |
| | P | 12/26/1979 | -97.35 | 0.15 | 680.65 | 01 | 06 | 4 | |
| | P | 12/27/1979 | -97.6 | -0.25 | 680.4 | 01 | 06 | 4 | |
| | P | 12/28/1979 | -97.25 | 0.35 | 680.75 | 01 | 06 | 4 | |
| | P | 12/29/1979 | -96.37 | 0.88 | 681.63 | 01 | 06 | 4 | |
| | P | 12/30/1979 | -96.3 | 0.07 | 681.7 | 01 | 06 | 4 | |
| | P | 12/31/1979 | -96.39 | -0.09 | 681.61 | 01 | 06 | 4 | |
| | P | 1/ 1/1980 | -96.47 | -0.08 | 681.53 | 01 | 06 | 4 | |
| | P | 1/ 2/1980 | -96.4 | 0.07 | 681.6 | 01 | 06 | 4 | |
| | P | 1/ 3/1980 | -96.67 | -0.27 | 681.33 | 01 | 06 | 4 | |
| | P | 1/ 4/1980 | -96.87 | -0.2 | 681.13 | 01 | 06 | 4 | |
| | P | 1/ 5/1980 | -96.98 | -0.11 | 681.02 | 01 | 06 | 4 | |
| | P | 1/ 6/1980 | -96.97 | 0.01 | 681.03 | 01 | 06 | 4 | |
| | P | 1/ 7/1980 | -97.08 | -0.11 | 680.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 8/1980 | -97.15 | -0.07 | 680.85 | 01 | 06 | 4 | |
| | P | 1/ 9/1980 | -97.29 | -0.14 | 680.71 | 01 | 06 | 4 | |
| | P | 1/10/1980 | -97.47 | -0.18 | 680.53 | 01 | 06 | 4 | |
| | P | 1/11/1980 | -97.53 | -0.06 | 680.47 | 01 | 06 | 4 | |
| | P | 1/12/1980 | -97.75 | -0.22 | 680.25 | 01 | 06 | 4 | |
| | P | 1/13/1980 | -97.58 | 0.17 | 680.42 | 01 | 06 | 4 | |
| | P | 1/14/1980 | -97.83 | -0.25 | 680.17 | 01 | 06 | 4 | |
| | P | 1/15/1980 | -98.19 | -0.36 | 679.81 | 01 | 06 | 4 | |
| | P | 1/16/1980 | -98.27 | -0.08 | 679.73 | 01 | 06 | 4 | |
| | P | 1/17/1980 | -98.53 | -0.26 | 679.47 | 01 | 06 | 4 | |
| | P | 1/18/1980 | -98.6 | -0.07 | 679.4 | 01 | 06 | 4 | |
| | P | 1/19/1980 | -98.61 | -0.01 | 679.39 | 01 | 06 | 4 | |
| | P | 1/20/1980 | -98.5 | 0.11 | 679.5 | 01 | 06 | 4 | |
| | P | 1/21/1980 | -98.37 | 0.13 | 679.63 | 01 | 06 | 4 | |
| | P | 1/22/1980 | -98.28 | 0.09 | 679.72 | 01 | 06 | 4 | |
| | P | 1/23/1980 | -98.35 | -0.07 | 679.65 | 01 | 06 | 4 | |
| | P | 1/24/1980 | -98.4 | -0.05 | 679.6 | 01 | 06 | 4 | |
| | P | 1/25/1980 | -98.35 | 0.05 | 679.65 | 01 | 06 | 4 | |
| | P | 1/26/1980 | -98.48 | -0.13 | 679.52 | 01 | 06 | 4 | |
| | P | 1/27/1980 | -98.63 | -0.15 | 679.37 | 01 | 06 | 4 | |
| | P | 1/28/1980 | -98.57 | 0.06 | 679.43 | 01 | 06 | 4 | |
| | P | 1/29/1980 | -98.74 | -0.17 | 679.26 | 01 | 06 | 4 | |
| | P | 1/30/1980 | -98.79 | -0.05 | 679.21 | 01 | 06 | 4 | |
| | P | 1/31/1980 | -98.99 | -0.2 | 679.01 | 01 | 06 | 4 | |
| | P | 2/ 1/1980 | -99.19 | -0.2 | 678.81 | 01 | 06 | 4 | |
| | P | 2/ 2/1980 | -99.1 | 0.09 | 678.9 | 01 | 06 | 4 | |
| | P | 2/ 3/1980 | -99.15 | -0.05 | 678.85 | 01 | 06 | 4 | |
| | P | 2/ 4/1980 | -99.3 | -0.15 | 678.7 | 01 | 06 | 4 | |
| | P | 2/ 5/1980 | -99.3 | | 678.7 | 01 | 06 | 4 | |
| | P | 2/ 6/1980 | -99.35 | -0.05 | 678.65 | 01 | 06 | 4 | |
| | P | 2/ 7/1980 | -99.65 | -0.3 | 678.35 | 01 | 06 | 4 | |
| | P | 2/ 8/1980 | -99.68 | -0.03 | 678.32 | 01 | 06 | 4 | |
| | P | 2/ 9/1980 | -99.71 | -0.03 | 678.29 | 01 | 06 | 4 | |
| | P | 2/10/1980 | -99.78 | -0.07 | 678.22 | 01 | 06 | 4 | |
| | P | 2/11/1980 | -99.82 | -0.04 | 678.18 | 01 | 06 | 4 | |
| | P | 2/12/1980 | -100.03 | -0.21 | 677.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/13/1980 | -100.21 | -0.18 | 677.79 | 01 | 06 | 4 | |
| | P | 2/14/1980 | -100.45 | -0.24 | 677.55 | 01 | 06 | 4 | |
| | P | 2/15/1980 | -100.54 | -0.09 | 677.46 | 01 | 06 | 4 | |
| | P | 2/16/1980 | -100.77 | -0.23 | 677.23 | 01 | 06 | 4 | |
| | P | 2/17/1980 | -100.71 | 0.06 | 677.29 | 01 | 06 | 4 | |
| | P | 2/18/1980 | -100.7 | 0.01 | 677.3 | 01 | 06 | 4 | |
| | P | 2/19/1980 | -100.82 | -0.12 | 677.18 | 01 | 06 | 4 | |
| | P | 2/20/1980 | -101.15 | -0.33 | 676.85 | 01 | 06 | 4 | |
| | P | 2/21/1980 | -101.57 | -0.42 | 676.43 | 01 | 06 | 4 | |
| | P | 2/22/1980 | -101.85 | -0.28 | 676.15 | 01 | 06 | 4 | |
| | P | 2/23/1980 | -102.14 | -0.29 | 675.86 | 01 | 06 | 4 | |
| | P | 2/24/1980 | -102.27 | -0.13 | 675.73 | 01 | 06 | 4 | |
| | P | 2/25/1980 | -102.55 | -0.28 | 675.45 | 01 | 06 | 4 | |
| | P | 2/26/1980 | -103.5 | -0.95 | 674.5 | 01 | 06 | 4 | |
| | P | 2/27/1980 | -102.94 | 0.56 | 675.06 | 01 | 06 | 4 | |
| | P | 2/28/1980 | -103.12 | -0.18 | 674.88 | 01 | 06 | 4 | |
| | P | 2/29/1980 | -103.3 | -0.18 | 674.7 | 01 | 06 | 4 | |
| | P | 3/ 1/1980 | -103.42 | -0.12 | 674.58 | 01 | 06 | 4 | |
| | P | 3/ 2/1980 | -103.17 | 0.25 | 674.83 | 01 | 06 | 4 | |
| | P | 3/ 3/1980 | -103.16 | 0.01 | 674.84 | 01 | 06 | 4 | |
| | P | 3/ 4/1980 | -103.06 | 0.1 | 674.94 | 01 | 06 | 4 | |
| | P | 3/ 5/1980 | -103.71 | -0.65 | 674.29 | 01 | 06 | 4 | |
| | P | 3/ 6/1980 | -103.79 | -0.08 | 674.21 | 01 | 06 | 4 | |
| | P | 3/ 7/1980 | -104.18 | -0.39 | 673.82 | 01 | 06 | 4 | |
| | P | 3/ 8/1980 | -104.22 | -0.04 | 673.78 | 01 | 06 | 4 | |
| | P | 3/ 9/1980 | -104.43 | -0.21 | 673.57 | 01 | 06 | 4 | |
| | P | 3/10/1980 | -104.59 | -0.16 | 673.41 | 01 | 06 | 4 | |
| | P | 3/11/1980 | -105.2 | -0.61 | 672.8 | 01 | 06 | 4 | |
| | P | 3/12/1980 | -104.92 | 0.28 | 673.08 | 01 | 06 | 4 | |
| | P | 3/13/1980 | -105.71 | -0.79 | 672.29 | 01 | 06 | 4 | |
| | P | 3/14/1980 | -105.95 | -0.24 | 672.05 | 01 | 06 | 4 | |
| | P | 3/15/1980 | -105.91 | 0.04 | 672.09 | 01 | 06 | 4 | |
| | P | 3/16/1980 | -105.88 | 0.03 | 672.12 | 01 | 06 | 4 | |
| | P | 3/17/1980 | -105.63 | 0.25 | 672.37 | 01 | 06 | 4 | |
| | P | 3/18/1980 | -105.85 | -0.22 | 672.15 | 01 | 06 | 4 | |
| | P | 3/19/1980 | -106.01 | -0.16 | 671.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/20/1980 | -106.21 | -0.2 | 671.79 | 01 | 06 | 4 | |
| | P | 3/21/1980 | -107.39 | -1.18 | 670.61 | 01 | 06 | 4 | |
| | P | 3/22/1980 | -107.69 | -0.3 | 670.31 | 01 | 06 | 4 | |
| | P | 3/23/1980 | -107.67 | 0.02 | 670.33 | 01 | 06 | 4 | |
| | P | 3/24/1980 | -107.46 | 0.21 | 670.54 | 01 | 06 | 4 | |
| | P | 3/25/1980 | -107.75 | -0.29 | 670.25 | 01 | 06 | 4 | |
| | P | 3/26/1980 | -107.32 | 0.43 | 670.68 | 01 | 06 | 4 | |
| | P | 3/27/1980 | -106.78 | 0.54 | 671.22 | 01 | 06 | 4 | |
| | P | 3/28/1980 | -106.3 | 0.48 | 671.7 | 01 | 06 | 4 | |
| | P | 3/29/1980 | -106.07 | 0.23 | 671.93 | 01 | 06 | 4 | |
| | P | 3/30/1980 | -105.97 | 0.1 | 672.03 | 01 | 06 | 4 | |
| | P | 3/31/1980 | -106.21 | -0.24 | 671.79 | 01 | 06 | 4 | |
| | P | 4/ 1/1980 | -106.39 | -0.18 | 671.61 | 01 | 06 | 4 | |
| | P | 4/ 2/1980 | -106.1 | 0.29 | 671.9 | 01 | 06 | 4 | |
| | P | 4/ 3/1980 | -106.05 | 0.05 | 671.95 | 01 | 06 | 4 | |
| | P | 4/ 4/1980 | -106.2 | -0.15 | 671.8 | 01 | 06 | 4 | |
| | P | 4/ 5/1980 | -106.64 | -0.44 | 671.36 | 01 | 06 | 4 | |
| | P | 4/ 6/1980 | -106.87 | -0.23 | 671.13 | 01 | 06 | 4 | |
| | P | 4/ 7/1980 | -107.1 | -0.23 | 670.9 | 01 | 06 | 4 | |
| | P | 4/ 8/1980 | -108.3 | -1.2 | 669.7 | 01 | 06 | 4 | |
| | P | 4/ 9/1980 | -108.68 | -0.38 | 669.32 | 01 | 06 | 4 | |
| | P | 4/10/1980 | -109.32 | -0.64 | 668.68 | 01 | 06 | 4 | |
| | P | 4/11/1980 | -109.83 | -0.51 | 668.17 | 01 | 06 | 4 | |
| | P | 4/12/1980 | -109.45 | 0.38 | 668.55 | 01 | 06 | 4 | |
| | P | 4/13/1980 | -108.53 | 0.92 | 669.47 | 01 | 06 | 4 | |
| | P | 4/14/1980 | -108.03 | 0.5 | 669.97 | 01 | 06 | 4 | |
| | P | 4/15/1980 | -108.22 | -0.19 | 669.78 | 01 | 06 | 4 | |
| | P | 4/16/1980 | -109.14 | -0.92 | 668.86 | 01 | 06 | 4 | |
| | P | 4/17/1980 | -109.88 | -0.74 | 668.12 | 01 | 06 | 4 | |
| | P | 4/18/1980 | -110.8 | -0.92 | 667.2 | 01 | 06 | 4 | |
| | P | 4/19/1980 | -111.38 | -0.58 | 666.62 | 01 | 06 | 4 | |
| | P | 4/20/1980 | -112.34 | -0.96 | 665.66 | 01 | 06 | 4 | |
| | P | 4/21/1980 | -113.37 | -1.03 | 664.63 | 01 | 06 | 4 | |
| | P | 4/22/1980 | -113.65 | -0.28 | 664.35 | 01 | 06 | 4 | |
| | P | 4/23/1980 | -113.75 | -0.1 | 664.25 | 01 | 06 | 4 | |
| | P | 4/24/1980 | -114.4 | -0.65 | 663.6 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/25/1980 | -113.62 | 0.78 | 664.38 | 01 | 06 | 4 | |
| | P | 4/26/1980 | -112.4 | 1.22 | 665.6 | 01 | 06 | 4 | |
| | P | 4/27/1980 | -112.85 | -0.45 | 665.15 | 01 | 06 | 4 | |
| | P | 4/28/1980 | -112.39 | 0.46 | 665.61 | 01 | 06 | 4 | |
| | P | 4/29/1980 | -113.08 | -0.69 | 664.92 | 01 | 06 | 4 | |
| | P | 4/30/1980 | -113.6 | -0.52 | 664.4 | 01 | 06 | 4 | |
| | P | 5/ 1/1980 | -113.75 | -0.15 | 664.25 | 01 | 06 | 4 | |
| | P | 5/ 2/1980 | -113.04 | 0.71 | 664.96 | 01 | 06 | 4 | |
| | P | 5/ 3/1980 | -112.51 | 0.53 | 665.49 | 01 | 06 | 4 | |
| | P | 5/ 4/1980 | -111.85 | 0.66 | 666.15 | 01 | 06 | 4 | |
| | P | 5/ 5/1980 | -111.77 | 0.08 | 666.23 | 01 | 06 | 4 | |
| | P | 5/ 6/1980 | -112.37 | -0.6 | 665.63 | 01 | 06 | 4 | |
| | P | 5/ 7/1980 | -113.3 | -0.93 | 664.7 | 01 | 06 | 4 | |
| | P | 5/ 8/1980 | -112.97 | 0.33 | 665.03 | 01 | 06 | 4 | |
| | P | 5/ 9/1980 | -112.12 | 0.85 | 665.88 | 01 | 06 | 4 | |
| | P | 5/10/1980 | -111.25 | 0.87 | 666.75 | 01 | 06 | 4 | |
| | P | 5/11/1980 | -110.7 | 0.55 | 667.3 | 01 | 06 | 4 | |
| | P | 5/12/1980 | -110.1 | 0.6 | 667.9 | 01 | 06 | 4 | |
| | P | 5/13/1980 | -109.7 | 0.4 | 668.3 | 01 | 06 | 4 | |
| | P | 5/14/1980 | -107.9 | 1.8 | 670.1 | 01 | 06 | 4 | |
| | P | 5/15/1980 | -105.5 | 2.4 | 672.5 | 01 | 06 | 4 | |
| | P | 5/16/1980 | -104.49 | 1.01 | 673.51 | 01 | 06 | 4 | |
| | P | 5/17/1980 | -103.3 | 1.19 | 674.7 | 01 | 06 | 4 | |
| | P | 5/18/1980 | -102.76 | 0.54 | 675.24 | 01 | 06 | 4 | |
| | P | 5/19/1980 | -102.26 | 0.5 | 675.74 | 01 | 06 | 4 | |
| | P | 5/20/1980 | -101.85 | 0.41 | 676.15 | 01 | 06 | 4 | |
| | P | 5/21/1980 | -101.4 | 0.45 | 676.6 | 01 | 06 | 4 | |
| | P | 5/22/1980 | -100.92 | 0.48 | 677.08 | 01 | 06 | 4 | |
| | P | 5/23/1980 | -100.81 | 0.11 | 677.19 | 01 | 06 | 4 | |
| | P | 5/24/1980 | -100.87 | -0.06 | 677.13 | 01 | 06 | 4 | |
| | P | 5/25/1980 | -101.04 | -0.17 | 676.96 | 01 | 06 | 4 | |
| | P | 5/26/1980 | -101.35 | -0.31 | 676.65 | 01 | 06 | 4 | |
| | P | 5/27/1980 | -101.91 | -0.56 | 676.09 | 01 | 06 | 4 | |
| | P | 5/28/1980 | -102.41 | -0.5 | 675.59 | 01 | 06 | 4 | |
| | P | 5/29/1980 | -102.8 | -0.39 | 675.2 | 01 | 06 | 4 | |
| | P | 5/30/1980 | -103.34 | -0.54 | 674.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/31/1980 | -104.1 | -0.76 | 673.9 | 01 | 06 | 4 | |
| | P | 6/ 1/1980 | -104.81 | -0.71 | 673.19 | 01 | 06 | 4 | |
| | P | 6/ 2/1980 | -105.98 | -1.17 | 672.02 | 01 | 06 | 4 | |
| | P | 6/ 3/1980 | -107.35 | -1.37 | 670.65 | 01 | 06 | 4 | |
| | P | 6/ 4/1980 | -108.7 | -1.35 | 669.3 | 01 | 06 | 4 | |
| | P | 6/ 5/1980 | -110.18 | -1.48 | 667.82 | 01 | 06 | 4 | |
| | P | 6/ 6/1980 | -111.61 | -1.43 | 666.39 | 01 | 06 | 4 | |
| | P | 6/ 7/1980 | -112.4 | -0.79 | 665.6 | 01 | 06 | 4 | |
| | P | 6/ 8/1980 | -113.52 | -1.12 | 664.48 | 01 | 06 | 4 | |
| | P | 6/ 9/1980 | -114.41 | -0.89 | 663.59 | 01 | 06 | 4 | |
| | P | 6/10/1980 | -115.12 | -0.71 | 662.88 | 01 | 06 | 4 | |
| | P | 6/11/1980 | -116.18 | -1.06 | 661.82 | 01 | 06 | 4 | |
| | P | 6/12/1980 | -117.17 | -0.99 | 660.83 | 01 | 06 | 4 | |
| | P | 6/13/1980 | -118.48 | -1.31 | 659.52 | 01 | 06 | 4 | |
| | P | 6/14/1980 | -119.15 | -0.67 | 658.85 | 01 | 06 | 4 | |
| | P | 6/15/1980 | -119.95 | -0.8 | 658.05 | 01 | 06 | 4 | |
| | P | 6/16/1980 | -120.73 | -0.78 | 657.27 | 01 | 06 | 4 | |
| | P | 6/17/1980 | -122.2 | -1.47 | 655.8 | 01 | 06 | 4 | |
| | P | 6/18/1980 | -123.27 | -1.07 | 654.73 | 01 | 06 | 4 | |
| | P | 6/19/1980 | -124.62 | -1.35 | 653.38 | 01 | 06 | 4 | |
| | P | 6/20/1980 | -125.8 | -1.18 | 652.2 | 01 | 06 | 4 | |
| | P | 6/21/1980 | -125.9 | -0.1 | 652.1 | 01 | 06 | 4 | |
| | P | 6/22/1980 | -124.51 | 1.39 | 653.49 | 01 | 06 | 4 | |
| | P | 6/23/1980 | -125.15 | -0.64 | 652.85 | 01 | 06 | 4 | |
| | P | 6/24/1980 | -126.87 | -1.72 | 651.13 | 01 | 06 | 4 | |
| | P | 6/25/1980 | -128.31 | -1.44 | 649.69 | 01 | 06 | 4 | |
| | P | 6/26/1980 | -129.25 | -0.94 | 648.75 | 01 | 06 | 4 | |
| | P | 6/27/1980 | -129.94 | -0.69 | 648.06 | 01 | 06 | 4 | |
| | P | 6/28/1980 | -130.84 | -0.9 | 647.16 | 01 | 06 | 4 | |
| | P | 6/29/1980 | -131.52 | -0.68 | 646.48 | 01 | 06 | 4 | |
| | P | 7/16/1980 | -135.74 | -4.22 | 642.26 | 01 | 06 | 4 | |
| | P | 7/17/1980 | -136 | -0.26 | 642 | 01 | 06 | 4 | |
| | P | 7/18/1980 | -136.6 | -0.6 | 641.4 | 01 | 06 | 4 | |
| | P | 7/19/1980 | -136.27 | 0.33 | 641.73 | 01 | 06 | 4 | |
| | P | 7/20/1980 | -136.14 | 0.13 | 641.86 | 01 | 06 | 4 | |
| | P | 7/21/1980 | -136.17 | -0.03 | 641.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/22/1980 | -134.91 | 1.26 | 643.09 | 01 | 06 | 4 | |
| | P | 7/23/1980 | -133.2 | 1.71 | 644.8 | 01 | 06 | 4 | |
| | P | 7/24/1980 | -132.77 | 0.43 | 645.23 | 01 | 06 | 4 | |
| | P | 7/25/1980 | -133.42 | -0.65 | 644.58 | 01 | 06 | 4 | |
| | P | 7/26/1980 | -133.45 | -0.03 | 644.55 | 01 | 06 | 4 | |
| | P | 7/27/1980 | -133.52 | -0.07 | 644.48 | 01 | 06 | 4 | |
| | P | 7/28/1980 | -134.07 | -0.55 | 643.93 | 01 | 06 | 4 | |
| | P | 7/29/1980 | -133.19 | 0.88 | 644.81 | 01 | 06 | 4 | |
| | P | 7/30/1980 | -134.02 | -0.83 | 643.98 | 01 | 06 | 4 | |
| | P | 7/31/1980 | -134.92 | -0.9 | 643.08 | 01 | 06 | 4 | |
| | P | 8/ 1/1980 | -135.49 | -0.57 | 642.51 | 01 | 06 | 4 | |
| | P | 8/ 2/1980 | -135.05 | 0.44 | 642.95 | 01 | 06 | 4 | |
| | P | 8/ 3/1980 | -135.3 | -0.25 | 642.7 | 01 | 06 | 4 | |
| | P | 8/ 4/1980 | -135.38 | -0.08 | 642.62 | 01 | 06 | 4 | |
| | P | 8/ 5/1980 | -135.25 | 0.13 | 642.75 | 01 | 06 | 4 | |
| | P | 8/ 6/1980 | -135.7 | -0.45 | 642.3 | 01 | 06 | 4 | |
| | P | 8/ 7/1980 | -134.28 | 1.42 | 643.72 | 01 | 06 | 4 | |
| | P | 8/ 8/1980 | -133.31 | 0.97 | 644.69 | 01 | 06 | 4 | |
| | P | 8/ 9/1980 | -132.15 | 1.16 | 645.85 | 01 | 06 | 4 | |
| | P | 8/10/1980 | -129 | 3.15 | 649 | 01 | 06 | 4 | |
| | P | 8/11/1980 | -127.8 | 1.2 | 650.2 | 01 | 06 | 4 | |
| | P | 8/12/1980 | -127.1 | 0.7 | 650.9 | 01 | 06 | 4 | |
| | P | 8/13/1980 | -126.55 | 0.55 | 651.45 | 01 | 06 | 4 | |
| | P | 8/14/1980 | -126.19 | 0.36 | 651.81 | 01 | 06 | 4 | |
| | P | 8/15/1980 | -125.95 | 0.24 | 652.05 | 01 | 06 | 4 | |
| | P | 8/16/1980 | -125.8 | 0.15 | 652.2 | 01 | 06 | 4 | |
| | P | 8/17/1980 | -125.26 | 0.54 | 652.74 | 01 | 06 | 4 | |
| | P | 8/18/1980 | -125.24 | 0.02 | 652.76 | 01 | 06 | 4 | |
| | P | 8/19/1980 | -125.27 | -0.03 | 652.73 | 01 | 06 | 4 | |
| | P | 8/20/1980 | -125.61 | -0.34 | 652.39 | 01 | 06 | 4 | |
| | P | 8/21/1980 | -125.8 | -0.19 | 652.2 | 01 | 06 | 4 | |
| | P | 8/22/1980 | -126.31 | -0.51 | 651.69 | 01 | 06 | 4 | |
| | P | 8/23/1980 | -126.31 | | 651.69 | 01 | 06 | 4 | |
| | P | 8/24/1980 | -126.25 | 0.06 | 651.75 | 01 | 06 | 4 | |
| | P | 8/25/1980 | -126.9 | -0.65 | 651.1 | 01 | 06 | 4 | |
| | P | 8/26/1980 | -126.82 | 0.08 | 651.18 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/27/1980 | -127.08 | -0.26 | 650.92 | 01 | 06 | 4 | |
| | P | 8/28/1980 | -127.4 | -0.32 | 650.6 | 01 | 06 | 4 | |
| | P | 8/29/1980 | -127.51 | -0.11 | 650.49 | 01 | 06 | 4 | |
| | P | 8/30/1980 | -127.2 | 0.31 | 650.8 | 01 | 06 | 4 | |
| | P | 8/31/1980 | -127.1 | 0.1 | 650.9 | 01 | 06 | 4 | |
| | P | 9/ 1/1980 | -126.95 | 0.15 | 651.05 | 01 | 06 | 4 | |
| | P | 9/ 2/1980 | -127.58 | -0.63 | 650.42 | 01 | 06 | 4 | |
| | P | 9/ 3/1980 | -127.08 | 0.5 | 650.92 | 01 | 06 | 4 | |
| | P | 9/ 4/1980 | -127.24 | -0.16 | 650.76 | 01 | 06 | 4 | |
| | P | 9/ 5/1980 | -127.7 | -0.46 | 650.3 | 01 | 06 | 4 | |
| | P | 9/ 6/1980 | -125.82 | 1.88 | 652.18 | 01 | 06 | 4 | |
| | P | 9/ 7/1980 | -122.8 | 3.02 | 655.2 | 01 | 06 | 4 | |
| | P | 9/ 8/1980 | -121.6 | 1.2 | 656.4 | 01 | 06 | 4 | |
| | P | 9/ 9/1980 | -121.15 | 0.45 | 656.85 | 01 | 06 | 4 | |
| | P | 9/10/1980 | -120.85 | 0.3 | 657.15 | 01 | 06 | 4 | |
| | P | 9/11/1980 | -120.65 | 0.2 | 657.35 | 01 | 06 | 4 | |
| | P | 9/12/1980 | -120.25 | 0.4 | 657.75 | 01 | 06 | 4 | |
| | P | 9/13/1980 | -120.1 | 0.15 | 657.9 | 01 | 06 | 4 | |
| | P | 9/14/1980 | -120.08 | 0.02 | 657.92 | 01 | 06 | 4 | |
| | P | 9/15/1980 | -120.43 | -0.35 | 657.57 | 01 | 06 | 4 | |
| | P | 9/16/1980 | -120.37 | 0.06 | 657.63 | 01 | 06 | 4 | |
| | P | 9/17/1980 | -120.71 | -0.34 | 657.29 | 01 | 06 | 4 | |
| | P | 9/18/1980 | -120.9 | -0.19 | 657.1 | 01 | 06 | 4 | |
| | P | 9/19/1980 | -121.21 | -0.31 | 656.79 | 01 | 06 | 4 | |
| | P | 9/20/1980 | -120.32 | 0.89 | 657.68 | 01 | 06 | 4 | |
| | P | 9/21/1980 | -120.15 | 0.17 | 657.85 | 01 | 06 | 4 | |
| | P | 9/22/1980 | -120.71 | -0.56 | 657.29 | 01 | 06 | 4 | |
| | P | 9/23/1980 | -120.56 | 0.15 | 657.44 | 01 | 06 | 4 | |
| | P | 9/24/1980 | -120.78 | -0.22 | 657.22 | 01 | 06 | 4 | |
| | P | 9/25/1980 | -120.99 | -0.21 | 657.01 | 01 | 06 | 4 | |
| | P | 9/26/1980 | -120.02 | 0.97 | 657.98 | 01 | 06 | 4 | |
| | P | 9/27/1980 | -119.02 | 1 | 658.98 | 01 | 06 | 4 | |
| | P | 9/28/1980 | -118.2 | 0.82 | 659.8 | 01 | 06 | 4 | |
| | P | 9/29/1980 | -118.06 | 0.14 | 659.94 | 01 | 06 | 4 | |
| | P | 9/30/1980 | -117.95 | 0.11 | 660.05 | 01 | 06 | 4 | |
| | P | 10/ 1/1980 | -117.52 | 0.43 | 660.48 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 2/1980 | -117.15 | 0.37 | 660.85 | 01 | 06 | 4 | |
| | P | 10/ 3/1980 | -117.36 | -0.21 | 660.64 | 01 | 06 | 4 | |
| | P | 10/ 4/1980 | -117.4 | -0.04 | 660.6 | 01 | 06 | 4 | |
| | P | 10/ 5/1980 | -117.32 | 0.08 | 660.68 | 01 | 06 | 4 | |
| | P | 10/ 6/1980 | -117.9 | -0.58 | 660.1 | 01 | 06 | 4 | |
| | P | 10/ 7/1980 | -118.1 | -0.2 | 659.9 | 01 | 06 | 4 | |
| | P | 10/ 8/1980 | -117.98 | 0.12 | 660.02 | 01 | 06 | 4 | |
| | P | 10/ 9/1980 | -118.39 | -0.41 | 659.61 | 01 | 06 | 4 | |
| | P | 10/10/1980 | -118.4 | -0.01 | 659.6 | 01 | 06 | 4 | |
| | P | 10/11/1980 | -118.3 | 0.1 | 659.7 | 01 | 06 | 4 | |
| | P | 10/12/1980 | -118.35 | -0.05 | 659.65 | 01 | 06 | 4 | |
| | P | 10/13/1980 | -118.85 | -0.5 | 659.15 | 01 | 06 | 4 | |
| | P | 10/14/1980 | -119.2 | -0.35 | 658.8 | 01 | 06 | 4 | |
| | P | 10/15/1980 | -119.05 | 0.15 | 658.95 | 01 | 06 | 4 | |
| | P | 10/16/1980 | -118.78 | 0.27 | 659.22 | 01 | 06 | 4 | |
| | P | 10/17/1980 | -118.6 | 0.18 | 659.4 | 01 | 06 | 4 | |
| | P | 10/18/1980 | -117.1 | 1.5 | 660.9 | 01 | 06 | 4 | |
| | P | 10/19/1980 | -116.09 | 1.01 | 661.91 | 01 | 06 | 4 | |
| | P | 10/20/1980 | -115.8 | 0.29 | 662.2 | 01 | 06 | 4 | |
| | P | 10/21/1980 | -115.6 | 0.2 | 662.4 | 01 | 06 | 4 | |
| | P | 10/22/1980 | -115.29 | 0.31 | 662.71 | 01 | 06 | 4 | |
| | P | 10/23/1980 | -115.47 | -0.18 | 662.53 | 01 | 06 | 4 | |
| | P | 10/24/1980 | -115.79 | -0.32 | 662.21 | 01 | 06 | 4 | |
| | P | 10/25/1980 | -115.45 | 0.34 | 662.55 | 01 | 06 | 4 | |
| | P | 10/26/1980 | -114.88 | 0.57 | 663.12 | 01 | 06 | 4 | |
| | P | 10/27/1980 | -114.48 | 0.4 | 663.52 | 01 | 06 | 4 | |
| | P | 10/28/1980 | -114.99 | -0.51 | 663.01 | 01 | 06 | 4 | |
| | P | 10/29/1980 | -114.63 | 0.36 | 663.37 | 01 | 06 | 4 | |
| | P | 10/30/1980 | -114.64 | -0.01 | 663.36 | 01 | 06 | 4 | |
| | P | 10/31/1980 | -114.75 | -0.11 | 663.25 | 01 | 06 | 4 | |
| | P | 11/ 1/1980 | -114.53 | 0.22 | 663.47 | 01 | 06 | 4 | |
| | P | 11/ 2/1980 | -114.59 | -0.06 | 663.41 | 01 | 06 | 4 | |
| | P | 11/ 3/1980 | -114.72 | -0.13 | 663.28 | 01 | 06 | 4 | |
| | P | 11/ 4/1980 | -115.18 | -0.46 | 662.82 | 01 | 06 | 4 | |
| | P | 11/ 5/1980 | -115.12 | 0.06 | 662.88 | 01 | 06 | 4 | |
| | P | 11/ 6/1980 | -115.1 | 0.02 | 662.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 7/1980 | -115.33 | -0.23 | 662.67 | 01 | 06 | 4 | |
| | P | 11/ 8/1980 | -115.21 | 0.12 | 662.79 | 01 | 06 | 4 | |
| | P | 11/ 9/1980 | -115.2 | 0.01 | 662.8 | 01 | 06 | 4 | |
| | P | 11/10/1980 | -115.62 | -0.42 | 662.38 | 01 | 06 | 4 | |
| | P | 11/11/1980 | -115.59 | 0.03 | 662.41 | 01 | 06 | 4 | |
| | P | 11/12/1980 | -115.59 | | 662.41 | 01 | 06 | 4 | |
| | P | 11/13/1980 | -115.69 | -0.1 | 662.31 | 01 | 06 | 4 | |
| | P | 11/14/1980 | -115.66 | 0.03 | 662.34 | 01 | 06 | 4 | |
| | P | 11/15/1980 | -115.2 | 0.46 | 662.8 | 01 | 06 | 4 | |
| | P | 11/16/1980 | -113.89 | 1.31 | 664.11 | 01 | 06 | 4 | |
| | P | 11/17/1980 | -113.2 | 0.69 | 664.8 | 01 | 06 | 4 | |
| | P | 11/18/1980 | -113.03 | 0.17 | 664.97 | 01 | 06 | 4 | |
| | P | 11/19/1980 | -112.93 | 0.1 | 665.07 | 01 | 06 | 4 | |
| | P | 11/20/1980 | -112.65 | 0.28 | 665.35 | 01 | 06 | 4 | |
| | P | 11/21/1980 | -112.66 | -0.01 | 665.34 | 01 | 06 | 4 | |
| | P | 11/22/1980 | -112.25 | 0.41 | 665.75 | 01 | 06 | 4 | |
| | P | 11/23/1980 | -111.92 | 0.33 | 666.08 | 01 | 06 | 4 | |
| | P | 11/24/1980 | -112 | -0.08 | 666 | 01 | 06 | 4 | |
| | P | 11/25/1980 | -111.65 | 0.35 | 666.35 | 01 | 06 | 4 | |
| | P | 11/26/1980 | -110.44 | 1.21 | 667.56 | 01 | 06 | 4 | |
| | P | 11/27/1980 | -109.86 | 0.58 | 668.14 | 01 | 06 | 4 | |
| | P | 11/28/1980 | -109.91 | -0.05 | 668.09 | 01 | 06 | 4 | |
| | P | 11/29/1980 | -109.96 | -0.05 | 668.04 | 01 | 06 | 4 | |
| | P | 11/30/1980 | -110 | -0.04 | 668 | 01 | 06 | 4 | |
| | P | 12/ 1/1980 | -110 | | 668 | 01 | 06 | 4 | |
| | P | 12/ 2/1980 | -110.04 | -0.04 | 667.96 | 01 | 06 | 4 | |
| | P | 12/ 3/1980 | -109.94 | 0.1 | 668.06 | 01 | 06 | 4 | |
| | P | 12/ 4/1980 | -109.79 | 0.15 | 668.21 | 01 | 06 | 4 | |
| | P | 12/ 5/1980 | -109.72 | 0.07 | 668.28 | 01 | 06 | 4 | |
| | P | 12/ 6/1980 | -109.68 | 0.04 | 668.32 | 01 | 06 | 4 | |
| | P | 12/ 7/1980 | -109.5 | 0.18 | 668.5 | 01 | 06 | 4 | |
| | P | 12/ 8/1980 | -109.35 | 0.15 | 668.65 | 01 | 06 | 4 | |
| | P | 12/ 9/1980 | -109.4 | -0.05 | 668.6 | 01 | 06 | 4 | |
| | P | 12/10/1980 | -109.29 | 0.11 | 668.71 | 01 | 06 | 4 | |
| | P | 12/11/1980 | -109.42 | -0.13 | 668.58 | 01 | 06 | 4 | |
| | P | 12/12/1980 | -109.39 | 0.03 | 668.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 13/ 1980 | -109.27 | 0.12 | 668.73 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1980 | -109.08 | 0.19 | 668.92 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1980 | -108.89 | 0.19 | 669.11 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1980 | -108.83 | 0.06 | 669.17 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1980 | -108.96 | -0.13 | 669.04 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1980 | -108.92 | 0.04 | 669.08 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1980 | -109.2 | -0.28 | 668.8 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1980 | -109.1 | 0.1 | 668.9 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1980 | -108.97 | 0.13 | 669.03 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1980 | -108.77 | 0.2 | 669.23 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1980 | -108.94 | -0.17 | 669.06 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1980 | -108.97 | -0.03 | 669.03 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1980 | -108.9 | 0.07 | 669.1 | 01 | 06 | 4 | |
| | P | 12/ 26/ 1980 | -108.53 | 0.37 | 669.47 | 01 | 06 | 4 | |
| | P | 12/ 27/ 1980 | -108.69 | -0.16 | 669.31 | 01 | 06 | 4 | |
| | P | 12/ 28/ 1980 | -108.66 | 0.03 | 669.34 | 01 | 06 | 4 | |
| | P | 12/ 29/ 1980 | -108.77 | -0.11 | 669.23 | 01 | 06 | 4 | |
| | P | 12/ 30/ 1980 | -108.97 | -0.2 | 669.03 | 01 | 06 | 4 | |
| | P | 12/ 31/ 1980 | -109.3 | -0.33 | 668.7 | 01 | 06 | 4 | |
| | P | 1/ 1/ 1981 | -108.96 | 0.34 | 669.04 | 01 | 06 | 4 | |
| | P | 1/ 2/ 1981 | -108.89 | 0.07 | 669.11 | 01 | 06 | 4 | |
| | P | 1/ 3/ 1981 | -108.89 | | 669.11 | 01 | 06 | 4 | |
| | P | 1/ 4/ 1981 | -109.07 | -0.18 | 668.93 | 01 | 06 | 4 | |
| | P | 1/ 5/ 1981 | -109.08 | -0.01 | 668.92 | 01 | 06 | 4 | |
| | P | 1/ 6/ 1981 | -109.01 | 0.07 | 668.99 | 01 | 06 | 4 | |
| | P | 1/ 7/ 1981 | -109.1 | -0.09 | 668.9 | 01 | 06 | 4 | |
| | P | 1/ 8/ 1981 | -109.22 | -0.12 | 668.78 | 01 | 06 | 4 | |
| | P | 1/ 9/ 1981 | -109.14 | 0.08 | 668.86 | 01 | 06 | 4 | |
| | P | 1/ 10/ 1981 | -109.29 | -0.15 | 668.71 | 01 | 06 | 4 | |
| | P | 1/ 11/ 1981 | -109.15 | 0.14 | 668.85 | 01 | 06 | 4 | |
| | P | 1/ 12/ 1981 | -109.29 | -0.14 | 668.71 | 01 | 06 | 4 | |
| | P | 1/ 13/ 1981 | -109.19 | 0.1 | 668.81 | 01 | 06 | 4 | |
| | P | 1/ 14/ 1981 | -109 | 0.19 | 669 | 01 | 06 | 4 | |
| | P | 1/ 15/ 1981 | -109.42 | -0.42 | 668.58 | 01 | 06 | 4 | |
| | P | 1/ 16/ 1981 | -109.33 | 0.09 | 668.67 | 01 | 06 | 4 | |
| | P | 1/ 17/ 1981 | -109.39 | -0.06 | 668.61 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 18/ 1981 | -109.21 | 0.18 | 668.79 | 01 | 06 | 4 | |
| | P | 1/ 19/ 1981 | -108.6 | 0.61 | 669.4 | 01 | 06 | 4 | |
| | P | 1/ 20/ 1981 | -107.91 | 0.69 | 670.09 | 01 | 06 | 4 | |
| | P | 1/ 21/ 1981 | -107.97 | -0.06 | 670.03 | 01 | 06 | 4 | |
| | P | 1/ 22/ 1981 | -107.99 | -0.02 | 670.01 | 01 | 06 | 4 | |
| | P | 1/ 23/ 1981 | -107.84 | 0.15 | 670.16 | 01 | 06 | 4 | |
| | P | 1/ 24/ 1981 | -107.82 | 0.02 | 670.18 | 01 | 06 | 4 | |
| | P | 1/ 25/ 1981 | -107.68 | 0.14 | 670.32 | 01 | 06 | 4 | |
| | P | 1/ 26/ 1981 | -107.88 | -0.2 | 670.12 | 01 | 06 | 4 | |
| | P | 1/ 27/ 1981 | -107.8 | 0.08 | 670.2 | 01 | 06 | 4 | |
| | P | 1/ 28/ 1981 | -107.96 | -0.16 | 670.04 | 01 | 06 | 4 | |
| | P | 1/ 29/ 1981 | -108.28 | -0.32 | 669.72 | 01 | 06 | 4 | |
| | P | 1/ 30/ 1981 | -108.34 | -0.06 | 669.66 | 01 | 06 | 4 | |
| | P | 1/ 31/ 1981 | -108.22 | 0.12 | 669.78 | 01 | 06 | 4 | |
| | P | 2/ 1/ 1981 | -107.97 | 0.25 | 670.03 | 01 | 06 | 4 | |
| | P | 2/ 2/ 1981 | -108.28 | -0.31 | 669.72 | 01 | 06 | 4 | |
| | P | 2/ 3/ 1981 | -108.37 | -0.09 | 669.63 | 01 | 06 | 4 | |
| | P | 2/ 4/ 1981 | -108.4 | -0.03 | 669.6 | 01 | 06 | 4 | |
| | P | 2/ 5/ 1981 | -108.1 | 0.3 | 669.9 | 01 | 06 | 4 | |
| | P | 2/ 6/ 1981 | -107.92 | 0.18 | 670.08 | 01 | 06 | 4 | |
| | P | 2/ 7/ 1981 | -107.6 | 0.32 | 670.4 | 01 | 06 | 4 | |
| | P | 2/ 8/ 1981 | -107.59 | 0.01 | 670.41 | 01 | 06 | 4 | |
| | P | 2/ 9/ 1981 | -107.53 | 0.06 | 670.47 | 01 | 06 | 4 | |
| | P | 2/ 10/ 1981 | -107.37 | 0.16 | 670.63 | 01 | 06 | 4 | |
| | P | 2/ 11/ 1981 | -107.94 | -0.57 | 670.06 | 01 | 06 | 4 | |
| | P | 2/ 12/ 1981 | -108.12 | -0.18 | 669.88 | 01 | 06 | 4 | |
| | P | 2/ 13/ 1981 | -108.3 | -0.18 | 669.7 | 01 | 06 | 4 | |
| | P | 2/ 14/ 1981 | -108 | 0.3 | 670 | 01 | 06 | 4 | |
| | P | 2/ 15/ 1981 | -107.72 | 0.28 | 670.28 | 01 | 06 | 4 | |
| | P | 2/ 16/ 1981 | -107.75 | -0.03 | 670.25 | 01 | 06 | 4 | |
| | P | 2/ 17/ 1981 | -107.88 | -0.13 | 670.12 | 01 | 06 | 4 | |
| | P | 2/ 18/ 1981 | -107.89 | -0.01 | 670.11 | 01 | 06 | 4 | |
| | P | 2/ 19/ 1981 | -108.06 | -0.17 | 669.94 | 01 | 06 | 4 | |
| | P | 2/ 20/ 1981 | -108.05 | 0.01 | 669.95 | 01 | 06 | 4 | |
| | P | 2/ 21/ 1981 | -108.06 | -0.01 | 669.94 | 01 | 06 | 4 | |
| | P | 2/ 22/ 1981 | -108.1 | -0.04 | 669.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/23/1981 | -108.2 | -0.1 | 669.8 | 01 | 06 | 4 | |
| | P | 2/24/1981 | -108.62 | -0.42 | 669.38 | 01 | 06 | 4 | |
| | P | 2/25/1981 | -108.77 | -0.15 | 669.23 | 01 | 06 | 4 | |
| | P | 2/26/1981 | -108.46 | 0.31 | 669.54 | 01 | 06 | 4 | |
| | P | 2/27/1981 | -108.41 | 0.05 | 669.59 | 01 | 06 | 4 | |
| | P | 2/28/1981 | -108.36 | 0.05 | 669.64 | 01 | 06 | 4 | |
| | P | 3/ 1/1981 | -108.25 | 0.11 | 669.75 | 01 | 06 | 4 | |
| | P | 3/ 2/1981 | -107.86 | 0.39 | 670.14 | 01 | 06 | 4 | |
| | P | 3/ 3/1981 | -107.8 | 0.06 | 670.2 | 01 | 06 | 4 | |
| | P | 3/ 4/1981 | -107.62 | 0.18 | 670.38 | 01 | 06 | 4 | |
| | P | 3/ 5/1981 | -107.72 | -0.1 | 670.28 | 01 | 06 | 4 | |
| | P | 3/ 6/1981 | -107.81 | -0.09 | 670.19 | 01 | 06 | 4 | |
| | P | 3/ 7/1981 | -107.56 | 0.25 | 670.44 | 01 | 06 | 4 | |
| | P | 3/ 8/1981 | -107.72 | -0.16 | 670.28 | 01 | 06 | 4 | |
| | P | 3/ 9/1981 | -107.93 | -0.21 | 670.07 | 01 | 06 | 4 | |
| | P | 3/10/1981 | -108.1 | -0.17 | 669.9 | 01 | 06 | 4 | |
| | P | 3/11/1981 | -107.94 | 0.16 | 670.06 | 01 | 06 | 4 | |
| | P | 3/12/1981 | -106.62 | 1.32 | 671.38 | 01 | 06 | 4 | |
| | P | 3/13/1981 | -105.97 | 0.65 | 672.03 | 01 | 06 | 4 | |
| | P | 3/14/1981 | -105.41 | 0.56 | 672.59 | 01 | 06 | 4 | |
| | P | 3/15/1981 | -105.27 | 0.14 | 672.73 | 01 | 06 | 4 | |
| | P | 3/16/1981 | -105.42 | -0.15 | 672.58 | 01 | 06 | 4 | |
| | P | 3/17/1981 | -105.63 | -0.21 | 672.37 | 01 | 06 | 4 | |
| | P | 3/18/1981 | -105.85 | -0.22 | 672.15 | 01 | 06 | 4 | |
| | P | 3/19/1981 | -105.99 | -0.14 | 672.01 | 01 | 06 | 4 | |
| | P | 3/20/1981 | -106.31 | -0.32 | 671.69 | 01 | 06 | 4 | |
| | P | 3/21/1981 | -106.28 | 0.03 | 671.72 | 01 | 06 | 4 | |
| | P | 3/22/1981 | -106.55 | -0.27 | 671.45 | 01 | 06 | 4 | |
| | P | 3/23/1981 | -106.87 | -0.32 | 671.13 | 01 | 06 | 4 | |
| | P | 3/24/1981 | -107.53 | -0.66 | 670.47 | 01 | 06 | 4 | |
| | P | 3/25/1981 | -107.8 | -0.27 | 670.2 | 01 | 06 | 4 | |
| | P | 3/26/1981 | -107.79 | 0.01 | 670.21 | 01 | 06 | 4 | |
| | P | 3/27/1981 | -107.86 | -0.07 | 670.14 | 01 | 06 | 4 | |
| | P | 3/28/1981 | -107.51 | 0.35 | 670.49 | 01 | 06 | 4 | |
| | P | 3/29/1981 | -107.36 | 0.15 | 670.64 | 01 | 06 | 4 | |
| | P | 3/30/1981 | -108.17 | -0.81 | 669.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/1981 | -108.85 | -0.68 | 669.15 | 01 | 06 | 4 | |
| | P | 4/ 1/1981 | -110.14 | -1.29 | 667.86 | 01 | 06 | 4 | |
| | P | 4/ 2/1981 | -109.83 | 0.31 | 668.17 | 01 | 06 | 4 | |
| | P | 4/ 3/1981 | -109.31 | 0.52 | 668.69 | 01 | 06 | 4 | |
| | P | 4/ 4/1981 | -109.37 | -0.06 | 668.63 | 01 | 06 | 4 | |
| | P | 4/ 5/1981 | -109.91 | -0.54 | 668.09 | 01 | 06 | 4 | |
| | P | 4/ 6/1981 | -110.58 | -0.67 | 667.42 | 01 | 06 | 4 | |
| | P | 4/ 7/1981 | -110.76 | -0.18 | 667.24 | 01 | 06 | 4 | |
| | P | 4/ 8/1981 | -111.06 | -0.3 | 666.94 | 01 | 06 | 4 | |
| | P | 4/ 9/1981 | -111.35 | -0.29 | 666.65 | 01 | 06 | 4 | |
| | P | 4/10/1981 | -111.49 | -0.14 | 666.51 | 01 | 06 | 4 | |
| | P | 4/11/1981 | -111.32 | 0.17 | 666.68 | 01 | 06 | 4 | |
| | P | 4/12/1981 | -111.24 | 0.08 | 666.76 | 01 | 06 | 4 | |
| | P | 4/13/1981 | -112.05 | -0.81 | 665.95 | 01 | 06 | 4 | |
| | P | 4/14/1981 | -112.38 | -0.33 | 665.62 | 01 | 06 | 4 | |
| | P | 4/15/1981 | -111.89 | 0.49 | 666.11 | 01 | 06 | 4 | |
| | P | 4/16/1981 | -111.56 | 0.33 | 666.44 | 01 | 06 | 4 | |
| | P | 4/17/1981 | -111.07 | 0.49 | 666.93 | 01 | 06 | 4 | |
| | P | 4/18/1981 | -110.75 | 0.32 | 667.25 | 01 | 06 | 4 | |
| | P | 4/19/1981 | -110.32 | 0.43 | 667.68 | 01 | 06 | 4 | |
| | P | 4/20/1981 | -110.28 | 0.04 | 667.72 | 01 | 06 | 4 | |
| | P | 4/21/1981 | -110.78 | -0.5 | 667.22 | 01 | 06 | 4 | |
| | P | 4/22/1981 | -110.77 | 0.01 | 667.23 | 01 | 06 | 4 | |
| | P | 4/23/1981 | -108.81 | 1.96 | 669.19 | 01 | 06 | 4 | |
| | P | 4/24/1981 | -108.27 | 0.54 | 669.73 | 01 | 06 | 4 | |
| | P | 4/25/1981 | -107.55 | 0.72 | 670.45 | 01 | 06 | 4 | |
| | P | 4/26/1981 | -107.11 | 0.44 | 670.89 | 01 | 06 | 4 | |
| | P | 4/27/1981 | -107.01 | 0.1 | 670.99 | 01 | 06 | 4 | |
| | P | 4/28/1981 | -107.12 | -0.11 | 670.88 | 01 | 06 | 4 | |
| | P | 4/29/1981 | -107.21 | -0.09 | 670.79 | 01 | 06 | 4 | |
| | P | 4/30/1981 | -107.16 | 0.05 | 670.84 | 01 | 06 | 4 | |
| | P | 5/ 1/1981 | -107.68 | -0.52 | 670.32 | 01 | 06 | 4 | |
| | P | 5/ 2/1981 | -107.21 | 0.47 | 670.79 | 01 | 06 | 4 | |
| | P | 5/ 3/1981 | -106.37 | 0.84 | 671.63 | 01 | 06 | 4 | |
| | P | 5/ 4/1981 | -106.03 | 0.34 | 671.97 | 01 | 06 | 4 | |
| | P | 5/ 5/1981 | -105.84 | 0.19 | 672.16 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 6/1981 | -105.78 | 0.06 | 672.22 | 01 | 06 | 4 | |
| | P | 5/ 7/1981 | -105.9 | -0.12 | 672.1 | 01 | 06 | 4 | |
| | P | 5/ 8/1981 | -106.03 | -0.13 | 671.97 | 01 | 06 | 4 | |
| | P | 5/ 9/1981 | -105.87 | 0.16 | 672.13 | 01 | 06 | 4 | |
| | P | 5/10/1981 | -105.99 | -0.12 | 672.01 | 01 | 06 | 4 | |
| | P | 5/11/1981 | -106.16 | -0.17 | 671.84 | 01 | 06 | 4 | |
| | P | 5/12/1981 | -106.89 | -0.73 | 671.11 | 01 | 06 | 4 | |
| | P | 5/13/1981 | -107.59 | -0.7 | 670.41 | 01 | 06 | 4 | |
| | P | 5/14/1981 | -108.24 | -0.65 | 669.76 | 01 | 06 | 4 | |
| | P | 5/15/1981 | -109.12 | -0.88 | 668.88 | 01 | 06 | 4 | |
| | P | 5/16/1981 | -109 | 0.12 | 669 | 01 | 06 | 4 | |
| | P | 5/17/1981 | -109.55 | -0.55 | 668.45 | 01 | 06 | 4 | |
| | P | 5/18/1981 | -111.12 | -1.57 | 666.88 | 01 | 06 | 4 | |
| | P | 5/19/1981 | -112.98 | -1.86 | 665.02 | 01 | 06 | 4 | |
| | P | 5/20/1981 | -113.12 | -0.14 | 664.88 | 01 | 06 | 4 | |
| | P | 5/21/1981 | -115.22 | -2.1 | 662.78 | 01 | 06 | 4 | |
| | P | 5/22/1981 | -115.47 | -0.25 | 662.53 | 01 | 06 | 4 | |
| | P | 5/23/1981 | -115.99 | -0.52 | 662.01 | 01 | 06 | 4 | |
| | P | 5/24/1981 | -114.89 | 1.1 | 663.11 | 01 | 06 | 4 | |
| | P | 5/25/1981 | -113.16 | 1.73 | 664.84 | 01 | 06 | 4 | |
| | P | 5/26/1981 | -112.31 | 0.85 | 665.69 | 01 | 06 | 4 | |
| | P | 5/27/1981 | -112.03 | 0.28 | 665.97 | 01 | 06 | 4 | |
| | P | 5/28/1981 | -112.08 | -0.05 | 665.92 | 01 | 06 | 4 | |
| | P | 5/29/1981 | -110.1 | 1.98 | 667.9 | 01 | 06 | 4 | |
| | P | 5/30/1981 | -108.33 | 1.77 | 669.67 | 01 | 06 | 4 | |
| | P | 5/31/1981 | -106.87 | 1.46 | 671.13 | 01 | 06 | 4 | |
| | P | 6/ 1/1981 | -106.29 | 0.58 | 671.71 | 01 | 06 | 4 | |
| | P | 6/ 2/1981 | -106.07 | 0.22 | 671.93 | 01 | 06 | 4 | |
| | P | 6/ 3/1981 | -105.68 | 0.39 | 672.32 | 01 | 06 | 4 | |
| | P | 6/ 4/1981 | -105.29 | 0.39 | 672.71 | 01 | 06 | 4 | |
| | P | 6/ 5/1981 | -103.71 | 1.58 | 674.29 | 01 | 06 | 4 | |
| | P | 6/ 6/1981 | -102.79 | 0.92 | 675.21 | 01 | 06 | 4 | |
| | P | 6/ 7/1981 | -102.27 | 0.52 | 675.73 | 01 | 06 | 4 | |
| | P | 6/ 8/1981 | -102.22 | 0.05 | 675.78 | 01 | 06 | 4 | |
| | P | 6/ 9/1981 | -102.52 | -0.3 | 675.48 | 01 | 06 | 4 | |
| | P | 6/10/1981 | -102.95 | -0.43 | 675.05 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/11/1981 | -103.13 | -0.18 | 674.87 | 01 | 06 | 4 | |
| | P | 6/12/1981 | -101.93 | 1.2 | 676.07 | 01 | 06 | 4 | |
| | P | 6/13/1981 | -98.23 | 3.7 | 679.77 | 01 | 06 | 4 | |
| | P | 6/14/1981 | -94.62 | 3.61 | 683.38 | 01 | 06 | 4 | |
| | P | 6/15/1981 | -93.01 | 1.61 | 684.99 | 01 | 06 | 4 | |
| | P | 6/16/1981 | -90.52 | 2.49 | 687.48 | 01 | 06 | 4 | |
| | P | 6/17/1981 | -89.22 | 1.3 | 688.78 | 01 | 06 | 4 | |
| | P | 6/18/1981 | -88.49 | 0.73 | 689.51 | 01 | 06 | 4 | |
| | P | 6/19/1981 | -86.92 | 1.57 | 691.08 | 01 | 06 | 4 | |
| | P | 6/20/1981 | -87.2 | -0.28 | 690.8 | 01 | 06 | 4 | |
| | P | 6/21/1981 | -87.43 | -0.23 | 690.57 | 01 | 06 | 4 | |
| | P | 6/22/1981 | -87.54 | -0.11 | 690.46 | 01 | 06 | 4 | |
| | P | 6/23/1981 | -88.39 | -0.85 | 689.61 | 01 | 06 | 4 | |
| | P | 6/24/1981 | -88.39 | | 689.61 | 01 | 06 | 4 | |
| | P | 6/25/1981 | -88.71 | -0.32 | 689.29 | 01 | 06 | 4 | |
| | P | 6/26/1981 | -88.7 | 0.01 | 689.3 | 01 | 06 | 4 | |
| | P | 6/27/1981 | -88.57 | 0.13 | 689.43 | 01 | 06 | 4 | |
| | P | 6/28/1981 | -88.5 | 0.07 | 689.5 | 01 | 06 | 4 | |
| | P | 6/29/1981 | -88.5 | | 689.5 | 01 | 06 | 4 | |
| | P | 6/30/1981 | -88.87 | -0.37 | 689.13 | 01 | 06 | 4 | |
| | P | 7/1/1981 | -88.9 | -0.03 | 689.1 | 01 | 06 | 4 | |
| | P | 7/2/1981 | -89.3 | -0.4 | 688.7 | 01 | 06 | 4 | |
| | P | 7/3/1981 | -89.61 | -0.31 | 688.39 | 01 | 06 | 4 | |
| | P | 7/4/1981 | -89.9 | -0.29 | 688.1 | 01 | 06 | 4 | |
| | P | 7/5/1981 | -90 | -0.1 | 688 | 01 | 06 | 4 | |
| | P | 7/6/1981 | -89.9 | 0.1 | 688.1 | 01 | 06 | 4 | |
| | P | 7/7/1981 | -89.92 | -0.02 | 688.08 | 01 | 06 | 4 | |
| | P | 7/8/1981 | -90.13 | -0.21 | 687.87 | 01 | 06 | 4 | |
| | P | 7/9/1981 | -90.34 | -0.21 | 687.66 | 01 | 06 | 4 | |
| | P | 7/10/1981 | -90.61 | -0.27 | 687.39 | 01 | 06 | 4 | |
| | P | 7/11/1981 | -90.89 | -0.28 | 687.11 | 01 | 06 | 4 | |
| | P | 7/12/1981 | -91.27 | -0.38 | 686.73 | 01 | 06 | 4 | |
| | P | 7/30/1981 | -100.18 | -8.91 | 677.82 | 01 | 06 | 4 | |
| | P | 7/31/1981 | -100.07 | 0.11 | 677.93 | 01 | 06 | 4 | |
| | P | 8/1/1981 | -100.14 | -0.07 | 677.86 | 01 | 06 | 4 | |
| | P | 8/2/1981 | -100.83 | -0.69 | 677.17 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 3/1981 | -101.32 | -0.49 | 676.68 | 01 | 06 | 4 | |
| | P | 8/ 4/1981 | -102.1 | -0.78 | 675.9 | 01 | 06 | 4 | |
| | P | 8/ 5/1981 | -102.38 | -0.28 | 675.62 | 01 | 06 | 4 | |
| | P | 8/ 6/1981 | -103.18 | -0.8 | 674.82 | 01 | 06 | 4 | |
| | P | 8/ 7/1981 | -103.68 | -0.5 | 674.32 | 01 | 06 | 4 | |
| | P | 8/ 8/1981 | -103.44 | 0.24 | 674.56 | 01 | 06 | 4 | |
| | P | 8/ 9/1981 | -103.74 | -0.3 | 674.26 | 01 | 06 | 4 | |
| | P | 8/10/1981 | -103.81 | -0.07 | 674.19 | 01 | 06 | 4 | |
| | P | 8/11/1981 | -104.58 | -0.77 | 673.42 | 01 | 06 | 4 | |
| | P | 8/12/1981 | -105.18 | -0.6 | 672.82 | 01 | 06 | 4 | |
| | P | 8/13/1981 | -105.4 | -0.22 | 672.6 | 01 | 06 | 4 | |
| | P | 8/14/1981 | -104.95 | 0.45 | 673.05 | 01 | 06 | 4 | |
| | P | 8/15/1981 | -104.29 | 0.66 | 673.71 | 01 | 06 | 4 | |
| | P | 8/16/1981 | -104.38 | -0.09 | 673.62 | 01 | 06 | 4 | |
| | P | 8/17/1981 | -104.81 | -0.43 | 673.19 | 01 | 06 | 4 | |
| | P | 8/18/1981 | -104.25 | 0.56 | 673.75 | 01 | 06 | 4 | |
| | P | 8/19/1981 | -103 | 1.25 | 675 | 01 | 06 | 4 | |
| | P | 8/20/1981 | -102.31 | 0.69 | 675.69 | 01 | 06 | 4 | |
| | P | 8/21/1981 | -101.97 | 0.34 | 676.03 | 01 | 06 | 4 | |
| | P | 8/22/1981 | -101.55 | 0.42 | 676.45 | 01 | 06 | 4 | |
| | P | 8/23/1981 | -101.57 | -0.02 | 676.43 | 01 | 06 | 4 | |
| | P | 8/24/1981 | -101.82 | -0.25 | 676.18 | 01 | 06 | 4 | |
| | P | 8/25/1981 | -102.06 | -0.24 | 675.94 | 01 | 06 | 4 | |
| | P | 8/26/1981 | -102.29 | -0.23 | 675.71 | 01 | 06 | 4 | |
| | P | 8/27/1981 | -102.7 | -0.41 | 675.3 | 01 | 06 | 4 | |
| | P | 8/28/1981 | -103.35 | -0.65 | 674.65 | 01 | 06 | 4 | |
| | P | 8/29/1981 | -103.06 | 0.29 | 674.94 | 01 | 06 | 4 | |
| | P | 8/30/1981 | -101.94 | 1.12 | 676.06 | 01 | 06 | 4 | |
| | P | 8/31/1981 | -101.57 | 0.37 | 676.43 | 01 | 06 | 4 | |
| | P | 9/ 1/1981 | -101.37 | 0.2 | 676.63 | 01 | 06 | 4 | |
| | P | 9/ 2/1981 | -101.35 | 0.02 | 676.65 | 01 | 06 | 4 | |
| | P | 9/ 3/1981 | -100.98 | 0.37 | 677.02 | 01 | 06 | 4 | |
| | P | 9/ 4/1981 | -100.62 | 0.36 | 677.38 | 01 | 06 | 4 | |
| | P | 9/ 5/1981 | -100.49 | 0.13 | 677.51 | 01 | 06 | 4 | |
| | P | 9/ 6/1981 | -100.38 | 0.11 | 677.62 | 01 | 06 | 4 | |
| | P | 9/ 7/1981 | -100.41 | -0.03 | 677.59 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 8/1981 | -100.09 | 0.32 | 677.91 | 01 | 06 | 4 | |
| | P | 9/ 9/1981 | -99.76 | 0.33 | 678.24 | 01 | 06 | 4 | |
| | P | 9/10/1981 | -99.69 | 0.07 | 678.31 | 01 | 06 | 4 | |
| | P | 9/11/1981 | -99.95 | -0.26 | 678.05 | 01 | 06 | 4 | |
| | P | 9/12/1981 | -100.01 | -0.06 | 677.99 | 01 | 06 | 4 | |
| | P | 9/13/1981 | -100.12 | -0.11 | 677.88 | 01 | 06 | 4 | |
| | P | 9/14/1981 | -100.54 | -0.42 | 677.46 | 01 | 06 | 4 | |
| | P | 9/15/1981 | -100.37 | 0.17 | 677.63 | 01 | 06 | 4 | |
| | P | 9/16/1981 | -100.38 | -0.01 | 677.62 | 01 | 06 | 4 | |
| | P | 9/17/1981 | -100.42 | -0.04 | 677.58 | 01 | 06 | 4 | |
| | P | 9/18/1981 | -100.62 | -0.2 | 677.38 | 01 | 06 | 4 | |
| | P | 9/19/1981 | -100.48 | 0.14 | 677.52 | 01 | 06 | 4 | |
| | P | 9/20/1981 | -100.55 | -0.07 | 677.45 | 01 | 06 | 4 | |
| | P | 9/21/1981 | -101.28 | -0.73 | 676.72 | 01 | 06 | 4 | |
| | P | 9/22/1981 | -101.75 | -0.47 | 676.25 | 01 | 06 | 4 | |
| | P | 9/23/1981 | -102.02 | -0.27 | 675.98 | 01 | 06 | 4 | |
| | P | 9/24/1981 | -102.18 | -0.16 | 675.82 | 01 | 06 | 4 | |
| | P | 9/30/1981 | -104.57 | -2.39 | 673.43 | 01 | 06 | 4 | |
| | P | 10/ 1/1981 | -104.35 | 0.22 | 673.65 | 01 | 06 | 4 | |
| | P | 10/ 2/1981 | -104.24 | 0.11 | 673.76 | 01 | 06 | 4 | |
| | P | 10/ 3/1981 | -104.17 | 0.07 | 673.83 | 01 | 06 | 4 | |
| | P | 10/ 4/1981 | -104.41 | -0.24 | 673.59 | 01 | 06 | 4 | |
| | P | 10/ 5/1981 | -104.61 | -0.2 | 673.39 | 01 | 06 | 4 | |
| | P | 10/ 6/1981 | -103.99 | 0.62 | 674.01 | 01 | 06 | 4 | |
| | P | 10/ 7/1981 | -99.42 | 4.57 | 678.58 | 01 | 06 | 4 | |
| | P | 10/ 8/1981 | -98.57 | 0.85 | 679.43 | 01 | 06 | 4 | |
| | P | 10/ 9/1981 | -98.23 | 0.34 | 679.77 | 01 | 06 | 4 | |
| | P | 10/10/1981 | -97.9 | 0.33 | 680.1 | 01 | 06 | 4 | |
| | P | 10/11/1981 | -97.78 | 0.12 | 680.22 | 01 | 06 | 4 | |
| | P | 10/12/1981 | -97.89 | -0.11 | 680.11 | 01 | 06 | 4 | |
| | P | 10/13/1981 | -98.02 | -0.13 | 679.98 | 01 | 06 | 4 | |
| | P | 10/14/1981 | -98.32 | -0.3 | 679.68 | 01 | 06 | 4 | |
| | P | 10/15/1981 | -98.33 | -0.01 | 679.67 | 01 | 06 | 4 | |
| | P | 10/16/1981 | -98.54 | -0.21 | 679.46 | 01 | 06 | 4 | |
| | P | 10/17/1981 | -98.62 | -0.08 | 679.38 | 01 | 06 | 4 | |
| | P | 10/18/1981 | -98.54 | 0.08 | 679.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 19/ 1981 | -98.66 | -0.12 | 679.34 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1981 | -98.74 | -0.08 | 679.26 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1981 | -98.88 | -0.14 | 679.12 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1981 | -98.7 | 0.18 | 679.3 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1981 | -98.52 | 0.18 | 679.48 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1981 | -98.25 | 0.27 | 679.75 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1981 | -98 | 0.25 | 680 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1981 | -98.18 | -0.18 | 679.82 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1981 | -98.33 | -0.15 | 679.67 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1981 | -98.5 | -0.17 | 679.5 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1981 | -98.7 | -0.2 | 679.3 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1981 | -98.72 | -0.02 | 679.28 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1981 | -96.58 | 2.14 | 681.42 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1981 | -94.89 | 1.69 | 683.11 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1981 | -94.48 | 0.41 | 683.52 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1981 | -94.42 | 0.06 | 683.58 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1981 | -94.21 | 0.21 | 683.79 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1981 | -94.22 | -0.01 | 683.78 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1981 | -94.41 | -0.19 | 683.59 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1981 | -94.42 | -0.01 | 683.58 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1981 | -94.31 | 0.11 | 683.69 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1981 | -94.24 | 0.07 | 683.76 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1981 | -94.42 | -0.18 | 683.58 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1981 | -94.46 | -0.04 | 683.54 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1981 | -94.6 | -0.14 | 683.4 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1981 | -94.78 | -0.18 | 683.22 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1981 | -94.78 | | 683.22 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1981 | -94.88 | -0.1 | 683.12 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1981 | -95.11 | -0.23 | 682.89 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1981 | -95.59 | -0.48 | 682.41 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1981 | -95.79 | -0.2 | 682.21 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1981 | -96.09 | -0.3 | 681.91 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1981 | -96.17 | -0.08 | 681.83 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1981 | -96.17 | | 681.83 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1981 | -95.9 | 0.27 | 682.1 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1981 | -96.17 | -0.27 | 681.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/24/1981 | -96.45 | -0.28 | 681.55 | 01 | 06 | 4 | |
| | P | 11/25/1981 | -96.6 | -0.15 | 681.4 | 01 | 06 | 4 | |
| | P | 11/26/1981 | -96.69 | -0.09 | 681.31 | 01 | 06 | 4 | |
| | P | 11/27/1981 | -96.54 | 0.15 | 681.46 | 01 | 06 | 4 | |
| | P | 11/28/1981 | -96.66 | -0.12 | 681.34 | 01 | 06 | 4 | |
| | P | 11/29/1981 | -96.53 | 0.13 | 681.47 | 01 | 06 | 4 | |
| | P | 11/30/1981 | -96.63 | -0.1 | 681.37 | 01 | 06 | 4 | |
| | P | 12/ 1/1981 | -96.82 | -0.19 | 681.18 | 01 | 06 | 4 | |
| | P | 12/ 2/1981 | -96.89 | -0.07 | 681.11 | 01 | 06 | 4 | |
| | P | 12/ 3/1981 | -97.04 | -0.15 | 680.96 | 01 | 06 | 4 | |
| | P | 12/ 4/1981 | -97.32 | -0.28 | 680.68 | 01 | 06 | 4 | |
| | P | 12/ 5/1981 | -97.19 | 0.13 | 680.81 | 01 | 06 | 4 | |
| | P | 12/ 6/1981 | -97.12 | 0.07 | 680.88 | 01 | 06 | 4 | |
| | P | 12/ 7/1981 | -96.9 | 0.22 | 681.1 | 01 | 06 | 4 | |
| | P | 12/ 8/1981 | -97.01 | -0.11 | 680.99 | 01 | 06 | 4 | |
| | P | 12/ 9/1981 | -97.12 | -0.11 | 680.88 | 01 | 06 | 4 | |
| | P | 12/10/1981 | -96.58 | 0.54 | 681.42 | 01 | 06 | 4 | |
| | P | 1/ 5/1982 | -98.72 | -2.14 | 679.28 | 01 | 06 | 4 | |
| | P | 1/ 6/1982 | -98.55 | 0.17 | 679.45 | 01 | 06 | 4 | |
| | P | 1/ 7/1982 | -98.74 | -0.19 | 679.26 | 01 | 06 | 4 | |
| | P | 2/ 8/1982 | -102.14 | -3.4 | 675.86 | 01 | 06 | 4 | |
| | P | 2/ 9/1982 | -101.97 | 0.17 | 676.03 | 01 | 06 | 4 | |
| | P | 3/ 4/1982 | -103.87 | -1.9 | 674.13 | 01 | 06 | 4 | |
| | P | 3/ 5/1982 | -103.2 | 0.67 | 674.8 | 01 | 06 | 4 | |
| | P | 3/ 6/1982 | -103.1 | 0.1 | 674.9 | 01 | 06 | 4 | |
| | P | 3/ 7/1982 | -102.99 | 0.11 | 675.01 | 01 | 06 | 4 | |
| | P | 3/ 8/1982 | -103.25 | -0.26 | 674.75 | 01 | 06 | 4 | |
| | P | 3/ 9/1982 | -103.33 | -0.08 | 674.67 | 01 | 06 | 4 | |
| | P | 3/10/1982 | -103.61 | -0.28 | 674.39 | 01 | 06 | 4 | |
| | P | 3/11/1982 | -103.4 | 0.21 | 674.6 | 01 | 06 | 4 | |
| | P | 3/12/1982 | -103.85 | -0.45 | 674.15 | 01 | 06 | 4 | |
| | P | 3/13/1982 | -103.9 | -0.05 | 674.1 | 01 | 06 | 4 | |
| | P | 3/14/1982 | -103.73 | 0.17 | 674.27 | 01 | 06 | 4 | |
| | P | 3/15/1982 | -104.12 | -0.39 | 673.88 | 01 | 06 | 4 | |
| | P | 3/16/1982 | -104.2 | -0.08 | 673.8 | 01 | 06 | 4 | |
| | P | 3/17/1982 | -104.26 | -0.06 | 673.74 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/18/1982 | -104.42 | -0.16 | 673.58 | 01 | 06 | 4 | |
| | P | 3/19/1982 | -105 | -0.58 | 673 | 01 | 06 | 4 | |
| | P | 3/20/1982 | -105.36 | -0.36 | 672.64 | 01 | 06 | 4 | |
| | P | 3/21/1982 | -105.08 | 0.28 | 672.92 | 01 | 06 | 4 | |
| | P | 3/22/1982 | -104.71 | 0.37 | 673.29 | 01 | 06 | 4 | |
| | P | 3/23/1982 | -104.15 | 0.56 | 673.85 | 01 | 06 | 4 | |
| | P | 3/24/1982 | -104.17 | -0.02 | 673.83 | 01 | 06 | 4 | |
| | P | 3/25/1982 | -103.97 | 0.2 | 674.03 | 01 | 06 | 4 | |
| | P | 3/26/1982 | -104.33 | -0.36 | 673.67 | 01 | 06 | 4 | |
| | P | 3/27/1982 | -103.83 | 0.5 | 674.17 | 01 | 06 | 4 | |
| | P | 3/28/1982 | -103.52 | 0.31 | 674.48 | 01 | 06 | 4 | |
| | P | 3/29/1982 | -103.63 | -0.11 | 674.37 | 01 | 06 | 4 | |
| | P | 3/30/1982 | -103.36 | 0.27 | 674.64 | 01 | 06 | 4 | |
| | P | 3/31/1982 | -103.73 | -0.37 | 674.27 | 01 | 06 | 4 | |
| | P | 4/ 1/1982 | -104.3 | -0.57 | 673.7 | 01 | 06 | 4 | |
| | P | 4/ 2/1982 | -104 | 0.3 | 674 | 01 | 06 | 4 | |
| | P | 4/ 3/1982 | -104.3 | -0.3 | 673.7 | 01 | 06 | 4 | |
| | P | 4/ 4/1982 | -104.91 | -0.61 | 673.09 | 01 | 06 | 4 | |
| | P | 4/ 5/1982 | -104.81 | 0.1 | 673.19 | 01 | 06 | 4 | |
| | P | 4/ 6/1982 | -105.64 | -0.83 | 672.36 | 01 | 06 | 4 | |
| | P | 4/ 7/1982 | -105.82 | -0.18 | 672.18 | 01 | 06 | 4 | |
| | P | 4/ 8/1982 | -105.45 | 0.37 | 672.55 | 01 | 06 | 4 | |
| | P | 4/ 9/1982 | -106.41 | -0.96 | 671.59 | 01 | 06 | 4 | |
| | P | 4/10/1982 | -105.72 | 0.69 | 672.28 | 01 | 06 | 4 | |
| | P | 4/11/1982 | -106.1 | -0.38 | 671.9 | 01 | 06 | 4 | |
| | P | 4/12/1982 | -106.21 | -0.11 | 671.79 | 01 | 06 | 4 | |
| | P | 4/13/1982 | -107.2 | -0.99 | 670.8 | 01 | 06 | 4 | |
| | P | 4/14/1982 | -108.39 | -1.19 | 669.61 | 01 | 06 | 4 | |
| | P | 4/15/1982 | -108.22 | 0.17 | 669.78 | 01 | 06 | 4 | |
| | P | 4/16/1982 | -108.8 | -0.58 | 669.2 | 01 | 06 | 4 | |
| | P | 4/17/1982 | -109.02 | -0.22 | 668.98 | 01 | 06 | 4 | |
| | P | 4/18/1982 | -109 | 0.02 | 669 | 01 | 06 | 4 | |
| | P | 4/19/1982 | -108.63 | 0.37 | 669.37 | 01 | 06 | 4 | |
| | P | 4/20/1982 | -108.74 | -0.11 | 669.26 | 01 | 06 | 4 | |
| | P | 4/21/1982 | -108.67 | 0.07 | 669.33 | 01 | 06 | 4 | |
| | P | 4/22/1982 | -108.19 | 0.48 | 669.81 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 23/ 1982 | -107.83 | 0.36 | 670.17 | 01 | 06 | 4 | |
| | P | 4/ 24/ 1982 | -106.86 | 0.97 | 671.14 | 01 | 06 | 4 | |
| | P | 4/ 25/ 1982 | -106.4 | 0.46 | 671.6 | 01 | 06 | 4 | |
| | P | 4/ 26/ 1982 | -106.31 | 0.09 | 671.69 | 01 | 06 | 4 | |
| | P | 4/ 27/ 1982 | -106.99 | -0.68 | 671.01 | 01 | 06 | 4 | |
| | P | 4/ 28/ 1982 | -107.18 | -0.19 | 670.82 | 01 | 06 | 4 | |
| | P | 4/ 29/ 1982 | -107.83 | -0.65 | 670.17 | 01 | 06 | 4 | |
| | P | 4/ 30/ 1982 | -107.78 | 0.05 | 670.22 | 01 | 06 | 4 | |
| | P | 5/ 1/ 1982 | -107.32 | 0.46 | 670.68 | 01 | 06 | 4 | |
| | P | 5/ 2/ 1982 | -106.71 | 0.61 | 671.29 | 01 | 06 | 4 | |
| | P | 5/ 3/ 1982 | -106.85 | -0.14 | 671.15 | 01 | 06 | 4 | |
| | P | 5/ 4/ 1982 | -107.5 | -0.65 | 670.5 | 01 | 06 | 4 | |
| | P | 5/ 5/ 1982 | -107.65 | -0.15 | 670.35 | 01 | 06 | 4 | |
| | P | 5/ 6/ 1982 | -102.12 | 5.53 | 675.88 | 01 | 06 | 4 | |
| | P | 5/ 7/ 1982 | -100.72 | 1.4 | 677.28 | 01 | 06 | 4 | |
| | P | 5/ 8/ 1982 | -100.41 | 0.31 | 677.59 | 01 | 06 | 4 | |
| | P | 5/ 9/ 1982 | -100.09 | 0.32 | 677.91 | 01 | 06 | 4 | |
| | P | 5/ 10/ 1982 | -100.05 | 0.04 | 677.95 | 01 | 06 | 4 | |
| | P | 5/ 11/ 1982 | -100.34 | -0.29 | 677.66 | 01 | 06 | 4 | |
| | P | 5/ 12/ 1982 | -100.16 | 0.18 | 677.84 | 01 | 06 | 4 | |
| | P | 5/ 13/ 1982 | -99.1 | 1.06 | 678.9 | 01 | 06 | 4 | |
| | P | 5/ 14/ 1982 | -98 | 1.1 | 680 | 01 | 06 | 4 | |
| | P | 5/ 15/ 1982 | -97.64 | 0.36 | 680.36 | 01 | 06 | 4 | |
| | P | 5/ 16/ 1982 | -97.3 | 0.34 | 680.7 | 01 | 06 | 4 | |
| | P | 5/ 17/ 1982 | -95.71 | 1.59 | 682.29 | 01 | 06 | 4 | |
| | P | 5/ 18/ 1982 | -95.18 | 0.53 | 682.82 | 01 | 06 | 4 | |
| | P | 5/ 19/ 1982 | -94.73 | 0.45 | 683.27 | 01 | 06 | 4 | |
| | P | 5/ 20/ 1982 | -94.51 | 0.22 | 683.49 | 01 | 06 | 4 | |
| | P | 5/ 21/ 1982 | -94.5 | 0.01 | 683.5 | 01 | 06 | 4 | |
| | P | 5/ 22/ 1982 | -94.36 | 0.14 | 683.64 | 01 | 06 | 4 | |
| | P | 5/ 23/ 1982 | -94.88 | -0.52 | 683.12 | 01 | 06 | 4 | |
| | P | 5/ 24/ 1982 | -94.9 | -0.02 | 683.1 | 01 | 06 | 4 | |
| | P | 5/ 25/ 1982 | -94.61 | 0.29 | 683.39 | 01 | 06 | 4 | |
| | P | 5/ 26/ 1982 | -94.99 | -0.38 | 683.01 | 01 | 06 | 4 | |
| | P | 5/ 27/ 1982 | -95.23 | -0.24 | 682.77 | 01 | 06 | 4 | |
| | P | 5/ 28/ 1982 | -95.73 | -0.5 | 682.27 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/29/1982 | -95.99 | -0.26 | 682.01 | 01 | 06 | 4 | |
| | P | 5/30/1982 | -95.74 | 0.25 | 682.26 | 01 | 06 | 4 | |
| | P | 5/31/1982 | -96.12 | -0.38 | 681.88 | 01 | 06 | 4 | |
| | P | 6/ 1/1982 | -97.9 | -1.78 | 680.1 | 01 | 06 | 4 | |
| | P | 6/ 2/1982 | -98.95 | -1.05 | 679.05 | 01 | 06 | 4 | |
| | P | 6/ 3/1982 | -100.19 | -1.24 | 677.81 | 01 | 06 | 4 | |
| | P | 6/ 4/1982 | -101.24 | -1.05 | 676.76 | 01 | 06 | 4 | |
| | P | 6/ 5/1982 | -102.05 | -0.81 | 675.95 | 01 | 06 | 4 | |
| | P | 6/ 6/1982 | -103.36 | -1.31 | 674.64 | 01 | 06 | 4 | |
| | P | 6/ 7/1982 | -104.17 | -0.81 | 673.83 | 01 | 06 | 4 | |
| | P | 6/ 8/1982 | -105.29 | -1.12 | 672.71 | 01 | 06 | 4 | |
| | P | 6/ 9/1982 | -106.33 | -1.04 | 671.67 | 01 | 06 | 4 | |
| | P | 6/10/1982 | -107.54 | -1.21 | 670.46 | 01 | 06 | 4 | |
| | P | 6/11/1982 | -108.32 | -0.78 | 669.68 | 01 | 06 | 4 | |
| | P | 6/12/1982 | -107.07 | 1.25 | 670.93 | 01 | 06 | 4 | |
| | P | 6/13/1982 | -105.99 | 1.08 | 672.01 | 01 | 06 | 4 | |
| | P | 6/14/1982 | -105.7 | 0.29 | 672.3 | 01 | 06 | 4 | |
| | P | 6/15/1982 | -105.12 | 0.58 | 672.88 | 01 | 06 | 4 | |
| | P | 6/16/1982 | -105.33 | -0.21 | 672.67 | 01 | 06 | 4 | |
| | P | 6/17/1982 | -105.63 | -0.3 | 672.37 | 01 | 06 | 4 | |
| | P | 6/18/1982 | -106.41 | -0.78 | 671.59 | 01 | 06 | 4 | |
| | P | 6/19/1982 | -107.11 | -0.7 | 670.89 | 01 | 06 | 4 | |
| | P | 6/20/1982 | -107.64 | -0.53 | 670.36 | 01 | 06 | 4 | |
| | P | 6/21/1982 | -107.67 | -0.03 | 670.33 | 01 | 06 | 4 | |
| | P | 6/22/1982 | -109.6 | -1.93 | 668.4 | 01 | 06 | 4 | |
| | P | 6/23/1982 | -110.9 | -1.3 | 667.1 | 01 | 06 | 4 | |
| | P | 6/24/1982 | -112.34 | -1.44 | 665.66 | 01 | 06 | 4 | |
| | P | 6/25/1982 | -113.2 | -0.86 | 664.8 | 01 | 06 | 4 | |
| | P | 6/26/1982 | -113.67 | -0.47 | 664.33 | 01 | 06 | 4 | |
| | P | 6/27/1982 | -114.39 | -0.72 | 663.61 | 01 | 06 | 4 | |
| | P | 6/28/1982 | -114.88 | -0.49 | 663.12 | 01 | 06 | 4 | |
| | P | 6/29/1982 | -115.79 | -0.91 | 662.21 | 01 | 06 | 4 | |
| | P | 6/30/1982 | -116.52 | -0.73 | 661.48 | 01 | 06 | 4 | |
| | P | 7/ 1/1982 | -115.01 | 1.51 | 662.99 | 01 | 06 | 4 | |
| | P | 7/ 2/1982 | -114.21 | 0.8 | 663.79 | 01 | 06 | 4 | |
| | P | 7/ 3/1982 | -114.09 | 0.12 | 663.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 4/1982 | -113.8 | 0.29 | 664.2 | 01 | 06 | 4 | |
| | P | 7/ 5/1982 | -113.51 | 0.29 | 664.49 | 01 | 06 | 4 | |
| | P | 7/ 6/1982 | -113.79 | -0.28 | 664.21 | 01 | 06 | 4 | |
| | P | 7/ 7/1982 | -114.6 | -0.81 | 663.4 | 01 | 06 | 4 | |
| | P | 7/ 8/1982 | -115.36 | -0.76 | 662.64 | 01 | 06 | 4 | |
| | P | 7/ 9/1982 | -116.19 | -0.83 | 661.81 | 01 | 06 | 4 | |
| | P | 7/10/1982 | -116.8 | -0.61 | 661.2 | 01 | 06 | 4 | |
| | P | 7/11/1982 | -117.24 | -0.44 | 660.76 | 01 | 06 | 4 | |
| | P | 7/12/1982 | -117.75 | -0.51 | 660.25 | 01 | 06 | 4 | |
| | P | 7/13/1982 | -118.17 | -0.42 | 659.83 | 01 | 06 | 4 | |
| | P | 7/14/1982 | -118.78 | -0.61 | 659.22 | 01 | 06 | 4 | |
| | P | 7/15/1982 | -119.45 | -0.67 | 658.55 | 01 | 06 | 4 | |
| | P | 7/16/1982 | -119.86 | -0.41 | 658.14 | 01 | 06 | 4 | |
| | P | 7/17/1982 | -120.01 | -0.15 | 657.99 | 01 | 06 | 4 | |
| | P | 7/18/1982 | -120.17 | -0.16 | 657.83 | 01 | 06 | 4 | |
| | P | 7/19/1982 | -120.5 | -0.33 | 657.5 | 01 | 06 | 4 | |
| | P | 7/20/1982 | -120.63 | -0.13 | 657.37 | 01 | 06 | 4 | |
| | P | 7/21/1982 | -121.72 | -1.09 | 656.28 | 01 | 06 | 4 | |
| | P | 7/22/1982 | -122.12 | -0.4 | 655.88 | 01 | 06 | 4 | |
| | P | 7/23/1982 | -121.05 | 1.07 | 656.95 | 01 | 06 | 4 | |
| | P | 7/24/1982 | -120.81 | 0.24 | 657.19 | 01 | 06 | 4 | |
| | P | 7/25/1982 | -121.69 | -0.88 | 656.31 | 01 | 06 | 4 | |
| | P | 7/26/1982 | -122.41 | -0.72 | 655.59 | 01 | 06 | 4 | |
| | P | 7/27/1982 | -123.58 | -1.17 | 654.42 | 01 | 06 | 4 | |
| | P | 7/28/1982 | -124.32 | -0.74 | 653.68 | 01 | 06 | 4 | |
| | P | 7/29/1982 | -125.13 | -0.81 | 652.87 | 01 | 06 | 4 | |
| | P | 7/30/1982 | -125.65 | -0.52 | 652.35 | 01 | 06 | 4 | |
| | P | 7/31/1982 | -125.43 | 0.22 | 652.57 | 01 | 06 | 4 | |
| | P | 8/ 1/1982 | -125.91 | -0.48 | 652.09 | 01 | 06 | 4 | |
| | P | 8/ 2/1982 | -126.6 | -0.69 | 651.4 | 01 | 06 | 4 | |
| | P | 8/ 3/1982 | -126.93 | -0.33 | 651.07 | 01 | 06 | 4 | |
| | P | 8/ 4/1982 | -127.31 | -0.38 | 650.69 | 01 | 06 | 4 | |
| | P | 8/ 5/1982 | -127.93 | -0.62 | 650.07 | 01 | 06 | 4 | |
| | P | 8/ 6/1982 | -128.55 | -0.62 | 649.45 | 01 | 06 | 4 | |
| | P | 8/ 7/1982 | -128.27 | 0.28 | 649.73 | 01 | 06 | 4 | |
| | P | 8/ 8/1982 | -127.08 | 1.19 | 650.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 9/1982 | -124.81 | 2.27 | 653.19 | 01 | 06 | 4 | |
| | P | 8/10/1982 | -123.85 | 0.96 | 654.15 | 01 | 06 | 4 | |
| | P | 8/11/1982 | -123.17 | 0.68 | 654.83 | 01 | 06 | 4 | |
| | P | 8/12/1982 | -122.9 | 0.27 | 655.1 | 01 | 06 | 4 | |
| | P | 8/13/1982 | -123.54 | -0.64 | 654.46 | 01 | 06 | 4 | |
| | P | 8/14/1982 | -123.7 | -0.16 | 654.3 | 01 | 06 | 4 | |
| | P | 8/15/1982 | -124.02 | -0.32 | 653.98 | 01 | 06 | 4 | |
| | P | 8/16/1982 | -124.73 | -0.71 | 653.27 | 01 | 06 | 4 | |
| | P | 8/17/1982 | -125.53 | -0.8 | 652.47 | 01 | 06 | 4 | |
| | P | 8/18/1982 | -125.86 | -0.33 | 652.14 | 01 | 06 | 4 | |
| | P | 8/19/1982 | -125.37 | 0.49 | 652.63 | 01 | 06 | 4 | |
| | P | 8/20/1982 | -125.89 | -0.52 | 652.11 | 01 | 06 | 4 | |
| | P | 8/21/1982 | -125.42 | 0.47 | 652.58 | 01 | 06 | 4 | |
| | P | 8/22/1982 | -125.98 | -0.56 | 652.02 | 01 | 06 | 4 | |
| | P | 8/23/1982 | -126.62 | -0.64 | 651.38 | 01 | 06 | 4 | |
| | P | 8/24/1982 | -127.25 | -0.63 | 650.75 | 01 | 06 | 4 | |
| | P | 8/25/1982 | -127.71 | -0.46 | 650.29 | 01 | 06 | 4 | |
| | P | 8/26/1982 | -128 | -0.29 | 650 | 01 | 06 | 4 | |
| | P | 8/27/1982 | -128.01 | -0.01 | 649.99 | 01 | 06 | 4 | |
| | P | 8/28/1982 | -127.99 | 0.02 | 650.01 | 01 | 06 | 4 | |
| | P | 8/29/1982 | -128.81 | -0.82 | 649.19 | 01 | 06 | 4 | |
| | P | 8/30/1982 | -129.09 | -0.28 | 648.91 | 01 | 06 | 4 | |
| | P | 8/31/1982 | -129.08 | 0.01 | 648.92 | 01 | 06 | 4 | |
| | P | 9/ 1/1982 | -129.33 | -0.25 | 648.67 | 01 | 06 | 4 | |
| | P | 9/ 2/1982 | -129.57 | -0.24 | 648.43 | 01 | 06 | 4 | |
| | P | 9/ 3/1982 | -129.81 | -0.24 | 648.19 | 01 | 06 | 4 | |
| | P | 9/ 4/1982 | -128.62 | 1.19 | 649.38 | 01 | 06 | 4 | |
| | P | 9/ 5/1982 | -128.89 | -0.27 | 649.11 | 01 | 06 | 4 | |
| | P | 9/ 6/1982 | -129 | -0.11 | 649 | 01 | 06 | 4 | |
| | P | 9/ 7/1982 | -130.12 | -1.12 | 647.88 | 01 | 06 | 4 | |
| | P | 9/ 8/1982 | -129 | 1.12 | 649 | 01 | 06 | 4 | |
| | P | 9/ 9/1982 | -129.27 | -0.27 | 648.73 | 01 | 06 | 4 | |
| | P | 9/10/1982 | -129.14 | 0.13 | 648.86 | 01 | 06 | 4 | |
| | P | 9/11/1982 | -128.83 | 0.31 | 649.17 | 01 | 06 | 4 | |
| | P | 9/12/1982 | -129.54 | -0.71 | 648.46 | 01 | 06 | 4 | |
| | P | 9/13/1982 | -129.32 | 0.22 | 648.68 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/14/1982 | -127.63 | 1.69 | 650.37 | 01 | 06 | 4 | |
| | P | 9/15/1982 | -126.94 | 0.69 | 651.06 | 01 | 06 | 4 | |
| | P | 9/16/1982 | -125.74 | 1.2 | 652.26 | 01 | 06 | 4 | |
| | P | 9/17/1982 | -125.12 | 0.62 | 652.88 | 01 | 06 | 4 | |
| | P | 9/18/1982 | -125.25 | -0.13 | 652.75 | 01 | 06 | 4 | |
| | P | 9/19/1982 | -125.23 | 0.02 | 652.77 | 01 | 06 | 4 | |
| | P | 9/20/1982 | -125.09 | 0.14 | 652.91 | 01 | 06 | 4 | |
| | P | 9/21/1982 | -124.65 | 0.44 | 653.35 | 01 | 06 | 4 | |
| | P | 9/22/1982 | -124.08 | 0.57 | 653.92 | 01 | 06 | 4 | |
| | P | 9/23/1982 | -124.22 | -0.14 | 653.78 | 01 | 06 | 4 | |
| | P | 9/24/1982 | -124.46 | -0.24 | 653.54 | 01 | 06 | 4 | |
| | P | 9/25/1982 | -124.52 | -0.06 | 653.48 | 01 | 06 | 4 | |
| | P | 9/26/1982 | -124.67 | -0.15 | 653.33 | 01 | 06 | 4 | |
| | P | 9/27/1982 | -125.24 | -0.57 | 652.76 | 01 | 06 | 4 | |
| | P | 9/28/1982 | -125.46 | -0.22 | 652.54 | 01 | 06 | 4 | |
| | P | 9/29/1982 | -125.71 | -0.25 | 652.29 | 01 | 06 | 4 | |
| | P | 9/30/1982 | -125.76 | -0.05 | 652.24 | 01 | 06 | 4 | |
| | P | 10/ 1/1982 | -129.01 | -3.25 | 648.99 | 01 | 06 | 4 | |
| | P | 10/ 2/1982 | -124.12 | 4.89 | 653.88 | 01 | 06 | 4 | |
| | P | 10/ 3/1982 | -124.6 | -0.48 | 653.4 | 01 | 06 | 4 | |
| | P | 10/ 4/1982 | -125.16 | -0.56 | 652.84 | 01 | 06 | 4 | |
| | P | 10/ 5/1982 | -125.79 | -0.63 | 652.21 | 01 | 06 | 4 | |
| | P | 10/ 6/1982 | -124.99 | 0.8 | 653.01 | 01 | 06 | 4 | |
| | P | 10/ 7/1982 | -124.08 | 0.91 | 653.92 | 01 | 06 | 4 | |
| | P | 10/ 8/1982 | -123.04 | 1.04 | 654.96 | 01 | 06 | 4 | |
| | P | 10/ 9/1982 | -120.49 | 2.55 | 657.51 | 01 | 06 | 4 | |
| | P | 10/10/1982 | -121.41 | -0.92 | 656.59 | 01 | 06 | 4 | |
| | P | 10/11/1982 | -120.95 | 0.46 | 657.05 | 01 | 06 | 4 | |
| | P | 10/12/1982 | -120.37 | 0.58 | 657.63 | 01 | 06 | 4 | |
| | P | 10/13/1982 | -120.17 | 0.2 | 657.83 | 01 | 06 | 4 | |
| | P | 10/14/1982 | -119.98 | 0.19 | 658.02 | 01 | 06 | 4 | |
| | P | 10/15/1982 | -119.62 | 0.36 | 658.38 | 01 | 06 | 4 | |
| | P | 10/16/1982 | -119.27 | 0.35 | 658.73 | 01 | 06 | 4 | |
| | P | 10/17/1982 | -119.22 | 0.05 | 658.78 | 01 | 06 | 4 | |
| | P | 10/18/1982 | -119.06 | 0.16 | 658.94 | 01 | 06 | 4 | |
| | P | 10/19/1982 | -119.23 | -0.17 | 658.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 20/ 1982 | -119.36 | -0.13 | 658.64 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1982 | -119.05 | 0.31 | 658.95 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1982 | -119.28 | -0.23 | 658.72 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1982 | -118.96 | 0.32 | 659.04 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1982 | -118.96 | | 659.04 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1982 | -119.28 | -0.32 | 658.72 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1982 | -119.12 | 0.16 | 658.88 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1982 | -119.21 | -0.09 | 658.79 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1982 | -119.3 | -0.09 | 658.7 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1982 | -119.5 | -0.2 | 658.5 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1982 | -118.72 | 0.78 | 659.28 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1982 | -118.26 | 0.46 | 659.74 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1982 | -118.61 | -0.35 | 659.39 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1982 | -118.72 | -0.11 | 659.28 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1982 | -117.91 | 0.81 | 660.09 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1982 | -117.59 | 0.32 | 660.41 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1982 | -117.41 | 0.18 | 660.59 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1982 | -116.86 | 0.55 | 661.14 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1982 | -116.76 | 0.1 | 661.24 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1982 | -116.68 | 0.08 | 661.32 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1982 | -116.85 | -0.17 | 661.15 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1982 | -117.07 | -0.22 | 660.93 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1982 | -116.59 | 0.48 | 661.41 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1982 | -116.45 | 0.14 | 661.55 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1982 | -116.59 | -0.14 | 661.41 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1982 | -116.36 | 0.23 | 661.64 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1982 | -116.65 | -0.29 | 661.35 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1982 | -116.24 | 0.41 | 661.76 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1982 | -116.33 | -0.09 | 661.67 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1982 | -116.18 | 0.15 | 661.82 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1982 | -116.22 | -0.04 | 661.78 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1982 | -116.01 | 0.21 | 661.99 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1982 | -115.88 | 0.13 | 662.12 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1982 | -116.04 | -0.16 | 661.96 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1982 | -116.27 | -0.23 | 661.73 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1982 | -115.99 | 0.28 | 662.01 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/25/1982 | -115.42 | 0.57 | 662.58 | 01 | 06 | 4 | |
| | P | 11/26/1982 | -114.11 | 1.31 | 663.89 | 01 | 06 | 4 | |
| | P | 11/27/1982 | -113.2 | 0.91 | 664.8 | 01 | 06 | 4 | |
| | P | 11/28/1982 | -112.87 | 0.33 | 665.13 | 01 | 06 | 4 | |
| | P | 11/29/1982 | -112.77 | 0.1 | 665.23 | 01 | 06 | 4 | |
| | P | 11/30/1982 | -113.34 | -0.57 | 664.66 | 01 | 06 | 4 | |
| | P | 12/ 1/1982 | -113.34 | | 664.66 | 01 | 06 | 4 | |
| | P | 12/ 2/1982 | -113.58 | -0.24 | 664.42 | 01 | 06 | 4 | |
| | P | 12/ 3/1982 | -113.36 | 0.22 | 664.64 | 01 | 06 | 4 | |
| | P | 12/ 4/1982 | -113.03 | 0.33 | 664.97 | 01 | 06 | 4 | |
| | P | 12/ 5/1982 | -112.88 | 0.15 | 665.12 | 01 | 06 | 4 | |
| | P | 12/ 6/1982 | -113.13 | -0.25 | 664.87 | 01 | 06 | 4 | |
| | P | 12/ 7/1982 | -113.2 | -0.07 | 664.8 | 01 | 06 | 4 | |
| | P | 12/ 8/1982 | -113.4 | -0.2 | 664.6 | 01 | 06 | 4 | |
| | P | 12/ 9/1982 | -113.35 | 0.05 | 664.65 | 01 | 06 | 4 | |
| | P | 12/10/1982 | -112.95 | 0.4 | 665.05 | 01 | 06 | 4 | |
| | P | 12/11/1982 | -112.61 | 0.34 | 665.39 | 01 | 06 | 4 | |
| | P | 12/12/1982 | -112.5 | 0.11 | 665.5 | 01 | 06 | 4 | |
| | P | 12/13/1982 | -112.65 | -0.15 | 665.35 | 01 | 06 | 4 | |
| | P | 12/14/1982 | -112.5 | 0.15 | 665.5 | 01 | 06 | 4 | |
| | P | 12/15/1982 | -112.67 | -0.17 | 665.33 | 01 | 06 | 4 | |
| | P | 12/16/1982 | -112.8 | -0.13 | 665.2 | 01 | 06 | 4 | |
| | P | 12/17/1982 | -112.78 | 0.02 | 665.22 | 01 | 06 | 4 | |
| | P | 12/18/1982 | -112.59 | 0.19 | 665.41 | 01 | 06 | 4 | |
| | P | 12/19/1982 | -112.46 | 0.13 | 665.54 | 01 | 06 | 4 | |
| | P | 12/20/1982 | -112.52 | -0.06 | 665.48 | 01 | 06 | 4 | |
| | P | 12/21/1982 | -112.51 | 0.01 | 665.49 | 01 | 06 | 4 | |
| | P | 12/22/1982 | -112.9 | -0.39 | 665.1 | 01 | 06 | 4 | |
| | P | 12/23/1982 | -112.69 | 0.21 | 665.31 | 01 | 06 | 4 | |
| | P | 12/24/1982 | -112.62 | 0.07 | 665.38 | 01 | 06 | 4 | |
| | P | 12/25/1982 | -112.54 | 0.08 | 665.46 | 01 | 06 | 4 | |
| | P | 12/26/1982 | -112.04 | 0.5 | 665.96 | 01 | 06 | 4 | |
| | P | 12/27/1982 | -111.96 | 0.08 | 666.04 | 01 | 06 | 4 | |
| | P | 12/28/1982 | -112.1 | -0.14 | 665.9 | 01 | 06 | 4 | |
| | P | 12/29/1982 | -112.07 | 0.03 | 665.93 | 01 | 06 | 4 | |
| | P | 12/30/1982 | -112.22 | -0.15 | 665.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/31/1982 | -111.81 | 0.41 | 666.19 | 01 | 06 | 4 | |
| | P | 1/ 1/1983 | -111.43 | 0.38 | 666.57 | 01 | 06 | 4 | |
| | P | 1/ 2/1983 | -111.16 | 0.27 | 666.84 | 01 | 06 | 4 | |
| | P | 1/ 3/1983 | -111.35 | -0.19 | 666.65 | 01 | 06 | 4 | |
| | P | 1/ 4/1983 | -111.42 | -0.07 | 666.58 | 01 | 06 | 4 | |
| | P | 1/ 5/1983 | -111.39 | 0.03 | 666.61 | 01 | 06 | 4 | |
| | P | 1/ 6/1983 | -111.5 | -0.11 | 666.5 | 01 | 06 | 4 | |
| | P | 1/ 7/1983 | -111.72 | -0.22 | 666.28 | 01 | 06 | 4 | |
| | P | 1/ 8/1983 | -111.39 | 0.33 | 666.61 | 01 | 06 | 4 | |
| | P | 1/ 9/1983 | -111.28 | 0.11 | 666.72 | 01 | 06 | 4 | |
| | P | 1/10/1983 | -111.34 | -0.06 | 666.66 | 01 | 06 | 4 | |
| | P | 1/11/1983 | -111.64 | -0.3 | 666.36 | 01 | 06 | 4 | |
| | P | 1/12/1983 | -111.94 | -0.3 | 666.06 | 01 | 06 | 4 | |
| | P | 1/13/1983 | -111.94 | | 666.06 | 01 | 06 | 4 | |
| | P | 1/14/1983 | -111.85 | 0.09 | 666.15 | 01 | 06 | 4 | |
| | P | 1/15/1983 | -112.04 | -0.19 | 665.96 | 01 | 06 | 4 | |
| | P | 1/16/1983 | -111.64 | 0.4 | 666.36 | 01 | 06 | 4 | |
| | P | 1/17/1983 | -111.59 | 0.05 | 666.41 | 01 | 06 | 4 | |
| | P | 1/18/1983 | -111.86 | -0.27 | 666.14 | 01 | 06 | 4 | |
| | P | 1/19/1983 | -111.44 | 0.42 | 666.56 | 01 | 06 | 4 | |
| | P | 1/20/1983 | -111.41 | 0.03 | 666.59 | 01 | 06 | 4 | |
| | P | 1/21/1983 | -111.11 | 0.3 | 666.89 | 01 | 06 | 4 | |
| | P | 1/22/1983 | -110.88 | 0.23 | 667.12 | 01 | 06 | 4 | |
| | P | 1/23/1983 | -110.86 | 0.02 | 667.14 | 01 | 06 | 4 | |
| | P | 1/24/1983 | -110.97 | -0.11 | 667.03 | 01 | 06 | 4 | |
| | P | 1/25/1983 | -111.14 | -0.17 | 666.86 | 01 | 06 | 4 | |
| | P | 1/26/1983 | -111.1 | 0.04 | 666.9 | 01 | 06 | 4 | |
| | P | 1/27/1983 | -111.3 | -0.2 | 666.7 | 01 | 06 | 4 | |
| | P | 1/28/1983 | -111.13 | 0.17 | 666.87 | 01 | 06 | 4 | |
| | P | 1/29/1983 | -111.09 | 0.04 | 666.91 | 01 | 06 | 4 | |
| | P | 1/30/1983 | -111.1 | -0.01 | 666.9 | 01 | 06 | 4 | |
| | P | 1/31/1983 | -111.19 | -0.09 | 666.81 | 01 | 06 | 4 | |
| | P | 2/ 1/1983 | -111.31 | -0.12 | 666.69 | 01 | 06 | 4 | |
| | P | 2/ 2/1983 | -111.39 | -0.08 | 666.61 | 01 | 06 | 4 | |
| | P | 2/ 3/1983 | -111.53 | -0.14 | 666.47 | 01 | 06 | 4 | |
| | P | 2/ 4/1983 | -111.62 | -0.09 | 666.38 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 5/1983 | -111.18 | 0.44 | 666.82 | 01 | 06 | 4 | |
| | P | 2/ 6/1983 | -110.99 | 0.19 | 667.01 | 01 | 06 | 4 | |
| | P | 2/ 7/1983 | -111 | -0.01 | 667 | 01 | 06 | 4 | |
| | P | 2/ 8/1983 | -111.06 | -0.06 | 666.94 | 01 | 06 | 4 | |
| | P | 2/ 9/1983 | -111.07 | -0.01 | 666.93 | 01 | 06 | 4 | |
| | P | 2/10/1983 | -111.28 | -0.21 | 666.72 | 01 | 06 | 4 | |
| | P | 2/11/1983 | -111.4 | -0.12 | 666.6 | 01 | 06 | 4 | |
| | P | 2/12/1983 | -111.47 | -0.07 | 666.53 | 01 | 06 | 4 | |
| | P | 2/13/1983 | -111.5 | -0.03 | 666.5 | 01 | 06 | 4 | |
| | P | 2/14/1983 | -111.32 | 0.18 | 666.68 | 01 | 06 | 4 | |
| | P | 2/15/1983 | -111.16 | 0.16 | 666.84 | 01 | 06 | 4 | |
| | P | 2/16/1983 | -110.74 | 0.42 | 667.26 | 01 | 06 | 4 | |
| | P | 2/17/1983 | -110.87 | -0.13 | 667.13 | 01 | 06 | 4 | |
| | P | 2/18/1983 | -110.96 | -0.09 | 667.04 | 01 | 06 | 4 | |
| | P | 2/19/1983 | -110.66 | 0.3 | 667.34 | 01 | 06 | 4 | |
| | P | 2/20/1983 | -110.65 | 0.01 | 667.35 | 01 | 06 | 4 | |
| | P | 2/21/1983 | -110.72 | -0.07 | 667.28 | 01 | 06 | 4 | |
| | P | 2/22/1983 | -111.81 | -1.09 | 666.19 | 01 | 06 | 4 | |
| | P | 2/23/1983 | -110.95 | 0.86 | 667.05 | 01 | 06 | 4 | |
| | P | 2/24/1983 | -111.27 | -0.32 | 666.73 | 01 | 06 | 4 | |
| | P | 2/25/1983 | -111.5 | -0.23 | 666.5 | 01 | 06 | 4 | |
| | P | 2/26/1983 | -111.22 | 0.28 | 666.78 | 01 | 06 | 4 | |
| | P | 2/27/1983 | -111.14 | 0.08 | 666.86 | 01 | 06 | 4 | |
| | P | 2/28/1983 | -111.44 | -0.3 | 666.56 | 01 | 06 | 4 | |
| | P | 3/ 1/1983 | -111.71 | -0.27 | 666.29 | 01 | 06 | 4 | |
| | P | 3/ 2/1983 | -112.1 | -0.39 | 665.9 | 01 | 06 | 4 | |
| | P | 3/ 3/1983 | -112.57 | -0.47 | 665.43 | 01 | 06 | 4 | |
| | P | 3/ 4/1983 | -112.11 | 0.46 | 665.89 | 01 | 06 | 4 | |
| | P | 3/ 5/1983 | -111.77 | 0.34 | 666.23 | 01 | 06 | 4 | |
| | P | 3/ 6/1983 | -111.88 | -0.11 | 666.12 | 01 | 06 | 4 | |
| | P | 3/ 7/1983 | -112.68 | -0.8 | 665.32 | 01 | 06 | 4 | |
| | P | 3/ 8/1983 | -113.15 | -0.47 | 664.85 | 01 | 06 | 4 | |
| | P | 3/ 9/1983 | -113.35 | -0.2 | 664.65 | 01 | 06 | 4 | |
| | P | 3/10/1983 | -113.32 | 0.03 | 664.68 | 01 | 06 | 4 | |
| | P | 3/11/1983 | -113.81 | -0.49 | 664.19 | 01 | 06 | 4 | |
| | P | 3/12/1983 | -113.33 | 0.48 | 664.67 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/13/1983 | -113.28 | 0.05 | 664.72 | 01 | 06 | 4 | |
| | P | 3/14/1983 | -113.47 | -0.19 | 664.53 | 01 | 06 | 4 | |
| | P | 3/15/1983 | -113.74 | -0.27 | 664.26 | 01 | 06 | 4 | |
| | P | 3/16/1983 | -113.14 | 0.6 | 664.86 | 01 | 06 | 4 | |
| | P | 3/17/1983 | -113.19 | -0.05 | 664.81 | 01 | 06 | 4 | |
| | P | 3/18/1983 | -112.96 | 0.23 | 665.04 | 01 | 06 | 4 | |
| | P | 3/19/1983 | -112.98 | -0.02 | 665.02 | 01 | 06 | 4 | |
| | P | 3/20/1983 | -112.65 | 0.33 | 665.35 | 01 | 06 | 4 | |
| | P | 3/21/1983 | -112.96 | -0.31 | 665.04 | 01 | 06 | 4 | |
| | P | 3/22/1983 | -112.96 | | 665.04 | 01 | 06 | 4 | |
| | P | 3/23/1983 | -109.95 | 3.01 | 668.05 | 01 | 06 | 4 | |
| | P | 3/24/1983 | -109.14 | 0.81 | 668.86 | 01 | 06 | 4 | |
| | P | 3/25/1983 | -108.76 | 0.38 | 669.24 | 01 | 06 | 4 | |
| | P | 3/26/1983 | -107.34 | 1.42 | 670.66 | 01 | 06 | 4 | |
| | P | 3/27/1983 | -106.98 | 0.36 | 671.02 | 01 | 06 | 4 | |
| | P | 3/28/1983 | -107.07 | -0.09 | 670.93 | 01 | 06 | 4 | |
| | P | 3/29/1983 | -107.05 | 0.02 | 670.95 | 01 | 06 | 4 | |
| | P | 3/30/1983 | -107.24 | -0.19 | 670.76 | 01 | 06 | 4 | |
| | P | 3/31/1983 | -107.71 | -0.47 | 670.29 | 01 | 06 | 4 | |
| | P | 4/ 1/1983 | -107.9 | -0.19 | 670.1 | 01 | 06 | 4 | |
| | P | 4/ 2/1983 | -108.31 | -0.41 | 669.69 | 01 | 06 | 4 | |
| | P | 4/ 3/1983 | -108.74 | -0.43 | 669.26 | 01 | 06 | 4 | |
| | P | 4/ 4/1983 | -108.71 | 0.03 | 669.29 | 01 | 06 | 4 | |
| | P | 4/ 5/1983 | -109.69 | -0.98 | 668.31 | 01 | 06 | 4 | |
| | P | 4/ 6/1983 | -109.72 | -0.03 | 668.28 | 01 | 06 | 4 | |
| | P | 4/ 7/1983 | -110.11 | -0.39 | 667.89 | 01 | 06 | 4 | |
| | P | 4/ 8/1983 | -110.4 | -0.29 | 667.6 | 01 | 06 | 4 | |
| | P | 4/ 9/1983 | -110.44 | -0.04 | 667.56 | 01 | 06 | 4 | |
| | P | 4/10/1983 | -111.13 | -0.69 | 666.87 | 01 | 06 | 4 | |
| | P | 4/11/1983 | -112.04 | -0.91 | 665.96 | 01 | 06 | 4 | |
| | P | 4/12/1983 | -112.39 | -0.35 | 665.61 | 01 | 06 | 4 | |
| | P | 4/13/1983 | -112.6 | -0.21 | 665.4 | 01 | 06 | 4 | |
| | P | 4/14/1983 | -113.23 | -0.63 | 664.77 | 01 | 06 | 4 | |
| | P | 4/15/1983 | -113.42 | -0.19 | 664.58 | 01 | 06 | 4 | |
| | P | 4/16/1983 | -113.68 | -0.26 | 664.32 | 01 | 06 | 4 | |
| | P | 4/17/1983 | -114.6 | -0.92 | 663.4 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/18/1983 | -115.41 | -0.81 | 662.59 | 01 | 06 | 4 | |
| | P | 4/19/1983 | -116.01 | -0.6 | 661.99 | 01 | 06 | 4 | |
| | P | 4/20/1983 | -116.25 | -0.24 | 661.75 | 01 | 06 | 4 | |
| | P | 4/21/1983 | -116.55 | -0.3 | 661.45 | 01 | 06 | 4 | |
| | P | 4/22/1983 | -116.23 | 0.32 | 661.77 | 01 | 06 | 4 | |
| | P | 4/23/1983 | -116.02 | 0.21 | 661.98 | 01 | 06 | 4 | |
| | P | 4/24/1983 | -116.48 | -0.46 | 661.52 | 01 | 06 | 4 | |
| | P | 4/25/1983 | -117.66 | -1.18 | 660.34 | 01 | 06 | 4 | |
| | P | 4/26/1983 | -117.83 | -0.17 | 660.17 | 01 | 06 | 4 | |
| | P | 4/27/1983 | -118.2 | -0.37 | 659.8 | 01 | 06 | 4 | |
| | P | 4/28/1983 | -119.3 | -1.1 | 658.7 | 01 | 06 | 4 | |
| | P | 4/29/1983 | -119.65 | -0.35 | 658.35 | 01 | 06 | 4 | |
| | P | 4/30/1983 | -119.19 | 0.46 | 658.81 | 01 | 06 | 4 | |
| | P | 5/ 1/1983 | -119.75 | -0.56 | 658.25 | 01 | 06 | 4 | |
| | P | 5/ 2/1983 | -120.92 | -1.17 | 657.08 | 01 | 06 | 4 | |
| | P | 5/ 3/1983 | -122.3 | -1.38 | 655.7 | 01 | 06 | 4 | |
| | P | 5/ 4/1983 | -122.98 | -0.68 | 655.02 | 01 | 06 | 4 | |
| | P | 5/ 5/1983 | -124.11 | -1.13 | 653.89 | 01 | 06 | 4 | |
| | P | 5/ 6/1983 | -125.1 | -0.99 | 652.9 | 01 | 06 | 4 | |
| | P | 5/ 7/1983 | -125.91 | -0.81 | 652.09 | 01 | 06 | 4 | |
| | P | 5/ 8/1983 | -127.46 | -1.55 | 650.54 | 01 | 06 | 4 | |
| | P | 5/ 9/1983 | -127.06 | 0.4 | 650.94 | 01 | 06 | 4 | |
| | P | 5/10/1983 | -125.49 | 1.57 | 652.51 | 01 | 06 | 4 | |
| | P | 5/11/1983 | -125.17 | 0.32 | 652.83 | 01 | 06 | 4 | |
| | P | 5/12/1983 | -124.64 | 0.53 | 653.36 | 01 | 06 | 4 | |
| | P | 5/13/1983 | -125.04 | -0.4 | 652.96 | 01 | 06 | 4 | |
| | P | 5/14/1983 | -124.48 | 0.56 | 653.52 | 01 | 06 | 4 | |
| | P | 5/15/1983 | -124.19 | 0.29 | 653.81 | 01 | 06 | 4 | |
| | P | 5/16/1983 | -123.82 | 0.37 | 654.18 | 01 | 06 | 4 | |
| | P | 5/17/1983 | -124.26 | -0.44 | 653.74 | 01 | 06 | 4 | |
| | P | 5/18/1983 | -124.08 | 0.18 | 653.92 | 01 | 06 | 4 | |
| | P | 5/19/1983 | -124.44 | -0.36 | 653.56 | 01 | 06 | 4 | |
| | P | 5/20/1983 | -122.92 | 1.52 | 655.08 | 01 | 06 | 4 | |
| | P | 5/21/1983 | -118.16 | 4.76 | 659.84 | 01 | 06 | 4 | |
| | P | 5/22/1983 | -116.54 | 1.62 | 661.46 | 01 | 06 | 4 | |
| | P | 5/23/1983 | -115.74 | 0.8 | 662.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/24/1983 | -115.34 | 0.4 | 662.66 | 01 | 06 | 4 | |
| | P | 5/25/1983 | -115.04 | 0.3 | 662.96 | 01 | 06 | 4 | |
| | P | 5/26/1983 | -115.28 | -0.24 | 662.72 | 01 | 06 | 4 | |
| | P | 5/27/1983 | -115.24 | 0.04 | 662.76 | 01 | 06 | 4 | |
| | P | 5/28/1983 | -115.19 | 0.05 | 662.81 | 01 | 06 | 4 | |
| | P | 5/29/1983 | -115.25 | -0.06 | 662.75 | 01 | 06 | 4 | |
| | P | 5/30/1983 | -115.99 | -0.74 | 662.01 | 01 | 06 | 4 | |
| | P | 5/31/1983 | -117.09 | -1.1 | 660.91 | 01 | 06 | 4 | |
| | P | 6/ 1/1983 | -116.87 | 0.22 | 661.13 | 01 | 06 | 4 | |
| | P | 6/ 2/1983 | -117.99 | -1.12 | 660.01 | 01 | 06 | 4 | |
| | P | 6/ 3/1983 | -119.65 | -1.66 | 658.35 | 01 | 06 | 4 | |
| | P | 6/ 4/1983 | -120.72 | -1.07 | 657.28 | 01 | 06 | 4 | |
| | P | 6/ 5/1983 | -121.55 | -0.83 | 656.45 | 01 | 06 | 4 | |
| | P | 6/ 6/1983 | -120.36 | 1.19 | 657.64 | 01 | 06 | 4 | |
| | P | 6/ 7/1983 | -119.59 | 0.77 | 658.41 | 01 | 06 | 4 | |
| | P | 6/ 8/1983 | -119.3 | 0.29 | 658.7 | 01 | 06 | 4 | |
| | P | 6/ 9/1983 | -118.97 | 0.33 | 659.03 | 01 | 06 | 4 | |
| | P | 6/10/1983 | -119.39 | -0.42 | 658.61 | 01 | 06 | 4 | |
| | P | 6/11/1983 | -119.23 | 0.16 | 658.77 | 01 | 06 | 4 | |
| | P | 6/12/1983 | -119.16 | 0.07 | 658.84 | 01 | 06 | 4 | |
| | P | 6/13/1983 | -119.64 | -0.48 | 658.36 | 01 | 06 | 4 | |
| | P | 6/14/1983 | -120.75 | -1.11 | 657.25 | 01 | 06 | 4 | |
| | P | 6/15/1983 | -120.94 | -0.19 | 657.06 | 01 | 06 | 4 | |
| | P | 6/16/1983 | -120.79 | 0.15 | 657.21 | 01 | 06 | 4 | |
| | P | 6/17/1983 | -119.81 | 0.98 | 658.19 | 01 | 06 | 4 | |
| | P | 6/18/1983 | -119.53 | 0.28 | 658.47 | 01 | 06 | 4 | |
| | P | 6/19/1983 | -119.33 | 0.2 | 658.67 | 01 | 06 | 4 | |
| | P | 6/20/1983 | -119.7 | -0.37 | 658.3 | 01 | 06 | 4 | |
| | P | 6/21/1983 | -121.2 | -1.5 | 656.8 | 01 | 06 | 4 | |
| | P | 6/22/1983 | -122.12 | -0.92 | 655.88 | 01 | 06 | 4 | |
| | P | 6/23/1983 | -122.69 | -0.57 | 655.31 | 01 | 06 | 4 | |
| | P | 6/24/1983 | -123.66 | -0.97 | 654.34 | 01 | 06 | 4 | |
| | P | 6/25/1983 | -123.67 | -0.01 | 654.33 | 01 | 06 | 4 | |
| | P | 6/26/1983 | -123.29 | 0.38 | 654.71 | 01 | 06 | 4 | |
| | P | 6/27/1983 | -123.65 | -0.36 | 654.35 | 01 | 06 | 4 | |
| | P | 6/28/1983 | -125.67 | -2.02 | 652.33 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/29/1983 | -127.11 | -1.44 | 650.89 | 01 | 06 | 4 | |
| | P | 6/30/1983 | -128.96 | -1.85 | 649.04 | 01 | 06 | 4 | |
| | P | 7/ 1/1983 | -129.23 | -0.27 | 648.77 | 01 | 06 | 4 | |
| | P | 7/ 2/1983 | -130.14 | -0.91 | 647.86 | 01 | 06 | 4 | |
| | P | 7/ 3/1983 | -131.13 | -0.99 | 646.87 | 01 | 06 | 4 | |
| | P | 7/ 4/1983 | -131.21 | -0.08 | 646.79 | 01 | 06 | 4 | |
| | P | 7/ 5/1983 | -132.78 | -1.57 | 645.22 | 01 | 06 | 4 | |
| | P | 7/ 6/1983 | -131.09 | 1.69 | 646.91 | 01 | 06 | 4 | |
| | P | 7/ 7/1983 | -130.24 | 0.85 | 647.76 | 01 | 06 | 4 | |
| | P | 7/ 8/1983 | -130.27 | -0.03 | 647.73 | 01 | 06 | 4 | |
| | P | 7/ 9/1983 | -130.39 | -0.12 | 647.61 | 01 | 06 | 4 | |
| | P | 7/10/1983 | -130.41 | -0.02 | 647.59 | 01 | 06 | 4 | |
| | P | 7/11/1983 | -130.69 | -0.28 | 647.31 | 01 | 06 | 4 | |
| | P | 7/12/1983 | -130.19 | 0.5 | 647.81 | 01 | 06 | 4 | |
| | P | 7/13/1983 | -129.51 | 0.68 | 648.49 | 01 | 06 | 4 | |
| | P | 7/14/1983 | -127.7 | 1.81 | 650.3 | 01 | 06 | 4 | |
| | P | 7/15/1983 | -126.4 | 1.3 | 651.6 | 01 | 06 | 4 | |
| | P | 7/16/1983 | -125.62 | 0.78 | 652.38 | 01 | 06 | 4 | |
| | P | 7/17/1983 | -124.75 | 0.87 | 653.25 | 01 | 06 | 4 | |
| | P | 7/18/1983 | -124.04 | 0.71 | 653.96 | 01 | 06 | 4 | |
| | P | 7/19/1983 | -123.69 | 0.35 | 654.31 | 01 | 06 | 4 | |
| | P | 7/20/1983 | -123.31 | 0.38 | 654.69 | 01 | 06 | 4 | |
| | P | 7/21/1983 | -123.12 | 0.19 | 654.88 | 01 | 06 | 4 | |
| | P | 7/22/1983 | -123.22 | -0.1 | 654.78 | 01 | 06 | 4 | |
| | P | 7/23/1983 | -123.36 | -0.14 | 654.64 | 01 | 06 | 4 | |
| | P | 7/24/1983 | -123.44 | -0.08 | 654.56 | 01 | 06 | 4 | |
| | P | 7/25/1983 | -124.18 | -0.74 | 653.82 | 01 | 06 | 4 | |
| | P | 7/26/1983 | -125.17 | -0.99 | 652.83 | 01 | 06 | 4 | |
| | P | 7/27/1983 | -126.03 | -0.86 | 651.97 | 01 | 06 | 4 | |
| | P | 7/28/1983 | -126.7 | -0.67 | 651.3 | 01 | 06 | 4 | |
| | P | 7/29/1983 | -127.49 | -0.79 | 650.51 | 01 | 06 | 4 | |
| | P | 7/30/1983 | -127.79 | -0.3 | 650.21 | 01 | 06 | 4 | |
| | P | 7/31/1983 | -128.36 | -0.57 | 649.64 | 01 | 06 | 4 | |
| | P | 8/ 1/1983 | -129.4 | -1.04 | 648.6 | 01 | 06 | 4 | |
| | P | 8/ 2/1983 | -129.87 | -0.47 | 648.13 | 01 | 06 | 4 | |
| | P | 8/ 3/1983 | -130.61 | -0.74 | 647.39 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 4/1983 | -129.6 | 1.01 | 648.4 | 01 | 06 | 4 | |
| | P | 8/ 5/1983 | -128.22 | 1.38 | 649.78 | 01 | 06 | 4 | |
| | P | 8/ 6/1983 | -127.08 | 1.14 | 650.92 | 01 | 06 | 4 | |
| | P | 8/ 7/1983 | -126.06 | 1.02 | 651.94 | 01 | 06 | 4 | |
| | P | 8/ 8/1983 | -125.72 | 0.34 | 652.28 | 01 | 06 | 4 | |
| | P | 8/ 9/1983 | -125.09 | 0.63 | 652.91 | 01 | 06 | 4 | |
| | P | 8/10/1983 | -124.8 | 0.29 | 653.2 | 01 | 06 | 4 | |
| | P | 8/11/1983 | -124.83 | -0.03 | 653.17 | 01 | 06 | 4 | |
| | P | 8/12/1983 | -124.55 | 0.28 | 653.45 | 01 | 06 | 4 | |
| | P | 8/13/1983 | -124.45 | 0.1 | 653.55 | 01 | 06 | 4 | |
| | P | 8/14/1983 | -124.28 | 0.17 | 653.72 | 01 | 06 | 4 | |
| | P | 8/15/1983 | -124.75 | -0.47 | 653.25 | 01 | 06 | 4 | |
| | P | 8/16/1983 | -125.9 | -1.15 | 652.1 | 01 | 06 | 4 | |
| | P | 8/17/1983 | -126.23 | -0.33 | 651.77 | 01 | 06 | 4 | |
| | P | 8/18/1983 | -126.59 | -0.36 | 651.41 | 01 | 06 | 4 | |
| | P | 8/19/1983 | -127.6 | -1.01 | 650.4 | 01 | 06 | 4 | |
| | P | 8/20/1983 | -127.46 | 0.14 | 650.54 | 01 | 06 | 4 | |
| | P | 8/21/1983 | -128.34 | -0.88 | 649.66 | 01 | 06 | 4 | |
| | P | 8/22/1983 | -129.15 | -0.81 | 648.85 | 01 | 06 | 4 | |
| | P | 8/23/1983 | -130.12 | -0.97 | 647.88 | 01 | 06 | 4 | |
| | P | 8/24/1983 | -131.15 | -1.03 | 646.85 | 01 | 06 | 4 | |
| | P | 8/25/1983 | -131.06 | 0.09 | 646.94 | 01 | 06 | 4 | |
| | P | 8/26/1983 | -130.71 | 0.35 | 647.29 | 01 | 06 | 4 | |
| | P | 8/27/1983 | -131.18 | -0.47 | 646.82 | 01 | 06 | 4 | |
| | P | 8/28/1983 | -131.86 | -0.68 | 646.14 | 01 | 06 | 4 | |
| | P | 8/29/1983 | -131.62 | 0.24 | 646.38 | 01 | 06 | 4 | |
| | P | 8/30/1983 | -131.79 | -0.17 | 646.21 | 01 | 06 | 4 | |
| | P | 8/31/1983 | -132.8 | -1.01 | 645.2 | 01 | 06 | 4 | |
| | P | 9/ 1/1983 | -134.14 | -1.34 | 643.86 | 01 | 06 | 4 | |
| | P | 9/ 2/1983 | -134.6 | -0.46 | 643.4 | 01 | 06 | 4 | |
| | P | 9/ 3/1983 | -133.96 | 0.64 | 644.04 | 01 | 06 | 4 | |
| | P | 9/ 4/1983 | -134.58 | -0.62 | 643.42 | 01 | 06 | 4 | |
| | P | 9/ 5/1983 | -134.4 | 0.18 | 643.6 | 01 | 06 | 4 | |
| | P | 9/ 6/1983 | -135.88 | -1.48 | 642.12 | 01 | 06 | 4 | |
| | P | 9/ 7/1983 | -135.57 | 0.31 | 642.43 | 01 | 06 | 4 | |
| | P | 9/ 8/1983 | -133.59 | 1.98 | 644.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 9/1983 | -131.48 | 2.11 | 646.52 | 01 | 06 | 4 | |
| | P | 9/10/1983 | -130.34 | 1.14 | 647.66 | 01 | 06 | 4 | |
| | P | 9/11/1983 | -129.49 | 0.85 | 648.51 | 01 | 06 | 4 | |
| | P | 9/12/1983 | -128.99 | 0.5 | 649.01 | 01 | 06 | 4 | |
| | P | 9/13/1983 | -129.66 | -0.67 | 648.34 | 01 | 06 | 4 | |
| | P | 9/14/1983 | -130.21 | -0.55 | 647.79 | 01 | 06 | 4 | |
| | P | 9/15/1983 | -130.39 | -0.18 | 647.61 | 01 | 06 | 4 | |
| | P | 9/16/1983 | -130.89 | -0.5 | 647.11 | 01 | 06 | 4 | |
| | P | 9/17/1983 | -130.88 | 0.01 | 647.12 | 01 | 06 | 4 | |
| | P | 9/18/1983 | -130.28 | 0.6 | 647.72 | 01 | 06 | 4 | |
| | P | 9/19/1983 | -128.5 | 1.78 | 649.5 | 01 | 06 | 4 | |
| | P | 9/20/1983 | -127.9 | 0.6 | 650.1 | 01 | 06 | 4 | |
| | P | 9/21/1983 | -127.41 | 0.49 | 650.59 | 01 | 06 | 4 | |
| | P | 9/22/1983 | -127.2 | 0.21 | 650.8 | 01 | 06 | 4 | |
| | P | 9/23/1983 | -127.1 | 0.1 | 650.9 | 01 | 06 | 4 | |
| | P | 9/24/1983 | -127.12 | -0.02 | 650.88 | 01 | 06 | 4 | |
| | P | 9/25/1983 | -126.8 | 0.32 | 651.2 | 01 | 06 | 4 | |
| | P | 9/26/1983 | -127.07 | -0.27 | 650.93 | 01 | 06 | 4 | |
| | P | 9/27/1983 | -126.89 | 0.18 | 651.11 | 01 | 06 | 4 | |
| | P | 9/28/1983 | -127.5 | -0.61 | 650.5 | 01 | 06 | 4 | |
| | P | 9/29/1983 | -127.52 | -0.02 | 650.48 | 01 | 06 | 4 | |
| | P | 9/30/1983 | -127.6 | -0.08 | 650.4 | 01 | 06 | 4 | |
| | P | 10/ 1/1983 | -127.33 | 0.27 | 650.67 | 01 | 06 | 4 | |
| | P | 10/ 2/1983 | -127.31 | 0.02 | 650.69 | 01 | 06 | 4 | |
| | P | 10/ 3/1983 | -127.7 | -0.39 | 650.3 | 01 | 06 | 4 | |
| | P | 10/ 4/1983 | -127.6 | 0.1 | 650.4 | 01 | 06 | 4 | |
| | P | 10/ 5/1983 | -128.35 | -0.75 | 649.65 | 01 | 06 | 4 | |
| | P | 10/ 6/1983 | -128.76 | -0.41 | 649.24 | 01 | 06 | 4 | |
| | P | 10/ 7/1983 | -129.01 | -0.25 | 648.99 | 01 | 06 | 4 | |
| | P | 10/ 8/1983 | -128.4 | 0.61 | 649.6 | 01 | 06 | 4 | |
| | P | 10/ 9/1983 | -126.81 | 1.59 | 651.19 | 01 | 06 | 4 | |
| | P | 10/10/1983 | -125.96 | 0.85 | 652.04 | 01 | 06 | 4 | |
| | P | 10/11/1983 | -125.52 | 0.44 | 652.48 | 01 | 06 | 4 | |
| | P | 10/12/1983 | -125.29 | 0.23 | 652.71 | 01 | 06 | 4 | |
| | P | 10/13/1983 | -124.77 | 0.52 | 653.23 | 01 | 06 | 4 | |
| | P | 10/14/1983 | -124.74 | 0.03 | 653.26 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1983 | -124.52 | 0.22 | 653.48 | 01 | 06 | 4 | |
| | P | 10 / 16/ 1983 | -124.34 | 0.18 | 653.66 | 01 | 06 | 4 | |
| | P | 10 / 17/ 1983 | -124.51 | -0.17 | 653.49 | 01 | 06 | 4 | |
| | P | 10 / 18/ 1983 | -124.35 | 0.16 | 653.65 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1983 | -124.41 | -0.06 | 653.59 | 01 | 06 | 4 | |
| | P | 10 / 20/ 1983 | -124.45 | -0.04 | 653.55 | 01 | 06 | 4 | |
| | P | 10 / 21/ 1983 | -124.43 | 0.02 | 653.57 | 01 | 06 | 4 | |
| | P | 10 / 22/ 1983 | -124.17 | 0.26 | 653.83 | 01 | 06 | 4 | |
| | P | 10 / 23/ 1983 | -124.22 | -0.05 | 653.78 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1983 | -124.14 | 0.08 | 653.86 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1983 | -124.57 | -0.43 | 653.43 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1983 | -124.77 | -0.2 | 653.23 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1983 | -124.45 | 0.32 | 653.55 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1983 | -124.63 | -0.18 | 653.37 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1983 | -124.84 | -0.21 | 653.16 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1983 | -124.7 | 0.14 | 653.3 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1983 | -124.99 | -0.29 | 653.01 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1983 | -124.99 | | 653.01 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1983 | -125.26 | -0.27 | 652.74 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1983 | -125.38 | -0.12 | 652.62 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1983 | -125.07 | 0.31 | 652.93 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1983 | -124.16 | 0.91 | 653.84 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1983 | -122.86 | 1.3 | 655.14 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1983 | -122.84 | 0.02 | 655.16 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1983 | -122.7 | 0.14 | 655.3 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1983 | -122.88 | -0.18 | 655.12 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1983 | -122.51 | 0.37 | 655.49 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1983 | -122.62 | -0.11 | 655.38 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1983 | -122.31 | 0.31 | 655.69 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1983 | -122.23 | 0.08 | 655.77 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1983 | -122.25 | -0.02 | 655.75 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1983 | -122.8 | -0.55 | 655.2 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1983 | -122.75 | 0.05 | 655.25 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1983 | -122.77 | -0.02 | 655.23 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1983 | -122.61 | 0.16 | 655.39 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1983 | -122.37 | 0.24 | 655.63 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 20/ 1983 | -122.25 | 0.12 | 655.75 | 01 | 06 | 4 | |
| | P | 11/ 21/ 1983 | -122.6 | -0.35 | 655.4 | 01 | 06 | 4 | |
| | P | 11/ 22/ 1983 | -122.66 | -0.06 | 655.34 | 01 | 06 | 4 | |
| | P | 11/ 23/ 1983 | -122.71 | -0.05 | 655.29 | 01 | 06 | 4 | |
| | P | 11/ 24/ 1983 | -122.22 | 0.49 | 655.78 | 01 | 06 | 4 | |
| | P | 11/ 25/ 1983 | -121.59 | 0.63 | 656.41 | 01 | 06 | 4 | |
| | P | 11/ 26/ 1983 | -121.05 | 0.54 | 656.95 | 01 | 06 | 4 | |
| | P | 11/ 27/ 1983 | -121.05 | | 656.95 | 01 | 06 | 4 | |
| | P | 11/ 28/ 1983 | -121.14 | -0.09 | 656.86 | 01 | 06 | 4 | |
| | P | 11/ 29/ 1983 | -121.5 | -0.36 | 656.5 | 01 | 06 | 4 | |
| | P | 11/ 30/ 1983 | -121.55 | -0.05 | 656.45 | 01 | 06 | 4 | |
| | P | 12/ 1/ 1983 | -121.5 | 0.05 | 656.5 | 01 | 06 | 4 | |
| | P | 12/ 2/ 1983 | -121.23 | 0.27 | 656.77 | 01 | 06 | 4 | |
| | P | 12/ 3/ 1983 | -120.82 | 0.41 | 657.18 | 01 | 06 | 4 | |
| | P | 12/ 4/ 1983 | -120.7 | 0.12 | 657.3 | 01 | 06 | 4 | |
| | P | 12/ 5/ 1983 | -120.47 | 0.23 | 657.53 | 01 | 06 | 4 | |
| | P | 12/ 6/ 1983 | -120.1 | 0.37 | 657.9 | 01 | 06 | 4 | |
| | P | 12/ 7/ 1983 | -120.9 | -0.8 | 657.1 | 01 | 06 | 4 | |
| | P | 12/ 8/ 1983 | -120.83 | 0.07 | 657.17 | 01 | 06 | 4 | |
| | P | 12/ 9/ 1983 | -120.99 | -0.16 | 657.01 | 01 | 06 | 4 | |
| | P | 12/ 10/ 1983 | -120.75 | 0.24 | 657.25 | 01 | 06 | 4 | |
| | P | 12/ 11/ 1983 | -120.81 | -0.06 | 657.19 | 01 | 06 | 4 | |
| | P | 12/ 12/ 1983 | -120.92 | -0.11 | 657.08 | 01 | 06 | 4 | |
| | P | 12/ 13/ 1983 | -121.3 | -0.38 | 656.7 | 01 | 06 | 4 | |
| | P | 12/ 14/ 1983 | -121.41 | -0.11 | 656.59 | 01 | 06 | 4 | |
| | P | 12/ 15/ 1983 | -121.3 | 0.11 | 656.7 | 01 | 06 | 4 | |
| | P | 12/ 16/ 1983 | -121.47 | -0.17 | 656.53 | 01 | 06 | 4 | |
| | P | 12/ 17/ 1983 | -121.27 | 0.2 | 656.73 | 01 | 06 | 4 | |
| | P | 12/ 18/ 1983 | -120.82 | 0.45 | 657.18 | 01 | 06 | 4 | |
| | P | 12/ 19/ 1983 | -120.79 | 0.03 | 657.21 | 01 | 06 | 4 | |
| | P | 12/ 20/ 1983 | -121.1 | -0.31 | 656.9 | 01 | 06 | 4 | |
| | P | 12/ 21/ 1983 | -120.88 | 0.22 | 657.12 | 01 | 06 | 4 | |
| | P | 12/ 22/ 1983 | -121.26 | -0.38 | 656.74 | 01 | 06 | 4 | |
| | P | 12/ 23/ 1983 | -121.8 | -0.54 | 656.2 | 01 | 06 | 4 | |
| | P | 12/ 24/ 1983 | -122.62 | -0.82 | 655.38 | 01 | 06 | 4 | |
| | P | 12/ 25/ 1983 | -123.03 | -0.41 | 654.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/26/1983 | -124.02 | -0.99 | 653.98 | 01 | 06 | 4 | |
| | P | 12/27/1983 | -124.5 | -0.48 | 653.5 | 01 | 06 | 4 | |
| | P | 12/28/1983 | -124.73 | -0.23 | 653.27 | 01 | 06 | 4 | |
| | P | 12/29/1983 | -125.32 | -0.59 | 652.68 | 01 | 06 | 4 | |
| | P | 12/30/1983 | -125.76 | -0.44 | 652.24 | 01 | 06 | 4 | |
| | P | 12/31/1983 | -125.37 | 0.39 | 652.63 | 01 | 06 | 4 | |
| | P | 1/ 1/1984 | -125.07 | 0.3 | 652.93 | 01 | 06 | 4 | |
| | P | 1/ 2/1984 | -124.3 | 0.77 | 653.7 | 01 | 06 | 4 | |
| | P | 1/ 3/1984 | -124.11 | 0.19 | 653.89 | 01 | 06 | 4 | |
| | P | 1/ 4/1984 | -123.41 | 0.7 | 654.59 | 01 | 06 | 4 | |
| | P | 1/ 5/1984 | -123.49 | -0.08 | 654.51 | 01 | 06 | 4 | |
| | P | 1/ 6/1984 | -123.71 | -0.22 | 654.29 | 01 | 06 | 4 | |
| | P | 1/ 7/1984 | -123.38 | 0.33 | 654.62 | 01 | 06 | 4 | |
| | P | 1/ 8/1984 | -123.8 | -0.42 | 654.2 | 01 | 06 | 4 | |
| | P | 1/ 9/1984 | -122.89 | 0.91 | 655.11 | 01 | 06 | 4 | |
| | P | 1/10/1984 | -122.49 | 0.4 | 655.51 | 01 | 06 | 4 | |
| | P | 1/11/1984 | -122.67 | -0.18 | 655.33 | 01 | 06 | 4 | |
| | P | 1/12/1984 | -122.02 | 0.65 | 655.98 | 01 | 06 | 4 | |
| | P | 1/13/1984 | -122.46 | -0.44 | 655.54 | 01 | 06 | 4 | |
| | P | 1/14/1984 | -121.79 | 0.67 | 656.21 | 01 | 06 | 4 | |
| | P | 1/15/1984 | -121.53 | 0.26 | 656.47 | 01 | 06 | 4 | |
| | P | 1/16/1984 | -121.36 | 0.17 | 656.64 | 01 | 06 | 4 | |
| | P | 1/17/1984 | -121.37 | -0.01 | 656.63 | 01 | 06 | 4 | |
| | P | 1/18/1984 | -121.85 | -0.48 | 656.15 | 01 | 06 | 4 | |
| | P | 1/19/1984 | -122.51 | -0.66 | 655.49 | 01 | 06 | 4 | |
| | P | 1/20/1984 | -122.7 | -0.19 | 655.3 | 01 | 06 | 4 | |
| | P | 1/21/1984 | -122.61 | 0.09 | 655.39 | 01 | 06 | 4 | |
| | P | 1/22/1984 | -122.34 | 0.27 | 655.66 | 01 | 06 | 4 | |
| | P | 1/23/1984 | -121.59 | 0.75 | 656.41 | 01 | 06 | 4 | |
| | P | 1/24/1984 | -121.85 | -0.26 | 656.15 | 01 | 06 | 4 | |
| | P | 1/25/1984 | -121.79 | 0.06 | 656.21 | 01 | 06 | 4 | |
| | P | 1/26/1984 | -121.68 | 0.11 | 656.32 | 01 | 06 | 4 | |
| | P | 1/27/1984 | -121.7 | -0.02 | 656.3 | 01 | 06 | 4 | |
| | P | 1/28/1984 | -121.3 | 0.4 | 656.7 | 01 | 06 | 4 | |
| | P | 1/29/1984 | -121.19 | 0.11 | 656.81 | 01 | 06 | 4 | |
| | P | 1/30/1984 | -121.68 | -0.49 | 656.32 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/31/1984 | -121.31 | 0.37 | 656.69 | 01 | 06 | 4 | |
| | P | 2/ 1/1984 | -121.41 | -0.1 | 656.59 | 01 | 06 | 4 | |
| | P | 2/ 2/1984 | -121.38 | 0.03 | 656.62 | 01 | 06 | 4 | |
| | P | 2/ 3/1984 | -121.14 | 0.24 | 656.86 | 01 | 06 | 4 | |
| | P | 2/ 4/1984 | -121.2 | -0.06 | 656.8 | 01 | 06 | 4 | |
| | P | 2/ 5/1984 | -121.21 | -0.01 | 656.79 | 01 | 06 | 4 | |
| | P | 2/ 6/1984 | -121.47 | -0.26 | 656.53 | 01 | 06 | 4 | |
| | P | 2/ 7/1984 | -121.76 | -0.29 | 656.24 | 01 | 06 | 4 | |
| | P | 2/ 8/1984 | -122.1 | -0.34 | 655.9 | 01 | 06 | 4 | |
| | P | 2/ 9/1984 | -121.5 | 0.6 | 656.5 | 01 | 06 | 4 | |
| | P | 2/10/1984 | -121.91 | -0.41 | 656.09 | 01 | 06 | 4 | |
| | P | 2/11/1984 | -122 | -0.09 | 656 | 01 | 06 | 4 | |
| | P | 2/12/1984 | -121.67 | 0.33 | 656.33 | 01 | 06 | 4 | |
| | P | 2/13/1984 | -121.56 | 0.11 | 656.44 | 01 | 06 | 4 | |
| | P | 2/14/1984 | -121.91 | -0.35 | 656.09 | 01 | 06 | 4 | |
| | P | 2/15/1984 | -122.01 | -0.1 | 655.99 | 01 | 06 | 4 | |
| | P | 2/16/1984 | -122.89 | -0.88 | 655.11 | 01 | 06 | 4 | |
| | P | 2/17/1984 | -123.22 | -0.33 | 654.78 | 01 | 06 | 4 | |
| | P | 2/18/1984 | -122.7 | 0.52 | 655.3 | 01 | 06 | 4 | |
| | P | 2/19/1984 | -122.98 | -0.28 | 655.02 | 01 | 06 | 4 | |
| | P | 2/20/1984 | -122.5 | 0.48 | 655.5 | 01 | 06 | 4 | |
| | P | 2/21/1984 | -122.86 | -0.36 | 655.14 | 01 | 06 | 4 | |
| | P | 2/22/1984 | -122.56 | 0.3 | 655.44 | 01 | 06 | 4 | |
| | P | 2/23/1984 | -123.23 | -0.67 | 654.77 | 01 | 06 | 4 | |
| | P | 2/24/1984 | -123.6 | -0.37 | 654.4 | 01 | 06 | 4 | |
| | P | 2/25/1984 | -123.4 | 0.2 | 654.6 | 01 | 06 | 4 | |
| | P | 2/26/1984 | -122.99 | 0.41 | 655.01 | 01 | 06 | 4 | |
| | P | 2/27/1984 | -123.48 | -0.49 | 654.52 | 01 | 06 | 4 | |
| | P | 2/28/1984 | -123.48 | | 654.52 | 01 | 06 | 4 | |
| | P | 2/29/1984 | -124.05 | -0.57 | 653.95 | 01 | 06 | 4 | |
| | P | 3/ 1/1984 | -124.09 | -0.04 | 653.91 | 01 | 06 | 4 | |
| | P | 3/ 2/1984 | -123.9 | 0.19 | 654.1 | 01 | 06 | 4 | |
| | P | 3/ 3/1984 | -124.68 | -0.78 | 653.32 | 01 | 06 | 4 | |
| | P | 3/ 4/1984 | -124.8 | -0.12 | 653.2 | 01 | 06 | 4 | |
| | P | 3/ 5/1984 | -125.19 | -0.39 | 652.81 | 01 | 06 | 4 | |
| | P | 3/ 6/1984 | -125.01 | 0.18 | 652.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 7/1984 | -126.25 | -1.24 | 651.75 | 01 | 06 | 4 | |
| | P | 3/ 8/1984 | -125.62 | 0.63 | 652.38 | 01 | 06 | 4 | |
| | P | 3/ 9/1984 | -126.39 | -0.77 | 651.61 | 01 | 06 | 4 | |
| | P | 3/10/1984 | -126.26 | 0.13 | 651.74 | 01 | 06 | 4 | |
| | P | 3/11/1984 | -126.38 | -0.12 | 651.62 | 01 | 06 | 4 | |
| | P | 3/12/1984 | -125.18 | 1.2 | 652.82 | 01 | 06 | 4 | |
| | P | 3/13/1984 | -125.21 | -0.03 | 652.79 | 01 | 06 | 4 | |
| | P | 3/14/1984 | -125.64 | -0.43 | 652.36 | 01 | 06 | 4 | |
| | P | 3/15/1984 | -125.4 | 0.24 | 652.6 | 01 | 06 | 4 | |
| | P | 3/16/1984 | -125.59 | -0.19 | 652.41 | 01 | 06 | 4 | |
| | P | 3/17/1984 | -125.8 | -0.21 | 652.2 | 01 | 06 | 4 | |
| | P | 3/18/1984 | -125.92 | -0.12 | 652.08 | 01 | 06 | 4 | |
| | P | 3/19/1984 | -126.15 | -0.23 | 651.85 | 01 | 06 | 4 | |
| | P | 3/20/1984 | -126.13 | 0.02 | 651.87 | 01 | 06 | 4 | |
| | P | 3/21/1984 | -126.47 | -0.34 | 651.53 | 01 | 06 | 4 | |
| | P | 3/22/1984 | -126.92 | -0.45 | 651.08 | 01 | 06 | 4 | |
| | P | 3/23/1984 | -127.25 | -0.33 | 650.75 | 01 | 06 | 4 | |
| | P | 4/19/1984 | -138.84 | -11.6 | 639.16 | 01 | 06 | 4 | |
| | P | 4/20/1984 | -140.2 | -1.36 | 637.8 | 01 | 06 | 4 | |
| | P | 4/21/1984 | -140.65 | -0.45 | 637.35 | 01 | 06 | 4 | |
| | P | 4/22/1984 | -141.7 | -1.05 | 636.3 | 01 | 06 | 4 | |
| | P | 4/23/1984 | -140.7 | 1 | 637.3 | 01 | 06 | 4 | |
| | P | 4/24/1984 | -141.9 | -1.2 | 636.1 | 01 | 06 | 4 | |
| | P | 4/25/1984 | -142.69 | -0.79 | 635.31 | 01 | 06 | 4 | |
| | P | 4/26/1984 | -142.78 | -0.09 | 635.22 | 01 | 06 | 4 | |
| | P | 4/27/1984 | -142.21 | 0.57 | 635.79 | 01 | 06 | 4 | |
| | P | 4/28/1984 | -142.49 | -0.28 | 635.51 | 01 | 06 | 4 | |
| | P | 4/29/1984 | -142.49 | | 635.51 | 01 | 06 | 4 | |
| | P | 6/ 6/1984 | -147.96 | -5.47 | 630.04 | 01 | 06 | 4 | |
| | P | 6/ 7/1984 | -146.8 | 1.16 | 631.2 | 01 | 06 | 4 | |
| | P | 6/ 8/1984 | -147.1 | -0.3 | 630.9 | 01 | 06 | 4 | |
| | P | 6/ 9/1984 | -147.16 | -0.06 | 630.84 | 01 | 06 | 4 | |
| | P | 6/10/1984 | -147.49 | -0.33 | 630.51 | 01 | 06 | 4 | |
| | P | 6/11/1984 | -147.8 | -0.31 | 630.2 | 01 | 06 | 4 | |
| | P | 6/12/1984 | -148.45 | -0.65 | 629.55 | 01 | 06 | 4 | |
| | P | 6/13/1984 | -147.5 | 0.95 | 630.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 14/ 1984 | -147 | 0.5 | 631 | 01 | 06 | 4 | |
| | P | 6 / 15/ 1984 | -146.79 | 0.21 | 631.21 | 01 | 06 | 4 | |
| | P | 6 / 16/ 1984 | -146.88 | -0.09 | 631.12 | 01 | 06 | 4 | |
| | P | 6 / 17/ 1984 | -147.21 | -0.33 | 630.79 | 01 | 06 | 4 | |
| | P | 6 / 18/ 1984 | -148.11 | -0.9 | 629.89 | 01 | 06 | 4 | |
| | P | 6 / 19/ 1984 | -149.08 | -0.97 | 628.92 | 01 | 06 | 4 | |
| | P | 6 / 20/ 1984 | -149.15 | -0.07 | 628.85 | 01 | 06 | 4 | |
| | P | 6 / 21/ 1984 | -150.49 | -1.34 | 627.51 | 01 | 06 | 4 | |
| | P | 6 / 22/ 1984 | -151.5 | -1.01 | 626.5 | 01 | 06 | 4 | |
| | P | 6 / 23/ 1984 | -151.9 | -0.4 | 626.1 | 01 | 06 | 4 | |
| | P | 6 / 24/ 1984 | -152 | -0.1 | 626 | 01 | 06 | 4 | |
| | P | 6 / 25/ 1984 | -152.98 | -0.98 | 625.02 | 01 | 06 | 4 | |
| | P | 6 / 26/ 1984 | -153.29 | -0.31 | 624.71 | 01 | 06 | 4 | |
| | P | 6 / 27/ 1984 | -153.71 | -0.42 | 624.29 | 01 | 06 | 4 | |
| | P | 6 / 28/ 1984 | -154.11 | -0.4 | 623.89 | 01 | 06 | 4 | |
| | P | 6 / 29/ 1984 | -153.98 | 0.13 | 624.02 | 01 | 06 | 4 | |
| | P | 6 / 30/ 1984 | -153.85 | 0.13 | 624.15 | 01 | 06 | 4 | |
| | P | 7 / 1 / 1984 | -152.4 | 1.45 | 625.6 | 01 | 06 | 4 | |
| | P | 7 / 2 / 1984 | -152.73 | -0.33 | 625.27 | 01 | 06 | 4 | |
| | P | 7 / 3 / 1984 | -152.93 | -0.2 | 625.07 | 01 | 06 | 4 | |
| | P | 7 / 4 / 1984 | -153.42 | -0.49 | 624.58 | 01 | 06 | 4 | |
| | P | 7 / 5 / 1984 | -153.6 | -0.18 | 624.4 | 01 | 06 | 4 | |
| | P | 7 / 6 / 1984 | -153.7 | -0.1 | 624.3 | 01 | 06 | 4 | |
| | P | 7 / 7 / 1984 | -153.88 | -0.18 | 624.12 | 01 | 06 | 4 | |
| | P | 7 / 8 / 1984 | -153.9 | -0.02 | 624.1 | 01 | 06 | 4 | |
| | P | 7 / 9 / 1984 | -154 | -0.1 | 624 | 01 | 06 | 4 | |
| | P | 7 / 10/ 1984 | -154.14 | -0.14 | 623.86 | 01 | 06 | 4 | |
| | P | 7 / 11/ 1984 | -154.44 | -0.3 | 623.56 | 01 | 06 | 4 | |
| | P | 7 / 12/ 1984 | -154.6 | -0.16 | 623.4 | 01 | 06 | 4 | |
| | P | 7 / 13/ 1984 | -154.6 | | 623.4 | 01 | 06 | 4 | |
| | P | 7 / 14/ 1984 | -154.29 | 0.31 | 623.71 | 01 | 06 | 4 | |
| | P | 7 / 15/ 1984 | -153.98 | 0.31 | 624.02 | 01 | 06 | 4 | |
| | P | 7 / 16/ 1984 | -154.27 | -0.29 | 623.73 | 01 | 06 | 4 | |
| | P | 7 / 17/ 1984 | -154.68 | -0.41 | 623.32 | 01 | 06 | 4 | |
| | P | 7 / 18/ 1984 | -155.07 | -0.39 | 622.93 | 01 | 06 | 4 | |
| | P | 7 / 19/ 1984 | -154.96 | 0.11 | 623.04 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 20/ 1984 | -154.11 | 0.85 | 623.89 | 01 | 06 | 4 | |
| | P | 7/ 21/ 1984 | -154.38 | -0.27 | 623.62 | 01 | 06 | 4 | |
| | P | 7/ 22/ 1984 | -154.26 | 0.12 | 623.74 | 01 | 06 | 4 | |
| | P | 7/ 23/ 1984 | -154.77 | -0.51 | 623.23 | 01 | 06 | 4 | |
| | P | 7/ 24/ 1984 | -154.8 | -0.03 | 623.2 | 01 | 06 | 4 | |
| | P | 7/ 25/ 1984 | -153.72 | 1.08 | 624.28 | 01 | 06 | 4 | |
| | P | 7/ 26/ 1984 | -154.1 | -0.38 | 623.9 | 01 | 06 | 4 | |
| | P | 7/ 27/ 1984 | -154 | 0.1 | 624 | 01 | 06 | 4 | |
| | P | 7/ 28/ 1984 | -152.95 | 1.05 | 625.05 | 01 | 06 | 4 | |
| | P | 7/ 29/ 1984 | -152.6 | 0.35 | 625.4 | 01 | 06 | 4 | |
| | P | 7/ 30/ 1984 | -153.4 | -0.8 | 624.6 | 01 | 06 | 4 | |
| | P | 7/ 31/ 1984 | -154.2 | -0.8 | 623.8 | 01 | 06 | 4 | |
| | P | 8/ 1/ 1984 | -154.66 | -0.46 | 623.34 | 01 | 06 | 4 | |
| | P | 8/ 2/ 1984 | -154.65 | 0.01 | 623.35 | 01 | 06 | 4 | |
| | P | 8/ 3/ 1984 | -155.23 | -0.58 | 622.77 | 01 | 06 | 4 | |
| | P | 8/ 4/ 1984 | -155 | 0.23 | 623 | 01 | 06 | 4 | |
| | P | 8/ 5/ 1984 | -154.23 | 0.77 | 623.77 | 01 | 06 | 4 | |
| | P | 8/ 6/ 1984 | -154.7 | -0.47 | 623.3 | 01 | 06 | 4 | |
| | P | 8/ 7/ 1984 | -154.07 | 0.63 | 623.93 | 01 | 06 | 4 | |
| | P | 8/ 8/ 1984 | -154.7 | -0.63 | 623.3 | 01 | 06 | 4 | |
| | P | 8/ 9/ 1984 | -154.43 | 0.27 | 623.57 | 01 | 06 | 4 | |
| | P | 8/ 10/ 1984 | -154.34 | 0.09 | 623.66 | 01 | 06 | 4 | |
| | P | 8/ 11/ 1984 | -154.39 | -0.05 | 623.61 | 01 | 06 | 4 | |
| | P | 8/ 12/ 1984 | -154.5 | -0.11 | 623.5 | 01 | 06 | 4 | |
| | P | 8/ 13/ 1984 | -153.24 | 1.26 | 624.76 | 01 | 06 | 4 | |
| | P | 8/ 14/ 1984 | -151.7 | 1.54 | 626.3 | 01 | 06 | 4 | |
| | P | 8/ 15/ 1984 | -151.02 | 0.68 | 626.98 | 01 | 06 | 4 | |
| | P | 8/ 16/ 1984 | -150.2 | 0.82 | 627.8 | 01 | 06 | 4 | |
| | P | 8/ 17/ 1984 | -149.9 | 0.3 | 628.1 | 01 | 06 | 4 | |
| | P | 8/ 18/ 1984 | -150.31 | -0.41 | 627.69 | 01 | 06 | 4 | |
| | P | 8/ 19/ 1984 | -150.66 | -0.35 | 627.34 | 01 | 06 | 4 | |
| | P | 8/ 20/ 1984 | -151.54 | -0.88 | 626.46 | 01 | 06 | 4 | |
| | P | 8/ 21/ 1984 | -152.22 | -0.68 | 625.78 | 01 | 06 | 4 | |
| | P | 8/ 22/ 1984 | -153.1 | -0.88 | 624.9 | 01 | 06 | 4 | |
| | P | 8/ 23/ 1984 | -153.12 | -0.02 | 624.88 | 01 | 06 | 4 | |
| | P | 8/ 24/ 1984 | -153.1 | 0.02 | 624.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/25/1984 | -152.52 | 0.58 | 625.48 | 01 | 06 | 4 | |
| | P | 8/26/1984 | -152.07 | 0.45 | 625.93 | 01 | 06 | 4 | |
| | P | 8/27/1984 | -152.59 | -0.52 | 625.41 | 01 | 06 | 4 | |
| | P | 8/28/1984 | -153.02 | -0.43 | 624.98 | 01 | 06 | 4 | |
| | P | 8/29/1984 | -153.71 | -0.69 | 624.29 | 01 | 06 | 4 | |
| | P | 8/30/1984 | -154.16 | -0.45 | 623.84 | 01 | 06 | 4 | |
| | P | 8/31/1984 | -154.5 | -0.34 | 623.5 | 01 | 06 | 4 | |
| | P | 9/ 1/1984 | -153.76 | 0.74 | 624.24 | 01 | 06 | 4 | |
| | P | 9/ 2/1984 | -152.81 | 0.95 | 625.19 | 01 | 06 | 4 | |
| | P | 9/ 3/1984 | -151.87 | 0.94 | 626.13 | 01 | 06 | 4 | |
| | P | 9/ 4/1984 | -150.8 | 1.07 | 627.2 | 01 | 06 | 4 | |
| | P | 9/ 5/1984 | -150.08 | 0.72 | 627.92 | 01 | 06 | 4 | |
| | P | 9/ 6/1984 | -150.22 | -0.14 | 627.78 | 01 | 06 | 4 | |
| | P | 9/ 7/1984 | -150.6 | -0.38 | 627.4 | 01 | 06 | 4 | |
| | P | 9/ 8/1984 | -150.64 | -0.04 | 627.36 | 01 | 06 | 4 | |
| | P | 9/ 9/1984 | -150.63 | 0.01 | 627.37 | 01 | 06 | 4 | |
| | P | 9/10/1984 | -151.65 | -1.02 | 626.35 | 01 | 06 | 4 | |
| | P | 9/11/1984 | -151.9 | -0.25 | 626.1 | 01 | 06 | 4 | |
| | P | 9/12/1984 | -152.58 | -0.68 | 625.42 | 01 | 06 | 4 | |
| | P | 9/13/1984 | -152.79 | -0.21 | 625.21 | 01 | 06 | 4 | |
| | P | 9/14/1984 | -152.75 | 0.04 | 625.25 | 01 | 06 | 4 | |
| | P | 9/15/1984 | -152.77 | -0.02 | 625.23 | 01 | 06 | 4 | |
| | P | 9/16/1984 | -152.1 | 0.67 | 625.9 | 01 | 06 | 4 | |
| | P | 9/17/1984 | -152.1 | | 625.9 | 01 | 06 | 4 | |
| | P | 9/18/1984 | -152.25 | -0.15 | 625.75 | 01 | 06 | 4 | |
| | P | 9/19/1984 | -152.5 | -0.25 | 625.5 | 01 | 06 | 4 | |
| | P | 9/20/1984 | -152.5 | | 625.5 | 01 | 06 | 4 | |
| | P | 9/21/1984 | -151.5 | 1 | 626.5 | 01 | 06 | 4 | |
| | P | 9/22/1984 | -150.74 | 0.76 | 627.26 | 01 | 06 | 4 | |
| | P | 9/23/1984 | -151.53 | -0.79 | 626.47 | 01 | 06 | 4 | |
| | P | 9/24/1984 | -152.4 | -0.87 | 625.6 | 01 | 06 | 4 | |
| | P | 9/25/1984 | -152.66 | -0.26 | 625.34 | 01 | 06 | 4 | |
| | P | 9/26/1984 | -152.5 | 0.16 | 625.5 | 01 | 06 | 4 | |
| | P | 9/27/1984 | -152.7 | -0.2 | 625.3 | 01 | 06 | 4 | |
| | P | 9/28/1984 | -151.93 | 0.77 | 626.07 | 01 | 06 | 4 | |
| | P | 9/29/1984 | -150.44 | 1.49 | 627.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1984 | -149.22 | 1.22 | 628.78 | 01 | 06 | 4 | |
| | P | 10/ 1/1984 | -149.17 | 0.05 | 628.83 | 01 | 06 | 4 | |
| | P | 10/ 2/1984 | -149.19 | -0.02 | 628.81 | 01 | 06 | 4 | |
| | P | 10/ 3/1984 | -149.12 | 0.07 | 628.88 | 01 | 06 | 4 | |
| | P | 10/ 4/1984 | -148.32 | 0.8 | 629.68 | 01 | 06 | 4 | |
| | P | 10/ 5/1984 | -148.59 | -0.27 | 629.41 | 01 | 06 | 4 | |
| | P | 10/ 6/1984 | -148.97 | -0.38 | 629.03 | 01 | 06 | 4 | |
| | P | 10/ 7/1984 | -145.79 | 3.18 | 632.21 | 01 | 06 | 4 | |
| | P | 10/ 8/1984 | -144.45 | 1.34 | 633.55 | 01 | 06 | 4 | |
| | P | 10/ 9/1984 | -144.46 | -0.01 | 633.54 | 01 | 06 | 4 | |
| | P | 10/10/1984 | -144.56 | -0.1 | 633.44 | 01 | 06 | 4 | |
| | P | 10/11/1984 | -141.79 | 2.77 | 636.21 | 01 | 06 | 4 | |
| | P | 10/12/1984 | -141.2 | 0.59 | 636.8 | 01 | 06 | 4 | |
| | P | 10/13/1984 | -140.68 | 0.52 | 637.32 | 01 | 06 | 4 | |
| | P | 10/29/1984 | -135.17 | 5.51 | 642.83 | 01 | 06 | 4 | |
| | P | 10/30/1984 | -134.68 | 0.49 | 643.32 | 01 | 06 | 4 | |
| | P | 10/31/1984 | -134.61 | 0.07 | 643.39 | 01 | 06 | 4 | |
| | P | 11/ 1/1984 | -134.95 | -0.34 | 643.05 | 01 | 06 | 4 | |
| | P | 11/ 2/1984 | -135.1 | -0.15 | 642.9 | 01 | 06 | 4 | |
| | P | 11/28/1984 | -134.46 | 0.64 | 643.54 | 01 | 06 | 4 | |
| | P | 11/29/1984 | -133.9 | 0.56 | 644.1 | 01 | 06 | 4 | |
| | P | 11/30/1984 | -134.15 | -0.25 | 643.85 | 01 | 06 | 4 | |
| | P | 12/ 1/1984 | -133.89 | 0.26 | 644.11 | 01 | 06 | 4 | |
| | P | 12/ 2/1984 | -133.73 | 0.16 | 644.27 | 01 | 06 | 4 | |
| | P | 12/ 3/1984 | -134.18 | -0.45 | 643.82 | 01 | 06 | 4 | |
| | P | 12/ 4/1984 | -133.93 | 0.25 | 644.07 | 01 | 06 | 4 | |
| | P | 12/ 5/1984 | -133.84 | 0.09 | 644.16 | 01 | 06 | 4 | |
| | P | 12/ 6/1984 | -134.38 | -0.54 | 643.62 | 01 | 06 | 4 | |
| | P | 12/ 7/1984 | -134.28 | 0.1 | 643.72 | 01 | 06 | 4 | |
| | P | 12/ 8/1984 | -133.7 | 0.58 | 644.3 | 01 | 06 | 4 | |
| | P | 12/ 9/1984 | -133.45 | 0.25 | 644.55 | 01 | 06 | 4 | |
| | P | 12/10/1984 | -133.42 | 0.03 | 644.58 | 01 | 06 | 4 | |
| | P | 12/11/1984 | -133.68 | -0.26 | 644.32 | 01 | 06 | 4 | |
| | P | 12/12/1984 | -133.7 | -0.02 | 644.3 | 01 | 06 | 4 | |
| | P | 12/13/1984 | -133.5 | 0.2 | 644.5 | 01 | 06 | 4 | |
| | P | 12/14/1984 | -133.29 | 0.21 | 644.71 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1984 | -133.23 | 0.06 | 644.77 | 01 | 06 | 4 | |
| | P | 12/16/1984 | -131.29 | 1.94 | 646.71 | 01 | 06 | 4 | |
| | P | 12/17/1984 | -130.4 | 0.89 | 647.6 | 01 | 06 | 4 | |
| | P | 12/18/1984 | -130.58 | -0.18 | 647.42 | 01 | 06 | 4 | |
| | P | 12/19/1984 | -130.37 | 0.21 | 647.63 | 01 | 06 | 4 | |
| | P | 12/20/1984 | -130.65 | -0.28 | 647.35 | 01 | 06 | 4 | |
| | P | 12/21/1984 | -130.43 | 0.22 | 647.57 | 01 | 06 | 4 | |
| | P | 12/22/1984 | -130.55 | -0.12 | 647.45 | 01 | 06 | 4 | |
| | P | 12/23/1984 | -130.44 | 0.11 | 647.56 | 01 | 06 | 4 | |
| | P | 12/24/1984 | -130.32 | 0.12 | 647.68 | 01 | 06 | 4 | |
| | P | 12/25/1984 | -130.66 | -0.34 | 647.34 | 01 | 06 | 4 | |
| | P | 12/26/1984 | -130.44 | 0.22 | 647.56 | 01 | 06 | 4 | |
| | P | 12/27/1984 | -130.71 | -0.27 | 647.29 | 01 | 06 | 4 | |
| | P | 12/28/1984 | -130.8 | -0.09 | 647.2 | 01 | 06 | 4 | |
| | P | 12/29/1984 | -130.87 | -0.07 | 647.13 | 01 | 06 | 4 | |
| | P | 12/30/1984 | -130.75 | 0.12 | 647.25 | 01 | 06 | 4 | |
| | P | 12/31/1984 | -128.06 | 2.69 | 649.94 | 01 | 06 | 4 | |
| | P | 1/ 1/1985 | -126.88 | 1.18 | 651.12 | 01 | 06 | 4 | |
| | P | 1/ 2/1985 | -126.86 | 0.02 | 651.14 | 01 | 06 | 4 | |
| | P | 1/ 3/1985 | -128.06 | -1.2 | 649.94 | 01 | 06 | 4 | |
| | P | 1/ 4/1985 | -128.39 | -0.33 | 649.61 | 01 | 06 | 4 | |
| | P | 1/ 5/1985 | -128.19 | 0.2 | 649.81 | 01 | 06 | 4 | |
| | P | 1/ 6/1985 | -127.51 | 0.68 | 650.49 | 01 | 06 | 4 | |
| | P | 1/ 7/1985 | -127.69 | -0.18 | 650.31 | 01 | 06 | 4 | |
| | P | 1/ 8/1985 | -127.8 | -0.11 | 650.2 | 01 | 06 | 4 | |
| | P | 1/ 9/1985 | -127.82 | -0.02 | 650.18 | 01 | 06 | 4 | |
| | P | 1/25/1985 | -123.3 | 4.52 | 654.7 | 01 | 06 | 4 | |
| | P | 1/26/1985 | -123.36 | -0.06 | 654.64 | 01 | 06 | 4 | |
| | P | 1/27/1985 | -122.99 | 0.37 | 655.01 | 01 | 06 | 4 | |
| | P | 1/28/1985 | -122.99 | | 655.01 | 01 | 06 | 4 | |
| | P | 1/29/1985 | -123 | -0.01 | 655 | 01 | 06 | 4 | |
| | P | 1/30/1985 | -123.02 | -0.02 | 654.98 | 01 | 06 | 4 | |
| | P | 1/31/1985 | -123.23 | -0.21 | 654.77 | 01 | 06 | 4 | |
| | P | 2/ 1/1985 | -123.95 | -0.72 | 654.05 | 01 | 06 | 4 | |
| | P | 2/ 2/1985 | -124.48 | -0.53 | 653.52 | 01 | 06 | 4 | |
| | P | 2/ 3/1985 | -125.59 | -1.11 | 652.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/ 4/1985 | -125.75 | -0.16 | 652.25 | 01 | 06 | 4 | |
| | P | 2/ 5/1985 | -125.24 | 0.51 | 652.76 | 01 | 06 | 4 | |
| | P | 2/20/1985 | -125 | 0.24 | 653 | 01 | 06 | 4 | |
| | P | 2/21/1985 | -124.54 | 0.46 | 653.46 | 01 | 06 | 4 | |
| | P | 2/22/1985 | -124.33 | 0.21 | 653.67 | 01 | 06 | 4 | |
| | P | 2/23/1985 | -120.84 | 3.49 | 657.16 | 01 | 06 | 4 | |
| | P | 2/26/1985 | -119.05 | 1.79 | 658.95 | 01 | 06 | 4 | |
| | P | 2/27/1985 | -118.07 | 0.98 | 659.93 | 01 | 06 | 4 | |
| | P | 2/28/1985 | -117.96 | 0.11 | 660.04 | 01 | 06 | 4 | |
| | P | 3/ 1/1985 | -117.33 | 0.63 | 660.67 | 01 | 06 | 4 | |
| | P | 3/ 2/1985 | -116.99 | 0.34 | 661.01 | 01 | 06 | 4 | |
| | P | 3/ 3/1985 | -116.72 | 0.27 | 661.28 | 01 | 06 | 4 | |
| | P | 3/ 4/1985 | -116.4 | 0.32 | 661.6 | 01 | 06 | 4 | |
| | P | 3/ 5/1985 | -116.92 | -0.52 | 661.08 | 01 | 06 | 4 | |
| | P | 3/ 6/1985 | -116.81 | 0.11 | 661.19 | 01 | 06 | 4 | |
| | P | 3/ 7/1985 | -116.7 | 0.11 | 661.3 | 01 | 06 | 4 | |
| | P | 3/ 8/1985 | -117.29 | -0.59 | 660.71 | 01 | 06 | 4 | |
| | P | 3/ 9/1985 | -116.99 | 0.3 | 661.01 | 01 | 06 | 4 | |
| | P | 3/10/1985 | -117.09 | -0.1 | 660.91 | 01 | 06 | 4 | |
| | P | 3/11/1985 | -117.45 | -0.36 | 660.55 | 01 | 06 | 4 | |
| | P | 3/12/1985 | -117.71 | -0.26 | 660.29 | 01 | 06 | 4 | |
| | P | 3/13/1985 | -117.97 | -0.26 | 660.03 | 01 | 06 | 4 | |
| | P | 3/14/1985 | -115.95 | 2.02 | 662.05 | 01 | 06 | 4 | |
| | P | 3/15/1985 | -114.31 | 1.64 | 663.69 | 01 | 06 | 4 | |
| | P | 3/16/1985 | -113.22 | 1.09 | 664.78 | 01 | 06 | 4 | |
| | P | 3/17/1985 | -112.59 | 0.63 | 665.41 | 01 | 06 | 4 | |
| | P | 3/18/1985 | -112.33 | 0.26 | 665.67 | 01 | 06 | 4 | |
| | P | 3/19/1985 | -112.23 | 0.1 | 665.77 | 01 | 06 | 4 | |
| | P | 3/20/1985 | -111.63 | 0.6 | 666.37 | 01 | 06 | 4 | |
| | P | 3/21/1985 | -111.63 | | 666.37 | 01 | 06 | 4 | |
| | P | 3/22/1985 | -111.85 | -0.22 | 666.15 | 01 | 06 | 4 | |
| | P | 3/23/1985 | -111.45 | 0.4 | 666.55 | 01 | 06 | 4 | |
| | P | 3/24/1985 | -111.76 | -0.31 | 666.24 | 01 | 06 | 4 | |
| | P | 3/25/1985 | -112.37 | -0.61 | 665.63 | 01 | 06 | 4 | |
| | P | 3/26/1985 | -112.49 | -0.12 | 665.51 | 01 | 06 | 4 | |
| | P | 3/27/1985 | -112.08 | 0.41 | 665.92 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/28/1985 | -112.19 | -0.11 | 665.81 | 01 | 06 | 4 | |
| | P | 3/29/1985 | -112.59 | -0.4 | 665.41 | 01 | 06 | 4 | |
| | P | 3/30/1985 | -111.93 | 0.66 | 666.07 | 01 | 06 | 4 | |
| | P | 3/31/1985 | -112.12 | -0.19 | 665.88 | 01 | 06 | 4 | |
| | P | 4/ 1/1985 | -112.62 | -0.5 | 665.38 | 01 | 06 | 4 | |
| | P | 4/ 2/1985 | -112.87 | -0.25 | 665.13 | 01 | 06 | 4 | |
| | P | 4/ 3/1985 | -113.19 | -0.32 | 664.81 | 01 | 06 | 4 | |
| | P | 4/ 4/1985 | -113.86 | -0.67 | 664.14 | 01 | 06 | 4 | |
| | P | 4/ 5/1985 | -114.13 | -0.27 | 663.87 | 01 | 06 | 4 | |
| | P | 4/ 6/1985 | -114.57 | -0.44 | 663.43 | 01 | 06 | 4 | |
| | P | 4/ 7/1985 | -115.41 | -0.84 | 662.59 | 01 | 06 | 4 | |
| | P | 4/ 8/1985 | -114.83 | 0.58 | 663.17 | 01 | 06 | 4 | |
| | P | 4/ 9/1985 | -114.46 | 0.37 | 663.54 | 01 | 06 | 4 | |
| | P | 4/25/1985 | -116.8 | -2.34 | 661.2 | 01 | 06 | 4 | |
| | P | 4/26/1985 | -116.22 | 0.58 | 661.78 | 01 | 06 | 4 | |
| | P | 4/27/1985 | -115.2 | 1.02 | 662.8 | 01 | 06 | 4 | |
| | P | 4/28/1985 | -115.01 | 0.19 | 662.99 | 01 | 06 | 4 | |
| | P | 4/29/1985 | -114.99 | 0.02 | 663.01 | 01 | 06 | 4 | |
| | P | 4/30/1985 | -113.86 | 1.13 | 664.14 | 01 | 06 | 4 | |
| | P | 5/ 1/1985 | -113.79 | 0.07 | 664.21 | 01 | 06 | 4 | |
| | P | 5/ 2/1985 | -114.04 | -0.25 | 663.96 | 01 | 06 | 4 | |
| | P | 5/ 3/1985 | -114.75 | -0.71 | 663.25 | 01 | 06 | 4 | |
| | P | 5/ 4/1985 | -114.98 | -0.23 | 663.02 | 01 | 06 | 4 | |
| | P | 5/ 5/1985 | -115.92 | -0.94 | 662.08 | 01 | 06 | 4 | |
| | P | 5/ 6/1985 | -116.82 | -0.9 | 661.18 | 01 | 06 | 4 | |
| | P | 5/ 7/1985 | -117.7 | -0.88 | 660.3 | 01 | 06 | 4 | |
| | P | 5/30/1985 | -122.63 | -4.93 | 655.37 | 01 | 06 | 4 | |
| | P | 5/31/1985 | -122.84 | -0.21 | 655.16 | 01 | 06 | 4 | |
| | P | 6/ 1/1985 | -123.96 | -1.12 | 654.04 | 01 | 06 | 4 | |
| | P | 6/ 2/1985 | -125.08 | -1.12 | 652.92 | 01 | 06 | 4 | |
| | P | 6/ 3/1985 | -126.59 | -1.51 | 651.41 | 01 | 06 | 4 | |
| | P | 6/ 4/1985 | -127.64 | -1.05 | 650.36 | 01 | 06 | 4 | |
| | P | 6/ 5/1985 | -128.34 | -0.7 | 649.66 | 01 | 06 | 4 | |
| | P | 6/ 6/1985 | -121.4 | 6.94 | 656.6 | 01 | 06 | 4 | |
| | P | 6/ 7/1985 | -118.97 | 2.43 | 659.03 | 01 | 06 | 4 | |
| | P | 6/ 8/1985 | -117.03 | 1.94 | 660.97 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 9/1985 | -115.77 | 1.26 | 662.23 | 01 | 06 | 4 | |
| | P | 6/10/1985 | -115.69 | 0.08 | 662.31 | 01 | 06 | 4 | |
| | P | 6/11/1985 | -116.38 | -0.69 | 661.62 | 01 | 06 | 4 | |
| | P | 6/12/1985 | -116.91 | -0.53 | 661.09 | 01 | 06 | 4 | |
| | P | 6/13/1985 | -116.87 | 0.04 | 661.13 | 01 | 06 | 4 | |
| | P | 6/14/1985 | -116.94 | -0.07 | 661.06 | 01 | 06 | 4 | |
| | P | 6/15/1985 | -117.74 | -0.8 | 660.26 | 01 | 06 | 4 | |
| | P | 6/16/1985 | -118.42 | -0.68 | 659.58 | 01 | 06 | 4 | |
| | P | 6/17/1985 | -119.41 | -0.99 | 658.59 | 01 | 06 | 4 | |
| | P | 6/18/1985 | -120.98 | -1.57 | 657.02 | 01 | 06 | 4 | |
| | P | 6/19/1985 | -119.76 | 1.22 | 658.24 | 01 | 06 | 4 | |
| | P | 6/20/1985 | -118.52 | 1.24 | 659.48 | 01 | 06 | 4 | |
| | P | 6/21/1985 | -117.91 | 0.61 | 660.09 | 01 | 06 | 4 | |
| | P | 6/22/1985 | -114.44 | 3.47 | 663.56 | 01 | 06 | 4 | |
| | P | 6/23/1985 | -112.85 | 1.59 | 665.15 | 01 | 06 | 4 | |
| | P | 6/24/1985 | -112.98 | -0.13 | 665.02 | 01 | 06 | 4 | |
| | P | 6/25/1985 | -112.09 | 0.89 | 665.91 | 01 | 06 | 4 | |
| | P | 6/26/1985 | -112.05 | 0.04 | 665.95 | 01 | 06 | 4 | |
| | P | 6/27/1985 | -112.19 | -0.14 | 665.81 | 01 | 06 | 4 | |
| | P | 6/28/1985 | -111.93 | 0.26 | 666.07 | 01 | 06 | 4 | |
| | P | 6/29/1985 | -112.25 | -0.32 | 665.75 | 01 | 06 | 4 | |
| | P | 6/30/1985 | -112.76 | -0.51 | 665.24 | 01 | 06 | 4 | |
| | P | 7/ 1/1985 | -113.6 | -0.84 | 664.4 | 01 | 06 | 4 | |
| | P | 7/ 2/1985 | -114.91 | -1.31 | 663.09 | 01 | 06 | 4 | |
| | P | 7/ 3/1985 | -113.15 | 1.76 | 664.85 | 01 | 06 | 4 | |
| | P | 7/ 4/1985 | -110 | 3.15 | 668 | 01 | 06 | 4 | |
| | P | 7/ 8/1985 | -108.23 | 1.77 | 669.77 | 01 | 06 | 4 | |
| | P | 7/ 9/1985 | -107.71 | 0.52 | 670.29 | 01 | 06 | 4 | |
| | P | 7/10/1985 | -108.21 | -0.5 | 669.79 | 01 | 06 | 4 | |
| | P | 7/11/1985 | -108.79 | -0.58 | 669.21 | 01 | 06 | 4 | |
| | P | 7/12/1985 | -109.22 | -0.43 | 668.78 | 01 | 06 | 4 | |
| | P | 7/13/1985 | -108.31 | 0.91 | 669.69 | 01 | 06 | 4 | |
| | P | 7/14/1985 | -108.2 | 0.11 | 669.8 | 01 | 06 | 4 | |
| | P | 7/15/1985 | -108.5 | -0.3 | 669.5 | 01 | 06 | 4 | |
| | P | 7/16/1985 | -109.28 | -0.78 | 668.72 | 01 | 06 | 4 | |
| | P | 7/17/1985 | -110.02 | -0.74 | 667.98 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/18/1985 | -110.83 | -0.81 | 667.17 | 01 | 06 | 4 | |
| | P | 7/19/1985 | -111.4 | -0.57 | 666.6 | 01 | 06 | 4 | |
| | P | 7/20/1985 | -111.36 | 0.04 | 666.64 | 01 | 06 | 4 | |
| | P | 7/21/1985 | -111.56 | -0.2 | 666.44 | 01 | 06 | 4 | |
| | P | 7/22/1985 | -112.3 | -0.74 | 665.7 | 01 | 06 | 4 | |
| | P | 7/23/1985 | -113.68 | -1.38 | 664.32 | 01 | 06 | 4 | |
| | P | 7/24/1985 | -114.56 | -0.88 | 663.44 | 01 | 06 | 4 | |
| | P | 7/25/1985 | -115.08 | -0.52 | 662.92 | 01 | 06 | 4 | |
| | P | 7/26/1985 | -115.9 | -0.82 | 662.1 | 01 | 06 | 4 | |
| | P | 7/27/1985 | -116.44 | -0.54 | 661.56 | 01 | 06 | 4 | |
| | P | 7/28/1985 | -116.9 | -0.46 | 661.1 | 01 | 06 | 4 | |
| | P | 7/29/1985 | -117.88 | -0.98 | 660.12 | 01 | 06 | 4 | |
| | P | 7/30/1985 | -119.11 | -1.23 | 658.89 | 01 | 06 | 4 | |
| | P | 7/31/1985 | -119.59 | -0.48 | 658.41 | 01 | 06 | 4 | |
| | P | 8/ 1/1985 | -120.19 | -0.6 | 657.81 | 01 | 06 | 4 | |
| | P | 8/ 2/1985 | -120.79 | -0.6 | 657.21 | 01 | 06 | 4 | |
| | P | 8/ 3/1985 | -121.06 | -0.27 | 656.94 | 01 | 06 | 4 | |
| | P | 8/ 4/1985 | -121.6 | -0.54 | 656.4 | 01 | 06 | 4 | |
| | P | 8/ 5/1985 | -122.29 | -0.69 | 655.71 | 01 | 06 | 4 | |
| | P | 8/ 6/1985 | -123.48 | -1.19 | 654.52 | 01 | 06 | 4 | |
| | P | 8/ 7/1985 | -124.2 | -0.72 | 653.8 | 01 | 06 | 4 | |
| | P | 8/14/1985 | -129.74 | -5.54 | 648.26 | 01 | 06 | 4 | |
| | P | 8/15/1985 | -128.29 | 1.45 | 649.71 | 01 | 06 | 4 | |
| | P | 8/16/1985 | -128.45 | -0.16 | 649.55 | 01 | 06 | 4 | |
| | P | 8/17/1985 | -128.83 | -0.38 | 649.17 | 01 | 06 | 4 | |
| | P | 8/18/1985 | -129.12 | -0.29 | 648.88 | 01 | 06 | 4 | |
| | P | 8/19/1985 | -129.72 | -0.6 | 648.28 | 01 | 06 | 4 | |
| | P | 8/20/1985 | -130.83 | -1.11 | 647.17 | 01 | 06 | 4 | |
| | P | 8/21/1985 | -131.92 | -1.09 | 646.08 | 01 | 06 | 4 | |
| | P | 8/22/1985 | -132.5 | -0.58 | 645.5 | 01 | 06 | 4 | |
| | P | 8/23/1985 | -132.81 | -0.31 | 645.19 | 01 | 06 | 4 | |
| | P | 8/24/1985 | -132.72 | 0.09 | 645.28 | 01 | 06 | 4 | |
| | P | 8/25/1985 | -131.55 | 1.17 | 646.45 | 01 | 06 | 4 | |
| | P | 8/26/1985 | -130.46 | 1.09 | 647.54 | 01 | 06 | 4 | |
| | P | 8/27/1985 | -130.98 | -0.52 | 647.02 | 01 | 06 | 4 | |
| | P | 8/28/1985 | -131.01 | -0.03 | 646.99 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/29/1985 | -130.99 | 0.02 | 647.01 | 01 | 06 | 4 | |
| | P | 8/30/1985 | -130.11 | 0.88 | 647.89 | 01 | 06 | 4 | |
| | P | 8/31/1985 | -129.99 | 0.12 | 648.01 | 01 | 06 | 4 | |
| | P | 9/ 1/1985 | -130.72 | -0.73 | 647.28 | 01 | 06 | 4 | |
| | P | 9/ 2/1985 | -130.54 | 0.18 | 647.46 | 01 | 06 | 4 | |
| | P | 9/ 3/1985 | -132 | -1.46 | 646 | 01 | 06 | 4 | |
| | P | 9/ 4/1985 | -132.3 | -0.3 | 645.7 | 01 | 06 | 4 | |
| | P | 9/26/1985 | -124.59 | 7.71 | 653.41 | 01 | 06 | 4 | |
| | P | 9/27/1985 | -124.68 | -0.09 | 653.32 | 01 | 06 | 4 | |
| | P | 12/30/1985 | -103.78 | 20.9 | 674.22 | 01 | 06 | 4 | |
| | P | 12/31/1985 | -103.2 | 0.58 | 674.8 | 01 | 06 | 4 | |
| | P | 1/14/1986 | -104.78 | -1.58 | 673.22 | 01 | 06 | 4 | |
| | P | 1/15/1986 | -105.09 | -0.31 | 672.91 | 01 | 06 | 4 | |
| | P | 1/16/1986 | -105.59 | -0.5 | 672.41 | 01 | 06 | 4 | |
| | P | 1/17/1986 | -104.9 | 0.69 | 673.1 | 01 | 06 | 4 | |
| | P | 1/18/1986 | -104.58 | 0.32 | 673.42 | 01 | 06 | 4 | |
| | P | 1/19/1986 | -104.2 | 0.38 | 673.8 | 01 | 06 | 4 | |
| | P | 1/20/1986 | -104.28 | -0.08 | 673.72 | 01 | 06 | 4 | |
| | P | 1/21/1986 | -104.71 | -0.43 | 673.29 | 01 | 06 | 4 | |
| | P | 1/22/1986 | -105.12 | -0.41 | 672.88 | 01 | 06 | 4 | |
| | P | 1/23/1986 | -105.47 | -0.35 | 672.53 | 01 | 06 | 4 | |
| | P | 1/24/1986 | -105.35 | 0.12 | 672.65 | 01 | 06 | 4 | |
| | P | 1/25/1986 | -105.55 | -0.2 | 672.45 | 01 | 06 | 4 | |
| | P | 1/26/1986 | -105.32 | 0.23 | 672.68 | 01 | 06 | 4 | |
| | P | 1/27/1986 | -106.15 | -0.83 | 671.85 | 01 | 06 | 4 | |
| | P | 1/28/1986 | -106.51 | -0.36 | 671.49 | 01 | 06 | 4 | |
| | P | 1/30/1986 | -106.51 | | 671.49 | 01 | 06 | 4 | |
| | P | 2/ 5/1986 | -102.11 | 4.4 | 675.89 | 01 | 06 | 4 | |
| | P | 2/ 6/1986 | -102.5 | -0.39 | 675.5 | 01 | 06 | 4 | |
| | P | 2/ 7/1986 | -102.27 | 0.23 | 675.73 | 01 | 06 | 4 | |
| | P | 2/ 8/1986 | -101.6 | 0.67 | 676.4 | 01 | 06 | 4 | |
| | P | 2/ 9/1986 | -101.68 | -0.08 | 676.32 | 01 | 06 | 4 | |
| | P | 2/10/1986 | -101.75 | -0.07 | 676.25 | 01 | 06 | 4 | |
| | P | 2/11/1986 | -102.61 | -0.86 | 675.39 | 01 | 06 | 4 | |
| | P | 2/12/1986 | -102.34 | 0.27 | 675.66 | 01 | 06 | 4 | |
| | P | 2/15/1986 | -102.46 | -0.12 | 675.54 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/16/1986 | -102.3 | 0.16 | 675.7 | 01 | 06 | 4 | |
| | P | 2/17/1986 | -102.79 | -0.49 | 675.21 | 01 | 06 | 4 | |
| | P | 2/18/1986 | -103.73 | -0.94 | 674.27 | 01 | 06 | 4 | |
| | P | 2/19/1986 | -104.98 | -1.25 | 673.02 | 01 | 06 | 4 | |
| | P | 2/20/1986 | -105.62 | -0.64 | 672.38 | 01 | 06 | 4 | |
| | P | 2/21/1986 | -106.82 | -1.2 | 671.18 | 01 | 06 | 4 | |
| | P | 2/22/1986 | -106.62 | 0.2 | 671.38 | 01 | 06 | 4 | |
| | P | 2/23/1986 | -106.41 | 0.21 | 671.59 | 01 | 06 | 4 | |
| | P | 2/24/1986 | -107.29 | -0.88 | 670.71 | 01 | 06 | 4 | |
| | P | 2/25/1986 | -107.69 | -0.4 | 670.31 | 01 | 06 | 4 | |
| | P | 2/26/1986 | -108.12 | -0.43 | 669.88 | 01 | 06 | 4 | |
| | P | 2/27/1986 | -109.78 | -1.66 | 668.22 | 01 | 06 | 4 | |
| | P | 2/28/1986 | -106.96 | 2.82 | 671.04 | 01 | 06 | 4 | |
| | P | 3/ 1/1986 | -106.02 | 0.94 | 671.98 | 01 | 06 | 4 | |
| | P | 3/ 2/1986 | -106.39 | -0.37 | 671.61 | 01 | 06 | 4 | |
| | P | 3/ 3/1986 | -108 | -1.61 | 670 | 01 | 06 | 4 | |
| | P | 3/ 4/1986 | -107.83 | 0.17 | 670.17 | 01 | 06 | 4 | |
| | P | 3/ 5/1986 | -108.34 | -0.51 | 669.66 | 01 | 06 | 4 | |
| | P | 3/ 6/1986 | -108.85 | -0.51 | 669.15 | 01 | 06 | 4 | |
| | P | 3/ 7/1986 | -109.6 | -0.75 | 668.4 | 01 | 06 | 4 | |
| | P | 3/ 8/1986 | -109.74 | -0.14 | 668.26 | 01 | 06 | 4 | |
| | P | 3/ 9/1986 | -110.12 | -0.38 | 667.88 | 01 | 06 | 4 | |
| | P | 3/10/1986 | -111.02 | -0.9 | 666.98 | 01 | 06 | 4 | |
| | P | 3/11/1986 | -112.69 | -1.67 | 665.31 | 01 | 06 | 4 | |
| | P | 3/12/1986 | -111.83 | 0.86 | 666.17 | 01 | 06 | 4 | |
| | P | 3/13/1986 | -111.64 | 0.19 | 666.36 | 01 | 06 | 4 | |
| | P | 3/14/1986 | -111.58 | 0.06 | 666.42 | 01 | 06 | 4 | |
| | P | 3/15/1986 | -111.35 | 0.23 | 666.65 | 01 | 06 | 4 | |
| | P | 3/16/1986 | -110.81 | 0.54 | 667.19 | 01 | 06 | 4 | |
| | P | 3/27/1986 | -115.94 | -5.13 | 662.06 | 01 | 06 | 4 | |
| | P | 3/28/1986 | -114.97 | 0.97 | 663.03 | 01 | 06 | 4 | |
| | P | 3/29/1986 | -115.16 | -0.19 | 662.84 | 01 | 06 | 4 | |
| | P | 3/30/1986 | -115.67 | -0.51 | 662.33 | 01 | 06 | 4 | |
| | P | 3/31/1986 | -115.42 | 0.25 | 662.58 | 01 | 06 | 4 | |
| | P | 4/ 1/1986 | -116.09 | -0.67 | 661.91 | 01 | 06 | 4 | |
| | P | 4/ 2/1986 | -115.89 | 0.2 | 662.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 3/1986 | -116.43 | -0.54 | 661.57 | 01 | 06 | 4 | |
| | P | 4/ 4/1986 | -116.26 | 0.17 | 661.74 | 01 | 06 | 4 | |
| | P | 4/ 5/1986 | -115.95 | 0.31 | 662.05 | 01 | 06 | 4 | |
| | P | 4/ 6/1986 | -115.98 | -0.03 | 662.02 | 01 | 06 | 4 | |
| | P | 4/ 7/1986 | -115.82 | 0.16 | 662.18 | 01 | 06 | 4 | |
| | P | 4/ 8/1986 | -115.98 | -0.16 | 662.02 | 01 | 06 | 4 | |
| | P | 4/ 9/1986 | -116.67 | -0.69 | 661.33 | 01 | 06 | 4 | |
| | P | 4/10/1986 | -116.6 | 0.07 | 661.4 | 01 | 06 | 4 | |
| | P | 4/11/1986 | -116.38 | 0.22 | 661.62 | 01 | 06 | 4 | |
| | P | 4/12/1986 | -116.45 | -0.07 | 661.55 | 01 | 06 | 4 | |
| | P | 4/13/1986 | -117.69 | -1.24 | 660.31 | 01 | 06 | 4 | |
| | P | 4/14/1986 | -119.02 | -1.33 | 658.98 | 01 | 06 | 4 | |
| | P | 4/15/1986 | -119.37 | -0.35 | 658.63 | 01 | 06 | 4 | |
| | P | 4/16/1986 | -119.95 | -0.58 | 658.05 | 01 | 06 | 4 | |
| | P | 4/17/1986 | -120.59 | -0.64 | 657.41 | 01 | 06 | 4 | |
| | P | 4/18/1986 | -120.28 | 0.31 | 657.72 | 01 | 06 | 4 | |
| | P | 4/19/1986 | -119.55 | 0.73 | 658.45 | 01 | 06 | 4 | |
| | P | 4/20/1986 | -119.66 | -0.11 | 658.34 | 01 | 06 | 4 | |
| | P | 4/21/1986 | -120.6 | -0.94 | 657.4 | 01 | 06 | 4 | |
| | P | 4/22/1986 | -122.4 | -1.8 | 655.6 | 01 | 06 | 4 | |
| | P | 4/23/1986 | -123.4 | -1 | 654.6 | 01 | 06 | 4 | |
| | P | 4/24/1986 | -124.38 | -0.98 | 653.62 | 01 | 06 | 4 | |
| | P | 4/25/1986 | -125.24 | -0.86 | 652.76 | 01 | 06 | 4 | |
| | P | 4/26/1986 | -125.33 | -0.09 | 652.67 | 01 | 06 | 4 | |
| | P | 4/27/1986 | -125.76 | -0.43 | 652.24 | 01 | 06 | 4 | |
| | P | 4/30/1986 | -126.05 | -0.29 | 651.95 | 01 | 06 | 1 | |
| | P | 5/ 1/1986 | -125.49 | 0.56 | 652.51 | 01 | 06 | 4 | |
| | P | 5/ 2/1986 | -125.1 | 0.39 | 652.9 | 01 | 06 | 4 | |
| | P | 5/ 3/1986 | -124.57 | 0.53 | 653.43 | 01 | 06 | 4 | |
| | P | 5/ 4/1986 | -124.01 | 0.56 | 653.99 | 01 | 06 | 4 | |
| | P | 5/ 5/1986 | -123.64 | 0.37 | 654.36 | 01 | 06 | 4 | |
| | P | 5/ 6/1986 | -124.25 | -0.61 | 653.75 | 01 | 06 | 4 | |
| | P | 5/ 7/1986 | -124.91 | -0.66 | 653.09 | 01 | 06 | 4 | |
| | P | 5/ 8/1986 | -125.08 | -0.17 | 652.92 | 01 | 06 | 4 | |
| | P | 5/ 9/1986 | -124.9 | 0.18 | 653.1 | 01 | 06 | 4 | |
| | P | 5/10/1986 | -122.97 | 1.93 | 655.03 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/11/1986 | -122.2 | 0.77 | 655.8 | 01 | 06 | 4 | |
| | P | 5/12/1986 | -121.94 | 0.26 | 656.06 | 01 | 06 | 4 | |
| | P | 5/13/1986 | -122.72 | -0.78 | 655.28 | 01 | 06 | 4 | |
| | P | 5/14/1986 | -123.01 | -0.29 | 654.99 | 01 | 06 | 4 | |
| | P | 5/15/1986 | -122.8 | 0.21 | 655.2 | 01 | 06 | 4 | |
| | P | 5/16/1986 | -121.38 | 1.42 | 656.62 | 01 | 06 | 4 | |
| | P | 5/17/1986 | -120.7 | 0.68 | 657.3 | 01 | 06 | 4 | |
| | P | 5/18/1986 | -120.15 | 0.55 | 657.85 | 01 | 06 | 4 | |
| | P | 5/19/1986 | -119.92 | 0.23 | 658.08 | 01 | 06 | 4 | |
| | P | 5/20/1986 | -120.44 | -0.52 | 657.56 | 01 | 06 | 4 | |
| | P | 5/21/1986 | -120.89 | -0.45 | 657.11 | 01 | 06 | 4 | |
| | P | 5/22/1986 | -121.84 | -0.95 | 656.16 | 01 | 06 | 4 | |
| | P | 5/23/1986 | -123.06 | -1.22 | 654.94 | 01 | 06 | 4 | |
| | P | 5/24/1986 | -123.88 | -0.82 | 654.12 | 01 | 06 | 4 | |
| | P | 5/25/1986 | -124.05 | -0.17 | 653.95 | 01 | 06 | 4 | |
| | P | 5/26/1986 | -121.91 | 2.14 | 656.09 | 01 | 06 | 4 | |
| | P | 5/27/1986 | -119.36 | 2.55 | 658.64 | 01 | 06 | 4 | |
| | P | 5/28/1986 | -118.6 | 0.76 | 659.4 | 01 | 06 | 4 | |
| | P | 5/29/1986 | -117.84 | 0.76 | 660.16 | 01 | 06 | 4 | |
| | P | 5/30/1986 | -116.75 | 1.09 | 661.25 | 01 | 06 | 4 | |
| | P | 5/31/1986 | -112.84 | 3.91 | 665.16 | 01 | 06 | 4 | |
| | P | 6/ 1/1986 | -110.89 | 1.95 | 667.11 | 01 | 06 | 4 | |
| | P | 6/ 2/1986 | -110.09 | 0.8 | 667.91 | 01 | 06 | 4 | |
| | P | 6/ 3/1986 | -109.19 | 0.9 | 668.81 | 01 | 06 | 4 | |
| | P | 6/ 4/1986 | -103.5 | 5.69 | 674.5 | 01 | 06 | 4 | |
| | P | 6/ 5/1986 | -101.9 | 1.6 | 676.1 | 01 | 06 | 4 | |
| | P | 6/ 6/1986 | -100.71 | 1.19 | 677.29 | 01 | 06 | 4 | |
| | P | 6/ 7/1986 | -100.04 | 0.67 | 677.96 | 01 | 06 | 4 | |
| | P | 6/ 8/1986 | -99.43 | 0.61 | 678.57 | 01 | 06 | 4 | |
| | P | 6/ 9/1986 | -99.17 | 0.26 | 678.83 | 01 | 06 | 4 | |
| | P | 6/10/1986 | -99.2 | -0.03 | 678.8 | 01 | 06 | 4 | |
| | P | 6/11/1986 | -99.51 | -0.31 | 678.49 | 01 | 06 | 4 | |
| | P | 6/12/1986 | -99.45 | 0.06 | 678.55 | 01 | 06 | 4 | |
| | P | 6/13/1986 | -99.49 | -0.04 | 678.51 | 01 | 06 | 4 | |
| | P | 6/14/1986 | -99.35 | 0.14 | 678.65 | 01 | 06 | 4 | |
| | P | 6/15/1986 | -99.54 | -0.19 | 678.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 2/1986 | -100.62 | -1.08 | 677.38 | 01 | 06 | 4 | |
| | P | 7/ 3/1986 | -101.93 | -1.31 | 676.07 | 01 | 06 | 4 | |
| | P | 7/ 4/1986 | -102.79 | -0.86 | 675.21 | 01 | 06 | 4 | |
| | P | 7/ 5/1986 | -103.12 | -0.33 | 674.88 | 01 | 06 | 4 | |
| | P | 7/ 6/1986 | -103.51 | -0.39 | 674.49 | 01 | 06 | 4 | |
| | P | 7/ 7/1986 | -104.51 | -1 | 673.49 | 01 | 06 | 4 | |
| | P | 7/ 8/1986 | -104.95 | -0.44 | 673.05 | 01 | 06 | 4 | |
| | P | 7/ 9/1986 | -105.65 | -0.7 | 672.35 | 01 | 06 | 4 | |
| | P | 7/10/1986 | -106.74 | -1.09 | 671.26 | 01 | 06 | 4 | |
| | P | 7/11/1986 | -107.55 | -0.81 | 670.45 | 01 | 06 | 4 | |
| | P | 7/12/1986 | -108.21 | -0.66 | 669.79 | 01 | 06 | 4 | |
| | P | 7/13/1986 | -108.58 | -0.37 | 669.42 | 01 | 06 | 4 | |
| | P | 7/31/1986 | -122.01 | -13.4 | 655.99 | 01 | 06 | 4 | |
| | P | 8/ 1/1986 | -123.04 | -1.03 | 654.96 | 01 | 06 | 4 | |
| | P | 9/ 2/1986 | -121.45 | 1.59 | 656.55 | 01 | 06 | 4 | |
| | P | 9/ 3/1986 | -120.76 | 0.69 | 657.24 | 01 | 06 | 4 | |
| | P | 9/ 4/1986 | -120.78 | -0.02 | 657.22 | 01 | 06 | 4 | |
| | P | 9/ 5/1986 | -120.28 | 0.5 | 657.72 | 01 | 06 | 4 | |
| | P | 9/ 6/1986 | -119.42 | 0.86 | 658.58 | 01 | 06 | 4 | |
| | P | 9/ 7/1986 | -117.64 | 1.78 | 660.36 | 01 | 06 | 4 | |
| | P | 9/ 8/1986 | -116.99 | 0.65 | 661.01 | 01 | 06 | 4 | |
| | P | 9/ 9/1986 | -116.56 | 0.43 | 661.44 | 01 | 06 | 4 | |
| | P | 9/10/1986 | -116.3 | 0.26 | 661.7 | 01 | 06 | 4 | |
| | P | 9/11/1986 | -116.34 | -0.04 | 661.66 | 01 | 06 | 4 | |
| | P | 9/12/1986 | -116.38 | -0.04 | 661.62 | 01 | 06 | 4 | |
| | P | 9/13/1986 | -116.41 | -0.03 | 661.59 | 01 | 06 | 4 | |
| | P | 9/14/1986 | -117.12 | -0.71 | 660.88 | 01 | 06 | 4 | |
| | P | 9/15/1986 | -117.38 | -0.26 | 660.62 | 01 | 06 | 4 | |
| | P | 9/16/1986 | -117.6 | -0.22 | 660.4 | 01 | 06 | 4 | |
| | P | 9/17/1986 | -118.12 | -0.52 | 659.88 | 01 | 06 | 4 | |
| | P | 9/18/1986 | -117.78 | 0.34 | 660.22 | 01 | 06 | 4 | |
| | P | 9/19/1986 | -117 | 0.78 | 661 | 01 | 06 | 4 | |
| | P | 9/20/1986 | -116.83 | 0.17 | 661.17 | 01 | 06 | 4 | |
| | P | 9/21/1986 | -116.64 | 0.19 | 661.36 | 01 | 06 | 4 | |
| | P | 9/22/1986 | -116.67 | -0.03 | 661.33 | 01 | 06 | 4 | |
| | P | 9/23/1986 | -117.04 | -0.37 | 660.96 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/24/1986 | -117.75 | -0.71 | 660.25 | 01 | 06 | 4 | |
| | P | 9/25/1986 | -117.8 | -0.05 | 660.2 | 01 | 06 | 4 | |
| | P | 9/26/1986 | -118.06 | -0.26 | 659.94 | 01 | 06 | 4 | |
| | P | 10/ 1/1986 | -117.85 | 0.21 | 660.15 | 01 | 06 | 4 | |
| | P | 10/ 9/1986 | -114.39 | 3.46 | 663.61 | 01 | 06 | 4 | |
| | P | 10/10/1986 | -113.95 | 0.44 | 664.05 | 01 | 06 | 4 | |
| | P | 10/11/1986 | -111.31 | 2.64 | 666.69 | 01 | 06 | 4 | |
| | P | 11/ 5/1986 | -101.43 | 9.88 | 676.57 | 01 | 06 | 4 | |
| | P | 11/ 6/1986 | -101.5 | -0.07 | 676.5 | 01 | 06 | 4 | |
| | P | 11/ 7/1986 | -101.34 | 0.16 | 676.66 | 01 | 06 | 4 | |
| | P | 11/ 8/1986 | -101.38 | -0.04 | 676.62 | 01 | 06 | 4 | |
| | P | 11/ 9/1986 | -101.25 | 0.13 | 676.75 | 01 | 06 | 4 | |
| | P | 11/10/1986 | -101.47 | -0.22 | 676.53 | 01 | 06 | 4 | |
| | P | 11/30/1986 | -101.09 | 0.38 | 676.91 | 01 | 06 | 4 | |
| | P | 12/ 1/1986 | -101.15 | -0.06 | 676.85 | 01 | 06 | 4 | |
| | P | 12/ 2/1986 | -101.38 | -0.23 | 676.62 | 01 | 06 | 4 | |
| | P | 1/ 7/1987 | -89.99 | 11.39 | 688.01 | 01 | 06 | 4 | |
| | P | 1/ 8/1987 | -89.77 | 0.22 | 688.23 | 01 | 06 | 4 | |
| | P | 1/ 9/1987 | -89.5 | 0.27 | 688.5 | 01 | 06 | 4 | |
| | P | 1/10/1987 | -89.65 | -0.15 | 688.35 | 01 | 06 | 4 | |
| | P | 1/11/1987 | -89.85 | -0.2 | 688.15 | 01 | 06 | 4 | |
| | P | 1/12/1987 | -89.93 | -0.08 | 688.07 | 01 | 06 | 4 | |
| | P | 1/13/1987 | -90.13 | -0.2 | 687.87 | 01 | 06 | 4 | |
| | P | 1/14/1987 | -90.04 | 0.09 | 687.96 | 01 | 06 | 4 | |
| | P | 1/15/1987 | -90.25 | -0.21 | 687.75 | 01 | 06 | 4 | |
| | P | 1/16/1987 | -90.55 | -0.3 | 687.45 | 01 | 06 | 4 | |
| | P | 1/17/1987 | -90.49 | 0.06 | 687.51 | 01 | 06 | 4 | |
| | P | 1/18/1987 | -89.98 | 0.51 | 688.02 | 01 | 06 | 4 | |
| | P | 1/20/1987 | -90.55 | -0.57 | 687.45 | 01 | 06 | 4 | |
| | P | 1/21/1987 | -90.3 | 0.25 | 687.7 | 01 | 06 | 4 | |
| | P | 1/22/1987 | -90.01 | 0.29 | 687.99 | 01 | 06 | 4 | |
| | P | 1/29/1987 | -92.09 | -2.08 | 685.91 | 01 | 06 | 4 | |
| | P | 1/30/1987 | -91.8 | 0.29 | 686.2 | 01 | 06 | 4 | |
| | P | 1/31/1987 | -91.86 | -0.06 | 686.14 | 01 | 06 | 4 | |
| | P | 2/ 1/1987 | -91.44 | 0.42 | 686.56 | 01 | 06 | 4 | |
| | P | 2/12/1987 | -92.5 | -1.06 | 685.5 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/26/1987 | -90.69 | 1.81 | 687.31 | 01 | 06 | 4 | |
| | P | 2/27/1987 | -89.58 | 1.11 | 688.42 | 01 | 06 | 4 | |
| | P | 2/28/1987 | -88.73 | 0.85 | 689.27 | 01 | 06 | 4 | |
| | P | 3/ 1/1987 | -88.23 | 0.5 | 689.77 | 01 | 06 | 4 | |
| | P | 3/ 2/1987 | -88.05 | 0.18 | 689.95 | 01 | 06 | 4 | |
| | P | 3/ 3/1987 | -88.44 | -0.39 | 689.56 | 01 | 06 | 4 | |
| | P | 3/ 4/1987 | -88.16 | 0.28 | 689.84 | 01 | 06 | 4 | |
| | P | 3/ 5/1987 | -88.64 | -0.48 | 689.36 | 01 | 06 | 4 | |
| | P | 3/ 6/1987 | -88.71 | -0.07 | 689.29 | 01 | 06 | 4 | |
| | P | 3/ 7/1987 | -88.78 | -0.07 | 689.22 | 01 | 06 | 4 | |
| | P | 3/ 8/1987 | -88.9 | -0.12 | 689.1 | 01 | 06 | 4 | |
| | P | 3/ 9/1987 | -89.21 | -0.31 | 688.79 | 01 | 06 | 4 | |
| | P | 3/10/1987 | -89.44 | -0.23 | 688.56 | 01 | 06 | 4 | |
| | P | 3/11/1987 | -89.34 | 0.1 | 688.66 | 01 | 06 | 4 | |
| | P | 3/12/1987 | -89 | 0.34 | 689 | 01 | 06 | 4 | |
| | P | 3/13/1987 | -89.38 | -0.38 | 688.62 | 01 | 06 | 4 | |
| | P | 3/14/1987 | -89.24 | 0.14 | 688.76 | 01 | 06 | 4 | |
| | P | 3/15/1987 | -89.29 | -0.05 | 688.71 | 01 | 06 | 4 | |
| | P | 3/16/1987 | -89.39 | -0.1 | 688.61 | 01 | 06 | 4 | |
| | P | 3/17/1987 | -89.35 | 0.04 | 688.65 | 01 | 06 | 4 | |
| | P | 3/18/1987 | -89.44 | -0.09 | 688.56 | 01 | 06 | 4 | |
| | P | 3/19/1987 | -89.58 | -0.14 | 688.42 | 01 | 06 | 4 | |
| | P | 3/20/1987 | -89.64 | -0.06 | 688.36 | 01 | 06 | 4 | |
| | P | 3/21/1987 | -89.93 | -0.29 | 688.07 | 01 | 06 | 4 | |
| | P | 3/22/1987 | -89.99 | -0.06 | 688.01 | 01 | 06 | 4 | |
| | P | 3/23/1987 | -90.05 | -0.06 | 687.95 | 01 | 06 | 4 | |
| | P | 3/24/1987 | -89.88 | 0.17 | 688.12 | 01 | 06 | 4 | |
| | P | 3/25/1987 | -90.45 | -0.57 | 687.55 | 01 | 06 | 4 | |
| | P | 3/26/1987 | -90.6 | -0.15 | 687.4 | 01 | 06 | 4 | |
| | P | 3/27/1987 | -90.62 | -0.02 | 687.38 | 01 | 06 | 4 | |
| | P | 3/28/1987 | -90.91 | -0.29 | 687.09 | 01 | 06 | 4 | |
| | P | 3/29/1987 | -90.82 | 0.09 | 687.18 | 01 | 06 | 4 | |
| | P | 3/30/1987 | -91.1 | -0.28 | 686.9 | 01 | 06 | 4 | |
| | P | 3/31/1987 | -91.41 | -0.31 | 686.59 | 01 | 06 | 4 | |
| | P | 4/ 1/1987 | -91.68 | -0.27 | 686.32 | 01 | 06 | 4 | |
| | P | 4/ 2/1987 | -92.09 | -0.41 | 685.91 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 3/1987 | -92.08 | 0.01 | 685.92 | 01 | 06 | 4 | |
| | P | 4/ 4/1987 | -92.15 | -0.07 | 685.85 | 01 | 06 | 4 | |
| | P | 4/ 5/1987 | -91.99 | 0.16 | 686.01 | 01 | 06 | 4 | |
| | P | 4/ 6/1987 | -91.81 | 0.18 | 686.19 | 01 | 06 | 4 | |
| | P | 4/ 7/1987 | -92.17 | -0.36 | 685.83 | 01 | 06 | 4 | |
| | P | 4/ 8/1987 | -92.28 | -0.11 | 685.72 | 01 | 06 | 4 | |
| | P | 4/ 9/1987 | -92.78 | -0.5 | 685.22 | 01 | 06 | 4 | |
| | P | 4/10/1987 | -92.86 | -0.08 | 685.14 | 01 | 06 | 4 | |
| | P | 4/11/1987 | -93.62 | -0.76 | 684.38 | 01 | 06 | 4 | |
| | P | 4/12/1987 | -94.17 | -0.55 | 683.83 | 01 | 06 | 4 | |
| | P | 4/13/1987 | -94.62 | -0.45 | 683.38 | 01 | 06 | 4 | |
| | P | 4/14/1987 | -94.56 | 0.06 | 683.44 | 01 | 06 | 4 | |
| | P | 4/15/1987 | -95.02 | -0.46 | 682.98 | 01 | 06 | 4 | |
| | P | 4/16/1987 | -95.64 | -0.62 | 682.36 | 01 | 06 | 4 | |
| | P | 4/17/1987 | -96.71 | -1.07 | 681.29 | 01 | 06 | 4 | |
| | P | 4/18/1987 | -97.09 | -0.38 | 680.91 | 01 | 06 | 4 | |
| | P | 4/19/1987 | -97.67 | -0.58 | 680.33 | 01 | 06 | 4 | |
| | P | 4/20/1987 | -97.89 | -0.22 | 680.11 | 01 | 06 | 4 | |
| | P | 4/21/1987 | -97.89 | | 680.11 | 01 | 06 | 4 | |
| | P | 4/22/1987 | -97.64 | 0.25 | 680.36 | 01 | 06 | 4 | |
| | P | 4/23/1987 | -97.69 | -0.05 | 680.31 | 01 | 06 | 4 | |
| | P | 4/24/1987 | -98.29 | -0.6 | 679.71 | 01 | 06 | 4 | |
| | P | 4/25/1987 | -97.63 | 0.66 | 680.37 | 01 | 06 | 4 | |
| | P | 4/26/1987 | -96.86 | 0.77 | 681.14 | 01 | 06 | 4 | |
| | P | 4/27/1987 | -97.1 | -0.24 | 680.9 | 01 | 06 | 4 | |
| | P | 4/28/1987 | -97.34 | -0.24 | 680.66 | 01 | 06 | 4 | |
| | P | 4/29/1987 | -98.64 | -1.3 | 679.36 | 01 | 06 | 4 | |
| | P | 4/30/1987 | -98.44 | 0.2 | 679.56 | 01 | 06 | 4 | |
| | P | 5/ 1/1987 | -98.99 | -0.55 | 679.01 | 01 | 06 | 4 | |
| | P | 5/ 2/1987 | -98.83 | 0.16 | 679.17 | 01 | 06 | 4 | |
| | P | 5/ 3/1987 | -98.99 | -0.16 | 679.01 | 01 | 06 | 4 | |
| | P | 5/ 4/1987 | -98.72 | 0.27 | 679.28 | 01 | 06 | 4 | |
| | P | 5/ 5/1987 | -98.15 | 0.57 | 679.85 | 01 | 06 | 4 | |
| | P | 5/ 6/1987 | -97.81 | 0.34 | 680.19 | 01 | 06 | 4 | |
| | P | 5/ 7/1987 | -97.44 | 0.37 | 680.56 | 01 | 06 | 4 | |
| | P | 5/ 8/1987 | -97.21 | 0.23 | 680.79 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 9/1987 | -97.03 | 0.18 | 680.97 | 01 | 06 | 4 | |
| | P | 5/10/1987 | -97.11 | -0.08 | 680.89 | 01 | 06 | 4 | |
| | P | 5/11/1987 | -97.24 | -0.13 | 680.76 | 01 | 06 | 4 | |
| | P | 5/12/1987 | -97.59 | -0.35 | 680.41 | 01 | 06 | 4 | |
| | P | 5/13/1987 | -98.01 | -0.42 | 679.99 | 01 | 06 | 4 | |
| | P | 5/14/1987 | -97.82 | 0.19 | 680.18 | 01 | 06 | 4 | |
| | P | 5/15/1987 | -97.76 | 0.06 | 680.24 | 01 | 06 | 4 | |
| | P | 5/16/1987 | -97.35 | 0.41 | 680.65 | 01 | 06 | 4 | |
| | P | 5/17/1987 | -97.19 | 0.16 | 680.81 | 01 | 06 | 4 | |
| | P | 5/18/1987 | -97.38 | -0.19 | 680.62 | 01 | 06 | 4 | |
| | P | 5/19/1987 | -97.03 | 0.35 | 680.97 | 01 | 06 | 4 | |
| | P | 5/20/1987 | -96.4 | 0.63 | 681.6 | 01 | 06 | 4 | |
| | P | 5/21/1987 | -96.1 | 0.3 | 681.9 | 01 | 06 | 4 | |
| | P | 5/22/1987 | -96.01 | 0.09 | 681.99 | 01 | 06 | 4 | |
| | P | 5/23/1987 | -95.8 | 0.21 | 682.2 | 01 | 06 | 4 | |
| | P | 5/24/1987 | -95.66 | 0.14 | 682.34 | 01 | 06 | 4 | |
| | P | 5/25/1987 | -96 | -0.34 | 682 | 01 | 06 | 4 | |
| | P | 5/26/1987 | -96.11 | -0.11 | 681.89 | 01 | 06 | 4 | |
| | P | 5/27/1987 | -95.6 | 0.51 | 682.4 | 01 | 06 | 4 | |
| | P | 5/28/1987 | -95.56 | 0.04 | 682.44 | 01 | 06 | 4 | |
| | P | 5/29/1987 | -93.79 | 1.77 | 684.21 | 01 | 06 | 4 | |
| | P | 5/30/1987 | -92.19 | 1.6 | 685.81 | 01 | 06 | 4 | |
| | P | 5/31/1987 | -90.05 | 2.14 | 687.95 | 01 | 06 | 4 | |
| | P | 6/ 1/1987 | -88.02 | 2.03 | 689.98 | 01 | 06 | 4 | |
| | P | 6/ 2/1987 | -85.72 | 2.3 | 692.28 | 01 | 06 | 4 | |
| | P | 6/ 3/1987 | -83.85 | 1.87 | 694.15 | 01 | 06 | 4 | |
| | P | 6/ 4/1987 | -81.7 | 2.15 | 696.3 | 01 | 06 | 4 | |
| | P | 6/ 5/1987 | -80.35 | 1.35 | 697.65 | 01 | 06 | 4 | |
| | P | 6/ 6/1987 | -79.31 | 1.04 | 698.69 | 01 | 06 | 4 | |
| | P | 6/ 7/1987 | -78.25 | 1.06 | 699.75 | 01 | 06 | 4 | |
| | P | 6/ 8/1987 | -77.92 | 0.33 | 700.08 | 01 | 06 | 4 | |
| | P | 6/ 9/1987 | -77.5 | 0.42 | 700.5 | 01 | 06 | 4 | |
| | P | 6/10/1987 | -76.8 | 0.7 | 701.2 | 01 | 06 | 4 | |
| | P | 6/11/1987 | -75.21 | 1.59 | 702.79 | 01 | 06 | 4 | |
| | P | 6/12/1987 | -73.84 | 1.37 | 704.16 | 01 | 06 | 4 | |
| | P | 6/13/1987 | -72.65 | 1.19 | 705.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/14/1987 | -71.67 | 0.98 | 706.33 | 01 | 06 | 4 | |
| | P | 6/15/1987 | -71.68 | -0.01 | 706.32 | 01 | 06 | 4 | |
| | P | 6/16/1987 | -71.15 | 0.53 | 706.85 | 01 | 06 | 4 | |
| | P | 6/17/1987 | -71.69 | -0.54 | 706.31 | 01 | 06 | 4 | |
| | P | 6/18/1987 | -72 | -0.31 | 706 | 01 | 06 | 4 | |
| | P | 6/19/1987 | -72.15 | -0.15 | 705.85 | 01 | 06 | 4 | |
| | P | 6/20/1987 | -72.5 | -0.35 | 705.5 | 01 | 06 | 4 | |
| | P | 6/21/1987 | -72.68 | -0.18 | 705.32 | 01 | 06 | 4 | |
| | P | 6/22/1987 | -73.06 | -0.38 | 704.94 | 01 | 06 | 4 | |
| | P | 6/23/1987 | -73.75 | -0.69 | 704.25 | 01 | 06 | 4 | |
| | P | 6/24/1987 | -74.9 | -1.15 | 703.1 | 01 | 06 | 4 | |
| | P | 6/25/1987 | -75.7 | -0.8 | 702.3 | 01 | 06 | 4 | |
| | P | 6/26/1987 | -76.48 | -0.78 | 701.52 | 01 | 06 | 4 | |
| | P | 6/27/1987 | -76.46 | 0.02 | 701.54 | 01 | 06 | 4 | |
| | P | 6/28/1987 | -77.6 | -1.14 | 700.4 | 01 | 06 | 4 | |
| | P | 6/29/1987 | -78.61 | -1.01 | 699.39 | 01 | 06 | 4 | |
| | P | 6/30/1987 | -79.15 | -0.54 | 698.85 | 01 | 06 | 4 | |
| | P | 7/ 1/1987 | -80.14 | -0.99 | 697.86 | 01 | 06 | 4 | |
| | P | 7/31/1987 | -88.04 | -7.9 | 689.96 | 01 | 06 | 4 | |
| | P | 8/ 1/1987 | -87.72 | 0.32 | 690.28 | 01 | 06 | 4 | |
| | P | 8/ 2/1987 | -88.12 | -0.4 | 689.88 | 01 | 06 | 4 | |
| | P | 8/ 3/1987 | -88.92 | -0.8 | 689.08 | 01 | 06 | 4 | |
| | P | 8/ 4/1987 | -89.5 | -0.58 | 688.5 | 01 | 06 | 4 | |
| | P | 8/ 5/1987 | -90.03 | -0.53 | 687.97 | 01 | 06 | 4 | |
| | P | 8/ 6/1987 | -90.56 | -0.53 | 687.44 | 01 | 06 | 4 | |
| | P | 8/ 7/1987 | -91.21 | -0.65 | 686.79 | 01 | 06 | 4 | |
| | P | 8/ 8/1987 | -91.23 | -0.02 | 686.77 | 01 | 06 | 4 | |
| | P | 8/ 9/1987 | -91.81 | -0.58 | 686.19 | 01 | 06 | 4 | |
| | P | 8/10/1987 | -92.01 | -0.2 | 685.99 | 01 | 06 | 4 | |
| | P | 8/11/1987 | -92.82 | -0.81 | 685.18 | 01 | 06 | 4 | |
| | P | 8/12/1987 | -93.14 | -0.32 | 684.86 | 01 | 06 | 4 | |
| | P | 8/13/1987 | -93.71 | -0.57 | 684.29 | 01 | 06 | 4 | |
| | P | 8/14/1987 | -94.23 | -0.52 | 683.77 | 01 | 06 | 4 | |
| | P | 8/15/1987 | -94.59 | -0.36 | 683.41 | 01 | 06 | 4 | |
| | P | 8/16/1987 | -94.93 | -0.34 | 683.07 | 01 | 06 | 4 | |
| | P | 8/17/1987 | -93.89 | 1.04 | 684.11 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/18/1987 | -94.21 | -0.32 | 683.79 | 01 | 06 | 4 | |
| | P | 8/19/1987 | -96.29 | -2.08 | 681.71 | 01 | 06 | 4 | |
| | P | 8/20/1987 | -96.89 | -0.6 | 681.11 | 01 | 06 | 4 | |
| | P | 8/21/1987 | -97.13 | -0.24 | 680.87 | 01 | 06 | 4 | |
| | P | 8/22/1987 | -97.15 | -0.02 | 680.85 | 01 | 06 | 4 | |
| | P | 8/23/1987 | -97.04 | 0.11 | 680.96 | 01 | 06 | 4 | |
| | P | 8/24/1987 | -97.53 | -0.49 | 680.47 | 01 | 06 | 4 | |
| | P | 8/25/1987 | -98.04 | -0.51 | 679.96 | 01 | 06 | 4 | |
| | P | 8/26/1987 | -98.14 | -0.1 | 679.86 | 01 | 06 | 4 | |
| | P | 8/27/1987 | -98.26 | -0.12 | 679.74 | 01 | 06 | 4 | |
| | P | 8/28/1987 | -96.64 | 1.62 | 681.36 | 01 | 06 | 4 | |
| | P | 8/29/1987 | -95.39 | 1.25 | 682.61 | 01 | 06 | 4 | |
| | P | 8/30/1987 | -94.34 | 1.05 | 683.66 | 01 | 06 | 4 | |
| | P | 8/31/1987 | -94.02 | 0.32 | 683.98 | 01 | 06 | 4 | |
| | P | 9/ 1/1987 | -93.56 | 0.46 | 684.44 | 01 | 06 | 4 | |
| | P | 9/ 2/1987 | -93.28 | 0.28 | 684.72 | 01 | 06 | 4 | |
| | P | 9/ 3/1987 | -93.29 | -0.01 | 684.71 | 01 | 06 | 4 | |
| | P | 9/ 4/1987 | -93.63 | -0.34 | 684.37 | 01 | 06 | 4 | |
| | P | 9/ 5/1987 | -93.88 | -0.25 | 684.12 | 01 | 06 | 4 | |
| | P | 9/ 6/1987 | -94 | -0.12 | 684 | 01 | 06 | 4 | |
| | P | 9/ 7/1987 | -94 | | 684 | 01 | 06 | 4 | |
| | P | 9/ 8/1987 | -92.8 | 1.2 | 685.2 | 01 | 06 | 4 | |
| | P | 9/ 9/1987 | -92.27 | 0.53 | 685.73 | 01 | 06 | 4 | |
| | P | 9/10/1987 | -92 | 0.27 | 686 | 01 | 06 | 4 | |
| | P | 9/11/1987 | -91.61 | 0.39 | 686.39 | 01 | 06 | 4 | |
| | P | 9/12/1987 | -91.53 | 0.08 | 686.47 | 01 | 06 | 4 | |
| | P | 9/13/1987 | -91.29 | 0.24 | 686.71 | 01 | 06 | 4 | |
| | P | 9/14/1987 | -90.86 | 0.43 | 687.14 | 01 | 06 | 4 | |
| | P | 9/15/1987 | -90.83 | 0.03 | 687.17 | 01 | 06 | 4 | |
| | P | 9/16/1987 | -90.54 | 0.29 | 687.46 | 01 | 06 | 4 | |
| | P | 9/17/1987 | -90.19 | 0.35 | 687.81 | 01 | 06 | 4 | |
| | P | 9/18/1987 | -90.63 | -0.44 | 687.37 | 01 | 06 | 4 | |
| | P | 9/19/1987 | -91.45 | -0.82 | 686.55 | 01 | 06 | 4 | |
| | P | 9/20/1987 | -91.27 | 0.18 | 686.73 | 01 | 06 | 4 | |
| | P | 9/21/1987 | -91.24 | 0.03 | 686.76 | 01 | 06 | 4 | |
| | P | 9/22/1987 | -91.17 | 0.07 | 686.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/ 23/ 1987 | -91.58 | -0.41 | 686.42 | 01 | 06 | 4 | |
| | P | 9/ 24/ 1987 | -91.82 | -0.24 | 686.18 | 01 | 06 | 4 | |
| | P | 9/ 25/ 1987 | -92.28 | -0.46 | 685.72 | 01 | 06 | 4 | |
| | P | 9/ 26/ 1987 | -92.39 | -0.11 | 685.61 | 01 | 06 | 4 | |
| | P | 9/ 27/ 1987 | -92.67 | -0.28 | 685.33 | 01 | 06 | 4 | |
| | P | 9/ 28/ 1987 | -92.18 | 0.49 | 685.82 | 01 | 06 | 4 | |
| | P | 9/ 29/ 1987 | -92.25 | -0.07 | 685.75 | 01 | 06 | 4 | |
| | P | 9/ 30/ 1987 | -92.1 | 0.15 | 685.9 | 01 | 06 | 4 | |
| | P | 10/ 1/ 1987 | -92.28 | -0.18 | 685.72 | 01 | 06 | 4 | |
| | P | 10/ 2/ 1987 | -92.39 | -0.11 | 685.61 | 01 | 06 | 4 | |
| | P | 10/ 3/ 1987 | -92.6 | -0.21 | 685.4 | 01 | 06 | 4 | |
| | P | 10/ 4/ 1987 | -92.75 | -0.15 | 685.25 | 01 | 06 | 4 | |
| | P | 10/ 5/ 1987 | -92.91 | -0.16 | 685.09 | 01 | 06 | 4 | |
| | P | 10/ 6/ 1987 | -93.18 | -0.27 | 684.82 | 01 | 06 | 4 | |
| | P | 10/ 7/ 1987 | -93.45 | -0.27 | 684.55 | 01 | 06 | 4 | |
| | P | 10/ 8/ 1987 | -93.76 | -0.31 | 684.24 | 01 | 06 | 4 | |
| | P | 10/ 9/ 1987 | -93.91 | -0.15 | 684.09 | 01 | 06 | 4 | |
| | P | 10/ 10/ 1987 | -94.17 | -0.26 | 683.83 | 01 | 06 | 4 | |
| | P | 10/ 11/ 1987 | -93.95 | 0.22 | 684.05 | 01 | 06 | 4 | |
| | P | 10/ 12/ 1987 | -93.99 | -0.04 | 684.01 | 01 | 06 | 4 | |
| | P | 10/ 13/ 1987 | -94.3 | -0.31 | 683.7 | 01 | 06 | 4 | |
| | P | 10/ 14/ 1987 | -94.24 | 0.06 | 683.76 | 01 | 06 | 4 | |
| | P | 10/ 15/ 1987 | -94.11 | 0.13 | 683.89 | 01 | 06 | 4 | |
| | P | 10/ 16/ 1987 | -94.05 | 0.06 | 683.95 | 01 | 06 | 4 | |
| | P | 10/ 17/ 1987 | -93.99 | 0.06 | 684.01 | 01 | 06 | 4 | |
| | P | 10/ 18/ 1987 | -93.84 | 0.15 | 684.16 | 01 | 06 | 4 | |
| | P | 10/ 19/ 1987 | -94.17 | -0.33 | 683.83 | 01 | 06 | 4 | |
| | P | 10/ 20/ 1987 | -94.43 | -0.26 | 683.57 | 01 | 06 | 4 | |
| | P | 10/ 21/ 1987 | -94.39 | 0.04 | 683.61 | 01 | 06 | 4 | |
| | P | 10/ 22/ 1987 | -94.49 | -0.1 | 683.51 | 01 | 06 | 4 | |
| | P | 10/ 23/ 1987 | -93.83 | 0.66 | 684.17 | 01 | 06 | 4 | |
| | P | 10/ 24/ 1987 | -93.24 | 0.59 | 684.76 | 01 | 06 | 4 | |
| | P | 10/ 25/ 1987 | -92.85 | 0.39 | 685.15 | 01 | 06 | 4 | |
| | P | 10/ 26/ 1987 | -92.86 | -0.01 | 685.14 | 01 | 06 | 4 | |
| | P | 10/ 27/ 1987 | -92.2 | 0.66 | 685.8 | 01 | 06 | 4 | |
| | P | 10/ 28/ 1987 | -93.44 | -1.24 | 684.56 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 29/ 1987 | -93.13 | 0.31 | 684.87 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1987 | -93.22 | -0.09 | 684.78 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1987 | -93.41 | -0.19 | 684.59 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1987 | -93.54 | -0.13 | 684.46 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1987 | -93.73 | -0.19 | 684.27 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1987 | -94.3 | -0.57 | 683.7 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1987 | -94.28 | 0.02 | 683.72 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1987 | -94.58 | -0.3 | 683.42 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1987 | -94.65 | -0.07 | 683.35 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1987 | -94.79 | -0.14 | 683.21 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1987 | -93.96 | 0.83 | 684.04 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1987 | -93.87 | 0.09 | 684.13 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1987 | -93.54 | 0.33 | 684.46 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1987 | -93.23 | 0.31 | 684.77 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1987 | -92.84 | 0.39 | 685.16 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1987 | -92.59 | 0.25 | 685.41 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1987 | -92.48 | 0.11 | 685.52 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1987 | -92.02 | 0.46 | 685.98 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1987 | -91.92 | 0.1 | 686.08 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1987 | -92.04 | -0.12 | 685.96 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1987 | -91.86 | 0.18 | 686.14 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1987 | -91.93 | -0.07 | 686.07 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1987 | -91.64 | 0.29 | 686.36 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1987 | -91.94 | -0.3 | 686.06 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1987 | -92.07 | -0.13 | 685.93 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1987 | -92.16 | -0.09 | 685.84 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1987 | -91.94 | 0.22 | 686.06 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1987 | -91.58 | 0.36 | 686.42 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1987 | -91.58 | | 686.42 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1987 | -91.29 | 0.29 | 686.71 | 01 | 06 | 4 | |
| | P | 11 / 28/ 1987 | -91.35 | -0.06 | 686.65 | 01 | 06 | 4 | |
| | P | 11 / 29/ 1987 | -91.61 | -0.26 | 686.39 | 01 | 06 | 4 | |
| | P | 11 / 30/ 1987 | -91.61 | | 686.39 | 01 | 06 | 4 | |
| | P | 12 / 1 / 1987 | -91 | 0.61 | 687 | 01 | 06 | 4 | |
| | P | 12 / 2 / 1987 | -91.51 | -0.51 | 686.49 | 01 | 06 | 4 | |
| | P | 12 / 3 / 1987 | -91.65 | -0.14 | 686.35 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/ 4/1987 | -91.94 | -0.29 | 686.06 | 01 | 06 | 4 | |
| | P | 12/ 5/1987 | -91.74 | 0.2 | 686.26 | 01 | 06 | 4 | |
| | P | 12/ 6/1987 | -91.71 | 0.03 | 686.29 | 01 | 06 | 4 | |
| | P | 12/ 7/1987 | -91.86 | -0.15 | 686.14 | 01 | 06 | 4 | |
| | P | 12/ 8/1987 | -92.09 | -0.23 | 685.91 | 01 | 06 | 4 | |
| | P | 12/ 9/1987 | -92.18 | -0.09 | 685.82 | 01 | 06 | 4 | |
| | P | 12/10/1987 | -92.4 | -0.22 | 685.6 | 01 | 06 | 4 | |
| | P | 12/11/1987 | -92.36 | 0.04 | 685.64 | 01 | 06 | 4 | |
| | P | 12/12/1987 | -92.38 | -0.02 | 685.62 | 01 | 06 | 4 | |
| | P | 12/13/1987 | -92.31 | 0.07 | 685.69 | 01 | 06 | 4 | |
| | P | 12/14/1987 | -92.27 | 0.04 | 685.73 | 01 | 06 | 4 | |
| | P | 12/15/1987 | -92.58 | -0.31 | 685.42 | 01 | 06 | 4 | |
| | P | 12/16/1987 | -92.87 | -0.29 | 685.13 | 01 | 06 | 4 | |
| | P | 12/17/1987 | -92.86 | 0.01 | 685.14 | 01 | 06 | 4 | |
| | P | 12/18/1987 | -92.61 | 0.25 | 685.39 | 01 | 06 | 4 | |
| | P | 12/19/1987 | -91.63 | 0.98 | 686.37 | 01 | 06 | 4 | |
| | P | 12/20/1987 | -91.22 | 0.41 | 686.78 | 01 | 06 | 4 | |
| | P | 12/21/1987 | -91.18 | 0.04 | 686.82 | 01 | 06 | 4 | |
| | P | 12/22/1987 | -90.78 | 0.4 | 687.22 | 01 | 06 | 4 | |
| | P | 12/23/1987 | -90.92 | -0.14 | 687.08 | 01 | 06 | 4 | |
| | P | 12/24/1987 | -90.86 | 0.06 | 687.14 | 01 | 06 | 4 | |
| | P | 12/25/1987 | -90.94 | -0.08 | 687.06 | 01 | 06 | 4 | |
| | P | 12/26/1987 | -90.69 | 0.25 | 687.31 | 01 | 06 | 4 | |
| | P | 12/27/1987 | -90.65 | 0.04 | 687.35 | 01 | 06 | 4 | |
| | P | 12/28/1987 | -91.13 | -0.48 | 686.87 | 01 | 06 | 4 | |
| | P | 12/29/1987 | -91 | 0.13 | 687 | 01 | 06 | 4 | |
| | P | 12/30/1987 | -91.4 | -0.4 | 686.6 | 01 | 06 | 4 | |
| | P | 12/31/1987 | -90.93 | 0.47 | 687.07 | 01 | 06 | 4 | |
| | P | 1/ 1/1988 | -91.06 | -0.13 | 686.94 | 01 | 06 | 4 | |
| | P | 1/ 2/1988 | -91.13 | -0.07 | 686.87 | 01 | 06 | 4 | |
| | P | 1/ 3/1988 | -90.91 | 0.22 | 687.09 | 01 | 06 | 4 | |
| | P | 1/ 4/1988 | -91.14 | -0.23 | 686.86 | 01 | 06 | 4 | |
| | P | 1/ 5/1988 | -91.48 | -0.34 | 686.52 | 01 | 06 | 4 | |
| | P | 1/ 6/1988 | -91.41 | 0.07 | 686.59 | 01 | 06 | 4 | |
| | P | 1/ 7/1988 | -91.33 | 0.08 | 686.67 | 01 | 06 | 4 | |
| | P | 1/ 8/1988 | -91.59 | -0.26 | 686.41 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 9/1988 | -91.51 | 0.08 | 686.49 | 01 | 06 | 4 | |
| | P | 1/10/1988 | -91.62 | -0.11 | 686.38 | 01 | 06 | 4 | |
| | P | 1/11/1988 | -91.88 | -0.26 | 686.12 | 01 | 06 | 4 | |
| | P | 1/12/1988 | -92.22 | -0.34 | 685.78 | 01 | 06 | 4 | |
| | P | 1/13/1988 | -92.14 | 0.08 | 685.86 | 01 | 06 | 4 | |
| | P | 1/14/1988 | -92.4 | -0.26 | 685.6 | 01 | 06 | 4 | |
| | P | 1/15/1988 | -92.29 | 0.11 | 685.71 | 01 | 06 | 4 | |
| | P | 1/16/1988 | -92.3 | -0.01 | 685.7 | 01 | 06 | 4 | |
| | P | 1/17/1988 | -92.01 | 0.29 | 685.99 | 01 | 06 | 4 | |
| | P | 1/18/1988 | -91.99 | 0.02 | 686.01 | 01 | 06 | 4 | |
| | P | 1/19/1988 | -92.43 | -0.44 | 685.57 | 01 | 06 | 4 | |
| | P | 1/20/1988 | -92.31 | 0.12 | 685.69 | 01 | 06 | 4 | |
| | P | 1/21/1988 | -92.73 | -0.42 | 685.27 | 01 | 06 | 4 | |
| | P | 1/22/1988 | -92.96 | -0.23 | 685.04 | 01 | 06 | 4 | |
| | P | 1/23/1988 | -92.88 | 0.08 | 685.12 | 01 | 06 | 4 | |
| | P | 1/24/1988 | -92.81 | 0.07 | 685.19 | 01 | 06 | 4 | |
| | P | 1/25/1988 | -93.11 | -0.3 | 684.89 | 01 | 06 | 4 | |
| | P | 1/26/1988 | -92.87 | 0.24 | 685.13 | 01 | 06 | 4 | |
| | P | 1/27/1988 | -93.14 | -0.27 | 684.86 | 01 | 06 | 4 | |
| | P | 1/28/1988 | -93.5 | -0.36 | 684.5 | 01 | 06 | 4 | |
| | P | 1/29/1988 | -93.13 | 0.37 | 684.87 | 01 | 06 | 4 | |
| | P | 1/30/1988 | -93.39 | -0.26 | 684.61 | 01 | 06 | 4 | |
| | P | 1/31/1988 | -93.69 | -0.3 | 684.31 | 01 | 06 | 4 | |
| | P | 2/ 1/1988 | -93.6 | 0.09 | 684.4 | 01 | 06 | 4 | |
| | P | 2/ 2/1988 | -93.78 | -0.18 | 684.22 | 01 | 06 | 4 | |
| | P | 2/ 3/1988 | -93.71 | 0.07 | 684.29 | 01 | 06 | 4 | |
| | P | 2/ 4/1988 | -93.8 | -0.09 | 684.2 | 01 | 06 | 4 | |
| | P | 2/ 5/1988 | -93.91 | -0.11 | 684.09 | 01 | 06 | 4 | |
| | P | 2/ 6/1988 | -94.06 | -0.15 | 683.94 | 01 | 06 | 4 | |
| | P | 2/ 7/1988 | -93.95 | 0.11 | 684.05 | 01 | 06 | 4 | |
| | P | 2/ 8/1988 | -93.96 | -0.01 | 684.04 | 01 | 06 | 4 | |
| | P | 2/ 9/1988 | -94.15 | -0.19 | 683.85 | 01 | 06 | 4 | |
| | P | 2/10/1988 | -94.44 | -0.29 | 683.56 | 01 | 06 | 4 | |
| | P | 2/11/1988 | -94.64 | -0.2 | 683.36 | 01 | 06 | 4 | |
| | P | 2/12/1988 | -94.94 | -0.3 | 683.06 | 01 | 06 | 4 | |
| | P | 2/13/1988 | -95.05 | -0.11 | 682.95 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/14/1988 | -95.32 | -0.27 | 682.68 | 01 | 06 | 4 | |
| | P | 2/15/1988 | -95.65 | -0.33 | 682.35 | 01 | 06 | 4 | |
| | P | 2/16/1988 | -96.4 | -0.75 | 681.6 | 01 | 06 | 4 | |
| | P | 2/17/1988 | -96.89 | -0.49 | 681.11 | 01 | 06 | 4 | |
| | P | 2/18/1988 | -95.89 | 1 | 682.11 | 01 | 06 | 4 | |
| | P | 2/19/1988 | -95.6 | 0.29 | 682.4 | 01 | 06 | 4 | |
| | P | 2/20/1988 | -95.21 | 0.39 | 682.79 | 01 | 06 | 4 | |
| | P | 2/21/1988 | -95.25 | -0.04 | 682.75 | 01 | 06 | 4 | |
| | P | 2/22/1988 | -95.53 | -0.28 | 682.47 | 01 | 06 | 4 | |
| | P | 2/23/1988 | -95.51 | 0.02 | 682.49 | 01 | 06 | 4 | |
| | P | 2/24/1988 | -95.75 | -0.24 | 682.25 | 01 | 06 | 4 | |
| | P | 2/25/1988 | -95.94 | -0.19 | 682.06 | 01 | 06 | 4 | |
| | P | 2/26/1988 | -96.27 | -0.33 | 681.73 | 01 | 06 | 4 | |
| | P | 2/27/1988 | -96.07 | 0.2 | 681.93 | 01 | 06 | 4 | |
| | P | 2/28/1988 | -96.17 | -0.1 | 681.83 | 01 | 06 | 4 | |
| | P | 2/29/1988 | -96.67 | -0.5 | 681.33 | 01 | 06 | 4 | |
| | P | 3/ 1/1988 | -96.94 | -0.27 | 681.06 | 01 | 06 | 4 | |
| | P | 3/ 2/1988 | -96.68 | 0.26 | 681.32 | 01 | 06 | 4 | |
| | P | 3/ 3/1988 | -96.46 | 0.22 | 681.54 | 01 | 06 | 4 | |
| | P | 3/ 4/1988 | -96.08 | 0.38 | 681.92 | 01 | 06 | 4 | |
| | P | 3/ 5/1988 | -96.63 | -0.55 | 681.37 | 01 | 06 | 4 | |
| | P | 3/ 6/1988 | -96.89 | -0.26 | 681.11 | 01 | 06 | 4 | |
| | P | 3/ 7/1988 | -97.52 | -0.63 | 680.48 | 01 | 06 | 4 | |
| | P | 3/ 8/1988 | -97.65 | -0.13 | 680.35 | 01 | 06 | 4 | |
| | P | 3/ 9/1988 | -97.4 | 0.25 | 680.6 | 01 | 06 | 4 | |
| | P | 3/10/1988 | -97.78 | -0.38 | 680.22 | 01 | 06 | 4 | |
| | P | 3/11/1988 | -98.26 | -0.48 | 679.74 | 01 | 06 | 4 | |
| | P | 3/12/1988 | -98.67 | -0.41 | 679.33 | 01 | 06 | 4 | |
| | P | 3/13/1988 | -99.45 | -0.78 | 678.55 | 01 | 06 | 4 | |
| | P | 3/14/1988 | -99.87 | -0.42 | 678.13 | 01 | 06 | 4 | |
| | P | 3/15/1988 | -99.68 | 0.19 | 678.32 | 01 | 06 | 4 | |
| | P | 3/16/1988 | -99.3 | 0.38 | 678.7 | 01 | 06 | 4 | |
| | P | 3/17/1988 | -98.95 | 0.35 | 679.05 | 01 | 06 | 4 | |
| | P | 3/18/1988 | -98.33 | 0.62 | 679.67 | 01 | 06 | 4 | |
| | P | 3/19/1988 | -97.95 | 0.38 | 680.05 | 01 | 06 | 4 | |
| | P | 3/20/1988 | -97.8 | 0.15 | 680.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/21/1988 | -98.07 | -0.27 | 679.93 | 01 | 06 | 4 | |
| | P | 3/22/1988 | -98.36 | -0.29 | 679.64 | 01 | 06 | 4 | |
| | P | 3/23/1988 | -98.39 | -0.03 | 679.61 | 01 | 06 | 4 | |
| | P | 3/24/1988 | -98.48 | -0.09 | 679.52 | 01 | 06 | 4 | |
| | P | 3/25/1988 | -99.29 | -0.81 | 678.71 | 01 | 06 | 4 | |
| | P | 3/26/1988 | -99.39 | -0.1 | 678.61 | 01 | 06 | 4 | |
| | P | 3/27/1988 | -99.31 | 0.08 | 678.69 | 01 | 06 | 4 | |
| | P | 3/28/1988 | -99.7 | -0.39 | 678.3 | 01 | 06 | 4 | |
| | P | 3/29/1988 | -99.34 | 0.36 | 678.66 | 01 | 06 | 4 | |
| | P | 3/30/1988 | -99.27 | 0.07 | 678.73 | 01 | 06 | 4 | |
| | P | 3/31/1988 | -99.66 | -0.39 | 678.34 | 01 | 06 | 4 | |
| | P | 4/ 1/1988 | -99.27 | 0.39 | 678.73 | 01 | 06 | 4 | |
| | P | 4/ 2/1988 | -99.52 | -0.25 | 678.48 | 01 | 06 | 4 | |
| | P | 4/ 3/1988 | -100.69 | -1.17 | 677.31 | 01 | 06 | 4 | |
| | P | 4/ 4/1988 | -101.18 | -0.49 | 676.82 | 01 | 06 | 4 | |
| | P | 4/ 5/1988 | -101.42 | -0.24 | 676.58 | 01 | 06 | 4 | |
| | P | 4/ 6/1988 | -101.69 | -0.27 | 676.31 | 01 | 06 | 4 | |
| | P | 4/ 7/1988 | -101.71 | -0.02 | 676.29 | 01 | 06 | 4 | |
| | P | 4/ 8/1988 | -101.82 | -0.11 | 676.18 | 01 | 06 | 4 | |
| | P | 4/ 9/1988 | -101.28 | 0.54 | 676.72 | 01 | 06 | 4 | |
| | P | 4/10/1988 | -100.95 | 0.33 | 677.05 | 01 | 06 | 4 | |
| | P | 4/11/1988 | -100.74 | 0.21 | 677.26 | 01 | 06 | 4 | |
| | P | 4/12/1988 | -101.37 | -0.63 | 676.63 | 01 | 06 | 4 | |
| | P | 4/13/1988 | -101.75 | -0.38 | 676.25 | 01 | 06 | 4 | |
| | P | 4/14/1988 | -102.85 | -1.1 | 675.15 | 01 | 06 | 4 | |
| | P | 4/15/1988 | -103.57 | -0.72 | 674.43 | 01 | 06 | 4 | |
| | P | 4/16/1988 | -103.32 | 0.25 | 674.68 | 01 | 06 | 4 | |
| | P | 4/17/1988 | -102.58 | 0.74 | 675.42 | 01 | 06 | 4 | |
| | P | 4/18/1988 | -102.19 | 0.39 | 675.81 | 01 | 06 | 4 | |
| | P | 4/19/1988 | -102.18 | 0.01 | 675.82 | 01 | 06 | 4 | |
| | P | 4/20/1988 | -102.77 | -0.59 | 675.23 | 01 | 06 | 4 | |
| | P | 4/21/1988 | -103.18 | -0.41 | 674.82 | 01 | 06 | 4 | |
| | P | 4/22/1988 | -103.43 | -0.25 | 674.57 | 01 | 06 | 4 | |
| | P | 4/23/1988 | -104.04 | -0.61 | 673.96 | 01 | 06 | 4 | |
| | P | 4/24/1988 | -105.31 | -1.27 | 672.69 | 01 | 06 | 4 | |
| | P | 4/25/1988 | -106.1 | -0.79 | 671.9 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/26/1988 | -106.83 | -0.73 | 671.17 | 01 | 06 | 4 | |
| | P | 4/27/1988 | -106.97 | -0.14 | 671.03 | 01 | 06 | 4 | |
| | P | 6/ 1/1988 | -118.91 | -11.9 | 659.09 | 01 | 06 | 4 | |
| | P | 6/ 2/1988 | -118.82 | 0.09 | 659.18 | 01 | 06 | 4 | |
| | P | 6/ 3/1988 | -116.69 | 2.13 | 661.31 | 01 | 06 | 4 | |
| | P | 6/ 4/1988 | -114 | 2.69 | 664 | 01 | 06 | 4 | |
| | P | 6/ 5/1988 | -113.3 | 0.7 | 664.7 | 01 | 06 | 4 | |
| | P | 6/ 6/1988 | -113.27 | 0.03 | 664.73 | 01 | 06 | 4 | |
| | P | 6/ 7/1988 | -114.14 | -0.87 | 663.86 | 01 | 06 | 4 | |
| | P | 6/ 8/1988 | -115.25 | -1.11 | 662.75 | 01 | 06 | 4 | |
| | P | 6/ 9/1988 | -116.66 | -1.41 | 661.34 | 01 | 06 | 4 | |
| | P | 6/10/1988 | -118.75 | -2.09 | 659.25 | 01 | 06 | 4 | |
| | P | 6/11/1988 | -119.16 | -0.41 | 658.84 | 01 | 06 | 4 | |
| | P | 6/12/1988 | -119.54 | -0.38 | 658.46 | 01 | 06 | 4 | |
| | P | 6/13/1988 | -120.7 | -1.16 | 657.3 | 01 | 06 | 4 | |
| | P | 6/14/1988 | -121.14 | -0.44 | 656.86 | 01 | 06 | 4 | |
| | P | 6/15/1988 | -122.4 | -1.26 | 655.6 | 01 | 06 | 4 | |
| | P | 6/16/1988 | -123.4 | -1 | 654.6 | 01 | 06 | 4 | |
| | P | 6/17/1988 | -124.63 | -1.23 | 653.37 | 01 | 06 | 4 | |
| | P | 6/18/1988 | -125.24 | -0.61 | 652.76 | 01 | 06 | 4 | |
| | P | 6/19/1988 | -125.55 | -0.31 | 652.45 | 01 | 06 | 4 | |
| | P | 6/20/1988 | -126.49 | -0.94 | 651.51 | 01 | 06 | 4 | |
| | P | 6/21/1988 | -127.2 | -0.71 | 650.8 | 01 | 06 | 4 | |
| | P | 6/22/1988 | -128.4 | -1.2 | 649.6 | 01 | 06 | 4 | |
| | P | 6/23/1988 | -128.66 | -0.26 | 649.34 | 01 | 06 | 4 | |
| | P | 6/24/1988 | -129.07 | -0.41 | 648.93 | 01 | 06 | 4 | |
| | P | 6/25/1988 | -129.65 | -0.58 | 648.35 | 01 | 06 | 4 | |
| | P | 6/26/1988 | -125.25 | 4.4 | 652.75 | 01 | 06 | 4 | |
| | P | 6/27/1988 | -124.1 | 1.15 | 653.9 | 01 | 06 | 4 | |
| | P | 6/28/1988 | -122.35 | 1.75 | 655.65 | 01 | 06 | 4 | |
| | P | 6/29/1988 | -121.24 | 1.11 | 656.76 | 01 | 06 | 4 | |
| | P | 6/30/1988 | -121.99 | -0.75 | 656.01 | 01 | 06 | 4 | |
| | P | 7/ 1/1988 | -123.11 | -1.12 | 654.89 | 01 | 06 | 4 | |
| | P | 7/ 2/1988 | -123.89 | -0.78 | 654.11 | 01 | 06 | 4 | |
| | P | 7/ 3/1988 | -124.25 | -0.36 | 653.75 | 01 | 06 | 4 | |
| | P | 7/ 4/1988 | -123.85 | 0.4 | 654.15 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 5/1988 | -123.85 | | 654.15 | 01 | 06 | 4 | |
| | P | 7/ 6/1988 | -125.13 | -1.28 | 652.87 | 01 | 06 | 4 | |
| | P | 7/ 7/1988 | -124.86 | 0.27 | 653.14 | 01 | 06 | 4 | |
| | P | 7/ 8/1988 | -125.07 | -0.21 | 652.93 | 01 | 06 | 4 | |
| | P | 7/ 9/1988 | -125.16 | -0.09 | 652.84 | 01 | 06 | 4 | |
| | P | 7/10/1988 | -124.5 | 0.66 | 653.5 | 01 | 06 | 4 | |
| | P | 7/11/1988 | -123.17 | 1.33 | 654.83 | 01 | 06 | 4 | |
| | P | 7/12/1988 | -122.09 | 1.08 | 655.91 | 01 | 06 | 4 | |
| | P | 7/13/1988 | -121.91 | 0.18 | 656.09 | 01 | 06 | 4 | |
| | P | 7/14/1988 | -122.3 | -0.39 | 655.7 | 01 | 06 | 4 | |
| | P | 7/15/1988 | -122.72 | -0.42 | 655.28 | 01 | 06 | 4 | |
| | P | 7/16/1988 | -122.89 | -0.17 | 655.11 | 01 | 06 | 4 | |
| | P | 7/17/1988 | -123.19 | -0.3 | 654.81 | 01 | 06 | 4 | |
| | P | 7/18/1988 | -124.05 | -0.86 | 653.95 | 01 | 06 | 4 | |
| | P | 7/19/1988 | -124.92 | -0.87 | 653.08 | 01 | 06 | 4 | |
| | P | 7/20/1988 | -124.68 | 0.24 | 653.32 | 01 | 06 | 4 | |
| | P | 7/21/1988 | -119.84 | 4.84 | 658.16 | 01 | 06 | 4 | |
| | P | 7/22/1988 | -119.18 | 0.66 | 658.82 | 01 | 06 | 4 | |
| | P | 7/23/1988 | -118.59 | 0.59 | 659.41 | 01 | 06 | 4 | |
| | P | 7/24/1988 | -118.42 | 0.17 | 659.58 | 01 | 06 | 4 | |
| | P | 7/25/1988 | -118.69 | -0.27 | 659.31 | 01 | 06 | 4 | |
| | P | 7/26/1988 | -119.22 | -0.53 | 658.78 | 01 | 06 | 4 | |
| | P | 7/27/1988 | -119.75 | -0.53 | 658.25 | 01 | 06 | 4 | |
| | P | 7/28/1988 | -119.62 | 0.13 | 658.38 | 01 | 06 | 4 | |
| | P | 7/29/1988 | -119.35 | 0.27 | 658.65 | 01 | 06 | 4 | |
| | P | 7/30/1988 | -118.96 | 0.39 | 659.04 | 01 | 06 | 4 | |
| | P | 7/31/1988 | -118.04 | 0.92 | 659.96 | 01 | 06 | 4 | |
| | P | 8/ 1/1988 | -117.72 | 0.32 | 660.28 | 01 | 06 | 4 | |
| | P | 8/ 2/1988 | -117.17 | 0.55 | 660.83 | 01 | 06 | 4 | |
| | P | 8/ 3/1988 | -117.22 | -0.05 | 660.78 | 01 | 06 | 4 | |
| | P | 8/ 4/1988 | -117.09 | 0.13 | 660.91 | 01 | 06 | 4 | |
| | P | 8/ 5/1988 | -117.01 | 0.08 | 660.99 | 01 | 06 | 4 | |
| | P | 8/ 6/1988 | -117.04 | -0.03 | 660.96 | 01 | 06 | 4 | |
| | P | 8/ 7/1988 | -117.3 | -0.26 | 660.7 | 01 | 06 | 4 | |
| | P | 8/ 8/1988 | -118.41 | -1.11 | 659.59 | 01 | 06 | 4 | |
| | P | 8/ 9/1988 | -119.9 | -1.49 | 658.1 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/10/1988 | -120.24 | -0.34 | 657.76 | 01 | 06 | 4 | |
| | P | 8/11/1988 | -121.2 | -0.96 | 656.8 | 01 | 06 | 4 | |
| | P | 8/12/1988 | -122.02 | -0.82 | 655.98 | 01 | 06 | 4 | |
| | P | 8/13/1988 | -122.34 | -0.32 | 655.66 | 01 | 06 | 4 | |
| | P | 8/14/1988 | -122.64 | -0.3 | 655.36 | 01 | 06 | 4 | |
| | P | 8/15/1988 | -122.81 | -0.17 | 655.19 | 01 | 06 | 4 | |
| | P | 8/16/1988 | -122.51 | 0.3 | 655.49 | 01 | 06 | 4 | |
| | P | 8/17/1988 | -122.97 | -0.46 | 655.03 | 01 | 06 | 4 | |
| | P | 9/ 6/1988 | -128.68 | -5.71 | 649.32 | 01 | 06 | 4 | |
| | P | 9/ 7/1988 | -125.98 | 2.7 | 652.02 | 01 | 06 | 4 | |
| | P | 9/ 8/1988 | -126.39 | -0.41 | 651.61 | 01 | 06 | 4 | |
| | P | 9/ 9/1988 | -126.7 | -0.31 | 651.3 | 01 | 06 | 4 | |
| | P | 9/10/1988 | -126.66 | 0.04 | 651.34 | 01 | 06 | 4 | |
| | P | 9/11/1988 | -128.81 | -2.15 | 649.19 | 01 | 06 | 4 | |
| | P | 9/12/1988 | -128.21 | 0.6 | 649.79 | 01 | 06 | 4 | |
| | P | 9/13/1988 | -127.02 | 1.19 | 650.98 | 01 | 06 | 4 | |
| | P | 9/14/1988 | -126.92 | 0.1 | 651.08 | 01 | 06 | 4 | |
| | P | 9/15/1988 | -126.5 | 0.42 | 651.5 | 01 | 06 | 4 | |
| | P | 9/16/1988 | -124.18 | 2.32 | 653.82 | 01 | 06 | 4 | |
| | P | 9/17/1988 | -122.39 | 1.79 | 655.61 | 01 | 06 | 4 | |
| | P | 9/18/1988 | -121.16 | 1.23 | 656.84 | 01 | 06 | 4 | |
| | P | 9/19/1988 | -121 | 0.16 | 657 | 01 | 06 | 4 | |
| | P | 9/20/1988 | -120.8 | 0.2 | 657.2 | 01 | 06 | 4 | |
| | P | 9/21/1988 | -120.68 | 0.12 | 657.32 | 01 | 06 | 4 | |
| | P | 9/22/1988 | -120.78 | -0.1 | 657.22 | 01 | 06 | 4 | |
| | P | 9/23/1988 | -120.9 | -0.12 | 657.1 | 01 | 06 | 4 | |
| | P | 9/24/1988 | -120.89 | 0.01 | 657.11 | 01 | 06 | 4 | |
| | P | 9/25/1988 | -121.04 | -0.15 | 656.96 | 01 | 06 | 4 | |
| | P | 9/26/1988 | -121.64 | -0.6 | 656.36 | 01 | 06 | 4 | |
| | P | 9/27/1988 | -122.05 | -0.41 | 655.95 | 01 | 06 | 4 | |
| | P | 9/28/1988 | -122.49 | -0.44 | 655.51 | 01 | 06 | 4 | |
| | P | 9/29/1988 | -122.05 | 0.44 | 655.95 | 01 | 06 | 4 | |
| | P | 9/30/1988 | -120.83 | 1.22 | 657.17 | 01 | 06 | 4 | |
| | P | 10/ 1/1988 | -119.81 | 1.02 | 658.19 | 01 | 06 | 4 | |
| | P | 10/ 2/1988 | -120.97 | -1.16 | 657.03 | 01 | 06 | 4 | |
| | P | 10/ 3/1988 | -120.54 | 0.43 | 657.46 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/ 4/1988 | -120.46 | 0.08 | 657.54 | 01 | 06 | 4 | |
| | P | 10/ 5/1988 | -120.97 | -0.51 | 657.03 | 01 | 06 | 4 | |
| | P | 10/ 6/1988 | -121.23 | -0.26 | 656.77 | 01 | 06 | 4 | |
| | P | 10/ 7/1988 | -121.4 | -0.17 | 656.6 | 01 | 06 | 4 | |
| | P | 10/ 8/1988 | -121.6 | -0.2 | 656.4 | 01 | 06 | 4 | |
| | P | 10/ 9/1988 | -121.62 | -0.02 | 656.38 | 01 | 06 | 4 | |
| | P | 10/10/1988 | -121.52 | 0.1 | 656.48 | 01 | 06 | 4 | |
| | P | 10/11/1988 | -121.14 | 0.38 | 656.86 | 01 | 06 | 4 | |
| | P | 10/12/1988 | -121.1 | 0.04 | 656.9 | 01 | 06 | 4 | |
| | P | 10/13/1988 | -121.41 | -0.31 | 656.59 | 01 | 06 | 4 | |
| | P | 10/14/1988 | -121.77 | -0.36 | 656.23 | 01 | 06 | 4 | |
| | P | 10/15/1988 | -121.5 | 0.27 | 656.5 | 01 | 06 | 4 | |
| | P | 10/16/1988 | -121.87 | -0.37 | 656.13 | 01 | 06 | 4 | |
| | P | 10/17/1988 | -122.4 | -0.53 | 655.6 | 01 | 06 | 4 | |
| | P | 10/18/1988 | -122.84 | -0.44 | 655.16 | 01 | 06 | 4 | |
| | P | 10/19/1988 | -122.71 | 0.13 | 655.29 | 01 | 06 | 4 | |
| | P | 10/20/1988 | -122.64 | 0.07 | 655.36 | 01 | 06 | 4 | |
| | P | 10/21/1988 | -123.46 | -0.82 | 654.54 | 01 | 06 | 4 | |
| | P | 10/22/1988 | -122.66 | 0.8 | 655.34 | 01 | 06 | 4 | |
| | P | 10/23/1988 | -122.67 | -0.01 | 655.33 | 01 | 06 | 4 | |
| | P | 10/24/1988 | -122.97 | -0.3 | 655.03 | 01 | 06 | 4 | |
| | P | 10/25/1988 | -122.29 | 0.68 | 655.71 | 01 | 06 | 4 | |
| | P | 10/26/1988 | -122.5 | -0.21 | 655.5 | 01 | 06 | 4 | |
| | P | 10/27/1988 | -122.13 | 0.37 | 655.87 | 01 | 06 | 4 | |
| | P | 10/28/1988 | -122.24 | -0.11 | 655.76 | 01 | 06 | 4 | |
| | P | 10/29/1988 | -121.79 | 0.45 | 656.21 | 01 | 06 | 4 | |
| | P | 10/30/1988 | -121.16 | 0.63 | 656.84 | 01 | 06 | 4 | |
| | P | 10/31/1988 | -120.58 | 0.58 | 657.42 | 01 | 06 | 4 | |
| | P | 11/ 1/1988 | -119.32 | 1.26 | 658.68 | 01 | 06 | 4 | |
| | P | 11/ 2/1988 | -119.49 | -0.17 | 658.51 | 01 | 06 | 4 | |
| | P | 11/ 3/1988 | -119.67 | -0.18 | 658.33 | 01 | 06 | 4 | |
| | P | 11/ 4/1988 | -119.93 | -0.26 | 658.07 | 01 | 06 | 4 | |
| | P | 11/ 5/1988 | -119.64 | 0.29 | 658.36 | 01 | 06 | 4 | |
| | P | 11/ 6/1988 | -119.84 | -0.2 | 658.16 | 01 | 06 | 4 | |
| | P | 11/ 7/1988 | -119.92 | -0.08 | 658.08 | 01 | 06 | 4 | |
| | P | 11/ 8/1988 | -120.43 | -0.51 | 657.57 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 9/1988 | -120.41 | 0.02 | 657.59 | 01 | 06 | 4 | |
| | P | 11/10/1988 | -120.39 | 0.02 | 657.61 | 01 | 06 | 4 | |
| | P | 11/11/1988 | -120.8 | -0.41 | 657.2 | 01 | 06 | 4 | |
| | P | 11/12/1988 | -120.14 | 0.66 | 657.86 | 01 | 06 | 4 | |
| | P | 11/13/1988 | -120.42 | -0.28 | 657.58 | 01 | 06 | 4 | |
| | P | 11/14/1988 | -121.06 | -0.64 | 656.94 | 01 | 06 | 4 | |
| | P | 11/15/1988 | -120.79 | 0.27 | 657.21 | 01 | 06 | 4 | |
| | P | 11/16/1988 | -120.97 | -0.18 | 657.03 | 01 | 06 | 4 | |
| | P | 11/17/1988 | -120.45 | 0.52 | 657.55 | 01 | 06 | 4 | |
| | P | 11/18/1988 | -120.21 | 0.24 | 657.79 | 01 | 06 | 4 | |
| | P | 11/19/1988 | -119.63 | 0.58 | 658.37 | 01 | 06 | 4 | |
| | P | 11/20/1988 | -119.97 | -0.34 | 658.03 | 01 | 06 | 4 | |
| | P | 11/21/1988 | -119.59 | 0.38 | 658.41 | 01 | 06 | 4 | |
| | P | 11/22/1988 | -119.65 | -0.06 | 658.35 | 01 | 06 | 4 | |
| | P | 11/23/1988 | -119.67 | -0.02 | 658.33 | 01 | 06 | 4 | |
| | P | 11/24/1988 | -119.66 | 0.01 | 658.34 | 01 | 06 | 4 | |
| | P | 11/25/1988 | -119.16 | 0.5 | 658.84 | 01 | 06 | 4 | |
| | P | 11/26/1988 | -119.05 | 0.11 | 658.95 | 01 | 06 | 4 | |
| | P | 11/27/1988 | -119.5 | -0.45 | 658.5 | 01 | 06 | 4 | |
| | P | 11/28/1988 | -119.76 | -0.26 | 658.24 | 01 | 06 | 4 | |
| | P | 11/29/1988 | -119.7 | 0.06 | 658.3 | 01 | 06 | 4 | |
| | P | 11/30/1988 | -119.83 | -0.13 | 658.17 | 01 | 06 | 4 | |
| | P | 12/ 1/1988 | -120.07 | -0.24 | 657.93 | 01 | 06 | 4 | |
| | P | 12/ 2/1988 | -120.31 | -0.24 | 657.69 | 01 | 06 | 4 | |
| | P | 12/ 3/1988 | -120.02 | 0.29 | 657.98 | 01 | 06 | 4 | |
| | P | 12/ 4/1988 | -120.18 | -0.16 | 657.82 | 01 | 06 | 4 | |
| | P | 12/ 5/1988 | -120.37 | -0.19 | 657.63 | 01 | 06 | 4 | |
| | P | 12/ 6/1988 | -120.14 | 0.23 | 657.86 | 01 | 06 | 4 | |
| | P | 12/ 7/1988 | -119.71 | 0.43 | 658.29 | 01 | 06 | 4 | |
| | P | 12/ 8/1988 | -119.83 | -0.12 | 658.17 | 01 | 06 | 4 | |
| | P | 12/ 9/1988 | -119.13 | 0.7 | 658.87 | 01 | 06 | 4 | |
| | P | 12/10/1988 | -118.63 | 0.5 | 659.37 | 01 | 06 | 4 | |
| | P | 12/11/1988 | -118 | 0.63 | 660 | 01 | 06 | 4 | |
| | P | 12/14/1988 | -118.42 | -0.42 | 659.58 | 01 | 06 | 4 | |
| | P | 12/15/1988 | -118.11 | 0.31 | 659.89 | 01 | 06 | 4 | |
| | P | 12/16/1988 | -118.22 | -0.11 | 659.78 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/17/1988 | -117.79 | 0.43 | 660.21 | 01 | 06 | 4 | |
| | P | 12/18/1988 | -117.87 | -0.08 | 660.13 | 01 | 06 | 4 | |
| | P | 12/19/1988 | -117.73 | 0.14 | 660.27 | 01 | 06 | 4 | |
| | P | 12/20/1988 | -117.83 | -0.1 | 660.17 | 01 | 06 | 4 | |
| | P | 12/21/1988 | -118.16 | -0.33 | 659.84 | 01 | 06 | 4 | |
| | P | 12/22/1988 | -118.16 | | 659.84 | 01 | 06 | 4 | |
| | P | 12/23/1988 | -118.27 | -0.11 | 659.73 | 01 | 06 | 4 | |
| | P | 12/24/1988 | -117.94 | 0.33 | 660.06 | 01 | 06 | 4 | |
| | P | 12/25/1988 | -117.66 | 0.28 | 660.34 | 01 | 06 | 4 | |
| | P | 12/26/1988 | -117.24 | 0.42 | 660.76 | 01 | 06 | 4 | |
| | P | 12/27/1988 | -117.53 | -0.29 | 660.47 | 01 | 06 | 4 | |
| | P | 12/28/1988 | -117.72 | -0.19 | 660.28 | 01 | 06 | 4 | |
| | P | 12/29/1988 | -117.72 | | 660.28 | 01 | 06 | 4 | |
| | P | 12/30/1988 | -117.37 | 0.35 | 660.63 | 01 | 06 | 4 | |
| | P | 12/31/1988 | -117.11 | 0.26 | 660.89 | 01 | 06 | 4 | |
| | P | 1/ 1/1989 | -117.14 | -0.03 | 660.86 | 01 | 06 | 4 | |
| | P | 1/ 2/1989 | -116.52 | 0.62 | 661.48 | 01 | 06 | 4 | |
| | P | 1/ 3/1989 | -117.14 | -0.62 | 660.86 | 01 | 06 | 4 | |
| | P | 1/ 4/1989 | -117.5 | -0.36 | 660.5 | 01 | 06 | 4 | |
| | P | 1/ 5/1989 | -117.13 | 0.37 | 660.87 | 01 | 06 | 4 | |
| | P | 1/ 6/1989 | -117.43 | -0.3 | 660.57 | 01 | 06 | 4 | |
| | P | 1/ 7/1989 | -117.8 | -0.37 | 660.2 | 01 | 06 | 4 | |
| | P | 1/ 8/1989 | -118.07 | -0.27 | 659.93 | 01 | 06 | 4 | |
| | P | 1/ 9/1989 | -117.93 | 0.14 | 660.07 | 01 | 06 | 4 | |
| | P | 1/10/1989 | -117.76 | 0.17 | 660.24 | 01 | 06 | 4 | |
| | P | 1/11/1989 | -117.97 | -0.21 | 660.03 | 01 | 06 | 4 | |
| | P | 1/12/1989 | -118.23 | -0.26 | 659.77 | 01 | 06 | 4 | |
| | P | 1/13/1989 | -117.88 | 0.35 | 660.12 | 01 | 06 | 4 | |
| | P | 1/14/1989 | -117.41 | 0.47 | 660.59 | 01 | 06 | 4 | |
| | P | 1/15/1989 | -117.19 | 0.22 | 660.81 | 01 | 06 | 4 | |
| | P | 1/16/1989 | -117.39 | -0.2 | 660.61 | 01 | 06 | 4 | |
| | P | 1/17/1989 | -117.68 | -0.29 | 660.32 | 01 | 06 | 4 | |
| | P | 1/18/1989 | -117.71 | -0.03 | 660.29 | 01 | 06 | 4 | |
| | P | 1/19/1989 | -117.95 | -0.24 | 660.05 | 01 | 06 | 4 | |
| | P | 1/20/1989 | -117.66 | 0.29 | 660.34 | 01 | 06 | 4 | |
| | P | 1/21/1989 | -117.34 | 0.32 | 660.66 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/22/1989 | -117.35 | -0.01 | 660.65 | 01 | 06 | 4 | |
| | P | 1/23/1989 | -117.22 | 0.13 | 660.78 | 01 | 06 | 4 | |
| | P | 1/24/1989 | -117.48 | -0.26 | 660.52 | 01 | 06 | 4 | |
| | P | 1/25/1989 | -117.6 | -0.12 | 660.4 | 01 | 06 | 4 | |
| | P | 1/26/1989 | -117.44 | 0.16 | 660.56 | 01 | 06 | 4 | |
| | P | 1/27/1989 | -117.36 | 0.08 | 660.64 | 01 | 06 | 4 | |
| | P | 1/28/1989 | -116.55 | 0.81 | 661.45 | 01 | 06 | 4 | |
| | P | 1/29/1989 | -115.44 | 1.11 | 662.56 | 01 | 06 | 4 | |
| | P | 1/30/1989 | -114.84 | 0.6 | 663.16 | 01 | 06 | 4 | |
| | P | 1/31/1989 | -114.64 | 0.2 | 663.36 | 01 | 06 | 4 | |
| | P | 2/ 1/1989 | -114.43 | 0.21 | 663.57 | 01 | 06 | 4 | |
| | P | 2/ 2/1989 | -114.41 | 0.02 | 663.59 | 01 | 06 | 4 | |
| | P | 2/ 3/1989 | -114.66 | -0.25 | 663.34 | 01 | 06 | 4 | |
| | P | 2/ 4/1989 | -114.78 | -0.12 | 663.22 | 01 | 06 | 4 | |
| | P | 2/ 5/1989 | -115.61 | -0.83 | 662.39 | 01 | 06 | 4 | |
| | P | 2/ 6/1989 | -115.54 | 0.07 | 662.46 | 01 | 06 | 4 | |
| | P | 2/ 7/1989 | -116.25 | -0.71 | 661.75 | 01 | 06 | 4 | |
| | P | 2/ 8/1989 | -116.79 | -0.54 | 661.21 | 01 | 06 | 4 | |
| | P | 2/ 9/1989 | -116.55 | 0.24 | 661.45 | 01 | 06 | 4 | |
| | P | 2/10/1989 | -116.15 | 0.4 | 661.85 | 01 | 06 | 4 | |
| | P | 2/11/1989 | -115.64 | 0.51 | 662.36 | 01 | 06 | 4 | |
| | P | 2/12/1989 | -115.32 | 0.32 | 662.68 | 01 | 06 | 4 | |
| | P | 2/13/1989 | -115.29 | 0.03 | 662.71 | 01 | 06 | 4 | |
| | P | 2/14/1989 | -115.38 | -0.09 | 662.62 | 01 | 06 | 4 | |
| | P | 2/15/1989 | -115.54 | -0.16 | 662.46 | 01 | 06 | 4 | |
| | P | 2/16/1989 | -115.47 | 0.07 | 662.53 | 01 | 06 | 4 | |
| | P | 2/17/1989 | -115.08 | 0.39 | 662.92 | 01 | 06 | 4 | |
| | P | 2/18/1989 | -114.59 | 0.49 | 663.41 | 01 | 06 | 4 | |
| | P | 2/19/1989 | -114.34 | 0.25 | 663.66 | 01 | 06 | 4 | |
| | P | 2/20/1989 | -114.18 | 0.16 | 663.82 | 01 | 06 | 4 | |
| | P | 2/21/1989 | -114.36 | -0.18 | 663.64 | 01 | 06 | 4 | |
| | P | 2/22/1989 | -114.63 | -0.27 | 663.37 | 01 | 06 | 4 | |
| | P | 2/23/1989 | -115.11 | -0.48 | 662.89 | 01 | 06 | 4 | |
| | P | 2/24/1989 | -115.03 | 0.08 | 662.97 | 01 | 06 | 4 | |
| | P | 2/25/1989 | -114.64 | 0.39 | 663.36 | 01 | 06 | 4 | |
| | P | 2/26/1989 | -114.82 | -0.18 | 663.18 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/27/1989 | -115.32 | -0.5 | 662.68 | 01 | 06 | 4 | |
| | P | 2/28/1989 | -115.47 | -0.15 | 662.53 | 01 | 06 | 4 | |
| | P | 3/ 1/1989 | -115.4 | 0.07 | 662.6 | 01 | 06 | 4 | |
| | P | 3/ 2/1989 | -115.12 | 0.28 | 662.88 | 01 | 06 | 4 | |
| | P | 3/ 3/1989 | -115.13 | -0.01 | 662.87 | 01 | 06 | 4 | |
| | P | 3/ 4/1989 | -114.71 | 0.42 | 663.29 | 01 | 06 | 4 | |
| | P | 3/ 5/1989 | -115.02 | -0.31 | 662.98 | 01 | 06 | 4 | |
| | P | 3/ 6/1989 | -115.11 | -0.09 | 662.89 | 01 | 06 | 4 | |
| | P | 3/ 7/1989 | -115.26 | -0.15 | 662.74 | 01 | 06 | 4 | |
| | P | 3/ 8/1989 | -115.38 | -0.12 | 662.62 | 01 | 06 | 4 | |
| | P | 3/ 9/1989 | -115.77 | -0.39 | 662.23 | 01 | 06 | 4 | |
| | P | 3/10/1989 | -116.37 | -0.6 | 661.63 | 01 | 06 | 4 | |
| | P | 3/11/1989 | -116.87 | -0.5 | 661.13 | 01 | 06 | 4 | |
| | P | 3/12/1989 | -117.6 | -0.73 | 660.4 | 01 | 06 | 4 | |
| | P | 3/15/1989 | -119.57 | -1.97 | 658.43 | 01 | 06 | 4 | |
| | P | 3/16/1989 | -119.51 | 0.06 | 658.49 | 01 | 06 | 4 | |
| | P | 3/17/1989 | -118.97 | 0.54 | 659.03 | 01 | 06 | 4 | |
| | P | 3/18/1989 | -117.44 | 1.53 | 660.56 | 01 | 06 | 4 | |
| | P | 3/19/1989 | -118.67 | -1.23 | 659.33 | 01 | 06 | 4 | |
| | P | 3/20/1989 | -119.86 | -1.19 | 658.14 | 01 | 06 | 4 | |
| | P | 3/21/1989 | -119.43 | 0.43 | 658.57 | 01 | 06 | 4 | |
| | P | 3/22/1989 | -118.65 | 0.78 | 659.35 | 01 | 06 | 4 | |
| | P | 3/23/1989 | -118.6 | 0.05 | 659.4 | 01 | 06 | 4 | |
| | P | 3/24/1989 | -118.83 | -0.23 | 659.17 | 01 | 06 | 4 | |
| | P | 3/25/1989 | -118.86 | -0.03 | 659.14 | 01 | 06 | 4 | |
| | P | 3/26/1989 | -118.68 | 0.18 | 659.32 | 01 | 06 | 4 | |
| | P | 3/27/1989 | -118.48 | 0.2 | 659.52 | 01 | 06 | 4 | |
| | P | 3/28/1989 | -118.01 | 0.47 | 659.99 | 01 | 06 | 4 | |
| | P | 3/29/1989 | -117.45 | 0.56 | 660.55 | 01 | 06 | 4 | |
| | P | 3/30/1989 | -117.51 | -0.06 | 660.49 | 01 | 06 | 4 | |
| | P | 3/31/1989 | -118.29 | -0.78 | 659.71 | 01 | 06 | 4 | |
| | P | 4/ 1/1989 | -118.58 | -0.29 | 659.42 | 01 | 06 | 4 | |
| | P | 4/ 2/1989 | -119.09 | -0.51 | 658.91 | 01 | 06 | 4 | |
| | P | 4/ 3/1989 | -120.25 | -1.16 | 657.75 | 01 | 06 | 4 | |
| | P | 4/ 4/1989 | -120.82 | -0.57 | 657.18 | 01 | 06 | 4 | |
| | P | 4/ 5/1989 | -121.17 | -0.35 | 656.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 6/1989 | -121.57 | -0.4 | 656.43 | 01 | 06 | 4 | |
| | P | 4/ 7/1989 | -122.37 | -0.8 | 655.63 | 01 | 06 | 4 | |
| | P | 4/ 8/1989 | -122.98 | -0.61 | 655.02 | 01 | 06 | 4 | |
| | P | 4/ 9/1989 | -123.73 | -0.75 | 654.27 | 01 | 06 | 4 | |
| | P | 4/10/1989 | -123.17 | 0.56 | 654.83 | 01 | 06 | 4 | |
| | P | 4/11/1989 | -122.87 | 0.3 | 655.13 | 01 | 06 | 4 | |
| | P | 4/12/1989 | -123.03 | -0.16 | 654.97 | 01 | 06 | 4 | |
| | P | 4/13/1989 | -122.13 | 0.9 | 655.87 | 01 | 06 | 4 | |
| | P | 4/14/1989 | -120.63 | 1.5 | 657.37 | 01 | 06 | 4 | |
| | P | 4/15/1989 | -120.06 | 0.57 | 657.94 | 01 | 06 | 4 | |
| | P | 4/16/1989 | -120.01 | 0.05 | 657.99 | 01 | 06 | 4 | |
| | P | 4/17/1989 | -120.08 | -0.07 | 657.92 | 01 | 06 | 4 | |
| | P | 4/18/1989 | -120.74 | -0.66 | 657.26 | 01 | 06 | 4 | |
| | P | 4/19/1989 | -120.44 | 0.3 | 657.56 | 01 | 06 | 4 | |
| | P | 4/20/1989 | -119.05 | 1.39 | 658.95 | 01 | 06 | 4 | |
| | P | 4/21/1989 | -119.14 | -0.09 | 658.86 | 01 | 06 | 4 | |
| | P | 4/22/1989 | -119.24 | -0.1 | 658.76 | 01 | 06 | 4 | |
| | P | 4/23/1989 | -119.35 | -0.11 | 658.65 | 01 | 06 | 4 | |
| | P | 4/24/1989 | -120.07 | -0.72 | 657.93 | 01 | 06 | 4 | |
| | P | 4/25/1989 | -120.94 | -0.87 | 657.06 | 01 | 06 | 4 | |
| | P | 4/26/1989 | -121.33 | -0.39 | 656.67 | 01 | 06 | 4 | |
| | P | 4/27/1989 | -121.67 | -0.34 | 656.33 | 01 | 06 | 4 | |
| | P | 4/28/1989 | -122.34 | -0.67 | 655.66 | 01 | 06 | 4 | |
| | P | 4/29/1989 | -122.42 | -0.08 | 655.58 | 01 | 06 | 4 | |
| | P | 4/30/1989 | -121.92 | 0.5 | 656.08 | 01 | 06 | 4 | |
| | P | 5/ 1/1989 | -121.38 | 0.54 | 656.62 | 01 | 06 | 4 | |
| | P | 5/ 2/1989 | -122.09 | -0.71 | 655.91 | 01 | 06 | 4 | |
| | P | 5/ 3/1989 | -122.85 | -0.76 | 655.15 | 01 | 06 | 4 | |
| | P | 5/ 4/1989 | -123.4 | -0.55 | 654.6 | 01 | 06 | 4 | |
| | P | 5/ 5/1989 | -123.66 | -0.26 | 654.34 | 01 | 06 | 4 | |
| | P | 5/ 6/1989 | -123.54 | 0.12 | 654.46 | 01 | 06 | 4 | |
| | P | 5/ 7/1989 | -126.25 | -2.71 | 651.75 | 01 | 06 | 4 | |
| | P | 5/ 8/1989 | -127.11 | -0.86 | 650.89 | 01 | 06 | 4 | |
| | P | 5/11/1989 | -130.66 | -3.55 | 647.34 | 01 | 06 | 4 | |
| | P | 5/30/1989 | -145.04 | -14.4 | 632.96 | 01 | 06 | 4 | |
| | P | 5/31/1989 | -145.3 | -0.26 | 632.7 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/ 1/1989 | -145.06 | 0.24 | 632.94 | 01 | 06 | 4 | |
| | P | 6/ 2/1989 | -145.45 | -0.39 | 632.55 | 01 | 06 | 4 | |
| | P | 6/ 3/1989 | -145.47 | -0.02 | 632.53 | 01 | 06 | 4 | |
| | P | 6/ 4/1989 | -145.22 | 0.25 | 632.78 | 01 | 06 | 4 | |
| | P | 6/ 5/1989 | -145.42 | -0.2 | 632.58 | 01 | 06 | 4 | |
| | P | 6/ 6/1989 | -146.67 | -1.25 | 631.33 | 01 | 06 | 4 | |
| | P | 6/ 7/1989 | -147.12 | -0.45 | 630.88 | 01 | 06 | 4 | |
| | P | 6/ 8/1989 | -148.22 | -1.1 | 629.78 | 01 | 06 | 4 | |
| | P | 6/ 9/1989 | -149.09 | -0.87 | 628.91 | 01 | 06 | 4 | |
| | P | 6/10/1989 | -148.55 | 0.54 | 629.45 | 01 | 06 | 4 | |
| | P | 6/11/1989 | -145.92 | 2.63 | 632.08 | 01 | 06 | 4 | |
| | P | 6/12/1989 | -144.57 | 1.35 | 633.43 | 01 | 06 | 4 | |
| | P | 6/13/1989 | -143.7 | 0.87 | 634.3 | 01 | 06 | 4 | |
| | P | 6/14/1989 | -140.8 | 2.9 | 637.2 | 01 | 06 | 4 | |
| | P | 6/15/1989 | -139.63 | 1.17 | 638.37 | 01 | 06 | 4 | |
| | P | 6/16/1989 | -139.23 | 0.4 | 638.77 | 01 | 06 | 4 | |
| | P | 6/17/1989 | -139.24 | -0.01 | 638.76 | 01 | 06 | 4 | |
| | P | 6/18/1989 | -139.22 | 0.02 | 638.78 | 01 | 06 | 4 | |
| | P | 6/19/1989 | -139.78 | -0.56 | 638.22 | 01 | 06 | 4 | |
| | P | 6/20/1989 | -140.97 | -1.19 | 637.03 | 01 | 06 | 4 | |
| | P | 6/21/1989 | -142.03 | -1.06 | 635.97 | 01 | 06 | 4 | |
| | P | 6/22/1989 | -142.8 | -0.77 | 635.2 | 01 | 06 | 4 | |
| | P | 6/23/1989 | -143.67 | -0.87 | 634.33 | 01 | 06 | 4 | |
| | P | 6/24/1989 | -142.8 | 0.87 | 635.2 | 01 | 06 | 4 | |
| | P | 6/25/1989 | -141 | 1.8 | 637 | 01 | 06 | 4 | |
| | P | 6/26/1989 | -141.76 | -0.76 | 636.24 | 01 | 06 | 4 | |
| | P | 6/27/1989 | -141.18 | 0.58 | 636.82 | 01 | 06 | 4 | |
| | P | 6/28/1989 | -142.47 | -1.29 | 635.53 | 01 | 06 | 4 | |
| | P | 6/29/1989 | -143.58 | -1.11 | 634.42 | 01 | 06 | 4 | |
| | P | 6/30/1989 | -144.45 | -0.87 | 633.55 | 01 | 06 | 4 | |
| | P | 7/ 1/1989 | -144.6 | -0.15 | 633.4 | 01 | 06 | 4 | |
| | P | 7/ 2/1989 | -145 | -0.4 | 633 | 01 | 06 | 4 | |
| | P | 7/ 3/1989 | -145.5 | -0.5 | 632.5 | 01 | 06 | 4 | |
| | P | 7/ 4/1989 | -146.08 | -0.58 | 631.92 | 01 | 06 | 4 | |
| | P | 7/ 5/1989 | -145.62 | 0.46 | 632.38 | 01 | 06 | 4 | |
| | P | 7/ 6/1989 | -146.17 | -0.55 | 631.83 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/ 7/1989 | -146.6 | -0.43 | 631.4 | 01 | 06 | 4 | |
| | P | 7/ 8/1989 | -146.48 | 0.12 | 631.52 | 01 | 06 | 4 | |
| | P | 7/ 9/1989 | -146.69 | -0.21 | 631.31 | 01 | 06 | 4 | |
| | P | 7/10/1989 | -146.97 | -0.28 | 631.03 | 01 | 06 | 4 | |
| | P | 7/11/1989 | -147.52 | -0.55 | 630.48 | 01 | 06 | 4 | |
| | P | 7/12/1989 | -147.53 | -0.01 | 630.47 | 01 | 06 | 4 | |
| | P | 7/13/1989 | -148.27 | -0.74 | 629.73 | 01 | 06 | 4 | |
| | P | 7/14/1989 | -148.4 | -0.13 | 629.6 | 01 | 06 | 4 | |
| | P | 7/15/1989 | -148.31 | 0.09 | 629.69 | 01 | 06 | 4 | |
| | P | 7/16/1989 | -148.77 | -0.46 | 629.23 | 01 | 06 | 4 | |
| | P | 7/17/1989 | -149.52 | -0.75 | 628.48 | 01 | 06 | 4 | |
| | P | 7/18/1989 | -149.47 | 0.05 | 628.53 | 01 | 06 | 4 | |
| | P | 7/19/1989 | -150.07 | -0.6 | 627.93 | 01 | 06 | 4 | |
| | P | 7/20/1989 | -150.39 | -0.32 | 627.61 | 01 | 06 | 4 | |
| | P | 7/21/1989 | -150.62 | -0.23 | 627.38 | 01 | 06 | 4 | |
| | P | 7/22/1989 | -150.01 | 0.61 | 627.99 | 01 | 06 | 4 | |
| | P | 7/23/1989 | -149.25 | 0.76 | 628.75 | 01 | 06 | 4 | |
| | P | 7/24/1989 | -148.79 | 0.46 | 629.21 | 01 | 06 | 4 | |
| | P | 7/25/1989 | -146.54 | 2.25 | 631.46 | 01 | 06 | 4 | |
| | P | 7/26/1989 | -145.73 | 0.81 | 632.27 | 01 | 06 | 4 | |
| | P | 7/27/1989 | -146.23 | -0.5 | 631.77 | 01 | 06 | 4 | |
| | P | 7/28/1989 | -146.24 | -0.01 | 631.76 | 01 | 06 | 4 | |
| | P | 7/29/1989 | -146.23 | 0.01 | 631.77 | 01 | 06 | 4 | |
| | P | 7/30/1989 | -146.62 | -0.39 | 631.38 | 01 | 06 | 4 | |
| | P | 7/31/1989 | -147.45 | -0.83 | 630.55 | 01 | 06 | 4 | |
| | P | 8/ 1/1989 | -148.53 | -1.08 | 629.47 | 01 | 06 | 4 | |
| | P | 8/ 2/1989 | -148.02 | 0.51 | 629.98 | 01 | 06 | 4 | |
| | P | 8/ 3/1989 | -148.35 | -0.33 | 629.65 | 01 | 06 | 4 | |
| | P | 8/ 4/1989 | -149.14 | -0.79 | 628.86 | 01 | 06 | 4 | |
| | P | 8/ 5/1989 | -149.25 | -0.11 | 628.75 | 01 | 06 | 4 | |
| | P | 8/ 6/1989 | -149.47 | -0.22 | 628.53 | 01 | 06 | 4 | |
| | P | 8/ 7/1989 | -150.09 | -0.62 | 627.91 | 01 | 06 | 4 | |
| | P | 8/ 8/1989 | -147.33 | 2.76 | 630.67 | 01 | 06 | 4 | |
| | P | 8/ 9/1989 | -146.65 | 0.68 | 631.35 | 01 | 06 | 4 | |
| | P | 8/10/1989 | -146.57 | 0.08 | 631.43 | 01 | 06 | 4 | |
| | P | 8/11/1989 | -147.07 | -0.5 | 630.93 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/12/1989 | -147.1 | -0.03 | 630.9 | 01 | 06 | 4 | |
| | P | 8/13/1989 | -147.23 | -0.13 | 630.77 | 01 | 06 | 4 | |
| | P | 8/14/1989 | -147.72 | -0.49 | 630.28 | 01 | 06 | 4 | |
| | P | 8/15/1989 | -147.18 | 0.54 | 630.82 | 01 | 06 | 4 | |
| | P | 8/16/1989 | -147.97 | -0.79 | 630.03 | 01 | 06 | 4 | |
| | P | 8/17/1989 | -148.44 | -0.47 | 629.56 | 01 | 06 | 4 | |
| | P | 8/18/1989 | -148.91 | -0.47 | 629.09 | 01 | 06 | 4 | |
| | P | 8/19/1989 | -148.23 | 0.68 | 629.77 | 01 | 06 | 4 | |
| | P | 8/20/1989 | -148.25 | -0.02 | 629.75 | 01 | 06 | 4 | |
| | P | 8/21/1989 | -148.99 | -0.74 | 629.01 | 01 | 06 | 4 | |
| | P | 8/22/1989 | -149.25 | -0.26 | 628.75 | 01 | 06 | 4 | |
| | P | 8/23/1989 | -149.66 | -0.41 | 628.34 | 01 | 06 | 4 | |
| | P | 8/24/1989 | -150.22 | -0.56 | 627.78 | 01 | 06 | 4 | |
| | P | 8/25/1989 | -149.24 | 0.98 | 628.76 | 01 | 06 | 4 | |
| | P | 8/26/1989 | -148.75 | 0.49 | 629.25 | 01 | 06 | 4 | |
| | P | 8/27/1989 | -149.24 | -0.49 | 628.76 | 01 | 06 | 4 | |
| | P | 8/28/1989 | -149.74 | -0.5 | 628.26 | 01 | 06 | 4 | |
| | P | 8/29/1989 | -150.15 | -0.41 | 627.85 | 01 | 06 | 4 | |
| | P | 8/30/1989 | -150.35 | -0.2 | 627.65 | 01 | 06 | 4 | |
| | P | 8/31/1989 | -150.12 | 0.23 | 627.88 | 01 | 06 | 4 | |
| | P | 9/ 1/1989 | -150.73 | -0.61 | 627.27 | 01 | 06 | 4 | |
| | P | 9/ 2/1989 | -150.87 | -0.14 | 627.13 | 01 | 06 | 4 | |
| | P | 9/ 3/1989 | -151.11 | -0.24 | 626.89 | 01 | 06 | 4 | |
| | P | 9/ 4/1989 | -150.71 | 0.4 | 627.29 | 01 | 06 | 4 | |
| | P | 9/ 5/1989 | -151.32 | -0.61 | 626.68 | 01 | 06 | 4 | |
| | P | 9/ 6/1989 | -151.07 | 0.25 | 626.93 | 01 | 06 | 4 | |
| | P | 9/ 7/1989 | -148.5 | 2.57 | 629.5 | 01 | 06 | 4 | |
| | P | 9/ 8/1989 | -147.65 | 0.85 | 630.35 | 01 | 06 | 4 | |
| | P | 9/ 9/1989 | -147.6 | 0.05 | 630.4 | 01 | 06 | 4 | |
| | P | 9/10/1989 | -148.06 | -0.46 | 629.94 | 01 | 06 | 4 | |
| | P | 9/11/1989 | -148.18 | -0.12 | 629.82 | 01 | 06 | 4 | |
| | P | 9/12/1989 | -146.99 | 1.19 | 631.01 | 01 | 06 | 4 | |
| | P | 9/13/1989 | -146.37 | 0.62 | 631.63 | 01 | 06 | 4 | |
| | P | 9/14/1989 | -145.48 | 0.89 | 632.52 | 01 | 06 | 4 | |
| | P | 9/15/1989 | -145.2 | 0.28 | 632.8 | 01 | 06 | 4 | |
| | P | 9/16/1989 | -145.2 | | 632.8 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/17/1989 | -145.49 | -0.29 | 632.51 | 01 | 06 | 4 | |
| | P | 9/18/1989 | -146.07 | -0.58 | 631.93 | 01 | 06 | 4 | |
| | P | 9/19/1989 | -146.63 | -0.56 | 631.37 | 01 | 06 | 4 | |
| | P | 9/20/1989 | -146.81 | -0.18 | 631.19 | 01 | 06 | 4 | |
| | P | 9/21/1989 | -146.89 | -0.08 | 631.11 | 01 | 06 | 4 | |
| | P | 9/22/1989 | -147.06 | -0.17 | 630.94 | 01 | 06 | 4 | |
| | P | 9/23/1989 | -146.73 | 0.33 | 631.27 | 01 | 06 | 4 | |
| | P | 9/24/1989 | -146.18 | 0.55 | 631.82 | 01 | 06 | 4 | |
| | P | 9/25/1989 | -146.67 | -0.49 | 631.33 | 01 | 06 | 4 | |
| | P | 9/26/1989 | -146.36 | 0.31 | 631.64 | 01 | 06 | 4 | |
| | P | 9/27/1989 | -146.82 | -0.46 | 631.18 | 01 | 06 | 4 | |
| | P | 9/28/1989 | -146.92 | -0.1 | 631.08 | 01 | 06 | 4 | |
| | P | 9/29/1989 | -147.4 | -0.48 | 630.6 | 01 | 06 | 4 | |
| | P | 9/30/1989 | -147.21 | 0.19 | 630.79 | 01 | 06 | 4 | |
| | P | 10/ 1/1989 | -147.29 | -0.08 | 630.71 | 01 | 06 | 4 | |
| | P | 10/ 2/1989 | -147.97 | -0.68 | 630.03 | 01 | 06 | 4 | |
| | P | 10/ 3/1989 | -148.45 | -0.48 | 629.55 | 01 | 06 | 4 | |
| | P | 10/ 4/1989 | -148.46 | -0.01 | 629.54 | 01 | 06 | 4 | |
| | P | 10/ 5/1989 | -147.83 | 0.63 | 630.17 | 01 | 06 | 4 | |
| | P | 10/ 6/1989 | -147.93 | -0.1 | 630.07 | 01 | 06 | 4 | |
| | P | 10/ 7/1989 | -146.55 | 1.38 | 631.45 | 01 | 06 | 4 | |
| | P | 10/ 8/1989 | -143.8 | 2.75 | 634.2 | 01 | 06 | 4 | |
| | P | 10/ 9/1989 | -143.7 | 0.1 | 634.3 | 01 | 06 | 4 | |
| | P | 10/10/1989 | -143.78 | -0.08 | 634.22 | 01 | 06 | 4 | |
| | P | 10/11/1989 | -143.16 | 0.62 | 634.84 | 01 | 06 | 4 | |
| | P | 10/12/1989 | -143.58 | -0.42 | 634.42 | 01 | 06 | 4 | |
| | P | 10/13/1989 | -144.78 | -1.2 | 633.22 | 01 | 06 | 4 | |
| | P | 10/14/1989 | -144.47 | 0.31 | 633.53 | 01 | 06 | 4 | |
| | P | 10/15/1989 | -144.42 | 0.05 | 633.58 | 01 | 06 | 4 | |
| | P | 10/16/1989 | -144.57 | -0.15 | 633.43 | 01 | 06 | 4 | |
| | P | 10/17/1989 | -144.67 | -0.1 | 633.33 | 01 | 06 | 4 | |
| | P | 10/18/1989 | -144.5 | 0.17 | 633.5 | 01 | 06 | 4 | |
| | P | 10/19/1989 | -144.16 | 0.34 | 633.84 | 01 | 06 | 4 | |
| | P | 10/20/1989 | -144.07 | 0.09 | 633.93 | 01 | 06 | 4 | |
| | P | 10/21/1989 | -143.67 | 0.4 | 634.33 | 01 | 06 | 4 | |
| | P | 10/22/1989 | -143.78 | -0.11 | 634.22 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 23/ 1989 | -144.5 | -0.72 | 633.5 | 01 | 06 | 4 | |
| | P | 10 / 24/ 1989 | -144.68 | -0.18 | 633.32 | 01 | 06 | 4 | |
| | P | 10 / 25/ 1989 | -144.72 | -0.04 | 633.28 | 01 | 06 | 4 | |
| | P | 10 / 26/ 1989 | -144.58 | 0.14 | 633.42 | 01 | 06 | 4 | |
| | P | 10 / 27/ 1989 | -142.18 | 2.4 | 635.82 | 01 | 06 | 4 | |
| | P | 10 / 28/ 1989 | -142.84 | -0.66 | 635.16 | 01 | 06 | 4 | |
| | P | 10 / 29/ 1989 | -140.89 | 1.95 | 637.11 | 01 | 06 | 4 | |
| | P | 10 / 30/ 1989 | -139.6 | 1.29 | 638.4 | 01 | 06 | 4 | |
| | P | 10 / 31/ 1989 | -138.92 | 0.68 | 639.08 | 01 | 06 | 4 | |
| | P | 11 / 1 / 1989 | -138.4 | 0.52 | 639.6 | 01 | 06 | 4 | |
| | P | 11 / 2 / 1989 | -138.28 | 0.12 | 639.72 | 01 | 06 | 4 | |
| | P | 11 / 3 / 1989 | -137.97 | 0.31 | 640.03 | 01 | 06 | 4 | |
| | P | 11 / 4 / 1989 | -137.87 | 0.1 | 640.13 | 01 | 06 | 4 | |
| | P | 11 / 5 / 1989 | -137.67 | 0.2 | 640.33 | 01 | 06 | 4 | |
| | P | 11 / 6 / 1989 | -137.97 | -0.3 | 640.03 | 01 | 06 | 4 | |
| | P | 11 / 7 / 1989 | -138.25 | -0.28 | 639.75 | 01 | 06 | 4 | |
| | P | 11 / 8 / 1989 | -138.06 | 0.19 | 639.94 | 01 | 06 | 4 | |
| | P | 11 / 9 / 1989 | -138.35 | -0.29 | 639.65 | 01 | 06 | 4 | |
| | P | 11 / 10/ 1989 | -138.57 | -0.22 | 639.43 | 01 | 06 | 4 | |
| | P | 11 / 11/ 1989 | -138.31 | 0.26 | 639.69 | 01 | 06 | 4 | |
| | P | 11 / 12/ 1989 | -138.17 | 0.14 | 639.83 | 01 | 06 | 4 | |
| | P | 11 / 13/ 1989 | -137.45 | 0.72 | 640.55 | 01 | 06 | 4 | |
| | P | 11 / 14/ 1989 | -136.13 | 1.32 | 641.87 | 01 | 06 | 4 | |
| | P | 11 / 15/ 1989 | -136.86 | -0.73 | 641.14 | 01 | 06 | 4 | |
| | P | 11 / 16/ 1989 | -137.15 | -0.29 | 640.85 | 01 | 06 | 4 | |
| | P | 11 / 17/ 1989 | -136.52 | 0.63 | 641.48 | 01 | 06 | 4 | |
| | P | 11 / 18/ 1989 | -136.97 | -0.45 | 641.03 | 01 | 06 | 4 | |
| | P | 11 / 19/ 1989 | -137.39 | -0.42 | 640.61 | 01 | 06 | 4 | |
| | P | 11 / 20/ 1989 | -136.35 | 1.04 | 641.65 | 01 | 06 | 4 | |
| | P | 11 / 21/ 1989 | -135.73 | 0.62 | 642.27 | 01 | 06 | 4 | |
| | P | 11 / 22/ 1989 | -134.98 | 0.75 | 643.02 | 01 | 06 | 4 | |
| | P | 11 / 23/ 1989 | -134.15 | 0.83 | 643.85 | 01 | 06 | 4 | |
| | P | 11 / 24/ 1989 | -133.84 | 0.31 | 644.16 | 01 | 06 | 4 | |
| | P | 11 / 25/ 1989 | -133.76 | 0.08 | 644.24 | 01 | 06 | 4 | |
| | P | 11 / 26/ 1989 | -133.69 | 0.07 | 644.31 | 01 | 06 | 4 | |
| | P | 11 / 27/ 1989 | -133.88 | -0.19 | 644.12 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/28/1989 | -133.44 | 0.44 | 644.56 | 01 | 06 | 4 | |
| | P | 11/29/1989 | -134.67 | -1.23 | 643.33 | 01 | 06 | 4 | |
| | P | 11/30/1989 | -134.03 | 0.64 | 643.97 | 01 | 06 | 4 | |
| | P | 12/ 1/1989 | -133.37 | 0.66 | 644.63 | 01 | 06 | 4 | |
| | P | 12/ 2/1989 | -133.37 | | 644.63 | 01 | 06 | 4 | |
| | P | 12/ 3/1989 | -132.9 | 0.47 | 645.1 | 01 | 06 | 4 | |
| | P | 12/ 4/1989 | -132.92 | -0.02 | 645.08 | 01 | 06 | 4 | |
| | P | 12/ 5/1989 | -133.07 | -0.15 | 644.93 | 01 | 06 | 4 | |
| | P | 12/ 6/1989 | -132.75 | 0.32 | 645.25 | 01 | 06 | 4 | |
| | P | 12/ 7/1989 | -133.01 | -0.26 | 644.99 | 01 | 06 | 4 | |
| | P | 12/ 8/1989 | -133.33 | -0.32 | 644.67 | 01 | 06 | 4 | |
| | P | 12/ 9/1989 | -133.12 | 0.21 | 644.88 | 01 | 06 | 4 | |
| | P | 12/10/1989 | -132.68 | 0.44 | 645.32 | 01 | 06 | 4 | |
| | P | 12/11/1989 | -132.9 | -0.22 | 645.1 | 01 | 06 | 4 | |
| | P | 12/12/1989 | -133.36 | -0.46 | 644.64 | 01 | 06 | 4 | |
| | P | 12/13/1989 | -133.37 | -0.01 | 644.63 | 01 | 06 | 4 | |
| | P | 12/14/1989 | -133.38 | -0.01 | 644.62 | 01 | 06 | 4 | |
| | P | 12/15/1989 | -133.49 | -0.11 | 644.51 | 01 | 06 | 4 | |
| | P | 12/16/1989 | -133.69 | -0.2 | 644.31 | 01 | 06 | 4 | |
| | P | 12/17/1989 | -133.95 | -0.26 | 644.05 | 01 | 06 | 4 | |
| | P | 1/ 7/1992 | -93.46 | 40.49 | 684.54 | 01 | 06 | 1 | |
| | P | 2/ 5/1992 | -81.72 | 11.74 | 696.28 | 01 | 06 | 1 | |
| | P | 3/ 5/1992 | -75.78 | 5.94 | 702.22 | 01 | 06 | 1 | |
| | P | 4/ 1/1992 | -76.89 | -1.11 | 701.11 | 01 | 06 | 1 | |
| | P | 4/30/1992 | -78.3 | -1.41 | 699.7 | 01 | 06 | 1 | |
| | P | 6/ 5/1992 | -70.43 | 7.87 | 707.57 | 01 | 06 | 1 | |
| | P | 6/25/1992 | -75.53 | -5.1 | 702.47 | 01 | 01 | 1 | |
| | P | 7/ 6/1992 | -79.2 | -3.67 | 698.8 | 01 | 06 | 1 | |
| | P | 8/ 1/1992 | -83.94 | -4.74 | 694.06 | 01 | 06 | 1 | |
| | P | 8/11/1992 | -83.94 | | 694.06 | 01 | 06 | 4 | |
| | P | 9/14/1992 | -84.84 | -0.9 | 693.16 | 01 | 06 | 1 | |
| | P | 10/10/1992 | -88.66 | -3.82 | 689.34 | 01 | 06 | 1 | |
| | P | 10/16/1992 | -88.66 | | 689.34 | 01 | 06 | 4 | |
| | P | 11/ 4/1992 | -86.23 | 2.43 | 691.77 | 01 | 06 | 1 | |
| | P | 11/ 9/1992 | -86.21 | 0.02 | 691.79 | 01 | 06 | 4 | |
| | P | 12/ 9/1992 | -62.88 | 23.33 | 715.12 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/13/1993 | -83.86 | -21 | 694.14 | 01 | 06 | 1 | |
| | P | 2/ 4/1993 | -84.37 | -0.51 | 693.63 | 01 | 06 | 1 | |
| | P | 3/ 2/1993 | -83.49 | 0.88 | 694.51 | 01 | 06 | 1 | |
| | P | 3/ 3/1993 | -83.49 | | 694.51 | 01 | 06 | 4 | |
| | P | 4/ 6/1993 | -86.59 | -3.1 | 691.41 | 01 | 06 | 1 | |
| | P | 4/24/1993 | -90.29 | -3.7 | 687.71 | 01 | 06 | 4 | |
| | P | 4/28/1993 | -90.29 | | 687.71 | 01 | 06 | 1 | |
| | P | 6/ 1/1993 | -82.83 | 7.46 | 695.17 | 01 | 06 | 1 | |
| | P | 7/ 2/1993 | -84.77 | -1.94 | 693.23 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -100.18 | -15.4 | 677.82 | 01 | 06 | 1 | |
| | P | 9/ 8/1993 | -104.44 | -4.26 | 673.56 | 01 | 06 | 1 | |
| | P | 10/ 6/1993 | -105.92 | -1.48 | 672.08 | 01 | 06 | 1 | |
| | P | 11/ 2/1993 | -100.5 | 5.42 | 677.5 | 01 | 06 | 1 | |
| | P | 12/ 8/1993 | -99.64 | 0.86 | 678.36 | 01 | 06 | 1 | |
| | P | 1/ 5/1994 | -100.79 | -1.15 | 677.21 | 01 | 06 | 4 | |
| | P | 2/ 4/1994 | -101.91 | -1.12 | 676.09 | 01 | 06 | 1 | |
| | P | 3/ 2/1994 | -103 | -1.09 | 675 | 01 | 06 | 1 | |
| | P | 4/ 6/1994 | -102.86 | 0.14 | 675.14 | 01 | 06 | 1 | |
| | P | 5/ 4/1994 | -103.24 | -0.38 | 674.76 | 01 | 06 | 1 | |
| | P | 5/26/1994 | -99.99 | 3.25 | 678.01 | 01 | 06 | 1 | |
| | P | 6/28/1994 | -129.75 | -29.8 | 648.25 | 01 | 06 | 1 | |
| | P | 8/ 3/1994 | -127.83 | 1.92 | 650.17 | 01 | 06 | 1 | |
| | P | 8/29/1994 | -124.19 | 3.64 | 653.81 | 01 | 06 | 1 | |
| | P | 10/ 7/1994 | -117.4 | 6.79 | 660.6 | 01 | 06 | 1 | |
| | P | 11/ 3/1994 | -101.65 | 15.75 | 676.35 | 01 | 06 | 1 | |
| | P | 12/ 7/1994 | -104.96 | -3.31 | 673.04 | 01 | 06 | 1 | |
| | P | 1/ 5/1995 | -100.9 | 4.06 | 677.1 | 01 | 06 | 4 | |
| | P | 2/21/1995 | -107.79 | -6.89 | 670.21 | 01 | 06 | 4 | |
| | P | 4/ 6/1995 | -104.02 | 3.77 | 673.98 | 01 | 06 | 4 | |
| | P | 5/ 5/1995 | -117.59 | -13.6 | 660.41 | 01 | 06 | 4 | |
| | P | 5/31/1995 | -117.59 | | 660.41 | 01 | 06 | 4 | |
| | P | 6/30/1995 | -110.05 | 7.54 | 667.95 | 01 | 06 | 4 | |
| | P | 8/ 3/1995 | -121.19 | -11.1 | 656.81 | 01 | 06 | 4 | |
| | P | 9/ 8/1995 | -125.68 | -4.49 | 652.32 | 01 | 06 | 4 | |
| | P | 10/10/1995 | -120 | 5.68 | 658 | 01 | 06 | 4 | |
| | P | 12/ 1/1995 | -115.94 | 4.06 | 662.06 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 3/1996 | -115.08 | 0.86 | 662.92 | 01 | 06 | 4 | |
| | P | 2/13/1996 | -123.79 | -8.71 | 654.21 | 01 | 06 | 4 | |
| | P | 2/27/1996 | -128.59 | -4.8 | 649.41 | 01 | 06 | 4 | |
| | P | 3/19/1996 | -127.01 | 1.58 | 650.99 | 01 | 06 | 1 | |
| | P | 4/ 4/1996 | -126.3 | 0.71 | 651.7 | 01 | 06 | 4 | |
| | P | 5/13/1996 | -135.29 | -8.99 | 642.71 | 01 | 06 | 4 | |
| | P | 5/31/1996 | -144.38 | -9.09 | 633.62 | 01 | 06 | 4 | |
| | P | 7/ 9/1996 | -149.17 | -4.79 | 628.83 | 01 | 06 | 4 | |
| | P | 8/ 6/1996 | -147.34 | 1.83 | 630.66 | 01 | 06 | 4 | |
| | P | 9/11/1996 | -138.16 | 9.18 | 639.84 | 01 | 06 | 4 | |
| | P | 10/ 8/1996 | -134.75 | 3.41 | 643.25 | 01 | 06 | 4 | |
| | P | 11/15/1996 | -135.15 | -0.4 | 642.85 | 01 | 06 | 4 | |
| | P | 12/13/1996 | -130.4 | 4.75 | 647.6 | 01 | 06 | 4 | |
| | P | 1/23/1997 | -131.79 | -1.39 | 646.21 | 01 | 06 | 4 | |
| | P | 2/19/1997 | -131.43 | 0.36 | 646.57 | 01 | 06 | 4 | |
| | P | 3/25/1997 | -121.62 | 9.81 | 656.38 | 01 | 06 | 4 | |
| | P | 5/ 1/1997 | -116.67 | 4.95 | 661.33 | 01 | 06 | 4 | |
| | P | 7/31/1997 | -110.23 | 6.44 | 667.77 | 01 | 06 | 4 | |
| | P | 9/11/1997 | -114.99 | -4.76 | 663.01 | 01 | 06 | 4 | |
| | P | 12/ 3/1997 | -108.9 | 6.09 | 669.1 | 01 | 06 | 4 | |
| | P | 1/12/1998 | -106.27 | 2.63 | 671.73 | 01 | 06 | 4 | |
| | P | 2/12/1998 | -103.18 | 3.09 | 674.82 | 01 | 06 | 4 | |
| | P | 3/26/1998 | -95.45 | 7.73 | 682.55 | 01 | 06 | 4 | |
| | P | 4/15/1998 | -101.37 | -5.92 | 676.63 | 01 | 06 | 4 | |
| | P | 6/12/1998 | -129.42 | -28.1 | 648.58 | 01 | 06 | 4 | |
| | P | 7/23/1998 | -135.92 | -6.5 | 642.08 | 01 | 06 | 4 | |
| | P | 8/26/1998 | -115.19 | 20.73 | 662.81 | 01 | 06 | 4 | |
| | P | 10/28/1998 | -87.5 | 27.69 | 690.5 | 01 | 06 | 4 | |
| | P | 12/ 1/1998 | -87.39 | 0.11 | 690.61 | 01 | 06 | 4 | |
| | P | 1/20/1999 | -91.91 | -4.52 | 686.09 | 01 | 06 | 4 | |
| | P | 2/23/1999 | -99.57 | -7.66 | 678.43 | 01 | 06 | 4 | |
| | P | 3/23/1999 | -98.84 | 0.73 | 679.16 | 01 | 06 | 4 | |
| | P | 4/27/1999 | -100.51 | -1.67 | 677.49 | 01 | 06 | 4 | |
| | P | 5/24/1999 | -105.71 | -5.2 | 672.29 | 01 | 06 | 4 | |
| | P | 6/24/1999 | -104.04 | 1.67 | 673.96 | 01 | 06 | 4 | |
| | P | 7/14/1999 | -101.77 | 2.27 | 676.23 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 25/ 1999 | -114.13 | -12.4 | 663.87 | 01 | 06 | 4 | |
| | P | 9 / 21/ 1999 | -119.08 | -4.95 | 658.92 | 01 | 06 | 4 | |
| | P | 10 / 19/ 1999 | -117.6 | 1.48 | 660.4 | 01 | 06 | 4 | |
| | P | 1 / 12/ 2000 | -113.47 | 4.13 | 664.53 | 01 | 06 | 4 | |
| | P | 2 / 16/ 2000 | -116.24 | -2.77 | 661.76 | 01 | 06 | 4 | |
| | P | 4 / 6 / 2000 | -118.01 | -1.77 | 659.99 | 01 | 06 | 4 | |
| | P | 5 / 11/ 2000 | -127.57 | -9.56 | 650.43 | 01 | 06 | 4 | |
| | P | 6 / 21/ 2000 | -120.93 | 6.64 | 657.07 | 01 | 06 | 4 | |
| | P | 8 / 16/ 2000 | -142.98 | -22.1 | 635.02 | 01 | 06 | 4 | |
| | P | 1 / 22/ 2001 | -97.04 | 45.94 | 680.96 | 01 | 06 | 4 | |
| | P | 3 / 6 / 2001 | -96 | 1.04 | 682 | 01 | 06 | 4 | |
| | P | 5 / 3 / 2001 | -95.91 | 0.09 | 682.09 | 01 | 06 | 4 | |
| | P | 6 / 15/ 2001 | -111.11 | -15.2 | 666.89 | 01 | 06 | 1 | |
| | P | 1 / 15/ 2002 | -92.73 | 18.38 | 685.27 | 01 | 06 | 4 | |
| | P | 4 / 30/ 2002 | -102.1 | -9.37 | 675.9 | 01 | 06 | 4 | |
| | P | 6 / 12/ 2002 | -120.3 | -18.2 | 657.7 | 01 | 06 | 4 | |
| | P | 7 / 18/ 2005 | -97.03 | 23.27 | 680.97 | 01 | 06 | 2 | |
| | P | 10 / 27/ 2005 | -98.1 | -1.07 | 679.9 | 01 | 06 | 2 | |
| | P | 7 / 20/ 2006 | -128.33 | -30.2 | 649.67 | 01 | 06 | 2 | |
| | P | 10 / 16/ 2006 | -125.22 | 3.11 | 652.78 | 01 | 06 | 2 | |
| | P | 7 / 19/ 2007 | -95.56 | 29.66 | 682.44 | 01 | 06 | 2 | |
| | P | 7 / 28/ 2008 | -113.52 | -18 | 664.48 | 01 | 06 | 2 | |
| | P | 7 / 23/ 2009 | -135.94 | -22.4 | 642.06 | 01 | 06 | 2 | |
| | P | 3 / 1 / 2010 | -93.72 | 42.22 | 684.28 | 01 | 06 | 2 | |

**Min** *-165.1* **Max** *-62.88* **Avg** *-114.553*

***6829708*** *( Aquifer: 218EBFZA Well Depth: 370 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 19/ 1932 | -151.25 | | 668.75 | 01 | 12 | 7 | |
| | P | 8 / 3 / 1950 | -174.95 | -23.7 | 645.05 | 01 | 12 | 7 | |

**Min** *-174.95* **Max** *-151.25* **Avg** *-163.1*

***6829709*** *( Aquifer: 218EBFZA Well Depth: 339 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 17/ 1952 | -185.72 | | 642.28 | 01 | 12 | 7 | |
| | P | 5 / 1 / 1956 | -204.61 | -18.9 | 623.39 | 01 | 12 | 7 | |

**Min** *-204.61* **Max** *-185.72* **Avg** *-195.165*

***6829710*** *( Aquifer: 218EBFZA Well Depth: 425 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 14/ 1950 | -179.43 | | 648.57 | 01 | 12 | 7 | |
| Min -179.43 | | Max -179.43 | Avg -179.43 | | | | | | |
| **6829711** | ( Aquifer: 218EBFZA | | Well Depth: 600 ) | | | | | | |
| | P | 8 / 0 / 1947 | -120 | | 675 | 01 | 12 | 7 | |
| Min -120 | | Max -120 | Avg -120 | | | | | | |
| **6829712** | ( Aquifer: 218EBFZA | | Well Depth: 851 ) | | | | | | |
| | P | 3 / 8 / 1985 | -113 | | 662 | 01 | 07 | 7 | |
| Min -113 | | Max -113 | Avg -113 | | | | | | |
| **6829713** | ( Aquifer: 218EBFZA | | Well Depth: 848 ) | | | | | | |
| | P | 1 / 31/ 1987 | -150.14 | | 611.86 | 01 | 07 | 7 | |
| Min -150.14 | | Max -150.14 | Avg -150.14 | | | | | | |
| **6829714** | ( Aquifer: 218EBFZA | | Well Depth: 848 ) | | | | | | |
| | P | 9 / 19/ 1997 | -80 | | 678 | 01 | 07 | 7 | |
| Min -80 | | Max -80 | Avg -80 | | | | | | |
| **6829808** | ( Aquifer: 218EDRDA | | Well Depth: 610 ) | | | | | | |
| | P | 3 / 0 / 1963 | -65 | | 660 | 01 | 12 | 7 | |
| Min -65 | | Max -65 | Avg -65 | | | | | | |
| **6829811** | ( Aquifer: 218EBFZA | | Well Depth: 612 ) | | | | | | |
| | P | 2 / 0 / 1954 | -88 | | 648 | 01 | 12 | 7 | |
| | P | 3 / 23/ 1971 | -88.27 | -0.27 | 647.73 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1972 | -59.55 | 28.72 | 676.45 | 01 | 04 | 1 | |
| | P | 6 / 8 / 1972 | -62.08 | -2.53 | 673.92 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1972 | -66.02 | -3.94 | 669.98 | 01 | 04 | 1 | |
| | P | 2 / 9 / 1973 | -58.64 | 7.38 | 677.36 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -44.08 | 14.56 | 691.92 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -45.72 | -1.64 | 690.28 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -71.22 | -25.5 | 664.78 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -44.33 | 26.89 | 691.67 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1975 | -51.21 | -6.88 | 684.79 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -64.57 | -13.4 | 671.43 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -61.06 | 3.51 | 674.94 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 14/ 1978 | -61.74 | -0.68 | 674.26 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -82.89 | -21.2 | 653.11 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1982 | -82.89 | | 653.11 | 01 | 04 | 1 | |
| | N | 2 / 9 / 1983 | | | | 01 | 01 | | 61 |
| | N | 2 / 12/ 1985 | | | | 01 | 01 | | 61 |
| | N | 2 / 10/ 1986 | | | | 01 | 01 | | 61 |

**Min** *-88.27* **Max** *-44.08* **Avg** *-64.5169*

***6829812*** *( Aquifer: 218EDRDA Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 1972 | -110 | | 670 | 01 | 12 | 7 | |

**Min** *-110* **Max** *-110* **Avg** *-110*

***6829813*** *( Aquifer: 218EDRDA Well Depth: 369 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 30/ 1952 | -140.6 | | 639.4 | 01 | 12 | 7 | |

**Min** *-140.6* **Max** *-140.6* **Avg** *-140.6*

***6829814*** *( Aquifer: 218EDRDA Well Depth: 746 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 1952 | -126 | | 639 | 01 | 12 | 7 | |

**Min** *-126* **Max** *-126* **Avg** *-126*

***6829815*** *( Aquifer: 218EDRDA Well Depth: 347 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 0 / 1944 | -19.5 | | 681.5 | 01 | 12 | 7 | |

**Min** *-19.5* **Max** *-19.5* **Avg** *-19.5*

***6829816*** *( Aquifer: 218EDRDA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 0 / 1946 | -35 | | 665 | 01 | 12 | 7 | |

**Min** *-35* **Max** *-35* **Avg** *-35*

***6829819*** *( Aquifer: 211ASTN Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 5 / 2009 | -133.36 | | 657.64 | 01 | 04 | 2 | |
| | P | 8 / 4 / 2009 | -144.99 | -11.6 | 646.01 | 01 | 04 | 2 | |
| | P | 9 / 29/ 2009 | -137.74 | 7.25 | 653.26 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2010 | -110.57 | 27.17 | 680.43 | 01 | 04 | 2 | |
| | P | 4 / 28/ 2010 | -115.33 | -4.76 | 675.67 | 01 | 04 | 2 | |
| | P | 6 / 25/ 2010 | -116.6 | -1.27 | 674.4 | 01 | 04 | 2 | |
| | P | 9 / 22/ 2010 | -111.89 | 4.71 | 679.11 | 01 | 04 | 2 | |
| | P | 12 / 10/ 2010 | -120.85 | -8.96 | 670.15 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 17/ 2011 | -140.41 | -19.6 | 650.59 | 01 | 04 | 1 | |
| | P | 8 / 1 / 2011 | -155.75 | -15.3 | 635.25 | 01 | 04 | 1 | |

**Min** *-155.75* **Max** *-110.57* **Avg** *-128.749*

***6829901*** *( Aquifer: 218EDRDA Well Depth: 566 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 0 / 1955 | -112.05 | | 710.95 | 01 | 12 | 7 | |

**Min** *-112.05* **Max** *-112.05* **Avg** *-112.05*

***6829908*** *( Aquifer: 218EDRDA Well Depth: 553 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 8 / 1961 | -69 | | 654 | 01 | 12 | 7 | |

**Min** *-69* **Max** *-69* **Avg** *-69*

***6829913*** *( Aquifer: 218EBFZA Well Depth: 784 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 4 / 1972 | -142.54 | | 668.46 | 01 | 12 | 7 | |
| | P | 6 / 8 / 1972 | -145.13 | -2.59 | 665.87 | 01 | 04 | 1 | |
| | P | 2 / 8 / 1973 | -141.98 | 3.15 | 669.02 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -127.6 | 14.38 | 683.4 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -129.1 | -1.5 | 681.9 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -147.5 | -18.4 | 663.5 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -127.41 | 20.09 | 683.59 | 01 | 12 | 7 | |
| | P | 7 / 17/ 1975 | -134.51 | -7.1 | 676.49 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -148.16 | -13.7 | 662.84 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -131.68 | 16.48 | 679.32 | 01 | 04 | 1 | |
| | P | 2 / 26/ 1983 | -136 | -4.32 | 675 | 01 | 04 | 1 | |

**Min** *-148.16* **Max** *-127.41* **Avg** *-137.419*

***6829914*** *( Aquifer: 218EBFZA Well Depth: 845 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 4 / 1972 | -68.18 | | 668.82 | 01 | 04 | 1 | |
| | P | 6 / 8 / 1972 | -71.21 | -3.03 | 665.79 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1972 | -74.67 | -3.46 | 662.33 | 01 | 04 | 1 | |
| | P | 2 / 9 / 1973 | -67.52 | 7.15 | 669.48 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -53.18 | 14.34 | 683.82 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -54.36 | -1.18 | 682.64 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -79.26 | -24.9 | 657.74 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -52.91 | 26.35 | 684.09 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1975 | -60.3 | -7.39 | 676.7 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -73.42 | -13.1 | 663.58 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 2 / 1976 | -62.83 | 10.59 | 674.17 | 01 | 04 | 1 | |
| Min -79.26 | | Max -52.91 | Avg -65.2582 | | | | | | |
| **6829915** | ( Aquifer: 218EBFZA | Well Depth: 824 ) | | | | | | | |
| | P | 1 / 1 / 1972 | -145 | | 670 | 01 | 12 | 7 | |
| Min -145 | | Max -145 | Avg -145 | | | | | | |
| **6829916** | ( Aquifer: 218EBFZA | Well Depth: 434 ) | | | | | | | |
| | P | 10 / 3 / 1933 | -52.34 | | 668.66 | 01 | 12 | 7 | |
| | P | 12 / 2 / 1954 | -74.3 | -22 | 646.7 | 01 | 12 | 7 | |
| Min -74.3 | | Max -52.34 | Avg -63.32 | | | | | | |
| **6829917** | ( Aquifer: 218EBFZA | Well Depth: ) | | | | | | | |
| | P | 4 / 6 / 1954 | -81 | | 634 | 01 | 12 | 7 | |
| | P | 2 / 25/ 1970 | -46.99 | 34.01 | 668.01 | 01 | 12 | 7 | |
| Min -81 | | Max -46.99 | Avg -63.995 | | | | | | |
| **6829920** | ( Aquifer: 218EDRDA | Well Depth: 655 ) | | | | | | | |
| | P | 12 / 5 / 1963 | -175 | | 615 | 01 | 12 | 7 | |
| Min -175 | | Max -175 | Avg -175 | | | | | | |
| **6829923** | ( Aquifer: 218EDRDA | Well Depth: 470 ) | | | | | | | |
| | P | 11 / 28/ 1950 | -89.6 | | 669.4 | 01 | 12 | 7 | |
| Min -89.6 | | Max -89.6 | Avg -89.6 | | | | | | |
| **6829925** | ( Aquifer: 218EDRDA | Well Depth: 525 ) | | | | | | | |
| | P | 4 / 10/ 1987 | -100 | | 653 | 01 | 06 | 1 | |
| | P | 12 / 27/ 2000 | -98.2 | 1.8 | 654.8 | 01 | 06 | 1 | |
| | P | 3 / 14/ 2001 | -76.99 | 21.21 | 676.01 | 01 | 06 | 1 | |
| | P | 5 / 8 / 2001 | -75.48 | 1.51 | 677.52 | 01 | 06 | 1 | |
| | P | 6 / 27/ 2001 | -90.21 | -14.7 | 662.79 | 01 | 06 | 1 | |
| | P | 8 / 3 / 2001 | -101.83 | -11.6 | 651.17 | 01 | 06 | 1 | |
| | P | 9 / 17/ 2001 | -81.74 | 20.09 | 671.26 | 01 | 06 | 1 | |
| | P | 11 / 16/ 2001 | -79.4 | 2.34 | 673.6 | 01 | 06 | 1 | |
| | P | 2 / 1 / 2002 | -75.4 | 4 | 677.6 | 01 | 06 | 1 | |
| | P | 2 / 5 / 2002 | -75.25 | 0.15 | 677.75 | 01 | 06 | 1 | |
| | P | 3 / 8 / 2002 | -79.58 | -4.33 | 673.42 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 25/ 2002 | -80.27 | -0.69 | 672.73 | 01 | 06 | 1 | |
| | P | 5 / 14/ 2002 | -90.1 | -9.83 | 662.9 | 01 | 06 | 1 | |
| | P | 6 / 26/ 2002 | -106.1 | -16 | 646.9 | 01 | 06 | 1 | |
| | P | 7 / 9 / 2002 | -72.98 | 33.12 | 680.02 | 01 | 06 | 1 | |
| | P | 7 / 23/ 2002 | -69.35 | 3.63 | 683.65 | 01 | 06 | 1 | |
| | P | 8 / 15/ 2002 | -73.24 | -3.89 | 679.76 | 01 | 06 | 1 | |
| | P | 9 / 6 / 2002 | -76.96 | -3.72 | 676.04 | 01 | 06 | 1 | |
| | P | 10 / 2 / 2003 | -73.09 | 3.87 | 679.91 | 01 | 06 | 1 | |
| | P | 11 / 10/ 2003 | -74.26 | -1.17 | 678.74 | 01 | 06 | 1 | |
| | P | 12 / 31/ 2003 | -77.18 | -2.92 | 675.82 | 01 | 06 | 1 | |
| | P | 1 / 28/ 2004 | -75.71 | 1.47 | 677.29 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2004 | -75.9 | -0.19 | 677.1 | 01 | 06 | 1 | |
| | P | 4 / 15/ 2004 | -71.44 | 4.46 | 681.56 | 01 | 06 | 1 | |
| | P | 5 / 25/ 2004 | -72.13 | -0.69 | 680.87 | 01 | 06 | 1 | |
| | P | 6 / 7 / 2004 | -78.5 | -6.37 | 674.5 | 01 | 06 | 1 | |
| | P | 7 / 15/ 2004 | -66.73 | 11.77 | 686.27 | 01 | 06 | 1 | |
| | P | 7 / 18/ 2005 | -79.57 | -12.8 | 673.43 | 01 | 06 | 2 | |
| | P | 10 / 17/ 2006 | -95.71 | -16.1 | 657.29 | 01 | 06 | 2 | |
| | P | 7 / 20/ 2007 | -66.51 | 29.2 | 686.49 | 01 | 06 | 2 | |
| | P | 7 / 28/ 2008 | -85.37 | -18.9 | 667.63 | 01 | 06 | 2 | |
| | P | 7 / 23/ 2009 | -110.87 | -25.5 | 642.13 | 01 | 06 | 2 | |
| | P | 3 / 2 / 2010 | -73.64 | 37.23 | 679.36 | 01 | 06 | 2 | |

**Min** *-110.87* **Max** *-66.51* **Avg** *-81.2027*

***6829926*** *( Aquifer: 218EBFZA Well Depth: 870 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1993 | -121 | | 691 | 01 | 01 | 1 | |

**Min** *-121* **Max** *-121* **Avg** *-121*

***6829929*** *( Aquifer: 218EBFZA Well Depth: 870 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 14/ 1992 | -121 | | 692 | 01 | 07 | 7 | |

**Min** *-121* **Max** *-121* **Avg** *-121*

***6829932*** *( Aquifer: 211ASTN Well Depth: 296 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 21/ 2009 | -123.58 | | 631.42 | 01 | 04 | 2 | |
| | P | 9 / 29/ 2009 | -114.87 | 8.71 | 640.13 | 01 | 04 | 2 | |
| | P | 1 / 21/ 2010 | -90.48 | 24.39 | 664.52 | 01 | 04 | 2 | |
| | P | 9 / 22/ 2010 | -84.94 | 5.54 | 670.06 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 10/ 2010 | -94.57 | -9.63 | 660.43 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -99.61 | -5.04 | 655.39 | 01 | 04 | 2 | |
| | P | 6 / 17/ 2011 | -126 | -26.4 | 629 | 01 | 04 | 1 | |
| | P | 6 / 29/ 2011 | -121.96 | 4.04 | 633.04 | 01 | 04 | 1 | |
| | P | 8 / 8 / 2011 | -124.7 | -2.74 | 630.3 | 01 | 04 | 1 | |
| | P | 9 / 29/ 2011 | -123.24 | 1.46 | 631.76 | 01 | 04 | 2 | |

**Min** *-126* **Max** *-84.94* **Avg** *-110.395*

## *6830101* *( Aquifer: 218EBFZA Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 12/ 1933 | -250.65 | | 667.35 | 01 | 12 | 7 | |
| | P | 12 / 2 / 1954 | -284.84 | -34.2 | 633.16 | 01 | 12 | 7 | |
| | P | 1 / 21/ 1972 | -266.68 | 18.16 | 651.32 | 01 | 04 | 1 | |
| | P | 2 / 3 / 1972 | -250.1 | 16.58 | 667.9 | 01 | 04 | 1 | |
| | P | 6 / 7 / 1972 | -255.65 | -5.55 | 662.35 | 01 | 04 | 1 | |
| | P | 2 / 6 / 1973 | -252.35 | 3.3 | 665.65 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -234.68 | 17.67 | 683.32 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -236.12 | -1.44 | 681.88 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -253.67 | -17.6 | 664.33 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -235.6 | 18.07 | 682.4 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1975 | -243.53 | -7.93 | 674.47 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -235.37 | 8.16 | 682.63 | 01 | 04 | 1 | |
| | P | 2 / 8 / 1978 | -241.87 | -6.5 | 676.13 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1979 | -237.29 | 4.58 | 680.71 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -252.84 | -15.6 | 665.16 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1982 | -250.37 | 2.47 | 667.63 | 01 | 01 | 1 | |
| | P | 2 / 2 / 1983 | -256.45 | -6.08 | 661.55 | 01 | 04 | 1 | |
| | P | 2 / 10/ 1983 | -255.87 | 0.58 | 662.13 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -266.77 | -10.9 | 651.23 | 01 | 01 | 1 | |
| | P | 6 / 28/ 1984 | -295.55 | -28.8 | 622.45 | 01 | 04 | 1 | |
| | P | 2 / 11/ 1985 | -268.57 | 26.98 | 649.43 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1986 | -249 | 19.57 | 669 | 01 | 01 | 1 | |
| | P | 12 / 8 / 1986 | -248 | 1 | 670 | 01 | 01 | 1 | |
| | N | 3 / 17/ 1988 | | | | 01 | 01 | | 40 |
| | N | 6 / 23/ 1992 | | | | 01 | 01 | | 60 |

**Min** *-295.55* **Max** *-234.68* **Avg** *-253.123*

## *6830102* *( Aquifer: 218EBFZA Well Depth: 418 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1964 | -210 | | 637 | 01 | 12 | 7 | |
| Min -210 | | Max -210 | Avg -210 | | | | | | |
| **6830105** | ( Aquifer: 218EDRDA | Well Depth: 504 ) | | | | | | | |
| | P | 4 / 0 / 1962 | -154.5 | | 665.5 | 01 | 12 | 7 | |
| Min -154.5 | | Max -154.5 | Avg -154.5 | | | | | | |
| **6830107** | ( Aquifer: 218EDRDA | Well Depth: 591 ) | | | | | | | |
| | P | 2 / 5 / 1971 | -137.2 | | 650.8 | 01 | 04 | 1 | |
| Min -137.2 | | Max -137.2 | Avg -137.2 | | | | | | |
| **6830109** | ( Aquifer: 218EBFZA | Well Depth: 710 ) | | | | | | | |
| | P | 4 / 26/ 1973 | -259.3 | | 687.7 | 01 | 12 | 7 | |
| Min -259.3 | | Max -259.3 | Avg -259.3 | | | | | | |
| **6830110** | ( Aquifer: 218EDRDA | Well Depth: 460 ) | | | | | | | |
| | P | 9 / 28/ 1983 | -185 | | 655 | 01 | 07 | 7 | |
| Min -185 | | Max -185 | Avg -185 | | | | | | |
| **6830114** | ( Aquifer: 218EBFZA | Well Depth: 603 ) | | | | | | | |
| | P | 2 / 12/ 1981 | -371 | | 611 | 01 | 07 | 7 | |
| Min -371 | | Max -371 | Avg -371 | | | | | | |
| **6830115** | ( Aquifer: 218EBFZA | Well Depth: 554 ) | | | | | | | |
| | P | 5 / 19/ 1979 | -375 | | 628 | 01 | 07 | 7 | |
| Min -375 | | Max -375 | Avg -375 | | | | | | |
| **6830211** | ( Aquifer: 218EDRDA | Well Depth: 777 ) | | | | | | | |
| | P | 8 / 7 / 1964 | -144.17 | | 631.83 | 01 | 02 | 1 | |
| | P | 8 / 15/ 1964 | -143.18 | 0.99 | 632.82 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1964 | -141.09 | 2.09 | 634.91 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1964 | -142.65 | -1.56 | 633.35 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1964 | -137.03 | 5.62 | 638.97 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1964 | -137.03 | | 638.97 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1964 | -135.33 | 1.7 | 640.67 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1964 | -130.81 | 4.52 | 645.19 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1964 | -130.37 | 0.44 | 645.63 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1964 | -130.17 | 0.2 | 645.83 | 01 | 04 | 4 | |
| | P | 12/30/1964 | -130.15 | 0.02 | 645.85 | 01 | 04 | 4 | |
| | P | 1/15/1965 | -130.27 | -0.12 | 645.73 | 01 | 04 | 4 | |
| | P | 1/30/1965 | -130.13 | 0.14 | 645.87 | 01 | 04 | 4 | |
| | P | 2/15/1965 | -124.42 | 5.71 | 651.58 | 01 | 04 | 4 | |
| | P | 2/28/1965 | -121.66 | 2.76 | 654.34 | 01 | 04 | 4 | |
| | P | 3/15/1965 | -122.18 | -0.52 | 653.82 | 01 | 04 | 4 | |
| | P | 3/30/1965 | -123.4 | -1.22 | 652.6 | 01 | 04 | 4 | |
| | P | 4/15/1965 | -120.04 | 3.36 | 655.96 | 01 | 04 | 4 | |
| | P | 4/30/1965 | -121.36 | -1.32 | 654.64 | 01 | 04 | 4 | |
| | P | 5/15/1965 | -119.07 | 2.29 | 656.93 | 01 | 04 | 4 | |
| | P | 5/30/1965 | -110.54 | 8.53 | 665.46 | 01 | 04 | 4 | |
| | P | 6/15/1965 | -112.36 | -1.82 | 663.64 | 01 | 04 | 4 | |
| | P | 6/30/1965 | -117.05 | -4.69 | 658.95 | 01 | 04 | 4 | |
| | P | 7/15/1965 | -123.29 | -6.24 | 652.71 | 01 | 04 | 4 | |
| | P | 7/30/1965 | -127.79 | -4.5 | 648.21 | 01 | 04 | 4 | |
| | P | 8/15/1965 | -128.77 | -0.98 | 647.23 | 01 | 04 | 4 | |
| | P | 8/30/1965 | -131.12 | -2.35 | 644.88 | 01 | 04 | 4 | |
| | P | 9/15/1965 | -133.7 | -2.58 | 642.3 | 01 | 04 | 4 | |
| | P | 9/30/1965 | -130.02 | 3.68 | 645.98 | 01 | 04 | 4 | |
| | P | 10/15/1965 | -127.4 | 2.62 | 648.6 | 01 | 04 | 4 | |
| | P | 10/30/1965 | -124.5 | 2.9 | 651.5 | 01 | 04 | 4 | |
| | P | 11/15/1965 | -123.56 | 0.94 | 652.44 | 01 | 04 | 4 | |
| | P | 11/30/1965 | -123.91 | -0.35 | 652.09 | 01 | 04 | 4 | |
| | P | 12/15/1965 | -117.2 | 6.71 | 658.8 | 01 | 04 | 4 | |
| | P | 12/30/1965 | -116.3 | 0.9 | 659.7 | 01 | 04 | 4 | |
| | P | 1/15/1966 | -116.62 | -0.32 | 659.38 | 01 | 04 | 4 | |
| | P | 1/30/1966 | -117.4 | -0.78 | 658.6 | 01 | 04 | 4 | |
| | P | 2/15/1966 | -116.99 | 0.41 | 659.01 | 01 | 04 | 4 | |
| | P | 2/28/1966 | -116.57 | 0.42 | 659.43 | 01 | 04 | 4 | |
| | P | 3/15/1966 | -116.93 | -0.36 | 659.07 | 01 | 04 | 4 | |
| | P | 3/30/1966 | -118.17 | -1.24 | 657.83 | 01 | 04 | 4 | |
| | P | 4/15/1966 | -121.5 | -3.33 | 654.5 | 01 | 04 | 4 | |
| | P | 4/30/1966 | -119.36 | 2.14 | 656.64 | 01 | 04 | 4 | |
| | P | 5/15/1966 | -117.9 | 1.46 | 658.1 | 01 | 04 | 4 | |
| | P | 5/30/1966 | -118.86 | -0.96 | 657.14 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/1966 | -126.15 | -7.29 | 649.85 | 01 | 04 | 4 | |
| | P | 6/30/1966 | -125.05 | 1.1 | 650.95 | 01 | 04 | 4 | |
| | P | 7/15/1966 | -129.79 | -4.74 | 646.21 | 01 | 04 | 4 | |
| | P | 7/30/1966 | -135.61 | -5.82 | 640.39 | 01 | 04 | 4 | |
| | P | 8/15/1966 | -131.76 | 3.85 | 644.24 | 01 | 04 | 4 | |
| | P | 8/30/1966 | -129.66 | 2.1 | 646.34 | 01 | 04 | 4 | |
| | P | 9/15/1966 | -126.9 | 2.76 | 649.1 | 01 | 04 | 4 | |
| | P | 9/30/1966 | -125.85 | 1.05 | 650.15 | 01 | 04 | 4 | |
| | P | 10/15/1966 | -125.87 | -0.02 | 650.13 | 01 | 04 | 4 | |
| | P | 10/30/1966 | -126.29 | -0.42 | 649.71 | 01 | 04 | 4 | |
| | P | 11/15/1966 | -126.83 | -0.54 | 649.17 | 01 | 04 | 4 | |
| | P | 11/30/1966 | -126.97 | -0.14 | 649.03 | 01 | 04 | 4 | |
| | P | 12/15/1966 | -127.09 | -0.12 | 648.91 | 01 | 04 | 4 | |
| | P | 12/30/1966 | -126.63 | 0.46 | 649.37 | 01 | 04 | 4 | |
| | P | 1/15/1967 | -127.24 | -0.61 | 648.76 | 01 | 04 | 4 | |
| | P | 1/30/1967 | -128.41 | -1.17 | 647.59 | 01 | 04 | 4 | |
| | P | 2/15/1967 | -129.79 | -1.38 | 646.21 | 01 | 04 | 4 | |
| | P | 2/28/1967 | -130.27 | -0.48 | 645.73 | 01 | 04 | 4 | |
| | P | 3/15/1967 | -135.05 | -4.78 | 640.95 | 01 | 04 | 4 | |
| | P | 3/30/1967 | -133.2 | 1.85 | 642.8 | 01 | 04 | 4 | |
| | P | 4/15/1967 | -134.62 | -1.42 | 641.38 | 01 | 04 | 4 | |
| | P | 4/30/1967 | -135.52 | -0.9 | 640.48 | 01 | 04 | 4 | |
| | P | 5/15/1967 | -140.76 | -5.24 | 635.24 | 01 | 04 | 4 | |
| | P | 5/30/1967 | -141.87 | -1.11 | 634.13 | 01 | 04 | 4 | |
| | P | 6/15/1967 | -147.04 | -5.17 | 628.96 | 01 | 04 | 4 | |
| | P | 6/30/1967 | -151.1 | -4.06 | 624.9 | 01 | 04 | 4 | |
| | P | 7/15/1967 | -148 | 3.1 | 628 | 01 | 04 | 4 | |
| | P | 7/30/1967 | -148.08 | -0.08 | 627.92 | 01 | 04 | 4 | |
| | P | 8/15/1967 | -152.04 | -3.96 | 623.96 | 01 | 04 | 4 | |
| | P | 8/30/1967 | -145.99 | 6.05 | 630.01 | 01 | 04 | 4 | |
| | P | 9/15/1967 | -141.64 | 4.35 | 634.36 | 01 | 04 | 4 | |
| | P | 9/30/1967 | -132.21 | 9.43 | 643.79 | 01 | 04 | 4 | |
| | P | 10/15/1967 | -132.7 | -0.49 | 643.3 | 01 | 04 | 4 | |
| | P | 10/30/1967 | -131.63 | 1.07 | 644.37 | 01 | 04 | 4 | |
| | P | 11/15/1967 | -126.68 | 4.95 | 649.32 | 01 | 04 | 4 | |
| | P | 11/30/1967 | -125.68 | 1 | 650.32 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1967 | -125.31 | 0.37 | 650.69 | 01 | 04 | 4 | |
| | P | 12/30/1967 | -124.62 | 0.69 | 651.38 | 01 | 04 | 4 | |
| | P | 1/15/1968 | -123.92 | 0.7 | 652.08 | 01 | 04 | 4 | |
| | P | 1/30/1968 | -108.87 | 15.05 | 667.13 | 01 | 04 | 4 | |
| | P | 2/15/1968 | -109.04 | -0.17 | 666.96 | 01 | 04 | 4 | |
| | P | 2/28/1968 | -108.07 | 0.97 | 667.93 | 01 | 04 | 4 | |
| | P | 3/15/1968 | -108.2 | -0.13 | 667.8 | 01 | 04 | 4 | |
| | P | 3/30/1968 | -108.68 | -0.48 | 667.32 | 01 | 04 | 4 | |
| | P | 4/15/1968 | -109.32 | -0.64 | 666.68 | 01 | 04 | 4 | |
| | P | 4/30/1968 | -109.86 | -0.54 | 666.14 | 01 | 04 | 4 | |
| | P | 5/30/1968 | -109.68 | 0.18 | 666.32 | 01 | 04 | 4 | |
| | P | 6/15/1968 | -113.54 | -3.86 | 662.46 | 01 | 04 | 4 | |
| | P | 6/30/1968 | -112.36 | 1.18 | 663.64 | 01 | 04 | 4 | |
| | P | 7/15/1968 | -112.65 | -0.29 | 663.35 | 01 | 04 | 4 | |
| | P | 7/30/1968 | -116.96 | -4.31 | 659.04 | 01 | 04 | 4 | |
| | P | 8/15/1968 | -122.74 | -5.78 | 653.26 | 01 | 04 | 4 | |
| | P | 8/30/1968 | -124.78 | -2.04 | 651.22 | 01 | 04 | 4 | |
| | P | 9/15/1968 | -118.2 | 6.58 | 657.8 | 01 | 04 | 4 | |
| | P | 9/30/1968 | -117.86 | 0.34 | 658.14 | 01 | 04 | 4 | |
| | P | 10/15/1968 | -117.92 | -0.06 | 658.08 | 01 | 04 | 4 | |
| | P | 10/30/1968 | -118.16 | -0.24 | 657.84 | 01 | 04 | 4 | |
| | P | 11/15/1968 | -117.61 | 0.55 | 658.39 | 01 | 04 | 4 | |
| | P | 11/30/1968 | -116.53 | 1.08 | 659.47 | 01 | 04 | 4 | |
| | P | 12/15/1968 | -115.83 | 0.7 | 660.17 | 01 | 04 | 4 | |
| | P | 12/30/1968 | -115.51 | 0.32 | 660.49 | 01 | 04 | 4 | |
| | P | 1/15/1969 | -115.99 | -0.48 | 660.01 | 01 | 04 | 4 | |
| | P | 1/30/1969 | -116.05 | -0.06 | 659.95 | 01 | 04 | 4 | |
| | P | 2/15/1969 | -115.79 | 0.26 | 660.21 | 01 | 04 | 4 | |
| | P | 2/28/1969 | -114.71 | 1.08 | 661.29 | 01 | 04 | 4 | |
| | P | 3/15/1969 | -114.89 | -0.18 | 661.11 | 01 | 04 | 4 | |
| | P | 3/30/1969 | -114.96 | -0.07 | 661.04 | 01 | 04 | 4 | |
| | P | 4/15/1969 | -115.47 | -0.51 | 660.53 | 01 | 04 | 4 | |
| | P | 4/30/1969 | -115.51 | -0.04 | 660.49 | 01 | 04 | 4 | |
| | P | 5/15/1969 | -112.88 | 2.63 | 663.12 | 01 | 04 | 4 | |
| | P | 5/30/1969 | -112.61 | 0.27 | 663.39 | 01 | 04 | 4 | |
| | P | 6/15/1969 | -116.61 | -4 | 659.39 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1969 | -121.52 | -4.91 | 654.48 | 01 | 04 | 4 | |
| | P | 7/15/1969 | -127.23 | -5.71 | 648.77 | 01 | 04 | 4 | |
| | P | 7/30/1969 | -130.14 | -2.91 | 645.86 | 01 | 04 | 4 | |
| | P | 8/15/1969 | -135.23 | -5.09 | 640.77 | 01 | 04 | 4 | |
| | P | 8/30/1969 | -127.1 | 8.13 | 648.9 | 01 | 04 | 4 | |
| | P | 9/15/1969 | -125.38 | 1.72 | 650.62 | 01 | 04 | 4 | |
| | P | 9/30/1969 | -125.74 | -0.36 | 650.26 | 01 | 04 | 4 | |
| | P | 10/15/1969 | -121.97 | 3.77 | 654.03 | 01 | 04 | 4 | |
| | P | 10/30/1969 | -121.26 | 0.71 | 654.74 | 01 | 04 | 4 | |
| | P | 11/15/1969 | -120.56 | 0.7 | 655.44 | 01 | 04 | 4 | |
| | P | 11/30/1969 | -119.08 | 1.48 | 656.92 | 01 | 04 | 4 | |
| | P | 1/15/1970 | -115.91 | 3.17 | 660.09 | 01 | 04 | 4 | |
| | P | 1/30/1970 | -116.17 | -0.26 | 659.83 | 01 | 04 | 4 | |
| | P | 2/15/1970 | -115.48 | 0.69 | 660.52 | 01 | 04 | 4 | |
| | P | 2/28/1970 | -113.95 | 1.53 | 662.05 | 01 | 04 | 4 | |
| | P | 3/15/1970 | -111.99 | 1.96 | 664.01 | 01 | 04 | 4 | |
| | P | 3/30/1970 | -111.44 | 0.55 | 664.56 | 01 | 04 | 4 | |
| | P | 4/15/1970 | -113.08 | -1.64 | 662.92 | 01 | 04 | 4 | |
| | P | 4/30/1970 | -114.32 | -1.24 | 661.68 | 01 | 04 | 4 | |
| | P | 5/15/1970 | -117.79 | -3.47 | 658.21 | 01 | 04 | 4 | |
| | P | 5/30/1970 | -111.24 | 6.55 | 664.76 | 01 | 04 | 4 | |
| | P | 6/15/1970 | -112.37 | -1.13 | 663.63 | 01 | 04 | 4 | |
| | P | 6/30/1970 | -118.04 | -5.67 | 657.96 | 01 | 04 | 4 | |
| | P | 7/15/1970 | -122.77 | -4.73 | 653.23 | 01 | 04 | 4 | |
| | P | 7/30/1970 | -123.63 | -0.86 | 652.37 | 01 | 04 | 4 | |
| | P | 8/15/1970 | -126.12 | -2.49 | 649.88 | 01 | 04 | 4 | |
| | P | 8/30/1970 | -127.7 | -1.58 | 648.3 | 01 | 04 | 4 | |
| | P | 9/15/1970 | -127.34 | 0.36 | 648.66 | 01 | 04 | 4 | |
| | P | 9/30/1970 | -123.22 | 4.12 | 652.78 | 01 | 04 | 4 | |
| | P | 10/15/1970 | -122.05 | 1.17 | 653.95 | 01 | 04 | 4 | |
| | P | 10/30/1970 | -121.22 | 0.83 | 654.78 | 01 | 04 | 4 | |
| | P | 11/15/1970 | -121.7 | -0.48 | 654.3 | 01 | 04 | 4 | |
| | P | 11/30/1970 | -121.7 | | 654.3 | 01 | 04 | 4 | |
| | P | 12/15/1970 | -122.07 | -0.37 | 653.93 | 01 | 04 | 4 | |
| | P | 12/25/1970 | -122.18 | -0.11 | 653.82 | 01 | 02 | 1 | |
| | P | 12/30/1970 | -122.09 | 0.09 | 653.91 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/1971 | -123.66 | -1.57 | 652.34 | 01 | 04 | 4 | |
| | P | 1/30/1971 | -127.18 | -3.52 | 648.82 | 01 | 04 | 4 | |
| | P | 2/15/1971 | -128.97 | -1.79 | 647.03 | 01 | 04 | 4 | |
| | P | 2/28/1971 | -129.18 | -0.21 | 646.82 | 01 | 04 | 4 | |
| | P | 3/15/1971 | -132.7 | -3.52 | 643.3 | 01 | 04 | 4 | |
| | P | 3/30/1971 | -135.69 | -2.99 | 640.31 | 01 | 04 | 4 | |
| | P | 4/15/1971 | -139.21 | -3.52 | 636.79 | 01 | 04 | 4 | |
| | P | 4/30/1971 | -138.62 | 0.59 | 637.38 | 01 | 04 | 4 | |
| | P | 5/15/1971 | -139.52 | -0.9 | 636.48 | 01 | 04 | 4 | |
| | P | 5/30/1971 | -142.56 | -3.04 | 633.44 | 01 | 04 | 4 | |
| | P | 6/15/1971 | -148.23 | -5.67 | 627.77 | 01 | 04 | 4 | |
| | P | 6/30/1971 | -141.52 | 6.71 | 634.48 | 01 | 04 | 4 | |
| | P | 7/15/1971 | -145.16 | -3.64 | 630.84 | 01 | 04 | 4 | |
| | P | 7/30/1971 | -148.54 | -3.38 | 627.46 | 01 | 04 | 4 | |
| | P | 8/15/1971 | -130.56 | 17.98 | 645.44 | 01 | 04 | 4 | |
| | P | 8/30/1971 | -131.27 | -0.71 | 644.73 | 01 | 04 | 4 | |
| | P | 9/15/1971 | -129.81 | 1.46 | 646.19 | 01 | 04 | 4 | |
| | P | 9/30/1971 | -127.34 | 2.47 | 648.66 | 01 | 04 | 4 | |
| | P | 10/15/1971 | -124.85 | 2.49 | 651.15 | 01 | 04 | 4 | |
| | P | 10/30/1971 | -119 | 5.85 | 657 | 01 | 04 | 4 | |
| | P | 11/15/1971 | -118.63 | 0.37 | 657.37 | 01 | 04 | 4 | |
| | P | 11/30/1971 | -116.81 | 1.82 | 659.19 | 01 | 04 | 4 | |
| | P | 12/15/1971 | -113.43 | 3.38 | 662.57 | 01 | 04 | 4 | |
| | P | 12/30/1971 | -113.04 | 0.39 | 662.96 | 01 | 04 | 4 | |
| | P | 1/15/1972 | -113.43 | -0.39 | 662.57 | 01 | 04 | 4 | |
| | P | 1/30/1972 | -113.6 | -0.17 | 662.4 | 01 | 04 | 4 | |
| | P | 2/15/1972 | -113.77 | -0.17 | 662.23 | 01 | 04 | 4 | |
| | P | 2/28/1972 | -115.76 | -1.99 | 660.24 | 01 | 04 | 4 | |
| | P | 3/15/1972 | -118.51 | -2.75 | 657.49 | 01 | 04 | 4 | |
| | P | 3/30/1972 | -121.62 | -3.11 | 654.38 | 01 | 04 | 4 | |
| | P | 4/15/1972 | -126.77 | -5.15 | 649.23 | 01 | 04 | 4 | |
| | P | 4/30/1972 | -126.68 | 0.09 | 649.32 | 01 | 04 | 4 | |
| | P | 5/15/1972 | -105.12 | 21.56 | 670.88 | 01 | 04 | 4 | |
| | P | 5/30/1972 | -109.78 | -4.66 | 666.22 | 01 | 04 | 4 | |
| | P | 6/15/1972 | -112.33 | -2.55 | 663.67 | 01 | 04 | 4 | |
| | P | 6/30/1972 | -116.12 | -3.79 | 659.88 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 1972 | -119 | -2.88 | 657 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1972 | -118 | 1 | 658 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1972 | -116.35 | 1.65 | 659.65 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1972 | -117.23 | -0.88 | 658.77 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1972 | -118.98 | -1.75 | 657.02 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1972 | -117.44 | 1.54 | 658.56 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1972 | -118.53 | -1.09 | 657.47 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1972 | -116.41 | 2.12 | 659.59 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1972 | -115.08 | 1.33 | 660.92 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1972 | -114.19 | 0.89 | 661.81 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1972 | -114.07 | 0.12 | 661.93 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1972 | -114.16 | -0.09 | 661.84 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1973 | -114 | 0.16 | 662 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1973 | -113.08 | 0.92 | 662.92 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1973 | -113.07 | 0.01 | 662.93 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1973 | -111.12 | 1.95 | 664.88 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1973 | -111.5 | -0.38 | 664.5 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1973 | -111.87 | -0.37 | 664.13 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1973 | -110.35 | 1.52 | 665.65 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1973 | -105.6 | 4.75 | 670.4 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1973 | -106.6 | -1 | 669.4 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1973 | -112.5 | -5.9 | 663.5 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1973 | -109.98 | 2.52 | 666.02 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1973 | -105.09 | 4.89 | 670.91 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1973 | -99.12 | 5.97 | 676.88 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1973 | -99.27 | -0.15 | 676.73 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1973 | -102.49 | -3.22 | 673.51 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1973 | -104.46 | -1.97 | 671.54 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1973 | -103.54 | 0.92 | 672.46 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1973 | -94.8 | 8.74 | 681.2 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1973 | -86.16 | 8.64 | 689.84 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1973 | -92.92 | -6.76 | 683.08 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1973 | -94.42 | -1.5 | 681.58 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1973 | -95.86 | -1.44 | 680.14 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1973 | -96.68 | -0.82 | 679.32 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1974 | -97.52 | -0.84 | 678.48 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1974 | -98.56 | -1.04 | 677.44 | 01 | 04 | 4 | |
| | P | 2/15/1974 | -100.39 | -1.83 | 675.61 | 01 | 04 | 4 | |
| | P | 2/28/1974 | -102.04 | -1.65 | 673.96 | 01 | 04 | 4 | |
| | P | 4/30/1974 | -108 | -5.96 | 668 | 01 | 04 | 4 | |
| | P | 5/15/1974 | -104.83 | 3.17 | 671.17 | 01 | 04 | 4 | |
| | P | 5/30/1974 | -108.45 | -3.62 | 667.55 | 01 | 04 | 4 | |
| | P | 6/15/1974 | -110.82 | -2.37 | 665.18 | 01 | 04 | 4 | |
| | P | 6/30/1974 | -116.12 | -5.3 | 659.88 | 01 | 04 | 4 | |
| | P | 7/15/1974 | -115.95 | 0.17 | 660.05 | 01 | 04 | 4 | |
| | P | 7/30/1974 | -120.31 | -4.36 | 655.69 | 01 | 04 | 4 | |
| | P | 8/15/1974 | -113.64 | 6.67 | 662.36 | 01 | 04 | 4 | |
| | P | 8/30/1974 | -112.5 | 1.14 | 663.5 | 01 | 04 | 4 | |
| | P | 9/15/1974 | -107.39 | 5.11 | 668.61 | 01 | 04 | 4 | |
| | P | 10/15/1974 | -108.55 | -1.16 | 667.45 | 01 | 04 | 4 | |
| | P | 10/30/1974 | -107.06 | 1.49 | 668.94 | 01 | 04 | 4 | |
| | P | 11/15/1974 | -105.77 | 1.29 | 670.23 | 01 | 04 | 4 | |
| | P | 11/30/1974 | -103.45 | 2.32 | 672.55 | 01 | 04 | 4 | |
| | P | 12/15/1974 | -103.72 | -0.27 | 672.28 | 01 | 04 | 4 | |
| | P | 12/30/1974 | -103.92 | -0.2 | 672.08 | 01 | 04 | 4 | |
| | P | 1/15/1975 | -104.47 | -0.55 | 671.53 | 01 | 04 | 4 | |
| | P | 1/30/1975 | -104.9 | -0.43 | 671.1 | 01 | 04 | 4 | |
| | P | 2/15/1975 | -100.31 | 4.59 | 675.69 | 01 | 04 | 4 | |
| | P | 2/28/1975 | -100.99 | -0.68 | 675.01 | 01 | 04 | 4 | |
| | P | 3/15/1975 | -102.32 | -1.33 | 673.68 | 01 | 04 | 4 | |
| | P | 3/30/1975 | -103.89 | -1.57 | 672.11 | 01 | 04 | 4 | |
| | P | 4/15/1975 | -104.14 | -0.25 | 671.86 | 01 | 04 | 4 | |
| | P | 4/30/1975 | -105.19 | -1.05 | 670.81 | 01 | 04 | 4 | |
| | P | 5/15/1975 | -102.6 | 2.59 | 673.4 | 01 | 04 | 4 | |
| | P | 5/30/1975 | -100.94 | 1.66 | 675.06 | 01 | 04 | 4 | |
| | P | 6/15/1975 | -101.61 | -0.67 | 674.39 | 01 | 04 | 4 | |
| | P | 6/30/1975 | -104.98 | -3.37 | 671.02 | 01 | 04 | 4 | |
| | P | 7/15/1975 | -105.67 | -0.69 | 670.33 | 01 | 04 | 4 | |
| | P | 7/30/1975 | -107.24 | -1.57 | 668.76 | 01 | 04 | 4 | |
| | P | 8/15/1975 | -108.5 | -1.26 | 667.5 | 01 | 04 | 4 | |
| | P | 8/30/1975 | -110.22 | -1.72 | 665.78 | 01 | 04 | 4 | |
| | P | 9/15/1975 | -109.28 | 0.94 | 666.72 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1975 | -110.89 | -1.61 | 665.11 | 01 | 04 | 4 | |
| | P | 10/15/1975 | -112.5 | -1.61 | 663.5 | 01 | 04 | 4 | |
| | P | 10/30/1975 | -110.7 | 1.8 | 665.3 | 01 | 04 | 4 | |
| | P | 11/15/1975 | -110.55 | 0.15 | 665.45 | 01 | 04 | 4 | |
| | P | 11/30/1975 | -110.48 | 0.07 | 665.52 | 01 | 04 | 4 | |
| | P | 12/15/1975 | -110.88 | -0.4 | 665.12 | 01 | 04 | 4 | |
| | P | 12/30/1975 | -110.19 | 0.69 | 665.81 | 01 | 04 | 4 | |
| | P | 1/30/1976 | -111.96 | -1.77 | 664.04 | 01 | 04 | 4 | |
| | P | 2/15/1976 | -115.77 | -3.81 | 660.23 | 01 | 04 | 4 | |
| | P | 2/28/1976 | -118.06 | -2.29 | 657.94 | 01 | 04 | 4 | |
| | P | 3/15/1976 | -116.23 | 1.83 | 659.77 | 01 | 04 | 4 | |
| | P | 3/30/1976 | -117.5 | -1.27 | 658.5 | 01 | 04 | 4 | |
| | P | 4/15/1976 | -115.92 | 1.58 | 660.08 | 01 | 04 | 4 | |
| | P | 4/30/1976 | -110.17 | 5.75 | 665.83 | 01 | 04 | 4 | |
| | P | 5/15/1976 | -104.65 | 5.52 | 671.35 | 01 | 04 | 4 | |
| | P | 5/30/1976 | -103.65 | 1 | 672.35 | 01 | 04 | 4 | |
| | P | 6/15/1976 | -108.48 | -4.83 | 667.52 | 01 | 04 | 4 | |
| | P | 6/30/1976 | -112.06 | -3.58 | 663.94 | 01 | 04 | 4 | |
| | P | 7/15/1976 | -107.62 | 4.44 | 668.38 | 01 | 04 | 4 | |
| | P | 7/30/1976 | -107.48 | 0.14 | 668.52 | 01 | 04 | 4 | |
| | P | 8/30/1976 | -110.81 | -3.33 | 665.19 | 01 | 04 | 4 | |
| | P | 9/30/1976 | -107.51 | 3.3 | 668.49 | 01 | 04 | 4 | |
| | P | 10/30/1976 | -99.12 | 8.39 | 676.88 | 01 | 04 | 4 | |
| | P | 11/15/1976 | -96.15 | 2.97 | 679.85 | 01 | 04 | 4 | |
| | P | 11/30/1976 | -95.62 | 0.53 | 680.38 | 01 | 04 | 4 | |
| | P | 12/30/1976 | -94.65 | 0.97 | 681.35 | 01 | 04 | 4 | |
| | P | 1/15/1977 | -94.93 | -0.28 | 681.07 | 01 | 04 | 4 | |
| | P | 2/15/1977 | -92.8 | 2.13 | 683.2 | 01 | 04 | 4 | |
| | P | 2/28/1977 | -93.45 | -0.65 | 682.55 | 01 | 04 | 4 | |
| | P | 3/30/1977 | -95.83 | -2.38 | 680.17 | 01 | 04 | 4 | |
| | P | 4/15/1977 | -96.74 | -0.91 | 679.26 | 01 | 04 | 4 | |
| | P | 4/30/1977 | -90.64 | 6.1 | 685.36 | 01 | 04 | 4 | |
| | P | 5/15/1977 | -91.73 | -1.09 | 684.27 | 01 | 04 | 4 | |
| | P | 5/30/1977 | -93.44 | -1.71 | 682.56 | 01 | 04 | 4 | |
| | P | 6/15/1977 | -99.21 | -5.77 | 676.79 | 01 | 04 | 4 | |
| | P | 6/30/1977 | -99.14 | 0.07 | 676.86 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 1977 | -102.19 | -3.05 | 673.81 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1977 | -104.33 | -2.14 | 671.67 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1977 | -106.78 | -2.45 | 669.22 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1977 | -107.5 | -0.72 | 668.5 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1977 | -105.68 | 1.82 | 670.32 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1977 | -106.98 | -1.3 | 669.02 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1977 | -106.57 | 0.41 | 669.43 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1977 | -105.31 | 1.26 | 670.69 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1977 | -101.28 | 4.03 | 674.72 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1977 | -102.29 | -1.01 | 673.71 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1978 | -103.54 | -1.25 | 672.46 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1978 | -104.7 | -1.16 | 671.3 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1978 | -106.39 | -1.69 | 669.61 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1978 | -107.09 | -0.7 | 668.91 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1978 | -108.91 | -1.82 | 667.09 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1978 | -109.15 | -0.24 | 666.85 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1978 | -109.72 | -0.57 | 666.28 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1978 | -114.72 | -5 | 661.28 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1978 | -128.66 | -13.9 | 647.34 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1978 | -129.45 | -0.79 | 646.55 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1978 | -126.9 | 2.55 | 649.1 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1978 | -119.16 | 7.74 | 656.84 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1978 | -121.45 | -2.29 | 654.55 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1978 | -110.2 | 11.25 | 665.8 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1978 | -109.7 | 0.5 | 666.3 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1978 | -110.89 | -1.19 | 665.11 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1978 | -111.37 | -0.48 | 664.63 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1978 | -109.58 | 1.79 | 666.42 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1978 | -106.87 | 2.71 | 669.13 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1978 | -107.01 | -0.14 | 668.99 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1978 | -107.84 | -0.83 | 668.16 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1979 | -104.26 | 3.58 | 671.74 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1979 | -103.12 | 1.14 | 672.88 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1979 | -101.81 | 1.31 | 674.19 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1979 | -102.24 | -0.43 | 673.76 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1979 | -103.33 | -1.09 | 672.67 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1979 | -99.54 | 3.79 | 676.46 | 01 | 04 | 4 | |
| | P | 4/15/1979 | -99.63 | -0.09 | 676.37 | 01 | 04 | 4 | |
| | P | 4/30/1979 | -96.6 | 3.03 | 679.4 | 01 | 04 | 4 | |
| | P | 5/15/1979 | -97.66 | -1.06 | 678.34 | 01 | 04 | 4 | |
| | P | 5/30/1979 | -100.76 | -3.1 | 675.24 | 01 | 04 | 4 | |
| | P | 6/15/1979 | -97.24 | 3.52 | 678.76 | 01 | 04 | 4 | |
| | P | 6/30/1979 | -103.46 | -6.22 | 672.54 | 01 | 04 | 4 | |
| | P | 7/15/1979 | -103.1 | 0.36 | 672.9 | 01 | 04 | 4 | |
| | P | 7/30/1979 | -101.06 | 2.04 | 674.94 | 01 | 04 | 4 | |
| | P | 8/15/1979 | -102.64 | -1.58 | 673.36 | 01 | 04 | 4 | |
| | P | 8/30/1979 | -104.04 | -1.4 | 671.96 | 01 | 04 | 4 | |
| | P | 9/15/1979 | -106.14 | -2.1 | 669.86 | 01 | 04 | 4 | |
| | P | 9/30/1979 | -106.8 | -0.66 | 669.2 | 01 | 04 | 4 | |
| | P | 10/15/1979 | -108.14 | -1.34 | 667.86 | 01 | 04 | 4 | |
| | P | 10/30/1979 | -108.52 | -0.38 | 667.48 | 01 | 04 | 4 | |
| | P | 11/15/1979 | -108.36 | 0.16 | 667.64 | 01 | 04 | 4 | |
| | P | 11/30/1979 | -107.6 | 0.76 | 668.4 | 01 | 04 | 4 | |
| | P | 12/15/1979 | -107.38 | 0.22 | 668.62 | 01 | 04 | 4 | |
| | P | 12/30/1979 | -106.64 | 0.74 | 669.36 | 01 | 04 | 4 | |
| | P | 1/15/1980 | -107.36 | -0.72 | 668.64 | 01 | 04 | 4 | |
| | P | 1/30/1980 | -107.9 | -0.54 | 668.1 | 01 | 04 | 4 | |
| | P | 2/15/1980 | -109.13 | -1.23 | 666.87 | 01 | 04 | 4 | |
| | P | 2/28/1980 | -110.95 | -1.82 | 665.05 | 01 | 04 | 4 | |
| | P | 3/15/1980 | -113.15 | -2.2 | 662.85 | 01 | 04 | 4 | |
| | P | 3/30/1980 | -113.63 | -0.48 | 662.37 | 01 | 04 | 4 | |
| | P | 4/15/1980 | -115.31 | -1.68 | 660.69 | 01 | 04 | 4 | |
| | P | 4/30/1980 | -119.24 | -3.93 | 656.76 | 01 | 04 | 4 | |
| | P | 5/15/1980 | -115.35 | 3.89 | 660.65 | 01 | 04 | 4 | |
| | P | 5/30/1980 | -112.55 | 2.8 | 663.45 | 01 | 04 | 4 | |
| | P | 6/15/1980 | -123.53 | -11 | 652.47 | 01 | 04 | 4 | |
| | P | 6/30/1980 | -133.17 | -9.64 | 642.83 | 01 | 04 | 4 | |
| | P | 7/15/1980 | -136.63 | -3.46 | 639.37 | 01 | 04 | 4 | |
| | P | 7/30/1980 | -136.37 | 0.26 | 639.63 | 01 | 04 | 4 | |
| | P | 8/15/1980 | -130.97 | 5.4 | 645.03 | 01 | 04 | 4 | |
| | P | 8/30/1980 | -131.6 | -0.63 | 644.4 | 01 | 04 | 4 | |
| | P | 9/15/1980 | -126.57 | 5.03 | 649.43 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1980 | -124.71 | 1.86 | 651.29 | 01 | 04 | 4 | |
| | P | 10/15/1980 | -125.03 | -0.32 | 650.97 | 01 | 04 | 4 | |
| | P | 10/30/1980 | -121.85 | 3.18 | 654.15 | 01 | 04 | 4 | |
| | P | 11/15/1980 | -122.04 | -0.19 | 653.96 | 01 | 04 | 4 | |
| | P | 11/30/1980 | -118 | 4.04 | 658 | 01 | 04 | 4 | |
| | P | 12/15/1980 | -117.09 | 0.91 | 658.91 | 01 | 04 | 4 | |
| | P | 12/30/1980 | -116.83 | 0.26 | 659.17 | 01 | 04 | 4 | |
| | P | 1/15/1981 | -117.05 | -0.22 | 658.95 | 01 | 04 | 4 | |
| | P | 1/30/1981 | -116.27 | 0.78 | 659.73 | 01 | 04 | 4 | |
| | P | 2/15/1981 | -115.88 | 0.39 | 660.12 | 01 | 04 | 4 | |
| | P | 2/28/1981 | -116.3 | -0.42 | 659.7 | 01 | 04 | 4 | |
| | P | 3/15/1981 | -114.85 | 1.45 | 661.15 | 01 | 04 | 4 | |
| | P | 3/30/1981 | -116.01 | -1.16 | 659.99 | 01 | 04 | 4 | |
| | P | 4/15/1981 | -118.81 | -2.8 | 657.19 | 01 | 04 | 4 | |
| | P | 4/30/1981 | -116 | 2.81 | 660 | 01 | 04 | 4 | |
| | P | 5/15/1981 | -116.62 | -0.62 | 659.38 | 01 | 04 | 4 | |
| | P | 5/30/1981 | -117.45 | -0.83 | 658.55 | 01 | 04 | 4 | |
| | P | 6/15/1981 | -106.22 | 11.23 | 669.78 | 01 | 04 | 4 | |
| | P | 6/30/1981 | -102.45 | 3.77 | 673.55 | 01 | 04 | 4 | |
| | P | 7/15/1981 | -104.17 | -1.72 | 671.83 | 01 | 04 | 4 | |
| | P | 7/30/1981 | -108.3 | -4.13 | 667.7 | 01 | 04 | 4 | |
| | P | 8/15/1981 | -109.25 | -0.95 | 666.75 | 01 | 04 | 4 | |
| | P | 8/30/1981 | -111 | -1.75 | 665 | 01 | 04 | 4 | |
| | P | 9/15/1981 | -109.86 | 1.14 | 666.14 | 01 | 04 | 4 | |
| | P | 9/30/1981 | -112.07 | -2.21 | 663.93 | 01 | 04 | 4 | |
| | P | 10/15/1981 | -108.93 | 3.14 | 667.07 | 01 | 04 | 4 | |
| | P | 10/30/1981 | -108.78 | 0.15 | 667.22 | 01 | 04 | 4 | |
| | P | 11/15/1981 | -106.02 | 2.76 | 669.98 | 01 | 04 | 4 | |
| | P | 11/30/1981 | -106.66 | -0.64 | 669.34 | 01 | 04 | 4 | |
| | P | 12/15/1981 | -107.13 | -0.47 | 668.87 | 01 | 04 | 4 | |
| | P | 12/30/1981 | -107.85 | -0.72 | 668.15 | 01 | 04 | 4 | |
| | P | 1/15/1982 | -109.22 | -1.37 | 666.78 | 01 | 04 | 4 | |
| | P | 1/30/1982 | -109.68 | -0.46 | 666.32 | 01 | 04 | 4 | |
| | P | 2/15/1982 | -111.42 | -1.74 | 664.58 | 01 | 04 | 4 | |
| | P | 2/28/1982 | -112.15 | -0.73 | 663.85 | 01 | 04 | 4 | |
| | P | 3/15/1982 | -112.58 | -0.43 | 663.42 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1982 | -112.32 | 0.26 | 663.68 | 01 | 04 | 4 | |
| | P | 4/15/1982 | -115.57 | -3.25 | 660.43 | 01 | 04 | 4 | |
| | P | 4/30/1982 | -115.55 | 0.02 | 660.45 | 01 | 04 | 4 | |
| | P | 5/15/1982 | -109.7 | 5.85 | 666.3 | 01 | 04 | 4 | |
| | P | 5/30/1982 | -108.12 | 1.58 | 667.88 | 01 | 04 | 4 | |
| | P | 6/15/1982 | -117.95 | -9.83 | 658.05 | 01 | 04 | 4 | |
| | P | 6/30/1982 | -121.4 | -3.45 | 654.6 | 01 | 04 | 4 | |
| | P | 7/15/1982 | -124.1 | -2.7 | 651.9 | 01 | 04 | 4 | |
| | P | 7/30/1982 | -129.1 | -5 | 646.9 | 01 | 04 | 4 | |
| | P | 8/15/1982 | -128.55 | 0.55 | 647.45 | 01 | 04 | 4 | |
| | P | 8/30/1982 | -132.5 | -3.95 | 643.5 | 01 | 04 | 4 | |
| | P | 9/15/1982 | -131.68 | 0.82 | 644.32 | 01 | 04 | 4 | |
| | P | 9/30/1982 | -130.57 | 1.11 | 645.43 | 01 | 04 | 4 | |
| | P | 10/15/1982 | -126.53 | 4.04 | 649.47 | 01 | 04 | 4 | |
| | P | 10/30/1982 | -125.45 | 1.08 | 650.55 | 01 | 04 | 4 | |
| | P | 11/15/1982 | -123.66 | 1.79 | 652.34 | 01 | 04 | 4 | |
| | P | 12/15/1982 | -120.53 | 3.13 | 655.47 | 01 | 04 | 4 | |
| | P | 12/30/1982 | -120.1 | 0.43 | 655.9 | 01 | 04 | 4 | |
| | P | 1/15/1983 | -119.78 | 0.32 | 656.22 | 01 | 04 | 4 | |
| | P | 1/30/1983 | -119.2 | 0.58 | 656.8 | 01 | 04 | 4 | |
| | P | 2/15/1983 | -119.13 | 0.07 | 656.87 | 01 | 04 | 4 | |
| | P | 2/28/1983 | -119.16 | -0.03 | 656.84 | 01 | 04 | 4 | |
| | P | 3/15/1983 | -120.73 | -1.57 | 655.27 | 01 | 04 | 4 | |
| | P | 3/30/1983 | -117.01 | 3.72 | 658.99 | 01 | 04 | 4 | |
| | P | 4/15/1983 | -120.24 | -3.23 | 655.76 | 01 | 04 | 4 | |
| | P | 4/30/1983 | -125.07 | -4.83 | 650.93 | 01 | 04 | 4 | |
| | P | 5/15/1983 | -128.51 | -3.44 | 647.49 | 01 | 04 | 4 | |
| | P | 5/30/1983 | -123.2 | 5.31 | 652.8 | 01 | 04 | 4 | |
| | P | 6/15/1983 | -125.95 | -2.75 | 650.05 | 01 | 04 | 4 | |
| | P | 6/30/1983 | -131.26 | -5.31 | 644.74 | 01 | 04 | 4 | |
| | P | 7/15/1983 | -130.92 | 0.34 | 645.08 | 01 | 04 | 4 | |
| | P | 7/30/1983 | -131.35 | -0.43 | 644.65 | 01 | 04 | 4 | |
| | P | 8/15/1983 | -129.86 | 1.49 | 646.14 | 01 | 04 | 4 | |
| | P | 8/30/1983 | -134.7 | -4.84 | 641.3 | 01 | 04 | 4 | |
| | P | 9/15/1983 | -134.17 | 0.53 | 641.83 | 01 | 04 | 4 | |
| | P | 9/30/1983 | -132.09 | 2.08 | 643.91 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1983 | -130.06 | 2.03 | 645.94 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1983 | -129.89 | 0.17 | 646.11 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1983 | -128.52 | 1.37 | 647.48 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1983 | -127.53 | 0.99 | 648.47 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1983 | -127.37 | 0.16 | 648.63 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1983 | -130 | -2.63 | 646 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1984 | -127.78 | 2.22 | 648.22 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1984 | -127.68 | 0.1 | 648.32 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1984 | -127.84 | -0.16 | 648.16 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1984 | -128.88 | -1.04 | 647.12 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1984 | -130.24 | -1.36 | 645.76 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1984 | -134.65 | -4.41 | 641.35 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1984 | -138.71 | -4.06 | 637.29 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1984 | -144.56 | -5.85 | 631.44 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1984 | -149.2 | -4.64 | 626.8 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1984 | -146.45 | 2.75 | 629.55 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1984 | -147.54 | -1.09 | 628.46 | 01 | 04 | 4 | |
| | P | 6 / 28/ 1984 | -154.67 | -7.13 | 621.33 | 01 | 06 | 1 | |
| | P | 6 / 30/ 1984 | -152.86 | 1.81 | 623.14 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1984 | -153.21 | -0.35 | 622.79 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1984 | -152.85 | 0.36 | 623.15 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1984 | -151.52 | 1.33 | 624.48 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1984 | -153.54 | -2.02 | 622.46 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1984 | -152.42 | 1.12 | 623.58 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1984 | -150.11 | 2.31 | 625.89 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1984 | -142.39 | 7.72 | 633.61 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1984 | -139 | 3.39 | 637 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1984 | -139.55 | -0.55 | 636.45 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1984 | -137.7 | 1.85 | 638.3 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1984 | -137.09 | 0.61 | 638.91 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1984 | -135.2 | 1.89 | 640.8 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1985 | -133.09 | 2.11 | 642.91 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1985 | -129.75 | 3.34 | 646.25 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1985 | -130.55 | -0.8 | 645.45 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1985 | -126.67 | 3.88 | 649.33 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1985 | -124.1 | 2.57 | 651.9 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1985 | -121.69 | 2.41 | 654.31 | 01 | 04 | 4 | |
| | P | 4/15/1985 | -121.36 | 0.33 | 654.64 | 01 | 04 | 4 | |
| | P | 4/30/1985 | -122.5 | -1.14 | 653.5 | 01 | 04 | 4 | |
| | P | 5/30/1985 | -127.21 | -4.71 | 648.79 | 01 | 04 | 4 | |
| | P | 6/15/1985 | -125.32 | 1.89 | 650.68 | 01 | 04 | 4 | |
| | P | 6/30/1985 | -121.67 | 3.65 | 654.33 | 01 | 04 | 4 | |
| | P | 7/15/1985 | -117.59 | 4.08 | 658.41 | 01 | 04 | 4 | |
| | P | 7/30/1985 | -124.25 | -6.66 | 651.75 | 01 | 04 | 4 | |
| | P | 8/15/1985 | -131.26 | -7.01 | 644.74 | 01 | 04 | 4 | |
| | P | 8/30/1985 | -133.11 | -1.85 | 642.89 | 01 | 04 | 4 | |
| | P | 9/15/1985 | -130.45 | 2.66 | 645.55 | 01 | 04 | 4 | |
| | P | 9/30/1985 | -126.66 | 3.79 | 649.34 | 01 | 04 | 4 | |
| | P | 11/15/1985 | -117.46 | 9.2 | 658.54 | 01 | 04 | 4 | |
| | P | 11/30/1985 | -112.16 | 5.3 | 663.84 | 01 | 04 | 4 | |
| | P | 12/15/1985 | -111.76 | 0.4 | 664.24 | 01 | 04 | 4 | |
| | P | 12/30/1985 | -112.03 | -0.27 | 663.97 | 01 | 04 | 4 | |
| | P | 1/15/1986 | -112.9 | -0.87 | 663.1 | 01 | 06 | 4 | |
| | P | 1/30/1986 | -113.4 | -0.5 | 662.6 | 01 | 06 | 4 | |
| | P | 2/15/1986 | -112.29 | 1.11 | 663.71 | 01 | 06 | 4 | |
| | P | 2/28/1986 | -114.58 | -2.29 | 661.42 | 01 | 06 | 4 | |
| | P | 3/15/1986 | -116.47 | -1.89 | 659.53 | 01 | 06 | 4 | |
| | P | 3/30/1986 | -120.64 | -4.17 | 655.36 | 01 | 06 | 4 | |
| | P | 4/15/1986 | -123.83 | -3.19 | 652.17 | 01 | 06 | 4 | |
| | P | 4/30/1986 | -128.86 | -5.03 | 647.14 | 01 | 06 | 4 | |
| | P | 5/15/1986 | -127.11 | 1.75 | 648.89 | 01 | 06 | 4 | |
| | P | 5/30/1986 | -124.31 | 2.8 | 651.69 | 01 | 06 | 4 | |
| | P | 6/15/1986 | -111.59 | 12.72 | 664.41 | 01 | 06 | 4 | |
| | P | 6/30/1986 | -110.15 | 1.44 | 665.85 | 01 | 06 | 4 | |
| | P | 7/15/1986 | -116.1 | -5.95 | 659.9 | 01 | 06 | 4 | |
| | P | 7/30/1986 | -124.98 | -8.88 | 651.02 | 01 | 06 | 4 | |
| | P | 8/15/1986 | -128.81 | -3.83 | 647.19 | 01 | 06 | 4 | |
| | P | 8/30/1986 | -127.95 | 0.86 | 648.05 | 01 | 06 | 4 | |
| | P | 9/15/1986 | -123.43 | 4.52 | 652.57 | 01 | 06 | 4 | |
| | P | 9/30/1986 | -123.85 | -0.42 | 652.15 | 01 | 06 | 4 | |
| | P | 10/15/1986 | -116.56 | 7.29 | 659.44 | 01 | 06 | 4 | |
| | P | 10/30/1986 | -113.06 | 3.5 | 662.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/15/1986 | -112.16 | 0.9 | 663.84 | 01 | 06 | 4 | |
| | P | 11/30/1986 | -111.8 | 0.36 | 664.2 | 01 | 06 | 4 | |
| | P | 12/15/1986 | -110.87 | 0.93 | 665.13 | 01 | 06 | 4 | |
| | P | 12/30/1986 | -103.08 | 7.79 | 672.92 | 01 | 06 | 4 | |
| | P | 1/15/1987 | -102.79 | 0.29 | 673.21 | 01 | 06 | 4 | |
| | P | 1/30/1987 | -103.3 | -0.51 | 672.7 | 01 | 06 | 4 | |
| | P | 2/15/1987 | -103.75 | -0.45 | 672.25 | 01 | 06 | 4 | |
| | P | 4/27/1988 | -115.24 | -11.5 | 660.76 | 01 | 06 | 1 | |
| | P | 6/29/1989 | -145.08 | -29.8 | 630.92 | 01 | 04 | 1 | |
| | P | 8/29/1989 | -151.02 | -5.94 | 624.98 | 01 | 06 | 1 | |
| | P | 3/3/1990 | -136.07 | 14.95 | 639.93 | 01 | 06 | 1 | |
| | P | 3/6/1990 | -125.64 | 10.43 | 650.36 | 01 | 06 | 1 | |
| | P | 4/1/1990 | -128.63 | -2.99 | 647.37 | 01 | 06 | 1 | |
| | P | 4/29/1990 | -122.12 | 6.51 | 653.88 | 01 | 06 | 1 | |
| | P | 5/29/1990 | -122.09 | 0.03 | 653.91 | 01 | 06 | 1 | |
| | P | 7/1/1990 | -126.82 | -4.73 | 649.18 | 01 | 06 | 1 | |
| | P | 8/1/1990 | -134.2 | -7.38 | 641.8 | 01 | 06 | 1 | |
| | P | 9/5/1990 | -138.83 | -4.63 | 637.17 | 01 | 06 | 1 | |
| | P | 9/17/1990 | -133.05 | 5.78 | 642.95 | 01 | 06 | 1 | |
| | P | 10/9/1990 | -127.54 | 5.51 | 648.46 | 01 | 06 | 1 | |
| | P | 11/11/1990 | -137.32 | -9.78 | 638.68 | 01 | 06 | 1 | |
| | P | 12/4/1990 | -130.56 | 6.76 | 645.44 | 01 | 06 | 1 | |
| | P | 3/6/1991 | -125.64 | 4.92 | 650.36 | 01 | 06 | 1 | |
| | P | 4/1/1991 | -128.63 | -2.99 | 647.37 | 01 | 06 | 1 | |
| | P | 4/29/1991 | -122.12 | 6.51 | 653.88 | 01 | 06 | 1 | |
| | P | 5/29/1991 | -122.09 | 0.03 | 653.91 | 01 | 06 | 1 | |
| | P | 7/1/1991 | -126.82 | -4.73 | 649.18 | 01 | 06 | 1 | |
| | P | 7/29/1991 | -134.2 | -7.38 | 641.8 | 01 | 06 | 1 | |
| | P | 8/1/1991 | -134.2 | | 641.8 | 01 | 04 | 1 | |
| | P | 9/17/1991 | -133.05 | 1.15 | 642.95 | 01 | 06 | 1 | |
| | P | 10/9/1991 | -127.54 | 5.51 | 648.46 | 01 | 06 | 1 | |
| | P | 11/11/1991 | -132.32 | -4.78 | 643.68 | 01 | 04 | 1 | |
| | P | 11/12/1991 | -132.22 | 0.1 | 643.78 | 01 | 06 | 1 | |
| | P | 12/4/1991 | -130.56 | 1.66 | 645.44 | 01 | 04 | 1 | |
| | P | 12/31/1991 | -108.49 | 22.07 | 667.51 | 01 | 02 | 1 | |
| | P | 2/5/1992 | -95.54 | 12.95 | 680.46 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 5/1992 | -88.91 | 6.63 | 687.09 | 01 | 04 | 1 | |
| | P | 4/ 1/1992 | -89.68 | -0.77 | 686.32 | 01 | 04 | 1 | |
| | P | 4/28/1992 | -90.24 | -0.56 | 685.76 | 01 | 04 | 1 | |
| | P | 6/ 5/1992 | -83.94 | 6.3 | 692.06 | 01 | 04 | 1 | |
| | P | 7/ 6/1992 | -89.44 | -5.5 | 686.56 | 01 | 04 | 1 | |
| | P | 8/11/1992 | -94.07 | -4.63 | 681.93 | 01 | 04 | 1 | |
| | P | 9/11/1992 | -97.16 | -3.09 | 678.84 | 01 | 04 | 1 | |
| | P | 10/11/1992 | -98.79 | -1.63 | 677.21 | 01 | 04 | 1 | |
| | P | 10/16/1992 | -98.79 | | 677.21 | 01 | 04 | 1 | |
| | P | 11/ 5/1992 | -97.99 | 0.8 | 678.01 | 01 | 06 | 1 | |
| | P | 12/10/1992 | -95.75 | 2.24 | 680.25 | 01 | 04 | 1 | |
| | P | 1/12/1993 | -95.6 | 0.15 | 680.4 | 01 | 06 | 1 | |
| | P | 2/ 4/1993 | -96.56 | -0.96 | 679.44 | 01 | 06 | 1 | |
| | P | 3/ 1/1993 | -96.29 | 0.27 | 679.71 | 01 | 06 | 1 | |
| | P | 4/ 5/1993 | -97.62 | -1.33 | 678.38 | 01 | 06 | 1 | |
| | P | 4/17/1993 | -100.8 | -3.18 | 675.2 | 01 | 04 | 1 | |
| | P | 4/27/1993 | -100.8 | | 675.2 | 01 | 06 | 1 | |
| | P | 5/31/1993 | -95.13 | 5.67 | 680.87 | 01 | 06 | 1 | |
| | P | 6/ 1/1993 | -95.13 | | 680.87 | 01 | 04 | 1 | |
| | P | 7/ 2/1993 | -95.53 | -0.4 | 680.47 | 01 | 06 | 1 | |
| | P | 8/ 4/1993 | -107.08 | -11.6 | 668.92 | 01 | 06 | 1 | |
| | P | 9/ 8/1993 | -112.02 | -4.94 | 663.98 | 01 | 06 | 1 | |
| | P | 10/ 6/1993 | -112.65 | -0.63 | 663.35 | 01 | 06 | 1 | |
| | P | 11/ 1/1993 | -108.78 | 3.87 | 667.22 | 01 | 06 | 1 | |
| | P | 12/ 9/1993 | -108.62 | 0.16 | 667.38 | 01 | 04 | 1 | |
| | P | 12/10/1993 | -108.62 | | 667.38 | 01 | 06 | 1 | |
| | P | 1/ 5/1994 | -109.19 | -0.57 | 666.81 | 01 | 06 | 1 | |
| | P | 2/ 2/1994 | -109.93 | -0.74 | 666.07 | 01 | 06 | 1 | |
| | P | 3/ 1/1994 | -110.99 | -1.06 | 665.01 | 01 | 06 | 1 | |
| | P | 4/ 7/1994 | -111.18 | -0.19 | 664.82 | 01 | 06 | 1 | |
| | P | 5/ 4/1994 | -110.79 | 0.39 | 665.21 | 01 | 06 | 1 | |
| | P | 5/26/1994 | -108.98 | 1.81 | 667.02 | 01 | 06 | 1 | |
| | P | 6/28/1994 | -118.78 | -9.8 | 657.22 | 01 | 06 | 1 | |
| | P | 8/ 2/1994 | -128.95 | -10.2 | 647.05 | 01 | 06 | 1 | |
| | P | 8/31/1994 | -126.9 | 2.05 | 649.1 | 01 | 06 | 1 | |
| | P | 10/ 5/1994 | -122.56 | 4.34 | 653.44 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 2/1994 | -112.33 | 10.23 | 663.67 | 01 | 06 | 1 | |
| | P | 12/ 7/1994 | -113.13 | -0.8 | 662.87 | 01 | 06 | 1 | |
| | P | 1/ 5/1995 | -111.06 | 2.07 | 664.94 | 01 | 04 | 1 | |
| | P | 2/21/1995 | -114.34 | -3.28 | 661.66 | 01 | 04 | 1 | |
| | P | 4/ 5/1995 | -114.44 | -0.1 | 661.56 | 01 | 04 | 1 | |
| | P | 5/ 5/1995 | -121.72 | -7.28 | 654.28 | 01 | 04 | 1 | |
| | P | 5/31/1995 | -119.09 | 2.63 | 656.91 | 01 | 04 | 1 | |
| | P | 6/28/1995 | -123.5 | -4.41 | 652.5 | 01 | 04 | 1 | |
| | P | 8/ 2/1995 | -125.76 | -2.26 | 650.24 | 01 | 04 | 1 | |
| | P | 9/ 8/1995 | -130.52 | -4.76 | 645.48 | 01 | 04 | 1 | |
| | P | 10/12/1995 | -125.58 | 4.94 | 650.42 | 01 | 04 | 1 | |
| | P | 11/30/1995 | -122.56 | 3.02 | 653.44 | 01 | 04 | 1 | |
| | P | 1/ 2/1996 | -121.52 | 1.04 | 654.48 | 01 | 06 | 1 | |
| | P | 2/12/1996 | -127.33 | -5.81 | 648.67 | 01 | 06 | 1 | |
| | P | 2/27/1996 | -131.99 | -4.66 | 644.01 | 01 | 06 | 1 | |
| | P | 3/19/1996 | -130.57 | 1.42 | 645.43 | 01 | 06 | 1 | |
| | P | 4/ 3/1996 | -130.99 | -0.42 | 645.01 | 01 | 06 | 1 | |
| | P | 5/13/1996 | -137.61 | -6.62 | 638.39 | 01 | 06 | 1 | |
| | P | 7/ 8/1996 | -149.13 | -11.5 | 626.87 | 01 | 06 | 1 | |
| | P | 8/ 5/1996 | -148.42 | 0.71 | 627.58 | 01 | 06 | 1 | |
| | P | 9/10/1996 | -140.52 | 7.9 | 635.48 | 01 | 06 | 1 | |
| | P | 10/ 7/1996 | -137.53 | 2.99 | 638.47 | 01 | 06 | 1 | |
| | P | 11/14/1996 | -138.59 | -1.06 | 637.41 | 01 | 06 | 1 | |
| | P | 12/13/1996 | -134.62 | 3.97 | 641.38 | 01 | 06 | 1 | |
| | P | 1/24/1997 | -132.84 | 1.78 | 643.16 | 01 | 06 | 1 | |
| | P | 2/13/1997 | -132.47 | 0.37 | 643.53 | 01 | 06 | 1 | |
| | P | 3/25/1997 | -128.07 | 4.4 | 647.93 | 01 | 06 | 1 | |
| | P | 5/ 5/1997 | -124.2 | 3.87 | 651.8 | 01 | 06 | 1 | |
| | P | 7/31/1997 | -117.68 | 6.52 | 658.32 | 01 | 06 | 1 | |
| | P | 9/11/1997 | -121.7 | -4.02 | 654.3 | 01 | 06 | 1 | |
| | P | 12/ 3/1997 | -116.65 | 5.05 | 659.35 | 01 | 06 | 1 | |
| | P | 1/16/1998 | -115.53 | 1.12 | 660.47 | 01 | 06 | 1 | |
| | P | 2/11/1998 | -113.4 | 2.13 | 662.6 | 01 | 06 | 1 | |
| | P | 3/19/1998 | -107 | 6.4 | 669 | 01 | 06 | 1 | |
| | P | 5/ 6/1998 | -120.15 | -13.2 | 655.85 | 01 | 06 | 1 | |
| | P | 6/12/1998 | -132.42 | -12.3 | 643.58 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/23/1998 | -137.31 | -4.89 | 638.69 | 01 | 06 | 1 | |
| | P | 8/26/1998 | -124.85 | 12.46 | 651.15 | 01 | 06 | 1 | |
| | P | 10/16/1998 | -121.54 | 3.31 | 654.46 | 01 | 06 | 1 | |
| | P | 11/ 6/1998 | -100.07 | 21.47 | 675.93 | 01 | 06 | 1 | |
| | P | 12/ 1/1998 | -99.34 | 0.73 | 676.66 | 01 | 06 | 1 | |
| | P | 1/20/1999 | -102.08 | -2.74 | 673.92 | 01 | 06 | 1 | |
| | P | 2/22/1999 | -107.34 | -5.26 | 668.66 | 01 | 06 | 1 | |
| | P | 3/23/1999 | -107.87 | -0.53 | 668.13 | 01 | 06 | 1 | |
| | P | 4/27/1999 | -109.31 | -1.44 | 666.69 | 01 | 06 | 1 | |
| | P | 5/26/1999 | -113.3 | -3.99 | 662.7 | 01 | 06 | 1 | |
| | P | 6/23/1999 | -114.18 | -0.88 | 661.82 | 01 | 06 | 1 | |
| | P | 7/13/1999 | -111.92 | 2.26 | 664.08 | 01 | 06 | 1 | |
| | P | 8/25/1999 | -120.48 | -8.56 | 655.52 | 01 | 06 | 1 | |
| | P | 9/21/1999 | -124.13 | -3.65 | 651.87 | 01 | 06 | 1 | |
| | P | 10/19/1999 | -124.04 | 0.09 | 651.96 | 01 | 06 | 1 | |
| | P | 12/ 3/1999 | -122.53 | 1.51 | 653.47 | 01 | 06 | 1 | |
| | P | 1/12/2000 | -120.88 | 1.65 | 655.12 | 01 | 06 | 1 | |
| | P | 2/16/2000 | -122.36 | -1.48 | 653.64 | 01 | 06 | 1 | |
| | P | 4/ 5/2000 | -124.17 | -1.81 | 651.83 | 01 | 06 | 1 | |
| | P | 5/11/2000 | -130.3 | -6.13 | 645.7 | 01 | 06 | 1 | |
| | P | 6/21/2000 | -126.61 | 3.69 | 649.39 | 01 | 06 | 1 | |
| | P | 8/14/2000 | -140.33 | -13.7 | 635.67 | 01 | 06 | 1 | |
| | P | 9/19/2000 | -139.03 | 1.3 | 636.97 | 01 | 06 | 1 | |
| | P | 1/22/2001 | -108.46 | 30.57 | 667.54 | 01 | 06 | 1 | |
| | P | 3/ 5/2001 | -107.29 | 1.17 | 668.71 | 01 | 06 | 1 | |
| | P | 9/10/2003 | -107.05 | 0.24 | 668.95 | 01 | 06 | 1 | |
| | P | 10/30/2003 | -104.28 | 2.77 | 671.72 | 01 | 06 | 1 | |
| | P | 11/20/2003 | -105.25 | -0.97 | 670.75 | 01 | 06 | 1 | |
| | P | 12/ 6/2003 | -106.2 | -0.95 | 669.8 | 01 | 06 | 1 | |
| | P | 7/18/2005 | -104.57 | 1.63 | 671.43 | 01 | 06 | 2 | |
| | P | 10/27/2005 | -107 | -2.43 | 669 | 01 | 06 | 2 | |
| | P | 7/18/2006 | -130.23 | -23.2 | 645.77 | 01 | 06 | 2 | |
| | P | 10/12/2006 | -125.36 | 4.87 | 650.64 | 01 | 06 | 2 | |
| | P | 1/29/2007 | -114.9 | 10.46 | 661.1 | 01 | 06 | 2 | |
| | P | 7/10/2007 | -97.86 | 17.04 | 678.14 | 01 | 06 | 2 | |
| | P | 2/ 4/2008 | -98.32 | -0.46 | 677.68 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 28/ 2008 | -114.94 | -16.6 | 661.06 | 01 | 06 | 4 | |
| | P | 10 / 20/ 2008 | -116.12 | -1.18 | 659.88 | 01 | 06 | 4 | |
| | P | 2 / 17/ 2009 | -118.88 | -2.76 | 657.12 | 01 | 06 | 4 | |
| | P | 7 / 22/ 2009 | -136.67 | -17.8 | 639.33 | 01 | 06 | 4 | |
| | P | 11 / 4 / 2009 | -117.08 | 19.59 | 658.92 | 01 | 06 | 2 | |
| | P | 2 / 24/ 2010 | -103.85 | 13.23 | 672.15 | 01 | 06 | 2 | |

**Min** *-154.67* **Max** *-83.94* **Avg** *-118.191*

***6830213*** *( Aquifer: 218EBFZA Well Depth: 655 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 20/ 1963 | -155 | | 625 | 01 | 12 | 7 | |

**Min** *-155* **Max** *-155* **Avg** *-155*

***6830214*** *( Aquifer: 218EDRDA Well Depth: 732 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 17/ 1962 | -110 | | 651 | 01 | 12 | 7 | |

**Min** *-110* **Max** *-110* **Avg** *-110*

***6830219*** *( Aquifer: 218EBFZA Well Depth: 850 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 20/ 1970 | -135 | | 651 | 01 | 12 | 7 | |

**Min** *-135* **Max** *-135* **Avg** *-135*

***6830220*** *( Aquifer: 218EDRDA Well Depth: 770 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 6 / 1975 | -110 | | 660 | 01 | 12 | 7 | 27 |
| | P | 3 / 9 / 2005 | -75.66 | 34.34 | 694.34 | 01 | 04 | 2 | |
| | P | 5 / 11/ 2005 | -83.07 | -7.41 | 686.93 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2005 | -91.41 | -8.34 | 678.59 | 01 | 04 | 2 | |
| | P | 9 / 20/ 2005 | -93.66 | -2.25 | 676.34 | 01 | 04 | 2 | |
| | P | 1 / 25/ 2006 | -97.6 | -3.94 | 672.4 | 01 | 04 | 2 | |
| | P | 2 / 27/ 2006 | -99.79 | -2.19 | 670.21 | 01 | 04 | 2 | |
| | P | 5 / 2 / 2006 | -108.08 | -8.29 | 661.92 | 01 | 04 | 2 | |

**Min** *-110* **Max** *-75.66* **Avg** *-94.9088*

***6830401*** *( Aquifer: 218EBFZA Well Depth: 600 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 8 / 1973 | -230.73 | | 668.27 | 01 | 12 | 7 | |

**Min** *-230.73* **Max** *-230.73* **Avg** *-230.73*

***6830402*** *( Aquifer: 218EBFZA Well Depth: 592 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 16/ 1969 | -225 | | 660 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -225** | | **Max -225** | **Avg -225** | | | | | | |
| ***6830403*** | *( Aquifer: 218EBFZA* | | *Well Depth: 650 )* | | | | | | |
| | P | 5 / 28/ 1972 | -203.19 | | 670.81 | 01 | 12 | 7 | |
| **Min -203.19** | | **Max -203.19** | **Avg -203.19** | | | | | | |
| ***6830404*** | *( Aquifer: 218EBFZA* | | *Well Depth: 509 )* | | | | | | |
| | P | 0 / 0 / 1939 | -255 | | 691 | 01 | 12 | 7 | |
| | P | 7 / 3 / 1957 | -316.36 | -61.4 | 629.64 | 01 | 12 | 7 | |
| **Min -316.36** | | **Max -255** | **Avg -285.68** | | | | | | |
| ***6830408*** | *( Aquifer: 218EBFZA* | | *Well Depth: 360 )* | | | | | | |
| | P | 8 / 30/ 1968 | -265 | | 648 | 01 | 12 | 7 | |
| **Min -265** | | **Max -265** | **Avg -265** | | | | | | |
| ***6830409*** | *( Aquifer: 218EBFZA* | | *Well Depth: 600 )* | | | | | | |
| | P | 7 / 7 / 1997 | -282 | | 663 | 01 | 07 | 7 | |
| **Min -282** | | **Max -282** | **Avg -282** | | | | | | |
| ***6830506*** | *( Aquifer: 218EBFZA* | | *Well Depth: 585 )* | | | | | | |
| | P | 8 / 0 / 1967 | -240 | | 601 | 01 | 12 | 7 | |
| **Min -240** | | **Max -240** | **Avg -240** | | | | | | |
| ***6830507*** | *( Aquifer: 218EDRDA* | | *Well Depth: 704 )* | | | | | | |
| | P | 12 / 21/ 1961 | -288.52 | | 661.48 | 01 | 04 | 1 | |
| **Min -288.52** | | **Max -288.52** | **Avg -288.52** | | | | | | |
| ***6830508*** | *( Aquifer: 218EDRDA* | | *Well Depth: 789 )* | | | | | | |
| | P | 8 / 0 / 1966 | -280 | | 620 | 01 | 12 | 7 | |
| **Min -280** | | **Max -280** | **Avg -280** | | | | | | |
| ***6830510*** | *( Aquifer: 218EDRDA* | | *Well Depth: 425 )* | | | | | | |
| | P | 3 / 8 / 2005 | -141.68 | | 693.32 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2005 | -149.99 | -8.31 | 685.01 | 01 | 04 | 2 | |
| | P | 7 / 29/ 2005 | -158.35 | -8.36 | 676.65 | 01 | 04 | 2 | |
| | P | 9 / 27/ 2005 | -162.73 | -4.38 | 672.27 | 01 | 04 | 2 | |
| | P | 1 / 26/ 2006 | -163.55 | -0.82 | 671.45 | 01 | 04 | 2 | |
| | P | 2 / 28/ 2006 | -166.97 | -3.42 | 668.03 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 4 / 2006 | -175.95 | -8.98 | 659.05 | 01 | 04 | 2 | |

**Min** *-175.95* **Max** *-141.68* **Avg** *-159.889*

## *6830511* ( *Aquifer: 218EBFZA* *Well Depth: 630* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 0 / 1963 | -180 | | 651 | 01 | 12 | 7 | |

**Min** *-180* **Max** *-180* **Avg** *-180*

## *6830512* ( *Aquifer: 218EBFZA* *Well Depth: 636* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 7 / 1971 | -193 | | 647 | 01 | 12 | 7 | |

**Min** *-193* **Max** *-193* **Avg** *-193*

## *6830513* ( *Aquifer: 218EBFZA* *Well Depth: 280* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 14/ 1950 | -160 | | 664 | 01 | 12 | 7 | |
| | P | 1 / 12/ 1951 | -169 | -9 | 655 | 01 | 12 | 7 | |
| | P | 9 / 3 / 1952 | -198.9 | -29.9 | 625.1 | 01 | 12 | 7 | |

**Min** *-198.9* **Max** *-160* **Avg** *-175.967*

## *6830514* ( *Aquifer: 218EBFZA* *Well Depth: 1497* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 13/ 1949 | -109.7 | | 658.3 | 01 | 12 | 7 | |
| | P | 2 / 12/ 1975 | -85.8 | 23.9 | 682.2 | 01 | 12 | 7 | |

**Min** *-109.7* **Max** *-85.8* **Avg** *-97.75*

## *6830515* ( *Aquifer: 218EBFZA* *Well Depth: 739* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 2 / 1981 | -99.04 | | 665.96 | 01 | 04 | 1 | |
| | P | 7 / 14/ 1981 | -101.05 | -2.01 | 663.95 | 01 | 04 | 1 | |
| | P | 7 / 23/ 1981 | -104.9 | -3.85 | 660.1 | 01 | 04 | 1 | |
| | P | 7 / 28/ 1981 | -105.36 | -0.46 | 659.64 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1981 | -107.18 | -1.82 | 657.82 | 01 | 04 | 1 | |
| | P | 8 / 13/ 1983 | -129.1 | -21.9 | 635.9 | 01 | 04 | 1 | |
| | P | 6 / 28/ 1984 | -151.99 | -22.9 | 613.01 | 01 | 04 | 1 | |
| | P | 6 / 22/ 1992 | -86.72 | 65.27 | 678.28 | 01 | 01 | 1 | |

**Min** *-151.99* **Max** *-86.72* **Avg** *-110.668*

## *6830517* ( *Aquifer: 218EDRDA* *Well Depth: 520* )

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 9 / 1977 | -250 | | 672 | 01 | 07 | 7 | |

**Min** *-250* **Max** *-250* **Avg** *-250*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6830519** | ( Aquifer: 218EDRDA | | Well Depth: 426 ) | | | | | | |
| | P | 3 / 17/ 1950 | -181.56 | | 649.44 | 01 | 04 | 1 | |
| Min -181.56 | | Max -181.56 | Avg -181.56 | | | | | | |
| **6830520** | ( Aquifer: 218EDRDA | | Well Depth: 777 ) | | | | | | |
| | P | 10 / 25/ 1988 | -468 | | 405 | 01 | 07 | 7 | |
| Min -468 | | Max -468 | Avg -468 | | | | | | |
| **6830612** | ( Aquifer: 218EBFZA | | Well Depth: 554 ) | | | | | | |
| | P | 10 / 3 / 1933 | -92.39 | | 669.61 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -129.28 | -36.9 | 632.72 | 01 | 12 | 7 | |
| Min -129.28 | | Max -92.39 | Avg -110.835 | | | | | | |
| **6830615** | ( Aquifer: 218EDRDA | | Well Depth: 583 ) | | | | | | |
| | P | 7 / 0 / 1929 | -110 | | 647 | 01 | 12 | 7 | |
| Min -110 | | Max -110 | Avg -110 | | | | | | |
| **6830701** | ( Aquifer: 218EDRDA | | Well Depth: 645 ) | | | | | | |
| | P | 3 / 0 / 1950 | -115 | | 654 | 01 | 12 | 7 | |
| Min -115 | | Max -115 | Avg -115 | | | | | | |
| **6830705** | ( Aquifer: 218EBFZA | | Well Depth: 745 ) | | | | | | |
| | P | 1 / 25/ 1972 | -242.88 | | 677.12 | 01 | 12 | 7 | |
| | P | 7 / 15/ 1974 | -256.37 | -13.5 | 663.63 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -228.02 | 28.35 | 691.98 | 01 | 04 | 1 | |
| | P | 2 / 8 / 1978 | -235 | -6.98 | 685 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1979 | -230 | 5 | 690 | 01 | 01 | 1 | |
| | N | 2 / 9 / 1982 | | | | 01 | 01 | | 61 |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | 1 | 44 |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 63 |
| | N | 2 / 12/ 1985 | | | | 01 | 01 | | 63 |
| Min -256.37 | | Max -228.02 | Avg -238.454 | | | | | | |
| **6830706** | ( Aquifer: 218EBFZA | | Well Depth: 625 ) | | | | | | |
| | P | 10 / 3 / 1933 | -122.85 | | 667.15 | 01 | 12 | 7 | |
| | P | 7 / 7 / 1950 | -140.76 | -17.9 | 649.24 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -140.76** | | **Max -122.85** | **Avg -131.805** | | | | | | |
| ***6830707*** | *( Aquifer: 218EBFZA* | | *Well Depth: 515 )* | | | | | | |
| | P | 6 / 24/ 1948 | -141.9 | | 649.1 | 01 | 12 | 7 | |
| | P | 1 / 9 / 1961 | -118.71 | 23.19 | 672.29 | 01 | 12 | 7 | |
| **Min -141.9** | | **Max -118.71** | **Avg -130.305** | | | | | | |
| ***6830711*** | *( Aquifer: 218EBFZA* | | *Well Depth: )* | | | | | | |
| | P | 7 / 2 / 1981 | -30.27 | | 792.73 | 01 | 04 | 1 | |
| | P | 7 / 14/ 1981 | -30.25 | 0.02 | 792.75 | 01 | 04 | 1 | |
| | P | 7 / 23/ 1981 | -30.34 | -0.09 | 792.66 | 01 | 04 | 1 | |
| | P | 7 / 28/ 1981 | -30.35 | -0.01 | 792.65 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1981 | -30.37 | -0.02 | 792.63 | 01 | 04 | 1 | |
| | P | 8 / 17/ 1983 | -36.2 | -5.83 | 786.8 | 01 | 04 | 1 | |
| | P | 6 / 27/ 1984 | -31.34 | 4.86 | 791.66 | 01 | 04 | 1 | |
| | N | 6 / 23/ 1992 | | | | 01 | 01 | | 40 |
| **Min -36.2** | | **Max -30.25** | **Avg -31.3029** | | | | | | |
| ***6830713*** | *( Aquifer: 218EDRDA* | | *Well Depth: 675 )* | | | | | | |
| | P | 9 / 1 / 1976 | -105 | | 655 | 01 | 07 | 7 | |
| **Min -105** | | **Max -105** | **Avg -105** | | | | | | |
| ***6830714*** | *( Aquifer: 218EBFZA* | | *Well Depth: 650 )* | | | | | | |
| | P | 5 / 27/ 1987 | -160 | | 660 | 01 | 07 | 7 | |
| **Min -160** | | **Max -160** | **Avg -160** | | | | | | |
| ***6830715*** | *( Aquifer: 218EDRD* | | *Well Depth: 690 )* | | | | | | |
| | P | 7 / 22/ 1985 | -165 | | 650 | 01 | 07 | 7 | |
| **Min -165** | | **Max -165** | **Avg -165** | | | | | | |
| ***6830717*** | *( Aquifer: 218EDRDA* | | *Well Depth: 861 )* | | | | | | |
| | P | 12 / 22/ 1992 | -74.69 | | 687.31 | 01 | 01 | 1 | |
| | P | 1 / 2 / 1993 | -73 | 1.69 | 689 | 01 | 01 | 1 | |
| | P | 2 / 18/ 1993 | -77 | -4 | 685 | 01 | 07 | 7 | |
| **Min -77** | | **Max -73** | **Avg -74.8967** | | | | | | |
| ***6830718*** | *( Aquifer: 218EBFZA* | | *Well Depth: 874 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 26/ 1984 | -252 | | 638 | 01 | 07 | 7 | |
| | P | 8 / 29/ 1996 | -250 | 2 | 640 | 01 | 07 | 7 | |
| Min -252 | | Max -250 | Avg -251 | | | | | | |
| **6830801** | ( Aquifer: 218EBFZA | | Well Depth: 700 ) | | | | | | |
| | P | 10 / 2 / 1933 | -39.2 | | 670.8 | 01 | 12 | 7 | |
| | P | 10 / 3 / 1956 | -96.69 | -57.5 | 613.31 | 01 | 12 | 7 | |
| | P | 1 / 17/ 1989 | -53.75 | 42.94 | 656.25 | 01 | 01 | 1 | |
| | N | 1 / 23/ 1990 | | | | 01 | 01 | | 40 |
| Min -96.69 | | Max -39.2 | Avg -63.2133 | | | | | | |
| **6830802** | ( Aquifer: 218EBFZA | | Well Depth: 750 ) | | | | | | |
| | P | 8 / 24/ 1954 | -83.62 | | 625.38 | 01 | 12 | 7 | |
| | P | 10 / 12/ 1954 | -77.82 | 5.8 | 631.18 | 01 | 04 | 2 | |
| | P | 8 / 2 / 1956 | -97.89 | -20.1 | 611.11 | 01 | 04 | 1 | |
| | P | 8 / 28/ 1956 | -93.67 | 4.22 | 615.33 | 01 | 04 | 1 | |
| | P | 10 / 3 / 1956 | -96.16 | -2.49 | 612.84 | 01 | 04 | 1 | |
| | P | 1 / 21/ 1972 | -54.94 | 41.22 | 654.06 | 01 | 04 | 1 | 02 |
| | P | 1 / 21/ 1972 | -41.29 | 13.65 | 667.71 | 02 | 04 | 1 | |
| | P | 2 / 3 / 1972 | -40.59 | 0.7 | 668.41 | 01 | 04 | 1 | |
| | P | 6 / 7 / 1972 | -44.46 | -3.87 | 664.54 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1972 | -47.7 | -3.24 | 661.3 | 01 | 04 | 1 | |
| | P | 2 / 6 / 1973 | -40.45 | 7.25 | 668.55 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -26.5 | 13.95 | 682.5 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -27.9 | -1.4 | 681.1 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -45.32 | -17.4 | 663.68 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -26.7 | 18.62 | 682.3 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -33.45 | -6.75 | 675.55 | 02 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -45.86 | -12.4 | 663.14 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -31.71 | 14.15 | 677.29 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1978 | -33.17 | -1.46 | 675.83 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1979 | -28.45 | 4.72 | 680.55 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -43.92 | -15.5 | 665.08 | 01 | 01 | 1 | 04 |
| | N | 2 / 9 / 1982 | | | | 01 | 01 | | 61 |
| | P | 2 / 2 / 1983 | -48.02 | | 660.98 | 01 | 04 | 1 | |
| | P | 2 / 10/ 1983 | -37.68 | 10.34 | 671.32 | 01 | 01 | 1 | 04 |
| | P | 2 / 11/ 1985 | -60.7 | -23.0 | 648.3 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 1986 | -39.91 | 20.79 | 669.09 | 01 | 01 | 1 | |
| | P | 12 / 8 / 1986 | -38.3 | 1.61 | 670.7 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1988 | -36 | 2.3 | 673 | 01 | 01 | 1 | |
| | N | 1 / 17/ 1989 | | | | 01 | 01 | | 40 |
| | P | 7 / 22/ 2005 | -67 | | 642 | 01 | 04 | 3 | |
| | P | 10 / 27/ 2005 | -70 | -3 | 639 | 01 | 04 | 3 | |

**Min** *-97.89* **Max** *-26.5* **Avg** *-50.3166*

***6830805*** *( Aquifer: 218EBFZA Well Depth: 576 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1953 | -115 | | 647 | 01 | 12 | 7 | |

**Min** *-115* **Max** *-115* **Avg** *-115*

***6830807*** *( Aquifer: 218EBFZA Well Depth: 1202 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 26/ 1972 | -87.06 | | 662.94 | 01 | 04 | 1 | |
| | P | 7 / 27/ 1972 | -88.07 | -1.01 | 661.93 | 01 | 04 | 1 | |
| | P | 7 / 28/ 1972 | -88 | 0.07 | 662 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1972 | -89.14 | -1.14 | 660.86 | 01 | 04 | 1 | |
| | P | 8 / 14/ 1972 | -85.68 | 3.46 | 664.32 | 01 | 04 | 1 | |
| | P | 8 / 23/ 1972 | -89.8 | -4.12 | 660.2 | 01 | 04 | 1 | |
| | P | 2 / 10/ 1973 | -86.9 | 2.9 | 663.1 | 01 | 04 | 1 | |
| | P | 4 / 16/ 1973 | -78.6 | 8.3 | 671.4 | 01 | 04 | 1 | |
| | P | 7 / 17/ 1973 | -69.82 | 8.78 | 680.18 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -68.55 | 1.27 | 681.45 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -69.1 | -0.55 | 680.9 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -86.6 | -17.5 | 663.4 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1975 | -68.4 | 18.2 | 681.6 | 01 | 04 | 1 | |
| | P | 2 / 24/ 1975 | -88.13 | -19.7 | 661.87 | 01 | 04 | 1 | |
| | P | 7 / 8 / 1975 | -75.13 | 13 | 674.87 | 01 | 04 | 1 | |
| | P | 9 / 10/ 1975 | -79.45 | -4.32 | 670.55 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1975 | -89.55 | -10.1 | 660.45 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -75.8 | 13.75 | 674.2 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1978 | -75.58 | 0.22 | 674.42 | 01 | 01 | 1 | |
| | N | 3 / 23/ 1979 | | | | 01 | 01 | | 61 |
| | P | 2 / 19/ 1981 | -86.01 | | 663.99 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -87.33 | -1.32 | 662.67 | 01 | 01 | 1 | |
| | P | 2 / 2 / 1983 | -89.05 | -1.72 | 660.95 | 01 | 04 | 1 | |
| | P | 2 / 10/ 1983 | -89.34 | -0.29 | 660.66 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/24/1984 | -100.7 | -11.4 | 649.3 | 01 | 01 | 1 | |
| | P | 6/27/1984 | -124.45 | -23.8 | 625.55 | 01 | 04 | 1 | |
| | P | 2/11/1985 | -102.87 | 21.58 | 647.13 | 01 | 01 | 1 | |
| | P | 2/10/1986 | -82 | 20.87 | 668 | 01 | 01 | 1 | |
| | P | 12/8/1986 | -80.65 | 1.35 | 669.35 | 01 | 01 | 1 | |
| | P | 3/17/1988 | -78.17 | 2.48 | 671.83 | 01 | 01 | 1 | |
| | P | 1/17/1989 | -95.72 | -17.6 | 654.28 | 01 | 01 | 1 | |
| | P | 1/24/1990 | -110.4 | -14.7 | 639.6 | 01 | 01 | 1 | |
| | P | 1/21/1991 | -98 | 12.4 | 652 | 01 | 01 | 1 | |
| | P | 1/28/1992 | -71.3 | 26.7 | 678.7 | 01 | 01 | 1 | |
| | P | 6/22/1992 | -54.57 | 16.73 | 695.43 | 01 | 01 | 1 | |
| | P | 3/4/1993 | -65.31 | -10.7 | 684.69 | 01 | 06 | 1 | |
| | P | 5/19/1994 | -80.49 | -15.2 | 669.51 | 01 | 06 | 1 | |
| | P | 4/5/1995 | -82.54 | -2.05 | 667.46 | 01 | 06 | 1 | |
| | P | 3/19/1996 | -101.83 | -19.3 | 648.17 | 01 | 06 | 1 | |
| | P | 12/27/2000 | -79.46 | 22.37 | 670.54 | 01 | 06 | 1 | |
| | P | 3/14/2001 | -75.16 | 4.3 | 674.84 | 01 | 06 | 1 | |
| | P | 5/8/2001 | -73.98 | 1.18 | 676.02 | 01 | 06 | 1 | |
| | P | 6/7/2001 | -86.09 | -12.1 | 663.91 | 01 | 06 | 1 | |
| | P | 8/3/2001 | -100.2 | -14.1 | 649.8 | 01 | 06 | 1 | |
| | P | 9/17/2001 | -79.89 | 20.31 | 670.11 | 01 | 06 | 1 | |
| | P | 10/10/2001 | -81.35 | -1.46 | 668.65 | 01 | 06 | 1 | |
| | P | 11/19/2001 | -74.81 | 6.54 | 675.19 | 01 | 06 | 1 | |
| | P | 1/4/2002 | -71.25 | 3.56 | 678.75 | 01 | 06 | 1 | |
| | P | 3/20/2002 | -79.3 | -8.05 | 670.7 | 01 | 06 | 1 | |
| | P | 4/25/2002 | -78.55 | 0.75 | 671.45 | 01 | 06 | 1 | |
| | P | 5/14/2002 | -88.35 | -9.8 | 661.65 | 01 | 06 | 1 | |
| | P | 6/26/2002 | -104.42 | -16.1 | 645.58 | 01 | 06 | 1 | |
| | P | 7/9/2002 | -72.18 | 32.24 | 677.82 | 01 | 06 | 1 | |
| | P | 8/15/2002 | -71.41 | 0.77 | 678.59 | 01 | 06 | 1 | |
| | P | 8/16/2002 | -71.72 | -0.31 | 678.28 | 01 | 06 | 1 | |
| | P | 9/6/2002 | -74.94 | -3.22 | 675.06 | 01 | 06 | 1 | |
| | P | 10/9/2002 | -68.96 | 5.98 | 681.04 | 01 | 06 | 1 | |
| | P | 11/22/2002 | -60.51 | 8.45 | 689.49 | 01 | 06 | 1 | |
| | P | 2/4/2003 | -62.92 | -2.41 | 687.08 | 01 | 06 | 1 | |
| | P | 3/31/2003 | -64.51 | -1.59 | 685.49 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 6 / 2003 | -73.58 | -9.07 | 676.42 | 01 | 06 | 1 | |
| | P | 9 / 4 / 2003 | -77.43 | -3.85 | 672.57 | 01 | 06 | 1 | |
| | P | 10 / 14/ 2003 | -71.79 | 5.64 | 678.21 | 01 | 06 | 1 | |
| | P | 11 / 10/ 2003 | -73.65 | -1.86 | 676.35 | 01 | 06 | 1 | |
| | P | 12 / 6 / 2003 | -75.05 | -1.4 | 674.95 | 01 | 06 | 1 | |
| | P | 1 / 21/ 2004 | -74.89 | 0.16 | 675.11 | 01 | 06 | 1 | |
| | P | 2 / 24/ 2004 | -75.24 | -0.35 | 674.76 | 01 | 06 | 1 | |
| | P | 3 / 22/ 2004 | -73.8 | 1.44 | 676.2 | 01 | 06 | 1 | |
| | P | 4 / 26/ 2004 | -70.3 | 3.5 | 679.7 | 01 | 06 | 1 | |
| | P | 5 / 25/ 2004 | -71.2 | -0.9 | 678.8 | 01 | 06 | 1 | |
| | P | 6 / 1 / 2004 | -75.52 | -4.32 | 674.48 | 01 | 06 | 1 | |
| | P | 7 / 13/ 2004 | -65.23 | 10.29 | 684.77 | 01 | 06 | 1 | |
| | P | 7 / 20/ 2005 | -77.49 | -12.3 | 672.51 | 01 | 04 | 2 | |
| | P | 10 / 27/ 2005 | -79.85 | -2.36 | 670.15 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2007 | -67.42 | 12.43 | 682.58 | 01 | 04 | 2 | |
| | P | 7 / 28/ 2008 | -87.5 | -20.1 | 662.5 | 01 | 06 | 2 | |
| | P | 7 / 23/ 2009 | -110.82 | -23.3 | 639.18 | 01 | 06 | 2 | |
| | P | 3 / 1 / 2010 | -72.92 | 37.9 | 677.08 | 01 | 06 | 2 | |

**Min** *-124.45* **Max** *-54.57* **Avg** *-80.6978*

***6830809*** *( Aquifer: 218EDRDA Well Depth: 518 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1942 | -82 | | 679 | 01 | 12 | 7 | |

**Min** *-82* **Max** *-82* **Avg** *-82*

***6830810*** *( Aquifer: 218EDRDA Well Depth: 760 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 1 / 1983 | -185 | | 627 | 01 | 07 | 7 | |

**Min** *-185* **Max** *-185* **Avg** *-185*

***6830901*** *( Aquifer: 218EBFZA Well Depth: 690 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 22/ 1950 | -47.36 | | 660.64 | 01 | 12 | 7 | |
| | P | 1 / 12/ 1951 | -50.89 | -3.53 | 657.11 | 01 | 12 | 7 | |

**Min** *-50.89* **Max** *-47.36* **Avg** *-49.125*

***6834203*** *( Aquifer: 218EBFZA Well Depth: 1000 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 15/ 1971 | -220.02 | | 761.98 | 01 | 04 | 1 | |

**Min** *-220.02* **Max** *-220.02* **Avg** *-220.02*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6834205** | ( Aquifer: 218EBFZA | | Well Depth: 827 ) | | | | | | |
| | P | 9 / 4 / 1996 | -350 | | 658 | 01 | 07 | 7 | |
| Min -350 | | Max -350 | Avg | -350 | | | | | |
| **6834301** | ( Aquifer: 218EBFZA | | Well Depth: 370 ) | | | | | | |
| | P | 8 / 31/ 1950 | -254.3 | | 686.7 | 01 | 12 | 7 | |
| | P | 9 / 17/ 1952 | -276.9 | -22.6 | 664.1 | 01 | 12 | 7 | |
| Min -276.9 | | Max -254.3 | Avg | -265.6 | | | | | |
| **6834303** | ( Aquifer: 218EDRDA | | Well Depth: 785 ) | | | | | | |
| | P | 11 / 2 / 1982 | -250 | | 761 | 01 | 07 | 7 | |
| Min -250 | | Max -250 | Avg | -250 | | | | | |
| **6834602** | ( Aquifer: 218EBFZA | | Well Depth: 462 ) | | | | | | |
| | P | 11 / 1 / 1954 | -331 | | 645 | 01 | 12 | 7 | |
| | P | 7 / 15/ 1974 | -282.3 | 48.7 | 693.7 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1975 | -258.1 | 24.2 | 717.9 | 01 | 04 | 1 | |
| | P | 2 / 7 / 1978 | -256.9 | 1.2 | 719.1 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -252.27 | 4.63 | 723.73 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1983 | -283.75 | -31.5 | 692.25 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -291.98 | -8.23 | 684.02 | 01 | 01 | 1 | |
| | N | 2 / 13/ 1985 | | | | 01 | 01 | | 63 |
| | N | 2 / 12/ 1986 | | | | 01 | 01 | | 41 |
| | P | 12 / 8 / 1986 | -272.14 | | 703.86 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1988 | -265.05 | 7.09 | 710.95 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1989 | -288.74 | -23.7 | 687.26 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1990 | -310.1 | -21.4 | 665.9 | 01 | 01 | 1 | |
| | N | 1 / 22/ 1991 | | | | 01 | 01 | 1 | 47 |
| | N | 1 / 29/ 1992 | | | | 01 | 01 | | 61 |
| | P | 3 / 3 / 1993 | -239.55 | | 736.45 | 01 | 06 | 1 | |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 61 |
| | N | 4 / 5 / 1995 | | | | 01 | 06 | | 61 |
| | N | 3 / 19/ 1996 | | | | 01 | 06 | | 61 |
| Min -331 | | Max -239.55 | Avg | -277.657 | | | | | |
| **6834603** | ( Aquifer: 218EBFZA | | Well Depth: 478 ) | | | | | | |
| | P | 11 / 1 / 1954 | -165.9 | | 642.1 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 3 / 1960 | -113.88 | 52.02 | 694.12 | 01 | 04 | 1 | |
| | P | 5 / 5 / 1960 | -114.64 | -0.76 | 693.36 | 01 | 04 | 1 | |
| | P | 9 / 5 / 1960 | -123.6 | -8.96 | 684.4 | 01 | 04 | 1 | |
| | P | 1 / 6 / 1972 | -113.4 | 10.2 | 694.6 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1972 | -116.75 | -3.35 | 691.25 | 01 | 04 | 1 | |
| | P | 6 / 8 / 1972 | -125.42 | -8.67 | 682.58 | 01 | 04 | 1 | |
| | P | 2 / 8 / 1973 | -114.38 | 11.04 | 693.62 | 01 | 04 | 1 | |
| | P | 5 / 1 / 1973 | -97.6 | 16.78 | 710.4 | 01 | 04 | 1 | |
| | P | 2 / 14/ 1974 | -98.8 | -1.2 | 709.2 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -118.75 | -20 | 689.25 | 01 | 04 | 1 | |
| | P | 7 / 18/ 1975 | -102.38 | 16.37 | 705.62 | 01 | 04 | 1 | |
| | P | 2 / 26/ 1976 | -127 | -24.6 | 681 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -123.8 | 3.2 | 684.2 | 01 | 04 | 1 | |
| | P | 2 / 7 / 1983 | -119.53 | 4.27 | 688.47 | 01 | 04 | 1 | |
| | P | 6 / 26/ 1984 | -173.59 | -54.1 | 634.41 | 01 | 04 | 1 | |
| | P | 6 / 24/ 1992 | -78.66 | 94.93 | 729.34 | 01 | 01 | 1 | |

**Min** *-173.59* **Max** *-78.66* **Avg** *-119.299*

***6834604*** *( Aquifer: 218EBFZA Well Depth: 664 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 12/ 1998 | -220 | | 681 | 01 | 07 | 7 | |

**Min** *-220* **Max** *-220* **Avg** *-220*

***6834801*** *( Aquifer: 218EDRDA Well Depth: 1150 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 11/ 1982 | -150 | | 636 | 01 | 07 | 7 | |

**Min** *-150* **Max** *-150* **Avg** *-150*

***6834802*** *( Aquifer: 218EBFZA Well Depth: 677 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 22/ 1989 | -262.2 | | 699.8 | 01 | 07 | 7 | |

**Min** *-262.2* **Max** *-262.2* **Avg** *-262.2*

***6834803*** *( Aquifer: 218EBFZA Well Depth: 680 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 7 / 1989 | -287 | | 668 | 01 | 07 | 7 | |

**Min** *-287* **Max** *-287* **Avg** *-287*

***6834901*** *( Aquifer: 218EDRDA Well Depth: 827 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 2 / 1957 | -160 | | 633 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -160** | | **Max -160** | **Avg** | **-160** | | | | | |
| ***6834903*** | *( Aquifer: 218EDRDA* | | *Well Depth: 851 )* | | | | | | |
| | P | 9 / 16/ 1964 | -136 | | 654 | 01 | 12 | 7 | |
| **Min -136** | | **Max -136** | **Avg** | **-136** | | | | | |
| ***6834905*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1015 )* | | | | | | |
| | P | 9 / 29/ 1967 | -94 | | 658 | 01 | 12 | 7 | |
| **Min -94** | | **Max -94** | **Avg** | **-94** | | | | | |
| ***6834906*** | *( Aquifer: 218EDRDA* | | *Well Depth: 905 )* | | | | | | |
| | P | 0 / 0 / 1942 | -95 | | 690 | 01 | 12 | 7 | |
| **Min -95** | | **Max -95** | **Avg** | **-95** | | | | | |
| ***6834907*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1143 )* | | | | | | |
| | P | 12 / 1 / 1966 | -96 | | 663 | 01 | 12 | 7 | |
| **Min -96** | | **Max -96** | **Avg** | **-96** | | | | | |
| ***6835101*** | *( Aquifer: 218EBFZA* | | *Well Depth: 572 )* | | | | | | |
| | P | 6 / 7 / 1973 | -330 | | 672 | 01 | 12 | 7 | |
| **Min -330** | | **Max -330** | **Avg** | **-330** | | | | | |
| ***6835102*** | *( Aquifer: 218EBFZA* | | *Well Depth: 796 )* | | | | | | |
| | P | 3 / 3 / 1976 | -290 | | 692 | 01 | 12 | 7 | |
| **Min -290** | | **Max -290** | **Avg** | **-290** | | | | | |
| ***6835103*** | *( Aquifer: 218EBFZA* | | *Well Depth: 810 )* | | | | | | |
| | P | 2 / 11/ 1980 | -288 | | 705 | 01 | 07 | 7 | |
| **Min -288** | | **Max -288** | **Avg** | **-288** | | | | | |
| ***6835104*** | *( Aquifer: 218EBFZA* | | *Well Depth: 771 )* | | | | | | |
| | P | 10 / 0 / 1984 | -297 | | 656 | 01 | 07 | 7 | |
| **Min -297** | | **Max -297** | **Avg** | **-297** | | | | | |
| ***6835105*** | *( Aquifer: 218EBFZA* | | *Well Depth: 750 )* | | | | | | |
| | P | 10 / 2 / 1985 | -287 | | 675 | 01 | 07 | 7 | 27 |
| **Min -287** | | **Max -287** | **Avg** | **-287** | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6835106*** | *( Aquifer: 218EBFZA* | | *Well Depth: 760 )* | | | | | | |
| | P | 8 / 1 / 1986 | -278 | | 677 | 01 | 07 | 7 | |
| | P | 1 / 5 / 2005 | -240.36 | 37.64 | 714.64 | 01 | 04 | 1 | |
| **Min** *-278* | | **Max** *-240.36* | **Avg** *-259.18* | | | | | | |
| ***6835202*** | *( Aquifer: 218EBFZA* | | *Well Depth: 286 )* | | | | | | |
| | P | 9 / 21 / 1933 | -157.73 | | 691.27 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -206.17 | -48.4 | 642.83 | 01 | 12 | 7 | |
| | P | 11 / 8 / 1960 | -148.47 | 57.7 | 700.53 | 01 | 04 | 1 | |
| | P | 12 / 6 / 1960 | -149.97 | -1.5 | 699.03 | 01 | 04 | 1 | |
| | P | 1 / 4 / 1961 | -147.36 | 2.61 | 701.64 | 01 | 04 | 1 | |
| | P | 12 / 1 / 1971 | -155.92 | -8.56 | 693.08 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1972 | -154.55 | 1.37 | 694.45 | 01 | 04 | 1 | |
| | P | 5 / 9 / 1972 | -159 | -4.45 | 690 | 01 | 04 | 1 | |
| | P | 6 / 8 / 1972 | -154.2 | 4.8 | 694.8 | 01 | 04 | 1 | |
| | P | 4 / 16 / 1973 | -140.2 | 14 | 708.8 | 01 | 04 | 1 | |
| | P | 7 / 27 / 1973 | -119.8 | 20.4 | 729.2 | 01 | 04 | 1 | |
| | P | 2 / 14 / 1974 | -130.7 | -10.9 | 718.3 | 01 | 04 | 1 | |
| | P | 7 / 15 / 1974 | -158.36 | -27.7 | 690.64 | 01 | 04 | 1 | |
| | P | 2 / 13 / 1975 | -142.1 | 16.26 | 706.9 | 01 | 04 | 1 | |
| | P | 7 / 18 / 1975 | -142.5 | -0.4 | 706.5 | 01 | 04 | 1 | |
| | P | 2 / 25 / 1976 | -160.37 | -17.9 | 688.63 | 01 | 04 | 1 | |
| | P | 2 / 7 / 1978 | -142.3 | 18.07 | 706.7 | 01 | 01 | 1 | |
| | N | 2 / 20 / 1981 | | | | 01 | 01 | | 62 |
| | P | 2 / 9 / 1982 | -141.81 | | 707.19 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1983 | -160.68 | -18.9 | 688.32 | 01 | 04 | 1 | |
| | P | 2 / 10 / 1983 | -163.78 | -3.1 | 685.22 | 01 | 01 | 1 | |
| | P | 2 / 23 / 1984 | -178.91 | -15.1 | 670.09 | 01 | 01 | 1 | |
| | P | 6 / 26 / 1984 | -204.59 | -25.7 | 644.41 | 01 | 04 | 1 | |
| | P | 2 / 13 / 1985 | -176.29 | 28.3 | 672.71 | 01 | 01 | 1 | |
| | P | 2 / 11 / 1986 | -152.64 | 23.65 | 696.36 | 01 | 01 | 1 | |
| | P | 12 / 8 / 1986 | -142.94 | 9.7 | 706.06 | 01 | 01 | 1 | |
| | P | 3 / 17 / 1988 | -141.66 | 1.28 | 707.34 | 01 | 01 | 1 | |
| | P | 1 / 24 / 1989 | -166.33 | -24.7 | 682.67 | 01 | 01 | 1 | |
| | P | 1 / 22 / 1990 | -187.8 | -21.5 | 661.2 | 01 | 01 | 1 | |
| | P | 1 / 21 / 1991 | -174.4 | 13.4 | 674.6 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 28/ 1992 | -146.6 | 27.8 | 702.4 | 01 | 01 | 1 | |
| | P | 6 / 24/ 1992 | -90.57 | 56.03 | 758.43 | 01 | 01 | 1 | |
| | P | 3 / 3 / 1993 | -121.99 | -31.4 | 727.01 | 01 | 06 | 1 | |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 51 |
| | P | 4 / 14/ 1995 | -156.7 | | 692.3 | 01 | 06 | 1 | |
| | N | 3 / 19/ 1996 | | | | 01 | 06 | | 62 |
| | P | 12 / 23/ 2008 | -157.75 | | 691.25 | 01 | 01 | 1 | |
| | P | 1 / 20/ 2010 | -150.05 | 7.7 | 698.95 | 01 | 01 | 1 | |
| | P | 3 / 25/ 2011 | -166.9 | -16.9 | 682.1 | 01 | 01 | 2 | |
| | P | 10 / 13/ 2011 | -186.78 | -19.9 | 662.22 | 01 | 01 | 1 | |
| | P | 10 / 30/ 2012 | -183.24 | 3.54 | 665.76 | 01 | 01 | 1 | |

**Min** *-206.17* **Max** *-90.57* **Avg** *-155.845*

***6835203*** *( Aquifer: 218EDRDA Well Depth: 540 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 17/ 1985 | -305 | | 642 | 01 | 07 | 7 | |

**Min** *-305* **Max** *-305* **Avg** *-305*

***6835204*** *( Aquifer: 218EDRDA Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 1998 | -188 | | 697 | 01 | 07 | 7 | 27 |

**Min** *-188* **Max** *-188* **Avg** *-188*

***6835302*** *( Aquifer: 218EDRDA Well Depth: 507 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1961 | -170 | | 670 | 01 | 12 | 7 | |

**Min** *-170* **Max** *-170* **Avg** *-170*

***6835303*** *( Aquifer: 218EDRDA Well Depth: 281 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 0 / 1955 | -180 | | 634 | 01 | 12 | 7 | |

**Min** *-180* **Max** *-180* **Avg** *-180*

***6835304*** *( Aquifer: 218EDRDA Well Depth: 300 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1961 | -132 | | 668 | 01 | 12 | 7 | |

**Min** *-132* **Max** *-132* **Avg** *-132*

***6835306*** *( Aquifer: 218EBFZA Well Depth: 338 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 29/ 1968 | -123 | | 680 | 01 | 12 | 7 | |

**Min** *-123* **Max** *-123* **Avg** *-123*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6835307*** | *( Aquifer: 218EBFZA* | | *Well Depth: 291 )* | | | | | | |
| | **P** | **7 / 18/ 1969** | **-111.05** | | **658.95** | **01** | **04** | **1** | |
| **Min *-111.05*** | | **Max *-111.05*** | **Avg *-111.05*** | | | | | | |
| ***6835308*** | *( Aquifer: 218EBFZA* | | *Well Depth: 607 )* | | | | | | |
| | **P** | **3 / 29/ 1972** | **-145.05** | | **672.95** | **01** | **04** | **1** | |
| **Min *-145.05*** | | **Max *-145.05*** | **Avg *-145.05*** | | | | | | |
| ***6835309*** | *( Aquifer: 218EDRDA* | | *Well Depth: 441 )* | | | | | | |
| | **P** | **4 / 18/ 1972** | **-134** | | **666** | **01** | **12** | **7** | |
| **Min *-134*** | | **Max *-134*** | **Avg *-134*** | | | | | | |
| ***6835310*** | *( Aquifer: 218EBFZA* | | *Well Depth: 427 )* | | | | | | |
| | **P** | **4 / 17/ 1972** | **-182.3** | | **667.7** | **01** | **12** | **7** | |
| **Min *-182.3*** | | **Max *-182.3*** | **Avg *-182.3*** | | | | | | |
| ***6835311*** | *( Aquifer: 218EBFZA* | | *Well Depth: 200 )* | | | | | | |
| | **P** | **11 / 1 / 1954** | **-148.85** | | **654.15** | **01** | **12** | **7** | |
| | **P** | **11 / 6 / 1956** | **-149.05** | **-0.2** | **653.95** | **01** | **12** | **7** | |
| **Min *-149.05*** | | **Max *-148.85*** | **Avg *-148.95*** | | | | | | |
| ***6835312*** | *( Aquifer: 218EBFZA* | | *Well Depth: 235 )* | | | | | | |
| | **P** | **6 / 17/ 1946** | **-123.1** | | **689.9** | **01** | **12** | **7** | |
| | **P** | **2 / 13/ 1975** | **-112.63** | **10.47** | **700.37** | **01** | **12** | **7** | |
| **Min *-123.1*** | | **Max *-112.63*** | **Avg *-117.865*** | | | | | | |
| ***6835314*** | *( Aquifer: 218EDRDA* | | *Well Depth: 655 )* | | | | | | |
| | **P** | **10 / 8 / 2008** | **-115.53** | | **676.47** | **01** | **04** | **2** | |
| | **P** | **10 / 17/ 2008** | **-114.04** | **1.49** | **677.96** | **01** | **04** | **2** | |
| | **P** | **10 / 29/ 2008** | **-115.33** | **-1.29** | **676.67** | **01** | **04** | **2** | |
| | **P** | **12 / 19/ 2008** | **-113.78** | **1.55** | **678.22** | **01** | **04** | **2** | |
| | **P** | **2 / 4 / 2009** | **-116.35** | **-2.57** | **675.65** | **01** | **04** | **2** | |
| | **P** | **3 / 30/ 2009** | **-119.44** | **-3.09** | **672.56** | **01** | **04** | **2** | |
| | **P** | **5 / 12/ 2009** | **-133.56** | **-14.1** | **658.44** | **01** | **04** | **2** | |
| | **P** | **6 / 3 / 2009** | **-131.1** | **2.46** | **660.9** | **01** | **04** | **2** | |
| | **P** | **7 / 10/ 2009** | **-143.85** | **-12.8** | **648.15** | **01** | **04** | **2** | |
| | **P** | **9 / 1 / 2009** | **-144.06** | **-0.21** | **647.94** | **01** | **04** | **2** | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 24/ 2009 | -113.07 | 30.99 | 678.93 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -99.73 | 13.34 | 692.27 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2010 | -105.73 | -6 | 686.27 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -100.56 | 5.17 | 691.44 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -111.45 | -10.9 | 680.55 | 01 | 04 | 2 | |

**Min** *-144.06* **Max** *-99.73* **Avg** *-118.505*

***6835315*** *( Aquifer: 218EDRDA Well Depth: 510 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 8 / 2008 | -116.51 | | 675.49 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2008 | -114.94 | 1.57 | 677.06 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -116.23 | -1.29 | 675.77 | 01 | 04 | 2 | |
| | P | 12 / 19/ 2008 | -114.57 | 1.66 | 677.43 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -117.11 | -2.54 | 674.89 | 01 | 04 | 1 | |
| | P | 3 / 30/ 2009 | -120.24 | -3.13 | 671.76 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -134.21 | -14 | 657.79 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -131.6 | 2.61 | 660.4 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -144.42 | -12.8 | 647.58 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -144.62 | -0.2 | 647.38 | 01 | 04 | 2 | |
| | P | 9 / 4 / 2009 | -144.97 | -0.35 | 647.03 | 01 | 04 | 2 | |
| | P | 11 / 24/ 2009 | -113.92 | 31.05 | 678.08 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -101.05 | 12.87 | 690.95 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2010 | -106.52 | -5.47 | 685.48 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -101.68 | 4.84 | 690.32 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -101.88 | -0.2 | 690.12 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -112.28 | -10.4 | 679.72 | 01 | 04 | 2 | |

**Min** *-144.97* **Max** *-101.05* **Avg** *-119.809*

***6835401*** *( Aquifer: 218EDRDA Well Depth: 301 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 12/ 1972 | -168.4 | | 693.6 | 01 | 04 | 1 | |

**Min** *-168.4* **Max** *-168.4* **Avg** *-168.4*

***6835403*** *( Aquifer: 218EBFZA Well Depth: 606 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 19/ 1969 | -251 | | 667 | 01 | 12 | 7 | |

**Min** *-251* **Max** *-251* **Avg** *-251*

***6835405*** *( Aquifer: 218EDRDA Well Depth: 405 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 13/ 1987 | -120 | | 730 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -120** | | **Max -120** | **Avg -120** | | | | | | |
| ***6835502*** | *( Aquifer: 218EDRDA* | | *Well Depth: 581 )* | | | | | | |
| | P | 3 / 22/ 1955 | -251.28 | | 633.72 | 01 | 12 | 7 | |
| **Min -251.28** | | **Max -251.28** | **Avg -251.28** | | | | | | |
| ***6835503*** | *( Aquifer: 218EBFZA* | | *Well Depth: 671 )* | | | | | | |
| | P | 6 / 0 / 1955 | -151 | | 659 | 01 | 12 | 7 | |
| **Min -151** | | **Max -151** | **Avg -151** | | | | | | |
| ***6835504*** | *( Aquifer: 218EBFZA* | | *Well Depth: 300 )* | | | | | | |
| | P | 4 / 14/ 1952 | -206.87 | | 650.13 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -219.91 | -13.0 | 637.09 | 01 | 12 | 7 | |
| | P | 1 / 1 / 1961 | -166.44 | 53.47 | 690.56 | 01 | 12 | 7 | |
| **Min -219.91** | | **Max -166.44** | **Avg -197.74** | | | | | | |
| ***6835505*** | *( Aquifer: 218EBFZA* | | *Well Depth: 900 )* | | | | | | |
| | P | 4 / 9 / 1983 | -216 | | 674 | 01 | 07 | 7 | |
| **Min -216** | | **Max -216** | **Avg -216** | | | | | | |
| ***6835506*** | *( Aquifer: 218EDRDA* | | *Well Depth: 700 )* | | | | | | |
| | P | 11 / 22/ 1986 | -260 | | 730 | 01 | 07 | 7 | |
| **Min -260** | | **Max -260** | **Avg -260** | | | | | | |
| ***6835507*** | *( Aquifer: 218EDRDA* | | *Well Depth: 700 )* | | | | | | |
| | P | 1 / 23/ 1987 | -261 | | 709 | 01 | 07 | 7 | |
| **Min -261** | | **Max -261** | **Avg -261** | | | | | | |
| ***6835601*** | *( Aquifer: 218EDRDA* | | *Well Depth: 900 )* | | | | | | |
| | P | 5 / 20/ 1966 | -88 | | 672 | 01 | 12 | 7 | |
| **Min -88** | | **Max -88** | **Avg -88** | | | | | | |
| ***6835607*** | *( Aquifer: 218EBFZA* | | *Well Depth: 701 )* | | | | | | |
| | P | 6 / 30/ 1967 | -108 | | 616 | 01 | 12 | 7 | |
| **Min -108** | | **Max -108** | **Avg -108** | | | | | | |
| ***6835608*** | *( Aquifer: 218EDRDA* | | *Well Depth: 638 )* | | | | | | |
| | P | 3 / 0 / 1956 | -140 | | 612 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -140** | | **Max -140** | **Avg** | **-140** | | | | | |
| ***6835610*** | *( Aquifer: 218EDRDA* | | *Well Depth: 763 )* | | | | | | |
| | P | 0 / 0 / 1940 | -88 | | 701 | 01 | 12 | 7 | |
| **Min -88** | | **Max -88** | **Avg** | **-88** | | | | | |
| ***6835612*** | *( Aquifer: 218EDRDA* | | *Well Depth: 745 )* | | | | | | |
| | P | 7 / 30/ 1946 | -118.4 | | 676.6 | 01 | 12 | 7 | |
| **Min -118.4** | | **Max -118.4** | **Avg** | **-118.4** | | | | | |
| ***6835613*** | *( Aquifer: 218EDRDA* | | *Well Depth: 545 )* | | | | | | |
| | P | 0 / 0 / 1940 | -106 | | 676 | 01 | 12 | 7 | |
| **Min -106** | | **Max -106** | **Avg** | **-106** | | | | | |
| ***6835614*** | *( Aquifer: 218EDRDA* | | *Well Depth: 760 )* | | | | | | |
| | P | 6 / 25/ 1985 | -60 | | 720 | 01 | 07 | 7 | |
| **Min -60** | | **Max -60** | **Avg** | **-60** | | | | | |
| ***6835615*** | *( Aquifer: 218EDRDA* | | *Well Depth: 760 )* | | | | | | |
| | P | 7 / 9 / 1985 | -60 | | 705 | 01 | 07 | 7 | |
| **Min -60** | | **Max -60** | **Avg** | **-60** | | | | | |
| ***6835616*** | *( Aquifer: 218EDRDA* | | *Well Depth: 855 )* | | | | | | |
| | P | 6 / 4 / 2002 | -155 | | 662 | 01 | 07 | 7 | |
| **Min -155** | | **Max -155** | **Avg** | **-155** | | | | | |
| ***6835617*** | *( Aquifer: 218EDRDA* | | *Well Depth: 850 )* | | | | | | |
| | P | 11 / 12/ 2002 | -106 | | 710 | 01 | 07 | 7 | |
| **Min -106** | | **Max -106** | **Avg** | **-106** | | | | | |
| ***6835618*** | *( Aquifer: 218EDRDA* | | *Well Depth: 880 )* | | | | | | |
| | P | 3 / 28/ 2006 | -131.8 | | 673.2 | 01 | 07 | 7 | |
| | P | 3 / 29/ 2006 | -141 | -9.2 | 664 | 01 | 07 | 7 | 02 |
| **Min -141** | | **Max -131.8** | **Avg** | **-136.4** | | | | | |
| ***6835702*** | *( Aquifer: 218EDRDA* | | *Well Depth: 664 )* | | | | | | |
| | P | 8 / 0 / 1955 | -139 | | 648 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -139** | | **Max -139** | **Avg** | **-139** | | | | | |
| ***6835705*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1060 )* | | | | | | |
| | P | 12 / 15/ 1966 | -88 | | 677 | 01 | 12 | 7 | |
| **Min -88** | | **Max -88** | **Avg** | **-88** | | | | | |
| ***6835706*** | *( Aquifer: 218EDRDA* | | *Well Depth: 690 )* | | | | | | |
| | P | 8 / 22/ 1950 | -113.8 | | 655.2 | 01 | 12 | 7 | |
| | P | 1 / 9 / 1951 | -106.6 | 7.2 | 662.4 | 01 | 12 | 7 | |
| **Min -113.8** | | **Max -106.6** | **Avg** | **-110.2** | | | | | |
| ***6835708*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1300 )* | | | | | | |
| | P | 7 / 0 / 1950 | -15 | | 675 | 01 | 12 | 7 | |
| **Min -15** | | **Max -15** | **Avg** | **-15** | | | | | |
| ***6835710*** | *( Aquifer: 218EDRDA* | | *Well Depth: 735 )* | | | | | | |
| | P | 5 / 10/ 1985 | -105 | | 663 | 01 | 07 | 7 | |
| **Min -105** | | **Max -105** | **Avg** | **-105** | | | | | |
| ***6835711*** | *( Aquifer: 218EDRDA* | | *Well Depth: 710 )* | | | | | | |
| | P | 5 / 13/ 1987 | -105 | | 660 | 01 | 07 | 7 | |
| **Min -105** | | **Max -105** | **Avg** | **-105** | | | | | |
| ***6835713*** | *( Aquifer: 218EDRDA* | | *Well Depth: 800 )* | | | | | | |
| | P | 1 / 21/ 1992 | -105 | | 674 | 01 | 07 | 7 | |
| **Min -105** | | **Max -105** | **Avg** | **-105** | | | | | |
| ***6835714*** | *( Aquifer: 218EDRDA* | | *Well Depth: 690 )* | | | | | | |
| | P | 2 / 18/ 2004 | -105 | | 714 | 01 | 07 | 7 | |
| | P | 2 / 19/ 2004 | -205 | -100 | 614 | 01 | 07 | 7 | 02 |
| **Min -205** | | **Max -105** | **Avg** | **-155** | | | | | |
| ***6835801*** | *( Aquifer: 218EDRDA* | | *Well Depth: 837 )* | | | | | | |
| | P | 8 / 14/ 1957 | -160 | | 608 | 01 | 12 | 7 | |
| **Min -160** | | **Max -160** | **Avg** | **-160** | | | | | |
| ***6835802*** | *( Aquifer: 218EDRDA* | | *Well Depth: 978 )* | | | | | | |
| | P | 3 / 22/ 1955 | -85.73 | | 636.27 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -85.73** | | **Max -85.73** | **Avg** | **-85.73** | | | | | |
| ***6835803*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1004 )* | | | | | | |
| | P | 4 / 8 / 1958 | -57 | | 672 | 01 | 12 | 7 | |
| **Min -57** | | **Max -57** | **Avg** | **-57** | | | | | |
| ***6835806*** | *( Aquifer: 218EDRDA* | | *Well Depth: 810 )* | | | | | | |
| | P | 4 / 27/ 1969 | -140 | | 628 | 01 | 12 | 7 | |
| **Min -140** | | **Max -140** | **Avg** | **-140** | | | | | |
| ***6835807*** | *( Aquifer: 218EBFZA* | | *Well Depth: 868 )* | | | | | | |
| | P | 9 / 15/ 1933 | -103.2 | | 684.8 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -149.7 | -46.5 | 638.3 | 01 | 12 | 7 | |
| | P | 1 / 31/ 1972 | -101.7 | 48 | 686.3 | 01 | 04 | 1 | |
| | P | 2 / 3 / 1972 | -102.4 | -0.7 | 685.6 | 01 | 04 | 1 | |
| | P | 6 / 7 / 1972 | -107.62 | -5.22 | 680.38 | 01 | 04 | 1 | |
| | P | 2 / 6 / 1973 | -101.06 | 6.56 | 686.94 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | -81.64 | 19.42 | 706.36 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1974 | -85.79 | -4.15 | 702.21 | 01 | 04 | 1 | |
| | P | 7 / 15/ 1974 | -105.73 | -19.9 | 682.27 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1975 | -82.01 | 23.72 | 705.99 | 01 | 04 | 1 | |
| | P | 7 / 16/ 1975 | -89.9 | -7.89 | 698.1 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1976 | -108.58 | -18.7 | 679.42 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -97.61 | 10.97 | 690.39 | 01 | 04 | 1 | |
| | P | 2 / 14/ 1978 | -90.78 | 6.83 | 697.22 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -104.96 | -14.2 | 683.04 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -112.18 | -7.22 | 675.82 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1983 | -108.36 | 3.82 | 679.64 | 01 | 04 | 1 | |
| | P | 2 / 10/ 1983 | -112.19 | -3.83 | 675.81 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -123.14 | -11 | 664.86 | 01 | 01 | 1 | |
| | P | 6 / 26/ 1984 | -160.56 | -37.4 | 627.44 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1985 | -131.65 | 28.91 | 656.35 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1986 | -102.62 | 29.03 | 685.38 | 01 | 01 | 1 | |
| | N | 12 / 5 / 1986 | | | | 01 | 01 | 1 | 44 |
| | N | 3 / 17/ 1988 | | | | 01 | 01 | 1 | 45 |
| | N | 6 / 24/ 1992 | | | | 01 | 01 | | 42 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -160.56** | | **Max -81.64** | **Avg -107.426** | | | | | | |
| ***6835808*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1150 )* | | | | | | |
| | P | 10 / 13/ 1972 | -56 | | 731 | 01 | 07 | 7 | |
| **Min -56** | | **Max -56** | **Avg -56** | | | | | | |
| ***6835809*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1004 )* | | | | | | |
| | P | 8 / 18/ 1950 | -46.4 | | 654.6 | 01 | 12 | 7 | |
| **Min -46.4** | | **Max -46.4** | **Avg -46.4** | | | | | | |
| ***6835810*** | *( Aquifer: 218EBFZA* | | *Well Depth: 735 )* | | | | | | |
| | P | 5 / 2 / 1981 | -85 | | 750 | 01 | 07 | 7 | |
| **Min -85** | | **Max -85** | **Avg -85** | | | | | | |
| ***6835811*** | *( Aquifer: 218EBFZA* | | *Well Depth: 735 )* | | | | | | |
| | P | 5 / 9 / 1981 | -139 | | 696 | 01 | 07 | 7 | |
| **Min -139** | | **Max -139** | **Avg -139** | | | | | | |
| ***6835901*** | *( Aquifer: 218EDRDA* | | *Well Depth: 916 )* | | | | | | |
| | P | 9 / 0 / 1956 | -135 | | 617 | 01 | 12 | 7 | |
| **Min -135** | | **Max -135** | **Avg -135** | | | | | | |
| ***6835903*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1020 )* | | | | | | |
| | P | 5 / 29/ 1961 | -78 | | 663 | 01 | 12 | 7 | |
| **Min -78** | | **Max -78** | **Avg -78** | | | | | | |
| ***6835907*** | *( Aquifer: 218EBFZA* | | *Well Depth: 845 )* | | | | | | |
| | P | 4 / 11/ 1960 | -122.89 | | 688.11 | 01 | 12 | 7 | |
| | P | 6 / 18/ 1965 | -131.41 | -8.52 | 679.59 | 01 | 12 | 7 | |
| | P | 4 / 7 / 1993 | -104 | 27.41 | 707 | 01 | 07 | 7 | |
| **Min -131.41** | | **Max -104** | **Avg -119.433** | | | | | | |
| ***6835908*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1066 )* | | | | | | |
| | P | 2 / 20/ 1957 | -175 | | 620 | 01 | 12 | 7 | |
| **Min -175** | | **Max -175** | **Avg -175** | | | | | | |
| ***6835910*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1050 )* | | | | | | |
| | P | 10 / 9 / 1967 | -117 | | 664 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 12/ 1993 | -111.2 | 5.8 | 669.8 | 01 | 04 | 1 | |
| Min -117 | | Max -111.2 | Avg -114.1 | | | | | | |
| **6835911** | ( Aquifer: 218EBFZA | | Well Depth: 916 ) | | | | | | |
| | P | 8 / 21/ 1937 | -113.17 | | 687.83 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -156.87 | -43.7 | 644.13 | 01 | 12 | 7 | |
| | P | 12 / 3 / 1959 | -110.88 | 45.99 | 690.12 | 01 | 12 | 7 | |
| Min -156.87 | | Max -110.88 | Avg -126.973 | | | | | | |
| **6835913** | ( Aquifer: 218EBFZA | | Well Depth: 1040 ) | | | | | | |
| | P | 2 / 14/ 1974 | -57.6 | | 699.4 | 01 | 12 | 7 | 27 |
| Min -57.6 | | Max -57.6 | Avg -57.6 | | | | | | |
| **6835915** | ( Aquifer: 218EDRDA | | Well Depth: 900 ) | | | | | | |
| | P | 0 / 0 / 1950 | -100 | | 666 | 01 | 12 | 7 | |
| Min -100 | | Max -100 | Avg -100 | | | | | | |
| **6835917** | ( Aquifer: 218EBFZA | | Well Depth: 1792 ) | | | | | | |
| | P | 10 / 18/ 1991 | -108 | | 663 | 01 | 07 | 7 | |
| Min -108 | | Max -108 | Avg -108 | | | | | | |
| **6836104** | ( Aquifer: 218EBFZA | | Well Depth: 808 ) | | | | | | |
| | P | 7 / 17/ 1975 | -205.2 | | 679.8 | 01 | 04 | 1 | |
| Min -205.2 | | Max -205.2 | Avg -205.2 | | | | | | |
| **6836105** | ( Aquifer: 218EBFZA | | Well Depth: 816 ) | | | | | | |
| | P | 9 / 22/ 1970 | -223.47 | | 663.53 | 01 | 12 | 7 | |
| | P | 2 / 12/ 1975 | -189.17 | 34.3 | 697.83 | 01 | 12 | 7 | |
| Min -223.47 | | Max -189.17 | Avg -206.32 | | | | | | |
| **6836107** | ( Aquifer: 218EBFZA | | Well Depth: 550 ) | | | | | | |
| | P | 12 / 28/ 1970 | -200 | | 682 | 01 | 12 | 7 | |
| | P | 5 / 3 / 1993 | -129 | 71 | 753 | 01 | 04 | 3 | |
| Min -200 | | Max -129 | Avg -164.5 | | | | | | |
| **6836109** | ( Aquifer: 218EBFZA | | Well Depth: 366 ) | | | | | | |
| | P | 7 / 21/ 1932 | -212.6 | | 678.4 | 01 | 12 | 7 | |
| | P | 12 / 30/ 1936 | -200.5 | 12.1 | 690.5 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -212.6** | | **Max -200.5** | **Avg -206.55** | | | | | | |
| ***6836110*** | *( Aquifer: 218EBFZA* | | *Well Depth: )* | | | | | | |
| | P | 7 / 21/ 1932 | -202.85 | | 642.15 | 01 | 12 | 7 | |
| | P | 11 / 3 / 1954 | -205.47 | -2.62 | 639.53 | 01 | 12 | 7 | |
| **Min -205.47** | | **Max -202.85** | **Avg -204.16** | | | | | | |
| ***6836111*** | *( Aquifer: 218EBFZA* | | *Well Depth: 677 )* | | | | | | |
| | P | 11 / 14/ 1972 | -122 | | 680 | 01 | 12 | 7 | |
| **Min -122** | | **Max -122** | **Avg -122** | | | | | | |
| ***6836112*** | *( Aquifer: 218EBFZA* | | *Well Depth: 500 )* | | | | | | |
| | P | 3 / 4 / 1957 | -211.01 | | 626.99 | 01 | 12 | 7 | |
| | P | 1 / 3 / 1961 | -151.52 | 59.49 | 686.48 | 01 | 12 | 7 | |
| **Min -211.01** | | **Max -151.52** | **Avg -181.265** | | | | | | |
| ***6836113*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1100 )* | | | | | | |
| | P | 8 / 29/ 1933 | -230.6 | | 671.4 | 01 | 12 | 7 | |
| **Min -230.6** | | **Max -230.6** | **Avg -230.6** | | | | | | |
| ***6836114*** | *( Aquifer: 218EDRDA* | | *Well Depth: )* | | | | | | |
| | P | 3 / 25/ 1952 | -180 | | 642 | 01 | 12 | 7 | |
| **Min -180** | | **Max -180** | **Avg -180** | | | | | | |
| ***6836122*** | *( Aquifer: 218EDRD* | | *Well Depth: 390 )* | | | | | | |
| | P | 7 / 8 / 1970 | -152 | | 688 | 01 | 01 | 1 | |
| **Min -152** | | **Max -152** | **Avg -152** | | | | | | |
| ***6836130*** | *( Aquifer: 218EBFZA* | | *Well Depth: 795 )* | | | | | | |
| | P | 12 / 0 / 1983 | -242 | | 661 | 01 | 07 | 7 | |
| **Min -242** | | **Max -242** | **Avg -242** | | | | | | |
| ***6836131*** | *( Aquifer: 218EBFZA* | | *Well Depth: 824 )* | | | | | | |
| | P | 2 / 0 / 1985 | -250 | | 656 | 01 | 07 | 7 | |
| **Min -250** | | **Max -250** | **Avg -250** | | | | | | |
| ***6836132*** | *( Aquifer: 218EBFZA* | | *Well Depth: 596 )* | | | | | | |
| | P | 10 / 8 / 2008 | -170.91 | | 670.09 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/17/2008 | -169.33 | 1.58 | 671.67 | 01 | 04 | 2 | |
| | P | 10/29/2008 | -170.33 | -1 | 670.67 | 01 | 04 | 2 | |
| | P | 12/19/2008 | -168.81 | 1.52 | 672.19 | 01 | 04 | 2 | |
| | P | 2/ 3/2009 | -170.63 | -1.82 | 670.37 | 01 | 04 | 2 | |
| | P | 2/ 4/2009 | -175.53 | -4.9 | 665.47 | 01 | 04 | 2 | |
| | P | 3/30/2009 | -174.16 | 1.37 | 666.84 | 01 | 04 | 2 | |
| | P | 4/ 9/2009 | -178 | -3.84 | 663 | 01 | 04 | 2 | |
| | P | 4/10/2009 | -179.26 | -1.26 | 661.74 | 01 | 04 | 2 | |
| | P | 5/12/2009 | -187.45 | -8.19 | 653.55 | 01 | 04 | 2 | |
| | P | 6/ 3/2009 | -184.37 | 3.08 | 656.63 | 01 | 04 | 2 | |
| | P | 7/10/2009 | -197.58 | -13.2 | 643.42 | 01 | 04 | 2 | |
| | P | 9/ 1/2009 | -197.87 | -0.29 | 643.13 | 01 | 04 | 2 | |
| | P | 9/13/2009 | -184.93 | 12.94 | 656.07 | 01 | 04 | 2 | |
| | P | 9/14/2009 | -186.78 | -1.85 | 654.22 | 01 | 04 | 2 | |
| | P | 10/ 5/2009 | -180.45 | 6.33 | 660.55 | 01 | 04 | 2 | 04 |
| | P | 10/ 5/2009 | -180.56 | -0.11 | 660.44 | 02 | 04 | 2 | |
| | P | 10/ 8/2009 | -177.85 | 2.71 | 663.15 | 01 | 04 | 2 | 04 |
| | P | 10/ 8/2009 | -178.33 | -0.48 | 662.67 | 02 | 04 | 2 | |
| | P | 10/13/2009 | -175.18 | 3.15 | 665.82 | 01 | 04 | 2 | |
| | P | 10/15/2009 | -175.01 | 0.17 | 665.99 | 01 | 04 | 2 | |
| | P | 10/17/2009 | -174.79 | 0.22 | 666.21 | 01 | 04 | 2 | |
| | P | 10/18/2009 | -177.51 | -2.72 | 663.49 | 01 | 04 | 2 | 04 |
| | P | 10/29/2009 | -170.2 | 7.31 | 670.8 | 01 | 04 | 2 | 04 |
| | P | 10/29/2009 | -167.4 | 2.8 | 673.6 | 02 | 04 | 2 | |
| | P | 11/ 2/2009 | -168.13 | -0.73 | 672.87 | 01 | 04 | 2 | |
| | P | 11/16/2009 | -170.93 | -2.8 | 670.07 | 01 | 04 | 2 | |
| | P | 11/18/2009 | -174.21 | -3.28 | 666.79 | 01 | 04 | 2 | 04 |
| | P | 2/ 9/2010 | -156.03 | 18.18 | 684.97 | 01 | 04 | 2 | |
| | P | 2/ 9/2010 | -156.17 | -0.14 | 684.83 | 02 | 04 | 2 | |
| | P | 4/15/2010 | -159.68 | -3.51 | 681.32 | 01 | 04 | 2 | |
| | P | 6/ 1/2010 | -155.82 | 3.86 | 685.18 | 01 | 04 | 2 | |
| | P | 9/14/2010 | -155.75 | 0.07 | 685.25 | 01 | 04 | 2 | |
| | P | 10/ 1/2010 | -156.1 | -0.35 | 684.9 | 01 | 04 | 2 | |
| | P | 11/29/2010 | -163.12 | -7.02 | 677.88 | 01 | 04 | 2 | |
| | P | 11/30/2010 | -163.17 | -0.05 | 677.83 | 01 | 04 | 2 | |
| | P | 1/ 6/2011 | -165.9 | -2.73 | 675.1 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-197.87* | | **Max** *-155.75* | **Avg** *-172.925* | | | | | | |
| ***6836133*** | *( Aquifer: 211NVTY* | | *Well Depth: 345 )* | | | | | | |
| | P | 10 / 8 / 2008 | -170.69 | | 670.31 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2008 | -169.18 | 1.51 | 671.82 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -170.13 | -0.95 | 670.87 | 01 | 04 | 2 | |
| | P | 12 / 19/ 2008 | -168.61 | 1.52 | 672.39 | 01 | 04 | 2 | |
| | P | 2 / 3 / 2009 | -170.54 | -1.93 | 670.46 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -174.17 | -3.63 | 666.83 | 01 | 04 | 2 | |
| | P | 4 / 8 / 2009 | -177.68 | -3.51 | 663.32 | 01 | 04 | 2 | |
| | P | 4 / 10/ 2009 | -179.13 | -1.45 | 661.87 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -197.44 | -18.3 | 643.56 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -184.28 | 13.16 | 656.72 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -197.59 | -13.3 | 643.41 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -197.84 | -0.25 | 643.16 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2009 | -184.83 | 13.01 | 656.17 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2009 | -186.94 | -2.11 | 654.06 | 01 | 04 | 2 | |
| | P | 10 / 4 / 2009 | -183.83 | 3.11 | 657.17 | 01 | 04 | 2 | |
| | P | 10 / 5 / 2009 | -180.44 | 3.39 | 660.56 | 01 | 04 | 2 | |
| | P | 10 / 7 / 2009 | -177.87 | 2.57 | 663.13 | 01 | 04 | 2 | |
| | P | 10 / 7 / 2009 | -179.21 | -1.34 | 661.79 | 02 | 04 | 2 | |
| | P | 10 / 13/ 2009 | -175.04 | 4.17 | 665.96 | 01 | 04 | 2 | |
| | P | 10 / 15/ 2009 | -175.02 | 0.02 | 665.98 | 01 | 04 | 2 | |
| | P | 10 / 16/ 2009 | -175.42 | -0.4 | 665.58 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2009 | -179.08 | -3.66 | 661.92 | 01 | 04 | 2 | |
| | P | 10 / 28/ 2009 | -170.03 | 9.05 | 670.97 | 01 | 04 | 2 | |
| | P | 10 / 28/ 2009 | -167.29 | 2.74 | 673.71 | 02 | 04 | 2 | |
| | P | 10 / 29/ 2009 | -167.29 | | 673.71 | 01 | 04 | 2 | |
| | P | 11 / 2 / 2009 | -167.96 | -0.67 | 673.04 | 01 | 04 | 2 | |
| | P | 11 / 9 / 2009 | -168.94 | -0.98 | 672.06 | 01 | 04 | 2 | |
| | P | 11 / 16/ 2009 | -170.81 | -1.87 | 670.19 | 01 | 04 | 2 | |
| | P | 11 / 18/ 2009 | -173.63 | -2.82 | 667.37 | 01 | 04 | 1 | |
| | P | 2 / 9 / 2010 | -155.85 | 17.78 | 685.15 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2010 | -159.42 | -3.57 | 681.58 | 01 | 04 | 2 | 03 |
| | P | 6 / 1 / 2010 | -155.46 | 3.96 | 685.54 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -155.56 | -0.1 | 685.44 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 1 / 2010 | -155.87 | -0.31 | 685.13 | 01 | 04 | 2 | |
| | P | 11 / 29/ 2010 | -162.97 | -7.1 | 678.03 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -165.97 | -3 | 675.03 | 01 | 04 | 2 | |

**Min** *-197.84* **Max** *-155.46* **Avg** *-173.667*

***6836134*** *( Aquifer: 211ASTN Well Depth: 418 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 8 / 2008 | -170.63 | | 670.37 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2008 | -168.82 | 1.81 | 672.18 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -169.87 | -1.05 | 671.13 | 01 | 04 | 2 | |
| | P | 12 / 19/ 2008 | -168.22 | 1.65 | 672.78 | 01 | 04 | 2 | |
| | P | 2 / 3 / 2009 | -170.17 | -1.95 | 670.83 | 01 | 04 | 2 | |
| | P | 2 / 4 / 2009 | -170.57 | -0.4 | 670.43 | 01 | 04 | 2 | |
| | P | 3 / 30/ 2009 | -173.77 | -3.2 | 667.23 | 01 | 04 | 2 | |
| | P | 4 / 9 / 2009 | -178 | -4.23 | 663 | 01 | 04 | 2 | |
| | P | 4 / 10/ 2009 | -178.74 | -0.74 | 662.26 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -186.89 | -8.15 | 654.11 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -184.16 | 2.73 | 656.84 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -197.19 | -13.0 | 643.81 | 01 | 04 | 2 | |
| | P | 9 / 2 / 2009 | -198.23 | -1.04 | 642.77 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2009 | -184.49 | 13.74 | 656.51 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2009 | -186.36 | -1.87 | 654.64 | 01 | 04 | 2 | |
| | P | 10 / 5 / 2009 | -179.36 | 7 | 661.64 | 01 | 04 | 2 | |
| | P | 10 / 5 / 2009 | -180.15 | -0.79 | 660.85 | 02 | 04 | 2 | |
| | P | 10 / 8 / 2009 | -177.94 | 2.21 | 663.06 | 01 | 04 | 2 | |
| | P | 10 / 8 / 2009 | -177.49 | 0.45 | 663.51 | 02 | 04 | 2 | |
| | P | 10 / 13/ 2009 | -174.64 | 2.85 | 666.36 | 01 | 04 | 2 | |
| | P | 10 / 15/ 2009 | -174.66 | -0.02 | 666.34 | 01 | 04 | 2 | |
| | P | 10 / 17/ 2009 | -174.99 | -0.33 | 666.01 | 01 | 04 | 2 | |
| | P | 10 / 18/ 2009 | -175.3 | -0.31 | 665.7 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2009 | -166.37 | 8.93 | 674.63 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2009 | -170.17 | -3.8 | 670.83 | 02 | 04 | 2 | |
| | P | 11 / 2 / 2009 | -167.57 | 2.6 | 673.43 | 01 | 04 | 2 | |
| | P | 11 / 9 / 2009 | -168.55 | -0.98 | 672.45 | 01 | 04 | 2 | |
| | P | 11 / 16/ 2009 | -170.47 | -1.92 | 670.53 | 01 | 04 | 2 | |
| | P | 11 / 18/ 2009 | -173.29 | -2.82 | 667.71 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -155.27 | 18.02 | 685.73 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 15/ 2010 | -159.61 | -4.34 | 681.39 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -155.13 | 4.48 | 685.87 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -155.16 | -0.03 | 685.84 | 01 | 04 | 2 | |
| | P | 10 / 1 / 2010 | -156.01 | -0.85 | 684.99 | 01 | 04 | 2 | |
| | P | 11 / 29/ 2010 | -162.49 | -6.48 | 678.51 | 01 | 04 | 2 | |
| | P | 11 / 30/ 2010 | -162.78 | -0.29 | 678.22 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -165.62 | -2.84 | 675.38 | 01 | 04 | 2 | |

**Min** *-198.23* **Max** *-155.13* **Avg** *-172.679*

***6836135*** *( Aquifer: 211NVTY Well Depth: 253 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 8 / 2008 | -145.15 | | 695.85 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2008 | -145.83 | -0.68 | 695.17 | 01 | 04 | 1 | |
| | P | 12 / 19/ 2008 | -147.95 | -2.12 | 693.05 | 01 | 04 | 2 | |
| | P | 2 / 3 / 2009 | -149.33 | -1.38 | 691.67 | 01 | 04 | 2 | |
| | P | 4 / 30/ 2009 | -149.83 | -0.5 | 691.17 | 01 | 04 | 2 | |
| | P | 5 / 12/ 2009 | -152.82 | -2.99 | 688.18 | 01 | 04 | 2 | |
| | P | 6 / 3 / 2009 | -152.97 | -0.15 | 688.03 | 01 | 04 | 2 | |
| | P | 7 / 10/ 2009 | -158.74 | -5.77 | 682.26 | 01 | 04 | 2 | |
| | P | 9 / 1 / 2009 | -161.07 | -2.33 | 679.93 | 01 | 04 | 2 | |
| | P | 9 / 13/ 2009 | -158.6 | 2.47 | 682.4 | 01 | 04 | 2 | |
| | P | 10 / 29/ 2009 | -136.66 | 21.94 | 704.34 | 01 | 04 | 2 | |
| | P | 2 / 9 / 2010 | -127.66 | 9 | 713.34 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2010 | -134.83 | -7.17 | 706.17 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -131.81 | 3.02 | 709.19 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -133.48 | -1.67 | 707.52 | 01 | 04 | 2 | |
| | P | 10 / 1 / 2010 | -134.15 | -0.67 | 706.85 | 01 | 04 | 2 | |
| | P | 1 / 6 / 2011 | -143.53 | -9.38 | 697.47 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2011 | -157.31 | -13.8 | 683.69 | 01 | 04 | 2 | |
| | P | 8 / 1 / 2011 | -158.76 | -1.45 | 682.24 | 01 | 04 | 2 | |

**Min** *-161.07* **Max** *-127.66* **Avg** *-146.341*

***6836136*** *( Aquifer: 211ASTN Well Depth: 186 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 26/ 2009 | -110.56 | | 708.44 | 01 | 07 | 7 | |
| | P | 8 / 24/ 2009 | -123.38 | -12.8 | 695.62 | 01 | 04 | 2 | |
| | P | 9 / 4 / 2009 | -123.82 | -0.44 | 695.18 | 01 | 04 | 2 | |
| | P | 11 / 19/ 2009 | -89.22 | 34.6 | 729.78 | 01 | 04 | 2 | |
| | P | 12 / 4 / 2009 | -86.07 | 3.15 | 732.93 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 22/ 2009 | -87.16 | -1.09 | 731.84 | 01 | 04 | 2 | |
| | P | 4 / 15/ 2010 | -73.16 | 14 | 745.84 | 01 | 04 | 2 | |
| | P | 6 / 1 / 2010 | -69.47 | 3.69 | 749.53 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2010 | -69.43 | 0.04 | 749.57 | 01 | 04 | 2 | |
| | P | 9 / 14/ 2010 | -75.25 | -5.82 | 743.75 | 01 | 04 | 2 | |
| | P | 9 / 28/ 2010 | -72.24 | 3.01 | 746.76 | 01 | 04 | 2 | |
| | P | 10 / 25/ 2010 | -79.48 | -7.24 | 739.52 | 01 | 04 | 2 | |
| | P | 10 / 26/ 2010 | -79.72 | -0.24 | 739.28 | 01 | 04 | 2 | |
| | P | 11 / 3 / 2010 | -81.32 | -1.6 | 737.68 | 01 | 04 | 2 | |
| | P | 1 / 26/ 2011 | -91.11 | -9.79 | 727.89 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -97.16 | -6.05 | 721.84 | 01 | 04 | 2 | |
| | P | 3 / 29/ 2011 | -99.54 | -2.38 | 719.46 | 01 | 04 | 2 | |
| | P | 6 / 16/ 2011 | -112.46 | -12.9 | 706.54 | 01 | 04 | 2 | |
| | P | 7 / 12/ 2011 | -114.21 | -1.75 | 704.79 | 01 | 04 | 2 | |
| | P | 8 / 1 / 2011 | -115.12 | -0.91 | 703.88 | 01 | 04 | 2 | |
| | P | 9 / 7 / 2011 | -119.47 | -4.35 | 699.53 | 01 | 04 | 2 | |

**Min** *-123.82* **Max** *-69.43* **Avg** *-93.7786*

***6836205*** *( Aquifer: 218EBFZA Well Depth: 956 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 3 / 1953 | -174 | | 633 | 01 | 12 | 7 | |

**Min** *-174* **Max** *-174* **Avg** *-174*

***6836206*** *( Aquifer: 218EBFZA Well Depth: 748 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 5 / 1951 | -93.4 | | 662.6 | 01 | 12 | 7 | |

**Min** *-93.4* **Max** *-93.4* **Avg** *-93.4*

***6836207*** *( Aquifer: 218EBFZA Well Depth: 1030 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 0 / 1951 | -108 | | 647 | 01 | 12 | 7 | |
| | P | 5 / 20/ 1953 | -111.5 | -3.5 | 643.5 | 01 | 12 | 7 | |

**Min** *-111.5* **Max** *-108* **Avg** *-109.75*

***6836208*** *( Aquifer: 218EBFZA Well Depth: 840 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 9 / 1953 | -63.2 | | 749.8 | 01 | 12 | 7 | |

**Min** *-63.2* **Max** *-63.2* **Avg** *-63.2*

***6836301*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 14/ 1950 | -98.6 | | 652.4 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 6 / 1954 | -107.79 | -9.19 | 643.21 | 01 | 12 | 7 | |
| Min -107.79 | | Max -98.6 | Avg -103.195 | | | | | | |
| **6836302** | ( Aquifer: 218EBFZA | | Well Depth: 744 ) | | | | | | |
| | P | 12 / 14/ 1946 | -61 | | 682 | 01 | 12 | 7 | |
| | P | 9 / 5 / 1957 | -107.6 | -46.6 | 635.4 | 01 | 12 | 7 | |
| Min -107.6 | | Max -61 | Avg -84.3 | | | | | | |
| **6836303** | ( Aquifer: 218EBFZA | | Well Depth: 540 ) | | | | | | |
| | P | 10 / 30/ 1934 | -41.63 | | 668.37 | 01 | 12 | 7 | |
| | P | 1 / 17/ 1951 | -53.41 | -11.8 | 656.59 | 01 | 12 | 7 | |
| | P | 12 / 9 / 1971 | -50.1 | 3.31 | 659.9 | 01 | 12 | 7 | |
| Min -53.41 | | Max -41.63 | Avg -48.38 | | | | | | |
| **6836304** | ( Aquifer: 218EBFZA | | Well Depth: 1094 ) | | | | | | |
| | P | 6 / 8 / 1953 | -138.2 | | 646.8 | 01 | 12 | 7 | |
| Min -138.2 | | Max -138.2 | Avg -138.2 | | | | | | |
| **6836305** | ( Aquifer: 218EBFZA | | Well Depth: 703 ) | | | | | | |
| | P | 5 / 28/ 1953 | -95.8 | | 651.2 | 01 | 12 | 7 | |
| Min -95.8 | | Max -95.8 | Avg -95.8 | | | | | | |
| **6836307** | ( Aquifer: 218EBFZA | | Well Depth: 772 ) | | | | | | |
| | P | 5 / 28/ 1953 | -80.7 | | 636.3 | 01 | 12 | 7 | |
| Min -80.7 | | Max -80.7 | Avg -80.7 | | | | | | |
| **6836401** | ( Aquifer: 218EDRDA | | Well Depth: 590 ) | | | | | | |
| | P | 9 / 0 / 1960 | -180 | | 594 | 01 | 12 | 7 | |
| Min -180 | | Max -180 | Avg -180 | | | | | | |
| **6836407** | ( Aquifer: 218EBFZA | | Well Depth: 620 ) | | | | | | |
| | P | 8 / 27/ 1970 | -67.55 | | 663.45 | 01 | 12 | 7 | |
| | P | 2 / 12/ 1975 | -28.21 | 39.34 | 702.79 | 01 | 12 | 7 | |
| | P | 2 / 13/ 1978 | -36.83 | -8.62 | 694.17 | 01 | 01 | 1 | |
| | N | 3 / 21/ 1979 | | | | 01 | 01 | | 63 |
| | N | 2 / 19/ 1981 | | | | 01 | 01 | | 63 |
| | P | 2 / 8 / 1982 | -42.75 | | 688.25 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 60 |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 60 |
| | N | 2 / 12/ 1985 | | | | 01 | 01 | | 60 |
| **Min** -67.55 | | **Max** -28.21 | **Avg** -43.835 | | | | | | |
| **6836410** | ( Aquifer: 218EBFZA | | Well Depth: 604 ) | | | | | | |
| | P | 3 / 3 / 1953 | -112.98 | | 651.02 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -128 | -15.0 | 636 | 01 | 12 | 7 | |
| | P | 1 / 4 / 1961 | -76.38 | 51.62 | 687.62 | 01 | 12 | 7 | |
| **Min** -128 | | **Max** -76.38 | **Avg** -105.787 | | | | | | |
| **6836411** | ( Aquifer: 218EDRDA | | Well Depth: 800 ) | | | | | | |
| | P | 9 / 1 / 1971 | -110 | | 655 | 01 | 12 | 7 | |
| **Min** -110 | | **Max** -110 | **Avg** -110 | | | | | | |
| **6836415** | ( Aquifer: 218EDRDA | | Well Depth: 1160 ) | | | | | | |
| | P | 0 / 0 / 1946 | -30 | | 672 | 01 | 12 | 7 | |
| **Min** -30 | | **Max** -30 | **Avg** -30 | | | | | | |
| **6836418** | ( Aquifer: 218EDRDA | | Well Depth: 850 ) | | | | | | |
| | P | 8 / 1 / 2002 | -142.13 | | 695.87 | 01 | 07 | 7 | |
| **Min** -142.13 | | **Max** -142.13 | **Avg** -142.13 | | | | | | |
| **6836504** | ( Aquifer: 218EBFZA | | Well Depth: 772 ) | | | | | | |
| | P | 7 / 31/ 1953 | -105.4 | | 660.6 | 01 | 12 | 7 | |
| **Min** -105.4 | | **Max** -105.4 | **Avg** -105.4 | | | | | | |
| **6836505** | ( Aquifer: 218EBFZA | | Well Depth: 850 ) | | | | | | |
| | P | 8 / 25/ 1933 | -40.57 | | 674.43 | 01 | 12 | 7 | |
| | P | 8 / 26/ 1936 | -30.81 | 9.76 | 684.19 | 01 | 12 | 7 | |
| **Min** -40.57 | | **Max** -30.81 | **Avg** -35.69 | | | | | | |
| **6836506** | ( Aquifer: 218EBFZA | | Well Depth: 1000 ) | | | | | | |
| | P | 8 / 25/ 1933 | -33.9 | | 676.1 | 01 | 12 | 7 | |
| | P | 3 / 9 / 1953 | -61.4 | -27.5 | 648.6 | 01 | 12 | 7 | |
| **Min** -61.4 | | **Max** -33.9 | **Avg** -47.65 | | | | | | |
| **6836507** | ( Aquifer: 218EBFZA | | Well Depth: 1380 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 30/ 1956 | -57.68 | | 624.32 | 01 | 12 | 7 | |
| | P | 10 / 1 / 1959 | -9.59 | 48.09 | 672.41 | 01 | 12 | 7 | |
| Min -57.68 | | Max -9.59 | Avg -33.635 | | | | | | |
| **6836508** | ( Aquifer: 218EBFZA | | Well Depth: 950 ) | | | | | | |
| | P | 11 / 28/ 1951 | -42 | | 645 | 01 | 12 | 7 | |
| | P | 6 / 10/ 1953 | -52.1 | -10.1 | 634.9 | 01 | 12 | 7 | |
| Min -52.1 | | Max -42 | Avg -47.05 | | | | | | |
| **6836509** | ( Aquifer: 218EBFZA | | Well Depth: 1080 ) | | | | | | |
| | P | 6 / 10/ 1953 | -78 | | 638 | 01 | 12 | 7 | |
| Min -78 | | Max -78 | Avg -78 | | | | | | |
| **6836511** | ( Aquifer: 218EBFZA | | Well Depth: 1051 ) | | | | | | |
| | P | 8 / 2 / 1948 | -45 | | 663 | 01 | 12 | 7 | |
| Min -45 | | Max -45 | Avg -45 | | | | | | |
| **6836602** | ( Aquifer: 218EBFZA | | Well Depth: 886 ) | | | | | | |
| | P | 8 / 30/ 1956 | -36.72 | | 615.28 | 01 | 12 | 7 | |
| | P | 1 / 3 / 1961 | -28.2 | 8.52 | 623.8 | 01 | 12 | 7 | |
| Min -36.72 | | Max -28.2 | Avg -32.46 | | | | | | |
| **6836603** | ( Aquifer: 218EBFZA | | Well Depth: 498 ) | | | | | | |
| | P | 7 / 21/ 1932 | -11.37 | | 651.63 | 01 | 12 | 7 | |
| | P | 1 / 4 / 1937 | -20.1 | -8.73 | 642.9 | 01 | 12 | 7 | |
| Min -20.1 | | Max -11.37 | Avg -15.735 | | | | | | |
| **6836604** | ( Aquifer: 218EBFZA | | Well Depth: ) | | | | | | |
| | P | 11 / 7 / 1952 | -34 | | 642 | 01 | 12 | 7 | |
| | P | 9 / 8 / 1958 | -18.51 | 15.49 | 657.49 | 01 | 12 | 7 | |
| Min -34 | | Max -18.51 | Avg -26.255 | | | | | | |
| **6836605** | ( Aquifer: 218EBFZA | | Well Depth: ) | | | | | | |
| | P | 8 / 14/ 1952 | -33.45 | | 634.55 | 01 | 12 | 7 | |
| | P | 11 / 4 / 1954 | -31.93 | 1.52 | 636.07 | 01 | 12 | 7 | |
| Min -33.45 | | Max -31.93 | Avg -32.69 | | | | | | |
| **6836606** | ( Aquifer: 218EBFZA | | Well Depth: 802 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 1 / 1933 | 1.35 | | 668.35 | 01 | 12 | 5 | |
| | P | 1 / 4 / 1937 | 10.5 | 9.15 | 677.5 | 01 | 12 | 5 | |
| Min 1.35 | | Max 10.5 | Avg 5.925 | | | | | | |
| **6836608** | ( Aquifer: 218EDRDA | Well Depth: 554 ) | | | | | | | |
| | P | 6 / 4 / 1953 | -45.6 | | 636.4 | 01 | 12 | 7 | |
| Min -45.6 | | Max -45.6 | Avg -45.6 | | | | | | |
| **6836611** | ( Aquifer: 218EDRDA | Well Depth: 890 ) | | | | | | | |
| | P | 3 / 16/ 1951 | -4.6 | | 645.4 | 01 | 12 | 7 | |
| Min -4.6 | | Max -4.6 | Avg -4.6 | | | | | | |
| **6836702** | ( Aquifer: 218EDRDA | Well Depth: 985 ) | | | | | | | |
| | P | 11 / 4 / 1958 | -44.49 | | 678.51 | 01 | 12 | 7 | |
| Min -44.49 | | Max -44.49 | Avg -44.49 | | | | | | |
| **6836706** | ( Aquifer: 218EBFZA | Well Depth: 888 ) | | | | | | | |
| | P | 9 / 20/ 1933 | -62.3 | | 681.7 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -105.73 | -43.4 | 638.27 | 01 | 12 | 7 | |
| Min -105.73 | | Max -62.3 | Avg -84.015 | | | | | | |
| **6836709** | ( Aquifer: 218EDRDA | Well Depth: 1609 ) | | | | | | | |
| | P | 4 / 13/ 1942 | -73 | | 675 | 01 | 12 | 7 | |
| Min -73 | | Max -73 | Avg -73 | | | | | | |
| **6836710** | ( Aquifer: 218EDRDA | Well Depth: 1587 ) | | | | | | | |
| | P | 9 / 15/ 1950 | -43.8 | | 656.2 | 01 | 12 | 7 | |
| Min -43.8 | | Max -43.8 | Avg -43.8 | | | | | | |
| **6836712** | ( Aquifer: 218EDRDA | Well Depth: 1619 ) | | | | | | | |
| | P | 7 / 0 / 1947 | -52 | | 661 | 1 | 12 | 7 | 27 |
| Min -52 | | Max -52 | Avg -52 | | | | | | |
| **6836713** | ( Aquifer: 218EBFZA | Well Depth: 1677 ) | | | | | | | |
| | P | 11 / 24/ 1933 | -4 | | 673 | 01 | 12 | 7 | |
| | P | 8 / 6 / 1934 | -4.6 | -0.6 | 672.4 | 01 | 12 | 7 | |
| Min -4.6 | | Max -4 | Avg -4.3 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6836714*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1520 )* | | | | | | |
| | **P** | **4 / 29/ 1952** | **-111.6** | | **646.4** | **01** | **12** | **7** | |
| **Min *-111.6*** | | **Max *-111.6*** | **Avg** | ***-111.6*** | | | | | |
| ***6836716*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1500 )* | | | | | | |
| | **P** | **3 / 12/ 1997** | **-63** | | **687** | **01** | **07** | **7** | |
| **Min *-63*** | | **Max *-63*** | **Avg** | ***-63*** | | | | | |
| ***6836717*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1545 )* | | | | | | |
| | **P** | **1 / 7 / 1996** | **-24** | | **611** | **01** | **07** | **7** | |
| **Min *-24*** | | **Max *-24*** | **Avg** | ***-24*** | | | | | |
| ***6836801*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1270 )* | | | | | | |
| | **P** | **9 / 0 / 1950** | **-47** | | **633** | **01** | **12** | **7** | |
| **Min *-47*** | | **Max *-47*** | **Avg** | ***-47*** | | | | | |
| ***6836802*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1479 )* | | | | | | |
| | **P** | **12 / 30/ 1953** | **-42** | | **639** | **01** | **12** | **7** | |
| **Min *-42*** | | **Max *-42*** | **Avg** | ***-42*** | | | | | |
| ***6836803*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1409 )* | | | | | | |
| | **P** | **3 / 0 / 1955** | **-42** | | **633** | **01** | **12** | **7** | |
| **Min *-42*** | | **Max *-42*** | **Avg** | ***-42*** | | | | | |
| ***6836805*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1632 )* | | | | | | |
| | **P** | **4 / 0 / 1941** | **-11** | | **671** | **01** | **12** | **7** | |
| **Min *-11*** | | **Max *-11*** | **Avg** | ***-11*** | | | | | |
| ***6836806*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1030 )* | | | | | | |
| | **P** | **8 / 0 / 1943** | **-8.05** | | **677.95** | **01** | **12** | **7** | |
| **Min *-8.05*** | | **Max *-8.05*** | **Avg** | ***-8.05*** | | | | | |
| ***6836807*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1120 )* | | | | | | |
| | **P** | **0 / 0 / 1919** | **8** | | **677** | **01** | **12** | **5** | |
| **Min *8*** | | **Max *8*** | **Avg** | ***8*** | | | | | |
| ***6836808*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1609 )* | | | | | | |
| | **P** | **0 / 0 / 1940** | **-9** | | **662** | **01** | **12** | **7** | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -9** | | **Max -9** | **Avg** | **-9** | | | | | |
| ***6836812*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1483 )* | | | | | | |
| | P | 11 / 22/ 1933 | -32.6 | | 673.4 | 01 | 12 | 7 | |
| | P | 8 / 6 / 1934 | -32.4 | 0.2 | 673.6 | 01 | 12 | 7 | |
| | P | 10 / 21/ 1934 | -36.7 | -4.3 | 669.3 | 01 | 12 | 7 | |
| **Min -36.7** | | **Max -32.4** | **Avg** | **-33.9** | | | | | |
| ***6836813*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1042 )* | | | | | | |
| | P | 6 / 5 / 1946 | -12.2 | | 674.8 | 01 | 12 | 7 | |
| **Min -12.2** | | **Max -12.2** | **Avg** | **-12.2** | | | | | |
| ***6836814*** | *( Aquifer: 218EDRDA* | | *Well Depth: 960 )* | | | | | | |
| | P | 9 / 9 / 1948 | -13.5 | | 656.5 | 01 | 12 | 7 | |
| **Min -13.5** | | **Max -13.5** | **Avg** | **-13.5** | | | | | |
| ***6836815*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1383 )* | | | | | | |
| | P | 10 / 15/ 1962 | -9 | | 656 | 01 | 07 | 7 | |
| **Min -9** | | **Max -9** | **Avg** | **-9** | | | | | |
| ***6836817*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1183 )* | | | | | | |
| | P | 3 / 20/ 1990 | -30 | | 649 | 01 | 07 | 7 | |
| **Min -30** | | **Max -30** | **Avg** | **-30** | | | | | |
| ***6836910*** | *( Aquifer: 218EBFZA* | | *Well Depth: 915 )* | | | | | | |
| | P | 9 / 15/ 1933 | 21.5 | | 673.5 | 01 | 12 | 5 | |
| | P | 12 / 30/ 1936 | 32 | 10.5 | 684 | 01 | 12 | 5 | |
| **Min 21.5** | | **Max 32** | **Avg** | **26.75** | | | | | |
| ***6836911*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1165 )* | | | | | | |
| | P | 12 / 11/ 1955 | -34.57 | | 630.43 | 01 | 12 | 7 | |
| | P | 11 / 6 / 1958 | -14.55 | 20.02 | 650.45 | 01 | 12 | 7 | |
| **Min -34.57** | | **Max -14.55** | **Avg** | **-24.56** | | | | | |
| ***6836912*** | *( Aquifer: 218EBFZA* | | *Well Depth: )* | | | | | | |
| | P | 8 / 15/ 1952 | -27.9 | | 632.1 | 01 | 12 | 7 | |
| | P | 11 / 4 / 1954 | -26.38 | 1.52 | 633.62 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-27.9* | | **Max** *-26.38* | **Avg** | *-27.14* | | | | | |
| ***6836913*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1364 )* | | | | | | |
| | P | 8 / 24/ 1952 | -12 | | 631 | 01 | 12 | 7 | |
| | P | 11 / 4 / 1954 | -10.4 | 1.6 | 632.6 | 01 | 12 | 7 | |
| **Min** *-12* | | **Max** *-10.4* | **Avg** | *-11.2* | | | | | |
| ***6836914*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1214 )* | | | | | | |
| | P | 5 / 1 / 1973 | 55.44 | | 692.44 | 01 | 12 | 5 | |
| **Min** *55.44* | | **Max** *55.44* | **Avg** | *55.44* | | | | | |
| ***6836926*** | *( Aquifer: 218EDRDA* | | *Well Depth: 915 )* | | | | | | |
| | P | 2 / 0 / 1951 | -20 | | 629 | 01 | 12 | 7 | |
| **Min** *-20* | | **Max** *-20* | **Avg** | *-20* | | | | | |
| ***6836930*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1417 )* | | | | | | |
| | P | 8 / 16/ 1933 | 30 | | 675 | 01 | 12 | 5 | |
| **Min** *30* | | **Max** *30* | **Avg** | *30* | | | | | |
| ***6837103*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1025 )* | | | | | | |
| | P | 1 / 5 / 1971 | -61.95 | | 660.05 | 01 | 04 | 1 | |
| | P | 2 / 4 / 1972 | -59.97 | 1.98 | 662.03 | 01 | 12 | 7 | |
| | P | 6 / 8 / 1972 | -59.05 | 0.92 | 662.95 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1974 | -40.26 | 18.79 | 681.74 | 01 | 04 | 1 | |
| | P | 7 / 18/ 1974 | -64.1 | -23.8 | 657.9 | 01 | 04 | 1 | |
| | P | 2 / 14/ 1978 | -47.42 | 16.68 | 674.58 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1981 | -59.35 | -11.9 | 662.65 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -54.91 | 4.44 | 667.09 | 01 | 01 | 1 | |
| | N | 2 / 9 / 1983 | | | | 01 | 01 | | 41 |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 41 |
| | P | 6 / 29/ 1984 | -106.25 | | 615.75 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1985 | -76.05 | 30.2 | 645.95 | 01 | 01 | 1 | 03 |
| | N | 2 / 11/ 1986 | | | | 01 | 01 | | 61 |
| | N | 12 / 8 / 1986 | | | | 01 | 01 | | 61 |
| | N | 3 / 17/ 1988 | | | | 01 | 01 | | 61 |
| | P | 1 / 24/ 1989 | -68.33 | | 653.67 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1990 | -83.8 | -15.5 | 638.2 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1991 | -74.7 | 9.1 | 647.3 | 01 | 01 | 1 | |
| | P | 2 / 5 / 1992 | -34.6 | 40.1 | 687.4 | 01 | 01 | 1 | |
| | N | 3 / 2 / 1993 | | | | 01 | 06 | | 41 |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 41 |
| | N | 4 / 14/ 1995 | | | | 01 | 06 | | 41 |
| | P | 3 / 22/ 1996 | -107.1 | | 614.9 | 01 | 06 | 1 | |

**Min** *-107.1* **Max** *-34.6* **Avg** *-66.5227*

***6837107*** *( Aquifer: 218EBFZA Well Depth: 816 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 1 / 1968 | -87 | | 673 | 01 | 12 | 7 | |

**Min** *-87* **Max** *-87* **Avg** *-87*

***6837108*** *( Aquifer: 218EDRDA Well Depth: 986 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 5 / 1965 | -69 | | 671 | 01 | 12 | 7 | |

**Min** *-69* **Max** *-69* **Avg** *-69*

***6837110*** *( Aquifer: 218EDRD Well Depth: 375 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 0 / 1960 | -138 | | 677 | 01 | 12 | 7 | |

**Min** *-138* **Max** *-138* **Avg** *-138*

***6837111*** *( Aquifer: 218EDRDA Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 0 / 1953 | -116 | | 634 | 01 | 12 | 7 | |

**Min** *-116* **Max** *-116* **Avg** *-116*

***6837112*** *( Aquifer: 218EBFZA Well Depth: 592 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 6 / 1971 | -164 | | 638 | 01 | 12 | 7 | |

**Min** *-164* **Max** *-164* **Avg** *-164*

***6837113*** *( Aquifer: 218EDRDA Well Depth: 805 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 0 / 1970 | -65 | | 675 | 01 | 12 | 7 | |

**Min** *-65* **Max** *-65* **Avg** *-65*

***6837114*** *( Aquifer: 218EBFZA Well Depth: )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 24/ 1933 | -101.5 | | 671.5 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -139.5 | -38 | 633.5 | 01 | 12 | 7 | |

**Min** *-139.5* **Max** *-101.5* **Avg** *-120.5*

***6837116*** *( Aquifer: 218EBFZA Well Depth: 700 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 22/ 1951 | -79.5 | | 648.5 | 01 | 12 | 7 | |
| Min -79.5 | | Max -79.5 | Avg -79.5 | | | | | | |
| **6837120** | ( Aquifer: 218EDRDA | | Well Depth: 550 ) | | | | | | |
| | P | 7 / 22/ 2005 | -108 | | 694 | 01 | 04 | 3 | |
| | P | 10 / 28/ 2005 | -108 | | 694 | 01 | 04 | 3 | |
| | P | 7 / 18/ 2006 | -156 | -48 | 646 | 01 | 04 | 3 | |
| Min -156 | | Max -108 | Avg -124 | | | | | | |
| **6837121** | ( Aquifer: 218EBFZA | | Well Depth: 603 ) | | | | | | |
| | P | 8 / 1 / 1939 | -142 | | 660 | 01 | 12 | 7 | |
| Min -142 | | Max -142 | Avg -142 | | | | | | |
| **6837126** | ( Aquifer: 218EDRDA | | Well Depth: 702 ) | | | | | | |
| | P | 11 / 10/ 1932 | -3.3 | | 674.7 | 01 | 12 | 7 | |
| | P | 6 / 22/ 1934 | -9.6 | -6.3 | 668.4 | 01 | 12 | 7 | |
| | P | 10 / 12/ 1934 | -11.7 | -2.1 | 666.3 | 01 | 12 | 7 | |
| | P | 8 / 18/ 1952 | -36.8 | -25.1 | 641.2 | 01 | 12 | 7 | |
| Min -36.8 | | Max -3.3 | Avg -15.35 | | | | | | |
| **6837128** | ( Aquifer: 218EDRDA | | Well Depth: 209 ) | | | | | | |
| | P | 0 / 0 / 1939 | -133 | | 617 | 01 | 12 | 7 | |
| Min -133 | | Max -133 | Avg -133 | | | | | | |
| **6837130** | ( Aquifer: 218EBFZA | | Well Depth: 800 ) | | | | | | |
| | P | 6 / 12/ 1953 | -41 | | 636 | 01 | 12 | 7 | |
| Min -41 | | Max -41 | Avg -41 | | | | | | |
| **6837131** | ( Aquifer: 218EDRDA | | Well Depth: 650 ) | | | | | | |
| | P | 0 / 0 / 1940 | -107 | | 648 | 01 | 12 | 7 | |
| Min -107 | | Max -107 | Avg -107 | | | | | | |
| **6837133** | ( Aquifer: 211ASTN | | Well Depth: 540 ) | | | | | | |
| | P | 12 / 21/ 2001 | -175 | | 537 | 01 | 07 | 7 | |
| Min -175 | | Max -175 | Avg -175 | | | | | | |
| **6837201** | ( Aquifer: 218EDRDA | | Well Depth: 855 ) | | | | | | |
| | P | 8 / 0 / 1964 | -170 | | 633 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| Min -170 | | Max -170 | Avg -170 | | | | | | |
| 6837203 | ( Aquifer: 218EBFZA | | Well Depth: 874 ) | | | | | | |
| | P | 11 / 15/ 1932 | -46.64 | | 684.36 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1932 | -46.64 | | 684.36 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1932 | -46.57 | 0.07 | 684.43 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1932 | -46.46 | 0.11 | 684.54 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1933 | -46.45 | 0.01 | 684.55 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1933 | -46.38 | 0.07 | 684.62 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1933 | -46.62 | -0.24 | 684.38 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1933 | -46.55 | 0.07 | 684.45 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1933 | -47.26 | -0.71 | 683.74 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1933 | -48.06 | -0.8 | 682.94 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1933 | -50.26 | -2.2 | 680.74 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1933 | -50.2 | 0.06 | 680.8 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1933 | -50.49 | -0.29 | 680.51 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1933 | -49.94 | 0.55 | 681.06 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1933 | -50.22 | -0.28 | 680.78 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1933 | -49.34 | 0.88 | 681.66 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1933 | -50.2 | -0.86 | 680.8 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1933 | -50.2 | | 680.8 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1933 | -50.33 | -0.13 | 680.67 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1933 | -50.47 | -0.14 | 680.53 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1933 | -50.23 | 0.24 | 680.77 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1933 | -50.04 | 0.19 | 680.96 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1934 | -50.34 | -0.3 | 680.66 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1934 | -49.32 | 1.02 | 681.68 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1934 | -49.4 | -0.08 | 681.6 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1934 | -49.94 | -0.54 | 681.06 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1934 | -48.56 | 1.38 | 682.44 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1934 | -49.38 | -0.82 | 681.62 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1934 | -48.1 | 1.28 | 682.9 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1934 | -48.71 | -0.61 | 682.29 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1934 | -49.98 | -1.27 | 681.02 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1934 | -51.28 | -1.3 | 679.72 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1934 | -52.89 | -1.61 | 678.11 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1934 | -53.92 | -1.03 | 677.08 | 01 | 04 | 4 | |
| | P | 7/15/1934 | -54.31 | -0.39 | 676.69 | 01 | 04 | 4 | |
| | P | 7/30/1934 | -51.69 | 2.62 | 679.31 | 01 | 04 | 4 | |
| | P | 8/15/1934 | -53.18 | -1.49 | 677.82 | 01 | 04 | 4 | |
| | P | 8/30/1934 | -55.03 | -1.85 | 675.97 | 01 | 04 | 4 | |
| | P | 9/15/1934 | -54.82 | 0.21 | 676.18 | 01 | 04 | 4 | |
| | P | 9/30/1934 | -54.97 | -0.15 | 676.03 | 01 | 04 | 4 | |
| | P | 10/15/1934 | -55.17 | -0.2 | 675.83 | 01 | 04 | 4 | |
| | P | 10/30/1934 | -55.61 | -0.44 | 675.39 | 01 | 04 | 4 | |
| | P | 11/15/1934 | -55.08 | 0.53 | 675.92 | 01 | 04 | 4 | |
| | P | 11/30/1934 | -54.42 | 0.66 | 676.58 | 01 | 04 | 4 | |
| | P | 12/15/1934 | -54.4 | 0.02 | 676.6 | 01 | 04 | 4 | |
| | P | 12/30/1934 | -53.42 | 0.98 | 677.58 | 01 | 04 | 4 | |
| | P | 1/15/1935 | -54.11 | -0.69 | 676.89 | 01 | 04 | 4 | |
| | P | 1/30/1935 | -53.97 | 0.14 | 677.03 | 01 | 04 | 4 | |
| | P | 2/15/1935 | -52.77 | 1.2 | 678.23 | 01 | 04 | 4 | |
| | P | 2/28/1935 | -53.8 | -1.03 | 677.2 | 01 | 04 | 4 | |
| | P | 3/15/1935 | -54.19 | -0.39 | 676.81 | 01 | 04 | 4 | |
| | P | 3/30/1935 | -55.49 | -1.3 | 675.51 | 01 | 04 | 4 | |
| | P | 4/15/1935 | -55.5 | -0.01 | 675.5 | 01 | 04 | 4 | |
| | P | 4/30/1935 | -55.05 | 0.45 | 675.95 | 01 | 04 | 4 | |
| | P | 5/15/1935 | -51.23 | 3.82 | 679.77 | 01 | 04 | 4 | |
| | P | 5/30/1935 | -45.31 | 5.92 | 685.69 | 01 | 04 | 4 | |
| | P | 8/15/1935 | -42.34 | 2.97 | 688.66 | 01 | 04 | 4 | |
| | P | 8/30/1935 | -44.2 | -1.86 | 686.8 | 01 | 04 | 4 | |
| | P | 9/30/1935 | -40.59 | 3.61 | 690.41 | 01 | 04 | 4 | |
| | P | 11/30/1935 | -42.46 | -1.87 | 688.54 | 01 | 04 | 4 | |
| | P | 12/15/1935 | -42.5 | -0.04 | 688.5 | 01 | 04 | 4 | |
| | P | 12/30/1935 | -42.58 | -0.08 | 688.42 | 01 | 04 | 4 | |
| | P | 1/15/1936 | -43.25 | -0.67 | 687.75 | 01 | 04 | 4 | |
| | P | 1/30/1936 | -43.68 | -0.43 | 687.32 | 01 | 04 | 4 | |
| | P | 2/15/1936 | -44.3 | -0.62 | 686.7 | 01 | 04 | 4 | |
| | P | 2/28/1936 | -44.57 | -0.27 | 686.43 | 01 | 04 | 4 | |
| | P | 3/15/1936 | -43.3 | 1.27 | 687.7 | 01 | 04 | 4 | |
| | P | 3/30/1936 | -44.12 | -0.82 | 686.88 | 01 | 04 | 4 | |
| | P | 4/15/1936 | -45.76 | -1.64 | 685.24 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/1936 | -45.05 | 0.71 | 685.95 | 01 | 04 | 4 | |
| | P | 5/15/1936 | -44.93 | 0.12 | 686.07 | 01 | 04 | 4 | |
| | P | 5/30/1936 | -39.9 | 5.03 | 691.1 | 01 | 04 | 4 | |
| | P | 6/15/1936 | -40.93 | -1.03 | 690.07 | 01 | 04 | 4 | |
| | P | 8/15/1936 | -41.06 | -0.13 | 689.94 | 01 | 04 | 4 | |
| | P | 8/30/1936 | -41.85 | -0.79 | 689.15 | 01 | 04 | 4 | |
| | P | 9/15/1936 | -42.1 | -0.25 | 688.9 | 01 | 04 | 4 | |
| | P | 9/30/1936 | -40.8 | 1.3 | 690.2 | 01 | 04 | 4 | |
| | P | 10/15/1936 | -40.39 | 0.41 | 690.61 | 01 | 04 | 4 | |
| | P | 10/30/1936 | -40.5 | -0.11 | 690.5 | 01 | 04 | 4 | |
| | P | 11/15/1936 | -40.5 | | 690.5 | 01 | 04 | 4 | |
| | P | 11/30/1936 | -40.55 | -0.05 | 690.45 | 01 | 04 | 4 | |
| | P | 12/15/1936 | -40.95 | -0.4 | 690.05 | 01 | 04 | 4 | |
| | P | 12/30/1936 | -40.84 | 0.11 | 690.16 | 01 | 04 | 4 | |
| | P | 1/15/1937 | -41.48 | -0.64 | 689.52 | 01 | 04 | 4 | |
| | P | 1/30/1937 | -41.89 | -0.41 | 689.11 | 01 | 04 | 4 | |
| | P | 2/15/1937 | -42.29 | -0.4 | 688.71 | 01 | 04 | 4 | |
| | P | 2/28/1937 | -42.54 | -0.25 | 688.46 | 01 | 04 | 4 | |
| | P | 3/15/1937 | -41.57 | 0.97 | 689.43 | 01 | 04 | 4 | |
| | P | 3/30/1937 | -41.37 | 0.2 | 689.63 | 01 | 04 | 4 | |
| | P | 4/15/1937 | -42.34 | -0.97 | 688.66 | 01 | 04 | 4 | |
| | P | 4/30/1937 | -43.78 | -1.44 | 687.22 | 01 | 04 | 4 | |
| | P | 5/15/1937 | -44.82 | -1.04 | 686.18 | 01 | 04 | 4 | |
| | P | 5/30/1937 | -44.93 | -0.11 | 686.07 | 01 | 04 | 4 | |
| | P | 6/15/1937 | -40.87 | 4.06 | 690.13 | 01 | 04 | 4 | |
| | P | 6/30/1937 | -42.82 | -1.95 | 688.18 | 01 | 04 | 4 | |
| | P | 7/15/1937 | -43.2 | -0.38 | 687.8 | 01 | 04 | 4 | |
| | P | 7/30/1937 | -44.95 | -1.75 | 686.05 | 01 | 04 | 4 | |
| | P | 8/15/1937 | -46.35 | -1.4 | 684.65 | 01 | 04 | 4 | |
| | P | 8/30/1937 | -46.58 | -0.23 | 684.42 | 01 | 04 | 4 | |
| | P | 9/15/1937 | -47.04 | -0.46 | 683.96 | 01 | 04 | 4 | |
| | P | 9/30/1937 | -47.25 | -0.21 | 683.75 | 01 | 04 | 4 | |
| | P | 10/15/1937 | -46.7 | 0.55 | 684.3 | 01 | 04 | 4 | |
| | P | 10/30/1937 | -46.7 | | 684.3 | 01 | 04 | 4 | |
| | P | 11/15/1937 | -46.62 | 0.08 | 684.38 | 01 | 04 | 4 | |
| | P | 11/30/1937 | -46.83 | -0.21 | 684.17 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1937 | -46.64 | 0.19 | 684.36 | 01 | 04 | 4 | |
| | P | 12/30/1937 | -45.4 | 1.24 | 685.6 | 01 | 04 | 4 | |
| | P | 1/15/1938 | -44.8 | 0.6 | 686.2 | 01 | 04 | 4 | |
| | P | 1/30/1938 | -41.63 | 3.17 | 689.37 | 01 | 04 | 4 | |
| | P | 2/15/1938 | -42.68 | -1.05 | 688.32 | 01 | 04 | 4 | |
| | P | 2/28/1938 | -43.16 | -0.48 | 687.84 | 01 | 04 | 4 | |
| | P | 3/15/1938 | -43.44 | -0.28 | 687.56 | 01 | 04 | 4 | |
| | P | 3/30/1938 | -43.85 | -0.41 | 687.15 | 01 | 04 | 4 | |
| | P | 4/15/1938 | -44.52 | -0.67 | 686.48 | 01 | 04 | 4 | |
| | P | 4/30/1938 | -41.68 | 2.84 | 689.32 | 01 | 04 | 4 | |
| | P | 5/15/1938 | -41.9 | -0.22 | 689.1 | 01 | 04 | 4 | |
| | P | 5/30/1938 | -42.12 | -0.22 | 688.88 | 01 | 04 | 4 | |
| | P | 6/15/1938 | -44.5 | -2.38 | 686.5 | 01 | 04 | 4 | |
| | P | 6/30/1938 | -45.8 | -1.3 | 685.2 | 01 | 04 | 4 | |
| | P | 7/15/1938 | -46.85 | -1.05 | 684.15 | 01 | 04 | 4 | |
| | P | 7/30/1938 | -46.96 | -0.11 | 684.04 | 01 | 04 | 4 | |
| | P | 8/15/1938 | -47.66 | -0.7 | 683.34 | 01 | 04 | 4 | |
| | P | 8/30/1938 | -48.06 | -0.4 | 682.94 | 01 | 04 | 4 | |
| | P | 9/15/1938 | -47.69 | 0.37 | 683.31 | 01 | 04 | 4 | |
| | P | 9/30/1938 | -48.45 | -0.76 | 682.55 | 01 | 04 | 4 | |
| | P | 10/30/1938 | -48.9 | -0.45 | 682.1 | 01 | 04 | 4 | |
| | P | 11/15/1938 | -48.45 | 0.45 | 682.55 | 01 | 04 | 4 | |
| | P | 11/30/1938 | -48.61 | -0.16 | 682.39 | 01 | 04 | 4 | |
| | P | 12/15/1938 | -48.94 | -0.33 | 682.06 | 01 | 04 | 4 | |
| | P | 12/30/1938 | -48.73 | 0.21 | 682.27 | 01 | 04 | 4 | |
| | P | 1/15/1939 | -48.58 | 0.15 | 682.42 | 01 | 04 | 4 | |
| | P | 1/30/1939 | -48.56 | 0.02 | 682.44 | 01 | 04 | 4 | |
| | P | 2/15/1939 | -49.45 | -0.89 | 681.55 | 01 | 04 | 4 | |
| | P | 2/28/1939 | -49.44 | 0.01 | 681.56 | 01 | 04 | 4 | |
| | P | 3/15/1939 | -50.02 | -0.58 | 680.98 | 01 | 04 | 4 | |
| | P | 3/30/1939 | -50.59 | -0.57 | 680.41 | 01 | 04 | 4 | |
| | P | 4/15/1939 | -52.07 | -1.48 | 678.93 | 01 | 04 | 4 | |
| | P | 4/30/1939 | -53.07 | -1 | 677.93 | 01 | 04 | 4 | |
| | P | 5/15/1939 | -53.79 | -0.72 | 677.21 | 01 | 04 | 4 | |
| | P | 5/30/1939 | -54.82 | -1.03 | 676.18 | 01 | 04 | 4 | |
| | P | 6/15/1939 | -54.65 | 0.17 | 676.35 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1939 | -56.46 | -1.81 | 674.54 | 01 | 04 | 4 | |
| | P | 7/15/1939 | -54.83 | 1.63 | 676.17 | 01 | 04 | 4 | |
| | P | 11/30/1939 | -54.79 | 0.04 | 676.21 | 01 | 04 | 4 | |
| | P | 12/15/1939 | -55.14 | -0.35 | 675.86 | 01 | 04 | 4 | |
| | P | 12/30/1939 | -54.49 | 0.65 | 676.51 | 01 | 04 | 4 | |
| | P | 1/15/1940 | -54.39 | 0.1 | 676.61 | 01 | 04 | 4 | |
| | P | 1/30/1940 | -54.98 | -0.59 | 676.02 | 01 | 04 | 4 | |
| | P | 2/15/1940 | -55.25 | -0.27 | 675.75 | 01 | 04 | 4 | |
| | P | 2/28/1940 | -55.54 | -0.29 | 675.46 | 01 | 04 | 4 | |
| | P | 3/15/1940 | -57.06 | -1.52 | 673.94 | 01 | 04 | 4 | |
| | P | 4/30/1940 | -57.56 | -0.5 | 673.44 | 01 | 04 | 4 | |
| | P | 5/15/1940 | -58.26 | -0.7 | 672.74 | 01 | 04 | 4 | |
| | P | 5/30/1940 | -56.6 | 1.66 | 674.4 | 01 | 04 | 4 | |
| | P | 6/15/1940 | -57.73 | -1.13 | 673.27 | 01 | 04 | 4 | |
| | P | 6/30/1940 | -54.92 | 2.81 | 676.08 | 01 | 04 | 4 | |
| | P | 7/15/1940 | -56.31 | -1.39 | 674.69 | 01 | 04 | 4 | |
| | P | 7/30/1940 | -58.25 | -1.94 | 672.75 | 01 | 04 | 4 | |
| | P | 8/15/1940 | -60.35 | -2.1 | 670.65 | 01 | 04 | 4 | |
| | P | 8/30/1940 | -60.78 | -0.43 | 670.22 | 01 | 04 | 4 | |
| | P | 9/15/1940 | -61.16 | -0.38 | 669.84 | 01 | 04 | 4 | |
| | P | 9/30/1940 | -60.17 | 0.99 | 670.83 | 01 | 04 | 4 | |
| | P | 10/15/1940 | -60 | 0.17 | 671 | 01 | 04 | 4 | |
| | P | 10/30/1940 | -59.42 | 0.58 | 671.58 | 01 | 04 | 4 | |
| | P | 11/15/1940 | -58.33 | 1.09 | 672.67 | 01 | 04 | 4 | |
| | P | 11/30/1940 | -56.18 | 2.15 | 674.82 | 01 | 04 | 4 | |
| | P | 12/15/1940 | -55.2 | 0.98 | 675.8 | 01 | 04 | 4 | |
| | P | 12/30/1940 | -51.77 | 3.43 | 679.23 | 01 | 04 | 4 | |
| | P | 1/15/1941 | -53.19 | -1.42 | 677.81 | 01 | 04 | 4 | |
| | P | 1/30/1941 | -54.17 | -0.98 | 676.83 | 01 | 04 | 4 | |
| | P | 2/15/1941 | -47.74 | 6.43 | 683.26 | 01 | 04 | 4 | |
| | P | 2/28/1941 | -48.12 | -0.38 | 682.88 | 01 | 04 | 4 | |
| | P | 3/15/1941 | -48.66 | -0.54 | 682.34 | 01 | 04 | 4 | |
| | P | 3/30/1941 | -45.79 | 2.87 | 685.21 | 01 | 04 | 4 | |
| | P | 4/15/1941 | -46.07 | -0.28 | 684.93 | 01 | 04 | 4 | |
| | P | 4/30/1941 | -42.81 | 3.26 | 688.19 | 01 | 04 | 4 | |
| | P | 5/15/1941 | -40.61 | 2.2 | 690.39 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/30/1941 | -41.51 | -0.9 | 689.49 | 01 | 04 | 4 | |
| | P | 6/15/1941 | -42.67 | -1.16 | 688.33 | 01 | 04 | 4 | |
| | P | 6/30/1941 | -43.09 | -0.42 | 687.91 | 01 | 04 | 4 | |
| | P | 7/15/1941 | -44.71 | -1.62 | 686.29 | 01 | 04 | 4 | |
| | P | 7/30/1941 | -46.87 | -2.16 | 684.13 | 01 | 04 | 4 | |
| | P | 8/15/1941 | -47.27 | -0.4 | 683.73 | 01 | 04 | 4 | |
| | P | 8/30/1941 | -49.09 | -1.82 | 681.91 | 01 | 04 | 4 | |
| | P | 9/15/1941 | -48.04 | 1.05 | 682.96 | 01 | 04 | 4 | |
| | P | 9/30/1941 | -46.55 | 1.49 | 684.45 | 01 | 04 | 4 | |
| | P | 10/15/1941 | -44.25 | 2.3 | 686.75 | 01 | 04 | 4 | |
| | P | 10/30/1941 | -44.9 | -0.65 | 686.1 | 01 | 04 | 4 | |
| | P | 11/15/1941 | -45.35 | -0.45 | 685.65 | 01 | 04 | 4 | |
| | P | 11/30/1941 | -44.94 | 0.41 | 686.06 | 01 | 04 | 4 | |
| | P | 12/15/1941 | -44.99 | -0.05 | 686.01 | 01 | 04 | 4 | |
| | P | 12/30/1941 | -45.33 | -0.34 | 685.67 | 01 | 04 | 4 | |
| | P | 1/15/1942 | -46.22 | -0.89 | 684.78 | 01 | 04 | 4 | |
| | P | 1/30/1942 | -46.45 | -0.23 | 684.55 | 01 | 04 | 4 | |
| | P | 2/15/1942 | -46.55 | -0.1 | 684.45 | 01 | 04 | 4 | |
| | P | 2/28/1942 | -46.53 | 0.02 | 684.47 | 01 | 04 | 4 | |
| | P | 3/15/1942 | -47.21 | -0.68 | 683.79 | 01 | 04 | 4 | |
| | P | 3/30/1942 | -47.7 | -0.49 | 683.3 | 01 | 04 | 4 | |
| | P | 4/15/1942 | -46.76 | 0.94 | 684.24 | 01 | 04 | 4 | |
| | P | 4/30/1942 | -46.7 | 0.06 | 684.3 | 01 | 04 | 4 | |
| | P | 5/15/1942 | -47.38 | -0.68 | 683.62 | 01 | 04 | 4 | |
| | P | 5/30/1942 | -47.99 | -0.61 | 683.01 | 01 | 04 | 4 | |
| | P | 6/15/1942 | -48.58 | -0.59 | 682.42 | 01 | 04 | 4 | |
| | P | 6/30/1942 | -50.15 | -1.57 | 680.85 | 01 | 04 | 4 | |
| | P | 7/15/1942 | -48.84 | 1.31 | 682.16 | 01 | 04 | 4 | |
| | P | 7/30/1942 | -50.65 | -1.81 | 680.35 | 01 | 04 | 4 | |
| | P | 8/15/1942 | -52.31 | -1.66 | 678.69 | 01 | 04 | 4 | |
| | P | 8/30/1942 | -52.82 | -0.51 | 678.18 | 01 | 04 | 4 | |
| | P | 9/15/1942 | -44.51 | 8.31 | 686.49 | 01 | 04 | 4 | |
| | P | 9/30/1942 | -46.49 | -1.98 | 684.51 | 01 | 04 | 4 | |
| | P | 10/15/1942 | -41.67 | 4.82 | 689.33 | 01 | 04 | 4 | |
| | P | 10/30/1942 | -37.74 | 3.93 | 693.26 | 01 | 04 | 4 | |
| | P | 11/15/1942 | -39.82 | -2.08 | 691.18 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/1942 | -40.84 | -1.02 | 690.16 | 01 | 04 | 4 | |
| | P | 12/15/1942 | -42.01 | -1.17 | 688.99 | 01 | 04 | 4 | |
| | P | 12/30/1942 | -42.7 | -0.69 | 688.3 | 01 | 04 | 4 | |
| | P | 1/15/1943 | -43.23 | -0.53 | 687.77 | 01 | 04 | 4 | |
| | P | 1/30/1943 | -44.24 | -1.01 | 686.76 | 01 | 04 | 4 | |
| | P | 2/15/1943 | -45.19 | -0.95 | 685.81 | 01 | 04 | 4 | |
| | P | 2/28/1943 | -45.69 | -0.5 | 685.31 | 01 | 04 | 4 | |
| | P | 3/15/1943 | -46.09 | -0.4 | 684.91 | 01 | 04 | 4 | |
| | P | 3/30/1943 | -46.25 | -0.16 | 684.75 | 01 | 04 | 4 | |
| | P | 4/15/1943 | -47.22 | -0.97 | 683.78 | 01 | 04 | 4 | |
| | P | 4/30/1943 | -49.99 | -2.77 | 681.01 | 01 | 04 | 4 | |
| | P | 5/15/1943 | -50.91 | -0.92 | 680.09 | 01 | 04 | 4 | |
| | P | 5/30/1943 | -50.2 | 0.71 | 680.8 | 01 | 04 | 4 | |
| | P | 6/15/1943 | -48.74 | 1.46 | 682.26 | 01 | 04 | 4 | |
| | P | 6/30/1943 | -50.94 | -2.2 | 680.06 | 01 | 04 | 4 | |
| | P | 7/15/1943 | -48.62 | 2.32 | 682.38 | 01 | 04 | 4 | |
| | P | 7/30/1943 | -50.08 | -1.46 | 680.92 | 01 | 04 | 4 | |
| | P | 8/15/1943 | -52.43 | -2.35 | 678.57 | 01 | 04 | 4 | |
| | P | 8/30/1943 | -53.64 | -1.21 | 677.36 | 01 | 04 | 4 | |
| | P | 9/15/1943 | -52 | 1.64 | 679 | 01 | 04 | 4 | |
| | P | 9/30/1943 | -51.59 | 0.41 | 679.41 | 01 | 04 | 4 | |
| | P | 10/15/1943 | -51.88 | -0.29 | 679.12 | 01 | 04 | 4 | |
| | P | 10/30/1943 | -52.95 | -1.07 | 678.05 | 01 | 04 | 4 | |
| | P | 11/15/1943 | -52.45 | 0.5 | 678.55 | 01 | 04 | 4 | |
| | P | 11/30/1943 | -52.46 | -0.01 | 678.54 | 01 | 04 | 4 | |
| | P | 12/30/1943 | -53.46 | -1 | 677.54 | 01 | 04 | 4 | |
| | P | 1/15/1944 | -53.24 | 0.22 | 677.76 | 01 | 04 | 4 | |
| | P | 1/30/1944 | -52.85 | 0.39 | 678.15 | 01 | 04 | 4 | |
| | P | 2/15/1944 | -52.85 | | 678.15 | 01 | 04 | 4 | |
| | P | 2/28/1944 | -51.21 | 1.64 | 679.79 | 01 | 04 | 4 | |
| | P | 3/15/1944 | -50.18 | 1.03 | 680.82 | 01 | 04 | 4 | |
| | P | 3/30/1944 | -46.54 | 3.64 | 684.46 | 01 | 04 | 4 | |
| | P | 4/15/1944 | -47.34 | -0.8 | 683.66 | 01 | 04 | 4 | |
| | P | 4/30/1944 | -48.7 | -1.36 | 682.3 | 01 | 04 | 4 | |
| | P | 5/15/1944 | -48.44 | 0.26 | 682.56 | 01 | 04 | 4 | |
| | P | 5/30/1944 | -45.2 | 3.24 | 685.8 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 1944 | -45.6 | -0.4 | 685.4 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1944 | -49.13 | -3.53 | 681.87 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1944 | -50.99 | -1.86 | 680.01 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1944 | -53.42 | -2.43 | 677.58 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1944 | -54.94 | -1.52 | 676.06 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1944 | -51.86 | 3.08 | 679.14 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1944 | -50.8 | 1.06 | 680.2 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1944 | -51.57 | -0.77 | 679.43 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1944 | -51.57 | | 679.43 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1945 | -47.03 | 4.54 | 683.97 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1945 | -43.55 | 3.48 | 687.45 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1945 | -41.17 | 2.38 | 689.83 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1945 | -41.65 | -0.48 | 689.35 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1945 | -42.94 | -1.29 | 688.06 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1945 | -43.32 | -0.38 | 687.68 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1945 | -41.26 | 2.06 | 689.74 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1945 | -42.37 | -1.11 | 688.63 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1945 | -43.27 | -0.9 | 687.73 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1945 | -46.32 | -3.05 | 684.68 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1945 | -47.66 | -1.34 | 683.34 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1945 | -48.3 | -0.64 | 682.7 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1945 | -49.91 | -1.61 | 681.09 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1945 | -50.85 | -0.94 | 680.15 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1945 | -52.1 | -1.25 | 678.9 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1945 | -51.81 | 0.29 | 679.19 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1945 | -53.22 | -1.41 | 677.78 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1945 | -49.16 | 4.06 | 681.84 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1945 | -50.39 | -1.23 | 680.61 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1945 | -50.59 | -0.2 | 680.41 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1945 | -50.92 | -0.33 | 680.08 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1945 | -49.82 | 1.1 | 681.18 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1946 | -49.7 | 0.12 | 681.3 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1946 | -50.97 | -1.27 | 680.03 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1946 | -51.85 | -0.88 | 679.15 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1946 | -49.33 | 2.52 | 681.67 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1946 | -52.44 | -3.11 | 678.56 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/1946 | -51.41 | 1.03 | 679.59 | 01 | 04 | 4 | |
| | P | 5/15/1946 | -50.45 | 0.96 | 680.55 | 01 | 04 | 4 | |
| | P | 5/30/1946 | -50.68 | -0.23 | 680.32 | 01 | 04 | 4 | |
| | P | 6/15/1946 | -50.51 | 0.17 | 680.49 | 01 | 04 | 4 | |
| | P | 6/30/1946 | -50.25 | 0.26 | 680.75 | 01 | 04 | 4 | |
| | P | 7/15/1946 | -53.2 | -2.95 | 677.8 | 01 | 04 | 4 | |
| | P | 7/30/1946 | -55.52 | -2.32 | 675.48 | 01 | 04 | 4 | |
| | P | 8/15/1946 | -58.08 | -2.56 | 672.92 | 01 | 04 | 4 | |
| | P | 8/30/1946 | -54.82 | 3.26 | 676.18 | 01 | 04 | 4 | |
| | P | 9/15/1946 | -50.55 | 4.27 | 680.45 | 01 | 04 | 4 | |
| | P | 9/30/1946 | -41.58 | 8.97 | 689.42 | 01 | 04 | 4 | |
| | P | 10/15/1946 | -42.25 | -0.67 | 688.75 | 01 | 04 | 4 | |
| | P | 10/30/1946 | -43.86 | -1.61 | 687.14 | 01 | 04 | 4 | |
| | P | 11/15/1946 | -42.25 | 1.61 | 688.75 | 01 | 04 | 4 | |
| | P | 11/30/1946 | -43.82 | -1.57 | 687.18 | 01 | 04 | 4 | |
| | P | 12/15/1946 | -42.97 | 0.85 | 688.03 | 01 | 04 | 4 | |
| | P | 12/30/1946 | -43.2 | -0.23 | 687.8 | 01 | 04 | 4 | |
| | P | 1/15/1947 | -42.94 | 0.26 | 688.06 | 01 | 04 | 4 | |
| | P | 1/30/1947 | -42.05 | 0.89 | 688.95 | 01 | 04 | 4 | |
| | P | 2/15/1947 | -43.18 | -1.13 | 687.82 | 01 | 04 | 4 | |
| | P | 2/28/1947 | -43.39 | -0.21 | 687.61 | 01 | 04 | 4 | |
| | P | 3/30/1947 | -44.8 | -1.41 | 686.2 | 01 | 04 | 4 | |
| | P | 4/15/1947 | -46.84 | -2.04 | 684.16 | 01 | 04 | 4 | |
| | P | 4/30/1947 | -46.79 | 0.05 | 684.21 | 01 | 04 | 4 | |
| | P | 6/30/1947 | -52.63 | -5.84 | 678.37 | 01 | 04 | 4 | |
| | P | 7/15/1947 | -53.56 | -0.93 | 677.44 | 01 | 04 | 4 | |
| | P | 7/30/1947 | -55.1 | -1.54 | 675.9 | 01 | 04 | 4 | |
| | P | 8/15/1947 | -53.44 | 1.66 | 677.56 | 01 | 04 | 4 | |
| | P | 8/30/1947 | -52.28 | 1.16 | 678.72 | 01 | 04 | 4 | |
| | P | 10/15/1947 | -55.55 | -3.27 | 675.45 | 01 | 04 | 4 | |
| | P | 10/30/1947 | -56.08 | -0.53 | 674.92 | 01 | 04 | 4 | |
| | P | 11/15/1947 | -55.9 | 0.18 | 675.1 | 01 | 04 | 4 | |
| | P | 11/30/1947 | -55.25 | 0.65 | 675.75 | 01 | 04 | 4 | |
| | P | 12/15/1947 | -54.67 | 0.58 | 676.33 | 01 | 04 | 4 | |
| | P | 12/30/1947 | -54.82 | -0.15 | 676.18 | 01 | 04 | 4 | |
| | P | 1/15/1948 | -56.27 | -1.45 | 674.73 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1948 | -54.85 | 1.42 | 676.15 | 01 | 04 | 4 | |
| | P | 3/15/1948 | -56.2 | -1.35 | 674.8 | 01 | 04 | 4 | |
| | P | 3/30/1948 | -58.04 | -1.84 | 672.96 | 01 | 04 | 4 | |
| | P | 4/15/1948 | -61.79 | -3.75 | 669.21 | 01 | 04 | 4 | |
| | P | 5/15/1948 | -62 | -0.21 | 669 | 01 | 04 | 4 | |
| | P | 5/30/1948 | -63.23 | -1.23 | 667.77 | 01 | 04 | 4 | |
| | P | 6/15/1948 | -66.45 | -3.22 | 664.55 | 01 | 04 | 4 | |
| | P | 7/15/1948 | -63.18 | 3.27 | 667.82 | 01 | 04 | 4 | |
| | P | 7/30/1948 | -67.67 | -4.49 | 663.33 | 01 | 04 | 4 | |
| | P | 8/15/1948 | -68.66 | -0.99 | 662.34 | 01 | 04 | 4 | |
| | P | 9/15/1948 | -65.87 | 2.79 | 665.13 | 01 | 04 | 4 | |
| | P | 9/30/1948 | -67.12 | -1.25 | 663.88 | 01 | 04 | 4 | |
| | P | 10/15/1948 | -68.27 | -1.15 | 662.73 | 01 | 04 | 4 | |
| | P | 10/30/1948 | -65.17 | 3.1 | 665.83 | 01 | 04 | 4 | |
| | P | 11/15/1948 | -65.48 | -0.31 | 665.52 | 01 | 04 | 4 | |
| | P | 11/30/1948 | -65.17 | 0.31 | 665.83 | 01 | 04 | 4 | |
| | P | 12/15/1948 | -65.75 | -0.58 | 665.25 | 01 | 04 | 4 | |
| | P | 12/30/1948 | -66 | -0.25 | 665 | 01 | 04 | 4 | |
| | P | 1/15/1949 | -66.11 | -0.11 | 664.89 | 01 | 04 | 4 | |
| | P | 1/30/1949 | -66.21 | -0.1 | 664.79 | 01 | 04 | 4 | |
| | P | 2/15/1949 | -66.55 | -0.34 | 664.45 | 01 | 04 | 4 | |
| | P | 2/28/1949 | -63.02 | 3.53 | 667.98 | 01 | 04 | 4 | |
| | P | 3/15/1949 | -63.29 | -0.27 | 667.71 | 01 | 04 | 4 | |
| | P | 3/30/1949 | -63.13 | 0.16 | 667.87 | 01 | 04 | 4 | |
| | P | 4/15/1949 | -63.82 | -0.69 | 667.18 | 01 | 04 | 4 | |
| | P | 4/30/1949 | -51.45 | 12.37 | 679.55 | 01 | 04 | 4 | |
| | P | 5/15/1949 | -51.58 | -0.13 | 679.42 | 01 | 04 | 4 | |
| | P | 5/30/1949 | -53.95 | -2.37 | 677.05 | 01 | 04 | 4 | |
| | P | 6/15/1949 | -54.85 | -0.9 | 676.15 | 01 | 04 | 4 | |
| | P | 6/30/1949 | -55.59 | -0.74 | 675.41 | 01 | 04 | 4 | |
| | P | 7/15/1949 | -58.02 | -2.43 | 672.98 | 01 | 04 | 4 | |
| | P | 7/30/1949 | -59.22 | -1.2 | 671.78 | 01 | 04 | 4 | |
| | P | 8/15/1949 | -59.67 | -0.45 | 671.33 | 01 | 04 | 4 | |
| | P | 8/30/1949 | -62.18 | -2.51 | 668.82 | 01 | 04 | 4 | |
| | P | 9/15/1949 | -63.34 | -1.16 | 667.66 | 01 | 04 | 4 | |
| | P | 9/30/1949 | -64.03 | -0.69 | 666.97 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1949 | -64.03 | | 666.97 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1949 | -55.56 | 8.47 | 675.44 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1949 | -57.78 | -2.22 | 673.22 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1949 | -59.24 | -1.46 | 671.76 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1949 | -58.73 | 0.51 | 672.27 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1949 | -58.75 | -0.02 | 672.25 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1950 | -59.02 | -0.27 | 671.98 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1950 | -59 | 0.02 | 672 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1950 | -57.53 | 1.47 | 673.47 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1950 | -57.86 | -0.33 | 673.14 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1950 | -58.16 | -0.3 | 672.84 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1950 | -61.5 | -3.34 | 669.5 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1950 | -60.98 | 0.52 | 670.02 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1950 | -59.66 | 1.32 | 671.34 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1950 | -59.38 | 0.28 | 671.62 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1950 | -60.1 | -0.72 | 670.9 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1950 | -61.16 | -1.06 | 669.84 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1950 | -64.74 | -3.58 | 666.26 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1950 | -64.04 | 0.7 | 666.96 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1950 | -66.51 | -2.47 | 664.49 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1950 | -64.76 | 1.75 | 666.24 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1950 | -65.69 | -0.93 | 665.31 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1950 | -67.36 | -1.67 | 663.64 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1950 | -65.11 | 2.25 | 665.89 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1950 | -66.95 | -1.84 | 664.05 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1950 | -67.24 | -0.29 | 663.76 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1950 | -66.64 | 0.6 | 664.36 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1950 | -67.35 | -0.71 | 663.65 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1950 | -67.55 | -0.2 | 663.45 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1950 | -67.33 | 0.22 | 663.67 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1951 | -67.4 | -0.07 | 663.6 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1951 | -69.21 | -1.81 | 661.79 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1951 | -70.69 | -1.48 | 660.31 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1951 | -68.28 | 2.41 | 662.72 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1951 | -70.08 | -1.8 | 660.92 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1951 | -69.45 | 0.63 | 661.55 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/1951 | -71.36 | -1.91 | 659.64 | 01 | 04 | 4 | |
| | P | 4/30/1951 | -72.31 | -0.95 | 658.69 | 01 | 04 | 4 | |
| | P | 5/15/1951 | -70.91 | 1.4 | 660.09 | 01 | 04 | 4 | |
| | P | 5/30/1951 | -71.38 | -0.47 | 659.62 | 01 | 04 | 4 | |
| | P | 6/15/1951 | -70.67 | 0.71 | 660.33 | 01 | 04 | 4 | |
| | P | 6/30/1951 | -74.58 | -3.91 | 656.42 | 01 | 04 | 4 | |
| | P | 7/15/1951 | -75.95 | -1.37 | 655.05 | 01 | 04 | 4 | |
| | P | 7/30/1951 | -78.52 | -2.57 | 652.48 | 01 | 04 | 4 | |
| | P | 8/15/1951 | -81.4 | -2.88 | 649.6 | 01 | 04 | 4 | |
| | P | 8/30/1951 | -81.91 | -0.51 | 649.09 | 01 | 04 | 4 | |
| | P | 9/15/1951 | -78.6 | 3.31 | 652.4 | 01 | 04 | 4 | |
| | P | 9/30/1951 | -77.14 | 1.46 | 653.86 | 01 | 04 | 4 | |
| | P | 10/15/1951 | -78.37 | -1.23 | 652.63 | 01 | 04 | 4 | |
| | P | 10/30/1951 | -76.76 | 1.61 | 654.24 | 01 | 04 | 4 | |
| | P | 11/15/1951 | -77.31 | -0.55 | 653.69 | 01 | 04 | 4 | |
| | P | 11/30/1951 | -76.21 | 1.1 | 654.79 | 01 | 04 | 4 | |
| | P | 12/15/1951 | -76.8 | -0.59 | 654.2 | 01 | 04 | 4 | |
| | P | 12/30/1951 | -76.38 | 0.42 | 654.62 | 01 | 04 | 4 | |
| | P | 1/15/1952 | -77.05 | -0.67 | 653.95 | 01 | 04 | 4 | |
| | P | 1/30/1952 | -77.36 | -0.31 | 653.64 | 01 | 04 | 4 | |
| | P | 2/15/1952 | -79.01 | -1.65 | 651.99 | 01 | 04 | 4 | |
| | P | 2/28/1952 | -76.93 | 2.08 | 654.07 | 01 | 04 | 4 | |
| | P | 3/15/1952 | -78.03 | -1.1 | 652.97 | 01 | 04 | 4 | |
| | P | 3/30/1952 | -77.34 | 0.69 | 653.66 | 01 | 04 | 4 | |
| | P | 4/15/1952 | -77.19 | 0.15 | 653.81 | 01 | 04 | 4 | |
| | P | 4/30/1952 | -77.14 | 0.05 | 653.86 | 01 | 04 | 4 | |
| | P | 5/15/1952 | -81.1 | -3.96 | 649.9 | 01 | 04 | 4 | |
| | P | 5/30/1952 | -78.61 | 2.49 | 652.39 | 01 | 04 | 4 | |
| | P | 6/15/1952 | -80.09 | -1.48 | 650.91 | 01 | 04 | 4 | |
| | P | 6/30/1952 | -81.71 | -1.62 | 649.29 | 01 | 04 | 4 | |
| | P | 7/15/1952 | -84.83 | -3.12 | 646.17 | 01 | 04 | 4 | |
| | P | 7/30/1952 | -84.65 | 0.18 | 646.35 | 01 | 04 | 4 | |
| | P | 8/15/1952 | -88.14 | -3.49 | 642.86 | 01 | 04 | 4 | |
| | P | 8/30/1952 | -88.61 | -0.47 | 642.39 | 01 | 04 | 4 | |
| | P | 9/15/1952 | -80.1 | 8.51 | 650.9 | 01 | 04 | 4 | |
| | P | 9/30/1952 | -79.85 | 0.25 | 651.15 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/15/1952 | -80.79 | -0.94 | 650.21 | 01 | 04 | 4 | |
| | P | 10/30/1952 | -81.1 | -0.31 | 649.9 | 01 | 04 | 4 | |
| | P | 11/15/1952 | -79.86 | 1.24 | 651.14 | 01 | 04 | 4 | |
| | P | 11/30/1952 | -75.67 | 4.19 | 655.33 | 01 | 04 | 4 | |
| | P | 12/15/1952 | -75.29 | 0.38 | 655.71 | 01 | 04 | 4 | |
| | P | 12/30/1952 | -72.88 | 2.41 | 658.12 | 01 | 04 | 4 | |
| | P | 1/15/1953 | -72.23 | 0.65 | 658.77 | 01 | 04 | 4 | |
| | P | 1/30/1953 | -73.76 | -1.53 | 657.24 | 01 | 04 | 4 | |
| | P | 2/15/1953 | -74.48 | -0.72 | 656.52 | 01 | 04 | 4 | |
| | P | 2/28/1953 | -75.04 | -0.56 | 655.96 | 01 | 04 | 4 | |
| | P | 3/15/1953 | -75.65 | -0.61 | 655.35 | 01 | 04 | 4 | |
| | P | 3/30/1953 | -77.87 | -2.22 | 653.13 | 01 | 04 | 4 | |
| | P | 4/15/1953 | -77.73 | 0.14 | 653.27 | 01 | 04 | 4 | |
| | P | 4/30/1953 | -78.46 | -0.73 | 652.54 | 01 | 04 | 4 | |
| | P | 5/15/1953 | -79.33 | -0.87 | 651.67 | 01 | 04 | 4 | |
| | P | 5/30/1953 | -83.63 | -4.3 | 647.37 | 01 | 04 | 4 | |
| | P | 6/15/1953 | -86.28 | -2.65 | 644.72 | 01 | 04 | 4 | |
| | P | 6/30/1953 | -86.43 | -0.15 | 644.57 | 01 | 04 | 4 | |
| | P | 7/15/1953 | -87.48 | -1.05 | 643.52 | 01 | 04 | 4 | |
| | P | 7/30/1953 | -89.6 | -2.12 | 641.4 | 01 | 04 | 4 | |
| | P | 8/15/1953 | -92.03 | -2.43 | 638.97 | 01 | 04 | 4 | |
| | P | 8/30/1953 | -84.25 | 7.78 | 646.75 | 01 | 04 | 4 | |
| | P | 9/15/1953 | -75.77 | 8.48 | 655.23 | 01 | 04 | 4 | |
| | P | 9/30/1953 | -79.86 | -4.09 | 651.14 | 01 | 04 | 4 | |
| | P | 10/15/1953 | -79.06 | 0.8 | 651.94 | 01 | 04 | 4 | |
| | P | 10/30/1953 | -77.54 | 1.52 | 653.46 | 01 | 04 | 4 | |
| | P | 11/15/1953 | -76.46 | 1.08 | 654.54 | 01 | 04 | 4 | |
| | P | 11/30/1953 | -76.72 | -0.26 | 654.28 | 01 | 04 | 4 | |
| | P | 12/15/1953 | -75.89 | 0.83 | 655.11 | 01 | 04 | 4 | |
| | P | 1/30/1954 | -77.36 | -1.47 | 653.64 | 01 | 04 | 4 | |
| | P | 2/15/1954 | -78.53 | -1.17 | 652.47 | 01 | 04 | 4 | |
| | P | 2/28/1954 | -81.13 | -2.6 | 649.87 | 01 | 04 | 4 | |
| | P | 3/15/1954 | -81.98 | -0.85 | 649.02 | 01 | 04 | 4 | |
| | P | 3/30/1954 | -84.57 | -2.59 | 646.43 | 01 | 04 | 4 | |
| | P | 4/15/1954 | -83.37 | 1.2 | 647.63 | 01 | 04 | 4 | |
| | P | 4/30/1954 | -84.22 | -0.85 | 646.78 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 1954 | -84.61 | -0.39 | 646.39 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1954 | -84.88 | -0.27 | 646.12 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1954 | -89.8 | -4.92 | 641.2 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1954 | -86.87 | 2.93 | 644.13 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1954 | -90.4 | -3.53 | 640.6 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1954 | -94.12 | -3.72 | 636.88 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1954 | -94.18 | -0.06 | 636.82 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1954 | -92.6 | 1.58 | 638.4 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1954 | -94.16 | -1.56 | 636.84 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1954 | -93.72 | 0.44 | 637.28 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1954 | -88.95 | 4.77 | 642.05 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1954 | -88.67 | 0.28 | 642.33 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1954 | -86.4 | 2.27 | 644.6 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1954 | -86.98 | -0.58 | 644.02 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1954 | -86.48 | 0.5 | 644.52 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1954 | -86.1 | 0.38 | 644.9 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1955 | -85.21 | 0.89 | 645.79 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1955 | -85.09 | 0.12 | 645.91 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1955 | -84.33 | 0.76 | 646.67 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1955 | -87.32 | -2.99 | 643.68 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1955 | -87.07 | 0.25 | 643.93 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1955 | -90.02 | -2.95 | 640.98 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1955 | -92.65 | -2.63 | 638.35 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1955 | -90.13 | 2.52 | 640.87 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1955 | -89.54 | 0.59 | 641.46 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1955 | -92.12 | -2.58 | 638.88 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1955 | -95.83 | -3.71 | 635.17 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1955 | -95.09 | 0.74 | 635.91 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1955 | -96.3 | -1.21 | 634.7 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1955 | -94.78 | 1.52 | 636.22 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1955 | -98.32 | -3.54 | 632.68 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1955 | -96.49 | 1.83 | 634.51 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1955 | -96.23 | 0.26 | 634.77 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1955 | -95.54 | 0.69 | 635.46 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1955 | -96.24 | -0.7 | 634.76 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1955 | -93.27 | 2.97 | 637.73 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/1955 | -92.76 | 0.51 | 638.24 | 01 | 04 | 4 | |
| | P | 12/15/1955 | -92.19 | 0.57 | 638.81 | 01 | 04 | 4 | |
| | P | 12/30/1955 | -92.17 | 0.02 | 638.83 | 01 | 04 | 4 | |
| | P | 1/15/1956 | -92.33 | -0.16 | 638.67 | 01 | 04 | 4 | |
| | P | 1/30/1956 | -91.08 | 1.25 | 639.92 | 01 | 04 | 4 | |
| | P | 2/15/1956 | -91.24 | -0.16 | 639.76 | 01 | 04 | 4 | |
| | P | 2/28/1956 | -92.72 | -1.48 | 638.28 | 01 | 04 | 4 | |
| | P | 3/15/1956 | -93.74 | -1.02 | 637.26 | 01 | 04 | 4 | |
| | P | 3/30/1956 | -96.8 | -3.06 | 634.2 | 01 | 04 | 4 | |
| | P | 4/15/1956 | -98.12 | -1.32 | 632.88 | 01 | 04 | 4 | |
| | P | 4/30/1956 | -97.64 | 0.48 | 633.36 | 01 | 04 | 4 | |
| | P | 5/ 0/1956 | -99.27 | -1.63 | 631.73 | 01 | 04 | 4 | |
| | P | 5/15/1956 | -99.27 | | 631.73 | 01 | 04 | 4 | |
| | P | 5/30/1956 | -99.93 | -0.66 | 631.07 | 01 | 04 | 4 | |
| | P | 6/ 0/1956 | -103.77 | -3.84 | 627.23 | 01 | 04 | 4 | |
| | P | 6/15/1956 | -103.77 | | 627.23 | 01 | 04 | 4 | |
| | P | 6/30/1956 | -104.5 | -0.73 | 626.5 | 01 | 04 | 4 | |
| | P | 7/ 0/1956 | -104.77 | -0.27 | 626.23 | 01 | 04 | 4 | |
| | P | 7/15/1956 | -104.77 | | 626.23 | 01 | 04 | 4 | |
| | P | 7/30/1956 | -106.46 | -1.69 | 624.54 | 01 | 04 | 4 | |
| | P | 8/ 0/1956 | -109.56 | -3.1 | 621.44 | 01 | 04 | 4 | |
| | P | 8/15/1956 | -109.56 | | 621.44 | 01 | 04 | 4 | |
| | P | 8/30/1956 | -104.23 | 5.33 | 626.77 | 01 | 04 | 4 | |
| | P | 9/ 0/1956 | -104.1 | 0.13 | 626.9 | 01 | 04 | 4 | |
| | P | 9/15/1956 | -104.1 | | 626.9 | 01 | 04 | 4 | |
| | P | 9/30/1956 | -105.77 | -1.67 | 625.23 | 01 | 04 | 4 | |
| | P | 10/15/1956 | -104.23 | 1.54 | 626.77 | 01 | 04 | 4 | |
| | P | 10/30/1956 | -100.2 | 4.03 | 630.8 | 01 | 04 | 4 | |
| | P | 11/15/1956 | -98.15 | 2.05 | 632.85 | 01 | 04 | 4 | |
| | P | 11/30/1956 | -98.1 | 0.05 | 632.9 | 01 | 04 | 4 | |
| | P | 12/15/1956 | -98.03 | 0.07 | 632.97 | 01 | 04 | 4 | |
| | P | 12/30/1956 | -95.94 | 2.09 | 635.06 | 01 | 04 | 4 | |
| | P | 1/15/1957 | -96.62 | -0.68 | 634.38 | 01 | 04 | 4 | |
| | P | 1/30/1957 | -95.96 | 0.66 | 635.04 | 01 | 04 | 4 | |
| | P | 2/15/1957 | -97.78 | -1.82 | 633.22 | 01 | 04 | 4 | |
| | P | 2/28/1957 | -95.27 | 2.51 | 635.73 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 15/ 1957 | -96.29 | -1.02 | 634.71 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1957 | -92.7 | 3.59 | 638.3 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1957 | -92.82 | -0.12 | 638.18 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1957 | -79.75 | 13.07 | 651.25 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1957 | -82.51 | -2.76 | 648.49 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1957 | -76.12 | 6.39 | 654.88 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1957 | -73.37 | 2.75 | 657.63 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1957 | -80.63 | -7.26 | 650.37 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1957 | -87.06 | -6.43 | 643.94 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1957 | -92.7 | -5.64 | 638.3 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1957 | -95.86 | -3.16 | 635.14 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1957 | -95.95 | -0.09 | 635.05 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1957 | -90.95 | 5 | 640.05 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1957 | -80.5 | 10.45 | 650.5 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1957 | -81.35 | -0.85 | 649.65 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1957 | -73.42 | 7.93 | 657.58 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1957 | -72.05 | 1.37 | 658.95 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1957 | -69.78 | 2.27 | 661.22 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1957 | -69.7 | 0.08 | 661.3 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1957 | -68.79 | 0.91 | 662.21 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1958 | -63.95 | 4.84 | 667.05 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1958 | -60.62 | 3.33 | 670.38 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1958 | -60.34 | 0.28 | 670.66 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1958 | -53.59 | 6.75 | 677.41 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1958 | -52.57 | 1.02 | 678.43 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1958 | -52.98 | -0.41 | 678.02 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1958 | -54.42 | -1.44 | 676.58 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1958 | -56.12 | -1.7 | 674.88 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1958 | -51.26 | 4.86 | 679.74 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1958 | -55.03 | -3.77 | 675.97 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1958 | -59.23 | -4.2 | 671.77 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1958 | -58.35 | 0.88 | 672.65 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1958 | -65.78 | -7.43 | 665.22 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1958 | -68.43 | -2.65 | 662.57 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1958 | -69.7 | -1.27 | 661.3 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1958 | -62.8 | 6.9 | 668.2 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1958 | -49.54 | 13.26 | 681.46 | 01 | 04 | 4 | |
| | P | 10/15/1958 | -48.63 | 0.91 | 682.37 | 01 | 04 | 4 | |
| | P | 10/30/1958 | -46.2 | 2.43 | 684.8 | 01 | 04 | 4 | |
| | P | 11/15/1958 | -43.26 | 2.94 | 687.74 | 01 | 04 | 4 | |
| | P | 11/30/1958 | -43.65 | -0.39 | 687.35 | 01 | 04 | 4 | |
| | P | 12/15/1958 | -44.78 | -1.13 | 686.22 | 01 | 04 | 4 | |
| | P | 12/30/1958 | -44.9 | -0.12 | 686.1 | 01 | 04 | 4 | |
| | P | 1/15/1959 | -45.23 | -0.33 | 685.77 | 01 | 04 | 4 | |
| | P | 1/30/1959 | -45.96 | -0.73 | 685.04 | 01 | 04 | 4 | |
| | P | 2/15/1959 | -45.81 | 0.15 | 685.19 | 01 | 04 | 4 | |
| | P | 2/28/1959 | -45.12 | 0.69 | 685.88 | 01 | 04 | 4 | |
| | P | 3/15/1959 | -46.43 | -1.31 | 684.57 | 01 | 04 | 4 | |
| | P | 3/30/1959 | -47.5 | -1.07 | 683.5 | 01 | 04 | 4 | |
| | P | 4/15/1959 | -46.98 | 0.52 | 684.02 | 01 | 04 | 4 | |
| | P | 4/30/1959 | -47.94 | -0.96 | 683.06 | 01 | 04 | 4 | |
| | P | 5/15/1959 | -48.65 | -0.71 | 682.35 | 01 | 04 | 4 | |
| | P | 5/30/1959 | -48.66 | -0.01 | 682.34 | 01 | 04 | 4 | |
| | P | 6/15/1959 | -55.75 | -7.09 | 675.25 | 01 | 04 | 4 | |
| | P | 6/30/1959 | -54.63 | 1.12 | 676.37 | 01 | 04 | 4 | |
| | P | 7/15/1959 | -55.67 | -1.04 | 675.33 | 01 | 04 | 4 | |
| | P | 7/30/1959 | -54.31 | 1.36 | 676.69 | 01 | 04 | 4 | |
| | P | 8/15/1959 | -58.26 | -3.95 | 672.74 | 01 | 04 | 4 | |
| | P | 8/30/1959 | -55.44 | 2.82 | 675.56 | 01 | 04 | 4 | |
| | P | 9/15/1959 | -55.33 | 0.11 | 675.67 | 01 | 04 | 4 | |
| | P | 9/30/1959 | -55.58 | -0.25 | 675.42 | 01 | 04 | 4 | |
| | P | 10/15/1959 | -50.08 | 5.5 | 680.92 | 01 | 04 | 4 | |
| | P | 10/30/1959 | -49.95 | 0.13 | 681.05 | 01 | 04 | 4 | |
| | P | 11/15/1959 | -49.13 | 0.82 | 681.87 | 01 | 04 | 4 | |
| | P | 11/30/1959 | -47.91 | 1.22 | 683.09 | 01 | 04 | 4 | |
| | P | 12/15/1959 | -48.22 | -0.31 | 682.78 | 01 | 04 | 4 | |
| | P | 12/30/1959 | -47.52 | 0.7 | 683.48 | 01 | 04 | 4 | |
| | P | 1/15/1960 | -47.01 | 0.51 | 683.99 | 01 | 04 | 4 | |
| | P | 1/30/1960 | -47.28 | -0.27 | 683.72 | 01 | 04 | 4 | |
| | P | 2/15/1960 | -47 | 0.28 | 684 | 01 | 04 | 4 | |
| | P | 2/28/1960 | -47.22 | -0.22 | 683.78 | 01 | 04 | 4 | |
| | P | 3/15/1960 | -47.24 | -0.02 | 683.76 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1960 | -47.86 | -0.62 | 683.14 | 01 | 04 | 4 | |
| | P | 4/15/1960 | -48.81 | -0.95 | 682.19 | 01 | 04 | 4 | |
| | P | 4/30/1960 | -48.5 | 0.31 | 682.5 | 01 | 04 | 4 | |
| | P | 5/15/1960 | -49.46 | -0.96 | 681.54 | 01 | 04 | 4 | |
| | P | 5/30/1960 | -52.34 | -2.88 | 678.66 | 01 | 04 | 4 | |
| | P | 6/15/1960 | -61.91 | -9.57 | 669.09 | 01 | 04 | 4 | |
| | P | 6/30/1960 | -56.37 | 5.54 | 674.63 | 01 | 04 | 4 | |
| | P | 7/15/1960 | -60.15 | -3.78 | 670.85 | 01 | 04 | 4 | |
| | P | 7/30/1960 | -55.95 | 4.2 | 675.05 | 01 | 04 | 4 | |
| | P | 8/15/1960 | -55.5 | 0.45 | 675.5 | 01 | 04 | 4 | |
| | P | 8/30/1960 | -52.91 | 2.59 | 678.09 | 01 | 04 | 4 | |
| | P | 9/15/1960 | -55.34 | -2.43 | 675.66 | 01 | 04 | 4 | |
| | P | 9/30/1960 | -56.1 | -0.76 | 674.9 | 01 | 04 | 4 | |
| | P | 10/15/1960 | -55.06 | 1.04 | 675.94 | 01 | 04 | 4 | |
| | P | 10/30/1960 | -46.8 | 8.26 | 684.2 | 01 | 04 | 4 | |
| | P | 11/15/1960 | -44.88 | 1.92 | 686.12 | 01 | 04 | 4 | |
| | P | 11/30/1960 | -45.48 | -0.6 | 685.52 | 01 | 04 | 4 | |
| | P | 12/15/1960 | -43.81 | 1.67 | 687.19 | 01 | 04 | 4 | |
| | P | 12/30/1960 | -43.39 | 0.42 | 687.61 | 01 | 04 | 4 | |
| | P | 1/15/1961 | -42.74 | 0.65 | 688.26 | 01 | 04 | 4 | |
| | P | 1/30/1961 | -42.92 | -0.18 | 688.08 | 01 | 04 | 4 | |
| | P | 2/15/1961 | -42.36 | 0.56 | 688.64 | 01 | 04 | 4 | |
| | P | 2/28/1961 | -41.7 | 0.66 | 689.3 | 01 | 04 | 4 | |
| | P | 3/15/1961 | -43.84 | -2.14 | 687.16 | 01 | 04 | 4 | |
| | P | 3/30/1961 | -45.63 | -1.79 | 685.37 | 01 | 04 | 4 | |
| | P | 4/15/1961 | -47.96 | -2.33 | 683.04 | 01 | 04 | 4 | |
| | P | 4/30/1961 | -48.98 | -1.02 | 682.02 | 01 | 04 | 4 | |
| | P | 5/15/1961 | -52.11 | -3.13 | 678.89 | 01 | 04 | 4 | |
| | P | 5/30/1961 | -56.01 | -3.9 | 674.99 | 01 | 04 | 4 | |
| | P | 6/15/1961 | -52.99 | 3.02 | 678.01 | 01 | 04 | 4 | |
| | P | 6/30/1961 | -49.47 | 3.52 | 681.53 | 01 | 04 | 4 | |
| | P | 7/15/1961 | -48.05 | 1.42 | 682.95 | 01 | 04 | 4 | |
| | P | 7/30/1961 | -46.12 | 1.93 | 684.88 | 01 | 04 | 4 | |
| | P | 8/15/1961 | -49.05 | -2.93 | 681.95 | 01 | 04 | 4 | |
| | P | 8/30/1961 | -52.32 | -3.27 | 678.68 | 01 | 04 | 4 | |
| | P | 9/15/1961 | -50.23 | 2.09 | 680.77 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1961 | -49.83 | 0.4 | 681.17 | 01 | 04 | 4 | |
| | P | 10/15/1961 | -46.47 | 3.36 | 684.53 | 01 | 04 | 4 | |
| | P | 10/30/1961 | -47.11 | -0.64 | 683.89 | 01 | 04 | 4 | |
| | P | 11/15/1961 | -46.74 | 0.37 | 684.26 | 01 | 04 | 4 | |
| | P | 11/30/1961 | -46.72 | 0.02 | 684.28 | 01 | 04 | 4 | |
| | P | 12/15/1961 | -46.9 | -0.18 | 684.1 | 01 | 04 | 4 | |
| | P | 12/30/1961 | -47.22 | -0.32 | 683.78 | 01 | 04 | 4 | |
| | P | 1/15/1962 | -48.78 | -1.56 | 682.22 | 01 | 04 | 4 | |
| | P | 1/30/1962 | -49.27 | -0.49 | 681.73 | 01 | 04 | 4 | |
| | P | 2/9/1962 | -59.62 | -10.4 | 671.38 | 01 | 12 | 7 | |
| | P | 2/15/1962 | -51.18 | 8.44 | 679.82 | 01 | 04 | 4 | |
| | P | 2/28/1962 | -50.19 | 0.99 | 680.81 | 01 | 04 | 4 | |
| | P | 3/15/1962 | -51.1 | -0.91 | 679.9 | 01 | 04 | 4 | |
| | P | 3/30/1962 | -54.11 | -3.01 | 676.89 | 01 | 04 | 4 | |
| | P | 4/15/1962 | -52.26 | 1.85 | 678.74 | 01 | 04 | 4 | |
| | P | 4/30/1962 | -49.47 | 2.79 | 681.53 | 01 | 04 | 4 | |
| | P | 5/15/1962 | -54.94 | -5.47 | 676.06 | 01 | 04 | 4 | |
| | P | 5/30/1962 | -58.98 | -4.04 | 672.02 | 01 | 04 | 4 | |
| | P | 6/15/1962 | -58.8 | 0.18 | 672.2 | 01 | 04 | 4 | |
| | P | 6/30/1962 | -60 | -1.2 | 671 | 01 | 04 | 4 | |
| | P | 7/15/1962 | -66.95 | -6.95 | 664.05 | 01 | 04 | 4 | |
| | P | 7/30/1962 | -71.48 | -4.53 | 659.52 | 01 | 04 | 4 | |
| | P | 8/15/1962 | -75.22 | -3.74 | 655.78 | 01 | 04 | 4 | |
| | P | 8/30/1962 | -70.64 | 4.58 | 660.36 | 01 | 04 | 4 | |
| | P | 9/15/1962 | -66.08 | 4.56 | 664.92 | 01 | 04 | 4 | |
| | P | 9/30/1962 | -63.6 | 2.48 | 667.4 | 01 | 04 | 4 | |
| | P | 10/15/1962 | -65.53 | -1.93 | 665.47 | 01 | 04 | 4 | |
| | P | 10/25/1962 | -65.48 | 0.05 | 665.52 | 01 | 04 | 1 | |
| | P | 10/30/1962 | -64.29 | 1.19 | 666.71 | 01 | 04 | 4 | |
| | P | 11/15/1962 | -63.77 | 0.52 | 667.23 | 01 | 04 | 4 | |
| | P | 11/20/1962 | -62.15 | 1.62 | 668.85 | 01 | 04 | 1 | |
| | P | 11/30/1962 | -58.18 | 3.97 | 672.82 | 01 | 04 | 4 | |
| | P | 12/15/1962 | -57.54 | 0.64 | 673.46 | 01 | 04 | 4 | |
| | P | 12/18/1962 | -57.57 | -0.03 | 673.43 | 01 | 04 | 1 | |
| | P | 12/30/1962 | -57.06 | 0.51 | 673.94 | 01 | 04 | 4 | |
| | P | 1/15/1963 | -67.72 | -10.7 | 663.28 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/26/1963 | -59.53 | 8.19 | 671.47 | 01 | 04 | 1 | |
| | P | 1/30/1963 | -67.91 | -8.38 | 663.09 | 01 | 04 | 4 | |
| | P | 2/15/1963 | -69.45 | -1.54 | 661.55 | 01 | 04 | 4 | |
| | P | 2/18/1963 | -59.48 | 9.97 | 671.52 | 01 | 04 | 1 | |
| | P | 2/28/1963 | -66.45 | -6.97 | 664.55 | 01 | 04 | 4 | |
| | P | 3/15/1963 | -68.4 | -1.95 | 662.6 | 01 | 04 | 4 | |
| | P | 3/21/1963 | -61.07 | 7.33 | 669.93 | 01 | 04 | 1 | |
| | P | 3/30/1963 | -71.9 | -10.8 | 659.1 | 01 | 04 | 4 | |
| | P | 4/15/1963 | -70.28 | 1.62 | 660.72 | 01 | 04 | 4 | |
| | P | 4/25/1963 | -65.4 | 4.88 | 665.6 | 01 | 04 | 1 | |
| | P | 4/30/1963 | -73.54 | -8.14 | 657.46 | 01 | 04 | 4 | |
| | P | 5/15/1963 | -75.97 | -2.43 | 655.03 | 01 | 04 | 4 | |
| | P | 5/20/1963 | -68.01 | 7.96 | 662.99 | 01 | 04 | 1 | |
| | P | 5/30/1963 | -79.94 | -11.9 | 651.06 | 01 | 04 | 4 | |
| | P | 6/15/1963 | -86.66 | -6.72 | 644.34 | 01 | 04 | 4 | |
| | P | 6/18/1963 | -74.45 | 12.21 | 656.55 | 01 | 04 | 1 | |
| | P | 6/30/1963 | -81.24 | -6.79 | 649.76 | 01 | 04 | 4 | |
| | P | 7/23/1963 | -81.2 | 0.04 | 649.8 | 01 | 04 | 1 | |
| | P | 7/30/1963 | -91.16 | -9.96 | 639.84 | 01 | 04 | 4 | |
| | P | 8/15/1963 | -92.83 | -1.67 | 638.17 | 01 | 04 | 4 | |
| | P | 8/20/1963 | -84.3 | 8.53 | 646.7 | 01 | 04 | 1 | |
| | P | 8/30/1963 | -95.66 | -11.4 | 635.34 | 01 | 04 | 4 | |
| | P | 9/15/1963 | -89.01 | 6.65 | 641.99 | 01 | 04 | 4 | |
| | P | 9/23/1963 | -86.08 | 2.93 | 644.92 | 01 | 04 | 1 | |
| | P | 9/30/1963 | -86.89 | -0.81 | 644.11 | 01 | 04 | 4 | |
| | P | 10/15/1963 | -88.55 | -1.66 | 642.45 | 01 | 04 | 4 | |
| | P | 10/21/1963 | -87.01 | 1.54 | 643.99 | 01 | 04 | 1 | |
| | P | 10/30/1963 | -82.59 | 4.42 | 648.41 | 01 | 04 | 4 | |
| | P | 11/15/1963 | -80.22 | 2.37 | 650.78 | 01 | 04 | 4 | |
| | P | 11/21/1963 | -80.8 | -0.58 | 650.2 | 01 | 04 | 1 | |
| | P | 11/30/1963 | -79.03 | 1.77 | 651.97 | 01 | 04 | 4 | |
| | P | 12/15/1963 | -78.56 | 0.47 | 652.44 | 01 | 04 | 4 | |
| | P | 12/16/1963 | -78.38 | 0.18 | 652.62 | 01 | 04 | 1 | |
| | P | 12/30/1963 | -77.98 | 0.4 | 653.02 | 01 | 04 | 4 | |
| | P | 1/15/1964 | -79.1 | -1.12 | 651.9 | 01 | 04 | 4 | |
| | P | 1/23/1964 | -78.62 | 0.48 | 652.38 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1964 | -77.79 | 0.83 | 653.21 | 01 | 04 | 4 | |
| | P | 2/15/1964 | -74.3 | 3.49 | 656.7 | 01 | 04 | 4 | |
| | P | 2/17/1964 | -74.14 | 0.16 | 656.86 | 01 | 04 | 1 | |
| | P | 2/28/1964 | -74.74 | -0.6 | 656.26 | 01 | 04 | 4 | |
| | P | 3/15/1964 | -76.39 | -1.65 | 654.61 | 01 | 04 | 4 | |
| | P | 3/25/1964 | -75.55 | 0.84 | 655.45 | 01 | 04 | 1 | |
| | P | 3/30/1964 | -75.92 | -0.37 | 655.08 | 01 | 04 | 4 | |
| | P | 4/15/1964 | -79.77 | -3.85 | 651.23 | 01 | 04 | 4 | |
| | P | 4/21/1964 | -78.24 | 1.53 | 652.76 | 01 | 04 | 1 | |
| | P | 4/30/1964 | -79.6 | -1.36 | 651.4 | 01 | 04 | 4 | |
| | P | 5/15/1964 | -84.59 | -4.99 | 646.41 | 01 | 04 | 4 | |
| | P | 5/22/1964 | -85.92 | -1.33 | 645.08 | 01 | 04 | 1 | |
| | P | 5/30/1964 | -84.9 | 1.02 | 646.1 | 01 | 04 | 4 | |
| | P | 6/15/1964 | -87.59 | -2.69 | 643.41 | 01 | 04 | 4 | |
| | P | 6/23/1964 | -81.18 | 6.41 | 649.82 | 01 | 04 | 1 | |
| | P | 6/30/1964 | -83.57 | -2.39 | 647.43 | 01 | 04 | 4 | |
| | P | 7/15/1964 | -91.18 | -7.61 | 639.82 | 01 | 04 | 4 | |
| | P | 7/23/1964 | -93.44 | -2.26 | 637.56 | 01 | 04 | 1 | |
| | P | 7/30/1964 | -95.61 | -2.17 | 635.39 | 01 | 04 | 4 | |
| | P | 8/15/1964 | -94.91 | 0.7 | 636.09 | 01 | 04 | 4 | |
| | P | 8/21/1964 | -97.57 | -2.66 | 633.43 | 01 | 04 | 1 | |
| | P | 8/30/1964 | -91.58 | 5.99 | 639.42 | 01 | 04 | 4 | |
| | P | 9/15/1964 | -93.9 | -2.32 | 637.1 | 01 | 04 | 4 | |
| | P | 9/24/1964 | -89.24 | 4.66 | 641.76 | 01 | 04 | 1 | |
| | P | 9/30/1964 | -85.63 | 3.61 | 645.37 | 01 | 04 | 4 | |
| | P | 10/15/1964 | -86.3 | -0.67 | 644.7 | 01 | 04 | 4 | |
| | P | 10/23/1964 | -87.06 | -0.76 | 643.94 | 01 | 04 | 1 | |
| | P | 10/30/1964 | -83.6 | 3.46 | 647.4 | 01 | 04 | 4 | |
| | P | 11/15/1964 | -77.99 | 5.61 | 653.01 | 01 | 04 | 4 | |
| | P | 11/22/1964 | -77.68 | 0.31 | 653.32 | 01 | 04 | 1 | |
| | P | 11/30/1964 | -77.81 | -0.13 | 653.19 | 01 | 04 | 4 | |
| | P | 12/15/1964 | -77.87 | -0.06 | 653.13 | 01 | 04 | 4 | |
| | P | 12/21/1964 | -77.93 | -0.06 | 653.07 | 01 | 04 | 1 | |
| | P | 12/30/1964 | -78 | -0.07 | 653 | 01 | 04 | 4 | |
| | P | 1/15/1965 | -78.23 | -0.23 | 652.77 | 01 | 04 | 4 | |
| | P | 1/20/1965 | -78.71 | -0.48 | 652.29 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1965 | -78.26 | 0.45 | 652.74 | 01 | 04 | 4 | |
| | P | 2/15/1965 | -70.19 | 8.07 | 660.81 | 01 | 04 | 4 | |
| | P | 2/18/1965 | -69.33 | 0.86 | 661.67 | 01 | 04 | 1 | |
| | P | 2/28/1965 | -67.27 | 2.06 | 663.73 | 01 | 04 | 4 | |
| | P | 3/15/1965 | -68.56 | -1.29 | 662.44 | 01 | 04 | 4 | |
| | P | 3/23/1965 | -70.01 | -1.45 | 660.99 | 01 | 04 | 1 | |
| | P | 3/30/1965 | -70.32 | -0.31 | 660.68 | 01 | 04 | 4 | |
| | P | 4/15/1965 | -66.38 | 3.94 | 664.62 | 01 | 04 | 4 | |
| | P | 4/19/1965 | -66.49 | -0.11 | 664.51 | 01 | 04 | 1 | |
| | P | 4/30/1965 | -68.29 | -1.8 | 662.71 | 01 | 04 | 4 | |
| | P | 5/15/1965 | -65.37 | 2.92 | 665.63 | 01 | 04 | 4 | |
| | P | 5/19/1965 | -58.56 | 6.81 | 672.44 | 01 | 04 | 1 | |
| | P | 5/30/1965 | -56.14 | 2.42 | 674.86 | 01 | 04 | 4 | |
| | P | 6/15/1965 | -59.91 | -3.77 | 671.09 | 01 | 04 | 4 | |
| | P | 6/16/1965 | -60.74 | -0.83 | 670.26 | 01 | 04 | 1 | |
| | P | 6/30/1965 | -66 | -5.26 | 665 | 01 | 04 | 4 | |
| | P | 7/15/1965 | -73.88 | -7.88 | 657.12 | 01 | 04 | 4 | |
| | P | 7/20/1965 | -75.6 | -1.72 | 655.4 | 01 | 04 | 1 | |
| | P | 7/30/1965 | -78.59 | -2.99 | 652.41 | 01 | 04 | 4 | |
| | P | 8/15/1965 | -79.06 | -0.47 | 651.94 | 01 | 04 | 4 | |
| | P | 8/25/1965 | -82.66 | -3.6 | 648.34 | 01 | 04 | 1 | |
| | P | 8/30/1965 | -81.42 | 1.24 | 649.58 | 01 | 04 | 4 | |
| | P | 9/15/1965 | -85.07 | -3.65 | 645.93 | 01 | 04 | 4 | |
| | P | 9/17/1965 | -85.16 | -0.09 | 645.84 | 01 | 04 | 1 | |
| | P | 9/30/1965 | -78.6 | 6.56 | 652.4 | 01 | 04 | 4 | |
| | P | 10/15/1965 | -75.53 | 3.07 | 655.47 | 01 | 04 | 4 | |
| | P | 10/27/1965 | -71.44 | 4.09 | 659.56 | 01 | 04 | 1 | |
| | P | 10/30/1965 | -72.27 | -0.83 | 658.73 | 01 | 04 | 4 | |
| | P | 11/15/1965 | -70.86 | 1.41 | 660.14 | 01 | 04 | 4 | |
| | P | 11/22/1965 | -70.9 | -0.04 | 660.1 | 01 | 04 | 1 | |
| | P | 11/30/1965 | -71.48 | -0.58 | 659.52 | 01 | 04 | 4 | |
| | P | 12/15/1965 | -62.76 | 8.72 | 668.24 | 01 | 04 | 4 | |
| | P | 12/27/1965 | -61.73 | 1.03 | 669.27 | 01 | 04 | 1 | |
| | P | 12/30/1965 | -62.24 | -0.51 | 668.76 | 01 | 04 | 4 | |
| | P | 1/15/1966 | -62.92 | -0.68 | 668.08 | 01 | 04 | 4 | |
| | P | 1/24/1966 | -63.26 | -0.34 | 667.74 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1966 | -64.22 | -0.96 | 666.78 | 01 | 04 | 4 | |
| | P | 2/15/1966 | -63.22 | 1 | 667.78 | 01 | 04 | 4 | |
| | P | 2/23/1966 | -63.47 | -0.25 | 667.53 | 01 | 04 | 1 | |
| | P | 2/28/1966 | -62.51 | 0.96 | 668.49 | 01 | 04 | 4 | |
| | P | 3/15/1966 | -63.38 | -0.87 | 667.62 | 01 | 04 | 4 | |
| | P | 3/24/1966 | -65.32 | -1.94 | 665.68 | 01 | 04 | 1 | |
| | P | 3/30/1966 | -64.92 | 0.4 | 666.08 | 01 | 04 | 4 | |
| | P | 4/15/1966 | -69.59 | -4.67 | 661.41 | 01 | 04 | 4 | |
| | P | 4/21/1966 | -68.85 | 0.74 | 662.15 | 01 | 04 | 1 | |
| | P | 4/30/1966 | -65.81 | 3.04 | 665.19 | 01 | 04 | 4 | |
| | P | 5/15/1966 | -63.98 | 1.83 | 667.02 | 01 | 04 | 4 | |
| | P | 5/24/1966 | -65.91 | -1.93 | 665.09 | 01 | 04 | 1 | |
| | P | 5/30/1966 | -65.44 | 0.47 | 665.56 | 01 | 04 | 4 | |
| | P | 6/15/1966 | -76.32 | -10.9 | 654.68 | 01 | 04 | 4 | |
| | P | 6/27/1966 | -72.23 | 4.09 | 658.77 | 01 | 04 | 1 | |
| | P | 6/30/1966 | -73.94 | -1.71 | 657.06 | 01 | 04 | 4 | |
| | P | 7/15/1966 | -80.32 | -6.38 | 650.68 | 01 | 04 | 4 | |
| | P | 7/25/1966 | -84.64 | -4.32 | 646.36 | 01 | 04 | 1 | |
| | P | 7/30/1966 | -87.61 | -2.97 | 643.39 | 01 | 04 | 4 | |
| | P | 8/15/1966 | -80.41 | 7.2 | 650.59 | 01 | 04 | 4 | |
| | P | 8/30/1966 | -77.56 | 2.85 | 653.44 | 01 | 04 | 1 | |
| | P | 9/15/1966 | -73.65 | 3.91 | 657.35 | 01 | 04 | 4 | |
| | P | 9/26/1966 | -72.65 | 1 | 658.35 | 01 | 04 | 1 | |
| | P | 9/30/1966 | -72.95 | -0.3 | 658.05 | 01 | 04 | 4 | |
| | P | 10/15/1966 | -73.15 | -0.2 | 657.85 | 01 | 04 | 4 | |
| | P | 10/26/1966 | -73.23 | -0.08 | 657.77 | 01 | 04 | 1 | |
| | P | 10/30/1966 | -73.84 | -0.61 | 657.16 | 01 | 04 | 4 | |
| | P | 11/15/1966 | -74.52 | -0.68 | 656.48 | 01 | 04 | 4 | |
| | P | 11/28/1966 | -74.05 | 0.47 | 656.95 | 01 | 04 | 1 | |
| | P | 11/30/1966 | -74.58 | -0.53 | 656.42 | 01 | 04 | 4 | |
| | P | 12/15/1966 | -74.77 | -0.19 | 656.23 | 01 | 04 | 4 | |
| | P | 12/27/1966 | -73.33 | 1.44 | 657.67 | 01 | 04 | 1 | |
| | P | 12/30/1966 | -74.01 | -0.68 | 656.99 | 01 | 04 | 4 | |
| | P | 1/15/1967 | -74.7 | -0.69 | 656.3 | 01 | 04 | 4 | |
| | P | 1/25/1967 | -75.91 | -1.21 | 655.09 | 01 | 04 | 1 | |
| | P | 1/30/1967 | -76.64 | -0.73 | 654.36 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/1967 | -78.57 | -1.93 | 652.43 | 01 | 04 | 4 | |
| | P | 2/23/1967 | -79.37 | -0.8 | 651.63 | 01 | 04 | 1 | |
| | P | 3/15/1967 | -85.7 | -6.33 | 645.3 | 01 | 04 | 4 | |
| | P | 3/24/1967 | -83.9 | 1.8 | 647.1 | 01 | 04 | 1 | |
| | P | 3/30/1967 | -82.34 | 1.56 | 648.66 | 01 | 04 | 4 | |
| | P | 4/25/1967 | -84.43 | -2.09 | 646.57 | 01 | 04 | 1 | |
| | P | 4/30/1967 | -85.11 | -0.68 | 645.89 | 01 | 04 | 4 | |
| | P | 5/15/1967 | -92.36 | -7.25 | 638.64 | 01 | 04 | 4 | |
| | P | 5/24/1967 | -93.44 | -1.08 | 637.56 | 01 | 04 | 1 | |
| | P | 5/30/1967 | -93.36 | 0.08 | 637.64 | 01 | 04 | 4 | |
| | P | 6/15/1967 | -100.49 | -7.13 | 630.51 | 01 | 04 | 4 | |
| | P | 6/22/1967 | -102.48 | -1.99 | 628.52 | 01 | 04 | 1 | |
| | P | 6/30/1967 | -105.05 | -2.57 | 625.95 | 01 | 04 | 4 | |
| | P | 7/15/1967 | -99.13 | 5.92 | 631.87 | 01 | 04 | 4 | |
| | P | 7/25/1967 | -97.96 | 1.17 | 633.04 | 01 | 04 | 1 | |
| | P | 7/30/1967 | -100.97 | -3.01 | 630.03 | 01 | 04 | 4 | |
| | P | 8/15/1967 | -105.32 | -4.35 | 625.68 | 01 | 04 | 4 | |
| | P | 8/25/1967 | -97.48 | 7.84 | 633.52 | 01 | 04 | 1 | |
| | P | 8/30/1967 | -96.89 | 0.59 | 634.11 | 01 | 04 | 4 | |
| | P | 9/15/1967 | -91.77 | 5.12 | 639.23 | 01 | 04 | 4 | |
| | P | 9/27/1967 | -79.17 | 12.6 | 651.83 | 01 | 04 | 1 | |
| | P | 9/30/1967 | -79.08 | 0.09 | 651.92 | 01 | 04 | 4 | |
| | P | 10/15/1967 | -81.71 | -2.63 | 649.29 | 01 | 04 | 4 | |
| | P | 10/26/1967 | -80 | 1.71 | 651 | 01 | 04 | 1 | |
| | P | 10/30/1967 | -79.47 | 0.53 | 651.53 | 01 | 04 | 4 | |
| | P | 11/15/1967 | -73.37 | 6.1 | 657.63 | 01 | 04 | 4 | |
| | P | 11/24/1967 | -72.25 | 1.12 | 658.75 | 01 | 04 | 1 | |
| | P | 11/30/1967 | -72.49 | -0.24 | 658.51 | 01 | 04 | 4 | |
| | P | 12/15/1967 | -72.38 | 0.11 | 658.62 | 01 | 04 | 4 | |
| | P | 12/26/1967 | -71.72 | 0.66 | 659.28 | 01 | 04 | 1 | |
| | P | 12/30/1967 | -71.61 | 0.11 | 659.39 | 01 | 04 | 4 | |
| | P | 1/15/1968 | -70.73 | 0.88 | 660.27 | 01 | 04 | 4 | |
| | P | 1/25/1968 | -55.5 | 15.23 | 675.5 | 01 | 04 | 1 | |
| | P | 1/30/1968 | -54.18 | 1.32 | 676.82 | 01 | 04 | 4 | |
| | P | 2/15/1968 | -54.2 | -0.02 | 676.8 | 01 | 04 | 4 | |
| | P | 2/26/1968 | -53.4 | 0.8 | 677.6 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1968 | -53.38 | 0.02 | 677.62 | 01 | 04 | 4 | |
| | P | 3/15/1968 | -53.57 | -0.19 | 677.43 | 01 | 04 | 4 | |
| | P | 3/25/1968 | -53.67 | -0.1 | 677.33 | 01 | 04 | 1 | |
| | P | 3/30/1968 | -54.24 | -0.57 | 676.76 | 01 | 04 | 4 | |
| | P | 4/15/1968 | -54.9 | -0.66 | 676.1 | 01 | 04 | 4 | |
| | P | 4/25/1968 | -55.27 | -0.37 | 675.73 | 01 | 04 | 1 | |
| | P | 4/30/1968 | -55.67 | -0.4 | 675.33 | 01 | 04 | 4 | |
| | P | 5/15/1968 | -53.14 | 2.53 | 677.86 | 01 | 04 | 4 | |
| | P | 5/27/1968 | -54.6 | -1.46 | 676.4 | 01 | 04 | 1 | |
| | P | 5/30/1968 | -56.19 | -1.59 | 674.81 | 01 | 04 | 4 | |
| | P | 6/15/1968 | -62.17 | -5.98 | 668.83 | 01 | 04 | 4 | |
| | P | 6/25/1968 | -59.34 | 2.83 | 671.66 | 01 | 04 | 1 | |
| | P | 6/30/1968 | -58.84 | 0.5 | 672.16 | 01 | 04 | 4 | |
| | P | 7/15/1968 | -58.68 | 0.16 | 672.32 | 01 | 04 | 4 | |
| | P | 7/24/1968 | -62.92 | -4.24 | 668.08 | 01 | 04 | 1 | |
| | P | 7/30/1968 | -65.31 | -2.39 | 665.69 | 01 | 04 | 4 | |
| | P | 8/15/1968 | -72.46 | -7.15 | 658.54 | 01 | 04 | 4 | |
| | P | 8/26/1968 | -72.37 | 0.09 | 658.63 | 01 | 04 | 1 | |
| | P | 8/30/1968 | -74.94 | -2.57 | 656.06 | 01 | 04 | 4 | |
| | P | 9/15/1968 | -64.26 | 10.68 | 666.74 | 01 | 04 | 4 | |
| | P | 9/25/1968 | -65.34 | -1.08 | 665.66 | 01 | 04 | 1 | |
| | P | 9/30/1968 | -64.06 | 1.28 | 666.94 | 01 | 04 | 4 | |
| | P | 10/15/1968 | -64.19 | -0.13 | 666.81 | 01 | 04 | 4 | |
| | P | 10/25/1968 | -64.2 | -0.01 | 666.8 | 01 | 04 | 1 | |
| | P | 10/30/1968 | -64.46 | -0.26 | 666.54 | 01 | 04 | 4 | |
| | P | 11/15/1968 | -63.28 | 1.18 | 667.72 | 01 | 04 | 4 | |
| | P | 11/25/1968 | -63.43 | -0.15 | 667.57 | 01 | 04 | 1 | |
| | P | 11/30/1968 | -61.8 | 1.63 | 669.2 | 01 | 04 | 4 | |
| | P | 12/15/1968 | -60.88 | 0.92 | 670.12 | 01 | 04 | 4 | |
| | P | 12/24/1968 | -60.98 | -0.1 | 670.02 | 01 | 04 | 1 | |
| | P | 12/30/1968 | -60.55 | 0.43 | 670.45 | 01 | 04 | 4 | |
| | P | 1/15/1969 | -61.42 | -0.87 | 669.58 | 01 | 04 | 4 | |
| | P | 1/27/1969 | -60.91 | 0.51 | 670.09 | 01 | 04 | 1 | |
| | P | 1/30/1969 | -61.42 | -0.51 | 669.58 | 01 | 04 | 4 | |
| | P | 2/15/1969 | -60.92 | 0.5 | 670.08 | 01 | 04 | 4 | |
| | P | 2/25/1969 | -59.3 | 1.62 | 671.7 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1969 | -59.65 | -0.35 | 671.35 | 01 | 04 | 4 | |
| | P | 3/15/1969 | -60.31 | -0.66 | 670.69 | 01 | 04 | 4 | |
| | P | 3/25/1969 | -59.7 | 0.61 | 671.3 | 01 | 04 | 1 | |
| | P | 3/30/1969 | -60.42 | -0.72 | 670.58 | 01 | 04 | 4 | |
| | P | 4/15/1969 | -60.95 | -0.53 | 670.05 | 01 | 04 | 4 | |
| | P | 4/25/1969 | -61.7 | -0.75 | 669.3 | 01 | 04 | 1 | |
| | P | 4/30/1969 | -61.26 | 0.44 | 669.74 | 01 | 04 | 4 | |
| | P | 5/15/1969 | -57.64 | 3.62 | 673.36 | 01 | 04 | 4 | |
| | P | 5/26/1969 | -55.4 | 2.24 | 675.6 | 01 | 04 | 1 | |
| | P | 5/30/1969 | -58.74 | -3.34 | 672.26 | 01 | 04 | 4 | |
| | P | 6/15/1969 | -64.74 | -6 | 666.26 | 01 | 04 | 4 | |
| | P | 6/25/1969 | -70.55 | -5.81 | 660.45 | 01 | 04 | 1 | |
| | P | 6/30/1969 | -71 | -0.45 | 660 | 01 | 04 | 4 | |
| | P | 7/15/1969 | -77.85 | -6.85 | 653.15 | 01 | 04 | 4 | |
| | P | 7/28/1969 | -79.32 | -1.47 | 651.68 | 01 | 04 | 1 | |
| | P | 7/30/1969 | -81.15 | -1.83 | 649.85 | 01 | 04 | 4 | |
| | P | 8/15/1969 | -87.34 | -6.19 | 643.66 | 01 | 04 | 4 | |
| | P | 8/25/1969 | -83.35 | 3.99 | 647.65 | 01 | 04 | 1 | |
| | P | 8/30/1969 | -74.64 | 8.71 | 656.36 | 01 | 04 | 4 | |
| | P | 9/15/1969 | -72.84 | 1.8 | 658.16 | 01 | 04 | 4 | |
| | P | 9/25/1969 | -73.08 | -0.24 | 657.92 | 01 | 04 | 1 | |
| | P | 9/30/1969 | -73.48 | -0.4 | 657.52 | 01 | 04 | 4 | |
| | P | 10/15/1969 | -68.12 | 5.36 | 662.88 | 01 | 04 | 4 | |
| | P | 10/24/1969 | -68.53 | -0.41 | 662.47 | 01 | 04 | 1 | |
| | P | 10/30/1969 | -67.32 | 1.21 | 663.68 | 01 | 04 | 4 | |
| | P | 11/15/1969 | -66.25 | 1.07 | 664.75 | 01 | 04 | 4 | |
| | P | 11/24/1969 | -65.2 | 1.05 | 665.8 | 01 | 04 | 1 | |
| | P | 11/30/1969 | -64.05 | 1.15 | 666.95 | 01 | 04 | 4 | |
| | P | 12/15/1969 | -60.11 | 3.94 | 670.89 | 01 | 04 | 4 | |
| | P | 12/24/1969 | -61.04 | -0.93 | 669.96 | 01 | 04 | 1 | |
| | P | 12/30/1969 | -60.47 | 0.57 | 670.53 | 01 | 04 | 4 | |
| | P | 1/15/1970 | -60.98 | -0.51 | 670.02 | 01 | 04 | 4 | |
| | P | 1/26/1970 | -60.84 | 0.14 | 670.16 | 01 | 04 | 1 | |
| | P | 1/30/1970 | -61.07 | -0.23 | 669.93 | 01 | 04 | 4 | |
| | P | 2/15/1970 | -60.1 | 0.97 | 670.9 | 01 | 04 | 4 | |
| | P | 2/24/1970 | -59.71 | 0.39 | 671.29 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1970 | -58 | 1.71 | 673 | 01 | 04 | 4 | |
| | P | 3/15/1970 | -55.77 | 2.23 | 675.23 | 01 | 04 | 4 | |
| | P | 3/25/1970 | -55.62 | 0.15 | 675.38 | 01 | 04 | 1 | |
| | P | 3/30/1970 | -55.45 | 0.17 | 675.55 | 01 | 04 | 4 | |
| | P | 4/15/1970 | -58 | -2.55 | 673 | 01 | 04 | 4 | |
| | P | 4/24/1970 | -58.42 | -0.42 | 672.58 | 01 | 04 | 1 | |
| | P | 4/30/1970 | -60.08 | -1.66 | 670.92 | 01 | 04 | 4 | |
| | P | 5/15/1970 | -64.73 | -4.65 | 666.27 | 01 | 04 | 4 | |
| | P | 5/25/1970 | -60.04 | 4.69 | 670.96 | 01 | 04 | 1 | |
| | P | 5/30/1970 | -55.25 | 4.79 | 675.75 | 01 | 04 | 4 | |
| | P | 6/15/1970 | -58.2 | -2.95 | 672.8 | 01 | 04 | 4 | |
| | P | 6/25/1970 | -64.87 | -6.67 | 666.13 | 01 | 04 | 1 | |
| | P | 6/30/1970 | -66.13 | -1.26 | 664.87 | 01 | 04 | 4 | |
| | P | 7/15/1970 | -71.56 | -5.43 | 659.44 | 01 | 04 | 4 | |
| | P | 7/24/1970 | -70.57 | 0.99 | 660.43 | 01 | 04 | 1 | |
| | P | 7/30/1970 | -72.61 | -2.04 | 658.39 | 01 | 04 | 4 | |
| | P | 8/15/1970 | -75.31 | -2.7 | 655.69 | 01 | 04 | 4 | |
| | P | 8/25/1970 | -75.48 | -0.17 | 655.52 | 01 | 04 | 1 | |
| | P | 8/30/1970 | -76.61 | -1.13 | 654.39 | 01 | 04 | 4 | |
| | P | 9/15/1970 | -74.93 | 1.68 | 656.07 | 01 | 04 | 4 | |
| | P | 9/24/1970 | -72.55 | 2.38 | 658.45 | 01 | 04 | 1 | |
| | P | 9/30/1970 | -69.19 | 3.36 | 661.81 | 01 | 04 | 4 | |
| | P | 10/15/1970 | -67.84 | 1.35 | 663.16 | 01 | 04 | 4 | |
| | P | 10/26/1970 | -66.36 | 1.48 | 664.64 | 01 | 04 | 1 | |
| | P | 10/30/1970 | -66.96 | -0.6 | 664.04 | 01 | 04 | 4 | |
| | P | 11/15/1970 | -67.59 | -0.63 | 663.41 | 01 | 04 | 4 | |
| | P | 11/24/1970 | -68.33 | -0.74 | 662.67 | 01 | 04 | 1 | |
| | P | 11/30/1970 | -67.6 | 0.73 | 663.4 | 01 | 04 | 4 | |
| | P | 12/15/1970 | -68.05 | -0.45 | 662.95 | 01 | 04 | 4 | |
| | P | 12/23/1970 | -68.21 | -0.16 | 662.79 | 01 | 04 | 1 | |
| | P | 12/30/1970 | -68.12 | 0.09 | 662.88 | 01 | 04 | 4 | |
| | P | 1/15/1971 | -70.49 | -2.37 | 660.51 | 01 | 04 | 4 | |
| | P | 1/25/1971 | -73.49 | -3 | 657.51 | 01 | 04 | 1 | |
| | P | 1/30/1971 | -75.73 | -2.24 | 655.27 | 01 | 04 | 4 | |
| | P | 2/15/1971 | -77.55 | -1.82 | 653.45 | 01 | 04 | 4 | |
| | P | 2/23/1971 | -78.35 | -0.8 | 652.65 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1971 | -77.07 | 1.28 | 653.93 | 01 | 04 | 4 | |
| | P | 3/15/1971 | -81.42 | -4.35 | 649.58 | 01 | 04 | 4 | |
| | P | 3/25/1971 | -83.66 | -2.24 | 647.34 | 01 | 04 | 1 | |
| | P | 3/30/1971 | -85.9 | -2.24 | 645.1 | 01 | 04 | 4 | |
| | P | 4/15/1971 | -90.76 | -4.86 | 640.24 | 01 | 04 | 4 | |
| | P | 4/26/1971 | -86.39 | 4.37 | 644.61 | 01 | 04 | 1 | |
| | P | 4/30/1971 | -89.57 | -3.18 | 641.43 | 01 | 04 | 4 | |
| | P | 5/15/1971 | -90.59 | -1.02 | 640.41 | 01 | 04 | 4 | |
| | P | 5/25/1971 | -92.98 | -2.39 | 638.02 | 01 | 04 | 1 | |
| | P | 5/30/1971 | -94.15 | -1.17 | 636.85 | 01 | 04 | 4 | |
| | P | 6/15/1971 | -101.44 | -7.29 | 629.56 | 01 | 04 | 4 | |
| | P | 6/24/1971 | -94.71 | 6.73 | 636.29 | 01 | 04 | 1 | |
| | P | 6/30/1971 | -91.18 | 3.53 | 639.82 | 01 | 04 | 4 | |
| | P | 7/15/1971 | -96.99 | -5.81 | 634.01 | 01 | 04 | 4 | |
| | P | 7/26/1971 | -99.23 | -2.24 | 631.77 | 01 | 04 | 1 | |
| | P | 7/30/1971 | -101.23 | -2 | 629.77 | 01 | 04 | 4 | |
| | P | 8/15/1971 | -79.12 | 22.11 | 651.88 | 01 | 04 | 4 | |
| | P | 8/25/1971 | -78.04 | 1.08 | 652.96 | 01 | 04 | 1 | |
| | P | 8/30/1971 | -78.47 | -0.43 | 652.53 | 01 | 04 | 4 | |
| | P | 9/15/1971 | -76.62 | 1.85 | 654.38 | 01 | 04 | 4 | |
| | P | 9/24/1971 | -74.42 | 2.2 | 656.58 | 01 | 04 | 1 | |
| | P | 9/30/1971 | -73.38 | 1.04 | 657.62 | 01 | 04 | 4 | |
| | P | 10/15/1971 | -70.17 | 3.21 | 660.83 | 01 | 04 | 4 | |
| | P | 10/26/1971 | -63.56 | 6.61 | 667.44 | 01 | 04 | 1 | |
| | P | 10/30/1971 | -63.19 | 0.37 | 667.81 | 01 | 04 | 4 | |
| | P | 11/15/1971 | -63.03 | 0.16 | 667.97 | 01 | 04 | 4 | |
| | P | 11/24/1971 | -61.48 | 1.55 | 669.52 | 01 | 04 | 1 | |
| | P | 11/30/1971 | -61.07 | 0.41 | 669.93 | 01 | 04 | 4 | |
| | P | 12/15/1971 | -56.85 | 4.22 | 674.15 | 01 | 04 | 4 | |
| | P | 12/23/1971 | -57.1 | -0.25 | 673.9 | 01 | 04 | 1 | |
| | P | 12/30/1971 | -56.75 | 0.35 | 674.25 | 01 | 04 | 4 | |
| | P | 1/15/1972 | -57.67 | -0.92 | 673.33 | 01 | 04 | 4 | |
| | P | 1/26/1972 | -58.31 | -0.64 | 672.69 | 01 | 04 | 1 | |
| | P | 1/30/1972 | -57.88 | 0.43 | 673.12 | 01 | 04 | 4 | |
| | P | 2/15/1972 | -58.57 | -0.69 | 672.43 | 01 | 04 | 4 | |
| | P | 2/23/1972 | -60.46 | -1.89 | 670.54 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1972 | -61.57 | -1.11 | 669.43 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1972 | -65.22 | -3.65 | 665.78 | 01 | 04 | 4 | |
| | P | 3 / 24/ 1972 | -68.22 | -3 | 662.78 | 01 | 04 | 1 | |
| | P | 3 / 30/ 1972 | -69.21 | -0.99 | 661.79 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1972 | -76.45 | -7.24 | 654.55 | 01 | 04 | 4 | |
| | P | 4 / 25/ 1972 | -77.72 | -1.27 | 653.28 | 01 | 04 | 1 | |
| | P | 4 / 30/ 1972 | -74.18 | 3.54 | 656.82 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1972 | -53.65 | 20.53 | 677.35 | 01 | 04 | 4 | |
| | P | 5 / 25/ 1972 | -52.74 | 0.91 | 678.26 | 01 | 04 | 1 | |
| | P | 5 / 30/ 1972 | -55.87 | -3.13 | 675.13 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1972 | -59.42 | -3.55 | 671.58 | 01 | 04 | 4 | |
| | P | 6 / 23/ 1972 | -59.8 | -0.38 | 671.2 | 01 | 04 | 1 | |
| | P | 6 / 30/ 1972 | -65.5 | -5.7 | 665.5 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1972 | -68.27 | -2.77 | 662.73 | 01 | 04 | 4 | |
| | P | 7 / 25/ 1972 | -63.64 | 4.63 | 667.36 | 01 | 04 | 1 | |
| | P | 7 / 30/ 1972 | -65.99 | -2.35 | 665.01 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1972 | -63.04 | 2.95 | 667.96 | 01 | 04 | 4 | |
| | P | 8 / 24/ 1972 | -66.09 | -3.05 | 664.91 | 01 | 04 | 1 | |
| | P | 8 / 30/ 1972 | -64.04 | 2.05 | 666.96 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1972 | -65.93 | -1.89 | 665.07 | 01 | 04 | 4 | |
| | P | 9 / 25/ 1972 | -64.42 | 1.51 | 666.58 | 01 | 04 | 1 | |
| | P | 9 / 30/ 1972 | -62.8 | 1.62 | 668.2 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1972 | -64.7 | -1.9 | 666.3 | 01 | 04 | 4 | |
| | P | 10 / 25/ 1972 | -62.67 | 2.03 | 668.33 | 01 | 04 | 1 | |
| | P | 10 / 30/ 1972 | -61.26 | 1.41 | 669.74 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1972 | -59.5 | 1.76 | 671.5 | 01 | 04 | 4 | |
| | P | 11 / 24/ 1972 | -58.56 | 0.94 | 672.44 | 01 | 04 | 1 | |
| | P | 11 / 30/ 1972 | -58.5 | 0.06 | 672.5 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1972 | -58.32 | 0.18 | 672.68 | 01 | 04 | 4 | |
| | P | 12 / 22/ 1972 | -58.36 | -0.04 | 672.64 | 01 | 04 | 1 | |
| | P | 12 / 30/ 1972 | -58.64 | -0.28 | 672.36 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1973 | -58.54 | 0.1 | 672.46 | 01 | 04 | 4 | |
| | P | 1 / 24/ 1973 | -58.87 | -0.33 | 672.13 | 01 | 04 | 1 | |
| | P | 1 / 30/ 1973 | -57.3 | 1.57 | 673.7 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1973 | -57.34 | -0.04 | 673.66 | 01 | 04 | 4 | |
| | P | 2 / 22/ 1973 | -56.22 | 1.12 | 674.78 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1973 | -54.75 | 1.47 | 676.25 | 01 | 04 | 4 | |
| | P | 3/15/1973 | -55.82 | -1.07 | 675.18 | 01 | 04 | 4 | |
| | P | 3/26/1973 | -55.67 | 0.15 | 675.33 | 01 | 04 | 1 | |
| | P | 3/30/1973 | -56.29 | -0.62 | 674.71 | 01 | 04 | 4 | |
| | P | 4/15/1973 | -54.36 | 1.93 | 676.64 | 01 | 04 | 4 | |
| | P | 4/24/1973 | -47.94 | 6.42 | 683.06 | 01 | 04 | 1 | |
| | P | 4/30/1973 | -47.88 | 0.06 | 683.12 | 01 | 04 | 4 | |
| | P | 5/15/1973 | -50.26 | -2.38 | 680.74 | 01 | 04 | 4 | |
| | P | 5/24/1973 | -55.6 | -5.34 | 675.4 | 01 | 04 | 1 | |
| | P | 5/30/1973 | -59.63 | -4.03 | 671.37 | 01 | 04 | 4 | |
| | P | 6/15/1973 | -55.36 | 4.27 | 675.64 | 01 | 04 | 4 | |
| | P | 6/25/1973 | -52.15 | 3.21 | 678.85 | 01 | 04 | 1 | |
| | P | 6/30/1973 | -48.28 | 3.87 | 682.72 | 01 | 04 | 4 | |
| | P | 7/15/1973 | -46.95 | 1.33 | 684.05 | 01 | 04 | 4 | |
| | P | 7/26/1973 | -43.7 | 3.25 | 687.3 | 01 | 04 | 1 | |
| | P | 7/30/1973 | -44.75 | -1.05 | 686.25 | 01 | 04 | 4 | |
| | P | 8/15/1973 | -47.89 | -3.14 | 683.11 | 01 | 04 | 4 | |
| | P | 8/28/1973 | -50.85 | -2.96 | 680.15 | 01 | 04 | 1 | |
| | P | 8/30/1973 | -49.84 | 1.01 | 681.16 | 01 | 04 | 4 | |
| | P | 9/15/1973 | -48.08 | 1.76 | 682.92 | 01 | 04 | 4 | |
| | P | 9/25/1973 | -44.65 | 3.43 | 686.35 | 01 | 04 | 1 | |
| | P | 9/30/1973 | -39.38 | 5.27 | 691.62 | 01 | 04 | 4 | |
| | P | 10/15/1973 | -36.95 | 2.43 | 694.05 | 01 | 04 | 4 | |
| | P | 10/22/1973 | -34.28 | 2.67 | 696.72 | 01 | 04 | 1 | |
| | P | 10/30/1973 | -35.32 | -1.04 | 695.68 | 01 | 04 | 4 | |
| | P | 11/15/1973 | -37.8 | -2.48 | 693.2 | 01 | 04 | 4 | |
| | P | 11/26/1973 | -38.32 | -0.52 | 692.68 | 01 | 04 | 1 | |
| | P | 11/30/1973 | -39.37 | -1.05 | 691.63 | 01 | 04 | 4 | |
| | P | 12/15/1973 | -40.83 | -1.46 | 690.17 | 01 | 04 | 4 | |
| | P | 12/21/1973 | -41.15 | -0.32 | 689.85 | 01 | 04 | 1 | |
| | P | 12/30/1973 | -41.56 | -0.41 | 689.44 | 01 | 04 | 4 | |
| | P | 1/15/1974 | -42.25 | -0.69 | 688.75 | 01 | 04 | 4 | |
| | P | 1/18/1974 | -41.9 | 0.35 | 689.1 | 01 | 04 | 1 | |
| | P | 1/30/1974 | -43.44 | -1.54 | 687.56 | 01 | 04 | 4 | |
| | P | 2/15/1974 | -45.82 | -2.38 | 685.18 | 01 | 04 | 4 | |
| | P | 2/25/1974 | -47.16 | -1.34 | 683.84 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1974 | -47.79 | -0.63 | 683.21 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1974 | -50.22 | -2.43 | 680.78 | 01 | 04 | 4 | |
| | P | 3 / 26/ 1974 | -49.03 | 1.19 | 681.97 | 01 | 04 | 1 | |
| | P | 3 / 30/ 1974 | -49.99 | -0.96 | 681.01 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1974 | -53.16 | -3.17 | 677.84 | 01 | 04 | 4 | |
| | P | 4 / 25/ 1974 | -53.4 | -0.24 | 677.6 | 01 | 04 | 1 | |
| | P | 4 / 30/ 1974 | -54.24 | -0.84 | 676.76 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1974 | -49.46 | 4.78 | 681.54 | 01 | 04 | 4 | |
| | P | 5 / 23/ 1974 | -52.58 | -3.12 | 678.42 | 01 | 04 | 1 | |
| | P | 5 / 30/ 1974 | -55.07 | -2.49 | 675.93 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1974 | -57.82 | -2.75 | 673.18 | 01 | 04 | 4 | |
| | P | 6 / 25/ 1974 | -62.8 | -4.98 | 668.2 | 01 | 04 | 1 | |
| | P | 6 / 30/ 1974 | -64.63 | -1.83 | 666.37 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1974 | -63.12 | 1.51 | 667.88 | 01 | 04 | 4 | |
| | P | 7 / 25/ 1974 | -67.03 | -3.91 | 663.97 | 01 | 04 | 1 | |
| | P | 7 / 30/ 1974 | -69.31 | -2.28 | 661.69 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1974 | -59.44 | 9.87 | 671.56 | 01 | 04 | 4 | |
| | P | 8 / 26/ 1974 | -60.63 | -1.19 | 670.37 | 01 | 04 | 1 | |
| | P | 8 / 30/ 1974 | -56.95 | 3.68 | 674.05 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1974 | -50.87 | 6.08 | 680.13 | 01 | 04 | 4 | |
| | P | 9 / 26/ 1974 | -50.64 | 0.23 | 680.36 | 01 | 04 | 1 | |
| | P | 9 / 30/ 1974 | -51.06 | -0.42 | 679.94 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1974 | -53.72 | -2.66 | 677.28 | 01 | 04 | 4 | |
| | P | 10 / 23/ 1974 | -52.47 | 1.25 | 678.53 | 01 | 04 | 1 | |
| | P | 10 / 30/ 1974 | -51.22 | 1.25 | 679.78 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1974 | -49.39 | 1.83 | 681.61 | 01 | 04 | 4 | |
| | P | 11 / 26/ 1974 | -47.64 | 1.75 | 683.36 | 01 | 04 | 1 | |
| | P | 11 / 30/ 1974 | -47.39 | 0.25 | 683.61 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1974 | -48.02 | -0.63 | 682.98 | 01 | 04 | 4 | |
| | P | 12 / 26/ 1974 | -48.28 | -0.26 | 682.72 | 01 | 04 | 1 | |
| | P | 12 / 30/ 1974 | -48.09 | 0.19 | 682.91 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1975 | -48.88 | -0.79 | 682.12 | 01 | 04 | 4 | |
| | P | 1 / 27/ 1975 | -48.95 | -0.07 | 682.05 | 01 | 04 | 1 | |
| | P | 1 / 30/ 1975 | -49.43 | -0.48 | 681.57 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1975 | -43.94 | 5.49 | 687.06 | 01 | 04 | 4 | |
| | P | 2 / 24/ 1975 | -44.4 | -0.46 | 686.6 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1975 | -45.45 | -1.05 | 685.55 | 01 | 04 | 4 | |
| | P | 3/15/1975 | -47.07 | -1.62 | 683.93 | 01 | 04 | 4 | |
| | P | 3/27/1975 | -49.02 | -1.95 | 681.98 | 01 | 04 | 1 | |
| | P | 3/30/1975 | -48.76 | 0.26 | 682.24 | 01 | 04 | 4 | |
| | P | 4/15/1975 | -48.74 | 0.02 | 682.26 | 01 | 04 | 4 | |
| | P | 4/24/1975 | -50.18 | -1.44 | 680.82 | 01 | 04 | 1 | |
| | P | 4/30/1975 | -50.09 | 0.09 | 680.91 | 01 | 04 | 4 | |
| | P | 5/15/1975 | -46.99 | 3.1 | 684.01 | 01 | 04 | 4 | |
| | P | 5/28/1975 | -45.71 | 1.28 | 685.29 | 01 | 04 | 1 | |
| | P | 5/30/1975 | -45.66 | 0.05 | 685.34 | 01 | 04 | 4 | |
| | P | 6/15/1975 | -46.77 | -1.11 | 684.23 | 01 | 04 | 4 | |
| | P | 6/25/1975 | -51.36 | -4.59 | 679.64 | 01 | 04 | 1 | |
| | P | 6/30/1975 | -51.28 | 0.08 | 679.72 | 01 | 04 | 4 | |
| | P | 7/15/1975 | -51.33 | -0.05 | 679.67 | 01 | 04 | 4 | |
| | P | 7/28/1975 | -51.98 | -0.65 | 679.02 | 01 | 04 | 1 | |
| | P | 7/30/1975 | -53.78 | -1.8 | 677.22 | 01 | 04 | 4 | |
| | P | 8/15/1975 | -55.02 | -1.24 | 675.98 | 01 | 04 | 4 | |
| | P | 8/26/1975 | -56.66 | -1.64 | 674.34 | 01 | 04 | 1 | |
| | P | 8/30/1975 | -56.29 | 0.37 | 674.71 | 01 | 04 | 4 | |
| | P | 9/15/1975 | -54.49 | 1.8 | 676.51 | 01 | 04 | 4 | |
| | P | 9/25/1975 | -55.84 | -1.35 | 675.16 | 01 | 04 | 1 | |
| | P | 9/30/1975 | -56.86 | -1.02 | 674.14 | 01 | 04 | 4 | |
| | P | 10/15/1975 | -58.82 | -1.96 | 672.18 | 01 | 04 | 4 | |
| | P | 10/28/1975 | -55.72 | 3.1 | 675.28 | 01 | 04 | 1 | |
| | P | 10/30/1975 | -55.74 | -0.02 | 675.26 | 01 | 04 | 4 | |
| | P | 11/15/1975 | -55.41 | 0.33 | 675.59 | 01 | 04 | 4 | |
| | P | 11/25/1975 | -55.46 | -0.05 | 675.54 | 01 | 04 | 1 | |
| | P | 11/30/1975 | -55.1 | 0.36 | 675.9 | 01 | 04 | 4 | |
| | P | 12/15/1975 | -55.62 | -0.52 | 675.38 | 01 | 04 | 4 | |
| | P | 12/24/1975 | -55.3 | 0.32 | 675.7 | 01 | 04 | 1 | |
| | P | 12/30/1975 | -54.49 | 0.81 | 676.51 | 01 | 12 | 7 | |
| | P | 1/15/1976 | -55.9 | -1.41 | 675.1 | 01 | 04 | 4 | |
| | P | 1/27/1976 | -56.4 | -0.5 | 674.6 | 01 | 04 | 1 | |
| | P | 1/30/1976 | -57.35 | -0.95 | 673.65 | 01 | 04 | 4 | |
| | P | 2/15/1976 | -62.75 | -5.4 | 668.25 | 01 | 04 | 4 | |
| | P | 2/23/1976 | -63.94 | -1.19 | 667.06 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1976 | -65.32 | -1.38 | 665.68 | 01 | 04 | 4 | |
| | P | 3/15/1976 | -61.53 | 3.79 | 669.47 | 01 | 04 | 4 | |
| | P | 3/26/1976 | -62.97 | -1.44 | 668.03 | 01 | 04 | 1 | |
| | P | 3/30/1976 | -63.69 | -0.72 | 667.31 | 01 | 04 | 4 | |
| | P | 4/15/1976 | -60.86 | 2.83 | 670.14 | 01 | 04 | 4 | |
| | P | 4/27/1976 | -55.37 | 5.49 | 675.63 | 01 | 04 | 1 | |
| | P | 4/30/1976 | -53.74 | 1.63 | 677.26 | 01 | 04 | 4 | |
| | P | 5/15/1976 | -47.52 | 6.22 | 683.48 | 01 | 04 | 4 | |
| | P | 5/25/1976 | -48.05 | -0.53 | 682.95 | 01 | 04 | 1 | |
| | P | 5/30/1976 | -47.16 | 0.89 | 683.84 | 01 | 04 | 4 | |
| | P | 6/15/1976 | -55.54 | -8.38 | 675.46 | 01 | 04 | 4 | |
| | P | 6/23/1976 | -58.8 | -3.26 | 672.2 | 01 | 04 | 1 | |
| | P | 6/30/1976 | -59.46 | -0.66 | 671.54 | 01 | 04 | 4 | |
| | P | 7/15/1976 | -52.06 | 7.4 | 678.94 | 01 | 04 | 4 | |
| | P | 7/26/1976 | -50.74 | 1.32 | 680.26 | 01 | 04 | 1 | |
| | P | 7/30/1976 | -52.71 | -1.97 | 678.29 | 01 | 04 | 4 | |
| | P | 8/15/1976 | -58.08 | -5.37 | 672.92 | 01 | 04 | 4 | |
| | P | 8/26/1976 | -58.09 | -0.01 | 672.91 | 01 | 04 | 1 | |
| | P | 8/30/1976 | -57.24 | 0.85 | 673.76 | 01 | 04 | 4 | |
| | P | 9/15/1976 | -55.31 | 1.93 | 675.69 | 01 | 04 | 4 | |
| | P | 9/24/1976 | -53.03 | 2.28 | 677.97 | 01 | 04 | 1 | |
| | P | 9/30/1976 | -51.13 | 1.9 | 679.87 | 01 | 04 | 4 | |
| | P | 10/15/1976 | -49.36 | 1.77 | 681.64 | 01 | 04 | 4 | |
| | P | 10/26/1976 | -43.35 | 6.01 | 687.65 | 01 | 04 | 1 | |
| | P | 10/30/1976 | -40.38 | 2.97 | 690.62 | 01 | 04 | 4 | |
| | P | 11/15/1976 | -39.1 | 1.28 | 691.9 | 01 | 04 | 4 | |
| | P | 11/24/1976 | -39.14 | -0.04 | 691.86 | 01 | 04 | 1 | |
| | P | 11/30/1976 | -39.05 | 0.09 | 691.95 | 01 | 04 | 4 | |
| | P | 12/15/1976 | -38.15 | 0.9 | 692.85 | 01 | 04 | 4 | |
| | P | 12/27/1976 | -37.7 | 0.45 | 693.3 | 01 | 04 | 1 | |
| | P | 12/30/1976 | -38.08 | -0.38 | 692.92 | 01 | 04 | 4 | |
| | P | 1/15/1977 | -38.64 | -0.56 | 692.36 | 01 | 04 | 4 | |
| | P | 1/26/1977 | -37.68 | 0.96 | 693.32 | 01 | 04 | 1 | |
| | P | 1/30/1977 | -37.23 | 0.45 | 693.77 | 01 | 04 | 4 | |
| | P | 2/15/1977 | -36.6 | 0.63 | 694.4 | 01 | 04 | 4 | |
| | P | 2/23/1977 | -36.8 | -0.2 | 694.2 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1977 | -37.45 | -0.65 | 693.55 | 01 | 04 | 4 | |
| | P | 3/15/1977 | -39.37 | -1.92 | 691.63 | 01 | 04 | 4 | |
| | P | 3/25/1977 | -41.92 | -2.55 | 689.08 | 01 | 04 | 1 | |
| | P | 3/30/1977 | -40.38 | 1.54 | 690.62 | 01 | 04 | 4 | |
| | P | 4/15/1977 | -41.51 | -1.13 | 689.49 | 01 | 04 | 4 | |
| | P | 4/25/1977 | -34.86 | 6.65 | 696.14 | 01 | 04 | 1 | |
| | P | 4/30/1977 | -35.61 | -0.75 | 695.39 | 01 | 04 | 4 | |
| | P | 5/15/1977 | -36.43 | -0.82 | 694.57 | 01 | 04 | 4 | |
| | P | 5/26/1977 | -37.4 | -0.97 | 693.6 | 01 | 04 | 1 | |
| | P | 5/30/1977 | -38.58 | -1.18 | 692.42 | 01 | 04 | 4 | |
| | P | 6/15/1977 | -46.58 | -8 | 684.42 | 01 | 04 | 4 | |
| | P | 6/22/1977 | -47.88 | -1.3 | 683.12 | 01 | 04 | 1 | |
| | P | 6/30/1977 | -44.92 | 2.96 | 686.08 | 01 | 04 | 4 | |
| | P | 7/15/1977 | -48.7 | -3.78 | 682.3 | 01 | 04 | 4 | |
| | P | 7/27/1977 | -51.72 | -3.02 | 679.28 | 01 | 04 | 1 | |
| | P | 7/30/1977 | -50.74 | 0.98 | 680.26 | 01 | 04 | 4 | |
| | P | 8/15/1977 | -53.62 | -2.88 | 677.38 | 01 | 04 | 4 | |
| | P | 8/25/1977 | -54.83 | -1.21 | 676.17 | 01 | 04 | 1 | |
| | P | 8/30/1977 | -53.87 | 0.96 | 677.13 | 01 | 04 | 4 | |
| | P | 9/15/1977 | -50.55 | 3.32 | 680.45 | 01 | 04 | 4 | |
| | P | 9/26/1977 | -51.57 | -1.02 | 679.43 | 01 | 04 | 1 | |
| | P | 9/30/1977 | -52.93 | -1.36 | 678.07 | 01 | 04 | 4 | |
| | P | 10/15/1977 | -51.77 | 1.16 | 679.23 | 01 | 04 | 4 | |
| | P | 10/26/1977 | -50.29 | 1.48 | 680.71 | 01 | 04 | 1 | |
| | P | 10/30/1977 | -49.55 | 0.74 | 681.45 | 01 | 04 | 4 | |
| | P | 11/15/1977 | -44.78 | 4.77 | 686.22 | 01 | 04 | 4 | |
| | P | 11/25/1977 | -45.54 | -0.76 | 685.46 | 01 | 04 | 1 | |
| | P | 11/30/1977 | -45.34 | 0.2 | 685.66 | 01 | 04 | 4 | |
| | P | 12/15/1977 | -46.4 | -1.06 | 684.6 | 01 | 04 | 4 | |
| | P | 12/28/1977 | -46.82 | -0.42 | 684.18 | 01 | 04 | 1 | |
| | P | 12/30/1977 | -46.96 | -0.14 | 684.04 | 01 | 04 | 4 | |
| | P | 1/15/1978 | -47.73 | -0.77 | 683.27 | 01 | 04 | 4 | |
| | P | 1/23/1978 | -48.22 | -0.49 | 682.78 | 01 | 04 | 1 | |
| | P | 1/30/1978 | -49.26 | -1.04 | 681.74 | 01 | 04 | 4 | |
| | P | 2/15/1978 | -50.5 | -1.24 | 680.5 | 01 | 04 | 4 | |
| | P | 2/22/1978 | -50.62 | -0.12 | 680.38 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/1978 | -51.12 | -0.5 | 679.88 | 01 | 04 | 4 | |
| | P | 3/15/1978 | -52.02 | -0.9 | 678.98 | 01 | 04 | 4 | |
| | P | 3/27/1978 | -53.61 | -1.59 | 677.39 | 01 | 04 | 1 | |
| | P | 3/30/1978 | -54.33 | -0.72 | 676.67 | 01 | 04 | 4 | |
| | P | 4/15/1978 | -53.99 | 0.34 | 677.01 | 01 | 04 | 4 | |
| | P | 4/25/1978 | -53.64 | 0.35 | 677.36 | 01 | 04 | 1 | |
| | P | 4/30/1978 | -54.79 | -1.15 | 676.21 | 01 | 04 | 4 | |
| | P | 5/15/1978 | -60.02 | -5.23 | 670.98 | 01 | 04 | 4 | |
| | P | 5/24/1978 | -62.84 | -2.82 | 668.16 | 01 | 04 | 1 | |
| | P | 5/30/1978 | -65.84 | -3 | 665.16 | 01 | 04 | 4 | |
| | P | 6/15/1978 | -61.38 | 4.46 | 669.62 | 01 | 04 | 4 | |
| | P | 6/26/1978 | -67.85 | -6.47 | 663.15 | 01 | 04 | 1 | |
| | P | 6/30/1978 | -73.73 | -5.88 | 657.27 | 01 | 04 | 4 | |
| | P | 7/26/1978 | -80.5 | -6.77 | 650.5 | 01 | 04 | 1 | |
| | P | 7/30/1978 | -75.09 | 5.41 | 655.91 | 01 | 04 | 4 | |
| | P | 8/15/1978 | -65.05 | 10.04 | 665.95 | 01 | 04 | 4 | |
| | P | 8/26/1978 | -68.62 | -3.57 | 662.38 | 01 | 04 | 1 | |
| | P | 8/30/1978 | -68.54 | 0.08 | 662.46 | 01 | 04 | 4 | |
| | P | 9/15/1978 | -53.82 | 14.72 | 677.18 | 01 | 04 | 4 | |
| | P | 9/26/1978 | -53.73 | 0.09 | 677.27 | 01 | 04 | 1 | |
| | P | 9/30/1978 | -54.17 | -0.44 | 676.83 | 01 | 04 | 4 | |
| | P | 10/15/1978 | -55.95 | -1.78 | 675.05 | 01 | 04 | 4 | |
| | P | 10/25/1978 | -57.52 | -1.57 | 673.48 | 01 | 04 | 1 | |
| | P | 10/30/1978 | -56.43 | 1.09 | 674.57 | 01 | 04 | 4 | |
| | P | 11/15/1978 | -53.91 | 2.52 | 677.09 | 01 | 04 | 4 | |
| | P | 11/27/1978 | -51.78 | 2.13 | 679.22 | 01 | 04 | 1 | |
| | P | 11/30/1978 | -50.82 | 0.96 | 680.18 | 01 | 04 | 4 | |
| | P | 12/15/1978 | -51.17 | -0.35 | 679.83 | 01 | 04 | 4 | |
| | P | 12/26/1978 | -51.79 | -0.62 | 679.21 | 01 | 04 | 1 | |
| | P | 12/30/1978 | -52.41 | -0.62 | 678.59 | 01 | 04 | 4 | |
| | P | 1/15/1979 | -48.13 | 4.28 | 682.87 | 01 | 04 | 4 | |
| | P | 1/26/1979 | -47.01 | 1.12 | 683.99 | 01 | 04 | 1 | |
| | P | 1/30/1979 | -47.08 | -0.07 | 683.92 | 01 | 04 | 4 | |
| | P | 2/15/1979 | -45.87 | 1.21 | 685.13 | 01 | 04 | 4 | |
| | P | 2/23/1979 | -46.15 | -0.28 | 684.85 | 01 | 04 | 1 | |
| | P | 2/28/1979 | -46.66 | -0.51 | 684.34 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 15/ 1979 | -48.21 | -1.55 | 682.79 | 01 | 04 | 4 | |
| | P | 3 / 23/ 1979 | -45.67 | 2.54 | 685.33 | 01 | 04 | 1 | |
| | P | 3 / 30/ 1979 | -43.71 | 1.96 | 687.29 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1979 | -44.43 | -0.72 | 686.57 | 01 | 04 | 4 | |
| | P | 4 / 25/ 1979 | -42 | 2.43 | 689 | 01 | 04 | 1 | |
| | P | 4 / 30/ 1979 | -40.61 | 1.39 | 690.39 | 01 | 04 | 4 | |
| | P | 5 / 0 / 1979 | -46.69 | -6.08 | 684.31 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1979 | -42.91 | 3.78 | 688.09 | 01 | 04 | 4 | |
| | P | 5 / 25/ 1979 | -46.69 | -3.78 | 684.31 | 01 | 04 | 1 | |
| | P | 5 / 30/ 1979 | -46.58 | 0.11 | 684.42 | 01 | 04 | 4 | |
| | P | 6 / 0 / 1979 | -47.87 | -1.29 | 683.13 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1979 | -42.11 | 5.76 | 688.89 | 01 | 04 | 4 | |
| | P | 6 / 25/ 1979 | -47.87 | -5.76 | 683.13 | 01 | 04 | 1 | |
| | P | 6 / 30/ 1979 | -51.05 | -3.18 | 679.95 | 01 | 04 | 4 | |
| | P | 7 / 0 / 1979 | -47.4 | 3.65 | 683.6 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1979 | -49 | -1.6 | 682 | 01 | 04 | 4 | |
| | P | 7 / 25/ 1979 | -47.4 | 1.6 | 683.6 | 01 | 04 | 1 | |
| | P | 7 / 30/ 1979 | -46.28 | 1.12 | 684.72 | 01 | 04 | 4 | |
| | P | 8 / 0 / 1979 | -49.45 | -3.17 | 681.55 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1979 | -48.38 | 1.07 | 682.62 | 01 | 04 | 4 | |
| | P | 8 / 25/ 1979 | -49.45 | -1.07 | 681.55 | 01 | 04 | 1 | |
| | P | 8 / 30/ 1979 | -49.88 | -0.43 | 681.12 | 01 | 04 | 4 | |
| | P | 9 / 0 / 1979 | -51.05 | -1.17 | 679.95 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1979 | -52.33 | -1.28 | 678.67 | 01 | 04 | 4 | |
| | P | 9 / 24/ 1979 | -51.05 | 1.28 | 679.95 | 01 | 04 | 1 | |
| | P | 9 / 30/ 1979 | -52.73 | -1.68 | 678.27 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1979 | -53.98 | -1.25 | 677.02 | 01 | 04 | 4 | |
| | P | 10 / 24/ 1979 | -54.17 | -0.19 | 676.83 | 01 | 04 | 1 | |
| | P | 10 / 30/ 1979 | -54 | 0.17 | 677 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1979 | -53.56 | 0.44 | 677.44 | 01 | 04 | 4 | |
| | P | 11 / 20/ 1979 | -52.69 | 0.87 | 678.31 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1979 | -52.4 | 0.29 | 678.6 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1979 | -51.73 | 0.67 | 679.27 | 01 | 04 | 4 | |
| | P | 12 / 26/ 1979 | -52.69 | -0.96 | 678.31 | 01 | 04 | 1 | |
| | P | 12 / 30/ 1979 | -50.74 | 1.95 | 680.26 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1980 | -52.12 | -1.38 | 678.88 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/28/1980 | -52.42 | -0.3 | 678.58 | 01 | 04 | 1 | |
| | P | 1/30/1980 | -52.7 | -0.28 | 678.3 | 01 | 04 | 4 | |
| | P | 2/15/1980 | -54.33 | -1.63 | 676.67 | 01 | 04 | 4 | |
| | P | 2/21/1980 | -56.21 | -1.88 | 674.79 | 01 | 04 | 1 | |
| | P | 2/28/1980 | -56.67 | -0.46 | 674.33 | 01 | 04 | 4 | |
| | P | 3/15/1980 | -59.43 | -2.76 | 671.57 | 01 | 04 | 4 | |
| | P | 3/26/1980 | -56.21 | 3.22 | 674.79 | 01 | 04 | 1 | |
| | P | 3/30/1980 | -59.23 | -3.02 | 671.77 | 01 | 04 | 4 | |
| | P | 4/15/1980 | -61.52 | -2.29 | 669.48 | 01 | 04 | 4 | |
| | P | 4/24/1980 | -67.82 | -6.3 | 663.18 | 01 | 04 | 1 | |
| | P | 4/30/1980 | -67.13 | 0.69 | 663.87 | 01 | 04 | 4 | |
| | P | 5/15/1980 | -60.75 | 6.38 | 670.25 | 01 | 04 | 4 | |
| | P | 5/23/1980 | -55.55 | 5.2 | 675.45 | 01 | 04 | 4 | |
| | P | 6/15/1980 | -73.71 | -18.2 | 657.29 | 01 | 04 | 4 | |
| | P | 6/23/1980 | -78.9 | -5.19 | 652.1 | 01 | 04 | 4 | |
| | P | 6/30/1980 | -86.16 | -7.26 | 644.84 | 01 | 04 | 4 | |
| | P | 7/ 1/1980 | -76.5 | 9.66 | 654.5 | 01 | 04 | 4 | |
| | P | 7/ 9/1980 | -80.1 | -3.6 | 650.9 | 01 | 04 | 4 | |
| | P | 7/14/1980 | -83.4 | -3.3 | 647.6 | 01 | 04 | 4 | |
| | P | 7/15/1980 | -88.85 | -5.45 | 642.15 | 01 | 04 | 4 | |
| | P | 7/21/1980 | -81.6 | 7.25 | 649.4 | 01 | 04 | 4 | |
| | P | 7/25/1980 | -79.17 | 2.43 | 651.83 | 01 | 04 | 4 | |
| | P | 7/27/1980 | -86.96 | -7.79 | 644.04 | 01 | 04 | 1 | |
| | P | 7/30/1980 | -87.57 | -0.61 | 643.43 | 01 | 04 | 4 | |
| | P | 8/ 1/1980 | -81.2 | 6.37 | 649.8 | 01 | 04 | 4 | |
| | P | 8/ 7/1980 | -80.06 | 1.14 | 650.94 | 01 | 04 | 4 | |
| | P | 8/11/1980 | -73.15 | 6.91 | 657.85 | 01 | 04 | 4 | |
| | P | 8/15/1980 | -71.17 | 1.98 | 659.83 | 01 | 04 | 4 | |
| | P | 8/18/1980 | -70.3 | 0.87 | 660.7 | 01 | 04 | 4 | |
| | P | 8/22/1980 | -79.44 | -9.14 | 651.56 | 01 | 04 | 1 | |
| | P | 8/30/1980 | -80.37 | -0.93 | 650.63 | 01 | 04 | 4 | |
| | P | 9/ 5/1980 | -72.8 | 7.57 | 658.2 | 01 | 04 | 4 | |
| | P | 9/ 8/1980 | -67.4 | 5.4 | 663.6 | 01 | 04 | 4 | |
| | P | 9/12/1980 | -65.65 | 1.75 | 665.35 | 01 | 04 | 4 | |
| | P | 9/15/1980 | -65.66 | -0.01 | 665.34 | 01 | 04 | 4 | |
| | P | 9/25/1980 | -66.4 | -0.74 | 664.6 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1980 | -70.88 | -4.48 | 660.12 | 01 | 04 | 4 | |
| | P | 10/15/1980 | -72.15 | -1.27 | 658.85 | 01 | 04 | 4 | |
| | P | 10/27/1980 | -67.49 | 4.66 | 663.51 | 01 | 04 | 1 | |
| | P | 10/30/1980 | -67.59 | -0.1 | 663.41 | 01 | 04 | 4 | |
| | P | 11/15/1980 | -68.06 | -0.47 | 662.94 | 01 | 04 | 4 | |
| | P | 11/24/1980 | -65 | 3.06 | 666 | 01 | 04 | 1 | |
| | P | 11/30/1980 | -62.5 | 2.5 | 668.5 | 01 | 04 | 4 | |
| | P | 12/15/1980 | -61.74 | 0.76 | 669.26 | 01 | 04 | 4 | |
| | P | 12/24/1980 | -61.83 | -0.09 | 669.17 | 01 | 04 | 1 | |
| | P | 12/30/1980 | -61.79 | 0.04 | 669.21 | 01 | 04 | 4 | |
| | P | 1/15/1981 | -62.21 | -0.42 | 668.79 | 01 | 04 | 4 | |
| | P | 1/26/1981 | -60.67 | 1.54 | 670.33 | 01 | 04 | 1 | |
| | P | 1/30/1981 | -61.33 | -0.66 | 669.67 | 01 | 04 | 4 | |
| | P | 2/15/1981 | -60.65 | 0.68 | 670.35 | 01 | 04 | 4 | |
| | P | 2/23/1981 | -60.95 | -0.3 | 670.05 | 01 | 04 | 1 | |
| | P | 2/28/1981 | -61.3 | -0.35 | 669.7 | 01 | 04 | 4 | |
| | P | 3/15/1981 | -59.03 | 2.27 | 671.97 | 01 | 04 | 4 | |
| | P | 3/23/1981 | -60.3 | -1.27 | 670.7 | 01 | 04 | 1 | |
| | P | 4/15/1981 | -65.04 | -4.74 | 665.96 | 01 | 04 | 4 | |
| | P | 4/24/1981 | -62.82 | 2.22 | 668.18 | 01 | 04 | 1 | |
| | P | 4/30/1981 | -60.49 | 2.33 | 670.51 | 01 | 04 | 4 | |
| | P | 5/15/1981 | -62.71 | -2.22 | 668.29 | 01 | 04 | 4 | |
| | P | 5/26/1981 | -66.74 | -4.03 | 664.26 | 01 | 04 | 1 | |
| | P | 5/30/1981 | -62.6 | 4.14 | 668.4 | 01 | 04 | 4 | |
| | P | 6/15/1981 | -50.33 | 12.27 | 680.67 | 01 | 04 | 4 | |
| | P | 6/22/1981 | -44.76 | 5.57 | 686.24 | 01 | 04 | 1 | |
| | P | 6/30/1981 | -45.17 | -0.41 | 685.83 | 01 | 04 | 4 | |
| | P | 7/15/1981 | -48.35 | -3.18 | 682.65 | 01 | 04 | 4 | |
| | P | 7/28/1981 | -43.35 | 5 | 687.65 | 01 | 04 | 1 | |
| | P | 7/30/1981 | -53.86 | -10.5 | 677.14 | 01 | 04 | 4 | |
| | P | 8/15/1981 | -58.4 | -4.54 | 672.6 | 01 | 04 | 4 | |
| | P | 8/26/1981 | -56.6 | 1.8 | 674.4 | 01 | 04 | 1 | |
| | P | 8/30/1981 | -56.28 | 0.32 | 674.72 | 01 | 04 | 4 | |
| | P | 9/15/1981 | -54.46 | 1.82 | 676.54 | 01 | 04 | 4 | |
| | P | 9/24/1981 | -55.98 | -1.52 | 675.02 | 01 | 04 | 1 | |
| | P | 9/30/1981 | -57.77 | -1.79 | 673.23 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1981 | -52.71 | 5.06 | 678.29 | 01 | 04 | 4 | |
| | P | 10 / 23/ 1981 | -52.43 | 0.28 | 678.57 | 01 | 04 | 1 | |
| | P | 10 / 30/ 1981 | -52.62 | -0.19 | 678.38 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1981 | -49.57 | 3.05 | 681.43 | 01 | 04 | 4 | |
| | P | 11 / 23/ 1981 | -50.53 | -0.96 | 680.47 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1981 | -50.67 | -0.14 | 680.33 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1981 | -51.2 | -0.53 | 679.8 | 01 | 04 | 4 | |
| | P | 12 / 22/ 1981 | -51.27 | -0.07 | 679.73 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1981 | -52.12 | -0.85 | 678.88 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1982 | -54.02 | -1.9 | 676.98 | 01 | 04 | 4 | |
| | P | 1 / 25/ 1982 | -53.81 | 0.21 | 677.19 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1982 | -54.38 | -0.57 | 676.62 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1982 | -56.7 | -2.32 | 674.3 | 01 | 04 | 4 | |
| | P | 2 / 25/ 1982 | -58.2 | -1.5 | 672.8 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1982 | -56.91 | 1.29 | 674.09 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1982 | -57.47 | -0.56 | 673.53 | 01 | 04 | 4 | |
| | P | 3 / 29/ 1982 | -56.75 | 0.72 | 674.25 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1982 | -56.6 | 0.15 | 674.4 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1982 | -61.6 | -5 | 669.4 | 01 | 04 | 4 | |
| | P | 4 / 28/ 1982 | -60.26 | 1.34 | 670.74 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1982 | -60.99 | -0.73 | 670.01 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1982 | -53.09 | 7.9 | 677.91 | 01 | 04 | 4 | |
| | P | 5 / 26/ 1982 | -50.61 | 2.48 | 680.39 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1982 | -51.88 | -1.27 | 679.12 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1982 | -59.57 | -7.69 | 671.43 | 01 | 04 | 4 | |
| | P | 6 / 25/ 1982 | -67.25 | -7.68 | 663.75 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1982 | -70.91 | -3.66 | 660.09 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1982 | -73.09 | -2.18 | 657.91 | 01 | 04 | 4 | |
| | P | 7 / 23/ 1982 | -74.6 | -1.51 | 656.4 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1982 | -79.32 | -4.72 | 651.68 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1982 | -76.99 | 2.33 | 654.01 | 01 | 04 | 4 | |
| | P | 8 / 24/ 1982 | -80.7 | -3.71 | 650.3 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1982 | -82.33 | -1.63 | 648.67 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1982 | -79.94 | 2.39 | 651.06 | 01 | 04 | 4 | |
| | P | 9 / 24/ 1982 | -77.35 | 2.59 | 653.65 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1982 | -78.64 | -1.29 | 652.36 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1982 | -72.47 | 6.17 | 658.53 | 01 | 04 | 4 | |
| | P | 10 / 26/ 1982 | -71.91 | 0.56 | 659.09 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1982 | -71.4 | 0.51 | 659.6 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1982 | -69 | 2.4 | 662 | 01 | 04 | 4 | |
| | P | 11 / 23/ 1982 | -69 | | 662 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1982 | -66.4 | 2.6 | 664.6 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1982 | -65.36 | 1.04 | 665.64 | 01 | 04 | 4 | |
| | P | 12 / 27/ 1982 | -65.09 | 0.27 | 665.91 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1982 | -64.95 | 0.14 | 666.05 | 01 | 04 | 4 | |
| | P | 1 / 15/ 1983 | -64.71 | 0.24 | 666.29 | 01 | 04 | 4 | |
| | P | 1 / 25/ 1983 | -62.58 | 2.13 | 668.42 | 01 | 04 | 4 | |
| | P | 1 / 30/ 1983 | -63.96 | -1.38 | 667.04 | 01 | 04 | 4 | |
| | P | 2 / 15/ 1983 | -64.14 | -0.18 | 666.86 | 01 | 04 | 4 | |
| | P | 2 / 23/ 1983 | -63.98 | 0.16 | 667.02 | 01 | 04 | 4 | |
| | P | 2 / 28/ 1983 | -64.43 | -0.45 | 666.57 | 01 | 04 | 4 | |
| | P | 3 / 15/ 1983 | -66.53 | -2.1 | 664.47 | 01 | 04 | 4 | |
| | P | 3 / 18/ 1983 | -66.33 | 0.2 | 664.67 | 01 | 04 | 4 | |
| | P | 3 / 30/ 1983 | -60.89 | 5.44 | 670.11 | 01 | 04 | 4 | |
| | P | 4 / 15/ 1983 | -66.61 | -5.72 | 664.39 | 01 | 04 | 4 | |
| | P | 4 / 30/ 1983 | -72.28 | -5.67 | 658.72 | 01 | 04 | 4 | |
| | P | 5 / 15/ 1983 | -77.32 | -5.04 | 653.68 | 01 | 04 | 4 | |
| | P | 5 / 30/ 1983 | -69.89 | 7.43 | 661.11 | 01 | 04 | 4 | |
| | P | 6 / 15/ 1983 | -74.14 | -4.25 | 656.86 | 01 | 04 | 4 | |
| | P | 6 / 30/ 1983 | -82.28 | -8.14 | 648.72 | 01 | 04 | 4 | |
| | P | 7 / 15/ 1983 | -79.77 | 2.51 | 651.23 | 01 | 04 | 4 | |
| | P | 7 / 30/ 1983 | -80.71 | -0.94 | 650.29 | 01 | 04 | 4 | |
| | P | 8 / 15/ 1983 | -77.87 | 2.84 | 653.13 | 01 | 04 | 4 | |
| | P | 8 / 30/ 1983 | -84.79 | -6.92 | 646.21 | 01 | 04 | 4 | |
| | P | 9 / 15/ 1983 | -83.25 | 1.54 | 647.75 | 01 | 04 | 4 | |
| | P | 9 / 30/ 1983 | -80.2 | 3.05 | 650.8 | 01 | 04 | 4 | |
| | P | 10 / 15/ 1983 | -76.98 | 3.22 | 654.02 | 01 | 04 | 4 | |
| | P | 10 / 30/ 1983 | -77.01 | -0.03 | 653.99 | 01 | 04 | 4 | |
| | P | 11 / 15/ 1983 | -75.22 | 1.79 | 655.78 | 01 | 04 | 4 | |
| | P | 11 / 30/ 1983 | -73.9 | 1.32 | 657.1 | 01 | 04 | 4 | |
| | P | 12 / 15/ 1983 | -74.06 | -0.16 | 656.94 | 01 | 04 | 4 | |
| | P | 12 / 30/ 1983 | -78.49 | -4.43 | 652.51 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/1984 | -74.17 | 4.32 | 656.83 | 01 | 06 | 4 | |
| | P | 1/30/1984 | -74.33 | -0.16 | 656.67 | 01 | 06 | 4 | |
| | P | 2/15/1984 | -74.81 | -0.48 | 656.19 | 01 | 06 | 4 | |
| | P | 2/28/1984 | -76.25 | -1.44 | 654.75 | 01 | 04 | 4 | |
| | P | 2/29/1984 | -76.63 | -0.38 | 654.37 | 01 | 06 | 4 | |
| | P | 3/15/1984 | -77.98 | -1.35 | 653.02 | 01 | 06 | 4 | |
| | P | 3/30/1984 | -84.73 | -6.75 | 646.27 | 01 | 06 | 4 | |
| | P | 4/15/1984 | -89.6 | -4.87 | 641.4 | 01 | 06 | 4 | |
| | P | 4/30/1984 | -97.16 | -7.56 | 633.84 | 01 | 06 | 4 | |
| | P | 5/15/1984 | -102.77 | -5.61 | 628.23 | 01 | 06 | 4 | |
| | P | 5/30/1984 | -98.89 | 3.88 | 632.11 | 01 | 06 | 4 | |
| | P | 6/15/1984 | -99.7 | -0.81 | 631.3 | 01 | 06 | 4 | |
| | P | 6/30/1984 | -106.48 | -6.78 | 624.52 | 01 | 06 | 4 | |
| | P | 7/15/1984 | -106.54 | -0.06 | 624.46 | 01 | 06 | 4 | |
| | P | 7/30/1984 | -105.75 | 0.79 | 625.25 | 01 | 06 | 4 | |
| | P | 8/15/1984 | -104 | 1.75 | 627 | 01 | 06 | 4 | |
| | P | 8/30/1984 | -106.62 | -2.62 | 624.38 | 01 | 06 | 4 | |
| | P | 9/15/1984 | -105.1 | 1.52 | 625.9 | 01 | 06 | 4 | |
| | P | 9/30/1984 | -101.38 | 3.72 | 629.62 | 01 | 06 | 4 | |
| | P | 10/15/1984 | -91.39 | 9.99 | 639.61 | 01 | 06 | 4 | |
| | P | 10/30/1984 | -87.56 | 3.83 | 643.44 | 01 | 06 | 4 | |
| | P | 11/15/1984 | -88.83 | -1.27 | 642.17 | 01 | 06 | 4 | |
| | P | 11/30/1984 | -86.37 | 2.46 | 644.63 | 01 | 06 | 4 | |
| | P | 12/15/1984 | -85.75 | 0.62 | 645.25 | 01 | 06 | 4 | |
| | P | 12/30/1984 | -83.43 | 2.32 | 647.57 | 01 | 06 | 4 | |
| | P | 1/15/1985 | -81.36 | 2.07 | 649.64 | 01 | 06 | 4 | |
| | P | 1/30/1985 | -76.79 | 4.57 | 654.21 | 01 | 06 | 4 | |
| | P | 2/15/1985 | -78.06 | -1.27 | 652.94 | 01 | 06 | 4 | |
| | P | 2/28/1985 | -72.55 | 5.51 | 658.45 | 01 | 06 | 4 | |
| | P | 3/15/1985 | -69.1 | 3.45 | 661.9 | 01 | 06 | 4 | |
| | P | 3/30/1985 | -66.53 | 2.57 | 664.47 | 01 | 06 | 4 | |
| | P | 4/15/1985 | -66.5 | 0.03 | 664.5 | 01 | 06 | 4 | |
| | P | 4/30/1985 | -68.36 | -1.86 | 662.64 | 01 | 06 | 4 | |
| | P | 5/15/1985 | -76.36 | -8 | 654.64 | 01 | 06 | 4 | |
| | P | 5/30/1985 | -75.48 | 0.88 | 655.52 | 01 | 06 | 4 | |
| | P | 6/15/1985 | -72.92 | 2.56 | 658.08 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1985 | -68.38 | 4.54 | 662.62 | 01 | 06 | 4 | |
| | P | 7/15/1985 | -64.4 | 3.98 | 666.6 | 01 | 06 | 4 | |
| | P | 7/30/1985 | -74.04 | -9.64 | 656.96 | 01 | 06 | 4 | |
| | P | 8/15/1985 | -82.34 | -8.3 | 648.66 | 01 | 04 | 4 | |
| | P | 8/30/1985 | -83.69 | -1.35 | 647.31 | 01 | 06 | 4 | |
| | P | 9/15/1985 | -78.71 | 4.98 | 652.29 | 01 | 04 | 4 | |
| | P | 9/30/1985 | -73.89 | 4.82 | 657.11 | 01 | 06 | 4 | |
| | P | 10/15/1985 | -73.41 | 0.48 | 657.59 | 01 | 04 | 4 | |
| | P | 10/30/1985 | -62.61 | 10.8 | 668.39 | 01 | 06 | 4 | |
| | P | 11/15/1985 | -62.41 | 0.2 | 668.59 | 01 | 04 | 4 | |
| | P | 11/30/1985 | -56.69 | 5.72 | 674.31 | 01 | 06 | 4 | |
| | P | 12/15/1985 | -56.83 | -0.14 | 674.17 | 01 | 04 | 4 | |
| | P | 12/30/1985 | -57.26 | -0.43 | 673.74 | 01 | 06 | 4 | |
| | P | 1/15/1986 | -58.39 | -1.13 | 672.61 | 01 | 06 | 4 | |
| | P | 1/30/1986 | -59.25 | -0.86 | 671.75 | 01 | 06 | 4 | |
| | P | 2/10/1986 | -57.75 | 1.5 | 673.25 | 01 | 01 | 4 | |
| | P | 2/15/1986 | -57.44 | 0.31 | 673.56 | 01 | 06 | 4 | |
| | P | 2/28/1986 | -60.18 | -2.74 | 670.82 | 01 | 06 | 4 | |
| | P | 3/15/1986 | -63.15 | -2.97 | 667.85 | 01 | 06 | 4 | |
| | P | 3/30/1986 | -68.82 | -5.67 | 662.18 | 01 | 06 | 4 | |
| | P | 4/15/1986 | -72.8 | -3.98 | 658.2 | 01 | 06 | 4 | |
| | P | 4/30/1986 | -79.53 | -6.73 | 651.47 | 01 | 06 | 4 | |
| | P | 5/15/1986 | -75.67 | 3.86 | 655.33 | 01 | 06 | 4 | |
| | P | 5/30/1986 | -71.3 | 4.37 | 659.7 | 01 | 06 | 4 | |
| | P | 6/15/1986 | -54.54 | 16.76 | 676.46 | 01 | 06 | 4 | |
| | P | 6/30/1986 | -53.81 | 0.73 | 677.19 | 01 | 06 | 4 | |
| | P | 7/15/1986 | -62.85 | -9.04 | 668.15 | 01 | 06 | 4 | |
| | P | 7/30/1986 | -75.36 | -12.5 | 655.64 | 01 | 06 | 4 | |
| | P | 8/15/1986 | -79.03 | -3.67 | 651.97 | 01 | 06 | 4 | |
| | P | 8/30/1986 | -76.46 | 2.57 | 654.54 | 01 | 06 | 4 | |
| | P | 9/15/1986 | -69.79 | 6.67 | 661.21 | 01 | 06 | 4 | |
| | P | 9/30/1986 | -70.82 | -1.03 | 660.18 | 01 | 06 | 4 | |
| | P | 10/15/1986 | -60.06 | 10.76 | 670.94 | 01 | 06 | 4 | |
| | P | 10/30/1986 | -55.93 | 4.13 | 675.07 | 01 | 06 | 4 | |
| | P | 11/15/1986 | -55.45 | 0.48 | 675.55 | 01 | 06 | 4 | |
| | P | 11/30/1986 | -54.87 | 0.58 | 676.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1986 | -54.45 | 0.42 | 676.55 | 01 | 06 | 4 | |
| | P | 12/30/1986 | -45.25 | 9.2 | 685.75 | 01 | 06 | 4 | |
| | P | 1/15/1987 | -45.9 | -0.65 | 685.1 | 01 | 06 | 4 | |
| | P | 1/30/1987 | -46.94 | -1.04 | 684.06 | 01 | 06 | 4 | |
| | P | 2/15/1987 | -47.57 | -0.63 | 683.43 | 01 | 06 | 4 | |
| | P | 2/28/1987 | -45.32 | 2.25 | 685.68 | 01 | 06 | 4 | |
| | P | 3/15/1987 | -44.89 | 0.43 | 686.11 | 01 | 06 | 4 | |
| | P | 3/30/1987 | -46.3 | -1.41 | 684.7 | 01 | 06 | 4 | |
| | P | 4/15/1987 | -49.81 | -3.51 | 681.19 | 01 | 04 | 4 | |
| | P | 4/30/1987 | -52.84 | -3.03 | 678.16 | 01 | 04 | 4 | |
| | P | 5/15/1987 | -49.81 | 3.03 | 681.19 | 01 | 06 | 4 | |
| | P | 5/30/1987 | -48.6 | 1.21 | 682.4 | 01 | 06 | 4 | |
| | P | 6/15/1987 | -52.34 | -3.74 | 678.66 | 01 | 06 | 4 | |
| | P | 6/30/1987 | -37.58 | 14.76 | 693.42 | 01 | 06 | 4 | |
| | P | 7/15/1987 | -42.87 | -5.29 | 688.13 | 01 | 06 | 4 | |
| | P | 7/30/1987 | -43.11 | -0.24 | 687.89 | 01 | 06 | 4 | |
| | P | 8/15/1987 | -50.26 | -7.15 | 680.74 | 01 | 06 | 4 | |
| | P | 8/30/1987 | -50.07 | 0.19 | 680.93 | 01 | 06 | 4 | |
| | P | 9/15/1987 | -47.65 | 2.42 | 683.35 | 01 | 06 | 4 | |
| | P | 9/30/1987 | -47.46 | 0.19 | 683.54 | 01 | 06 | 4 | |
| | P | 10/15/1987 | -49.68 | -2.22 | 681.32 | 01 | 06 | 4 | |
| | P | 10/30/1987 | -48.44 | 1.24 | 682.56 | 01 | 06 | 4 | |
| | P | 11/15/1987 | -47.46 | 0.98 | 683.54 | 01 | 06 | 4 | |
| | P | 11/30/1987 | -46.25 | 1.21 | 684.75 | 01 | 06 | 4 | |
| | P | 12/15/1987 | -47.4 | -1.15 | 683.6 | 01 | 06 | 4 | |
| | P | 12/30/1987 | -46.32 | 1.08 | 684.68 | 01 | 06 | 4 | |
| | P | 1/15/1988 | -47.08 | -0.76 | 683.92 | 01 | 06 | 4 | |
| | P | 1/30/1988 | -47.92 | -0.84 | 683.08 | 01 | 06 | 4 | |
| | P | 2/15/1988 | -50.38 | -2.46 | 680.62 | 01 | 06 | 4 | |
| | P | 2/28/1988 | -50.25 | 0.13 | 680.75 | 01 | 04 | 4 | |
| | P | 2/29/1988 | -50.85 | -0.6 | 680.15 | 01 | 06 | 4 | |
| | P | 3/15/1988 | -53.34 | -2.49 | 677.66 | 01 | 06 | 4 | |
| | P | 3/16/1988 | -53.77 | -0.43 | 677.23 | 01 | 02 | 4 | |
| | P | 3/30/1988 | -53.16 | 0.61 | 677.84 | 01 | 06 | 4 | |
| | P | 4/15/1988 | -56.91 | -3.75 | 674.09 | 01 | 06 | 4 | |
| | P | 4/30/1988 | -61.06 | -4.15 | 669.94 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/1988 | -68.14 | -7.08 | 662.86 | 01 | 06 | 4 | |
| | P | 5/30/1988 | -72.42 | -4.28 | 658.58 | 01 | 06 | 4 | |
| | P | 6/15/1988 | -75.75 | -3.33 | 655.25 | 01 | 06 | 4 | |
| | P | 6/30/1988 | -75.72 | 0.03 | 655.28 | 01 | 06 | 4 | |
| | P | 7/15/1988 | -75.86 | -0.14 | 655.14 | 01 | 06 | 4 | |
| | P | 7/30/1988 | -72 | 3.86 | 659 | 01 | 06 | 4 | |
| | P | 8/15/1988 | -75.56 | -3.56 | 655.44 | 01 | 06 | 4 | |
| | P | 8/30/1988 | -78.21 | -2.65 | 652.79 | 01 | 06 | 4 | |
| | P | 9/15/1988 | -79.45 | -1.24 | 651.55 | 01 | 06 | 4 | |
| | P | 9/30/1988 | -73.82 | 5.63 | 657.18 | 01 | 06 | 4 | |
| | P | 10/15/1988 | -74.24 | -0.42 | 656.76 | 01 | 06 | 4 | |
| | P | 10/30/1988 | -73.76 | 0.48 | 657.24 | 01 | 06 | 4 | |
| | P | 11/15/1988 | -73.43 | 0.33 | 657.57 | 01 | 06 | 4 | |
| | P | 11/30/1988 | -72.7 | 0.73 | 658.3 | 01 | 06 | 4 | |
| | P | 12/15/1988 | -70.74 | 1.96 | 660.26 | 01 | 06 | 4 | |
| | P | 12/30/1988 | -70.04 | 0.7 | 660.96 | 01 | 06 | 4 | |
| | P | 1/15/1989 | -69.94 | 0.1 | 661.06 | 01 | 06 | 4 | |
| | P | 1/30/1989 | -67.83 | 2.11 | 663.17 | 01 | 06 | 4 | |
| | P | 1/31/1989 | -68.34 | -0.51 | 662.66 | 01 | 01 | 1 | |
| | P | 2/15/1989 | -68.34 | | 662.66 | 01 | 06 | 4 | |
| | P | 2/28/1989 | -68.39 | -0.05 | 662.61 | 01 | 06 | 4 | |
| | P | 3/15/1989 | -70.51 | -2.12 | 660.49 | 01 | 06 | 4 | |
| | P | 3/30/1989 | -70.51 | | 660.49 | 01 | 04 | 4 | |
| | P | 4/15/1989 | -72.87 | -2.36 | 658.13 | 01 | 06 | 4 | |
| | P | 4/30/1989 | -74.84 | -1.97 | 656.16 | 01 | 06 | 4 | |
| | P | 5/15/1989 | -83.53 | -8.69 | 647.47 | 01 | 06 | 4 | |
| | P | 5/30/1989 | -96.78 | -13.3 | 634.22 | 01 | 06 | 4 | |
| | P | 6/15/1989 | -92.91 | 3.87 | 638.09 | 01 | 06 | 4 | |
| | P | 6/30/1989 | -97.1 | -4.19 | 633.9 | 01 | 06 | 4 | |
| | P | 7/15/1989 | -101.1 | -4 | 629.9 | 01 | 06 | 4 | |
| | P | 7/30/1989 | -99.14 | 1.96 | 631.86 | 01 | 06 | 4 | |
| | P | 8/15/1989 | -99.81 | -0.67 | 631.19 | 01 | 06 | 4 | |
| | P | 8/30/1989 | -102.89 | -3.08 | 628.11 | 01 | 04 | 4 | |
| | P | 9/15/1989 | -97.8 | 5.09 | 633.2 | 01 | 06 | 4 | |
| | P | 9/30/1989 | -99.69 | -1.89 | 631.31 | 01 | 06 | 4 | |
| | P | 10/15/1989 | -96.87 | 2.82 | 634.13 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/30/1989 | -92.6 | 4.27 | 638.4 | 01 | 06 | 4 | |
| | P | 11/15/1989 | -89.21 | 3.39 | 641.79 | 01 | 06 | 4 | |
| | P | 11/30/1989 | -86.73 | 2.48 | 644.27 | 01 | 06 | 4 | |
| | P | 12/15/1989 | -85.69 | 1.04 | 645.31 | 01 | 06 | 4 | |
| | P | 12/30/1989 | -87.22 | -1.53 | 643.78 | 01 | 06 | 4 | |
| | P | 1/15/1990 | -85.31 | 1.91 | 645.69 | 01 | 06 | 4 | |
| | P | 1/23/1990 | -86.6 | -1.29 | 644.4 | 01 | 01 | 1 | |
| | P | 1/30/1990 | -86.61 | -0.01 | 644.39 | 01 | 06 | 4 | |
| | P | 2/15/1990 | -88.93 | -2.32 | 642.07 | 01 | 06 | 4 | |
| | P | 2/28/1990 | -86.63 | 2.3 | 644.37 | 01 | 06 | 4 | |
| | P | 3/15/1990 | -79.97 | 6.66 | 651.03 | 01 | 06 | 4 | |
| | P | 3/30/1990 | -79.45 | 0.52 | 651.55 | 01 | 06 | 4 | |
| | P | 4/15/1990 | -78.65 | 0.8 | 652.35 | 01 | 06 | 4 | |
| | P | 4/30/1990 | -76.13 | 2.52 | 654.87 | 01 | 06 | 4 | |
| | P | 5/15/1990 | -77.07 | -0.94 | 653.93 | 01 | 06 | 4 | |
| | P | 5/30/1990 | -87.6 | -10.5 | 643.4 | 01 | 06 | 4 | |
| | P | 6/14/1990 | -100.52 | -12.9 | 630.48 | 01 | 06 | 4 | |
| | P | 6/30/1990 | -107.78 | -7.26 | 623.22 | 01 | 06 | 4 | |
| | P | 7/15/1990 | -101.11 | 6.67 | 629.89 | 01 | 06 | 4 | |
| | P | 7/30/1990 | -84.89 | 16.22 | 646.11 | 01 | 06 | 4 | |
| | P | 8/15/1990 | -87.77 | -2.88 | 643.23 | 01 | 06 | 4 | |
| | P | 8/30/1990 | -91.44 | -3.67 | 639.56 | 01 | 06 | 4 | |
| | P | 9/15/1990 | -84.49 | 6.95 | 646.51 | 01 | 06 | 4 | |
| | P | 9/30/1990 | -85.96 | -1.47 | 645.04 | 01 | 06 | 4 | |
| | P | 10/15/1990 | -82.4 | 3.56 | 648.6 | 01 | 06 | 4 | |
| | P | 10/30/1990 | -81.32 | 1.08 | 649.68 | 01 | 06 | 4 | |
| | P | 11/15/1990 | -78.17 | 3.15 | 652.83 | 01 | 06 | 4 | |
| | P | 11/30/1990 | -78.27 | -0.1 | 652.73 | 01 | 06 | 4 | |
| | P | 12/15/1990 | -78.3 | -0.03 | 652.7 | 01 | 06 | 4 | |
| | P | 12/30/1990 | -78.39 | -0.09 | 652.61 | 01 | 06 | 4 | |
| | P | 1/15/1991 | -76.24 | 2.15 | 654.76 | 01 | 06 | 4 | |
| | P | 1/22/1991 | -73.6 | 2.64 | 657.4 | 01 | 01 | 1 | |
| | P | 1/30/1991 | -73.1 | 0.5 | 657.9 | 01 | 06 | 4 | |
| | P | 2/15/1991 | -70.37 | 2.73 | 660.63 | 01 | 06 | 4 | |
| | P | 2/28/1991 | -70.92 | -0.55 | 660.08 | 01 | 06 | 4 | |
| | P | 3/15/1991 | -75.15 | -4.23 | 655.85 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/30/1991 | -76.16 | -1.01 | 654.84 | 01 | 06 | 4 | |
| | P | 4/15/1991 | -65.75 | 10.41 | 665.25 | 01 | 06 | 4 | |
| | P | 4/30/1991 | -69.45 | -3.7 | 661.55 | 01 | 06 | 4 | |
| | P | 5/15/1991 | -62.7 | 6.75 | 668.3 | 01 | 06 | 4 | |
| | P | 5/30/1991 | -72.4 | -9.7 | 658.6 | 01 | 06 | 4 | |
| | P | 6/15/1991 | -83.23 | -10.8 | 647.77 | 01 | 06 | 4 | |
| | P | 6/30/1991 | -75.63 | 7.6 | 655.37 | 01 | 06 | 4 | |
| | P | 7/15/1991 | -76.78 | -1.15 | 654.22 | 01 | 06 | 4 | |
| | P | 7/30/1991 | -83.2 | -6.42 | 647.8 | 01 | 06 | 4 | |
| | P | 8/15/1991 | -89.26 | -6.06 | 641.74 | 01 | 06 | 4 | |
| | P | 8/30/1991 | -88.44 | 0.82 | 642.56 | 01 | 06 | 4 | |
| | P | 9/15/1991 | -82.05 | 6.39 | 648.95 | 01 | 06 | 4 | |
| | P | 9/30/1991 | -80.33 | 1.72 | 650.67 | 01 | 06 | 4 | |
| | P | 10/15/1991 | -83.43 | -3.1 | 647.57 | 01 | 06 | 4 | |
| | P | 10/30/1991 | -83.57 | -0.14 | 647.43 | 01 | 06 | 4 | |
| | P | 11/15/1991 | -80.88 | 2.69 | 650.12 | 01 | 06 | 4 | |
| | P | 11/30/1991 | -77.37 | 3.51 | 653.63 | 01 | 06 | 4 | |
| | P | 12/15/1991 | -74.41 | 2.96 | 656.59 | 01 | 06 | 4 | |
| | P | 12/30/1991 | -50.89 | 23.52 | 680.11 | 01 | 06 | 4 | |
| | P | 1/15/1992 | -49.42 | 1.47 | 681.58 | 01 | 04 | 1 | |
| | P | 1/30/1992 | -44.45 | 4.97 | 686.55 | 01 | 04 | 4 | |
| | P | 1/31/1992 | -43.92 | 0.53 | 687.08 | 01 | 04 | 1 | |
| | P | 2/15/1992 | -37.27 | 6.65 | 693.73 | 01 | 04 | 1 | |
| | P | 2/28/1992 | -36.9 | 0.37 | 694.1 | 01 | 04 | 4 | |
| | P | 2/29/1992 | -36.75 | 0.15 | 694.25 | 01 | 04 | 1 | |
| | P | 3/15/1992 | -33.32 | 3.43 | 697.68 | 01 | 04 | 1 | |
| | P | 3/30/1992 | -35.6 | -2.28 | 695.4 | 01 | 04 | 4 | |
| | P | 3/31/1992 | -35 | 0.6 | 696 | 01 | 04 | 1 | |
| | P | 4/15/1992 | -35.68 | -0.68 | 695.32 | 01 | 04 | 1 | |
| | P | 4/30/1992 | -35.45 | 0.23 | 695.55 | 01 | 04 | 1 | |
| | P | 5/15/1992 | -39.15 | -3.7 | 691.85 | 01 | 04 | 1 | |
| | P | 5/30/1992 | -31.25 | 7.9 | 699.75 | 01 | 04 | 4 | |
| | P | 5/31/1992 | -31.02 | 0.23 | 699.98 | 01 | 04 | 1 | |
| | P | 6/15/1992 | -27.62 | 3.4 | 703.38 | 01 | 04 | 1 | |
| | P | 6/30/1992 | -35.25 | -7.63 | 695.75 | 01 | 04 | 1 | |
| | P | 7/15/1992 | -39.35 | -4.1 | 691.65 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1992 | -39 | 0.35 | 692 | 01 | 04 | 4 | |
| | P | 7/31/1992 | -39.3 | -0.3 | 691.7 | 01 | 04 | 1 | |
| | P | 8/15/1992 | -39.21 | 0.09 | 691.79 | 01 | 04 | 1 | |
| | P | 8/30/1992 | -41.35 | -2.14 | 689.65 | 01 | 04 | 1 | |
| | P | 9/15/1992 | -41.13 | 0.22 | 689.87 | 01 | 04 | 1 | |
| | P | 9/30/1992 | -42.57 | -1.44 | 688.43 | 01 | 04 | 1 | |
| | P | 10/15/1992 | -44.42 | -1.85 | 686.58 | 01 | 06 | 4 | |
| | P | 10/30/1992 | -44.4 | 0.02 | 686.6 | 01 | 06 | 4 | |
| | P | 11/15/1992 | -41.56 | 2.84 | 689.44 | 01 | 06 | 4 | |
| | P | 11/30/1992 | -38.93 | 2.63 | 692.07 | 01 | 06 | 4 | |
| | P | 12/15/1992 | -39.37 | -0.44 | 691.63 | 01 | 06 | 4 | |
| | P | 12/30/1992 | -39.07 | 0.3 | 691.93 | 01 | 06 | 4 | |
| | P | 1/15/1993 | -39.52 | -0.45 | 691.48 | 01 | 06 | 4 | |
| | P | 1/30/1993 | -40.06 | -0.54 | 690.94 | 01 | 06 | 4 | |
| | P | 2/15/1993 | -38.98 | 1.08 | 692.02 | 01 | 06 | 4 | |
| | P | 2/28/1993 | -40.03 | -1.05 | 690.97 | 01 | 06 | 4 | |
| | P | 3/15/1993 | -40.38 | -0.35 | 690.62 | 01 | 06 | 4 | |
| | P | 3/30/1993 | -41.2 | -0.82 | 689.8 | 01 | 06 | 4 | |
| | P | 4/15/1993 | -41.91 | -0.71 | 689.09 | 01 | 06 | 4 | |
| | P | 4/30/1993 | -45.07 | -3.16 | 685.93 | 01 | 06 | 4 | |
| | P | 5/15/1993 | -38.97 | 6.1 | 692.03 | 01 | 06 | 4 | |
| | P | 5/30/1993 | -39.53 | -0.56 | 691.47 | 01 | 06 | 4 | |
| | P | 6/15/1993 | -43.11 | -3.58 | 687.89 | 01 | 06 | 4 | |
| | P | 6/30/1993 | -39.42 | 3.69 | 691.58 | 01 | 06 | 4 | |
| | P | 7/15/1993 | -45.82 | -6.4 | 685.18 | 01 | 06 | 4 | |
| | P | 7/30/1993 | -52.23 | -6.41 | 678.77 | 01 | 06 | 4 | |
| | P | 8/15/1993 | -56.68 | -4.45 | 674.32 | 01 | 06 | 4 | |
| | P | 8/30/1993 | -58.52 | -1.84 | 672.48 | 01 | 06 | 4 | |
| | P | 9/15/1993 | -55.73 | 2.79 | 675.27 | 01 | 06 | 4 | |
| | P | 9/30/1993 | -57.99 | -2.26 | 673.01 | 01 | 06 | 4 | |
| | P | 10/15/1993 | -56.89 | 1.1 | 674.11 | 01 | 06 | 4 | |
| | P | 10/30/1993 | -53.29 | 3.6 | 677.71 | 01 | 06 | 4 | |
| | P | 11/15/1993 | -52.75 | 0.54 | 678.25 | 01 | 06 | 4 | |
| | P | 11/30/1993 | -52.97 | -0.22 | 678.03 | 01 | 06 | 4 | |
| | P | 12/15/1993 | -53.58 | -0.61 | 677.42 | 01 | 06 | 4 | |
| | P | 12/30/1993 | -53.31 | 0.27 | 677.69 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/1994 | -54.79 | -1.48 | 676.21 | 01 | 06 | 4 | |
| | P | 1/30/1994 | -53.99 | 0.8 | 677.01 | 01 | 06 | 4 | |
| | P | 2/15/1994 | -55.54 | -1.55 | 675.46 | 01 | 06 | 4 | |
| | P | 2/28/1994 | -55.8 | -0.26 | 675.2 | 01 | 06 | 4 | |
| | P | 3/15/1994 | -55.75 | 0.05 | 675.25 | 01 | 06 | 4 | |
| | P | 3/30/1994 | -54.24 | 1.51 | 676.76 | 01 | 06 | 4 | |
| | P | 4/15/1994 | -57.87 | -3.63 | 673.13 | 01 | 06 | 4 | |
| | P | 4/30/1994 | -58.18 | -0.31 | 672.82 | 01 | 06 | 4 | |
| | P | 5/15/1994 | -53.17 | 5.01 | 677.83 | 01 | 06 | 4 | |
| | P | 5/29/1994 | -55.69 | -2.52 | 675.31 | 01 | 06 | 4 | |
| | P | 5/30/1994 | -55.69 | | 675.31 | 01 | 04 | 4 | |
| | P | 6/15/1994 | -65.57 | -9.88 | 665.43 | 01 | 06 | 4 | |
| | P | 6/30/1994 | -68.13 | -2.56 | 662.87 | 01 | 06 | 4 | |
| | P | 7/15/1994 | -73.92 | -5.79 | 657.08 | 01 | 06 | 4 | |
| | P | 7/30/1994 | -78.11 | -4.19 | 652.89 | 01 | 06 | 4 | |
| | P | 8/15/1994 | -74.26 | 3.85 | 656.74 | 01 | 06 | 4 | |
| | P | 8/30/1994 | -76.52 | -2.26 | 654.48 | 01 | 06 | 4 | |
| | P | 9/15/1994 | -64.8 | 11.72 | 666.2 | 01 | 06 | 4 | |
| | P | 9/30/1994 | -67.5 | -2.7 | 663.5 | 01 | 06 | 4 | |
| | P | 10/15/1994 | -60.58 | 6.92 | 670.42 | 01 | 06 | 4 | |
| | P | 10/30/1994 | -55.37 | 5.21 | 675.63 | 01 | 06 | 4 | |
| | P | 11/15/1994 | -56.33 | -0.96 | 674.67 | 01 | 06 | 4 | |
| | P | 11/30/1994 | -57.61 | -1.28 | 673.39 | 01 | 06 | 4 | |
| | P | 12/15/1994 | -57.49 | 0.12 | 673.51 | 01 | 06 | 4 | |
| | P | 12/30/1994 | -55.13 | 2.36 | 675.87 | 01 | 06 | 4 | |
| | P | 1/15/1995 | -54.91 | 0.22 | 676.09 | 01 | 06 | 4 | |
| | P | 1/30/1995 | -56.21 | -1.3 | 674.79 | 01 | 06 | 4 | |
| | P | 2/15/1995 | -58.31 | -2.1 | 672.69 | 01 | 06 | 4 | |
| | P | 2/28/1995 | -59.41 | -1.1 | 671.59 | 01 | 06 | 4 | |
| | P | 3/15/1995 | -57.81 | 1.6 | 673.19 | 01 | 06 | 4 | |
| | P | 3/30/1995 | -59.21 | -1.4 | 671.79 | 01 | 06 | 4 | |
| | P | 4/15/1995 | -58.31 | 0.9 | 672.69 | 01 | 06 | 4 | |
| | P | 4/30/1995 | -65.11 | -6.8 | 665.89 | 01 | 06 | 4 | |
| | P | 5/15/1995 | -68.11 | -3 | 662.89 | 01 | 06 | 4 | |
| | P | 5/30/1995 | -66.01 | 2.1 | 664.99 | 01 | 06 | 4 | |
| | P | 6/15/1995 | -62.51 | 3.5 | 668.49 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1995 | -66.21 | -3.7 | 664.79 | 01 | 06 | 4 | |
| | P | 7/15/1995 | -65.41 | 0.8 | 665.59 | 01 | 06 | 4 | |
| | P | 7/30/1995 | -75.21 | -9.8 | 655.79 | 01 | 06 | 4 | |
| | P | 8/15/1995 | -76.31 | -1.1 | 654.69 | 01 | 06 | 4 | |
| | P | 8/30/1995 | -76.91 | -0.6 | 654.09 | 01 | 06 | 4 | |
| | P | 9/15/1995 | -77.71 | -0.8 | 653.29 | 01 | 06 | 4 | |
| | P | 9/30/1995 | -70.51 | 7.2 | 660.49 | 01 | 06 | 4 | |
| | P | 10/15/1995 | -72.41 | -1.9 | 658.59 | 01 | 06 | 4 | |
| | P | 10/30/1995 | -73.11 | -0.7 | 657.89 | 01 | 06 | 4 | |
| | P | 11/15/1995 | -69.91 | 3.2 | 661.09 | 01 | 06 | 4 | |
| | P | 11/30/1995 | -67.81 | 2.1 | 663.19 | 01 | 06 | 4 | |
| | P | 12/15/1995 | -68.41 | -0.6 | 662.59 | 01 | 06 | 4 | |
| | P | 12/30/1995 | -66.41 | 2 | 664.59 | 01 | 06 | 4 | |
| | P | 1/15/1996 | -67.6 | -1.19 | 663.4 | 01 | 06 | 4 | |
| | P | 1/30/1996 | -70.9 | -3.3 | 660.1 | 01 | 06 | 4 | |
| | P | 2/15/1996 | -76.5 | -5.6 | 654.5 | 01 | 06 | 4 | |
| | P | 2/28/1996 | -80.69 | -4.19 | 650.31 | 01 | 06 | 4 | |
| | P | 2/29/1996 | -80 | 0.69 | 651 | 01 | 06 | 4 | |
| | P | 3/15/1996 | -77.8 | 2.2 | 653.2 | 01 | 06 | 4 | |
| | P | 3/30/1996 | -76.6 | 1.2 | 654.4 | 01 | 06 | 4 | |
| | P | 4/15/1996 | -80.6 | -4 | 650.4 | 01 | 06 | 4 | |
| | P | 4/30/1996 | -84.9 | -4.3 | 646.1 | 01 | 06 | 4 | |
| | P | 5/15/1996 | -88.7 | -3.8 | 642.3 | 01 | 06 | 4 | |
| | P | 5/30/1996 | -96.5 | -7.8 | 634.5 | 01 | 06 | 4 | |
| | P | 6/15/1996 | -99.5 | -3 | 631.5 | 01 | 06 | 4 | |
| | P | 6/30/1996 | -100.1 | -0.6 | 630.9 | 01 | 06 | 4 | |
| | P | 7/15/1996 | -99.6 | 0.5 | 631.4 | 01 | 06 | 4 | |
| | P | 7/30/1996 | -97.7 | 1.9 | 633.3 | 01 | 06 | 4 | |
| | P | 8/15/1996 | -99.6 | -1.9 | 631.4 | 01 | 06 | 4 | |
| | P | 8/30/1996 | -92.8 | 6.8 | 638.2 | 01 | 06 | 4 | |
| | P | 9/15/1996 | -87.8 | 5 | 643.2 | 01 | 06 | 4 | |
| | P | 9/30/1996 | -85.2 | 2.6 | 645.8 | 01 | 06 | 4 | |
| | P | 10/15/1996 | -87.4 | -2.2 | 643.6 | 01 | 06 | 4 | |
| | P | 10/30/1996 | -87.4 | | 643.6 | 01 | 06 | 4 | |
| | P | 11/15/1996 | -86.6 | 0.8 | 644.4 | 01 | 06 | 4 | |
| | P | 11/30/1996 | -82 | 4.6 | 649 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1996 | -81.6 | 0.4 | 649.4 | 01 | 06 | 4 | |
| | P | 12/30/1996 | -80.3 | 1.3 | 650.7 | 01 | 06 | 4 | |
| | P | 1/15/1997 | -80.5 | -0.2 | 650.5 | 01 | 06 | 4 | |
| | P | 1/30/1997 | -80.6 | -0.1 | 650.4 | 01 | 06 | 4 | |
| | P | 2/15/1997 | -79.1 | 1.5 | 651.9 | 01 | 06 | 4 | |
| | P | 2/28/1997 | -76.3 | 2.8 | 654.7 | 01 | 06 | 4 | |
| | P | 3/15/1997 | -73.6 | 2.7 | 657.4 | 01 | 06 | 4 | |
| | P | 3/30/1997 | -74.7 | -1.1 | 656.3 | 01 | 06 | 4 | |
| | P | 4/15/1997 | -67.8 | 6.9 | 663.2 | 01 | 06 | 4 | |
| | P | 4/30/1997 | -68 | -0.2 | 663 | 01 | 06 | 4 | |
| | P | 5/15/1997 | -69.1 | -1.1 | 661.9 | 01 | 06 | 4 | |
| | P | 5/30/1997 | -65.2 | 3.9 | 665.8 | 01 | 06 | 4 | |
| | P | 6/15/1997 | -64.8 | 0.4 | 666.2 | 01 | 06 | 4 | |
| | P | 6/30/1997 | -52.9 | 11.9 | 678.1 | 01 | 06 | 4 | |
| | P | 7/15/1997 | -58.9 | -6 | 672.1 | 01 | 06 | 4 | |
| | P | 7/30/1997 | -63.5 | -4.6 | 667.5 | 01 | 06 | 4 | |
| | P | 8/15/1997 | -66.8 | -3.3 | 664.2 | 01 | 06 | 4 | |
| | P | 8/30/1997 | -70.6 | -3.8 | 660.4 | 01 | 06 | 4 | |
| | P | 9/15/1997 | -69.7 | 0.9 | 661.3 | 01 | 06 | 4 | |
| | P | 9/30/1997 | -68.7 | 1 | 662.3 | 01 | 06 | 4 | |
| | P | 10/15/1997 | -61.6 | 7.1 | 669.4 | 01 | 06 | 4 | |
| | P | 10/30/1997 | -63.4 | -1.8 | 667.6 | 01 | 06 | 4 | |
| | P | 11/15/1997 | -61.4 | 2 | 669.6 | 01 | 06 | 4 | |
| | P | 11/30/1997 | -60.9 | 0.5 | 670.1 | 01 | 06 | 4 | |
| | P | 12/15/1997 | -61.4 | -0.5 | 669.6 | 01 | 06 | 4 | |
| | P | 12/30/1997 | -58.8 | 2.6 | 672.2 | 01 | 06 | 4 | |
| | P | 1/15/1998 | -57.1 | 1.7 | 673.9 | 01 | 06 | 4 | |
| | P | 1/30/1998 | -59.3 | -2.2 | 671.7 | 01 | 06 | 4 | |
| | P | 2/15/1998 | -55.7 | 3.6 | 675.3 | 01 | 06 | 4 | |
| | P | 2/28/1998 | -53.3 | 2.4 | 677.7 | 01 | 06 | 4 | |
| | P | 3/15/1998 | -54.4 | -1.1 | 676.6 | 01 | 06 | 4 | |
| | P | 3/30/1998 | -50.3 | 4.1 | 680.7 | 01 | 06 | 4 | |
| | P | 4/15/1998 | -54.8 | -4.5 | 676.2 | 01 | 06 | 4 | |
| | P | 4/30/1998 | -63.7 | -8.9 | 667.3 | 01 | 06 | 4 | |
| | P | 5/15/1998 | -74.4 | -10.7 | 656.6 | 01 | 06 | 4 | |
| | P | 5/30/1998 | -79.8 | -5.4 | 651.2 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/1998 | -81.4 | -1.6 | 649.6 | 01 | 06 | 4 | |
| | P | 6/30/1998 | -86.4 | -5 | 644.6 | 01 | 06 | 4 | |
| | P | 7/15/1998 | -84.4 | 2 | 646.6 | 01 | 06 | 4 | |
| | P | 7/30/1998 | -88.9 | -4.5 | 642.1 | 01 | 06 | 4 | |
| | P | 8/15/1998 | -81.2 | 7.7 | 649.8 | 01 | 06 | 4 | |
| | P | 8/30/1998 | -68.6 | 12.6 | 662.4 | 01 | 06 | 4 | |
| | P | 9/15/1998 | -67.4 | 1.2 | 663.6 | 01 | 06 | 4 | |
| | P | 9/30/1998 | -69.3 | -1.9 | 661.7 | 01 | 06 | 4 | |
| | P | 10/15/1998 | -66.4 | 2.9 | 664.6 | 01 | 06 | 4 | |
| | P | 10/30/1998 | -44.1 | 22.3 | 686.9 | 01 | 06 | 4 | |
| | P | 11/15/1998 | -42.1 | 2 | 688.9 | 01 | 06 | 4 | |
| | P | 11/30/1998 | -42.7 | -0.6 | 688.3 | 01 | 06 | 4 | |
| | P | 12/15/1998 | -43.5 | -0.8 | 687.5 | 01 | 06 | 4 | |
| | P | 12/30/1998 | -44.5 | -1 | 686.5 | 01 | 06 | 4 | |
| | P | 1/15/1999 | -45.7 | -1.2 | 685.3 | 01 | 06 | 4 | |
| | P | 1/30/1999 | -47.2 | -1.5 | 683.8 | 01 | 06 | 4 | |
| | P | 2/15/1999 | -51.6 | -4.4 | 679.4 | 01 | 06 | 4 | |
| | P | 2/28/1999 | -53.6 | -2 | 677.4 | 01 | 06 | 4 | |
| | P | 3/15/1999 | -53.4 | 0.2 | 677.6 | 01 | 06 | 4 | |
| | P | 3/30/1999 | -50.8 | 2.6 | 680.2 | 01 | 06 | 4 | |
| | P | 4/15/1999 | -52.7 | -1.9 | 678.3 | 01 | 06 | 4 | |
| | P | 4/30/1999 | -54.2 | -1.5 | 676.8 | 01 | 06 | 4 | |
| | P | 5/15/1999 | -56.1 | -1.9 | 674.9 | 01 | 06 | 4 | |
| | P | 5/30/1999 | -61 | -4.9 | 670 | 01 | 06 | 4 | |
| | P | 6/15/1999 | -70.6 | -9.6 | 660.4 | 01 | 06 | 4 | |
| | P | 6/30/1999 | -57 | 13.6 | 674 | 01 | 06 | 4 | |
| | P | 7/15/1999 | -56.18 | 0.82 | 674.82 | 01 | 06 | 1 | |
| | P | 7/30/1999 | -60.46 | -4.28 | 670.54 | 01 | 06 | 1 | |
| | P | 8/15/1999 | -68.12 | -7.66 | 662.88 | 01 | 06 | 1 | |
| | P | 8/30/1999 | -66.98 | 1.14 | 664.02 | 01 | 06 | 1 | |
| | P | 9/15/1999 | -69.22 | -2.24 | 661.78 | 01 | 06 | 1 | |
| | P | 9/30/1999 | -71.51 | -2.29 | 659.49 | 01 | 06 | 1 | |
| | P | 10/15/1999 | -73.92 | -2.41 | 657.08 | 01 | 06 | 1 | |
| | P | 10/30/1999 | -68.09 | 5.83 | 662.91 | 01 | 06 | 1 | |
| | P | 11/15/1999 | -68.48 | -0.39 | 662.52 | 01 | 06 | 1 | |
| | P | 11/30/1999 | -68.15 | 0.33 | 662.85 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/1999 | -67.02 | 1.13 | 663.98 | 01 | 06 | 1 | |
| | P | 12/30/1999 | -66.75 | 0.27 | 664.25 | 01 | 06 | 1 | |
| | P | 1/15/2000 | -66.07 | 0.68 | 664.93 | 01 | 06 | 1 | |
| | P | 1/30/2000 | -66.27 | -0.2 | 664.73 | 01 | 06 | 1 | |
| | P | 2/15/2000 | -67.84 | -1.57 | 663.16 | 01 | 06 | 1 | |
| | P | 2/28/2000 | -68.11 | -0.27 | 662.89 | 01 | 06 | 4 | |
| | P | 3/15/2000 | -70.34 | -2.23 | 660.66 | 01 | 06 | 1 | |
| | P | 3/30/2000 | -72.46 | -2.12 | 658.54 | 01 | 06 | 1 | |
| | P | 4/15/2000 | -70.65 | 1.81 | 660.35 | 01 | 06 | 1 | |
| | P | 4/30/2000 | -81.31 | -10.7 | 649.69 | 01 | 06 | 1 | |
| | P | 5/15/2000 | -79.05 | 2.26 | 651.95 | 01 | 06 | 1 | |
| | P | 5/30/2000 | -81.42 | -2.37 | 649.58 | 01 | 06 | 1 | |
| | P | 6/15/2000 | -73.41 | 8.01 | 657.59 | 01 | 06 | 1 | |
| | P | 6/30/2000 | -77.8 | -4.39 | 653.2 | 01 | 06 | 1 | |
| | P | 7/15/2000 | -84.94 | -7.14 | 646.06 | 01 | 06 | 1 | |
| | P | 7/30/2000 | -88.17 | -3.23 | 642.83 | 01 | 06 | 1 | |
| | P | 8/15/2000 | -90.8 | -2.63 | 640.2 | 01 | 06 | 1 | |
| | P | 8/30/2000 | -93.1 | -2.3 | 637.9 | 01 | 06 | 1 | |
| | P | 9/15/2000 | -89.09 | 4.01 | 641.91 | 01 | 06 | 1 | |
| | P | 9/30/2000 | -86.45 | 2.64 | 644.55 | 01 | 06 | 1 | |
| | P | 10/15/2000 | -80.56 | 5.89 | 650.44 | 01 | 06 | 1 | |
| | P | 10/30/2000 | -72.06 | 8.5 | 658.94 | 01 | 06 | 1 | |
| | P | 11/15/2000 | -59.27 | 12.79 | 671.73 | 01 | 06 | 1 | |
| | P | 11/16/2000 | -59.17 | 0.1 | 671.83 | 01 | 04 | 4 | |
| | P | 11/30/2000 | -54.71 | 4.46 | 676.29 | 01 | 06 | 1 | |
| | P | 12/15/2000 | -54.64 | 0.07 | 676.36 | 01 | 06 | 1 | |
| | P | 12/30/2000 | -54.21 | 0.43 | 676.79 | 01 | 06 | 1 | |
| | P | 1/8/2001 | -55.36 | -1.15 | 675.64 | 01 | 04 | 4 | |
| | P | 1/15/2001 | -52.05 | 3.31 | 678.95 | 01 | 06 | 1 | |
| | P | 1/30/2001 | -50.35 | 1.7 | 680.65 | 01 | 06 | 1 | |
| | P | 2/6/2001 | -50.74 | -0.39 | 680.26 | 01 | 04 | 4 | |
| | P | 2/15/2001 | -50.57 | 0.17 | 680.43 | 01 | 06 | 1 | |
| | P | 2/28/2001 | -50.99 | -0.42 | 680.01 | 01 | 06 | 4 | |
| | P | 3/5/2001 | -50.74 | 0.25 | 680.26 | 01 | 04 | 4 | |
| | P | 3/15/2001 | -49.71 | 1.03 | 681.29 | 01 | 06 | 1 | |
| | P | 3/30/2001 | -48.92 | 0.79 | 682.08 | 01 | 06 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/ 15/ 2001 | -50.94 | -2.02 | 680.06 | 01 | 06 | 1 | |
| | P | 4/ 30/ 2001 | -49.83 | 1.11 | 681.17 | 01 | 06 | 1 | |
| | P | 5/ 15/ 2001 | -48.32 | 1.51 | 682.68 | 01 | 06 | 1 | |
| | P | 5/ 30/ 2001 | -57.01 | -8.69 | 673.99 | 01 | 06 | 1 | |
| | P | 6/ 15/ 2001 | -65.9 | -8.89 | 665.1 | 01 | 06 | 1 | |
| | P | 6/ 18/ 2001 | -65.11 | 0.79 | 665.89 | 01 | 04 | 4 | |
| | P | 6/ 30/ 2001 | -64.25 | 0.86 | 666.75 | 01 | 06 | 1 | |
| | P | 7/ 10/ 2001 | -66.52 | -2.27 | 664.48 | 01 | 04 | 4 | |
| | P | 7/ 15/ 2001 | -67.57 | -1.05 | 663.43 | 01 | 06 | 1 | |
| | P | 7/ 30/ 2001 | -73.86 | -6.29 | 657.14 | 01 | 06 | 1 | |
| | P | 8/ 9/ 2001 | -77.38 | -3.52 | 653.62 | 01 | 04 | 4 | |
| | P | 8/ 15/ 2001 | -77.8 | -0.42 | 653.2 | 01 | 06 | 1 | |
| | P | 8/ 30/ 2001 | -67.48 | 10.32 | 663.52 | 01 | 06 | 1 | |
| | P | 9/ 6/ 2001 | -57.41 | 10.07 | 673.59 | 01 | 04 | 4 | |
| | P | 9/ 15/ 2001 | -54.52 | 2.89 | 676.48 | 01 | 06 | 1 | |
| | P | 9/ 18/ 2001 | -55.37 | -0.85 | 675.63 | 01 | 04 | 4 | |
| | P | 9/ 30/ 2001 | -55.51 | -0.14 | 675.49 | 01 | 06 | 1 | |
| | P | 10/ 2/ 2001 | -56.53 | -1.02 | 674.47 | 01 | 04 | 2 | |
| | P | 10/ 15/ 2001 | -53.8 | 2.73 | 677.2 | 01 | 06 | 1 | |
| | P | 10/ 30/ 2001 | -55.69 | -1.89 | 675.31 | 01 | 06 | 1 | |
| | P | 11/ 7/ 2001 | -56.59 | -0.9 | 674.41 | 01 | 04 | 2 | |
| | P | 11/ 15/ 2001 | -54.43 | 2.16 | 676.57 | 01 | 06 | 1 | |
| | P | 11/ 30/ 2001 | -48.44 | 5.99 | 682.56 | 01 | 06 | 1 | |
| | P | 12/ 4/ 2001 | -47.9 | 0.54 | 683.1 | 01 | 04 | 2 | |
| | P | 12/ 15/ 2001 | -45.91 | 1.99 | 685.09 | 01 | 06 | 1 | |
| | P | 12/ 30/ 2001 | -45.89 | 0.02 | 685.11 | 01 | 06 | 1 | |
| | P | 1/ 8/ 2002 | -47.12 | -1.23 | 683.88 | 01 | 04 | 2 | |
| | P | 1/ 15/ 2002 | -47.86 | -0.74 | 683.14 | 01 | 04 | 4 | |
| | P | 1/ 30/ 2002 | -48.87 | -1.01 | 682.13 | 01 | 04 | 4 | |
| | P | 2/ 6/ 2002 | -48.98 | -0.11 | 682.02 | 01 | 04 | 2 | |
| | P | 2/ 15/ 2002 | -50.55 | -1.57 | 680.45 | 01 | 04 | 4 | |
| | P | 2/ 28/ 2002 | -52.45 | -1.9 | 678.55 | 01 | 06 | 4 | |
| | P | 3/ 5/ 2002 | -52.9 | -0.45 | 678.1 | 01 | 04 | 2 | |
| | P | 3/ 15/ 2002 | -54.91 | -2.01 | 676.09 | 01 | 04 | 4 | |
| | P | 3/ 30/ 2002 | -54.43 | 0.48 | 676.57 | 01 | 04 | 4 | |
| | P | 4/ 2/ 2002 | -54.99 | -0.56 | 676.01 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/2002 | -53.08 | 1.91 | 677.92 | 01 | 04 | 4 | |
| | P | 4/30/2002 | -56.2 | -3.12 | 674.8 | 01 | 04 | 4 | |
| | P | 5/ 2/2002 | -57.77 | -1.57 | 673.23 | 01 | 04 | 2 | |
| | P | 5/15/2002 | -66.25 | -8.48 | 664.75 | 01 | 04 | 4 | |
| | P | 5/30/2002 | -67.59 | -1.34 | 663.41 | 01 | 04 | 4 | |
| | P | 6/11/2002 | -73.17 | -5.58 | 657.83 | 01 | 04 | 2 | |
| | P | 6/15/2002 | -75.77 | -2.6 | 655.23 | 01 | 04 | 4 | |
| | P | 6/30/2002 | -76.35 | -0.58 | 654.65 | 01 | 04 | 4 | |
| | P | 7/11/2002 | -44.7 | 31.65 | 686.3 | 01 | 04 | 2 | |
| | P | 7/15/2002 | -42.87 | 1.83 | 688.13 | 01 | 04 | 4 | |
| | P | 7/30/2002 | -43.03 | -0.16 | 687.97 | 01 | 04 | 4 | |
| | P | 8/ 8/2002 | -46.29 | -3.26 | 684.71 | 01 | 04 | 2 | |
| | P | 8/15/2002 | -46.9 | -0.61 | 684.1 | 01 | 04 | 4 | |
| | P | 8/30/2002 | -50.31 | -3.41 | 680.69 | 01 | 04 | 4 | |
| | P | 9/ 5/2002 | -50.29 | 0.02 | 680.71 | 01 | 04 | 2 | |
| | P | 9/24/2002 | -42.21 | 8.08 | 688.79 | 01 | 04 | 2 | |
| | P | 12/15/2002 | -35.66 | 6.55 | 695.34 | 01 | 04 | 4 | |
| | P | 12/30/2002 | -36.45 | -0.79 | 694.55 | 01 | 04 | 4 | |
| | P | 1/15/2003 | -37.19 | -0.74 | 693.81 | 01 | 04 | 4 | |
| | P | 1/30/2003 | -37.85 | -0.66 | 693.15 | 01 | 04 | 4 | |
| | P | 2/15/2003 | -38.37 | -0.52 | 692.63 | 01 | 04 | 4 | |
| | P | 3/ 1/2003 | -37.83 | 0.54 | 693.17 | 01 | 04 | 4 | |
| | P | 3/15/2003 | -38.42 | -0.59 | 692.58 | 01 | 04 | 4 | |
| | P | 4/15/2003 | -43.13 | -4.71 | 687.87 | 01 | 04 | 4 | |
| | P | 5/15/2003 | -51.74 | -8.61 | 679.26 | 01 | 04 | 4 | |
| | P | 5/30/2003 | -58.41 | -6.67 | 672.59 | 01 | 04 | 4 | |
| | P | 6/15/2003 | -50.21 | 8.2 | 680.79 | 01 | 04 | 4 | |
| | P | 6/30/2003 | -54.68 | -4.47 | 676.32 | 01 | 04 | 4 | |
| | P | 7/15/2003 | -48.02 | 6.66 | 682.98 | 01 | 04 | 4 | |
| | P | 8/15/2003 | -51.2 | -3.18 | 679.8 | 01 | 04 | 4 | |
| | P | 8/30/2003 | -54.14 | -2.94 | 676.86 | 01 | 04 | 4 | |
| | P | 9/15/2003 | -49.11 | 5.03 | 681.89 | 01 | 04 | 4 | |
| | P | 9/30/2003 | -47.3 | 1.81 | 683.7 | 01 | 04 | 4 | |
| | P | 10/15/2003 | -46.99 | 0.31 | 684.01 | 01 | 04 | 4 | |
| | P | 10/30/2003 | -48.43 | -1.44 | 682.57 | 01 | 04 | 4 | |
| | P | 11/15/2003 | -49.17 | -0.74 | 681.83 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2003 | -49.96 | -0.79 | 681.04 | 01 | 04 | 4 | |
| | P | 12/15/2003 | -50.84 | -0.88 | 680.16 | 01 | 04 | 4 | |
| | P | 12/30/2003 | -52.02 | -1.18 | 678.98 | 01 | 04 | 4 | |
| | P | 1/15/2004 | -52.08 | -0.06 | 678.92 | 01 | 04 | 4 | |
| | P | 1/30/2004 | -50.4 | 1.68 | 680.6 | 01 | 04 | 4 | |
| | P | 2/15/2004 | -50.19 | 0.21 | 680.81 | 01 | 04 | 4 | |
| | P | 3/15/2004 | -49.36 | 0.83 | 681.64 | 01 | 04 | 4 | |
| | P | 3/30/2004 | -49.43 | -0.07 | 681.57 | 01 | 04 | 4 | |
| | P | 4/15/2004 | -46.07 | 3.36 | 684.93 | 01 | 04 | 4 | |
| | P | 4/30/2004 | -44.44 | 1.63 | 686.56 | 01 | 04 | 4 | |
| | P | 5/15/2004 | -42.56 | 1.88 | 688.44 | 01 | 04 | 4 | |
| | P | 5/30/2004 | -49.72 | -7.16 | 681.28 | 01 | 04 | 4 | |
| | P | 6/15/2004 | -45.11 | 4.61 | 685.89 | 01 | 04 | 4 | |
| | P | 6/30/2004 | -42.36 | 2.75 | 688.64 | 01 | 04 | 4 | |
| | P | 7/15/2004 | -41.56 | 0.8 | 689.44 | 01 | 04 | 4 | |
| | N | 7/30/2004 | | | | 01 | 04 | | 51 |
| | P | 8/15/2004 | -46.7 | | 684.3 | 01 | 04 | 4 | |
| | P | 8/30/2004 | -47.1 | -0.4 | 683.9 | 01 | 04 | 4 | |
| | P | 9/15/2004 | -46.08 | 1.02 | 684.92 | 01 | 04 | 4 | |
| | P | 9/30/2004 | -47.14 | -1.06 | 683.86 | 01 | 04 | 4 | |
| | P | 10/1/2004 | -47.3 | -0.16 | 683.7 | 01 | 04 | 2 | |
| | P | 10/15/2004 | -43.73 | 3.57 | 687.27 | 01 | 04 | 4 | |
| | P | 10/30/2004 | -41.66 | 2.07 | 689.34 | 01 | 04 | 4 | |
| | P | 11/15/2004 | -40.26 | 1.4 | 690.74 | 01 | 04 | 4 | |
| | P | 11/29/2004 | -29.28 | 10.98 | 701.72 | 01 | 04 | 2 | |
| | P | 11/30/2004 | -29.54 | -0.26 | 701.46 | 01 | 04 | 4 | |
| | N | 12/15/2004 | | | | 01 | 04 | | 51 |
| | N | 12/30/2004 | | | | 01 | 04 | | 51 |
| | P | 1/10/2005 | -34.37 | | 696.63 | 01 | 04 | 2 | |
| | N | 1/15/2005 | | | | 01 | 04 | | 51 |
| | N | 1/30/2005 | | | | 01 | 04 | | 51 |
| | P | 2/15/2005 | -32.97 | | 698.03 | 01 | 04 | 4 | |
| | P | 3/1/2005 | -34.09 | -1.12 | 696.91 | 01 | 04 | 2 | |
| | P | 3/14/2005 | -31.92 | 2.17 | 699.08 | 01 | 04 | 2 | |
| | P | 3/15/2005 | -31.74 | 0.18 | 699.26 | 01 | 04 | 4 | |
| | N | 3/30/2005 | | | | 01 | 04 | | 51 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 15/ 2005 | -37.27 | | 693.73 | 01 | 04 | 4 | |
| | P | 4 / 18/ 2005 | -37.69 | -0.42 | 693.31 | 01 | 04 | 2 | |
| | N | 4 / 30/ 2005 | | | | 01 | 04 | | 51 |
| | N | 5 / 15/ 2005 | | | | 01 | 04 | | 51 |
| | P | 5 / 16/ 2005 | -41.19 | | 689.81 | 01 | 04 | 2 | |
| | N | 5 / 30/ 2005 | | | | 01 | 04 | | 51 |
| | P | 6 / 15/ 2005 | -44.68 | | 686.32 | 01 | 04 | 4 | |
| | P | 6 / 20/ 2005 | -48.22 | -3.54 | 682.78 | 01 | 04 | 2 | |
| | P | 6 / 30/ 2005 | -52.43 | -4.21 | 678.57 | 01 | 04 | 4 | |
| | P | 7 / 15/ 2005 | -55.36 | -2.93 | 675.64 | 01 | 04 | 4 | |
| | P | 7 / 30/ 2005 | -49.38 | 5.98 | 681.62 | 01 | 04 | 4 | |
| | P | 8 / 8 / 2005 | -52.08 | -2.7 | 678.92 | 01 | 04 | 2 | |
| | P | 8 / 15/ 2005 | -49.67 | 2.41 | 681.33 | 01 | 04 | 4 | |
| | P | 8 / 22/ 2005 | -51.39 | -1.72 | 679.61 | 01 | 04 | 2 | |
| | P | 8 / 30/ 2005 | -53.57 | -2.18 | 677.43 | 01 | 04 | 4 | |
| | P | 8 / 31/ 2005 | -53.93 | -0.36 | 677.07 | 01 | 04 | 2 | |
| | P | 10 / 11/ 2005 | -53.23 | 0.7 | 677.77 | 01 | 04 | 2 | |
| | P | 10 / 25/ 2005 | -52.93 | 0.3 | 678.07 | 01 | 04 | 2 | |
| | P | 1 / 5 / 2006 | -54.09 | -1.16 | 676.91 | 01 | 04 | 2 | |
| | P | 2 / 16/ 2006 | -57.44 | -3.35 | 673.56 | 01 | 04 | 2 | |
| | P | 3 / 10/ 2006 | -61.39 | -3.95 | 669.61 | 01 | 04 | 2 | |
| | P | 4 / 27/ 2006 | -67.06 | -5.67 | 663.94 | 01 | 04 | 2 | |
| | P | 6 / 20/ 2006 | -75.56 | -8.5 | 655.44 | 01 | 04 | 2 | |
| | P | 8 / 18/ 2006 | -83.91 | -8.35 | 647.09 | 01 | 04 | 2 | |
| | P | 8 / 28/ 2006 | -82.74 | 1.17 | 648.26 | 01 | 04 | 2 | |
| | P | 10 / 18/ 2006 | -71.77 | 10.97 | 659.23 | 01 | 04 | 2 | |

**Min** *-109.56* **Max** *-27.62* **Avg** *-62.4013*

***6837204*** *( Aquifer: 218EBFZA Well Depth: 756 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 21/ 1932 | -46.54 | | 675.46 | 01 | 12 | 7 | |
| | P | 12 / 27/ 1954 | -85.67 | -39.1 | 636.33 | 01 | 12 | 7 | |
| | P | 6 / 1 / 1963 | -72.62 | 13.05 | 649.38 | 01 | 12 | 7 | |

**Min** *-85.67* **Max** *-46.54* **Avg** *-68.2767*

***6837205*** *( Aquifer: 211ASTN Well Depth: 245 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 20/ 1932 | -131.77 | | 665.23 | 01 | 02 | 1 | |
| | P | 10 / 19/ 1932 | -128.3 | 3.47 | 668.7 | 01 | 02 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/ 23/ 1933 | -128.19 | 0.11 | 668.81 | 01 | 02 | 1 | |
| | P | 4/ 10/ 1933 | -128.9 | -0.71 | 668.1 | 01 | 02 | 1 | |
| | P | 7/ 17/ 1933 | -131.83 | -2.93 | 665.17 | 01 | 02 | 1 | |
| | P | 8/ 18/ 1933 | -131.7 | 0.13 | 665.3 | 01 | 02 | 1 | |
| | P | 9/ 19/ 1933 | -131.31 | 0.39 | 665.69 | 01 | 02 | 1 | |
| | P | 10/ 18/ 1933 | -132.01 | -0.7 | 664.99 | 01 | 02 | 1 | |
| | P | 11/ 21/ 1933 | -132.02 | -0.01 | 664.98 | 01 | 02 | 1 | |
| | P | 12/ 20/ 1933 | -132.01 | 0.01 | 664.99 | 01 | 02 | 1 | |
| | P | 1/ 19/ 1934 | -131.7 | 0.31 | 665.3 | 01 | 02 | 1 | |
| | P | 2/ 20/ 1934 | -131.3 | 0.4 | 665.7 | 01 | 02 | 1 | |
| | P | 3/ 20/ 1934 | -130.62 | 0.68 | 666.38 | 01 | 02 | 1 | |
| | P | 4/ 19/ 1934 | -129.83 | 0.79 | 667.17 | 01 | 02 | 1 | |
| | P | 5/ 22/ 1934 | -132.28 | -2.45 | 664.72 | 01 | 02 | 1 | |
| | P | 6/ 20/ 1934 | -134.59 | -2.31 | 662.41 | 01 | 02 | 1 | |
| | P | 7/ 27/ 1934 | -134.53 | 0.06 | 662.47 | 01 | 02 | 1 | |
| | P | 8/ 23/ 1934 | -135.94 | -1.41 | 661.06 | 01 | 02 | 1 | |
| | P | 9/ 20/ 1934 | -136.25 | -0.31 | 660.75 | 01 | 02 | 1 | |
| | P | 10/ 12/ 1934 | -136.9 | -0.65 | 660.1 | 01 | 02 | 1 | |
| | P | 10/ 25/ 1934 | -137.21 | -0.31 | 659.79 | 01 | 02 | 1 | |
| | P | 11/ 19/ 1934 | -136.26 | 0.95 | 660.74 | 01 | 02 | 1 | |
| | P | 12/ 20/ 1934 | -136.09 | 0.17 | 660.91 | 01 | 02 | 1 | |
| | P | 1/ 31/ 1935 | -135.92 | 0.17 | 661.08 | 01 | 02 | 1 | |
| | P | 3/ 1/ 1935 | -135.53 | 0.39 | 661.47 | 01 | 02 | 1 | |
| | P | 4/ 8/ 1935 | -136.4 | -0.87 | 660.6 | 01 | 02 | 1 | |
| | P | 5/ 19/ 1935 | -128.33 | 8.07 | 668.67 | 01 | 02 | 1 | |
| | P | 6/ 26/ 1935 | -118.48 | 9.85 | 678.52 | 01 | 02 | 1 | |
| | P | 8/ 3/ 1935 | -122.7 | -4.22 | 674.3 | 01 | 02 | 1 | |
| | P | 9/ 26/ 1935 | -123.21 | -0.51 | 673.79 | 01 | 02 | 1 | |
| | P | 11/ 19/ 1935 | -123.8 | -0.59 | 673.2 | 01 | 02 | 1 | |
| | P | 1/ 18/ 1936 | -125.14 | -1.34 | 671.86 | 01 | 02 | 1 | |
| | P | 8/ 28/ 1936 | -124.1 | 1.04 | 672.9 | 01 | 02 | 1 | |
| | P | 1/ 5/ 1937 | -122.89 | 1.21 | 674.11 | 01 | 02 | 1 | |
| | P | 1/ 16/ 1951 | -150.62 | -27.7 | 646.38 | 01 | 02 | 1 | |
| | P | 8/ 4/ 2009 | -161.82 | -11.2 | 635.18 | 01 | 04 | 2 | |
| | P | 9/ 29/ 2009 | -153.38 | 8.44 | 643.62 | 01 | 04 | 2 | |
| | P | 1/ 21/ 2010 | -128.9 | 24.48 | 668.1 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 28/ 2010 | -123.21 | 5.69 | 673.79 | 01 | 04 | 2 | 04 |
| | P | 6 / 25/ 2010 | -132.56 | -9.35 | 664.44 | 01 | 04 | 2 | 04 |
| | P | 9 / 22/ 2010 | -123.39 | 9.17 | 673.61 | 01 | 04 | 2 | |
| | P | 12 / 10/ 2010 | -132.3 | -8.91 | 664.7 | 01 | 04 | 2 | |
| | P | 3 / 14/ 2011 | -137.95 | -5.65 | 659.05 | 01 | 04 | 2 | |
| | P | 6 / 17/ 2011 | -164.76 | -26.8 | 632.24 | 01 | 04 | 2 | |
| | P | 8 / 1 / 2011 | -163.19 | 1.57 | 633.81 | 01 | 04 | 2 | |

**Min** *-164.76* **Max** *-118.48* **Avg** *-133.780*

***6837206*** *( Aquifer: 218EDRDA Well Depth: 921 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 29/ 1948 | -133 | | 627 | 01 | 12 | 7 | |

**Min** *-133* **Max** *-133* **Avg** *-133*

***6837207*** *( Aquifer: 218EBFZA Well Depth: 872 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 0 / 1952 | -76 | | 684 | 01 | 12 | 7 | |

**Min** *-76* **Max** *-76* **Avg** *-76*

***6837208*** *( Aquifer: 218EBFZA Well Depth: 763 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 26/ 1949 | -159 | | 662 | 01 | 12 | 7 | |

**Min** *-159* **Max** *-159* **Avg** *-159*

***6837211*** *( Aquifer: 218EDRDA Well Depth: 704 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1940 | -131 | | 669 | 01 | 12 | 7 | |

**Min** *-131* **Max** *-131* **Avg** *-131*

***6837212*** *( Aquifer: 218EBFZA Well Depth: 778 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 1 / 1951 | -65.8 | | 647.2 | 01 | 12 | 7 | |

**Min** *-65.8* **Max** *-65.8* **Avg** *-65.8*

***6837303*** *( Aquifer: 218EBFZA Well Depth: 685 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 22/ 1993 | -395 | | 309 | 01 | 04 | 3 | |

**Min** *-395* **Max** *-395* **Avg** *-395*

***6837407*** *( Aquifer: 218EBFZA Well Depth: 900 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 2 / 1933 | -38.76 | | 671.24 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -78.36 | -39.6 | 631.64 | 01 | 12 | 7 | |

**Min** *-78.36* **Max** *-38.76* **Avg** *-58.56*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6837408*** | *( Aquifer: 218EBFZA* | | *Well Depth: 765 )* | | | | | | |
| | P | 7 / 26/ 1933 | 16.4 | | 671.4 | 01 | 12 | 5 | |
| | P | 12 / 30/ 1936 | 27.3 | 10.9 | 682.3 | 01 | 12 | 5 | |
| **Min** ***16.4*** | | **Max** ***27.3*** | **Avg** | ***21.85*** | | | | | |
| ***6837409*** | *( Aquifer: 218EBFZA* | | *Well Depth: 836 )* | | | | | | |
| | P | 11 / 27/ 1933 | -28.6 | | 616.4 | 01 | 12 | 7 | |
| | P | 12 / 2 / 1954 | -10.67 | 17.93 | 634.33 | 01 | 12 | 7 | |
| | P | 2 / 13/ 1978 | 35.65 | 46.32 | 680.65 | 01 | 01 | 5 | |
| | P | 3 / 22/ 1979 | 42.58 | 6.93 | 687.58 | 01 | 01 | 5 | |
| | N | 2 / 20/ 1981 | | | | 01 | 01 | | 50 |
| | P | 2 / 8 / 1982 | 48.31 | | 693.31 | 01 | 01 | 5 | |
| | N | 2 / 9 / 1983 | | | | 01 | 01 | | 50 |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 50 |
| | N | 6 / 25/ 1992 | | | | 01 | 01 | | 50 |
| **Min** ***-28.6*** | | **Max** ***48.31*** | **Avg** | ***17.454*** | | | | | |
| ***6837411*** | *( Aquifer: 218EDRDA* | | *Well Depth: 805 )* | | | | | | |
| | P | 6 / 0 / 1946 | 7 | | 659 | 01 | 12 | 5 | |
| **Min** ***7*** | | **Max** ***7*** | **Avg** | ***7*** | | | | | |
| ***6837420*** | *( Aquifer: 218EDRDA* | | *Well Depth: 857 )* | | | | | | |
| | P | 0 / 0 / 1944 | -11 | | 664 | 01 | 12 | 7 | |
| **Min** ***-11*** | | **Max** ***-11*** | **Avg** | ***-11*** | | | | | |
| ***6837428*** | *( Aquifer: 218EDRDA* | | *Well Depth: 800 )* | | | | | | |
| | P | 0 / 0 / 1952 | -50 | | 610 | 01 | 12 | 7 | |
| **Min** ***-50*** | | **Max** ***-50*** | **Avg** | ***-50*** | | | | | |
| ***6837436*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1159 )* | | | | | | |
| | P | 7 / 24/ 1946 | -11 | | 643 | 01 | 12 | 7 | |
| **Min** ***-11*** | | **Max** ***-11*** | **Avg** | ***-11*** | | | | | |
| ***6837505*** | *( Aquifer: 218EBFZA* | | *Well Depth: 840 )* | | | | | | |
| | P | 12 / 2 / 1952 | -12.7 | | 620.3 | 01 | 12 | 7 | |
| | P | 5 / 3 / 1954 | -4.8 | 7.9 | 628.2 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -12.7** | | **Max -4.8** | **Avg** | **-8.75** | | | | | |
| ***6837507*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1108 )* | | | | | | |
| | P | 8 / 0 / 1953 | -7 | | 638 | 01 | 12 | 7 | |
| **Min -7** | | **Max -7** | **Avg** | **-7** | | | | | |
| ***6837511*** | *( Aquifer: 218EBFZA* | | *Well Depth: 904 )* | | | | | | |
| | P | 2 / 24/ 1958 | 26 | | 668 | 01 | 12 | 5 | |
| | P | 7 / 15/ 1974 | 23.6 | -2.4 | 665.6 | 01 | 12 | 5 | |
| **Min 23.6** | | **Max 26** | **Avg** | **24.8** | | | | | |
| ***6837512*** | *( Aquifer: 218EBFZA* | | *Well Depth: 620 )* | | | | | | |
| | P | 11 / 3 / 1952 | -2.6 | | 640.4 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -9.82 | -7.22 | 633.18 | 01 | 12 | 7 | |
| **Min -9.82** | | **Max -2.6** | **Avg** | **-6.21** | | | | | |
| ***6837513*** | *( Aquifer: 218EBFZA* | | *Well Depth: 932 )* | | | | | | |
| | P | 11 / 2 / 1954 | -13.36 | | 632.64 | 01 | 12 | 7 | |
| **Min -13.36** | | **Max -13.36** | **Avg** | **-13.36** | | | | | |
| ***6837514*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1045 )* | | | | | | |
| | P | 8 / 0 / 1952 | 35 | | 642 | 01 | 12 | 5 | |
| **Min 35** | | **Max 35** | **Avg** | **35** | | | | | |
| ***6837515*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1380 )* | | | | | | |
| | P | 2 / 24/ 1958 | 22 | | 664 | 01 | 04 | 5 | |
| | P | 1 / 9 / 1961 | 33.2 | 11.2 | 675.2 | 01 | 04 | 5 | |
| **Min 22** | | **Max 33.2** | **Avg** | **27.6** | | | | | |
| ***6837517*** | *( Aquifer: 218EDRDA* | | *Well Depth: 928 )* | | | | | | |
| | P | 8 / 10/ 1933 | -11.6 | | 623.4 | 01 | 12 | 7 | |
| **Min -11.6** | | **Max -11.6** | **Avg** | **-11.6** | | | | | |
| ***6837522*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1075 )* | | | | | | |
| | P | 10 / 1 / 2004 | 63.98 | | 683.98 | 01 | 04 | 5 | |
| | P | 11 / 23/ 2004 | 78.28 | 14.3 | 698.28 | 01 | 04 | 5 | |
| | P | 11 / 24/ 2004 | 79.48 | 1.2 | 699.48 | 01 | 04 | 5 | |
| | P | 12 / 15/ 2004 | 79.48 | | 699.48 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/10/2005 | 76.38 | -3.1 | 696.38 | 01 | 04 | 5 | |
| | P | 3/ 2/2005 | 77.38 | 1 | 697.38 | 01 | 04 | 5 | |
| | P | 4/18/2005 | 73.98 | -3.4 | 693.98 | 01 | 04 | 5 | |
| | P | 6/ 6/2005 | 70.98 | -3 | 690.98 | 01 | 04 | 5 | |
| | P | 7/26/2005 | 60.58 | -10.4 | 680.58 | 01 | 04 | 5 | |
| | P | 9/13/2005 | 61.38 | 0.8 | 681.38 | 01 | 04 | 5 | |
| | P | 10/ 4/2005 | 55.18 | -6.2 | 675.18 | 01 | 04 | 5 | |
| | P | 12/19/2005 | 59.58 | 4.4 | 679.58 | 01 | 04 | 5 | |
| | P | 1/20/2006 | 55.98 | -3.6 | 675.98 | 01 | 04 | 5 | |
| | P | 1/30/2006 | 56.38 | 0.4 | 676.38 | 01 | 04 | 5 | |
| | P | 3/27/2006 | 50.06 | -6.32 | 670.06 | 01 | 04 | 5 | |
| | P | 3/28/2006 | 50.68 | 0.62 | 670.68 | 01 | 04 | 5 | |
| | P | 5/ 8/2006 | 48.68 | -2 | 668.68 | 01 | 04 | 5 | |
| | P | 5/19/2006 | 42.28 | -6.4 | 662.28 | 01 | 04 | 5 | |
| | P | 5/30/2006 | 37.88 | -4.4 | 657.88 | 01 | 04 | 5 | |
| | P | 5/31/2006 | 38.48 | 0.6 | 658.48 | 01 | 04 | 5 | |
| | P | 6/26/2006 | 31.78 | -6.7 | 651.78 | 01 | 04 | 5 | |
| | P | 8/21/2006 | 27.08 | -4.7 | 647.08 | 01 | 04 | 5 | |
| | P | 10/ 3/2006 | 38.28 | 11.2 | 658.28 | 01 | 04 | 5 | |
| | P | 11/21/2006 | 43.28 | 5 | 663.28 | 01 | 04 | 5 | |
| | P | 1/26/2007 | 50.48 | 7.2 | 670.48 | 01 | 04 | 5 | |
| | P | 2/16/2007 | 47.88 | -2.6 | 667.88 | 01 | 04 | 5 | |
| | P | 3/ 7/2007 | 42.38 | -5.5 | 662.38 | 01 | 04 | 5 | |
| | P | 3/23/2007 | 50.38 | 8 | 670.38 | 01 | 04 | 5 | |
| | P | 4/25/2007 | 56.28 | 5.9 | 676.28 | 01 | 04 | 5 | |
| | P | 6/27/2007 | 60.38 | 4.1 | 680.38 | 01 | 04 | 5 | |
| | P | 8/ 6/2007 | 77.48 | 17.1 | 697.48 | 01 | 04 | 5 | |
| | P | 9/18/2007 | 79.18 | 1.7 | 699.18 | 01 | 04 | 5 | |
| | P | 10/ 4/2007 | 74.88 | -4.3 | 694.88 | 01 | 04 | 5 | |
| | P | 11/19/2007 | 71.88 | -3 | 691.88 | 01 | 04 | 5 | |
| | P | 12/ 7/2007 | 70.28 | -1.6 | 690.28 | 01 | 04 | 5 | |
| | P | 12/17/2007 | 71.28 | 1 | 691.28 | 01 | 04 | 5 | |
| | P | 1/ 2/2008 | 69.98 | -1.3 | 689.98 | 01 | 04 | 5 | |
| | P | 2/ 1/2008 | 68.38 | -1.6 | 688.38 | 01 | 04 | 5 | |
| | P | 2/19/2008 | 64.88 | -3.5 | 684.88 | 01 | 04 | 5 | |
| | P | 4/ 9/2008 | 61.98 | -2.9 | 681.98 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 23/ 2008 | 51.58 | -10.4 | 671.58 | 01 | 04 | 5 | |
| | P | 7 / 10/ 2008 | 47.68 | -3.9 | 667.68 | 01 | 04 | 5 | |
| | P | 10 / 27/ 2008 | 47.68 | | 667.68 | 01 | 04 | 5 | |
| | P | 12 / 16/ 2008 | 49.28 | 1.6 | 669.28 | 01 | 04 | 5 | |
| | P | 2 / 2 / 2009 | 48.68 | -0.6 | 668.68 | 01 | 04 | 5 | |
| | P | 2 / 25/ 2009 | 44.58 | -4.1 | 664.58 | 01 | 04 | 5 | |
| | P | 3 / 17/ 2009 | 47.38 | 2.8 | 667.38 | 01 | 04 | 5 | |
| | P | 5 / 4 / 2009 | 34.88 | -12.5 | 654.88 | 01 | 04 | 5 | |
| | P | 5 / 4 / 2009 | 38.16 | 3.28 | 658.16 | 02 | 04 | 5 | |
| | P | 5 / 11/ 2009 | 33.33 | -4.83 | 653.33 | 01 | 04 | 5 | |
| | P | 5 / 13/ 2009 | 32.34 | -0.99 | 652.34 | 01 | 04 | 5 | |
| | P | 7 / 8 / 2009 | 22.08 | -10.3 | 642.08 | 01 | 04 | 5 | |
| | P | 8 / 11/ 2009 | 22.28 | 0.2 | 642.28 | 01 | 04 | 5 | |
| | P | 8 / 24/ 2009 | 23.18 | 0.9 | 643.18 | 01 | 04 | 5 | |
| | P | 10 / 16/ 2009 | 41.28 | 18.1 | 661.28 | 01 | 04 | 5 | |
| | P | 1 / 11/ 2010 | 46.58 | 5.3 | 666.58 | 01 | 04 | 5 | |
| | P | 3 / 31/ 2010 | 58.08 | 11.5 | 678.08 | 01 | 04 | 5 | |
| | P | 6 / 22/ 2010 | 53.08 | -5 | 673.08 | 01 | 04 | 5 | |
| | P | 7 / 26/ 2010 | 51.88 | -1.2 | 671.88 | 01 | 04 | 5 | |
| | P | 9 / 13/ 2010 | 59.68 | 7.8 | 679.68 | 01 | 04 | 5 | |
| | P | 10 / 21/ 2010 | 55.98 | -3.7 | 675.98 | 01 | 04 | 5 | |
| | P | 10 / 25/ 2010 | 56.28 | 0.3 | 676.28 | 01 | 04 | 5 | |
| | P | 1 / 21/ 2011 | 54.08 | -2.2 | 674.08 | 01 | 04 | 5 | |
| | P | 2 / 10/ 2011 | 51.68 | -2.4 | 671.68 | 01 | 04 | 5 | |
| | P | 2 / 14/ 2011 | 50.58 | -1.1 | 670.58 | 01 | 04 | 5 | |
| | P | 4 / 15/ 2011 | 38.98 | -11.6 | 658.98 | 01 | 04 | 5 | |
| | P | 5 / 24/ 2011 | 32.58 | -6.4 | 652.58 | 01 | 07 | 5 | |
| | P | 8 / 2 / 2011 | 22.88 | -9.7 | 642.88 | 01 | 04 | 5 | |

**Min** *22.08* **Max** *79.48* **Avg** *52.82662*

***6837525*** *( Aquifer: 218EBFZA Well Depth: 1150 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1986 | -46.2 | | 577.8 | 01 | 02 | 4 | |

**Min** *-46.2* **Max** *-46.2* **Avg** *-46.2*

***6837526*** *( Aquifer: 218EBFZA Well Depth: 1223 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 1 / 1986 | -17.3 | | 624.7 | 01 | 02 | 4 | |
| | P | 10 / 1 / 2004 | 40.58 | 57.88 | 682.58 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/23/2004 | 56.68 | 16.1 | 698.68 | 01 | 04 | 5 | |
| | P | 12/ 6/2004 | 58.08 | 1.4 | 700.08 | 01 | 04 | 5 | |
| | P | 12/ 8/2004 | 57.98 | -0.1 | 699.98 | 01 | 04 | 5 | |
| | P | 12/27/2004 | 54.08 | -3.9 | 696.08 | 01 | 04 | 5 | |
| | P | 12/28/2004 | 53.98 | -0.1 | 695.98 | 01 | 04 | 5 | |
| | P | 1/10/2005 | 53.08 | -0.9 | 695.08 | 01 | 04 | 5 | |
| | P | 1/21/2005 | 52.08 | -1 | 694.08 | 01 | 04 | 5 | |
| | P | 2/14/2005 | 55.88 | 3.8 | 697.88 | 01 | 04 | 5 | |
| | P | 2/25/2005 | 53.18 | -2.7 | 695.18 | 01 | 04 | 5 | |
| | P | 3/ 2/2005 | 53.88 | 0.7 | 695.88 | 01 | 04 | 5 | |
| | P | 3/10/2005 | 56.48 | 2.6 | 698.48 | 01 | 04 | 5 | |
| | P | 3/14/2005 | 56.28 | -0.2 | 698.28 | 01 | 04 | 5 | |
| | P | 3/15/2005 | 56.18 | -0.1 | 698.18 | 01 | 04 | 5 | |
| | P | 3/16/2005 | 56.88 | 0.7 | 698.88 | 01 | 04 | 5 | |
| | P | 4/18/2005 | 50.08 | -6.8 | 692.08 | 01 | 04 | 5 | |
| | P | 4/21/2005 | 49.98 | -0.1 | 691.98 | 01 | 04 | 5 | |
| | P | 5/13/2005 | 46.08 | -3.9 | 688.08 | 01 | 04 | 5 | |
| | P | 5/16/2005 | 46.98 | 0.9 | 688.98 | 01 | 04 | 5 | |
| | P | 5/18/2005 | 47.08 | 0.1 | 689.08 | 01 | 04 | 5 | |
| | P | 6/ 1/2005 | 47.08 | | 689.08 | 01 | 04 | 5 | |
| | P | 6/ 2/2005 | 47.38 | 0.3 | 689.38 | 01 | 04 | 5 | |
| | P | 6/ 6/2005 | 47.68 | 0.3 | 689.68 | 01 | 04 | 5 | |
| | P | 6/23/2005 | 36.88 | -10.8 | 678.88 | 01 | 04 | 5 | |
| | P | 7/26/2005 | 37.38 | 0.5 | 679.38 | 01 | 04 | 5 | |
| | P | 9/13/2005 | 38.48 | 1.1 | 680.48 | 01 | 04 | 5 | |
| | P | 10/ 4/2005 | 32.18 | -6.3 | 674.18 | 01 | 04 | 5 | |
| | P | 12/19/2005 | 35.88 | 3.7 | 677.88 | 01 | 04 | 5 | |
| | P | 1/30/2006 | 33.08 | -2.8 | 675.08 | 01 | 04 | 5 | |
| | P | 3/28/2006 | 27.98 | -5.1 | 669.98 | 01 | 04 | 5 | |
| | P | 5/ 8/2006 | 26.08 | -1.9 | 668.08 | 01 | 04 | 5 | |
| | P | 6/26/2006 | 8.38 | -17.7 | 650.38 | 01 | 04 | 5 | |
| | P | 7/21/2006 | 6.08 | -2.3 | 648.08 | 01 | 04 | 5 | |
| | P | 8/17/2006 | 3.98 | -2.1 | 645.98 | 01 | 04 | 5 | |
| | P | 8/21/2006 | 3.98 | | 645.98 | 01 | 04 | 5 | |
| | P | 8/31/2006 | 5.28 | 1.3 | 647.28 | 01 | 04 | 5 | |
| | P | 9/ 7/2006 | 9.48 | 4.2 | 651.48 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/12/2006 | 12.88 | 3.4 | 654.88 | 01 | 04 | 5 | |
| | P | 10/ 3/2006 | 15.38 | 2.5 | 657.38 | 01 | 04 | 5 | |
| | P | 11/21/2006 | 20.68 | 5.3 | 662.68 | 01 | 04 | 5 | |
| | P | 1/26/2007 | 27.78 | 7.1 | 669.78 | 01 | 04 | 5 | |
| | P | 3/ 7/2007 | 19.48 | -8.3 | 661.48 | 01 | 04 | 5 | |
| | P | 3/23/2007 | 28.18 | 8.7 | 670.18 | 01 | 04 | 5 | |
| | P | 4/25/2007 | 34.28 | 6.1 | 676.28 | 01 | 04 | 5 | |
| | P | 6/27/2007 | 37.88 | 3.6 | 679.88 | 01 | 04 | 5 | |
| | P | 8/ 6/2007 | 54.78 | 16.9 | 696.78 | 01 | 04 | 5 | |
| | P | 9/18/2007 | 55.88 | 1.1 | 697.88 | 01 | 04 | 5 | |
| | P | 10/ 4/2007 | 52.58 | -3.3 | 694.58 | 01 | 04 | 5 | |
| | P | 11/19/2007 | 48.28 | -4.3 | 690.28 | 01 | 04 | 5 | |
| | P | 1/ 2/2008 | 46.18 | -2.1 | 688.18 | 01 | 04 | 5 | |
| | P | 2/19/2008 | 42.08 | -4.1 | 684.08 | 01 | 04 | 5 | |
| | P | 4/ 9/2008 | 39.28 | -2.8 | 681.28 | 01 | 04 | 5 | |
| | P | 4/23/2008 | 35.88 | -3.4 | 677.88 | 01 | 04 | 5 | |
| | P | 5/ 1/2008 | 35.78 | -0.1 | 677.78 | 01 | 04 | 5 | |
| | P | 5/23/2008 | 28.28 | -7.5 | 670.28 | 01 | 04 | 5 | |
| | P | 7/10/2008 | 24.68 | -3.6 | 666.68 | 01 | 04 | 5 | |
| | P | 7/31/2008 | 24.18 | -0.5 | 666.18 | 01 | 04 | 5 | |
| | P | 10/27/2008 | 24.68 | 0.5 | 666.68 | 01 | 04 | 5 | |
| | P | 12/16/2008 | 26.48 | 1.8 | 668.48 | 01 | 04 | 5 | |
| | P | 2/ 2/2009 | 25.58 | -0.9 | 667.58 | 01 | 04 | 5 | |
| | P | 3/17/2009 | 24.48 | -1.1 | 666.48 | 01 | 04 | 5 | |
| | P | 5/ 4/2009 | 19.06 | -5.42 | 661.06 | 01 | 04 | 5 | |
| | P | 5/11/2009 | 16.91 | -2.15 | 658.91 | 01 | 04 | 5 | |
| | P | 7/ 8/2009 | 14.28 | -2.63 | 656.28 | 01 | 04 | 5 | |
| | P | 8/11/2009 | -1.41 | -15.7 | 640.59 | 01 | 04 | 2 | |
| | P | 8/12/2009 | -1.88 | -0.47 | 640.12 | 01 | 04 | 2 | |
| | P | 8/24/2009 | -0.67 | 1.21 | 641.33 | 01 | 04 | 2 | |
| | P | 9/15/2009 | 10.18 | 10.85 | 652.18 | 01 | 04 | 5 | |
| | P | 9/17/2009 | 9.08 | -1.1 | 651.08 | 01 | 04 | 5 | |
| | P | 9/21/2009 | 7.98 | -1.1 | 649.98 | 01 | 04 | 5 | |
| | P | 10/16/2009 | 18.38 | 10.4 | 660.38 | 01 | 04 | 5 | |
| | P | 1/11/2010 | 23.18 | 4.8 | 665.18 | 01 | 04 | 5 | |
| | P | 1/22/2010 | 32.08 | 8.9 | 674.08 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 2010 | 31.98 | -0.1 | 673.98 | 02 | 04 | 5 | |
| | P | 3 / 23/ 2010 | 35.88 | 3.9 | 677.88 | 01 | 04 | 5 | |
| | P | 3 / 24/ 2010 | 35.78 | -0.1 | 677.78 | 01 | 04 | 5 | |
| | P | 5 / 10/ 2010 | 32.08 | -3.7 | 674.08 | 01 | 04 | 5 | |
| | P | 6 / 22/ 2010 | 29.78 | -2.3 | 671.78 | 01 | 04 | 5 | |
| | P | 7 / 26/ 2010 | 28.18 | -1.6 | 670.18 | 01 | 04 | 5 | |
| | P | 9 / 13/ 2010 | 36.88 | 8.7 | 678.88 | 01 | 04 | 5 | |
| | P | 10 / 21/ 2010 | 33.18 | -3.7 | 675.18 | 01 | 04 | 5 | |
| | P | 10 / 25/ 2010 | 33.6 | 0.42 | 675.6 | 01 | 04 | 5 | |
| | P | 1 / 21/ 2011 | 29.58 | -4.02 | 671.58 | 01 | 04 | 5 | |
| | P | 4 / 15/ 2011 | 4.08 | -25.5 | 646.08 | 01 | 04 | 5 | |
| | P | 4 / 21/ 2011 | 3.37 | -0.71 | 645.37 | 01 | 04 | 2 | |
| | P | 4 / 26/ 2011 | 3.1 | -0.27 | 645.1 | 01 | 04 | 2 | |
| | P | 5 / 24/ 2011 | 1.72 | -1.38 | 643.72 | 01 | 04 | 2 | |
| | P | 8 / 2 / 2011 | -1.49 | -3.21 | 640.51 | 01 | 04 | 2 | |

**Min** *-17.3* **Max** *58.08* **Avg** *30.96573*

***6837527*** *( Aquifer: 218EBFZA Well Depth: 926 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 6 / 1986 | 13.2 | | 654.2 | 01 | 01 | 5 | |

**Min** *13.2* **Max** *13.2* **Avg** *13.2*

***6837606*** *( Aquifer: 218EBFZA Well Depth: 970 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 13/ 1932 | -0.28 | | 676.72 | 01 | 12 | 7 | |
| | P | 11 / 2 / 1954 | -43.31 | -43.0 | 633.69 | 01 | 04 | 1 | |
| | P | 2 / 7 / 1972 | -4.41 | 38.9 | 672.59 | 01 | 04 | 1 | |
| | P | 10 / 17/ 1972 | -12.51 | -8.1 | 664.49 | 01 | 04 | 1 | |
| | P | 7 / 26/ 1973 | 8.05 | 20.56 | 685.05 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1974 | 8.3 | 0.25 | 685.3 | 01 | 04 | 5 | |
| | P | 7 / 15/ 1974 | 11.83 | 3.53 | 688.83 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1975 | 9.1 | -2.73 | 686.1 | 01 | 04 | 5 | |
| | P | 7 / 16/ 1975 | 1.6 | -7.5 | 678.6 | 01 | 04 | 5 | |
| | P | 2 / 23/ 1976 | -10.65 | -12.3 | 666.35 | 01 | 04 | 1 | |
| | P | 8 / 2 / 1976 | -0.97 | 9.68 | 676.03 | 01 | 04 | 1 | |
| | P | 2 / 13/ 1978 | 1.8 | 2.77 | 678.8 | 01 | 01 | 5 | |
| | N | 2 / 20/ 1981 | | | | 01 | 01 | | 50 |
| | N | 2 / 9 / 1982 | | | | 01 | 01 | | 50 |
| | P | 2 / 8 / 1983 | 0.9 | | 677.9 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 50 |
| | P | 6 / 28/ 1984 | 0.37 | | 677.37 | 01 | 04 | 5 | |
| | P | 2 / 12/ 1985 | 0.43 | 0.06 | 677.43 | 01 | 01 | 5 | |
| | N | 2 / 11/ 1986 | | | | 01 | 01 | | 42 |
| | P | 12 / 8 / 1986 | 0.38 | | 677.38 | 01 | 01 | 5 | |
| | P | 3 / 16/ 1988 | 0.99 | 0.61 | 677.99 | 01 | 01 | 5 | |
| | P | 1 / 17/ 1989 | -17.14 | -18.1 | 659.86 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1990 | -32.6 | -15.5 | 644.4 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1991 | -19.4 | 13.2 | 657.6 | 01 | 01 | 1 | |
| | N | 1 / 29/ 1992 | | | | 01 | 01 | | 50 |
| | N | 6 / 25/ 1992 | | | | 01 | 01 | | 50 |
| | N | 3 / 3 / 1993 | | | | 01 | 06 | | 50 |
| | P | 4 / 14/ 1995 | -4.4 | | 672.6 | 01 | 06 | 1 | |
| | P | 3 / 18/ 1996 | -25.39 | -21 | 651.61 | 01 | 06 | 1 | |
| | P | 7 / 20/ 2006 | -30.46 | -5.07 | 646.54 | 01 | 04 | 2 | |

**Min** *-43.31* **Max** *11.83* **Avg** *-6.85957*

***6837607*** *( Aquifer: 218EBFZA Well Depth: 1054 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 0 / 1947 | -15 | | 669 | 01 | 12 | 7 | |

**Min** *-15* **Max** *-15* **Avg** *-15*

***6837608*** *( Aquifer: 218EDRDA Well Depth: 1047 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 29/ 1953 | -45.9 | | 642.1 | 01 | 12 | 7 | |

**Min** *-45.9* **Max** *-45.9* **Avg** *-45.9*

***6837610*** *( Aquifer: 218EBFZA Well Depth: 1145 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 17/ 1998 | -39 | | 656 | 01 | 07 | 7 | |

**Min** *-39* **Max** *-39* **Avg** *-39*

***6837704*** *( Aquifer: 218EBFZA Well Depth: 1617 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 15/ 1956 | -5 | | 617 | 01 | 12 | 7 | |

**Min** *-5* **Max** *-5* **Avg** *-5*

***6837705*** *( Aquifer: 218EBFZA Well Depth: 1800 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 9 / 1964 | 44 | | 645 | 01 | 12 | 5 | |

**Min** *44* **Max** *44* **Avg** *44*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6837706** | ( Aquifer: 218EBFZA | | Well Depth: 1521 ) | | | | | | |
| | P | 5 / 10/ 1957 | 37 | | 641 | 01 | 12 | 5 | |
| Min 37 | | Max 37 | Avg | 37 | | | | | |
| **6837707** | ( Aquifer: 218EBFZA | | Well Depth: 1103 ) | | | | | | |
| | P | 8 / 2 / 1933 | 47.6 | | 674.6 | 01 | 02 | 5 | |
| | P | 1 / 18/ 1951 | 17 | -30.6 | 644 | 01 | 02 | 5 | |
| | N | 6 / 25/ 1992 | | | | 01 | 01 | | 50 |
| Min 17 | | Max 47.6 | Avg | 32.3 | | | | | |
| **6837710** | ( Aquifer: 218EBFZA | | Well Depth: 1510 ) | | | | | | |
| | N | 5 / 16/ 2002 | | | | 01 | 08 | | 50 |
| Min | | Max | Avg | | | | | | |
| **6837714** | ( Aquifer: 218EDRDA | | Well Depth: 1260 ) | | | | | | |
| | P | 3 / 16/ 1951 | -28 | | 584 | 01 | 12 | 7 | |
| Min -28 | | Max -28 | Avg | -28 | | | | | |
| **6837715** | ( Aquifer: 218EBFZA | | Well Depth: 1052 ) | | | | | | |
| | P | 6 / 16/ 1942 | 56 | | 666 | 01 | 12 | 5 | |
| | P | 3 / 0 / 1951 | 45.7 | -10.3 | 655.7 | 01 | 12 | 5 | |
| Min 45.7 | | Max 56 | Avg | 50.85 | | | | | |
| **6837716** | ( Aquifer: 218EDRDA | | Well Depth: 844 ) | | | | | | |
| | P | 6 / 0 / 1946 | 34.6 | | 664.6 | 01 | 12 | 5 | |
| Min 34.6 | | Max 34.6 | Avg | 34.6 | | | | | |
| **6838107** | ( Aquifer: 218EBFZA | | Well Depth: 773 ) | | | | | | |
| | P | 8 / 7 / 1970 | -63.82 | | 698.18 | 01 | 12 | 7 | |
| Min -63.82 | | Max -63.82 | Avg | -63.82 | | | | | |
| **6838108** | ( Aquifer: 218EBFZA | | Well Depth: 1023 ) | | | | | | |
| | P | 9 / 21/ 1971 | -85 | | 645 | 01 | 07 | 7 | |
| Min -85 | | Max -85 | Avg | -85 | | | | | |
| **6838109** | ( Aquifer: 218EBFZA | | Well Depth: 860 ) | | | | | | |
| | P | 11 / 2 / 1954 | -57.31 | | 629.69 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 29/ 1971 | -22.25 | 35.06 | 664.75 | 01 | 12 | 7 | |
| Min -57.31 | | Max -22.25 | Avg -39.78 | | | | | | |
| **6838110** | ( Aquifer: 218EBFZA | | Well Depth: 1042 ) | | | | | | |
| | P | 8 / 15/ 1973 | -24 | | 691 | 01 | 12 | 7 | |
| Min -24 | | Max -24 | Avg -24 | | | | | | |
| **6838112** | ( Aquifer: 218EDRDA | | Well Depth: 900 ) | | | | | | |
| | P | 4 / 13/ 1950 | -109.03 | | 652.97 | 01 | 04 | 1 | |
| Min -109.03 | | Max -109.03 | Avg -109.03 | | | | | | |
| **6838113** | ( Aquifer: 218EDRDA | | Well Depth: 900 ) | | | | | | |
| | P | 4 / 13/ 1950 | -77.58 | | 652.42 | 01 | 04 | 1 | |
| Min -77.58 | | Max -77.58 | Avg -77.58 | | | | | | |
| **6838301** | ( Aquifer: 218EBFZA | | Well Depth: 854 ) | | | | | | |
| | P | 11 / 2 / 1954 | 34.52 | | 623.52 | 01 | 02 | 5 | |
| | P | 5 / 1 / 1967 | 50.5 | 15.98 | 639.5 | 01 | 02 | 5 | |
| Min 34.52 | | Max 50.5 | Avg 42.51 | | | | | | |
| **6842212** | ( Aquifer: 218EDRDA | | Well Depth: 985 ) | | | | | | |
| | P | 4 / 15/ 1958 | -43.4 | | 679.6 | 01 | 12 | 7 | |
| Min -43.4 | | Max -43.4 | Avg -43.4 | | | | | | |
| **6842216** | ( Aquifer: 218EDRDA | | Well Depth: 968 ) | | | | | | |
| | P | 4 / 20/ 1972 | -57.53 | | 666.47 | 01 | 12 | 7 | |
| Min -57.53 | | Max -57.53 | Avg -57.53 | | | | | | |
| **6842304** | ( Aquifer: 218EDRDA | | Well Depth: 1200 ) | | | | | | |
| | P | 3 / 0 / 1953 | -113 | | 648 | 01 | 12 | 7 | |
| Min -113 | | Max -113 | Avg -113 | | | | | | |
| **6842305** | ( Aquifer: 218EDRDA | | Well Depth: 1031 ) | | | | | | |
| | P | 1 / 20/ 1955 | -89 | | 652 | 01 | 12 | 7 | |
| Min -89 | | Max -89 | Avg -89 | | | | | | |
| **6842306** | ( Aquifer: 218EDRDA | | Well Depth: 896 ) | | | | | | |
| | P | 3 / 11/ 1959 | -35 | | 687 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -35** | | **Max -35** | **Avg** | **-35** | | | | | |
| ***6842307*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1580 )* | | | | | | |
| | P | 10 / 28/ 1953 | -60 | | 649 | 01 | 12 | 7 | |
| **Min -60** | | **Max -60** | **Avg** | **-60** | | | | | |
| ***6842310*** | *( Aquifer: 218EDRDA* | | *Well Depth: 989 )* | | | | | | |
| | P | 3 / 9 / 1964 | -54 | | 667 | 01 | 12 | 7 | |
| **Min -54** | | **Max -54** | **Avg** | **-54** | | | | | |
| ***6842314*** | *( Aquifer: 218EBFZA* | | *Well Depth: 918 )* | | | | | | |
| | P | 9 / 15/ 1933 | -116.84 | | 692.16 | 01 | 12 | 7 | |
| | P | 11 / 1 / 1954 | -166.46 | -49.6 | 642.54 | 01 | 12 | 7 | |
| **Min -166.46** | | **Max -116.84** | **Avg** | **-141.65** | | | | | |
| ***6842315*** | *( Aquifer: 218EBFZA* | | *Well Depth: 830 )* | | | | | | |
| | P | 1 / 4 / 1934 | -70.71 | | 689.29 | 01 | 12 | 7 | |
| | P | 12 / 1 / 1954 | -116.65 | -45.9 | 643.35 | 01 | 12 | 7 | |
| **Min -116.65** | | **Max -70.71** | **Avg** | **-93.68** | | | | | |
| ***6842316*** | *( Aquifer: 218EDRDA* | | *Well Depth: 880 )* | | | | | | |
| | P | 7 / 0 / 1950 | -125 | | 697 | 01 | 12 | 7 | |
| **Min -125** | | **Max -125** | **Avg** | **-125** | | | | | |
| ***6842318*** | *( Aquifer: 218EDRDA* | | *Well Depth: 860 )* | | | | | | |
| | P | 8 / 1 / 1950 | -61.8 | | 679.2 | 01 | 12 | 7 | |
| **Min -61.8** | | **Max -61.8** | **Avg** | **-61.8** | | | | | |
| ***6842319*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1008 )* | | | | | | |
| | P | 7 / 0 / 1950 | -20 | | 682 | 01 | 12 | 7 | |
| **Min -20** | | **Max -20** | **Avg** | **-20** | | | | | |
| ***6842320*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1445 )* | | | | | | |
| | P | 7 / 26/ 1950 | -26 | | 674 | 01 | 12 | 7 | |
| **Min -26** | | **Max -26** | **Avg** | **-26** | | | | | |
| ***6842505*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1419 )* | | | | | | |
| | P | 5 / 16/ 1972 | -22.5 | | 687.5 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-22.5* | | **Max** *-22.5* | **Avg** | *-22.5* | | | | | |
| ***6842804*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2308 )* | | | | | | |
| | **P** | **8 / 9 / 1964** | **-131** | | **639** | **01** | **12** | **7** | |
| **Min** *-131* | | **Max** *-131* | **Avg** | *-131* | | | | | |
| ***6842901*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2295 )* | | | | | | |
| | **P** | **12 / 24/ 1964** | **-98** | | **666** | **01** | **12** | **7** | |
| **Min** *-98* | | **Max** *-98* | **Avg** | *-98* | | | | | |
| ***6842902*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2326 )* | | | | | | |
| | **P** | **8 / 13/ 1969** | **-126** | | **645** | **01** | **12** | **7** | |
| **Min** *-126* | | **Max** *-126* | **Avg** | *-126* | | | | | |
| ***6842903*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2041 )* | | | | | | |
| | **P** | **8 / 1 / 1952** | **-121** | | **653** | **01** | **12** | **7** | |
| **Min** *-121* | | **Max** *-121* | **Avg** | *-121* | | | | | |
| ***6843101*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1019 )* | | | | | | |
| | **P** | **9 / 16/ 1964** | **-80.11** | | **639.89** | **01** | **12** | **7** | |
| **Min** *-80.11* | | **Max** *-80.11* | **Avg** | *-80.11* | | | | | |
| ***6843102*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1359 )* | | | | | | |
| | **P** | **9 / 16/ 1964** | **-71.54** | | **643.46** | **01** | **12** | **7** | |
| **Min** *-71.54* | | **Max** *-71.54* | **Avg** | *-71.54* | | | | | |
| ***6843103*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1319 )* | | | | | | |
| | **P** | **3 / 25/ 1964** | **-42** | | **662** | **01** | **12** | **7** | |
| **Min** *-42* | | **Max** *-42* | **Avg** | *-42* | | | | | |
| ***6843104*** | *( Aquifer: 218EBFZA* | | *Well Depth: 915 )* | | | | | | |
| | **P** | **9 / 15/ 1972** | **-60.26** | | **660.74** | **01** | **12** | **7** | |
| **Min** *-60.26* | | **Max** *-60.26* | **Avg** | *-60.26* | | | | | |
| ***6843108*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1301 )* | | | | | | |
| | **P** | **9 / 14/ 1933** | **38** | | **688** | **01** | **12** | **5** | |
| **Min** *38* | | **Max** *38* | **Avg** | *38* | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6843111*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1320 )* | | | | | | |
| | **P** | **7 / 0 / 1952** | **-10** | | **651** | **01** | **12** | **7** | |
| **Min *-10*** | | **Max *-10*** | **Avg** | ***-10*** | | | | | |
| ***6843112*** | *( Aquifer: 218EDRDA* | | *Well Depth: 900 )* | | | | | | |
| | **P** | **7 / 0 / 1950** | **-30** | | **662** | **01** | **12** | **7** | |
| **Min *-30*** | | **Max *-30*** | **Avg** | ***-30*** | | | | | |
| ***6843113*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1200 )* | | | | | | |
| | **P** | **7 / 0 / 1950** | **-5** | | **665** | **01** | **12** | **7** | |
| **Min *-5*** | | **Max *-5*** | **Avg** | ***-5*** | | | | | |
| ***6843114*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1300 )* | | | | | | |
| | **P** | **7 / 0 / 1950** | **-15** | | **655** | **01** | **12** | **7** | |
| **Min *-15*** | | **Max *-15*** | **Avg** | ***-15*** | | | | | |
| ***6843115*** | *( Aquifer: 218EDRDA* | | *Well Depth: 745 )* | | | | | | |
| | **P** | **7 / 0 / 1950** | **-15** | | **655** | **01** | **12** | **7** | |
| **Min *-15*** | | **Max *-15*** | **Avg** | ***-15*** | | | | | |
| ***6843116*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1201 )* | | | | | | |
| | **P** | **7 / 0 / 1950** | **-15** | | **671** | **01** | **12** | **7** | |
| **Min *-15*** | | **Max *-15*** | **Avg** | ***-15*** | | | | | |
| ***6843117*** | *( Aquifer: 218EDRDA* | | *Well Depth: 930 )* | | | | | | |
| | **P** | **3 / 11/ 1959** | **-50** | | **581** | **01** | **12** | **7** | |
| **Min *-50*** | | **Max *-50*** | **Avg** | ***-50*** | | | | | |
| ***6843203*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1217 )* | | | | | | |
| | **P** | **4 / 11/ 1958** | **37.5** | | **668.5** | **01** | **12** | **5** | |
| **Min *37.5*** | | **Max *37.5*** | **Avg** | ***37.5*** | | | | | |
| ***6843204*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2001 )* | | | | | | |
| | **P** | **2 / 16/ 1959** | **-21** | | **642** | **01** | **12** | **7** | |
| **Min *-21*** | | **Max *-21*** | **Avg** | ***-21*** | | | | | |
| ***6843205*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1638 )* | | | | | | |
| | **P** | **8 / 24/ 1956** | **-8.5** | | **622.5** | **01** | **12** | **7** | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -8.5** | | **Max -8.5** | **Avg** | **-8.5** | | | | | |
| ***6843207*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1230 )* | | | | | | |
| | P | 11 / 17/ 1994 | -101 | | 679 | 01 | 07 | 7 | |
| **Min -101** | | **Max -101** | **Avg** | **-101** | | | | | |
| ***6843208*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1242 )* | | | | | | |
| | P | 11 / 30/ 1994 | -104 | | 678 | 01 | 07 | 7 | |
| **Min -104** | | **Max -104** | **Avg** | **-104** | | | | | |
| ***6843303*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1610 )* | | | | | | |
| | P | 11 / 0 / 1951 | -18.5 | | 617.5 | 01 | 12 | 7 | |
| | P | 8 / 27/ 1954 | -10 | 8.5 | 626 | 01 | 12 | 7 | |
| **Min -18.5** | | **Max -10** | **Avg** | **-14.25** | | | | | |
| ***6843304*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1825 )* | | | | | | |
| | P | 8 / 21/ 1963 | -93 | | 622 | 01 | 12 | 7 | |
| **Min -93** | | **Max -93** | **Avg** | **-93** | | | | | |
| ***6843305*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2005 )* | | | | | | |
| | P | 3 / 0 / 1956 | -12 | | 633 | 01 | 12 | 7 | |
| **Min -12** | | **Max -12** | **Avg** | **-12** | | | | | |
| ***6843307*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1960 )* | | | | | | |
| | P | 9 / 17/ 1967 | -7 | | 643 | 01 | 12 | 7 | |
| **Min -7** | | **Max -7** | **Avg** | **-7** | | | | | |
| ***6843401*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1940 )* | | | | | | |
| | P | 6 / 10/ 1964 | -26.87 | | 648.13 | 01 | 12 | 7 | |
| **Min -26.87** | | **Max -26.87** | **Avg** | **-26.87** | | | | | |
| ***6843403*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2289 )* | | | | | | |
| | P | 0 / 0 / 1957 | -33 | | 656 | 01 | 12 | 7 | |
| **Min -33** | | **Max -33** | **Avg** | **-33** | | | | | |
| ***6843404*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2285 )* | | | | | | |
| | P | 10 / 22/ 1956 | -70 | | 613 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -70** | | **Max -70** | **Avg** | **-70** | | | | | |
| ***6843405*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2035 )* | | | | | | |
| | P | 0 / 0 / 1971 | -52 | | 652 | 01 | 12 | 7 | |
| **Min -52** | | **Max -52** | **Avg** | **-52** | | | | | |
| ***6843503*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2005 )* | | | | | | |
| | P | 1 / 2 / 1956 | -26.5 | | 596.5 | 01 | 12 | 7 | |
| **Min -26.5** | | **Max -26.5** | **Avg** | **-26.5** | | | | | |
| ***6843505*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2002 )* | | | | | | |
| | P | 5 / 2 / 1960 | -25.2 | | 622.8 | 01 | 12 | 7 | |
| | P | 1 / 11/ 1961 | -31 | -5.8 | 617 | 01 | 12 | 7 | |
| **Min -31** | | **Max -25.2** | **Avg** | **-28.1** | | | | | |
| ***6843507*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1915 )* | | | | | | |
| | P | 11 / 4 / 1954 | -21.3 | | 636.7 | 01 | 12 | 7 | |
| | P | 1 / 11/ 1961 | -24.3 | -3 | 633.7 | 01 | 12 | 7 | |
| **Min -24.3** | | **Max -21.3** | **Avg** | **-22.8** | | | | | |
| ***6843508*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1750 )* | | | | | | |
| | P | 10 / 28/ 1974 | 60 | | 670 | 01 | 12 | 5 | |
| **Min 60** | | **Max 60** | **Avg** | **60** | | | | | |
| ***6843602*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1987 )* | | | | | | |
| | P | 3 / 30/ 1955 | -67 | | 533 | 01 | 07 | 7 | |
| **Min -67** | | **Max -67** | **Avg** | **-67** | | | | | |
| ***6843604*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2037 )* | | | | | | |
| | P | 2 / 17/ 1960 | 50.3 | | 677.3 | 01 | 12 | 5 | |
| **Min 50.3** | | **Max 50.3** | **Avg** | **50.3** | | | | | |
| ***6843605*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1800 )* | | | | | | |
| | P | 7 / 23/ 1956 | -30 | | 603 | 01 | 12 | 7 | |
| **Min -30** | | **Max -30** | **Avg** | **-30** | | | | | |
| ***6843610*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1856 )* | | | | | | |
| | P | 4 / 30/ 1976 | 87.8 | | 687.8 | 01 | 12 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *87.8* | | **Max** *87.8* | **Avg** | *87.8* | | | | | |
| ***6843611*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2911 )* | | | | | | |
| | P | 9 / 13/ 1933 | 50.9 | | 672.9 | 01 | 02 | 5 | |
| | P | 7 / 9 / 1954 | 9 | -41.9 | 631 | 01 | 02 | 5 | |
| | P | 7 / 15/ 1974 | 46.92 | 37.92 | 668.92 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1975 | 68.92 | 22 | 690.92 | 01 | 04 | 5 | |
| | P | 2 / 14/ 1978 | 61.06 | -7.86 | 683.06 | 01 | 01 | 5 | |
| | P | 3 / 21/ 1979 | 88.78 | 27.72 | 710.78 | 01 | 01 | 5 | |
| | P | 2 / 19/ 1981 | 102.64 | 13.86 | 724.64 | 01 | 01 | 5 | |
| | P | 2 / 8 / 1982 | 106.41 | 3.77 | 728.41 | 01 | 01 | 5 | |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 60 |
| | P | 2 / 24/ 1984 | 79.54 | | 701.54 | 01 | 01 | 5 | |
| | P | 2 / 13/ 1985 | 37.96 | -41.6 | 659.96 | 01 | 01 | 5 | |
| | N | 2 / 12/ 1986 | | | | 01 | 01 | | 42 |
| | P | 12 / 5 / 1986 | 69.25 | | 691.25 | 01 | 01 | 5 | |
| | P | 3 / 17/ 1988 | 58.15 | -11.1 | 680.15 | 01 | 01 | 5 | |
| | N | 1 / 23/ 1989 | | | | 01 | 01 | | 50 |
| | N | 1 / 23/ 1990 | | | | 01 | 01 | | 42 |
| | N | 1 / 22/ 1991 | | | | 01 | 01 | | 40 |
| **Min** *9* | | **Max** *106.41* | **Avg** | *64.96083* | | | | | |
| ***6843614*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1771 )* | | | | | | |
| | P | 9 / 8 / 1952 | 13.2 | | 657.2 | 01 | 12 | 5 | |
| **Min** *13.2* | | **Max** *13.2* | **Avg** | *13.2* | | | | | |
| ***6843701*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2275 )* | | | | | | |
| | P | 4 / 0 / 1952 | -30 | | 637 | 01 | 12 | 7 | |
| **Min** *-30* | | **Max** *-30* | **Avg** | *-30* | | | | | |
| ***6843802*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1987 )* | | | | | | |
| | P | 2 / 9 / 1956 | -40 | | 621 | 01 | 12 | 7 | |
| **Min** *-40* | | **Max** *-40* | **Avg** | *-40* | | | | | |
| ***6843803*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1850 )* | | | | | | |
| | P | 7 / 0 / 1953 | -20 | | 643 | 01 | 12 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-20* | | **Max** *-20* | **Avg** | *-20* | | | | | |
| ***6843805*** | *( Aquifer: 218EDRDA* | | *Well Depth: 2195 )* | | | | | | |
| | P | 6 / 0 / 1955 | -20 | | 622 | 01 | 12 | 7 | |
| **Min** *-20* | | **Max** *-20* | **Avg** | *-20* | | | | | |
| ***6843806*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1887 )* | | | | | | |
| | P | 1 / 21/ 1958 | -26 | | 617 | 01 | 12 | 7 | |
| **Min** *-26* | | **Max** *-26* | **Avg** | *-26* | | | | | |
| ***6843807*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2292 )* | | | | | | |
| | P | 11 / 4 / 1954 | 20.6 | | 645.6 | 01 | 02 | 5 | |
| | P | 7 / 22/ 1974 | 52.12 | 31.52 | 677.12 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1975 | 73.02 | 20.9 | 698.02 | 01 | 04 | 5 | |
| | N | 2 / 14/ 1978 | | | | 01 | 01 | | 50 |
| | N | 3 / 21/ 1979 | | | | 01 | 01 | | 50 |
| | N | 2 / 19/ 1981 | | | | 01 | 01 | | 50 |
| | N | 2 / 8 / 1982 | | | | 01 | 01 | | 50 |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 50 |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 50 |
| | N | 2 / 13/ 1985 | | | | 01 | 01 | | 50 |
| | N | 2 / 12/ 1986 | | | | 01 | 01 | | 50 |
| | N | 6 / 24/ 1992 | | | | 01 | 01 | | 41 |
| **Min** *20.6* | | **Max** *73.02* | **Avg** | *48.58* | | | | | |
| ***6843811*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2298 )* | | | | | | |
| | P | 8 / 1 / 1969 | -41 | | 641 | 01 | 12 | 7 | |
| **Min** *-41* | | **Max** *-41* | **Avg** | *-41* | | | | | |
| ***6843812*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1800 )* | | | | | | |
| | P | 9 / 8 / 1933 | 30 | | 678 | 01 | 12 | 5 | |
| | P | 10 / 20/ 1933 | 31 | 1 | 679 | 01 | 12 | 5 | |
| | P | 5 / 22/ 1934 | 33 | 2 | 681 | 01 | 12 | 5 | |
| **Min** *30* | | **Max** *33* | **Avg** | *31.33333* | | | | | |
| ***6843813*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1800 )* | | | | | | |
| | P | 8 / 26/ 1933 | 97.5 | | 687.5 | 01 | 02 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 6 / 1954 | 56 | -41.5 | 646 | 01 | 02 | 5 | |
| Min 56 | | Max 97.5 | Avg 76.75 | | | | | | |
| **6844101** | ( Aquifer: 218EBFZA | | Well Depth: 1570 ) | | | | | | |
| | P | 4 / 6 / 1961 | -73 | | 661 | 01 | 12 | 7 | |
| Min -73 | | Max -73 | Avg -73 | | | | | | |
| **6844103** | ( Aquifer: 218EBFZA | | Well Depth: 1550 ) | | | | | | |
| | P | 12 / 22 / 1962 | -80 | | 594 | 01 | 12 | 7 | |
| Min -80 | | Max -80 | Avg -80 | | | | | | |
| **6844104** | ( Aquifer: 218EDRDA | | Well Depth: 1753 ) | | | | | | |
| | P | 7 / 0 / 1950 | 20 | | 688 | 01 | 12 | 5 | |
| | P | 4 / 0 / 1968 | 4 | -16 | 672 | 01 | 12 | 5 | |
| Min 4 | | Max 20 | Avg 12 | | | | | | |
| **6844107** | ( Aquifer: 218EBFZA | | Well Depth: 1820 ) | | | | | | |
| | P | 8 / 28 / 1968 | -22 | | 644 | 01 | 12 | 7 | |
| Min -22 | | Max -22 | Avg -22 | | | | | | |
| **6844109** | ( Aquifer: 218EBFZA | | Well Depth: 1228 ) | | | | | | |
| | P | 11 / 11 / 1974 | 53.13 | | 662.13 | 01 | 12 | 5 | |
| Min 53.13 | | Max 53.13 | Avg 53.13 | | | | | | |
| **6844111** | ( Aquifer: 218EDRDA | | Well Depth: 1500 ) | | | | | | |
| | P | 3 / 12 / 1997 | -63 | | 593 | 01 | 07 | 7 | |
| Min -63 | | Max -63 | Avg -63 | | | | | | |
| **6844201** | ( Aquifer: 218EDRDA | | Well Depth: 1253 ) | | | | | | |
| | P | 1 / 5 / 1955 | -35 | | 578 | 01 | 12 | 7 | |
| Min -35 | | Max -35 | Avg -35 | | | | | | |
| **6844202** | ( Aquifer: 218EBFZA | | Well Depth: 1434 ) | | | | | | |
| | P | 4 / 11 / 1952 | -9 | | 642 | 01 | 07 | 7 | |
| Min -9 | | Max -9 | Avg -9 | | | | | | |
| **6844203** | ( Aquifer: 218EBFZA | | Well Depth: 1586 ) | | | | | | |
| | P | 3 / 0 / 1965 | -3 | | 648 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -3** | | **Max -3** | **Avg** | **-3** | | | | | |
| ***6844205*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1420 )* | | | | | | |
| | P | 3 / 8 / 1953 | -5 | | 642 | 01 | 07 | 7 | |
| **Min -5** | | **Max -5** | **Avg** | **-5** | | | | | |
| ***6844206*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1530 )* | | | | | | |
| | P | 5 / 0 / 1962 | -10 | | 637 | 01 | 07 | 7 | |
| **Min -10** | | **Max -10** | **Avg** | **-10** | | | | | |
| ***6844209*** | *( Aquifer: 218EDRDA* | | *Well Depth: 1552 )* | | | | | | |
| | P | 11 / 0 / 1961 | 70 | | 682 | 01 | 12 | 5 | |
| **Min 70** | | **Max 70** | **Avg** | **70** | | | | | |
| ***6844212*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1517 )* | | | | | | |
| | P | 7 / 15/ 1971 | -18 | | 631 | 01 | 07 | 7 | |
| **Min -18** | | **Max -18** | **Avg** | **-18** | | | | | |
| ***6844213*** | *( Aquifer: 218EBFZA* | | *Well Depth: )* | | | | | | |
| | P | 11 / 4 / 1954 | -25.53 | | 627.47 | 01 | 12 | 7 | |
| | P | 11 / 5 / 1957 | -5.4 | 20.13 | 647.6 | 01 | 12 | 7 | |
| **Min -25.53** | | **Max -5.4** | **Avg** | **-15.465** | | | | | |
| ***6844214*** | *( Aquifer: 218EBFZA* | | *Well Depth: 1285 )* | | | | | | |
| | P | 5 / 9 / 1958 | 19 | | 673 | 01 | 12 | 5 | |
| | P | 7 / 15/ 1974 | 15.52 | -3.48 | 669.52 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1975 | 34.42 | 18.9 | 688.42 | 01 | 04 | 5 | |
| | P | 7 / 17/ 1975 | 28.3 | -6.12 | 682.3 | 01 | 04 | 5 | |
| | P | 2 / 25/ 1976 | 11.88 | -16.4 | 665.88 | 01 | 04 | 5 | |
| | P | 8 / 2 / 1976 | 25.36 | 13.48 | 679.36 | 01 | 04 | 5 | |
| | P | 2 / 13/ 1978 | 27.5 | 2.14 | 681.5 | 01 | 01 | 5 | |
| | P | 3 / 21/ 1979 | 37.96 | 10.46 | 691.96 | 01 | 01 | 5 | |
| | N | 2 / 19/ 1981 | | | | 01 | 01 | | 50 |
| | P | 2 / 8 / 1982 | 49.84 | | 703.84 | 01 | 01 | 5 | |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 50 |
| | P | 8 / 16/ 1983 | -0.08 | | 653.92 | 01 | 04 | 1 | |
| | N | 2 / 24/ 1984 | | | | 01 | 01 | | 50 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 26/ 1984 | -30.58 | | 623.42 | 01 | 04 | 1 | |
| | P | 2 / 12/ 1985 | 0.11 | 30.69 | 654.11 | 01 | 01 | 5 | |
| | P | 2 / 12/ 1986 | -5.46 | -5.57 | 648.54 | 01 | 01 | 1 | |
| | N | 12 / 5 / 1986 | | | | 01 | 01 | | 61 |
| | N | 3 / 17/ 1988 | | | | 01 | 01 | | 61 |
| | N | 1 / 23/ 1989 | | | | 01 | 01 | | 50 |
| | P | 2 / 2 / 1990 | -13.9 | | 640.1 | 01 | 01 | 1 | |
| | N | 1 / 22/ 1991 | | | | 01 | 01 | | 50 |
| | N | 1 / 29/ 1992 | | | | 01 | 01 | | 50 |
| | N | 6 / 25/ 1992 | | | | 01 | 01 | | 50 |
| | N | 3 / 3 / 1993 | | | | 01 | 06 | | 82 |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 82 |

**Min** *-30.58* **Max** *49.84* **Avg** *14.27643*

## *6844220* *( Aquifer: 218EDRDA Well Depth: 1014 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 6 / 1933 | 33.2 | | 676.2 | 01 | 12 | 5 | |

**Min** *33.2* **Max** *33.2* **Avg** *33.2*

## *6844221* *( Aquifer: 218EDRDA Well Depth: 1204 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 6 / 1933 | 34.6 | | 672.6 | 01 | 12 | 5 | |
| | P | 8 / 9 / 1934 | -32 | -66.6 | 606 | 01 | 12 | 7 | |
| | P | 10 / 14/ 1934 | -28.4 | 3.6 | 609.6 | 01 | 12 | 7 | |

**Min** *-32* **Max** *34.6* **Avg** *-8.6*

## *6844222* *( Aquifer: 218EDRDA Well Depth: 1100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 6 / 1933 | 37.6 | | 674.6 | 01 | 12 | 5 | |

**Min** *37.6* **Max** *37.6* **Avg** *37.6*

## *6844223* *( Aquifer: 218EDRDA Well Depth: 1068 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 6 / 1933 | 41.5 | | 675.5 | 01 | 12 | 5 | |
| | P | 8 / 9 / 1934 | 37.6 | -3.9 | 671.6 | 01 | 12 | 5 | |

**Min** *37.6* **Max** *41.5* **Avg** *39.55*

## *6844303* *( Aquifer: 218EBFZA Well Depth: 1643 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 0 / 1967 | -5 | | 647 | 01 | 12 | 7 | |

**Min** *-5* **Max** *-5* **Avg** *-5*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6844306** | ( Aquifer: 218EBFZA | | Well Depth: 1577 ) | | | | | | |
| | P | 6 / 8 / 1972 | 18 | | 669 | 01 | 07 | 5 | |
| Min 18 | | Max 18 | Avg | 18 | | | | | |
| **6844401** | ( Aquifer: 218EBFZA | | Well Depth: 1532 ) | | | | | | |
| | P | 3 / 14/ 1958 | 31.5 | | 674.5 | 01 | 12 | 5 | |
| | P | 1 / 11/ 1961 | 43.5 | 12 | 686.5 | 01 | 12 | 5 | |
| Min 31.5 | | Max 43.5 | Avg | 37.5 | | | | | |
| **6844403** | ( Aquifer: 218EBFZA | | Well Depth: 1781 ) | | | | | | |
| | P | 2 / 22/ 1956 | -2.18 | | 629.82 | 01 | 12 | 7 | |
| Min -2.18 | | Max -2.18 | Avg | -2.18 | | | | | |
| **6844405** | ( Aquifer: 218EBFZA | | Well Depth: 2000 ) | | | | | | |
| | P | 5 / 22/ 1934 | 42.8 | | 670.8 | 01 | 12 | 5 | |
| | P | 10 / 9 / 1934 | 39.7 | -3.1 | 667.7 | 01 | 12 | 5 | |
| | P | 8 / 30/ 1956 | -14.08 | -53.8 | 613.92 | 01 | 12 | 7 | |
| Min -14.08 | | Max 42.8 | Avg | 22.80667 | | | | | |
| **6844408** | ( Aquifer: 218EDRDA | | Well Depth: 1566 ) | | | | | | |
| | P | 3 / 18/ 1977 | 81 | | 701 | 01 | 07 | 5 | |
| Min 81 | | Max 81 | Avg | 81 | | | | | |
| **6844602** | ( Aquifer: 218EBFZA | | Well Depth: ) | | | | | | |
| | P | 9 / 5 / 1933 | -10.4 | | 654.6 | 01 | 12 | 7 | |
| | P | 12 / 6 / 1933 | -10.6 | -0.2 | 654.4 | 01 | 12 | 7 | |
| Min -10.6 | | Max -10.4 | Avg | -10.5 | | | | | |
| **6845102** | ( Aquifer: 218EBFZA | | Well Depth: 2103 ) | | | | | | |
| | P | 8 / 21/ 1933 | 39 | | 660 | 01 | 02 | 5 | |
| | P | 12 / 24/ 1954 | 2.9 | -36.1 | 623.9 | 01 | 02 | 5 | |
| | P | 1 / 10/ 1979 | 50.9 | 48 | 671.9 | 01 | 06 | 5 | |
| | P | 2 / 15/ 1979 | 54.37 | 3.47 | 675.37 | 01 | 06 | 5 | |
| | P | 9 / 30/ 1979 | 53.66 | -0.71 | 674.66 | 01 | 06 | 5 | |
| | P | 10 / 5 / 1979 | 51.56 | -2.1 | 672.56 | 01 | 06 | 5 | |
| | P | 11 / 15/ 1979 | 49.25 | -2.31 | 670.25 | 01 | 06 | 5 | |
| | P | 12 / 15/ 1979 | 50.6 | 1.35 | 671.6 | 01 | 06 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *2.9* | | **Max** *54.37* | **Avg** | *44.03* | | | | | |
| ***6845301*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2172 )* | | | | | | |
| | P | 3 / 13/ 1958 | 23 | | 632 | 01 | 04 | 5 | |
| | P | 1 / 20/ 1975 | 55.2 | 32.2 | 664.2 | 01 | 04 | 5 | |
| **Min** *23* | | **Max** *55.2* | **Avg** | *39.1* | | | | | |
| ***6845506*** | *( Aquifer: 124WLCX* | | *Well Depth: 183 )* | | | | | | |
| | P | 6 / 12/ 1985 | -70 | | 469 | 01 | 07 | 7 | |
| **Min** *-70* | | **Max** *-70* | **Avg** | *-70* | | | | | |
| ***6845507*** | *( Aquifer: 124WLCX* | | *Well Depth: 185 )* | | | | | | |
| | P | 6 / 16/ 1985 | -70 | | 469 | 01 | 07 | 7 | |
| **Min** *-70* | | **Max** *-70* | **Avg** | *-70* | | | | | |
| ***6845901*** | *( Aquifer: 218EBFZA* | | *Well Depth: 2920 )* | | | | | | |
| | P | 10 / 3 / 1969 | 121.62 | | 632.62 | 01 | 12 | 5 | |
| | P | 2 / 4 / 1975 | 139.35 | 17.73 | 650.35 | 01 | 12 | 5 | |
| | P | 7 / 18/ 1975 | 139.02 | -0.33 | 650.02 | 01 | 04 | 5 | |
| | P | 7 / 21/ 1976 | 138 | -1.02 | 649 | 01 | 04 | 5 | |
| | P | 2 / 11/ 1977 | 141.06 | 3.06 | 652.06 | 01 | 04 | 5 | |
| | P | 2 / 28/ 1978 | 146.32 | 5.26 | 657.32 | 01 | 01 | 5 | |
| | N | 2 / 19/ 1981 | | | | 01 | 01 | | 50 |
| | P | 2 / 9 / 1982 | 151.66 | | 662.66 | 01 | 01 | 5 | |
| | N | 2 / 11/ 1983 | | | | 01 | 01 | | 50 |
| | N | 2 / 23/ 1984 | | | | 01 | 01 | | 50 |
| | P | 5 / 14/ 1984 | 130.4 | | 641.4 | 01 | 04 | 5 | |
| | P | 5 / 21/ 1984 | 130.4 | | 641.4 | 01 | 04 | 5 | |
| | P | 5 / 29/ 1984 | 130.9 | 0.5 | 641.9 | 01 | 04 | 5 | |
| | P | 6 / 4 / 1984 | 129.7 | -1.2 | 640.7 | 01 | 04 | 5 | |
| | P | 6 / 11/ 1984 | 129.5 | -0.2 | 640.5 | 01 | 04 | 5 | |
| | P | 6 / 18/ 1984 | 129.3 | -0.2 | 640.3 | 01 | 04 | 5 | |
| | P | 6 / 25/ 1984 | 128.8 | -0.5 | 639.8 | 01 | 04 | 5 | |
| | P | 7 / 2 / 1984 | 128.4 | -0.4 | 639.4 | 01 | 04 | 5 | |
| | P | 7 / 9 / 1984 | 128.2 | -0.2 | 639.2 | 01 | 04 | 5 | |
| | P | 7 / 16/ 1984 | 127.8 | -0.4 | 638.8 | 01 | 04 | 5 | |
| | P | 7 / 23/ 1984 | 127.2 | -0.6 | 638.2 | 01 | 04 | 5 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1984 | 126.9 | -0.3 | 637.9 | 01 | 04 | 5 | |
| | P | 8/ 6/1984 | 126.7 | -0.2 | 637.7 | 01 | 04 | 5 | |
| | P | 8/13/1984 | 126.6 | -0.1 | 637.6 | 01 | 04 | 5 | |
| | P | 8/20/1984 | 126.1 | -0.5 | 637.1 | 01 | 04 | 5 | |
| | P | 8/27/1984 | 125.7 | -0.4 | 636.7 | 01 | 04 | 5 | |
| | P | 9/ 5/1984 | 125.1 | -0.6 | 636.1 | 01 | 04 | 5 | |
| | P | 9/10/1984 | 125.2 | 0.1 | 636.2 | 01 | 04 | 5 | |
| | P | 9/17/1984 | 124.5 | -0.7 | 635.5 | 01 | 04 | 5 | |
| | P | 9/26/1984 | 124 | -0.5 | 635 | 01 | 04 | 5 | |
| | P | 10/ 1/1984 | 123.7 | -0.3 | 634.7 | 01 | 04 | 5 | |
| | P | 10/ 8/1984 | 123.8 | 0.1 | 634.8 | 01 | 04 | 5 | |
| | P | 10/15/1984 | 124.2 | 0.4 | 635.2 | 01 | 04 | 5 | |
| | P | 10/22/1984 | 123.3 | -0.9 | 634.3 | 01 | 04 | 5 | |
| | P | 10/29/1984 | 123.3 | | 634.3 | 01 | 04 | 5 | |
| | P | 11/ 5/1984 | 122.9 | -0.4 | 633.9 | 01 | 04 | 5 | |
| | P | 11/12/1984 | 122.9 | | 633.9 | 01 | 04 | 5 | |
| | P | 11/19/1984 | 122.7 | -0.2 | 633.7 | 01 | 04 | 5 | |
| | P | 11/26/1984 | 123.3 | 0.6 | 634.3 | 01 | 04 | 5 | |
| | P | 12/ 3/1984 | 122.5 | -0.8 | 633.5 | 01 | 04 | 5 | |
| | P | 12/10/1984 | 122.7 | 0.2 | 633.7 | 01 | 04 | 5 | |
| | P | 12/12/1984 | 123.1 | 0.4 | 634.1 | 01 | 04 | 5 | |
| | P | 12/17/1984 | 123 | -0.1 | 634 | 01 | 04 | 5 | |
| | P | 12/28/1984 | 122.9 | -0.1 | 633.9 | 01 | 04 | 5 | |
| | P | 1/ 7/1985 | 122.7 | -0.2 | 633.7 | 01 | 04 | 5 | |
| | P | 1/17/1985 | 123 | 0.3 | 634 | 01 | 04 | 5 | |
| | P | 2/13/1985 | 123.6 | 0.6 | 634.6 | 01 | 04 | 5 | |
| | P | 2/18/1986 | 130.65 | 7.05 | 641.65 | 01 | 04 | 5 | |
| | P | 12/ 3/1986 | 134.61 | 3.96 | 645.61 | 01 | 04 | 5 | |
| | P | 9/21/1987 | 144.08 | 9.47 | 655.08 | 01 | 02 | 5 | |
| | P | 1/31/1989 | 135.74 | -8.34 | 646.74 | 01 | 04 | 5 | |
| | P | 1/26/1990 | 124.9 | -10.8 | 635.9 | 01 | 04 | 5 | |
| | P | 12/21/1990 | 123.7 | -1.2 | 634.7 | 01 | 04 | 5 | |
| | P | 2/ 3/1992 | 126.1 | 2.4 | 637.1 | 01 | 03 | 5 | |
| | N | 3/ 3/1993 | | | | 01 | 06 | | 50 |
| | N | 5/19/1994 | | | | 01 | 06 | | 50 |
| | N | 3/18/1996 | | | | 01 | 06 | | 50 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 23/ 2008 | 141.4 | | 652.4 | 01 | 01 | 5 | |
| | P | 1 / 0 / 2010 | 146 | 4.6 | 657 | 01 | 10 | 5 | |
| | P | 4 / 4 / 2011 | 141.4 | -4.6 | 652.4 | 01 | 10 | 5 | |
| | P | 11 / 16/ 2011 | 134.47 | -6.93 | 645.47 | 01 | 10 | 5 | |

**Min** *121.62* **Max** *151.66* **Avg** *129.1833*

***6846302*** *( Aquifer: 124WLCX Well Depth: 258 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 11/ 1970 | -178.7 | | 426.3 | 01 | 01 | 1 | |
| | P | 4 / 9 / 1971 | -172.6 | 6.1 | 432.4 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1972 | -154.67 | 17.93 | 450.33 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1973 | -172.45 | -17.8 | 432.55 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1974 | -222.98 | -50.5 | 382.02 | 01 | 01 | 1 | 02 |
| | P | 1 / 16/ 1975 | -175.26 | 47.72 | 429.74 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -184.83 | -9.57 | 420.17 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1978 | -188.39 | -3.56 | 416.61 | 01 | 01 | 1 | |
| | N | 1 / 15/ 1979 | | | | 01 | 01 | | 41 |
| | P | 2 / 19/ 1981 | -121.87 | | 483.13 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -92.5 | 29.37 | 512.5 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1983 | -113.62 | -21.1 | 491.38 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -109.03 | 4.59 | 495.97 | 01 | 01 | 1 | |
| | P | 2 / 13/ 1985 | -107.46 | 1.57 | 497.54 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1986 | -108.25 | -0.79 | 496.75 | 01 | 01 | 1 | |
| | P | 12 / 5 / 1986 | -108.68 | -0.43 | 496.32 | 01 | 01 | 1 | |
| | N | 3 / 16/ 1988 | | | | 01 | 01 | | 61 |
| | P | 1 / 23/ 1989 | -117.7 | | 487.3 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1990 | -122.4 | -4.7 | 482.6 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1991 | -112.9 | 9.5 | 492.1 | 01 | 01 | 1 | |
| | N | 1 / 29/ 1992 | | | | 01 | 01 | | 63 |
| | N | 3 / 4 / 1993 | | | | 01 | 06 | | 61 |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 61 |
| | N | 4 / 14/ 1995 | | | | 01 | 06 | 7 | 44 |
| | P | 3 / 19/ 1996 | -66.76 | | 538.24 | 01 | 06 | 1 | |
| | N | 9 / 13/ 2000 | | | | 01 | 01 | | 60 |

**Min** *-222.98* **Max** *-66.76* **Avg** *-138.476*

***6846601*** *( Aquifer: 124WLCX Well Depth: 130 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 21/ 1957 | -109 | | 443 | 01 | 04 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -109** | | **Max -109** | **Avg** | **-109** | | | | | |
| ***6846702*** | *( Aquifer: 124WLCX* | | *Well Depth: 500 )* | | | | | | |
| | P | 8 / 10/ 1970 | -61.89 | | 437.11 | 01 | 01 | 1 | |
| | P | 4 / 9 / 1971 | -61.13 | 0.76 | 437.87 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1972 | -58.05 | 3.08 | 440.95 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1973 | -55.46 | 2.59 | 443.54 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1974 | -56.59 | -1.13 | 442.41 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1975 | -57.01 | -0.42 | 441.99 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -58.13 | -1.12 | 440.87 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1978 | -55.18 | 2.95 | 443.82 | 01 | 01 | 1 | |
| | P | 1 / 4 / 1979 | -59.44 | -4.26 | 439.56 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -65.53 | -6.09 | 433.47 | 01 | 01 | 1 | |
| | P | 2 / 9 / 1982 | -65.73 | -0.2 | 433.27 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1983 | -65.61 | 0.12 | 433.39 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -94.16 | -28.6 | 404.84 | 01 | 01 | 1 | 02 |
| | N | 2 / 13/ 1985 | | | | 01 | 01 | | 41 |
| | N | 2 / 13/ 1986 | | | | 01 | 01 | | 61 |
| | P | 12 / 5 / 1986 | -65.92 | | 433.08 | 01 | 01 | 1 | |
| | P | 3 / 16/ 1988 | -51.31 | 14.61 | 447.69 | 01 | 01 | 1 | |
| | P | 2 / 1 / 1989 | -53.84 | -2.53 | 445.16 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1990 | -68.2 | -14.4 | 430.8 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1991 | -71.7 | -3.5 | 427.3 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1992 | -54.2 | 17.5 | 444.8 | 01 | 01 | 1 | |
| | P | 3 / 3 / 1993 | -68.27 | -14.1 | 430.73 | 01 | 06 | 1 | |
| | P | 5 / 19/ 1994 | -78.83 | -10.6 | 420.17 | 01 | 06 | 1 | |
| | P | 4 / 14/ 1995 | -88.8 | -9.97 | 410.2 | 01 | 06 | 1 | |
| | P | 3 / 19/ 1996 | -99.12 | -10.3 | 399.88 | 01 | 06 | 1 | |
| | P | 9 / 14/ 2000 | -52.85 | 46.27 | 446.15 | 01 | 01 | 1 | |
| | P | 12 / 23/ 2008 | -49.79 | 3.06 | 449.21 | 01 | 01 | 1 | |
| | P | 1 / 20/ 2010 | -51.55 | -1.76 | 447.45 | 01 | 01 | 1 | |
| | P | 3 / 25/ 2011 | -50.39 | 1.16 | 448.61 | 01 | 01 | 1 | |
| | P | 10 / 20/ 2011 | -50.74 | -0.35 | 448.26 | 01 | 01 | 1 | |
| | P | 11 / 20/ 2012 | -51.55 | -0.81 | 447.45 | 01 | 01 | 1 | |
| **Min -99.12** | | **Max -49.79** | **Avg** | **-62.7921** | | | | | |
| ***6846801*** | *( Aquifer: 124CRRZ* | | *Well Depth: 500 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 30/ 1987 | -80 | | 430 | 01 | 07 | 7 | |
| Min -80 | | Max -80 | Avg | -80 | | | | | |
| **6846802** | ( Aquifer: 124CRRZ | | Well Depth: 320 | ) | | | | | |
| | P | 8 / 20/ 1984 | -36 | | 439 | 01 | 07 | 7 | |
| Min -36 | | Max -36 | Avg | -36 | | | | | |
| **6847101** | ( Aquifer: 124WLCX | | Well Depth: 390 | ) | | | | | |
| | P | 6 / 30/ 2003 | -80 | | 502 | 01 | 07 | 7 | |
| | N | 7 / 24/ 2006 | | | | 01 | 01 | | 41 |
| Min -80 | | Max -80 | Avg | -80 | | | | | |
| **6852201** | ( Aquifer: 124WLCX | | Well Depth: 414 | ) | | | | | |
| | P | 1 / 21/ 1986 | -94 | | 486 | 01 | 07 | 7 | |
| | P | 1 / 21/ 1986 | -134 | -40 | 446 | 02 | 07 | 7 | 02 |
| Min -134 | | Max -94 | Avg | -114 | | | | | |
| **6852405** | ( Aquifer: 124WLCX | | Well Depth: 408 | ) | | | | | |
| | P | 2 / 12/ 1966 | -196 | | 488 | 01 | 07 | 7 | |
| Min -196 | | Max -196 | Avg | -196 | | | | | |
| **6852406** | ( Aquifer: 124WLCX | | Well Depth: 397 | ) | | | | | |
| | P | 5 / 5 / 1969 | -134 | | 578 | 01 | 07 | 7 | |
| Min -134 | | Max -134 | Avg | -134 | | | | | |
| **6852501** | ( Aquifer: 124WLCX | | Well Depth: 600 | ) | | | | | |
| | P | 10 / 21/ 2002 | -285 | | 461 | 01 | 01 | 1 | 20 |
| Min -285 | | Max -285 | Avg | -285 | | | | | |
| **6852502** | ( Aquifer: 124WLCX | | Well Depth: 820 | ) | | | | | |
| | P | 8 / 2 / 1996 | -240 | | 505 | 01 | 07 | 7 | |
| Min -240 | | Max -240 | Avg | -240 | | | | | |
| **6852601** | ( Aquifer: 124WLCX | | Well Depth: 428 | ) | | | | | |
| | P | 11 / 10/ 1983 | -140 | | 477 | 01 | 07 | 7 | |
| Min -140 | | Max -140 | Avg | -140 | | | | | |
| **6852903** | ( Aquifer: 124CRRZ | | Well Depth: 460 | ) | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 19/ 1989 | -180 | | 430 | 01 | 07 | 7 | |
| Min -180 | | Max -180 | Avg | -180 | | | | | |
| **6852904** | ( Aquifer: 124CRRZ | | Well Depth: 490 ) | | | | | | |
| | P | 5 / 9 / 1994 | -213 | | 397 | 01 | 07 | 7 | |
| Min -213 | | Max -213 | Avg | -213 | | | | | |
| **6852905** | ( Aquifer: 124CRRZ | | Well Depth: 480 ) | | | | | | |
| | P | 5 / 11/ 1989 | -165 | | 445 | 01 | 07 | 7 | |
| Min -165 | | Max -165 | Avg | -165 | | | | | |
| **6853101** | ( Aquifer: 124WLCX | | Well Depth: 435 ) | | | | | | |
| | P | 8 / 10/ 1970 | -103.9 | | 451.1 | 01 | 01 | 1 | |
| | P | 4 / 2 / 1971 | -102.93 | 0.97 | 452.07 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1972 | -103.97 | -1.04 | 451.03 | 01 | 01 | 1 | |
| | P | 3 / 9 / 1973 | -101.64 | 2.33 | 453.36 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1974 | -107.68 | -6.04 | 447.32 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1975 | -101.47 | 6.21 | 453.53 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -102.7 | -1.23 | 452.3 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1978 | -101.03 | 1.67 | 453.97 | 01 | 01 | 1 | |
| | P | 1 / 4 / 1979 | -102.91 | -1.88 | 452.09 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -105.89 | -2.98 | 449.11 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1982 | -95.67 | 10.22 | 459.33 | 01 | 01 | 1 | |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 60 |
| | N | 2 / 23/ 1984 | | | | 01 | 01 | | 60 |
| | N | 2 / 12/ 1985 | | | | 01 | 01 | | 60 |
| Min -107.68 | | Max -95.67 | Avg | -102.708 | | | | | |
| **6853404** | ( Aquifer: 124WLCX | | Well Depth: 747 ) | | | | | | |
| | P | 1 / 30/ 1970 | -51.29 | | 530.71 | 01 | 01 | 1 | |
| | P | 8 / 10/ 1970 | -131.9 | -80.6 | 450.1 | 01 | 01 | 1 | |
| | P | 4 / 9 / 1971 | -166.93 | -35.0 | 415.07 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1972 | -128.33 | 38.6 | 453.67 | 01 | 01 | 1 | |
| | P | 3 / 9 / 1973 | -129.02 | -0.69 | 452.98 | 01 | 01 | 1 | |
| | N | 2 / 21/ 1974 | | | | 01 | 01 | | 61 |
| | P | 1 / 16/ 1975 | -128.68 | | 453.32 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -128.22 | 0.46 | 453.78 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 1 / 4 / 1979 | | | | 01 | 01 | | 61 |
| | N | 2 / 19/ 1981 | | | | 01 | 01 | | 61 |
| | N | 2 / 8 / 1982 | | | | 01 | 01 | | 61 |
| | N | 2 / 11/ 1983 | | | | 01 | 01 | | 61 |
| | N | 2 / 23/ 1984 | | | | 01 | 01 | | 61 |
| **Min** *-166.93* | | **Max** *-51.29* | **Avg** | *-123.481* | | | | | |
| ***6853406*** | *( Aquifer: 124WLCX* | | *Well Depth: 845 )* | | | | | | |
| | P | 10 / 10/ 1985 | -280 | | 445 | 01 | 07 | 7 | |
| **Min** *-280* | | **Max** *-280* | **Avg** | *-280* | | | | | |
| ***6853407*** | *( Aquifer: 124WLCX* | | *Well Depth: 640 )* | | | | | | |
| | P | 3 / 7 / 1997 | -255 | | 460 | 01 | 07 | 7 | 27 |
| | N | 7 / 24/ 2006 | | | | 01 | 01 | | 41 |
| **Min** *-255* | | **Max** *-255* | **Avg** | *-255* | | | | | |
| ***6853408*** | *( Aquifer: 124WLCX* | | *Well Depth: 1340 )* | | | | | | |
| | P | 3 / 7 / 1997 | -277 | | 432 | 01 | 07 | 7 | |
| **Min** *-277* | | **Max** *-277* | **Avg** | *-277* | | | | | |
| ***6853502*** | *( Aquifer: 124WLCX* | | *Well Depth: 910 )* | | | | | | |
| | P | 11 / 4 / 1986 | -190 | | 437 | 01 | 07 | 7 | |
| **Min** *-190* | | **Max** *-190* | **Avg** | *-190* | | | | | |
| ***6853605*** | *( Aquifer: 124CZWX* | | *Well Depth: 604 )* | | | | | | |
| | P | 11 / 27/ 1996 | -240 | | 400 | 01 | 07 | 7 | |
| **Min** *-240* | | **Max** *-240* | **Avg** | *-240* | | | | | |
| ***6853701*** | *( Aquifer: 124CRRZ* | | *Well Depth: 171 )* | | | | | | |
| | P | 7 / 5 / 1946 | -98.79 | | 536.21 | 01 | 12 | 7 | 01 |
| | P | 6 / 28/ 1951 | -100.89 | -2.1 | 534.11 | 01 | 12 | 7 | 01 |
| | P | 9 / 27/ 1951 | -101.1 | -0.21 | 533.9 | 01 | 12 | 7 | 01 |
| | P | 2 / 29/ 1952 | -101.38 | -0.28 | 533.62 | 01 | 12 | 7 | 01 |
| | P | 6 / 25/ 1952 | -101.7 | -0.32 | 533.3 | 01 | 12 | 7 | 01 |
| | P | 9 / 25/ 1952 | -101.71 | -0.01 | 533.29 | 01 | 12 | 7 | 01 |
| | P | 4 / 21/ 1953 | -102.41 | -0.7 | 532.59 | 01 | 12 | 7 | 01 |
| | P | 8 / 5 / 1953 | -102.58 | -0.17 | 532.42 | 01 | 12 | 7 | 01 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 11/ 1953 | -102.7 | -0.12 | 532.3 | 01 | 12 | 7 | 01 |
| | P | 2/ 18/ 1954 | -102.98 | -0.28 | 532.02 | 01 | 12 | 7 | 01 |
| | P | 6/ 9/ 1954 | -103.42 | -0.44 | 531.58 | 01 | 12 | 7 | 01 |
| | P | 9/ 15/ 1954 | -103.61 | -0.19 | 531.39 | 01 | 12 | 7 | 01 |
| | P | 12/ 22/ 1954 | -103.94 | -0.33 | 531.06 | 01 | 12 | 7 | 01 |
| | P | 3/ 15/ 1955 | -104.27 | -0.33 | 530.73 | 01 | 12 | 7 | 01 |
| | P | 6/ 10/ 1955 | -104.63 | -0.36 | 530.37 | 01 | 12 | 7 | 01 |
| | P | 9/ 21/ 1955 | -104.86 | -0.23 | 530.14 | 01 | 12 | 7 | 01 |
| | P | 12/ 13/ 1955 | -105.21 | -0.35 | 529.79 | 01 | 12 | 7 | 01 |
| | P | 3/ 21/ 1956 | -105.66 | -0.45 | 529.34 | 01 | 12 | 7 | 01 |
| | P | 6/ 20/ 1956 | -106 | -0.34 | 529 | 01 | 12 | 7 | 01 |
| | P | 9/ 12/ 1956 | -106.39 | -0.39 | 528.61 | 01 | 12 | 7 | 01 |
| | P | 7/ 17/ 1958 | -109.37 | -2.98 | 525.63 | 01 | 12 | 7 | 01 |
| | P | 10/ 15/ 1958 | -109.65 | -0.28 | 525.35 | 01 | 12 | 7 | 01 |
| | P | 2/ 5/ 1959 | -109.41 | 0.24 | 525.59 | 01 | 12 | 7 | 01 |
| | P | 5/ 20/ 1959 | -109.97 | -0.56 | 525.03 | 01 | 12 | 7 | 01 |
| | P | 8/ 12/ 1959 | -110.07 | -0.1 | 524.93 | 01 | 12 | 7 | 01 |
| | P | 11/ 23/ 1959 | -110.48 | -0.41 | 524.52 | 01 | 12 | 7 | 01 |
| | P | 2/ 23/ 1960 | -110.7 | -0.22 | 524.3 | 01 | 12 | 7 | 01 |
| | P | 5/ 12/ 1960 | -111.35 | -0.65 | 523.65 | 01 | 12 | 7 | 01 |
| | P | 8/ 11/ 1960 | -111.31 | 0.04 | 523.69 | 01 | 12 | 7 | 01 |
| | P | 11/ 14/ 1960 | -110.56 | 0.75 | 524.44 | 01 | 12 | 7 | 01 |
| | P | 1/ 25/ 1961 | -111.56 | -1 | 523.44 | 01 | 01 | 1 | |
| | P | 2/ 15/ 1961 | -112.28 | -0.72 | 522.72 | 01 | 01 | 1 | |
| | P | 5/ 18/ 1961 | -112.74 | -0.46 | 522.26 | 01 | 01 | 1 | |
| | P | 2/ 15/ 1962 | -114.25 | -1.51 | 520.75 | 01 | 01 | 1 | |
| | P | 1/ 24/ 1964 | -115.7 | -1.45 | 519.3 | 01 | 01 | 1 | |
| | P | 1/ 28/ 1965 | -116.84 | -1.14 | 518.16 | 01 | 01 | 1 | |
| | P | 3/ 14/ 1965 | -117.02 | -0.18 | 517.98 | 01 | 01 | 1 | |
| | P | 3/ 6/ 1967 | -116.6 | 0.42 | 518.4 | 01 | 01 | 1 | |
| | N | 3/ 13/ 1968 | | | | 01 | 01 | 1 | 45 |
| | P | 5/ 7/ 1968 | -122.34 | | 512.66 | 01 | 01 | 1 | |
| | P | 2/ 6/ 1969 | -121.25 | 1.09 | 513.75 | 01 | 01 | 1 | |
| | P | 1/ 13/ 1970 | -123.05 | -1.8 | 511.95 | 01 | 01 | 1 | |
| | P | 3/ 17/ 1970 | -123.47 | -0.42 | 511.53 | 01 | 01 | 1 | |
| | P | 4/ 2/ 1971 | -128.43 | -4.96 | 506.57 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 29/ 1972 | -125.24 | 3.19 | 509.76 | 01 | 01 | 1 | |
| | P | 3 / 9 / 1973 | -127.9 | -2.66 | 507.1 | 01 | 01 | 1 | |
| | N | 2 / 21/ 1974 | | | | 01 | 01 | 1 | 43 |

**Min** *-128.43* **Max** *-98.79* **Avg** *-110.128*

***6853703*** *( Aquifer: 124CRRZ Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 1969 | -126 | | 509 | 01 | 07 | 7 | |
| | P | 1 / 13/ 1970 | -123.06 | 2.94 | 511.94 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1975 | -129.96 | -6.9 | 505.04 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -131.09 | -1.13 | 503.91 | 01 | 01 | 1 | |
| | P | 2 / 10/ 1978 | -132.82 | -1.73 | 502.18 | 01 | 01 | 1 | |
| | N | 1 / 4 / 1979 | | | | 01 | 01 | | 62 |
| | P | 2 / 19/ 1981 | -138.05 | | 496.95 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1982 | -141.14 | -3.09 | 493.86 | 01 | 01 | 1 | |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 61 |
| | N | 2 / 23/ 1984 | | | | 01 | 01 | | 61 |
| | P | 2 / 12/ 1985 | -141.06 | | 493.94 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1986 | -145.55 | -4.49 | 489.45 | 01 | 01 | 1 | |
| | P | 12 / 5 / 1986 | -143.87 | 1.68 | 491.13 | 01 | 01 | 1 | |
| | P | 3 / 16/ 1988 | -146.52 | -2.65 | 488.48 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1989 | -142.7 | 3.82 | 492.3 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1990 | -156.9 | -14.2 | 478.1 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1991 | -152.9 | 4 | 482.1 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1992 | -149.3 | 3.6 | 485.7 | 01 | 01 | 1 | |
| | P | 3 / 3 / 1993 | -128.78 | 20.52 | 506.22 | 01 | 06 | 1 | |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 63 |
| | N | 4 / 14/ 1995 | | | | 01 | 06 | | 61 |
| | P | 3 / 18/ 1996 | -151.63 | | 483.37 | 01 | 06 | 1 | |
| | N | 9 / 14/ 2000 | | | | 01 | 01 | | 60 |

**Min** *-156.9* **Max** *-123.06* **Avg** *-140.078*

***6853705*** *( Aquifer: 124CRRZ Well Depth: 480 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 27/ 1974 | -208 | | 421 | 01 | 07 | 7 | |

**Min** *-208* **Max** *-208* **Avg** *-208*

***6853707*** *( Aquifer: 124CRRZ Well Depth: 530 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 11/ 1984 | -180 | | 452 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -180** | | **Max -180** | **Avg** | **-180** | | | | | |
| ***6853805*** | *( Aquifer: 124CRRZ* | | *Well Depth: 214 )* | | | | | | |
| | P | 1 / 13/ 1970 | -106.84 | | 428.16 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1970 | -107.63 | -0.79 | 427.37 | 01 | 01 | 1 | |
| | P | 4 / 2 / 1971 | -112.93 | -5.3 | 422.07 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1972 | -119.32 | -6.39 | 415.68 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1973 | -113.64 | 5.68 | 421.36 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1974 | -113.44 | 0.2 | 421.56 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1975 | -115.94 | -2.5 | 419.06 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -116.66 | -0.72 | 418.34 | 01 | 01 | 1 | |
| | P | 1 / 4 / 1979 | -120.68 | -4.02 | 414.32 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -122.06 | -1.38 | 412.94 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1982 | -124.01 | -1.95 | 410.99 | 01 | 01 | 1 | |
| | N | 2 / 10/ 1983 | | | | 01 | 01 | | 63 |
| | N | 2 / 23/ 1984 | | | | 01 | 01 | | 63 |
| | P | 2 / 12/ 1985 | -128.28 | | 406.72 | 01 | 01 | 1 | |
| | N | 2 / 12/ 1986 | | | | 01 | 01 | | 61 |
| | N | 12 / 5 / 1986 | | | | 01 | 01 | | 42 |
| **Min -128.28** | | **Max -106.84** | **Avg** | **-116.786** | | | | | |
| ***6853809*** | *( Aquifer: 124CRRZ* | | *Well Depth: 446 )* | | | | | | |
| | P | 12 / 0 / 1969 | -150 | | 405 | 01 | 12 | 7 | |
| **Min -150** | | **Max -150** | **Avg** | **-150** | | | | | |
| ***6853811*** | *( Aquifer: 124CRRZ* | | *Well Depth: 665 )* | | | | | | |
| | P | 5 / 22/ 2002 | -172 | | 356 | 01 | 07 | 7 | |
| **Min -172** | | **Max -172** | **Avg** | **-172** | | | | | |
| ***6853812*** | *( Aquifer: 124CRRZ* | | *Well Depth: 620 )* | | | | | | |
| | P | 6 / 14/ 2005 | -144.8 | | 385.2 | 01 | 07 | 7 | |
| **Min -144.8** | | **Max -144.8** | **Avg** | **-144.8** | | | | | |
| ***6853813*** | *( Aquifer: 124WLCX* | | *Well Depth: 1796 )* | | | | | | |
| | P | 1 / 29/ 2007 | -109.3 | | 444.7 | 01 | 07 | 7 | |
| **Min -109.3** | | **Max -109.3** | **Avg** | **-109.3** | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6853814** | ( Aquifer: 124WLCX | | Well Depth: 1804 ) | | | | | | |
| | P | 4 / 18/ 2007 | -114.8 | | 439.2 | 01 | 07 | 7 | |
| Min -114.8 | | Max -114.8 | Avg -114.8 | | | | | | |
| **6853906** | ( Aquifer: 124CRRZ | | Well Depth: 276 ) | | | | | | |
| | P | 9 / 2 / 1969 | -209.4 | | 355.6 | 01 | 01 | 1 | |
| | P | 3 / 17/ 1970 | -206.65 | 2.75 | 358.35 | 01 | 01 | 1 | |
| | N | 4 / 12/ 1971 | | | | 01 | 01 | | 42 |
| | N | 2 / 29/ 1972 | | | | 01 | 01 | | 60 |
| | N | 2 / 23/ 1973 | | | | 01 | 01 | | 60 |
| | N | 2 / 21/ 1974 | | | | 01 | 01 | | 60 |
| Min -209.4 | | Max -206.65 | Avg -208.025 | | | | | | |
| **6853907** | ( Aquifer: 124CRRZ | | Well Depth: 746 ) | | | | | | |
| | P | 4 / 7 / 1999 | -210 | | 355 | 01 | 07 | 7 | |
| Min -210 | | Max -210 | Avg -210 | | | | | | |
| **6853908** | ( Aquifer: 124CRRZ | | Well Depth: 620 ) | | | | | | |
| | P | 5 / 1 / 2002 | -186 | | 359 | 01 | 07 | 7 | |
| Min -186 | | Max -186 | Avg -186 | | | | | | |
| **6853909** | ( Aquifer: 124CRRZ | | Well Depth: 605 ) | | | | | | |
| | P | 7 / 20/ 2002 | -197 | | 361 | 01 | 07 | 7 | |
| Min -197 | | Max -197 | Avg -197 | | | | | | |
| **6853910** | ( Aquifer: 124CRRZ | | Well Depth: 590 ) | | | | | | |
| | P | 5 / 2 / 2005 | -186.69 | | 363.31 | 01 | 07 | 7 | |
| Min -186.69 | | Max -186.69 | Avg -186.69 | | | | | | |
| **6853911** | ( Aquifer: 124CRRZ | | Well Depth: 685 ) | | | | | | |
| | P | 6 / 4 / 2002 | -206 | | 354 | 01 | 07 | 7 | |
| Min -206 | | Max -206 | Avg -206 | | | | | | |
| **6853912** | ( Aquifer: 124CRRZ | | Well Depth: 685 ) | | | | | | |
| | P | 9 / 5 / 2002 | -173.8 | | 352.2 | 01 | 07 | 7 | |
| Min -173.8 | | Max -173.8 | Avg -173.8 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| ***6853913*** | *( Aquifer: 124CRRZ* | | *Well Depth: 685 )* | | | | | | |
| | P | 9 / 24/ 2002 | -177 | | 356 | 01 | 07 | 7 | |
| **Min** *-177* | | **Max** *-177* | **Avg** | *-177* | | | | | |
| ***6853914*** | *( Aquifer: 124CRRZ* | | *Well Depth: 680 )* | | | | | | |
| | P | 8 / 21/ 2002 | -165.97 | | 351.03 | 01 | 07 | 7 | |
| **Min** *-165.97* | | **Max** *-165.97* | **Avg** | *-165.97* | | | | | |
| ***6853915*** | *( Aquifer: 124CRRZ* | | *Well Depth: 630 )* | | | | | | |
| | P | 9 / 18/ 2007 | -213 | | 363 | 01 | 07 | 7 | |
| **Min** *-213* | | **Max** *-213* | **Avg** | *-213* | | | | | |
| ***6853916*** | *( Aquifer: 124CRRZ* | | *Well Depth: 565 )* | | | | | | |
| | P | 9 / 6 / 2007 | -190 | | 357 | 01 | 07 | 7 | |
| **Min** *-190* | | **Max** *-190* | **Avg** | *-190* | | | | | |
| ***6853917*** | *( Aquifer: 124CRRZ* | | *Well Depth: 605 )* | | | | | | |
| | P | 8 / 11/ 2007 | -212.83 | | 382.17 | 01 | 07 | 7 | |
| **Min** *-212.83* | | **Max** *-212.83* | **Avg** | *-212.83* | | | | | |
| ***6853918*** | *( Aquifer: 124CRRZ* | | *Well Depth: 640 )* | | | | | | |
| | P | 4 / 25/ 2005 | -167.7 | | 384.3 | 01 | 07 | 7 | |
| | P | 4 / 25/ 2005 | -235.7 | -68 | 316.3 | 02 | 07 | 7 | 02 |
| **Min** *-235.7* | | **Max** *-167.7* | **Avg** | *-201.7* | | | | | |
| ***6853919*** | *( Aquifer: 124CRRZ* | | *Well Depth: 610 )* | | | | | | |
| | P | 7 / 7 / 2005 | -142.2 | | 398.8 | 01 | 07 | 7 | |
| | P | 7 / 7 / 2005 | -192.3 | -50.1 | 348.7 | 02 | 07 | 7 | 02 |
| **Min** *-192.3* | | **Max** *-142.2* | **Avg** | *-167.25* | | | | | |
| ***6853920*** | *( Aquifer: 124CRRZ* | | *Well Depth: 650 )* | | | | | | |
| | P | 9 / 13/ 2005 | -174.7 | | 355.3 | 01 | 07 | 7 | |
| | P | 9 / 13/ 2005 | -271.02 | -96.3 | 258.98 | 02 | 07 | 7 | 02 |
| **Min** *-271.02* | | **Max** *-174.7* | **Avg** | *-222.86* | | | | | |
| ***6853921*** | *( Aquifer: 124CRRZ* | | *Well Depth: 590 )* | | | | | | |
| | P | 5 / 8 / 2005 | -147.3 | | 370.7 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 8 / 2005 | -238.4 | -91.1 | 279.6 | 02 | 07 | 7 | |
| Min -238.4 | | Max -147.3 | Avg -192.85 | | | | | | |
| **6853922** | ( Aquifer: 124CRRZ | | Well Depth: 590 ) | | | | | | |
| | P | 5 / 14/ 2005 | -151.2 | | 386.8 | 01 | 07 | 7 | |
| | P | 5 / 14/ 2005 | -229.4 | -78.2 | 308.6 | 02 | 07 | 7 | 02 |
| Min -229.4 | | Max -151.2 | Avg -190.3 | | | | | | |
| **6853923** | ( Aquifer: 124CRRZ | | Well Depth: 720 ) | | | | | | |
| | P | 7 / 18/ 2005 | -143.2 | | 396.8 | 01 | 07 | 7 | |
| | P | 7 / 18/ 2005 | -193.84 | -50.6 | 346.16 | 02 | 07 | 7 | 02 |
| Min -193.84 | | Max -143.2 | Avg -168.52 | | | | | | |
| **6853924** | ( Aquifer: 124CRRZ | | Well Depth: 645 ) | | | | | | |
| | P | 6 / 24/ 2005 | -163.2 | | 392.8 | 01 | 07 | 7 | |
| | P | 6 / 24/ 2005 | -215.97 | -52.8 | 340.03 | 02 | 07 | 7 | 02 |
| Min -215.97 | | Max -163.2 | Avg -189.585 | | | | | | |
| **6853928** | ( Aquifer: 124CRRZ | | Well Depth: ) | | | | | | |
| | P | 10 / 7 / 2009 | -115.14 | | 438.86 | 01 | 04 | 2 | |
| | P | 12 / 15/ 2009 | -114.55 | 0.59 | 439.45 | 01 | 04 | 2 | |
| | P | 2 / 18/ 2010 | -109.11 | 5.44 | 444.89 | 01 | 04 | 2 | |
| | P | 2 / 24/ 2010 | -145.97 | -36.9 | 408.03 | 01 | 04 | 2 | |
| | P | 4 / 7 / 2010 | -117 | 28.97 | 437 | 01 | 04 | 2 | |
| | P | 5 / 13/ 2010 | -125.46 | -8.46 | 428.54 | 01 | 04 | 2 | |
| | P | 7 / 20/ 2010 | -97.47 | 27.99 | 456.53 | 01 | 04 | 2 | |
| | P | 8 / 24/ 2010 | -180.99 | -83.5 | 373.01 | 01 | 04 | 2 | |
| | P | 9 / 17/ 2010 | -160.38 | 20.61 | 393.62 | 01 | 04 | 2 | |
| | P | 10 / 18/ 2010 | -121.25 | 39.13 | 432.75 | 01 | 04 | 2 | |
| | P | 11 / 8 / 2010 | -116.8 | 4.45 | 437.2 | 01 | 04 | 2 | |
| | P | 5 / 2 / 2011 | -172.01 | -55.2 | 381.99 | 01 | 04 | 2 | |
| | P | 6 / 21/ 2011 | -199.27 | -27.3 | 354.73 | 01 | 04 | 2 | |
| | P | 8 / 10/ 2011 | -219.48 | -20.2 | 334.52 | 01 | 04 | 2 | |
| | P | 9 / 22/ 2011 | -218.88 | 0.6 | 335.12 | 01 | 04 | 2 | |
| | P | 9 / 30/ 2011 | -197.93 | 20.95 | 356.07 | 01 | 04 | 2 | |
| Min -219.48 | | Max -97.47 | Avg -150.731 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6854102** | ( Aquifer: 124WLCX | | Well Depth: 444 ) | | | | | | |
| | P | 2 / 16/ 1988 | -60 | | 419 | 01 | 07 | 7 | |
| Min -60 | | Max -60 | Avg | -60 | | | | | |
| **6854402** | ( Aquifer: 124CRRZ | | Well Depth: 265 ) | | | | | | |
| | P | 4 / 3 / 1970 | -33.56 | | 401.44 | 01 | 01 | 1 | |
| | N | 4 / 9 / 1971 | | | | 01 | 01 | | 41 |
| | N | 2 / 29/ 1972 | | | | 01 | 01 | | 63 |
| | P | 2 / 23/ 1973 | -34.21 | | 400.79 | 01 | 01 | 1 | |
| | N | 2 / 21/ 1974 | | | | 01 | 01 | | 42 |
| | P | 1 / 16/ 1975 | -31.45 | | 403.55 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1976 | -32.27 | -0.82 | 402.73 | 01 | 01 | 1 | |
| | P | 1 / 4 / 1979 | -33.62 | -1.35 | 401.38 | 01 | 01 | 1 | |
| | P | 2 / 19/ 1981 | -34.39 | -0.77 | 400.61 | 01 | 01 | 1 | |
| | N | 2 / 9 / 1982 | | | | 01 | 01 | | 61 |
| | P | 2 / 11/ 1983 | -34.89 | | 400.11 | 01 | 01 | 1 | |
| | P | 2 / 23/ 1984 | -38.03 | -3.14 | 396.97 | 01 | 01 | 1 | |
| | P | 2 / 13/ 1985 | -38.08 | -0.05 | 396.92 | 01 | 01 | 1 | |
| | N | 2 / 12/ 1986 | | | | 01 | 01 | | 42 |
| | P | 12 / 5 / 1986 | -37.2 | | 397.8 | 01 | 01 | 1 | |
| | P | 3 / 16/ 1988 | -36.5 | 0.7 | 398.5 | 01 | 01 | 2 | |
| | P | 1 / 23/ 1989 | -39.11 | -2.61 | 395.89 | 01 | 01 | 1 | |
| | P | 1 / 24/ 1990 | -39.5 | -0.39 | 395.5 | 01 | 01 | 1 | |
| | P | 1 / 22/ 1991 | -40.2 | -0.7 | 394.8 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1992 | -37.2 | 3 | 397.8 | 01 | 01 | 1 | |
| | P | 3 / 3 / 1993 | -36.05 | 1.15 | 398.95 | 01 | 06 | 1 | |
| | N | 5 / 19/ 1994 | | | | 01 | 06 | | 61 |
| | P | 4 / 14/ 1995 | -39.4 | | 395.6 | 01 | 06 | 1 | |
| | P | 3 / 18/ 1996 | -48.52 | -9.12 | 386.48 | 01 | 06 | 1 | |
| | N | 9 / 14/ 2000 | | | | 01 | 01 | | 41 |
| | P | 12 / 23/ 2008 | -41.82 | | 393.18 | 01 | 01 | 1 | |
| | P | 1 / 20/ 2010 | -41.35 | 0.47 | 393.65 | 01 | 01 | 1 | |
| | P | 3 / 25/ 2011 | -41 | 0.35 | 394 | 01 | 01 | 1 | |
| | P | 10 / 20/ 2011 | -42.7 | -1.7 | 392.3 | 01 | 01 | 1 | |
| | P | 10 / 30/ 2012 | -42.59 | 0.11 | 392.41 | 01 | 01 | 1 | |
| Min -48.52 | | Max -31.45 | Avg | -37.9843 | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6854406** | ( Aquifer: 124WLCX | | Well Depth: 1235 ) | | | | | | |
| | P | 1 / 30/ 2007 | -63.62 | | 429.38 | 01 | 07 | 7 | |
| Min -63.62 | | Max -63.62 | Avg -63.62 | | | | | | |
| **6854407** | ( Aquifer: 124WLCX | | Well Depth: 1250 ) | | | | | | |
| | P | 4 / 11/ 2006 | -85.16 | | 407.84 | 01 | 07 | 7 | |
| Min -85.16 | | Max -85.16 | Avg -85.16 | | | | | | |
| **6861222** | ( Aquifer: 124CRRZ | | Well Depth: 670 ) | | | | | | |
| | P | 6 / 19/ 2005 | -127.3 | | 401.7 | 01 | 07 | 7 | |
| | P | 6 / 19/ 2005 | -192.17 | -64.9 | 336.83 | 02 | 07 | 7 | 02 |
| Min -192.17 | | Max -127.3 | Avg -159.735 | | | | | | |
| **6861313** | ( Aquifer: 124CRRZ | | Well Depth: 665 ) | | | | | | |
| | P | 4 / 26/ 2002 | -170 | | 355 | 01 | 07 | 7 | |
| Min -170 | | Max -170 | Avg -170 | | | | | | |
| **6861318** | ( Aquifer: 124CRRZ | | Well Depth: 675 ) | | | | | | |
| | P | 8 / 1 / 2002 | -171 | | 348 | 01 | 07 | 7 | |
| Min -171 | | Max -171 | Avg -171 | | | | | | |
| **6861319** | ( Aquifer: 124CRRZ | | Well Depth: 775 ) | | | | | | |
| | P | 5 / 6 / 2002 | -176.25 | | 357.75 | 01 | 07 | 7 | |
| Min -176.25 | | Max -176.25 | Avg -176.25 | | | | | | |
| **6861322** | ( Aquifer: 124CRRZ | | Well Depth: 760 ) | | | | | | |
| | P | 8 / 28/ 2005 | -130.4 | | 398.6 | 01 | 07 | 7 | |
| | P | 8 / 28/ 2005 | -186.31 | -55.9 | 342.69 | 02 | 07 | 7 | 02 |
| Min -186.31 | | Max -130.4 | Avg -158.355 | | | | | | |
| **6861323** | ( Aquifer: 124CRRZ | | Well Depth: 740 ) | | | | | | |
| | P | 8 / 17/ 2005 | -116.9 | | 401.1 | 01 | 07 | 7 | |
| | P | 8 / 17/ 2005 | -181.44 | -64.5 | 336.56 | 02 | 07 | 7 | 02 |
| Min -181.44 | | Max -116.9 | Avg -149.17 | | | | | | |
| **6861324** | ( Aquifer: 124CRRZ | | Well Depth: 740 ) | | | | | | |
| | P | 7 / 28/ 2005 | -145.2 | | 394.8 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 28/ 2005 | -204.97 | -59.8 | 335.03 | 02 | 07 | 7 | 02 |

**Min** ***-204.97*** **Max** ***-145.2*** **Avg** ***-175.085***