Texas Water Development Board
Groundwater Database Reports

groundwater resources division

Water Level Publication Report
County: Floyd

Water Level Measurements in Feet Above or Below (-) Land Surface

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1144901	*(Aquifer: 121OGLL*		*Well Depth: 213)*						
	P	4 / 28/ 1936	-48		3274	01	12	7	01
	P	5 / 5 / 1936	-49.35	-1.35	3272.65	01	12	7	01
	P	6 / 1 / 1937	-50.79	-1.44	3271.21	01	12	7	01
	P	8 / 10/ 1937	-52.28	-1.49	3269.72	01	12	7	01
	P	9 / 15/ 1937	-50.93	1.35	3271.07	01	12	7	01
	P	10 / 1 / 1937	-50.73	0.2	3271.27	01	12	7	01
	P	11 / 1 / 1937	-50.61	0.12	3271.39	01	12	7	01
	P	1 / 4 / 1938	-50.61		3271.39	01	12	7	01
	P	3 / 11/ 1938	-50.83	-0.22	3271.17	01	12	7	01
	P	4 / 13/ 1938	-50.73	0.1	3271.27	01	12	7	01
	P	5 / 26/ 1938	-51.23	-0.5	3270.77	01	12	7	01
	P	9 / 15/ 1938	-51.45	-0.22	3270.55	01	12	7	01
	P	10 / 18/ 1938	-51.26	0.19	3270.74	01	12	7	01
	P	12 / 5 / 1938	-51.13	0.13	3270.87	01	12	7	01
	P	1 / 3 / 1939	-51.65	-0.52	3270.35	01	12	7	01
	P	2 / 27/ 1939	-50.93	0.72	3271.07	01	12	7	01
	P	6 / 21/ 1939	-51.49	-0.56	3270.51	01	12	7	01
	P	10 / 14/ 1939	-53.08	-1.59	3268.92	01	12	7	01
	P	12 / 8 / 1939	-52.34	0.74	3269.66	01	12	7	01
	P	4 / 6 / 1940	-52.14	0.2	3269.86	01	12	7	01
	P	10 / 27/ 1940	-53.68	-1.54	3268.32	01	12	7	01
	P	11 / 15/ 1940	-53.48	0.2	3268.52	01	12	7	01
	P	1 / 18/ 1941	-53.38	0.1	3268.62	01	12	7	01
	P	3 / 11/ 1941	-53.28	0.1	3268.72	01	12	7	01
	P	10 / 16/ 1941	-52.65	0.63	3269.35	01	12	7	01
	P	3 / 9 / 1942	-52.05	0.6	3269.95	01	12	7	01
	P	10 / 20/ 1942	-52.91	-0.86	3269.09	01	12	7	01
	P	2 / 2 / 1943	-52.6	0.31	3269.4	01	12	7	01
	P	2 / 11/ 1944	-53.78	-1.18	3268.22	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/12/1945	-54.53	-0.75	3267.47	01	12	7	01
	P	2/26/1946	-55.65	-1.12	3266.35	01	12	7	01
	P	1/17/1947	-57.07	-1.42	3264.93	01	12	7	01
	P	3/19/1947	-56.83	0.24	3265.17	01	12	7	01
	P	1/16/1948	-58.1	-1.27	3263.9	01	12	7	01
	P	3/ 1/1948	-57.85	0.25	3264.15	01	12	7	01
	P	3/ 4/1949	-59.39	-1.54	3262.61	01	12	7	01
	P	2/18/1950	-59.84	-0.45	3262.16	01	12	7	01
	P	1/16/1951	-60.91	-1.07	3261.09	01	12	7	01
	P	1/15/1952	-63.2	-2.29	3258.8	01	12	7	01
	P	1/ 7/1953	-66.09	-2.89	3255.91	01	12	7	01
	P	1/ 5/1954	-71.5	-5.41	3250.5	01	12	7	01
	P	1/ 4/1955	-78.47	-6.97	3243.53	01	12	7	01
	P	1/ 4/1956	-81.17	-2.7	3240.83	01	12	7	01
	P	1/ 4/1957	-85.57	-4.4	3236.43	01	12	7	01
	P	1/14/1958	-88.74	-3.17	3233.26	01	12	7	01
	P	1/ 2/1959	-93.1	-4.36	3228.9	01	12	7	01
	P	1/26/1960	-98.3	-5.2	3223.7	01	12	7	01
	P	1/26/1961	-100.04	-1.74	3221.96	01	04	1	
	P	1/12/1962	-102.28	-2.24	3219.72	01	01	1	
	P	1/ 8/1963	-105.07	-2.79	3216.93	01	06	1	
	P	1/24/1964	-109.44	-4.37	3212.56	01	06	1	
	P	2/17/1965	-115.12	-5.68	3206.88	01	06	1	
	P	1/26/1966	-117.58	-2.46	3204.42	01	06	1	
	P	1/ 9/1967	-122.9	-5.32	3199.1	01	01	1	
	P	1/11/1968	-135.88	-13	3186.12	01	01	1	
	P	1/10/1969	-130.15	5.73	3191.85	01	06	1	
	P	1/14/1970	-133.15	-3	3188.85	01	01	1	
	P	1/ 7/1971	-136.04	-2.89	3185.96	01	01	1	
	P	1/ 5/1972	-144.28	-8.24	3177.72	01	06	1	
	P	1/17/1973	-145.94	-1.66	3176.06	01	06	1	
	P	1/15/1974	-149.99	-4.05	3172.01	01	06	1	03
	P	1/ 9/1975	-155.16	-5.17	3166.84	01	06	1	
	P	1/14/1976	-157.69	-2.53	3164.31	01	06	2	
	P	1/ 3/1977	-162.01	-4.32	3159.99	01	06	1	
	P	1/ 5/1978	-166.28	-4.27	3155.72	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1979	-170.71	-4.43	3151.29	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-170.71* **Max** *-48* **Avg** *-80.3847*

1144902 *(Aquifer: 121OGLL Well Depth: 220)*

	P	3 / 4 / 1949	-57		3267	01	12	7	01
	P	2 / 17/ 1950	-57.91	-0.91	3266.09	01	12	7	01
	P	1 / 16/ 1951	-58.12	-0.21	3265.88	01	12	7	01
	P	1 / 15/ 1952	-59.99	-1.87	3264.01	01	12	7	01
	P	1 / 7 / 1953	-63.72	-3.73	3260.28	01	12	7	01
	P	1 / 5 / 1954	-66.95	-3.23	3257.05	01	12	7	01
	P	1 / 4 / 1955	-71.36	-4.41	3252.64	01	12	7	01
	P	1 / 4 / 1956	-74.79	-3.43	3249.21	01	12	7	01
	P	1 / 4 / 1957	-80.5	-5.71	3243.5	01	12	7	01
	P	1 / 14/ 1958	-83.36	-2.86	3240.64	01	12	7	01
	P	1 / 2 / 1959	-86.7	-3.34	3237.3	01	12	7	01
	P	1 / 26/ 1960	-91.8	-5.1	3232.2	01	12	7	01
	P	1 / 26/ 1961	-95.9	-4.1	3228.1	01	04	1	
	N	1 / 12/ 1962				01	01	1	44
	P	1 / 10/ 1963	-99.83		3224.17	01	06	1	
	P	1 / 24/ 1964	-106.73	-6.9	3217.27	01	06	1	
	P	2 / 17/ 1965	-109.63	-2.9	3214.37	01	06	1	
	N	1 / 26/ 1966				01	06		61
	P	1 / 9 / 1967	-123.85		3200.15	01	01	1	
	P	1 / 11/ 1968	-128.71	-4.86	3195.29	01	01	1	
	P	1 / 10/ 1969	-127.38	1.33	3196.62	01	06	1	
	P	1 / 14/ 1970	-131	-3.62	3193	01	01	1	
	P	1 / 7 / 1971	-133.92	-2.92	3190.08	01	01	1	
	P	1 / 5 / 1972	-138.05	-4.13	3185.95	01	06	1	
	P	1 / 18/ 1973	-141.87	-3.82	3182.13	01	06	1	
	P	1 / 15/ 1974	-145.43	-3.56	3178.57	01	06	1	
	P	1 / 9 / 1975	-150.74	-5.31	3173.26	01	06	1	
	P	1 / 14/ 1976	-153.94	-3.2	3170.06	01	06	1	
	P	1 / 3 / 1977	-159.9	-5.96	3164.1	01	06	1	
	P	1 / 5 / 1978	-163.3	-3.4	3160.7	01	06	1	
	P	1 / 24/ 1979	-166.78	-3.48	3157.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 8 / 1980	-168.5	-1.72	3155.5	01	06	1	
	P	1 / 15/ 1981	-173.47	-4.97	3150.53	01	06	1	
	P	1 / 15/ 1982	-179.98	-6.51	3144.02	01	06	1	
	N	2 / 14/ 1983				01	06	1	45
	N	4 / 22/ 1983				01	06	1	46

Min *-179.98* **Max** *-57* **Avg** *-114.097*

1144903 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 14/ 1983	-177.65		3143.35	01	06	1	
	P	1 / 16/ 1984	-180.03	-2.38	3140.97	01	06	1	
	P	1 / 22/ 1985	-181.6	-1.57	3139.4	01	06	1	
	P	2 / 19/ 1986	-185.93	-4.33	3135.07	01	06	1	
	P	2 / 4 / 1987	-188.12	-2.19	3132.88	01	06	1	
	P	2 / 8 / 1988	-188.1	0.02	3132.9	01	06	1	
	P	1 / 30/ 1989	-189.71	-1.61	3131.29	01	06	1	
	P	1 / 8 / 1990	-195	-5.29	3126	01	06	1	
	P	2 / 8 / 1991	-193.75	1.25	3127.25	01	06	1	
	N	2 / 12/ 1992				01	06	7	44

Min *-195* **Max** *-177.65* **Avg** *-186.654*

1144904 *(Aquifer: 121OGLL Well Depth: 247)*

	P	3 / 2 / 1992	-195.9		3126.1	01	06	1	
	P	2 / 8 / 1993	-196.92	-1.02	3125.08	01	06	1	
	P	1 / 27/ 1994	-199.66	-2.74	3122.34	01	06	1	
	P	2 / 7 / 1995	-202.91	-3.25	3119.09	01	06	1	
	P	1 / 29/ 1996	-203.52	-0.61	3118.48	01	06	1	
	P	2 / 3 / 1997	-204.39	-0.87	3117.61	01	06	1	
	P	1 / 15/ 1998	-204.92	-0.53	3117.08	01	06	1	
	P	1 / 27/ 1999	-206	-1.08	3116	01	06	1	
	P	2 / 17/ 2000	-206.18	-0.18	3115.82	01	06	1	
	P	2 / 12/ 2001	-207.44	-1.26	3114.56	01	06	1	
	P	2 / 4 / 2002	-207.24	0.2	3114.76	01	06	1	
	P	3 / 3 / 2003	-207.69	-0.45	3114.31	01	06	1	
	P	2 / 18/ 2004	-208.63	-0.94	3113.37	01	06	1	
	P	2 / 10/ 2005	-208.46	0.17	3113.54	01	06	1	
	P	2 / 15/ 2006	-208.53	-0.07	3113.47	01	06	1	
	P	2 / 8 / 2007	-211.09	-2.56	3110.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 28/ 2008	-209.03	2.06	3112.97	01	06	1	
	P	2 / 18/ 2009	-209.37	-0.34	3112.63	01	06	1	
	P	1 / 18/ 2010	-210.3	-0.93	3111.7	01	06	1	
	P	1 / 19/ 2011	-210.18	0.12	3111.82	01	06	1	
	P	1 / 24/ 2012	-211.35	-1.17	3110.65	01	06	1	

Min *-211.35* **Max** *-195.9* **Avg** *-206.177*

1144905 *(Aquifer: 121OGLL Well Depth: 215)*

	P	7 / 11/ 2003	-191		3126	01	07	7	
	N	5 / 18/ 2004				01	01		41

Min *-191* **Max** *-191* **Avg** *-191*

1145408 *(Aquifer: 121OGLL Well Depth: 279)*

	P	11 / 14/ 1979	-202.15		3105.85	01	07	7	
	P	1 / 8 / 1980	-199.15	3	3108.85	01	06	1	
	P	1 / 15/ 1981	-202.54	-3.39	3105.46	01	06	1	
	P	1 / 15/ 1982	-204.29	-1.75	3103.71	01	06	1	
	P	2 / 15/ 1983	-207.65	-3.36	3100.35	01	06	1	
	P	1 / 16/ 1984	-210.07	-2.42	3097.93	01	06	1	
	P	1 / 22/ 1985	-212.8	-2.73	3095.2	01	06	1	
	P	1 / 27/ 1986	-212.99	-0.19	3095.01	01	06	1	
	P	2 / 5 / 1987	-213.74	-0.75	3094.26	01	06	1	
	P	2 / 8 / 1988	-211.7	2.04	3096.3	01	06	1	
	P	1 / 30/ 1989	-211.16	0.54	3096.84	01	06	1	
	P	1 / 8 / 1990	-213.41	-2.25	3094.59	01	06	1	
	P	2 / 12/ 1991	-213.6	-0.19	3094.4	01	06	1	
	P	2 / 12/ 1992	-215.79	-2.19	3092.21	01	06	1	
	P	2 / 8 / 1993	-216.37	-0.58	3091.63	01	06	1	
	P	1 / 27/ 1994	-217.52	-1.15	3090.48	01	06	1	
	P	2 / 7 / 1995	-219.7	-2.18	3088.3	01	06	1	
	P	1 / 29/ 1996	-220.57	-0.87	3087.43	01	06	1	
	P	2 / 3 / 1997	-223.48	-2.91	3084.52	01	06	1	
	P	1 / 14/ 1998	-222.25	1.23	3085.75	01	06	1	
	P	1 / 27/ 1999	-223	-0.75	3085	01	06	1	
	P	2 / 17/ 2000	-223.28	-0.28	3084.72	01	06	1	
	P	2 / 6 / 2001	-224.15	-0.87	3083.85	01	06	1	
	P	3 / 18/ 2002	-223.89	0.26	3084.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 3 / 2003	-229.28	-5.39	3078.72	01	06	1	
	P	2 / 18/ 2004	-225.4	3.88	3082.6	01	06	1	
	P	2 / 18/ 2005	-224.96	0.44	3083.04	01	06	1	
	P	2 / 14/ 2006	-224.04	0.92	3083.96	01	06	1	
	P	2 / 8 / 2007	-225.3	-1.26	3082.7	01	06	1	
	P	1 / 25/ 2008	-225.15	0.15	3082.85	01	06	1	
	P	2 / 18/ 2009	-226.29	-1.14	3081.71	01	06	1	
	P	1 / 19/ 2010	-226.19	0.1	3081.81	01	06	1	
	P	1 / 19/ 2011	-225.59	0.6	3082.41	01	06	1	
	P	1 / 24/ 2012	-226.97	-1.38	3081.03	01	06	1	

Min *-229.28* **Max** *-199.15* **Avg** *-217.777*

1145513 *(Aquifer: 121OGLL Well Depth: 215)*

	P	8 / 0 / 1936	-80		3200	01	12	7	01
	P	3 / 7 / 1947	-87.28	-7.28	3192.72	01	12	7	01
	P	3 / 1 / 1948	-88.43	-1.15	3191.57	01	12	7	01
	P	3 / 5 / 1949	-91.24	-2.81	3188.76	01	12	7	01
	P	2 / 20/ 1950	-91.17	0.07	3188.83	01	12	7	01
	P	1 / 17/ 1951	-92.48	-1.31	3187.52	01	12	7	01
	P	1 / 15/ 1952	-96.4	-3.92	3183.6	01	12	7	01
	P	1 / 7 / 1953	-105.21	-8.81	3174.79	01	12	7	01
	P	1 / 7 / 1954	-109.24	-4.03	3170.76	01	12	7	01
	P	1 / 5 / 1955	-110.15	-0.91	3169.85	01	12	7	01
	P	1 / 5 / 1956	-112.59	-2.44	3167.41	01	12	7	01
	P	1 / 6 / 1957	-118.7	-6.11	3161.3	01	12	7	01
	P	1 / 14/ 1958	-130.18	-11.5	3149.82	01	12	7	01

Min *-130.18* **Max** *-80* **Avg** *-101.005*

1145514 *(Aquifer: 121OGLL Well Depth: 271)*

	P	1 / 5 / 1959	-124.61		3154.39	01	12	7	01
	P	1 / 26/ 1960	-128.6	-3.99	3150.4	01	12	7	01
	P	1 / 26/ 1961	-132.74	-4.14	3146.26	01	04	1	
	P	1 / 10/ 1962	-140.27	-7.53	3138.73	01	01	1	
	P	1 / 10/ 1963	-133.53	6.74	3145.47	01	06	1	
	P	1 / 24/ 1964	-137.42	-3.89	3141.58	01	06	1	
	P	2 / 16/ 1965	-143.08	-5.66	3135.92	01	06	1	
	P	2 / 2 / 1966	-148.45	-5.37	3130.55	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 10/ 1967				01	01		41
	N	1 / 11/ 1968				01	01		42
	P	10 / 4 / 1968	-155.02		3123.98	01	06	1	
	P	1 / 14/ 1969	-155.02		3123.98	01	06	1	
	N	1 / 14/ 1970				01	01		42
	N	2 / 9 / 1970				01	06		41
	P	1 / 7 / 1971	-166.39		3112.61	01	01	1	
	P	1 / 6 / 1972	-167.32	-0.93	3111.68	01	06	1	
	P	1 / 23/ 1973	-170.1	-2.78	3108.9	01	06	1	
	N	1 / 17/ 1974				01	06		42
	P	1 / 9 / 1975	-177.88		3101.12	01	06	1	
	P	1 / 6 / 1976	-181.15	-3.27	3097.85	01	06	1	
	P	1 / 4 / 1977	-186.03	-4.88	3092.97	01	06	1	
	P	1 / 10/ 1978	-188.21	-2.18	3090.79	01	06	1	
	P	1 / 12/ 1979	-191.72	-3.51	3087.28	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-191.72* **Max** *-124.61* **Avg** *-157.086*

1145701 *(Aquifer: 121OGLL Well Depth: 77)*

	P	5 / 5 / 1936	-53.44		3226.56	01	12	7	01
	P	5 / 13/ 1936	-54.16	-0.72	3225.84	01	12	7	01
	P	7 / 24/ 1937	-54.33	-0.17	3225.67	01	12	7	01
	P	8 / 10/ 1937	-54.39	-0.06	3225.61	01	12	7	01
	P	8 / 26/ 1937	-54.36	0.03	3225.64	01	12	7	01
	P	9 / 14/ 1937	-53.78	0.58	3226.22	01	12	7	01
	P	10 / 1 / 1937	-53.93	-0.15	3226.07	01	12	7	01
	P	11 / 1 / 1937	-54.22	-0.29	3225.78	01	12	7	01
	P	12 / 3 / 1937	-54.36	-0.14	3225.64	01	12	7	01
	P	1 / 4 / 1938	-54.61	-0.25	3225.39	01	12	7	01
	P	3 / 11/ 1938	-54.82	-0.21	3225.18	01	12	7	01
	P	4 / 13/ 1938	-55.08	-0.26	3224.92	01	12	7	01
	P	5 / 26/ 1938	-55.2	-0.12	3224.8	01	12	7	01
	P	6 / 27/ 1938	-55.35	-0.15	3224.65	01	12	7	01
	P	8 / 12/ 1938	-55.52	-0.17	3224.48	01	12	7	01
	P	4 / 6 / 1940	-57.29	-1.77	3222.71	01	12	7	01
	P	7 / 9 / 1940	-57.59	-0.3	3222.41	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 15/ 1940	-58.3	-0.71	3221.7	01	12	7	01
	P	1 / 18/ 1941	-58.5	-0.2	3221.5	01	12	7	01
	P	4 / 11/ 1941	-58.62	-0.12	3221.38	01	12	7	01
	P	3 / 9 / 1942	-54.72	3.9	3225.28	01	12	7	01
	P	10 / 20/ 1942	-55.46	-0.74	3224.54	01	12	7	01
	P	2 / 2 / 1943	-55.61	-0.15	3224.39	01	12	7	01
	P	2 / 15/ 1944	-58.3	-2.69	3221.7	01	12	7	01
	P	2 / 12/ 1945	-58.77	-0.47	3221.23	01	12	7	01
	P	2 / 26/ 1946	-61.1	-2.33	3218.9	01	12	7	01
	P	1 / 17/ 1947	-62.07	-0.97	3217.93	01	12	7	01
	P	3 / 19/ 1947	-62.33	-0.26	3217.67	01	12	7	01
	P	3 / 1 / 1948	-63.59	-1.26	3216.41	01	12	7	01
	P	3 / 5 / 1949	-65.86	-2.27	3214.14	01	12	7	01
	P	2 / 16/ 1950	-66.85	-0.99	3213.15	01	12	7	01
	P	1 / 17/ 1951	-66.57	0.28	3213.43	01	12	7	01

Min ***-66.85*** **Max** ***-53.44*** **Avg** ***-57.4713***

1145702 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 5 / 1936	-61.72		3231.28	01	12	1	01
	P	6 / 13/ 1936	-57.49	4.23	3235.51	01	12	7	01
	P	5 / 12/ 1937	-62.54	-5.05	3230.46	01	12	7	01
	P	12 / 3 / 1937	-63.01	-0.47	3229.99	01	12	7	01
	P	4 / 13/ 1938	-63.46	-0.45	3229.54	01	12	7	01
	P	10 / 18/ 1938	-64.26	-0.8	3228.74	01	12	7	01
	P	12 / 5 / 1938	-64.39	-0.13	3228.61	01	12	7	01
	P	1 / 3 / 1939	-64.42	-0.03	3228.58	01	12	7	01
	P	2 / 27/ 1939	-64.31	0.11	3228.69	01	12	7	01
	P	6 / 21/ 1939	-65.52	-1.21	3227.48	01	12	7	01
	P	8 / 14/ 1939	-66.16	-0.64	3226.84	01	12	7	01
	P	12 / 8 / 1939	-66.44	-0.28	3226.56	01	12	7	01
	P	3 / 6 / 1940	-66.38	0.06	3226.62	01	12	7	01
	P	11 / 15/ 1940	-68.85	-2.47	3224.15	01	12	7	01
	P	1 / 18/ 1941	-67.9	0.95	3225.1	01	12	7	01
	P	3 / 11/ 1941	-67.66	0.24	3225.34	01	12	7	01

Min ***-68.85*** **Max** ***-57.49*** **Avg** ***-64.6569***

1145802 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1957	-116.3		3160.7	01	12	7	01
	P	1/ 8/1958	-118.27	-1.97	3158.73	01	12	7	01
	P	1/ 5/1959	-120.74	-2.47	3156.26	01	12	7	01
	P	1/26/1960	-124.15	-3.41	3152.85	01	12	7	01
	P	1/26/1961	-123.6	0.55	3153.4	01	04	1	
	P	1/10/1962	-129.68	-6.08	3147.32	01	01	1	
	P	1/10/1963	-129.75	-0.07	3147.25	01	06	1	
	P	1/24/1964	-133.19	-3.44	3143.81	01	06	1	
	P	1/22/1965	-147.08	-13.9	3129.92	01	06	1	
	P	2/ 2/1966	-142.42	4.66	3134.58	01	06	1	
	P	1/10/1967	-143.2	-0.78	3133.8	01	01	1	
	P	1/11/1968	-149.4	-6.2	3127.6	01	01	1	
	P	1/14/1969	-151.8	-2.4	3125.2	01	06	1	
	P	1/14/1970	-155.15	-3.35	3121.85	01	01	1	
	P	1/ 7/1971	-159.22	-4.07	3117.78	01	01	1	
	P	1/ 6/1972	-162.53	-3.31	3114.47	01	06	1	
	P	1/19/1973	-164.69	-2.16	3112.31	01	06	1	
	P	1/17/1974	-167.46	-2.77	3109.54	01	06	1	
	P	1/ 9/1975	-171.42	-3.96	3105.58	01	06	1	
	P	1/ 6/1976	-174.77	-3.35	3102.23	01	06	1	
	P	1/ 4/1977	-178.06	-3.29	3098.94	01	06	1	
	P	1/10/1978	-180.62	-2.56	3096.38	01	06	1	
	P	1/12/1979	-183.06	-2.44	3093.94	01	06	1	
	P	1/ 8/1980	-182.43	0.63	3094.57	01	06	1	
	P	1/15/1981	-186.51	-4.08	3090.49	01	06	1	
	P	1/15/1982	-188.58	-2.07	3088.42	01	06	1	
	P	2/15/1983	-190.58	-2	3086.42	01	06	1	
	P	1/27/1984	-192.8	-2.22	3084.2	01	06	1	
	P	1/22/1985	-194.62	-1.82	3082.38	01	06	1	
	P	2/19/1986	-201.08	-6.46	3075.92	01	06	1	04
	P	2/ 5/1987	-194.7	6.38	3082.3	01	06	1	
	P	2/ 8/1988	-194.62	0.08	3082.38	01	06	1	
	P	1/30/1989	-193.5	1.12	3083.5	01	06	1	
	P	1/ 8/1990	-195.42	-1.92	3081.58	01	06	1	
	P	2/12/1991	-195.13	0.29	3081.87	01	06	1	
	P	2/12/1992	-195.81	-0.68	3081.19	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 8/1993	-195.11	0.7	3081.89	01	06	1	
	P	1/27/1994	-198.48	-3.37	3078.52	01	06	1	
	P	2/ 7/1995	-198.95	-0.47	3078.05	01	06	1	
	P	1/29/1996	-200.53	-1.58	3076.47	01	06	1	
	N	3/ 7/1997				01	06		41
	P	1/14/1998	-201.68		3075.32	01	06	1	
	P	1/27/1999	-203	-1.32	3074	01	06	1	
	P	2/14/2000	-203.26	-0.26	3073.74	01	06	1	
	N	2/13/2001				01	06		51
	P	2/13/2002	-204.66		3072.34	01	06	1	
	N	4/ 3/2003				01	06		41
	P	2/18/2004	-206.84		3070.16	01	06	1	
	P	2/10/2005	-205.53	1.31	3071.47	01	06	1	
	P	2/14/2006	-206.95	-1.42	3070.05	01	06	1	
	P	2/ 8/2007	-205.31	1.64	3071.69	01	06	1	
	N	2/28/2008				01	06		61
	P	3/ 9/2009	-206.83		3070.17	01	06	1	
	P	1/19/2010	-206.55	0.28	3070.45	01	06	1	
	P	1/19/2011	-206.67	-0.12	3070.33	01	06	1	
	P	2/15/2012	-207.99	-1.32	3069.01	01	06	1	

Min *-207.99* **Max** *-116.3* **Avg** *-176.744*

1145804 *(Aquifer: 121OGLL Well Depth: 185)*

	P	3/ 7/1947	-87.2		3190.8	01	12	7	01
	P	3/ 1/1948	-88.49	-1.29	3189.51	01	12	7	01
	P	3/ 5/1949	-90.23	-1.74	3187.77	01	12	7	01
	P	2/20/1950	-91.68	-1.45	3186.32	01	12	7	01
	P	1/17/1951	-93.2	-1.52	3184.8	01	12	7	01
	P	1/15/1952	-97.36	-4.16	3180.64	01	12	7	01
	P	1/ 7/1953	-102.21	-4.85	3175.79	01	12	7	01
	P	1/ 7/1954	-106.48	-4.27	3171.52	01	12	7	01
	P	1/ 5/1955	-114.16	-7.68	3163.84	01	12	7	01

Min *-114.16* **Max** *-87.2* **Avg** *-96.7789*

1145806 *(Aquifer: 121OGLL Well Depth: 217)*

	P	1/11/1968	-153.14		3125.86	01	12	7	
	P	1/14/1969	-149.52	3.62	3129.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 14/ 1970	-150.38	-0.86	3128.62	01	01	1	
	P	1/ 7/ 1971	-160.56	-10.2	3118.44	01	01	1	
	P	1/ 6/ 1972	-160.47	0.09	3118.53	01	06	1	
	P	1/ 19/ 1973	-161.67	-1.2	3117.33	01	06	1	
	P	1/ 17/ 1974	-162.57	-0.9	3116.43	01	06	1	
	P	1/ 9/ 1975	-164.98	-2.41	3114.02	01	06	1	
	P	1/ 6/ 1976	-165.75	-0.77	3113.25	01	06	1	
	P	1/ 3/ 1977	-168.47	-2.72	3110.53	01	06	1	20
	P	1/ 10/ 1978	-170.01	-1.54	3108.99	01	06	1	
	P	1/ 12/ 1979	-171.88	-1.87	3107.12	01	06	1	
	P	1/ 8/ 1980	-171.64	0.24	3107.36	01	06	1	
	P	1/ 15/ 1981	-172.99	-1.35	3106.01	01	06	1	
	P	1/ 18/ 1982	-173.92	-0.93	3105.08	01	06	1	
	P	2/ 15/ 1983	-175.28	-1.36	3103.72	01	06	1	
	P	1/ 16/ 1984	-174.87	0.41	3104.13	01	06	1	
	P	1/ 22/ 1985	-175.8	-0.93	3103.2	01	06	1	
	P	1/ 27/ 1986	-175.66	0.14	3103.34	01	06	1	
	P	2/ 5/ 1987	-175.65	0.01	3103.35	01	06	1	
	P	2/ 8/ 1988	-175.7	-0.05	3103.3	01	06	1	
	P	1/ 31/ 1989	-177.77	-2.07	3101.23	01	06	1	
	P	1/ 8/ 1990	-176.63	1.14	3102.37	01	06	1	
	P	2/ 12/ 1991	-180.68	-4.05	3098.32	01	06	1	
	P	2/ 13/ 1992	-176.16	4.52	3102.84	01	06	1	
	P	2/ 8/ 1993	-176.37	-0.21	3102.63	01	06	1	
	P	1/ 26/ 1994	-176.65	-0.28	3102.35	01	06	1	
	P	2/ 7/ 1995	-178.42	-1.77	3100.58	01	06	1	
	P	1/ 29/ 1996	-178.05	0.37	3100.95	01	06	1	
	P	2/ 3/ 1997	-179.33	-1.28	3099.67	01	06	1	
	P	1/ 14/ 1998	-179.63	-0.3	3099.37	01	06	1	
	P	1/ 27/ 1999	-180	-0.37	3099	01	06	1	
	P	2/ 17/ 2000	-180.37	-0.37	3098.63	01	06	1	
	P	2/ 12/ 2001	-180.92	-0.55	3098.08	01	06	1	
	N	2/ 4/ 2002				01	06		42
	N	4/ 3/ 2003				01	06		41
	P	2/ 18/ 2004	-181.56		3097.44	01	06	1	
	P	2/ 10/ 2005	-181.46	0.1	3097.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 14/ 2006	-181.05	0.41	3097.95	01	06	1	
	P	2 / 8 / 2007	-181.87	-0.82	3097.13	01	06	1	
	P	1 / 29/ 2008	-182.05	-0.18	3096.95	01	06	1	
	P	2 / 18/ 2009	-182.22	-0.17	3096.78	01	06	1	
	P	1 / 19/ 2010	-182.49	-0.27	3096.51	01	06	1	
	P	1 / 19/ 2011	-181.91	0.58	3097.09	01	06	1	
	P	1 / 24/ 2012	-183.31	-1.4	3095.69	01	06	1	

Min *-183.31* **Max** *-149.52* **Avg** *-173.717*

1145807 *(Aquifer: 121OGLL Well Depth: 196)*

	P	3 / 7 / 1947	-77.95		3201.05	01	12	7	01
	P	3 / 1 / 1948	-79.31	-1.36	3199.69	01	12	7	01
	P	3 / 10/ 1949	-82.77	-3.46	3196.23	01	12	7	01
	P	2 / 16/ 1950	-81.9	0.87	3197.1	01	12	7	01
	P	1 / 17/ 1951	-86.93	-5.03	3192.07	01	12	7	01
	P	1 / 15/ 1952	-86.4	0.53	3192.6	01	12	7	01
	P	1 / 7 / 1953	-90.44	-4.04	3188.56	01	12	7	01
	P	1 / 7 / 1954	-95.09	-4.65	3183.91	01	12	7	01
	P	1 / 5 / 1955	-101.64	-6.55	3177.36	01	12	7	01
	P	1 / 5 / 1956	-105.93	-4.29	3173.07	01	12	7	01
	P	1 / 4 / 1957	-114.44	-8.51	3164.56	01	12	7	01
	P	1 / 14/ 1958	-114.1	0.34	3164.9	01	12	7	01
	P	1 / 5 / 1959	-121.77	-7.67	3157.23	01	12	7	01
	P	1 / 26/ 1960	-120.28	1.49	3158.72	01	12	7	01
	P	1 / 26/ 1961	-119.1	1.18	3159.9	01	04	1	
	P	1 / 12/ 1962	-126.98	-7.88	3152.02	01	01	1	
	P	1 / 10/ 1963	-127.36	-0.38	3151.64	01	06	1	
	P	1 / 24/ 1964	-136.27	-8.91	3142.73	01	06	1	
	P	1 / 15/ 1965	-136.67	-0.4	3142.33	01	06	1	
	P	2 / 2 / 1966	-143.43	-6.76	3135.57	01	06	1	
	P	1 / 10/ 1967	-144.08	-0.65	3134.92	01	01	1	
	N	1 / 11/ 1968				01	01		40

Min *-144.08* **Max** *-77.95* **Avg** *-109.183*

1145809 *(Aquifer: 121OGLL Well Depth: 201)*

	P	3 / 7 / 1947	-81.56		3188.44	01	12	7	01
	P	3 / 1 / 1948	-83.18	-1.62	3186.82	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 5 / 1949	-85.86	-2.68	3184.14	01	12	7	01
	P	2 / 17/ 1950	-86.8	-0.94	3183.2	01	12	7	01
	P	1 / 17/ 1951	-88.6	-1.8	3181.4	01	12	7	01
	P	1 / 15/ 1952	-90.64	-2.04	3179.36	01	12	7	01
	P	1 / 7 / 1953	-95.41	-4.77	3174.59	01	12	7	01
	P	1 / 7 / 1954	-101.83	-6.42	3168.17	01	12	7	01
	P	1 / 5 / 1956	-112.51	-10.7	3157.49	01	12	7	01
	P	1 / 4 / 1957	-117.86	-5.35	3152.14	01	12	7	01
	P	1 / 8 / 1958	-120.65	-2.79	3149.35	01	12	7	01
	P	1 / 5 / 1959	-123.4	-2.75	3146.6	01	12	7	01
	P	1 / 26/ 1960	-126.65	-3.25	3143.35	01	12	7	01
	P	1 / 26/ 1961	-127.4	-0.75	3142.6	01	04	1	
	P	1 / 12/ 1962	-126.38	1.02	3143.62	01	01	1	
	P	1 / 10/ 1963	-131.53	-5.15	3138.47	01	06	1	
	P	1 / 24/ 1964	-134.33	-2.8	3135.67	01	06	1	
	P	2 / 16/ 1965	-138.97	-4.64	3131.03	01	06	1	
	P	2 / 2 / 1966	-140.61	-1.64	3129.39	01	06	1	
	P	1 / 10/ 1967	-142.6	-1.99	3127.4	01	01	1	
	P	1 / 11/ 1968	-145.14	-2.54	3124.86	01	01	1	
	P	1 / 14/ 1969	-148.89	-3.75	3121.11	01	06	1	
	N	1 / 14/ 1970				01	01		61
	P	2 / 9 / 1970	-152.18		3117.82	01	06	1	
	P	1 / 7 / 1971	-156.16	-3.98	3113.84	01	01	1	
	P	1 / 6 / 1972	-158.05	-1.89	3111.95	01	06	1	
	P	1 / 19/ 1973	-159.48	-1.43	3110.52	01	06	1	
	P	1 / 17/ 1974	-161.82	-2.34	3108.18	01	06	1	
	P	1 / 9 / 1975	-170.64	-8.82	3099.36	01	06	1	
	P	1 / 14/ 1976	-165.89	4.75	3104.11	01	06	2	
	P	1 / 4 / 1977	-168.45	-2.56	3101.55	01	06	1	
	P	1 / 10/ 1978	-169.88	-1.43	3100.12	01	06	1	
	P	1 / 12/ 1979	-171.69	-1.81	3098.31	01	06	1	

Min *-171.69* **Max** *-81.56* **Avg** *-130.783*

1145901 *(Aquifer: 121OGLL Well Depth: 215)*

	P	5 / 13/ 1937	-91.01		3164.99	01	12	7	01
	P	6 / 11/ 1937	-89.37	1.64	3166.63	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 20/ 1937	-91.12	-1.75	3164.88	01	12	7	01
	P	8 / 10/ 1937	-91.46	-0.34	3164.54	01	12	7	01
	P	8 / 26/ 1937	-90.83	0.63	3165.17	01	12	7	01
	P	9 / 14/ 1937	-89.92	0.91	3166.08	01	12	7	01
	P	10 / 1 / 1937	-89.53	0.39	3166.47	01	12	7	01
	P	1 / 4 / 1938	-89.2	0.33	3166.8	01	12	7	01
	P	6 / 27/ 1938	-90.1	-0.9	3165.9	01	12	7	01
	P	9 / 15/ 1938	-90.03	0.07	3165.97	01	12	7	01
	P	1 / 3 / 1939	-89.22	0.81	3166.78	01	12	7	01
	P	10 / 6 / 1939	-92.36	-3.14	3163.64	01	12	7	01
	P	3 / 6 / 1940	-90	2.36	3166	01	12	7	01
	P	11 / 14/ 1940	-91.31	-1.31	3164.69	01	12	7	01
	P	1 / 18/ 1941	-91.12	0.19	3164.88	01	12	7	01
	P	2 / 11/ 1941	-90.82	0.3	3165.18	01	12	7	01
	P	12 / 22/ 1941	-91.6	-0.78	3164.4	01	12	7	01
	P	3 / 9 / 1942	-90.23	1.37	3165.77	01	12	7	01
	P	10 / 20/ 1942	-90.74	-0.51	3165.26	01	12	7	01
	P	2 / 2 / 1943	-89.95	0.79	3166.05	01	12	7	01
	P	2 / 12/ 1945	-91.8	-1.85	3164.2	01	12	7	01
	P	2 / 26/ 1946	-92.5	-0.7	3163.5	01	12	7	01
	P	1 / 17/ 1947	-94.35	-1.85	3161.65	01	12	7	01
	P	3 / 1 / 1948	-96	-1.65	3160	01	12	7	01
	P	3 / 5 / 1949	-98.22	-2.22	3157.78	01	12	7	01
	P	2 / 17/ 1950	-99.43	-1.21	3156.57	01	12	7	01
	P	1 / 17/ 1951	-106.78	-7.35	3149.22	01	12	7	01

Min *-106.78* **Max** *-89.2* **Avg** *-92.1852*

1145902 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 13/ 1937	-91.21		3170.79	01	07	7	
	P	1 / 15/ 1952	-110.6	-19.4	3151.4	01	12	7	01
	P	1 / 7 / 1953	-111.02	-0.42	3150.98	01	12	7	01
	P	1 / 7 / 1954	-116.32	-5.3	3145.68	01	12	7	01
	P	1 / 5 / 1955	-121.9	-5.58	3140.1	01	12	7	01
	P	1 / 5 / 1956	-123.36	-1.46	3138.64	01	12	7	01
	P	1 / 4 / 1957	-129.6	-6.24	3132.4	01	12	7	01
	P	1 / 14/ 1958	-137.16	-7.56	3124.84	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1959	-140.3	-3.14	3121.7	01	12	7	01
	P	1/26/1960	-139.9	0.4	3122.1	01	12	7	01
	P	1/26/1961	-143.51	-3.61	3118.49	01	04	1	
	P	1/12/1962	-143.26	0.25	3118.74	01	01	1	
	P	1/10/1963	-144.81	-1.55	3117.19	01	06	1	
	P	1/24/1964	-158.09	-13.3	3103.91	01	06	1	
	P	1/22/1965	-152.98	5.11	3109.02	01	06	1	
	P	2/ 2/1966	-151.71	1.27	3110.29	01	06	1	
	N	1/10/1967				01	01		41
	P	1/11/1968	-160.82		3101.18	01	01	1	20
	P	1/14/1969	-164.73	-3.91	3097.27	01	06	1	
	P	1/14/1970	-167.91	-3.18	3094.09	01	01	1	
	P	1/ 7/1971	-172.35	-4.44	3089.65	01	01	1	
	P	1/ 6/1972	-174.18	-1.83	3087.82	01	06	1	
	P	1/19/1973	-175.45	-1.27	3086.55	01	06	1	
	P	1/17/1974	-176.27	-0.82	3085.73	01	06	1	
	P	1/ 9/1975	-178.96	-2.69	3083.04	01	06	1	
	P	1/ 6/1976	-180.23	-1.27	3081.77	01	06	1	
	P	1/ 4/1977	-186.18	-5.95	3075.82	01	06	1	
	P	1/10/1978	-184.27	1.91	3077.73	01	06	1	
	P	1/24/1979	-185.23	-0.96	3076.77	01	01	1	
	P	1/ 8/1980	-186.1	-0.87	3075.9	01	06	1	
	P	1/15/1981	-186.4	-0.3	3075.6	01	06	1	
	P	1/18/1982	-186.46	-0.06	3075.54	01	06	1	
	P	2/15/1983	-187.67	-1.21	3074.33	01	06	1	
	P	1/27/1984	-188.08	-0.41	3073.92	01	06	1	
	P	1/25/1985	-189.64	-1.56	3072.36	01	06	1	
	P	1/27/1986	-188.67	0.97	3073.33	01	06	1	
	P	2/ 5/1987	-190.15	-1.48	3071.85	01	06	1	03
	P	2/ 8/1988	-188.5	1.65	3073.5	01	06	1	
	P	1/30/1989	-188.85	-0.35	3073.15	01	06	1	
	P	1/ 8/1990	-192.14	-3.29	3069.86	01	06	1	
	P	2/12/1991	-189.18	2.96	3072.82	01	06	1	
	P	2/12/1992	-190.39	-1.21	3071.61	01	06	1	
	P	2/ 8/1993	-186.46	3.93	3075.54	01	06	1	
	N	1/26/1994				01	06		40

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -192.14		**Max -91.21**	**Avg -163.357**						
1145903	*(Aquifer: 121OGLL*		*Well Depth: 105)*						
	P	5 / 13/ 1937	-97.67		3142.33	01	12	7	01
	P	6 / 11/ 1937	-97.68	-0.01	3142.32	01	12	7	01
	P	11 / 1 / 1937	-97.95	-0.27	3142.05	01	12	7	01
	P	12 / 3 / 1937	-97.87	0.08	3142.13	01	12	7	01
	P	1 / 4 / 1938	-98.05	-0.18	3141.95	01	12	7	01
	P	3 / 11/ 1938	-97.93	0.12	3142.07	01	12	7	01
	P	4 / 13/ 1938	-97.91	0.02	3142.09	01	12	7	01
	P	5 / 26/ 1938	-98.05	-0.14	3141.95	01	12	7	01
	P	6 / 27/ 1938	-98.19	-0.14	3141.81	01	12	7	01
	P	8 / 12/ 1938	-98.26	-0.07	3141.74	01	12	7	01
	P	12 / 5 / 1938	-98.44	-0.18	3141.56	01	12	7	01
	P	1 / 3 / 1939	-98.28	0.16	3141.72	01	12	7	01
	P	2 / 27/ 1939	-98.31	-0.03	3141.69	01	12	7	01
	P	7 / 24/ 1939	-98.47	-0.16	3141.53	01	12	7	01
	P	8 / 14/ 1939	-98.51	-0.04	3141.49	01	12	7	01
	P	10 / 4 / 1939	-98.57	-0.06	3141.43	01	12	7	01
	P	12 / 8 / 1939	-98.64	-0.07	3141.36	01	12	7	01
Min -98.64		**Max -97.67**	**Avg -98.1635**						
1145904	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 26/ 1994	-191.51		3069.49	01	06	1	
	P	2 / 7 / 1995	-189.34	2.17	3071.66	01	06	1	
	N	2 / 22/ 1996				01	06	7	45
Min -191.51		**Max -189.34**	**Avg -190.425**						
1145905	*(Aquifer: 121OGLL*		*Well Depth: 220)*						
	P	2 / 22/ 1996	-189.14		3072.86	01	06	1	
	P	2 / 22/ 1997	-189.05	0.09	3072.95	01	06	1	
	P	1 / 14/ 1998	-189.6	-0.55	3072.4	01	06	1	
	P	1 / 27/ 1999	-190	-0.4	3072	01	06	1	
	P	2 / 14/ 2000	-189.74	0.26	3072.26	01	06	1	
	P	2 / 6 / 2001	-189.71	0.03	3072.29	01	06	1	
	P	2 / 13/ 2002	-190.17	-0.46	3071.83	01	06	1	
	P	3 / 3 / 2003	-190.3	-0.13	3071.7	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 2004	-190.33	-0.03	3071.67	01	06	1	
	P	2 / 10/ 2005	-188.78	1.55	3073.22	01	06	1	
	P	2 / 14/ 2006	-190.38	-1.6	3071.62	01	06	1	
	P	2 / 9 / 2007	-193.74	-3.36	3068.26	01	06	1	
	P	2 / 14/ 2008	-190.74	3	3071.26	01	06	1	
	P	2 / 18/ 2009	-191.37	-0.63	3070.63	01	06	1	
	P	1 / 19/ 2010	-190.83	0.54	3071.17	01	06	1	
	P	1 / 19/ 2011	-190.94	-0.11	3071.06	01	06	1	
	P	1 / 24/ 2012	-191.16	-0.22	3070.84	01	06	1	

Min *-193.74* **Max** *-188.78* **Avg** *-190.352*

1146605 *(Aquifer: 121OGLL Well Depth: 300)*

	P	4 / 13/ 1983	-212.54		2986.46	01	06	1	
	P	1 / 26/ 1984	-213.98	-1.44	2985.02	01	06	1	
	P	1 / 25/ 1985	-215.2	-1.22	2983.8	01	06	1	
	P	2 / 20/ 1986	-215.24	-0.04	2983.76	01	06	1	
	P	2 / 5 / 1987	-215.55	-0.31	2983.45	01	06	1	
	P	2 / 8 / 1988	-214	1.55	2985	01	06	1	20
	N	1 / 30/ 1989				01	06	1	47
	N	1 / 10/ 1990				01	06	1	47

Min *-215.55* **Max** *-212.54* **Avg** *-214.418*

1146606 *(Aquifer: 121OGLL Well Depth: 305)*

	P	1 / 30/ 1989	-232.59		2965.41	01	06	1	
	P	1 / 10/ 1990	-230.08	2.51	2967.92	01	06	1	
	P	2 / 13/ 1991	-230.02	0.06	2967.98	01	06	1	
	P	2 / 13/ 1992	-230.55	-0.53	2967.45	01	06	1	
	P	2 / 8 / 1993	-230.47	0.08	2967.53	01	06	1	
	P	1 / 26/ 1994	-230.82	-0.35	2967.18	01	06	1	
	P	2 / 7 / 1995	-232.35	-1.53	2965.65	01	06	1	
	P	1 / 30/ 1996	-233.77	-1.42	2964.23	01	06	1	
	P	2 / 10/ 1997	-234.94	-1.17	2963.06	01	06	1	
	P	1 / 14/ 1998	-234.87	0.07	2963.13	01	06	1	
	P	1 / 26/ 1999	-235	-0.13	2963	01	06	1	
	P	2 / 10/ 2000	-238.58	-3.58	2959.42	01	06	1	
	P	2 / 6 / 2001	-238.48	0.1	2959.52	01	06	1	
	P	2 / 4 / 2002	-240.55	-2.07	2957.45	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 27/ 2003	-242.37	-1.82	2955.63	01	06	1	
	P	2 / 11/ 2004	-242.17	0.2	2955.83	01	06	1	
	P	2 / 15/ 2005	-240.57	1.6	2957.43	01	06	1	
	P	2 / 13/ 2006	-241.05	-0.48	2956.95	01	06	1	
	P	3 / 21/ 2007	-241.5	-0.45	2956.5	01	06	1	
	P	2 / 13/ 2008	-240.67	0.83	2957.33	01	06	1	
	P	2 / 17/ 2009	-239.73	0.94	2958.27	01	06	1	
	N	1 / 19/ 2010				01	06		41
	P	1 / 21/ 2011	-243.07		2954.93	01	06	1	
	P	1 / 24/ 2012	-245.78	-2.71	2952.22	01	06	1	

Min *-245.78* **Max** *-230.02* **Avg** *-236.956*

1146701 *(Aquifer: 121OGLL Well Depth: 270)*

	P	1 / 18/ 1962	-158.4		3106.6	01	01	1	
	P	1 / 21/ 1963	-164.17	-5.77	3100.83	01	06	1	
	P	1 / 24/ 1964	-161.87	2.3	3103.13	01	06	1	
	P	2 / 16/ 1965	-172.19	-10.3	3092.81	01	06	1	
	P	2 / 2 / 1966	-177.55	-5.36	3087.45	01	06	1	
	P	1 / 10/ 1967	-181.15	-3.6	3083.85	01	01	1	
	P	1 / 11/ 1968	-185.94	-4.79	3079.06	01	01	1	
	P	1 / 14/ 1969	-188.87	-2.93	3076.13	01	06	1	
	P	1 / 14/ 1970	-192.35	-3.48	3072.65	01	01	1	
	P	1 / 7 / 1971	-197.97	-5.62	3067.03	01	01	1	
	P	1 / 6 / 1972	-199.24	-1.27	3065.76	01	06	1	
	P	1 / 19/ 1973	-201.49	-2.25	3063.51	01	06	1	
	P	1 / 16/ 1974	-205.38	-3.89	3059.62	01	06	1	
	P	1 / 9 / 1975	-206.22	-0.84	3058.78	01	06	1	
	P	1 / 6 / 1976	-209.09	-2.87	3055.91	01	06	1	
	P	1 / 4 / 1977	-212.81	-3.72	3052.19	01	06	1	
	P	1 / 9 / 1978	-214.53	-1.72	3050.47	01	06	1	
	P	1 / 24/ 1979	-216.36	-1.83	3048.64	01	06	1	
	P	1 / 8 / 1980	-217.25	-0.89	3047.75	01	06	1	
	P	1 / 15/ 1981	-219.12	-1.87	3045.88	01	06	1	
	P	1 / 18/ 1982	-220.01	-0.89	3044.99	01	06	1	
	P	2 / 15/ 1983	-221.49	-1.48	3043.51	01	06	1	
	P	1 / 26/ 1984	-222.76	-1.27	3042.24	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 25/ 1985	-224.03	-1.27	3040.97	01	06	1	
	P	1/ 28/ 1986	-224.48	-0.45	3040.52	01	06	1	
	P	2/ 5/ 1987	-223.95	0.53	3041.05	01	06	1	
	P	2/ 18/ 1988	-223.66	0.29	3041.34	01	06	1	
	P	1/ 30/ 1989	-224.94	-1.28	3040.06	01	06	1	
	P	1/ 10/ 1990	-225.25	-0.31	3039.75	01	06	1	
	P	2/ 13/ 1991	-225.67	-0.42	3039.33	01	06	1	
	P	2/ 13/ 1992	-225.66	0.01	3039.34	01	06	1	
	P	2/ 8/ 1993	-225.72	-0.06	3039.28	01	06	1	
	P	1/ 27/ 1994	-226.36	-0.64	3038.64	01	06	1	
	N	3/ 9/ 1995				01	06		41
	P	1/ 30/ 1996	-227.55		3037.45	01	06	1	
	P	2/ 10/ 1997	-229.05	-1.5	3035.95	01	06	1	
	P	1/ 14/ 1998	-227.72	1.33	3037.28	01	06	1	
	P	1/ 27/ 1999	-228	-0.28	3037	01	06	1	
	P	2/ 14/ 2000	-228.36	-0.36	3036.64	01	06	1	
	P	2/ 6/ 2001	-228.7	-0.34	3036.3	01	06	1	
	P	2/ 4/ 2002	-228.43	0.27	3036.57	01	06	1	
	P	3/ 3/ 2003	-228.13	0.3	3036.87	01	06	1	
	P	2/ 18/ 2004	-227.82	0.31	3037.18	01	06	1	
	P	2/ 18/ 2005	-227.58	0.24	3037.42	01	06	1	
	P	2/ 14/ 2006	-226.79	0.79	3038.21	01	06	1	
	P	2/ 9/ 2007	-228.63	-1.84	3036.37	01	06	1	
	P	2/ 14/ 2008	-228.19	0.44	3036.81	01	06	1	
	P	2/ 18/ 2009	-228.67	-0.48	3036.33	01	06	1	
	P	1/ 19/ 2010	-228.75	-0.08	3036.25	01	06	1	
	P	1/ 19/ 2011	-229.13	-0.38	3035.87	01	06	1	
	P	1/ 24/ 2012	-230.15	-1.02	3034.85	01	06	1	

Min *-230.15* **Max** *-158.4* **Avg** *-213.552*

1146801 *(Aquifer: 121OGLL Well Depth: 305)*

	P	6/ 20/ 1963	-207.58		3034.42	01	06	1	
	P	1/ 24/ 1964	-212.84	-5.26	3029.16	01	06	1	
	P	2/ 17/ 1965	-215.19	-2.35	3026.81	01	06	1	
	P	2/ 1/ 1966	-221.77	-6.58	3020.23	01	06	1	
	N	1/ 10/ 1967				01	01	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1/ 5/1968				01	01	1	44
	N	1/14/1969				01	06		42
	P	1/14/1970	-233.27		3008.73	01	01	1	
	N	1/ 6/1971				01	01	1	44

Min *-233.27* **Max** *-207.58* **Avg** *-218.13*

1146802 *(Aquifer: 121OGLL Well Depth: 302)*

	P	3/ 8/1971	-238.87		2996.13	01	06	1	
	P	1/ 2/1972	-241.32	-2.45	2993.68	01	06	1	
	P	1/19/1973	-243.79	-2.47	2991.21	01	06	1	
	N	1/16/1974				01	06		41
	P	1/ 3/1975	-247.4		2987.6	01	06	1	
	P	1/ 6/1976	-249.73	-2.33	2985.27	01	06	1	
	N	1/ 4/1977				01	06		41
	P	1/ 9/1978	-254.49		2980.51	01	06	1	
	N	1/24/1979				01	06		41
	P	1/16/1981	-259.17		2975.83	01	06	1	
	P	1/18/1982	-259.84	-0.67	2975.16	01	06	1	
	P	2/15/1983	-260.38	-0.54	2974.62	01	06	1	
	P	1/24/1984	-261.14	-0.76	2973.86	01	06	1	
	P	1/25/1985	-261.38	-0.24	2973.62	01	06	1	
	P	1/28/1986	-262.05	-0.67	2972.95	01	06	1	
	P	2/ 5/1987	-260.85	1.2	2974.15	01	06	1	
	P	2/ 8/1988	-262.14	-1.29	2972.86	01	06	1	
	P	1/30/1989	-263.88	-1.74	2971.12	01	06	1	
	P	1/10/1990	-263.15	0.73	2971.85	01	06	1	
	P	2/13/1991	-263.46	-0.31	2971.54	01	06	1	
	P	2/13/1992	-263.39	0.07	2971.61	01	06	1	
	P	2/ 8/1993	-263.27	0.12	2971.73	01	06	1	
	P	1/27/1994	-265.01	-1.74	2969.99	01	06	1	
	N	3/ 9/1995				01	06		41
	P	2/22/1996	-266.41		2968.59	01	06	1	
	N	3/ 7/1997				01	06		41
	P	1/14/1998	-265.3		2969.7	01	06	1	
	N	2/25/1999				01	06		41
	P	3/17/2000	-266.6		2968.4	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 2001	-266.32	0.28	2968.68	01	06	1	
	P	2 / 4 / 2002	-266.55	-0.23	2968.45	01	06	1	
	P	2 / 27/ 2003	-266.59	-0.04	2968.41	01	06	1	
	P	2 / 11/ 2004	-266.74	-0.15	2968.26	01	06	1	
	P	2 / 10/ 2005	-267.03	-0.29	2967.97	01	06	1	
	P	2 / 13/ 2006	-267.16	-0.13	2967.84	01	06	1	
	P	2 / 9 / 2007	-269.16	-2	2965.84	01	06	1	
	P	2 / 13/ 2008	-267.5	1.66	2967.5	01	06	1	
	P	2 / 17/ 2009	-267.47	0.03	2967.53	01	06	1	
	P	1 / 19/ 2010	-267.91	-0.44	2967.09	01	06	1	
	P	1 / 21/ 2011	-268.04	-0.13	2966.96	01	06	1	
	P	1 / 24/ 2012	-268.39	-0.35	2966.61	01	06	1	

Min *-269.16* **Max** *-238.87* **Avg** *-261.482*

1146803 *(Aquifer: 121OGLL Well Depth: 300)*

	N	6 / 8 / 2004				01	01		63

Min **Max** **Avg**

1147403 *(Aquifer: 121OGLL Well Depth: 280)*

	P	1 / 8 / 1980	-196.51		2991.49	01	06	1	
	P	1 / 15/ 1981	-197.04	-0.53	2990.96	01	06	1	
	P	1 / 18/ 1982	-197.64	-0.6	2990.36	01	06	1	
	P	2 / 15/ 1983	-198.44	-0.8	2989.56	01	06	1	
	N	4 / 22/ 1983				01	06		65

Min *-198.44* **Max** *-196.51* **Avg** *-197.408*

1147501 *(Aquifer: 231DCKM Well Depth: 202)*

	P	12 / 10/ 1968	-197.2		2972.8	01	12	7	

Min *-197.2* **Max** *-197.2* **Avg** *-197.2*

1147601 *(Aquifer: 312OCHO Well Depth: 92)*

	P	11 / 19/ 1968	-50		2620	01	12	7	

Min *-50* **Max** *-50* **Avg** *-50*

1147701 *(Aquifer: 121OGDK Well Depth: 305)*

	P	6 / 28/ 1963	-214.8		2975.2	01	06	1	
	P	2 / 12/ 1964	-220.52	-5.72	2969.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 17/ 1965	-214.89	5.63	2975.11	01	06	1	
	N	2 / 1 / 1966				01	06		42
	N	1 / 10/ 1967				01	01		42
	N	1 / 5 / 1968				01	01		42
	N	1 / 13/ 1969				01	06		42
	P	1 / 14/ 1970	-224.96		2965.04	01	01	1	
	P	1 / 6 / 1971	-227.39	-2.43	2962.61	01	01	1	
	P	1 / 2 / 1972	-228.73	-1.34	2961.27	01	06	1	
	P	1 / 18/ 1973	-230.77	-2.04	2959.23	01	06	1	
	P	1 / 16/ 1974	-232.47	-1.7	2957.53	01	06	1	
	N	1 / 3 / 1975				01	06		40

Min *-232.47* **Max** *-214.8* **Avg** *-224.316*

1147702 *(Aquifer: 121OGLL Well Depth: 318)*

	P	7 / 23/ 1974	-220		2968	01	07	7	
	P	1 / 3 / 1975	-233.53	-13.5	2954.47	01	06	1	
	P	1 / 13/ 1976	-237.18	-3.65	2950.82	01	06	1	
	N	1 / 4 / 1977				01	06		42

Min *-237.18* **Max** *-220* **Avg** *-230.237*

1147703 *(Aquifer: 121OGLL Well Depth: 303)*

	P	1 / 10/ 1977	-231.8		2951.2	01	06	1	
	P	1 / 9 / 1978	-230.84	0.96	2952.16	01	06	1	
	P	1 / 24/ 1979	-232.97	-2.13	2950.03	01	06	1	
	P	1 / 8 / 1980	-235.25	-2.28	2947.75	01	06	1	
	P	1 / 16/ 1981	-239.16	-3.91	2943.84	01	06	1	
	P	1 / 18/ 1982	-235.33	3.83	2947.67	01	06	1	
	P	2 / 15/ 1983	-236.45	-1.12	2946.55	01	06	1	
	P	1 / 26/ 1984	-237.32	-0.87	2945.68	01	06	1	
	P	1 / 25/ 1985	-237.85	-0.53	2945.15	01	06	1	
	P	1 / 28/ 1986	-238.5	-0.65	2944.5	01	06	1	
	P	2 / 5 / 1987	-239.45	-0.95	2943.55	01	06	1	
	P	2 / 8 / 1988	-238.23	1.22	2944.77	01	06	1	
	P	1 / 30/ 1989	-239.11	-0.88	2943.89	01	06	1	
	P	1 / 10/ 1990	-240.44	-1.33	2942.56	01	06	1	
	P	2 / 13/ 1991	-240.7	-0.26	2942.3	01	06	1	
	P	2 / 13/ 1992	-241.4	-0.7	2941.6	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 8 / 1993	-240.88	0.52	2942.12	01	06	1	
	P	1 / 26/ 1994	-241.64	-0.76	2941.36	01	06	1	
	P	2 / 7 / 1995	-243.64	-2	2939.36	01	06	1	
	P	1 / 30/ 1996	-244.43	-0.79	2938.57	01	06	1	
	P	2 / 10/ 1997	-244.97	-0.54	2938.03	01	06	1	
	P	1 / 14/ 1998	-244.09	0.88	2938.91	01	06	1	
	P	1 / 26/ 1999	-244	0.09	2939	01	06	1	
	P	2 / 10/ 2000	-244		2939	01	06	1	
	P	2 / 6 / 2001	-244.66	-0.66	2938.34	01	06	1	
	P	2 / 4 / 2002	-245.02	-0.36	2937.98	01	06	1	
	P	2 / 27/ 2003	-245.2	-0.18	2937.8	01	06	1	
	P	2 / 18/ 2004	-245.25	-0.05	2937.75	01	06	1	
	P	2 / 15/ 2005	-245.14	0.11	2937.86	01	06	1	
	N	2 / 13/ 2006				01	06		61
	P	2 / 9 / 2007	-246.39		2936.61	01	06	1	
	P	2 / 28/ 2008	-246.18	0.21	2936.82	01	06	1	
	N	3 / 9 / 2009				01	06		61
	P	1 / 19/ 2010	-247.25		2935.75	01	06	1	
	N	1 / 21/ 2011				01	06		61
	P	1 / 24/ 2012	-248.27		2934.73	01	06	1	

Min *-248.27* **Max** *-230.84* **Avg** *-241.085*

1147801 *(Aquifer: 121OGDK Well Depth: 262)*

	P	12 / 29/ 1937	-251.4		2913.6	01	12	7	
	P	11 / 23/ 1968	-246.7	4.7	2918.3	01	12	7	

Min *-251.4* **Max** *-246.7* **Avg** *-249.05*

1147802 *(Aquifer: 121OGDK Well Depth: 218)*

	P	11 / 23/ 1968	-199.1		2963.9	01	12	7	

Min *-199.1* **Max** *-199.1* **Avg** *-199.1*

1147901 *(Aquifer: 310QRRM Well Depth: 63)*

	P	11 / 20/ 1968	-39.6		2640.4	01	12	7	

Min *-39.6* **Max** *-39.6* **Avg** *-39.6*

1148401 *(Aquifer: 312OCHO Well Depth: 67)*

	P	12 / 30/ 1937	-36.9		2575.1	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 19/ 1968	-24.2	12.7	2587.8	01	04	1	
Min -36.9		Max -24.2	Avg	-30.55					
1148402	(Aquifer: 310QRRM		Well Depth: 98	)					
	P	11 / 19/ 1968	-26.3		2602.7	01	04	1	
Min -26.3		Max -26.3	Avg	-26.3					
1148403	(Aquifer: 110ALVM		Well Depth: 68	)					
	P	11 / 19/ 1968	-19.2		2592.8	01	04	1	
	P	11 / 4 / 2009	-10.35	8.85	2601.65	01	01	1	
Min -19.2		Max -10.35	Avg	-14.775					
1148404	(Aquifer: 312OCHO		Well Depth: 50	)					
	P	12 / 30/ 1937	-43		2605	01	04	1	02
	P	11 / 19/ 1968	-23.5	19.5	2624.5	01	04	1	
Min -43		Max -23.5	Avg	-33.25					
1148501	(Aquifer: 110AVMA		Well Depth: 26	)					
	P	10 / 31/ 1968	-10.2		2456.8	01	04	1	
Min -10.2		Max -10.2	Avg	-10.2					
1148502	(Aquifer: 110AVMA		Well Depth: 19	)					
	P	10 / 31/ 1968	-7		2453	01	04	1	
Min -7		Max -7	Avg	-7					
1148503	(Aquifer: 110AVMA		Well Depth: 18	)					
	P	10 / 31/ 1968	-7.4		2452.6	01	04	1	
Min -7.4		Max -7.4	Avg	-7.4					
1148701	(Aquifer: 312OCHO		Well Depth: 105	)					
	P	12 / 31/ 1937	-79.7		2499.3	01	04	1	
	P	11 / 18/ 1968	-67.2	12.5	2511.8	01	04	1	
Min -79.7		Max -67.2	Avg	-73.45					
1148702	(Aquifer: 110ALVM		Well Depth: 10	)					
	P	11 / 18/ 1968	-6.7		2513.3	01	04	1	
Min -6.7		Max -6.7	Avg	-6.7					

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1148703	*(Aquifer: 312OCHO*		*Well Depth: 47)*						
	P	**12 / 31/ 1937**	**-46.4**		**2533.6**	**01**	**04**	**1**	**02**
	P	**11 / 20/ 1968**	**-41.1**	**5.3**	**2538.9**	**01**	**04**	**1**	
Min *-46.4*		**Max *-41.1***	**Avg**	***-43.75***					
1148704	*(Aquifer: 110ALVM*		*Well Depth: 47)*						
	P	**8 / 19/ 1964**	**-25**		**2557**	**01**	**07**	**7**	
	P	**11 / 20/ 1968**	**-26.8**	**-1.8**	**2555.2**	**01**	**04**	**1**	
Min *-26.8*		**Max *-25***	**Avg**	***-25.9***					
1148705	*(Aquifer: 110ALVM*		*Well Depth: 17)*						
	P	**12 / 30/ 1937**	**-12**		**2579**	**01**	**04**	**1**	
Min *-12*		**Max *-12***	**Avg**	***-12***					
1148706	*(Aquifer: 310QRRM*		*Well Depth: 59)*						
	P	**11 / 20/ 1968**	**-35.1**		**2579.9**	**01**	**04**	**1**	
Min *-35.1*		**Max *-35.1***	**Avg**	***-35.1***					
1148801	*(Aquifer: 312OCHO*		*Well Depth: 96)*						
	P	**10 / 31/ 1968**	**-57.7**		**2480.3**	**01**	**04**	**1**	
Min *-57.7*		**Max *-57.7***	**Avg**	***-57.7***					
1148802	*(Aquifer: 312OCHO*		*Well Depth: 104)*						
	P	**11 / 5 / 1968**	**-63.2**		**2471.8**	**01**	**04**	**1**	
Min *-63.2*		**Max *-63.2***	**Avg**	***-63.2***					
1148803	*(Aquifer: 312OCHO*		*Well Depth: 101)*						
	P	**11 / 5 / 1968**	**-62.8**		**2466.2**	**01**	**04**	**1**	
Min *-62.8*		**Max *-62.8***	**Avg**	***-62.8***					
1148804	*(Aquifer: 312OCHO*		*Well Depth: 75)*						
	P	**11 / 5 / 1968**	**-45.8**		**2451.2**	**01**	**04**	**1**	
Min *-45.8*		**Max *-45.8***	**Avg**	***-45.8***					
1148805	*(Aquifer: 312OCHO*		*Well Depth: 66)*						
	P	**11 / 6 / 1968**	**-40.4**		**2485.6**	**01**	**04**	**1**	
Min *-40.4*		**Max *-40.4***	**Avg**	***-40.4***					

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1148806	(Aquifer: 312OCHO		Well Depth: 124)						
	P	11 / 19/ 1968	-48.6		2529.4	01	04	1	02
Min -48.6		**Max** -48.6	**Avg**	-48.6					
1152203	(Aquifer: 121OGLL		Well Depth: 205)						
	P	6 / 3 / 1937	-49.88		3269.12	01	12	7	01
	P	3 / 25/ 1940	-51.2	-1.32	3267.8	01	12	7	01
	P	3 / 7 / 1947	-57.63	-6.43	3261.37	01	12	7	01
	P	3 / 1 / 1948	-59.35	-1.72	3259.65	01	12	7	01
	P	3 / 4 / 1949	-62	-2.65	3257	01	12	7	01
	P	2 / 17/ 1950	-62.51	-0.51	3256.49	01	12	7	01
	P	1 / 16/ 1952	-67.97	-5.46	3251.03	01	12	7	01
	P	1 / 7 / 1953	-72.85	-4.88	3246.15	01	12	7	01
	P	1 / 5 / 1954	-78.13	-5.28	3240.87	01	12	7	01
	P	1 / 4 / 1955	-83.86	-5.73	3235.14	01	12	7	01
Min -83.86		**Max** -49.88	**Avg**	-64.538					
1152301	(Aquifer: 121OGLL		Well Depth: 220)						
	P	3 / 7 / 1947	-58.82		3256.18	01	12	7	01
	P	3 / 12/ 1948	-60.3	-1.48	3254.7	01	12	7	01
	P	3 / 4 / 1949	-64.18	-3.88	3250.82	01	12	7	01
	P	2 / 17/ 1950	-64.31	-0.13	3250.69	01	12	7	01
	P	1 / 16/ 1951	-66.24	-1.93	3248.76	01	12	7	01
	P	1 / 16/ 1952	-69.4	-3.16	3245.6	01	12	7	01
	P	1 / 7 / 1953	-77.68	-8.28	3237.32	01	12	7	01
	P	1 / 5 / 1954	-83.76	-6.08	3231.24	01	12	7	01
	P	1 / 4 / 1955	-89.99	-6.23	3225.01	01	12	7	01
	P	1 / 4 / 1956	-91.65	-1.66	3223.35	01	12	7	01
	P	1 / 4 / 1957	-94.65	-3	3220.35	01	12	7	01
	P	1 / 7 / 1958	-98.59	-3.94	3216.41	01	12	7	01
	P	1 / 2 / 1959	-103.9	-5.31	3211.1	01	12	7	01
	P	1 / 26/ 1960	-105.88	-1.98	3209.12	01	12	7	01
	P	1 / 30/ 1961	-105.36	0.52	3209.64	01	04	1	
	P	1 / 12/ 1962	-109.13	-3.77	3205.87	01	01	1	
	P	1 / 10/ 1963	-112.94	-3.81	3202.06	01	06	1	
	P	1 / 24/ 1964	-118.48	-5.54	3196.52	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 22/ 1965	-118.48		3196.52	01	06	1	
	P	1 / 26/ 1966	-138.08	-19.6	3176.92	01	06	1	
	P	1 / 9 / 1967	-136.81	1.27	3178.19	01	01	1	
	P	1 / 10/ 1968	-141.89	-5.08	3173.11	01	01	1	
	P	1 / 9 / 1969	-141.7	0.19	3173.3	01	06	1	
	P	1 / 14/ 1970	-145.44	-3.74	3169.56	01	01	1	
	P	1 / 7 / 1971	-150.45	-5.01	3164.55	01	01	1	
	P	1 / 5 / 1972	-150.64	-0.19	3164.36	01	06	1	
	P	1 / 16/ 1973	-151.61	-0.97	3163.39	01	06	1	
	P	1 / 15/ 1974	-156.4	-4.79	3158.6	01	06	1	03
	P	1 / 9 / 1975	-157.35	-0.95	3157.65	01	06	1	
	P	1 / 14/ 1976	-158.79	-1.44	3156.21	01	06	1	
	P	1 / 15/ 1977	-162.05	-3.26	3152.95	01	06	1	
	P	1 / 5 / 1978	-161.43	0.62	3153.57	01	06	1	
	P	1 / 24/ 1979	-163.28	-1.85	3151.72	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-163.28* **Max** *-58.82* **Avg** *-115.444*

1152302 *(Aquifer: 121OGLL Well Depth: 212)*

	P	3 / 23/ 1940	-59		3254	01	12	7	01
	P	3 / 7 / 1947	-62.72	-3.72	3250.28	01	12	7	01
	P	3 / 1 / 1948	-64.16	-1.44	3248.84	01	12	7	01
	P	3 / 4 / 1949	-67.69	-3.53	3245.31	01	12	7	01
	P	2 / 17/ 1950	-67.38	0.31	3245.62	01	12	7	01
	P	1 / 16/ 1952	-76.53	-9.15	3236.47	01	12	7	01
	P	1 / 6 / 1953	-79.54	-3.01	3233.46	01	12	7	01
	P	1 / 5 / 1954	-83.49	-3.95	3229.51	01	12	7	01
	P	1 / 4 / 1955	-88.1	-4.61	3224.9	01	12	7	01
	P	1 / 4 / 1956	-92.4	-4.3	3220.6	01	12	7	01
	P	1 / 4 / 1957	-94.63	-2.23	3218.37	01	12	7	01
	P	1 / 2 / 1959	-100.06	-5.43	3212.94	01	12	7	01
	P	1 / 26/ 1960	-110.56	-10.5	3202.44	01	12	7	01
	P	1 / 12/ 1962	-115.8	-5.24	3197.2	01	01	2	
	P	1 / 10/ 1963	-119.36	-3.56	3193.64	01	06	1	
	P	1 / 24/ 1964	-125.11	-5.75	3187.89	01	06	1	
	N	1 / 22/ 1965				01	06		40

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-125.11***	**Max**	***-59***	**Avg**	***-87.9081***				
1152303	*(Aquifer: 121OGLL*		*Well Depth: 255)*						
	P	3 / 7 / 1947	-77.92		3244.08	01	12	7	01
	P	3 / 1 / 1948	-81.18	-3.26	3240.82	01	12	7	01
	P	3 / 10/ 1949	-84.47	-3.29	3237.53	01	12	7	01
	P	2 / 14/ 1950	-83.78	0.69	3238.22	01	12	7	01
	P	1 / 16/ 1951	-87.74	-3.96	3234.26	01	12	7	01
	P	1 / 6 / 1953	-97.4	-9.66	3224.6	01	12	7	01
	P	1 / 5 / 1954	-102.07	-4.67	3219.93	01	12	7	01
	P	1 / 4 / 1955	-107.63	-5.56	3214.37	01	12	7	01
	P	1 / 5 / 1956	-112	-4.37	3210	01	12	7	01
	P	1 / 4 / 1957	-118.93	-6.93	3203.07	01	12	7	01
	P	1 / 22/ 1958	-121.92	-2.99	3200.08	01	12	7	01
	P	1 / 2 / 1959	-126.6	-4.68	3195.4	01	12	7	01
	P	1 / 26/ 1960	-135.29	-8.69	3186.71	01	12	7	01
	P	1 / 30/ 1961	-136.7	-1.41	3185.3	01	04	1	01
	P	1 / 12/ 1962	-135.33	1.37	3186.67	01	01	1	
	P	1 / 10/ 1963	-145.9	-10.6	3176.1	01	06	1	
	P	1 / 24/ 1964	-151.97	-6.07	3170.03	01	06	1	
	P	1 / 22/ 1965	-157.18	-5.21	3164.82	01	06	1	
	P	1 / 26/ 1966	-164.75	-7.57	3157.25	01	06	1	
	P	1 / 9 / 1967	-169.37	-4.62	3152.63	01	01	1	
	P	1 / 10/ 1968	-171.2	-1.83	3150.8	01	01	1	
	P	1 / 9 / 1969	-171.5	-0.3	3150.5	01	06	1	
	P	1 / 14/ 1970	-174.35	-2.85	3147.65	01	01	1	
	P	1 / 7 / 1971	-181.99	-7.64	3140.01	01	01	1	
	P	1 / 5 / 1972	-183.98	-1.99	3138.02	01	06	1	
	P	1 / 19/ 1973	-185.58	-1.6	3136.42	01	06	1	
	P	1 / 17/ 1974	-191.16	-5.58	3130.84	01	06	1	04
	P	1 / 9 / 1975	-193.7	-2.54	3128.3	01	06	1	
	P	1 / 14/ 1976	-195.68	-1.98	3126.32	01	06	1	
	P	1 / 3 / 1977	-198.48	-2.8	3123.52	01	06	1	
	P	1 / 5 / 1978	-201.82	-3.34	3120.18	01	06	1	
	P	1 / 24/ 1979	-202.99	-1.17	3119.01	01	06	1	
	N	11 / 0 / 1979				01	06		81

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-202.99***	**Max**	***-77.92***	**Avg**	***-145.33***				
1152304	*(Aquifer: 121OGLL*		*Well Depth: 200)*						
	P	6 / 3 / 1937	-59.14		3257.86	01	12	7	01
	P	3 / 21/ 1940	-59.2	-0.06	3257.8	01	12	7	01
	P	3 / 7 / 1947	-65.63	-6.43	3251.37	01	12	7	01
	P	3 / 1 / 1948	-67.49	-1.86	3249.51	01	12	7	01
	P	3 / 4 / 1949	-70.88	-3.39	3246.12	01	12	7	01
	P	2 / 18/ 1950	-70.74	0.14	3246.26	01	12	7	01
	P	1 / 16/ 1952	-77.5	-6.76	3239.5	01	12	7	01
	P	1 / 6 / 1953	-83.8	-6.3	3233.2	01	12	7	01
	P	1 / 4 / 1955	-94.16	-10.4	3222.84	01	12	7	01
	P	1 / 18/ 1956	-100.48	-6.32	3216.52	01	12	7	01
	P	1 / 2 / 1959	-107.41	-6.93	3209.59	01	12	7	01
	P	1 / 30/ 1961	-123.28	-15.9	3193.72	01	04	1	01
	P	1 / 12/ 1962	-127.07	-3.79	3189.93	01	01	1	
	P	1 / 10/ 1963	-128.27	-1.2	3188.73	01	06	1	
	P	1 / 24/ 1964	-138.17	-9.9	3178.83	01	06	1	
	P	1 / 22/ 1965	-145.38	-7.21	3171.62	01	06	1	
	N	1 / 26/ 1966				01	06	1	44
	P	1 / 9 / 1967	-151.5		3165.5	01	01	1	
	N	1 / 10/ 1968				01	01		63
	P	1 / 9 / 1969	-162.92		3154.08	01	06	1	
	P	1 / 14/ 1970	-164.5	-1.58	3152.5	01	01	1	
	P	1 / 7 / 1971	-171.42	-6.92	3145.58	01	01	1	
	P	1 / 5 / 1972	-172.08	-0.66	3144.92	01	06	1	
	P	1 / 19/ 1973	-175.07	-2.99	3141.93	01	06	1	
	P	1 / 15/ 1974	-178.42	-3.35	3138.58	01	06	1	
	P	1 / 9 / 1975	-183.18	-4.76	3133.82	01	06	1	
	P	1 / 14/ 1976	-184.52	-1.34	3132.48	01	06	1	
	P	1 / 3 / 1977	-189.37	-4.85	3127.63	01	06	1	
	P	1 / 5 / 1978	-191.79	-2.42	3125.21	01	06	1	
	P	1 / 24/ 1979	-194.73	-2.94	3122.27	01	06	1	
	N	11 / 0 / 1979				01	06		81
Min	***-194.73***	**Max**	***-59.14***	**Avg**	***-129.932***				
1152305	*(Aquifer: 121OGLL*		*Well Depth: 252)*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 26/ 1966	-139		3174	01	06	1	
	P	1/ 9/ 1967	-142.71	-3.71	3170.29	01	06	1	
	P	1/ 10/ 1968	-146.3	-3.59	3166.7	01	06	1	
	P	1/ 9/ 1969	-150.24	-3.94	3162.76	01	06	1	
	P	1/ 14/ 1970	-154.3	-4.06	3158.7	01	06	1	
	P	1/ 7/ 1971	-160.5	-6.2	3152.5	01	06	1	
	P	1/ 5/ 1972	-161.74	-1.24	3151.26	01	06	1	
	P	1/ 18/ 1973	-165.25	-3.51	3147.75	01	06	1	
	P	1/ 15/ 1974	-167.6	-2.35	3145.4	01	06	1	
	P	1/ 9/ 1975	-171.55	-3.95	3141.45	01	06	1	
	P	1/ 14/ 1976	-173.64	-2.09	3139.36	01	06	1	
	P	1/ 3/ 1977	-177.22	-3.58	3135.78	01	06	1	
	P	1/ 5/ 1978	-181.36	-4.14	3131.64	01	06	1	
	P	1/ 24/ 1979	-181.29	0.07	3131.71	01	06	1	
	P	1/ 8/ 1980	-182.5	-1.21	3130.5	01	06	1	
	P	1/ 15/ 1981	-185.43	-2.93	3127.57	01	06	1	
	P	1/ 15/ 1982	-186.64	-1.21	3126.36	01	06	1	
	P	2/ 15/ 1983	-188.5	-1.86	3124.5	01	06	1	
	P	1/ 16/ 1984	-189.5	-1	3123.5	01	06	1	
	P	1/ 22/ 1985	-190.78	-1.28	3122.22	01	06	1	
	P	1/ 27/ 1986	-191.85	-1.07	3121.15	01	06	1	
	P	2/ 4/ 1987	-192.05	-0.2	3120.95	01	06	1	
	P	2/ 8/ 1988	-192.55	-0.5	3120.45	01	06	1	
	P	1/ 30/ 1989	-192.87	-0.32	3120.13	01	06	1	
	P	1/ 10/ 1990	-194.05	-1.18	3118.95	01	06	1	
	P	2/ 8/ 1991	-194.1	-0.05	3118.9	01	06	1	
	P	2/ 12/ 1992	-194.88	-0.78	3118.12	01	06	1	
	P	2/ 8/ 1993	-194.68	0.2	3118.32	01	06	1	
	P	1/ 27/ 1994	-195.74	-1.06	3117.26	01	06	1	
	P	2/ 7/ 1995	-196.82	-1.08	3116.18	01	06	1	
	P	1/ 29/ 1996	-197.41	-0.59	3115.59	01	06	1	
	P	2/ 3/ 1997	-198.34	-0.93	3114.66	01	06	1	
	P	1/ 15/ 1998	-198.83	-0.49	3114.17	01	06	1	
	P	1/ 27/ 1999	-200	-1.17	3113	01	06	1	
	P	2/ 17/ 2000	-200.3	-0.3	3112.7	01	06	1	
	P	2/ 12/ 2001	-201.15	-0.85	3111.85	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 2002	-201.6	-0.45	3111.4	01	06	1	
	P	3 / 3 / 2003	-201.1	0.5	3111.9	01	06	1	
	P	2 / 18/ 2004	-202.65	-1.55	3110.35	01	06	1	
	P	2 / 10/ 2005	-203.06	-0.41	3109.94	01	06	1	
	P	2 / 15/ 2006	-203.11	-0.05	3109.89	01	06	1	
	P	2 / 8 / 2007	-203.41	-0.3	3109.59	01	06	1	
	P	1 / 29/ 2008	-203.89	-0.48	3109.11	01	06	1	
	P	2 / 18/ 2009	-203.67	0.22	3109.33	01	06	1	
	P	1 / 19/ 2010	-204.55	-0.88	3108.45	01	06	1	
	P	1 / 19/ 2011	-204.9	-0.35	3108.1	01	06	1	
	P	1 / 24/ 2012	-205.3	-0.4	3107.7	01	06	1	

Min *-205.3* **Max** *-139* **Avg** *-186.573*

1152504 *(Aquifer: 121OGLL Well Depth: 277)*

	P	5 / 4 / 1936	-44.55		3260.45	01	12	7	01
	P	5 / 3 / 1937	-46.3	-1.75	3258.7	01	12	7	01
	P	6 / 7 / 1937	-45.98	0.32	3259.02	01	07	7	
	P	6 / 10/ 1937	-45.98		3259.02	01	12	7	01
	P	7 / 20/ 1937	-46.69	-0.71	3258.31	01	12	7	01
	P	8 / 10/ 1937	-47.52	-0.83	3257.48	01	12	7	01
	P	8 / 25/ 1937	-46.93	0.59	3258.07	01	12	7	01
	P	9 / 14/ 1937	-46.34	0.59	3258.66	01	12	7	01
	P	10 / 1 / 1937	-45.85	0.49	3259.15	01	12	7	01
	P	11 / 1 / 1937	-45.1	0.75	3259.9	01	12	7	01
	P	12 / 2 / 1937	-44.56	0.54	3260.44	01	12	7	01
	P	1 / 4 / 1938	-44.14	0.42	3260.86	01	12	7	01
	P	8 / 12/ 1938	-46.27	-2.13	3258.73	01	12	7	01
	P	10 / 17/ 1938	-45.7	0.57	3259.3	01	12	7	01
	P	12 / 5 / 1938	-45.4	0.3	3259.6	01	12	7	01
	P	1 / 5 / 1939	-45.28	0.12	3259.72	01	12	7	01
	P	3 / 1 / 1939	-44.9	0.38	3260.1	01	12	7	01
	P	6 / 26/ 1939	-46.9	-2	3258.1	01	12	7	01
	P	7 / 25/ 1939	-47.94	-1.04	3257.06	01	12	7	01
	P	10 / 5 / 1939	-47.83	0.11	3257.17	01	12	7	01
	P	12 / 14/ 1939	-47.53	0.3	3257.47	01	12	7	01
	P	1 / 6 / 1940	-46.77	0.76	3258.23	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 16/ 1940	-49.75	-2.98	3255.25	01	12	7	01
	P	1 / 20/ 1941	-49.24	0.51	3255.76	01	12	7	01
	P	3 / 11/ 1941	-48.86	0.38	3256.14	01	12	7	01
	P	7 / 23/ 1941	-49.06	-0.2	3255.94	01	12	7	01
	P	12 / 20/ 1941	-46.69	2.37	3258.31	01	12	7	01
	P	3 / 9 / 1942	-45.89	0.8	3259.11	01	12	7	01
	P	10 / 23/ 1942	-46.57	-0.68	3258.43	01	12	7	01
	P	1 / 18/ 1943	-45.7	0.87	3259.3	01	12	7	01
	P	7 / 20/ 1943	-45.94	-0.24	3259.06	01	12	7	01
	P	2 / 14/ 1944	-47.12	-1.18	3257.88	01	12	7	01
	P	2 / 12/ 1945	-49.1	-1.98	3255.9	01	12	7	01
	P	2 / 26/ 1946	-51.01	-1.91	3253.99	01	12	7	01
	P	2 / 19/ 1947	-54.53	-3.52	3250.47	01	12	7	01
	P	2 / 26/ 1948	-58.8	-4.27	3246.2	01	12	7	01

Min *-58.8* **Max** *-44.14* **Avg** *-47.2978*

1152601 *(Aquifer: 121OGLL Well Depth: 286)*

	P	3 / 14/ 1916	-53		3261	01	12	7	01
	P	4 / 17/ 1934	-54.45	-1.45	3259.55	01	12	7	01
	P	11 / 23/ 1937	-56.84	-2.39	3257.16	01	12	7	01
	P	12 / 2 / 1937	-56.77	0.07	3257.23	01	12	7	01
	P	1 / 4 / 1938	-56.58	0.19	3257.42	01	12	7	01
	P	3 / 10/ 1938	-59.15	-2.57	3254.85	01	12	7	01
	P	5 / 26/ 1938	-58.24	0.91	3255.76	01	12	7	01
	P	6 / 23/ 1938	-58.1	0.14	3255.9	01	12	7	01
	P	10 / 18/ 1938	-58.05	0.05	3255.95	01	12	7	01
	P	12 / 7 / 1938	-57.2	0.85	3256.8	01	12	7	01
	P	1 / 5 / 1939	-57.48	-0.28	3256.52	01	12	7	01
	P	2 / 27/ 1939	-57.12	0.36	3256.88	01	12	7	01
	P	10 / 4 / 1939	-60.97	-3.85	3253.03	01	12	7	01
	P	12 / 8 / 1939	-63.22	-2.25	3250.78	01	12	7	01
	P	3 / 6 / 1940	-59.17	4.05	3254.83	01	12	7	01
	P	11 / 16/ 1940	-62.18	-3.01	3251.82	01	12	7	01
	P	1 / 18/ 1941	-62.7	-0.52	3251.3	01	12	7	01
	P	3 / 11/ 1941	-61.42	1.28	3252.58	01	12	7	01
	P	3 / 9 / 1942	-59.1	2.32	3254.9	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 4 / 1942	-61.93	-2.83	3252.07	01	12	7	01
	P	10 / 23/ 1942	-60.48	1.45	3253.52	01	12	7	01
	P	2 / 2 / 1943	-59.43	1.05	3254.57	01	12	7	01
	P	2 / 1 / 1944	-60.9	-1.47	3253.1	01	12	7	01
	P	2 / 12/ 1945	-62.65	-1.75	3251.35	01	12	7	01
	P	2 / 26/ 1946	-63.32	-0.67	3250.68	01	12	7	01
	P	3 / 1 / 1948	-70.16	-6.84	3243.84	01	12	7	01
	P	3 / 9 / 1949	-74.62	-4.46	3239.38	01	12	7	01
	P	2 / 17/ 1950	-77.52	-2.9	3236.48	01	12	7	01
	P	1 / 16/ 1951	-80.65	-3.13	3233.35	01	12	7	01
	P	1 / 15/ 1952	-83.1	-2.45	3230.9	01	12	7	01
	P	1 / 6 / 1953	-90.41	-7.31	3223.59	01	12	7	01
	P	1 / 5 / 1954	-102.23	-11.8	3211.77	01	12	7	01
	P	1 / 21/ 1958	-123.2	-21	3190.8	01	12	7	01
	P	1 / 2 / 1959	-141.05	-17.9	3172.95	01	12	7	01
	P	1 / 27/ 1960	-132.73	8.32	3181.27	01	12	7	01
	P	1 / 12/ 1962	-136.84	-4.11	3177.16	01	01	1	
	P	1 / 10/ 1963	-140.53	-3.69	3173.47	01	06	1	
	P	1 / 24/ 1964	-143.52	-2.99	3170.48	01	06	1	
	P	1 / 22/ 1965	-147.21	-3.69	3166.79	01	06	1	
	N	1 / 26/ 1966				01	06		61
	N	1 / 9 / 1967				01	01	1	44
	N	1 / 10/ 1968				01	01		40

Min *-147.21* **Max** *-53* **Avg** *-77.5441*

1152602 *(Aquifer: 121OGLL Well Depth: 303)*

	P	10 / 22/ 1945	-66.07		3241.93	01	12	7	01
	P	3 / 17/ 1947	-68.02	-1.95	3239.98	01	12	7	01
	P	3 / 1 / 1948	-71.8	-3.78	3236.2	01	12	7	01
	P	3 / 4 / 1949	-76.28	-4.48	3231.72	01	12	7	01
	P	2 / 15/ 1950	-81.43	-5.15	3226.57	01	12	7	01
	P	1 / 16/ 1951	-84.63	-3.2	3223.37	01	12	7	01
	P	1 / 5 / 1952	-85.5	-0.87	3222.5	01	12	7	01
	P	1 / 6 / 1953	-93.77	-8.27	3214.23	01	12	7	01
	P	1 / 5 / 1954	-103.11	-9.34	3204.89	01	12	7	01
	P	1 / 4 / 1955	-112.71	-9.6	3195.29	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1956	-115.53	-2.82	3192.47	01	12	7	01
	P	1/ 6/1957	-127.9	-12.4	3180.1	01	12	7	01
	P	1/ 7/1958	-129.68	-1.78	3178.32	01	12	7	01
	P	1/ 2/1959	-130.48	-0.8	3177.52	01	12	7	01
	P	1/27/1960	-136.43	-5.95	3171.57	01	12	7	01
	P	1/19/1962	-142.3	-5.87	3165.7	01	01	2	
	N	1/10/1963				01	06	1	47
	N	1/24/1964				01	06	1	47
	N	1/22/1965				01	06	1	47
	N	1/26/1966				01	06	1	47
	P	1/ 9/1967	-163.7		3144.3	01	01	2	
	N	1/10/1968				01	01	1	47
	N	1/ 9/1969				01	06	1	47
	P	1/13/1970	-172.35		3135.65	01	01	2	
	N	1/ 8/1971				01	01	1	47

Min *-172.35* **Max** *-66.07* **Avg** *-108.983*

1152603 *(Aquifer: 121OGLL Well Depth: 278)*

	P	1/ 3/1914	-49.5		3260.5	01	12	7	01
	P	3/29/1938	-57.84	-8.34	3252.16	01	12	7	01
	P	4/25/1938	-67.41	-9.57	3242.59	01	12	7	01
	P	4/26/1938	-67.33	0.08	3242.67	01	12	7	01
	P	5/26/1938	-57.67	9.66	3252.33	01	12	7	01
	P	6/23/1938	-57.53	0.14	3252.47	01	12	7	01
	P	1/ 5/1939	-56.8	0.73	3253.2	01	12	7	01
	P	10/ 4/1939	-61.4	-4.6	3248.6	01	12	7	01
	P	3/ 6/1940	-58.37	3.03	3251.63	01	12	7	01
	P	1/18/1941	-62.5	-4.13	3247.5	01	12	7	01
	P	3/11/1941	-60.4	2.1	3249.6	01	12	7	01
	P	3/ 9/1942	-58.26	2.14	3251.74	01	12	7	01
	P	10/26/1942	-59.68	-1.42	3250.32	01	12	7	01
	P	2/ 2/1943	-58.64	1.04	3251.36	01	12	7	01
	P	2/11/1944	-60.12	-1.48	3249.88	01	12	7	01
	P	2/12/1945	-61.6	-1.48	3248.4	01	12	7	01
	P	2/26/1946	-63.46	-1.86	3246.54	01	12	7	01
	P	3/17/1947	-67.3	-3.84	3242.7	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 1 / 1948	-70.59	-3.29	3239.41	01	12	7	01
	P	3 / 4 / 1949	-74.53	-3.94	3235.47	01	12	7	01
	P	2 / 18/ 1950	-79.45	-4.92	3230.55	01	12	7	01
	P	1 / 16/ 1951	-82.79	-3.34	3227.21	01	12	7	01
	P	1 / 15/ 1952	-83.27	-0.48	3226.73	01	12	7	01
	P	1 / 6 / 1953	-90.7	-7.43	3219.3	01	12	7	01
	P	1 / 5 / 1954	-101.6	-10.9	3208.4	01	12	7	01
	P	1 / 4 / 1955	-110.09	-8.49	3199.91	01	12	7	01
	P	1 / 6 / 1957	-129.05	-19	3180.95	01	12	7	03
	P	1 / 2 / 1959	-126	3.05	3184	01	12	7	01
	P	1 / 27/ 1960	-131.5	-5.5	3178.5	01	12	7	01
	P	1 / 30/ 1961	-135.8	-4.3	3174.2	01	12	7	01
	P	1 / 19/ 1962	-138.93	-3.13	3171.07	01	01	1	
	P	1 / 10/ 1963	-142.12	-3.19	3167.88	01	06	1	
	P	1 / 24/ 1964	-144.89	-2.77	3165.11	01	06	1	
	P	1 / 22/ 1965	-149.15	-4.26	3160.85	01	06	1	
	P	1 / 9 / 1967	-158.67	-9.52	3151.33	01	01	1	
	N	1 / 10/ 1968				01	01	1	47
	N	1 / 9 / 1969				01	06	1	47
	P	1 / 13/ 1970	-169.3		3140.7	01	01	2	
	P	1 / 8 / 1971	-170.13	-0.83	3139.87	01	01	1	
	P	1 / 6 / 1972	-170.3	-0.17	3139.7	01	06	1	
	P	1 / 23/ 1973	-178.4	-8.1	3131.6	01	06	2	
	P	1 / 17/ 1974	-181.2	-2.8	3128.8	01	06	2	
	P	1 / 9 / 1975	-185	-3.8	3125	01	06	2	
	P	1 / 14/ 1976	-188.26	-3.26	3121.74	01	06	1	
	P	1 / 3 / 1977	-195.26	-7	3114.74	01	06	1	
	P	1 / 5 / 1978	-194.04	1.22	3115.96	01	06	1	20
	P	1 / 11/ 1979	-200.52	-6.48	3109.48	01	06	2	
	P	1 / 8 / 1980	-198.8	1.72	3111.2	01	06	1	
	P	1 / 22/ 1981	-202.6	-3.8	3107.4	01	06	1	20

Min *-202.6* **Max** *-49.5* **Avg** *-112.101*

1152604 *(Aquifer: 121OGLL Well Depth: 281)*

	P	2 / 2 / 1914	-48.5		3259.5	01	12	7	01
	P	4 / 28/ 1936	-54.14	-5.64	3253.86	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/30/1937	-63.36	-9.22	3244.64	01	12	7	01
	P	5/26/1937	-53.87	9.49	3254.13	01	12	7	01
	P	6/11/1937	-50.96	2.91	3257.04	01	12	7	01
	P	9/14/1937	-52.68	-1.72	3255.32	01	12	7	01
	P	3/29/1938	-51.91	0.77	3256.09	01	12	7	01
	P	4/14/1938	-62.09	-10.2	3245.91	01	12	7	01
	P	5/26/1938	-52.09	10	3255.91	01	12	7	01
	P	6/23/1938	-52.25	-0.16	3255.75	01	12	7	01
	P	10/18/1938	-51.87	0.38	3256.13	01	12	7	01
	P	12/ 7/1938	-51.47	0.4	3256.53	01	12	7	01
	P	2/27/1939	-51.08	0.39	3256.92	01	12	7	01
	P	6/21/1939	-62.06	-11	3245.94	01	12	7	01
	P	10/ 4/1939	-56.21	5.85	3251.79	01	12	7	01
	P	12/ 8/1939	-59.57	-3.36	3248.43	01	12	7	01
	P	4/ 6/1940	-53.01	6.56	3254.99	01	12	7	01
	P	10/ 8/1940	-57.04	-4.03	3250.96	01	12	7	01
	P	11/16/1940	-53.24	3.8	3254.76	01	12	7	01
	P	1/18/1941	-57.49	-4.25	3250.51	01	12	7	01
	P	3/11/1941	-55.22	2.27	3252.78	01	12	7	01
	P	12/20/1941	-53.56	1.66	3254.44	01	12	7	01
	P	3/ 9/1942	-53.03	0.53	3254.97	01	12	7	01
	P	10/26/1942	-54.35	-1.32	3253.65	01	12	7	01
	P	2/ 2/1943	-53.24	1.11	3254.76	01	12	7	01
	P	2/ 1/1944	-54.67	-1.43	3253.33	01	12	7	01
	P	2/12/1945	-56.3	-1.63	3251.7	01	12	7	01
	P	2/26/1946	-58.89	-2.59	3249.11	01	12	7	01
	P	3/19/1947	-61.42	-2.53	3246.58	01	12	7	01
	P	2/26/1948	-64.82	-3.4	3243.18	01	12	7	01
	P	3/ 4/1949	-69.64	-4.82	3238.36	01	12	7	01
	P	2/18/1950	-74.07	-4.43	3233.93	01	12	7	01
	P	1/16/1951	-76.8	-2.73	3231.2	01	12	7	01
	P	1/15/1952	-78.75	-1.95	3229.25	01	12	7	01
	P	1/ 6/1953	-86.68	-7.93	3221.32	01	12	7	01
	P	1/ 5/1954	-89.06	-2.38	3218.94	01	12	7	01
	P	1/ 4/1955	-104.07	-15.0	3203.93	01	12	7	01
	P	1/18/1956	-107.79	-3.72	3200.21	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1957	-106.6	1.19	3201.4	01	12	7	20
	P	1/14/1958	-110.72	-4.12	3197.28	01	12	7	01
	P	1/ 2/1959	-109.5	1.22	3198.5	01	12	7	01
	P	1/27/1960	-115.1	-5.6	3192.9	01	12	7	01
	P	1/30/1961	-128.7	-13.6	3179.3	01	04	1	
	P	1/12/1962	-132.34	-3.64	3175.66	01	01	1	
	P	1/10/1963	-135.04	-2.7	3172.96	01	06	1	
	N	1/24/1964				01	06		41
	P	1/22/1965	-142.05		3165.95	01	06	1	
	N	1/26/1966				01	06	1	47
	N	1/ 9/1967				01	01	1	44
	N	1/10/1968				01	01	1	47
	N	1/ 9/1969				01	06	1	47
	N	1/13/1970				01	01	1	47

Min *-142.05* **Max** *-48.5* **Avg** *-72.3326*

1152605 *(Aquifer: 121OGLL Well Depth: 340)*

	P	10/28/1937	-55.32		3253.68	01	12	7	01
	P	3/17/1947	-66.05	-10.7	3242.95	01	12	7	01
	P	3/ 1/1948	-69.6	-3.55	3239.4	01	12	7	01
	P	3/ 4/1949	-73.56	-3.96	3235.44	01	12	7	01
	P	2/18/1950	-75.31	-1.75	3233.69	01	12	7	01
	P	1/16/1951	-77.55	-2.24	3231.45	01	12	7	01
	P	1/15/1952	-80.2	-2.65	3228.8	01	12	7	01
	P	1/ 6/1953	-85.88	-5.68	3223.12	01	12	7	01
	P	1/ 5/1954	-96.54	-10.7	3212.46	01	12	7	01
	P	1/ 4/1955	-118.63	-22.1	3190.37	01	12	7	01
	P	1/ 4/1956	-122.72	-4.09	3186.28	01	12	7	01
	P	1/ 6/1957	-125.94	-3.22	3183.06	01	12	7	01
	P	1/14/1958	-132.22	-6.28	3176.78	01	12	7	01
	P	1/ 2/1959	-122.12	10.1	3186.88	01	12	7	01

Min *-132.22* **Max** *-55.32* **Avg** *-92.9743*

1152606 *(Aquifer: 121OGLL Well Depth: 278)*

	P	0/ 0/1914	-46		3262	01	12	7	01
	P	0/ 0/1936	-56.8	-10.8	3251.2	01	12	7	01
	P	4/30/1937	-63.7	-6.9	3244.3	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/26/1937	-53.81	9.89	3254.19	01	12	7	01
	P	7/13/1937	-70.72	-16.9	3237.28	01	12	7	01
	P	7/20/1937	-67.06	3.66	3240.94	01	12	7	01
	P	8/10/1937	-74.79	-7.73	3233.21	01	12	7	01
	P	9/14/1937	-52.81	21.98	3255.19	01	12	7	01
	P	9/24/1937	-53.22	-0.41	3254.78	01	12	7	01
	P	9/25/1937	-53.49	-0.27	3254.51	01	12	7	01
	P	9/28/1937	-53.52	-0.03	3254.48	01	12	7	01
	P	10/ 1/1937	-53.4	0.12	3254.6	01	12	7	01
	P	11/ 1/1937	-52.01	1.39	3255.99	01	12	7	01
	P	12/ 1/1937	-51.66	0.35	3256.34	01	12	7	01
	P	1/ 4/1938	-51.46	0.2	3256.54	01	12	7	01
	P	3/10/1938	-55.65	-4.19	3252.35	01	12	7	01
	P	3/29/1938	-52.92	2.73	3255.08	01	12	7	01
	P	4/14/1938	-63.61	-10.7	3244.39	01	12	7	01
	P	5/26/1938	-53.02	10.59	3254.98	01	12	7	01
	P	6/23/1938	-53.08	-0.06	3254.92	01	12	7	01
	P	10/18/1938	-52.83	0.25	3255.17	01	12	7	01
	P	1/ 5/1939	-52.29	0.54	3255.71	01	12	7	01
	P	6/21/1939	-62.84	-10.6	3245.16	01	12	7	01
	P	10/ 4/1939	-56.67	6.17	3251.33	01	12	7	01
	P	3/ 6/1940	-53.88	2.79	3254.12	01	12	7	01
	P	10/ 4/1940	-60.63	-6.75	3247.37	01	12	7	01
	P	10/ 8/1940	-60.01	0.62	3247.99	01	12	7	01
	P	11/16/1940	-56.88	3.13	3251.12	01	12	7	01
	P	1/18/1941	-58.03	-1.15	3249.97	01	12	7	01
	P	3/11/1941	-55.98	2.05	3252.02	01	12	7	01
	P	7/23/1941	-63.8	-7.82	3244.2	01	12	7	01
	P	12/20/1941	-54.7	9.1	3253.3	01	12	7	01
	P	3/ 9/1942	-54.16	0.54	3253.84	01	12	7	01
	P	10/21/1942	-55.44	-1.28	3252.56	01	12	7	01
	P	2/ 2/1943	-54.39	1.05	3253.61	01	12	7	01
	P	2/ 1/1944	-55.59	-1.2	3252.41	01	12	7	01
	P	2/12/1945	-57.1	-1.51	3250.9	01	12	7	01
	P	2/26/1946	-59.28	-2.18	3248.72	01	12	7	01
	P	1/17/1947	-62.6	-3.32	3245.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 19/ 1947	-63.3	-0.7	3244.7	01	12	7	01
	P	2 / 26/ 1948	-65.37	-2.07	3242.63	01	12	7	01
	P	3 / 4 / 1949	-69.89	-4.52	3238.11	01	12	7	01
	P	2 / 18/ 1950	-74.2	-4.31	3233.8	01	12	7	01
	P	1 / 18/ 1951	-77.24	-3.04	3230.76	01	12	7	01
	P	1 / 15/ 1952	-79.05	-1.81	3228.95	01	12	7	01
	P	1 / 6 / 1953	-86.35	-7.3	3221.65	01	12	7	01
	P	3 / 0 / 1953	-103	-16.7	3205	01	07	7	
	P	1 / 5 / 1954	-92.83	10.17	3215.17	01	12	7	01
	P	1 / 4 / 1955	-104.42	-11.6	3203.58	01	12	7	01
	P	1 / 4 / 1956	-104.81	-0.39	3203.19	01	12	7	01
	P	1 / 14/ 1958	-109.16	-4.35	3198.84	01	12	7	01

Min *-109.16* **Max** *-46* **Avg** *-63.7147*

1152607 *(Aquifer: 121OGLL Well Depth: 230)*

	P	3 / 7 / 1947	-63.24		3248.76	01	12	7	01
	P	3 / 1 / 1948	-65.82	-2.58	3246.18	01	12	7	01
	P	1 / 16/ 1952	-78.27	-12.5	3233.73	01	12	7	01
	P	1 / 6 / 1953	-84.65	-6.38	3227.35	01	12	7	01
	P	1 / 5 / 1954	-95.27	-10.6	3216.73	01	12	7	01

Min *-95.27* **Max** *-63.24* **Avg** *-77.45*

1152608 *(Aquifer: 121OGLL Well Depth: 194)*

	P	3 / 17/ 1947	-70.7		3224.3	01	12	7	01
	P	3 / 1 / 1948	-75.4	-4.7	3219.6	01	12	7	01
	P	3 / 7 / 1949	-81.01	-5.61	3213.99	01	12	7	01
	P	1 / 16/ 1951	-89.29	-8.28	3205.71	01	12	7	01
	P	1 / 15/ 1952	-91.15	-1.86	3203.85	01	12	7	01
	P	1 / 6 / 1953	-99.43	-8.28	3195.57	01	12	7	01
	P	1 / 5 / 1954	-108.52	-9.09	3186.48	01	12	7	01

Min *-108.52* **Max** *-70.7* **Avg** *-87.9286*

1152609 *(Aquifer: 121OGLL Well Depth: 373)*

	P	4 / 10/ 1967	-160		3154	01	07	7	
	P	1 / 15/ 1982	-204.65	-44.7	3109.35	01	06	1	20
	P	2 / 15/ 1983	-208.35	-3.7	3105.65	01	06	2	
	P	1 / 13/ 1984	-210.78	-2.43	3103.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 22/ 1985	-212.95	-2.17	3101.05	01	06	1	
	P	1 / 27/ 1986	-213.9	-0.95	3100.1	01	06	1	
	P	2 / 4 / 1987	-214.4	-0.5	3099.6	01	06	1	
	P	2 / 8 / 1988	-215.35	-0.95	3098.65	01	06	2	
	P	1 / 30/ 1989	-215.77	-0.42	3098.23	01	06	2	
	P	1 / 11/ 1990	-215.4	0.37	3098.6	01	06	2	
	P	2 / 8 / 1991	-219.98	-4.58	3094.02	01	06	2	
	P	2 / 12/ 1992	-221.38	-1.4	3092.62	01	06	1	
	P	2 / 8 / 1993	-221.75	-0.37	3092.25	01	06	2	
	N	2 / 22/ 1994				01	06	7	44
	N	2 / 7 / 1995				01	06	7	44

Min *-221.75* **Max** *-160* **Avg** *-210.358*

1152610 *(Aquifer: 121OGLL Well Depth: 343)*

	P	3 / 10/ 1995	-229.33		3078.67	01	06	1	
	P	1 / 29/ 1996	-229.05	0.28	3078.95	01	06	1	
	P	2 / 3 / 1997	-231.89	-2.84	3076.11	01	06	1	
	P	1 / 16/ 1998	-233.34	-1.45	3074.66	01	06	1	
	P	1 / 27/ 1999	-236	-2.66	3072	01	06	1	
	P	2 / 14/ 2000	-237.44	-1.44	3070.56	01	06	1	
	P	2 / 6 / 2001	-239.87	-2.43	3068.13	01	06	1	
	P	2 / 4 / 2002	-243.11	-3.24	3064.89	01	06	1	
	P	3 / 4 / 2003	-241.98	1.13	3066.02	01	06	1	
	P	2 / 18/ 2004	-246.34	-4.36	3061.66	01	06	1	
	P	2 / 10/ 2005	-245.08	1.26	3062.92	01	06	1	
	P	2 / 15/ 2006	-245.84	-0.76	3062.16	01	06	1	
	P	2 / 8 / 2007	-250.2	-4.36	3057.8	01	06	1	
	P	1 / 29/ 2008	-251.32	-1.12	3056.68	01	06	1	
	P	2 / 18/ 2009	-252.17	-0.85	3055.83	01	06	1	
	N	1 / 18/ 2010				01	06		42
	N	1 / 19/ 2011				01	06		42
	N	2 / 14/ 2012				01	06		42

Min *-252.17* **Max** *-229.05* **Avg** *-240.864*

1152801 *(Aquifer: 121OGLL Well Depth: 275)*

	P	0 / 0 / 1914	-48		3261	01	12	7	01
	P	4 / 27/ 1936	-52.76	-4.76	3256.24	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/30/1937	-55.3	-2.54	3253.7	01	12	7	01
	P	5/26/1937	-53.62	1.68	3255.38	01	12	7	01
	P	6/ 4/1937	-52.79	0.83	3256.21	01	12	7	01
	P	7/27/1937	-56.21	-3.42	3252.79	01	12	7	01
	P	8/25/1937	-53.77	2.44	3255.23	01	12	7	01
	P	9/ 6/1937	-53.04	0.73	3255.96	01	12	7	01
	P	12/ 8/1937	-51.81	1.23	3257.19	01	12	7	01
	P	3/29/1938	-54.23	-2.42	3254.77	01	12	7	01
	P	4/14/1938	-53.13	1.1	3255.87	01	12	7	01
	P	6/ 3/1938	-53.78	-0.65	3255.22	01	12	7	01
	P	6/28/1938	-52.95	0.83	3256.05	01	12	7	01
	P	10/18/1938	-53.36	-0.41	3255.64	01	12	7	01
	P	1/ 5/1939	-53.18	0.18	3255.82	01	12	7	01
	P	3/ 2/1939	-52.73	0.45	3256.27	01	12	7	01
	P	6/26/1939	-54.48	-1.75	3254.52	01	12	7	01
	P	12/14/1939	-55.38	-0.9	3253.62	01	12	7	01
	P	3/ 7/1940	-54.4	0.98	3254.6	01	12	7	01
	P	11/16/1940	-57.6	-3.2	3251.4	01	12	7	01
	P	1/20/1941	-57.1	0.5	3251.9	01	12	7	01
	P	3/11/1941	-56.63	0.47	3252.37	01	12	7	01
	P	3/10/1942	-53.08	3.55	3255.92	01	12	7	01
	P	10/27/1942	-54.31	-1.23	3254.69	01	12	7	01
	P	2/ 2/1943	-53.42	0.89	3255.58	01	12	7	01
	P	2/15/1944	-52.93	0.49	3256.07	01	12	7	01
	P	2/13/1945	-55.41	-2.48	3253.59	01	12	7	01
	P	2/26/1946	-57.51	-2.1	3251.49	01	12	7	01
	P	2/26/1948	-68.78	-11.3	3240.22	01	12	7	01
	P	3/18/1949	-73.9	-5.12	3235.1	01	12	7	01
	P	1/16/1952	-85.6	-11.7	3223.4	01	12	7	01
	P	1/ 7/1953	-93.92	-8.32	3215.08	01	12	7	01
	P	1/ 5/1954	-101.01	-7.09	3207.99	01	12	7	01
	P	1/ 3/1955	-108.07	-7.06	3200.93	01	12	7	01
	P	1/20/1961	-130.9	-22.8	3178.1	01	04	1	
	P	1/19/1962	-127.65	3.25	3181.35	01	01	1	
	P	1/ 9/1963	-134.76	-7.11	3174.24	01	06	1	
	P	1/24/1964	-137.52	-2.76	3171.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 22/ 1965	-140.41	-2.89	3168.59	01	06	1	
	P	1 / 26/ 1966	-146.23	-5.82	3162.77	01	06	1	
	P	1 / 9 / 1967	-161.79	-15.6	3147.21	01	01	1	
	P	1 / 9 / 1968	-152.29	9.5	3156.71	01	01	1	
	P	1 / 9 / 1969	-155.1	-2.81	3153.9	01	06	1	
	P	1 / 13/ 1970	-165.5	-10.4	3143.5	01	01	1	
	P	1 / 8 / 1971	-167.63	-2.13	3141.37	01	01	1	
	N	1 / 2 / 1972				01	06	1	44

Min *-167.63* **Max** *-48* **Avg** *-81.4216*

1152806 *(Aquifer: 121OGLL Well Depth: 66)*

	P	6 / 16/ 1936	-54.55		3256.45	01	12	7	
	P	4 / 30/ 1937	-55.32	-0.77	3255.68	01	12	7	
	P	6 / 4 / 1937	-55.41	-0.09	3255.59	01	12	7	
	P	6 / 9 / 1937	-55.42	-0.01	3255.58	01	12	7	
	P	11 / 1 / 1937	-55.74	-0.32	3255.26	01	12	7	
	P	12 / 2 / 1937	-55.76	-0.02	3255.24	01	12	7	
	P	1 / 8 / 1938	-55.83	-0.07	3255.17	01	12	7	
	P	3 / 10/ 1938	-55.96	-0.13	3255.04	01	12	7	
	P	4 / 14/ 1938	-56.15	-0.19	3254.85	01	12	7	
	P	6 / 3 / 1938	-56.01	0.14	3254.99	01	12	7	
	P	6 / 23/ 1938	-56.06	-0.05	3254.94	01	12	7	
	P	8 / 12/ 1938	-56.13	-0.07	3254.87	01	12	7	
	P	10 / 18/ 1938	-56.26	-0.13	3254.74	01	12	7	
	P	12 / 19/ 1938	-56.33	-0.07	3254.67	01	12	7	
	P	1 / 5 / 1939	-56.35	-0.02	3254.65	01	12	7	
	P	3 / 2 / 1939	-56.44	-0.09	3254.56	01	12	7	
	P	8 / 14/ 1939	-56.72	-0.28	3254.28	01	12	7	
	P	10 / 5 / 1939	-56.82	-0.1	3254.18	01	12	7	
	P	12 / 14/ 1939	-56.95	-0.13	3254.05	01	12	7	
	P	3 / 7 / 1940	-57.12	-0.17	3253.88	01	12	7	
	P	11 / 15/ 1940	-57.8	-0.68	3253.2	01	12	7	
	P	1 / 20/ 1941	-57.99	-0.19	3253.01	01	12	7	
	P	3 / 11/ 1941	-58.11	-0.12	3252.89	01	12	7	
	P	7 / 23/ 1941	-58.49	-0.38	3252.51	01	12	7	
	P	12 / 22/ 1941	-58.48	0.01	3252.52	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1942	-58.36	0.12	3252.64	01	12	7	
	P	2 / 2 / 1943	-58.17	0.19	3252.83	01	12	7	

Min *-58.49* **Max** *-54.55* **Avg** *-56.6196*

1152901 *(Aquifer: 121OGLL Well Depth: 395)*

	P	0 / 0 / 1914	-51.2		3250.8	01	12	7	01
	P	11 / 3 / 1915	-57	-5.8	3245	01	12	7	01
	P	4 / 27/ 1936	-57.5	-0.5	3244.5	01	12	7	01
	P	5 / 16/ 1936	-58.03	-0.53	3243.97	01	12	7	01
	P	6 / 11/ 1937	-61.03	-3	3240.97	01	12	7	01
	P	9 / 14/ 1937	-62.93	-1.9	3239.07	01	12	7	01
	P	11 / 1 / 1937	-61.41	1.52	3240.59	01	12	7	01
	P	12 / 2 / 1937	-60.85	0.56	3241.15	01	12	7	01
	P	1 / 4 / 1938	-60.38	0.47	3241.62	01	12	7	01
	P	3 / 10/ 1938	-60.35	0.03	3241.65	01	12	7	01
	P	4 / 14/ 1938	-62.14	-1.79	3239.86	01	12	7	01
	P	5 / 26/ 1938	-62.36	-0.22	3239.64	01	12	7	01
	P	6 / 23/ 1938	-61.56	0.8	3240.44	01	12	7	01
	P	9 / 15/ 1938	-63.04	-1.48	3238.96	01	12	7	01
	P	10 / 18/ 1938	-62.14	0.9	3239.86	01	12	7	01
	P	12 / 7 / 1938	-61.46	0.68	3240.54	01	12	7	01
	P	1 / 5 / 1939	-61.26	0.2	3240.74	01	12	7	01
	P	3 / 1 / 1939	-60.8	0.46	3241.2	01	12	7	01
	P	6 / 26/ 1939	-64.8	-4	3237.2	01	12	7	01
	P	10 / 4 / 1939	-66.2	-1.4	3235.8	01	12	7	01
	P	12 / 8 / 1939	-63.68	2.52	3238.32	01	12	7	01
	P	3 / 6 / 1940	-62.8	0.88	3239.2	01	12	7	01
	P	10 / 27/ 1940	-67.29	-4.49	3234.71	01	12	7	01
	P	11 / 18/ 1940	-66.87	0.42	3235.13	01	12	7	01
	P	1 / 18/ 1941	-66.13	0.74	3235.87	01	12	7	01
	P	7 / 23/ 1941	-62.49	3.64	3239.51	01	12	7	01
	P	12 / 11/ 1941	-64.04	-1.55	3237.96	01	12	7	01
	P	3 / 9 / 1942	-62.96	1.08	3239.04	01	12	7	01
	P	7 / 4 / 1942	-65.77	-2.81	3236.23	01	12	7	01
	P	10 / 27/ 1942	-64.42	1.35	3237.58	01	12	7	01
	P	2 / 2 / 1943	-62.86	1.56	3239.14	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/15/1944	-64.74	-1.88	3237.26	01	12	7	01
	P	2/12/1945	-67	-2.26	3235	01	12	7	01
	P	2/26/1946	-70.33	-3.33	3231.67	01	12	7	01
	P	1/20/1947	-77.72	-7.39	3224.28	01	12	7	01
	P	3/17/1947	-77.09	0.63	3224.91	01	12	7	01
	P	3/ 4/1949	-91	-13.9	3211	01	12	7	01
	P	2/15/1950	-95	-4	3207	01	12	7	01
	P	1/11/1952	-102.33	-7.33	3199.67	01	12	7	01
	P	1/ 6/1953	-107.56	-5.23	3194.44	01	12	7	01
	P	1/ 5/1954	-113.03	-5.47	3188.97	01	12	7	01
	P	1/ 4/1955	-120.45	-7.42	3181.55	01	12	7	01
	P	1/ 4/1956	-121.05	-0.6	3180.95	01	12	7	01
	P	1/ 6/1957	-133.74	-12.7	3168.26	01	12	7	01
	P	1/ 7/1958	-136.02	-2.28	3165.98	01	12	7	01
	P	1/ 2/1959	-141.93	-5.91	3160.07	01	12	7	01
	P	1/27/1960	-144.23	-2.3	3157.77	01	12	7	01
	P	1/30/1961	-144.8	-0.57	3157.2	01	04	1	
	P	1/12/1962	-143.38	1.42	3158.62	01	01	1	
	P	1/ 9/1963	-148.79	-5.41	3153.21	01	06	1	
	P	1/24/1964	-154.53	-5.74	3147.47	01	06	1	
	P	1/22/1965	-156	-1.47	3146	01	06	1	
	P	1/ 9/1967	-164.47	-8.47	3137.53	01	01	1	
	N	1/10/1968				01	01		61
	P	1/ 9/1969	-172.18		3129.82	01	06	1	
	P	1/13/1970	-174.77	-2.59	3127.23	01	01	1	
	P	1/ 8/1971	-179.3	-4.53	3122.7	01	01	1	
	P	1/ 6/1972	-180.49	-1.19	3121.51	01	06	1	
	P	1/20/1973	-181.75	-1.26	3120.25	01	06	1	
	P	1/17/1974	-185.17	-3.42	3116.83	01	06	1	03
	P	1/13/1975	-189.59	-4.42	3112.41	01	06	1	
	P	1/15/1976	-191.61	-2.02	3110.39	01	06	1	
	P	1/ 3/1977	-196.09	-4.48	3105.91	01	06	1	
	P	1/ 5/1978	-202.28	-6.19	3099.72	01	06	1	
	P	1/11/1979	-202.39	-0.11	3099.61	01	06	1	
	P	1/ 8/1980	-204.89	-2.5	3097.11	01	06	1	04
	P	1/14/1981	-209.95	-5.06	3092.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1982	-213.75	-3.8	3088.25	01	06	1	
	P	2 / 15/ 1983	-218.75	-5	3083.25	01	06	1	
	P	1 / 16/ 1984	-220.38	-1.63	3081.62	01	06	1	
	P	1 / 18/ 1985	-222.46	-2.08	3079.54	01	06	1	
	P	1 / 24/ 1986	-224.03	-1.57	3077.97	01	06	1	
	P	2 / 4 / 1987	-225.5	-1.47	3076.5	01	06	2	
	P	2 / 4 / 1988	-226.45	-0.95	3075.55	01	06	2	
	P	1 / 30/ 1989	-227.07	-0.62	3074.93	01	06	2	
	P	1 / 11/ 1990	-228.21	-1.14	3073.79	01	06	1	
	P	2 / 8 / 1991	-232.35	-4.14	3069.65	01	06	1	
	P	2 / 12/ 1992	-233.94	-1.59	3068.06	01	06	1	
	P	2 / 8 / 1993	-233.9	0.04	3068.1	01	06	1	
	P	1 / 26/ 1994	-234.97	-1.07	3067.03	01	06	1	

Min *-234.97* **Max** *-51.2* **Avg** *-125.483*

1152902 *(Aquifer: 121OGLL Well Depth: 286)*

	P	2 / 29/ 1916	-47		3257	01	12	7	01
	P	4 / 17/ 1934	-48.15	-1.15	3255.85	01	12	7	01
	P	4 / 30/ 1937	-58	-9.85	3246	01	12	7	01
	P	5 / 26/ 1937	-57.02	0.98	3246.98	01	12	7	01
	P	10 / 1 / 1937	-56.15	0.87	3247.85	01	12	7	01
	P	11 / 1 / 1937	-54.32	1.83	3249.68	01	12	7	01
	P	12 / 2 / 1937	-53.78	0.54	3250.22	01	12	7	01
	P	1 / 4 / 1938	-53.41	0.37	3250.59	01	12	7	01
	P	3 / 10/ 1938	-53.1	0.31	3250.9	01	12	7	01
	P	4 / 14/ 1938	-53.89	-0.79	3250.11	01	12	7	01
	P	6 / 28/ 1938	-56.13	-2.24	3247.87	01	12	7	01
	P	10 / 17/ 1938	-54.73	1.4	3249.27	01	12	7	01
	P	12 / 5 / 1938	-54.2	0.53	3249.8	01	12	7	01
	P	1 / 5 / 1939	-54.03	0.17	3249.97	01	12	7	01
	P	3 / 1 / 1939	-53.7	0.33	3250.3	01	12	7	01
	P	6 / 26/ 1939	-57.72	-4.02	3246.28	01	12	7	01
	P	10 / 4 / 1939	-55.43	2.29	3248.57	01	12	7	01
	P	12 / 14/ 1939	-54.18	1.25	3249.82	01	12	7	01
	P	3 / 6 / 1940	-53.46	0.72	3250.54	01	12	7	01
	P	11 / 16/ 1940	-57.37	-3.91	3246.63	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 20/ 1941	-56.5	0.87	3247.5	01	12	7	01
	P	3/ 11/ 1941	-56.09	0.41	3247.91	01	12	7	01
	P	12/ 20/ 1941	-53.9	2.19	3250.1	01	12	7	01
	P	3/ 9/ 1942	-53.08	0.82	3250.92	01	12	7	01
	P	10/ 27/ 1942	-54.33	-1.25	3249.67	01	12	7	01
	P	2/ 2/ 1943	-53.18	1.15	3250.82	01	12	7	01
	P	2/ 15/ 1944	-54.86	-1.68	3249.14	01	12	7	01
	P	2/ 12/ 1945	-57	-2.14	3247	01	12	7	01
	P	2/ 26/ 1946	-59.46	-2.46	3244.54	01	12	7	01
	P	3/ 19/ 1947	-62.58	-3.12	3241.42	01	12	7	01
	P	3/ 1/ 1948	-71	-8.42	3233	01	12	7	01
	P	3/ 7/ 1949	-77	-6	3227	01	12	7	01
	P	2/ 15/ 1950	-80.81	-3.81	3223.19	01	12	7	01
	P	1/ 16/ 1951	-84.95	-4.14	3219.05	01	12	7	01
	P	1/ 11/ 1952	-91.65	-6.7	3212.35	01	12	7	01
	P	1/ 6/ 1953	-98.28	-6.63	3205.72	01	12	7	01
	P	1/ 5/ 1954	-106.3	-8.02	3197.7	01	12	7	01
	P	1/ 3/ 1955	-110.35	-4.05	3193.65	01	12	7	01
	P	1/ 4/ 1956	-113.56	-3.21	3190.44	01	12	7	01
	P	1/ 8/ 1957	-120.05	-6.49	3183.95	01	12	7	01
	P	1/ 8/ 1958	-128.6	-8.55	3175.4	01	12	7	01
	P	1/ 2/ 1959	-134.6	-6	3169.4	01	12	7	01
	P	1/ 30/ 1961	-143.6	-9	3160.4	01	04	1	
	P	1/ 19/ 1962	-142.3	1.3	3161.7	01	01	1	
	P	1/ 9/ 1963	-138.7	3.6	3165.3	01	06	1	
	P	1/ 24/ 1964	-149.43	-10.7	3154.57	01	06	1	
	P	1/ 22/ 1965	-150.48	-1.05	3153.52	01	06	1	
	N	1/ 26/ 1966				01	06	1	44
	P	1/ 9/ 1967	-157.9		3146.1	01	01	1	
	P	1/ 9/ 1968	-157.25	0.65	3146.75	01	01	1	
	P	1/ 9/ 1969	-160.73	-3.48	3143.27	01	06	1	
	P	1/ 13/ 1970	-162.13	-1.4	3141.87	01	01	1	
	P	1/ 8/ 1971	-165.68	-3.55	3138.32	01	01	1	
	P	1/ 7/ 1972	-177.43	-11.8	3126.57	01	06	1	
	P	1/ 23/ 1973	-173.4	4.03	3130.6	01	06	1	
	P	1/ 17/ 1974	-175.26	-1.86	3128.74	01	06	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1975	-178.8	-3.54	3125.2	01	06	1	
	P	1 / 15/ 1976	-182.39	-3.59	3121.61	01	06	1	25
	N	1 / 3 / 1977				01	06		41
	P	1 / 5 / 1978	-196.3		3107.7	01	06	1	25
	N	1 / 24/ 1979				01	06		81

Min *-196.3* **Max** *-47* **Avg** *-94.4083*

1152903 *(Aquifer: 121OGLL Well Depth: 315)*

	P	0 / 0 / 1914	-50		3252	01	12	7	01
	P	4 / 27/ 1936	-57.9	-7.9	3244.1	01	12	7	01
	P	5 / 26/ 1937	-60.82	-2.92	3241.18	01	12	7	01
	P	6 / 7 / 1937	-60.74	0.08	3241.26	01	12	7	01
	P	7 / 27/ 1937	-62.05	-1.31	3239.95	01	12	7	01
	P	8 / 26/ 1937	-61.63	0.42	3240.37	01	12	7	01
	P	9 / 14/ 1937	-60.24	1.39	3241.76	01	12	7	01
	P	10 / 1 / 1937	-59.73	0.51	3242.27	01	12	7	01
	P	11 / 1 / 1937	-59.14	0.59	3242.86	01	12	7	01
	P	12 / 2 / 1937	-58.81	0.33	3243.19	01	12	7	01
	P	1 / 4 / 1938	-58.55	0.26	3243.45	01	12	7	01
	P	4 / 10/ 1938	-58.5	0.05	3243.5	01	12	7	01
	P	5 / 26/ 1938	-60.33	-1.83	3241.67	01	12	7	01
	P	6 / 23/ 1938	-59.85	0.48	3242.15	01	12	7	01
	P	10 / 17/ 1938	-60.2	-0.35	3241.8	01	12	7	01
	P	12 / 5 / 1938	-59.72	0.48	3242.28	01	12	7	01
	P	1 / 5 / 1939	-60.1	-0.38	3241.9	01	12	7	01
	P	3 / 1 / 1939	-59.43	0.67	3242.57	01	12	7	01
	P	6 / 26/ 1939	-62.34	-2.91	3239.66	01	12	7	01
	P	10 / 4 / 1939	-63.01	-0.67	3238.99	01	12	7	01
	P	12 / 8 / 1939	-61.73	1.28	3240.27	01	12	7	01
	P	3 / 6 / 1940	-61.1	0.63	3240.9	01	12	7	01
	P	10 / 9 / 1940	-65.97	-4.87	3236.03	01	12	7	01
	P	10 / 31/ 1940	-65.34	0.63	3236.66	01	12	7	01
	P	11 / 5 / 1940	-65.4	-0.06	3236.6	01	12	7	01
	P	11 / 16/ 1940	-66.15	-0.75	3235.85	01	12	7	01
	P	1 / 20/ 1941	-64.52	1.63	3237.48	01	12	7	01
	P	3 / 11/ 1941	-64.09	0.43	3237.91	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/22/1941	-61.63	2.46	3240.37	01	12	7	01
	P	3/ 9/1942	-60.99	0.64	3241.01	01	12	7	01
	P	10/27/1942	-62.43	-1.44	3239.57	01	12	7	01
	P	2/ 2/1943	-61.26	1.17	3240.74	01	12	7	01
	P	2/15/1944	-62.98	-1.72	3239.02	01	12	7	01
	P	2/12/1945	-65.35	-2.37	3236.65	01	12	7	01
	P	2/26/1946	-70.15	-4.8	3231.85	01	12	7	01
	P	3/17/1947	-76.53	-6.38	3225.47	01	12	7	01
	P	3/ 1/1948	-79.77	-3.24	3222.23	01	12	7	01
	P	3/ 7/1949	-88.37	-8.6	3213.63	01	12	7	01
	P	2/15/1950	-95.29	-6.92	3206.71	01	12	7	01
	P	3/ 2/1950	-94.52	0.77	3207.48	01	12	7	01
	P	1/16/1951	-96.88	-2.36	3205.12	01	12	7	01
	P	1/11/1952	-101.9	-5.02	3200.1	01	12	7	01
	P	1/ 6/1953	-108.23	-6.33	3193.77	01	12	7	01
	P	1/ 5/1954	-113.59	-5.36	3188.41	01	12	7	01
	P	1/ 3/1955	-120.57	-6.98	3181.43	01	12	7	01
	P	1/ 4/1956	-123.42	-2.85	3178.58	01	12	7	01
	P	1/ 6/1957	-131.84	-8.42	3170.16	01	12	7	01
	P	1/ 2/1959	-134.5	-2.66	3167.5	01	12	7	01
	P	1/27/1960	-140.75	-6.25	3161.25	01	12	7	01
	P	1/30/1961	-144.15	-3.4	3157.85	01	04	1	
	P	1/12/1962	-148.4	-4.25	3153.6	01	01	1	
	P	1/ 9/1963	-146.33	2.07	3155.67	01	06	1	
	P	1/24/1964	-149.22	-2.89	3152.78	01	06	1	
	P	1/22/1965	-152.15	-2.93	3149.85	01	06	1	
	N	1/26/1966				01	06		42
	P	1/ 9/1967	-157.65		3144.35	01	01	1	
	P	1/10/1968	-161.01	-3.36	3140.99	01	01	1	20
	P	1/ 9/1969	-165.64	-4.63	3136.36	01	06	1	
	P	1/13/1970	-167.25	-1.61	3134.75	01	01	1	
	P	1/ 8/1971	-171.38	-4.13	3130.62	01	01	1	
	P	1/ 7/1972	-173.61	-2.23	3128.39	01	06	1	
	P	1/23/1973	-174.8	-1.19	3127.2	01	06	1	
	P	1/17/1974	-177.82	-3.02	3124.18	01	06	1	
	P	1/13/1975	-182.33	-4.51	3119.67	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1976	-184.69	-2.36	3117.31	01	06	1	
	N	11 / 23/ 1976				01	06		81

Min *-184.69* **Max** *-50* **Avg** *-95.5433*

1152904 *(Aquifer: 121OGLL Well Depth: 227)*

P	7 / 0 / 1913	-49.5		3248.5	01	12	7	01
P	0 / 0 / 1914	-49.5		3248.5	01	12	7	01
P	3 / 29/ 1938	-60.95	-11.5	3237.05	01	12	7	01
P	6 / 23/ 1938	-61.16	-0.21	3236.84	01	12	7	01
P	10 / 18/ 1938	-61.62	-0.46	3236.38	01	12	7	01
P	12 / 5 / 1938	-60.66	0.96	3237.34	01	12	7	01
P	1 / 5 / 1939	-61.12	-0.46	3236.88	01	12	7	01
P	3 / 2 / 1939	-60.4	0.72	3237.6	01	12	7	01
P	7 / 5 / 1939	-63.61	-3.21	3234.39	01	12	7	01
P	10 / 4 / 1939	-65.5	-1.89	3232.5	01	12	7	01
P	12 / 8 / 1939	-63.08	2.42	3234.92	01	12	7	01
P	3 / 6 / 1940	-63.08		3234.92	01	12	7	01
P	11 / 15/ 1940	-68.99	-5.91	3229.01	01	12	7	01
P	1 / 20/ 1941	-67.45	1.54	3230.55	01	12	7	01
P	3 / 5 / 1941	-66.37	1.08	3231.63	01	12	7	01
P	7 / 23/ 1941	-67.2	-0.83	3230.8	01	12	7	01
P	12 / 22/ 1941	-63.48	3.72	3234.52	01	12	7	01
P	3 / 10/ 1942	-62.43	1.05	3235.57	01	12	7	01
P	10 / 28/ 1942	-62	0.43	3236	01	12	7	01
P	2 / 2 / 1943	-62.47	-0.47	3235.53	01	12	7	01
P	2 / 15/ 1944	-65.71	-3.24	3232.29	01	12	7	01
P	2 / 14/ 1945	-70.2	-4.49	3227.8	01	12	7	01
P	3 / 7 / 1949	-98.65	-28.5	3199.35	01	12	7	01
P	2 / 15/ 1950	-100.48	-1.83	3197.52	01	12	7	01
P	1 / 11/ 1952	-111.45	-11	3186.55	01	12	7	01

Min *-111.45* **Max** *-49.5* **Avg** *-67.4824*

1152905 *(Aquifer: 121OGLL Well Depth: 213)*

P	8 / 19/ 1913	-48.2		3249.8	01	12	7	01
P	0 / 0 / 1914	-48.2		3249.8	01	12	7	01
P	6 / 23/ 1938	-62.6	-14.4	3235.4	01	12	7	01
P	10 / 18/ 1938	-61.11	1.49	3236.89	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/ 5/1938	-60.24	0.87	3237.76	01	12	7	01
	P	1/ 5/1939	-60.66	-0.42	3237.34	01	12	7	01
	P	3/ 2/1939	-60.02	0.64	3237.98	01	12	7	01
	P	10/ 4/1939	-62.45	-2.43	3235.55	01	12	7	01
	P	12/ 8/1939	-62.3	0.15	3235.7	01	12	7	01
	P	3/ 6/1940	-61.88	0.42	3236.12	01	12	7	01
	P	11/15/1940	-66.23	-4.35	3231.77	01	12	7	01
	P	1/20/1941	-64.72	1.51	3233.28	01	12	7	01
	P	3/ 5/1941	-66.11	-1.39	3231.89	01	12	7	01
	P	12/22/1941	-63.4	2.71	3234.6	01	12	7	01
	P	3/10/1942	-62.11	1.29	3235.89	01	12	7	01
	P	10/28/1942	-64.71	-2.6	3233.29	01	12	7	01
	P	2/ 2/1943	-62.63	2.08	3235.37	01	12	7	01
	P	2/15/1944	-65.08	-2.45	3232.92	01	12	7	01
	P	2/14/1945	-70.75	-5.67	3227.25	01	12	7	01
	P	2/26/1946	-73.8	-3.05	3224.2	01	12	7	01
	P	1/16/1947	-81.1	-7.3	3216.9	01	12	7	01
	P	3/19/1947	-78.92	2.18	3219.08	01	12	7	01
	P	3/ 2/1948	-87.3	-8.38	3210.7	01	12	7	01
	P	3/ 7/1949	-98.9	-11.6	3199.1	01	12	7	01
	P	2/18/1950	-103.67	-4.77	3194.33	01	12	7	01
	P	1/ 8/1953	-118.29	-14.6	3179.71	01	12	7	01
	P	1/ 6/1954	-121.93	-3.64	3176.07	01	12	7	01
	P	1/ 3/1955	-129.51	-7.58	3168.49	01	12	7	01
	P	1/18/1956	-132.67	-3.16	3165.33	01	12	7	01
	P	1/ 9/1957	-137.74	-5.07	3160.26	01	12	7	01
	P	1/22/1958	-138.52	-0.78	3159.48	01	12	7	01
	P	1/ 6/1959	-139.85	-1.33	3158.15	01	12	7	01
	P	1/27/1960	-143.63	-3.78	3154.37	01	12	7	01
	P	1/26/1961	-145.1	-1.47	3152.9	01	04	1	
	P	1/18/1962	-146.4	-1.3	3151.6	01	01	1	
	P	1/ 9/1963	-148.83	-2.43	3149.17	01	06	1	
	P	1/22/1964	-151.83	-3	3146.17	01	06	1	
	P	1/ 6/1965	-154.8	-2.97	3143.2	01	06	1	
	N	1/26/1966				01	06		61
	P	1/ 9/1967	-161.28		3136.72	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1968	-164.86	-3.58	3133.14	01	01	1	
	P	1/ 9/1969	-169.68	-4.82	3128.32	01	06	1	
	N	1/13/1970				01	01		61
	P	2/ 9/1970	-173.48		3124.52	01	06	1	04
	P	1/ 9/1971	-174.62	-1.14	3123.38	01	01	1	
	P	1/ 6/1972	-177.31	-2.69	3120.69	01	06	1	
	P	1/20/1973	-179.09	-1.78	3118.91	01	06	1	
	P	1/17/1974	-181.88	-2.79	3116.12	01	06	1	
	P	1/13/1975	-185.85	-3.97	3112.15	01	06	1	
	P	1/15/1976	-189.69	-3.84	3108.31	01	06	1	
	N	11/23/1976				01	06		81

Min *-189.69* **Max** *-48.2* **Avg** *-109.665*

1152906 *(Aquifer: 121OGLL Well Depth:)*

	P	1/ 8/1953	-117.37		3181.63	01	12	7	01
	P	1/ 6/1954	-121.44	-4.07	3177.56	01	12	7	01
	P	1/ 3/1955	-129.18	-7.74	3169.82	01	12	7	01
	P	1/ 5/1956	-129.05	0.13	3169.95	01	12	7	01
	P	1/ 8/1958	-138.16	-9.11	3160.84	01	12	7	01
	P	1/ 2/1959	-139.15	-0.99	3159.85	01	12	7	01
	P	1/27/1960	-143.48	-4.33	3155.52	01	12	7	01
	P	1/26/1961	-144.69	-1.21	3154.31	01	04	1	
	P	1/18/1962	-145.2	-0.51	3153.8	01	01	1	
	P	1/ 9/1963	-148.34	-3.14	3150.66	01	06	1	
	P	1/22/1964	-151.46	-3.12	3147.54	01	06	1	
	P	1/ 6/1965	-158.12	-6.66	3140.88	01	06	1	
	N	2/ 0/1965				01	06		40

Min *-158.12* **Max** *-117.37* **Avg** *-138.803*

1152907 *(Aquifer: 121OGLL Well Depth: 390)*

	P	4/24/1996	-254.5		3047.5	01	01	1	
	P	3/29/2000	-256.9	-2.4	3045.1	01	01	1	

Min *-256.9* **Max** *-254.5* **Avg** *-255.7*

1152908 *(Aquifer: 121OGLL Well Depth: 401)*

	P	1/26/1966	-157.9		3141.1	01	06	1	
	P	1/ 9/1967	-164.69	-6.79	3134.31	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1968	-164.18	0.51	3134.82	01	01	1	
	P	1/ 9/1969	-172.48	-8.3	3126.52	01	06	1	
	P	1/13/1970	-169.32	3.16	3129.68	01	01	1	
	P	1/ 9/1971	-173.3	-3.98	3125.7	01	01	1	
	P	1/ 6/1972	-175.51	-2.21	3123.49	01	06	1	
	P	1/17/1973	-177.35	-1.84	3121.65	01	06	1	
	P	1/17/1974	-180.05	-2.7	3118.95	01	06	1	
	P	1/13/1975	-184.14	-4.09	3114.86	01	06	1	
	P	1/15/1976	-187.2	-3.06	3111.8	01	06	1	
	P	1/ 3/1977	-192.8	-5.6	3106.2	01	06	1	
	P	1/ 5/1978	-197.69	-4.89	3101.31	01	06	1	
	P	1/11/1979	-204.53	-6.84	3094.47	01	06	1	
	P	1/ 4/1980	-201.65	2.88	3097.35	01	06	1	
	P	1/29/1981	-214.53	-12.9	3084.47	01	06	1	
	P	1/15/1982	-219.91	-5.38	3079.09	01	06	1	
	P	1/17/1983	-226.93	-7.02	3072.07	01	06	1	
	P	1/16/1984	-225.73	1.2	3073.27	01	06	1	
	P	1/18/1985	-228.04	-2.31	3070.96	01	06	1	
	P	1/24/1986	-229.47	-1.43	3069.53	01	06	1	
	P	1/28/1987	-229.9	-0.43	3069.1	01	06	1	
	P	2/ 4/1988	-231.29	-1.39	3067.71	01	06	1	
	P	1/30/1989	-231.92	-0.63	3067.08	01	06	2	
	P	1/11/1990	-234.9	-2.98	3064.1	01	06	1	
	P	2/ 8/1991	-238.75	-3.85	3060.25	01	06	1	
	P	2/12/1992	-241.21	-2.46	3057.79	01	06	1	
	P	2/ 8/1993	-239.88	1.33	3059.12	01	06	1	
	P	1/26/1994	-244.78	-4.9	3054.22	01	06	1	
	P	2/ 6/1995	-248.44	-3.66	3050.56	01	06	1	
	P	1/29/1996	-250.69	-2.25	3048.31	01	06	1	
	P	2/ 5/1997	-253.88	-3.19	3045.12	01	06	1	
	P	1/16/1998	-255.01	-1.13	3043.99	01	06	1	
	P	1/27/1999	-259	-3.99	3040	01	06	1	
	P	2/14/2000	-261.93	-2.93	3037.07	01	06	1	
	P	1/11/2001	-268.21	-6.28	3030.79	01	06	1	
	P	2/ 4/2002	-265.63	2.58	3033.37	01	06	1	
	P	3/ 4/2003	-270.78	-5.15	3028.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 2004	-273.68	-2.9	3025.32	01	06	1	
	P	2 / 16/ 2005	-272.77	0.91	3026.23	01	06	1	
	P	2 / 15/ 2006	-274.17	-1.4	3024.83	01	06	1	
	P	2 / 8 / 2007	-277.26	-3.09	3021.74	01	06	1	
	P	1 / 30/ 2008	-277.25	0.01	3021.75	01	06	1	
	P	2 / 13/ 2009	-278.38	-1.13	3020.62	01	06	1	
	P	1 / 18/ 2010	-283.44	-5.06	3015.56	01	06	1	
	P	1 / 24/ 2011	-284.3	-0.86	3014.7	01	06	1	
	P	2 / 6 / 2012	-290.44	-6.14	3008.56	01	06	1	

Min *-290.44* **Max** *-157.9* **Avg** *-229.474*

1152909 *(Aquifer: 121OGLL Well Depth: 278)*

P	0 / 0 / 1914	-45.2		3258.8	01	12	7	
P	5 / 11/ 1936	-55.19	-9.99	3248.81	01	12	7	01
P	6 / 16/ 1936	-53.63	1.56	3250.37	01	12	7	01
P	4 / 30/ 1937	-57.54	-3.91	3246.46	01	12	7	01
P	6 / 11/ 1937	-55.2	2.34	3248.8	01	12	7	01
P	4 / 14/ 1938	-55.14	0.06	3248.86	01	12	7	01
P	6 / 28/ 1938	-55.67	-0.53	3248.33	01	12	7	01

Min *-57.54* **Max** *-45.2* **Avg** *-53.9386*

1152910 *(Aquifer: 121OGLL Well Depth: 281)*

P	12 / 11/ 1913	-50		3242	01	12	7	01
P	0 / 0 / 1914	-50		3242	01	12	7	01
P	4 / 17/ 1934	-52.45	-2.45	3239.55	01	12	7	01
P	4 / 22/ 1936	-54.96	-2.51	3237.04	01	12	7	01
P	3 / 17/ 1937	-56.49	-1.53	3235.51	01	12	7	01
P	6 / 7 / 1937	-57.85	-1.36	3234.15	01	12	7	01
P	7 / 27/ 1937	-58.87	-1.02	3233.13	01	12	7	01
P	8 / 25/ 1937	-59.56	-0.69	3232.44	01	12	7	01
P	9 / 6 / 1937	-59.05	0.51	3232.95	01	12	7	01
P	9 / 14/ 1937	-58.9	0.15	3233.1	01	12	7	01
P	10 / 1 / 1937	-58.62	0.28	3233.38	01	12	7	01
P	11 / 1 / 1937	-58.25	0.37	3233.75	01	12	7	01
P	12 / 2 / 1937	-58	0.25	3234	01	12	7	01
P	1 / 4 / 1938	-57.85	0.15	3234.15	01	12	7	01
P	3 / 29/ 1938	-57.97	-0.12	3234.03	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/13/1938	-58.17	-0.2	3233.83	01	12	7	01
	P	6/ 3/1938	-59.06	-0.89	3232.94	01	12	7	01
	P	6/24/1938	-59.24	-0.18	3232.76	01	12	7	01
	P	10/17/1938	-59.54	-0.3	3232.46	01	12	7	01
	P	12/ 5/1938	-59.26	0.28	3232.74	01	12	7	01
	P	1/ 5/1939	-59.22	0.04	3232.78	01	12	7	01
	P	3/ 2/1939	-59.08	0.14	3232.92	01	12	7	01
	P	6/26/1939	-60.9	-1.82	3231.1	01	12	7	01
	P	10/ 4/1939	-62.24	-1.34	3229.76	01	12	7	01
	P	12/ 8/1939	-61.25	0.99	3230.75	01	12	7	01
	P	3/ 6/1940	-60.8	0.45	3231.2	01	12	7	01
	P	10/27/1940	-65.93	-5.13	3226.07	01	12	7	01
	P	11/15/1940	-65.4	0.53	3226.6	01	12	7	01
	P	1/20/1941	-64.74	0.66	3227.26	01	12	7	01
	P	3/11/1941	-64.28	0.46	3227.72	01	12	7	01
	P	6/ 2/1941	-65.27	-0.99	3226.73	01	12	7	01
	P	7/23/1941	-64.15	1.12	3227.85	01	12	7	01
	P	12/11/1941	-62.86	1.29	3229.14	01	12	7	01
	P	3/10/1942	-62.06	0.8	3229.94	01	12	7	01
	P	7/ 4/1942	-63.1	-1.04	3228.9	01	12	7	01
	P	10/28/1942	-63.88	-0.78	3228.12	01	12	7	01
	P	2/ 2/1943	-62.33	1.55	3229.67	01	12	7	01
	P	2/15/1944	-64.5	-2.17	3227.5	01	12	7	01
	P	2/14/1945	-67.7	-3.2	3224.3	01	12	7	01
	P	2/26/1946	-73.37	-5.67	3218.63	01	12	7	01
	P	1/16/1947	-79.72	-6.35	3212.28	01	12	7	01
	P	3/17/1947	-80.15	-0.43	3211.85	01	12	7	01
	P	1/16/1948	-94.5	-14.4	3197.5	01	12	7	01
	P	3/ 2/1948	-91.1	3.4	3200.9	01	12	7	01
	P	12/ 1/1948	-103	-11.9	3189	01	12	7	01
	P	3/ 8/1949	-100.9	2.1	3191.1	01	12	7	01
	P	2/18/1950	-102.56	-1.66	3189.44	01	12	7	01
	P	1/17/1951	-106.32	-3.76	3185.68	01	12	7	01
	P	1/11/1952	-110.39	-4.07	3181.61	01	12	7	01
	P	1/ 8/1953	-115.48	-5.09	3176.52	01	12	7	01
	P	1/ 7/1954	-121.12	-5.64	3170.88	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/1955	-128.58	-7.46	3163.42	01	12	7	01
	P	1/ 5/1956	-131.43	-2.85	3160.57	01	12	7	01
	P	1/ 9/1957	-137.4	-5.97	3154.6	01	12	7	01
	P	1/ 9/1958	-138.95	-1.55	3153.05	01	12	7	01
	P	1/ 2/1959	-140.65	-1.7	3151.35	01	12	7	01
	P	1/27/1960	-144.29	-3.64	3147.71	01	12	7	01
	P	1/26/1961	-147.14	-2.85	3144.86	01	04	1	
	P	1/18/1962	-147.91	-0.77	3144.09	01	01	1	
	P	1/ 8/1963	-151.5	-3.59	3140.5	01	06	1	
	P	1/22/1964	-157.36	-5.86	3134.64	01	06	1	
	P	1/15/1965	-158.02	-0.66	3133.98	01	06	1	
	P	1/26/1966	-162.12	-4.1	3129.88	01	06	1	
	P	1/ 9/1967	-171.9	-9.78	3120.1	01	01	1	
	P	1/ 9/1968	-167.96	3.94	3124.04	01	01	1	
	P	1/ 8/1969	-170.8	-2.84	3121.2	01	06	1	
	P	1/12/1970	-175.5	-4.7	3116.5	01	01	1	
	P	1/ 9/1971	-179.96	-4.46	3112.04	01	01	1	
	P	1/ 1/1972	-181.74	-1.78	3110.26	01	06	1	
	P	1/17/1973	-182.36	-0.62	3109.64	01	06	1	
	P	1/15/1974	-186.43	-4.07	3105.57	01	06	1	
	P	1/13/1975	-193.43	-7	3098.57	01	06	1	
	P	1/13/1976	-196.58	-3.15	3095.42	01	06	1	
	P	1/ 3/1977	-205.76	-9.18	3086.24	01	06	1	25
	P	1/ 5/1978	-210.9	-5.14	3081.1	01	06	1	
	P	1/11/1979	-220.08	-9.18	3071.92	01	06	1	
	N	11/ 0/1979				01	06		81

Min *-220.08* **Max** *-50* **Avg** *-101.462*

1152911 *(Aquifer: 121OGLL Well Depth: 401)*

	P	2/19/1993	-233		3068	01	07	7	
	P	2/ 7/1995	-237.91	-4.91	3063.09	01	06	1	
	P	1/29/1996	-239.74	-1.83	3061.26	01	06	1	
	P	2/ 3/1997	-243.28	-3.54	3057.72	01	06	1	
	P	1/16/1998	-244.48	-1.2	3056.52	01	06	1	
	P	2/25/1999	-249	-4.52	3052	01	06	1	
	P	2/14/2000	-251.63	-2.63	3049.37	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 13/ 2001	-255.63	-4	3045.37	01	06	1	
	N	2 / 4 / 2002				01	06		42
	N	3 / 4 / 2003				01	06		42
	N	2 / 11/ 2004				01	06		42
	N	2 / 14/ 2005				01	06		42
	N	2 / 15/ 2006				01	06		42
	N	2 / 8 / 2007				01	06		42
	N	1 / 29/ 2008				01	06		42

Min *-255.63* **Max** *-233* **Avg** *-244.334*

1152912 *(Aquifer: 121OGLL Well Depth: 383)*

	N	6 / 9 / 2004				01	01		41

Min **Max** **Avg**

1152913 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 15/ 2006	-263.15		3040.85	01	06	1	
	P	2 / 8 / 2007	-265.13	-1.98	3038.87	01	06	1	
	P	1 / 29/ 2008	-266.09	-0.96	3037.91	01	06	1	
	P	1 / 18/ 2010	-272	-5.91	3032	01	06	1	
	P	1 / 24/ 2011	-272.7	-0.7	3031.3	01	06	1	
	P	2 / 6 / 2012	-278.07	-5.37	3025.93	01	06	1	

Min *-278.07* **Max** *-263.15* **Avg** *-269.523*

1153101 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 1 / 1936	-60.3		3244.7	01	12	7	01
	P	5 / 3 / 1937	-60.1	0.2	3244.9	01	12	7	01
	P	8 / 26/ 1937	-60.48	-0.38	3244.52	01	12	7	01
	P	12 / 2 / 1937	-60.73	-0.25	3244.27	01	12	7	01
	P	6 / 28/ 1938	-61.01	-0.28	3243.99	01	12	7	01
	P	8 / 12/ 1938	-61.4	-0.39	3243.6	01	12	7	01
	P	12 / 8 / 1939	-61.83	-0.43	3243.17	01	12	7	01
	P	3 / 6 / 1940	-61.97	-0.14	3243.03	01	12	7	01
	P	11 / 15/ 1940	-63.07	-1.1	3241.93	01	12	7	01
	P	10 / 16/ 1941	-62.7	0.37	3242.3	01	12	7	01
	P	7 / 24/ 1942	-61.63	1.07	3243.37	01	12	7	01
	P	10 / 20/ 1942	-61.98	-0.35	3243.02	01	12	7	01
	P	2 / 2 / 1943	-62.2	-0.22	3242.8	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 11/ 1944	-63.07	-0.87	3241.93	01	12	7	01
	P	2/ 12/ 1945	-64.2	-1.13	3240.8	01	12	7	01
	P	2/ 26/ 1946	-66.69	-2.49	3238.31	01	12	7	01
	P	1/ 17/ 1947	-69.8	-3.11	3235.2	01	12	7	01
	P	3/ 7/ 1947	-69.7	0.1	3235.3	01	12	7	01
	P	3/ 1/ 1948	-72.7	-3	3232.3	01	12	7	01
	P	3/ 10/ 1949	-71.2	1.5	3233.8	01	12	7	01
	P	2/ 15/ 1950	-77.18	-5.98	3227.82	01	12	7	01
	P	1/ 16/ 1951	-80.51	-3.33	3224.49	01	12	7	01
	P	1/ 16/ 1952	-83.36	-2.85	3221.64	01	12	7	01
	P	1/ 6/ 1953	-86.82	-3.46	3218.18	01	12	7	01
	P	1/ 5/ 1954	-92.86	-6.04	3212.14	01	12	7	01
	P	1/ 5/ 1955	-98.15	-5.29	3206.85	01	12	7	01
	P	1/ 5/ 1956	-102.43	-4.28	3202.57	01	12	7	01
	P	1/ 4/ 1957	-108.84	-6.41	3196.16	01	12	7	01
	P	1/ 14/ 1958	-115.86	-7.02	3189.14	01	12	7	01
	P	1/ 2/ 1959	-118.61	-2.75	3186.39	01	12	7	01
	P	1/ 26/ 1960	-125.9	-7.29	3179.1	01	12	7	01
	P	1/ 30/ 1961	-130.3	-4.4	3174.7	01	04	1	
	P	1/ 12/ 1962	-127.75	2.55	3177.25	01	01	1	
	P	1/ 10/ 1963	-129.02	-1.27	3175.98	01	06	1	
	P	1/ 24/ 1964	-148.41	-19.4	3156.59	01	06	1	
	P	1/ 22/ 1965	-149.85	-1.44	3155.15	01	06	1	
	P	1/ 26/ 1966	-155.99	-6.14	3149.01	01	06	1	
	P	1/ 9/ 1967	-157.2	-1.21	3147.8	01	01	1	
	P	1/ 10/ 1968	-182.64	-25.4	3122.36	01	01	1	
	N	1/ 15/ 1969				01	06	1	46

Min *-182.64* **Max** *-60.1* **Avg** *-90.9856*

1153102 *(Aquifer: 121OGLL Well Depth: 278)*

	P	5/ 6/ 1970	-175.7		3117.3	01	06	1	
	P	1/ 7/ 1971	-177.59	-1.89	3115.41	01	01	1	
	P	1/ 5/ 1972	-180.62	-3.03	3112.38	01	06	1	04
	P	1/ 19/ 1973	-181.73	-1.11	3111.27	01	06	1	
	P	1/ 17/ 1974	-184.09	-2.36	3108.91	01	06	1	
	P	1/ 9/ 1975	-187.02	-2.93	3105.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1976	-190.17	-3.15	3102.83	01	06	1	
	P	1/ 4/1977	-193.09	-2.92	3099.91	01	06	1	
	P	1/10/1978	-195.06	-1.97	3097.94	01	06	1	
	P	1/24/1979	-196.59	-1.53	3096.41	01	06	1	
	P	1/ 8/1980	-196.93	-0.34	3096.07	01	06	1	
	P	1/15/1981	-198.34	-1.41	3094.66	01	06	1	
	P	1/18/1982	-198.44	-0.1	3094.56	01	06	1	
	P	2/15/1983	-200.02	-1.58	3092.98	01	06	1	
	P	1/16/1984	-199.64	0.38	3093.36	01	06	1	
	P	1/22/1985	-199.93	-0.29	3093.07	01	06	1	
	P	1/27/1986	-199.89	0.04	3093.11	01	06	1	
	P	2/ 4/1987	-198.86	1.03	3094.14	01	06	1	
	P	2/ 8/1988	-197.7	1.16	3095.3	01	06	1	
	P	1/31/1989	-198.59	-0.89	3094.41	01	06	1	
	P	1/11/1990	-197.9	0.69	3095.1	01	06	1	
	P	2/12/1991	-198.16	-0.26	3094.84	01	06	1	
	P	2/13/1992	-198.47	-0.31	3094.53	01	06	1	
	P	2/ 8/1993	-199	-0.53	3094	01	06	1	
	P	1/26/1994	-199.37	-0.37	3093.63	01	06	1	
	N	3/ 9/1995				01	06		41
	P	1/30/1996	-201.75		3091.25	01	06	1	
	P	2/ 3/1997	-202.19	-0.44	3090.81	01	06	1	
	P	1/15/1998	-202.58	-0.39	3090.42	01	06	1	
	P	1/27/1999	-203	-0.42	3090	01	06	1	
	P	3/17/2000	-205.92	-2.92	3087.08	01	06	1	
	P	2/12/2001	-205.47	0.45	3087.53	01	06	1	
	P	2/12/2002	-204.11	1.36	3088.89	01	06	1	
	N	4/ 3/2003				01	06		41
	P	2/18/2004	-206.38		3086.62	01	06	1	
	P	2/14/2005	-205.58	0.8	3087.42	01	06	1	
	P	2/14/2006	-207	-1.42	3086	01	06	1	
	P	2/ 8/2007	-207.35	-0.35	3085.65	01	06	1	
	P	1/29/2008	-206.67	0.68	3086.33	01	06	1	
	P	3/ 9/2009	-206.72	-0.05	3086.28	01	06	1	
	P	1/18/2010	-206.6	0.12	3086.4	01	06	1	
	P	1/19/2011	-207.06	-0.46	3085.94	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 2012	-207.91	-0.85	3085.09	01	06	1	

Min *-207.91* **Max** *-175.7* **Avg** *-198.273*

1153203 *(Aquifer: 121OGLL Well Depth: 207)*

	P	3 / 7 / 1947	-77.41		3171.59	01	12	7
	P	3 / 1 / 1948	-79.42	-2.01	3169.58	01	12	7
	P	2 / 16/ 1950	-83.13	-3.71	3165.87	01	12	7
	P	1 / 17/ 1951	-84.94	-1.81	3164.06	01	12	7
	P	1 / 15/ 1952	-88.29	-3.35	3160.71	01	12	7
	P	1 / 7 / 1953	-93.53	-5.24	3155.47	01	12	7
	P	1 / 7 / 1954	-96.7	-3.17	3152.3	01	12	7
	P	1 / 5 / 1955	-104.93	-8.23	3144.07	01	12	7
	P	1 / 5 / 1956	-109.22	-4.29	3139.78	01	12	7
	P	1 / 4 / 1957	-112.8	-3.58	3136.2	01	12	7
	P	1 / 14/ 1958	-123.44	-10.6	3125.56	01	12	7
	P	1 / 26/ 1960	-129.65	-6.21	3119.35	01	12	7
	P	1 / 26/ 1961	-127.08	2.57	3121.92	01	04	1
	P	1 / 12/ 1962	-130.69	-3.61	3118.31	01	01	1
	P	1 / 21/ 1963	-132.66	-1.97	3116.34	01	06	1
	P	1 / 24/ 1964	-139.36	-6.7	3109.64	01	06	1
	P	1 / 22/ 1965	-138.98	0.38	3110.02	01	06	1
	P	2 / 2 / 1966	-139.6	-0.62	3109.4	01	06	1
	P	1 / 10/ 1967	-141.97	-2.37	3107.03	01	01	1
	P	1 / 11/ 1968	-143.59	-1.62	3105.41	01	01	1
	P	1 / 14/ 1969	-144.87	-1.28	3104.13	01	06	1

Min *-144.87* **Max** *-77.41* **Avg** *-115.346*

1153205 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 11/ 1968	-143.59		3135.41	01	01	1
	P	1 / 14/ 1969	-144.87	-1.28	3134.13	01	06	1
	P	1 / 14/ 1970	-146.25	-1.38	3132.75	01	01	1
	P	1 / 7 / 1971	-147.73	-1.48	3131.27	01	01	1
	P	1 / 6 / 1972	-149.51	-1.78	3129.49	01	06	1
	P	1 / 19/ 1973	-150.9	-1.39	3128.1	01	06	1
	P	1 / 17/ 1974	-151.45	-0.55	3127.55	01	06	1
	P	1 / 9 / 1975	-153.68	-2.23	3125.32	01	06	1
	P	8 / 12/ 1975	-157.68	-4	3121.32	01	07	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1976	-153.85	3.83	3125.15	01	06	1	
	P	1/ 3/1977	-155	-1.15	3124	01	06	1	
	P	1/10/1978	-156.08	-1.08	3122.92	01	06	1	
	P	1/12/1979	-157.72	-1.64	3121.28	01	06	1	
	P	1/ 8/1980	-157.53	0.19	3121.47	01	06	1	
	P	1/15/1981	-158.18	-0.65	3120.82	01	06	1	
	P	1/18/1982	-158.72	-0.54	3120.28	01	06	1	
	P	2/15/1983	-159.46	-0.74	3119.54	01	06	1	
	P	1/16/1984	-159.73	-0.27	3119.27	01	06	1	
	P	1/25/1985	-160.42	-0.69	3118.58	01	06	1	
	P	1/27/1986	-160.56	-0.14	3118.44	01	06	1	
	P	2/ 5/1987	-161	-0.44	3118	01	06	1	
	P	2/ 8/1988	-161.38	-0.38	3117.62	01	06	1	
	P	1/31/1989	-161.68	-0.3	3117.32	01	06	1	
	P	1/11/1990	-162.55	-0.87	3116.45	01	06	1	
	P	2/12/1991	-162.32	0.23	3116.68	01	06	1	
	P	2/13/1992	-162.46	-0.14	3116.54	01	06	1	
	P	2/ 8/1993	-162.66	-0.2	3116.34	01	06	1	
	P	1/26/1994	-162.86	-0.2	3116.14	01	06	1	
	P	2/ 7/1995	-163.48	-0.62	3115.52	01	06	1	
	P	1/29/1996	-163.73	-0.25	3115.27	01	06	1	
	P	2/ 3/1997	-164.08	-0.35	3114.92	01	06	1	
	P	1/14/1998	-164.45	-0.37	3114.55	01	06	1	
	P	1/27/1999	-165	-0.55	3114	01	06	1	
	P	2/17/2000	-165.05	-0.05	3113.95	01	06	1	
	P	2/12/2001	-165.47	-0.42	3113.53	01	06	1	
	P	2/12/2002	-168.18	-2.71	3110.82	01	06	1	
	P	2/ 3/2003	-166.09	2.09	3112.91	01	06	1	
	P	2/18/2004	-166.28	-0.19	3112.72	01	06	1	
	P	2/14/2005	-166.88	-0.6	3112.12	01	06	1	
	P	2/14/2006	-166.58	0.3	3112.42	01	06	1	
	P	2/ 8/2007	-166.6	-0.02	3112.4	01	06	1	
	P	1/29/2008	-167.35	-0.75	3111.65	01	06	1	
	P	2/18/2009	-167.13	0.22	3111.87	01	06	1	
	P	1/19/2010	-167.15	-0.02	3111.85	01	06	1	
	P	1/19/2011	-167.46	-0.31	3111.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 2012	-167.75	-0.29	3111.25	01	06	1	

Min *-168.18* **Max** *-143.59* **Avg** *-160.185*

1153206 *(Aquifer: 121OGFA Well Depth: 270)*

	P	12 / 3 / 1969	-150		3110	01	12	7	

Min *-150* **Max** *-150* **Avg** *-150*

1153301 *(Aquifer: 121OGLL Well Depth: 103)*

	P	5 / 3 / 1937	-82.5		3180.5	01	12	7	01
	P	6 / 11/ 1937	-81.77	0.73	3181.23	01	12	7	01
	P	7 / 20/ 1937	-86.46	-4.69	3176.54	01	12	7	01
	P	8 / 26/ 1937	-83.46	3	3179.54	01	12	7	01
	P	9 / 14/ 1937	-82.44	1.02	3180.56	01	12	7	01
	P	10 / 1 / 1937	-81.73	0.71	3181.27	01	12	7	01
	P	11 / 1 / 1937	-81.21	0.52	3181.79	01	12	7	01
	P	12 / 2 / 1937	-80.94	0.27	3182.06	01	12	7	01
	P	1 / 4 / 1938	-80.76	0.18	3182.24	01	12	7	01
	P	1 / 3 / 1939	-83.04	-2.28	3179.96	01	12	7	01
	P	2 / 27/ 1939	-82.08	0.96	3180.92	01	12	7	01

Min *-86.46* **Max** *-80.76* **Avg** *-82.3991*

1153302 *(Aquifer: 121OGLL Well Depth: 280)*

	P	1 / 8 / 1980	-195.25		3057.75	01	06	1	
	P	1 / 15/ 1981	-200.1	-4.85	3052.9	01	06	1	
	P	1 / 18/ 1982	-199.99	0.11	3053.01	01	06	1	
	P	2 / 15/ 1983	-198.77	1.22	3054.23	01	06	1	
	P	1 / 27/ 1984	-200.02	-1.25	3052.98	01	06	1	
	P	1 / 25/ 1985	-201.1	-1.08	3051.9	01	06	1	
	P	1 / 27/ 1986	-203.44	-2.34	3049.56	01	06	1	
	P	2 / 5 / 1987	-203.8	-0.36	3049.2	01	06	1	
	P	2 / 8 / 1988	-199.42	4.38	3053.58	01	06	1	
	P	1 / 30/ 1989	-201.26	-1.84	3051.74	01	06	1	
	P	1 / 8 / 1990	-204.96	-3.7	3048.04	01	06	1	
	P	2 / 12/ 1991	-204.15	0.81	3048.85	01	06	1	
	P	2 / 12/ 1992	-206.95	-2.8	3046.05	01	06	1	
	P	2 / 8 / 1993	-211.8	-4.85	3041.2	01	06	1	
	P	1 / 26/ 1994	-211.55	0.25	3041.45	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 7 / 1995	-211.82	-0.27	3041.18	01	06	1	
	P	1 / 30/ 1996	-221.35	-9.53	3031.65	01	06	2	
	P	3 / 7 / 1997	-222.2	-0.85	3030.8	01	06	1	
	P	1 / 14/ 1998	-221.24	0.96	3031.76	01	06	2	
	P	2 / 25/ 1999	-223	-1.76	3030	01	06	1	
	N	3 / 17/ 2000				01	06		41
	N	3 / 2 / 2001				01	06		51
	P	2 / 15/ 2002	-222.27		3030.73	01	06	1	
	P	3 / 3 / 2003	-225.36	-3.09	3027.64	01	06	1	
	P	2 / 18/ 2004	-223.99	1.37	3029.01	01	06	1	
	P	2 / 14/ 2005	-222.11	1.88	3030.89	01	06	1	
	P	2 / 14/ 2006	-223.53	-1.42	3029.47	01	06	1	
	P	2 / 9 / 2007	-223.28	0.25	3029.72	01	06	1	
	N	2 / 28/ 2008				01	06		81
	N	2 / 18/ 2009				01	06	1	47
	N	1 / 19/ 2010				01	06		81

Min *-225.36* **Max** *-195.25* **Avg** *-210.873*

1153303 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 19/ 2008	-237.35		3020.65	01	06	1	
	P	2 / 18/ 2009	-232.27	5.08	3025.73	01	06	1	
	P	1 / 19/ 2010	-239.6	-7.33	3018.4	01	06	1	
	P	1 / 19/ 2011	-233.64	5.96	3024.36	01	06	1	
	P	1 / 24/ 2012	-235.21	-1.57	3022.79	01	06	1	

Min *-239.6* **Max** *-232.27* **Avg** *-235.614*

1153402 *(Aquifer: 121OGLL Well Depth: 210)*

	P	10 / 10/ 1937	-65.08		3228.92	01	12	7	01
	P	12 / 16/ 1938	-58.93	6.15	3235.07	01	12	7	01
	P	1 / 5 / 1939	-58.21	0.72	3235.79	01	12	7	01
	P	2 / 27/ 1939	-57.84	0.37	3236.16	01	12	7	01
	P	6 / 24/ 1939	-63.07	-5.23	3230.93	01	12	7	01
	P	10 / 4 / 1939	-63.02	0.05	3230.98	01	12	7	01
	P	12 / 8 / 1939	-61.59	1.43	3232.41	01	12	7	01
	P	3 / 6 / 1940	-59.73	1.86	3234.27	01	12	7	01
	P	11 / 16/ 1940	-62.55	-2.82	3231.45	01	12	7	01
	P	1 / 18/ 1941	-62.49	0.06	3231.51	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/16/1941	-60.59	1.9	3233.41	01	12	7	01
	P	3/ 9/1942	-59.64	0.95	3234.36	01	12	7	01
	P	10/20/1942	-60.9	-1.26	3233.1	01	12	7	01
	P	2/ 2/1943	-60.02	0.88	3233.98	01	12	7	01
	P	2/15/1944	-61.54	-1.52	3232.46	01	12	7	01
	P	2/15/1945	-63.43	-1.89	3230.57	01	12	7	01
	P	2/26/1946	-67.17	-3.74	3226.83	01	12	7	01
	P	1/17/1947	-72.65	-5.48	3221.35	01	12	7	01
	P	3/17/1947	-71.6	1.05	3222.4	01	12	7	01
	P	1/16/1948	-78.75	-7.15	3215.25	01	12	7	01
	P	3/ 1/1948	-77.75	1	3216.25	01	12	7	01
	P	3/ 7/1949	-84.32	-6.57	3209.68	01	12	7	01
	P	2/17/1950	-92.85	-8.53	3201.15	01	12	7	01
	P	1/16/1951	-88.59	4.26	3205.41	01	12	7	01
	P	1/15/1952	-94.7	-6.11	3199.3	01	12	7	01
	P	1/ 7/1953	-102.71	-8.01	3191.29	01	12	7	01
	P	1/ 5/1954	-110.2	-7.49	3183.8	01	12	7	01
	P	1/ 5/1955	-119.81	-9.61	3174.19	01	12	7	01
	P	1/14/1958	-145.29	-25.5	3148.71	01	12	7	01
	P	1/ 2/1959	-144.63	0.66	3149.37	01	12	7	01
	P	1/30/1961	-141.8	2.83	3152.2	01	04	1	
	P	1/12/1962	-143.79	-1.99	3150.21	01	01	1	
	P	1/10/1963	-147.46	-3.67	3146.54	01	06	1	
	P	1/24/1964	-149.51	-2.05	3144.49	01	06	1	
	N	1/22/1965				01	06	1	47
	P	1/26/1966	-158.68		3135.32	01	06	1	
	P	1/ 9/1967	-163.1	-4.42	3130.9	01	01	1	20
	P	1/10/1968	-170.51	-7.41	3123.49	01	01	1	20
	P	1/15/1969	-171.4	-0.89	3122.6	01	06	1	20
	P	1/ 8/1971	-162.88	8.52	3131.12	01	01	1	
	P	1/ 5/1972	-173.29	-10.4	3120.71	01	06	1	
	P	1/20/1973	-171.47	1.82	3122.53	01	06	1	20
	P	1/17/1974	-154.58	16.89	3139.42	01	06	1	
	P	1/ 9/1975	-184.25	-29.7	3109.75	01	06	2	
	N	1/14/1976				01	06	1	47
	P	1/15/1977	-199.13		3094.87	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-199.13***	**Max**	***-57.84***	**Avg**	***-105.034***				
1153403	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	0 / 0 / 1936	-37.5		3228.5	01	12	7	01
	P	4 / 30/ 1937	-39.62	-2.12	3226.38	01	12	7	01
	P	6 / 11/ 1937	-39.64	-0.02	3226.36	01	12	7	01
	P	7 / 20/ 1937	-39.83	-0.19	3226.17	01	12	7	01
	P	8 / 10/ 1937	-40.03	-0.2	3225.97	01	12	7	01
	P	8 / 25/ 1937	-40.14	-0.11	3225.86	01	12	7	01
	P	9 / 14/ 1937	-40.24	-0.1	3225.76	01	12	7	01
	P	10 / 1 / 1937	-40.23	0.01	3225.77	01	12	7	01
	P	11 / 1 / 1937	-40.34	-0.11	3225.66	01	12	7	01
	P	12 / 2 / 1937	-40.42	-0.08	3225.58	01	12	7	01
	P	1 / 4 / 1938	-40.48	-0.06	3225.52	01	12	7	01
	P	3 / 10/ 1938	-40.64	-0.16	3225.36	01	12	7	01
	P	5 / 26/ 1938	-41.14	-0.5	3224.86	01	12	7	01
	P	6 / 23/ 1938	-43.49	-2.35	3222.51	01	12	7	01
	P	7 / 14/ 1938	-40.92	2.57	3225.08	01	12	7	01
	P	9 / 15/ 1938	-41.43	-0.51	3224.57	01	12	7	01
	P	3 / 1 / 1939	-41.8	-0.37	3224.2	01	12	7	01
	P	6 / 21/ 1939	-43.34	-1.54	3222.66	01	12	7	01
	P	10 / 4 / 1939	-42.82	0.52	3223.18	01	12	7	01
	P	3 / 6 / 1940	-43.21	-0.39	3222.79	01	12	7	01
	P	10 / 27/ 1940	-44.83	-1.62	3221.17	01	12	7	01
	P	11 / 16/ 1940	-44.94	-0.11	3221.06	01	12	7	01
	P	1 / 18/ 1941	-45.12	-0.18	3220.88	01	12	7	01
	P	3 / 11/ 1941	-45.27	-0.15	3220.73	01	12	7	01
	P	12 / 22/ 1941	-36.63	8.64	3229.37	01	12	7	01
	P	3 / 9 / 1942	-38.5	-1.87	3227.5	01	12	7	01
	P	7 / 23/ 1942	-41.4	-2.9	3224.6	01	12	7	01
	P	2 / 15/ 1944	-44.07	-2.67	3221.93	01	12	7	01
	P	3 / 18/ 1949	-71	-26.9	3195	01	04	1	08
	P	2 / 15/ 1950	-74.04	-3.04	3191.96	01	04	1	
	P	1 / 16/ 1951	-74.75	-0.71	3191.25	01	04	1	
	P	1 / 15/ 1952	-77.05	-2.3	3188.95	01	04	1	
	P	1 / 7 / 1953	-82.06	-5.01	3183.94	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -82.06		**Max -36.63**	**Avg -46.5733**						
1153405	*(Aquifer: 121OGLL*		*Well Depth: 328)*						
	P	2 / 18/ 2009	-234.71		3043.29	01	06	1	
	P	1 / 18/ 2010	-236.45	-1.74	3041.55	01	06	1	
	P	1 / 24/ 2011	-237.9	-1.45	3040.1	01	06	1	
	P	2 / 7 / 2012	-241.29	-3.39	3036.71	01	06	1	
Min -241.29		**Max -234.71**	**Avg -237.588**						
1153501	*(Aquifer: 121OGLL*		*Well Depth: 216)*						
	P	3 / 17/ 1947	-98.77		3184.23	01	12	7	01
	P	3 / 1 / 1948	-103.42	-4.65	3179.58	01	12	7	01
	P	3 / 7 / 1949	-107.97	-4.55	3175.03	01	12	7	01
	P	2 / 16/ 1950	-112.89	-4.92	3170.11	01	12	7	01
	P	1 / 15/ 1952	-119.65	-6.76	3163.35	01	12	7	01
	P	1 / 7 / 1953	-121.72	-2.07	3161.28	01	12	7	01
	P	1 / 7 / 1954	-127.38	-5.66	3155.62	01	12	7	01
	P	1 / 5 / 1955	-135.78	-8.4	3147.22	01	12	7	01
	P	1 / 5 / 1956	-140.18	-4.4	3142.82	01	12	7	01
	P	1 / 6 / 1957	-144.28	-4.1	3138.72	01	12	7	01
	P	1 / 8 / 1958	-149.3	-5.02	3133.7	01	12	7	01
	P	1 / 5 / 1959	-151.42	-2.12	3131.58	01	12	7	01
	P	1 / 27/ 1960	-154.46	-3.04	3128.54	01	12	7	01
	P	1 / 26/ 1961	-156.42	-1.96	3126.58	01	04	1	
	P	1 / 12/ 1962	-159.74	-3.32	3123.26	01	01	1	
	P	1 / 21/ 1963	-163.51	-3.77	3119.49	01	06	1	
	P	2 / 14/ 1964	-167.43	-3.92	3115.57	01	06	1	
	P	2 / 16/ 1965	-174.26	-6.83	3108.74	01	06	1	
	P	2 / 2 / 1966	-176.38	-2.12	3106.62	01	06	1	
	P	1 / 10/ 1967	-182.96	-6.58	3100.04	01	01	1	
	P	1 / 11/ 1968	-188.8	-5.84	3094.2	01	01	1	
	P	1 / 14/ 1969	-188.47	0.33	3094.53	01	06	1	
	P	1 / 14/ 1970	-195	-6.53	3088	01	01	1	
	P	1 / 8 / 1971	-198.02	-3.02	3084.98	01	01	1	
	P	1 / 6 / 1972	-201.01	-2.99	3081.99	01	06	1	
	P	1 / 7 / 1973	-202.89	-1.88	3080.11	01	06	1	
	P	1 / 17/ 1974	-205.54	-2.65	3077.46	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1975	-208.24	-2.7	3074.76	01	06	1	
	P	1 / 6 / 1976	-208.06	0.18	3074.94	01	06	1	
	P	1 / 4 / 1977	-212	-3.94	3071	01	06	1	
	P	1 / 10/ 1978	-214.04	-2.04	3068.96	01	06	1	
	P	1 / 12/ 1979	-216.3	-2.26	3066.7	01	06	1	
	P	1 / 8 / 1980	-217.89	-1.59	3065.11	01	06	1	
	P	1 / 14/ 1981	-220.02	-2.13	3062.98	01	06	1	
	P	1 / 18/ 1982	-219.98	0.04	3063.02	01	06	1	
	P	2 / 15/ 1983	-222.5	-2.52	3060.5	01	06	1	
	P	1 / 27/ 1984	-222.6	-0.1	3060.4	01	06	1	
	P	1 / 25/ 1985	-223.04	-0.44	3059.96	01	06	1	
	P	1 / 27/ 1986	-222.36	0.68	3060.64	01	06	1	
	P	2 / 5 / 1987	-222.34	0.02	3060.66	01	06	1	
	P	2 / 8 / 1988	-220.88	1.46	3062.12	01	06	1	
	P	1 / 30/ 1989	-223.15	-2.27	3059.85	01	06	1	
	P	1 / 8 / 1990	-221.2	1.95	3061.8	01	06	1	
	N	2 / 12/ 1991				01	06		42
	N	2 / 13/ 1992				01	06		42

Min *-223.15* **Max** *-98.77* **Avg** *-179.587*

1153503 *(Aquifer: 121OGLL Well Depth: 301)*

	P	2 / 13/ 1992	-223.3		3064.7	01	06	1	
	P	2 / 8 / 1993	-221.18	2.12	3066.82	01	06	1	
	P	1 / 26/ 1994	-223.09	-1.91	3064.91	01	06	1	
	P	2 / 7 / 1995	-227.83	-4.74	3060.17	01	06	1	
	P	1 / 30/ 1996	-227.88	-0.05	3060.12	01	06	1	
	P	2 / 3 / 1997	-230.29	-2.41	3057.71	01	06	1	
	P	1 / 15/ 1998	-228.96	1.33	3059.04	01	06	1	
	P	1 / 27/ 1999	-232	-3.04	3056	01	06	1	
	P	2 / 17/ 2000	-233.74	-1.74	3054.26	01	06	1	
	P	2 / 12/ 2001	-234.35	-0.61	3053.65	01	06	1	
	P	2 / 12/ 2002	-235.71	-1.36	3052.29	01	06	1	
	P	3 / 3 / 2003	-238.2	-2.49	3049.8	01	06	1	
	P	2 / 18/ 2004	-241.09	-2.89	3046.91	01	06	1	
	P	2 / 14/ 2005	-240.59	0.5	3047.41	01	06	1	
	P	2 / 14/ 2006	-241.01	-0.42	3046.99	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 8 / 2007	-243.2	-2.19	3044.8	01	06	1	
	P	2 / 14/ 2008	-244.04	-0.84	3043.96	01	06	1	
	P	2 / 18/ 2009	-245.52	-1.48	3042.48	01	06	1	
	P	1 / 19/ 2010	-247.05	-1.53	3040.95	01	06	1	
	P	1 / 19/ 2011	-244.87	2.18	3043.13	01	06	1	
	P	2 / 7 / 2012	-248.65	-3.78	3039.35	01	06	1	

Min *-248.65* **Max** *-221.18* **Avg** *-235.836*

1153701 *(Aquifer: 121OGLL Well Depth: 201)*

	P	3 / 17/ 1947	-85.67		3200.33	01	12	7	01
	P	3 / 9 / 1948	-96.05	-10.4	3189.95	01	12	7	01
	P	3 / 18/ 1949	-105.98	-9.93	3180.02	01	12	7	01
	P	1 / 16/ 1951	-111.05	-5.07	3174.95	01	12	7	01
	P	1 / 15/ 1952	-114.35	-3.3	3171.65	01	12	7	01
	P	1 / 7 / 1953	-119.41	-5.06	3166.59	01	12	7	01
	P	1 / 5 / 1954	-122.5	-3.09	3163.5	01	12	7	01
	P	1 / 5 / 1955	-127.32	-4.82	3158.68	01	12	7	01
	P	1 / 10/ 1957	-138.39	-11.1	3147.61	01	12	7	01
	P	1 / 21/ 1958	-137.81	0.58	3148.19	01	12	7	01
	P	1 / 27/ 1960	-142.38	-4.57	3143.62	01	12	7	01
	P	1 / 30/ 1961	-144.45	-2.07	3141.55	01	04	1	
	P	1 / 12/ 1962	-146.1	-1.65	3139.9	01	01	1	
	P	1 / 10/ 1963	-149.68	-3.58	3136.32	01	06	1	
	P	1 / 24/ 1964	-152.6	-2.92	3133.4	01	06	1	
	P	1 / 22/ 1965	-155.23	-2.63	3130.77	01	06	1	
	P	2 / 2 / 1966	-158.36	-3.13	3127.64	01	06	1	
	P	1 / 9 / 1967	-162.07	-3.71	3123.93	01	01	1	
	P	1 / 10/ 1968	-171.78	-9.71	3114.22	01	01	1	
	P	1 / 15/ 1969	-166.14	5.64	3119.86	01	06	1	
	P	1 / 13/ 1970	-169.3	-3.16	3116.7	01	01	1	
	P	1 / 8 / 1971	-173.81	-4.51	3112.19	01	01	1	
	P	1 / 5 / 1972	-173.02	0.79	3112.98	01	06	1	
	P	1 / 20/ 1973	-174.59	-1.57	3111.41	01	06	1	
	P	1 / 16/ 1974	-180.26	-5.67	3105.74	01	06	1	04
	P	1 / 9 / 1975	-179.64	0.62	3106.36	01	06	1	
	P	1 / 14/ 1976	-182.11	-2.47	3103.89	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 4 / 1977	-184.91	-2.8	3101.09	01	06	1	
	P	1 / 10/ 1978	-190.22	-5.31	3095.78	01	06	1	
	P	1 / 24/ 1979	-191.01	-0.79	3094.99	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-191.01* **Max** *-85.67* **Avg** *-150.206*

1153702 *(Aquifer: 121OGLL Well Depth: 292)*

	P	0 / 0 / 1914	-46.5		3234.5	01	12	7	01
	P	3 / 29/ 1938	-52.54	-6.04	3228.46	01	12	7	01
	P	4 / 14/ 1938	-52.68	-0.14	3228.32	01	12	7	01
	P	5 / 26/ 1938	-52.74	-0.06	3228.26	01	12	7	01
	P	6 / 23/ 1938	-52.83	-0.09	3228.17	01	12	7	01
	P	8 / 12/ 1938	-53.87	-1.04	3227.13	01	12	7	01
	P	10 / 18/ 1938	-53.35	0.52	3227.65	01	12	7	01
	P	12 / 7 / 1938	-53.35		3227.65	01	12	7	01
	P	1 / 5 / 1939	-53.3	0.05	3227.7	01	12	7	01
	P	3 / 1 / 1939	-53.28	0.02	3227.72	01	12	7	01
	P	6 / 23/ 1939	-54.33	-1.05	3226.67	01	12	7	01
	P	10 / 4 / 1939	-54.88	-0.55	3226.12	01	12	7	01
	P	12 / 8 / 1939	-54.81	0.07	3226.19	01	12	7	01
	P	3 / 6 / 1940	-54.84	-0.03	3226.16	01	12	7	01
	P	11 / 16/ 1940	-55.95	-1.11	3225.05	01	12	7	01
	P	1 / 16/ 1941	-57.37	-1.42	3223.63	01	12	7	01
	P	3 / 11/ 1941	-55.82	1.55	3225.18	01	12	7	01
	P	7 / 23/ 1941	-54.98	0.84	3226.02	01	12	7	01
	P	12 / 22/ 1941	-55.04	-0.06	3225.96	01	12	7	01
	P	3 / 9 / 1942	-54.92	0.12	3226.08	01	12	7	01
	P	10 / 20/ 1942	-56.95	-2.03	3224.05	01	12	7	01
	P	2 / 2 / 1943	-55.64	1.31	3225.36	01	12	7	01
	P	2 / 15/ 1944	-57.9	-2.26	3223.1	01	12	7	01
	P	2 / 15/ 1945	-60.54	-2.64	3220.46	01	12	7	01
	P	2 / 25/ 1946	-65.39	-4.85	3215.61	01	12	7	01
	P	1 / 20/ 1947	-73.72	-8.33	3207.28	01	12	7	01
	P	3 / 19/ 1947	-72.49	1.23	3208.51	01	12	7	01
	P	3 / 1 / 1948	-79.87	-7.38	3201.13	01	12	7	01
	P	3 / 7 / 1949	-89.97	-10.1	3191.03	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/15/1950	-96.04	-6.07	3184.96	01	12	7	01
	P	1/16/1951	-94.95	1.09	3186.05	01	12	7	01
	P	1/15/1952	-99.27	-4.32	3181.73	01	12	7	01
	P	1/ 7/1953	-104.27	-5	3176.73	01	12	7	01
	P	1/ 5/1954	-108.32	-4.05	3172.68	01	12	7	01
	P	1/ 5/1956	-116.14	-7.82	3164.86	01	12	7	01
	P	1/10/1957	-123.67	-7.53	3157.33	01	12	7	01
	P	1/14/1958	-135.65	-12	3145.35	01	12	7	01
	P	1/ 2/1959	-127.4	8.25	3153.6	01	12	7	01
	P	1/27/1960	-131.49	-4.09	3149.51	01	12	7	01
	P	1/12/1962	-134.38	-2.89	3146.62	01	01	1	
	P	1/10/1963	-138.28	-3.9	3142.72	01	06	1	
	P	1/24/1964	-141.85	-3.57	3139.15	01	06	1	
	P	1/22/1965	-147.4	-5.55	3133.6	01	06	1	
	P	1/26/1966	-152.49	-5.09	3128.51	01	06	1	
	P	1/ 9/1967	-155.2	-2.71	3125.8	01	01	1	
	P	1/10/1968	-160.71	-5.51	3120.29	01	01	1	
	P	1/15/1969	-158.84	1.87	3122.16	01	06	1	
	P	1/13/1970	-162.28	-3.44	3118.72	01	01	1	
	P	1/ 8/1971	-165.17	-2.89	3115.83	01	01	1	
	P	1/ 5/1972	-166.07	-0.9	3114.93	01	06	1	
	P	1/20/1973	-168.42	-2.35	3112.58	01	06	1	
	P	1/16/1974	-172.83	-4.41	3108.17	01	06	1	
	P	1/ 9/1975	-174.32	-1.49	3106.68	01	06	1	
	P	1/ 6/1976	-176.71	-2.39	3104.29	01	06	1	
	P	1/ 4/1977	-181.1	-4.39	3099.9	01	06	1	
	P	1/10/1978	-183.84	-2.74	3097.16	01	06	1	
	P	1/24/1979	-185.51	-1.67	3095.49	01	06	1	
	P	1/ 8/1980	-186.04	-0.53	3094.96	01	06	1	
	P	1/14/1981	-191.98	-5.94	3089.02	01	06	1	
	P	1/15/1982	-193.49	-1.51	3087.51	01	06	1	
	P	2/15/1983	-197.94	-4.45	3083.06	01	06	1	
	P	1/16/1984	-199.25	-1.31	3081.75	01	06	2	
	P	1/18/1985	-201.36	-2.11	3079.64	01	06	2	
	P	1/24/1986	-202.2	-0.84	3078.8	01	06	2	
	P	2/12/1987	-201.45	0.75	3079.55	01	06	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 1988	-201.6	-0.15	3079.4	01	06	2	
	P	1 / 30/ 1989	-201.75	-0.15	3079.25	01	06	1	
	P	1 / 11/ 1990	-200.85	0.9	3080.15	01	06	1	
	P	2 / 11/ 1991	-203.4	-2.55	3077.6	01	06	1	
	P	2 / 12/ 1992	-205.94	-2.54	3075.06	01	06	1	
	P	2 / 8 / 1993	-206.66	-0.72	3074.34	01	06	1	
	P	1 / 26/ 1994	-209.65	-2.99	3071.35	01	06	1	
	P	2 / 7 / 1995	-214.37	-4.72	3066.63	01	06	1	
	P	1 / 29/ 1996	-215.55	-1.18	3065.45	01	06	1	
	P	2 / 3 / 1997	-218.85	-3.3	3062.15	01	06	1	
	P	1 / 16/ 1998	-218.79	0.06	3062.21	01	06	1	
	P	1 / 27/ 1999	-222	-3.21	3059	01	06	1	
	P	2 / 17/ 2000	-224.45	-2.45	3056.55	01	06	1	
	N	3 / 2 / 2001				01	06		51
	P	2 / 12/ 2002	-228.35		3052.65	01	06	1	
	P	3 / 4 / 2003	-230.35	-2	3050.65	01	06	1	
	P	2 / 18/ 2004	-233.87	-3.52	3047.13	01	06	1	
	P	2 / 14/ 2005	-234.75	-0.88	3046.25	01	06	1	
	P	2 / 15/ 2006	-236.68	-1.93	3044.32	01	06	1	
	N	3 / 21/ 2007				01	06	7	44
	N	2 / 28/ 2008				01	06	7	44
	N	2 / 18/ 2009				01	06	1	44
	N	1 / 19/ 2010				01	06	1	44

Min *-236.68* **Max** *-46.5* **Avg** *-135.35*

1153703 *(Aquifer: 121OGLL Well Depth: 216)*

	P	0 / 0 / 1914	-53		3230	01	12	7	01
	P	4 / 17/ 1934	-52.74	0.26	3230.26	01	12	7	01
	P	6 / 11/ 1937	-57.55	-4.81	3225.45	01	12	7	01
	P	11 / 23/ 1937	-58.19	-0.64	3224.81	01	12	7	01
	P	12 / 2 / 1937	-58.39	-0.2	3224.61	01	12	7	01
	P	1 / 4 / 1938	-57.9	0.49	3225.1	01	12	7	01
	P	3 / 10/ 1938	-58.58	-0.68	3224.42	01	12	7	01
	P	3 / 29/ 1938	-58.71	-0.13	3224.29	01	12	7	01
	P	7 / 23/ 1941	-63.87	-5.16	3219.13	01	12	7	01
	P	12 / 22/ 1941	-63.05	0.82	3219.95	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 9 / 1942	-62.53	0.52	3220.47	01	12	7	01
	P	10 / 20/ 1942	-65.26	-2.73	3217.74	01	12	7	01
	P	2 / 2 / 1943	-63.76	1.5	3219.24	01	12	7	01
	P	2 / 15/ 1944	-65.51	-1.75	3217.49	01	12	7	01
	P	2 / 11/ 1945	-68.22	-2.71	3214.78	01	12	7	01
	P	2 / 26/ 1946	-74.16	-5.94	3208.84	01	12	7	01
	P	3 / 19/ 1947	-81.66	-7.5	3201.34	01	12	7	01
	P	3 / 1 / 1948	-94.14	-12.5	3188.86	01	12	7	01
	P	3 / 7 / 1949	-102.96	-8.82	3180.04	01	12	7	01
	P	2 / 18/ 1950	-105.36	-2.4	3177.64	01	12	7	01
	P	1 / 16/ 1951	-107.56	-2.2	3175.44	01	12	7	01
	P	1 / 11/ 1952	-110.82	-3.26	3172.18	01	12	7	01
	P	1 / 7 / 1953	-114.99	-4.17	3168.01	01	12	7	01
	P	1 / 5 / 1954	-119.11	-4.12	3163.89	01	12	7	01
	P	1 / 5 / 1955	-124.32	-5.21	3158.68	01	12	7	01
	P	1 / 10/ 1957	-133.07	-8.75	3149.93	01	12	7	01
	P	1 / 14/ 1958	-138.26	-5.19	3144.74	01	12	7	01
	P	1 / 2 / 1959	-135.8	2.46	3147.2	01	12	7	01
	P	1 / 27/ 1960	-140.65	-4.85	3142.35	01	12	7	01
	P	1 / 30/ 1961	-142.74	-2.09	3140.26	01	04	1	01
	P	1 / 12/ 1962	-144.38	-1.64	3138.62	01	01	1	
	P	1 / 10/ 1963	-145.9	-1.52	3137.1	01	06	1	
	P	1 / 24/ 1964	-148.82	-2.92	3134.18	01	06	1	
	P	1 / 22/ 1965	-150.33	-1.51	3132.67	01	06	1	
	P	1 / 26/ 1966	-152.64	-2.31	3130.36	01	06	1	
	P	1 / 9 / 1967	-166.59	-14	3116.41	01	01	1	
	P	1 / 10/ 1968	-172.99	-6.4	3110.01	01	01	1	
	P	1 / 15/ 1969	-161.8	11.19	3121.2	01	06	1	
	P	1 / 13/ 1970	-163.65	-1.85	3119.35	01	01	1	
	P	1 / 8 / 1971	-165.62	-1.97	3117.38	01	01	1	
	P	1 / 5 / 1972	-167.49	-1.87	3115.51	01	06	1	
	P	1 / 20/ 1973	-169.39	-1.9	3113.61	01	06	1	
	P	1 / 16/ 1974	-170.89	-1.5	3112.11	01	06	1	
	N	1 / 9 / 1975				01	06	1	45
	N	9 / 19/ 1975				01	06	1	45

Min *-172.99* **Max** *-52.74* **Avg** *-109.613*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1153704	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	3 / 17/ 1947	-85		3205	01	12	7	01
	P	3 / 2 / 1948	-98.89	-13.9	3191.11	01	12	7	01
	P	3 / 8 / 1949	-107.29	-8.4	3182.71	01	12	7	01
	P	2 / 18/ 1950	-111.17	-3.88	3178.83	01	12	7	01
	P	1 / 17/ 1951	-113.66	-2.49	3176.34	01	12	7	01
	P	1 / 11/ 1952	-117.63	-3.97	3172.37	01	12	7	01
	P	1 / 8 / 1953	-122.21	-4.58	3167.79	01	12	7	01
	P	1 / 7 / 1954	-130.98	-8.77	3159.02	01	12	7	01
	P	1 / 8 / 1958	-144.79	-13.8	3145.21	01	12	7	01
	P	1 / 2 / 1959	-146.29	-1.5	3143.71	01	12	7	01
	P	1 / 27/ 1960	-152.6	-6.31	3137.4	01	12	7	01
	P	1 / 19/ 1962	-154.24	-1.64	3135.76	01	01	1	20
	P	1 / 9 / 1963	-156.73	-2.49	3133.27	01	06	1	
	P	1 / 22/ 1964	-157.83	-1.1	3132.17	01	06	1	
	N	1 / 6 / 1965				01	06		41
	N	1 / 26/ 1966				01	06	1	47
	N	1 / 10/ 1967				01	01	1	44
	N	1 / 9 / 1968				01	01	1	47
	N	1 / 15/ 1969				01	06		81

Min ***-157.83*** **Max** ***-85*** **Avg** ***-128.522***

1153705	*(Aquifer: 121OGLL*		*Well Depth: 403*	*)*					
	P	3 / 6 / 1969	-172.73		3116.27	01	06	1	
	P	1 / 12/ 1970	-176.79	-4.06	3112.21	01	01	1	
	P	1 / 9 / 1971	-183.3	-6.51	3105.7	01	01	1	
	P	1 / 1 / 1972	-183.5	-0.2	3105.5	01	06	1	
	P	1 / 17/ 1973	-183.09	0.41	3105.91	01	06	1	
	P	1 / 14/ 1974	-188.64	-5.55	3100.36	01	06	1	03
	P	1 / 13/ 1975	-193.66	-5.02	3095.34	01	06	1	
	P	1 / 15/ 1976	-199.39	-5.73	3089.61	01	06	1	
	P	1 / 3 / 1977	-206.52	-7.13	3082.48	01	06	1	
	P	1 / 5 / 1978	-212.94	-6.42	3076.06	01	06	1	
	P	1 / 11/ 1979	-221.86	-8.92	3067.14	01	06	1	
	P	1 / 12/ 1981	-229.34	-7.48	3059.66	01	06	1	
	P	1 / 15/ 1982	-229.99	-0.65	3059.01	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1983	-237.27	-7.28	3051.73	01	06	1	
	P	1/ 16/ 1984	-235.36	1.91	3053.64	01	06	1	
	P	1/ 18/ 1985	-237.7	-2.34	3051.3	01	06	1	
	P	1/ 24/ 1986	-236.57	1.13	3052.43	01	06	1	
	P	2/ 4/ 1987	-236.6	-0.03	3052.4	01	06	1	
	P	2/ 4/ 1988	-235.1	1.5	3053.9	01	06	1	
	P	1/ 30/ 1989	-236.6	-1.5	3052.4	01	06	2	
	P	1/ 11/ 1990	-238.43	-1.83	3050.57	01	06	1	
	P	2/ 11/ 1991	-239.95	-1.52	3049.05	01	06	1	
	P	2/ 12/ 1992	-241.67	-1.72	3047.33	01	06	1	
	P	2/ 8/ 1993	-241.52	0.15	3047.48	01	06	1	
	P	1/ 26/ 1994	-246.36	-4.84	3042.64	01	06	1	
	P	2/ 6/ 1995	-251.48	-5.12	3037.52	01	06	1	
	P	1/ 29/ 1996	-250.6	0.88	3038.4	01	06	1	
	P	2/ 5/ 1997	-253.79	-3.19	3035.21	01	06	1	
	P	1/ 16/ 1998	-253.75	0.04	3035.25	01	06	1	
	P	1/ 28/ 1999	-257	-3.25	3032	01	06	1	
	P	2/ 14/ 2000	-262.39	-5.39	3026.61	01	06	1	
	P	2/ 13/ 2001	-267.12	-4.73	3021.88	01	06	1	
	P	3/ 18/ 2002	-262.42	4.7	3026.58	01	06	1	
	P	3/ 4/ 2003	-268.62	-6.2	3020.38	01	06	1	
	P	2/ 18/ 2004	-272.18	-3.56	3016.82	01	06	1	
	P	2/ 17/ 2005	-270.98	1.2	3018.02	01	06	1	
	P	2/ 15/ 2006	-272.35	-1.37	3016.65	01	06	1	
	N	3/ 21/ 2007				01	06	7	44
	N	2/ 1/ 2008				01	06	7	44

Min *-272.35* **Max** *-172.73* **Avg** *-232.096*

1153706 *(Aquifer: 121OGLL Well Depth: 275)*

	P	10/ 27/ 1945	-78.26		3210.74	01	12	7	01
	P	3/ 17/ 1947	-83.2	-4.94	3205.8	01	12	7	01
	P	3/ 2/ 1948	-95.98	-12.8	3193.02	01	12	7	01
	P	3/ 8/ 1949	-104.99	-9.01	3184.01	01	12	7	01
	P	1/ 17/ 1951	-110.24	-5.25	3178.76	01	12	7	01
	P	1/ 11/ 1952	-116.58	-6.34	3172.42	01	12	7	01
	P	1/ 8/ 1953	-121.36	-4.78	3167.64	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1954	-126.5	-5.14	3162.5	01	12	7	01
	P	1/ 3/1955	-137.9	-11.4	3151.1	01	12	7	01
	P	1/ 5/1956	-134.66	3.24	3154.34	01	12	7	01
	P	1/14/1957	-142.05	-7.39	3146.95	01	12	7	01
	P	1/ 8/1958	-143.62	-1.57	3145.38	01	12	7	01
	P	1/ 2/1959	-144.58	-0.96	3144.42	01	12	7	01
	P	1/27/1960	-148.99	-4.41	3140.01	01	12	7	01
	P	1/26/1961	-150.43	-1.44	3138.57	01	04	1	
	P	1/19/1962	-151.84	-1.41	3137.16	01	01	1	
	P	1/ 9/1963	-154.31	-2.47	3134.69	01	06	1	
	P	1/22/1964	-160.17	-5.86	3128.83	01	06	1	
	P	1/15/1965	-163.72	-3.55	3125.28	01	06	1	
	P	1/26/1966	-167.49	-3.77	3121.51	01	06	1	
	N	1/ 9/1967				01	01		63
	N	1/ 9/1968				01	01		63
	N	1/23/1969				01	06		63

Min *-167.49* **Max** *-78.26* **Avg** *-131.844*

1153707 *(Aquifer: 121OGLL Well Depth: 408)*

	P	1/18/2010	-287.39		3003.61	01	06	1	
	P	1/24/2011	-286.75	0.64	3004.25	01	06	1	
	P	2/ 6/2012	-294.92	-8.17	2996.08	01	06	1	

Min *-294.92* **Max** *-286.75* **Avg** *-289.687*

1153801 *(Aquifer: 121OGLL Well Depth: 200)*

	P	4/17/1945	-74		3210	01	12	7	
	P	3/17/1947	-86	-12	3198	01	12	7	
	P	3/ 7/1948	-99.9	-13.9	3184.1	01	12	7	
	P	3/ 7/1949	-109.67	-9.77	3174.33	01	12	7	
	P	2/15/1950	-113.44	-3.77	3170.56	01	12	7	
	P	1/11/1952	-118.97	-5.53	3165.03	01	12	7	
	P	1/ 7/1953	-123.12	-4.15	3160.88	01	12	7	
	P	1/ 5/1954	-127.1	-3.98	3156.9	01	12	7	
	P	1/ 6/1955	-132.81	-5.71	3151.19	01	12	7	

Min *-132.81* **Max** *-74* **Avg** *-109.446*

1153802 *(Aquifer: 121OGLL Well Depth: 277)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/ 6/1979	-153.06		3122.94	01	06	1	
	P	1/ 7/1980	-152.72	0.34	3123.28	01	06	1	
	P	1/14/1981	-152.84	-0.12	3123.16	01	06	1	
	P	1/18/1982	-152.67	0.17	3123.33	01	06	1	
	P	2/16/1983	-152.92	-0.25	3123.08	01	06	1	
	P	1/16/1984	-152.36	0.56	3123.64	01	06	1	
	P	1/18/1985	-153.14	-0.78	3122.86	01	06	1	
	P	1/24/1986	-152.63	0.51	3123.37	01	06	1	
	P	2/ 5/1987	-152.76	-0.13	3123.24	01	06	1	
	P	2/ 4/1988	-152.78	-0.02	3123.22	01	06	1	
	P	1/30/1989	-153.47	-0.69	3122.53	01	06	1	
	P	1/11/1990	-152.73	0.74	3123.27	01	06	1	
	P	2/11/1991	-152.85	-0.12	3123.15	01	06	1	
	P	2/12/1992	-153.61	-0.76	3122.39	01	06	1	
	P	2/ 8/1993	-153.2	0.41	3122.8	01	06	1	
	P	1/20/1994	-152.9	0.3	3123.1	01	06	1	
	P	2/ 7/1995	-154.55	-1.65	3121.45	01	06	1	
	P	1/30/1996	-153.82	0.73	3122.18	01	06	1	
	P	2/ 5/1997	-153.17	0.65	3122.83	01	06	1	
	P	1/15/1998	-153.22	-0.05	3122.78	01	06	1	
	P	1/28/1999	-153	0.22	3123	01	06	1	
	P	2/17/2000	-154.09	-1.09	3121.91	01	06	1	
	P	2/12/2001	-154.46	-0.37	3121.54	01	06	1	
	P	2/13/2002	-153.53	0.93	3122.47	01	06	1	
	P	3/ 3/2003	-153.75	-0.22	3122.25	01	06	1	
	P	2/17/2004	-154.78	-1.03	3121.22	01	06	1	
	P	2/14/2005	-155.08	-0.3	3120.92	01	06	1	
	P	2/14/2006	-153.85	1.23	3122.15	01	06	1	
	P	2/ 8/2007	-154.72	-0.87	3121.28	01	06	1	
	P	2/28/2008	-153.99	0.73	3122.01	01	06	1	
	P	2/17/2009	-154.36	-0.37	3121.64	01	06	1	
	P	1/21/2010	-154.09	0.27	3121.91	01	06	1	
	P	1/21/2011	-154.2	-0.11	3121.8	01	06	1	
	P	2/ 7/2012	-154.33	-0.13	3121.67	01	06	1	

Min ***-155.08*** **Max** ***-152.36*** **Avg** ***-153.519***

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1153902	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	10 / 1 / 1937	-61.88		3207.12	01	12	7	01
	P	11 / 1 / 1937	-61.9	-0.02	3207.1	01	12	7	01
	P	12 / 2 / 1937	-61.93	-0.03	3207.07	01	12	7	01
	P	1 / 4 / 1938	-61.97	-0.04	3207.03	01	12	7	01
	P	3 / 11 / 1938	-62.06	-0.09	3206.94	01	12	7	01
	P	4 / 13 / 1938	-62.1	-0.04	3206.9	01	12	7	01
	P	5 / 26 / 1938	-62.19	-0.09	3206.81	01	12	7	01
	P	6 / 24 / 1938	-62.24	-0.05	3206.76	01	12	7	01
	P	8 / 12 / 1938	-62.32	-0.08	3206.68	01	12	7	01
	P	10 / 17 / 1938	-62.46	-0.14	3206.54	01	12	7	01
	P	12 / 5 / 1938	-62.53	-0.07	3206.47	01	12	7	01
	P	1 / 3 / 1939	-62.59	-0.06	3206.41	01	12	7	01
	P	3 / 2 / 1939	-62.7	-0.11	3206.3	01	12	7	01
	P	5 / 21 / 1939	-62.96	-0.26	3206.04	01	12	7	01
	P	6 / 26 / 1939	-62.98	-0.02	3206.02	01	12	7	01
	P	7 / 24 / 1939	-63.01	-0.03	3205.99	01	12	7	01
	P	8 / 14 / 1939	-63.05	-0.04	3205.95	01	12	7	01
	P	10 / 4 / 1939	-63.17	-0.12	3205.83	01	12	7	01
	P	12 / 8 / 1939	-63.29	-0.12	3205.71	01	12	7	01
	P	1 / 13 / 1940	-63.41	-0.12	3205.59	01	12	7	01
	P	3 / 6 / 1940	-63.54	-0.13	3205.46	01	12	7	01
	P	10 / 27 / 1940	-64.18	-0.64	3204.82	01	12	7	01
	P	11 / 15 / 1940	-64.23	-0.05	3204.77	01	12	7	01
	P	12 / 21 / 1940	-64.34	-0.11	3204.66	01	12	7	01
	P	1 / 20 / 1941	-64.43	-0.09	3204.57	01	12	7	01
	P	3 / 11 / 1941	-64.6	-0.17	3204.4	01	12	7	01
	P	6 / 2 / 1941	-64.91	-0.31	3204.09	01	12	7	01
	P	7 / 23 / 1941	-64.81	0.1	3204.19	01	12	7	01
	P	12 / 20 / 1941	-63.55	1.26	3205.45	01	12	7	01
	P	3 / 11 / 1942	-63.2	0.35	3205.8	01	12	7	01
	P	7 / 24 / 1942	-62.79	0.41	3206.21	01	12	7	01
	P	10 / 20 / 1942	-62.83	-0.04	3206.17	01	12	7	01
	P	2 / 2 / 1943	-62.67	0.16	3206.33	01	12	7	01
	P	2 / 15 / 1944	-63.68	-1.01	3205.32	01	12	7	01
	P	2 / 14 / 1945	-65.02	-1.34	3203.98	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 26/ 1946	-66.38	-1.36	3202.62	01	12	7	01
	P	1 / 20/ 1947	-67.65	-1.27	3201.35	01	12	7	01
	P	3 / 19/ 1947	-67.97	-0.32	3201.03	01	12	7	01
	P	3 / 2 / 1948	-73.3	-5.33	3195.7	01	12	7	01
	P	3 / 7 / 1949	-79	-5.7	3190	01	12	7	01

Min *-79* **Max** *-61.88* **Avg** *-64.0955*

1153903 *(Aquifer: 121OGLL Well Depth: 212)*

	P	10 / 13/ 1970	-158.4		3098.6	01	06	1	
	P	1 / 7 / 1971	-157.58	0.82	3099.42	01	01	1	
	P	1 / 5 / 1972	-159.56	-1.98	3097.44	01	06	1	
	P	1 / 17/ 1973	-160.66	-1.1	3096.34	01	06	1	
	P	1 / 16/ 1974	-161.52	-0.86	3095.48	01	06	1	
	P	1 / 13/ 1975	-162.1	-0.58	3094.9	01	06	1	
	P	1 / 8 / 1976	-161.56	0.54	3095.44	01	06	1	
	P	1 / 4 / 1977	-162.7	-1.14	3094.3	01	06	1	
	P	1 / 10/ 1978	-162.97	-0.27	3094.03	01	06	1	
	P	1 / 24/ 1979	-163.19	-0.22	3093.81	01	06	1	
	P	1 / 7 / 1980	-162.78	0.41	3094.22	01	06	1	
	P	1 / 14/ 1981	-162.9	-0.12	3094.1	01	06	1	
	P	1 / 18/ 1982	-162.08	0.82	3094.92	01	06	1	
	P	2 / 16/ 1983	-163.38	-1.3	3093.62	01	06	1	
	P	1 / 16/ 1984	-161.86	1.52	3095.14	01	06	1	
	P	1 / 18/ 1985	-161.81	0.05	3095.19	01	06	1	
	P	1 / 24/ 1986	-160.98	0.83	3096.02	01	06	1	
	P	1 / 5 / 1987	-161.56	-0.58	3095.44	01	06	1	
	P	2 / 4 / 1988	-159.35	2.21	3097.65	01	06	1	
	P	1 / 30/ 1989	-155.15	4.2	3101.85	01	06	2	
	P	1 / 11/ 1990	-155.35	-0.2	3101.65	01	06	1	
	P	2 / 11/ 1991	-154.75	0.6	3102.25	01	06	1	
	P	2 / 12/ 1992	-154.14	0.61	3102.86	01	06	1	
	P	2 / 8 / 1993	-157.72	-3.58	3099.28	01	06	1	
	P	1 / 26/ 1994	-159.54	-1.82	3097.46	01	06	1	
	N	2 / 7 / 1995				01	06	7	44

Min *-163.38* **Max** *-154.14* **Avg** *-160.144*

1153904 *(Aquifer: 121OGLL Well Depth: 210)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/ 9/1995	-158.2		3102.8	01	06	1	
	P	1/30/1996	-158.93	-0.73	3102.07	01	06	1	
	P	2/ 5/1997	-159.78	-0.85	3101.22	01	06	1	
	P	1/15/1998	-158.26	1.52	3102.74	01	06	1	
	P	1/28/1999	-159	-0.74	3102	01	06	1	
	P	2/11/2000	-158.31	0.69	3102.69	01	06	1	
	P	2/ 6/2001	-158.31		3102.69	01	06	1	
	P	2/13/2002	-158.44	-0.13	3102.56	01	06	1	
	P	3/ 3/2003	-158.35	0.09	3102.65	01	06	1	
	P	2/18/2004	-157.95	0.4	3103.05	01	06	1	
	P	2/14/2005	-158.08	-0.13	3102.92	01	06	1	
	P	2/14/2006	-157.55	0.53	3103.45	01	06	1	
	P	2/ 9/2007	-158.55	-1	3102.45	01	06	1	
	P	2/14/2008	-158.41	0.14	3102.59	01	06	1	
	P	2/17/2009	-157.84	0.57	3103.16	01	06	1	
	P	1/19/2010	-159.39	-1.55	3101.61	01	06	1	
	P	1/19/2011	-159.2	0.19	3101.8	01	06	1	
	P	2/15/2012	-165.83	-6.63	3095.17	01	06	1	

Min *-165.83* **Max** *-157.55* **Avg** *-158.91*

1154101 *(Aquifer: 121OGLL Well Depth: 261)*

	P	5/ 2/1972	-207.19		3028.81	01	06	1	
	P	1/17/1973	-204.89	2.3	3031.11	01	06	1	
	P	1/16/1974	-206.31	-1.42	3029.69	01	06	1	
	P	1/ 9/1975	-208.64	-2.33	3027.36	01	06	1	
	P	1/ 6/1976	-210.37	-1.73	3025.63	01	06	1	
	P	1/ 4/1977	-211.73	-1.36	3024.27	01	06	1	
	P	1/ 9/1978	-212.78	-1.05	3023.22	01	06	1	
	P	1/24/1979	-213.86	-1.08	3022.14	01	06	1	
	P	1/ 8/1980	-213.35	0.51	3022.65	01	06	1	
	P	1/16/1981	-217.99	-4.64	3018.01	01	06	1	
	P	1/18/1982	-216.72	1.27	3019.28	01	06	1	
	P	2/15/1983	-218.72	-2	3017.28	01	06	1	
	P	1/26/1984	-217.95	0.77	3018.05	01	06	1	
	P	1/17/1985	-218.81	-0.86	3017.19	01	06	1	
	P	1/27/1986	-220.13	-1.32	3015.87	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 5/1987	-218.85	1.28	3017.15	01	06	1	
	P	2/ 8/1988	-218.97	-0.12	3017.03	01	06	1	
	P	1/26/1989	-219.15	-0.18	3016.85	01	06	2	
	P	1/10/1990	-219.28	-0.13	3016.72	01	06	1	
	P	2/13/1991	-219.33	-0.05	3016.67	01	06	1	
	P	2/12/1992	-220.19	-0.86	3015.81	01	06	1	
	P	2/ 8/1993	-220.65	-0.46	3015.35	01	06	1	
	P	1/27/1994	-221.11	-0.46	3014.89	01	06	1	
	P	2/ 7/1995	-222.12	-1.01	3013.88	01	06	1	
	P	1/30/1996	-223.24	-1.12	3012.76	01	06	1	
	P	2/10/1997	-224.43	-1.19	3011.57	01	06	1	
	P	1/14/1998	-224.23	0.2	3011.77	01	06	1	
	P	1/27/1999	-224	0.23	3012	01	06	1	
	P	2/14/2000	-224.45	-0.45	3011.55	01	06	1	
	P	2/ 6/2001	-225.2	-0.75	3010.8	01	06	1	
	P	2/13/2002	-226.44	-1.24	3009.56	01	06	1	
	P	3/ 3/2003	-225.48	0.96	3010.52	01	06	1	
	P	2/18/2004	-225.72	-0.24	3010.28	01	06	1	
	P	2/15/2005	-226.48	-0.76	3009.52	01	06	1	
	P	2/13/2006	-226.52	-0.04	3009.48	01	06	1	
	P	2/ 9/2007	-227.13	-0.61	3008.87	01	06	1	
	P	2/14/2008	-227.16	-0.03	3008.84	01	06	1	
	P	2/17/2009	-227.71	-0.55	3008.29	01	06	1	
	P	1/19/2010	-227.85	-0.14	3008.15	01	06	1	
	P	1/19/2011	-227.86	-0.01	3008.14	01	06	1	
	P	1/24/2012	-227.99	-0.13	3008.01	01	06	1	

Min *-227.99* **Max** *-204.89* **Avg** *-220.024*

1154201 *(Aquifer: 121OGLL Well Depth:)*

	P	3/30/2000	-221.62		2996.38	01	01	1	

Min *-221.62* **Max** *-221.62* **Avg** *-221.62*

1154202 *(Aquifer: 121OGLL Well Depth:)*

	P	3/ 2/1992	-244.3		2968.7	01	06	1	
	P	2/ 8/1993	-234.3	10	2978.7	01	06	1	
	P	1/27/1994	-234.44	-0.14	2978.56	01	06	1	
	P	2/ 7/1995	-234.58	-0.14	2978.42	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 30/ 1996	-234.72	-0.14	2978.28	01	06	1	
	P	2 / 10/ 1997	-235.79	-1.07	2977.21	01	06	1	
	P	1 / 15/ 1998	-235.02	0.77	2977.98	01	06	1	
	P	1 / 26/ 1999	-236	-0.98	2977	01	06	1	
	P	2 / 10/ 2000	-234.89	1.11	2978.11	01	06	1	
	P	2 / 6 / 2001	-235.05	-0.16	2977.95	01	06	1	
	P	2 / 13/ 2002	-235.17	-0.12	2977.83	01	06	1	
	P	2 / 27/ 2003	-235.2	-0.03	2977.8	01	06	1	
	P	2 / 18/ 2004	-236.3	-1.1	2976.7	01	06	1	
	P	2 / 15/ 2005	-235.54	0.76	2977.46	01	06	1	
	P	2 / 15/ 2006	-235.5	0.04	2977.5	01	06	1	
	P	2 / 9 / 2007	-235.69	-0.19	2977.31	01	06	1	
	P	2 / 13/ 2008	-235.4	0.29	2977.6	01	06	1	
	P	2 / 17/ 2009	-235.73	-0.33	2977.27	01	06	1	
	P	2 / 25/ 2010	-241.82	-6.09	2971.18	01	06	1	
	P	1 / 21/ 2011	-235.27	6.55	2977.73	01	06	1	
	P	1 / 24/ 2012	-235.31	-0.04	2977.69	01	06	1	

Min *-244.3* **Max** *-234.3* **Avg** *-236.001*

1154301 *(Aquifer: 121OGLL Well Depth: 410)*

	P	8 / 14/ 1939	-192.04		3005.96	01	12	7	01
	P	3 / 7 / 1947	-192.37	-0.33	3005.63	01	12	7	01
	P	3 / 12/ 1948	-192.92	-0.55	3005.08	01	12	7	01
	P	3 / 10/ 1949	-193.52	-0.6	3004.48	01	12	7	01
	P	2 / 15/ 1950	-193.4	0.12	3004.6	01	12	7	01
	P	1 / 17/ 1951	-193.77	-0.37	3004.23	01	12	7	01
	P	1 / 15/ 1952	-195.3	-1.53	3002.7	01	12	7	01
	P	1 / 9 / 1953	-196.46	-1.16	3001.54	01	12	7	01
	P	1 / 7 / 1954	-205.5	-9.04	2992.5	01	12	7	01
	P	1 / 7 / 1955	-215.03	-9.53	2982.97	01	12	7	01
	P	1 / 5 / 1956	-203.59	11.44	2994.41	01	12	7	01
	P	1 / 14/ 1958	-216	-12.4	2982	01	12	7	01
	P	1 / 5 / 1959	-215.55	0.45	2982.45	01	12	7	01
	P	1 / 18/ 1962	-209.24	6.31	2988.76	01	01	1	
	N	1 / 21/ 1963				01	06	1	45
	P	2 / 12/ 1964	-223.87		2974.13	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 17/ 1965	-233.58	-9.71	2964.42	01	06	1	
	P	2 / 1 / 1966	-230.48	3.1	2967.52	01	06	1	
	P	1 / 10/ 1967	-231.71	-1.23	2966.29	01	01	1	
	P	1 / 5 / 1968	-236.76	-5.05	2961.24	01	01	1	
	N	1 / 13/ 1969				01	06		40
	P	1 / 2 / 1972	-260.83		2937.17	01	06	1	

Min *-260.83* **Max** *-192.04* **Avg** *-211.596*

1154302 *(Aquifer: 121OGLL Well Depth: 332)*

	P	10 / 13/ 1970	-255.92		2945.08	01	06	1	
	P	1 / 6 / 1971	-258.8	-2.88	2942.2	01	01	1	
	P	1 / 2 / 1972	-260.83	-2.03	2940.17	01	06	1	
	P	1 / 19/ 1973	-249.21	11.62	2951.79	01	06	1	
	P	1 / 16/ 1974	-253.32	-4.11	2947.68	01	06	1	
	P	1 / 3 / 1975	-256.2	-2.88	2944.8	01	06	1	
	P	1 / 6 / 1976	-255.11	1.09	2945.89	01	06	1	
	P	1 / 4 / 1977	-259.69	-4.58	2941.31	01	06	1	
	P	1 / 9 / 1978	-257.83	1.86	2943.17	01	06	1	
	P	1 / 24/ 1979	-259.81	-1.98	2941.19	01	06	1	
	P	1 / 7 / 1980	-261.13	-1.32	2939.87	01	06	1	
	P	1 / 16/ 1981	-264.06	-2.93	2936.94	01	06	1	
	P	1 / 18/ 1982	-263.88	0.18	2937.12	01	06	1	
	P	2 / 15/ 1983	-265.91	-2.03	2935.09	01	06	1	
	P	1 / 26/ 1984	-266.95	-1.04	2934.05	01	06	1	
	P	1 / 17/ 1985	-267.91	-0.96	2933.09	01	06	1	
	P	1 / 27/ 1986	-266.94	0.97	2934.06	01	06	1	
	P	2 / 5 / 1987	-266.1	0.84	2934.9	01	06	1	
	P	2 / 8 / 1988	-265.92	0.18	2935.08	01	06	2	
	P	1 / 26/ 1989	-266.62	-0.7	2934.38	01	06	1	
	P	1 / 10/ 1990	-265.94	0.68	2935.06	01	06	1	
	P	2 / 13/ 1991	-266.54	-0.6	2934.46	01	06	1	
	P	2 / 13/ 1992	-270.16	-3.62	2930.84	01	06	1	
	P	2 / 8 / 1993	-266.25	3.91	2934.75	01	06	1	
	P	1 / 27/ 1994	-266.49	-0.24	2934.51	01	06	1	
	P	2 / 7 / 1995	-270.98	-4.49	2930.02	01	06	1	
	P	1 / 30/ 1996	-272.99	-2.01	2928.01	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1997	-275.58	-2.59	2925.42	01	06	1	
	P	2 / 24/ 1998	-268.07	7.51	2932.93	01	06	1	
	P	1 / 26/ 1999	-269	-0.93	2932	01	06	1	
	P	2 / 10/ 2000	-268.63	0.37	2932.37	01	06	1	
	P	1 / 11/ 2001	-269.3	-0.67	2931.7	01	06	1	
	N	2 / 13/ 2002				01	06	7	44
	N	2 / 27/ 2003				01	06	7	44
	N	2 / 11/ 2004				01	06	1	44
	N	2 / 15/ 2005				01	06	1	44
	N	2 / 13/ 2006				01	06	7	44
	N	2 / 12/ 2007				01	06	7	44
	N	2 / 13/ 2008				01	06	7	44

Min *-275.58* **Max** *-249.21* **Avg** *-264.127*

1154303 *(Aquifer: 121OGLL Well Depth: 318)*

	P	11 / 14/ 1979	-245.47		2962.53	01	06	1	
	P	1 / 8 / 1980	-244.83	0.64	2963.17	01	06	1	
	P	1 / 16/ 1981	-250.73	-5.9	2957.27	01	06	1	
	P	1 / 18/ 1982	-248.79	1.94	2959.21	01	06	1	
	P	2 / 15/ 1983	-251.68	-2.89	2956.32	01	06	1	
	P	1 / 26/ 1984	-253.75	-2.07	2954.25	01	06	1	
	P	1 / 17/ 1985	-255.16	-1.41	2952.84	01	06	1	
	P	1 / 28/ 1986	-253.1	2.06	2954.9	01	06	1	
	P	2 / 5 / 1987	-253.64	-0.54	2954.36	01	06	1	
	P	2 / 8 / 1988	-252.44	1.2	2955.56	01	06	1	
	P	1 / 26/ 1989	-252.85	-0.41	2955.15	01	06	1	
	P	1 / 10/ 1990	-254.59	-1.74	2953.41	01	06	1	
	P	2 / 13/ 1991	-255.85	-1.26	2952.15	01	06	1	
	N	2 / 13/ 1992				01	06	7	44

Min *-255.85* **Max** *-244.83* **Avg** *-251.76*

1154304 *(Aquifer: 121OGLL Well Depth: 325)*

	P	2 / 13/ 2006	-267.1		2933.9	01	06	1	
	P	2 / 12/ 2007	-267.45	-0.35	2933.55	01	06	1	
	P	2 / 13/ 2008	-267.82	-0.37	2933.18	01	06	1	
	P	1 / 19/ 2010	-269.08	-1.26	2931.92	01	06	1	
	P	1 / 21/ 2011	-268.79	0.29	2932.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 29/ 2012	-270.77	-1.98	2930.23	01	06	1	

Min *-270.77* **Max** *-267.1* **Avg** *-268.502*

1154401 *(Aquifer: 121OGLL Well Depth: 209)*

	P	1 / 18/ 1962	-165.32		3093.68	01	01	1	
	P	1 / 21/ 1963	-166.29	-0.97	3092.71	01	06	1	
	P	2 / 12/ 1964	-168.26	-1.97	3090.74	01	06	1	
	P	2 / 16/ 1965	-169.88	-1.62	3089.12	01	06	1	
	P	2 / 2 / 1966	-171.98	-2.1	3087.02	01	06	1	
	P	1 / 10/ 1967	-174.19	-2.21	3084.81	01	01	1	
	P	1 / 11/ 1968	-174.12	0.07	3084.88	01	01	1	
	P	1 / 15/ 1969	-174.3	-0.18	3084.7	01	06	1	
	P	1 / 14/ 1970	-175.48	-1.18	3083.52	01	01	1	
	P	1 / 7 / 1971	-177.04	-1.56	3081.96	01	01	1	
	P	1 / 6 / 1972	-178.29	-1.25	3080.71	01	06	1	
	P	1 / 17/ 1973	-179.28	-0.99	3079.72	01	06	1	
	P	1 / 16/ 1974	-179.8	-0.52	3079.2	01	06	1	
	P	1 / 13/ 1975	-180.94	-1.14	3078.06	01	06	1	
	P	1 / 8 / 1976	-181.32	-0.38	3077.68	01	06	1	
	P	1 / 4 / 1977	-183.36	-2.04	3075.64	01	06	1	
	P	1 / 9 / 1978	-182.1	1.26	3076.9	01	06	1	
	P	1 / 24/ 1979	-182.61	-0.51	3076.39	01	06	1	
	P	1 / 8 / 1980	-183.66	-1.05	3075.34	01	06	1	
	P	1 / 14/ 1981	-183.05	0.61	3075.95	01	06	1	
	P	1 / 18/ 1982	-183.29	-0.24	3075.71	01	06	1	
	P	2 / 16/ 1983	-183.6	-0.31	3075.4	01	06	1	
	P	1 / 26/ 1984	-183.77	-0.17	3075.23	01	06	1	
	P	1 / 17/ 1985	-183.42	0.35	3075.58	01	06	1	
	P	1 / 28/ 1986	-184.08	-0.66	3074.92	01	06	1	
	N	2 / 5 / 1987				01	06		51
	N	2 / 8 / 1988				01	06		51

Min *-184.08* **Max** *-165.32* **Avg** *-177.977*

1154402 *(Aquifer: 121OGLL Well Depth: 210)*

	P	2 / 5 / 1987	-184.22		3072.78	01	06	1	
	P	2 / 8 / 1988	-184.02	0.2	3072.98	01	06	1	
	P	1 / 26/ 1989	-184.36	-0.34	3072.64	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1990	-184.2	0.16	3072.8	01	06	1	
	P	2/ 12/ 1991	-183.86	0.34	3073.14	01	06	1	
	P	2/ 12/ 1992	-183.92	-0.06	3073.08	01	06	1	
	P	2/ 8/ 1993	-184.29	-0.37	3072.71	01	06	1	
	P	1/ 27/ 1994	-184.62	-0.33	3072.38	01	06	1	
	P	2/ 7/ 1995	-184.77	-0.15	3072.23	01	06	1	
	P	1/ 30/ 1996	-184.91	-0.14	3072.09	01	06	1	
	P	2/ 10/ 1997	-185.01	-0.1	3071.99	01	06	1	
	P	1/ 15/ 1998	-184.87	0.14	3072.13	01	06	1	
	P	2/ 25/ 1999	-185	-0.13	3072	01	06	1	
	P	2/ 11/ 2000	-185.05	-0.05	3071.95	01	06	1	
	P	2/ 6/ 2001	-185.21	-0.16	3071.79	01	06	1	
	P	2/ 13/ 2002	-185.39	-0.18	3071.61	01	06	1	
	P	3/ 3/ 2003	-185.31	0.08	3071.69	01	06	1	
	P	2/ 18/ 2004	-186.75	-1.44	3070.25	01	06	1	
	P	2/ 14/ 2005	-185.77	0.98	3071.23	01	06	1	
	P	2/ 13/ 2006	-185.81	-0.04	3071.19	01	06	1	
	P	2/ 9/ 2007	-186.75	-0.94	3070.25	01	06	1	
	P	2/ 14/ 2008	-186.34	0.41	3070.66	01	06	1	
	P	2/ 17/ 2009	-186.53	-0.19	3070.47	01	06	1	
	P	1/ 19/ 2010	-186.78	-0.25	3070.22	01	06	1	
	P	1/ 19/ 2011	-186.83	-0.05	3070.17	01	06	1	
	P	2/ 7/ 2012	-187.14	-0.31	3069.86	01	06	1	

Min *-187.14* **Max** *-183.86* **Avg** *-185.297*

1154501 *(Aquifer: 121OGLL Well Depth: 306)*

	P	2/ 12/ 1953	-140		3084	01	07	7	

Min *-140* **Max** *-140* **Avg** *-140*

1154502 *(Aquifer: 121OGLL Well Depth: 300)*

	N	6/ 8/ 2004				01	01		42

Min **Max** **Avg**

1154601 *(Aquifer: 121OGLL Well Depth: 331)*

	P	11/ 12/ 1979	-246.87		2962.13	01	07	7	
	P	11/ 14/ 1979	-246.87		2962.13	01	06	1	
	P	1/ 7/ 1980	-246.46	0.41	2962.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1981	-247.28	-0.82	2961.72	01	06	1	
	P	1 / 18/ 1982	-247.05	0.23	2961.95	01	06	1	
	P	2 / 16/ 1983	-247.7	-0.65	2961.3	01	06	1	
	P	1 / 26/ 1984	-246.85	0.85	2962.15	01	06	1	
	P	1 / 17/ 1985	-247.05	-0.2	2961.95	01	06	1	
	P	1 / 27/ 1986	-246.31	0.74	2962.69	01	06	1	
	P	2 / 5 / 1987	-246.42	-0.11	2962.58	01	06	1	
	P	2 / 4 / 1988	-245.13	1.29	2963.87	01	06	1	
	P	1 / 26/ 1989	-244.44	0.69	2964.56	01	06	2	
	P	1 / 10/ 1990	-244.43	0.01	2964.57	01	06	1	
	P	2 / 13/ 1991	-245.82	-1.39	2963.18	01	06	1	
	P	2 / 13/ 1992	-244.01	1.81	2964.99	01	06	1	
	P	2 / 8 / 1993	-242.87	1.14	2966.13	01	06	1	
	P	1 / 27/ 1994	-242.69	0.18	2966.31	01	06	1	
	P	2 / 7 / 1995	-243.53	-0.84	2965.47	01	06	1	
	P	1 / 30/ 1996	-242.93	0.6	2966.07	01	06	1	
	P	2 / 10/ 1997	-243.37	-0.44	2965.63	01	06	1	
	P	1 / 15/ 1998	-242.37	1	2966.63	01	06	1	
	P	1 / 26/ 1999	-242	0.37	2967	01	06	1	
	N	3 / 17/ 2000				01	06		41
	P	2 / 6 / 2001	-242.08		2966.92	01	06	1	
	P	3 / 18/ 2002	-242.3	-0.22	2966.7	01	06	1	
	P	2 / 27/ 2003	-241.85	0.45	2967.15	01	06	1	
	P	2 / 11/ 2004	-243.33	-1.48	2965.67	01	06	1	
	P	2 / 14/ 2005	-242.79	0.54	2966.21	01	06	1	
	P	2 / 13/ 2006	-242.04	0.75	2966.96	01	06	1	
	P	2 / 12/ 2007	-241.34	0.7	2967.66	01	06	1	
	P	2 / 14/ 2008	-241.49	-0.15	2967.51	01	06	1	
	P	2 / 12/ 2009	-241.18	0.31	2967.82	01	06	1	
	P	1 / 19/ 2010	-242.96	-1.78	2966.04	01	06	1	
	P	1 / 21/ 2011	-242.98	-0.02	2966.02	01	06	1	
	P	2 / 7 / 2012	-243.32	-0.34	2965.68	01	06	1	

Min *-247.7* **Max** *-241.18* **Avg** *-244.121*

1154701 *(Aquifer: 121OGFA Well Depth: 281)*

	P	6 / 1 / 1983	-206.1		3044.9	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-206.1*		**Max** *-206.1*	**Avg** *-206.1*						
1154801	*(Aquifer: 121OGLL*		*Well Depth: 252)*						
	P	6 / 30/ 1965	-160		3061	01	07	7	
	P	1 / 23/ 1973	-171.44	-11.4	3049.56	01	06	1	
	P	1 / 16/ 1974	-171.98	-0.54	3049.02	01	06	1	
	P	1 / 13/ 1975	-174.46	-2.48	3046.54	01	06	1	
	P	1 / 8 / 1976	-173.61	0.85	3047.39	01	06	1	
	P	1 / 4 / 1977	-175.01	-1.4	3045.99	01	06	1	
	P	1 / 9 / 1978	-173.88	1.13	3047.12	01	06	1	
	P	1 / 12/ 1979	-174.04	-0.16	3046.96	01	06	1	
	P	1 / 7 / 1980	-175.72	-1.68	3045.28	01	06	1	04
	P	1 / 14/ 1981	-175.87	-0.15	3045.13	01	06	1	
	P	1 / 8 / 1982	-175.29	0.58	3045.71	01	06	1	
	N	2 / 16/ 1983				01	06		61
	N	4 / 22/ 1983				01	06		64
Min *-175.87*		**Max** *-160*	**Avg** *-172.845*						
1154802	*(Aquifer: 121OGLL*		*Well Depth: 200)*						
	P	4 / 13/ 1983	-175.45		3050.55	01	06	1	
	P	1 / 26/ 1984	-175.74	-0.29	3050.26	01	06	1	
	P	1 / 17/ 1985	-176.38	-0.64	3049.62	01	06	1	
	P	1 / 28/ 1986	-175.57	0.81	3050.43	01	06	1	
	P	2 / 5 / 1987	-175.44	0.13	3050.56	01	06	1	
	P	2 / 4 / 1988	-173.64	1.8	3052.36	01	06	1	
	P	1 / 26/ 1989	-172.35	1.29	3053.65	01	06	1	
	P	1 / 11/ 1990	-171.7	0.65	3054.3	01	06	1	
	P	2 / 12/ 1991	-170.65	1.05	3055.35	01	06	1	
	P	2 / 13/ 1992	-170.58	0.07	3055.42	01	06	1	
	P	2 / 8 / 1993	-170.27	0.31	3055.73	01	06	1	
	P	1 / 27/ 1994	-170.24	0.03	3055.76	01	06	1	
	P	2 / 7 / 1995	-170.29	-0.05	3055.71	01	06	1	
	P	1 / 31/ 1996	-170.23	0.06	3055.77	01	06	1	
	P	2 / 10/ 1997	-170.14	0.09	3055.86	01	06	1	
	P	1 / 15/ 1998	-169.43	0.71	3056.57	01	06	1	
	P	1 / 26/ 1999	-169	0.43	3057	01	06	1	
	P	2 / 10/ 2000	-169.04	-0.04	3056.96	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 2001	-170.15	-1.11	3055.85	01	06	1	
	P	2 / 13/ 2002	-175.02	-4.87	3050.98	01	06	1	
	P	4 / 3 / 2003	-169.4	5.62	3056.6	01	06	1	
	P	2 / 11/ 2004	-168.46	0.94	3057.54	01	06	1	
	N	2 / 14/ 2005				01	06		62
	P	2 / 13/ 2006	-169.46		3056.54	01	06	1	
	P	2 / 9 / 2007	-170	-0.54	3056	01	06	1	
	P	2 / 14/ 2008	-169.78	0.22	3056.22	01	06	1	
	P	2 / 17/ 2009	-170.17	-0.39	3055.83	01	06	1	
	P	1 / 19/ 2010	-169.65	0.52	3056.35	01	06	1	
	P	1 / 21/ 2011	-169.34	0.31	3056.66	01	06	1	
	P	2 / 15/ 2012	-169.34		3056.66	01	06	1	

Min *-176.38* **Max** *-168.46* **Avg** *-171.273*

1154803 *(Aquifer: 121OGFA Well Depth: 244)*

	P	6 / 1 / 1983	-182.1		3045.9	01	12	7	

Min *-182.1* **Max** *-182.1* **Avg** *-182.1*

1154804 *(Aquifer: 121OGFA Well Depth: 239)*

	P	9 / 15/ 1983	-174.5		3033.5	01	12	7	

Min *-174.5* **Max** *-174.5* **Avg** *-174.5*

1154901 *(Aquifer: 121OGLL Well Depth: 255)*

	P	1 / 9 / 1962	-205.65		2987.35	01	01	1	
	P	1 / 28/ 1963	-207.49	-1.84	2985.51	01	06	1	
	P	1 / 21/ 1964	-210.88	-3.39	2982.12	01	06	1	
	P	2 / 17/ 1965	-213.92	-3.04	2979.08	01	06	1	
	P	2 / 1 / 1966	-215.8	-1.88	2977.2	01	06	1	
	N	1 / 10/ 1967				01	01		41
	N	1 / 5 / 1968				01	01		63
	P	9 / 11/ 1968	-218.7		2974.3	01	06	1	
	P	1 / 13/ 1969	-220.01	-1.31	2972.99	01	06	1	
	P	1 / 15/ 1970	-219.28	0.73	2973.72	01	01	1	
	P	1 / 6 / 1971	-222.24	-2.96	2970.76	01	01	1	04
	P	1 / 2 / 1972	-221.64	0.6	2971.36	01	06	1	
	P	1 / 19/ 1973	-222.32	-0.68	2970.68	01	06	1	
	P	1 / 16/ 1974	-222.21	0.11	2970.79	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/1975	-222.98	-0.77	2970.02	01	06	1	
	P	1/ 8/1976	-223.27	-0.29	2969.73	01	06	1	
	P	1/ 6/1977	-223.94	-0.67	2969.06	01	06	1	
	P	1/ 9/1978	-223.79	0.15	2969.21	01	06	1	
	P	1/12/1979	-223.22	0.57	2969.78	01	06	1	
	P	1/ 7/1980	-223.47	-0.25	2969.53	01	06	1	
	P	1/14/1981	-223.45	0.02	2969.55	01	06	1	
	P	1/ 8/1982	-223.74	-0.29	2969.26	01	06	1	
	P	2/16/1983	-223.27	0.47	2969.73	01	06	1	
	P	1/26/1984	-222.93	0.34	2970.07	01	06	1	
	P	1/17/1985	-222.8	0.13	2970.2	01	06	1	
	P	1/27/1986	-222.87	-0.07	2970.13	01	06	1	
	P	2/ 5/1987	-225.5	-2.63	2967.5	01	06	1	
	P	2/ 4/1988	-222.25	3.25	2970.75	01	06	2	
	P	1/26/1989	-221.1	1.15	2971.9	01	06	2	
	P	1/10/1990	-220.17	0.93	2972.83	01	06	2	
	N	2/13/1991				01	06	7	45
	N	2/13/1992				01	06	7	45

Min *-225.5* **Max** *-205.65* **Avg** *-220.318*

1154902 *(Aquifer: 121OGFA Well Depth: 584)*

	P	2/ 5/1993	-222.65		2960.35	01	06	1	

Min *-222.65* **Max** *-222.65* **Avg** *-222.65*

1154903 *(Aquifer: 121OGAL Well Depth: 219)*

	P	5/10/1965	-162		3034	01	12	7	

Min *-162* **Max** *-162* **Avg** *-162*

1154904 *(Aquifer: 121OGLL Well Depth: 305)*

	P	2/13/1992	-223.09		2970.91	01	06	1	
	P	2/ 5/1993	-222.65	0.44	2971.35	01	06	1	
	P	1/27/1994	-221.98	0.67	2972.02	01	06	1	
	P	2/ 7/1995	-221.72	0.26	2972.28	01	06	1	
	P	1/31/1996	-221.23	0.49	2972.77	01	06	1	
	P	2/10/1997	-221.18	0.05	2972.82	01	06	1	
	P	1/14/1998	-220.96	0.22	2973.04	01	06	1	
	N	2/25/1999				01	06		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 10/ 2000				01	06		42
	P	2 / 6 / 2001	-189.15		3004.85	01	06	1	24
	N	2 / 13/ 2002				01	06		42
	N	2 / 27/ 2003				01	06		42
	N	2 / 11/ 2004				01	06		42
	N	2 / 17/ 2005				01	06		42
	N	2 / 13/ 2006				01	06		42
	N	2 / 12/ 2007	-190.9		3003.1	01	06	1	24
	N	2 / 14/ 2008				01	06		81
	N	7 / 27/ 2010				01	06		42

Min *-223.09* **Max** *-189.15* **Avg** *-214.762*

1154905 *(Aquifer: 121OGLL Well Depth: 242)*

	P	2 / 14/ 2008	-191.34		3002.66	01	06	1
	P	2 / 12/ 2009	-191.43	-0.09	3002.57	01	06	1
	P	1 / 20/ 2010	-191.69	-0.26	3002.31	01	06	1
	P	1 / 21/ 2011	-191.99	-0.3	3002.01	01	06	1
	P	2 / 7 / 2012	-191.99		3002.01	01	06	1

Min *-191.99* **Max** *-191.34* **Avg** *-191.688*

1155101 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 12/ 1948	-195.05		3005.95	01	12	7	01
	P	3 / 10/ 1949	-196.88	-1.83	3004.12	01	12	7	01
	P	1 / 17/ 1951	-196.5	0.38	3004.5	01	12	7	01
	P	1 / 15/ 1952	-197.65	-1.15	3003.35	01	12	7	01
	P	1 / 9 / 1953	-201.35	-3.7	2999.65	01	12	7	01
	P	1 / 7 / 1954	-200.52	0.83	3000.48	01	12	7	01

Min *-201.35* **Max** *-195.05* **Avg** *-197.992*

1155201 *(Aquifer: 231DCKM Well Depth: 300)*

	P	12 / 12/ 1963	-241.5		2942.5	01	04	1
	P	12 / 10/ 1968	-242.5	-1	2941.5	01	04	1

Min *-242.5* **Max** *-241.5* **Avg** *-242*

1155210 *(Aquifer: 231DCKM Well Depth: 300)*

	P	7 / 20/ 2000	-265.6		2897.4	01	01	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -265.6		**Max -265.6**	**Avg**	**-265.6**					
1155301	*(Aquifer: 231DCKM*		*Well Depth: 141)*						
	P	11 / 21/ 1968	-119.99		2754.01	01	04	1	
Min -119.99		**Max -119.99**	**Avg**	**-119.99**					
1155302	*(Aquifer: 231DCKM*		*Well Depth: 171)*						
	P	11 / 21/ 1968	-148.1		2804.9	01	12	7	
Min -148.1		**Max -148.1**	**Avg**	**-148.1**					
1155501	*(Aquifer: 121OGLL*		*Well Depth: 363)*						
	P	11 / 12/ 1979	-302.48		2881.52	01	07	7	
	P	1 / 7 / 1980	-278.7	23.78	2905.3	01	06	1	
	P	1 / 21/ 1981	-282.8	-4.1	2901.2	01	06	1	
	P	1 / 8 / 1982	-280.31	2.49	2903.69	01	06	1	
	P	2 / 16/ 1983	-283.44	-3.13	2900.56	01	06	1	
	P	1 / 26/ 1984	-280.69	2.75	2903.31	01	06	1	
	P	1 / 25/ 1985	-281.1	-0.41	2902.9	01	06	1	
	P	1 / 27/ 1986	-278.71	2.39	2905.29	01	06	1	
	P	1 / 5 / 1987	-280.04	-1.33	2903.96	01	06	1	
	P	2 / 4 / 1988	-278.9	1.14	2905.1	01	06	1	
	P	1 / 26/ 1989	-281.06	-2.16	2902.94	01	06	1	
	P	1 / 10/ 1990	-277.81	3.25	2906.19	01	06	1	
	P	2 / 13/ 1991	-277.29	0.52	2906.71	01	06	1	
	P	2 / 14/ 1992	-277.01	0.28	2906.99	01	06	1	
	P	2 / 5 / 1993	-281.7	-4.69	2902.3	01	06	1	
	P	1 / 27/ 1994	-277.1	4.6	2906.9	01	06	1	
	P	2 / 7 / 1995	-277.53	-0.43	2906.47	01	06	1	
	P	1 / 31/ 1996	-278.18	-0.65	2905.82	01	06	1	
	P	2 / 18/ 1997	-281.57	-3.39	2902.43	01	06	1	
	P	1 / 14/ 1998	-278.18	3.39	2905.82	01	06	1	
	P	2 / 25/ 1999	-279	-0.82	2905	01	06	1	
	P	2 / 10/ 2000	-279.32	-0.32	2904.68	01	06	1	
	P	2 / 6 / 2001	-280.29	-0.97	2903.71	01	06	1	
	P	2 / 15/ 2002	-280.58	-0.29	2903.42	01	06	1	
	P	2 / 27/ 2003	-280.83	-0.25	2903.17	01	06	1	
	P	2 / 9 / 2004	-281.24	-0.41	2902.76	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 15/ 2005	-280.59	0.65	2903.41	01	06	1	
	P	2 / 13/ 2006	-280.64	-0.05	2903.36	01	06	1	
	P	2 / 9 / 2007	-284.65	-4.01	2899.35	01	06	1	
	P	2 / 13/ 2008	-281.35	3.3	2902.65	01	06	1	
	P	2 / 12/ 2009	-282.15	-0.8	2901.85	01	06	1	
	P	1 / 19/ 2010	-282.02	0.13	2901.98	01	06	1	
	P	1 / 21/ 2011	-282.07	-0.05	2901.93	01	06	1	
	P	2 / 2 / 2012	-283.05	-0.98	2900.95	01	06	1	

Min *-302.48* **Max** *-277.01* **Avg** *-280.952*

1155701 *(Aquifer: 121OGLL Well Depth: 291)*

	P	1 / 17/ 1962	-214.7		2971.3	01	01	2	
	P	1 / 28/ 1963	-216.54	-1.84	2969.46	01	06	1	
	P	1 / 21/ 1964	-220.57	-4.03	2965.43	01	06	1	
	P	2 / 17/ 1965	-224.83	-4.26	2961.17	01	06	1	
	P	2 / 1 / 1966	-227.76	-2.93	2958.24	01	01	1	
	P	1 / 10/ 1967	-232.9	-5.14	2953.1	01	01	1	
	P	1 / 5 / 1968	-238.36	-5.46	2947.64	01	01	1	
	P	1 / 13/ 1969	-229.6	8.76	2956.4	01	06	1	
	N	1 / 15/ 1970				01	01		61
	P	2 / 9 / 1970	-230.67		2955.33	01	06	1	
	P	1 / 6 / 1971	-231.94	-1.27	2954.06	01	01	1	
	P	1 / 2 / 1972	-232.35	-0.41	2953.65	01	06	1	
	P	1 / 19/ 1973	-233.53	-1.18	2952.47	01	06	1	
	P	1 / 16/ 1974	-233.97	-0.44	2952.03	01	06	1	
	P	1 / 3 / 1975	-234.8	-0.83	2951.2	01	06	1	
	P	1 / 8 / 1976	-234.91	-0.11	2951.09	01	06	1	
	P	1 / 6 / 1977	-235.1	-0.19	2950.9	01	06	1	
	P	1 / 9 / 1978	-235.79	-0.69	2950.21	01	06	1	
	P	1 / 24/ 1979	-236.33	-0.54	2949.67	01	06	1	

Min *-238.36* **Max** *-214.7* **Avg** *-230.258*

1155702 *(Aquifer: 121OGLL Well Depth: 271)*

	P	1 / 9 / 1962	-154.9		2988.1	01	01	1	
	P	1 / 28/ 1963	-155.66	-0.76	2987.34	01	06	1	
	P	1 / 21/ 1964	-157.06	-1.4	2985.94	01	06	1	
	P	2 / 17/ 1965	-158.28	-1.22	2984.72	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 1 / 1966	-157.94	0.34	2985.06	01	06	1	
	P	1 / 9 / 1967	-158.28	-0.34	2984.72	01	01	1	
	P	1 / 5 / 1968	-158.96	-0.68	2984.04	01	01	1	
	N	1 / 14 / 1969				01	06		41
	P	1 / 15 / 1970	-160.85		2982.15	01	01	1	
	P	1 / 6 / 1971	-160.26	0.59	2982.74	01	01	1	
	P	1 / 2 / 1972	-162.1	-1.84	2980.9	01	06	1	
	P	1 / 17 / 1973	-160.07	2.03	2982.93	01	06	1	
	P	1 / 14 / 1974	-160.37	-0.3	2982.63	01	06	1	
	P	1 / 10 / 1975	-160.44	-0.07	2982.56	01	06	1	
	P	1 / 8 / 1976	-160.33	0.11	2982.67	01	06	1	
	P	1 / 6 / 1977	-160.3	0.03	2982.7	01	06	1	
	P	1 / 9 / 1978	-160.58	-0.28	2982.42	01	06	1	
	P	1 / 24 / 1979	-161.38	-0.8	2981.62	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-162.1* **Max** *-154.9* **Avg** *-159.28*

1155801 *(Aquifer: 121OGLL Well Depth: 306)*

	P	11 / 12 / 1979	-243.1		2925.9	01	06	1	
	P	1 / 7 / 1980	-242.87	0.23	2926.13	01	06	1	
	P	1 / 21 / 1981	-247.6	-4.73	2921.4	01	06	1	
	P	1 / 8 / 1982	-243.27	4.33	2925.73	01	06	1	
	P	2 / 16 / 1983	-243.84	-0.57	2925.16	01	06	1	
	P	1 / 26 / 1984	-244	-0.16	2925	01	06	1	
	P	1 / 25 / 1985	-243.74	0.26	2925.26	01	06	1	
	P	2 / 20 / 1986	-245.64	-1.9	2923.36	01	06	1	
	P	2 / 5 / 1987	-244.9	0.74	2924.1	01	06	1	
	P	2 / 4 / 1988	-244.25	0.65	2924.75	01	06	2	
	P	1 / 26 / 1989	-243.8	0.45	2925.2	01	06	2	
	N	1 / 10 / 1990				01	06		61
	P	2 / 13 / 1991	-241.25		2927.75	01	06	1	
	P	2 / 14 / 1992	-241.65	-0.4	2927.35	01	06	1	
	P	2 / 5 / 1993	-241.97	-0.32	2927.03	01	06	1	
	P	1 / 27 / 1994	-241.56	0.41	2927.44	01	06	1	
	N	2 / 7 / 1995				01	06		61

Min *-247.6* **Max** *-241.25* **Avg** *-243.563*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1155803	(Aquifer: 231DCKM		Well Depth: 290)						
	P	2 / 7 / 1995	-242.81		2928.19	01	06	1	
	P	1 / 31/ 1996	-243.23	-0.42	2927.77	01	06	1	
	P	2 / 18/ 1997	-243.79	-0.56	2927.21	01	06	1	
	P	1 / 14/ 1998	-243.92	-0.13	2927.08	01	06	1	
	P	1 / 26/ 1999	-242	1.92	2929	01	06	1	
	P	2 / 10/ 2000	-241.45	0.55	2929.55	01	06	1	
	P	1 / 11/ 2001	-240.9	0.55	2930.1	01	06	1	
	P	2 / 15/ 2002	-240.97	-0.07	2930.03	01	06	1	
	P	2 / 27/ 2003	-241.38	-0.41	2929.62	01	06	1	
	P	2 / 9 / 2004	-242.12	-0.74	2928.88	01	06	1	
	P	2 / 17/ 2005	-242.79	-0.67	2928.21	01	06	1	
	P	2 / 13/ 2006	-242.87	-0.08	2928.13	01	06	1	
	P	2 / 9 / 2007	-245.18	-2.31	2925.82	01	06	1	
	P	2 / 12/ 2008	-243.12	2.06	2927.88	01	06	1	
	P	2 / 12/ 2009	-244.02	-0.9	2926.98	01	06	1	
	P	1 / 20/ 2010	-241.11	2.91	2929.89	01	06	1	
	P	1 / 21/ 2011	-240.64	0.47	2930.36	01	06	1	
	P	2 / 7 / 2012	-238.8	1.84	2932.2	01	06	1	
Min	*-245.18*	**Max**	*-238.8*	**Avg**	*-242.283*				
1155901	(Aquifer: 121OGLL		Well Depth: 341)						
	P	1 / 17/ 1962	-264.96		2902.04	01	01	1	
	P	1 / 28/ 1963	-267.16	-2.2	2899.84	01	06	1	
	P	1 / 21/ 1964	-267.15	0.01	2899.85	01	06	1	
	P	2 / 17/ 1965	-269.09	-1.94	2897.91	01	06	1	
	P	2 / 1 / 1966	-271.29	-2.2	2895.71	01	06	1	
	P	1 / 10/ 1967	-283.95	-12.7	2883.05	01	01	1	
	P	1 / 5 / 1968	-287.3	-3.35	2879.7	01	01	1	
	P	1 / 13/ 1969	-276.29	11.01	2890.71	01	06	1	
	P	1 / 15/ 1970	-277.48	-1.19	2889.52	01	01	1	
	P	1 / 6 / 1971	-279.44	-1.96	2887.56	01	01	1	
	P	1 / 3 / 1972	-281.79	-2.35	2885.21	01	06	1	
	P	1 / 19/ 1973	-282.88	-1.09	2884.12	01	06	1	
	P	1 / 16/ 1974	-283.57	-0.69	2883.43	01	06	1	
	P	1 / 3 / 1975	-285.19	-1.62	2881.81	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1/ 8/1976				01	06		41
	P	1/ 6/1977	-290.36		2876.64	01	06	1	
	P	1/ 9/1978	-294.2	-3.84	2872.8	01	06	1	
	P	1/24/1979	-288.78	5.42	2878.22	01	06	1	
	P	1/ 7/1980	-288.8	-0.02	2878.2	01	06	1	
	P	1/21/1981	-289.29	-0.49	2877.71	01	06	1	
	P	1/ 8/1982	-289.94	-0.65	2877.06	01	06	1	
	P	2/16/1983	-291.94	-2	2875.06	01	06	1	04
	P	1/26/1984	-290.35	1.59	2876.65	01	06	1	
	P	1/25/1985	-290.61	-0.26	2876.39	01	06	1	
	P	1/26/1986	-289.6	1.01	2877.4	01	06	1	
	P	2/ 5/1987	-289.94	-0.34	2877.06	01	06	1	
	P	2/ 4/1988	-289.24	0.7	2877.76	01	06	1	
	P	1/26/1989	-288.75	0.49	2878.25	01	06	1	
	P	1/10/1990	-288	0.75	2879	01	06	2	
	N	2/13/1991				01	06		41
	P	2/14/1992	-289.39		2877.61	01	06	1	
	P	2/ 5/1993	-289.28	0.11	2877.72	01	06	1	
	P	1/27/1994	-289.69	-0.41	2877.31	01	06	1	
	P	2/ 7/1995	-290.19	-0.5	2876.81	01	06	1	
	P	1/31/1996	-290.44	-0.25	2876.56	01	06	1	
	P	2/18/1997	-290.37	0.07	2876.63	01	06	1	
	P	1/14/1998	-291.22	-0.85	2875.78	01	06	1	
	P	2/25/1999	-292	-0.78	2875	01	06	1	
	P	2/10/2000	-291.82	0.18	2875.18	01	06	1	
	P	2/ 6/2001	-292.4	-0.58	2874.6	01	06	1	
	P	2/15/2002	-292.4		2874.6	01	06	1	
	P	2/27/2003	-292.32	0.08	2874.68	01	06	1	
	P	2/ 9/2004	-292.71	-0.39	2874.29	01	06	1	
	P	2/17/2005	-292.16	0.55	2874.84	01	06	1	
	P	2/13/2006	-292.19	-0.03	2874.81	01	06	1	
	P	2/ 9/2007	-293.75	-1.56	2873.25	01	06	1	
	P	2/13/2008	-293.37	0.38	2873.63	01	06	1	
	P	2/12/2009	-292.93	0.44	2874.07	01	06	1	
	P	1/20/2010	-293.37	-0.44	2873.63	01	06	1	
	P	1/21/2011	-293.5	-0.13	2873.5	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 2 / 2012	-293.8	-0.3	2873.2	01	06	1	
Min -294.2		Max -264.96	Avg -287.074						
1155902	(Aquifer: 121OGLL		Well Depth:	)					
	P	3 / 28/ 1949	-250.3		2879.7	01	04	1	
	P	2 / 17/ 1950	-253.46	-3.16	2876.54	01	04	1	
Min -253.46		Max -250.3	Avg -251.88						
1156101	(Aquifer: 110ALVM		Well Depth: 11	)					
	P	11 / 22/ 1968	-6		2619	01	12	7	
Min -6		Max -6	Avg -6						
1156103	(Aquifer: 231DCKM		Well Depth: 78	)					
	P	11 / 21/ 1968	-59.97		2662.03	01	02	1	
Min -59.97		Max -59.97	Avg -59.97						
1156104	(Aquifer: 231DCKM		Well Depth: 114	)					
	P	11 / 22/ 1968	-88.8		2741.2	01	12	7	
Min -88.8		Max -88.8	Avg -88.8						
1156106	(Aquifer: 231DCKM		Well Depth: 172	)					
	P	11 / 22/ 1968	-140.8		2765.2	01	12	7	
Min -140.8		Max -140.8	Avg -140.8						
1156201	(Aquifer: 312OCHO		Well Depth: 113	)					
	P	12 / 28/ 1937	-51		2570	01	12	7	
	P	11 / 8 / 1968	-46.8	4.2	2574.2	01	12	7	
Min -51		Max -46.8	Avg -48.9						
1156202	(Aquifer: 110ALVM		Well Depth: 100	)					
	P	11 / 7 / 1968	-42.5		2512.5	01	12	7	
Min -42.5		Max -42.5	Avg -42.5						
1156203	(Aquifer: 110ALVM		Well Depth: 98	)					
	P	11 / 7 / 1968	-44.9		2511.1	01	12	7	
Min -44.9		Max -44.9	Avg -44.9						
1156204	(Aquifer: 110ALVM		Well Depth: 96	)					

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 7 / 1968	-40.5		2516.5	01	12	7	
Min -40.5		Max -40.5	Avg -40.5						
1156205	(Aquifer: 110ALVM		Well Depth: 110)						
	P	11 / 7 / 1968	-43.4		2517.6	01	12	7	
Min -43.4		Max -43.4	Avg -43.4						
1156206	(Aquifer: 110ALVM		Well Depth: 105)						
	P	11 / 7 / 1968	-42.1		2520.9	01	12	7	
Min -42.1		Max -42.1	Avg -42.1						
1156207	(Aquifer: 110ALVM		Well Depth: 103)						
	P	11 / 6 / 1968	-41.4		2519.6	01	12	7	
Min -41.4		Max -41.4	Avg -41.4						
1156208	(Aquifer: 110ALVM		Well Depth: 106)						
	P	11 / 7 / 1968	-40.4		2522.6	01	12	7	
Min -40.4		Max -40.4	Avg -40.4						
1156209	(Aquifer: 312OCHO		Well Depth: 60)						
	P	12 / 30/ 1937	-52.3		2528.7	01	12	7	
	P	11 / 8 / 1968	-41.8	10.5	2539.2	01	12	7	
Min -52.3		Max -41.8	Avg -47.05						
1156210	(Aquifer: 110ALVM		Well Depth: 101)						
	P	11 / 8 / 1968	-40.2		2561.8	01	12	7	
Min -40.2		Max -40.2	Avg -40.2						
1156211	(Aquifer: 110ALVM		Well Depth: 84)						
	P	11 / 8 / 1968	-42		2559	01	12	7	
Min -42		Max -42	Avg -42						
1156212	(Aquifer: 312OCHO		Well Depth: 96)						
	P	11 / 8 / 1968	-40.9		2564.1	01	12	7	
Min -40.9		Max -40.9	Avg -40.9						
1156213	(Aquifer: 312OCHO		Well Depth: 127)						
	P	11 / 8 / 1968	-44		2567	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -44		**Max -44**	**Avg**	**-44**					
1156503	*(Aquifer: 231DCKM*		*Well Depth: 309)*						
	P	12 / 28/ 1937	-289.6		2824.4	01	01	1	02
	P	11 / 25/ 1968	-279.8	9.8	2834.2	01	12	7	
Min -289.6		**Max -279.8**	**Avg**	**-284.7**					
1156701	*(Aquifer: 231DCKM*		*Well Depth: 300)*						
	P	8 / 19/ 1938	-259.8		2873.2	01	04	1	
	P	12 / 2 / 1938	-258.33	1.47	2874.67	01	04	1	
Min -259.8		**Max -258.33**	**Avg**	**-259.065**					
1156703	*(Aquifer: 231DCKM*		*Well Depth: 310)*						
	P	12 / 16/ 1968	-271.38		2861.62	01	04	1	
Min -271.38		**Max -271.38**	**Avg**	**-271.38**					
1156801	*(Aquifer: 231DCKM*		*Well Depth: 98)*						
	P	12 / 11/ 1968	-69.3		2737.7	01	12	7	
Min -69.3		**Max -69.3**	**Avg**	**-69.3**					
1156802	*(Aquifer: 121OGDK*		*Well Depth: 205)*						
	P	12 / 15/ 1968	-146		2829	01	12	7	
Min -146		**Max -146**	**Avg**	**-146**					
1156803	*(Aquifer: 121OGDK*		*Well Depth: 219)*						
	P	12 / 16/ 1968	-146.35		2831.65	01	01	1	
Min -146.35		**Max -146.35**	**Avg**	**-146.35**					
1156804	*(Aquifer: 121OGDK*		*Well Depth: 203)*						
	P	12 / 26/ 1968	-146		2829	01	12	7	
Min -146		**Max -146**	**Avg**	**-146**					
1156805	*(Aquifer: 231DCKM*		*Well Depth: 178)*						
	P	9 / 6 / 1938	-104.5		2835.5	01	12	7	
Min -104.5		**Max -104.5**	**Avg**	**-104.5**					
1156810	*(Aquifer: 231DCKM*		*Well Depth: 181)*						
	P	4 / 26/ 1968	-113		2827	01	07	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 16/ 1968	-107.7	5.3	2832.3	01	12	7	

Min *-113* **Max** *-107.7* **Avg** *-110.35*

1160207 *(Aquifer: 121OGLL Well Depth: 268)*

P	3 / 22/ 1915	-45.3		3247.7	01	12	7	01
P	4 / 16/ 1934	-44.93	0.37	3248.07	01	12	7	01
P	6 / 12/ 1937	-49.64	-4.71	3243.36	01	12	7	01
P	12 / 2 / 1937	-48.15	1.49	3244.85	01	12	7	01
P	1 / 8 / 1938	-47.83	0.32	3245.17	01	12	7	01
P	3 / 10/ 1938	-47.94	-0.11	3245.06	01	12	7	01
P	3 / 29/ 1938	-48.39	-0.45	3244.61	01	12	7	01
P	6 / 26/ 1938	-50.21	-1.82	3242.79	01	12	7	01
P	10 / 18/ 1938	-50.24	-0.03	3242.76	01	12	7	01
P	12 / 7 / 1938	-49.58	0.66	3243.42	01	12	7	01
P	1 / 5 / 1939	-49.41	0.17	3243.59	01	12	7	01
P	3 / 2 / 1939	-48.91	0.5	3244.09	01	12	7	01
P	12 / 14/ 1939	-51.92	-3.01	3241.08	01	12	7	01
P	3 / 7 / 1940	-50.88	1.04	3242.12	01	12	7	01
P	11 / 15/ 1940	-54.19	-3.31	3238.81	01	12	7	01
P	1 / 20/ 1941	-53.21	0.98	3239.79	01	12	7	01
P	3 / 11/ 1941	-53.07	0.14	3239.93	01	12	7	01
P	12 / 22/ 1941	-49.92	3.15	3243.08	01	12	7	01
P	3 / 10/ 1942	-49.23	0.69	3243.77	01	12	7	01
P	10 / 27/ 1942	-49.99	-0.76	3243.01	01	12	7	01
P	2 / 2 / 1943	-48.84	1.15	3244.16	01	12	7	01
P	2 / 16/ 1944	-50.32	-1.48	3242.68	01	12	7	01
P	2 / 14/ 1945	-52.97	-2.65	3240.03	01	12	7	01
P	2 / 27/ 1946	-55.7	-2.73	3237.3	01	12	7	01
P	1 / 20/ 1947	-61.5	-5.8	3231.5	01	12	7	01
P	3 / 19/ 1947	-60.5	1	3232.5	01	12	7	01
P	3 / 2 / 1948	-67.2	-6.7	3225.8	01	12	7	01
P	3 / 7 / 1949	-72.83	-5.63	3220.17	01	12	7	01
P	1 / 18/ 1951	-83.21	-10.4	3209.79	01	12	7	01
P	1 / 14/ 1952	-89	-5.79	3204	01	12	7	01
P	1 / 8 / 1953	-96.68	-7.68	3196.32	01	12	7	01
P	1 / 6 / 1954	-105.34	-8.66	3187.66	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1955	-116.44	-11.1	3176.56	01	12	7	01
	P	1/ 6/1956	-119.43	-2.99	3173.57	01	12	7	01
	P	1/ 8/1957	-125.4	-5.97	3167.6	01	12	7	01
	P	1/13/1958	-128.57	-3.17	3164.43	01	12	7	01
	P	1/ 6/1959	-131.87	-3.3	3161.13	01	12	7	01
	P	1/28/1960	-133.55	-1.68	3159.45	01	12	7	01
	P	1/26/1961	-138.3	-4.75	3154.7	01	04	1	
	P	1/19/1962	-136.41	1.89	3156.59	01	01	1	
	P	1/ 8/1963	-140.12	-3.71	3152.88	01	06	1	
	P	1/22/1964	-142.04	-1.92	3150.96	01	06	1	
	P	2/16/1965	-146.51	-4.47	3146.49	01	06	1	
	P	1/27/1966	-152.57	-6.06	3140.43	01	06	1	
	P	1/ 9/1967	-155.42	-2.85	3137.58	01	01	1	
	P	1/ 9/1968	-157	-1.58	3136	01	01	1	20
	P	1/ 6/1969	-162.6	-5.6	3130.4	01	06	1	
	P	1/13/1970	-168.4	-5.8	3124.6	01	01	1	20
	P	1/ 8/1971	-171.22	-2.82	3121.78	01	01	1	
	P	1/ 6/1972	-176.98	-5.76	3116.02	01	06	1	20
	P	1/17/1973	-179.39	-2.41	3113.61	01	06	1	20
	P	1/17/1974	-181.5	-2.11	3111.5	01	06	1	20
	P	1/ 8/1975	-184.12	-2.62	3108.88	01	06	1	
	P	1/13/1976	-183.11	1.01	3109.89	01	06	1	20
	P	1/ 3/1977	-195.7	-12.6	3097.3	01	06	2	
	P	1/ 6/1978	-194.49	1.21	3098.51	01	06	1	
	P	1/11/1979	-191.86	2.63	3101.14	01	06	1	20
	N	11/ 0/1979				01	06		81

Min *-195.7* **Max** *-44.93* **Avg** *-100.878*

1160208 *(Aquifer: 121OGLL Well Depth: 364)*

	N	6/ 9/2004				01	01		42

Min **Max** **Avg**

1160301 *(Aquifer: 121OGLL Well Depth:)*

	P	3/ 2/1948	-67.8		3224.2	01	12	7	01
	P	3/ 7/1948	-74.98	-7.18	3217.02	01	12	7	01
	P	1/16/1951	-83.45	-8.47	3208.55	01	12	7	01
	P	1/11/1952	-88.86	-5.41	3203.14	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1953	-96.73	-7.87	3195.27	01	12	7	01
	P	1/ 6/1954	-102.59	-5.86	3189.41	01	12	7	01
	P	1/ 4/1955	-110.76	-8.17	3181.24	01	12	7	01
	P	1/ 6/1956	-114.28	-3.52	3177.72	01	12	7	01
	P	1/ 8/1957	-121	-6.72	3171	01	12	7	01
	P	1/ 8/1958	-126.28	-5.28	3165.72	01	12	7	01
	P	1/ 6/1959	-126.17	0.11	3165.83	01	12	7	01
	P	1/28/1960	-129.98	-3.81	3162.02	01	12	7	01
	P	1/20/1961	-133	-3.02	3159	01	04	1	
	P	1/19/1962	-132.95	0.05	3159.05	01	01	1	
	P	1/ 8/1963	-136.42	-3.47	3155.58	01	06	1	
	P	1/22/1964	-138.22	-1.8	3153.78	01	06	1	
	P	1/22/1965	-142.02	-3.8	3149.98	01	06	1	
	N	1/27/1966				01	06	1	47
	N	1/ 9/1967				01	01	1	47
	P	1/ 9/1968	-152.49		3139.51	01	01	1	20
	P	1/ 6/1969	-159.4	-6.91	3132.6	01	06	1	
	P	1/13/1970	-164.55	-5.15	3127.45	01	01	1	20
	P	1/ 8/1971	-160.48	4.07	3131.52	01	01	1	20
	N	1/ 1/1972				01	06	1	47
	P	1/23/1973	-171.45		3120.55	01	06	2	
	P	1/22/1974	-173.89	-2.44	3118.11	01	06	2	
	P	1/ 8/1975	-178.6	-4.71	3113.4	01	06	2	
	N	9/19/1975				01	06	1	47

Min *-178.6* **Max** *-67.8* **Avg** *-128.598*

1160302 *(Aquifer: 121OGLL Well Depth: 278)*

	P	4/ 2/1914	-44.5		3247.5	01	12	7	01
	P	4/22/1936	-49.9	-5.4	3242.1	01	12	7	01
	P	4/29/1937	-51.65	-1.75	3240.35	01	12	7	01
	P	5/25/1937	-51.91	-0.26	3240.09	01	12	7	01
	P	6/ 4/1937	-51.34	0.57	3240.66	01	12	7	01
	P	8/25/1937	-52.23	-0.89	3239.77	01	12	7	01
	P	9/14/1937	-51.58	0.65	3240.42	01	12	7	01
	P	10/ 1/1937	-51.44	0.14	3240.56	01	12	7	01
	P	11/ 1/1937	-51.07	0.37	3240.93	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/ 2/1937	-50.83	0.24	3241.17	01	12	7	01
	P	1/ 4/1938	-50.62	0.21	3241.38	01	12	7	01
	P	3/10/1938	-50.51	0.11	3241.49	01	12	7	01
	P	3/29/1938	-51.86	-1.35	3240.14	01	12	7	01
	P	4/13/1938	-52.2	-0.34	3239.8	01	12	7	01
	P	6/ 3/1938	-52.03	0.17	3239.97	01	12	7	01
	P	6/23/1938	-51.99	0.04	3240.01	01	12	7	01
	P	8/12/1938	-53.87	-1.88	3238.13	01	12	7	01
	P	10/18/1938	-52.07	1.8	3239.93	01	12	7	01
	P	12/ 5/1938	-51.78	0.29	3240.22	01	12	7	01
	P	1/ 5/1939	-51.83	-0.05	3240.17	01	12	7	01
	P	3/ 2/1939	-51.45	0.38	3240.55	01	12	7	01
	P	6/25/1939	-53.74	-2.29	3238.26	01	12	7	01
	P	8/14/1939	-54.1	-0.36	3237.9	01	12	7	01
	P	10/ 5/1939	-54.86	-0.76	3237.14	01	12	7	01
	P	12/14/1939	-54.22	0.64	3237.78	01	12	7	01
	P	3/ 7/1940	-53.34	0.88	3238.66	01	12	7	01
	P	11/15/1940	-57.24	-3.9	3234.76	01	12	7	01
	P	1/20/1941	-55.56	1.68	3236.44	01	12	7	01
	P	3/11/1941	-56.01	-0.45	3235.99	01	12	7	01
	P	6/ 2/1941	-57.05	-1.04	3234.95	01	12	7	01
	P	7/23/1941	-56.01	1.04	3235.99	01	12	7	01
	P	12/22/1941	-53.94	2.07	3238.06	01	12	7	01
	P	3/10/1942	-53.28	0.66	3238.72	01	12	7	01
	P	10/28/1942	-54.39	-1.11	3237.61	01	12	7	01
	P	2/ 2/1943	-53.18	1.21	3238.82	01	12	7	01
	P	2/15/1945	-57.29	-4.11	3234.71	01	12	7	01
	P	2/27/1946	-60.83	-3.54	3231.17	01	12	7	01
	P	3/19/1947	-67	-6.17	3225	01	12	7	01
	P	3/ 2/1948	-75.18	-8.18	3216.82	01	12	7	01
	P	3/ 7/1949	-82.6	-7.42	3209.4	01	12	7	01
	P	2/17/1950	-84.27	-1.67	3207.73	01	12	7	01
	P	1/10/1953	-103.82	-19.6	3188.18	01	12	7	01
	P	1/ 3/1955	-118.01	-14.2	3173.99	01	12	7	01
	P	1/28/1960	-135.65	-17.6	3156.35	01	12	7	01
	P	1/20/1961	-137.8	-2.15	3154.2	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 19/ 1962	-138.73	-0.93	3153.27	01	01	1	
	P	1/ 8 / 1963	-142.22	-3.49	3149.78	01	06	1	
	P	1/ 22/ 1964	-144.46	-2.24	3147.54	01	06	1	
	P	1/ 6 / 1965	-147.87	-3.41	3144.13	01	06	1	
	P	1/ 27/ 1966	-153.1	-5.23	3138.9	01	06	1	
	P	1/ 9 / 1967	-158.1	-5	3133.9	01	01	1	
	P	1/ 9 / 1968	-160.94	-2.84	3131.06	01	01	1	
	P	1/ 6 / 1969	-164.45	-3.51	3127.55	01	06	1	
	P	1/ 13/ 1970	-168.65	-4.2	3123.35	01	01	1	
	P	1/ 9 / 1971	-172.85	-4.2	3119.15	01	01	1	
	P	1/ 1 / 1972	-176.09	-3.24	3115.91	01	06	1	
	P	1/ 17/ 1973	-178.39	-2.3	3113.61	01	06	1	
	P	1/ 17/ 1974	-181.16	-2.77	3110.84	01	06	1	
	P	1/ 8 / 1975	-185.75	-4.59	3106.25	01	06	1	
	P	1/ 13/ 1976	-191.43	-5.68	3100.57	01	06	1	
	P	1/ 3 / 1977	-198.29	-6.86	3093.71	01	06	1	
	P	1/ 6 / 1978	-204.37	-6.08	3087.63	01	06	1	
	P	2/ 8 / 1979	-210.58	-6.21	3081.42	01	06	1	
	P	1/ 4 / 1980	-209.4	1.18	3082.6	01	06	1	
	P	1/ 29/ 1981	-224.71	-15.3	3067.29	01	06	1	04
	P	1/ 15/ 1982	-227.15	-2.44	3064.85	01	06	1	
	P	1/ 17/ 1983	-232	-4.85	3060	01	06	1	
	P	1/ 16/ 1984	-230.98	1.02	3061.02	01	06	1	
	P	1/ 18/ 1985	-232.53	-1.55	3059.47	01	06	1	
	P	1/ 24/ 1986	-233.58	-1.05	3058.42	01	06	1	
	P	1/ 28/ 1987	-234.06	-0.48	3057.94	01	06	1	
	P	2/ 4 / 1988	-233.19	0.87	3058.81	01	06	1	
	P	1/ 27/ 1989	-233.7	-0.51	3058.3	01	06	2	
	P	1/ 11/ 1990	-237.54	-3.84	3054.46	01	06	1	
	P	2/ 11/ 1991	-239.65	-2.11	3052.35	01	06	1	
	P	2/ 12/ 1992	-241.51	-1.86	3050.49	01	06	1	
	P	2/ 8 / 1993	-240.33	1.18	3051.67	01	06	1	
	P	1/ 27/ 1994	-244.41	-4.08	3047.59	01	06	1	
	P	2/ 6 / 1995	-249.28	-4.87	3042.72	01	06	1	
	P	1/ 29/ 1996	-251.78	-2.5	3040.22	01	06	1	
	P	2/ 4 / 1997	-256.37	-4.59	3035.63	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1998	-255.96	0.41	3036.04	01	06	1	
	P	2 / 25/ 1999	-259	-3.04	3033	01	06	1	
	P	2 / 14/ 2000	-261.39	-2.39	3030.61	01	06	1	
	P	3 / 2 / 2001	-263.98	-2.59	3028.02	01	06	1	
	P	2 / 4 / 2002	-264.38	-0.4	3027.62	01	06	1	
	P	3 / 4 / 2003	-267.18	-2.8	3024.82	01	06	1	
	P	3 / 18/ 2004	-273.84	-6.66	3018.16	01	06	1	
	P	2 / 17/ 2005	-274.55	-0.71	3017.45	01	06	1	
	P	2 / 15/ 2006	-274.5	0.05	3017.5	01	06	1	
	P	2 / 9 / 2007	-278.37	-3.87	3013.63	01	06	1	
	P	1 / 30/ 2008	-278.19	0.18	3013.81	01	06	1	
	P	2 / 13/ 2009	-278.73	-0.54	3013.27	01	06	1	
	N	1 / 20/ 2010				01	06	1	47
	P	1 / 24/ 2011	-286.65		3005.35	01	06	1	
	P	2 / 6 / 2012	-295.82	-9.17	2996.18	01	06	1	

Min *-295.82* **Max** *-44.5* **Avg** *-146.402*

1160304 *(Aquifer: 121OGLL Well Depth: 283)*

	P	0 / 0 / 1914	-40.2		3250.8	01	12	7	01
	P	4 / 27/ 1936	-47.29	-7.09	3243.71	01	12	7	01
	P	4 / 30/ 1937	-50.29	-3	3240.71	01	12	7	01
	P	3 / 31/ 1938	-50.93	-0.64	3240.07	01	12	7	01
	P	6 / 3 / 1938	-49.24	1.69	3241.76	01	12	7	01
	P	6 / 23/ 1938	-49.57	-0.33	3241.43	01	12	7	01
	P	10 / 18/ 1938	-48.84	0.73	3242.16	01	12	7	01
	P	12 / 5 / 1938	-48.59	0.25	3242.41	01	12	7	01
	P	1 / 5 / 1939	-48.98	-0.39	3242.02	01	12	7	01
	P	3 / 2 / 1939	-48.12	0.86	3242.88	01	12	7	01
	P	6 / 23/ 1939	-50.96	-2.84	3240.04	01	12	7	01
	P	10 / 5 / 1939	-52.94	-1.98	3238.06	01	12	7	01
	P	12 / 14/ 1939	-51.96	0.98	3239.04	01	12	7	01
	P	3 / 7 / 1940	-49.99	1.97	3241.01	01	12	7	01
	P	11 / 15/ 1940	-53.55	-3.56	3237.45	01	12	7	01
	P	1 / 20/ 1941	-52.68	0.87	3238.32	01	12	7	01
	P	3 / 11/ 1941	-52.5	0.18	3238.5	01	12	7	01
	P	12 / 22/ 1941	-49.95	2.55	3241.05	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1942	-49.42	0.53	3241.58	01	12	7	01
	P	10 / 28/ 1942	-50.5	-1.08	3240.5	01	12	7	01
	P	2 / 2 / 1943	-49.43	1.07	3241.57	01	12	7	01
	P	2 / 16/ 1944	-50.83	-1.4	3240.17	01	12	7	01
	P	2 / 14/ 1945	-53.4	-2.57	3237.6	01	12	7	01
	P	2 / 27/ 1946	-56.21	-2.81	3234.79	01	12	7	01
	P	1 / 20/ 1947	-61.59	-5.38	3229.41	01	12	7	01
	P	3 / 19/ 1947	-60.87	0.72	3230.13	01	12	7	01

Min *-61.59* **Max** *-40.2* **Avg** *-51.1088*

1160305 *(Aquifer: 121OGLL Well Depth: 270)*

	P	4 / 22/ 1936	-49.84		3232.16	01	12	7	01
	P	6 / 17/ 1936	-50.15	-0.31	3231.85	01	12	7	01
	P	5 / 10/ 1937	-51.34	-1.19	3230.66	01	12	7	01
	P	5 / 26/ 1937	-51.5	-0.16	3230.5	01	12	7	01
	P	8 / 25/ 1937	-51.89	-0.39	3230.11	01	12	7	01
	P	9 / 14/ 1937	-51.86	0.03	3230.14	01	12	7	01
	P	10 / 1 / 1937	-51.45	0.41	3230.55	01	12	7	01
	P	11 / 1 / 1937	-50.94	0.51	3231.06	01	12	7	01
	P	1 / 4 / 1938	-50.49	0.45	3231.51	01	12	7	01
	P	3 / 10/ 1938	-50.18	0.31	3231.82	01	12	7	01
	P	4 / 13/ 1938	-50.72	-0.54	3231.28	01	12	7	01
	P	6 / 3 / 1938	-51.5	-0.78	3230.5	01	12	7	01
	P	6 / 26/ 1938	-51.62	-0.12	3230.38	01	12	7	01
	P	8 / 12/ 1938	-52.03	-0.41	3229.97	01	12	7	01
	P	10 / 18/ 1938	-52.22	-0.19	3229.78	01	12	7	01
	P	12 / 7 / 1938	-51.97	0.25	3230.03	01	12	7	01
	P	1 / 5 / 1939	-51.83	0.14	3230.17	01	12	7	01
	P	3 / 2 / 1939	-51.5	0.33	3230.5	01	12	7	01

Min *-52.22* **Max** *-49.84* **Avg** *-51.2794*

1160307 *(Aquifer: 121OGLL Well Depth: 270)*

	P	4 / 19/ 1915	-45.8		3240.2	01	12	7	01
	P	3 / 17/ 1947	-72.48	-26.7	3213.52	01	12	7	01
	P	3 / 2 / 1948	-82.25	-9.77	3203.75	01	12	7	01
	P	3 / 8 / 1949	-91.23	-8.98	3194.77	01	12	7	01
	P	2 / 18/ 1950	-93.63	-2.4	3192.37	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1951	-102.04	-8.41	3183.96	01	12	7	01
	P	1/ 11/ 1952	-103.54	-1.5	3182.46	01	12	7	01
	P	1/ 8/ 1953	-109.08	-5.54	3176.92	01	12	7	01
	P	1/ 3/ 1955	-127.07	-18	3158.93	01	12	7	01
	P	1/ 18/ 1956	-127.19	-0.12	3158.81	01	12	7	01
	P	1/ 9/ 1957	-134.68	-7.49	3151.32	01	12	7	01
	P	1/ 9/ 1958	-137.7	-3.02	3148.3	01	12	7	01
	P	1/ 6/ 1959	-138.68	-0.98	3147.32	01	12	7	01
	P	1/ 27/ 1960	-143.89	-5.21	3142.11	01	12	7	04
	P	1/ 26/ 1961	-142	1.89	3144	01	04	1	
	P	1/ 18/ 1962	-143.08	-1.08	3142.92	01	01	1	
	P	1/ 9/ 1963	-146.41	-3.33	3139.59	01	06	1	
	N	1/ 22/ 1964				01	06		41
	P	1/ 15/ 1965	-152.61		3133.39	01	06	1	
	N	1/ 26/ 1966				01	06		42
	P	1/ 9/ 1967	-161.3		3124.7	01	01	1	
	P	1/ 9/ 1968	-163.99	-2.69	3122.01	01	01	1	
	N	1/ 8/ 1969				01	06		42
	P	1/ 12/ 1970	-172.45		3113.55	01	01	1	
	P	1/ 9/ 1971	-178.94	-6.49	3107.06	01	01	1	
	P	1/ 1/ 1972	-179.86	-0.92	3106.14	01	06	1	
	P	1/ 17/ 1973	-181.72	-1.86	3104.28	01	06	1	
	P	1/ 15/ 1974	-184.73	-3.01	3101.27	01	06	1	
	P	1/ 13/ 1975	-189.3	-4.57	3096.7	01	06	1	
	P	1/ 13/ 1976	-195.32	-6.02	3090.68	01	06	1	
	P	1/ 3/ 1977	-202.91	-7.59	3083.09	01	06	1	
	P	1/ 5/ 1978	-210.23	-7.32	3075.77	01	06	1	
	P	2/ 8/ 1979	-217.28	-7.05	3068.72	01	06	1	
	N	11/ 0/ 1979				01	06		81

Min *-217.28* **Max** *-45.8* **Avg** *-144.38*

1160308 *(Aquifer: 121OGLL Well Depth:)*

	P	4/ 22/ 1936	-55.06		3233.94	01	04	1
	P	4/ 30/ 1937	-56.29	-1.23	3232.71	01	04	1
	P	5/ 26/ 1937	-56.58	-0.29	3232.42	01	04	1
	P	6/ 28/ 1938	-57.25	-0.67	3231.75	01	04	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 5 / 1938	-57.25		3231.75	01	04	1	

Min *-57.25* **Max** *-55.06* **Avg** *-56.486*

1160501 *(Aquifer: 121OGLL Well Depth: 300)*

	P	7 / 29/ 1937	-38.38		3238.62	01	12	7	01
	P	8 / 9 / 1937	-38.12	0.26	3238.88	01	12	7	01
	P	8 / 25/ 1937	-39.15	-1.03	3237.85	01	12	7	01
	P	9 / 10/ 1937	-38.15	1	3238.85	01	12	7	01
	P	10 / 2 / 1937	-37.54	0.61	3239.46	01	12	7	01
	P	11 / 2 / 1937	-37.03	0.51	3239.97	01	12	7	01
	P	1 / 8 / 1938	-36.32	0.71	3240.68	01	12	7	01
	P	5 / 26/ 1938	-38.91	-2.59	3238.09	01	12	7	01
	P	6 / 28/ 1938	-38.23	0.68	3238.77	01	12	7	01
	P	10 / 17/ 1938	-38.36	-0.13	3238.64	01	12	7	01
	P	12 / 7 / 1938	-38.12	0.24	3238.88	01	12	7	01
	P	1 / 5 / 1939	-38.08	0.04	3238.92	01	12	7	01
	P	3 / 2 / 1939	-37.85	0.23	3239.15	01	12	7	01
	P	3 / 7 / 1940	-40.69	-2.84	3236.31	01	12	7	01
	P	11 / 15/ 1940	-44.18	-3.49	3232.82	01	12	7	01
	P	1 / 20/ 1941	-43.08	1.1	3233.92	01	12	7	01
	P	3 / 11/ 1941	-42.82	0.26	3234.18	01	12	7	01
	P	12 / 20/ 1941	-39.3	3.52	3237.7	01	12	7	01
	P	3 / 10/ 1942	-38.15	1.15	3238.85	01	12	7	01
	P	10 / 27/ 1942	-37.82	0.33	3239.18	01	12	7	01
	P	1 / 29/ 1943	-36.9	0.92	3240.1	01	12	7	01
	P	2 / 16/ 1944	-39.45	-2.55	3237.55	01	12	7	01
	P	2 / 14/ 1945	-42.03	-2.58	3234.97	01	12	7	01
	P	2 / 27/ 1946	-42.92	-0.89	3234.08	01	12	7	01
	P	1 / 20/ 1947	-50.02	-7.1	3226.98	01	12	7	01
	P	3 / 11/ 1947	-49.35	0.67	3227.65	01	12	7	01
	P	3 / 9 / 1948	-53.69	-4.34	3223.31	01	12	7	01
	P	3 / 7 / 1949	-60.86	-7.17	3216.14	01	12	7	01
	P	1 / 18/ 1951	-65.6	-4.74	3211.4	01	12	7	01
	P	1 / 14/ 1952	-68.6	-3	3208.4	01	12	7	01
	P	1 / 8 / 1953	-76.48	-7.88	3200.52	01	12	7	01
	P	1 / 6 / 1954	-83.41	-6.93	3193.59	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1955	-92.63	-9.22	3184.37	01	12	7	01
	P	1/ 6/1956	-97.06	-4.43	3179.94	01	12	7	01
	P	1/ 8/1957	-104.88	-7.82	3172.12	01	12	7	01
	P	1/13/1958	-108.25	-3.37	3168.75	01	12	7	01
	P	1/ 6/1959	-110.64	-2.39	3166.36	01	12	7	01
	P	1/27/1960	-117.8	-7.16	3159.2	01	12	7	01
	P	1/26/1961	-120.7	-2.9	3156.3	01	04	1	
	P	1/19/1962	-122.13	-1.43	3154.87	01	01	1	
	P	1/ 8/1963	-124.97	-2.84	3152.03	01	06	1	
	P	1/22/1964	-128.31	-3.34	3148.69	01	06	1	
	P	2/16/1965	-134.08	-5.77	3142.92	01	06	1	
	P	1/27/1966	-140.95	-6.87	3136.05	01	06	1	
	P	1/ 9/1967	-146.29	-5.34	3130.71	01	01	1	
	P	1/ 9/1968	-158.75	-12.5	3118.25	01	01	1	
	P	1/ 6/1969	-158.44	0.31	3118.56	01	06	1	
	P	1/12/1970	-164.46	-6.02	3112.54	01	01	1	
	P	1/ 9/1971	-171.66	-7.2	3105.34	01	01	1	
	P	1/ 1/1972	-176.47	-4.81	3100.53	01	06	1	
	P	1/18/1973	-178.9	-2.43	3098.1	01	06	1	
	N	1/22/1974				01	06	1	45
	N	1/ 8/1975				01	06	1	45
	N	9/19/1975				01	06	1	45

Min *-178.9* **Max** *-36.32* **Avg** *-78.5678*

1160502 *(Aquifer: 121OGLL Well Depth: 350)*

	P	8/ 7/1975	-197.39		3078.61	01	06	1	
	P	1/13/1976	-193.34	4.05	3082.66	01	06	1	
	P	1/ 5/1977	-199.57	-6.23	3076.43	01	06	1	
	P	1/ 6/1978	-208.02	-8.45	3067.98	01	06	1	
	P	2/ 8/1979	-214.45	-6.43	3061.55	01	06	1	
	P	1/ 4/1980	-209.44	5.01	3066.56	01	06	1	
	P	1/29/1981	-223.43	-14	3052.57	01	06	1	04
	P	1/ 7/1982	-223.16	0.27	3052.84	01	06	1	
	P	1/17/1983	-232.86	-9.7	3043.14	01	06	1	04
	P	1/25/1984	-231.97	0.89	3044.03	01	06	1	
	P	1/10/1985	-233.15	-1.18	3042.85	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 24/ 1986	-230.79	2.36	3045.21	01	06	1	
	P	1/ 28/ 1987	-229.15	1.64	3046.85	01	06	1	
	P	2/ 3/ 1988	-224.25	4.9	3051.75	01	06	1	
	P	1/ 27/ 1989	-226.85	-2.6	3049.15	01	06	1	
	P	1/ 11/ 1990	-231.73	-4.88	3044.27	01	06	1	
	P	2/ 11/ 1991	-232.1	-0.37	3043.9	01	06	1	
	P	2/ 18/ 1992	-233.76	-1.66	3042.24	01	06	1	
	P	2/ 8/ 1993	-231.47	2.29	3044.53	01	06	1	
	P	1/ 27/ 1994	-235.65	-4.18	3040.35	01	06	1	
	P	3/ 9/ 1995	-242.99	-7.34	3033.01	01	06	1	
	P	1/ 29/ 1996	-247.99	-5	3028.01	01	06	1	
	P	3/ 7/ 1997	-255.15	-7.16	3020.85	01	06	1	
	P	1/ 16/ 1998	-251.88	3.27	3024.12	01	06	1	
	P	2/ 26/ 1999	-258	-6.12	3018	01	06	1	
	P	2/ 11/ 2000	-257.57	0.43	3018.43	01	06	1	
	P	2/ 7/ 2001	-260.27	-2.7	3015.73	01	06	1	
	P	2/ 11/ 2002	-260.33	-0.06	3015.67	01	06	1	
	P	2/ 28/ 2003	-261.44	-1.11	3014.56	01	06	1	
	P	2/ 18/ 2004	-264.35	-2.91	3011.65	01	06	1	
	P	2/ 16/ 2005	-262.98	1.37	3013.02	01	06	1	
	P	2/ 15/ 2006	-264.04	-1.06	3011.96	01	06	1	
	P	2/ 8/ 2007	-265.88	-1.84	3010.12	01	06	1	
	P	2/ 1/ 2008	-266.72	-0.84	3009.28	01	06	1	
	P	2/ 17/ 2009	-267.31	-0.59	3008.69	01	06	1	
	P	1/ 20/ 2010	-269.96	-2.65	3006.04	01	06	1	
	P	1/ 24/ 2011	-270.35	-0.39	3005.65	01	06	1	
	P	2/ 6/ 2012	-276.38	-6.03	2999.62	01	06	1	

Min *-276.38* **Max** *-193.34* **Avg** *-240.687*

1160601 *(Aquifer: 121OGLL Well Depth: 293)*

	P	3/ 29/ 1938	-47.59		3225.41	01	12	7	01
	P	4/ 13/ 1938	-47.34	0.25	3225.66	01	12	7	01
	P	6/ 3/ 1938	-48.83	-1.49	3224.17	01	12	7	01
	P	6/ 28/ 1938	-47.06	1.77	3225.94	01	12	7	01
	P	12/ 5/ 1938	-47.28	-0.22	3225.72	01	12	7	01
	P	1/ 5/ 1939	-47.25	0.03	3225.75	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/ 2/1939	-47.09	0.16	3225.91	01	12	7	01
	P	6/23/1939	-48.96	-1.87	3224.04	01	12	7	01
	P	8/14/1939	-49.44	-0.48	3223.56	01	12	7	01
	P	10/ 4/1939	-49.41	0.03	3223.59	01	12	7	01
	P	12/ 8/1939	-48.57	0.84	3224.43	01	12	7	01
	P	3/ 6/1940	-48.47	0.1	3224.53	01	12	7	01
	P	11/15/1940	-50.82	-2.35	3222.18	01	12	7	01
	P	1/20/1941	-50.53	0.29	3222.47	01	12	7	01
	P	3/11/1941	-50.55	-0.02	3222.45	01	12	7	01
	P	12/20/1941	-47.56	2.99	3225.44	01	12	7	01
	P	3/10/1942	-47.2	0.36	3225.8	01	12	7	01
	P	10/28/1942	-47.5	-0.3	3225.5	01	12	7	01
	P	1/29/1943	-47.1	0.4	3225.9	01	12	7	01
	P	7/20/1943	-50.91	-3.81	3222.09	01	12	7	01
	P	2/15/1944	-48.5	2.41	3224.5	01	12	7	01
	P	2/14/1945	-50.8	-2.3	3222.2	01	12	7	01
	P	10/13/1945	-53.98	-3.18	3219.02	01	12	7	01
	P	2/27/1946	-54.49	-0.51	3218.51	01	12	7	01
	P	3/19/1947	-59.3	-4.81	3213.7	01	12	7	01
	P	3/ 2/1948	-64.32	-5.02	3208.68	01	12	7	01
	P	3/ 7/1949	-71.68	-7.36	3201.32	01	12	7	01
	P	2/17/1950	-80.34	-8.66	3192.66	01	12	7	01
	P	1/18/1951	-78.25	2.09	3194.75	01	12	7	01
	P	1/16/1952	-82	-3.75	3191	01	12	7	01
	P	1/ 9/1953	-87.58	-5.58	3185.42	01	12	7	01
	P	1/ 6/1954	-95.44	-7.86	3177.56	01	12	7	01
	P	1/ 6/1955	-108.51	-13.1	3164.49	01	12	7	01
	P	1/ 6/1956	-116.82	-8.31	3156.18	01	12	7	01
	P	1/ 9/1957	-125.57	-8.75	3147.43	01	12	7	01
	P	1/13/1958	-126.1	-0.53	3146.9	01	12	7	01
	P	1/ 6/1959	-128.85	-2.75	3144.15	01	12	7	01
	P	1/27/1960	-132.52	-3.67	3140.48	01	12	7	01
	P	1/26/1961	-134.64	-2.12	3138.36	01	04	1	
	P	1/19/1962	-135.91	-1.27	3137.09	01	01	1	
	P	1/10/1963	-139.74	-3.83	3133.26	01	06	1	
	P	1/22/1964	-143.33	-3.59	3129.67	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 6 / 1965	-149.02	-5.69	3123.98	01	06	1	
	P	1 / 27 / 1966	-157.9	-8.88	3115.1	01	06	1	
	N	1 / 9 / 1967				01	01		40

Min *-157.9* **Max** *-47.06* **Avg** *-77.1602*

1160602

(Aquifer: 121OGLL Well Depth: 192)

P	3 / 18 / 1947	-57.5		3207.5	01	12	7	01
P	3 / 9 / 1948	-62.11	-4.61	3202.89	01	12	7	01
P	2 / 17 / 1950	-70.17	-8.06	3194.83	01	12	7	01
P	1 / 18 / 1951	-71.52	-1.35	3193.48	01	12	7	01
P	1 / 14 / 1952	-73.75	-2.23	3191.25	01	12	7	01
P	1 / 9 / 1953	-82.25	-8.5	3182.75	01	12	7	01
P	1 / 6 / 1954	-90.6	-8.35	3174.4	01	12	7	01
P	1 / 6 / 1955	-99.47	-8.87	3165.53	01	12	7	01
N	2 / 0 / 1955				01	12		40

Min *-99.47* **Max** *-57.5* **Avg** *-75.9213*

1160603

(Aquifer: 121OGLL Well Depth:)

P	5 / 14 / 1937	-43.64		3220.36	01	12	7	
P	6 / 12 / 1937	-43.48	0.16	3220.52	01	04	7	
P	11 / 1 / 1937	-43.43	0.05	3220.57	01	04	7	
P	12 / 2 / 1937	-43.02	0.41	3220.98	01	04	7	
P	1 / 4 / 1938	-42.73	0.29	3221.27	01	04	7	
P	3 / 11 / 1938	-43.01	-0.28	3220.99	01	04	7	
P	5 / 26 / 1938	-45.56	-2.55	3218.44	01	04	7	
P	6 / 28 / 1938	-44.71	0.85	3219.29	01	04	7	
P	10 / 17 / 1938	-44.78	-0.07	3219.22	01	04	7	
P	12 / 5 / 1938	-44.3	0.48	3219.7	01	04	7	
P	1 / 5 / 1939	-45.16	-0.86	3218.84	01	04	7	
P	3 / 2 / 1939	-44.11	1.05	3219.89	01	04	7	

Min *-45.56* **Max** *-42.73* **Avg** *-43.9942*

1160604

(Aquifer: 121OGLL Well Depth: 295)

P	5 / 0 / 1941	-52		3213	01	12	7	01
P	2 / 17 / 1950	-70.21	-18.2	3194.79	01	12	7	01
P	1 / 9 / 1953	-78.94	-8.73	3186.06	01	12	7	01
P	1 / 9 / 1954	-87.39	-8.45	3177.61	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-87.39*		**Max** *-52*	**Avg**	*-72.135*					
1160605	*(Aquifer: 121OGLL*		*Well Depth: 414)*						
	P	1 / 6 / 1956	-110.65		3154.35	01	12	7	01
	P	1 / 13/ 1958	-114.88	-4.23	3150.12	01	12	7	01
	P	1 / 6 / 1959	-120.05	-5.17	3144.95	01	12	1	
	P	1 / 27/ 1960	-133.63	-13.6	3131.37	01	12	1	
	P	1 / 26/ 1961	-133.78	-0.15	3131.22	01	12	1	
	P	1 / 19/ 1962	-134.7	-0.92	3130.3	01	01	1	
	P	1 / 8 / 1963	-131.6	3.1	3133.4	01	06	1	
	P	1 / 22/ 1964	-138.87	-7.27	3126.13	01	06	1	
	P	2 / 16/ 1965	-141.23	-2.36	3123.77	01	06	1	
	P	1 / 27/ 1966	-146.06	-4.83	3118.94	01	06	1	
	P	1 / 9 / 1967	-155.08	-9.02	3109.92	01	01	1	
	P	1 / 8 / 1968	-165	-9.92	3100	01	01	1	
	P	1 / 6 / 1969	-160.38	4.62	3104.62	01	06	1	
	P	1 / 12/ 1970	-164.89	-4.51	3100.11	01	01	1	
	P	1 / 9 / 1971	-173.17	-8.28	3091.83	01	01	1	
	P	1 / 1 / 1972	-176.81	-3.64	3088.19	01	06	1	
	P	1 / 18/ 1973	-179.43	-2.62	3085.57	01	06	1	
	P	1 / 14/ 1974	-187.29	-7.86	3077.71	01	06	1	
	P	1 / 8 / 1975	-193.32	-6.03	3071.68	01	06	1	
	P	1 / 13/ 1976	-202.94	-9.62	3062.06	01	06	1	
	P	1 / 8 / 1977	-217.5	-14.6	3047.5	01	06	1	20
	P	1 / 6 / 1978	-222.51	-5.01	3042.49	01	06	1	
	P	1 / 11/ 1979	-229.74	-7.23	3035.26	01	06	1	
	P	1 / 4 / 1980	-221.37	8.37	3043.63	01	06	1	
	P	1 / 12/ 1981	-232.96	-11.6	3032.04	01	06	1	04
	P	1 / 7 / 1982	-230.49	2.47	3034.51	01	06	1	
	P	1 / 17/ 1983	-235.12	-4.63	3029.88	01	06	1	
	P	1 / 25/ 1984	-234.57	0.55	3030.43	01	06	1	
	P	1 / 10/ 1985	-236.02	-1.45	3028.98	01	06	1	
	P	1 / 24/ 1986	-235.72	0.3	3029.28	01	06	1	
	P	1 / 28/ 1987	-234.51	1.21	3030.49	01	06	1	
	P	2 / 3 / 1988	-233.43	1.08	3031.57	01	06	1	
	P	1 / 27/ 1989	-234.51	-1.08	3030.49	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 11/ 1990	-238.87	-4.36	3026.13	01	06	1	
	P	2/ 11/ 1991	-239.7	-0.83	3025.3	01	06	1	
	P	2/ 18/ 1992	-240.82	-1.12	3024.18	01	06	1	
	P	2/ 8/ 1993	-240.31	0.51	3024.69	01	06	1	
	P	1/ 27/ 1994	-243.05	-2.74	3021.95	01	06	1	
	P	2/ 2/ 1995	-248.62	-5.57	3016.38	01	06	1	
	P	1/ 30/ 1996	-250.88	-2.26	3014.12	01	06	1	
	P	2/ 4/ 1997	-256.22	-5.34	3008.78	01	06	1	
	P	1/ 16/ 1998	-255.15	1.07	3009.85	01	06	1	
	P	1/ 28/ 1999	-256	-0.85	3009	01	06	1	
	P	2/ 11/ 2000	-261.63	-5.63	3003.37	01	06	1	
	P	2/ 7/ 2001	-264.26	-2.63	3000.74	01	06	1	
	P	2/ 11/ 2002	-267.08	-2.82	2997.92	01	06	1	
	P	2/ 28/ 2003	-265.6	1.48	2999.4	01	06	1	
	P	2/ 17/ 2004	-267.67	-2.07	2997.33	01	06	1	
	P	2/ 16/ 2005	-265.91	1.76	2999.09	01	06	1	
	P	2/ 15/ 2006	-266.61	-0.7	2998.39	01	06	1	
	P	2/ 8/ 2007	-269.08	-2.47	2995.92	01	06	1	
	P	1/ 30/ 2008	-268.83	0.25	2996.17	01	06	1	
	P	2/ 17/ 2009	-269.17	-0.34	2995.83	01	06	1	
	P	2/ 25/ 2010	-274.28	-5.11	2990.72	01	06	1	
	P	1/ 24/ 2011	-274.74	-0.46	2990.26	01	06	1	
	P	1/ 17/ 2012	-285.63	-10.9	2979.37	01	06	1	

Min *-285.63* **Max** *-110.65* **Avg** *-214.863*

1160606 *(Aquifer: 121OGLL Well Depth: 310)*

	P	0/ 0/ 1917	-43		3229	01	12	7	01
	P	4/ 17/ 1934	-43.89	-0.89	3228.11	01	12	7	01
	P	8/ 25/ 1937	-48.22	-4.33	3223.78	01	12	7	01
	P	9/ 14/ 1937	-47.08	1.14	3224.92	01	12	7	01
	P	10/ 1/ 1937	-46.84	0.24	3225.16	01	12	7	01
	P	11/ 1/ 1937	-46.63	0.21	3225.37	01	12	7	01
	P	12/ 2/ 1937	-46.54	0.09	3225.46	01	12	7	01
	P	1/ 4/ 1938	-46.48	0.06	3225.52	01	12	7	01
	P	3/ 10/ 1938	-47.38	-0.9	3224.62	01	12	7	01
	P	3/ 29/ 1938	-48.95	-1.57	3223.05	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 13/ 1938	-49	-0.05	3223	01	12	7	01
	P	6 / 3 / 1938	-48.77	0.23	3223.23	01	12	7	01
	P	6 / 28/ 1938	-47.85	0.92	3224.15	01	12	7	01
	P	10 / 18/ 1938	-48.8	-0.95	3223.2	01	12	7	01
	P	12 / 5 / 1938	-48.04	0.76	3223.96	01	12	7	01
	P	1 / 5 / 1939	-48	0.04	3224	01	12	7	01
	P	3 / 2 / 1939	-47.85	0.15	3224.15	01	12	7	01
	P	6 / 23/ 1939	-49.76	-1.91	3222.24	01	12	7	01
	P	8 / 14/ 1939	-50.14	-0.38	3221.86	01	12	7	01
	P	10 / 4 / 1939	-50.18	-0.04	3221.82	01	12	7	01
	P	12 / 8 / 1939	-49.3	0.88	3222.7	01	12	7	01
	P	3 / 6 / 1940	-49.17	0.13	3222.83	01	12	7	01
	P	11 / 15/ 1940	-51.54	-2.37	3220.46	01	12	7	01
	P	1 / 20/ 1941	-51.24	0.3	3220.76	01	12	7	01
	P	3 / 11/ 1941	-51.22	0.02	3220.78	01	12	7	01
	P	12 / 20/ 1941	-48.53	2.69	3223.47	01	12	7	01
	P	3 / 10/ 1942	-48.13	0.4	3223.87	01	12	7	01
	P	6 / 28/ 1942	-48.39	-0.26	3223.61	01	12	7	01
	P	1 / 29/ 1943	-47.95	0.44	3224.05	01	12	7	01
	P	7 / 20/ 1943	-51.93	-3.98	3220.07	01	12	7	01
	P	2 / 15/ 1944	-49.9	2.03	3222.1	01	12	7	01
	P	2 / 14/ 1945	-51.5	-1.6	3220.5	01	12	7	01
	P	2 / 27/ 1946	-55.29	-3.79	3216.71	01	12	7	01
	P	1 / 20/ 1947	-60.5	-5.21	3211.5	01	12	7	01
	P	3 / 19/ 1947	-56.12	4.38	3215.88	01	12	7	01
	P	3 / 2 / 1948	-62.55	-6.43	3209.45	01	12	7	01
	P	3 / 7 / 1949	-73.6	-11.1	3198.4	01	12	7	01
	P	2 / 17/ 1950	-81.33	-7.73	3190.67	01	12	7	01
	P	1 / 18/ 1951	-81.14	0.19	3190.86	01	12	7	01
	P	1 / 16/ 1952	-83.47	-2.33	3188.53	01	12	7	01
	P	1 / 9 / 1953	-89.28	-5.81	3182.72	01	12	7	01
	P	1 / 6 / 1954	-97.45	-8.17	3174.55	01	12	7	01
	P	1 / 6 / 1955	-109.48	-12.0	3162.52	01	12	7	01

Min *-109.48* **Max** *-43* **Avg** *-55.87*

1160608 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 19/ 2005	-264.15		3001.85	01	06	1	
	P	2 / 15/ 2006	-265.68	-1.53	3000.32	01	06	1	
	N	2 / 8 / 2007				01	06		40

Min *-265.68* **Max** *-264.15* **Avg** *-264.915*

1160801 *(Aquifer: 121OGLL Well Depth: 363)*

	P	11 / 6 / 1979	-144.85		3106.15	01	06	1	
	P	1 / 4 / 1980	-145.1	-0.25	3105.9	01	06	1	
	P	1 / 12/ 1981	-147.9	-2.8	3103.1	01	06	1	
	P	1 / 18/ 1982	-149.91	-2.01	3101.09	01	06	2	
	P	1 / 17/ 1983	-153.64	-3.73	3097.36	01	06	1	
	P	1 / 25/ 1984	-154.88	-1.24	3096.12	01	06	2	
	P	1 / 16/ 1985	-155.68	-0.8	3095.32	01	06	1	
	P	1 / 24/ 1986	-155.89	-0.21	3095.11	01	06	1	
	P	1 / 28/ 1987	-154.2	1.69	3096.8	01	06	1	
	P	2 / 3 / 1988	-151.9	2.3	3099.1	01	06	2	
	P	1 / 27/ 1989	-152.6	-0.7	3098.4	01	06	2	
	P	1 / 12/ 1990	-154.3	-1.7	3096.7	01	06	2	
	P	2 / 11/ 1991	-155.65	-1.35	3095.35	01	06	2	
	P	2 / 18/ 1992	-154.96	0.69	3096.04	01	06	1	
	P	2 / 8 / 1993	-155.82	-0.86	3095.18	01	06	2	
	N	1 / 27/ 1994				01	06	1	47

Min *-155.89* **Max** *-144.85* **Avg** *-152.485*

1160804 *(Aquifer: 121OGLL Well Depth: 351)*

	P	2 / 8 / 1993	-233.84		3027.16	01	06	1	
	P	1 / 27/ 1994	-241.68	-7.84	3019.32	01	06	1	
	P	2 / 2 / 1995	-247.48	-5.8	3013.52	01	06	1	
	P	1 / 31/ 1996	-253.3	-5.82	3007.7	01	06	1	
	P	3 / 7 / 1997	-266.4	-13.1	2994.6	01	06	1	
	P	1 / 16/ 1998	-265.23	1.17	2995.77	01	06	1	
	P	1 / 28/ 1999	-267	-1.77	2994	01	06	1	
	P	3 / 17/ 2000	-279.03	-12.0	2981.97	01	06	1	
	P	2 / 7 / 2001	-282.96	-3.93	2978.04	01	06	1	
	P	2 / 11/ 2002	-283.79	-0.83	2977.21	01	06	1	
	P	2 / 28/ 2003	-286.07	-2.28	2974.93	01	06	1	
	P	2 / 9 / 2004	-286.44	-0.37	2974.56	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 16/ 2005	-285.42	1.02	2975.58	01	06	1	
	P	2 / 15/ 2006	-284.76	0.66	2976.24	01	06	1	
	P	2 / 8 / 2007	-286.49	-1.73	2974.51	01	06	1	
	P	2 / 29/ 2008	-287.84	-1.35	2973.16	01	06	1	
	P	2 / 17/ 2009	-287.68	0.16	2973.32	01	06	1	
	P	1 / 21/ 2010	-289.8	-2.12	2971.2	01	06	1	
	P	1 / 24/ 2011	-289.69	0.11	2971.31	01	06	1	
	P	1 / 17/ 2012	-294.41	-4.72	2966.59	01	06	1	

Min *-294.41* **Max** *-233.84* **Avg** *-274.966*

1160901 *(Aquifer: 121OGLL Well Depth: 309)*

	P	6 / 18/ 1937	-40.2		3203.8	01	12	7	01
	P	12 / 2 / 1937	-39.88	0.32	3204.12	01	12	7	01
	P	1 / 4 / 1938	-39.94	-0.06	3204.06	01	12	7	01
	P	6 / 28/ 1938	-41.65	-1.71	3202.35	01	12	7	01
	P	12 / 5 / 1938	-42.44	-0.79	3201.56	01	12	7	01
	P	1 / 3 / 1939	-42.27	0.17	3201.73	01	12	7	01
	P	3 / 2 / 1939	-41.77	0.5	3202.23	01	12	7	01
	P	6 / 23/ 1939	-46.13	-4.36	3197.87	01	12	7	01
	P	12 / 8 / 1939	-46.02	0.11	3197.98	01	12	7	01
	P	3 / 6 / 1940	-44.53	1.49	3199.47	01	12	7	01
	P	11 / 15/ 1940	-50.63	-6.1	3193.37	01	12	7	01
	P	1 / 20/ 1941	-48.22	2.41	3195.78	01	12	7	01
	P	3 / 11/ 1941	-49.4	-1.18	3194.6	01	12	7	01
	P	12 / 20/ 1941	-41.67	7.73	3202.33	01	12	7	01
	P	3 / 10/ 1942	-40.64	1.03	3203.36	01	12	7	01
	P	10 / 28/ 1942	-42.08	-1.44	3201.92	01	12	7	01
	P	1 / 29/ 1943	-40.7	1.38	3203.3	01	12	7	01
	P	2 / 15/ 1944	-43.35	-2.65	3200.65	01	12	7	01
	P	2 / 14/ 1945	-46.48	-3.13	3197.52	01	12	7	01
	P	2 / 27/ 1946	-49.49	-3.01	3194.51	01	12	7	01
	P	1 / 20/ 1947	-52.9	-3.41	3191.1	01	12	7	01
	P	3 / 19/ 1947	-52.41	0.49	3191.59	01	12	7	01
	P	3 / 9 / 1948	-55.98	-3.57	3188.02	01	12	7	01
	P	3 / 9 / 1949	-59.3	-3.32	3184.7	01	12	7	01
	P	1 / 18/ 1951	-66.63	-7.33	3177.37	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 14/ 1952	-64.6	2.03	3179.4	01	12	7	01
	P	1/ 9/ 1953	-72.87	-8.27	3171.13	01	12	7	01
	P	1/ 6/ 1954	-81.36	-8.49	3162.64	01	12	7	01
	P	1/ 6/ 1955	-94.54	-13.2	3149.46	01	12	7	01
	N	2/ 0/ 1955				01	12		40
	P	1/ 6/ 1956	-102.44		3141.56	01	12	7	01
	P	1/ 8/ 1957	-102.77	-0.33	3141.23	01	12	7	01
	P	1/ 13/ 1958	-107.02	-4.25	3136.98	01	12	7	01
	P	1/ 6/ 1959	-109.54	-2.52	3134.46	01	12	7	01
	P	1/ 27/ 1960	-116.25	-6.71	3127.75	01	12	7	01
	P	1/ 26/ 1961	-119.31	-3.06	3124.69	01	04	1	
	P	1/ 18/ 1962	-121.36	-2.05	3122.64	01	01	1	
	P	1/ 8/ 1963	-126.83	-5.47	3117.17	01	06	1	
	P	1/ 22/ 1964	-127.7	-0.87	3116.3	01	06	1	
	P	1/ 6/ 1965	-135.74	-8.04	3108.26	01	06	1	
	P	1/ 31/ 1966	-140.77	-5.03	3103.23	01	06	1	
	P	1/ 9/ 1967	-147.73	-6.96	3096.27	01	01	1	
	P	1/ 8/ 1968	-149.01	-1.28	3094.99	01	01	1	

Min *-149.01* **Max** *-39.88* **Avg** *-73.4417*

1160902 *(Aquifer: 121OGLL Well Depth: 417)*

	P	1/ 6/ 1969	-151.42		3092.58	01	06	1	
	P	1/ 12/ 1970	-156.35	-4.93	3087.65	01	01	1	
	P	1/ 9/ 1971	-165.33	-8.98	3078.67	01	01	1	
	P	1/ 1/ 1972	-169.68	-4.35	3074.32	01	06	1	
	P	1/ 18/ 1973	-172.32	-2.64	3071.68	01	06	1	
	P	1/ 14/ 1974	-182.8	-10.5	3061.2	01	06	1	
	P	1/ 8/ 1975	-188.57	-5.77	3055.43	01	06	1	
	P	1/ 13/ 1976	-197.34	-8.77	3046.66	01	06	1	
	P	1/ 5/ 1977	-206.89	-9.55	3037.11	01	06	1	
	P	1/ 6/ 1978	-213.32	-6.43	3030.68	01	06	1	
	P	1/ 11/ 1979	-218.94	-5.62	3025.06	01	06	1	
	P	1/ 4/ 1980	-214.06	4.88	3029.94	01	06	1	
	P	1/ 12/ 1981	-224.1	-10.0	3019.9	01	06	1	
	P	1/ 7/ 1982	-221.6	2.5	3022.4	01	06	1	
	P	1/ 17/ 1983	-225.76	-4.16	3018.24	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 25/ 1984	-224.61	1.15	3019.39	01	06	1	
	P	1/ 10/ 1985	-227.24	-2.63	3016.76	01	06	1	
	P	1/ 24/ 1986	-233.45	-6.21	3010.55	01	06	1	
	P	1/ 28/ 1987	-232.7	0.75	3011.3	01	06	1	
	P	2/ 3/ 1988	-225.57	7.13	3018.43	01	06	1	
	P	1/ 27/ 1989	-227	-1.43	3017	01	06	2	
	P	1/ 12/ 1990	-233.54	-6.54	3010.46	01	06	2	
	P	2/ 11/ 1991	-232.05	1.49	3011.95	01	06	2	
	P	2/ 18/ 1992	-233.42	-1.37	3010.58	01	06	1	
	P	2/ 8/ 1993	-232.69	0.73	3011.31	01	06	1	
	P	1/ 27/ 1994	-238.99	-6.3	3005.01	01	06	1	
	P	2/ 2/ 1995	-240.84	-1.85	3003.16	01	06	1	
	P	1/ 30/ 1996	-244.03	-3.19	2999.97	01	06	1	
	P	2/ 4/ 1997	-249.67	-5.64	2994.33	01	06	1	
	P	1/ 16/ 1998	-248.16	1.51	2995.84	01	06	1	
	P	1/ 28/ 1999	-254	-5.84	2990	01	06	1	
	P	2/ 11/ 2000	-260.25	-6.25	2983.75	01	06	1	
	P	2/ 7/ 2001	-257.9	2.35	2986.1	01	06	1	
	P	2/ 11/ 2002	-257.44	0.46	2986.56	01	06	1	
	P	2/ 28/ 2003	-258.79	-1.35	2985.21	01	06	1	
	P	2/ 17/ 2004	-260.98	-2.19	2983.02	01	06	1	
	P	2/ 16/ 2005	-259.15	1.83	2984.85	01	06	1	
	P	2/ 15/ 2006	-259.49	-0.34	2984.51	01	06	1	
	P	2/ 8/ 2007	-263.39	-3.9	2980.61	01	06	1	
	P	1/ 30/ 2008	-262.78	0.61	2981.22	01	06	1	
	P	2/ 17/ 2009	-263.53	-0.75	2980.47	01	06	1	
	P	2/ 25/ 2010	-269	-5.47	2975	01	06	1	
	P	1/ 24/ 2011	-269.9	-0.9	2974.1	01	06	1	
	P	2/ 14/ 2012	-283.49	-13.6	2960.51	01	06	1	

Min *-283.49* **Max** *-151.42* **Avg** *-229.830*

1161104 *(Aquifer: 121OGLL Well Depth:)*

	P	3/ 7/ 1949	-82.45		3193.55	01	12	7	01
	P	2/ 17/ 1950	-84.9	-2.45	3191.1	01	12	7	01
	P	1/ 18/ 1951	-88.8	-3.9	3187.2	01	12	7	01
	P	1/ 11/ 1952	-96.25	-7.45	3179.75	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1953	-102.91	-6.66	3173.09	01	12	7	01
	P	1/ 7/1954	-110.77	-7.86	3165.23	01	12	7	01
	P	1/18/1956	-120.24	-9.47	3155.76	01	12	7	01
	P	1/13/1958	-128.58	-8.34	3147.42	01	12	7	01
	P	1/ 6/1959	-130.2	-1.62	3145.8	01	12	7	01
	P	1/27/1960	-144.6	-14.4	3131.4	01	12	7	20
	P	1/26/1961	-137.6	7	3138.4	01	04	1	
	P	1/19/1962	-139.57	-1.97	3136.43	01	01	1	
	P	1/ 9/1963	-142.57	-3	3133.43	01	06	1	
	P	1/22/1964	-145.36	-2.79	3130.64	01	06	1	
	P	1/15/1965	-150.34	-4.98	3125.66	01	06	1	
	N	1/27/1966				01	06	1	47
	P	1/10/1967	-163.14		3112.86	01	01	1	
	P	1/ 9/1968	-168.81	-5.67	3107.19	01	01	1	
	P	1/ 8/1969	-172.09	-3.28	3103.91	01	06	1	
	P	1/12/1970	-177.75	-5.66	3098.25	01	01	1	
	P	1/ 9/1971	-182.06	-4.31	3093.94	01	01	1	
	P	1/ 1/1972	-185.33	-3.27	3090.67	01	06	1	
	P	1/17/1973	-187.19	-1.86	3088.81	01	06	1	
	P	1/15/1974	-190.32	-3.13	3085.68	01	06	1	
	P	1/ 8/1975	-195.55	-5.23	3080.45	01	06	1	
	P	1/13/1976	-201.14	-5.59	3074.86	01	06	1	
	P	1/ 3/1977	-212.99	-11.9	3063.01	01	06	1	
	P	1/ 4/1978	-213.2	-0.21	3062.8	01	06	1	
	P	1/11/1979	-219.82	-6.62	3056.18	01	06	1	
	P	1/ 4/1980	-225.4	-5.58	3050.6	01	06	1	

Min *-225.4* **Max** *-82.45* **Avg** *-155.17*

1161105 *(Aquifer: 121OGLL Well Depth: 298)*

	P	3/19/1947	-65.76		3204.24	01	12	7	01
	P	3/ 2/1948	-75.7	-9.94	3194.3	01	12	7	01
	P	3/ 7/1949	-82.55	-6.85	3187.45	01	12	7	01
	P	2/17/1950	-86.46	-3.91	3183.54	01	12	7	01
	P	1/18/1951	-90.49	-4.03	3179.51	01	12	7	01
	P	1/11/1952	-96.12	-5.63	3173.88	01	12	7	01
	P	1/ 7/1953	-102.51	-6.39	3167.49	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1954	-112.12	-9.61	3157.88	01	12	7	01
	P	1/ 6/1955	-120.56	-8.44	3149.44	01	12	7	01
	P	1/ 5/1956	-129.81	-9.25	3140.19	01	12	7	01
	P	1/10/1957	-131.55	-1.74	3138.45	01	12	7	01
	P	1/ 9/1958	-133.04	-1.49	3136.96	01	12	7	01
	P	1/ 6/1959	-134.72	-1.68	3135.28	01	12	7	01
	P	1/27/1960	-139.03	-4.31	3130.97	01	12	7	01
	P	1/26/1961	-141.66	-2.63	3128.34	01	04	1	
	P	1/19/1962	-143.73	-2.07	3126.27	01	01	1	
	P	1/ 9/1963	-147.49	-3.76	3122.51	01	06	1	
	P	1/22/1964	-151.9	-4.41	3118.1	01	06	1	
	P	1/15/1965	-156.49	-4.59	3113.51	01	06	1	
	P	1/27/1966	-163.03	-6.54	3106.97	01	06	1	
	P	1/10/1967	-171.6	-8.57	3098.4	01	01	1	
	P	1/ 9/1968	-173.51	-1.91	3096.49	01	01	1	
	N	1/ 8/1969				01	06		61
	P	1/12/1970	-182.46		3087.54	01	01	1	
	P	1/ 9/1971	-188.8	-6.34	3081.2	01	01	1	
	P	1/ 1/1972	-198.9	-10.1	3071.1	01	06	1	
	P	1/17/1973	-190.56	8.34	3079.44	01	06	1	
	P	1/15/1974	-194.22	-3.66	3075.78	01	06	1	
	P	1/ 8/1975	-198.46	-4.24	3071.54	01	06	1	
	P	1/13/1976	-203.61	-5.15	3066.39	01	06	1	
	P	1/ 3/1977	-209.03	-5.42	3060.97	01	06	1	20
	P	1/ 4/1978	-213.51	-4.48	3056.49	01	06	1	
	P	1/24/1979	-217.86	-4.35	3052.14	01	06	1	
	P	1/ 4/1980	-225.39	-7.53	3044.61	01	06	1	25
	P	1/12/1981	-229.01	-3.62	3040.99	01	06	1	
	P	1/15/1982	-227.63	1.38	3042.37	01	06	1	
	P	1/17/1983	-230.1	-2.47	3039.9	01	06	2	
	P	1/16/1984	-232.67	-2.57	3037.33	01	06	1	
	P	1/18/1985	-234.07	-1.4	3035.93	01	06	1	

Min *-234.07* **Max** *-65.76* **Avg** *-161.213*

1161107 *(Aquifer: 121OGLL Well Depth:)*

	P	0/ 0/1914	-43.2		3234.8	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 29/ 1938	-51.33	-8.13	3226.67	01	12	7	01
	P	4 / 25/ 1938	-53.4	-2.07	3224.6	01	12	7	01
	P	6 / 26/ 1938	-51.58	1.82	3226.42	01	12	7	01
	P	10 / 17/ 1938	-51.48	0.1	3226.52	01	12	7	01
	P	12 / 5 / 1938	-51.22	0.26	3226.78	01	12	7	01
	P	1 / 5 / 1939	-51.12	0.1	3226.88	01	12	7	01
	P	3 / 2 / 1939	-50.95	0.17	3227.05	01	12	7	01
	P	10 / 4 / 1939	-55.89	-4.94	3222.11	01	12	7	01
	P	12 / 8 / 1939	-53.48	2.41	3224.52	01	12	7	01
	P	3 / 6 / 1940	-52.47	1.01	3225.53	01	12	7	01
	P	11 / 15/ 1940	-54.79	-2.32	3223.21	01	12	7	01
	P	1 / 20/ 1941	-55.24	-0.45	3222.76	01	12	7	01
	P	3 / 11/ 1941	-55.05	0.19	3222.95	01	12	7	01
	P	12 / 22/ 1941	-53.65	1.4	3224.35	01	12	7	01
	P	3 / 10/ 1942	-53.11	0.54	3224.89	01	12	7	01
	P	12 / 28/ 1942	-54.4	-1.29	3223.6	01	12	7	01
	P	2 / 2 / 1943	-53.4	1	3224.6	01	12	7	01
	P	2 / 15/ 1944	-55.64	-2.24	3222.36	01	12	7	01

Min *-55.89* **Max** *-43.2* **Avg** *-52.7053*

1161108 *(Aquifer: 121OGLL Well Depth: 246)*

	P	11 / 17/ 1937	-48.21		3223.79	01	12	7	01
	P	3 / 19/ 1947	-68.05	-19.8	3203.95	01	12	7	01
	P	3 / 2 / 1948	-77.8	-9.75	3194.2	01	12	7	01
	P	3 / 7 / 1949	-88	-10.2	3184	01	12	7	01

Min *-88* **Max** *-48.21* **Avg** *-70.515*

1161109 *(Aquifer: 121OGLL Well Depth: 210)*

	P	0 / 0 / 1914	-42.7		3232.3	01	12	7	01
	P	3 / 29/ 1938	-48.95	-6.25	3226.05	01	12	7	01
	P	6 / 26/ 1938	-49	-0.05	3226	01	12	7	01
	P	10 / 18/ 1938	-49.14	-0.14	3225.86	01	12	7	01
	P	12 / 5 / 1938	-48.75	0.39	3226.25	01	12	7	01
	P	1 / 5 / 1939	-48.64	0.11	3226.36	01	12	7	01
	P	3 / 2 / 1939	-48.46	0.18	3226.54	01	12	7	01
	P	6 / 26/ 1939	-49.98	-1.52	3225.02	01	12	7	01
	P	10 / 4 / 1939	-52.77	-2.79	3222.23	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 8 / 1939	-50.29	2.48	3224.71	01	12	7	01
	P	3 / 6 / 1940	-50.04	0.25	3224.96	01	12	7	01
	P	11 / 15/ 1940	-52.97	-2.93	3222.03	01	12	7	01
	P	1 / 20/ 1941	-52.48	0.49	3222.52	01	12	7	01
	P	3 / 11/ 1941	-52.33	0.15	3222.67	01	12	7	01
	P	12 / 22/ 1941	-50.91	1.42	3224.09	01	12	7	01
	P	3 / 10/ 1942	-50.37	0.54	3224.63	01	12	7	01
	P	10 / 28/ 1942	-51.53	-1.16	3223.47	01	12	7	01
	P	2 / 2 / 1943	-50.59	0.94	3224.41	01	12	7	01
	P	12 / 15/ 1944	-52.33	-1.74	3222.67	01	12	7	01
	P	2 / 14/ 1945	-54.54	-2.21	3220.46	01	12	7	01
	P	2 / 26/ 1946	-59.88	-5.34	3215.12	01	12	7	01
	P	3 / 19/ 1947	-67.5	-7.62	3207.5	01	12	7	01
	P	3 / 2 / 1948	-74.5	-7	3200.5	01	12	7	01

Min *-74.5* **Max** *-42.7* **Avg** *-52.55*

1161110 *(Aquifer: 121OGLL Well Depth: 403)*

	P	12 / 10/ 1984	-253		3016	01	07	2	
	P	1 / 24/ 1986	-234.19	18.81	3034.81	01	06	1	
	P	2 / 4 / 1987	-233.94	0.25	3035.06	01	06	1	
	P	2 / 2 / 1988	-233.38	0.56	3035.62	01	06	1	
	P	1 / 26/ 1989	-233.27	0.11	3035.73	01	06	2	
	P	1 / 11/ 1990	-235.27	-2	3033.73	01	06	1	
	P	2 / 11/ 1991	-236.37	-1.1	3032.63	01	06	1	
	P	2 / 12/ 1992	-237.79	-1.42	3031.21	01	06	1	
	P	2 / 8 / 1993	-237.32	0.47	3031.68	01	06	1	
	P	2 / 22/ 1994	-240.3	-2.98	3028.7	01	06	1	
	P	3 / 8 / 1995	-246.13	-5.83	3022.87	01	06	1	
	N	1 / 29/ 1996				01	06		42

Min *-253* **Max** *-233.27* **Avg** *-238.269*

1161112 *(Aquifer: 121OGLL Well Depth: 401)*

	P	2 / 16/ 1970	-185		3099	01	11	7	

Min *-185* **Max** *-185* **Avg** *-185*

1161113 *(Aquifer: 121OGLL Well Depth: 393)*

	P	1 / 29/ 1996	-255.62		3006.38	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 1997	-261.19	-5.57	3000.81	01	06	1	
	P	2 / 28/ 1998	-247.41	13.78	3014.59	01	06	1	
	P	1 / 28/ 1999	-251	-3.59	3011	01	06	1	
	P	2 / 11/ 2000	-251.32	-0.32	3010.68	01	06	1	
	P	2 / 7 / 2001	-252.93	-1.61	3009.07	01	06	1	
	P	3 / 13/ 2002	-252.81	0.12	3009.19	01	06	1	
	N	4 / 2 / 2003				01	06		42
	P	2 / 18/ 2004	-257.58		3004.42	01	06	1	
	P	2 / 16/ 2005	-257.54	0.04	3004.46	01	06	1	
	P	2 / 10/ 2006	-258.44	-0.9	3003.56	01	06	1	
	P	2 / 8 / 2007	-262.99	-4.55	2999.01	01	06	1	
	P	1 / 30/ 2008	-263.24	-0.25	2998.76	01	06	1	
	N	3 / 9 / 2009				01	06		41
	P	2 / 25/ 2010	-269.73		2992.27	01	06	1	
	P	1 / 24/ 2011	-270.24	-0.51	2991.76	01	06	1	
	P	2 / 14/ 2012	-276.78	-6.54	2985.22	01	06	1	

Min *-276.78* **Max** *-247.41* **Avg** *-259.255*

1161114 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 20/ 2005	-270.71		3006.29	01	06	1	
	N	3 / 14/ 2006				01	06		40

Min *-270.71* **Max** *-270.71* **Avg** *-270.71*

1161115 *(Aquifer: 121OGLL Well Depth: 390)*

	P	2 / 13/ 2009	-281.53		2992.47	01	06	1	
	P	1 / 20/ 2010	-285.7	-4.17	2988.3	01	06	1	
	P	1 / 24/ 2011	-283.91	1.79	2990.09	01	06	1	
	P	2 / 6 / 2012	-292.39	-8.48	2981.61	01	06	1	

Min *-292.39* **Max** *-281.53* **Avg** *-285.883*

1161203 *(Aquifer: 121OGLL Well Depth: 280)*

	P	6 / 7 / 1937	-57.41		3221.59	01	12	7	01
	P	7 / 27/ 1937	-57.78	-0.37	3221.22	01	12	7	01
	P	11 / 16/ 1937	-57.06	0.72	3221.94	01	12	7	01
	P	4 / 14/ 1938	-57.56	-0.5	3221.44	01	12	7	01
	P	4 / 19/ 1938	-57.62	-0.06	3221.38	01	12	7	01
	P	6 / 24/ 1938	-57.72	-0.1	3221.28	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/12/1938	-58.45	-0.73	3220.55	01	12	7	01
	P	10/17/1938	-58.55	-0.1	3220.45	01	12	7	01
	P	12/5/1938	-58.06	0.49	3220.94	01	12	7	01
	P	1/5/1939	-57.9	0.16	3221.1	01	12	7	01
	P	3/2/1939	-57.66	0.24	3221.34	01	12	7	01
	P	6/21/1939	-59.01	-1.35	3219.99	01	12	7	01
	P	7/25/1939	-59.25	-0.24	3219.75	01	12	7	01
	P	10/4/1939	-60.35	-1.1	3218.65	01	12	7	01
	P	12/8/1939	-59.7	0.65	3219.3	01	12	7	01
	P	3/6/1940	-59.18	0.52	3219.82	01	12	7	01
	P	11/15/1940	-63.21	-4.03	3215.79	01	12	7	01
	P	1/20/1941	-62.45	0.76	3216.55	01	12	7	01
	P	7/22/1941	-64.58	-2.13	3214.42	01	12	7	01
	P	12/22/1941	-61.48	3.1	3217.52	01	12	7	01
	P	3/11/1942	-60.82	0.66	3218.18	01	12	7	01
	P	10/28/1942	-64.84	-4.02	3214.16	01	12	7	01
	P	1/29/1943	-62.53	2.31	3216.47	01	12	7	01
	P	2/26/1946	-75.74	-13.2	3203.26	01	12	7	01
	P	3/19/1947	-82.95	-7.21	3196.05	01	12	7	01
	P	3/2/1948	-93.1	-10.2	3185.9	01	12	7	01
	P	3/8/1949	-98.85	-5.75	3180.15	01	12	7	01
	P	2/18/1950	-102.2	-3.35	3176.8	01	12	7	01
	P	1/18/1951	-107	-4.8	3172	01	12	7	01
	P	1/11/1952	-112.4	-5.4	3166.6	01	12	7	01
	P	1/7/1953	-117.21	-4.81	3161.79	01	12	7	01
	P	1/7/1954	-124.27	-7.06	3154.73	01	12	7	01
	P	1/6/1955	-132.55	-8.28	3146.45	01	12	7	01
	P	1/5/1956	-136.75	-4.2	3142.25	01	12	7	01
	P	1/10/1957	-145.24	-8.49	3133.76	01	12	7	01
	P	1/13/1958	-146.53	-1.29	3132.47	01	12	7	01
	P	1/2/1959	-149.24	-2.71	3129.76	01	12	7	01
	P	1/27/1960	-153.45	-4.21	3125.55	01	12	7	01
	P	1/26/1961	-156.8	-3.35	3122.2	01	04	1	01
	P	1/19/1962	-159.73	-2.93	3119.27	01	01	1	
	P	1/9/1963	-162.95	-3.22	3116.05	01	06	1	
	P	1/22/1964	-167.73	-4.78	3111.27	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 16/ 1965	-172.99	-5.26	3106.01	01	06	1	
	P	1 / 27/ 1966	-181.24	-8.25	3097.76	01	06	1	
	P	1 / 9 / 1967	-182.54	-1.3	3096.46	01	01	1	
	P	1 / 8 / 1968	-188.14	-5.6	3090.86	01	06	1	
	N	1 / 8 / 1969				01	06		41
	P	1 / 12/ 1970	-195.3		3083.7	01	01	1	
	P	1 / 9 / 1971	-198.96	-3.66	3080.04	01	01	1	
	P	1 / 1 / 1972	-204.67	-5.71	3074.33	01	06	1	
	P	1 / 17/ 1973	-204.56	0.11	3074.44	01	06	1	
	P	1 / 15/ 1974	-206.09	-1.53	3072.91	01	06	1	
	N	1 / 8 / 1975				01	06	1	44
	N	9 / 19/ 1975				01	06	1	44

Min *-206.09* **Max** *-57.06* **Avg** *-108.477*

1161204 *(Aquifer: 121OGLL Well Depth: 289)*

	P	5 / 2 / 1940	-48.57		3218.43	01	12	7	01
	P	3 / 17/ 1947	-70.65	-22.1	3196.35	01	12	7	01
	P	3 / 2 / 1948	-77.06	-6.41	3189.94	01	12	7	01
	P	3 / 8 / 1949	-83.24	-6.18	3183.76	01	12	7	01
	P	2 / 18/ 1950	-89.49	-6.25	3177.51	01	12	7	01
	P	1 / 18/ 1951	-91.17	-1.68	3175.83	01	12	7	01
	P	1 / 11/ 1952	-95.63	-4.46	3171.37	01	12	7	01
	P	1 / 7 / 1953	-102.61	-6.98	3164.39	01	12	7	01
	P	1 / 7 / 1954	-106.75	-4.14	3160.25	01	12	7	01
	P	1 / 6 / 1955	-125.39	-18.6	3141.61	01	12	7	01
	P	1 / 5 / 1956	-130.03	-4.64	3136.97	01	12	7	01
	P	1 / 10/ 1957	-139.08	-9.05	3127.92	01	12	7	01
	P	1 / 9 / 1958	-141.11	-2.03	3125.89	01	12	7	01
	P	1 / 2 / 1959	-141.42	-0.31	3125.58	01	12	7	01
	P	1 / 27/ 1960	-146.2	-4.78	3120.8	01	12	7	01
	P	1 / 26/ 1961	-148.7	-2.5	3118.3	01	04	1	
	P	1 / 19/ 1962	-150.42	-1.72	3116.58	01	01	1	
	P	1 / 9 / 1963	-155.26	-4.84	3111.74	01	06	1	
	P	1 / 22/ 1964	-160.03	-4.77	3106.97	01	06	1	
	P	2 / 16/ 1965	-166.42	-6.39	3100.58	01	06	1	
	P	1 / 27/ 1966	-173.89	-7.47	3093.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1967	-177.42	-3.53	3089.58	01	01	1	
	P	1/ 7/1968	-179.08	-1.66	3087.92	01	01	1	
	P	1/ 8/1969	-183.13	-4.05	3083.87	01	06	1	
	P	1/12/1970	-188.4	-5.27	3078.6	01	01	1	
	P	1/ 9/1971	-191.95	-3.55	3075.05	01	01	1	
	P	1/ 1/1972	-194.97	-3.02	3072.03	01	06	1	
	P	1/17/1973	-196.04	-1.07	3070.96	01	06	1	
	P	1/15/1974	-198.98	-2.94	3068.02	01	06	1	
	P	1/13/1975	-203.29	-4.31	3063.71	01	06	1	
	P	1/ 6/1976	-206.29	-3	3060.71	01	06	1	
	P	1/ 3/1977	-210.85	-4.56	3056.15	01	06	1	
	P	1/ 5/1978	-214.89	-4.04	3052.11	01	06	1	
	P	2/ 8/1979	-219.01	-4.12	3047.99	01	06	1	
	P	1/ 7/1980	-220.76	-1.75	3046.24	01	06	1	
	P	1/12/1981	-224.77	-4.01	3042.23	01	06	1	
	P	1/15/1982	-223.51	1.26	3043.49	01	06	1	
	P	1/17/1983	-228.08	-4.57	3038.92	01	06	1	
	P	1/16/1984	-228.5	-0.42	3038.5	01	06	1	
	P	1/18/1985	-229.7	-1.2	3037.3	01	06	1	
	P	1/22/1986	-228.9	0.8	3038.1	01	06	1	
	P	2/ 4/1987	-226.76	2.14	3040.24	01	06	1	
	P	2/ 2/1988	-224.85	1.91	3042.15	01	06	1	
	P	1/25/1989	-224.95	-0.1	3042.05	01	06	1	
	P	1/15/1990	-229	-4.05	3038	01	06	2	
	P	2/11/1991	-229.81	-0.81	3037.19	01	06	1	
	P	2/12/1992	-231.37	-1.56	3035.63	01	06	1	
	P	2/ 8/1993	-230.99	0.38	3036.01	01	06	1	
	P	1/27/1994	-233.15	-2.16	3033.85	01	06	1	
	P	2/ 6/1995	-237.05	-3.9	3029.95	01	06	1	
	P	1/29/1996	-239.2	-2.15	3027.8	01	06	1	
	P	2/ 4/1997	-242.53	-3.33	3024.47	01	06	1	
	P	1/15/1998	-241.29	1.24	3025.71	01	06	1	
	P	2/25/1999	-243	-1.71	3024	01	06	1	
	P	2/14/2000	-244.27	-1.27	3022.73	01	06	1	
	P	1/11/2001	-246.25	-1.98	3020.75	01	06	1	
	P	2/12/2002	-245.12	1.13	3021.88	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 3 / 2003	-246.23	-1.11	3020.77	01	06	1	
	P	2 / 17/ 2004	-249.8	-3.57	3017.2	01	06	1	
	P	2 / 16/ 2005	-248.96	0.84	3018.04	01	06	1	
	P	2 / 10/ 2006	-250.17	-1.21	3016.83	01	06	1	
	N	2 / 9 / 2007				01	06		42
	N	1 / 30/ 2008				01	06		42
	N	2 / 17/ 2009				01	06		42
	N	1 / 20/ 2010				01	06		42
	N	1 / 24/ 2011				01	06		42
	N	12 / 9 / 2011				01	06		42

Min *-250.17* **Max** *-48.57* **Avg** *-187.81*

1161205 *(Aquifer: 121OGLL Well Depth: 254)*

	P	6 / 25/ 1954	-75		3192	01	07	7	

Min *-75* **Max** *-75* **Avg** *-75*

1161206 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 8 / 1937	-49.91		3221.09	01	12	7	
	P	7 / 27/ 1937	-50.05	-0.14	3220.95	01	12	7	
	P	9 / 6 / 1937	-50.23	-0.18	3220.77	01	12	7	
	P	1 / 24/ 1938	-50.34	-0.11	3220.66	01	12	7	
	P	4 / 19/ 1938	-50.39	-0.05	3220.61	01	12	7	
	P	6 / 26/ 1938	-50.53	-0.14	3220.47	01	12	7	
	P	10 / 4 / 1939	-51.98	-1.45	3219.02	01	12	7	
	P	12 / 8 / 1939	-52.2	-0.22	3218.8	01	12	7	
	P	3 / 6 / 1940	-52.39	-0.19	3218.61	01	12	7	
	P	11 / 15/ 1940	-53.82	-1.43	3217.18	01	12	7	
	P	1 / 20/ 1941	-54.07	-0.25	3216.93	01	12	7	
	P	3 / 11/ 1941	-54.16	-0.09	3216.84	01	12	7	
	P	12 / 22/ 1941	-52.93	1.23	3218.07	01	12	7	
	P	3 / 11/ 1942	-52.58	0.35	3218.42	01	12	7	
	P	1 / 29/ 1943	-52.97	-0.39	3218.03	01	12	7	
	P	2 / 1 / 1944	-54.22	-1.25	3216.78	01	12	7	
	P	2 / 15/ 1945	-55.9	-1.68	3215.1	01	12	7	
	P	2 / 26/ 1946	-58.92	-3.02	3212.08	01	12	7	
	P	3 / 19/ 1947	-62.86	-3.94	3208.14	01	12	7	01
	P	3 / 2 / 1948	-67.15	-4.29	3203.85	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 8 / 1949	-72.2	-5.05	3198.8	01	12	7	01
Min -72.2		Max -49.91	Avg -54.7524						
1161209	(Aquifer: 121OGLL		Well Depth: 282)						
	P	1 / 0 / 1938	-60		3213	01	02	7	
Min -60		Max -60	Avg -60						
1161211	(Aquifer: 121OGLL		Well Depth: 296)						
	P	12 / 28/ 1965	-165		3112	01	11	7	
Min -165		Max -165	Avg -165						
1161212	(Aquifer: 121OGLL		Well Depth: 332)						
	P	5 / 17/ 1988	-235.6		3043.4	01	01	1	
Min -235.6		Max -235.6	Avg -235.6						
1161214	(Aquifer: 121OGLL		Well Depth: 328)						
	N	5 / 18/ 2004				01	01		42
Min		Max	Avg						
1161215	(Aquifer:		Well Depth: 62)						
	P	7 / 27/ 1937	-45.44		3221.56	01	12	7	
	P	9 / 6 / 1937	-45.88	-0.44	3221.12	01	12	7	
	P	1 / 24/ 1938	-45.28	0.6	3221.72	01	12	7	
	P	4 / 19/ 1938	-46	-0.72	3221	01	12	7	
	P	6 / 26/ 1938	-46.26	-0.26	3220.74	01	12	7	
	P	3 / 6 / 1940	-48.16	-1.9	3218.84	01	12	7	
	P	3 / 11/ 1941	-50.61	-2.45	3216.39	01	12	7	
	P	3 / 11/ 1942	-46.1	4.51	3220.9	01	12	7	
	P	10 / 28/ 1942	-48.16	-2.06	3218.84	01	12	7	
	P	1 / 29/ 1943	-47.69	0.47	3219.31	01	12	7	
	P	2 / 1 / 1944	-51.18	-3.49	3215.82	01	12	7	
	P	2 / 15/ 1945	-52.95	-1.77	3214.05	01	12	7	
	P	2 / 26/ 1946	-58.53	-5.58	3208.47	01	12	7	
Min -58.53		Max -45.28	Avg -48.6338						
1161301	(Aquifer: 121OGLL		Well Depth: 44)						
	P	1 / 22/ 1958	-30.04		3225.96	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1959	-37.99	-7.95	3218.01	01	12	7	01
	P	2 / 3 / 1960	-38.75	-0.76	3217.25	01	12	7	01
	P	1 / 26/ 1961	-37.77	0.98	3218.23	01	04	1	
	P	1 / 18/ 1962	-37.29	0.48	3218.71	01	01	1	
	P	1 / 8 / 1963	-38.6	-1.31	3217.4	01	01	1	
	P	1 / 22/ 1964	-39.31	-0.71	3216.69	01	06	1	
	P	2 / 16/ 1965	-41.33	-2.02	3214.67	01	06	1	
	P	2 / 2 / 1966	-42.1	-0.77	3213.9	01	06	1	
	P	1 / 9 / 1967	-41.51	0.59	3214.49	01	01	1	
	N	1 / 8 / 1968				01	01	1	44
	N	1 / 15/ 1969				01	06	1	45

Min *-42.1* **Max** *-30.04* **Avg** *-38.469*

1161302 *(Aquifer: 121OGLL Well Depth: 44)*

	P	11 / 1 / 1937	-36.1		3228.9	01	12	7	01
	P	12 / 2 / 1937	-35.57	0.53	3229.43	01	12	7	01
	P	1 / 4 / 1938	-35.22	0.35	3229.78	01	12	7	01
	P	3 / 11/ 1938	-34.62	0.6	3230.38	01	12	7	01
	P	4 / 13/ 1938	-34.68	-0.06	3230.32	01	12	7	01
	P	5 / 26/ 1938	-34.42	0.26	3230.58	01	12	7	01
	P	6 / 24/ 1938	-35.08	-0.66	3229.92	01	12	7	01
	P	8 / 12/ 1938	-35.43	-0.35	3229.57	01	12	7	01
	P	10 / 17/ 1938	-35.95	-0.52	3229.05	01	12	7	01
	P	12 / 5 / 1938	-36.5	-0.55	3228.5	01	12	7	01
	P	1 / 3 / 1939	-36.77	-0.27	3228.23	01	12	7	01
	P	3 / 2 / 1939	-37.22	-0.45	3227.78	01	12	7	01
	P	6 / 21/ 1939	-37.81	-0.59	3227.19	01	12	7	01
	P	7 / 24/ 1939	-37.48	0.33	3227.52	01	12	7	01
	P	8 / 14/ 1939	-37.64	-0.16	3227.36	01	12	7	01
	P	10 / 4 / 1939	-37.94	-0.3	3227.06	01	12	7	01
	P	12 / 8 / 1939	-38.13	-0.19	3226.87	01	12	7	01
	P	1 / 1 / 1940	-38.23	-0.1	3226.77	01	12	7	01
	P	3 / 6 / 1940	-38.53	-0.3	3226.47	01	12	7	01
	P	7 / 9 / 1940	-38.58	-0.05	3226.42	01	12	7	01
	P	11 / 15/ 1940	-38.81	-0.23	3226.19	01	12	7	01
	P	12 / 21/ 1940	-38.86	-0.05	3226.14	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/20/1941	-38.9	-0.04	3226.1	01	12	7	01
	P	3/11/1941	-40	-1.1	3225	01	12	7	01
	P	6/ 2/1941	-38.61	1.39	3226.39	01	12	7	01
	P	7/23/1941	-30.52	8.09	3234.48	01	12	7	01
	P	12/20/1941	-23.78	6.74	3241.22	01	12	7	01
	P	3/10/1942	-25.13	-1.35	3239.87	01	12	7	01
	P	7/ 4/1942	-27.18	-2.05	3237.82	01	12	7	01
	P	10/20/1942	-27.69	-0.51	3237.31	01	12	7	01
	P	2/ 2/1943	-26.16	1.53	3238.84	01	12	7	01
	P	2/15/1944	-31.72	-5.56	3233.28	01	12	7	01
	P	2/22/1945	-34.52	-2.8	3230.48	01	12	7	01
	P	2/26/1946	-36.05	-1.53	3228.95	01	12	7	01
	P	3/ 2/1948	-37.08	-1.03	3227.92	01	12	7	01
	P	10/13/1948	-37.95	-0.87	3227.05	01	12	7	01
	P	11/29/1948	-39.19	-1.24	3225.81	01	12	7	01
	P	12/31/1948	-38.19	1	3226.81	01	12	7	01
	P	1/31/1949	-38.24	-0.05	3226.76	01	12	7	01
	P	2/28/1949	-38.24		3226.76	01	12	7	01
	P	3/31/1949	-38.34	-0.1	3226.66	01	12	7	01
	P	4/29/1949	-38.4	-0.06	3226.6	01	12	7	01
	P	5/31/1949	-38.56	-0.16	3226.44	01	12	7	01
	P	6/30/1949	-38.5	0.06	3226.5	01	12	7	01
	P	8/ 1/1949	-38.54	-0.04	3226.46	01	12	7	01
	P	8/31/1949	-38.64	-0.1	3226.36	01	12	7	01
	P	9/30/1949	-38.7	-0.06	3226.3	01	12	7	01
	P	10/31/1949	-38.72	-0.02	3226.28	01	12	7	01
	P	11/30/1949	-38.77	-0.05	3226.23	01	12	7	01
	P	12/31/1949	-38.87	-0.1	3226.13	01	12	7	01
	P	2/ 6/1950	-38.92	-0.05	3226.08	01	12	7	01
	P	3/ 2/1950	-38.98	-0.06	3226.02	01	12	7	01
	P	4/ 7/1950	-36.9	2.08	3228.1	01	12	7	01
	P	5/ 1/1950	-39.05	-2.15	3225.95	01	12	7	01
	P	6/ 1/1950	-39.16	-0.11	3225.84	01	12	7	01
	P	7/18/1950	-39.38	-0.22	3225.62	01	12	7	01
	P	8/ 4/1950	-39.21	0.17	3225.79	01	12	7	01
	P	9/ 3/1950	-38.5	0.71	3226.5	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 27/ 1950	-37.67	0.83	3227.33	01	12	7	01
	P	11 / 24/ 1950	-35.64	2.03	3229.36	01	12	7	01
	P	12 / 15/ 1950	-34.99	0.65	3230.01	01	12	7	01
	P	1 / 5 / 1951	-34.73	0.26	3230.27	01	12	7	01
	P	1 / 30/ 1951	-34.09	0.64	3230.91	01	12	7	01
	P	3 / 2 / 1951	-34.05	0.04	3230.95	01	12	7	01
	P	4 / 3 / 1951	-33.92	0.13	3231.08	01	12	7	01
	P	5 / 21/ 1951	-33	0.92	3232	01	12	7	01
	P	6 / 8 / 1951	-31.49	1.51	3233.51	01	12	7	01
	P	7 / 27/ 1951	-29.38	2.11	3235.62	01	12	7	01
	P	8 / 21/ 1951	-29.02	0.36	3235.98	01	12	7	01
	P	9 / 5 / 1951	-28.86	0.16	3236.14	01	12	7	01
	P	10 / 4 / 1951	-28.38	0.48	3236.62	01	12	7	01
	P	11 / 5 / 1951	-28.28	0.1	3236.72	01	12	7	01
	P	12 / 2 / 1951	-28.75	-0.47	3236.25	01	12	7	01
	P	1 / 7 / 1952	-29.44	-0.69	3235.56	01	12	7	01
	P	2 / 15/ 1952	-30	-0.56	3235	01	12	7	01
	P	3 / 1 / 1952	-30.1	-0.1	3234.9	01	12	7	01
	P	4 / 8 / 1952	-30.42	-0.32	3234.58	01	12	7	01
	P	5 / 1 / 1952	-30.64	-0.22	3234.36	01	12	7	01
	P	6 / 1 / 1952	-32.1	-1.46	3232.9	01	12	7	01
	P	7 / 1 / 1952	-33.28	-1.18	3231.72	01	12	7	01
	P	8 / 1 / 1952	-33.93	-0.65	3231.07	01	12	7	01
	P	9 / 1 / 1952	-34.29	-0.36	3230.71	01	12	7	01
	P	10 / 1 / 1952	-34.86	-0.57	3230.14	01	12	7	01
	P	11 / 1 / 1952	-35.41	-0.55	3229.59	01	12	7	01
	P	12 / 1 / 1952	-35.82	-0.41	3229.18	01	12	7	01

Min *-40* **Max** *-23.78* **Avg** *-35.1459*

1161303 *(Aquifer: 121OGLL Well Depth: 47)*

	P	6 / 8 / 1937	-42.83		3213.17	01	12	7	01
	P	7 / 27/ 1937	-42.92	-0.09	3213.08	01	12	7	01
	P	9 / 6 / 1937	-42.07	0.85	3213.93	01	12	7	01
	P	11 / 1 / 1937	-43.13	-1.06	3212.87	01	12	7	01
	P	12 / 2 / 1937	-42.92	0.21	3213.08	01	12	7	01
	P	1 / 4 / 1938	-42.93	-0.01	3213.07	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 13/ 1938	-43.01	-0.08	3212.99	01	12	7	01
	P	4 / 19/ 1938	-43.04	-0.03	3212.96	01	12	7	01
	P	5 / 26/ 1938	-43.13	-0.09	3212.87	01	12	7	01
	P	6 / 24/ 1938	-43.13		3212.87	01	12	7	01
	P	8 / 12/ 1938	-43	0.13	3213	01	12	7	01
	P	10 / 17/ 1938	-43.18	-0.18	3212.82	01	12	7	01
	P	12 / 5 / 1938	-43.18		3212.82	01	12	7	01
	P	1 / 3 / 1939	-43.21	-0.03	3212.79	01	12	7	01
	P	3 / 2 / 1939	-43.2	0.01	3212.8	01	12	7	01
	P	6 / 21/ 1939	-43.42	-0.22	3212.58	01	12	7	01
	P	8 / 14/ 1939	-43.5	-0.08	3212.5	01	12	7	01
	P	10 / 4 / 1939	-43.62	-0.12	3212.38	01	12	7	01
	P	12 / 8 / 1939	-43.64	-0.02	3212.36	01	12	7	01
	P	1 / 13/ 1940	-43.67	-0.03	3212.33	01	12	7	01
	P	3 / 6 / 1940	-43.69	-0.02	3212.31	01	12	7	01
	P	10 / 27/ 1940	-45.21	-1.52	3210.79	01	12	7	01
	P	11 / 15/ 1940	-44.65	0.56	3211.35	01	12	7	01
	P	1 / 20/ 1941	-44.75	-0.1	3211.25	01	12	7	01
	P	3 / 11/ 1941	-44.75		3211.25	01	12	7	01
	P	12 / 22/ 1941	-43.6	1.15	3212.4	01	12	7	01
	P	7 / 24/ 1942	-42.13	1.47	3213.87	01	12	7	01
	P	1 / 29/ 1943	-41.72	0.41	3214.28	01	12	7	01
	P	2 / 1 / 1944	-41.85	-0.13	3214.15	01	12	7	01
	P	2 / 15/ 1945	-42.9	-1.05	3213.1	01	12	7	01
	P	2 / 27/ 1946	-44.66	-1.76	3211.34	01	12	7	01
	P	1 / 20/ 1947	-46.4	-1.74	3209.6	01	12	7	01
	P	3 / 19/ 1947	-46.35	0.05	3209.65	01	12	7	01

Min *-46.4* **Max** *-41.72* **Avg** *-43.4967*

1161304 *(Aquifer: 121OGAL Well Depth: 160)*

	P	9 / 17/ 1983	-115.7		3135.3	01	12	7	

Min *-115.7* **Max** *-115.7* **Avg** *-115.7*

1161305 *(Aquifer: 121OGLL Well Depth: 165)*

	P	3 / 29/ 2000	-117.75		3137.25	01	01	1	

Min *-117.75* **Max** *-117.75* **Avg** *-117.75*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1161401	(Aquifer: 121OGLL		Well Depth: 280)						
	P	3 / 18/ 1947	-63.71		3187.29	01	12	7	01
	P	3 / 2 / 1948	-68.88	-5.17	3182.12	01	12	7	01
	P	3 / 8 / 1949	-73.84	-4.96	3177.16	01	12	7	01
	P	2 / 18/ 1950	-93.29	-19.5	3157.71	01	12	7	01
	P	1 / 18/ 1951	-82.74	10.55	3168.26	01	12	7	01
	P	1 / 14/ 1952	-88.11	-5.37	3162.89	01	12	7	01
	P	1 / 9 / 1953	-96.05	-7.94	3154.95	01	12	7	01
	P	1 / 7 / 1954	-107.95	-11.9	3143.05	01	12	7	01
	P	1 / 7 / 1955	-116.19	-8.24	3134.81	01	12	7	01
	P	1 / 18/ 1956	-122.74	-6.55	3128.26	01	12	7	01
	P	1 / 9 / 1957	-133.12	-10.4	3117.88	01	12	7	01
	P	1 / 13/ 1958	-133.14	-0.02	3117.86	01	12	7	01
	P	1 / 6 / 1959	-135.94	-2.8	3115.06	01	12	7	01
	P	1 / 27/ 1960	-140.95	-5.01	3110.05	01	12	7	01
	P	1 / 26/ 1961	-144	-3.05	3107	01	04	1	
	P	1 / 17/ 1962	-145.89	-1.89	3105.11	01	01	1	
	P	1 / 9 / 1963	-153.92	-8.03	3097.08	01	06	1	
	P	1 / 22/ 1964	-159.63	-5.71	3091.37	01	06	1	
	P	1 / 15/ 1965	-166.34	-6.71	3084.66	01	06	1	
	P	2 / 2 / 1966	-168.12	-1.78	3082.88	01	06	1	
	P	1 / 9 / 1967	-178.88	-10.8	3072.12	01	01	1	04
	P	1 / 8 / 1968	-182.81	-3.93	3068.19	01	01	1	
	P	1 / 8 / 1969	-185.82	-3.01	3065.18	01	06	1	
	P	1 / 12/ 1970	-190.02	-4.2	3060.98	01	01	1	
	P	1 / 9 / 1971	-201.46	-11.4	3049.54	01	01	1	
	P	1 / 11/ 1972	-205.76	-4.3	3045.24	01	06	1	
	P	1 / 18/ 1973	-208.29	-2.53	3042.71	01	06	1	
	P	1 / 14/ 1974	-218.12	-9.83	3032.88	01	06	1	
	P	1 / 8 / 1975	-229.28	-11.2	3021.72	01	06	1	
	P	1 / 13/ 1976	-231.37	-2.09	3019.63	01	06	1	
	P	1 / 5 / 1977	-236.84	-5.47	3014.16	01	06	1	
	P	1 / 5 / 1978	-238.84	-2	3012.16	01	06	1	
	P	1 / 11/ 1979	-243.53	-4.69	3007.47	01	06	1	
	N	11 / 0 / 1979				01	06		81

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-243.53***	**Max**	***-63.71***	**Avg**	***-155.926***				
1161402	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	3 / 18/ 1947	-58.9		3187.1	01	12	7	01
	P	3 / 2 / 1948	-64.09	-5.19	3181.91	01	12	7	01
	P	3 / 8 / 1949	-68.74	-4.65	3177.26	01	12	7	01
	P	1 / 18/ 1951	-76.68	-7.94	3169.32	01	12	7	01
	P	1 / 14/ 1952	-80.73	-4.05	3165.27	01	12	7	01
	P	1 / 9 / 1953	-87.68	-6.95	3158.32	01	12	7	01
	P	1 / 7 / 1954	-102.33	-14.7	3143.67	01	12	7	01
	P	1 / 7 / 1955	-104.1	-1.77	3141.9	01	12	7	01
	P	1 / 9 / 1957	-127.1	-23	3118.9	01	12	7	01
	P	1 / 9 / 1958	-124.35	2.75	3121.65	01	12	7	01
	P	1 / 6 / 1959	-127.14	-2.79	3118.86	01	12	7	01
	P	1 / 27/ 1960	-132.58	-5.44	3113.42	01	12	7	01
	P	1 / 26/ 1961	-135.86	-3.28	3110.14	01	04	1	
	P	1 / 17/ 1962	-135.9	-0.04	3110.1	01	01	1	
	P	1 / 9 / 1963	-143.28	-7.38	3102.72	01	06	7	
	N	1 / 22/ 1964				01	06		40
Min	***-143.28***	**Max**	***-58.9***	**Avg**	***-104.631***				
1161403	*(Aquifer: 121OGLL*		*Well Depth: 240*	*)*					
	P	11 / 17/ 1937	-46.06		3200.94	01	12	7	01
	P	3 / 18/ 1947	-60.95	-14.9	3186.05	01	12	7	01
	P	3 / 2 / 1948	-65.45	-4.5	3181.55	01	12	7	01
	P	3 / 8 / 1949	-68.65	-3.2	3178.35	01	12	7	01
	P	1 / 18/ 1951	-77.85	-9.2	3169.15	01	12	7	01
	P	1 / 14/ 1952	-81.95	-4.1	3165.05	01	12	7	01
	P	1 / 7 / 1954	-98.93	-17	3148.07	01	12	7	01
	P	1 / 7 / 1955	-109.52	-10.6	3137.48	01	12	7	01
	P	1 / 6 / 1956	-115.43	-5.91	3131.57	01	12	7	01
	P	1 / 9 / 1957	-126.76	-11.3	3120.24	01	12	7	01
	P	1 / 9 / 1958	-124.55	2.21	3122.45	01	12	7	01
	P	1 / 6 / 1959	-128.97	-4.42	3118.03	01	12	7	01
	P	1 / 27/ 1960	-133.19	-4.22	3113.81	01	12	7	01
	P	1 / 26/ 1961	-135.48	-2.29	3111.52	01	04	1	
	P	1 / 17/ 1962	-138.14	-2.66	3108.86	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1963	-148.6	-10.5	3098.4	01	06	1	
	P	1/22/1964	-153.61	-5.01	3093.39	01	06	1	
	P	1/15/1965	-160.91	-7.3	3086.09	01	06	1	
	P	1/31/1966	-171.61	-10.7	3075.39	01	06	1	
	P	1/ 9/1967	-173.75	-2.14	3073.25	01	01	1	
	P	1/ 8/1968	-176.54	-2.79	3070.46	01	01	1	
	P	1/25/1968	-176.78	-0.24	3070.22	01	07	7	
	P	1/ 8/1969	-181.25	-4.47	3065.75	01	06	1	
	P	1/12/1970	-184.63	-3.38	3062.37	01	01	1	
	P	1/ 9/1971	-186.98	-2.35	3060.02	01	01	1	
	P	1/ 1/1972	-204.89	-17.9	3042.11	01	06	1	
	P	1/18/1973	-203.42	1.47	3043.58	01	06	1	20
	N	1/14/1974				01	06	1	47
	P	1/ 8/1975	-223.6		3023.4	01	06	2	
	P	1/14/1976	-228.08	-4.48	3018.92	01	06	2	

Min *-228.08* **Max** *-46.06* **Avg** *-140.915*

1161404 *(Aquifer: 121OGLL Well Depth: 300)*

	P	3/18/1947	-61.88		3185.12	01	12	7	01
	P	3/ 2/1948	-67	-5.12	3180	01	12	7	01
	P	3/ 8/1949	-71.92	-4.92	3175.08	01	12	7	01
	P	2/18/1950	-90.75	-18.8	3156.25	01	12	7	01
	P	1/18/1951	-81.43	9.32	3165.57	01	12	7	01
	P	1/14/1952	-86.55	-5.12	3160.45	01	12	7	01
	P	1/ 9/1953	-94.52	-7.97	3152.48	01	12	7	01
	P	1/ 7/1954	-102.17	-7.65	3144.83	01	12	7	01
	P	1/ 7/1955	-114.05	-11.9	3132.95	01	12	7	01
	P	1/ 9/1957	-130.89	-16.8	3116.11	01	12	7	01
	P	1/ 9/1958	-130.8	0.09	3116.2	01	12	7	01
	P	1/ 6/1959	-134.37	-3.57	3112.63	01	12	7	01
	P	1/27/1960	-140.24	-5.87	3106.76	01	12	7	01
	P	1/26/1961	-142.16	-1.92	3104.84	01	04	1	
	P	1/17/1962	-143.79	-1.63	3103.21	01	01	1	
	P	1/ 9/1963	-153.56	-9.77	3093.44	01	06	1	
	P	1/22/1964	-159.39	-5.83	3087.61	01	06	1	
	P	1/15/1965	-166.55	-7.16	3080.45	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 31/ 1966	-170.75	-4.2	3076.25	01	06	1	
	P	1 / 9 / 1967	-177.52	-6.77	3069.48	01	01	1	
	P	1 / 8 / 1968	-182.69	-5.17	3064.31	01	01	1	
	N	1 / 8 / 1969				01	06		81

Min *-182.69* **Max** *-61.88* **Avg** *-123.951*

1161406 *(Aquifer: 121OGLL Well Depth: 405)*

	P	1 / 25/ 1968	-177.46		3071.54	01	06	1	
	P	1 / 8 / 1969	-180.66	-3.2	3068.34	01	06	1	
	P	1 / 12/ 1970	-185.4	-4.74	3063.6	01	01	1	
	P	1 / 9 / 1971	-197.85	-12.5	3051.15	01	01	1	
	P	1 / 11/ 1972	-205.96	-8.11	3043.04	01	06	1	
	P	1 / 18/ 1973	-204.22	1.74	3044.78	01	06	1	
	P	1 / 14/ 1974	-216.42	-12.2	3032.58	01	06	1	
	P	1 / 8 / 1975	-227.1	-10.7	3021.9	01	06	1	
	P	1 / 13/ 1976	-228.97	-1.87	3020.03	01	06	1	
	P	1 / 15/ 1977	-232.7	-3.73	3016.3	01	06	1	
	P	1 / 5 / 1978	-236.46	-3.76	3012.54	01	06	1	
	P	1 / 11/ 1979	-239.46	-3	3009.54	01	06	1	
	P	1 / 4 / 1980	-239.03	0.43	3009.97	01	06	1	
	P	1 / 12/ 1981	-246.01	-6.98	3002.99	01	06	1	
	P	1 / 7 / 1982	-243.44	2.57	3005.56	01	06	1	
	P	1 / 17/ 1983	-245.01	-1.57	3003.99	01	06	1	
	P	1 / 25/ 1984	-246.09	-1.08	3002.91	01	06	1	
	P	1 / 10/ 1985	-247.15	-1.06	3001.85	01	06	1	
	P	1 / 22/ 1986	-248.35	-1.2	3000.65	01	06	1	
	P	2 / 4 / 1987	-248.42	-0.07	3000.58	01	06	1	
	P	2 / 2 / 1988	-245.7	2.72	3003.3	01	06	1	
	P	1 / 25/ 1989	-246.38	-0.68	3002.62	01	06	1	
	P	1 / 11/ 1990	-247.14	-0.76	3001.86	01	06	1	
	P	2 / 11/ 1991	-247.54	-0.4	3001.46	01	06	1	
	P	2 / 18/ 1992	-248.41	-0.87	3000.59	01	06	1	
	P	2 / 5 / 1993	-246.85	1.56	3002.15	01	06	1	
	P	1 / 27/ 1994	-249.72	-2.87	2999.28	01	06	1	
	P	2 / 6 / 1995	-254.16	-4.44	2994.84	01	06	1	
	P	1 / 29/ 1996	-260.82	-6.66	2988.18	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 7 / 1997	-258.13	2.69	2990.87	01	06	1	
	P	1 / 16/ 1998	-258.91	-0.78	2990.09	01	06	1	
	P	2 / 8 / 1999	-262	-3.09	2987	01	06	1	
	P	2 / 11/ 2000	-263.58	-1.58	2985.42	01	06	1	
	P	2 / 11/ 2001	-263.58		2985.42	01	06	1	
	P	2 / 11/ 2002	-265.99	-2.41	2983.01	01	06	1	
	P	2 / 28/ 2003	-267.48	-1.49	2981.52	01	06	1	
	P	2 / 17/ 2004	-271.39	-3.91	2977.61	01	06	1	
	P	2 / 16/ 2005	-267.98	3.41	2981.02	01	06	1	
	P	2 / 14/ 2006	-268.25	-0.27	2980.75	01	06	1	
	N	2 / 9 / 2007				01	06		42
	P	2 / 1 / 2008	-271.66		2977.34	01	06	1	
	P	2 / 17/ 2009	-271.18	0.48	2977.82	01	06	1	
	P	2 / 25/ 2010	-276.25	-5.07	2972.75	01	06	1	
	N	1 / 24/ 2011				01	06	1	44
	P	12 / 9 / 2011	-283.28		2965.72	01	06	2	

Min *-283.28* **Max** *-177.46* **Avg** *-244.013*

1161407 *(Aquifer: 121OGLL Well Depth: 293)*

	P	1 / 15/ 1965	-166.55		3080.45	01	06	1	
	P	1 / 31/ 1966	-170.75	-4.2	3076.25	01	06	1	
	P	1 / 9 / 1967	-177.52	-6.77	3069.48	01	01	1	
	P	1 / 8 / 1968	-182.69	-5.17	3064.31	01	01	1	
	P	1 / 25/ 1968	-184.61	-1.92	3062.39	01	06	1	
	P	2 / 27/ 1968	-183.56	1.05	3063.44	01	01	1	
	P	3 / 15/ 1968	-181.2	2.36	3065.8	01	01	4	
	P	3 / 16/ 1968	-181.31	-0.11	3065.69	01	06	1	
	P	4 / 15/ 1968	-214.37	-33.1	3032.63	01	01	4	
	P	4 / 24/ 1968	-223.94	-9.57	3023.06	01	01	1	
	P	5 / 15/ 1968	-199.31	24.63	3047.69	01	01	4	
	P	6 / 11/ 1968	-185.57	13.74	3061.43	01	01	1	
	P	6 / 15/ 1968	-184.76	0.81	3062.24	01	01	4	
	P	7 / 15/ 1968	-188.73	-3.97	3058.27	01	01	4	
	P	8 / 15/ 1968	-227.38	-38.7	3019.62	01	01	4	
	P	8 / 21/ 1968	-227.1	0.28	3019.9	01	01	1	
	P	9 / 15/ 1968	-211.22	15.88	3035.78	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 15/ 1968	-206.03	5.19	3040.97	01	01	4	
	P	10 / 23/ 1968	-200.73	5.3	3046.27	01	01	1	
	P	11 / 15/ 1968	-192.05	8.68	3054.95	01	01	4	
	P	12 / 15/ 1968	-189.34	2.71	3057.66	01	01	4	
	P	12 / 17/ 1968	-188.97	0.37	3058.03	01	01	1	
	P	1 / 15/ 1969	-187.37	1.6	3059.63	01	01	4	
	P	2 / 15/ 1969	-185.86	1.51	3061.14	01	01	4	
	P	2 / 25/ 1969	-185.9	-0.04	3061.1	01	01	1	
	P	3 / 15/ 1969	-185.01	0.89	3061.99	01	01	4	
	P	4 / 15/ 1969	-223.63	-38.6	3023.37	01	01	4	
	P	4 / 22/ 1969	-228.35	-4.72	3018.65	01	01	1	
	P	5 / 15/ 1969	-213.16	15.19	3033.84	01	01	4	
	P	6 / 15/ 1969	-195.07	18.09	3051.93	01	01	4	
	P	6 / 24/ 1969	-193.38	1.69	3053.62	01	01	1	
	P	7 / 15/ 1969	-228.87	-35.5	3018.13	01	01	4	
	P	8 / 15/ 1969	-233.38	-4.51	3013.62	01	01	4	
	P	8 / 19/ 1969	-234.79	-1.41	3012.21	01	01	1	
	P	9 / 15/ 1969	-226.83	7.96	3020.17	01	01	4	
	P	10 / 15/ 1969	-216.91	9.92	3030.09	01	01	4	
	P	10 / 21/ 1969	-214.65	2.26	3032.35	01	01	1	
	P	11 / 15/ 1969	-203.36	11.29	3043.64	01	01	4	
	P	12 / 15/ 1969	-195.68	7.68	3051.32	01	01	4	
	P	12 / 16/ 1969	-195.53	0.15	3051.47	01	01	1	
	P	1 / 15/ 1970	-192.08	3.45	3054.92	01	01	4	
	P	2 / 15/ 1970	-190.82	1.26	3056.18	01	01	4	
	P	2 / 17/ 1970	-190.8	0.02	3056.2	01	01	1	
	P	3 / 15/ 1970	-190.12	0.68	3056.88	01	01	4	
	P	4 / 15/ 1970	-217.82	-27.7	3029.18	01	01	4	
	P	4 / 21/ 1970	-215.03	2.79	3031.97	01	01	1	
	P	5 / 15/ 1970	-213.53	1.5	3033.47	01	01	4	
	P	6 / 9 / 1970	-210.4	3.13	3036.6	01	01	1	
	P	6 / 15/ 1970	-207.15	3.25	3039.85	01	01	4	
	P	7 / 15/ 1970	-220.42	-13.3	3026.58	01	01	4	
	P	8 / 15/ 1970	-231.72	-11.3	3015.28	01	01	4	
	P	8 / 17/ 1970	-231.42	0.3	3015.58	01	01	1	
	P	9 / 15/ 1970	-235.24	-3.82	3011.76	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 12/ 1970	-229.24	6	3017.76	01	01	1	
	P	10 / 15/ 1970	-229.1	0.14	3017.9	01	01	4	
	P	11 / 15/ 1970	-222.67	6.43	3024.33	01	01	4	
	P	12 / 14/ 1970	-211.85	10.82	3035.15	01	01	1	
	P	12 / 15/ 1970	-210.88	0.97	3036.12	01	01	4	
	P	1 / 15/ 1971	-202.17	8.71	3044.83	01	01	4	
	P	2 / 12/ 1971	-197.85	4.32	3049.15	01	01	1	
	P	2 / 15/ 1971	-197.07	0.78	3049.93	01	01	4	
	P	3 / 15/ 1971	-202.22	-5.15	3044.78	01	01	4	
	P	4 / 15/ 1971	-225.11	-22.9	3021.89	01	01	4	
	P	5 / 15/ 1971	-227.93	-2.82	3019.07	01	01	4	
	P	6 / 14/ 1971	-221.76	6.17	3025.24	01	01	1	
	P	6 / 15/ 1971	-221.46	0.3	3025.54	01	01	4	
	P	7 / 15/ 1971	-234.84	-13.4	3012.16	01	01	4	
	P	8 / 10/ 1971	-231.59	3.25	3015.41	01	01	1	
	P	8 / 15/ 1971	-232.03	-0.44	3014.97	01	01	4	
	P	9 / 15/ 1971	-238.91	-6.88	3008.09	01	01	4	
	P	10 / 5 / 1971	-231.88	7.03	3015.12	01	01	1	
	P	10 / 15/ 1971	-230.83	1.05	3016.17	01	01	4	
	P	11 / 15/ 1971	-227.55	3.28	3019.45	01	01	4	
	P	12 / 15/ 1971	-222.32	5.23	3024.68	01	01	4	
	P	1 / 11/ 1972	-207.75	14.57	3039.25	01	06	1	
	P	1 / 15/ 1972	-212.73	-4.98	3034.27	01	01	4	
	P	2 / 15/ 1972	-204.53	8.2	3042.47	01	01	4	
	P	3 / 15/ 1972	-208.3	-3.77	3038.7	01	01	4	
	P	4 / 15/ 1972	-226.52	-18.2	3020.48	01	01	4	
	P	5 / 15/ 1972	-227.9	-1.38	3019.1	01	01	4	
	P	6 / 5 / 1972	-224.69	3.21	3022.31	01	01	1	
	P	6 / 15/ 1972	-225.29	-0.6	3021.71	01	01	4	
	P	7 / 15/ 1972	-227.9	-2.61	3019.1	01	01	4	
	P	8 / 15/ 1972	-233.29	-5.39	3013.71	01	01	4	
	P	9 / 15/ 1972	-230.6	2.69	3016.4	01	01	4	
	P	10 / 15/ 1972	-228.5	2.1	3018.5	01	01	4	
	P	10 / 17/ 1972	-228.25	0.25	3018.75	01	01	1	
	P	11 / 15/ 1972	-225.22	3.03	3021.78	01	01	4	
	P	12 / 5 / 1972	-221.38	3.84	3025.62	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/17/1973	-208.85	12.53	3038.15	01	06	1	
	P	2/ 6/1973	-205.7	3.15	3041.3	01	01	1	
	P	2/15/1973	-203.98	1.72	3043.02	01	01	4	
	P	3/15/1973	-200.19	3.79	3046.81	01	01	4	
	P	3/27/1973	-198.73	1.46	3048.27	01	01	1	
	P	4/15/1973	-197.38	1.35	3049.62	01	01	4	
	P	5/15/1973	-199.05	-1.67	3047.95	01	01	4	
	P	6/15/1973	-206.4	-7.35	3040.6	01	01	4	
	P	6/18/1973	-209.07	-2.67	3037.93	01	01	1	
	P	7/15/1973	-232.66	-23.6	3014.34	01	01	4	
	P	8/ 7/1973	-228.11	4.55	3018.89	01	01	1	
	P	8/15/1973	-228.2	-0.09	3018.8	01	01	4	
	P	9/15/1973	-230.49	-2.29	3016.51	01	01	4	
	P	10/10/1973	-228.36	2.13	3018.64	01	01	1	
	P	10/15/1973	-228.4	-0.04	3018.6	01	01	4	
	P	11/15/1973	-227.37	1.03	3019.63	01	01	4	
	P	12/18/1973	-222.86	4.51	3024.14	01	01	1	
	P	1/14/1974	-217.63	5.23	3029.37	01	06	1	
	P	2/20/1974	-210.58	7.05	3036.42	01	01	4	
	P	3/15/1974	-212.3	-1.72	3034.7	01	01	4	
	P	4/15/1974	-233.65	-21.4	3013.35	01	01	4	
	P	4/16/1974	-230.48	3.17	3016.52	01	01	1	
	P	5/15/1974	-230.9	-0.42	3016.1	01	01	4	
	P	6/15/1974	-228.05	2.85	3018.95	01	01	4	
	P	7/15/1974	-239.6	-11.6	3007.4	01	01	4	
	P	7/24/1974	-241.41	-1.81	3005.59	01	01	1	
	P	8/15/1974	-237.75	3.66	3009.25	01	01	4	
	P	9/15/1974	-234.58	3.17	3012.42	01	01	4	
	P	10/15/1974	-233.5	1.08	3013.5	01	01	4	
	P	10/16/1974	-233.47	0.03	3013.53	01	01	1	
	P	11/15/1974	-232.04	1.43	3014.96	01	01	4	
	P	12/15/1974	-230.64	1.4	3016.36	01	01	4	
	P	12/17/1974	-230.7	-0.06	3016.3	01	06	1	
	P	1/ 8/1975	-228.9	1.8	3018.1	01	06	1	
	P	1/15/1975	-229.25	-0.35	3017.75	01	01	4	
	P	2/15/1975	-227	2.25	3020	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/19/1975	-226.76	0.24	3020.24	01	01	1	
	P	3/15/1975	-224.4	2.36	3022.6	01	01	4	
	P	4/15/1975	-234.8	-10.4	3012.2	01	01	4	
	P	4/16/1975	-236.27	-1.47	3010.73	01	01	1	
	P	5/15/1975	-236.72	-0.45	3010.28	01	01	4	
	P	6/15/1975	-229.8	6.92	3017.2	01	01	4	
	P	6/17/1975	-228.71	1.09	3018.29	01	01	1	
	P	7/15/1975	-240.32	-11.6	3006.68	01	01	4	
	P	8/15/1975	-230.12	10.2	3016.88	01	01	4	
	P	8/20/1975	-234.88	-4.76	3012.12	01	01	1	
	P	9/15/1975	-235.54	-0.66	3011.46	01	01	4	
	P	10/15/1975	-233.26	2.28	3013.74	01	01	4	
	P	11/15/1975	-232.45	0.81	3014.55	01	01	4	
	P	12/15/1975	-231.52	0.93	3015.48	01	01	4	
	P	1/13/1976	-229.74	1.78	3017.26	01	06	1	
	P	1/15/1976	-230.2	-0.46	3016.8	01	01	4	
	P	2/15/1976	-228.62	1.58	3018.38	01	01	4	
	P	2/23/1976	-228.78	-0.16	3018.22	01	01	1	
	P	3/15/1976	-227.95	0.83	3019.05	01	01	4	
	P	4/15/1976	-236.52	-8.57	3010.48	01	01	4	
	P	5/12/1976	-233.1	3.42	3013.9	01	01	1	
	P	5/15/1976	-232.86	0.24	3014.14	01	01	4	
	P	6/15/1976	-241.05	-8.19	3005.95	01	01	4	
	P	7/15/1976	-238.49	2.56	3008.51	01	01	4	
	P	8/15/1976	-243.98	-5.49	3003.02	01	01	4	
	P	8/23/1976	-246.18	-2.2	3000.82	01	01	1	
	P	9/15/1976	-240.23	5.95	3006.77	01	01	4	
	P	10/15/1976	-238.28	1.95	3008.72	01	01	4	
	P	11/15/1976	-237.3	0.98	3009.7	01	01	4	
	P	11/16/1976	-237.55	-0.25	3009.45	01	01	1	
	P	12/15/1976	-236.69	0.86	3010.31	01	01	4	
	P	1/15/1977	-235.8	0.89	3011.2	01	01	4	
	P	2/15/1977	-236.1	-0.3	3010.9	01	01	4	
	P	3/15/1977	-237.9	-1.8	3009.1	01	01	4	
	P	4/15/1977	-241.75	-3.85	3005.25	01	01	4	
	P	5/15/1977	-237.7	4.05	3009.3	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/25/1977	-237.42	0.28	3009.58	01	01	1	
	P	6/15/1977	-236.98	0.44	3010.02	01	01	4	
	P	7/15/1977	-245.62	-8.64	3001.38	01	01	4	
	P	8/15/1977	-242.28	3.34	3004.72	01	01	4	
	P	8/24/1977	-242.62	-0.34	3004.38	01	01	1	
	P	9/15/1977	-240.5	2.12	3006.5	01	01	4	
	P	10/15/1977	-239.77	0.73	3007.23	01	01	4	
	P	11/15/1977	-238.67	1.1	3008.33	01	01	4	
	P	11/22/1977	-238.53	0.14	3008.47	01	01	1	
	P	12/15/1977	-237.75	0.78	3009.25	01	01	4	
	P	1/5/1978	-239.39	-1.64	3007.61	01	06	1	03
	P	1/15/1978	-237.19	2.2	3009.81	01	01	4	
	P	2/15/1978	-236.7	0.49	3010.3	01	01	4	
	P	3/15/1978	-235.99	0.71	3011.01	01	01	4	
	P	3/28/1978	-239.11	-3.12	3007.89	01	01	1	
	P	4/15/1978	-244	-4.89	3003	01	01	4	
	P	5/15/1978	-241.1	2.9	3005.9	01	01	4	
	P	6/1/1978	-240.28	0.82	3006.72	01	01	1	
	P	6/15/1978	-239.56	0.72	3007.44	01	01	4	
	P	7/15/1978	-242.21	-2.65	3004.79	01	01	4	
	P	8/15/1978	-244.75	-2.54	3002.25	01	01	4	
	P	8/24/1978	-247.88	-3.13	2999.12	01	01	1	
	P	9/15/1978	-244.53	3.35	3002.47	01	01	4	
	P	10/15/1978	-243.03	1.5	3003.97	01	01	4	
	P	11/15/1978	-242.2	0.83	3004.8	01	01	4	
	P	11/28/1978	-241.98	0.22	3005.02	01	01	1	
	P	12/15/1978	-241.45	0.53	3005.55	01	01	4	
	P	1/11/1979	-240.15	1.3	3006.85	01	06	1	
	P	1/15/1979	-240.87	-0.72	3006.13	01	01	4	
	P	2/15/1979	-240.22	0.65	3006.78	01	01	4	
	P	2/23/1979	-239.68	0.54	3007.32	01	01	1	
	P	3/15/1979	-239.83	-0.15	3007.17	01	01	4	
	P	4/15/1979	-246.41	-6.58	3000.59	01	01	4	
	P	4/23/1979	-248.85	-2.44	2998.15	01	01	1	
	P	5/15/1979	-244.48	4.37	3002.52	01	01	4	
	P	6/19/1979	-241.44	3.04	3005.56	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7/15/1979	-246	-4.56	3001	01	01	4	
	P	8/15/1979	-245	1	3002	01	01	4	
	P	9/15/1979	-245.1	-0.1	3001.9	01	01	4	
	P	9/28/1979	-241.44	3.66	3005.56	01	01	1	
	P	10/15/1979	-242.1	-0.66	3004.9	01	01	4	
	P	11/15/1979	-241.39	0.71	3005.61	01	01	4	
	P	12/15/1979	-240.43	0.96	3006.57	01	01	4	
	P	1/4/1980	-239.28	1.15	3007.72	01	06	1	
	P	1/15/1980	-239.82	-0.54	3007.18	01	01	4	
	P	2/15/1980	-239.24	0.58	3007.76	01	01	4	
	P	3/15/1980	-238.78	0.46	3008.22	01	01	4	
	P	4/15/1980	-248.62	-9.84	2998.38	01	01	4	
	P	4/25/1980	-245.74	2.88	3001.26	01	01	1	
	P	5/15/1980	-243.21	2.53	3003.79	01	01	4	
	P	6/15/1980	-241.79	1.42	3005.21	01	01	4	
	P	7/15/1980	-250.88	-9.09	2996.12	01	01	4	
	P	7/23/1980	-251.81	-0.93	2995.19	01	01	1	
	P	8/15/1980	-250.91	0.9	2996.09	01	01	4	
	P	9/15/1980	-248.53	2.38	2998.47	01	01	4	
	P	10/15/1980	-245.98	2.55	3001.02	01	01	4	
	P	10/28/1980	-246.1	-0.12	3000.9	01	01	1	
	P	11/15/1980	-245.48	0.62	3001.52	01	01	4	
	P	12/15/1980	-244.7	0.78	3002.3	01	01	4	
	P	1/12/1981	-243.34	1.36	3003.66	01	06	1	
	P	1/15/1981	-244.05	-0.71	3002.95	01	01	4	
	P	1/22/1981	-244.04	0.01	3002.96	01	01	1	
	P	2/15/1981	-243.61	0.43	3003.39	01	01	4	
	P	3/15/1981	-243	0.61	3004	01	01	4	
	P	4/15/1981	-246.68	-3.68	3000.32	01	01	1	
	P	5/15/1981	-245.9	0.78	3001.1	01	01	4	
	P	6/15/1981	-244.4	1.5	3002.6	01	01	4	
	P	6/26/1981	-249.92	-5.52	2997.08	01	01	1	
	P	7/15/1981	-249.76	0.16	2997.24	01	01	4	
	P	8/15/1981	-248.39	1.37	2998.61	01	01	4	
	P	9/14/1981	-246.88	1.51	3000.12	01	01	1	
	P	9/15/1981	-247.63	-0.75	2999.37	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 15/ 1981	-246.22	1.41	3000.78	01	01	4	
	P	11 / 15/ 1981	-245.28	0.94	3001.72	01	01	4	
	P	12 / 15/ 1981	-244.74	0.54	3002.26	01	01	4	
	P	12 / 28/ 1981	-244.53	0.21	3002.47	01	01	1	
	P	1 / 7 / 1982	-243.81	0.72	3003.19	01	06	1	
	P	1 / 15/ 1982	-243.97	-0.16	3003.03	01	01	4	
	P	2 / 15/ 1982	-243.46	0.51	3003.54	01	01	4	
	P	3 / 15/ 1982	-244.04	-0.58	3002.96	01	01	4	
	P	4 / 15/ 1982	-249.42	-5.38	2997.58	01	01	4	
	P	5 / 15/ 1982	-246.7	2.72	3000.3	01	01	4	
	P	6 / 15/ 1982	-245.1	1.6	3001.9	01	01	4	
	P	7 / 15/ 1982	-250.6	-5.5	2996.4	01	01	4	
	P	8 / 15/ 1982	-247.91	2.69	2999.09	01	01	4	
	P	9 / 15/ 1982	-252.28	-4.37	2994.72	01	01	4	
	P	10 / 15/ 1982	-248.5	3.78	2998.5	01	01	4	
	P	11 / 15/ 1982	-247.21	1.29	2999.79	01	01	4	
	P	12 / 15/ 1982	-246.82	0.39	3000.18	01	01	4	
	P	1 / 15/ 1983	-246.53	0.29	3000.47	01	01	4	
	P	2 / 15/ 1983	-245.9	0.63	3001.1	01	01	4	
	P	2 / 16/ 1983	-245.34	0.56	3001.66	01	06	1	
	P	3 / 15/ 1983	-245.32	0.02	3001.68	01	01	4	
	P	4 / 15/ 1983	-251.57	-6.25	2995.43	01	01	4	
	P	5 / 15/ 1983	-252.59	-1.02	2994.41	01	01	4	
	P	6 / 15/ 1983	-247.54	5.05	2999.46	01	01	4	
	P	7 / 15/ 1983	-255.3	-7.76	2991.7	01	01	4	
	P	8 / 15/ 1983	-253.68	1.62	2993.32	01	01	4	
	P	9 / 15/ 1983	-254.6	-0.92	2992.4	01	01	4	
	P	10 / 15/ 1983	-250.73	3.87	2996.27	01	01	4	
	P	11 / 15/ 1983	-249.5	1.23	2997.5	01	01	4	
	P	12 / 15/ 1983	-248.57	0.93	2998.43	01	01	4	
	P	1 / 13/ 1984	-248.05	0.52	2998.95	01	01	4	
	P	1 / 25/ 1984	-247	1.05	3000	01	06	1	
	P	2 / 15/ 1984	-247.1	-0.1	2999.9	01	01	4	
	P	3 / 15/ 1984	-246.95	0.15	3000.05	01	01	4	
	P	4 / 15/ 1984	-252.51	-5.56	2994.49	01	01	4	
	P	5 / 15/ 1984	-250.2	2.31	2996.8	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 15/ 1984	-248.68	1.52	2998.32	01	01	4	
	P	7 / 15/ 1984	-255.48	-6.8	2991.52	01	01	4	
	P	8 / 15/ 1984	-253.59	1.89	2993.41	01	01	4	
	P	10 / 15/ 1984	-250.55	3.04	2996.45	01	01	4	
	P	11 / 15/ 1984	-249.96	0.59	2997.04	01	01	4	
	P	12 / 15/ 1984	-248.95	1.01	2998.05	01	01	4	
	P	1 / 10/ 1985	-248.17	0.78	2998.83	01	06	1	
	P	1 / 15/ 1985	-248.25	-0.08	2998.75	01	01	4	
	P	1 / 16/ 1985	-248.41	-0.16	2998.59	01	01	1	
	P	2 / 15/ 1985	-247.73	0.68	2999.27	01	01	4	
	P	3 / 15/ 1985	-247.52	0.21	2999.48	01	01	4	
	P	4 / 15/ 1985	-254.2	-6.68	2992.8	01	01	4	
	P	4 / 16/ 1985	-254.32	-0.12	2992.68	01	01	1	
	P	5 / 15/ 1985	-253.63	0.69	2993.37	01	01	4	
	P	6 / 15/ 1985	-249.73	3.9	2997.27	01	01	4	
	P	7 / 15/ 1985	-256.41	-6.68	2990.59	01	01	4	
	P	7 / 23/ 1985	-258.71	-2.3	2988.29	01	01	1	
	P	8 / 15/ 1985	-254.27	4.44	2992.73	01	01	4	
	P	9 / 15/ 1985	-256.19	-1.92	2990.81	01	01	4	
	P	10 / 8 / 1985	-252.9	3.29	2994.1	01	01	1	
	P	10 / 15/ 1985	-252.59	0.31	2994.41	01	01	4	
	P	11 / 15/ 1985	-259.31	-6.72	2987.69	01	01	4	
	P	12 / 15/ 1985	-250.37	8.94	2996.63	01	01	4	
	P	1 / 15/ 1986	-249.29	1.08	2997.71	01	01	4	
	P	1 / 22/ 1986	-249.64	-0.35	2997.36	01	06	1	
	P	1 / 30/ 1986	-249.03	0.61	2997.97	01	01	4	
	P	2 / 15/ 1986	-248.6	0.43	2998.4	01	01	4	
	P	2 / 28/ 1986	-248.68	-0.08	2998.32	01	01	4	
	P	3 / 15/ 1986	-248.23	0.45	2998.77	01	01	4	
	P	3 / 25/ 1986	-248.23		2998.77	01	01	1	
	P	3 / 30/ 1986	-247.19	1.04	2999.81	01	01	4	
	P	4 / 15/ 1986	-250.17	-2.98	2996.83	01	01	4	
	P	4 / 30/ 1986	-251.42	-1.25	2995.58	01	01	4	
	P	5 / 15/ 1986	-251.1	0.32	2995.9	01	01	4	
	P	6 / 15/ 1986	-249.64	1.46	2997.36	01	01	4	
	P	7 / 22/ 1986	-242.1	7.54	3004.9	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7/30/1986	-243.57	-1.47	3003.43	01	01	4	
	P	8/15/1986	-243.81	-0.24	3003.19	01	01	4	
	P	8/30/1986	-242.03	1.78	3004.97	01	01	4	
	P	9/15/1986	-238.05	3.98	3008.95	01	01	4	
	P	9/30/1986	-236.74	1.31	3010.26	01	01	4	
	P	10/15/1986	-235.95	0.79	3011.05	01	01	4	
	P	10/25/1986	-235.61	0.34	3011.39	01	01	1	
	P	10/30/1986	-235.3	0.31	3011.7	01	01	4	
	P	11/15/1986	-234.69	0.61	3012.31	01	01	4	
	P	11/30/1986	-234.28	0.41	3012.72	01	01	4	
	P	12/15/1986	-234.02	0.26	3012.98	01	01	4	
	P	12/30/1986	-233.59	0.43	3013.41	01	01	4	
	P	1/15/1987	-233.22	0.37	3013.78	01	01	4	
	P	1/30/1987	-233.1	0.12	3013.9	01	01	4	
	P	2/4/1987	-232.86	0.24	3014.14	01	06	1	
	P	2/15/1987	-232.29	0.57	3014.71	01	01	4	
	P	2/20/1987	-232.95	-0.66	3014.05	01	01	1	
	P	4/15/1987	-238.5	-5.55	3008.5	01	01	4	
	P	4/30/1987	-240.12	-1.62	3006.88	01	01	4	
	P	5/15/1987	-242.78	-2.66	3004.22	01	01	4	
	P	5/27/1987	-244.54	-1.76	3002.46	01	01	1	
	P	9/16/1987	-249.48	-4.94	2997.52	01	01	4	
	P	9/30/1987	-249.05	0.43	2997.95	01	01	4	
	P	10/15/1987	-248.39	0.66	2998.61	01	01	4	
	P	10/30/1987	-248.08	0.31	2998.92	01	01	4	
	P	11/15/1987	-247.43	0.65	2999.57	01	01	4	
	P	11/30/1987	-247.49	-0.06	2999.51	01	01	4	
	P	12/15/1987	-247.31	0.18	2999.69	01	01	4	
	P	12/30/1987	-246.83	0.48	3000.17	01	01	4	
	P	1/15/1988	-246.52	0.31	3000.48	01	01	4	
	P	1/30/1988	-246.3	0.22	3000.7	01	01	4	
	P	2/2/1988	-246.78	-0.48	3000.22	01	06	1	
	P	2/8/1988	-246.39	0.39	3000.61	01	01	1	
	P	2/15/1988	-246.08	0.31	3000.92	01	01	4	
	P	2/29/1988	-246.2	-0.12	3000.8	01	01	4	
	P	3/15/1988	-245.89	0.31	3001.11	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/30/1988	-245.77	0.12	3001.23	01	01	4	
	P	4/15/1988	-252.2	-6.43	2994.8	01	01	4	
	P	4/30/1988	-252.03	0.17	2994.97	01	01	4	
	P	5/9/1988	-249.06	2.97	2997.94	01	01	1	
	P	6/30/1988	-247.05	2.01	2999.95	01	01	4	
	P	7/15/1988	-246.9	0.15	3000.1	01	01	4	
	P	7/30/1988	-250.71	-3.81	2996.29	01	01	4	
	P	8/15/1988	-255.92	-5.21	2991.08	01	01	4	
	P	8/30/1988	-253.49	2.43	2993.51	01	01	4	
	P	9/15/1988	-250.39	3.1	2996.61	01	01	4	
	P	9/30/1988	-249.51	0.88	2997.49	01	01	4	
	P	10/15/1988	-248.6	0.91	2998.4	01	01	4	
	P	10/30/1988	-248.43	0.17	2998.57	01	01	4	
	P	10/31/1988	-248.43		2998.57	01	01	1	
	P	11/15/1988	-248.06	0.37	2998.94	01	01	4	
	P	11/30/1988	-247.87	0.19	2999.13	01	01	4	
	P	12/15/1988	-247.21	0.66	2999.79	01	01	4	
	P	12/30/1988	-247.08	0.13	2999.92	01	01	4	
	P	1/15/1989	-246.77	0.31	3000.23	01	01	4	
	P	1/25/1989	-246.75	0.02	3000.25	01	06	2	
	P	1/30/1989	-246.31	0.44	3000.69	01	01	4	
	P	2/12/1989	-246.1	0.21	3000.9	01	01	1	
	P	2/15/1989	-246.01	0.09	3000.99	01	01	4	
	P	2/28/1989	-245.75	0.26	3001.25	01	01	4	
	P	3/15/1989	-245.52	0.23	3001.48	01	01	4	
	P	3/30/1989	-251.54	-6.02	2995.46	01	01	4	
	P	4/10/1989	-248.13	3.41	2998.87	01	01	4	
	P	5/16/1989	-249.27	-1.14	2997.73	01	01	1	
	P	5/20/1989	-248.45	0.82	2998.55	01	01	4	
	P	5/30/1989	-247.63	0.82	2999.37	01	01	4	
	P	8/15/1989	-251.8	-4.17	2995.2	01	01	4	
	P	8/30/1989	-254.37	-2.57	2992.63	01	01	4	
	P	9/15/1989	-252.5	1.87	2994.5	01	01	4	
	P	9/30/1989	-251.35	1.15	2995.65	01	01	4	
	P	10/15/1989	-250.2	1.15	2996.8	01	01	4	
	P	10/30/1989	-249.8	0.4	2997.2	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/ 7/1989	-249.57	0.23	2997.43	01	01	1	
	P	11/15/1989	-248.8	0.77	2998.2	01	01	4	
	P	11/30/1989	-248.53	0.27	2998.47	01	01	4	
	P	12/15/1989	-248.42	0.11	2998.58	01	01	4	
	P	12/30/1989	-248.19	0.23	2998.81	01	01	4	
	P	1/11/1990	-247.2	0.99	2999.8	01	06	1	
	P	1/15/1990	-247.82	-0.62	2999.18	01	01	4	
	P	1/30/1990	-247.65	0.17	2999.35	01	01	4	
	P	2/15/1990	-247.11	0.54	2999.89	01	01	4	
	P	2/20/1990	-247.6	-0.49	2999.4	01	01	4	
	P	2/21/1990	-247.26	0.34	2999.74	01	01	1	
	P	5/ 1/1990	-249.54	-2.28	2997.46	01	01	1	
	P	5/15/1990	-247.6	1.94	2999.4	01	01	4	
	P	5/30/1990	-251.13	-3.53	2995.87	01	01	4	
	P	6/15/1990	-250.64	0.49	2996.36	01	01	4	
	P	8/ 8/1990	-257.9	-7.26	2989.1	01	01	4	
	P	11/15/1990	-251.62	6.28	2995.38	01	01	1	
	P	2/11/1991	-248.4	3.22	2998.6	01	06	1	
	P	2/14/1991	-248.94	-0.54	2998.06	01	01	1	
	P	2/15/1991	-248.75	0.19	2998.25	01	01	4	
	P	2/28/1991	-248.02	0.73	2998.98	01	01	4	
	P	3/15/1991	-248.07	-0.05	2998.93	01	01	4	
	P	3/30/1991	-248.31	-0.24	2998.69	01	01	4	
	P	4/15/1991	-250.15	-1.84	2996.85	01	01	4	
	P	4/30/1991	-252.95	-2.8	2994.05	01	01	4	
	P	5/ 9/1991	-253.35	-0.4	2993.65	01	01	1	
	P	5/15/1991	-252.28	1.07	2994.72	01	01	4	
	P	5/30/1991	-251.5	0.78	2995.5	01	01	4	
	P	6/15/1991	-251.19	0.31	2995.81	01	01	4	
	P	6/30/1991	-252.7	-1.51	2994.3	01	01	4	
	P	7/15/1991	-256.5	-3.8	2990.5	01	01	4	
	P	7/30/1991	-257.3	-0.8	2989.7	01	01	4	
	P	8/ 8/1991	-260.96	-3.66	2986.04	01	01	1	
	P	8/15/1991	-259	1.96	2988	01	01	4	
	P	8/30/1991	-255.8	3.2	2991.2	01	01	4	
	P	9/15/1991	-254.7	1.1	2992.3	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/30/1991	-254.2	0.5	2992.8	01	01	4	
	P	10/15/1991	-253.61	0.59	2993.39	01	01	4	
	P	10/30/1991	-253.3	0.31	2993.7	01	01	4	
	P	11/15/1991	-252.58	0.72	2994.42	01	01	4	
	P	11/20/1991	-252.9	-0.32	2994.1	01	01	1	
	P	11/30/1991	-252.49	0.41	2994.51	01	01	4	
	P	12/15/1991	-252.25	0.24	2994.75	01	01	4	
	P	12/30/1991	-251.56	0.69	2995.44	01	01	4	
	P	2/6/1992	-250.7	0.86	2996.3	01	01	1	
	P	2/15/1992	-250.38	0.32	2996.62	01	01	4	
	P	2/18/1992	-249.92	0.46	2997.08	01	06	1	
	P	2/29/1992	-250.1	-0.18	2996.9	01	01	4	
	P	3/15/1992	-249.86	0.24	2997.14	01	01	4	
	P	3/30/1992	-249.7	0.16	2997.3	01	01	4	
	P	4/15/1992	-253.17	-3.47	2993.83	01	01	4	
	P	4/30/1992	-250.87	2.3	2996.13	01	01	4	
	P	5/15/1992	-250.33	0.54	2996.67	01	01	1	
	P	5/30/1992	-249.8	0.53	2997.2	01	01	4	
	P	6/15/1992	-249.16	0.64	2997.84	01	01	4	
	P	6/30/1992	-249.52	-0.36	2997.48	01	01	4	
	P	7/15/1992	-251.42	-1.9	2995.58	01	01	4	
	P	7/30/1992	-255.31	-3.89	2991.69	01	01	4	
	P	8/6/1992	-257.63	-2.32	2989.37	01	01	1	
	P	8/15/1992	-258.85	-1.22	2988.15	01	01	4	
	P	8/30/1992	-260.19	-1.34	2986.81	01	01	4	
	P	9/15/1992	-256.79	3.4	2990.21	01	01	4	
	P	9/30/1992	-254.63	2.16	2992.37	01	01	4	
	P	10/15/1992	-253.44	1.19	2993.56	01	01	4	
	P	10/30/1992	-253.16	0.28	2993.84	01	01	4	
	P	11/15/1992	-252.7	0.46	2994.3	01	01	4	
	P	11/19/1992	-252.22	0.48	2994.78	01	01	1	
	P	11/30/1992	-251.65	0.57	2995.35	01	01	4	
	P	12/15/1992	-251.03	0.62	2995.97	01	01	4	
	P	12/30/1992	-250.84	0.19	2996.16	01	01	4	
	P	1/15/1993	-250.26	0.58	2996.74	01	01	4	
	P	1/30/1993	-250.19	0.07	2996.81	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 5/1993	-249.19	1	2997.81	01	06	1	
	P	2/15/1993	-249.22	-0.03	2997.78	01	01	4	
	P	2/28/1993	-249.3	-0.08	2997.7	01	01	4	
	P	3/15/1993	-248.64	0.66	2998.36	01	01	4	
	P	3/30/1993	-252.96	-4.32	2994.04	01	01	4	
	P	4/15/1993	-254.97	-2.01	2992.03	01	01	4	
	P	4/30/1993	-259.64	-4.67	2987.36	01	01	4	
	P	5/15/1993	-254.35	5.29	2992.65	01	01	4	
	P	5/30/1993	-256.59	-2.24	2990.41	01	01	4	
	P	6/15/1993	-257.92	-1.33	2989.08	01	01	4	
	P	6/30/1993	-258.99	-1.07	2988.01	01	01	4	
	P	7/15/1993	-259.66	-0.67	2987.34	01	01	4	
	P	7/30/1993	-262.52	-2.86	2984.48	01	01	4	
	P	8/15/1993	-263.35	-0.83	2983.65	01	01	4	
	P	8/30/1993	-257.98	5.37	2989.02	01	01	4	
	P	9/15/1993	-256.56	1.42	2990.44	01	01	4	
	P	9/30/1993	-255.74	0.82	2991.26	01	01	4	
	P	10/15/1993	-255.08	0.66	2991.92	01	01	4	
	P	10/30/1993	-254.86	0.22	2992.14	01	01	4	
	P	11/15/1993	-254.39	0.47	2992.61	01	01	4	
	P	11/30/1993	-253.88	0.51	2993.12	01	01	4	
	P	12/30/1993	-253.33	0.55	2993.67	01	01	4	
	P	1/15/1994	-252.88	0.45	2994.12	01	01	4	
	P	1/27/1994	-251.73	1.15	2995.27	01	06	1	
	P	1/30/1994	-252.56	-0.83	2994.44	01	01	4	
	P	2/15/1994	-252.24	0.32	2994.76	01	01	4	
	P	2/28/1994	-251.8	0.44	2995.2	01	01	4	
	P	3/15/1994	-254.19	-2.39	2992.81	01	01	4	
	P	3/30/1994	-258.7	-4.51	2988.3	01	01	4	
	P	4/15/1994	-257.87	0.83	2989.13	01	01	4	
	P	4/30/1994	-258.54	-0.67	2988.46	01	01	4	
	P	5/15/1994	-255.28	3.26	2991.72	01	01	4	
	P	5/30/1994	-254.26	1.02	2992.74	01	01	4	
	P	6/15/1994	-260.24	-5.98	2986.76	01	01	4	
	P	6/30/1994	-264.3	-4.06	2982.7	01	01	4	
	P	7/15/1994	-262.19	2.11	2984.81	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7/30/1994	-266.56	-4.37	2980.44	01	01	4	
	P	8/15/1994	-263.65	2.91	2983.35	01	01	4	
	P	8/30/1994	-261.74	1.91	2985.26	01	01	4	
	P	9/15/1994	-260.31	1.43	2986.69	01	01	4	
	P	9/30/1994	-259.67	0.64	2987.33	01	01	4	
	P	10/15/1994	-259.11	0.56	2987.89	01	01	4	
	P	10/30/1994	-258.86	0.25	2988.14	01	01	4	
	P	11/15/1994	-258.76	0.1	2988.24	01	01	4	
	P	11/30/1994	-258.26	0.5	2988.74	01	01	4	
	P	12/15/1994	-257.74	0.52	2989.26	01	01	4	
	P	12/30/1994	-257.31	0.43	2989.69	01	01	4	
	P	1/15/1995	-256.87	0.44	2990.13	01	01	4	
	P	1/30/1995	-256.81	0.06	2990.19	01	01	4	
	P	2/ 6/1995	-253.87	2.94	2993.13	01	06	1	
	P	2/15/1995	-256.2	-2.33	2990.8	01	01	4	
	P	2/28/1995	-256.25	-0.05	2990.75	01	01	4	
	P	3/15/1995	-256.03	0.22	2990.97	01	01	4	
	P	3/30/1995	-262.4	-6.37	2984.6	01	01	4	
	P	4/15/1995	-264.4	-2	2982.6	01	01	4	
	P	4/30/1995	-259.8	4.6	2987.2	01	01	4	
	P	5/15/1995	-258.72	1.08	2988.28	01	01	4	
	P	5/30/1995	-258.15	0.57	2988.85	01	01	4	
	P	6/15/1995	-257.66	0.49	2989.34	01	01	4	
	P	6/30/1995	-259.34	-1.68	2987.66	01	01	4	
	P	7/15/1995	-263.7	-4.36	2983.3	01	01	4	
	P	7/30/1995	-264.75	-1.05	2982.25	01	01	4	
	P	8/15/1995	-263.84	0.91	2983.16	01	01	4	
	P	8/30/1995	-263.66	0.18	2983.34	01	01	4	
	P	9/15/1995	-261.66	2	2985.34	01	01	4	
	P	9/30/1995	-260.57	1.09	2986.43	01	01	4	
	P	10/15/1995	-260.21	0.36	2986.79	01	01	4	
	P	10/30/1995	-259.68	0.53	2987.32	01	01	4	
	P	11/15/1995	-259.39	0.29	2987.61	01	01	4	
	P	11/30/1995	-258.97	0.42	2988.03	01	01	4	
	P	12/15/1995	-258.84	0.13	2988.16	01	01	4	
	P	12/30/1995	-258.5	0.34	2988.5	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/15/1996	-258.37	0.13	2988.63	01	01	4	
	P	1/29/1996	-257.62	0.75	2989.38	01	06	1	
	P	1/30/1996	-258.13	-0.51	2988.87	01	01	4	
	P	2/15/1996	-257.92	0.21	2989.08	01	01	4	
	P	2/29/1996	-257.8	0.12	2989.2	01	01	4	
	P	3/15/1996	-257.5	0.3	2989.5	01	01	4	
	P	3/30/1996	-258.53	-1.03	2988.47	01	01	4	
	P	4/15/1996	-263.09	-4.56	2983.91	01	01	4	
	P	4/30/1996	-260.04	3.05	2986.96	01	01	4	
	P	5/15/1996	-259.76	0.28	2987.24	01	01	4	
	P	5/30/1996	-259.78	-0.02	2987.22	01	01	4	
	P	6/15/1996	-259.59	0.19	2987.41	01	01	4	
	P	6/30/1996	-260.23	-0.64	2986.77	01	01	4	
	P	7/15/1996	-260.35	-0.12	2986.65	01	01	4	
	P	7/30/1996	-260.59	-0.24	2986.41	01	01	4	
	P	8/15/1996	-266.85	-6.26	2980.15	01	01	4	
	P	8/30/1996	-263.41	3.44	2983.59	01	01	4	
	P	9/15/1996	-262	1.41	2985	01	01	4	
	P	9/30/1996	-261.8	0.2	2985.2	01	01	4	
	P	10/15/1996	-261.35	0.45	2985.65	01	01	4	
	P	10/30/1996	-261.18	0.17	2985.82	01	01	4	
	P	11/15/1996	-260.82	0.36	2986.18	01	01	4	
	P	11/30/1996	-260.64	0.18	2986.36	01	01	4	
	P	12/15/1996	-260.82	-0.18	2986.18	01	01	4	
	P	12/30/1996	-260.5	0.32	2986.5	01	01	4	
	P	1/15/1997	-260.23	0.27	2986.77	01	01	4	
	P	1/30/1997	-260.2	0.03	2986.8	01	01	4	
	P	2/4/1997	-259.82	0.38	2987.18	01	06	1	
	P	2/15/1997	-260.05	-0.23	2986.95	01	01	4	
	P	2/28/1997	-259.52	0.53	2987.48	01	01	4	
	P	3/15/1997	-259.75	-0.23	2987.25	01	01	4	
	P	3/30/1997	-259.49	0.26	2987.51	01	01	4	
	P	4/15/1997	-263.27	-3.78	2983.73	01	01	4	
	P	4/30/1997	-262.51	0.76	2984.49	01	01	4	
	P	5/15/1997	-261.34	1.17	2985.66	01	01	4	
	P	5/30/1997	-260.71	0.63	2986.29	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6/15/1997	-260.22	0.49	2986.78	01	01	4	
	P	6/30/1997	-261.73	-1.51	2985.27	01	01	4	
	P	7/15/1997	-265.32	-3.59	2981.68	01	01	4	
	P	7/30/1997	-263.73	1.59	2983.27	01	01	4	
	P	8/15/1997	-263.17	0.56	2983.83	01	01	4	
	P	8/30/1997	-264.65	-1.48	2982.35	01	01	4	
	P	9/15/1997	-262.4	2.25	2984.6	01	01	4	
	P	9/30/1997	-261.82	0.58	2985.18	01	01	4	
	P	10/15/1997	-261.63	0.19	2985.37	01	01	4	
	P	10/30/1997	-261.12	0.51	2985.88	01	01	4	
	P	11/15/1997	-261.02	0.1	2985.98	01	01	4	
	P	11/30/1997	-260.66	0.36	2986.34	01	01	4	
	P	12/15/1997	-260.48	0.18	2986.52	01	01	4	
	P	12/30/1997	-260.28	0.2	2986.72	01	01	4	
	P	1/15/1998	-259.97	0.31	2987.03	01	01	4	
	P	1/16/1998	-259.3	0.67	2987.7	01	06	1	
	P	1/30/1998	-259.79	-0.49	2987.21	01	01	4	
	P	2/15/1998	-259.46	0.33	2987.54	01	01	4	
	P	2/28/1998	-259.46		2987.54	01	01	4	
	P	3/15/1998	-259.21	0.25	2987.79	01	01	4	
	P	3/30/1998	-258.85	0.36	2988.15	01	01	4	
	P	4/15/1998	-263.34	-4.49	2983.66	01	01	4	
	P	4/30/1998	-267.98	-4.64	2979.02	01	01	4	
	P	5/15/1998	-263.12	4.86	2983.88	01	01	4	
	P	5/30/1998	-262.36	0.76	2984.64	01	01	4	
	P	6/15/1998	-262.14	0.22	2984.86	01	01	4	
	P	6/30/1998	-268.68	-6.54	2978.32	01	01	4	
	P	7/15/1998	-266.09	2.59	2980.91	01	01	4	
	P	7/30/1998	-271.03	-4.94	2975.97	01	01	4	
	P	8/15/1998	-267.26	3.77	2979.74	01	01	4	
	P	8/30/1998	-267.27	-0.01	2979.73	01	01	4	
	P	9/15/1998	-266.09	1.18	2980.91	01	01	4	
	P	9/30/1998	-265.56	0.53	2981.44	01	01	4	
	P	10/15/1998	-265	0.56	2982	01	01	4	
	P	10/30/1998	-264.71	0.29	2982.29	01	01	4	
	P	11/15/1998	-264.45	0.26	2982.55	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/30/1998	-264.15	0.3	2982.85	01	01	4	
	P	12/15/1998	-264.24	-0.09	2982.76	01	01	4	
	P	12/30/1998	-263.69	0.55	2983.31	01	01	4	
	P	1/15/1999	-263.47	0.22	2983.53	01	01	4	
	P	1/30/1999	-263.5	-0.03	2983.5	01	01	4	
	P	2/8/1999	-263	0.5	2984	01	06	1	
	P	2/15/1999	-263.14	-0.14	2983.86	01	01	4	
	P	2/28/1999	-263.08	0.06	2983.92	01	01	4	
	P	3/15/1999	-262.98	0.1	2984.02	01	01	4	
	P	3/30/1999	-262.81	0.17	2984.19	01	01	4	
	P	4/15/1999	-267.15	-4.34	2979.85	01	01	4	
	P	4/30/1999	-267.58	-0.43	2979.42	01	01	4	
	P	5/15/1999	-265.29	2.29	2981.71	01	01	4	
	P	5/30/1999	-264.73	0.56	2982.27	01	01	4	
	P	6/15/1999	-264.38	0.35	2982.62	01	01	4	
	P	6/30/1999	-263.84	0.54	2983.16	01	01	4	
	P	12/15/1999	-265.46	-1.62	2981.54	01	01	4	
	P	12/30/1999	-264.74	0.72	2982.26	01	01	4	
	P	1/15/2000	-264.66	0.08	2982.34	01	01	4	
	P	1/30/2000	-264.43	0.23	2982.57	01	01	4	
	P	2/11/2000	-263.59	0.84	2983.41	01	06	1	
	P	2/15/2000	-264.05	-0.46	2982.95	01	01	4	
	P	2/29/2000	-263.86	0.19	2983.14	01	01	4	
	P	3/15/2000	-263.68	0.18	2983.32	01	01	4	
	P	3/30/2000	-264.18	-0.5	2982.82	01	01	4	
	P	4/15/2000	-271.41	-7.23	2975.59	01	01	4	
	P	4/30/2000	-268.66	2.75	2978.34	01	01	4	
	P	5/15/2000	-267.9	0.76	2979.1	01	01	4	
	P	5/30/2000	-267.65	0.25	2979.35	01	01	4	
	P	6/15/2000	-267.17	0.48	2979.83	01	01	4	
	P	6/30/2000	-265.39	1.78	2981.61	01	01	4	
	P	7/15/2000	-265.47	-0.08	2981.53	01	01	4	
	P	7/30/2000	-268.78	-3.31	2978.22	01	01	4	
	P	8/15/2000	-273.74	-4.96	2973.26	01	01	4	
	P	8/30/2000	-271.95	1.79	2975.05	01	01	4	
	P	9/15/2000	-269.96	1.99	2977.04	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/30/2000	-269.15	0.81	2977.85	01	01	4	
	P	10/15/2000	-269.85	-0.7	2977.15	01	01	4	
	P	10/30/2000	-268.94	0.91	2978.06	01	01	4	
	P	11/15/2000	-268.38	0.56	2978.62	01	01	4	
	P	11/30/2000	-268.17	0.21	2978.83	01	01	4	
	P	12/15/2000	-267.73	0.44	2979.27	01	01	4	
	P	12/30/2000	-267.72	0.01	2979.28	01	01	4	
	P	1/15/2001	-267.44	0.28	2979.56	01	01	4	
	P	1/30/2001	-266.98	0.46	2980.02	01	01	4	
	P	2/11/2001	-263.59	3.39	2983.41	01	06	1	
	P	2/15/2001	-266.95	-3.36	2980.05	01	01	4	
	P	2/28/2001	-266.89	0.06	2980.11	01	01	4	
	P	3/15/2001	-266.54	0.35	2980.46	01	01	4	
	P	3/30/2001	-266.39	0.15	2980.61	01	01	4	
	P	4/15/2001	-266.33	0.06	2980.67	01	01	4	
	P	4/30/2001	-266.23	0.1	2980.77	01	01	4	
	P	5/15/2001	-265.99	0.24	2981.01	01	01	4	
	P	5/30/2001	-265.88	0.11	2981.12	01	01	4	
	P	6/15/2001	-265.9	-0.02	2981.1	01	01	4	
	P	6/30/2001	-265.97	-0.07	2981.03	01	01	4	
	P	7/15/2001	-271.45	-5.48	2975.55	01	01	4	
	P	7/30/2001	-268.69	2.76	2978.31	01	01	4	
	P	8/15/2001	-273.44	-4.75	2973.56	01	01	4	
	P	8/30/2001	-270	3.44	2977	01	01	4	
	P	9/15/2001	-269.22	0.78	2977.78	01	01	4	
	P	9/30/2001	-268.89	0.33	2978.11	01	01	4	
	P	10/15/2001	-268.38	0.51	2978.62	01	01	4	
	P	10/30/2001	-268.3	0.08	2978.7	01	01	4	
	P	11/15/2001	-267.91	0.39	2979.09	01	01	4	
	P	11/30/2001	-267.53	0.38	2979.47	01	01	4	
	P	12/15/2001	-267.33	0.2	2979.67	01	01	4	
	P	12/30/2001	-267.4	-0.07	2979.6	01	01	4	
	P	1/15/2002	-266.99	0.41	2980.01	01	01	4	
	P	1/30/2002	-266.77	0.22	2980.23	01	01	4	
	P	2/12/2002	-265.75	1.02	2981.25	01	06	1	
	P	2/15/2002	-266.63	-0.88	2980.37	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 28/ 2002	-266.37	0.26	2980.63	01	01	4	
	P	3 / 15/ 2002	-266.16	0.21	2980.84	01	01	4	
	P	3 / 30/ 2002	-266.29	-0.13	2980.71	01	01	4	
	P	4 / 15/ 2002	-272.91	-6.62	2974.09	01	01	4	
	P	4 / 30/ 2002	-269.82	3.09	2977.18	01	01	4	
	P	5 / 15/ 2002	-268.52	1.3	2978.48	01	01	4	
	P	3 / 4 / 2003	-266.85	1.67	2980.15	01	06	1	
	P	2 / 17/ 2004	-268.24	-1.39	2978.76	01	06	1	
	P	2 / 16/ 2005	-270.52	-2.28	2976.48	01	06	1	
	P	2 / 14/ 2006	-267.42	3.1	2979.58	01	06	1	
	P	2 / 9 / 2007	-272.69	-5.27	2974.31	01	06	1	
	N	2 / 1 / 2008				01	06		81

Min *-273.74* **Max** *-166.55* **Avg** *-245.583*

1161408 *(Aquifer: 121OGLL Well Depth: 280)*

	P	0 / 0 / 1945	-57		3195	01	12	7	01
	P	3 / 18/ 1947	-65.75	-8.75	3186.25	01	12	7	01
	P	3 / 2 / 1948	-70.12	-4.37	3181.88	01	12	7	01
	P	3 / 8 / 1949	-75.78	-5.66	3176.22	01	12	7	01
	P	2 / 18/ 1950	-91.98	-16.2	3160.02	01	12	7	01
	P	1 / 18/ 1951	-84.25	7.73	3167.75	01	12	7	01
	P	1 / 14/ 1952	-91.73	-7.48	3160.27	01	12	7	01
	P	1 / 9 / 1953	-98.01	-6.28	3153.99	01	12	7	01
	P	1 / 7 / 1954	-106.77	-8.76	3145.23	01	12	7	01
	P	1 / 7 / 1955	-119.8	-13.0	3132.2	01	12	7	01

Min *-119.8* **Max** *-57* **Avg** *-86.119*

1161409 *(Aquifer: 121OGLL Well Depth: 386)*

	P	2 / 13/ 2009	-270.94		2990.06	01	06	1	
	P	1 / 20/ 2010	-274.05	-3.11	2986.95	01	06	1	
	P	1 / 24/ 2011	-275.08	-1.03	2985.92	01	06	1	
	P	2 / 6 / 2012	-282.52	-7.44	2978.48	01	06	1	

Min *-282.52* **Max** *-270.94* **Avg** *-275.648*

1161502 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 25/ 1968	-188.43		3056.57	01	06	1	
	P	1 / 8 / 1969	-192.08	-3.65	3052.92	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1970	-195.6	-3.52	3049.4	01	06	1	
	P	1 / 9 / 1971	-204.22	-8.62	3040.78	01	01	1	
	P	1 / 11/ 1972	-210.49	-6.27	3034.51	01	06	1	
	P	1 / 18/ 1973	-213.42	-2.93	3031.58	01	06	1	
	P	1 / 14/ 1974	-214.98	-1.56	3030.02	01	06	1	
	P	1 / 8 / 1975	-226.08	-11.1	3018.92	01	06	1	
	P	1 / 13/ 1976	-228.51	-2.43	3016.49	01	06	1	
	P	1 / 5 / 1977	-231.96	-3.45	3013.04	01	06	1	
	P	1 / 5 / 1978	-235.58	-3.62	3009.42	01	06	1	
	P	1 / 11/ 1979	-238.55	-2.97	3006.45	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-238.55* **Max** *-188.43* **Avg** *-214.992*

1161601 *(Aquifer: 121OGLL Well Depth: 59)*

	P	7 / 28/ 1937	-35.53		3195.47	01	12	7	01
	P	1 / 24/ 1938	-33.4	2.13	3197.6	01	12	7	01
	P	6 / 26/ 1938	-34.05	-0.65	3196.95	01	12	7	01
	P	6 / 23/ 1939	-35.05	-1	3195.95	01	12	7	01
	P	10 / 4 / 1939	-35.21	-0.16	3195.79	01	12	7	01
	P	12 / 8 / 1939	-35.34	-0.13	3195.66	01	12	7	01
	P	1 / 13/ 1940	-35.4	-0.06	3195.6	01	12	7	01
	P	3 / 6 / 1940	-35.5	-0.1	3195.5	01	12	7	01
	P	7 / 9 / 1940	-35.63	-0.13	3195.37	01	12	7	01
	P	10 / 27/ 1940	-35.72	-0.09	3195.28	01	12	7	01
	P	11 / 15/ 1940	-35.75	-0.03	3195.25	01	12	7	01
	P	1 / 20/ 1941	-35.84	-0.09	3195.16	01	12	7	01
	P	3 / 12/ 1941	-35.9	-0.06	3195.1	01	12	7	01
	P	7 / 23/ 1941	-27.9	8	3203.1	01	12	7	01
	P	12 / 20/ 1941	-26.9	1	3204.1	01	12	7	01
	P	3 / 10/ 1942	-28.86	-1.96	3202.14	01	12	7	01
	P	7 / 24/ 1942	-30.14	-1.28	3200.86	01	12	7	01
	P	10 / 28/ 1942	-29.12	1.02	3201.88	01	12	7	01
	P	1 / 29/ 1943	-30.12	-1	3200.88	01	12	7	01
	P	12 / 15/ 1944	-31.18	-1.06	3199.82	01	12	7	01
	P	2 / 15/ 1945	-32.45	-1.27	3198.55	01	12	7	01
	P	2 / 27/ 1946	-33.67	-1.22	3197.33	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 17/ 1947	-34.7	-1.03	3196.3	01	12	7	01
	P	3 / 2 / 1948	-35.25	-0.55	3195.75	01	12	7	01
	P	3 / 8 / 1949	-35.7	-0.45	3195.3	01	12	7	01
	P	2 / 19/ 1950	-37.92	-2.22	3193.08	01	12	7	01
	P	1 / 17/ 1951	-30.5	7.42	3200.5	01	12	7	01
	P	2 / 19/ 1951	-30.35	0.15	3200.65	01	12	7	01
	P	1 / 9 / 1953	-36.5	-6.15	3194.5	01	12	7	01
	P	1 / 7 / 1954	-38.9	-2.4	3192.1	01	12	7	01
	P	1 / 6 / 1955	-37.66	1.24	3193.34	01	12	7	01
	P	1 / 14/ 1957	-39.28	-1.62	3191.72	01	12	7	01
	P	1 / 10/ 1958	-38.27	1.01	3192.73	01	12	7	01
	P	1 / 6 / 1959	-38.74	-0.47	3192.26	01	12	7	01
	P	1 / 27/ 1960	-42.07	-3.33	3188.93	01	12	7	01
	P	1 / 20/ 1961	-41.7	0.37	3189.3	01	04	1	
	P	1 / 18/ 1962	-44.64	-2.94	3186.36	01	01	1	
	P	1 / 21/ 1963	-44.14	0.5	3186.86	01	06	1	
	N	1 / 13/ 1964				01	06	1	44
	N	2 / 15/ 1965				01	06	1	46
	N	1 / 27/ 1966				01	06	1	46
	P	1 / 9 / 1967	-50.93		3180.07	01	01	1	
	P	1 / 7 / 1968	-53.04	-2.11	3177.96	01	01	1	
	P	1 / 15/ 1969	-52.38	0.66	3178.62	01	06	1	
	P	1 / 15/ 1970	-52.9	-0.52	3178.1	01	01	1	
	P	1 / 10/ 1971	-52.86	0.04	3178.14	01	01	1	
	P	1 / 1 / 1972	-53.65	-0.79	3177.35	01	06	1	
	P	1 / 20/ 1973	-56.49	-2.84	3174.51	01	06	1	
	N	1 / 14/ 1974				01	06		63
	N	1 / 8 / 1975				01	06	1	46
	N	9 / 19/ 1975				01	06	1	46

Min *-56.49* **Max** *-26.9* **Avg** *-37.9384*

1161602 *(Aquifer: 121OGLL Well Depth: 298)*

	P	5 / 14/ 1937	-40.29		3192.71	01	12	7	01
	P	6 / 8 / 1937	-40.25	0.04	3192.75	01	12	7	01
	P	7 / 27/ 1937	-40.43	-0.18	3192.57	01	12	7	01
	P	8 / 25/ 1937	-40.55	-0.12	3192.45	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/14/1937	-40.4	0.15	3192.6	01	12	7	01
	P	10/ 1/1937	-40.37	0.03	3192.63	01	12	7	01
	P	11/ 1/1937	-40.21	0.16	3192.79	01	12	7	01
	P	12/ 2/1937	-40.12	0.09	3192.88	01	12	7	01
	P	1/ 4/1938	-40.05	0.07	3192.95	01	12	7	01
	P	3/11/1938	-39.91	0.14	3193.09	01	12	7	01
	P	4/13/1938	-40.16	-0.25	3192.84	01	12	7	01
	P	5/26/1938	-40.28	-0.12	3192.72	01	12	7	01
	P	6/24/1938	-40.18	0.1	3192.82	01	12	7	01
	P	8/12/1938	-40.28	-0.1	3192.72	01	12	7	01
	P	10/11/1938	-40.1	0.18	3192.9	01	12	7	01
	P	12/ 5/1938	-40.15	-0.05	3192.85	01	12	7	01
	P	1/ 3/1939	-40.14	0.01	3192.86	01	12	7	01
	P	3/ 2/1939	-40.23	-0.09	3192.77	01	12	7	01
	P	6/23/1939	-40.68	-0.45	3192.32	01	12	7	01
	P	8/14/1939	-40.81	-0.13	3192.19	01	12	7	01
	P	12/ 8/1939	-40.87	-0.06	3192.13	01	12	7	01
	P	3/ 6/1940	-40.93	-0.06	3192.07	01	12	7	01
	P	7/ 9/1940	-41.45	-0.52	3191.55	01	12	7	01
	P	10/27/1940	-41.71	-0.26	3191.29	01	12	7	01
	P	1/20/1941	-41.76	-0.05	3191.24	01	12	7	01
	P	3/11/1941	-41.87	-0.11	3191.13	01	12	7	01
	P	7/23/1941	-41.64	0.23	3191.36	01	12	7	01
	P	3/10/1942	-37.84	3.8	3195.16	01	12	7	01
	P	7/24/1942	-37.32	0.52	3195.68	01	12	7	01
	P	10/28/1942	-37.19	0.13	3195.81	01	12	7	01
	P	1/29/1943	-36.84	0.35	3196.16	01	12	7	01
	P	7/20/1943	-36.75	0.09	3196.25	01	12	7	01
	P	2/15/1944	-37.05	-0.3	3195.95	01	12	7	01
	P	2/14/1945	-38.8	-1.75	3194.2	01	12	7	01
	P	2/27/1946	-40.62	-1.82	3192.38	01	12	7	01
	P	1/20/1947	-42.44	-1.82	3190.56	01	12	7	01
	P	3/17/1947	-42.6	-0.16	3190.4	01	12	7	01
	P	3/ 2/1948	-44.35	-1.75	3188.65	01	12	7	01
	P	3/ 8/1949	-46.16	-1.81	3186.84	01	12	7	01
	P	2/18/1950	-49.23	-3.07	3183.77	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 1951	-47.05	2.18	3185.95	01	12	7	01
	P	1 / 18/ 1952	-48.35	-1.3	3184.65	01	12	7	01

Min *-49.23* **Max** *-36.75* **Avg** *-40.9145*

1161603 *(Aquifer: 121OGLL Well Depth: 170)*

	P	8 / 7 / 1975	-86.88		3147.12	01	06	1
	P	1 / 9 / 1976	-87.74	-0.86	3146.26	01	06	1
	P	1 / 5 / 1977	-87.82	-0.08	3146.18	01	06	1
	P	1 / 5 / 1978	-88.77	-0.95	3145.23	01	06	1
	P	1 / 9 / 1979	-89.51	-0.74	3144.49	01	06	1
	P	1 / 7 / 1980	-89.19	0.32	3144.81	01	06	1
	P	1 / 12/ 1981	-90.12	-0.93	3143.88	01	06	1
	P	1 / 7 / 1982	-90.87	-0.75	3143.13	01	06	1
	P	2 / 14/ 1983	-91.09	-0.22	3142.91	01	06	1
	P	1 / 25/ 1984	-90.2	0.89	3143.8	01	06	1
	P	1 / 16/ 1985	-89.97	0.23	3144.03	01	06	1
	P	1 / 22/ 1986	-90.75	-0.78	3143.25	01	06	1
	P	1 / 30/ 1987	-90.8	-0.05	3143.2	01	06	1
	P	2 / 2 / 1988	-87.9	2.9	3146.1	01	06	1
	P	1 / 25/ 1989	-87.1	0.8	3146.9	01	06	2
	P	1 / 22/ 1990	-86.57	0.53	3147.43	01	06	1
	P	2 / 11/ 1991	-86.05	0.52	3147.95	01	06	1
	P	2 / 18/ 1992	-86.46	-0.41	3147.54	01	06	1
	P	2 / 5 / 1993	-86.71	-0.25	3147.29	01	06	1
	P	1 / 27/ 1994	-87.29	-0.58	3146.71	01	06	1
	P	2 / 6 / 1995	-88.36	-1.07	3145.64	01	06	1
	N	1 / 29/ 1996				01	06		81

Min *-91.09* **Max** *-86.05* **Avg** *-88.5786*

1161604 *(Aquifer: 121OGDK Well Depth: 673)*

	P	8 / 12/ 1964	-60		3179	01	07	7
	P	6 / 1 / 1983	-216.2	-156	3022.8	01	12	7

Min *-216.2* **Max** *-60* **Avg** *-138.1*

1161605 *(Aquifer: 121OGLL Well Depth: 159)*

	P	1 / 29/ 1996	-82.94		3167.06	01	06	1
	P	1 / 29/ 1997	-83.08	-0.14	3166.92	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1998	-82.12	0.96	3167.88	01	06	1	
	P	2 / 8 / 1999	-83	-0.88	3167	01	06	1	
	P	2 / 11/ 2000	-83.5	-0.5	3166.5	01	06	1	
	P	2 / 7 / 2001	-84.13	-0.63	3165.87	01	06	1	
	P	2 / 12/ 2002	-84.07	0.06	3165.93	01	06	1	
	P	2 / 28/ 2003	-84.7	-0.63	3165.3	01	06	1	
	P	2 / 17/ 2004	-85.88	-1.18	3164.12	01	06	1	
	P	2 / 16/ 2005	-85.16	0.72	3164.84	01	06	1	
	P	2 / 10/ 2006	-85.4	-0.24	3164.6	01	06	1	
	P	2 / 9 / 2007	-85.91	-0.51	3164.09	01	06	1	
	P	2 / 1 / 2008	-85.11	0.8	3164.89	01	06	1	
	P	2 / 13/ 2009	-85.09	0.02	3164.91	01	06	1	
	P	1 / 20/ 2010	-86.28	-1.19	3163.72	01	06	1	
	P	1 / 24/ 2011	-85.1	1.18	3164.9	01	06	1	
	P	2 / 2 / 2012	-85.97	-0.87	3164.03	01	06	1	

Min *-86.28* **Max** *-82.12* **Avg** *-84.5553*

1161701 *(Aquifer: 121OGLL Well Depth: 56)*

	P	5 / 14/ 1937	-39.38		3192.62	01	12	7	01
	P	6 / 18/ 1937	-39.12	0.26	3192.88	01	12	7	01
	P	8 / 25/ 1937	-39.03	0.09	3192.97	01	12	7	01
	P	9 / 14/ 1937	-38.87	0.16	3193.13	01	12	7	01
	P	10 / 1 / 1937	-38.71	0.16	3193.29	01	12	7	01
	P	11 / 1 / 1937	-38.68	0.03	3193.32	01	12	7	01
	P	12 / 2 / 1937	-38.76	-0.08	3193.24	01	12	7	01
	P	1 / 4 / 1938	-38.9	-0.14	3193.1	01	12	7	01
	P	3 / 11/ 1938	-39.18	-0.28	3192.82	01	12	7	01
	P	4 / 13/ 1938	-39.53	-0.35	3192.47	01	12	7	01
	P	5 / 26/ 1938	-39.83	-0.3	3192.17	01	12	7	01
	P	6 / 28/ 1938	-39.85	-0.02	3192.15	01	12	7	01
	P	10 / 17/ 1938	-40.15	-0.3	3191.85	01	12	7	01
	P	12 / 5 / 1938	-40.32	-0.17	3191.68	01	12	7	01
	P	1 / 3 / 1939	-40.34	-0.02	3191.66	01	12	7	01
	P	3 / 2 / 1939	-40.49	-0.15	3191.51	01	12	7	01
	P	6 / 23/ 1939	-41.27	-0.78	3190.73	01	12	7	01
	P	8 / 14/ 1939	-41.47	-0.2	3190.53	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 4 / 1939	-42.01	-0.54	3189.99	01	12	7	01
	P	12 / 8 / 1939	-42.1	-0.09	3189.9	01	12	7	01
	P	3 / 6 / 1940	-42.4	-0.3	3189.6	01	12	7	01
	P	7 / 9 / 1940	-43.68	-1.28	3188.32	01	12	7	01
	P	11 / 15 / 1940	-44.94	-1.26	3187.06	01	12	7	01
	P	1 / 20 / 1941	-44.99	-0.05	3187.01	01	12	7	01
	P	3 / 11 / 1941	-45.33	-0.34	3186.67	01	12	7	01
	P	7 / 23 / 1941	-43	2.33	3189	01	12	7	01
	P	12 / 20 / 1941	-41.63	1.37	3190.37	01	12	7	01
	P	3 / 10 / 1942	-41.42	0.21	3190.58	01	12	7	01
	P	10 / 28 / 1942	-41.83	-0.41	3190.17	01	12	7	01
	P	1 / 29 / 1943	-41.18	0.65	3190.82	01	12	7	01
	P	2 / 15 / 1944	-42.18	-1	3189.82	01	12	7	01

Min *-45.33* **Max** *-38.68* **Avg** *-40.9861*

1161801 *(Aquifer: 121OGLL Well Depth: 279)*

	P	12 / 8 / 1939	-57.74		3181.26	01	12	7	01
	P	3 / 6 / 1940	-56.06	1.68	3182.94	01	12	7	01
	P	10 / 20 / 1940	-62.03	-5.97	3176.97	01	12	7	01
	P	11 / 15 / 1940	-60.78	1.25	3178.22	01	12	7	01
	P	1 / 20 / 1941	-59.47	1.31	3179.53	01	12	7	01
	P	3 / 11 / 1941	-59.16	0.31	3179.84	01	12	7	01
	P	7 / 23 / 1941	-66.2	-7.04	3172.8	01	12	7	01
	P	12 / 20 / 1941	-56.8	9.4	3182.2	01	12	7	01
	P	3 / 10 / 1942	-55.72	1.08	3183.28	01	12	7	01
	P	10 / 28 / 1942	-57.98	-2.26	3181.02	01	12	7	01
	P	1 / 29 / 1943	-55.97	2.01	3183.03	01	12	7	01
	P	2 / 15 / 1944	-57.93	-1.96	3181.07	01	12	7	01
	P	2 / 14 / 1945	-60.33	-2.4	3178.67	01	12	7	01
	P	2 / 27 / 1946	-64.92	-4.59	3174.08	01	12	7	01
	P	1 / 20 / 1947	-69.57	-4.65	3169.43	01	12	7	01
	P	3 / 19 / 1947	-69	0.57	3170	01	12	7	01
	P	3 / 9 / 1948	-73.2	-4.2	3165.8	01	12	7	01
	P	3 / 9 / 1949	-77.9	-4.7	3161.1	01	12	7	01
	P	1 / 14 / 1952	-94.93	-17.0	3144.07	01	12	7	01
	P	1 / 9 / 1953	-100.6	-5.67	3138.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1954	-111.08	-10.5	3127.92	01	12	7	01
	P	1/ 7/1955	-123.82	-12.7	3115.18	01	12	7	01
	P	1/ 9/1956	-130.05	-6.23	3108.95	01	12	7	01
	P	1/ 9/1957	-139.31	-9.26	3099.69	01	12	7	01
	P	1/ 9/1958	-141.25	-1.94	3097.75	01	12	7	01
	P	1/ 6/1959	-143.74	-2.49	3095.26	01	12	7	01
	P	1/27/1960	-148.49	-4.75	3090.51	01	12	7	01
	P	1/26/1961	-151.08	-2.59	3087.92	01	04	1	
	P	1/17/1962	-153.4	-2.32	3085.6	01	01	1	
	P	1/21/1963	-159.56	-6.16	3079.44	01	06	1	
	P	1/22/1964	-170.96	-11.4	3068.04	01	06	1	
	P	1/15/1965	-181.49	-10.5	3057.51	01	06	1	
	P	1/31/1966	-187.63	-6.14	3051.37	01	06	1	
	P	1/ 9/1967	-191.92	-4.29	3047.08	01	01	1	
	P	1/ 7/1968	-204.41	-12.5	3034.59	01	01	1	
	P	1/15/1969	-196.6	7.81	3042.4	01	06	1	
	P	1/15/1970	-200.55	-3.95	3038.45	01	01	1	
	P	1/10/1971	-206.46	-5.91	3032.54	01	01	1	
	P	1/ 1/1972	-211.36	-4.9	3027.64	01	06	1	
	P	1/20/1973	-214.62	-3.26	3024.38	01	06	1	
	P	1/14/1974	-215.24	-0.62	3023.76	01	06	1	
	P	1/13/1975	-221.15	-5.91	3017.85	01	06	1	
	P	1/13/1976	-224.15	-3	3014.85	01	06	1	
	P	1/ 5/1977	-232.31	-8.16	3006.69	01	06	1	
	P	1/ 6/1978	-243.49	-11.2	2995.51	01	06	1	
	P	1/ 9/1979	-238.93	4.56	3000.07	01	06	1	
	P	1/ 7/1980	-238.53	0.4	3000.47	01	06	1	
	P	1/12/1981	-242.04	-3.51	2996.96	01	06	1	
	P	1/ 7/1982	-244.97	-2.93	2994.03	01	06	1	
	P	1/17/1983	-248.8	-3.83	2990.2	01	06	1	
	P	1/25/1984	-248.47	0.33	2990.53	01	06	1	
	P	1/16/1985	-250.65	-2.18	2988.35	01	06	1	
	P	1/21/1986	-253.7	-3.05	2985.3	01	06	1	
	P	1/30/1987	-252.51	1.19	2986.49	01	06	1	
	P	2/ 2/1988	-248.28	4.23	2990.72	01	06	1	
	P	1/25/1989	-251.2	-2.92	2987.8	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1990	-251.72	-0.52	2987.28	01	06	1	
	P	2/ 11/ 1991	-251.98	-0.26	2987.02	01	06	1	
	P	2/ 18/ 1992	-254.03	-2.05	2984.97	01	06	1	
	P	2/ 5/ 1993	-252.93	1.1	2986.07	01	06	1	
	P	1/ 27/ 1994	-254.72	-1.79	2984.28	01	06	1	
	P	2/ 7/ 1995	-260.71	-5.99	2978.29	01	06	1	
	P	1/ 29/ 1996	-263.96	-3.25	2975.04	01	06	1	
	P	2/ 4/ 1997	-264.91	-0.95	2974.09	01	06	1	
	P	1/ 16/ 1998	-264.48	0.43	2974.52	01	06	1	
	P	2/ 8/ 1999	-267	-2.52	2972	01	06	1	
	P	2/ 11/ 2000	-267.86	-0.86	2971.14	01	06	1	
	P	2/ 11/ 2001	-267.86		2971.14	01	06	1	
	P	2/ 11/ 2002	-271.19	-3.33	2967.81	01	06	1	
	P	2/ 28/ 2003	-269.1	2.09	2969.9	01	06	1	
	P	2/ 17/ 2004	-270.88	-1.78	2968.12	01	06	1	
	P	2/ 16/ 2005	-269.29	1.59	2969.71	01	06	1	
	P	3/ 1/ 2006	-269.56	-0.27	2969.44	01	06	1	
	P	2/ 9/ 2007	-271.15	-1.59	2967.85	01	06	1	
	P	2/ 1/ 2008	-270.69	0.46	2968.31	01	06	1	
	P	2/ 12/ 2009	-271.3	-0.61	2967.7	01	06	1	
	P	1/ 21/ 2010	-274.98	-3.68	2964.02	01	06	1	
	P	1/ 24/ 2011	-275.11	-0.13	2963.89	01	06	1	
	P	2/ 14/ 2012	-279.8	-4.69	2959.2	01	06	1	

Min *-279.8* **Max** *-55.72* **Avg** *-185.49*

1161802 *(Aquifer: 121OGLL Well Depth:)*

	P	1/ 7/ 1955	-110.32		3113.68	01	12	7	01
	P	1/ 6/ 1956	-120.18	-9.86	3103.82	01	12	7	01
	P	1/ 9/ 1957	-129.8	-9.62	3094.2	01	12	7	01
	P	1/ 9/ 1958	-128	1.8	3096	01	12	7	01
	P	1/ 6/ 1959	-134	-6	3090	01	12	7	01
	P	1/ 28/ 1960	-137.12	-3.12	3086.88	01	12	7	01
	P	1/ 26/ 1961	-139	-1.88	3085	01	04	1	
	P	1/ 17/ 1962	-140.83	-1.83	3083.17	01	01	1	
	P	1/ 21/ 1963	-144.12	-3.29	3079.88	01	06	1	
	P	1/ 22/ 1964	-160.57	-16.5	3063.43	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1965	-161.76	-1.19	3062.24	01	06	1	
	P	1/ 31/ 1966	-162.38	-0.62	3061.62	01	06	1	
	P	1/ 9 / 1967	-187.82	-25.4	3036.18	01	01	1	
	P	1/ 7 / 1968	-206.3	-18.5	3017.7	01	01	1	20
	P	1/ 6 / 1969	-194.09	12.21	3029.91	01	06	1	
	P	1/ 15/ 1970	-197.73	-3.64	3026.27	01	01	1	
	P	1/ 10/ 1971	-203.32	-5.59	3020.68	01	01	1	
	P	1/ 2 / 1972	-206.5	-3.18	3017.5	01	06	1	
	P	1/ 20/ 1973	-208.08	-1.58	3015.92	01	06	1	20
	P	1/ 14/ 1974	-211.52	-3.44	3012.48	01	06	1	
	N	1/ 13/ 1975				01	06	1	47
	N	1/ 13/ 1976				01	06	1	47
	N	1/ 6 / 1977				01	06	1	47

Min *-211.52* **Max** *-110.32* **Avg** *-164.172*

1161901 *(Aquifer: 121OGLL Well Depth: 303)*

	P	3/ 18/ 1947	-78.11		3136.89	01	12	7	01
	P	3/ 8 / 1949	-85.2	-7.09	3129.8	01	12	7	01
	P	2/ 18/ 1950	-87.42	-2.22	3127.58	01	12	7	01
	P	1/ 18/ 1951	-88.45	-1.03	3126.55	01	12	7	01
	P	1/ 14/ 1952	-92.98	-4.53	3122.02	01	12	7	01
	P	1/ 10/ 1953	-100.31	-7.33	3114.69	01	12	7	01
	P	1/ 7 / 1954	-106.29	-5.98	3108.71	01	12	7	01
	P	1/ 18/ 1956	-123.35	-17.1	3091.65	01	12	7	01
	P	1/ 9 / 1957	-132.74	-9.39	3082.26	01	12	7	01
	P	1/ 13/ 1958	-130.9	1.84	3084.1	01	12	7	01
	P	1/ 6 / 1959	-133.24	-2.34	3081.76	01	12	7	01
	P	1/ 28/ 1960	-139.58	-6.34	3075.42	01	12	7	01
	P	1/ 26/ 1961	-142.44	-2.86	3072.56	01	04	1	
	P	1/ 17/ 1962	-146.36	-3.92	3068.64	01	01	1	
	P	1/ 21/ 1963	-153.57	-7.21	3061.43	01	06	1	
	P	1/ 13/ 1964	-161.93	-8.36	3053.07	01	06	1	
	P	2/ 16/ 1965	-173.82	-11.9	3041.18	01	06	1	
	P	1/ 27/ 1966	-177.47	-3.65	3037.53	01	06	1	
	P	1/ 9 / 1967	-181.73	-4.26	3033.27	01	01	1	
	P	1/ 7 / 1968	-185.73	-4	3029.27	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1969	-183.72	2.01	3031.28	01	06	1	
	P	1/15/1970	-192	-8.28	3023	01	01	1	
	P	1/11/1971	-191.05	0.95	3023.95	01	01	1	
	P	1/ 2/1972	-194.38	-3.33	3020.62	01	06	1	
	P	1/20/1973	-192.81	1.57	3022.19	01	06	1	20
	P	1/14/1974	-202.68	-9.87	3012.32	01	06	1	
	P	1/13/1975	-206.35	-3.67	3008.65	01	06	1	
	P	1/ 9/1976	-206.73	-0.38	3008.27	01	06	1	20
	P	1/ 5/1977	-216.48	-9.75	2998.52	01	06	1	
	P	1/ 6/1978	-222.76	-6.28	2992.24	01	06	1	20
	P	1/ 9/1979	-230.91	-8.15	2984.09	01	06	1	
	P	1/ 7/1980	-230.26	0.65	2984.74	01	06	1	
	P	1/13/1981	-238.99	-8.73	2976.01	01	06	1	
	P	1/ 8/1982	-240.34	-1.35	2974.66	01	06	1	
	P	2/14/1983	-244.71	-4.37	2970.29	01	06	1	
	P	1/25/1984	-243.18	1.53	2971.82	01	06	1	
	P	1/16/1985	-244.74	-1.56	2970.26	01	06	1	
	P	1/22/1986	-246.7	-1.96	2968.3	01	06	1	
	P	1/30/1987	-246.11	0.59	2968.89	01	06	1	
	P	2/ 2/1988	-246.04	0.07	2968.96	01	06	1	
	P	1/25/1989	-248	-1.96	2967	01	06	1	
	P	1/17/1990	-251.68	-3.68	2963.32	01	06	1	
	P	2/11/1991	-252.9	-1.22	2962.1	01	06	1	
	P	2/18/1992	-255.89	-2.99	2959.11	01	06	1	
	P	2/ 5/1993	-253.86	2.03	2961.14	01	06	1	
	P	1/27/1994	-258.33	-4.47	2956.67	01	06	1	
	P	2/ 7/1995	-262.32	-3.99	2952.68	01	06	1	
	P	1/30/1996	-264.03	-1.71	2950.97	01	06	1	
	P	2/ 4/1997	-268.38	-4.35	2946.62	01	06	1	
	P	1/16/1998	-268.78	-0.4	2946.22	01	06	1	
	P	2/26/1999	-272	-3.22	2943	01	06	1	
	P	2/11/2000	-271.94	0.06	2943.06	01	06	1	
	P	2/ 6/2001	-274.05	-2.11	2940.95	01	06	1	
	P	2/11/2002	-275.56	-1.51	2939.44	01	06	1	
	P	2/28/2003	-275.9	-0.34	2939.1	01	06	1	
	P	2/ 9/2004	-273.7	2.2	2941.3	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 17/ 2005	-272.76	0.94	2942.24	01	06	1	
	P	2 / 14/ 2006	-269.37	3.39	2945.63	01	06	1	
	P	2 / 9 / 2007	-271.99	-2.62	2943.01	01	06	1	
	N	2 / 19/ 2008				01	06	7	44
	N	2 / 18/ 2009				01	06	1	44
	N	1 / 20/ 2010				01	06	1	44

Min *-275.9* **Max** *-78.11* **Avg** *-204.814*

1161902 *(Aquifer: 121OGAL Well Depth: 370)*

	P	2 / 18/ 2009	-271.5		2941.5	01	06	1	
	P	1 / 20/ 2010	-272.93	-1.43	2940.07	01	06	1	
	P	2 / 16/ 2011	-272.55	0.38	2940.45	01	06	1	
	P	1 / 17/ 2012	-275.18	-2.63	2937.82	01	06	2	

Min *-275.18* **Max** *-271.5* **Avg** *-273.04*

1162201 *(Aquifer: 121OGLL Well Depth: 185)*

	P	6 / 0 / 1962	-122		3054	01	07	7	
	P	1 / 28/ 1963	-133.63	-11.6	3042.37	01	06	1	
	P	1 / 13/ 1964	-135.73	-2.1	3040.27	01	06	1	
	P	2 / 16/ 1965	-138.07	-2.34	3037.93	01	06	1	
	P	2 / 1 / 1966	-143	-4.93	3033	01	06	1	
	P	1 / 9 / 1967	-142.01	0.99	3033.99	01	01	1	
	P	1 / 6 / 1968	-148.38	-6.37	3027.62	01	01	1	
	P	1 / 7 / 1969	-141.72	6.66	3034.28	01	06	1	
	P	1 / 15/ 1970	-142.25	-0.53	3033.75	01	01	1	
	P	1 / 12/ 1971	-143.1	-0.85	3032.9	01	01	1	
	P	1 / 2 / 1972	-143.3	-0.2	3032.7	01	06	1	
	P	1 / 17/ 1973	-143.74	-0.44	3032.26	01	06	1	
	P	1 / 14/ 1974	-144.38	-0.64	3031.62	01	06	1	
	P	1 / 3 / 1975	-145.2	-0.82	3030.8	01	06	1	
	P	1 / 8 / 1976	-144.53	0.67	3031.47	01	06	1	
	P	1 / 4 / 1977	-144.9	-0.37	3031.1	01	06	1	
	P	1 / 9 / 1978	-144.98	-0.08	3031.02	01	06	1	
	P	1 / 12/ 1979	-145.37	-0.39	3030.63	01	06	1	
	P	1 / 8 / 1980	-145.75	-0.38	3030.25	01	06	1	
	P	1 / 14/ 1981	-145.47	0.28	3030.53	01	06	1	
	P	1 / 8 / 1982	-145.39	0.08	3030.61	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 14/ 1983	-145.08	0.31	3030.92	01	06	1	
	P	1 / 26/ 1984	-145.02	0.06	3030.98	01	06	1	
	P	1 / 17/ 1985	-144.9	0.12	3031.1	01	06	1	
	P	1 / 27/ 1986	-143.79	1.11	3032.21	01	06	1	
	P	2 / 5 / 1987	-143.29	0.5	3032.71	01	06	1	
	P	2 / 4 / 1988	-142.54	0.75	3033.46	01	06	1	
	P	1 / 24/ 1989	-141.4	1.14	3034.6	01	06	1	
	P	1 / 12/ 1990	-140.95	0.45	3035.05	01	06	1	
	N	2 / 12/ 1991				01	06		41
	P	2 / 14/ 1992	-139.01		3036.99	01	06	1	
	P	2 / 5 / 1993	-138.75	0.26	3037.25	01	06	1	
	P	2 / 22/ 1994	-138.36	0.39	3037.64	01	06	1	
	P	2 / 6 / 1995	-138.84	-0.48	3037.16	01	06	1	
	P	1 / 29/ 1996	-142.85	-4.01	3033.15	01	06	1	
	P	2 / 4 / 1997	-139.38	3.47	3036.62	01	06	1	
	P	1 / 15/ 1998	-138.87	0.51	3037.13	01	06	1	
	P	1 / 26/ 1999	-139	-0.13	3037	01	06	1	
	P	2 / 10/ 2000	-138.82	0.18	3037.18	01	06	1	
	P	1 / 11/ 2001	-139.35	-0.53	3036.65	01	06	1	
	P	2 / 12/ 2002	-139.42	-0.07	3036.58	01	06	1	
	P	2 / 28/ 2003	-139.6	-0.18	3036.4	01	06	1	
	P	2 / 11/ 2004	-139.71	-0.11	3036.29	01	06	1	
	P	2 / 17/ 2005	-139.45	0.26	3036.55	01	06	1	
	P	2 / 10/ 2006	-139.17	0.28	3036.83	01	06	1	
	P	2 / 9 / 2007	-139.44	-0.27	3036.56	01	06	1	
	P	2 / 12/ 2008	-138.52	0.92	3037.48	01	06	1	
	P	2 / 12/ 2009	-138.42	0.1	3037.58	01	06	1	
	P	1 / 19/ 2010	-138.86	-0.44	3037.14	01	06	1	
	P	1 / 24/ 2011	-137.83	1.03	3038.17	01	06	1	
	P	2 / 2 / 2012	-138.19	-0.36	3037.81	01	06	1	

Min *-148.38* **Max** *-122* **Avg** *-141.034*

1162202 *(Aquifer: 121OGFA Well Depth: 212)*

	P	6 / 1 / 1983	-176.6		3026.4	01	12	7	

Min *-176.6* **Max** *-176.6* **Avg** *-176.6*

1162301 *(Aquifer: 121OGLL Well Depth: 184)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/12/1979	-155.45		3012.55	01	06	1	
	P	1/ 8/1980	-155.36	0.09	3012.64	01	06	1	
	P	1/14/1981	-155.66	-0.3	3012.34	01	06	1	
	P	1/ 8/1982	-155.61	0.05	3012.39	01	06	1	
	P	2/14/1983	-155.48	0.13	3012.52	01	06	1	
	P	1/26/1984	-155.6	-0.12	3012.4	01	06	1	
	P	1/17/1985	-155.83	-0.23	3012.17	01	06	1	
	P	1/27/1986	-155.8	0.03	3012.2	01	06	1	
	P	1/30/1987	-155.3	0.5	3012.7	01	06	1	
	P	2/ 4/1988	-155.38	-0.08	3012.62	01	06	1	
	P	1/24/1989	-154.9	0.48	3013.1	01	06	1	
	P	1/12/1990	-154.66	0.24	3013.34	01	06	1	
	P	2/12/1991	-154.3	0.36	3013.7	01	06	1	
	P	2/14/1992	-154.38	-0.08	3013.62	01	06	1	
	P	2/ 5/1993	-154.45	-0.07	3013.55	01	06	1	
	P	1/27/1994	-154.53	-0.08	3013.47	01	06	1	
	P	2/ 6/1995	-153.2	1.33	3014.8	01	06	1	
	P	1/29/1996	-154.4	-1.2	3013.6	01	06	1	
	P	2/18/1997	-154.38	0.02	3013.62	01	06	1	
	P	1/14/1998	-154.53	-0.15	3013.47	01	06	1	
	P	1/26/1999	-154	0.53	3014	01	06	1	
	P	2/10/2000	-154.29	-0.29	3013.71	01	06	1	
	P	2/ 6/2001	-154.46	-0.17	3013.54	01	06	1	
	P	2/12/2002	-154.62	-0.16	3013.38	01	06	1	
	P	2/28/2003	-154.48	0.14	3013.52	01	06	1	
	P	2/ 9/2004	-154.61	-0.13	3013.39	01	06	1	
	P	2/17/2005	-154.68	-0.07	3013.32	01	06	1	
	P	2/10/2006	-154.9	-0.22	3013.1	01	06	1	
	P	2/ 9/2007	-154.98	-0.08	3013.02	01	06	1	
	P	2/12/2008	-154.86	0.12	3013.14	01	06	1	
	P	2/12/2009	-154.49	0.37	3013.51	01	06	1	
	P	1/20/2010	-154.32	0.17	3013.68	01	06	1	
	P	1/24/2011	-154.2	0.12	3013.8	01	06	1	
	P	2/ 2/2012	-153.84	0.36	3014.16	01	06	1	

Min ***-155.83*** **Max** ***-153.2*** **Avg** ***-154.763***

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1162401	*(Aquifer: 121OGLL*		*Well Depth: 100)*						
	P	1/ 18/ 1962	-58.44		3188.56	01	01	1	
	P	1/ 21/ 1963	-55.8	2.64	3191.2	01	06	1	
	N	1/ 13/ 1964				01	06		41
	P	2/ 16/ 1965	-61.11		3185.89	01	06	1	
	P	2/ 2/ 1966	-59.31	1.8	3187.69	01	06	1	
	P	1/ 9/ 1967	-59.7	-0.39	3187.3	01	01	1	
	P	1/ 7/ 1968	-59.5	0.2	3187.5	01	01	1	
	P	1/ 15/ 1969	-60.59	-1.09	3186.41	01	06	1	
	P	1/ 15/ 1970	-60.3	0.29	3186.7	01	01	1	
	N	1/ 11/ 1971				01	01		41
	P	1/ 5/ 1972	-62.02		3184.98	01	06	1	
	P	1/ 17/ 1973	-62.65	-0.63	3184.35	01	06	1	
	P	1/ 14/ 1974	-61.7	0.95	3185.3	01	06	1	
	P	1/ 13/ 1975	-62	-0.3	3185	01	06	1	
	P	1/ 9/ 1976	-61.59	0.41	3185.41	01	06	1	
	P	1/ 4/ 1977	-62.5	-0.91	3184.5	01	06	1	
	P	1/ 9/ 1978	-63.43	-0.93	3183.57	01	06	1	
	P	1/ 9/ 1979	-64.35	-0.92	3182.65	01	06	1	
	P	1/ 8/ 1980	-62.29	2.06	3184.71	01	06	1	
	P	1/ 14/ 1981	-62.25	0.04	3184.75	01	06	1	
	P	1/ 7/ 1982	-62.21	0.04	3184.79	01	06	1	
	P	2/ 14/ 1983	-63.68	-1.47	3183.32	01	06	1	
	P	1/ 25/ 1984	-62.85	0.83	3184.15	01	06	1	
	P	1/ 16/ 1985	-63.95	-1.1	3183.05	01	06	1	
	P	1/ 27/ 1986	-61.5	2.45	3185.5	01	06	1	
	P	1/ 30/ 1987	-60.65	0.85	3186.35	01	06	1	
	P	2/ 2/ 1988	-58.67	1.98	3188.33	01	06	1	
	P	1/ 24/ 1989	-58.27	0.4	3188.73	01	06	1	
	P	1/ 12/ 1990	-58.64	-0.37	3188.36	01	06	1	
	P	2/ 11/ 1991	-57.97	0.67	3189.03	01	06	1	
	P	2/ 14/ 1992	-58.27	-0.3	3188.73	01	06	1	
	P	2/ 5/ 1993	-57.68	0.59	3189.32	01	06	1	
	P	1/ 27/ 1994	-57.92	-0.24	3189.08	01	06	1	
	P	2/ 6/ 1995	-58.37	-0.45	3188.63	01	06	1	
	P	1/ 29/ 1996	-58.95	-0.58	3188.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 1997	-59.57	-0.62	3187.43	01	06	1	
	P	1 / 15/ 1998	-57.02	2.55	3189.98	01	06	1	
	P	2 / 8 / 1999	-57	0.02	3190	01	06	1	
	P	2 / 11/ 2000	-56.82	0.18	3190.18	01	06	1	
	P	2 / 12/ 2001	-57.43	-0.61	3189.57	01	06	1	
	P	2 / 12/ 2002	-57.99	-0.56	3189.01	01	06	1	
	P	2 / 28/ 2003	-58.58	-0.59	3188.42	01	06	1	
	P	2 / 17/ 2004	-59.42	-0.84	3187.58	01	06	1	
	P	2 / 16/ 2005	-58.98	0.44	3188.02	01	06	1	
	P	2 / 10/ 2006	-59.58	-0.6	3187.42	01	06	1	
	P	2 / 10/ 2007	-59.65	-0.07	3187.35	01	06	1	
	P	2 / 14/ 2008	-56.24	3.41	3190.76	01	06	1	
	P	2 / 13/ 2009	-58.96	-2.72	3188.04	01	06	1	
	P	1 / 20/ 2010	-61.02	-2.06	3185.98	01	06	1	
	P	1 / 24/ 2011	-59.54	1.48	3187.46	01	06	1	
	P	12 / 8 / 2011	-54.72	4.82	3192.28	01	06	1	

Min *-64.35* **Max** *-54.72* **Avg** *-59.8292*

1162501 *(Aquifer: 121OGFA Well Depth: 200)*

	P	9 / 16/ 1983	-114.7		3070.3	01	12	7	

Min *-114.7* **Max** *-114.7* **Avg** *-114.7*

1162502 *(Aquifer: 121OGLL Well Depth: 104)*

	N	6 / 8 / 2004				01	01		63

Min **Max** **Avg**

1162601 *(Aquifer: 121OGLL Well Depth: 243)*

	P	3 / 1 / 1963	-147.06		3006.94	01	06	1	
	P	1 / 13/ 1964	-147.89	-0.83	3006.11	01	06	1	
	P	2 / 16/ 1965	-148.27	-0.38	3005.73	01	06	1	
	P	2 / 2 / 1966	-151.01	-2.74	3002.99	01	06	1	
	P	1 / 9 / 1967	-152.29	-1.28	3001.71	01	01	1	
	P	1 / 6 / 1968	-157.8	-5.51	2996.2	01	01	1	
	P	1 / 7 / 1969	-149.4	8.4	3004.6	01	06	1	
	P	1 / 15/ 1970	-149.62	-0.22	3004.38	01	01	1	
	P	1 / 12/ 1971	-149.86	-0.24	3004.14	01	01	1	
	P	1 / 2 / 1972	-149.79	0.07	3004.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/18/1973	-150.37	-0.58	3003.63	01	06	1	
	P	1/14/1974	-150.4	-0.03	3003.6	01	06	1	
	P	1/10/1975	-150.7	-0.3	3003.3	01	06	1	
	P	1/ 8/1976	-150.69	0.01	3003.31	01	06	1	
	P	1/ 5/1977	-151.01	-0.32	3002.99	01	06	1	
	P	1/17/1978	-150.61	0.4	3003.39	01	06	1	
	P	1/ 4/1979	-151.09	-0.48	3002.91	01	06	1	
	P	1/ 8/1980	-151.28	-0.19	3002.72	01	06	1	
	P	1/14/1981	-151.36	-0.08	3002.64	01	06	1	
	P	1/14/1982	-150.77	0.59	3003.23	01	06	1	
	P	2/14/1983	-150.7	0.07	3003.3	01	06	1	
	P	1/26/1984	-150.94	-0.24	3003.06	01	06	1	
	P	1/17/1985	-151.02	-0.08	3002.98	01	06	1	
	P	1/27/1986	-150.98	0.04	3003.02	01	06	1	
	P	1/30/1987	-149.55	1.43	3004.45	01	06	1	
	P	2/ 3/1988	-149.2	0.35	3004.8	01	06	1	
	P	1/24/1989	-149.24	-0.04	3004.76	01	06	1	
	N	1/22/1990				01	06		61
	P	2/12/1991	-147.85		3006.15	01	06	1	
	P	2/14/1992	-147.57	0.28	3006.43	01	06	1	
	P	2/ 5/1993	-147.73	-0.16	3006.27	01	06	1	
	P	1/27/1994	-147.42	0.31	3006.58	01	06	1	
	P	2/ 6/1995	-147.36	0.06	3006.64	01	06	1	
	P	2/ 6/1996	-147.36		3006.64	01	06	1	
	P	2/18/1997	-147.77	-0.41	3006.23	01	06	1	
	P	1/14/1998	-148.02	-0.25	3005.98	01	06	1	
	P	1/26/1999	-148	0.02	3006	01	06	1	
	P	2/11/2000	-148.14	-0.14	3005.86	01	06	1	
	P	2/12/2001	-148.76	-0.62	3005.24	01	06	1	
	P	2/12/2002	-149.83	-1.07	3004.17	01	06	1	
	P	2/28/2003	-148.71	1.12	3005.29	01	06	1	
	P	2/ 9/2004	-148.87	-0.16	3005.13	01	06	1	
	P	2/17/2005	-149.97	-1.1	3004.03	01	06	1	
	P	2/10/2006	-149.03	0.94	3004.97	01	06	1	
	P	2/12/2007	-149.22	-0.19	3004.78	01	06	1	
	P	2/14/2008	-149.72	-0.5	3004.28	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 2009	-150.07	-0.35	3003.93	01	06	1	
	P	1 / 20/ 2010	-148.02	2.05	3005.98	01	06	1	
	P	1 / 24/ 2011	-147.39	0.63	3006.61	01	06	1	
	P	2 / 2 / 2012	-147.41	-0.02	3006.59	01	06	1	

Min *-157.8* **Max** *-147.06* **Avg** *-149.533*

1162602 *(Aquifer: 121OGLL Well Depth: 240)*

	P	3 / 5 / 1970	-158.34		3000.66	01	06	1	
	P	1 / 12/ 1971	-156.13	2.21	3002.87	01	01	1	
	P	1 / 2 / 1972	-155.68	0.45	3003.32	01	06	1	
	P	1 / 18/ 1973	-156.47	-0.79	3002.53	01	06	1	
	P	1 / 14/ 1974	-156.02	0.45	3002.98	01	06	1	
	P	1 / 10/ 1975	-156.5	-0.48	3002.5	01	06	1	
	P	1 / 8 / 1976	-156.65	-0.15	3002.35	01	06	1	
	P	1 / 5 / 1977	-156.46	0.19	3002.54	01	06	1	
	P	1 / 9 / 1978	-157.03	-0.57	3001.97	01	06	1	
	P	1 / 4 / 1979	-156.96	0.07	3002.04	01	06	1	
	P	1 / 8 / 1980	-156.34	0.62	3002.66	01	06	1	
	P	1 / 14/ 1981	-156.25	0.09	3002.75	01	06	1	
	P	1 / 14/ 1982	-155.69	0.56	3003.31	01	06	1	
	P	2 / 14/ 1983	-157.9	-2.21	3001.1	01	06	1	
	P	1 / 26/ 1984	-156.15	1.75	3002.85	01	06	1	
	P	1 / 17/ 1985	-156.31	-0.16	3002.69	01	06	1	
	P	1 / 22/ 1986	-156.47	-0.16	3002.53	01	06	1	
	P	1 / 30/ 1987	-155.3	1.17	3003.7	01	06	1	
	P	2 / 3 / 1988	-156.08	-0.78	3002.92	01	06	1	
	P	1 / 24/ 1989	-155.92	0.16	3003.08	01	06	1	
	P	1 / 12/ 1990	-156.26	-0.34	3002.74	01	06	1	
	P	2 / 12/ 1991	-157.47	-1.21	3001.53	01	06	1	
	P	2 / 14/ 1992	-154.81	2.66	3004.19	01	06	1	
	P	2 / 5 / 1993	-155.49	-0.68	3003.51	01	06	1	
	P	1 / 27/ 1994	-154.63	0.86	3004.37	01	06	1	
	N	3 / 9 / 1995				01	06		41
	P	1 / 30/ 1996	-160.24		2998.76	01	06	1	
	P	2 / 18/ 1997	-155.02	5.22	3003.98	01	06	1	
	P	1 / 14/ 1998	-155.55	-0.53	3003.45	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 1999	-155	0.55	3004	01	06	1	
	P	2 / 10/ 2000	-154.77	0.23	3004.23	01	06	1	
	P	2 / 12/ 2001	-154.98	-0.21	3004.02	01	06	1	
	P	2 / 13/ 2002	-155.17	-0.19	3003.83	01	06	1	
	P	2 / 28/ 2003	-155.43	-0.26	3003.57	01	06	1	
	P	2 / 9 / 2004	-155.05	0.38	3003.95	01	06	1	
	P	2 / 17/ 2005	-155.29	-0.24	3003.71	01	06	1	
	P	2 / 10/ 2006	-155.15	0.14	3003.85	01	06	1	
	P	2 / 12/ 2007	-154.33	0.82	3004.67	01	06	1	
	P	2 / 12/ 2008	-154.59	-0.26	3004.41	01	06	1	
	P	2 / 6 / 2009	-154.13	0.46	3004.87	01	06	1	
	P	1 / 20/ 2010	-154	0.13	3005	01	06	1	
	P	1 / 24/ 2011	-155.2	-1.2	3003.8	01	06	1	
	P	12 / 8 / 2011	-154.57	0.63	3004.43	01	06	1	

Min *-160.24* **Max** *-154* **Avg** *-155.852*

1162701 *(Aquifer: 121OGLL Well Depth: 138)*

	P	6 / 15/ 1937	-109.96		3082.04	01	12	7	01
	P	7 / 27/ 1937	-109.6	0.36	3082.4	01	12	7	01
	P	11 / 30/ 1938	-110.09	-0.49	3081.91	01	12	7	01
	P	12 / 17/ 1939	-110.24	-0.15	3081.76	01	12	7	01
	P	3 / 22/ 1940	-110.38	-0.14	3081.62	01	12	7	01
	P	11 / 27/ 1940	-110.54	-0.16	3081.46	01	12	7	01
	P	3 / 11/ 1942	-110.88	-0.34	3081.12	01	12	7	01
	P	1 / 29/ 1943	-110.42	0.46	3081.58	01	12	7	01
	P	2 / 1 / 1944	-109.49	0.93	3082.51	01	12	7	01
	P	2 / 15/ 1945	-109.5	-0.01	3082.5	01	12	7	01
	P	2 / 27/ 1946	-110.51	-1.01	3081.49	01	12	7	01
	P	3 / 17/ 1947	-109.5	1.01	3082.5	01	12	7	01
	P	3 / 9 / 1948	-109.82	-0.32	3082.18	01	12	7	01
	P	3 / 9 / 1949	-110.11	-0.29	3081.89	01	12	7	01
	P	2 / 17/ 1950	-110.1	0.01	3081.9	01	12	7	01
	P	1 / 17/ 1951	-110.19	-0.09	3081.81	01	12	7	01
	P	1 / 14/ 1952	-109.7	0.49	3082.3	01	12	7	01
	P	1 / 9 / 1953	-109.75	-0.05	3082.25	01	12	7	01
	P	1 / 7 / 1954	-110.49	-0.74	3081.51	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1955	-110.76	-0.27	3081.24	01	12	7	01
	P	1/ 9/1956	-111.25	-0.49	3080.75	01	12	7	01
	P	1/ 9/1957	-113.55	-2.3	3078.45	01	12	7	01
	P	1/ 2/1959	-113.68	-0.13	3078.32	01	12	7	01
	P	1/28/1960	-115	-1.32	3077	01	12	7	01
	P	1/26/1961	-116.58	-1.58	3075.42	01	04	1	
	P	1/18/1962	-117.98	-1.4	3074.02	01	01	1	
	P	1/28/1963	-116.73	1.25	3075.27	01	06	1	
	P	1/13/1964	-117.44	-0.71	3074.56	01	06	1	
	P	2/16/1965	-118.39	-0.95	3073.61	01	06	1	
	N	2/ 1/1966				01	06		42
	P	1/ 9/1967	-120.99		3071.01	01	01	1	
	P	1/ 6/1968	-121.55	-0.56	3070.45	01	01	1	20
	P	1/ 7/1969	-123.13	-1.58	3068.87	01	06	1	
	P	1/15/1970	-124.6	-1.47	3067.4	01	01	1	
	P	1/11/1971	-125.49	-0.89	3066.51	01	01	1	
	P	1/ 2/1972	-126.04	-0.55	3065.96	01	06	1	
	P	1/17/1973	-126.97	-0.93	3065.03	01	06	1	
	P	1/14/1974	-127.82	-0.85	3064.18	01	06	1	
	P	1/13/1975	-129.62	-1.8	3062.38	01	06	1	
	P	1/12/1976	-129.97	-0.35	3062.03	01	06	1	
	P	1/ 5/1977	-130.11	-0.14	3061.89	01	06	1	
	P	1/ 9/1978	-130.87	-0.76	3061.13	01	06	1	
	P	1/ 9/1979	-131.26	-0.39	3060.74	01	06	1	
	P	1/ 9/1980	-129.5	1.76	3062.5	01	06	1	
	P	1/13/1981	-132.06	-2.56	3059.94	01	06	1	
	P	1/ 7/1982	-133.18	-1.12	3058.82	01	06	1	
	P	2/14/1983	-132.59	0.59	3059.41	01	06	1	
	P	1/25/1984	-133.4	-0.81	3058.6	01	06	1	
	P	1/17/1985	-134.72	-1.32	3057.28	01	06	1	
	P	1/28/1986	-135.08	-0.36	3056.92	01	06	1	
	P	1/30/1987	-135.01	0.07	3056.99	01	06	1	
	N	2/ 2/1988				01	06		42
	N	1/24/1989				01	06		42
	N	1/22/1990				01	06		42

Min *-135.08* **Max** *-109.49* **Avg** *-119.132*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1162702	(Aquifer: 121OGLL		Well Depth: 200	)					
	P	4 / 12/ 1961	-80		3124	01	07	7	
	P	1 / 18/ 1962	-93.08	-13.1	3110.92	01	01	1	
	P	1 / 28/ 1963	-94.31	-1.23	3109.69	01	06	1	
	P	1 / 13/ 1964	-95.39	-1.08	3108.61	01	01	1	
	P	2 / 16/ 1965	-97.09	-1.7	3106.91	01	06	1	
	P	1 / 31/ 1966	-98.59	-1.5	3105.41	01	06	1	
	P	1 / 9 / 1967	-98.75	-0.16	3105.25	01	01	1	
	P	1 / 7 / 1968	-100.6	-1.85	3103.4	01	01	1	
	P	1 / 7 / 1969	-99.39	1.21	3104.61	01	06	1	
	P	1 / 15/ 1970	-100	-0.61	3104	01	01	1	
	P	1 / 11/ 1971	-101.2	-1.2	3102.8	01	01	1	
	P	1 / 2 / 1972	-101.55	-0.35	3102.45	01	06	1	
	P	1 / 17/ 1973	-101.56	-0.01	3102.44	01	06	1	
	P	1 / 14/ 1974	-101.01	0.55	3102.99	01	06	1	
	P	1 / 13/ 1975	-102.99	-1.98	3101.01	01	06	1	
	P	1 / 8 / 1976	-102.01	0.98	3101.99	01	06	1	
	P	1 / 4 / 1977	-104.87	-2.86	3099.13	01	06	1	
	P	1 / 9 / 1978	-106.03	-1.16	3097.97	01	06	1	
	P	1 / 9 / 1979	-108.04	-2.01	3095.96	01	06	1	
	P	1 / 8 / 1980	-107.35	0.69	3096.65	01	06	1	
	P	1 / 14/ 1981	-108.8	-1.45	3095.2	01	06	1	
	P	1 / 7 / 1982	-108.35	0.45	3095.65	01	06	1	
	P	2 / 14/ 1983	-108.8	-0.45	3095.2	01	06	1	
	P	1 / 26/ 1984	-109.94	-1.14	3094.06	01	06	1	
	P	1 / 16/ 1985	-110.01	-0.07	3093.99	01	06	1	
	P	1 / 22/ 1986	-108.21	1.8	3095.79	01	06	1	
	P	1 / 30/ 1987	-108.88	-0.67	3095.12	01	06	1	
	P	2 / 2 / 1988	-108.25	0.63	3095.75	01	06	1	
	P	1 / 24/ 1989	-107.7	0.55	3096.3	01	06	1	
	P	1 / 12/ 1990	-108.5	-0.8	3095.5	01	06	1	
	P	2 / 11/ 1991	-106.85	1.65	3097.15	01	06	1	
	P	2 / 14/ 1992	-105.9	0.95	3098.1	01	06	1	
	P	2 / 5 / 1993	-105.53	0.37	3098.47	01	06	1	
	P	1 / 27/ 1994	-104.5	1.03	3099.5	01	06	1	
	P	2 / 2 / 1995	-107.76	-3.26	3096.24	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 30/ 1996	-108.95	-1.19	3095.05	01	06	1	
	P	2 / 4 / 1997	-109.17	-0.22	3094.83	01	06	1	
	P	1 / 15/ 1998	-109.16	0.01	3094.84	01	06	1	
	P	1 / 26/ 1999	-107	2.16	3097	01	06	1	
	P	2 / 10/ 2000	-108.98	-1.98	3095.02	01	06	1	
	P	2 / 12/ 2001	-109.53	-0.55	3094.47	01	06	1	
	P	2 / 12/ 2002	-110.38	-0.85	3093.62	01	06	1	
	P	2 / 28/ 2003	-109.91	0.47	3094.09	01	06	1	
	P	2 / 17/ 2004	-111.66	-1.75	3092.34	01	06	1	
	P	2 / 16/ 2005	-109.38	2.28	3094.62	01	06	1	
	P	2 / 10/ 2006	-110.42	-1.04	3093.58	01	06	1	
	P	2 / 9 / 2007	-109.36	1.06	3094.64	01	06	1	
	P	2 / 29/ 2008	-109.55	-0.19	3094.45	01	06	1	
	P	2 / 12/ 2009	-108.91	0.64	3095.09	01	06	1	
	P	1 / 20/ 2010	-109.25	-0.34	3094.75	01	06	1	
	P	1 / 24/ 2011	-109.64	-0.39	3094.36	01	06	1	
	P	12 / 8 / 2011	-113.45	-3.81	3090.55	01	06	1	

Min *-113.45* **Max** *-80* **Avg** *-105.317*

1162703 *(Aquifer: 121OGLL Well Depth: 73)*

	P	6 / 8 / 1937	-50.74		3172.26	01	12	7	01
	P	7 / 27/ 1937	-50.56	0.18	3172.44	01	12	7	01
	P	9 / 6 / 1937	-50.95	-0.39	3172.05	01	12	7	01
	P	1 / 24/ 1938	-50.92	0.03	3172.08	01	12	7	01
	P	4 / 19/ 1938	-50.87	0.05	3172.13	01	12	7	01
	P	6 / 26/ 1938	-50.84	0.03	3172.16	01	12	7	01
	P	12 / 17/ 1939	-50.99	-0.15	3172.01	01	12	7	01
	P	1 / 13/ 1940	-51.03	-0.04	3171.97	01	12	7	01
	P	3 / 22/ 1940	-51.09	-0.06	3171.91	01	12	7	01
	P	11 / 27/ 1940	-51.29	-0.2	3171.71	01	12	7	01
	P	1 / 20/ 1941	-51.14	0.15	3171.86	01	12	7	01
	P	3 / 12/ 1941	-51.36	-0.22	3171.64	01	12	7	01
	P	7 / 23/ 1941	-50.44	0.92	3172.56	01	12	7	01
	P	12 / 22/ 1941	-50.25	0.19	3172.75	01	12	7	01
	P	3 / 11/ 1942	-50.13	0.12	3172.87	01	12	7	01
	P	7 / 24/ 1942	-49.6	0.53	3173.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 28/ 1942	-49.25	0.35	3173.75	01	12	7	01
	P	1 / 29/ 1943	-49	0.25	3174	01	12	7	01
	P	2 / 1 / 1944	-47.88	1.12	3175.12	01	12	7	01

Min *-51.36* **Max** *-47.88* **Avg** *-50.4384*

1162801 *(Aquifer: 121OGLL Well Depth: 246)*

P	1 / 9 / 1962	-89.36		3089.64	01	01	1	
P	1 / 28/ 1963	-89.66	-0.3	3089.34	01	06	1	
P	1 / 21/ 1964	-92.08	-2.42	3086.92	01	06	1	
P	2 / 17/ 1965	-94.34	-2.26	3084.66	01	06	1	
P	1 / 31/ 1966	-100.39	-6.05	3078.61	01	06	1	
P	1 / 9 / 1967	-100.09	0.3	3078.91	01	01	1	
P	1 / 6 / 1968	-102	-1.91	3077	01	01	1	
P	1 / 7 / 1969	-99.54	2.46	3079.46	01	06	1	
P	1 / 15/ 1970	-102.7	-3.16	3076.3	01	01	1	
P	1 / 12/ 1971	-109.43	-6.73	3069.57	01	01	1	
P	1 / 2 / 1972	-104.94	4.49	3074.06	01	06	1	
P	1 / 18/ 1973	-105.84	-0.9	3073.16	01	06	1	
P	1 / 14/ 1974	-107.96	-2.12	3071.04	01	06	1	
P	1 / 3 / 1975	-111.98	-4.02	3067.02	01	06	1	
P	1 / 8 / 1976	-110.72	1.26	3068.28	01	06	1	
P	1 / 4 / 1977	-115.26	-4.54	3063.74	01	06	1	
P	1 / 9 / 1978	-115.7	-0.44	3063.3	01	06	1	
P	1 / 4 / 1979	-118.06	-2.36	3060.94	01	06	1	
P	1 / 8 / 1980	-114.52	3.54	3064.48	01	06	1	
P	1 / 14/ 1981	-117.2	-2.68	3061.8	01	06	1	
P	1 / 7 / 1982	-116.15	1.05	3062.85	01	06	1	
P	2 / 14/ 1983	-116.64	-0.49	3062.36	01	06	1	
P	1 / 26/ 1984	-115.35	1.29	3063.65	01	06	1	
P	1 / 17/ 1985	-115.54	-0.19	3063.46	01	06	1	
P	1 / 22/ 1986	-109.54	6	3069.46	01	06	1	
P	1 / 30/ 1987	-107.14	2.4	3071.86	01	06	1	
P	2 / 2 / 1988	-105.47	1.67	3073.53	01	06	1	
P	1 / 24/ 1989	-104.41	1.06	3074.59	01	06	2	
P	1 / 22/ 1990	-103.4	1.01	3075.6	01	06	1	
P	2 / 12/ 1991	-103.73	-0.33	3075.27	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 8 / 1992	-104.85	-1.12	3074.15	01	06	1	
	P	2 / 5 / 1993	-103.6	1.25	3075.4	01	06	1	
	P	2 / 22/ 1994	-105.18	-1.58	3073.82	01	06	1	
	N	3 / 9 / 1995				01	06		41
	P	1 / 30/ 1996	-116.98		3062.02	01	06	1	
	P	2 / 4 / 1997	-119.88	-2.9	3059.12	01	06	1	
	P	2 / 24/ 1998	-116.8	3.08	3062.2	01	06	1	
	P	2 / 26/ 1999	-120	-3.2	3059	01	06	1	
	N	3 / 17/ 2000				01	06		41
	P	2 / 12/ 2001	-123.16		3055.84	01	06	1	
	P	2 / 12/ 2002	-120.32	2.84	3058.68	01	06	1	
	P	2 / 28/ 2003	-120.28	0.04	3058.72	01	06	1	
	P	2 / 9 / 2004	-121.61	-1.33	3057.39	01	06	1	
	P	2 / 16/ 2005	-120.58	1.03	3058.42	01	06	1	
	P	2 / 10/ 2006	-121.56	-0.98	3057.44	01	06	1	
	P	2 / 9 / 2007	-119.51	2.05	3059.49	01	06	1	
	P	2 / 12/ 2008	-115.08	4.43	3063.92	01	06	1	
	P	2 / 12/ 2009	-121.8	-6.72	3057.2	01	06	1	
	P	1 / 20/ 2010	-119.6	2.2	3059.4	01	06	1	
	P	1 / 24/ 2011	-117.25	2.35	3061.75	01	06	1	
	P	2 / 15/ 2012	-132.7	-15.5	3046.3	01	06	1	

Min *-132.7* **Max** *-89.36* **Avg** *-111.018*

1162802 *(Aquifer: 121OGFA Well Depth: 270)*

	P	3 / 2 / 1964	-90		3097	01	12	7	

Min *-90* **Max** *-90* **Avg** *-90*

1162901 *(Aquifer: 121OGLL Well Depth: 230)*

	P	1 / 18/ 1962	-171.04		2994.96	01	07	7	
	P	1 / 28/ 1963	-171.26	-0.22	2994.74	01	07	7	
	P	1 / 6 / 1968	-181.62	-10.4	2984.38	01	06	1	

Min *-181.62* **Max** *-171.04* **Avg** *-174.64*

1162902 *(Aquifer: 121OGFA Well Depth: 319)*

	P	5 / 18/ 1973	-180		2978	01	12	7	

Min *-180* **Max** *-180* **Avg** *-180*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1162903	(Aquifer: 121OGAL		Well Depth: 326)						
	P	9 / 1 / 1983	-138.9		3010.1	01	12	7	
Min -138.9		**Max -138.9**	**Avg -138.9**						
1163201	(Aquifer: 121OGLL		Well Depth: 292)						
	P	10 / 30/ 1996	-250.43		2890.57	01	06	1	
	P	2 / 18/ 1997	-243.88	6.55	2897.12	01	06	1	
	P	2 / 24/ 1998	-238.02	5.86	2902.98	01	06	1	
	P	2 / 9 / 1999	-241	-2.98	2900	01	06	1	
	P	2 / 14/ 2000	-242.3	-1.3	2898.7	01	06	1	
	P	2 / 6 / 2001	-237.37	4.93	2903.63	01	06	1	
	P	2 / 13/ 2002	-236.25	1.12	2904.75	01	06	1	
	P	3 / 3 / 2003	-235.73	0.52	2905.27	01	06	1	
	P	2 / 9 / 2004	-235.5	0.23	2905.5	01	06	1	
	P	2 / 22/ 2005	-235.29	0.21	2905.71	01	06	1	
	N	2 / 13/ 2006				01	06	7	44
	N	2 / 12/ 2007				01	06		60
	N	2 / 12/ 2008				01	06	1	47
	N	1 / 20/ 2010				01	06	1	47
Min -250.43		**Max -235.29**	**Avg -239.577**						
1163301	(Aquifer: 121OGLL		Well Depth:)						
	P	3 / 21/ 2007	-238.01		2902.99	01	06	1	
	P	2 / 12/ 2008	-237.35	0.66	2903.65	01	06	1	
	P	1 / 20/ 2010	-237.85	-0.5	2903.15	01	06	1	
	N	1 / 24/ 2011				01	06		61
	P	2 / 15/ 2012	-237.28		2903.72	01	06	1	
Min -238.01		**Max -237.28**	**Avg -237.623**						
1163302	(Aquifer: 121OGLL		Well Depth: 358)						
	P	2 / 12/ 2009	-250.38		2874.62	01	06	1	
	P	1 / 20/ 2010	-252.8	-2.42	2872.2	01	06	1	
	P	1 / 24/ 2011	-250.29	2.51	2874.71	01	06	1	
	P	2 / 2 / 2012	-250.51	-0.22	2874.49	01	06	1	
Min -252.8		**Max -250.29**	**Avg -250.995**						
1163401	(Aquifer: 121OGLL		Well Depth:)						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/ 2/1979	-156.99		2981.01	01	06	1	
	P	1/ 8/1980	-157.03	-0.04	2980.97	01	06	1	
	P	1/21/1981	-156.98	0.05	2981.02	01	06	1	
	P	1/14/1982	-156.86	0.12	2981.14	01	06	1	
	P	3/ 2/1983	-156.96	-0.1	2981.04	01	06	1	
	P	1/26/1984	-157.1	-0.14	2980.9	01	06	1	
	P	1/17/1985	-157.16	-0.06	2980.84	01	06	1	
	P	1/22/1986	-157.59	-0.43	2980.41	01	06	1	
	P	1/30/1987	-157.27	0.32	2980.73	01	06	1	
	P	2/ 3/1988	-156.48	0.79	2981.52	01	06	1	
	P	1/25/1989	-155.4	1.08	2982.6	01	06	1	
	P	1/12/1990	-156.92	-1.52	2981.08	01	06	1	
	P	1/11/1991	-155.61	1.31	2982.39	01	06	1	
	P	2/14/1992	-155.23	0.38	2982.77	01	06	1	
	P	2/ 5/1993	-155.4	-0.17	2982.6	01	06	1	
	P	1/26/1994	-155.22	0.18	2982.78	01	06	1	
	P	2/ 6/1995	-155.18	0.04	2982.82	01	06	1	
	P	1/30/1996	-156.14	-0.96	2981.86	01	06	1	
	P	2/18/1997	-155.64	0.5	2982.36	01	06	1	
	P	1/15/1998	-156.39	-0.75	2981.61	01	06	1	
	P	2/ 9/1999	-156	0.39	2982	01	06	1	
	P	2/14/2000	-155.74	0.26	2982.26	01	06	1	
	P	1/ 5/2001	-155.89	-0.15	2982.11	01	06	1	
	P	2/12/2002	-155.62	0.27	2982.38	01	06	1	
	P	3/ 3/2003	-155.62		2982.38	01	06	1	
	P	2/ 9/2004	-156.32	-0.7	2981.68	01	06	1	
	P	2/22/2005	-156.29	0.03	2981.71	01	06	1	
	P	2/10/2006	-157.55	-1.26	2980.45	01	06	1	
	P	2/12/2007	-157.58	-0.03	2980.42	01	06	1	
	P	2/12/2008	-156.3	1.28	2981.7	01	06	1	
	P	2/12/2009	-156.13	0.17	2981.87	01	06	1	
	P	1/20/2010	-154.11	2.02	2983.89	01	06	1	
	P	1/24/2011	-153.5	0.61	2984.5	01	06	1	
	P	12/ 8/2011	-154.88	-1.38	2983.12	01	06	1	

Min *-157.59* **Max** *-153.5* **Avg** *-156.149*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1163501	(Aquifer: 121OGLL		Well Depth: 328)						
	P	5 / 2 / 1972	-233.43		2887.57	01	06	1	
	P	1 / 17/ 1973	-233.47	-0.04	2887.53	01	06	1	
	P	1 / 14/ 1974	-233.98	-0.51	2887.02	01	06	1	
	P	1 / 10/ 1975	-234.3	-0.32	2886.7	01	06	1	
	P	1 / 8 / 1976	-234.66	-0.36	2886.34	01	06	1	
	P	1 / 6 / 1977	-236.07	-1.41	2884.93	01	06	1	
	P	1 / 4 / 1978	-240.76	-4.69	2880.24	01	06	1	
	P	1 / 11/ 1979	-236.16	4.6	2884.84	01	06	1	
	P	1 / 8 / 1980	-236.34	-0.18	2884.66	01	06	1	
	P	1 / 21/ 1981	-237.88	-1.54	2883.12	01	06	1	
	P	1 / 15/ 1982	-237.24	0.64	2883.76	01	06	1	
	P	2 / 16/ 1983	-240.2	-2.96	2880.8	01	06	1	
	P	1 / 26/ 1984	-238.55	1.65	2882.45	01	06	1	
	P	1 / 25/ 1985	-238.8	-0.25	2882.2	01	06	1	
	P	1 / 27/ 1986	-239.39	-0.59	2881.61	01	06	1	
	P	2 / 5 / 1987	-237.47	1.92	2883.53	01	06	1	
	P	2 / 3 / 1988	-237.05	0.42	2883.95	01	06	1	
	P	1 / 25/ 1989	-235.34	1.71	2885.66	01	06	1	
	P	1 / 12/ 1990	-234.86	0.48	2886.14	01	06	1	
	P	2 / 11/ 1991	-234.69	0.17	2886.31	01	06	1	
	N	2 / 14/ 1992				01	06		61
Min	*-240.76*	**Max**	*-233.43*	**Avg**	*-236.532*				
1163502	(Aquifer: 121OGLL		Well Depth: 321)						
	P	2 / 14/ 1992	-253.05		2879.95	01	06	1	
	P	2 / 8 / 1993	-252.25	0.8	2880.75	01	06	2	
	P	1 / 26/ 1994	-252.92	-0.67	2880.08	01	06	1	
	P	2 / 6 / 1995	-254.12	-1.2	2878.88	01	06	1	
	P	1 / 30/ 1996	-254.45	-0.33	2878.55	01	06	1	
	P	2 / 18/ 1997	-254.26	0.19	2878.74	01	06	1	
	P	1 / 20/ 1998	-253.79	0.47	2879.21	01	06	1	
	P	2 / 9 / 1999	-255	-1.21	2878	01	06	1	
	P	2 / 14/ 2000	-254.47	0.53	2878.53	01	06	1	
	P	2 / 6 / 2001	-254.53	-0.06	2878.47	01	06	1	
	P	2 / 13/ 2002	-253.64	0.89	2879.36	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 5 / 2003	-252.6	1.04	2880.4	01	06	1	
	P	2 / 9 / 2004	-252.54	0.06	2880.46	01	06	1	
	P	2 / 22/ 2005	-251.61	0.93	2881.39	01	06	1	
	P	2 / 10/ 2006	-252.25	-0.64	2880.75	01	06	1	
	P	2 / 12/ 2007	-251.96	0.29	2881.04	01	06	1	
	P	2 / 28/ 2008	-251.36	0.6	2881.64	01	06	1	
	P	2 / 12/ 2009	-252.05	-0.69	2880.95	01	06	1	
	P	1 / 20/ 2010	-252.75	-0.7	2880.25	01	06	1	
	P	1 / 24/ 2011	-252.55	0.2	2880.45	01	06	1	
	P	2 / 2 / 2012	-253.82	-1.27	2879.18	01	06	1	

Min *-255* **Max** *-251.36* **Avg** *-253.141*

1163601 *(Aquifer: 121OGLL Well Depth: 350)*

	P	12 / 0 / 1985	-252.5		2864.5	01	06	1	
	P	2 / 5 / 1987	-252.24	0.26	2864.76	01	06	1	
	P	2 / 2 / 1988	-250.94	1.3	2866.06	01	06	1	
	P	1 / 26/ 1989	-252.01	-1.07	2864.99	01	06	1	
	P	2 / 8 / 1990	-255.9	-3.89	2861.1	01	06	1	
	P	2 / 11/ 1991	-252.01	3.89	2864.99	01	06	1	
	P	2 / 14/ 1992	-251.85	0.16	2865.15	01	06	1	
	P	2 / 8 / 1993	-251.75	0.1	2865.25	01	06	1	
	P	1 / 26/ 1994	-251.52	0.23	2865.48	01	06	1	
	P	2 / 6 / 1995	-251.72	-0.2	2865.28	01	06	1	
	P	1 / 30/ 1996	-252.48	-0.76	2864.52	01	06	1	
	P	2 / 18/ 1997	-258.08	-5.6	2858.92	01	06	1	
	P	1 / 20/ 1998	-252.6	5.48	2864.4	01	06	1	
	P	2 / 8 / 1999	-262	-9.4	2855	01	06	1	
	P	2 / 14/ 2000	-263.07	-1.07	2853.93	01	06	1	
	P	2 / 6 / 2001	-253.05	10.02	2863.95	01	06	1	
	P	2 / 13/ 2002	-253.31	-0.26	2863.69	01	06	1	
	P	3 / 3 / 2003	-252.92	0.39	2864.08	01	06	1	
	P	2 / 9 / 2004	-253.6	-0.68	2863.4	01	06	1	
	P	2 / 22/ 2005	-253.42	0.18	2863.58	01	06	1	
	P	2 / 13/ 2006	-254.25	-0.83	2862.75	01	06	1	
	P	2 / 12/ 2007	-253.47	0.78	2863.53	01	06	1	
	P	2 / 28/ 2008	-255.46	-1.99	2861.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	3 / 9 / 2009				01	06		61
	P	1 / 20/ 2010	-253.85		2863.15	01	06	1	
	P	2 / 16/ 2011	-253.04	0.81	2863.96	01	06	1	
	P	2 / 2 / 2012	-253.41	-0.37	2863.59	01	06	1	

Min *-263.07* **Max** *-250.94* **Avg** *-253.863*

1163701 *(Aquifer: 121OGFA Well Depth: 349)*

	P	9 / 16/ 1983	-176		2966	01	12	7	

Min *-176* **Max** *-176* **Avg** *-176*

1163801 *(Aquifer: 121OGLL Well Depth: 270)*

	P	1 / 17/ 1962	-198.42		2935.58	01	01	1	
	P	1 / 29/ 1963	-192.54	5.88	2941.46	01	06	1	
	P	1 / 25/ 1964	-194.96	-2.42	2939.04	01	06	1	
	P	2 / 17/ 1965	-198.64	-3.68	2935.36	01	06	1	
	P	2 / 1 / 1966	-202.07	-3.43	2931.93	01	06	1	
	P	1 / 9 / 1967	-203.3	-1.23	2930.7	01	01	1	
	P	1 / 5 / 1968	-201.89	1.41	2932.11	01	01	1	
	P	1 / 14/ 1969	-202.5	-0.61	2931.5	01	06	1	
	P	1 / 15/ 1970	-203.02	-0.52	2930.98	01	01	1	
	P	1 / 12/ 1971	-205.05	-2.03	2928.95	01	01	1	
	P	1 / 3 / 1972	-205.98	-0.93	2928.02	01	06	1	
	P	1 / 17/ 1973	-206.19	-0.21	2927.81	01	06	1	
	P	1 / 14/ 1974	-207.2	-1.01	2926.8	01	06	1	
	P	1 / 10/ 1975	-208.3	-1.1	2925.7	01	06	1	
	P	1 / 8 / 1976	-208.98	-0.68	2925.02	01	06	1	
	P	1 / 6 / 1977	-212.69	-3.71	2921.31	01	06	1	25
	P	1 / 4 / 1978	-218.39	-5.7	2915.61	01	06	1	
	P	1 / 4 / 1979	-211.42	6.97	2922.58	01	06	1	
	P	1 / 8 / 1980	-210.38	1.04	2923.62	01	06	1	
	P	1 / 21/ 1981	-212.47	-2.09	2921.53	01	06	1	
	P	1 / 14/ 1982	-212.18	0.29	2921.82	01	06	1	
	P	2 / 17/ 1983	-212.98	-0.8	2921.02	01	06	1	
	P	1 / 26/ 1984	-213.07	-0.09	2920.93	01	06	1	
	P	1 / 25/ 1985	-212.53	0.54	2921.47	01	06	1	
	P	1 / 22/ 1986	-212.7	-0.17	2921.3	01	06	1	
	P	2 / 5 / 1987	-214.67	-1.97	2919.33	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 1988	-212.73	1.94	2921.27	01	06	1	
	P	1 / 25/ 1989	-213.28	-0.55	2920.72	01	06	1	
	P	1 / 15/ 1990	-213.78	-0.5	2920.22	01	06	1	
	P	2 / 11/ 1991	-213.42	0.36	2920.58	01	06	1	
	P	2 / 14/ 1992	-213.15	0.27	2920.85	01	06	1	
	P	2 / 8 / 1993	-213.02	0.13	2920.98	01	06	1	
	P	1 / 26/ 1994	-213.72	-0.7	2920.28	01	06	1	
	P	2 / 6 / 1995	-214.9	-1.18	2919.1	01	06	1	
	P	1 / 30/ 1996	-216.48	-1.58	2917.52	01	06	1	
	P	2 / 26/ 1997	-215.88	0.6	2918.12	01	06	1	
	P	1 / 15/ 1998	-216.66	-0.78	2917.34	01	06	1	
	P	2 / 9 / 1999	-215	1.66	2919	01	06	1	
	P	2 / 14/ 2000	-215.3	-0.3	2918.7	01	06	1	
	P	2 / 6 / 2001	-214.63	0.67	2919.37	01	06	1	
	P	2 / 13/ 2002	-215.88	-1.25	2918.12	01	06	1	
	P	3 / 5 / 2003	-215.06	0.82	2918.94	01	06	1	
	P	2 / 10/ 2004	-215.71	-0.65	2918.29	01	06	1	
	P	2 / 22/ 2005	-215.44	0.27	2918.56	01	06	1	
	P	2 / 10/ 2006	-214.7	0.74	2919.3	01	06	1	
	P	2 / 12/ 2007	-215.36	-0.66	2918.64	01	06	1	
	P	2 / 12/ 2008	-215.3	0.06	2918.7	01	06	1	
	P	2 / 12/ 2009	-214.97	0.33	2919.03	01	06	1	
	P	1 / 20/ 2010	-214.59	0.38	2919.41	01	06	1	
	P	1 / 24/ 2011	-214.77	-0.18	2919.23	01	06	1	
	P	12 / 8 / 2011	-214.62	0.15	2919.38	01	06	1	

Min *-218.39* **Max** *-192.54* **Avg** *-210.801*

1163802 *(Aquifer: 121OGFA Well Depth: 414)*

	P	9 / 17/ 1983	-266.7		2863.3	01	12	7

Min *-266.7* **Max** *-266.7* **Avg** *-266.7*

1163803 *(Aquifer: 121OGLL Well Depth: 390)*

	P	3 / 12/ 1955	-250		2882	01	07	7

Min *-250* **Max** *-250* **Avg** *-250*

1163901 *(Aquifer: 121OGLL Well Depth: 395)*

	P	11 / 2 / 1979	-247.45		2868.55	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1980	-246.93	0.52	2869.07	01	06	1	
	P	1/21/1981	-247.89	-0.96	2868.11	01	06	1	
	P	1/14/1982	-247.96	-0.07	2868.04	01	06	1	
	P	2/17/1983	-248.12	-0.16	2867.88	01	06	1	
	P	1/26/1984	-248.85	-0.73	2867.15	01	06	1	
	P	1/25/1985	-248.7	0.15	2867.3	01	06	1	
	P	1/22/1986	-251.48	-2.78	2864.52	01	06	1	
	P	2/ 5/1987	-249.01	2.47	2866.99	01	06	1	
	P	2/ 3/1988	-249.15	-0.14	2866.85	01	06	1	
	P	1/25/1989	-249.4	-0.25	2866.6	01	06	1	
	P	1/15/1990	-249.7	-0.3	2866.3	01	06	1	
	N	2/11/1991				01	06		41
	P	2/14/1992	-250.02		2865.98	01	06	1	
	P	2/ 8/1993	-250.4	-0.38	2865.6	01	06	1	
	P	1/26/1994	-254.52	-4.12	2861.48	01	06	1	
	N	3/ 9/1995				01	06		41
	P	1/30/1996	-258.52		2857.48	01	06	1	
	P	2/26/1997	-257.91	0.61	2858.09	01	06	1	
	P	2/24/1998	-252.49	5.42	2863.51	01	06	1	
	P	2/ 9/1999	-254	-1.51	2862	01	06	1	
	N	3/17/2000				01	06		41
	P	2/ 6/2001	-255.29		2860.71	01	06	1	
	P	2/13/2002	-255.61	-0.32	2860.39	01	06	1	
	N	4/ 3/2003				01	06		41
	P	2/10/2004	-257.06		2858.94	01	06	1	
	P	2/22/2005	-254.78	2.28	2861.22	01	06	1	
	P	2/28/2006	-258.95	-4.17	2857.05	01	06	1	
	P	2/12/2007	-256.39	2.56	2859.61	01	06	1	
	P	2/12/2008	-256	0.39	2860	01	06	1	
	N	3/ 9/2009				01	06		41
	P	1/20/2010	-258.11		2857.89	01	06	1	
	P	1/24/2011	-256.83	1.28	2859.17	01	06	1	
	P	2/15/2012	-261.98	-5.15	2854.02	01	06	1	

Min *-261.98* **Max** *-246.93* **Avg** *-252.879*

1164101 *(Aquifer: 121OGLL Well Depth: 316)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/30/1957	-210		2907	01	12	7	
	P	1/18/1962	-210.18	-0.18	2906.82	01	01	1	
	P	1/28/1963	-210.32	-0.14	2906.68	01	06	1	
	P	1/21/1964	-217.49	-7.17	2899.51	01	06	1	
	P	2/17/1965	-221.36	-3.87	2895.64	01	06	1	
	P	2/ 1/1966	-222.98	-1.62	2894.02	01	06	1	
	P	1/ 9/1967	-230.6	-7.62	2886.4	01	01	1	
	P	1/ 5/1968	-244.89	-14.3	2872.11	01	01	1	
	P	1/13/1969	-234.7	10.19	2882.3	01	06	1	
	P	1/15/1970	-236.4	-1.7	2880.6	01	01	1	
	P	1/ 6/1971	-238.25	-1.85	2878.75	01	01	1	
	P	1/ 3/1972	-242.41	-4.16	2874.59	01	06	1	
	P	1/17/1973	-237.22	5.19	2879.78	01	06	1	
	P	1/14/1974	-230.84	6.38	2886.16	01	06	1	20
	P	1/10/1975	-231	-0.16	2886	01	06	1	20
	P	1/ 8/1976	-234.05	-3.05	2882.95	01	06	1	20
	P	1/ 6/1977	-237.41	-3.36	2879.59	01	06	1	20
	P	1/ 4/1978	-244.87	-7.46	2872.13	01	06	1	04
	P	1/ 4/1979	-246.77	-1.9	2870.23	01	06	1	
	P	1/14/1980	-247.13	-0.36	2869.87	01	06	1	20
	P	1/21/1981	-251.58	-4.45	2865.42	01	06	1	20
	P	1/ 8/1982	-247.48	4.1	2869.52	01	06	1	
	P	2/16/1983	-252.3	-4.82	2864.7	01	06	1	
	P	1/26/1984	-249.72	2.58	2867.28	01	06	1	
	P	1/25/1985	-249.15	0.57	2867.85	01	06	1	
	P	1/28/1986	-249.79	-0.64	2867.21	01	06	1	
	P	2/ 5/1987	-249.97	-0.18	2867.03	01	06	1	
	P	2/ 4/1988	-250.23	-0.26	2866.77	01	06	1	
	P	1/25/1989	-249.9	0.33	2867.1	01	06	2	
	P	1/12/1990	-248.96	0.94	2868.04	01	06	1	
	P	2/11/1991	-251.52	-2.56	2865.48	01	06	1	
	P	2/14/1992	-246.8	4.72	2870.2	01	06	1	
	P	2/ 8/1993	-246.2	0.6	2870.8	01	06	1	
	P	1/26/1994	-250.92	-4.72	2866.08	01	06	2	
	P	2/ 6/1995	-251.32	-0.4	2865.68	01	06	2	
	P	1/30/1996	-250.8	0.52	2866.2	01	06	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1997	-246.75	4.05	2870.25	01	06	1	
	P	1 / 20/ 1998	-250.9	-4.15	2866.1	01	06	1	
	P	2 / 9 / 1999	-251	-0.1	2866	01	06	1	
	P	2 / 14/ 2000	-251.35	-0.35	2865.65	01	06	2	
	P	2 / 6 / 2001	-252.05	-0.7	2864.95	02	06	1	
	P	2 / 13/ 2002	-251.38	0.67	2865.62	02	06	1	
	P	4 / 3 / 2003	-251.4	-0.02	2865.6	02	06	1	
	P	2 / 9 / 2004	-251.08	0.32	2865.92	01	06	2	
	P	2 / 22/ 2005	-250.72	0.36	2866.28	02	06	2	
	P	2 / 13/ 2006	-251.35	-0.63	2865.65	01	06	1	
	P	2 / 12/ 2007	-250.51	0.84	2866.49	01	06	1	
	P	2 / 19/ 2008	-251.5	-0.99	2865.5	01	06	1	
	N	2 / 12/ 2009				01	06	1	47
	N	1 / 20/ 2010				01	06	1	47

Min *-252.3* **Max** *-210* **Avg** *-242.406*

1164102 *(Aquifer: 121OGLL Well Depth: 190)*

	P	12 / 14/ 1968	-152.7		2837.3	01	12	7	

Min *-152.7* **Max** *-152.7* **Avg** *-152.7*

1164103 *(Aquifer: 121OGLL Well Depth: 195)*

	P	12 / 14/ 1968	-151.7		2845.3	01	12	7	

Min *-151.7* **Max** *-151.7* **Avg** *-151.7*

1164202 *(Aquifer: 231DCKM Well Depth: 65)*

	P	12 / 13/ 1968	-50.2		2794.8	01	12	7	

Min *-50.2* **Max** *-50.2* **Avg** *-50.2*

1164209 *(Aquifer: 231DCKM Well Depth: 108)*

	P	10 / 0 / 1937	-90		2788	01	12	7	
	P	12 / 14/ 1968	-73.07	16.93	2804.93	01	12	7	

Min *-90* **Max** *-73.07* **Avg** *-81.535*

1164211 *(Aquifer: 231DCKM Well Depth: 100)*

	P	12 / 14/ 1968	-48.3		2821.7	01	12	7	

Min *-48.3* **Max** *-48.3* **Avg** *-48.3*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1164212	(Aquifer: 231DCKM		Well Depth: 55	)					
	P	12 / 14/ 1968	-8.1		2823.9	01	12	7	
Min -8.1		**Max** -8.1	**Avg**	-8.1					
1164401	(Aquifer: 121OGLL		Well Depth:	)					
	P	3 / 28/ 1949	-235.7		2868.3	01	12	7	01
	P	2 / 17/ 1950	-235.96	-0.26	2868.04	01	12	7	01
	P	1 / 17/ 1951	-235.48	0.48	2868.52	01	12	7	01
	P	1 / 15/ 1952	-235.49	-0.01	2868.51	01	12	7	01
	P	1 / 9 / 1953	-235.6	-0.11	2868.4	01	12	7	01
	P	1 / 6 / 1954	-235.65	-0.05	2868.35	01	12	7	01
	P	1 / 7 / 1955	-235.41	0.24	2868.59	01	12	7	01
	P	1 / 9 / 1956	-235.78	-0.37	2868.22	01	12	7	01
	P	1 / 11/ 1957	-235.8	-0.02	2868.2	01	12	7	01
	P	1 / 10/ 1958	-235.95	-0.15	2868.05	01	12	7	01
	P	1 / 5 / 1959	-235.42	0.53	2868.58	01	12	7	01
	P	1 / 20/ 1961	-236.31	-0.89	2867.69	01	04	1	
	P	1 / 18/ 1962	-237.66	-1.35	2866.34	01	01	1	
	P	1 / 29/ 1963	-235.86	1.8	2868.14	01	06	1	
	P	1 / 21/ 1964	-236.16	-0.3	2867.84	01	06	1	
	P	2 / 17/ 1965	-236.51	-0.35	2867.49	01	06	1	
	N	2 / 1 / 1966				01	06		61
	N	1 / 9 / 1967				01	01	1	47
	N	1 / 5 / 1968				01	01	1	47
	P	9 / 26/ 1968	-236.8		2867.2	01	07	7	
	P	1 / 13/ 1969	-238.4	-1.6	2865.6	01	06	1	
	N	1 / 15/ 1970				01	01	1	47
	P	2 / 9 / 1970	-234.97		2869.03	01	06	1	20
	P	1 / 6 / 1971	-236.68	-1.71	2867.32	01	01	1	20
	P	1 / 3 / 1972	-236.89	-0.21	2867.11	01	06	1	
	P	1 / 17/ 1973	-238.35	-1.46	2865.65	01	06	1	
	P	1 / 14/ 1974	-239.07	-0.72	2864.93	01	06	1	
	N	1 / 10/ 1975				01	06	1	47
	N	9 / 19/ 1975				01	06	1	47
Min -239.07		**Max** -234.97	**Avg**	-236.343					

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1164402	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	8 / 7 / 1975	-226.97		2869.03	01	06	1	
	P	1 / 8 / 1976	-227.67	-0.7	2868.33	01	06	1	02
	P	1 / 6 / 1977	-229.29	-1.62	2866.71	01	06	1	
	P	1 / 17 / 1978	-228.81	0.48	2867.19	01	06	1	
	P	1 / 12 / 1979	-227.16	1.65	2868.84	01	06	1	
	P	1 / 14 / 1980	-227.84	-0.68	2868.16	01	06	1	
	P	1 / 21 / 1981	-231.42	-3.58	2864.58	01	06	1	02
	P	1 / 15 / 1982	-229.55	1.87	2866.45	01	06	1	02
	P	2 / 16 / 1983	-231.02	-1.47	2864.98	01	06	1	02
	N	1 / 26 / 1984				01	06		42
	P	1 / 25 / 1985	-231.4		2864.6	01	06	1	
	P	2 / 20 / 1986	-230.61	0.79	2865.39	01	06	1	

Min *-231.42* **Max** *-226.97* **Avg** *-229.249*

1164502	*(Aquifer: 121OGLL*		*Well Depth: 330*	*)*					
	N	1 / 18 / 1962				01	01		63
	N	1 / 29 / 1963				01	06		42
	P	6 / 16 / 1963	-263.7		2839.3	01	12	7	
	P	1 / 25 / 1964	-263.78	-0.08	2839.22	01	06	1	
	P	2 / 17 / 1965	-263.96	-0.18	2839.04	01	06	1	
	P	2 / 1 / 1966	-264.31	-0.35	2838.69	01	06	1	
	P	1 / 9 / 1967	-264.28	0.03	2838.72	01	01	1	
	P	1 / 5 / 1968	-272.4	-8.12	2830.6	01	01	1	
	P	1 / 0 / 1969	-264.5	7.9	2838.5	01	12	7	
	P	1 / 13 / 1969	-264.51	-0.01	2838.49	01	06	1	
	P	1 / 15 / 1970	-264.4	0.11	2838.6	01	01	1	
	P	1 / 6 / 1971	-264.89	-0.49	2838.11	01	01	1	
	P	1 / 3 / 1972	-265.57	-0.68	2837.43	01	06	1	
	P	1 / 17 / 1973	-265.48	0.09	2837.52	01	06	1	
	P	1 / 14 / 1974	-265.91	-0.43	2837.09	01	06	1	
	N	1 / 10 / 1975				01	06	1	47
	P	1 / 8 / 1976	-266.29		2836.71	01	06	1	20
	P	1 / 6 / 1977	-267.75	-1.46	2835.25	01	06	1	
	P	1 / 4 / 1978	-268.04	-0.29	2834.96	01	06	1	
	P	1 / 12 / 1979	-267.52	0.52	2835.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 8 / 1980	-267.7	-0.18	2835.3	01	06	1	
	P	1 / 21/ 1981	-268.1	-0.4	2834.9	01	06	1	
	P	1 / 15/ 1982	-268.29	-0.19	2834.71	01	06	1	
	N	2 / 16/ 1983				01	06		63

Min *-272.4* **Max** *-263.7* **Avg** *-266.069*

1164503 *(Aquifer: 231DCKM Well Depth: 136)*

	P	12 / 14/ 1968	-109.4		2815.6	01	12	7	

Min *-109.4* **Max** *-109.4* **Avg** *-109.4*

1164701 *(Aquifer: 121OGLL Well Depth: 356)*

	P	11 / 4 / 1996	-252.14		2841.86	01	06	1	
	P	2 / 18/ 1997	-251.72	0.42	2842.28	01	06	1	
	P	1 / 20/ 1998	-251.35	0.37	2842.65	01	06	1	
	P	2 / 9 / 1999	-252	-0.65	2842	01	06	1	
	P	2 / 14/ 2000	-252.18	-0.18	2841.82	01	06	1	
	P	2 / 6 / 2001	-252.55	-0.37	2841.45	01	06	1	
	P	2 / 13/ 2002	-253.07	-0.52	2840.93	01	06	1	
	P	3 / 3 / 2003	-252.83	0.24	2841.17	01	06	1	
	P	2 / 10/ 2004	-252.93	-0.1	2841.07	01	06	1	
	P	2 / 22/ 2005	-253.25	-0.32	2840.75	01	06	1	
	P	2 / 13/ 2006	-253.4	-0.15	2840.6	01	06	1	
	P	2 / 12/ 2007	-253.28	0.12	2840.72	01	06	1	
	P	2 / 12/ 2008	-253.8	-0.52	2840.2	01	06	1	
	P	2 / 12/ 2009	-254.18	-0.38	2839.82	01	06	1	
	P	1 / 21/ 2010	-256.36	-2.18	2837.64	01	06	1	
	N	1 / 24/ 2011				01	06		42
	P	12 / 8 / 2011	-248.45		2845.55	01	06	1	

Min *-256.36* **Max** *-248.45* **Avg** *-252.718*

1164801 *(Aquifer: 121OGDK Well Depth: 300)*

	P	1 / 28/ 1938	-257.4		2845.6	01	12	7	

Min *-257.4* **Max** *-257.4* **Avg** *-257.4*

1164802 *(Aquifer: 231DCKM Well Depth: 298)*

	P	12 / 16/ 1968	-267.7		2820.3	01	12	7	
	N	5 / 19/ 2004				01	01		41

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -267.7		**Max -267.7**	**Avg -267.7**						
1164803	*(Aquifer: 121OGLL*		*Well Depth: 330)*						
	P	4 / 13/ 1983	-277.89		2823.11	01	06	1	
	P	1 / 26/ 1984	-267.09	10.8	2833.91	01	06	1	
	P	1 / 25/ 1985	-267.7	-0.61	2833.3	01	06	1	
	P	1 / 28/ 1986	-266.93	0.77	2834.07	01	06	1	
	P	2 / 5 / 1987	-267.64	-0.71	2833.36	01	06	1	
	P	2 / 4 / 1988	-267.6	0.04	2833.4	01	06	2	
	P	1 / 25/ 1989	-267.75	-0.15	2833.25	01	06	2	
	P	1 / 15/ 1990	-268.33	-0.58	2832.67	01	06	2	
	P	2 / 11/ 1991	-268.06	0.27	2832.94	01	06	2	
	P	2 / 14/ 1992	-267.4	0.66	2833.6	01	06	1	
	P	2 / 9 / 1993	-267.75	-0.35	2833.25	01	06	2	
	P	1 / 26/ 1994	-269.34	-1.59	2831.66	01	06	2	
	P	2 / 6 / 1995	-270.11	-0.77	2830.89	01	06	2	
	P	1 / 30/ 1996	-270.35	-0.24	2830.65	01	06	2	
Min -277.89		**Max -266.93**	**Avg -268.853**						
2304202	*(Aquifer: 121OGLL*		*Well Depth: 320)*						
	P	6 / 9 / 2004	-292.2		2962.8	01	01	1	04
Min -292.2		**Max -292.2**	**Avg -292.2**						
2304301	*(Aquifer: 121OGLL*		*Well Depth: 428)*						
	P	11 / 6 / 1979	-195.65		3031.35	01	07	7	
	P	1 / 4 / 1980	-190.6	5.05	3036.4	01	06	1	
	P	1 / 13/ 1981	-199.8	-9.2	3027.2	01	06	1	
	P	1 / 7 / 1982	-201.13	-1.33	3025.87	01	06	1	
	P	1 / 17/ 1983	-208.08	-6.95	3018.92	01	06	1	
	P	2 / 29/ 1984	-209.4	-1.32	3017.6	01	06	1	
	P	1 / 16/ 1985	-210.14	-0.74	3016.86	01	06	1	
	P	1 / 27/ 1986	-211.61	-1.47	3015.39	01	06	1	
	P	1 / 14/ 1987	-209.71	1.9	3017.29	01	06	1	
	P	2 / 2 / 1988	-211.13	-1.42	3015.87	01	06	1	
	P	2 / 10/ 1989	-214.3	-3.17	3012.7	01	06	1	
	P	2 / 8 / 1990	-217.97	-3.67	3009.03	01	06	1	
	P	2 / 11/ 1991	-220.74	-2.77	3006.26	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1992	-222.71	-1.97	3004.29	01	06	1	
	P	2 / 8 / 1993	-224.04	-1.33	3002.96	01	06	1	
	P	1 / 26/ 1994	-230.64	-6.6	2996.36	01	06	1	
	P	2 / 2 / 1995	-235.95	-5.31	2991.05	01	06	1	
	P	1 / 31/ 1996	-240.9	-4.95	2986.1	01	06	1	
	P	2 / 5 / 1997	-250.96	-10.1	2976.04	01	06	1	
	P	1 / 14/ 1998	-244.61	6.35	2982.39	01	06	1	
	P	2 / 26/ 1999	-257	-12.4	2970	01	06	1	
	P	2 / 17/ 2000	-257.1	-0.1	2969.9	01	06	1	
	P	2 / 7 / 2001	-256.06	1.04	2970.94	01	06	1	
	N	2 / 20/ 2002				01	06	7	44
	P	3 / 4 / 2003	-254.7		2972.3	01	06	1	
	N	2 / 17/ 2004				01	06	1	44
	N	2 / 22/ 2005				01	06	1	44
	N	2 / 15/ 2006				01	06	7	44
	N	2 / 8 / 2007				01	06	7	44
	N	3 / 4 / 2008				01	06		81

Min *-257.1* **Max** *-190.6* **Avg** *-223.955*

2304501 *(Aquifer: 121OGLL Well Depth: 365)*

	P	11 / 19/ 1937	-61.64		3182.36	01	12	7	01
	P	3 / 18/ 1947	-68.49	-6.85	3175.51	01	12	7	01
	P	3 / 9 / 1948	-70.2	-1.71	3173.8	01	12	7	01
	P	3 / 9 / 1949	-74.7	-4.5	3169.3	01	12	7	01
	P	1 / 16/ 1952	-81.25	-6.55	3162.75	01	12	7	01
	P	1 / 10/ 1953	-85.48	-4.23	3158.52	01	12	7	01
	P	1 / 6 / 1954	-91.83	-6.35	3152.17	01	12	7	01
	P	1 / 6 / 1955	-103.84	-12.0	3140.16	01	12	7	01
	P	1 / 6 / 1956	-111.09	-7.25	3132.91	01	12	7	01
	P	1 / 8 / 1957	-127.16	-16.1	3116.84	01	12	7	01
	P	1 / 9 / 1958	-126.97	0.19	3117.03	01	12	7	01
	P	1 / 5 / 1959	-130.69	-3.72	3113.31	01	12	7	01
	P	1 / 28/ 1960	-138.93	-8.24	3105.07	01	12	7	01
	P	1 / 20/ 1961	-141.9	-2.97	3102.1	01	04	1	
	P	1 / 18/ 1962	-142.75	-0.85	3101.25	01	01	1	
	P	1 / 8 / 1963	-150.8	-8.05	3093.2	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 13/ 1964	-158.61	-7.81	3085.39	01	06	1	
	P	1/ 15/ 1965	-165.23	-6.62	3078.77	01	06	1	
	P	1/ 19/ 1966	-172.98	-7.75	3071.02	01	06	1	
	N	1/ 10/ 1967				01	01	1	44
	N	1/ 8/ 1968				01	01	1	44
	P	1/ 6/ 1969	-182.39		3061.61	01	06	1	
	P	1/ 12/ 1970	-186.5	-4.11	3057.5	01	06	1	

Min *-186.5* **Max** *-61.64* **Avg** *-122.544*

2304503 *(Aquifer: 121OGLL Well Depth:)*

	N	1/ 10/ 1971				01	01	1	44
	P	1/ 25/ 1971	-186.27		3060.73	01	06	1	
	P	1/ 7/ 1972	-188.32	-2.05	3058.68	01	06	1	
	P	1/ 23/ 1973	-189.83	-1.51	3057.17	01	06	1	
	P	1/ 10/ 1974	-191.1	-1.27	3055.9	01	06	1	
	P	1/ 8/ 1975	-193.48	-2.38	3053.52	01	06	1	
	P	1/ 13/ 1976	-196.48	-3	3050.52	01	06	1	
	P	1/ 5/ 1977	-199.66	-3.18	3047.34	01	06	1	
	P	1/ 6/ 1978	-202.7	-3.04	3044.3	01	06	1	
	P	1/ 9/ 1979	-206.1	-3.4	3040.9	01	06	1	
	P	1/ 4/ 1980	-206.1		3040.9	01	06	1	
	P	1/ 13/ 1981	-210.14	-4.04	3036.86	01	06	1	
	N	1/ 6/ 1982				01	06		51
	N	1/ 17/ 1983				01	06		51

Min *-210.14* **Max** *-186.27* **Avg** *-197.289*

2304504 *(Aquifer: 121OGLL Well Depth: 384)*

	P	1/ 17/ 1983	-214.15		3032.85	01	06	1	
	P	1/ 26/ 1984	-214.73	-0.58	3032.27	01	06	1	
	P	1/ 16/ 1985	-215.82	-1.09	3031.18	01	06	1	
	P	1/ 27/ 1986	-216.21	-0.39	3030.79	01	06	1	
	P	1/ 14/ 1987	-215.65	0.56	3031.35	01	06	1	
	P	2/ 2/ 1988	-215.75	-0.1	3031.25	01	06	1	
	P	1/ 27/ 1989	-220.56	-4.81	3026.44	01	06	2	
	P	1/ 15/ 1990	-219.03	1.53	3027.97	01	06	1	
	P	2/ 11/ 1991	-219.02	0.01	3027.98	01	06	1	
	P	2/ 18/ 1992	-220.19	-1.17	3026.81	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 8/1993	-220.32	-0.13	3026.68	01	06	1	
	P	1/26/1994	-225.06	-4.74	3021.94	01	06	1	
	P	2/ 2/1995	-227.76	-2.7	3019.24	01	06	1	
	P	1/31/1996	-229.06	-1.3	3017.94	01	06	1	
	P	2/ 5/1997	-231.15	-2.09	3015.85	01	06	1	
	P	1/14/1998	-233.61	-2.46	3013.39	01	06	1	
	P	2/26/1999	-250	-16.4	2997	01	06	1	
	P	2/17/2000	-255.27	-5.27	2991.73	01	06	1	
	P	2/ 7/2001	-252.86	2.41	2994.14	01	06	1	
	P	2/20/2002	-249.14	3.72	2997.86	01	06	1	
	P	3/ 4/2003	-254.2	-5.06	2992.8	01	06	1	
	P	3/18/2004	-258.84	-4.64	2988.16	01	06	1	
	P	3/18/2005	-249.35	9.49	2997.65	01	06	1	
	P	2/15/2006	-258.39	-9.04	2988.61	01	06	1	
	P	2/ 8/2007	-259.97	-1.58	2987.03	01	06	1	
	P	2/ 4/2008	-259.85	0.12	2987.15	01	06	1	
	P	2/ 9/2009	-260.37	-0.52	2986.63	01	06	1	
	P	2/25/2010	-270.6	-10.2	2976.4	01	06	1	
	P	2/ 8/2011	-265.9	4.7	2981.1	01	06	1	
	P	3/ 1/2012	-291.25	-25.4	2955.75	01	06	1	

Min *-291.25* **Max** *-214.15* **Avg** *-239.135*

2304601 *(Aquifer: 121OGLL Well Depth: 340)*

	P	3/18/1947	-63.86		3177.14	01	12	7	01
	P	1/18/1951	-80.15	-16.3	3160.85	01	12	7	01
	P	1/16/1952	-77.8	2.35	3163.2	01	12	7	01
	P	1/10/1953	-85.19	-7.39	3155.81	01	12	7	01
	P	1/ 6/1954	-93.94	-8.75	3147.06	01	12	7	01
	P	1/18/1956	-109.14	-15.2	3131.86	01	12	7	01
	P	1/ 8/1957	-121.3	-12.2	3119.7	01	12	7	01
	P	1/ 9/1958	-123.15	-1.85	3117.85	01	12	7	01
	P	1/ 5/1959	-127.22	-4.07	3113.78	01	12	7	01
	P	1/28/1960	-134.17	-6.95	3106.83	01	12	7	01
	P	1/20/1961	-137.27	-3.1	3103.73	01	04	1	
	P	1/18/1962	-138.78	-1.51	3102.22	01	01	1	
	P	1/ 8/1963	-145.15	-6.37	3095.85	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1964	-150.74	-5.59	3090.26	01	06	1	
	P	1 / 15/ 1965	-156.68	-5.94	3084.32	01	06	1	
	P	1 / 19/ 1966	-162.84	-6.16	3078.16	01	06	1	
	P	1 / 10/ 1967	-167.14	-4.3	3073.86	01	01	1	
	N	1 / 8 / 1968				01	01		61
	P	1 / 6 / 1969	-173.3		3067.7	01	06	1	
	P	1 / 12/ 1970	-176.9	-3.6	3064.1	01	01	1	
	N	1 / 10/ 1971				01	01		41
	P	1 / 26/ 1971	-188.79		3052.21	01	06	1	
	P	1 / 1 / 1972	-187.82	0.97	3053.18	01	06	1	
	P	1 / 18/ 1973	-187.31	0.51	3053.69	01	06	1	
	P	1 / 10/ 1974	-189.34	-2.03	3051.66	01	06	1	04
	P	1 / 8 / 1975	-190.95	-1.61	3050.05	01	06	1	
	P	1 / 13/ 1976	-193.91	-2.96	3047.09	01	06	1	
	P	1 / 5 / 1977	-197.93	-4.02	3043.07	01	06	1	
	P	1 / 6 / 1978	-200.01	-2.08	3040.99	01	06	1	04
	P	1 / 9 / 1979	-203.85	-3.84	3037.15	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-203.85* **Max** *-63.86* **Avg** *-148.737*

2304602 *(Aquifer: 121OGLL Well Depth: 325)*

	P	8 / 3 / 1939	-64.39		3171.61	01	12	7	01
	P	3 / 18/ 1947	-68.72	-4.33	3167.28	01	12	7	01
	P	3 / 9 / 1948	-70.7	-1.98	3165.3	01	12	7	01
	P	3 / 9 / 1949	-74.27	-3.57	3161.73	01	12	7	01
	P	2 / 17/ 1950	-80.81	-6.54	3155.19	01	12	7	01
	P	1 / 18/ 1951	-80.68	0.13	3155.32	01	12	7	01
	P	1 / 16/ 1952	-82.34	-1.66	3153.66	01	12	7	01
	P	1 / 10/ 1953	-89.62	-7.28	3146.38	01	12	7	01
	P	1 / 6 / 1954	-98.83	-9.21	3137.17	01	12	7	01
	P	1 / 6 / 1955	-109.62	-10.8	3126.38	01	12	7	01
	P	1 / 6 / 1956	-115.06	-5.44	3120.94	01	12	7	01
	P	1 / 9 / 1958	-131.49	-16.4	3104.51	01	12	7	01
	P	1 / 5 / 1959	-135.64	-4.15	3100.36	01	12	7	01
	P	1 / 28/ 1960	-145.66	-10.0	3090.34	01	12	7	01
	P	1 / 20/ 1961	-148.94	-3.28	3087.06	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 18/ 1962	-148.89	0.05	3087.11	01	01	1	
	P	1/ 8/ 1963	-154.5	-5.61	3081.5	01	06	1	
	P	1/ 13/ 1964	-158.61	-4.11	3077.39	01	06	1	
	P	1/ 15/ 1965	-163.69	-5.08	3072.31	01	06	1	
	P	1/ 19/ 1966	-171.03	-7.34	3064.97	01	06	1	
	P	1/ 10/ 1967	-177.4	-6.37	3058.6	01	01	1	
	P	1/ 8/ 1968	-180.55	-3.15	3055.45	01	01	1	
	P	1/ 6/ 1969	-182	-1.45	3054	01	06	1	
	P	1/ 12/ 1970	-185.84	-3.84	3050.16	01	06	1	
	P	1/ 10/ 1971	-191.23	-5.39	3044.77	01	01	1	
	P	1/ 1/ 1972	-193.11	-1.88	3042.89	01	06	1	
	P	1/ 17/ 1973	-194.1	-0.99	3041.9	01	06	1	
	P	1/ 10/ 1974	-195.42	-1.32	3040.58	01	06	1	
	P	1/ 8/ 1975	-200.36	-4.94	3035.64	01	06	1	
	P	1/ 13/ 1976	-202.51	-2.15	3033.49	01	06	1	
	P	1/ 5/ 1977	-202.7	-0.19	3033.3	01	06	1	
	P	1/ 6/ 1978	-209.07	-6.37	3026.93	01	06	1	
	P	1/ 9/ 1979	-212.49	-3.42	3023.51	01	06	1	
	P	1/ 4/ 1980	-210.46	2.03	3025.54	01	06	1	
	P	1/ 13/ 1981	-214.69	-4.23	3021.31	01	06	1	
	P	1/ 6/ 1982	-218.55	-3.86	3017.45	01	06	1	
	P	1/ 17/ 1983	-222.58	-4.03	3013.42	01	06	1	
	P	1/ 26/ 1984	-221.64	0.94	3014.36	01	06	1	
	P	1/ 16/ 1985	-224.3	-2.66	3011.7	01	06	1	
	P	1/ 27/ 1986	-222.55	1.75	3013.45	01	06	1	
	P	1/ 14/ 1987	-222.52	0.03	3013.48	01	06	1	
	P	2/ 2/ 1988	-222.38	0.14	3013.62	01	06	1	
	P	1/ 27/ 1989	-239.1	-16.7	2996.9	01	06	2	
	P	1/ 17/ 1990	-227.9	11.2	3008.1	01	06	2	
	P	2/ 11/ 1991	-227.47	0.43	3008.53	01	06	2	
	P	2/ 18/ 1992	-228.17	-0.7	3007.83	01	06	1	
	P	2/ 8/ 1993	-228.18	-0.01	3007.82	01	06	1	
	P	1/ 26/ 1994	-232.57	-4.39	3003.43	01	06	1	
	P	2/ 2/ 1995	-239.3	-6.73	2996.7	01	06	1	
	P	1/ 31/ 1996	-243.65	-4.35	2992.35	01	06	1	
	P	2/ 5/ 1997	-249.77	-6.12	2986.23	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1998	-252.66	-2.89	2983.34	01	06	1	
	P	2 / 8 / 1999	-257	-4.34	2979	01	06	1	
	N	3 / 17/ 2000				01	06		41
	P	2 / 7 / 2001	-268.05		2967.95	01	06	1	
	P	2 / 20/ 2002	-264.91	3.14	2971.09	01	06	1	
	P	3 / 4 / 2003	-267.38	-2.47	2968.62	01	06	1	
	P	3 / 18/ 2004	-271.93	-4.55	2964.07	01	06	1	
	P	3 / 9 / 2005	-261.39	10.54	2974.61	01	06	1	
	P	2 / 24/ 2006	-270.29	-8.9	2965.71	01	06	1	
	P	2 / 8 / 2007	-272.39	-2.1	2963.61	01	06	1	
	P	2 / 14/ 2008	-273.14	-0.75	2962.86	01	06	1	
	P	2 / 9 / 2009	-272.87	0.27	2963.13	01	06	1	
	P	2 / 25/ 2010	-277.5	-4.63	2958.5	01	06	1	
	P	1 / 19/ 2011	-278.21	-0.71	2957.79	01	06	1	
	P	1 / 17/ 2012	-286.03	-7.82	2949.97	01	06	1	

Min *-286.03* **Max** *-64.39* **Avg** *-195.228*

2304603 *(Aquifer: 121OGLL Well Depth: 388)*

	P	3 / 18/ 1947	-75.41		3157.59	01	12	7	01
	P	3 / 9 / 1948	-75.78	-0.37	3157.22	01	12	7	01
	P	3 / 9 / 1949	-79.93	-4.15	3153.07	01	12	7	01
	P	1 / 18/ 1951	-87.55	-7.62	3145.45	01	12	7	01
	P	1 / 16/ 1952	-84	3.55	3149	01	12	7	01
	P	1 / 10/ 1953	-88.88	-4.88	3144.12	01	12	7	01
	P	1 / 6 / 1954	-96.93	-8.05	3136.07	01	12	7	01
	P	1 / 6 / 1955	-102.45	-5.52	3130.55	01	12	7	01
	P	1 / 6 / 1956	-108.16	-5.71	3124.84	01	12	7	01
	P	1 / 8 / 1957	-119.83	-11.7	3113.17	01	12	7	01
	P	1 / 9 / 1958	-119.94	-0.11	3113.06	01	12	7	01
	P	1 / 5 / 1959	-129.11	-9.17	3103.89	01	12	7	01
	P	1 / 28/ 1960	-138.98	-9.87	3094.02	01	12	7	01
	P	1 / 20/ 1961	-141.6	-2.62	3091.4	01	04	1	
	P	1 / 18/ 1962	-141.68	-0.08	3091.32	01	01	1	
	P	1 / 8 / 1963	-153.48	-11.8	3079.52	01	06	1	
	P	1 / 13/ 1964	-161.69	-8.21	3071.31	01	06	1	
	P	1 / 15/ 1965	-168.85	-7.16	3064.15	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 19/ 1966	-174.88	-6.03	3058.12	01	06	1	
	P	1/ 10/ 1967	-180.62	-5.74	3052.38	01	01	1	
	P	1/ 8 / 1968	-189.33	-8.71	3043.67	01	01	1	
	P	1/ 9 / 1969	-186.43	2.9	3046.57	01	06	1	
	P	1/ 12/ 1970	-184.44	1.99	3048.56	01	01	1	
	P	1/ 10/ 1971	-191.9	-7.46	3041.1	01	01	1	
	P	1/ 1 / 1972	-194.06	-2.16	3038.94	01	06	1	
	P	1/ 18/ 1973	-194.96	-0.9	3038.04	01	06	1	
	P	1/ 10/ 1974	-196.45	-1.49	3036.55	01	06	1	
	P	1/ 8 / 1975	-199.35	-2.9	3033.65	01	06	1	
	P	1/ 13/ 1976	-202.04	-2.69	3030.96	01	06	1	
	P	1/ 5 / 1977	-203.29	-1.25	3029.71	01	06	1	
	P	1/ 6 / 1978	-207.99	-4.7	3025.01	01	06	1	20
	P	1/ 9 / 1979	-211.05	-3.06	3021.95	01	06	1	
	P	1/ 4 / 1980	-207.6	3.45	3025.4	01	06	1	
	P	1/ 13/ 1981	-215.04	-7.44	3017.96	01	06	1	
	P	1/ 6 / 1982	-211.85	3.19	3021.15	01	06	1	20
	P	1/ 17/ 1983	-213.39	-1.54	3019.61	01	06	1	
	P	2/ 29/ 1984	-219.66	-6.27	3013.34	01	06	2	
	P	1/ 7 / 1985	-222.85	-3.19	3010.15	01	06	1	
	P	1/ 27/ 1986	-221.74	1.11	3011.26	01	06	1	
	P	1/ 14/ 1987	-221.78	-0.04	3011.22	01	06	1	
	P	2/ 2 / 1988	-221.85	-0.07	3011.15	01	06	1	
	P	2/ 10/ 1989	-228.18	-6.33	3004.82	01	06	2	
	P	1/ 15/ 1990	-233.23	-5.05	2999.77	01	06	1	
	P	2/ 11/ 1991	-225.72	7.51	3007.28	01	06	1	
	P	2/ 18/ 1992	-226.24	-0.52	3006.76	01	06	1	
	P	2/ 8 / 1993	-226.92	-0.68	3006.08	01	06	1	
	P	1/ 27/ 1994	-228.63	-1.71	3004.37	01	06	1	
	P	2/ 2 / 1995	-232.4	-3.77	3000.6	01	06	1	
	P	1/ 31/ 1996	-233.76	-1.36	2999.24	01	06	1	
	N	3/ 7 / 1997				01	06		41
	P	1/ 14/ 1998	-237.38		2995.62	01	06	1	
	N	2/ 26/ 1999				01	06		41
	N	3/ 17/ 2000				01	06		41
	P	2/ 7 / 2001	-249.88		2983.12	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 21/ 2002	-252.38	-2.5	2980.62	01	06	1	
	P	3 / 4 / 2003	-256.05	-3.67	2976.95	01	06	1	
	P	3 / 18/ 2004	-258.1	-2.05	2974.9	01	06	1	
	P	3 / 9 / 2005	-250.59	7.51	2982.41	01	06	1	
	P	2 / 15/ 2006	-252.1	-1.51	2980.9	01	06	1	
	P	2 / 8 / 2007	-256.69	-4.59	2976.31	01	06	1	
	N	3 / 4 / 2008				01	06		61
	N	3 / 9 / 2009				01	06	1	47
	P	1 / 19/ 2010	-267.66		2965.34	01	06	1	
	P	1 / 19/ 2011	-263.08	4.58	2969.92	01	06	1	
	P	2 / 14/ 2012	-277.14	-14.1	2955.86	01	06	1	

Min *-277.14* **Max** *-75.41* **Avg** *-190.049*

2304605 *(Aquifer: 121OGLL Well Depth: 350)*

	N	6 / 9 / 2004				01	01		41

Min **Max** **Avg**

2304801 *(Aquifer: 121OGLL Well Depth: 380)*

	P	10 / 13/ 1945	-58.65		3172.35	01	12	7	01
	P	3 / 18/ 1947	-67.28	-8.63	3163.72	01	12	7	01
	P	3 / 9 / 1948	-70	-2.72	3161	01	12	7	01
	P	3 / 9 / 1949	-72.35	-2.35	3158.65	01	12	7	01
	P	2 / 17/ 1950	-82.69	-10.3	3148.31	01	12	7	01
	P	1 / 18/ 1951	-78.35	4.34	3152.65	01	12	7	01
	P	1 / 16/ 1952	-77	1.35	3154	01	12	7	01
	P	1 / 10/ 1953	-80.28	-3.28	3150.72	01	12	7	01
	P	1 / 6 / 1954	-85.13	-4.85	3145.87	01	12	7	01
	P	1 / 6 / 1955	-91.27	-6.14	3139.73	01	12	7	01
	P	1 / 6 / 1956	-95.98	-4.71	3135.02	01	12	7	01
	P	1 / 8 / 1957	-105.01	-9.03	3125.99	01	12	7	01
	P	1 / 9 / 1958	-107.57	-2.56	3123.43	01	12	7	01
	P	1 / 5 / 1959	-104.57	3	3126.43	01	12	7	01
	P	1 / 28/ 1960	-106.95	-2.38	3124.05	01	12	7	01
	P	1 / 18/ 1962	-126.24	-19.3	3104.76	01	01	1	
	P	1 / 8 / 1963	-135.04	-8.8	3095.96	01	06	1	
	P	1 / 13/ 1964	-143.45	-8.41	3087.55	01	06	1	
	P	1 / 15/ 1965	-150.9	-7.45	3080.1	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 19/ 1966	-156.56	-5.66	3074.44	01	06	1	
	P	1/ 10/ 1967	-159.1	-2.54	3071.9	01	01	1	
	P	1/ 8/ 1968	-157.51	1.59	3073.49	01	01	1	20
	N	1/ 6/ 1969				01	06	1	47
	P	1/ 12/ 1970	-161.8		3069.2	01	01	1	20

Min *-161.8* **Max** *-58.65* **Avg** *-107.551*

2304802 *(Aquifer: 121OGLL Well Depth: 388)*

	P	5/ 7/ 1970	-192.14		3038.86	01	06	1	
	P	1/ 10/ 1971	-194.17	-2.03	3036.83	01	01	1	
	P	1/ 1/ 1972	-185.23	8.94	3045.77	01	06	1	
	P	1/ 17/ 1973	-185.91	-0.68	3045.09	01	06	1	
	P	1/ 10/ 1974	-189.29	-3.38	3041.71	01	06	1	
	P	1/ 8/ 1975	-192.55	-3.26	3038.45	01	06	1	
	P	1/ 13/ 1976	-195.06	-2.51	3035.94	01	06	1	
	P	1/ 5/ 1977	-198.57	-3.51	3032.43	01	06	1	
	P	1/ 6/ 1978	-200.42	-1.85	3030.58	01	06	1	
	P	1/ 9/ 1979	-202.75	-2.33	3028.25	01	06	1	
	P	1/ 4/ 1980	-203.54	-0.79	3027.46	01	06	1	
	P	1/ 13/ 1981	-205.89	-2.35	3025.11	01	06	1	
	P	1/ 6/ 1982	-207.64	-1.75	3023.36	01	06	1	
	P	1/ 17/ 1983	-210.46	-2.82	3020.54	01	06	1	
	P	1/ 26/ 1984	-212.71	-2.25	3018.29	01	06	1	
	P	1/ 7/ 1985	-213.77	-1.06	3017.23	01	06	1	
	P	1/ 27/ 1986	-213.75	0.02	3017.25	01	06	1	
	P	1/ 27/ 1987	-213.85	-0.1	3017.15	01	06	1	
	P	2/ 3/ 1988	-214.39	-0.54	3016.61	01	06	1	
	P	1/ 27/ 1989	-217.35	-2.96	3013.65	01	06	1	
	P	1/ 15/ 1990	-220.46	-3.11	3010.54	01	06	1	
	P	2/ 11/ 1991	-218.65	1.81	3012.35	01	06	1	
	P	2/ 19/ 1992	-220.52	-1.87	3010.48	01	06	1	
	P	2/ 8/ 1993	-220.1	0.42	3010.9	01	06	1	
	P	1/ 27/ 1994	-222.51	-2.41	3008.49	01	06	1	
	P	2/ 2/ 1995	-233.09	-10.6	2997.91	01	06	1	
	P	1/ 31/ 1996	-228.19	4.9	3002.81	01	06	1	
	P	2/ 5/ 1997	-230.98	-2.79	3000.02	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1998	-231.45	-0.47	2999.55	01	06	1	
	P	2 / 9 / 1999	-235	-3.55	2996	01	06	1	
	N	3 / 17/ 2000				01	06		41
	P	2 / 7 / 2001	-239.76		2991.24	01	06	1	
	P	2 / 20/ 2002	-241.17	-1.41	2989.83	01	06	1	
	P	3 / 4 / 2003	-248.5	-7.33	2982.5	01	06	1	
	P	3 / 18/ 2004	-249.48	-0.98	2981.52	01	06	1	
	P	2 / 22/ 2005	-247.68	1.8	2983.32	01	06	1	
	P	2 / 15/ 2006	-248.3	-0.62	2982.7	01	06	1	
	P	2 / 8 / 2007	-248.79	-0.49	2982.21	01	06	1	
	P	3 / 4 / 2008	-249.12	-0.33	2981.88	01	06	1	
	P	2 / 9 / 2009	-250.08	-0.96	2980.92	01	06	1	
	P	2 / 25/ 2010	-256.34	-6.26	2974.66	01	06	1	
	P	1 / 19/ 2011	-256.92	-0.58	2974.08	01	06	1	
	P	2 / 14/ 2012	-270.66	-13.7	2960.34	01	06	1	

Min *-270.66* **Max** *-185.23* **Avg** *-221.838*

2304901 *(Aquifer: 121OGLL Well Depth: 430)*

	P	5 / 17/ 2000	-279.2		2927.8	01	01	1	
	N	6 / 9 / 2004				01	01		41

Min *-279.2* **Max** *-279.2* **Avg** *-279.2*

2305201 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 8 / 1936	-48.09		3170.91	01	12	7	01
	P	5 / 10/ 1937	-49.2	-1.11	3169.8	01	12	7	01
	P	8 / 25/ 1937	-49.75	-0.55	3169.25	01	12	7	01
	P	9 / 14/ 1937	-49.73	0.02	3169.27	01	12	7	01
	P	10 / 1 / 1937	-49.88	-0.15	3169.12	01	12	7	01
	P	11 / 1 / 1937	-49.84	0.04	3169.16	01	12	7	01
	P	12 / 2 / 1937	-49.43	0.41	3169.57	01	12	7	01
	P	1 / 4 / 1938	-49.46	-0.03	3169.54	01	12	7	01
	P	3 / 11/ 1938	-49.52	-0.06	3169.48	01	12	7	01
	P	5 / 26/ 1938	-49.99	-0.47	3169.01	01	12	7	01
	P	6 / 28/ 1938	-50.11	-0.12	3168.89	01	12	7	01
	P	10 / 17/ 1938	-50.49	-0.38	3168.51	01	12	7	01
	P	12 / 5 / 1938	-50.6	-0.11	3168.4	01	12	7	01
	P	1 / 3 / 1939	-50.62	-0.02	3168.38	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 2 / 1939	-50.69	-0.07	3168.31	01	12	7	01
	P	6 / 23/ 1939	-50.64	0.05	3168.36	01	12	7	01
	P	8 / 14/ 1939	-51.07	-0.43	3167.93	01	12	7	01
	P	10 / 4 / 1939	-51.39	-0.32	3167.61	01	12	7	01
	P	12 / 8 / 1939	-51.59	-0.2	3167.41	01	12	7	01
	P	3 / 6 / 1940	-51.84	-0.25	3167.16	01	12	7	01
	P	11 / 15/ 1940	-53.05	-1.21	3165.95	01	12	7	01
	P	1 / 20/ 1941	-53.24	-0.19	3165.76	01	12	7	01
	P	3 / 11/ 1941	-53.25	-0.01	3165.75	01	12	7	01
	P	12 / 20/ 1941	-52.04	1.21	3166.96	01	12	7	01
	P	3 / 10/ 1942	-51.32	0.72	3167.68	01	12	7	01
	P	7 / 4 / 1942	-51.4	-0.08	3167.6	01	12	7	01
	P	11 / 25/ 1942	-51.38	0.02	3167.62	01	12	7	01
	P	1 / 29/ 1943	-50.63	0.75	3168.37	01	12	7	01
	P	2 / 15/ 1944	-50.56	0.07	3168.44	01	12	7	01
	P	2 / 14/ 1945	-52.9	-2.34	3166.1	01	12	7	01
	P	2 / 27/ 1946	-54.68	-1.78	3164.32	01	12	7	01
	P	1 / 20/ 1947	-55.85	-1.17	3163.15	01	12	7	01
	P	3 / 19/ 1947	-55.9	-0.05	3163.1	01	12	7	01
	P	1 / 16/ 1948	-56.78	-0.88	3162.22	01	12	7	01
	P	3 / 9 / 1948	-56.82	-0.04	3162.18	01	12	7	01
	P	3 / 9 / 1949	-58.76	-1.94	3160.24	01	12	7	01
	P	2 / 18/ 1950	-60.21	-1.45	3158.79	01	12	7	01
	P	1 / 18/ 1951	-61.65	-1.44	3157.35	01	12	7	01
	P	1 / 14/ 1952	-63.7	-2.05	3155.3	01	12	7	01
	P	1 / 10/ 1953	-66.38	-2.68	3152.62	01	12	7	01

Min *-66.38* **Max** *-48.09* **Avg** *-52.8608*

2305202 *(Aquifer: 121OGLL Well Depth: 412)*

	P	2 / 3 / 1977	-214.92		2992.08	01	06	1
	P	1 / 6 / 1978	-219.36	-4.44	2987.64	01	06	1
	P	1 / 11/ 1979	-223.95	-4.59	2983.05	01	06	1
	P	1 / 7 / 1980	-223.69	0.26	2983.31	01	06	1
	P	1 / 13/ 1981	-232.44	-8.75	2974.56	01	06	1
	P	1 / 7 / 1982	-234.53	-2.09	2972.47	01	06	1
	P	1 / 17/ 1983	-239.96	-5.43	2967.04	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/27/1984	-238.6	1.36	2968.4	01	06	1	
	P	1/16/1985	-240.4	-1.8	2966.6	01	06	1	
	P	1/27/1986	-240.79	-0.39	2966.21	01	06	1	
	P	1/14/1987	-243.55	-2.76	2963.45	01	06	1	
	P	2/17/1988	-242.4	1.15	2964.6	01	06	2	
	P	1/26/1989	-246.75	-4.35	2960.25	01	06	1	
	P	1/17/1990	-249.89	-3.14	2957.11	01	06	1	
	P	2/8/1991	-251.32	-1.43	2955.68	01	06	1	
	P	2/18/1992	-252.71	-1.39	2954.29	01	06	1	
	P	2/8/1993	-253.58	-0.87	2953.42	01	06	1	
	P	1/26/1994	-255.98	-2.4	2951.02	01	06	1	
	P	2/2/1995	-260.27	-4.29	2946.73	01	06	1	
	P	1/29/1996	-262.38	-2.11	2944.62	01	06	1	
	P	2/24/1997	-268.09	-5.71	2938.91	01	06	1	
	P	1/14/1998	-271.04	-2.95	2935.96	01	06	1	
	P	2/8/1999	-273	-1.96	2934	01	06	1	
	P	2/18/2000	-270.85	2.15	2936.15	01	06	1	
	P	2/1/2001	-273.06	-2.21	2933.94	01	06	1	
	P	2/15/2002	-275.57	-2.51	2931.43	01	06	1	
	P	3/6/2003	-273.99	1.58	2933.01	01	06	1	
	P	2/17/2004	-275.79	-1.8	2931.21	01	06	1	
	P	2/22/2005	-274.68	1.11	2932.32	01	06	1	
	P	2/15/2006	-275.05	-0.37	2931.95	01	06	1	
	P	2/12/2007	-275.4	-0.35	2931.6	01	06	1	
	P	2/4/2008	-275.65	-0.25	2931.35	01	06	1	
	P	2/9/2009	-276.22	-0.57	2930.78	01	06	1	
	P	1/19/2010	-279.39	-3.17	2927.61	01	06	1	
	P	1/19/2011	-278.71	0.68	2928.29	01	06	1	
	P	1/17/2012	-283.62	-4.91	2923.38	01	06	1	

Min *-283.62* **Max** *-214.92* **Avg** *-256.322*

2305205 *(Aquifer: 121OGLL Well Depth: 416)*

	P	3/28/2000	-263.79		2933.21	01	01	1	04

Min *-263.79* **Max** *-263.79* **Avg** *-263.79*

2305206 *(Aquifer: 121OGLL Well Depth: 415)*

	P	3/28/2000	-259.63		2934.37	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	5 / 20/ 2004				01	01		41

Min *-259.63* **Max** *-259.63* **Avg** *-259.63*

2305301 *(Aquifer: 121OGLL Well Depth: 331)*

P	10 / 23/ 1945	-90.29		3110.71	01	12	7	01
P	3 / 17/ 1947	-90.03	0.26	3110.97	01	12	7	01
P	3 / 9 / 1948	-91.89	-1.86	3109.11	01	12	7	01
P	3 / 9 / 1949	-95.15	-3.26	3105.85	01	12	7	01
P	1 / 18/ 1951	-101.67	-6.52	3099.33	01	12	7	01
P	1 / 14/ 1952	-102.55	-0.88	3098.45	01	12	7	01
P	1 / 10/ 1953	-110	-7.45	3091	01	12	7	01
P	1 / 7 / 1954	-114.26	-4.26	3086.74	01	12	7	01
P	1 / 6 / 1955	-127.04	-12.8	3073.96	01	12	7	01
P	1 / 6 / 1956	-130.21	-3.17	3070.79	01	12	7	01
P	1 / 13/ 1958	-138.92	-8.71	3062.08	01	12	7	01
P	1 / 6 / 1959	-142.68	-3.76	3058.32	01	12	7	01
P	1 / 28/ 1960	-150.79	-8.11	3050.21	01	12	7	01
P	1 / 26/ 1961	-149.65	1.14	3051.35	01	04	1	
P	1 / 17/ 1962	-153.44	-3.79	3047.56	01	01	1	
P	1 / 21/ 1963	-157.7	-4.26	3043.3	01	06	1	
P	1 / 13/ 1964	-164.86	-7.16	3036.14	01	06	1	
P	2 / 16/ 1965	-175.12	-10.3	3025.88	01	06	1	
P	1 / 27/ 1966	-177.04	-1.92	3023.96	01	06	1	
P	1 / 10/ 1967	-182.18	-5.14	3018.82	01	01	1	
P	1 / 7 / 1968	-190.98	-8.8	3010.02	01	01	1	
P	1 / 6 / 1969	-186.85	4.13	3014.15	01	06	1	
P	1 / 15/ 1970	-190.19	-3.34	3010.81	01	01	1	
P	1 / 11/ 1971	-189.44	0.75	3011.56	01	01	1	
P	1 / 2 / 1972	-194.33	-4.89	3006.67	01	06	1	
P	1 / 3 / 1973	-191.27	3.06	3009.73	01	06	1	20
P	1 / 16/ 1974	-193.54	-2.27	3007.46	01	06	1	03
P	1 / 13/ 1975	-195.8	-2.26	3005.2	01	06	1	
P	1 / 12/ 1976	-198.72	-2.92	3002.28	01	06	1	
P	1 / 5 / 1977	-197.04	1.68	3003.96	01	06	1	
P	1 / 6 / 1978	-205.17	-8.13	2995.83	01	06	1	20
P	1 / 9 / 1979	-199.48	5.69	3001.52	01	06	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1980	-205.73	-6.25	2995.27	01	06	1	
	P	1/13/1981	-215.3	-9.57	2985.7	01	06	1	20
	P	1/ 8/1982	-212.61	2.69	2988.39	01	06	2	
	P	2/14/1983	-216.35	-3.74	2984.65	01	06	1	
	P	2/29/1984	-218.66	-2.31	2982.34	01	06	2	
	P	1/16/1985	-220.19	-1.53	2980.81	01	06	1	
	P	2/19/1986	-246.8	-26.6	2954.2	01	06	2	22
	P	1/14/1987	-249.32	-2.52	2951.68	01	06	2	
	P	2/ 2/1988	-250.48	-1.16	2950.52	01	06	2	
	P	1/26/1989	-251.34	-0.86	2949.66	01	06	1	
	P	1/17/1990	-255.2	-3.86	2945.8	01	06	1	
	P	2/ 8/1991	-256.61	-1.41	2944.39	01	06	1	
	P	2/18/1992	-257.78	-1.17	2943.22	01	06	1	
	P	2/ 8/1993	-256.62	1.16	2944.38	01	06	1	
	P	1/26/1994	-262.85	-6.23	2938.15	01	06	1	
	P	2/ 3/1995	-269.51	-6.66	2931.49	01	06	1	
	P	1/29/1996	-268.97	0.54	2932.03	01	06	2	
	P	2/24/1997	-268.73	0.24	2932.27	01	06	1	
	P	1/14/1998	-269.97	-1.24	2931.03	01	06	1	
	P	2/ 8/1999	-273	-3.03	2928	01	06	1	
	P	2/18/2000	-274.37	-1.37	2926.63	01	06	1	
	N	3/ 2/2001				01	06		51
	N	3/18/2002				01	06		41
	P	3/ 6/2003	-274.63		2926.37	01	06	1	
	P	2/ 9/2004	-275.65	-1.02	2925.35	01	06	1	
	P	2/22/2005	-274.91	0.74	2926.09	01	06	1	
	P	2/15/2006	-276.15	-1.24	2924.85	01	06	1	
	P	2/12/2007	-276.06	0.09	2924.94	01	06	1	
	P	2/ 4/2008	-277.45	-1.39	2923.55	01	06	1	
	P	2/ 9/2009	-277.91	-0.46	2923.09	01	06	1	
	P	1/19/2010	-277.36	0.55	2923.64	01	06	1	
	P	1/19/2011	-277.69	-0.33	2923.31	01	06	1	
	P	12/ 9/2011	-279.63	-1.94	2921.37	01	06	1	

Min *-279.63* **Max** *-90.03* **Avg** *-205.494*

2305501 *(Aquifer: 121OGLL Well Depth: 358)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 18/ 1962	-171.78		3030.22	01	01	1	
	P	1/ 21/ 1963	-176.86	-5.08	3025.14	01	06	1	
	P	1/ 13/ 1964	-185.03	-8.17	3016.97	01	06	1	
	P	2/ 16/ 1965	-193.68	-8.65	3008.32	01	06	1	
	N	1/ 19/ 1966				01	06		41
	P	1/ 10/ 1967	-198.5		3003.5	01	01	1	
	P	1/ 8/ 1968	-206.94	-8.44	2995.06	01	01	1	
	P	1/ 6/ 1969	-200.86	6.08	3001.14	01	06	1	
	P	1/ 19/ 1970	-201.9	-1.04	3000.1	01	01	1	
	P	1/ 10/ 1971	-205.36	-3.46	2996.64	01	01	1	
	P	1/ 2/ 1972	-208.12	-2.76	2993.88	01	06	1	
	P	1/ 3/ 1973	-209.18	-1.06	2992.82	01	06	1	
	P	1/ 14/ 1974	-212.22	-3.04	2989.78	01	06	1	
	P	1/ 3/ 1975	-213.76	-1.54	2988.24	01	06	1	
	P	1/ 12/ 1976	-215.29	-1.53	2986.71	01	06	1	
	P	1/ 8/ 1977	-218.79	-3.5	2983.21	01	06	1	
	P	1/ 6/ 1978	-221.56	-2.77	2980.44	01	06	1	25
	N	1/ 12/ 1979				01	06	1	44

Min *-221.56* **Max** *-171.78* **Avg** *-202.489*

2305502 *(Aquifer: 121OGLL Well Depth: 425)*

	P	11/ 1/ 1979	-234.58		2967.42	01	07	7	
	P	1/ 4/ 1980	-228.7	5.88	2973.3	01	06	1	
	P	1/ 13/ 1981	-239.41	-10.7	2962.59	01	06	1	
	P	1/ 7/ 1982	-239.69	-0.28	2962.31	01	06	1	
	P	2/ 14/ 1983	-241.53	-1.84	2960.47	01	06	1	
	P	1/ 27/ 1984	-242.62	-1.09	2959.38	01	06	1	
	P	1/ 16/ 1985	-245.82	-3.2	2956.18	01	06	1	04
	P	2/ 19/ 1986	-246.4	-0.58	2955.6	01	06	1	
	P	1/ 14/ 1987	-245.67	0.73	2956.33	01	06	1	
	P	2/ 4/ 1988	-246.59	-0.92	2955.41	01	06	1	
	P	1/ 26/ 1989	-252.43	-5.84	2949.57	01	06	2	
	P	1/ 17/ 1990	-259.51	-7.08	2942.49	01	06	2	
	P	2/ 8/ 1991	-262.52	-3.01	2939.48	01	06	2	
	P	2/ 18/ 1992	-264.52	-2	2937.48	01	06	1	
	P	2/ 9/ 1993	-264.05	0.47	2937.95	01	06	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 1994	-267.35	-3.3	2934.65	01	06	2	
	P	2 / 2 / 1995	-270.99	-3.64	2931.01	01	06	2	
	P	1 / 29/ 1996	-272.44	-1.45	2929.56	01	06	2	
	P	3 / 10/ 1997	-274.09	-1.65	2927.91	01	06	1	
	P	1 / 16/ 1998	-274.12	-0.03	2927.88	01	06	1	
	P	2 / 26/ 1999	-278	-3.88	2924	01	06	1	
	P	2 / 18/ 2000	-278.86	-0.86	2923.14	01	06	2	
	P	2 / 6 / 2001	-280.52	-1.66	2921.48	02	06	1	
	P	2 / 20/ 2002	-281.19	-0.67	2920.81	02	06	1	
	P	3 / 6 / 2003	-282.78	-1.59	2919.22	02	06	1	
	P	2 / 17/ 2004	-284.26	-1.48	2917.74	01	06	2	
	P	2 / 22/ 2005	-284.38	-0.12	2917.62	02	06	2	
	P	2 / 27/ 2006	-284.23	0.15	2917.77	01	06	1	
	P	2 / 12/ 2007	-285.74	-1.51	2916.26	01	06	1	
	P	2 / 19/ 2008	-290.05	-4.31	2911.95	01	06	1	
	N	2 / 9 / 2009				01	06	1	47
	N	1 / 20/ 2010				01	06	1	47

Min *-290.05* **Max** *-228.7* **Avg** *-263.435*

2305503 *(Aquifer: 121OGLL Well Depth: 376)*

	P	1 / 20/ 2010	-293.14		2906.86	01	06	1	
	P	3 / 10/ 2010	-293.69	-0.55	2906.31	01	06	1	
	P	1 / 19/ 2011	-290.71	2.98	2909.29	01	06	1	
	P	2 / 2 / 2012	-293.57	-2.86	2906.43	01	06	1	

Min *-293.69* **Max** *-290.71* **Avg** *-292.778*

2305601 *(Aquifer: 121OGLL Well Depth: 394)*

	P	11 / 1 / 1979	-198.12		2981.88	01	06	1	

Min *-198.12* **Max** *-198.12* **Avg** *-198.12*

2305602 *(Aquifer: 121OGLL Well Depth: 365)*

	P	3 / 17/ 1947	-108.83		3074.17	01	12	7	01
	P	3 / 9 / 1948	-110.15	-1.32	3072.85	01	12	7	01
	P	3 / 9 / 1949	-113.73	-3.58	3069.27	01	12	7	01
	P	2 / 18/ 1950	-134.73	-21	3048.27	01	12	7	01
	P	1 / 18/ 1951	-120.46	14.27	3062.54	01	12	7	01
	P	1 / 14/ 1952	-120.7	-0.24	3062.3	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1953	-126.76	-6.06	3056.24	01	12	7	01
	P	1/ 6/ 1954	-133.8	-7.04	3049.2	01	12	7	01
	P	1/ 6/ 1955	-143.37	-9.57	3039.63	01	12	7	01
	P	1/ 6/ 1956	-152.69	-9.32	3030.31	01	12	7	01
	P	1/ 13/ 1958	-158.38	-5.69	3024.62	01	12	7	01
	P	1/ 5/ 1959	-163.13	-4.75	3019.87	01	12	7	01
	P	1/ 28/ 1960	-168.93	-5.8	3014.07	01	12	7	01
	P	1/ 26/ 1961	-173	-4.07	3010	01	04	7	
	P	1/ 16/ 1962	-161.47	11.53	3021.53	01	01	1	
	P	1/ 21/ 1963	-175.34	-13.9	3007.66	01	06	1	
	P	1/ 13/ 1964	-181.91	-6.57	3001.09	01	06	1	
	P	1/ 16/ 1965	-193.21	-11.3	2989.79	01	06	1	
	P	1/ 27/ 1966	-196.03	-2.82	2986.97	01	06	1	
	P	1/ 10/ 1967	-200.59	-4.56	2982.41	01	01	1	
	P	1/ 7/ 1968	-207.39	-6.8	2975.61	01	01	1	
	P	1/ 6/ 1969	-203.73	3.66	2979.27	01	06	1	
	P	1/ 15/ 1970	-211	-7.27	2972	01	06	1	
	P	1/ 11/ 1971	-225.65	-14.7	2957.35	01	01	1	
	P	1/ 2/ 1972	-234.06	-8.41	2948.94	01	06	1	
	P	1/ 17/ 1973	-232.48	1.58	2950.52	01	06	1	
	P	1/ 16/ 1974	-237.86	-5.38	2945.14	01	06	1	
	P	1/ 13/ 1975	-243.06	-5.2	2939.94	01	06	1	
	P	1/ 12/ 1976	-246.22	-3.16	2936.78	01	06	1	20
	P	1/ 8/ 1977	-248.67	-2.45	2934.33	01	06	1	20
	P	1/ 3/ 1978	-245.4	3.27	2937.6	01	06	1	
	P	1/ 12/ 1979	-249.16	-3.76	2933.84	01	06	1	
	P	1/ 9/ 1980	-250.01	-0.85	2932.99	01	06	1	20
	P	1/ 29/ 1981	-264.62	-14.6	2918.38	01	06	1	04
	P	1/ 8/ 1982	-265.47	-0.85	2917.53	01	06	1	
	P	2/ 14/ 1983	-267.33	-1.86	2915.67	01	06	1	
	P	1/ 27/ 1984	-267.45	-0.12	2915.55	01	06	1	
	P	1/ 16/ 1985	-266.63	0.82	2916.37	01	06	1	
	P	1/ 22/ 1986	-264.59	2.04	2918.41	01	06	1	
	P	1/ 14/ 1987	-262.38	2.21	2920.62	01	06	1	
	P	2/ 4/ 1988	-261.01	1.37	2921.99	01	06	1	
	P	1/ 30/ 1989	-261.32	-0.31	2921.68	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1990	-262.73	-1.41	2920.27	01	06	1	
	P	2/ 8/ 1991	-264.88	-2.15	2918.12	01	06	1	
	P	2/ 18/ 1992	-267.21	-2.33	2915.79	01	06	1	
	P	2/ 5/ 1993	-267.68	-0.47	2915.32	01	06	1	
	P	1/ 26/ 1994	-270.17	-2.49	2912.83	01	06	1	
	P	2/ 2/ 1995	-275.97	-5.8	2907.03	01	06	1	
	P	1/ 29/ 1996	-277.48	-1.51	2905.52	01	06	1	
	P	3/ 10/ 1997	-282.77	-5.29	2900.23	01	06	1	
	P	1/ 16/ 1998	-282.69	0.08	2900.31	01	06	1	
	P	2/ 8/ 1999	-282	0.69	2901	01	06	1	
	P	2/ 18/ 2000	-283.72	-1.72	2899.28	01	06	1	
	P	2/ 6/ 2001	-285.64	-1.92	2897.36	01	06	1	
	P	2/ 20/ 2002	-285.51	0.13	2897.49	01	06	1	
	P	2/ 28/ 2003	-286.2	-0.69	2896.8	01	06	1	
	P	2/ 17/ 2004	-287.09	-0.89	2895.91	01	06	1	
	P	2/ 22/ 2005	-286.04	1.05	2896.96	01	06	1	
	P	2/ 15/ 2006	-286.55	-0.51	2896.45	01	06	1	
	P	2/ 12/ 2007	-288.31	-1.76	2894.69	01	06	1	
	P	3/ 4/ 2008	-287.17	1.14	2895.83	01	06	1	
	P	2/ 9/ 2009	-287.31	-0.14	2895.69	01	06	1	
	P	1/ 20/ 2010	-290.4	-3.09	2892.6	01	06	1	
	P	1/ 19/ 2011	-291.42	-1.02	2891.58	01	06	1	
	P	1/ 17/ 2012	-295.49	-4.07	2887.51	01	06	1	

Min *-295.49* **Max** *-108.83* **Avg** *-229.648*

2305603 *(Aquifer: 121OGLL Well Depth: 379)*

	P	1/ 14/ 1980	-256.26		2930.74	01	01	1	
	P	1/ 13/ 1981	-262.2	-5.94	2924.8	01	06	1	
	P	1/ 8/ 1982	-263.05	-0.85	2923.95	01	06	1	
	P	2/ 14/ 1983	-263.97	-0.92	2923.03	01	06	1	
	P	1/ 27/ 1984	-265.41	-1.44	2921.59	01	06	1	
	P	1/ 16/ 1985	-266.12	-0.71	2920.88	01	06	1	
	P	1/ 22/ 1986	-266.48	-0.36	2920.52	01	06	1	
	P	1/ 14/ 1987	-265.45	1.03	2921.55	01	06	1	
	P	2/ 3/ 1988	-265.8	-0.35	2921.2	01	06	1	
	P	1/ 26/ 1989	-266.64	-0.84	2920.36	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1990	-267.49	-0.85	2919.51	01	06	1	
	P	2/ 8/ 1991	-269.72	-2.23	2917.28	01	06	1	
	P	2/ 18/ 1992	-271.01	-1.29	2915.99	01	06	1	
	P	2/ 5/ 1993	-271.99	-0.98	2915.01	01	06	1	
	P	1/ 26/ 1994	-274.04	-2.05	2912.96	01	06	1	
	P	2/ 2/ 1995	-278.3	-4.26	2908.7	01	06	1	
	P	1/ 26/ 1996	-277.72	0.58	2909.28	01	06	1	
	P	2/ 24/ 1997	-280.03	-2.31	2906.97	01	06	1	
	P	1/ 16/ 1998	-278.99	1.04	2908.01	01	06	1	
	P	2/ 26/ 1999	-282	-3.01	2905	01	06	1	
	P	2/ 18/ 2000	-287.37	-5.37	2899.63	01	06	2	
	P	1/ 11/ 2001	-289.25	-1.88	2897.75	02	06	1	
	P	2/ 20/ 2002	-287.57	1.68	2899.43	02	06	1	
	P	3/ 6/ 2003	-288.58	-1.01	2898.42	02	06	1	
	P	2/ 17/ 2004	-291.23	-2.65	2895.77	01	06	2	
	P	2/ 22/ 2005	-288.87	2.36	2898.13	02	06	2	
	P	2/ 15/ 2006	-290.1	-1.23	2896.9	01	06	1	
	P	2/ 12/ 2007	-291.3	-1.2	2895.7	01	06	1	
	P	2/ 20/ 2008	-282.33	8.97	2904.67	01	06	1	
	N	2/ 9/ 2009				01	06	1	47
	N	1/ 20/ 2010				01	06	1	47
	N	1/ 19/ 2011				01	06	1	47
	N	12/ 7/ 2011				01	06	1	47

Min *-291.3* **Max** *-256.26* **Avg** *-275.492*

2305701 *(Aquifer: 121OGLL Well Depth: 440)*

	P	11/ 1/ 1979	-230.1		2977.9	01	07	7	
	P	1/ 4/ 1980	-214.59	15.51	2993.41	01	06	1	
	P	1/ 13/ 1981	-220.78	-6.19	2987.22	01	06	1	
	P	1/ 7/ 1982	-221.85	-1.07	2986.15	01	06	1	
	P	2/ 14/ 1983	-222.67	-0.82	2985.33	01	06	1	
	P	1/ 27/ 1984	-224.92	-2.25	2983.08	01	06	1	
	P	1/ 16/ 1985	-226.39	-1.47	2981.61	01	06	1	
	P	1/ 27/ 1986	-225.98	0.41	2982.02	01	06	1	
	P	1/ 27/ 1987	-225.63	0.35	2982.37	01	06	1	
	P	2/ 3/ 1988	-225.35	0.28	2982.65	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 27/ 1989	-229.26	-3.91	2978.74	01	06	1	
	P	1/ 15/ 1990	-234.14	-4.88	2973.86	01	06	1	
	P	2/ 11/ 1991	-233.09	1.05	2974.91	01	06	1	
	P	2/ 19/ 1992	-235.57	-2.48	2972.43	01	06	1	
	P	2/ 8/ 1993	-235.68	-0.11	2972.32	01	06	1	
	P	1/ 27/ 1994	-241.42	-5.74	2966.58	01	06	1	
	P	2/ 2/ 1995	-249.07	-7.65	2958.93	01	06	1	
	P	1/ 29/ 1996	-252.35	-3.28	2955.65	01	06	1	
	P	2/ 24/ 1997	-256.58	-4.23	2951.42	01	06	1	
	P	1/ 16/ 1998	-257.51	-0.93	2950.49	01	06	1	
	P	2/ 26/ 1999	-268	-10.5	2940	01	06	1	
	N	3/ 20/ 2000				01	06		41
	P	2/ 7/ 2001	-274.05		2933.95	01	06	1	
	P	2/ 21/ 2002	-276.32	-2.27	2931.68	01	06	1	
	N	4/ 2/ 2003				01	06		41
	P	2/ 18/ 2004	-285.58		2922.42	01	06	1	
	P	2/ 22/ 2005	-272.77	12.81	2935.23	01	06	1	
	P	2/ 15/ 2006	-280.71	-7.94	2927.29	01	06	1	
	P	2/ 12/ 2007	-283.68	-2.97	2924.32	01	06	1	
	P	3/ 4/ 2008	-282.71	0.97	2925.29	01	06	1	
	P	2/ 9/ 2009	-283.48	-0.77	2924.52	01	06	1	
	P	1/ 20/ 2010	-287.59	-4.11	2920.41	01	06	1	
	P	1/ 19/ 2011	-285.68	1.91	2922.32	01	06	1	
	P	2/ 14/ 2012	-294.56	-8.88	2913.44	01	06	1	

Min *-294.56* **Max** *-214.59* **Avg** *-251.189*

2305801 *(Aquifer: 121OGLL Well Depth:)*

	P	0/ 0/ 1959	-172.7		3017.3	01	12	7	01
	P	2/ 10/ 1960	-173.85	-1.15	3016.15	01	12	7	01
	P	1/ 21/ 1961	-180.78	-6.93	3009.22	01	12	7	01
	P	1/ 16/ 1962	-183.1	-2.32	3006.9	01	01	2	
	N	1/ 21/ 1963				01	06	1	47
	N	1/ 13/ 1964				01	06	1	47
	P	2/ 16/ 1965	-202.93		2987.07	01	06	1	
	N	1/ 19/ 1966				01	06	1	47
	P	1/ 10/ 1967	-210.2		2979.8	01	01	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1968	-195.38	14.82	2994.62	01	01	1	20
	N	1/ 7/1969				01	06	1	47
	N	1/19/1970				01	01	1	47

Min *-210.2* **Max** *-172.7* **Avg** *-188.42*

2305802 *(Aquifer: 121OGLL Well Depth: 450)*

	P	5/ 7/1970	-222.6		2963.4	01	06	1	
	P	1/10/1971	-221.02	1.58	2964.98	01	01	1	
	P	1/ 2/1972	-221.82	-0.8	2964.18	01	06	1	
	P	1/18/1973	-215.34	6.48	2970.66	01	06	1	
	P	1/11/1974	-217.28	-1.94	2968.72	01	06	1	
	P	1/ 7/1975	-220.06	-2.78	2965.94	01	06	1	
	P	1/12/1976	-221.89	-1.83	2964.11	01	06	1	
	P	1/ 8/1977	-225.59	-3.7	2960.41	01	06	1	
	P	1/ 3/1978	-229.05	-3.46	2956.95	01	06	1	
	P	1/ 9/1979	-233.24	-4.19	2952.76	01	06	1	
	P	1/ 7/1980	-231.61	1.63	2954.39	01	06	1	
	P	1/13/1981	-240.44	-8.83	2945.56	01	06	1	
	P	1/ 8/1982	-238.84	1.6	2947.16	01	06	1	
	P	2/14/1983	-244.98	-6.14	2941.02	01	06	1	
	P	1/27/1984	-240.68	4.3	2945.32	01	06	1	
	P	1/17/1985	-241.73	-1.05	2944.27	01	06	1	
	P	1/22/1986	-242.55	-0.82	2943.45	01	06	1	
	P	1/27/1987	-242.81	-0.26	2943.19	01	06	1	
	P	2/ 3/1988	-240.34	2.47	2945.66	01	06	1	
	N	1/30/1989				01	06		42
	N	1/15/1990				01	06		42

Min *-244.98* **Max** *-215.34* **Avg** *-231.151*

2305803 *(Aquifer: 121OGLL Well Depth: 426)*

	P	2/10/1989	-244.63		2938.37	01	06	1	
	P	1/15/1990	-249.12	-4.49	2933.88	01	06	1	
	P	2/ 8/1991	-251.19	-2.07	2931.81	01	06	1	
	P	2/19/1992	-252.91	-1.72	2930.09	01	06	1	
	P	2/ 5/1993	-254.4	-1.49	2928.6	01	06	1	
	P	1/27/1994	-262.51	-8.11	2920.49	01	06	1	
	P	2/ 2/1995	-270.12	-7.61	2912.88	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 22/ 1996	-272.08	-1.96	2910.92	01	06	1	
	P	2 / 24/ 1997	-275.76	-3.68	2907.24	01	06	1	
	P	1 / 16/ 1998	-276.08	-0.32	2906.92	01	06	1	
	N	2 / 26/ 1999				01	06		42
	N	2 / 14/ 2000				01	06		42
	P	1 / 11/ 2001	-286.33		2896.67	01	06	1	
	P	2 / 21/ 2002	-286.94	-0.61	2896.06	01	06	1	
	P	3 / 6 / 2003	-288.66	-1.72	2894.34	01	06	1	
	P	2 / 18/ 2004	-290.11	-1.45	2892.89	01	06	1	
	P	2 / 22/ 2005	-288.13	1.98	2894.87	01	06	1	
	P	2 / 14/ 2006	-287.9	0.23	2895.1	01	06	1	
	P	2 / 12/ 2007	-290.11	-2.21	2892.89	01	06	1	
	P	2 / 4 / 2008	-289.54	0.57	2893.46	01	06	1	
	P	2 / 9 / 2009	-290.23	-0.69	2892.77	01	06	1	
	P	1 / 20/ 2010	-293.58	-3.35	2889.42	01	06	1	
	P	1 / 21/ 2011	-294.4	-0.82	2888.6	01	06	1	
	P	1 / 17/ 2012	-300.77	-6.37	2882.23	01	06	1	

Min *-300.77* **Max** *-244.63* **Avg** *-277.068*

2306101 *(Aquifer: 121OGLL Well Depth: 232)*

	P	1 / 22/ 1958	-142.99		3034.01	01	12	7	01
	P	1 / 5 / 1959	-147.01	-4.02	3029.99	01	12	7	01
	P	1 / 28/ 1960	-146.14	0.87	3030.86	01	12	7	01
	P	1 / 26/ 1961	-148	-1.86	3029	01	04	1	
	P	1 / 17/ 1962	-148.24	-0.24	3028.76	01	01	1	
	P	1 / 28/ 1963	-151.15	-2.91	3025.85	01	06	1	
	P	1 / 25/ 1964	-152.96	-1.81	3024.04	01	06	1	
	P	2 / 17/ 1965	-155.41	-2.45	3021.59	01	06	1	
	P	2 / 1 / 1966	-158.48	-3.07	3018.52	01	06	1	
	P	1 / 10/ 1967	-162.13	-3.65	3014.87	01	01	1	
	P	1 / 4 / 1968	-165.98	-3.85	3011.02	01	01	1	
	P	1 / 6 / 1969	-167.37	-1.39	3009.63	01	06	1	
	P	1 / 15/ 1970	-168.47	-1.1	3008.53	01	06	1	
	P	1 / 11/ 1971	-169.88	-1.41	3007.12	01	01	1	
	P	1 / 2 / 1972	-170.89	-1.01	3006.11	01	06	1	
	P	1 / 3 / 1973	-172.07	-1.18	3004.93	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1974	-173.26	-1.19	3003.74	01	06	1	
	P	1 / 13/ 1975	-174.2	-0.94	3002.8	01	06	1	
	P	1 / 15/ 1976	-174.36	-0.16	3002.64	01	06	1	
	P	1 / 5 / 1977	-175.62	-1.26	3001.38	01	06	1	
	N	1 / 9 / 1978				01	06		41
	P	2 / 8 / 1979	-177		3000	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-177* **Max** *-142.99* **Avg** *-161.981*

2306102 *(Aquifer: 121OGLL Well Depth: 134)*

	P	6 / 8 / 1937	-122.12		3058.88	01	12	7	01
	P	7 / 27/ 1937	-122.18	-0.06	3058.82	01	12	7	01
	P	9 / 6 / 1937	-122.07	0.11	3058.93	01	12	7	01
	P	1 / 24/ 1938	-122.21	-0.14	3058.79	01	12	7	01
	P	4 / 18/ 1938	-122.23	-0.02	3058.77	01	12	7	01
	P	6 / 26/ 1938	-122.22	0.01	3058.78	01	12	7	01
	P	1 / 26/ 1939	-122.25	-0.03	3058.75	01	12	7	01
	P	12 / 17/ 1939	-122.57	-0.32	3058.43	01	12	7	01
	P	3 / 22/ 1940	-122.37	0.2	3058.63	01	12	7	01
	P	11 / 27/ 1940	-122.83	-0.46	3058.17	01	12	7	01
	P	3 / 12/ 1941	-122.7	0.13	3058.3	01	12	7	01
	P	3 / 11/ 1942	-121.95	0.75	3059.05	01	12	7	01
	P	7 / 24/ 1942	-122.48	-0.53	3058.52	01	12	7	01
	P	10 / 22/ 1942	-122.75	-0.27	3058.25	01	12	7	01
	P	1 / 29/ 1943	-122.28	0.47	3058.72	01	12	7	01
	P	2 / 15/ 1944	-122.5	-0.22	3058.5	01	12	7	01

Min *-122.83* **Max** *-121.95* **Avg** *-122.357*

2306103 *(Aquifer: 121OGLL Well Depth: 212)*

	P	1 / 0 / 1935	-136		3050	01	02	7	

Min *-136* **Max** *-136* **Avg** *-136*

2306107 *(Aquifer: 121OGLL Well Depth: 320)*

	P	4 / 6 / 1971	-240		2938	01	07	7	

Min *-240* **Max** *-240* **Avg** *-240*

2306108 *(Aquifer: 121OGLL Well Depth: 320)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 6 / 1971	-262		2915	01	07	7	
	P	5 / 17/ 1988	-258.3	3.7	2918.7	01	01	1	

Min *-262* **Max** *-258.3* **Avg** *-260.15*

2306109 *(Aquifer: 121OGLL Well Depth: 306)*

	P	6 / 18/ 1962	-202		2970	01	07	7	
	P	4 / 6 / 1971	-258	-56	2914	01	08	7	
	P	5 / 17/ 1988	-291.2	-33.2	2880.8	01	01	1	
	N	5 / 18/ 2004				01	01		42

Min *-291.2* **Max** *-202* **Avg** *-250.4*

2306110 *(Aquifer: 121OGLL Well Depth: 304)*

	P	4 / 6 / 1971	-253		2914	01	07	7	

Min *-253* **Max** *-253* **Avg** *-253*

2306111 *(Aquifer: 121OGLL Well Depth: 317)*

	P	4 / 6 / 1971	-243		2921	01	07	7	
	P	5 / 17/ 1988	-244.1	-1.1	2919.9	01	01	1	

Min *-244.1* **Max** *-243* **Avg** *-243.55*

2306112 *(Aquifer: 121OGLL Well Depth: 330)*

	P	3 / 10/ 1966	-200		2962	01	07	7	
	P	4 / 6 / 1971	-255	-55	2907	01	01	7	
	P	5 / 17/ 1988	-253.4	1.6	2908.6	01	01	1	

Min *-255* **Max** *-200* **Avg** *-236.133*

2306113 *(Aquifer: 121OGLL Well Depth: 210)*

	P	2 / 18/ 1988	-136.7		3048.3	01	06	1	
	P	1 / 24/ 1989	-137.5	-0.8	3047.5	01	06	1	
	P	2 / 8 / 1990	-137.14	0.36	3047.86	01	06	1	
	P	2 / 13/ 1991	-136.88	0.26	3048.12	01	06	1	
	P	2 / 14/ 1992	-137.45	-0.57	3047.55	01	06	1	
	P	2 / 5 / 1993	-137.8	-0.35	3047.2	01	06	1	
	P	1 / 26/ 1994	-137.75	0.05	3047.25	01	06	1	
	P	2 / 2 / 1995	-138.08	-0.33	3046.92	01	06	1	
	P	1 / 30/ 1996	-138.84	-0.76	3046.16	01	06	1	
	P	2 / 27/ 1997	-138.89	-0.05	3046.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1998	-140.09	-1.2	3044.91	01	06	1	
	P	2 / 8 / 1999	-139	1.09	3046	01	06	1	
	P	2 / 14/ 2000	-139.49	-0.49	3045.51	01	06	1	
	P	1 / 5 / 2001	-139.52	-0.03	3045.48	01	06	1	
	P	2 / 12/ 2002	-139.8	-0.28	3045.2	01	06	1	
	P	2 / 28/ 2003	-139.95	-0.15	3045.05	01	06	1	
	P	2 / 9 / 2004	-140.3	-0.35	3044.7	01	06	1	
	P	2 / 22/ 2005	-140.55	-0.25	3044.45	01	06	1	
	P	2 / 10/ 2006	-140.93	-0.38	3044.07	01	06	1	
	P	2 / 12/ 2007	-140.7	0.23	3044.3	01	06	1	
	P	2 / 14/ 2008	-140.69	0.01	3044.31	01	06	1	
	P	2 / 11/ 2009	-140.87	-0.18	3044.13	01	06	1	
	P	1 / 19/ 2010	-140.43	0.44	3044.57	01	06	1	
	P	1 / 19/ 2011	-139.23	1.2	3045.77	01	06	1	
	P	12 / 8 / 2011	-138.25	0.98	3046.75	01	06	1	

Min *-140.93* **Max** *-136.7* **Avg** *-139.073*

2306202 *(Aquifer: 121OGLL Well Depth: 160)*

	P	1 / 0 / 1938	-110		3068	01	02	7	

Min *-110* **Max** *-110* **Avg** *-110*

2306301 *(Aquifer: 121OGLL Well Depth: 310)*

	P	11 / 9 / 1937	-149.93		3013.07	01	12	7	01
	P	1 / 26/ 1939	-148.34	1.59	3014.66	01	12	7	01
	P	11 / 27/ 1940	-148.4	-0.06	3014.6	01	12	7	01
	P	3 / 12/ 1941	-148.43	-0.03	3014.57	01	12	7	01
	P	3 / 11/ 1942	-148.17	0.26	3014.83	01	12	7	01
	P	7 / 24/ 1942	-148.21	-0.04	3014.79	01	12	7	01
	P	10 / 22/ 1942	-147.98	0.23	3015.02	01	12	7	01
	P	1 / 29/ 1943	-148.08	-0.1	3014.92	01	12	7	01
	P	7 / 20/ 1943	-148.08		3014.92	01	12	7	01
	P	2 / 15/ 1945	-147.73	0.35	3015.27	01	12	7	01
	P	2 / 17/ 1946	-147.57	0.16	3015.43	01	12	7	01
	P	3 / 17/ 1947	-147.49	0.08	3015.51	01	12	7	01
	P	3 / 9 / 1948	-147.2	0.29	3015.8	01	12	7	01
	P	3 / 9 / 1949	-150	-2.8	3013	01	12	7	01
	P	2 / 17/ 1950	-149.34	0.66	3013.66	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1951	-149.55	-0.21	3013.45	01	12	7	01
	P	1/ 14/ 1952	-149.7	-0.15	3013.3	01	12	7	01
	P	1/ 12/ 1953	-150.13	-0.43	3012.87	01	12	7	01
	P	1/ 6/ 1954	-154.2	-4.07	3008.8	01	12	7	01
	P	1/ 7/ 1955	-151.52	2.68	3011.48	01	12	7	01
	P	1/ 9/ 1956	-156.77	-5.25	3006.23	01	12	7	01
	P	1/ 9/ 1957	-165.89	-9.12	2997.11	01	12	7	01
	P	1/ 10/ 1958	-167.2	-1.31	2995.8	01	12	7	01
	P	1/ 5/ 1959	-152.97	14.23	3010.03	01	12	7	01
	P	1/ 28/ 1960	-152.58	0.39	3010.42	01	12	7	01
	P	1/ 20/ 1961	-154	-1.42	3009	01	04	1	
	P	1/ 17/ 1962	-155.41	-1.41	3007.59	01	01	1	
	P	1/ 28/ 1963	-155.19	0.22	3007.81	01	06	1	
	P	1/ 25/ 1964	-159.02	-3.83	3003.98	01	06	1	
	P	2/ 17/ 1965	-157.62	1.4	3005.38	01	06	1	
	P	2/ 1/ 1966	-162.17	-4.55	3000.83	01	06	1	
	P	1/ 9/ 1967	-161.07	1.1	3001.93	01	01	1	
	P	1/ 5/ 1968	-168.69	-7.62	2994.31	01	01	1	
	P	1/ 14/ 1969	-162.29	6.4	3000.71	01	06	1	
	P	1/ 15/ 1970	-161.68	0.61	3001.32	01	01	1	
	P	1/ 12/ 1971	-165.56	-3.88	2997.44	01	01	1	
	P	1/ 5/ 1972	-166.55	-0.99	2996.45	01	06	1	
	P	1/ 18/ 1973	-167.39	-0.84	2995.61	01	06	1	
	P	1/ 14/ 1974	-169.47	-2.08	2993.53	01	06	1	
	P	1/ 10/ 1975	-170.6	-1.13	2992.4	01	06	1	
	P	1/ 12/ 1976	-171.03	-0.43	2991.97	01	06	1	
	P	1/ 5/ 1977	-172.49	-1.46	2990.51	01	06	1	

Min *-172.49* **Max** *-147.2* **Avg** *-156.088*

2306302 *(Aquifer: 121OGLL Well Depth: 240)*

	P	2/ 3/ 1977	-191.63		2967.37	01	06	1
	P	1/ 3/ 1978	-193.85	-2.22	2965.15	01	06	1
	P	1/ 4/ 1979	-193.56	0.29	2965.44	01	06	1
	P	1/ 9/ 1980	-193.07	0.49	2965.93	01	06	1
	P	1/ 14/ 1981	-194.88	-1.81	2964.12	01	06	1
	P	1/ 14/ 1982	-194.18	0.7	2964.82	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 14/ 1983	-194.14	0.04	2964.86	01	06	1	
	P	1 / 26/ 1984	-194.56	-0.42	2964.44	01	06	1	
	P	1 / 24/ 1985	-194.99	-0.43	2964.01	01	06	1	
	P	1 / 29/ 1986	-194.5	0.49	2964.5	01	06	1	
	P	1 / 29/ 1987	-194.08	0.42	2964.92	01	06	1	
	P	2 / 4 / 1988	-193.48	0.6	2965.52	01	06	1	
	P	1 / 25/ 1989	-192.43	1.05	2966.57	01	06	1	
	N	1 / 15/ 1990				01	06		63

Min *-194.99* **Max** *-191.63* **Avg** *-193.796*

2306303 *(Aquifer: 121OGLL Well Depth: 264)*

	P	2 / 6 / 1990	-195.1		2955.9	01	06	1	
	P	2 / 8 / 1991	-190.48	4.62	2960.52	01	06	1	
	P	2 / 14/ 1992	-190.55	-0.07	2960.45	01	06	1	
	P	2 / 5 / 1993	-190.4	0.15	2960.6	01	06	1	
	P	1 / 26/ 1994	-192.52	-2.12	2958.48	01	06	1	
	P	2 / 3 / 1995	-191.54	0.98	2959.46	01	06	1	
	P	1 / 30/ 1996	-191.67	-0.13	2959.33	01	06	1	
	P	2 / 24/ 1997	-191.76	-0.09	2959.24	01	06	1	
	P	1 / 15/ 1998	-191.32	0.44	2959.68	01	06	1	
	P	2 / 10/ 1999	-192	-0.68	2959	01	06	1	
	P	2 / 14/ 2000	-191.86	0.14	2959.14	01	06	1	
	P	2 / 12/ 2001	-192.05	-0.19	2958.95	01	06	1	
	P	2 / 20/ 2002	-191.93	0.12	2959.07	01	06	1	
	P	2 / 28/ 2003	-192.13	-0.2	2958.87	01	06	1	
	P	2 / 9 / 2004	-192.37	-0.24	2958.63	01	06	1	
	P	2 / 16/ 2005	-191.68	0.69	2959.32	01	06	1	
	P	2 / 10/ 2006	-191.56	0.12	2959.44	01	06	1	
	P	2 / 12/ 2007	-190.88	0.68	2960.12	01	06	1	
	P	2 / 13/ 2008	-190.69	0.19	2960.31	01	06	1	
	P	2 / 11/ 2009	-191.67	-0.98	2959.33	01	06	1	
	P	1 / 19/ 2010	-190.8	0.87	2960.2	01	06	1	
	P	1 / 24/ 2011	-190.85	-0.05	2960.15	01	06	1	
	P	12 / 9 / 2011	-191.9	-1.05	2959.1	01	06	1	

Min *-195.1* **Max** *-190.4* **Avg** *-191.64*

2306405 *(Aquifer: 121OGLL Well Depth: 117)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 8 / 1937	-109.67		3066.33	01	12	7	01
	P	7 / 28/ 1937	-110.2	-0.53	3065.8	01	12	7	01
	P	1 / 24/ 1938	-109.55	0.65	3066.45	01	12	7	01
	P	12 / 17/ 1939	-110.72	-1.17	3065.28	01	12	7	01

Min *-110.72* **Max** *-109.55* **Avg** *-110.035*

2306406 *(Aquifer: 121OGLL Well Depth: 141)*

	P	6 / 12/ 1937	-130.92		3035.08	01	12	7	01
	P	7 / 28/ 1937	-131.01	-0.09	3034.99	01	12	7	01
	P	1 / 24/ 1938	-131.19	-0.18	3034.81	01	12	7	01
	P	4 / 18/ 1938	-130.85	0.34	3035.15	01	12	7	01
	P	6 / 26/ 1938	-131	-0.15	3035	01	12	7	01
	P	8 / 9 / 1938	-130.9	0.1	3035.1	01	12	7	01
	P	10 / 18/ 1938	-130.88	0.02	3035.12	01	12	7	01

Min *-131.19* **Max** *-130.85* **Avg** *-130.964*

2306501 *(Aquifer: 121OGLL Well Depth: 350)*

	P	11 / 9 / 1937	-146.5		2997.5	01	12	7	
	P	3 / 17/ 1947	-147.38	-0.88	2996.62	01	12	7	
	P	1 / 12/ 1953	-152.35	-4.97	2991.65	01	12	7	
	P	1 / 6 / 1954	-156.79	-4.44	2987.21	01	12	7	
	P	1 / 19/ 1956	-166.93	-10.1	2977.07	01	12	7	
	P	1 / 10/ 1958	-174.1	-7.17	2969.9	01	12	7	
	P	1 / 5 / 1959	-178.09	-3.99	2965.91	01	12	7	
	P	1 / 28/ 1960	-180.15	-2.06	2963.85	01	12	7	
	P	1 / 20/ 1961	-181.8	-1.65	2962.2	01	04	1	
	P	1 / 17/ 1962	-183.42	-1.62	2960.58	01	01	1	
	P	1 / 29/ 1963	-188.58	-5.16	2955.42	01	06	1	
	P	1 / 25/ 1964	-196.4	-7.82	2947.6	01	06	1	
	P	2 / 17/ 1965	-205.16	-8.76	2938.84	01	06	1	
	N	1 / 19/ 1966				01	06	1	47
	P	1 / 10/ 1967	-216.77		2927.23	01	01	1	
	P	1 / 4 / 1968	-222.83	-6.06	2921.17	01	01	1	
	P	1 / 7 / 1969	-220.88	1.95	2923.12	01	06	1	
	P	1 / 19/ 1970	-223.36	-2.48	2920.64	01	01	1	
	P	1 / 11/ 1971	-228.15	-4.79	2915.85	01	01	1	
	P	1 / 6 / 1972	-227.02	1.13	2916.98	01	06	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1973	-219.59	7.43	2924.41	01	06	1	
	N	1/ 14/ 1974				01	06	1	44
	P	1/ 7/ 1975	-248.6		2895.4	01	06	2	
	N	9/ 19/ 1975				01	06	1	47

Min *-248.6* **Max** *-146.5* **Avg** *-193.564*

2306502 *(Aquifer: 121OGLL Well Depth: 392)*

	P	8/ 5/ 1975	-261.1		2882.9	01	06	1	
	P	1/ 9/ 1976	-251.94	9.16	2892.06	01	06	1	
	P	1/ 8/ 1977	-255.69	-3.75	2888.31	01	06	1	
	P	1/ 3/ 1978	-257.88	-2.19	2886.12	01	06	1	
	P	1/ 16/ 1979	-261.56	-3.68	2882.44	01	06	1	
	P	1/ 7/ 1980	-258.43	3.13	2885.57	01	06	1	
	P	1/ 9/ 1981	-264.22	-5.79	2879.78	01	06	1	
	P	1/ 12/ 1982	-263.52	0.7	2880.48	01	06	1	
	P	2/ 14/ 1983	-264.46	-0.94	2879.54	01	06	1	
	P	1/ 26/ 1984	-265.1	-0.64	2878.9	01	06	1	
	P	1/ 24/ 1985	-265.58	-0.48	2878.42	01	06	1	
	P	1/ 27/ 1986	-266.28	-0.7	2877.72	01	06	1	
	P	1/ 29/ 1987	-262.4	3.88	2881.6	01	06	1	
	P	2/ 3/ 1988	-261.36	1.04	2882.64	01	06	1	
	P	1/ 26/ 1989	-263.05	-1.69	2880.95	01	06	1	
	P	1/ 17/ 1990	-264.09	-1.04	2879.91	01	06	1	
	P	2/ 7/ 1991	-266.59	-2.5	2877.41	01	06	1	
	P	2/ 14/ 1992	-266.34	0.25	2877.66	01	06	1	
	P	2/ 5/ 1993	-266.7	-0.36	2877.3	01	06	1	
	P	1/ 27/ 1994	-268.65	-1.95	2875.35	01	06	1	
	P	2/ 6/ 1995	-271.34	-2.69	2872.66	01	06	1	
	P	1/ 29/ 1996	-273.26	-1.92	2870.74	01	06	1	
	P	2/ 24/ 1997	-275.76	-2.5	2868.24	01	06	1	
	P	1/ 16/ 1998	-274.58	1.18	2869.42	01	06	1	
	P	2/ 10/ 1999	-279	-4.42	2865	01	06	1	
	P	2/ 18/ 2000	-278.4	0.6	2865.6	01	06	1	
	N	3/ 2/ 2001				01	06		51
	N	2/ 20/ 2002				01	06	7	44
	N	2/ 28/ 2003				01	06	7	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 17/ 2004				01	06	1	44
	N	2 / 22/ 2005				01	06	1	44
	N	2 / 14/ 2006				01	06	7	44
	N	2 / 12/ 2007				01	06	7	44
	N	2 / 6 / 2008				01	06	7	44

Min *-279* **Max** *-251.94* **Avg** *-265.665*

2306503 *(Aquifer: 121OGLL Well Depth: 373)*

P	11 / 1 / 1979	-286.3		2873.7	01	07	7	
P	1 / 7 / 1980	-283.47	2.83	2876.53	01	06	1	
P	1 / 9 / 1981	-285.37	-1.9	2874.63	01	06	1	
P	1 / 12/ 1982	-285.28	0.09	2874.72	01	06	1	
P	2 / 14/ 1983	-285.9	-0.62	2874.1	01	06	1	
P	2 / 29/ 1984	-286.3	-0.4	2873.7	01	06	2	
P	1 / 24/ 1985	-287.09	-0.79	2872.91	01	06	1	
P	1 / 27/ 1986	-286.14	0.95	2873.86	01	06	1	
P	1 / 29/ 1987	-285.75	0.39	2874.25	01	06	1	
P	2 / 3 / 1988	-284.42	1.33	2875.58	01	06	1	
P	1 / 26/ 1989	-284.34	0.08	2875.66	01	06	1	
P	1 / 17/ 1990	-286.94	-2.6	2873.06	01	06	1	
P	2 / 7 / 1991	-286.92	0.02	2873.08	01	06	1	
P	2 / 14/ 1992	-288.95	-2.03	2871.05	01	06	1	
P	2 / 5 / 1993	-287.8	1.15	2872.2	01	06	1	
P	1 / 27/ 1994	-290.32	-2.52	2869.68	01	06	1	
P	2 / 6 / 1995	-292.75	-2.43	2867.25	01	06	1	
P	1 / 29/ 1996	-291.61	1.14	2868.39	01	06	1	
P	2 / 24/ 1997	-292.46	-0.85	2867.54	01	06	1	
P	1 / 16/ 1998	-292.88	-0.42	2867.12	01	06	1	
P	2 / 8 / 1999	-294	-1.12	2866	01	06	1	
P	2 / 17/ 2000	-294.58	-0.58	2865.42	01	06	1	
P	2 / 6 / 2001	-295.46	-0.88	2864.54	01	06	1	
P	2 / 20/ 2002	-295.37	0.09	2864.63	01	06	1	
P	3 / 5 / 2003	-295.71	-0.34	2864.29	01	06	1	
P	2 / 17/ 2004	-295.34	0.37	2864.66	01	06	1	
P	2 / 22/ 2005	-295.13	0.21	2864.87	01	06	1	
P	2 / 14/ 2006	-297.46	-2.33	2862.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 12/ 2007	-296.65	0.81	2863.35	01	06	1	
	P	2 / 12/ 2008	-292.88	3.77	2867.12	01	06	1	
	P	2 / 10/ 2009	-293.98	-1.1	2866.02	01	06	1	
	P	1 / 19/ 2010	-295.26	-1.28	2864.74	01	06	1	
	P	1 / 24/ 2011	-295.29	-0.03	2864.71	01	06	1	
	P	2 / 1 / 2012	-298.03	-2.74	2861.97	01	06	1	

Min *-298.03* **Max** *-283.47* **Avg** *-290.769*

2306504 *(Aquifer: 121OGLL Well Depth: 397)*

	P	2 / 14/ 2006	-277.47		2866.53	01	06	1	
	P	2 / 12/ 2007	-278.41	-0.94	2865.59	01	06	1	
	P	2 / 6 / 2008	-278.04	0.37	2865.96	01	06	1	
	P	1 / 19/ 2010	-281.26	-3.22	2862.74	01	06	1	
	P	1 / 21/ 2011	-283.41	-2.15	2860.59	01	06	1	
	P	12 / 7 / 2011	-287.25	-3.84	2856.75	01	06	1	

Min *-287.25* **Max** *-277.47* **Avg** *-280.973*

2306601 *(Aquifer: 121OGLL Well Depth: 360)*

	P	11 / 12/ 1979	-279.06		2859.94	01	06	1	
	P	1 / 7 / 1980	-278.48	0.58	2860.52	01	06	1	
	P	1 / 9 / 1981	-282.99	-4.51	2856.01	01	06	1	
	P	1 / 12/ 1982	-279.91	3.08	2859.09	01	06	1	
	P	2 / 16/ 1983	-280.26	-0.35	2858.74	01	06	1	
	P	1 / 26/ 1984	-281.08	-0.82	2857.92	01	06	1	
	P	1 / 24/ 1985	-280.29	0.79	2858.71	01	06	1	
	P	1 / 29/ 1986	-278.82	1.47	2860.18	01	06	1	
	P	1 / 29/ 1987	-285.5	-6.68	2853.5	01	06	1	
	P	2 / 3 / 1988	-277.32	8.18	2861.68	01	06	1	
	P	1 / 26/ 1989	-277.62	-0.3	2861.38	01	06	1	
	P	1 / 17/ 1990	-277.72	-0.1	2861.28	01	06	1	
	P	2 / 7 / 1991	-278.4	-0.68	2860.6	01	06	1	
	P	2 / 14/ 1992	-281.42	-3.02	2857.58	01	06	1	
	P	2 / 5 / 1993	-280.95	0.47	2858.05	01	06	1	
	P	1 / 27/ 1994	-284.02	-3.07	2854.98	01	06	1	
	P	2 / 6 / 1995	-280.29	3.73	2858.71	01	06	1	
	P	1 / 29/ 1996	-280.74	-0.45	2858.26	01	06	1	
	P	2 / 26/ 1997	-279.79	0.95	2859.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1998	-281.47	-1.68	2857.53	01	06	1	
	P	2/ 10/ 1999	-282	-0.53	2857	01	06	1	
	P	2/ 14/ 2000	-285.4	-3.4	2853.6	01	06	1	
	P	2/ 6/ 2001	-283.75	1.65	2855.25	01	06	1	
	P	2/ 20/ 2002	-283.85	-0.1	2855.15	01	06	1	
	P	2/ 28/ 2003	-283.9	-0.05	2855.1	01	06	1	
	P	2/ 17/ 2004	-285.05	-1.15	2853.95	01	06	1	
	P	2/ 16/ 2005	-284.29	0.76	2854.71	01	06	1	
	P	2/ 14/ 2006	-283.73	0.56	2855.27	01	06	1	
	P	2/ 12/ 2007	-284.82	-1.09	2854.18	01	06	1	
	P	2/ 6/ 2008	-284.08	0.74	2854.92	01	06	1	
	N	2/ 10/ 2009				01	06		42
	N	1/ 19/ 2010				01	06		42
	P	2/ 15/ 2011	-286.16		2852.84	01	06	1	
	P	2/ 1/ 2012	-288.79	-2.63	2850.21	01	06	1	

Min *-288.79* **Max** *-277.32* **Avg** *-281.936*

2306701 *(Aquifer: 121OGLL Well Depth:)*

	P	1/ 6/ 1955	-178.13		2972.87	01	12	7	01
	P	1/ 6/ 1956	-160.13	18	2990.87	01	12	7	01
	P	1/ 9/ 1958	-158.44	1.69	2992.56	01	12	7	01
	P	1/ 5/ 1959	-168.4	-9.96	2982.6	01	12	7	01
	P	1/ 28/ 1960	-178.7	-10.3	2972.3	01	12	7	01
	P	1/ 20/ 1961	-181.74	-3.04	2969.26	01	04	1	
	P	1/ 17/ 1962	-179.82	1.92	2971.18	01	01	1	
	P	1/ 21/ 1963	-184.64	-4.82	2966.36	01	06	1	
	N	1/ 25/ 1964				01	06	1	47
	P	2/ 10/ 1965	-199.4		2951.6	01	06	1	
	P	1/ 19/ 1966	-196.66	2.74	2954.34	01	06	1	
	P	1/ 10/ 1967	-204.7	-8.04	2946.3	01	01	1	
	P	1/ 4/ 1968	-223.29	-18.6	2927.71	01	01	1	20
	N	1/ 7/ 1969				01	06	1	47
	P	1/ 19/ 1970	-214.7		2936.3	01	01	1	
	P	1/ 10/ 1971	-231.58	-16.9	2919.42	01	01	1	
	P	1/ 2/ 1972	-227.32	4.26	2923.68	01	06	1	
	P	1/ 3/ 1973	-227.54	-0.22	2923.46	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1974	-232.45	-4.91	2918.55	01	06	1	
	P	1 / 7 / 1975	-234.6	-2.15	2916.4	01	06	1	
	P	1 / 9 / 1976	-235.39	-0.79	2915.61	01	06	1	20
	P	1 / 8 / 1977	-237.34	-1.95	2913.66	01	06	1	20
	N	1 / 5 / 1978				01	06	1	44
	N	11 / 0 / 1979				01	06		81
	P	2 / 5 / 1993	-268.85		2882.15	01	06	1	

Min *-268.85* **Max** *-158.44* **Avg** *-205.896*

2306702 *(Aquifer: 121OGLL Well Depth: 164)*

	P	6 / 12/ 1937	-132.55		3013.45	01	12	7	01
	P	7 / 28/ 1937	-134.18	-1.63	3011.82	01	12	7	01
	P	6 / 23/ 1939	-133.82	0.36	3012.18	01	12	7	01
	P	9 / 30/ 1939	-134.33	-0.51	3011.67	01	12	7	01
	P	12 / 17/ 1939	-133.61	0.72	3012.39	01	12	7	01
	P	3 / 22/ 1940	-134.39	-0.78	3011.61	01	12	7	01
	P	12 / 18/ 1941	-132.27	2.12	3013.73	01	12	7	01
	P	3 / 11/ 1942	-132.18	0.09	3013.82	01	12	7	01
	P	1 / 28/ 1943	-132.37	-0.19	3013.63	01	12	7	01
	P	2 / 15/ 1945	-133.18	-0.81	3012.82	01	12	7	01
	P	2 / 27/ 1946	-133.76	-0.58	3012.24	01	12	7	01
	P	3 / 9 / 1948	-135.13	-1.37	3010.87	01	12	7	01
	P	3 / 9 / 1949	-138.6	-3.47	3007.4	01	12	7	01
	P	2 / 17/ 1950	-141.5	-2.9	3004.5	01	12	7	01
	P	1 / 18/ 1951	-142.38	-0.88	3003.62	01	12	7	01
	P	1 / 23/ 1952	-143.58	-1.2	3002.42	01	12	7	01
	P	1 / 10/ 1953	-151.29	-7.71	2994.71	01	12	7	01
	P	1 / 6 / 1954	-156.98	-5.69	2989.02	01	12	7	01

Min *-156.98* **Max** *-132.18* **Avg** *-137.561*

2306704 *(Aquifer: 121OGLL Well Depth: 400)*

	P	11 / 1 / 1979	-260.22		2891.78	01	07	7	
	P	1 / 7 / 1980	-257.17	3.05	2894.83	01	06	1	
	P	1 / 9 / 1981	-261.6	-4.43	2890.4	01	06	1	
	P	1 / 12/ 1982	-261.82	-0.22	2890.18	01	06	1	
	P	2 / 14/ 1983	-263.1	-1.28	2888.9	01	06	1	
	P	1 / 26/ 1984	-263.67	-0.57	2888.33	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1985	-265.72	-2.05	2886.28	01	06	1	
	P	1/ 27/ 1986	-265.58	0.14	2886.42	01	06	1	
	P	1/ 28/ 1987	-261.93	3.65	2890.07	01	06	1	
	P	2/ 3/ 1988	-261.56	0.37	2890.44	01	06	1	
	P	1/ 26/ 1989	-262.37	-0.81	2889.63	01	06	1	
	P	1/ 17/ 1990	-263.85	-1.48	2888.15	01	06	1	
	P	2/ 7/ 1991	-265.66	-1.81	2886.34	01	06	1	
	P	2/ 14/ 1992	-265.82	-0.16	2886.18	01	06	1	
	P	2/ 5/ 1993	-268.85	-3.03	2883.15	01	06	1	
	P	1/ 27/ 1994	-268.86	-0.01	2883.14	01	06	1	
	P	2/ 6/ 1995	-270.58	-1.72	2881.42	01	06	1	
	P	2/ 22/ 1996	-272.28	-1.7	2879.72	01	06	1	
	P	2/ 24/ 1997	-273.73	-1.45	2878.27	01	06	1	
	P	1/ 15/ 1998	-274.01	-0.28	2877.99	01	06	1	
	P	2/ 8/ 1999	-279	-4.99	2873	01	06	1	
	P	2/ 18/ 2000	-279.66	-0.66	2872.34	01	06	1	
	P	2/ 6/ 2001	-282.03	-2.37	2869.97	01	06	1	
	P	2/ 20/ 2002	-282.4	-0.37	2869.6	01	06	1	
	P	2/ 28/ 2003	-283.51	-1.11	2868.49	01	06	1	
	P	2/ 17/ 2004	-284.84	-1.33	2867.16	01	06	1	
	P	2/ 22/ 2005	-282.4	2.44	2869.6	01	06	1	
	P	2/ 14/ 2006	-280.31	2.09	2871.69	01	06	1	
	P	2/ 12/ 2007	-285.72	-5.41	2866.28	01	06	1	
	P	2/ 6/ 2008	-282.28	3.44	2869.72	01	06	1	
	N	3/ 9/ 2009				01	06		41
	P	1/ 19/ 2010	-289.21		2862.79	01	06	1	
	P	1/ 21/ 2011	-291.21	-2	2860.79	01	06	1	
	P	2/ 15/ 2012	-298.35	-7.14	2853.65	01	06	1	

Min *-298.35* **Max** *-257.17* **Avg** *-273.009*

2306705 *(Aquifer: 121OGLL Well Depth: 380)*

	N	6/ 23/ 2004				01	01		42

Min **Max** **Avg**

2306901 *(Aquifer: 121OGLL Well Depth: 300)*

	N	6/ 23/ 2004				01	01		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min		**Max**	**Avg**						
2307101	*(Aquifer: 121OGLL*		*Well Depth: 365)*						
	P	1 / 17/ 1962	-217.38		2917.62	01	01	1	
	P	1 / 29/ 1963	-203.97	13.41	2931.03	01	06	1	
	P	1 / 25/ 1964	-208.99	-5.02	2926.01	01	06	1	
	N	1 / 6 / 1965				01	06		41
	P	2 / 1 / 1966	-209.89		2925.11	01	06	1	04
	P	1 / 9 / 1967	-211.35	-1.46	2923.65	01	01	1	
	N	1 / 5 / 1968				01	01		40
Min	***-217.38***	**Max**	***-203.97***	**Avg**	***-210.316***				
2307102	*(Aquifer: 121OGLL*		*Well Depth: 190)*						
	P	6 / 14/ 1937	-175.76		2956.24	01	12	7	01
	P	7 / 28/ 1937	-175.82	-0.06	2956.18	01	12	7	01
	P	4 / 18/ 1938	-175.42	0.4	2956.58	01	12	7	01
	P	11 / 30/ 1938	-173.9	1.52	2958.1	01	12	7	01
	P	1 / 26/ 1939	-176.12	-2.22	2955.88	01	12	7	01
	P	1 / 13/ 1940	-175.3	0.82	2956.7	01	12	7	01
	P	11 / 27/ 1940	-176.06	-0.76	2955.94	01	12	7	01
	P	3 / 12/ 1941	-176.04	0.02	2955.96	01	12	7	01
	P	3 / 11/ 1942	-175.59	0.45	2956.41	01	12	7	01
	P	10 / 22/ 1942	-175.32	0.27	2956.68	01	12	7	01
	P	1 / 29/ 1943	-175.53	-0.21	2956.47	01	12	7	01
	P	7 / 20/ 1943	-175.45	0.08	2956.55	01	12	7	01
	P	2 / 15/ 1945	-175.15	0.3	2956.85	01	12	7	01
	P	1 / 12/ 1953	-175.2	-0.05	2956.8	01	12	7	01
	P	1 / 6 / 1954	-177.8	-2.6	2954.2	01	12	7	01
Min	***-177.8***	**Max**	***-173.9***	**Avg**	***-175.631***				
2307103	*(Aquifer: 121OGLL*		*Well Depth: 383)*						
	P	1 / 5 / 1968	-229.47		2905.53	01	01	1	
	P	1 / 14/ 1969	-246.45	-17	2888.55	01	06	1	
	P	1 / 15/ 1970	-246.56	-0.11	2888.44	01	01	1	
	P	1 / 12/ 1971	-253.29	-6.73	2881.71	01	01	1	
	P	1 / 3 / 1972	-251.73	1.56	2883.27	01	06	1	
	P	1 / 17/ 1973	-252.29	-0.56	2882.71	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1/ 14/ 1974				01	06		41
	N	1/ 10/ 1975				01	06	1	47
	P	1/ 12/ 1976	-247.67		2887.33	01	06	1	20
	P	1/ 6/ 1977	-260.1	-12.4	2874.9	01	06	2	
	P	1/ 3/ 1978	-263.86	-3.76	2871.14	01	06	1	
	P	1/ 16/ 1979	-262.42	1.44	2872.58	01	06	2	
	P	1/ 14/ 1980	-264.7	-2.28	2870.3	01	06	2	
	P	1/ 16/ 1981	-268.27	-3.57	2866.73	01	06	1	
	P	1/ 14/ 1982	-266.03	2.24	2868.97	01	06	2	
	P	2/ 17/ 1983	-263.9	2.13	2871.1	01	06	1	20
	P	1/ 26/ 1984	-261.05	2.85	2873.95	01	06	2	
	P	1/ 24/ 1985	-260.7	0.35	2874.3	01	06	2	
	P	1/ 24/ 1986	-261.02	-0.32	2873.98	01	06	2	
	P	2/ 2/ 1987	-268.35	-7.33	2866.65	01	06	2	22
	P	2/ 4/ 1988	-268.12	0.23	2866.88	01	06	2	
	P	2/ 10/ 1989	-267.05	1.07	2867.95	01	06	2	
	P	1/ 15/ 1990	-270.91	-3.86	2864.09	01	06	2	
	P	2/ 8/ 1991	-272.28	-1.37	2862.72	01	06	2	
	P	2/ 14/ 1992	-271.25	1.03	2863.75	01	06	1	
	N	1/ 26/ 1994				01	06		81

Min *-272.28* **Max** *-229.47* **Avg** *-259.89*

2307105 *(Aquifer: 121OGLL Well Depth: 360)*

	P	1/ 26/ 1994	-261.7		2870.3	01	06	1	
	P	3/ 9/ 1995	-260.52	1.18	2871.48	01	06	2	
	P	1/ 30/ 1996	-261.91	-1.39	2870.09	01	06	2	
	P	2/ 26/ 1997	-261.64	0.27	2870.36	01	06	1	
	P	1/ 15/ 1998	-264.3	-2.66	2867.7	01	06	2	
	P	2/ 10/ 1999	-263	1.3	2869	01	06	1	
	P	2/ 14/ 2000	-264.38	-1.38	2867.62	01	06	2	
	P	1/ 12/ 2001	-264.8	-0.42	2867.2	02	06	1	
	P	2/ 20/ 2002	-266.8	-2	2865.2	02	06	1	
	P	3/ 5/ 2003	-267.2	-0.4	2864.8	02	06	1	
	P	3/ 18/ 2004	-280.85	-13.7	2851.15	01	06	2	
	P	2/ 16/ 2005	-280.04	0.81	2851.96	02	06	2	
	P	2/ 10/ 2006	-281.17	-1.13	2850.83	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 12/ 2007	-284.12	-2.95	2847.88	01	06	1	
	N	2 / 19/ 2008				01	06		42
	N	2 / 11/ 2009				01	06	1	47
	P	1 / 20/ 2010	-286.24		2845.76	01	06	1	
	P	1 / 24/ 2011	-284.04	2.2	2847.96	01	06	1	
	N	2 / 15/ 2012				01	06	2	47

Min *-286.24* **Max** *-260.52* **Avg** *-270.794*

2307201 *(Aquifer: 121OGLL Well Depth: 348)*

	P	4 / 22/ 1953	-150		2971	01	07	7	
	P	1 / 12/ 1976	-216.54	-66.5	2904.46	01	06	1	
	P	1 / 15/ 1977	-216.8	-0.26	2904.2	01	06	1	
	P	1 / 12/ 1978	-238.64	-21.8	2882.36	01	06	1	20
	P	1 / 16/ 1979	-242.35	-3.71	2878.65	01	06	1	20
	N	1 / 14/ 1980				01	06	2	44
	N	1 / 16/ 1981				01	06		61

Min *-242.35* **Max** *-150* **Avg** *-212.866*

2307202 *(Aquifer: 121OGLL Well Depth: 380)*

	P	3 / 26/ 1981	-290.79		2826.21	01	06	1	
	N	1 / 14/ 1982				01	06		81
	P	2 / 16/ 1983	-281.19		2835.81	01	06	1	
	P	1 / 27/ 1984	-288	-6.81	2829	01	06	2	
	P	1 / 24/ 1985	-287.95	0.05	2829.05	01	06	2	
	P	1 / 24/ 1986	-287.66	0.29	2829.34	01	06	2	
	P	1 / 29/ 1987	-287.6	0.06	2829.4	01	06	2	
	P	2 / 4 / 1988	-286.59	1.01	2830.41	01	06	2	
	P	1 / 26/ 1989	-287.7	-1.11	2829.3	01	06	2	
	P	1 / 16/ 1990	-289.15	-1.45	2827.85	01	06	2	
	P	2 / 8 / 1991	-287.39	1.76	2829.61	01	06	2	
	P	2 / 18/ 1992	-290.55	-3.16	2826.45	01	06	1	
	P	2 / 8 / 1993	-289.53	1.02	2827.47	01	06	2	
	P	1 / 26/ 1994	-292.7	-3.17	2824.3	01	06	2	
	P	2 / 7 / 1995	-294.65	-1.95	2822.35	01	06	2	
	P	1 / 30/ 1996	-294.61	0.04	2822.39	01	06	2	
	P	2 / 26/ 1997	-294.68	-0.07	2822.32	01	06	1	
	P	1 / 19/ 1998	-295.02	-0.34	2821.98	01	06	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 9 / 1999	-295	0.02	2822	01	06	1	
	P	2 / 17/ 2000	-296.1	-1.1	2820.9	01	06	2	
	P	2 / 6 / 2001	-297.33	-1.23	2819.67	02	06	1	
	P	2 / 20/ 2002	-297.99	-0.66	2819.01	02	06	1	
	P	3 / 5 / 2003	-297.25	0.74	2819.75	02	06	1	
	P	2 / 9 / 2004	-298.25	-1	2818.75	01	06	2	
	P	2 / 16/ 2005	-295.03	3.22	2821.97	02	06	2	
	P	2 / 13/ 2006	-296.3	-1.27	2820.7	01	06	1	
	P	2 / 12/ 2007	-296.48	-0.18	2820.52	01	06	1	
	P	2 / 29/ 2008	-298.15	-1.67	2818.85	01	06	1	
	N	2 / 11/ 2009				01	06	1	47
	N	1 / 20/ 2010				01	06		40

Min *-298.25* **Max** *-281.19* **Avg** *-292.357*

2307301 *(Aquifer: 121OGLL Well Depth: 340)*

	N	1 / 17/ 1962				01	01		63
	N	1 / 29/ 1963				01	06		60
	P	1 / 25/ 1964	-222.58		2890.42	01	06	1	
	P	2 / 17/ 1965	-224.53	-1.95	2888.47	01	06	1	
	P	2 / 1 / 1966	-220.27	4.26	2892.73	01	06	1	
	P	1 / 9 / 1967	-222.58	-2.31	2890.42	01	01	1	
	P	1 / 5 / 1968	-211.04	11.54	2901.96	01	01	1	
	P	1 / 13/ 1969	-227.8	-16.8	2885.2	01	06	1	
	P	1 / 15/ 1970	-225.26	2.54	2887.74	01	01	1	20
	P	1 / 12/ 1971	-234.77	-9.51	2878.23	01	01	1	20
	P	1 / 5 / 1972	-231.69	3.08	2881.31	01	06	1	
	P	1 / 17/ 1973	-232.1	-0.41	2880.9	01	06	1	
	P	1 / 16/ 1974	-275.78	-43.7	2837.22	01	06	1	
	N	1 / 10/ 1975				01	06	1	47
	N	9 / 19/ 1975				01	06	1	47

Min *-275.78* **Max** *-211.04* **Avg** *-229.855*

2307302 *(Aquifer: 121OGLL Well Depth: 256)*

	P	6 / 16/ 1937	-198.52		2914.48	01	12	7	01
	P	7 / 28/ 1937	-198.3	0.22	2914.7	01	12	7	01
	P	4 / 18/ 1938	-197.72	0.58	2915.28	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-198.52*		**Max** *-197.72*	**Avg** *-198.18*						
2307303	*(Aquifer: 121OGLL*		*Well Depth: 245)*						
	P	6 / 14/ 1937	-208.97		2889.03	01	12	7	01
	P	7 / 28/ 1937	-212.1	-3.13	2885.9	01	12	7	01
	P	1 / 26/ 1939	-212.83	-0.73	2885.17	01	12	7	01
	P	1 / 13/ 1940	-212.49	0.34	2885.51	01	12	7	01
	P	11 / 27/ 1940	-213.01	-0.52	2884.99	01	12	7	01
	P	3 / 12/ 1941	-211.9	1.11	2886.1	01	12	7	01
	P	12 / 18/ 1941	-211.2	0.7	2886.8	01	12	7	01
	P	3 / 11/ 1942	-213.07	-1.87	2884.93	01	12	7	01
	P	1 / 29/ 1943	-207	6.07	2891	01	12	7	01
	P	7 / 20/ 1943	-215.3	-8.3	2882.7	01	12	7	01
Min *-215.3*		**Max** *-207*	**Avg** *-211.787*						
2307401	*(Aquifer: 121OGLL*		*Well Depth: 352)*						
	P	2 / 28/ 1963	-233.45		2900.55	01	06	1	
	P	1 / 25/ 1964	-231.71	1.74	2902.29	01	06	1	
	P	2 / 10/ 1965	-248.43	-16.7	2885.57	01	06	1	
	P	1 / 31/ 1966	-258.03	-9.6	2875.97	01	06	1	
	P	1 / 10/ 1967	-265.22	-7.19	2868.78	01	01	1	
	P	1 / 4 / 1968	-305.36	-40.1	2828.64	01	06	1	
	P	1 / 7 / 1969	-273.08	32.28	2860.92	01	06	1	
	P	1 / 19/ 1970	-278.72	-5.64	2855.28	01	01	1	
	P	1 / 11/ 1971	-286.63	-7.91	2847.37	01	01	1	04
	P	1 / 5 / 1972	-288.4	-1.77	2845.6	01	06	1	
	P	1 / 18/ 1973	-288.76	-0.36	2845.24	01	06	1	
	P	1 / 16/ 1974	-289.45	-0.69	2844.55	01	06	1	
	P	1 / 7 / 1975	-290.6	-1.15	2843.4	01	06	1	
	P	1 / 12/ 1976	-291.28	-0.68	2842.72	01	06	1	
	P	1 / 7 / 1977	-293.27	-1.99	2840.73	01	06	1	
	P	1 / 3 / 1978	-294.64	-1.37	2839.36	01	06	1	
	P	1 / 16/ 1979	-295.11	-0.47	2838.89	01	06	1	
	P	1 / 9 / 1980	-295.18	-0.07	2838.82	01	06	1	
	P	1 / 9 / 1981	-295.69	-0.51	2838.31	01	06	1	
	P	1 / 14/ 1982	-294.56	1.13	2839.44	01	06	2	
	P	2 / 16/ 1983	-295.4	-0.84	2838.6	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 1984	-295.98	-0.58	2838.02	01	06	1	
	P	1 / 24/ 1985	-297.34	-1.36	2836.66	01	06	1	
	P	1 / 29/ 1986	-296.28	1.06	2837.72	01	06	1	
	P	1 / 29/ 1987	-295.46	0.82	2838.54	01	06	1	
	P	2 / 3 / 1988	-294.59	0.87	2839.41	01	06	1	
	P	2 / 10/ 1989	-294.85	-0.26	2839.15	01	06	2	
	N	1 / 22/ 1990				01	06	7	44
	N	2 / 13/ 1991				01	06	7	44
	N	2 / 14/ 1992				01	06	7	44

Min *-305.36* **Max** *-231.71* **Avg** *-283.980*

2307402 *(Aquifer: 121OGAL Well Depth: 357)*

	P	3 / 20/ 1968	-291		2847	01	12	7	

Min *-291* **Max** *-291* **Avg** *-291*

2307403 *(Aquifer: 121OGFA Well Depth: 346)*

	P	9 / 16/ 1983	-276.2		2859.8	01	12	7	

Min *-276.2* **Max** *-276.2* **Avg** *-276.2*

2307404 *(Aquifer: 121OGLL Well Depth: 353)*

	P	2 / 14/ 1992	-284.24		2837.76	01	06	1	
	P	2 / 5 / 1993	-284.38	-0.14	2837.62	01	06	1	
	P	1 / 27/ 1994	-284.9	-0.52	2837.1	01	06	1	
	P	2 / 3 / 1995	-286.27	-1.37	2835.73	01	06	1	
	P	1 / 30/ 1996	-287.94	-1.67	2834.06	01	06	1	
	P	2 / 26/ 1997	-285.29	2.65	2836.71	01	06	1	
	P	1 / 19/ 1998	-286.95	-1.66	2835.05	01	06	1	
	P	2 / 8 / 1999	-288	-1.05	2834	01	06	1	
	N	3 / 17/ 2000				01	06		41
	P	2 / 6 / 2001	-288.74		2833.26	01	06	1	
	P	2 / 20/ 2002	-288.36	0.38	2833.64	01	06	1	
	P	2 / 28/ 2003	-288.43	-0.07	2833.57	01	06	1	
	P	2 / 11/ 2004	-288.94	-0.51	2833.06	01	06	1	
	P	2 / 16/ 2005	-288.81	0.13	2833.19	01	06	1	
	P	2 / 13/ 2006	-288.74	0.07	2833.26	01	06	1	
	N	2 / 12/ 2007				01	06		61
	P	2 / 8 / 2008	-288.52		2833.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 10/ 2009	-289.88	-1.36	2832.12	01	06	1	
	P	1 / 20/ 2010	-289.79	0.09	2832.21	01	06	1	
	P	1 / 20/ 2011	-290.58	-0.79	2831.42	01	06	1	
	P	2 / 1 / 2012	-291.58	-1	2830.42	01	06	2	

Min *-291.58* **Max** *-284.24* **Avg** *-287.913*

2307405 *(Aquifer: 121OGLL Well Depth: 320)*

	N	6 / 23/ 2004				01	01		63

Min **Max** **Avg**

2307501 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 3 / 1948	-211.75		2889.25	01	12	7	01
	P	3 / 28/ 1949	-209.1	2.65	2891.9	01	12	7	01
	P	2 / 17/ 1950	-214.16	-5.06	2886.84	01	12	7	01
	P	1 / 17/ 1951	-213.8	0.36	2887.2	01	12	7	01
	P	1 / 23/ 1952	-212.05	1.75	2888.95	01	12	7	01
	P	1 / 12/ 1953	-209.38	2.67	2891.62	01	12	7	01
	P	1 / 6 / 1954	-208.34	1.04	2892.66	01	12	7	01
	P	1 / 7 / 1955	-217.94	-9.6	2883.06	01	12	7	01
	P	1 / 11/ 1957	-236.08	-18.1	2864.92	01	12	7	01
	P	1 / 10/ 1958	-225.82	10.26	2875.18	01	12	7	01
	P	1 / 5 / 1959	-234.69	-8.87	2866.31	01	12	7	01
	P	1 / 28/ 1960	-239.36	-4.67	2861.64	01	12	7	01
	P	1 / 20/ 1961	-238.5	0.86	2862.5	01	04	1	
	P	1 / 17/ 1962	-231.16	7.34	2869.84	01	01	1	
	P	1 / 29/ 1963	-241.18	-10.0	2859.82	01	06	1	
	P	1 / 25/ 1964	-267.88	-26.7	2833.12	01	06	1	
	P	2 / 10/ 1965	-278	-10.1	2823	01	06	1	
	P	1 / 31/ 1966	-280.45	-2.45	2820.55	01	06	1	
	P	1 / 10/ 1967	-284.1	-3.65	2816.9	01	01	1	
	N	1 / 4 / 1968				01	01	1	44
	P	1 / 13/ 1969	-286.37		2814.63	01	06	1	
	N	1 / 19/ 1970				01	01		61
	P	2 / 9 / 1970	-287.6		2813.4	01	06	1	
	N	1 / 12/ 1971				01	01		61
	P	1 / 25/ 1971	-289.36		2811.64	01	06	1	
	P	1 / 3 / 1972	-290.02	-0.66	2810.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 18/ 1973	-290.68	-0.66	2810.32	01	06	1	
	P	1/ 16/ 1974	-290.95	-0.27	2810.05	01	06	1	
	P	1/ 10/ 1975	-292.2	-1.25	2808.8	01	06	1	
	P	1/ 12/ 1976	-292.72	-0.52	2808.28	01	06	1	
	P	1/ 7/ 1977	-294.27	-1.55	2806.73	01	06	1	
	P	1/ 4/ 1978	-296.86	-2.59	2804.14	01	06	1	
	P	1/ 16/ 1979	-296.83	0.03	2804.17	01	06	1	
	P	1/ 8/ 1980	-296.1	0.73	2804.9	01	06	1	
	P	1/ 16/ 1981	-297.69	-1.59	2803.31	01	06	1	
	P	1/ 14/ 1982	-297.55	0.14	2803.45	01	06	1	
	P	2/ 17/ 1983	-296.8	0.75	2804.2	01	06	1	
	P	1/ 27/ 1984	-297.25	-0.45	2803.75	01	06	1	
	P	1/ 24/ 1985	-298.48	-1.23	2802.52	01	06	1	
	P	1/ 29/ 1986	-296.35	2.13	2804.65	01	06	1	
	P	2/ 2/ 1987	-295.79	0.56	2805.21	01	06	1	
	P	2/ 3/ 1988	-295.31	0.48	2805.69	01	06	1	
	P	1/ 25/ 1989	-295.44	-0.13	2805.56	01	06	1	
	P	1/ 16/ 1990	-296.41	-0.97	2804.59	01	06	1	
	P	2/ 7/ 1991	-297.38	-0.97	2803.62	01	06	1	
	P	2/ 18/ 1992	-298.1	-0.72	2802.9	01	06	1	
	P	2/ 9/ 1993	-299.15	-1.05	2801.85	01	06	1	
	P	1/ 27/ 1994	-297.9	1.25	2803.1	01	06	1	
	P	2/ 7/ 1995	-301.78	-3.88	2799.22	01	06	1	
	P	1/ 30/ 1996	-299.33	2.45	2801.67	01	06	1	
	P	2/ 26/ 1997	-300.58	-1.25	2800.42	01	06	1	
	P	1/ 19/ 1998	-300.85	-0.27	2800.15	01	06	1	
	P	2/ 8/ 1999	-301	-0.15	2800	01	06	1	
	P	2/ 17/ 2000	-302.05	-1.05	2798.95	01	06	1	
	P	2/ 6/ 2001	-302.42	-0.37	2798.58	01	06	1	
	P	2/ 20/ 2002	-303.5	-1.08	2797.5	01	06	1	
	N	4/ 3/ 2003				01	06		41
	P	2/ 11/ 2004	-303.27		2797.73	01	06	1	
	P	2/ 16/ 2005	-302.71	0.56	2798.29	01	06	1	
	P	2/ 13/ 2006	-302.54	0.17	2798.46	01	06	1	
	N	2/ 13/ 2007				01	06		61
	P	2/ 7/ 2008	-302.85		2798.15	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 10/ 2009	-302.78	0.07	2798.22	01	06	1	
	P	1 / 20/ 2010	-303.77	-0.99	2797.23	01	06	1	
	P	1 / 24/ 2011	-304.21	-0.44	2796.79	01	06	1	
	P	2 / 1 / 2012	-305.03	-0.82	2795.97	01	06	2	

Min *-305.03* **Max** *-208.34* **Avg** *-277.967*

2307502 *(Aquifer: 121OGAL Well Depth: 379)*

	P	3 / 24/ 1976	-286.2		2829.8	01	12	7	

Min *-286.2* **Max** *-286.2* **Avg** *-286.2*

2307503 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 0 / 1985	-292.25		2816.75	01	06	2	
	P	2 / 12/ 1987	-292.51	-0.26	2816.49	01	06	2	
	P	2 / 8 / 1988	-292.14	0.37	2816.86	01	06	2	
	P	1 / 26/ 1989	-293.3	-1.16	2815.7	01	06	2	
	P	1 / 16/ 1990	-293.91	-0.61	2815.09	01	06	2	
	P	2 / 7 / 1991	-294.92	-1.01	2814.08	01	06	2	
	P	2 / 14/ 1992	-296.68	-1.76	2812.32	01	06	1	
	P	2 / 5 / 1993	-294.45	2.23	2814.55	01	06	1	
	P	1 / 27/ 1994	-295.08	-0.63	2813.92	01	06	1	
	P	2 / 3 / 1995	-296.57	-1.49	2812.43	01	06	1	
	P	1 / 31/ 1996	-296.62	-0.05	2812.38	01	06	1	
	P	2 / 26/ 1997	-296.38	0.24	2812.62	01	06	1	
	P	1 / 19/ 1998	-296.7	-0.32	2812.3	01	06	1	
	P	2 / 8 / 1999	-299	-2.3	2810	01	06	1	
	P	2 / 14/ 2000	-300.55	-1.55	2808.45	01	06	1	
	P	2 / 6 / 2001	-305.97	-5.42	2803.03	01	06	1	
	P	2 / 20/ 2002	-304.17	1.8	2804.83	01	06	1	
	P	3 / 5 / 2003	-297.08	7.09	2811.92	01	06	1	
	N	2 / 11/ 2004				01	06		40

Min *-305.97* **Max** *-292.14* **Avg** *-296.571*

2307504 *(Aquifer: 121OGLL Well Depth:)*

	N	5 / 20/ 2004				01	01		41

Min **Max** **Avg**

2307505 *(Aquifer: 121OGLL Well Depth: 367)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 13/ 2006	-296.08		2809.92	01	06	1	
	P	2 / 12/ 2007	-296.23	-0.15	2809.77	01	06	1	
	P	2 / 6 / 2008	-296.87	-0.64	2809.13	01	06	1	
	P	1 / 20/ 2010	-298.27	-1.4	2807.73	01	06	1	
	P	1 / 21/ 2011	-298.66	-0.39	2807.34	01	06	1	
	P	2 / 1 / 2012	-299.97	-1.31	2806.03	01	06	2	

Min *-299.97* **Max** *-296.08* **Avg** *-297.68*

2307601 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 3 / 1948	-210.2		2895.8	01	12	7	01
	P	3 / 28/ 1949	-211.5	-1.3	2894.5	01	12	7	01
	P	1 / 17/ 1951	-211.38	0.12	2894.62	01	12	7	01
	P	1 / 23/ 1952	-212.4	-1.02	2893.6	01	12	7	01
	P	1 / 12/ 1953	-212.19	0.21	2893.81	01	12	7	01
	P	1 / 6 / 1954	-215	-2.81	2891	01	12	7	01
	P	1 / 7 / 1955	-221.39	-6.39	2884.61	01	12	7	01
	P	1 / 11/ 1957	-237.82	-16.4	2868.18	01	12	7	01
	P	1 / 10/ 1958	-229.72	8.1	2876.28	01	12	7	01
	P	1 / 5 / 1959	-236.8	-7.08	2869.2	01	12	7	01
	P	1 / 28/ 1960	-237.22	-0.42	2868.78	01	12	7	01
	P	1 / 20/ 1961	-234.55	2.67	2871.45	01	04	1	
	P	1 / 17/ 1962	-234.48	0.07	2871.52	01	01	1	
	P	1 / 29/ 1963	-243.13	-8.65	2862.87	01	06	1	
	P	1 / 25/ 1964	-259.16	-16.0	2846.84	01	06	1	
	P	2 / 10/ 1965	-266.38	-7.22	2839.62	01	06	1	
	N	1 / 31/ 1966				01	06	1	47
	P	1 / 10/ 1967	-285.9		2820.1	01	01	1	
	P	1 / 4 / 1968	-292.43	-6.53	2813.57	01	01	1	
	P	1 / 13/ 1969	-291.34	1.09	2814.66	01	06	1	
	P	1 / 19/ 1970	-291.72	-0.38	2814.28	01	01	1	
	P	1 / 12/ 1971	-292.61	-0.89	2813.39	01	01	1	
	P	1 / 3 / 1972	-295	-2.39	2811	01	06	1	
	P	1 / 18/ 1973	-295.98	-0.98	2810.02	01	06	1	
	P	1 / 16/ 1974	-295.91	0.07	2810.09	01	06	1	
	P	1 / 10/ 1975	-294.2	1.71	2811.8	01	06	1	20
	P	1 / 12/ 1976	-298.24	-4.04	2807.76	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1977	-298.61	-0.37	2807.39	01	06	2	
	P	1/ 4/1978	-301.33	-2.72	2804.67	01	06	1	
	P	1/16/1979	-301.91	-0.58	2804.09	01	06	1	
	P	1/ 8/1980	-301.03	0.88	2804.97	01	06	1	
	P	1/16/1981	-303.19	-2.16	2802.81	01	06	1	
	P	1/14/1982	-302.71	0.48	2803.29	01	06	1	
	P	2/17/1983	-302.67	0.04	2803.33	01	06	1	
	P	1/27/1984	-302.45	0.22	2803.55	01	06	1	
	P	1/24/1985	-302.41	0.04	2803.59	01	06	1	
	P	1/24/1986	-302.32	0.09	2803.68	01	06	1	
	P	1/29/1987	-302.25	0.07	2803.75	01	06	2	
	P	2/ 8/1988	-301.47	0.78	2804.53	01	06	2	
	P	1/26/1989	-302.07	-0.6	2803.93	01	06	2	
	P	1/15/1990	-302.19	-0.12	2803.81	01	06	2	
	P	2/ 7/1991	-303.46	-1.27	2802.54	01	06	2	
	P	2/18/1992	-304.68	-1.22	2801.32	01	06	1	
	P	2/ 9/1993	-305	-0.32	2801	01	06	2	
	P	1/27/1994	-305.61	-0.61	2800.39	01	06	2	
	P	2/ 7/1995	-308.96	-3.35	2797.04	01	06	2	
	P	1/30/1996	-306.76	2.2	2799.24	01	06	2	
	P	2/26/1997	-306.98	-0.22	2799.02	01	06	1	
	P	1/19/1998	-308.02	-1.04	2797.98	01	06	2	
	P	2/ 9/1999	-308	0.02	2798	01	06	1	
	P	2/17/2000	-308.45	-0.45	2797.55	01	06	1	
	P	2/ 6/2001	-309.83	-1.38	2796.17	01	06	1	
	P	2/20/2002	-310.57	-0.74	2795.43	01	06	1	
	P	3/ 5/2003	-310.24	0.33	2795.76	01	06	1	
	P	2/11/2004	-310.16	0.08	2795.84	01	06	1	
	P	2/16/2005	-307.88	2.28	2798.12	01	06	1	
	P	2/13/2006	-309.13	-1.25	2796.87	01	06	1	
	P	2/13/2007	-309.84	-0.71	2796.16	01	06	1	
	P	2/19/2008	-309.15	0.69	2796.85	01	06	1	
	N	2/11/2009				01	06	1	47
	N	1/20/2010				01	06	1	47
	P	1/24/2011	-307.11		2798.89	01	06	1	
	N	2/ 1/2012				01	06	1	47

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -310.57		**Max -210.2**	**Avg -282.764**						
2307701	*(Aquifer: 121OGLL*		*Well Depth: 392)*						
	P	2 / 28/ 1963	-213.24		2891.76	01	06	1	
	P	1 / 25/ 1964	-195.64	17.6	2909.36	01	06	1	
	P	2 / 10/ 1965	-196.53	-0.89	2908.47	01	06	1	
	P	1 / 31/ 1966	-203.18	-6.65	2901.82	01	06	1	
	P	1 / 10/ 1967	-200	3.18	2905	01	01	1	
	P	1 / 4 / 1968	-203.9	-3.9	2901.1	01	01	1	
	P	1 / 7 / 1969	-207.2	-3.3	2897.8	01	06	1	
	P	1 / 19/ 1970	-206.6	0.6	2898.4	01	01	1	
	P	1 / 11/ 1971	-212.38	-5.78	2892.62	01	01	1	
	P	1 / 5 / 1972	-208.97	3.41	2896.03	01	06	1	
Min -213.24		**Max -195.64**	**Avg -204.764**						
2307702	*(Aquifer: 121OGLL*		*Well Depth: 310)*						
	P	11 / 2 / 1979	-208.2		2909.8	01	06	1	
	P	1 / 8 / 1980	-208.13	0.07	2909.87	01	06	1	
	P	1 / 9 / 1981	-211.63	-3.5	2906.37	01	06	1	
	P	1 / 12/ 1982	-209.82	1.81	2908.18	01	06	1	
	P	2 / 17/ 1983	-211.17	-1.35	2906.83	01	06	1	
	P	1 / 26/ 1984	-211.7	-0.53	2906.3	01	06	1	
	P	1 / 18/ 1985	-212.45	-0.75	2905.55	01	06	1	
	P	1 / 29/ 1986	-213.55	-1.1	2904.45	01	06	1	
	P	2 / 2 / 1987	-213.78	-0.23	2904.22	01	06	1	
	P	2 / 3 / 1988	-214.77	-0.99	2903.23	01	06	1	
	P	1 / 25/ 1989	-215.26	-0.49	2902.74	01	06	1	
	P	1 / 16/ 1990	-217.35	-2.09	2900.65	01	06	1	
	P	2 / 7 / 1991	-216.65	0.7	2901.35	01	06	1	
	P	2 / 18/ 1992	-216.85	-0.2	2901.15	01	06	1	
	P	2 / 8 / 1993	-217.6	-0.75	2900.4	01	06	2	
	P	1 / 26/ 1994	-218.25	-0.65	2899.75	01	06	2	
	P	2 / 3 / 1995	-218.76	-0.51	2899.24	01	06	2	
	P	1 / 30/ 1996	-218.98	-0.22	2899.02	01	06	2	
	P	2 / 26/ 1997	-219.22	-0.24	2898.78	01	06	1	
	P	1 / 19/ 1998	-220.3	-1.08	2897.7	01	06	2	
	P	2 / 8 / 1999	-220	0.3	2898	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 2000	-221.3	-1.3	2896.7	01	06	2	
	P	2 / 6 / 2001	-220.92	0.38	2897.08	02	06	1	
	P	2 / 15/ 2002	-221.68	-0.76	2896.32	02	06	1	
	P	3 / 5 / 2003	-221.34	0.34	2896.66	02	06	1	
	P	2 / 11/ 2004	-222.04	-0.7	2895.96	01	06	2	
	P	2 / 17/ 2005	-222.08	-0.04	2895.92	02	06	2	
	P	2 / 14/ 2006	-222.85	-0.77	2895.15	01	06	1	
	P	2 / 12/ 2007	-223.12	-0.27	2894.88	01	06	1	
	N	3 / 4 / 2008				01	06	1	47
	N	3 / 4 / 2009				01	06	1	47
	P	1 / 19/ 2010	-223.97		2894.03	01	06	1	
	P	1 / 21/ 2011	-224.51	-0.54	2893.49	01	06	1	
	P	2 / 1 / 2012	-224.56	-0.05	2893.44	01	06	2	

Min *-224.56* **Max** *-208.13* **Avg** *-217.587*

2307801 *(Aquifer: 121OGLL Well Depth: 350)*

	P	6 / 1 / 1972	-236.68		2855.32	01	06	1	
	P	1 / 23/ 1973	-236.22	0.46	2855.78	01	06	1	
	P	1 / 16/ 1974	-236.1	0.12	2855.9	01	06	1	04
	P	1 / 7 / 1975	-236.87	-0.77	2855.13	01	06	1	
	P	1 / 9 / 1976	-236.49	0.38	2855.51	01	06	1	
	P	1 / 7 / 1977	-236.6	-0.11	2855.4	01	06	1	
	N	1 / 3 / 1978				01	06		41
	P	1 / 16/ 1979	-235.85		2856.15	01	06	1	
	P	1 / 8 / 1980	-236.6	-0.75	2855.4	01	06	1	
	P	1 / 9 / 1981	-238.3	-1.7	2853.7	01	06	1	
	P	1 / 12/ 1982	-237.19	1.11	2854.81	01	06	1	
	P	2 / 17/ 1983	-238.12	-0.93	2853.88	01	06	1	
	P	1 / 26/ 1984	-237.15	0.97	2854.85	01	06	1	
	P	1 / 24/ 1985	-238.85	-1.7	2853.15	01	06	1	
	P	2 / 19/ 1986	-239.11	-0.26	2852.89	01	06	2	
	P	2 / 12/ 1987	-292.6	-53.5	2799.4	01	06	2	
	N	2 / 8 / 1988				01	06	2	47
	N	1 / 25/ 1989				01	06	2	47
	N	1 / 16/ 1990				01	06	2	47

Min *-292.6* **Max** *-235.85* **Avg** *-240.849*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2307802	*(Aquifer: 121OGLL*		*Well Depth: 400)*						
	P	2 / 10/ 1989	-285.55		2803.45	01	06	1	
	P	1 / 16/ 1990	-285.22	0.33	2803.78	01	06	1	
	P	2 / 7 / 1991	-285.33	-0.11	2803.67	01	06	2	
	P	2 / 18/ 1992	-285.03	0.3	2803.97	01	06	1	
	P	2 / 8 / 1993	-285.71	-0.68	2803.29	01	06	2	
	P	1 / 26/ 1994	-283.95	1.76	2805.05	01	06	2	
	P	2 / 3 / 1995	-283.8	0.15	2805.2	01	06	2	
	P	1 / 31/ 1996	-282.29	1.51	2806.71	01	06	2	
	P	2 / 26/ 1997	-282.57	-0.28	2806.43	01	06	1	
	P	1 / 19/ 1998	-282.25	0.32	2806.75	01	06	2	
	P	2 / 8 / 1999	-284	-1.75	2805	01	06	1	
	P	2 / 18/ 2000	-287.23	-3.23	2801.77	01	06	2	
	P	1 / 12/ 2001	-289.2	-1.97	2799.8	02	06	1	
	P	2 / 15/ 2002	-288.4	0.8	2800.6	02	06	1	
	P	3 / 5 / 2003	-288.41	-0.01	2800.59	02	06	1	
	P	3 / 18/ 2004	-291.5	-3.09	2797.5	01	06	2	
	P	3 / 9 / 2005	-309.69	-18.2	2779.31	02	06	2	
	P	2 / 14/ 2006	-307.98	1.71	2781.02	01	06	1	
	P	2 / 13/ 2007	-312.33	-4.35	2776.67	01	06	1	
	N	3 / 4 / 2008				01	06	1	47
	N	2 / 10/ 2009				01	06	1	47
	N	1 / 20/ 2010				01	06	1	47
	N	1 / 21/ 2011				01	06	1	47
	N	1 / 31/ 2012				01	06	1	47
Min *-312.33*	**Max** *-282.25*		**Avg** *-289.497*						
2307803	*(Aquifer: 121OGLL*		*Well Depth: 350)*						
	N	6 / 23/ 2004				01	01	1	44
Min	**Max**		**Avg**						
2307901	*(Aquifer: 121OGLL*		*Well Depth: 391)*						
	P	11 / 2 / 1979	-283.72		2803.28	01	07	7	
	P	1 / 8 / 1980	-279.24	4.48	2807.76	01	06	1	
	P	1 / 16/ 1981	-286.54	-7.3	2800.46	01	06	1	04
	P	1 / 12/ 1982	-283.41	3.13	2803.59	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 17/ 1983	-283.05	0.36	2803.95	01	06	1	
	P	1 / 26/ 1984	-285	-1.95	2802	01	06	1	
	P	1 / 24/ 1985	-286.8	-1.8	2800.2	01	06	1	
	P	1 / 29/ 1986	-285.34	1.46	2801.66	01	06	1	
	P	2 / 2 / 1987	-284.73	0.61	2802.27	01	06	1	
	P	2 / 8 / 1988	-284.03	0.7	2802.97	01	06	2	
	P	1 / 26/ 1989	-287.17	-3.14	2799.83	01	06	1	
	P	1 / 16/ 1990	-289.62	-2.45	2797.38	01	06	1	
	P	2 / 7 / 1991	-289.73	-0.11	2797.27	01	06	1	
	P	2 / 18/ 1992	-289.5	0.23	2797.5	01	06	1	
	P	2 / 9 / 1993	-289.9	-0.4	2797.1	01	06	1	
	P	1 / 27/ 1994	-291.4	-1.5	2795.6	01	06	1	
	P	2 / 7 / 1995	-292.83	-1.43	2794.17	01	06	1	
	P	1 / 30/ 1996	-294.91	-2.08	2792.09	01	06	1	
	P	2 / 27/ 1997	-294.26	0.65	2792.74	01	06	1	
	P	1 / 19/ 1998	-294.16	0.1	2792.84	01	06	1	
	P	2 / 8 / 1999	-299	-4.84	2788	01	06	1	
	P	2 / 18/ 2000	-300.77	-1.77	2786.23	01	06	1	
	P	2 / 6 / 2001	-302.32	-1.55	2784.68	01	06	1	
	P	2 / 15/ 2002	-300.7	1.62	2786.3	01	06	1	
	P	3 / 5 / 2003	-300.23	0.47	2786.77	01	06	1	
	P	3 / 18/ 2004	-303.75	-3.52	2783.25	01	06	1	
	P	2 / 17/ 2005	-299.26	4.49	2787.74	01	06	1	
	P	2 / 13/ 2006	-298.48	0.78	2788.52	01	06	1	
	N	2 / 13/ 2007				01	06	7	44
	P	2 / 7 / 2008	-301.55		2785.45	01	06	1	
	P	2 / 10/ 2009	-302.07	-0.52	2784.93	01	06	1	
	P	2 / 25/ 2010	-302.9	-0.83	2784.1	01	06	1	
	P	1 / 24/ 2011	-302.78	0.12	2784.22	01	06	1	
	P	2 / 1 / 2012	-309.11	-6.33	2777.89	01	06	1	

Min *-309.11* **Max** *-279.24* **Avg** *-293.281*

2308101 *(Aquifer: 121OGLL Well Depth: 330)*

	P	9 / 18/ 2001	-287.8		2804.2	01	04	7	

Min *-287.8* **Max** *-287.8* **Avg** *-287.8*

2308201 *(Aquifer: 121OGLL Well Depth: 355)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6/ 0/1954	-240		2846	01	12	7	
	P	1/17/1962	-261.73	-21.7	2824.27	01	01	1	
	P	1/29/1963	-264.86	-3.13	2821.14	01	06	1	
	P	1/25/1964	-263.61	1.25	2822.39	01	06	1	
	P	2/17/1965	-264.01	-0.4	2821.99	01	06	1	
	P	1/31/1966	-262.04	1.97	2823.96	01	06	1	
	P	1/ 9/1967	-266.15	-4.11	2819.85	01	01	1	
	N	1/ 4/1968				01	01	1	44
	P	1/13/1969	-267.95		2818.05	01	06	1	
	P	1/19/1970	-266.9	1.05	2819.1	01	01	1	
	P	1/12/1971	-267.1	-0.2	2818.9	01	01	1	
	P	1/ 3/1972	-268.22	-1.12	2817.78	01	06	1	
	P	1/17/1973	-267.8	0.42	2818.2	01	06	1	
	P	1/14/1974	-268.42	-0.62	2817.58	01	06	1	
	P	1/10/1975	-268.98	-0.56	2817.02	01	06	1	
	P	1/12/1976	-268.69	0.29	2817.31	01	06	1	
	P	1/ 7/1977	-270.04	-1.35	2815.96	01	06	1	
	P	1/ 4/1978	-273.45	-3.41	2812.55	01	06	1	
	P	1/12/1979	-272.15	1.3	2813.85	01	06	1	
	P	1/ 9/1980	-272.6	-0.45	2813.4	01	06	1	
	P	1/21/1981	-274.29	-1.69	2811.71	01	06	1	
	P	1/14/1982	-274.55	-0.26	2811.45	01	06	1	
	P	2/16/1983	-277.22	-2.67	2808.78	01	06	1	
	P	1/26/1984	-275.64	1.58	2810.36	01	06	1	
	P	1/25/1985	-278.4	-2.76	2807.6	01	06	1	
	P	1/24/1986	-276.55	1.85	2809.45	01	06	1	
	P	2/ 2/1987	-276.87	-0.32	2809.13	01	06	1	
	P	2/ 4/1988	-277.44	-0.57	2808.56	01	06	1	
	P	1/25/1989	-279.6	-2.16	2806.4	01	06	1	
	P	1/16/1990	-279.8	-0.2	2806.2	01	06	1	
	P	2/ 8/1991	-279.41	0.39	2806.59	01	06	1	
	P	2/18/1992	-282.39	-2.98	2803.61	01	06	1	
	P	2/ 9/1993	-285.45	-3.06	2800.55	01	06	1	
	P	1/26/1994	-285.85	-0.4	2800.15	01	06	1	
	P	3/ 9/1995	-279.44	6.41	2806.56	01	06	1	
	P	1/30/1996	-279.61	-0.17	2806.39	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1997	-280.27	-0.66	2805.73	01	06	1	
	P	1 / 20/ 1998	-280.4	-0.13	2805.6	01	06	1	
	P	2 / 9 / 1999	-281	-0.6	2805	01	06	1	
	P	2 / 18/ 2000	-281.35	-0.35	2804.65	01	06	1	
	P	2 / 6 / 2001	-280.85	0.5	2805.15	01	06	1	
	P	2 / 13/ 2002	-281.73	-0.88	2804.27	01	06	1	
	P	3 / 3 / 2003	-281.97	-0.24	2804.03	01	06	1	
	P	2 / 10/ 2004	-282.7	-0.73	2803.3	01	06	1	
	P	2 / 17/ 2005	-282.6	0.1	2803.4	01	06	1	
	P	2 / 13/ 2006	-282.6		2803.4	01	06	1	
	P	2 / 12/ 2007	-285.79	-3.19	2800.21	01	06	1	
	P	2 / 7 / 2008	-283.29	2.5	2802.71	01	06	1	
	P	2 / 11/ 2009	-283.43	-0.14	2802.57	01	06	1	
	P	2 / 25/ 2010	-283.59	-0.16	2802.41	01	06	1	
	P	1 / 24/ 2011	-283.14	0.45	2802.86	01	06	1	
	P	2 / 1 / 2012	-283.97	-0.83	2802.03	01	06	1	

Min *-285.85* **Max** *-240* **Avg** *-275.214*

2308202 *(Aquifer: 121OGLL Well Depth: 270)*

	P	6 / 14/ 1937	-238.76		2841.24	01	12	7	01
	P	7 / 28/ 1937	-238.55	0.21	2841.45	01	12	7	01
	P	4 / 18/ 1938	-240.05	-1.5	2839.95	01	12	7	01
	P	1 / 26/ 1939	-240.3	-0.25	2839.7	01	12	7	01
	P	1 / 13/ 1940	-239.17	1.13	2840.83	01	12	7	01
	P	11 / 27/ 1940	-239.09	0.08	2840.91	01	12	7	01
	P	3 / 12/ 1941	-238.99	0.1	2841.01	01	12	7	01
	P	12 / 18/ 1941	-240.21	-1.22	2839.79	01	07	7	
	P	3 / 11/ 1942	-236.8	3.41	2843.2	01	07	7	

Min *-240.3* **Max** *-236.8* **Avg** *-239.102*

2308203 *(Aquifer: 231DCKM Well Depth: 400)*

	N	5 / 19/ 2004				01	01		42

Min **Max** **Avg**

2308401 *(Aquifer: 121OGLL Well Depth: 376)*

	P	2 / 28/ 1963	-265.53		2822.47	01	06	1	
	P	1 / 25/ 1964	-263.64	1.89	2824.36	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/10/1965	-270.67	-7.03	2817.33	01	06	1	
	P	1/31/1966	-269.91	0.76	2818.09	01	06	1	
	P	1/10/1967	-280.55	-10.6	2807.45	01	01	1	
	P	1/ 4/1968	-293.29	-12.7	2794.71	01	01	1	
	P	1/10/1969	-279	14.29	2809	01	06	1	
	P	1/19/1970	-294.35	-15.4	2793.65	01	01	1	
	P	1/12/1971	-305.17	-10.8	2782.83	01	01	1	
	P	1/18/1973	-304.39	0.78	2783.61	01	06	1	
	P	1/16/1974	-284.44	19.95	2803.56	01	06	1	
	P	1/10/1975	-291.82	-7.38	2796.18	01	06	1	
	P	1/ 9/1976	-293.26	-1.44	2794.74	01	06	1	
	P	1/ 7/1977	-289.18	4.08	2798.82	01	06	1	
	P	1/ 4/1978	-290.86	-1.68	2797.14	01	06	1	
	P	1/16/1979	-291.31	-0.45	2796.69	01	06	1	
	P	1/ 9/1980	-292.76	-1.45	2795.24	01	06	1	
	P	1/21/1981	-293.47	-0.71	2794.53	01	06	1	
	P	1/14/1982	-291.84	1.63	2796.16	01	06	1	
	P	2/17/1983	-292.37	-0.53	2795.63	01	06	1	
	P	1/26/1984	-292.99	-0.62	2795.01	01	06	1	
	P	1/25/1985	-293.15	-0.16	2794.85	01	06	1	
	P	2/19/1986	-293.44	-0.29	2794.56	01	06	1	
	P	2/ 2/1987	-292.63	0.81	2795.37	01	06	1	
	P	2/ 4/1988	-292.68	-0.05	2795.32	01	06	1	
	N	1/25/1989				01	06		41
	P	1/16/1990	-292.44		2795.56	01	06	1	
	P	2/ 8/1991	-294.02	-1.58	2793.98	01	06	1	
	P	2/18/1992	-295.84	-1.82	2792.16	01	06	1	
	P	2/ 9/1993	-292.32	3.52	2795.68	01	06	1	
	P	1/26/1994	-294.95	-2.63	2793.05	01	06	1	
	P	2/ 6/1995	-293.88	1.07	2794.12	01	06	1	
	P	1/30/1996	-296.49	-2.61	2791.51	01	06	1	
	P	2/18/1997	-295.87	0.62	2792.13	01	06	1	
	P	1/19/1998	-294.7	1.17	2793.3	01	06	1	
	P	2/ 9/1999	-296	-1.3	2792	01	06	1	
	P	2/18/2000	-297.44	-1.44	2790.56	01	06	1	
	P	2/ 6/2001	-298.08	-0.64	2789.92	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 13/ 2002	-300.9	-2.82	2787.1	01	06	1	
	P	3 / 3 / 2003	-298.18	2.72	2789.82	01	06	1	
	P	2 / 10/ 2004	-301.46	-3.28	2786.54	01	06	1	
	P	2 / 17/ 2005	-298.63	2.83	2789.37	01	06	1	
	P	2 / 13/ 2006	-301.16	-2.53	2786.84	01	06	1	
	P	2 / 13/ 2007	-301.89	-0.73	2786.11	01	06	1	
	P	2 / 29/ 2008	-302.53	-0.64	2785.47	01	06	1	
	P	2 / 11/ 2009	-301.99	0.54	2786.01	01	06	1	
	P	1 / 20/ 2010	-300.93	1.06	2787.07	01	06	1	
	P	2 / 15/ 2011	-300.65	0.28	2787.35	01	06	1	
	P	2 / 1 / 2012	-303.19	-2.54	2784.81	01	06	1	

Min *-305.17* **Max** *-263.64* **Avg** *-292.838*

2308403 *(Aquifer: 121OGLL Well Depth: 386)*

	N	5 / 19/ 2004				01	01		41

Min **Max** **Avg**

2308501 *(Aquifer: 121OGLL Well Depth: 370)*

	P	1 / 29/ 1955	-250		2807	01	07	7	
	P	1 / 17/ 1962	-252.58	-2.58	2804.42	01	01	1	
	P	1 / 29/ 1963	-252.5	0.08	2804.5	01	06	1	
	P	1 / 25/ 1964	-252.57	-0.07	2804.43	01	06	1	
	P	2 / 10/ 1965	-254.42	-1.85	2802.58	01	06	1	
	P	1 / 31/ 1966	-261.55	-7.13	2795.45	01	06	1	
	P	1 / 10/ 1967	-260.06	1.49	2796.94	01	01	1	

Min *-261.55* **Max** *-250* **Avg** *-254.811*

2308502 *(Aquifer: 121OGLL Well Depth: 365)*

	P	1 / 20/ 1967	-261.06		2798.94	01	01	1	
	P	1 / 4 / 1968	-266.89	-5.83	2793.11	01	01	1	
	P	1 / 13/ 1969	-266.2	0.69	2793.8	01	06	1	
	P	1 / 19/ 1970	-272.03	-5.83	2787.97	01	01	1	
	P	1 / 12/ 1971	-269.65	2.38	2790.35	01	01	1	
	P	1 / 3 / 1972	-269.82	-0.17	2790.18	01	06	1	
	P	1 / 18/ 1973	-270.44	-0.62	2789.56	01	06	1	
	P	1 / 16/ 1974	-272.28	-1.84	2787.72	01	06	1	
	P	1 / 10/ 1975	-272.99	-0.71	2787.01	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1976	-273.59	-0.6	2786.41	01	06	1	
	P	1/ 7/1977	-276.76	-3.17	2783.24	01	06	1	
	P	1/ 4/1978	-277.05	-0.29	2782.95	01	06	1	
	P	1/16/1979	-277.94	-0.89	2782.06	01	06	1	
	P	1/ 9/1980	-276.98	0.96	2783.02	01	06	1	
	P	1/ 9/1981	-279.47	-2.49	2780.53	01	06	1	
	P	1/14/1982	-278.48	0.99	2781.52	01	06	1	
	P	2/17/1983	-277.84	0.64	2782.16	01	06	1	
	P	1/27/1984	-277.85	-0.01	2782.15	01	06	1	
	P	1/25/1985	-279.6	-1.75	2780.4	01	06	1	
	P	1/25/1986	-278.37	1.23	2781.63	01	06	1	
	P	2/ 2/1987	-277.98	0.39	2782.02	01	06	1	
	P	2/ 4/1988	-278.39	-0.41	2781.61	01	06	1	
	P	1/25/1989	-279.58	-1.19	2780.42	01	06	1	
	P	1/16/1990	-278.44	1.14	2781.56	01	06	1	
	P	2/ 8/1991	-280.63	-2.19	2779.37	01	06	1	
	N	2/18/1992				01	06		42
	N	2/ 9/1993				01	06		42
	N	2/ 9/1994				01	06		42

Min *-280.63* **Max** *-261.06* **Avg** *-274.812*

2308503 *(Aquifer: 121OGLL Well Depth: 385)*

	P	2/ 9/1993	-288.44		2783.56	01	06	1	
	P	1/26/1994	-289.1	-0.66	2782.9	01	06	1	
	P	2/ 6/1995	-289.92	-0.82	2782.08	01	06	1	
	P	1/30/1996	-290.59	-0.67	2781.41	01	06	1	
	P	2/18/1997	-291.17	-0.58	2780.83	01	06	1	
	P	1/19/1998	-291.5	-0.33	2780.5	01	06	1	
	P	2/ 9/1999	-292	-0.5	2780	01	06	1	
	P	2/18/2000	-294.05	-2.05	2777.95	01	06	1	
	N	3/ 2/2001				01	06		51
	P	2/13/2002	-294.05		2777.95	01	06	1	
	P	3/ 3/2003	-293.37	0.68	2778.63	01	06	1	
	P	2/10/2004	-294.04	-0.67	2777.96	01	06	1	
	P	2/17/2005	-294	0.04	2778	01	06	1	
	P	2/13/2006	-294.36	-0.36	2777.64	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 12/ 2007	-295.05	-0.69	2776.95	01	06	1	
	P	2 / 7 / 2008	-294.89	0.16	2777.11	01	06	1	
	P	2 / 11/ 2009	-295.33	-0.44	2776.67	01	06	1	
	P	1 / 20/ 2010	-295.83	-0.5	2776.17	01	06	1	
	P	1 / 24/ 2011	-296.31	-0.48	2775.69	01	06	1	
	P	2 / 1 / 2012	-298.29	-1.98	2773.71	01	06	1	

Min *-298.29* **Max** *-288.44* **Avg** *-293.278*

2308701 *(Aquifer: 121OGLL Well Depth: 358)*

	P	2 / 28/ 1963	-261.18		2813.82	01	06	1	
	P	1 / 25/ 1964	-264.8	-3.62	2810.2	01	06	1	
	P	2 / 10/ 1965	-270.51	-5.71	2804.49	01	06	1	
	P	1 / 31/ 1966	-271.6	-1.09	2803.4	01	06	1	
	P	1 / 10/ 1967	-274.4	-2.8	2800.6	01	01	1	
	P	1 / 4 / 1968	-275.91	-1.51	2799.09	01	01	1	
	P	1 / 13/ 1969	-274.88	1.03	2800.12	01	06	1	
	P	2 / 9 / 1970	-277.71	-2.83	2797.29	01	06	1	
	P	1 / 12/ 1971	-277.99	-0.28	2797.01	01	01	1	
	P	1 / 3 / 1972	-278.99	-1	2796.01	01	06	1	
	P	1 / 18/ 1973	-279.57	-0.58	2795.43	01	06	1	
	P	1 / 16/ 1974	-279.84	-0.27	2795.16	01	06	1	
	P	1 / 10/ 1975	-282.04	-2.2	2792.96	01	06	1	
	P	1 / 9 / 1976	-281.86	0.18	2793.14	01	06	1	
	P	1 / 7 / 1977	-284.82	-2.96	2790.18	01	06	1	
	P	1 / 3 / 1978	-292.57	-7.75	2782.43	01	06	1	20
	P	1 / 16/ 1979	-286.4	6.17	2788.6	01	06	1	
	P	1 / 8 / 1980	-286.07	0.33	2788.93	01	06	1	
	P	1 / 21/ 1981	-287.79	-1.72	2787.21	01	06	1	
	P	1 / 14/ 1982	-288.15	-0.36	2786.85	01	06	1	
	P	2 / 17/ 1983	-291.86	-3.71	2783.14	01	06	1	
	P	1 / 26/ 1984	-289	2.86	2786	01	06	1	
	P	1 / 24/ 1985	-289.59	-0.59	2785.41	01	06	1	
	P	1 / 24/ 1986	-289.64	-0.05	2785.36	01	06	1	
	P	2 / 2 / 1987	-288.77	0.87	2786.23	01	06	1	
	P	2 / 8 / 1988	-289.9	-1.13	2785.1	01	06	1	
	P	1 / 25/ 1989	-290.74	-0.84	2784.26	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1990	-294.04	-3.3	2780.96	01	06	1	
	P	2/ 7/ 1991	-292.27	1.77	2782.73	01	06	1	
	P	2/ 18/ 1992	-293.59	-1.32	2781.41	01	06	1	
	P	2/ 9/ 1993	-293.24	0.35	2781.76	01	06	1	
	P	1/ 26/ 1994	-294.6	-1.36	2780.4	01	06	1	
	P	2/ 7/ 1995	-296.09	-1.49	2778.91	01	06	1	
	P	1/ 30/ 1996	-296.63	-0.54	2778.37	01	06	1	
	P	2/ 27/ 1997	-296.24	0.39	2778.76	01	06	1	
	P	1/ 19/ 1998	-297.65	-1.41	2777.35	01	06	1	
	P	2/ 9/ 1999	-299	-1.35	2776	01	06	1	
	P	3/ 17/ 2000	-301.8	-2.8	2773.2	01	06	1	
	P	2/ 7/ 2001	-300.24	1.56	2774.76	01	06	1	
	P	2/ 15/ 2002	-300.98	-0.74	2774.02	01	06	1	
	P	3/ 3/ 2003	-300.93	0.05	2774.07	01	06	1	
	P	2/ 10/ 2004	-301.79	-0.86	2773.21	01	06	1	
	P	2/ 17/ 2005	-301.46	0.33	2773.54	01	06	1	
	P	2/ 13/ 2006	-301.6	-0.14	2773.4	01	06	1	
	P	2/ 13/ 2007	-302.46	-0.86	2772.54	01	06	1	
	P	2/ 7/ 2008	-302.5	-0.04	2772.5	01	06	1	
	P	2/ 10/ 2009	-303.18	-0.68	2771.82	01	06	1	
	P	2/ 25/ 2010	-303.75	-0.57	2771.25	01	06	1	
	P	1/ 24/ 2011	-304.52	-0.77	2770.48	01	06	1	
	P	2/ 1/ 2012	-305.83	-1.31	2769.17	01	06	1	

Min *-305.83* **Max** *-261.18* **Avg** *-289.819*

2312301 *(Aquifer: 121OGLL Well Depth: 282)*

	P	3/ 18/ 1947	-83.7		3128.3	01	12	7	01
	P	3/ 10/ 1949	-87.2	-3.5	3124.8	01	12	7	01
	P	1/ 18/ 1951	-91.8	-4.6	3120.2	01	12	7	01
	P	1/ 16/ 1952	-93.6	-1.8	3118.4	01	12	7	01
	P	1/ 10/ 1953	-96.32	-2.72	3115.68	01	12	7	01
	P	1/ 6/ 1954	-103.73	-7.41	3108.27	01	12	7	01
	P	1/ 6/ 1955	-108.01	-4.28	3103.99	01	12	7	01
	P	1/ 6/ 1956	-108.66	-0.65	3103.34	01	12	7	01
	P	1/ 9/ 1958	-158.44	-49.8	3053.56	01	12	7	03
	P	1/ 15/ 1959	-126	32.44	3086	01	12	4	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1960	-133.21	-7.21	3078.79	01	12	4	01
	P	1/ 15/ 1961	-138.05	-4.84	3073.95	01	04	4	
	P	1/ 15/ 1962	-138.97	-0.92	3073.03	01	04	4	
	P	1/ 28/ 1963	-144.89	-5.92	3067.11	01	06	1	
	P	1/ 28/ 1964	-154.36	-9.47	3057.64	01	06	1	
	P	2/ 17/ 1965	-167.78	-13.4	3044.22	01	06	1	
	P	4/ 28/ 1965	-214.98	-47.2	2997.02	01	01	1	
	P	6/ 22/ 1965	-196.29	18.69	3015.71	01	01	1	
	P	9/ 16/ 1965	-221.78	-25.5	2990.22	01	01	1	
	P	10/ 23/ 1965	-189.72	32.06	3022.28	01	01	1	
	P	10/ 26/ 1965	-189.23	0.49	3022.77	01	01	1	
	P	12/ 14/ 1965	-183.63	5.6	3028.37	01	01	1	
	P	2/ 22/ 1966	-175.54	8.09	3036.46	01	01	1	
	P	4/ 19/ 1966	-216.2	-40.7	2995.8	01	01	1	
	P	6/ 21/ 1966	-192.9	23.3	3019.1	01	01	1	
	P	8/ 17/ 1966	-225.34	-32.4	2986.66	01	01	1	
	P	10/ 5/ 1966	-177.8	47.54	3034.2	01	01	1	
	P	12/ 13/ 1966	-188	-10.2	3024	01	01	1	
	P	1/ 10/ 1967	-183.35	4.65	3028.65	01	01	1	
	P	2/ 16/ 1967	-208.6	-25.3	3003.4	01	01	2	
	P	4/ 20/ 1967	-209.6	-1	3002.4	01	01	2	
	P	6/ 24/ 1967	-233.8	-24.2	2978.2	01	01	2	
	N	8/ 14/ 1967				01	01		41
	P	10/ 18/ 1967	-208.68		3003.32	01	01	1	
	N	12/ 12/ 1967				01	01		63
	N	1/ 8/ 1968				01	01		63
	P	1/ 3/ 1969	-187.44		3024.56	01	06	1	
	P	5/ 25/ 1969	-191.5	-4.06	3020.5	01	01	1	
	P	1/ 12/ 1970	-186.09	5.41	3025.91	01	06	1	20
	P	1/ 10/ 1971	-188.7	-2.61	3023.3	01	01	1	20
	P	1/ 1/ 1972	-191.61	-2.91	3020.39	01	06	1	20
	P	5/ 3/ 1972	-212.88	-21.3	2999.12	01	01	1	
	P	6/ 5/ 1972	-200.9	11.98	3011.1	01	01	1	
	P	6/ 6/ 1972	-201	-0.1	3011	01	01	1	
	P	8/ 14/ 1972	-226	-25	2986	01	01	1	
	P	8/ 15/ 1972	-225.95	0.05	2986.05	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/16/1972	-206.95	19	3005.05	01	01	1	
	P	12/ 5/1972	-198.68	8.27	3013.32	01	01	1	
	P	1/18/1973	-193.04	5.64	3018.96	01	06	1	
	P	2/ 6/1973	-197.06	-4.02	3014.94	01	01	1	
	P	3/27/1973	-195.43	1.63	3016.57	01	01	1	
	P	6/17/1973	-224.25	-28.8	2987.75	01	01	1	
	P	6/22/1973	-241.35	-17.1	2970.65	01	01	1	20
	P	8/ 7/1973	-223.47	17.88	2988.53	01	01	1	
	P	8/13/1973	-211.36	12.11	3000.64	01	01	1	03
	P	10/ 3/1973	-225.7	-14.3	2986.3	01	01	1	03
	P	12/11/1973	-203.25	22.45	3008.75	01	01	1	
	P	1/14/1974	-201.41	1.84	3010.59	01	06	1	
	P	1/ 7/1975	-202.5	-1.09	3009.5	01	06	1	
	P	1/14/1976	-207.88	-5.38	3004.12	01	06	2	
	N	1/ 5/1977				01	06		63
	P	1/ 6/1978	-213.27		2998.73	01	06	1	
	P	1/11/1979	-213.09	0.18	2998.91	01	06	2	
	P	1/ 7/1980	-211.76	1.33	3000.24	01	06	1	
	P	1/13/1981	-216.04	-4.28	2995.96	01	06	1	20
	P	1/ 7/1982	-216.38	-0.34	2995.62	01	06	2	
	P	1/17/1983	-217.95	-1.57	2994.05	01	06	2	
	P	1/26/1984	-218.35	-0.4	2993.65	01	06	2	
	P	1/ 7/1985	-220.4	-2.05	2991.6	01	06	2	
	P	1/27/1986	-220.29	0.11	2991.71	01	06	2	
	P	1/27/1987	-219.8	0.49	2992.2	01	06	2	
	P	2/ 2/1988	-219.46	0.34	2992.54	01	06	2	
	P	1/27/1989	-220.53	-1.07	2991.47	01	06	1	
	P	1/15/1990	-222.21	-1.68	2989.79	01	06	2	
	P	2/11/1991	-222.92	-0.71	2989.08	01	06	2	
	P	2/19/1992	-223.72	-0.8	2988.28	01	06	1	
	P	2/ 8/1993	-223.63	0.09	2988.37	01	06	1	
	P	1/26/1994	-226.78	-3.15	2985.22	01	06	2	
	P	2/ 2/1995	-228.96	-2.18	2983.04	01	06	2	
	P	1/29/1996	-227.24	1.72	2984.76	01	06	2	
	P	2/ 5/1997	-234.62	-7.38	2977.38	01	06	1	
	P	1/14/1998	-236.01	-1.39	2975.99	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 26/ 1999	-230	6.01	2982	01	06	1	
	P	2 / 17/ 2000	-231.57	-1.57	2980.43	01	06	2	
	P	1 / 11/ 2001	-236.81	-5.24	2975.19	02	06	1	
	P	2 / 20/ 2002	-236.3	0.51	2975.7	02	06	1	
	P	3 / 4 / 2003	-238.48	-2.18	2973.52	02	06	1	
	P	2 / 18/ 2004	-238.41	0.07	2973.59	01	06	2	
	P	2 / 23/ 2005	-236.15	2.26	2975.85	02	06	2	
	P	2 / 14/ 2006	-236.71	-0.56	2975.29	01	06	1	
	P	2 / 13/ 2007	-226.8	9.91	2985.2	01	06	1	
	P	2 / 19/ 2008	-226.27	0.53	2985.73	01	06	1	
	N	2 / 9 / 2009				01	06	1	47
	P	1 / 21/ 2010	-225.77		2986.23	01	06	1	
	N	1 / 19/ 2011				01	06	1	47
	P	12 / 7 / 2011	-246.57		2965.43	01	06	2	

Min *-246.57* **Max** *-83.7* **Avg** *-197.309*

2312302 *(Aquifer: 121OGLL Well Depth: 225)*

	P	8 / 28/ 1968	-212.52		2997.48	01	01	1	
	P	10 / 23/ 1968	-199.95	12.57	3010.05	01	01	1	
	P	12 / 17/ 1968	-194.48	5.47	3015.52	01	01	1	
	P	2 / 25/ 1969	-191.5	2.98	3018.5	01	01	1	
	P	4 / 22/ 1969	-203.4	-11.9	3006.6	01	01	1	
	P	6 / 24/ 1969	-195.3	8.1	3014.7	01	01	1	
	P	8 / 19/ 1969	-221.16	-25.9	2988.84	01	01	1	
	N	10 / 21/ 1969				01	01		61
	P	12 / 16/ 1969	-197.05		3012.95	01	01	1	
	P	1 / 12/ 1970	-195.2	1.85	3014.8	01	01	1	
	P	2 / 17/ 1970	-195.23	-0.03	3014.77	01	01	1	
	P	4 / 21/ 1970	-206.6	-11.4	3003.4	01	01	1	
	P	6 / 9 / 1970	-201.49	5.11	3008.51	01	01	1	
	P	8 / 17/ 1970	-221.35	-19.9	2988.65	01	01	1	
	P	10 / 12/ 1970	-208.35	13	3001.65	01	01	1	
	P	12 / 14/ 1970	-203.7	4.65	3006.3	01	01	1	
	P	2 / 12/ 1971	-200.78	2.92	3009.22	01	01	1	
	P	4 / 15/ 1971	-218.39	-17.6	2991.61	01	01	1	
	P	6 / 14/ 1971	-207.49	10.9	3002.51	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 9 / 1971	-221.65	-14.2	2988.35	01	01	1	
	P	10 / 5 / 1971	-208.9	12.75	3001.1	01	01	1	
	P	12 / 15/ 1971	-203.7	5.2	3006.3	01	01	1	
	P	1 / 7 / 1972	-202.9	0.8	3007.1	01	06	1	
	P	1 / 3 / 1973	-203.9	-1	3006.1	01	06	1	
	P	1 / 14/ 1974	-206.5	-2.6	3003.5	01	06	2	
	P	1 / 7 / 1975	-207.6	-1.1	3002.4	01	06	1	
	N	9 / 19/ 1975				01	06		40

Min *-221.65* **Max** *-191.5* **Avg** *-205.164*

2313101 *(Aquifer: 121OGLL Well Depth: 382)*

	P	1 / 16/ 1962	-154.76		3027.24	01	01	1	
	P	1 / 21/ 1963	-159.86	-5.1	3022.14	01	06	1	
	P	2 / 14/ 1964	-163.39	-3.53	3018.61	01	06	1	
	P	2 / 16/ 1965	-171.31	-7.92	3010.69	01	06	1	
	P	1 / 10/ 1967	-180.62	-9.31	3001.38	01	01	1	
	P	1 / 5 / 1968	-183.21	-2.59	2998.79	01	01	1	
	P	1 / 7 / 1969	-185.45	-2.24	2996.55	01	06	1	
	P	1 / 19/ 1970	-186.17	-0.72	2995.83	01	01	1	
	P	1 / 10/ 1971	-191.7	-5.53	2990.3	01	01	1	
	P	1 / 1 / 1972	-192.46	-0.76	2989.54	01	06	1	
	P	1 / 3 / 1973	-193.31	-0.85	2988.69	01	06	1	
	P	1 / 11/ 1974	-194.85	-1.54	2987.15	01	06	1	
	P	1 / 7 / 1975	-196.42	-1.57	2985.58	01	06	1	
	P	1 / 12/ 1976	-197.99	-1.57	2984.01	01	06	1	
	P	1 / 8 / 1977	-200.9	-2.91	2981.1	01	06	1	
	P	1 / 3 / 1978	-207.02	-6.12	2974.98	01	06	1	
	P	1 / 9 / 1979	-206.19	0.83	2975.81	01	06	1	
	P	1 / 7 / 1980	-205	1.19	2977	01	06	1	
	P	1 / 13/ 1981	-210.63	-5.63	2971.37	01	06	1	
	P	1 / 7 / 1982	-209.67	0.96	2972.33	01	06	1	
	P	2 / 14/ 1983	-212.45	-2.78	2969.55	01	06	1	
	P	1 / 26/ 1984	-211.44	1.01	2970.56	01	06	1	
	P	1 / 17/ 1985	-213.05	-1.61	2968.95	01	06	1	
	P	1 / 27/ 1986	-215.03	-1.98	2966.97	01	06	1	
	P	1 / 27/ 1987	-214.7	0.33	2967.3	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 2 / 1988	-212.74	1.96	2969.26	01	06	1	
	P	1 / 30/ 1989	-214.76	-2.02	2967.24	01	06	1	
	P	1 / 15/ 1990	-217.73	-2.97	2964.27	01	06	1	
	P	2 / 11/ 1991	-219.31	-1.58	2962.69	01	06	1	
	P	2 / 19/ 1992	-220.62	-1.31	2961.38	01	06	1	
	P	2 / 8 / 1993	-221.32	-0.7	2960.68	01	06	1	
	P	1 / 26/ 1994	-225.58	-4.26	2956.42	01	06	1	
	P	2 / 2 / 1995	-231.54	-5.96	2950.46	01	06	1	
	P	1 / 29/ 1996	-230.15	1.39	2951.85	01	06	1	
	P	2 / 24/ 1997	-232.53	-2.38	2949.47	01	06	1	
	P	1 / 16/ 1998	-232.49	0.04	2949.51	01	06	1	
	P	2 / 9 / 1999	-232	0.49	2950	01	06	1	
	P	2 / 17/ 2000	-227.85	4.15	2954.15	01	06	1	
	P	2 / 6 / 2001	-230.3	-2.45	2951.7	01	06	1	
	P	2 / 20/ 2002	-233.52	-3.22	2948.48	01	06	1	
	N	3 / 6 / 2003				01	06	7	44
	N	2 / 18/ 2004				01	06	1	44
	N	2 / 25/ 2005				01	06	1	44
	N	2 / 14/ 2006				01	06	7	44
	N	2 / 13/ 2007				01	06	7	44
	N	2 / 4 / 2008				01	06	1	47

Min *-233.52* **Max** *-154.76* **Avg** *-206.001*

2313102 *(Aquifer: 121OGLL Well Depth: 410)*

	P	2 / 14/ 2006	-261.19		2918.81	01	06	1	
	P	2 / 13/ 2007	-262.32	-1.13	2917.68	01	06	1	
	P	2 / 4 / 2008	-269.21	-6.89	2910.79	01	06	1	
	P	2 / 25/ 2010	-278.15	-8.94	2901.85	01	06	1	
	P	2 / 15/ 2011	-277.48	0.67	2902.52	01	06	1	
	P	2 / 14/ 2012	-293.15	-15.7	2886.85	01	06	1	

Min *-293.15* **Max** *-261.19* **Avg** *-273.583*

2313301 *(Aquifer: 121OGLL Well Depth: 414)*

	P	1 / 14/ 1955	-150		3023	01	07	7	
	P	1 / 17/ 1962	-188.22	-38.2	2984.78	01	01	1	
	P	1 / 21/ 1963	-174.23	13.99	2998.77	01	06	1	
	P	2 / 14/ 1964	-179.02	-4.79	2993.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 16/ 1965	-192.27	-13.3	2980.73	01	06	1	
	P	1 / 19/ 1966	-204.36	-12.1	2968.64	01	06	1	
	N	1 / 10/ 1967				01	01		40

Min *-204.36* **Max** *-150* **Avg** *-181.35*

2313302 *(Aquifer: 121OGLL Well Depth: 400)*

	P	3 / 7 / 1969	-216.73		2958.27	01	12	7	
	P	1 / 19/ 1970	-220.21	-3.48	2954.79	01	01	1	
	P	1 / 10/ 1971	-225.77	-5.56	2949.23	01	01	1	
	P	1 / 2 / 1972	-226.5	-0.73	2948.5	01	06	1	
	P	1 / 3 / 1973	-228.86	-2.36	2946.14	01	06	1	
	P	1 / 11/ 1974	-230.28	-1.42	2944.72	01	06	1	
	P	1 / 7 / 1975	-234.19	-3.91	2940.81	01	06	1	
	P	1 / 12/ 1976	-234.63	-0.44	2940.37	01	06	1	
	P	1 / 8 / 1977	-239.6	-4.97	2935.4	01	06	1	
	P	1 / 3 / 1978	-247.79	-8.19	2927.21	01	06	1	
	P	1 / 9 / 1979	-249.45	-1.66	2925.55	01	06	1	
	P	1 / 7 / 1980	-245.29	4.16	2929.71	01	06	1	
	P	1 / 13/ 1981	-257.69	-12.4	2917.31	01	06	1	
	P	1 / 8 / 1982	-255.7	1.99	2919.3	01	06	1	
	P	2 / 14/ 1983	-258.14	-2.44	2916.86	01	06	1	
	P	1 / 26/ 1984	-258.3	-0.16	2916.7	01	06	1	
	P	1 / 17/ 1985	-259.69	-1.39	2915.31	01	06	1	
	P	2 / 19/ 1986	-246.11	13.58	2928.89	01	06	2	22
	P	1 / 27/ 1987	-255.15	-9.04	2919.85	01	06	2	
	P	2 / 3 / 1988	-254.64	0.51	2920.36	01	06	2	
	P	1 / 30/ 1989	-260.35	-5.71	2914.65	01	06	2	
	P	1 / 15/ 1990	-262.94	-2.59	2912.06	01	06	2	
	P	2 / 11/ 1991	-263.16	-0.22	2911.84	01	06	2	
	P	2 / 19/ 1992	-263.09	0.07	2911.91	01	06	1	
	P	2 / 8 / 1993	-264.92	-1.83	2910.08	01	06	1	
	P	1 / 27/ 1994	-269.48	-4.56	2905.52	01	06	1	
	P	2 / 2 / 1995	-276.05	-6.57	2898.95	01	06	1	
	P	1 / 29/ 1996	-276.56	-0.51	2898.44	01	06	1	
	P	2 / 24/ 1997	-281.75	-5.19	2893.25	01	06	1	
	P	1 / 16/ 1998	-282.09	-0.34	2892.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 9 / 1999	-287	-4.91	2888	01	06	1	
	N	3 / 20/ 2000				01	06		41
	P	1 / 11/ 2001	-294.88		2880.12	01	06	1	
	P	2 / 20/ 2002	-290.59	4.29	2884.41	01	06	1	
	P	3 / 6 / 2003	-292.04	-1.45	2882.96	01	06	1	
	P	2 / 18/ 2004	-294.49	-2.45	2880.51	01	06	1	
	P	2 / 23/ 2005	-295.06	-0.57	2879.94	01	06	1	
	P	2 / 14/ 2006	-293.39	1.67	2881.61	01	06	1	
	P	2 / 13/ 2007	-294.62	-1.23	2880.38	01	06	1	
	P	2 / 6 / 2008	-293.42	1.2	2881.58	01	06	1	
	P	2 / 9 / 2009	-293.99	-0.57	2881.01	01	06	1	
	P	1 / 21/ 2010	-296.23	-2.24	2878.77	01	06	1	
	P	1 / 19/ 2011	-296.97	-0.74	2878.03	01	06	1	
	P	12 / 7 / 2011	-301.95	-4.98	2873.05	01	06	2	

Min *-301.95* **Max** *-216.73* **Avg** *-264.413*

2313303 *(Aquifer: 121OGLL Well Depth: 340)*

	P	11 / 2 / 1979	-240.29		2902.71	01	07	7	
	P	1 / 14/ 1980	-233.43	6.86	2909.57	01	06	1	
	P	1 / 9 / 1981	-240.55	-7.12	2902.45	01	06	1	
	P	1 / 8 / 1982	-240.03	0.52	2902.97	01	06	1	
	P	2 / 14/ 1983	-238.67	1.36	2904.33	01	06	1	
	P	1 / 26/ 1984	-240.07	-1.4	2902.93	01	06	1	
	P	1 / 17/ 1985	-241.81	-1.74	2901.19	01	06	1	
	P	1 / 27/ 1986	-240.6	1.21	2902.4	01	06	1	
	P	1 / 27/ 1987	-240.1	0.5	2902.9	01	06	2	
	P	2 / 4 / 1988	-237.89	2.21	2905.11	01	06	2	
	N	1 / 30/ 1989				01	06		41
	P	1 / 15/ 1990	-242.27		2900.73	01	06	1	
	P	2 / 11/ 1991	-243.41	-1.14	2899.59	01	06	1	
	P	2 / 14/ 1992	-246.98	-3.57	2896.02	01	06	1	
	P	2 / 8 / 1993	-243.64	3.34	2899.36	01	06	1	
	P	1 / 27/ 1994	-246.57	-2.93	2896.43	01	06	1	
	P	2 / 2 / 1995	-251.4	-4.83	2891.6	01	06	1	
	P	1 / 29/ 1996	-254.28	-2.88	2888.72	01	06	1	
	P	2 / 24/ 1997	-258.02	-3.74	2884.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1998	-255.58	2.44	2887.42	01	06	1	
	P	2/ 9/ 1999	-262	-6.42	2881	01	06	1	
	P	2/ 18/ 2000	-265.67	-3.67	2877.33	01	06	1	
	P	2/ 6/ 2001	-267.14	-1.47	2875.86	01	06	1	
	P	2/ 20/ 2002	-267.46	-0.32	2875.54	01	06	1	
	P	3/ 6/ 2003	-268.49	-1.03	2874.51	01	06	1	
	P	2/ 18/ 2004	-269.69	-1.2	2873.31	01	06	1	
	P	2/ 22/ 2005	-268.79	0.9	2874.21	01	06	1	
	P	2/ 14/ 2006	-268.13	0.66	2874.87	01	06	1	
	P	2/ 13/ 2007	-271.42	-3.29	2871.58	01	06	1	
	P	2/ 6/ 2008	-270.11	1.31	2872.89	01	06	1	
	P	2/ 9/ 2009	-271.09	-0.98	2871.91	01	06	1	
	P	1/ 21/ 2010	-271.38	-0.29	2871.62	01	06	1	
	P	1/ 21/ 2011	-272.29	-0.91	2870.71	01	06	1	
	P	12/ 7/ 2011	-273.3	-1.01	2869.7	01	06	1	

Min *-273.3* **Max** *-233.43* **Avg** *-254.623*

2313304 *(Aquifer: 121OGLL Well Depth: 400)*

	P	5/ 17/ 2000	-289.85		2882.15	01	01	1	

Min *-289.85* **Max** *-289.85* **Avg** *-289.85*

2314101 *(Aquifer: 121OGLL Well Depth: 375)*

	P	2/ 28/ 1963	-194.25		2932.75	01	06	1	
	P	1/ 24/ 1964	-198.96	-4.71	2928.04	01	06	1	
	P	2/ 10/ 1965	-222.25	-23.3	2904.75	01	06	1	
	P	1/ 27/ 1966	-230.75	-8.5	2896.25	01	06	1	
	P	1/ 10/ 1967	-236.2	-5.45	2890.8	01	01	1	
	P	1/ 5/ 1968	-245.72	-9.52	2881.28	01	01	1	
	P	1/ 14/ 1969	-230.5	15.22	2896.5	01	06	1	
	P	1/ 19/ 1970	-237.84	-7.34	2889.16	01	01	1	
	P	1/ 10/ 1971	-246.18	-8.34	2880.82	01	01	1	
	P	1/ 2/ 1972	-252.27	-6.09	2874.73	01	06	1	
	P	1/ 18/ 1973	-249.89	2.38	2877.11	01	06	1	
	P	1/ 11/ 1974	-251.34	-1.45	2875.66	01	06	1	
	P	1/ 7/ 1975	-254	-2.66	2873	01	06	1	
	P	1/ 12/ 1976	-254.48	-0.48	2872.52	01	06	1	
	P	1/ 8/ 1977	-259.7	-5.22	2867.3	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1/ 3/1978				01	06		41
	P	1/ 9/1979	-262.55		2864.45	01	06	1	
	P	1/ 7/1980	-261.36	1.19	2865.64	01	06	1	
	P	1/ 9/1981	-266.33	-4.97	2860.67	01	06	1	
	P	1/12/1982	-265.16	1.17	2861.84	01	06	1	
	P	2/14/1983	-264.94	0.22	2862.06	01	06	1	
	P	1/26/1984	-265.19	-0.25	2861.81	01	06	1	
	P	1/17/1985	-265.94	-0.75	2861.06	01	06	1	
	P	1/29/1986	-264.5	1.44	2862.5	01	06	1	
	P	1/29/1987	-264.02	0.48	2862.98	01	06	1	
	P	2/ 4/1988	-262.03	1.99	2864.97	01	06	1	
	P	1/26/1989	-263.53	-1.5	2863.47	01	06	1	
	P	1/17/1990	-264.64	-1.11	2862.36	01	06	1	
	P	2/11/1991	-265.43	-0.79	2861.57	01	06	1	
	P	2/14/1992	-265.88	-0.45	2861.12	01	06	1	
	P	3/ 3/1993	-264.95	0.93	2862.05	01	06	1	
	P	1/27/1994	-265.4	-0.45	2861.6	01	06	1	
	P	2/ 2/1995	-267.9	-2.5	2859.1	01	06	1	
	P	2/23/1996	-268.11	-0.21	2858.89	01	06	1	
	P	2/24/1997	-270.15	-2.04	2856.85	01	06	1	
	N	1/15/1998				01	06		42
	P	2/10/1999	-270		2857	01	06	1	
	P	2/17/2000	-270.63	-0.63	2856.37	01	06	1	
	P	2/ 7/2001	-270.5	0.13	2856.5	01	06	1	
	P	2/20/2002	-273.65	-3.15	2853.35	01	06	1	
	P	3/ 6/2003	-272.7	0.95	2854.3	01	06	1	
	P	2/18/2004	-273.52	-0.82	2853.48	01	06	1	
	P	2/22/2005	-272.45	1.07	2854.55	01	06	1	
	P	2/27/2006	-272.26	0.19	2854.74	01	06	1	
	P	2/13/2007	-273.28	-1.02	2853.72	01	06	1	
	N	3/ 4/2008				01	06	1	47
	N	2/11/2009				01	06	1	47
	P	1/21/2010	-275.12		2851.88	01	06	1	
	P	1/21/2011	-275.82	-0.7	2851.18	01	06	1	
	P	12/ 7/2011	-278.32	-2.5	2848.68	01	06	1	

Min *-278.32* **Max** *-194.25* **Avg** *-258.274*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2314201	(Aquifer: 121OGLL		Well Depth: 400)						
	P	1 / 30/ 1996	-264.64		2856.36	01	06	1	
	P	3 / 10/ 1997	-265.71	-1.07	2855.29	01	06	1	
	P	1 / 16/ 1998	-266.69	-0.98	2854.31	01	06	1	
	N	2 / 10/ 1999				01	06		61
	N	2 / 18/ 2000				01	06		61
	N	2 / 6 / 2001				01	06		51
	P	2 / 13/ 2002	-270.77		2850.23	01	06	1	
	P	3 / 5 / 2003	-270.95	-0.18	2850.05	01	06	1	
	P	2 / 17/ 2004	-272.43	-1.48	2848.57	01	06	1	
	P	2 / 17/ 2005	-271.24	1.19	2849.76	01	06	1	
	N	2 / 14/ 2006				01	06		61
	N	2 / 13/ 2007				01	06		61
	N	2 / 8 / 2008				01	06		61
	N	1 / 20/ 2010				01	06		61

Min *-272.43* **Max** *-264.64* **Avg** *-268.919*

2314202	(Aquifer: 121OGLL		Well Depth: 392)						
	P	2 / 14/ 2006	-269.97		2851.03	01	06	1	
	P	2 / 13/ 2007	-271.59	-1.62	2849.41	01	06	1	
	P	2 / 8 / 2008	-272.19	-0.6	2848.81	01	06	1	
	P	1 / 20/ 2010	-279.34	-7.15	2841.66	01	06	1	
	P	1 / 21/ 2011	-280.1	-0.76	2840.9	01	06	1	
	P	2 / 15/ 2012	-289.02	-8.92	2831.98	01	06	1	

Min *-289.02* **Max** *-269.97* **Avg** *-277.035*

2314301	(Aquifer: 121OGLL		Well Depth: 396)						
	P	1 / 17/ 1962	-195.12		2920.88	01	01	1	
	P	1 / 29/ 1963	-201.91	-6.79	2914.09	01	06	1	
	P	1 / 25/ 1964	-194.73	7.18	2921.27	01	06	1	
	P	2 / 17/ 1965	-208.89	-14.2	2907.11	01	06	1	
	P	1 / 19/ 1966	-206.26	2.63	2909.74	01	06	1	
	P	1 / 10/ 1967	-209.4	-3.14	2906.6	01	01	1	
	P	1 / 4 / 1968	-214.2	-4.8	2901.8	01	01	1	
	P	1 / 11/ 1969	-233.36	-19.2	2882.64	01	06	1	
	P	1 / 19/ 1970	-235.05	-1.69	2880.95	01	01	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 11/ 1971	-245.75	-10.7	2870.25	01	01	1	20
	P	1/ 5 / 1972	-231.24	14.51	2884.76	01	06	1	
	P	1/ 18/ 1973	-231.77	-0.53	2884.23	01	06	1	
	N	1/ 16/ 1974				01	06		41
	P	1/ 7 / 1975	-238.7		2877.3	01	06	1	
	P	1/ 16/ 1976	-245.99	-7.29	2870.01	01	06	1	20
	P	1/ 7 / 1977	-244.68	1.31	2871.32	01	06	1	20
	P	1/ 3 / 1978	-246.53	-1.85	2869.47	01	06	1	20
	P	1/ 16/ 1979	-245.47	1.06	2870.53	01	06	1	20
	P	1/ 8 / 1980	-245.15	0.32	2870.85	01	06	1	20
	P	1/ 9 / 1981	-252.36	-7.21	2863.64	01	06	1	
	P	1/ 12/ 1982	-247.45	4.91	2868.55	01	06	1	20
	P	3/ 2 / 1983	-252.69	-5.24	2863.31	01	06	1	
	P	1/ 26/ 1984	-253.85	-1.16	2862.15	01	06	1	
	P	1/ 18/ 1985	-254.7	-0.85	2861.3	01	06	1	
	P	1/ 29/ 1986	-253.81	0.89	2862.19	01	06	1	
	P	1/ 29/ 1987	-253.58	0.23	2862.42	01	06	1	
	P	2/ 3 / 1988	-253.75	-0.17	2862.25	01	06	1	
	P	1/ 25/ 1989	-254.72	-0.97	2861.28	01	06	1	
	P	1/ 17/ 1990	-257	-2.28	2859	01	06	1	
	P	2/ 7 / 1991	-256.04	0.96	2859.96	01	06	1	
	P	2/ 18/ 1992	-257.9	-1.86	2858.1	01	06	1	
	P	2/ 8 / 1993	-256.44	1.46	2859.56	01	06	1	
	P	1/ 27/ 1994	-256.8	-0.36	2859.2	01	06	1	
	P	2/ 3 / 1995	-261.76	-4.96	2854.24	01	06	1	
	N	1/ 30/ 1996				01	06	1	47

Min *-261.76* **Max** *-194.73* **Avg** *-239.305*

2315101 *(Aquifer: 121OGLL Well Depth: 364)*

	P	2/ 10/ 1988	-290.3		2797.7	01	06	1
	P	1/ 26/ 1989	-291.68	-1.38	2796.32	01	06	1
	P	1/ 16/ 1990	-289.91	1.77	2798.09	01	06	1
	P	2/ 7 / 1991	-293.04	-3.13	2794.96	01	06	2
	P	2/ 18/ 1992	-293.9	-0.86	2794.1	01	06	1
	P	2/ 8 / 1993	-291.2	2.7	2796.8	01	06	2
	P	1/ 26/ 1994	-292.05	-0.85	2795.95	01	06	2

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 1995	-294.81	-2.76	2793.19	01	06	2	
	P	1 / 31/ 1996	-305.51	-10.7	2782.49	01	06	2	
	P	2 / 26/ 1997	-306.91	-1.4	2781.09	01	06	1	
	P	1 / 19/ 1998	-306.28	0.63	2781.72	01	06	2	
	P	2 / 10/ 1999	-313	-6.72	2775	01	06	1	
	P	2 / 18/ 2000	-315.7	-2.7	2772.3	01	06	2	
	P	2 / 7 / 2001	-316.68	-0.98	2771.32	02	06	1	
	P	2 / 15/ 2002	-316.8	-0.12	2771.2	02	06	1	
	P	3 / 6 / 2003	-318.4	-1.6	2769.6	02	06	1	
	P	2 / 11/ 2004	-318.85	-0.45	2769.15	01	06	2	
	P	2 / 17/ 2005	-312.7	6.15	2775.3	02	06	2	
	P	2 / 14/ 2006	-309.9	2.8	2778.1	01	06	1	
	P	2 / 13/ 2007	-310.9	-1	2777.1	01	06	1	
	N	2 / 20/ 2008				01	06	1	47
	N	2 / 10/ 2009				01	06		42
	N	1 / 20/ 2010				01	06		42

Min *-318.85* **Max** *-289.91* **Avg** *-304.426*

2315102 *(Aquifer: 121OGLL Well Depth: 353)*

	N	2 / 10/ 2011				01	06	1	47
	P	1 / 31/ 2012	-319.45		2766.55	01	06	1	

Min *-319.45* **Max** *-319.45* **Avg** *-319.45*

2315201 *(Aquifer: 121OGLL Well Depth: 367)*

	P	1 / 17/ 1962	-240.33		2841.67	01	01	1	
	P	1 / 29/ 1963	-243.93	-3.6	2838.07	01	06	1	
	P	1 / 25/ 1964	-246.17	-2.24	2835.83	01	06	1	
	N	2 / 10/ 1965				01	06		41
	P	1 / 31/ 1966	-253.42		2828.58	01	06	1	
	P	1 / 10/ 1967	-255.9	-2.48	2826.1	01	01	1	
	P	1 / 4 / 1968	-265.91	-10.0	2816.09	01	01	1	
	P	1 / 11/ 1969	-257.94	7.97	2824.06	01	06	1	
	P	1 / 19/ 1970	-263.58	-5.64	2818.42	01	01	1	
	P	1 / 11/ 1971	-270.98	-7.4	2811.02	01	01	1	
	P	1 / 3 / 1972	-269.09	1.89	2812.91	01	06	1	
	P	1 / 18/ 1973	-264.55	4.54	2817.45	01	06	1	
	P	1 / 16/ 1974	-266.09	-1.54	2815.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1975	-273.16	-7.07	2808.84	01	06	1	
	P	1/ 9/1976	-272.67	0.49	2809.33	01	06	1	
	P	1/ 7/1977	-275.1	-2.43	2806.9	01	06	1	
	P	1/ 3/1978	-288.59	-13.5	2793.41	01	06	1	04
	P	1/16/1979	-277.28	11.31	2804.72	01	06	1	
	P	1/ 8/1980	-285.52	-8.24	2796.48	01	06	1	20
	P	1/ 9/1981	-288.4	-2.88	2793.6	01	06	1	20

Min *-288.59* **Max** *-240.33* **Avg** *-266.243*

2315203 *(Aquifer: 121OGLL Well Depth: 383)*

	P	1/24/1985	-306.93		2771.07	01	07	7	
	P	2/19/1986	-303.19	3.74	2774.81	01	06	2	
	P	1/29/1987	-301.96	1.23	2776.04	01	06	2	
	N	2/ 8/1988				01	06	2	47
	N	1/26/1989				01	06	1	47
	N	1/16/1990				01	06	1	47

Min *-306.93* **Max** *-301.96* **Avg** *-304.027*

2315204 *(Aquifer: 121OGLL Well Depth: 418)*

	P	2/20/1957	-255.42		2821.58	01	12	7	03
	P	1/10/1958	-247	8.42	2830	01	12	7	01
	P	1/ 5/1959	-253.8	-6.8	2823.2	01	12	7	01
	P	1/28/1960	-252.25	1.55	2824.75	01	12	7	01
	P	1/20/1961	-252.07	0.18	2824.93	01	04	1	
	P	1/17/1962	-254.32	-2.25	2822.68	01	01	1	
	P	1/29/1963	-255.86	-1.54	2821.14	01	06	1	
	P	1/25/1964	-262.87	-7.01	2814.13	01	06	1	
	P	2/10/1965	-277.22	-14.4	2799.78	01	06	1	
	P	1/31/1966	-272.65	4.57	2804.35	01	06	1	
	P	1/10/1967	-279.26	-6.61	2797.74	01	01	1	
	P	1/ 4/1968	-292.5	-13.2	2784.5	01	01	1	
	P	1/11/1969	-285.37	7.13	2791.63	01	06	1	
	P	1/17/1970	-297.75	-12.4	2779.25	01	01	1	
	P	1/11/1971	-297.59	0.16	2779.41	01	01	1	
	P	1/ 3/1972	-293.2	4.39	2783.8	01	06	1	
	P	1/18/1973	-294.77	-1.57	2782.23	01	06	1	
	N	1/16/1974				01	06		41

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1975	-302.25		2774.75	01	06	1	
	P	1/ 9/1976	-301.21	1.04	2775.79	01	06	1	
	P	1/ 7/1977	-303.5	-2.29	2773.5	01	06	2	
	P	1/ 3/1978	-307.89	-4.39	2769.11	01	06	1	
	P	1/16/1979	-311.69	-3.8	2765.31	01	06	1	
	P	1/ 8/1980	-302.8	8.89	2774.2	01	06	1	
	P	1/ 9/1981	-307.02	-4.22	2769.98	01	06	1	
	P	1/12/1982	-309.64	-2.62	2767.36	01	06	1	
	P	2/17/1983	-308.03	1.61	2768.97	01	06	1	
	P	1/26/1984	-308.9	-0.87	2768.1	01	06	1	
	P	1/24/1985	-311.84	-2.94	2765.16	01	06	1	
	P	1/29/1986	-307.36	4.48	2769.64	01	06	1	
	P	1/29/1987	-307.2	0.16	2769.8	01	06	1	
	P	1/25/1989	-308.62	-1.42	2768.38	01	06	1	
	P	1/16/1990	-305.57	3.05	2771.43	01	06	1	
	P	2/ 7/1991	-317.25	-11.7	2759.75	01	06	1	
	P	2/18/1992	-318.87	-1.62	2758.13	01	06	1	
	P	2/ 8/1993	-322.45	-3.58	2754.55	01	06	1	
	P	1/26/1994	-321.77	0.68	2755.23	01	06	1	
	P	2/ 7/1995	-325.05	-3.28	2751.95	01	06	1	
	P	1/31/1996	-324.46	0.59	2752.54	01	06	1	
	P	2/26/1997	-325.12	-0.66	2751.88	01	06	1	
	P	1/19/1998	-327.87	-2.75	2749.13	01	06	1	
	P	2/ 8/1999	-327	0.87	2750	01	06	1	
	P	2/18/2000	-328.1	-1.1	2748.9	01	06	1	
	P	2/ 7/2001	-329.59	-1.49	2747.41	01	06	1	
	P	2/15/2002	-329.82	-0.23	2747.18	01	06	1	
	P	3/ 5/2003	-332.76	-2.94	2744.24	01	06	1	
	P	2/11/2004	-329.35	3.41	2747.65	01	06	1	
	P	2/17/2005	-327.35	2	2749.65	01	06	1	
	P	2/14/2006	-326.02	1.33	2750.98	01	06	1	
	P	2/13/2007	-329.38	-3.36	2747.62	01	06	1	
	P	2/ 7/2008	-325.95	3.43	2751.05	01	06	1	
	P	2/10/2009	-327.03	-1.08	2749.97	01	06	1	
	P	1/20/2010	-329.41	-2.38	2747.59	01	06	1	
	P	1/21/2011	-328.97	0.44	2748.03	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 31/ 2012	-333.17	-4.2	2743.83	01	06	1	

Min *-333.17* **Max** *-247* **Avg** *-303.966*

2315301 *(Aquifer: 121OGLL Well Depth: 414)*

	P	2 / 20/ 1957	-256.86		2813.14	01	12	7	01
	P	1 / 28/ 1960	-270.85	-14	2799.15	01	12	7	01
	P	1 / 20/ 1961	-256.17	14.68	2813.83	01	04	1	
	P	1 / 17/ 1962	-258.21	-2.04	2811.79	01	01	1	
	P	1 / 29/ 1963	-267.54	-9.33	2802.46	01	06	1	
	P	1 / 25/ 1964	-266.13	1.41	2803.87	01	06	1	
	P	2 / 10/ 1965	-270.54	-4.41	2799.46	01	06	1	
	P	1 / 31/ 1966	-276.35	-5.81	2793.65	01	06	1	
	P	1 / 10/ 1967	-282.21	-5.86	2787.79	01	01	1	
	P	1 / 4 / 1968	-293.07	-10.9	2776.93	01	01	1	
	P	1 / 11/ 1969	-288.89	4.18	2781.11	01	06	1	
	N	1 / 17/ 1970				01	01		61
	P	1 / 11/ 1971	-298.43		2771.57	01	01	1	
	P	1 / 3 / 1972	-300.05	-1.62	2769.95	01	06	1	
	P	1 / 18/ 1973	-302.02	-1.97	2767.98	01	06	1	04
	P	1 / 16/ 1974	-303.59	-1.57	2766.41	01	06	1	
	P	1 / 7 / 1975	-307.42	-3.83	2762.58	01	06	1	
	P	1 / 16/ 1976	-321.74	-14.3	2748.26	01	06	2	04
	N	1 / 7 / 1977				01	06		42
	P	2 / 2 / 1977	-311.42		2758.58	01	07	7	
	P	1 / 3 / 1978	-312.7	-1.28	2757.3	01	06	1	
	P	1 / 16/ 1979	-314.95	-2.25	2755.05	01	06	1	
	N	11 / 0 / 1979				01	06		81

Min *-321.74* **Max** *-256.17* **Avg** *-287.957*

2316101 *(Aquifer: 121OGLL Well Depth: 398)*

	P	2 / 20/ 1957	-257.32		2806.68	01	12	7	01
	P	1 / 10/ 1958	-255.83	1.49	2808.17	01	12	7	01
	P	1 / 5 / 1959	-259.81	-3.98	2804.19	01	12	7	01
	P	1 / 28/ 1960	-259.1	0.71	2804.9	01	12	7	01
	P	1 / 20/ 1961	-259.43	-0.33	2804.57	01	04	1	
	P	1 / 17/ 1962	-261.04	-1.61	2802.96	01	01	1	
	P	1 / 29/ 1963	-265.41	-4.37	2798.59	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 25/ 1964	-271.98	-6.57	2792.02	01	06	1	
	P	2/ 10/ 1965	-278.94	-6.96	2785.06	01	06	1	
	P	1/ 31/ 1966	-283.03	-4.09	2780.97	01	06	1	
	P	1/ 10/ 1967	-291.74	-8.71	2772.26	01	01	1	
	P	1/ 4/ 1968	-311.24	-19.5	2752.76	01	01	1	
	P	1/ 11/ 1969	-294.5	16.74	2769.5	01	06	1	
	P	1/ 17/ 1970	-297.32	-2.82	2766.68	01	01	1	
	P	1/ 11/ 1971	-303.7	-6.38	2760.3	01	01	1	
	P	1/ 3/ 1972	-304.61	-0.91	2759.39	01	06	1	
	P	1/ 18/ 1973	-306.65	-2.04	2757.35	01	06	1	04
	P	1/ 16/ 1974	-306.41	0.24	2757.59	01	06	1	
	P	1/ 7/ 1975	-311.79	-5.38	2752.21	01	06	1	
	N	1/ 9/ 1976				01	06		41
	P	1/ 7/ 1977	-311.4		2752.6	01	06	2	
	P	1/ 3/ 1978	-316.98	-5.58	2747.02	01	06	1	
	P	1/ 16/ 1979	-318.71	-1.73	2745.29	01	06	1	
	P	1/ 8/ 1980	-315.94	2.77	2748.06	01	06	1	
	P	1/ 9/ 1981	-320.44	-4.5	2743.56	01	06	1	
	P	1/ 12/ 1982	-319.35	1.09	2744.65	01	06	1	
	P	2/ 17/ 1983	-321.96	-2.61	2742.04	01	06	1	
	P	1/ 27/ 1984	-319.55	2.41	2744.45	01	06	1	
	P	1/ 24/ 1985	-320.55	-1	2743.45	01	06	1	
	P	1/ 24/ 1986	-319.63	0.92	2744.37	01	06	1	
	P	2/ 2/ 1987	-319.27	0.36	2744.73	01	06	1	
	P	2/ 8/ 1988	-319.18	0.09	2744.82	01	06	1	
	P	1/ 25/ 1989	-320.12	-0.94	2743.88	01	06	1	
	P	1/ 16/ 1990	-322.35	-2.23	2741.65	01	06	1	
	P	2/ 7/ 1991	-323.97	-1.62	2740.03	01	06	1	
	P	2/ 18/ 1992	-324.78	-0.81	2739.22	01	06	1	
	P	2/ 8/ 1993	-324.07	0.71	2739.93	01	06	1	
	P	1/ 26/ 1994	-326.08	-2.01	2737.92	01	06	1	
	P	2/ 7/ 1995	-329.7	-3.62	2734.3	01	06	1	
	P	1/ 31/ 1996	-330.19	-0.49	2733.81	01	06	1	
	P	2/ 26/ 1997	-331.08	-0.89	2732.92	01	06	1	
	P	1/ 19/ 1998	-330.8	0.28	2733.2	01	06	1	
	P	2/ 9/ 1999	-335	-4.2	2729	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 2000	-343.92	-8.92	2720.08	01	06	1	
	P	2 / 7 / 2001	-337.85	6.07	2726.15	01	06	1	
	P	2 / 15/ 2002	-338.2	-0.35	2725.8	01	06	1	
	P	3 / 3 / 2003	-336.38	1.82	2727.62	01	06	1	
	P	2 / 10/ 2004	-337.1	-0.72	2726.9	01	06	1	
	P	2 / 17/ 2005	-335.9	1.2	2728.1	01	06	1	
	P	2 / 13/ 2006	-338.61	-2.71	2725.39	01	06	1	
	P	2 / 13/ 2007	-338.61		2725.39	01	06	1	
	P	2 / 7 / 2008	-333.98	4.63	2730.02	01	06	1	
	P	2 / 11/ 2009	-334.21	-0.23	2729.79	01	06	1	
	P	1 / 19/ 2010	-338.03	-3.82	2725.97	01	06	1	
	P	1 / 24/ 2011	-338.04	-0.01	2725.96	01	06	1	
	P	2 / 1 / 2012	-339.93	-1.89	2724.07	01	06	1	

Min *-343.92* **Max** *-255.83* **Avg** *-312.577*

2316102 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 28/ 1949	-234.95		2831.05	01	12	7	01
	P	1 / 25/ 1950	-238.9	-3.95	2827.1	01	12	7	01
	P	2 / 17/ 1950	-236.11	2.79	2829.89	01	12	7	01
	P	1 / 23/ 1952	-235.82	0.29	2830.18	01	12	7	01
	P	1 / 12/ 1953	-236.34	-0.52	2829.66	01	12	7	01
	P	1 / 6 / 1954	-238.36	-2.02	2827.64	01	12	7	01
	P	1 / 7 / 1955	-242.06	-3.7	2823.94	01	12	7	01

Min *-242.06* **Max** *-234.95* **Avg** *-237.506*

2316201 *(Aquifer: 121OGLL Well Depth: 452)*

	P	11 / 2 / 1979	-300.75		2749.25	01	06	1	
	P	1 / 8 / 1980	-300.39	0.36	2749.61	01	06	1	
	P	1 / 9 / 1981	-307.15	-6.76	2742.85	01	06	1	
	P	1 / 14/ 1982	-306.65	0.5	2743.35	01	06	1	
	P	2 / 17/ 1983	-311.47	-4.82	2738.53	01	06	1	20
	P	1 / 27/ 1984	-304.95	6.52	2745.05	01	06	1	
	P	1 / 24/ 1985	-306.2	-1.25	2743.8	01	06	1	
	P	2 / 19/ 1986	-307.31	-1.11	2742.69	01	06	1	
	N	2 / 2 / 1987				01	06	1	44

Min *-311.47* **Max** *-300.39* **Avg** *-305.609*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2316202	*(Aquifer: 121OGLL*		*Well Depth: 394)*						
	P	2 / 12/ 1987	-305.2		2745.8	01	06	2	
	P	2 / 8 / 1988	-304.18	1.02	2746.82	01	06	2	
	P	1 / 25/ 1989	-308.16	-3.98	2742.84	01	06	2	
	P	1 / 16/ 1990	-310.12	-1.96	2740.88	01	06	2	
	P	2 / 7 / 1991	-312.11	-1.99	2738.89	01	06	2	
	P	2 / 18/ 1992	-314.6	-2.49	2736.4	01	06	1	
	P	2 / 8 / 1993	-313.5	1.1	2737.5	01	06	1	
	P	1 / 26/ 1994	-314.51	-1.01	2736.49	01	06	2	
	P	2 / 7 / 1995	-315.37	-0.86	2735.63	01	06	2	
	P	1 / 31/ 1996	-315.91	-0.54	2735.09	01	06	2	
Min	***-315.91***	**Max**	***-304.18***	**Avg**	***-311.366***				
2316204	*(Aquifer: 121OGLL*		*Well Depth: 425)*						
	P	10 / 31/ 1996	-310.25		2730.75	01	06	1	
	P	3 / 10/ 1997	-311.38	-1.13	2729.62	01	06	1	
	P	1 / 19/ 1998	-315.05	-3.67	2725.95	01	06	1	
	P	2 / 9 / 1999	-319	-3.95	2722	01	06	1	
	P	2 / 18/ 2000	-320.4	-1.4	2720.6	01	06	1	
	P	2 / 7 / 2001	-327.69	-7.29	2713.31	01	06	1	
	P	2 / 15/ 2002	-325.98	1.71	2715.02	01	06	1	
	N	3 / 3 / 2003				01	06		63
	N	2 / 10/ 2004				01	06		42
	N	2 / 22/ 2005				01	06		42
	N	2 / 13/ 2006				01	06	7	44
	N	2 / 13/ 2007				01	06		42
	N	2 / 29/ 2008				01	06		81
Min	***-327.69***	**Max**	***-310.25***	**Avg**	***-318.536***				
2316206	*(Aquifer: 121OGLL*		*Well Depth: 405)*						
	P	3 / 9 / 2010	-322.16		2730.84	01	06	1	
	P	1 / 24/ 2011	-323.44	-1.28	2729.56	01	06	1	
	P	2 / 1 / 2012	-327.69	-4.25	2725.31	01	06	1	
Min	***-327.69***	**Max**	***-322.16***	**Avg**	***-324.43***				