Texas Water Development Board
Groundwater Database Reports

groundwater resources division

Water Level Publication Report
County: Hale

Water Level Measurements in Feet Above or Below (-) Land Surface

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1048601	*(Aquifer: 121OGLL*		*Well Depth: 155)*						
	P	9 / 26/ 1939	-66.9		3509.1	01	04	1	
	P	3 / 12/ 1947	-69.16	-2.26	3506.84	01	04	1	
	P	2 / 19/ 1948	-70.6	-1.44	3505.4	01	04	1	
	P	2 / 23/ 1949	-72.94	-2.34	3503.06	01	04	1	
	P	1 / 17/ 1951	-74.4	-1.46	3501.6	01	04	1	
	P	1 / 29/ 1952	-76.42	-2.02	3499.58	01	04	1	
	P	1 / 9 / 1953	-81.47	-5.05	3494.53	01	04	1	
	P	1 / 4 / 1954	-87.25	-5.78	3488.75	01	04	1	
	P	1 / 14/ 1955	-88.27	-1.02	3487.73	01	04	1	
Min	*-88.27*	**Max**	*-66.9*	**Avg**	*-76.3789*				
1048602	*(Aquifer: 121OGLL*		*Well Depth: 250)*						
	P	1 / 13/ 1958	-97.97		3478.03	01	04	1	
	P	1 / 5 / 1959	-102.9	-4.93	3473.1	01	04	1	
	P	1 / 9 / 1962	-106.6	-3.7	3469.4	01	01	1	20
	P	1 / 6 / 1963	-110.1	-3.5	3465.9	01	01	1	
	P	1 / 9 / 1964	-114.73	-4.63	3461.27	01	01	1	
	P	1 / 9 / 1966	-125.05	-10.3	3450.95	01	01	1	
	P	1 / 5 / 1967	-126.18	-1.13	3449.82	01	01	1	
	P	1 / 6 / 1968	-134.1	-7.92	3441.9	01	01	1	
	P	1 / 11/ 1969	-137.18	-3.08	3438.82	01	01	1	
Min	*-137.18*	**Max**	*-97.97*	**Avg**	*-117.201*				
1048605	*(Aquifer: 121OGLL*		*Well Depth: 380)*						
	P	9 / 25/ 1998	-226.88		3349.12	01	06	1	
	P	1 / 28/ 1999	-223	3.88	3353	01	06	1	
	P	2 / 10/ 2000	-223.65	-0.65	3352.35	01	06	1	
	P	1 / 4 / 2001	-227.86	-4.21	3348.14	01	06	1	
	P	1 / 25/ 2002	-229.59	-1.73	3346.41	01	06	1	
	P	2 / 25/ 2003	-232.81	-3.22	3343.19	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 2004	-236.17	-3.36	3339.83	01	06	1	
	P	2 / 17/ 2005	-236.15	0.02	3339.85	01	06	1	
	P	1 / 18/ 2006	-237.22	-1.07	3338.78	01	06	1	
	P	1 / 5 / 2007	-241.13	-3.91	3334.87	01	06	1	
	P	1 / 14/ 2008	-243.79	-2.66	3332.21	01	06	1	
	P	1 / 30/ 2009	-248.53	-4.74	3327.47	01	06	1	
	P	1 / 14/ 2010	-253.08	-4.55	3322.92	01	06	1	
	P	1 / 19/ 2011	-255.1	-2.02	3320.9	01	06	1	
	P	2 / 3 / 2012	-259.9	-4.8	3316.1	01	06	1	

Min *-259.9* **Max** *-223* **Avg** *-238.324*

1048801 *(Aquifer: 121OGLL Well Depth: 326)*

	P	1 / 11/ 1980	-172.44		3416.56	01	01	1	
	P	1 / 17/ 1982	-180.63	-8.19	3408.37	01	01	1	
	P	1 / 10/ 1984	-184.93	-4.3	3404.07	01	01	1	
	P	12 / 10/ 1985	-189.78	-4.85	3399.22	01	01	1	
	N	12 / 15/ 1987				01	01		60
	N	12 / 9 / 1988				01	01		40

Min *-189.78* **Max** *-172.44* **Avg** *-181.945*

1048901 *(Aquifer: 121OGLL Well Depth: 251)*

	P	11 / 16/ 1954	-106.99		3468.01	01	12	7	01
	P	1 / 9 / 1956	-108.73	-1.74	3466.27	01	12	7	01
	P	1 / 4 / 1957	-121.32	-12.6	3453.68	01	12	7	01
	P	1 / 15/ 1958	-117.52	3.8	3457.48	01	12	7	01
	P	1 / 5 / 1959	-119.75	-2.23	3455.25	01	12	7	01
	P	1 / 18/ 1960	-126.45	-6.7	3448.55	01	12	7	01
	P	1 / 11/ 1961	-133	-6.55	3442	01	04	1	
	N	1 / 9 / 1962				01	01		40

Min *-133* **Max** *-106.99* **Avg** *-119.109*

1048902 *(Aquifer: 121OGLL Well Depth: 161)*

	P	3 / 12/ 1947	-66.63		3498.37	01	12	7	01
	P	2 / 19/ 1948	-69.54	-2.91	3495.46	01	12	7	04
	P	2 / 23/ 1949	-70.89	-1.35	3494.11	01	12	7	01
	P	1 / 17/ 1951	-72.72	-1.83	3492.28	01	12	7	01
	P	1 / 29/ 1952	-73.88	-1.16	3491.12	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1953	-78.67	-4.79	3486.33	01	12	7	01
	P	1/ 9/1954	-82.5	-3.83	3482.5	01	12	7	01
	P	2/21/1954	-87.7	-5.2	3477.3	01	12	7	01
	P	1/14/1955	-91.6	-3.9	3473.4	01	12	7	01
	P	1/ 9/1956	-93.33	-1.73	3471.67	01	12	7	01
	P	1/ 4/1957	-94.49	-1.16	3470.51	01	12	7	01
	P	1/13/1958	-100.8	-6.31	3464.2	01	12	7	01

Min *-100.8* **Max** *-66.63* **Avg** *-81.8958*

1048903 *(Aquifer: 121OGLL Well Depth:)*

	P	2/ 4/1971	-144.75		3429.25	01	01	1	
	P	1/ 6/1972	-147.92	-3.17	3426.08	01	01	1	
	N	1/16/1973				01	01	1	44
	P	1/14/1974	-153.15		3420.85	01	01	1	
	P	1/ 9/1975	-156.75	-3.6	3417.25	01	01	1	
	P	1/ 9/1976	-159.6	-2.85	3414.4	01	01	1	
	P	1/13/1977	-164.37	-4.77	3409.63	01	01	1	
	P	1/ 9/1978	-167.17	-2.8	3406.83	01	01	1	
	P	1/ 4/1979	-171.92	-4.75	3402.08	01	01	1	
	P	1/11/1980	-178	-6.08	3396	01	01	1	
	P	1/17/1981	-178.1	-0.1	3395.9	01	01	1	
	P	1/15/1983	-185.6	-7.5	3388.4	01	01	1	
	N	1/10/1985				01	01	1	47
	P	12/10/1985	-191.97		3382.03	01	01	1	
	P	12/10/1986	-190.91	1.06	3383.09	01	01	1	
	P	12/15/1987	-193.6	-2.69	3380.4	01	01	1	
	P	12/ 9/1988	-191.8	1.8	3382.2	01	01	2	
	P	12/ 6/1989	-194.34	-2.54	3379.66	01	01	1	
	P	12/11/1990	-196.25	-1.91	3377.75	01	01	1	
	P	12/11/1991	-197.75	-1.5	3376.25	01	01	1	
	P	1/27/1993	-224.53	-26.8	3349.47	01	01	1	
	P	1/18/1994	-205.75	18.78	3368.25	01	06	1	
	P	1/20/1995	-207.16	-1.41	3366.84	01	06	1	
	P	1/23/1996	-211.84	-4.68	3362.16	01	06	1	
	P	1/30/1997	-231.62	-19.8	3342.38	01	06	1	
	N	2/12/1998				01	06	7	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -231.62		**Max -144.75**	**Avg -184.559**						
1056201	*(Aquifer: 121OGLL*		*Well Depth: 216)*						
	P	2 / 23/ 1949	-79.9		3499.1	01	12	7	01
	P	1 / 17/ 1951	-91.56	-11.7	3487.44	01	12	7	01
	P	1 / 29/ 1952	-90.7	0.86	3488.3	01	12	7	01
	P	1 / 10/ 1954	-96.27	-5.57	3482.73	01	12	7	01
	P	1 / 14/ 1955	-102.69	-6.42	3476.31	01	12	7	01
	P	1 / 4 / 1957	-116.39	-13.7	3462.61	01	12	7	01
	P	1 / 13/ 1958	-123.62	-7.23	3455.38	01	12	7	01
	P	1 / 5 / 1959	-129.08	-5.46	3449.92	01	12	7	01
	P	1 / 18/ 1960	-128.7	0.38	3450.3	01	04	1	
	P	1 / 9 / 1962	-130.01	-1.31	3448.99	01	01	1	20
	P	1 / 6 / 1963	-143.14	-13.1	3435.86	01	01	1	20
	P	1 / 9 / 1964	-141.84	1.3	3437.16	01	01	1	
	N	1 / 8 / 1965				01	01		61
	N	1 / 9 / 1966				01	01	1	44
	N	1 / 9 / 1970				01	01	1	44
Min -143.14		**Max -79.9**	**Avg -114.492**						
1056203	*(Aquifer: 121OGLL*		*Well Depth: 325)*						
	P	9 / 30/ 1998	-259.55		3316.45	01	06	1	
	P	1 / 28/ 1999	-255	4.55	3321	01	06	1	
	N	2 / 10/ 2000				01	06		41
	P	1 / 24/ 2001	-260.79		3315.21	01	06	1	
	P	1 / 25/ 2002	-262.44	-1.65	3313.56	01	06	1	
	P	2 / 27/ 2003	-264.15	-1.71	3311.85	01	06	1	
	P	1 / 28/ 2004	-270.76	-6.61	3305.24	01	06	1	
	P	2 / 17/ 2005	-268.86	1.9	3307.14	01	06	1	
	P	1 / 18/ 2006	-271.74	-2.88	3304.26	01	06	1	
	P	1 / 8 / 2007	-272.41	-0.67	3303.59	01	06	1	
	P	1 / 9 / 2008	-273.22	-0.81	3302.78	01	06	1	
	P	2 / 2 / 2009	-276.76	-3.54	3299.24	01	06	1	
	P	1 / 14/ 2010	-279.19	-2.43	3296.81	01	06	1	
	P	2 / 14/ 2011	-279.25	-0.06	3296.75	01	06	1	
	P	2 / 3 / 2012	-284.14	-4.89	3291.86	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-284.14*		**Max** *-255*	**Avg** *-269.876*						
1056301	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 4 / 1971	-172.2		3393.8	01	01	1	
	N	1 / 6 / 1972				01	01	1	44
	P	1 / 16/ 1973	-177.93		3388.07	01	01	1	
	P	1 / 14/ 1974	-183.53	-5.6	3382.47	01	01	1	
	P	1 / 8 / 1975	-191.97	-8.44	3374.03	01	01	1	
	P	1 / 9 / 1976	-189.9	2.07	3376.1	01	01	1	
	N	1 / 13/ 1977				01	01	1	44
	P	1 / 9 / 1978	-198.44		3367.56	01	01	1	
	N	1 / 4 / 1979				01	01	1	44
	P	1 / 11/ 1980	-206.29		3359.71	01	01	1	
	P	1 / 17/ 1982	-214.86	-8.57	3351.14	01	01	1	
	P	1 / 10/ 1984	-222.65	-7.79	3343.35	01	01	1	
	N	12 / 10/ 1985				01	01	1	44
	N	12 / 10/ 1986				01	01	1	44
	P	12 / 15/ 1987	-238.2		3327.8	01	01	1	
	P	12 / 9 / 1988	-225.3	12.9	3340.7	01	01	2	
	P	12 / 6 / 1989	-228.37	-3.07	3337.63	01	01	1	
	P	12 / 11/ 1990	-229.06	-0.69	3336.94	01	01	1	
	P	12 / 11/ 1991	-230.96	-1.9	3335.04	01	01	1	
	P	1 / 25/ 1993	-231.75	-0.79	3334.25	01	01	1	
	N	1 / 18/ 1994				01	06	7	44
Min *-238.2*		**Max** *-172.2*	**Avg** *-209.427*						
1056305	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	5 / 17/ 1994	-236.08		3319.92	01	06	1	
	P	1 / 20/ 1995	-230.49	5.59	3325.51	01	06	1	
	P	1 / 23/ 1996	-233.64	-3.15	3322.36	01	06	1	
	P	2 / 4 / 1997	-236.68	-3.04	3319.32	01	06	1	
	P	1 / 15/ 1998	-241.74	-5.06	3314.26	01	06	1	
Min *-241.74*		**Max** *-230.49*	**Avg** *-235.726*						
1056405	*(Aquifer: 121OGLL*		*Well Depth: 208)*						
	P	3 / 21/ 1947	-72.52		3497.48	01	12	7	01
	P	3 / 12/ 1948	-74.24	-1.72	3495.76	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 23/ 1949	-76.1	-1.86	3493.9	01	12	7	01
	P	2 / 17/ 1950	-76.9	-0.8	3493.1	01	12	7	01
	P	1 / 29/ 1952	-81.04	-4.14	3488.96	01	12	7	01
	P	1 / 12/ 1953	-84.67	-3.63	3485.33	01	12	7	01
	P	1 / 10/ 1954	-88.81	-4.14	3481.19	01	12	7	01
	P	1 / 18/ 1955	-94.18	-5.37	3475.82	01	12	7	01
	P	1 / 10/ 1956	-99.16	-4.98	3470.84	01	04	1	
	P	1 / 10/ 1957	-105.87	-6.71	3464.13	01	04	1	
	P	1 / 14/ 1958	-110	-4.13	3460	01	04	1	
	P	1 / 5 / 1959	-112.9	-2.9	3457.1	01	04	1	
	P	1 / 19/ 1960	-119.8	-6.9	3450.2	01	04	1	

Min *-119.8* **Max** *-72.52* **Avg** *-92.0146*

1056601 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 12/ 1948	-67.74		3483.26	01	12	7	01
	P	2 / 23/ 1949	-69.98	-2.24	3481.02	01	12	7	01
	P	2 / 17/ 1950	-70.55	-0.57	3480.45	01	12	7	01
	P	1 / 17/ 1951	-71.74	-1.19	3479.26	01	12	7	01
	P	1 / 29/ 1952	-74	-2.26	3477	01	12	7	01
	P	1 / 9 / 1953	-76.52	-2.52	3474.48	01	12	7	01
	P	1 / 10/ 1954	-81.36	-4.84	3469.64	01	12	7	01
	P	1 / 14/ 1955	-85.8	-4.44	3465.2	01	12	7	01
	P	1 / 11/ 1956	-90.1	-4.3	3460.9	01	12	7	01
	P	1 / 4 / 1957	-95.98	-5.88	3455.02	01	12	7	01
	P	1 / 13/ 1958	-100.3	-4.32	3450.7	01	12	7	01
	P	1 / 5 / 1959	-105.65	-5.35	3445.35	01	12	7	01
	P	1 / 18/ 1960	-112.13	-6.48	3438.87	01	12	7	01
	P	1 / 9 / 1962	-119.55	-7.42	3431.45	01	01	1	
	P	1 / 6 / 1963	-126.3	-6.75	3424.7	01	01	1	
	P	1 / 9 / 1964	-130.59	-4.29	3420.41	01	01	1	
	P	1 / 8 / 1965	-136.2	-5.61	3414.8	01	01	1	
	P	1 / 9 / 1966	-141.34	-5.14	3409.66	01	01	1	
	P	1 / 5 / 1967	-144.45	-3.11	3406.55	01	01	1	
	P	1 / 6 / 1968	-152.53	-8.08	3398.47	01	01	1	
	P	1 / 11/ 1969	-158.4	-5.87	3392.6	01	01	1	
	P	1 / 9 / 1970	-160.97	-2.57	3390.03	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1971	-159.2	1.77	3391.8	01	01	1	
	P	1/ 6/1972	-163.19	-3.99	3387.81	01	01	1	
	P	1/16/1973	-164.76	-1.57	3386.24	01	01	1	
	P	1/14/1974	-167.92	-3.16	3383.08	01	01	1	
	N	1/ 8/1975				01	01	1	44
	P	1/ 9/1976	-175.35		3375.65	01	01	1	
	P	1/13/1977	-180.67	-5.32	3370.33	01	01	1	
	P	1/ 9/1978	-185.52	-4.85	3365.48	01	01	1	
	P	1/ 4/1979	-193.77	-8.25	3357.23	01	01	1	
	N	1/14/1980				01	01	1	46

Min *-193.77* **Max** *-67.74* **Avg** *-125.419*

1056602 *(Aquifer: 121OGLL Well Depth:)*

	P	1/14/1980	-192.85		3358.15	01	01	1	
	P	1/15/1983	-209.13	-16.3	3341.87	01	01	1	
	P	1/14/1985	-215.3	-6.17	3335.7	01	01	1	
	P	12/10/1985	-233.4	-18.1	3317.6	01	01	1	
	P	12/10/1986	-231.85	1.55	3319.15	01	01	1	
	P	12/15/1987	-224.2	7.65	3326.8	01	01	1	
	P	12/ 9/1988	-217.3	6.9	3333.7	01	01	2	
	P	12/ 6/1989	-221.45	-4.15	3329.55	01	01	1	
	P	12/11/1990	-223.75	-2.3	3327.25	01	01	1	
	P	12/11/1991	-227.4	-3.65	3323.6	01	01	1	
	P	1/25/1993	-228.02	-0.62	3322.98	01	01	1	
	P	1/25/1994	-231.52	-3.5	3319.48	01	06	1	
	P	1/20/1995	-237.82	-6.3	3313.18	01	06	1	
	P	1/23/1996	-239.43	-1.61	3311.57	01	06	1	
	P	2/10/1997	-242.12	-2.69	3308.88	01	06	1	
	P	1/15/1998	-244.09	-1.97	3306.91	01	06	1	
	P	1/28/1999	-247	-2.91	3304	01	06	1	
	P	2/10/2000	-248.65	-1.65	3302.35	01	06	1	
	P	1/24/2001	-251.53	-2.88	3299.47	01	06	1	
	P	1/25/2002	-253.13	-1.6	3297.87	01	06	1	
	P	2/20/2003	-255.77	-2.64	3295.23	01	06	1	
	P	1/28/2004	-256.13	-0.36	3294.87	01	06	1	
	P	2/17/2005	-255.89	0.24	3295.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 2006	-256.57	-0.68	3294.43	01	06	1	
	P	1 / 8 / 2007	-258.11	-1.54	3292.89	01	06	1	
	P	1 / 9 / 2008	-259.02	-0.91	3291.98	01	06	1	
	P	2 / 2 / 2009	-261.42	-2.4	3289.58	01	06	1	
	P	1 / 14/ 2010	-262.98	-1.56	3288.02	01	06	1	
	P	1 / 24/ 2011	-263.76	-0.78	3287.24	01	06	1	
	P	2 / 3 / 2012	-268.56	-4.8	3282.44	01	06	1	

Min *-268.56* **Max** *-192.85* **Avg** *-240.605*

1056801 *(Aquifer: 121OGLL Well Depth: 300)*

	P	1 / 19/ 1977	-177.66		3374.34	01	01	1	
	N	1 / 9 / 1978				01	01	1	44
	P	1 / 5 / 1979	-180.86		3371.14	01	01	1	
	P	1 / 14/ 1980	-182.15	-1.29	3369.85	01	01	1	
	P	1 / 17/ 1981	-186.32	-4.17	3365.68	01	01	1	
	P	1 / 15/ 1983	-197.74	-11.4	3354.26	01	01	1	
	P	1 / 14/ 1985	-201.32	-3.58	3350.68	01	01	1	
	P	12 / 10/ 1985	-218.96	-17.6	3333.04	01	01	1	
	P	12 / 8 / 1986	-218.86	0.1	3333.14	01	01	1	
	P	12 / 15/ 1987	-220.15	-1.29	3331.85	01	01	1	
	P	12 / 9 / 1988	-202	18.15	3350	01	01	2	
	P	12 / 7 / 1989	-204.87	-2.87	3347.13	01	01	1	
	P	12 / 11/ 1990	-208.13	-3.26	3343.87	01	01	1	
	P	12 / 10/ 1991	-213.88	-5.75	3338.12	01	01	1	
	P	1 / 25/ 1993	-211.6	2.28	3340.4	01	01	1	
	P	1 / 25/ 1994	-214.56	-2.96	3337.44	01	06	1	
	P	1 / 20/ 1995	-218.16	-3.6	3333.84	01	06	1	
	P	1 / 24/ 1996	-221.2	-3.04	3330.8	01	06	1	
	P	2 / 10/ 1997	-225.62	-4.42	3326.38	01	06	1	
	P	2 / 24/ 1998	-228.39	-2.77	3323.61	01	06	1	
	P	1 / 28/ 1999	-231	-2.61	3321	01	06	1	
	P	2 / 10/ 2000	-233.85	-2.85	3318.15	01	06	1	
	P	1 / 24/ 2001	-236.5	-2.65	3315.5	01	06	1	
	P	1 / 25/ 2002	-238.39	-1.89	3313.61	01	06	1	
	P	2 / 24/ 2003	-241.08	-2.69	3310.92	01	06	1	
	P	1 / 28/ 2004	-242.79	-1.71	3309.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 17/ 2005	-244.14	-1.35	3307.86	01	06	1	
	P	1 / 18/ 2006	-245.01	-0.87	3306.99	01	06	1	
	P	1 / 11/ 2007	-247.3	-2.29	3304.7	01	06	1	
	P	1 / 9 / 2008	-247.88	-0.58	3304.12	01	06	1	
	P	2 / 2 / 2009	-250.34	-2.46	3301.66	01	06	1	
	P	1 / 14/ 2010	-252.41	-2.07	3299.59	01	06	1	
	P	1 / 24/ 2011	-253.87	-1.46	3298.13	01	06	1	
	P	3 / 2 / 2012	-256.22	-2.35	3295.78	01	06	1	

Min *-256.22* **Max** *-177.66* **Avg** *-222.825*

1056901 *(Aquifer: 121OGLL Well Depth: 220)*

	P	1 / 11/ 1956	-93.36		3425.64	01	12	7	01
	P	1 / 5 / 1959	-107.25	-13.9	3411.75	01	12	7	01
	P	1 / 18/ 1960	-114	-6.75	3405	01	12	7	01
	P	1 / 13/ 1961	-115.88	-1.88	3403.12	01	04	1	
	P	1 / 9 / 1962	-117.54	-1.66	3401.46	01	01	1	
	P	1 / 6 / 1963	-121.42	-3.88	3397.58	01	01	1	
	P	1 / 8 / 1964	-125.9	-4.48	3393.1	01	01	1	
	P	1 / 8 / 1965	-130.89	-4.99	3388.11	01	01	1	
	P	1 / 13/ 1966	-136.97	-6.08	3382.03	01	01	1	
	P	1 / 5 / 1967	-137.8	-0.83	3381.2	01	01	1	
	P	1 / 5 / 1968	-142.1	-4.3	3376.9	01	01	1	
	P	1 / 12/ 1969	-144.73	-2.63	3374.27	01	01	1	
	P	1 / 8 / 1970	-146.3	-1.57	3372.7	01	01	1	
	P	1 / 9 / 1971	-152	-5.7	3367	01	01	1	
	P	1 / 6 / 1972	-155.1	-3.1	3363.9	01	01	1	
	N	1 / 16/ 1973				01	01		42
	P	1 / 13/ 1974	-159.22		3359.78	01	01	1	
	N	1 / 9 / 1975				01	01		42
	P	1 / 9 / 1976	-167.79		3351.21	01	01	1	25
	P	1 / 13/ 1977	-177.6	-9.81	3341.4	01	01	1	
	P	1 / 9 / 1978	-178.3	-0.7	3340.7	01	01	1	
	N	1 / 5 / 1979				01	01		63
	P	1 / 15/ 1980	-184.66		3334.34	01	01	1	
	P	1 / 15/ 1983	-200.52	-15.9	3318.48	01	01	1	
	N	1 / 14/ 1985				01	01	1	46

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-200.52***	**Max**	***-93.36***	**Avg**	***-143.301***				
1064201	*(Aquifer: 121OGLL*		*Well Depth: 204)*						
	P	**2 / 7 / 1955**	**-71.76**		**3447.24**	**01**	**12**	**7**	**01**
	P	**1 / 11/ 1956**	**-76.73**	**-4.97**	**3442.27**	**01**	**12**	**7**	**01**
	P	**1 / 10/ 1957**	**-80.47**	**-3.74**	**3438.53**	**01**	**12**	**7**	**01**
	P	**1 / 15/ 1958**	**-82.88**	**-2.41**	**3436.12**	**01**	**12**	**7**	**01**
	P	**1 / 6 / 1959**	**-85.79**	**-2.91**	**3433.21**	**01**	**12**	**7**	**01**
	P	**1 / 18/ 1960**	**-91.6**	**-5.81**	**3427.4**	**01**	**12**	**7**	**01**
	P	**1 / 13/ 1961**	**-93.5**	**-1.9**	**3425.5**	**01**	**04**	**1**	
	P	**1 / 10/ 1962**	**-95.95**	**-2.45**	**3423.05**	**01**	**01**	**1**	
	P	**1 / 6 / 1963**	**-100.24**	**-4.29**	**3418.76**	**01**	**01**	**1**	
	P	**1 / 8 / 1964**	**-100.9**	**-0.66**	**3418.1**	**01**	**01**	**1**	
	P	**1 / 8 / 1965**	**-107.9**	**-7**	**3411.1**	**01**	**01**	**1**	
	P	**1 / 13/ 1966**	**-109.16**	**-1.26**	**3409.84**	**01**	**01**	**1**	
	P	**1 / 5 / 1967**	**-111.14**	**-1.98**	**3407.86**	**01**	**01**	**1**	
	P	**1 / 5 / 1968**	**-116.3**	**-5.16**	**3402.7**	**01**	**01**	**1**	
	P	**1 / 12/ 1969**	**-120.44**	**-4.14**	**3398.56**	**01**	**01**	**1**	
	P	**1 / 8 / 1970**	**-116.82**	**3.62**	**3402.18**	**01**	**01**	**1**	
	P	**1 / 9 / 1971**	**-120.7**	**-3.88**	**3398.3**	**01**	**01**	**1**	
	P	**1 / 7 / 1972**	**-124.02**	**-3.32**	**3394.98**	**01**	**01**	**1**	
	P	**1 / 16/ 1973**	**-124.77**	**-0.75**	**3394.23**	**01**	**01**	**1**	
	P	**1 / 13/ 1974**	**-127.58**	**-2.81**	**3391.42**	**01**	**01**	**1**	
	P	**1 / 9 / 1975**	**-131.2**	**-3.62**	**3387.8**	**01**	**01**	**1**	
	N	**1 / 10/ 1976**				**01**	**01**	**1**	**44**
	P	**1 / 13/ 1977**	**-139.1**		**3379.9**	**01**	**01**	**1**	
	P	**1 / 8 / 1978**	**-142.97**	**-3.87**	**3376.03**	**01**	**01**	**1**	
	P	**1 / 5 / 1979**	**-146.93**	**-3.96**	**3372.07**	**01**	**01**	**1**	
	P	**1 / 15/ 1980**	**-151.97**	**-5.04**	**3367.03**	**01**	**01**	**1**	**03**
	P	**1 / 18/ 1982**	**-157.75**	**-5.78**	**3361.25**	**01**	**01**	**1**	
	P	**1 / 9 / 1984**	**-163.89**	**-6.14**	**3355.11**	**01**	**01**	**1**	
	P	**12 / 10/ 1985**	**-169.36**	**-5.47**	**3349.64**	**01**	**01**	**1**	
	P	**12 / 8 / 1986**	**-168.31**	**1.05**	**3350.69**	**01**	**01**	**1**	
	N	**12 / 15/ 1987**				**01**	**01**	**1**	**44**
	P	**12 / 9 / 1988**	**-170.95**		**3348.05**	**01**	**01**	**2**	
	P	**12 / 7 / 1989**	**-173.14**	**-2.19**	**3345.86**	**01**	**01**	**1**	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 11/ 1990	-175.2	-2.06	3343.8	01	01	1	
	P	12 / 10/ 1991	-177.65	-2.45	3341.35	01	01	1	
	P	1 / 25/ 1993	-177.91	-0.26	3341.09	01	01	1	
	N	1 / 25/ 1994				01	06		42

Min *-177.91* **Max** *-71.76* **Avg** *-126.617*

1064202 *(Aquifer: 121OGLL Well Depth: 68)*

	P	10 / 11/ 1937	-51.04		3466.96	01	12	7	
	P	6 / 27/ 1938	-50.57	0.47	3467.43	01	12	7	
	P	2 / 23/ 1949	-55.42	-4.85	3462.58	01	12	7	

Min *-55.42* **Max** *-50.57* **Avg** *-52.3433*

1064204 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 17/ 1994	-180.41		3335.59	01	06	1	
	P	1 / 23/ 1995	-181.2	-0.79	3334.8	01	06	1	
	P	1 / 24/ 1996	-183.94	-2.74	3332.06	01	06	1	
	P	2 / 5 / 1997	-189.54	-5.6	3326.46	01	06	1	
	P	1 / 15/ 1998	-190.85	-1.31	3325.15	01	06	1	
	P	2 / 25/ 1999	-194	-3.15	3322	01	06	1	
	P	2 / 9 / 2000	-198.65	-4.65	3317.35	01	06	1	
	P	1 / 24/ 2001	-203.18	-4.53	3312.82	01	06	1	
	P	1 / 28/ 2002	-205.44	-2.26	3310.56	01	06	1	
	P	2 / 24/ 2003	-208.15	-2.71	3307.85	01	06	1	
	P	1 / 28/ 2004	-210.18	-2.03	3305.82	01	06	1	
	P	3 / 8 / 2005	-210.57	-0.39	3305.43	01	06	1	
	P	1 / 17/ 2006	-212.55	-1.98	3303.45	01	06	1	
	P	1 / 11/ 2007	-215.31	-2.76	3300.69	01	06	1	
	P	1 / 9 / 2008	-218.41	-3.1	3297.59	01	06	1	
	P	2 / 2 / 2009	-219.36	-0.95	3296.64	01	06	1	
	P	1 / 14/ 2010	-220.53	-1.17	3295.47	01	06	1	
	P	1 / 24/ 2011	-221.76	-1.23	3294.24	01	06	1	
	P	2 / 6 / 2012	-223.5	-1.74	3292.5	01	06	1	

Min *-223.5* **Max** *-180.41* **Avg** *-204.607*

1064205 *(Aquifer: 121OGLL Well Depth: 270)*

	N	6 / 22/ 2004				01	01		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min		**Max**	**Avg**						
1064601	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	12 / 21/ 1954	-84.8		3400.2	01	12	7	01
	P	1 / 11/ 1956	-86.9	-2.1	3398.1	01	12	7	01
	P	1 / 10/ 1957	-90.8	-3.9	3394.2	01	12	7	01
	P	1 / 15/ 1958	-93.31	-2.51	3391.69	01	12	7	01
	P	1 / 6 / 1959	-95.62	-2.31	3389.38	01	12	7	01
	P	1 / 18/ 1960	-100.97	-5.35	3384.03	01	12	7	01
	P	1 / 13/ 1961	-102.68	-1.71	3382.32	01	04	1	
	P	1 / 10/ 1962	-103.41	-0.73	3381.59	01	01	1	
	P	1 / 7 / 1963	-107.76	-4.35	3377.24	01	01	1	
	P	1 / 8 / 1964	-110.5	-2.74	3374.5	01	01	1	
	P	1 / 8 / 1965	-115.93	-5.43	3369.07	01	01	1	
	P	1 / 7 / 1966	-119.28	-3.35	3365.72	01	01	1	
	P	1 / 5 / 1967	-121.2	-1.92	3363.8	01	01	1	
	P	1 / 5 / 1968	-124	-2.8	3361	01	01	1	
	P	1 / 12/ 1969	-125.1	-1.1	3359.9	01	01	1	
	P	1 / 8 / 1970	-128.9	-3.8	3356.1	01	01	1	
	N	1 / 9 / 1971				01	01		41
	P	1 / 7 / 1972	-136.66		3348.34	01	01	1	
	P	1 / 18/ 1973	-138.84	-2.18	3346.16	01	01	1	
	P	1 / 13/ 1974	-142.53	-3.69	3342.47	01	01	1	
	P	1 / 10/ 1975	-147.31	-4.78	3337.69	01	01	1	
	P	1 / 10/ 1976	-150.24	-2.93	3334.76	01	01	1	
	P	1 / 13/ 1977	-155.03	-4.79	3329.97	01	01	1	
	P	1 / 7 / 1978	-158.04	-3.01	3326.96	01	01	1	
	P	1 / 6 / 1979	-159.76	-1.72	3325.24	01	01	1	
	N	1 / 15/ 1980				01	01		42
	P	1 / 18/ 1982	-170.93		3314.07	01	01	1	
	P	1 / 9 / 1984	-184.59	-13.7	3300.41	01	01	1	
	N	12 / 14/ 1985				01	01		42
	N	12 / 17/ 1987				01	01		61
	N	12 / 9 / 1988				01	01		42
	N	12 / 7 / 1989				01	01		42
Min	***-184.59***	**Max**	***-84.8***	**Avg**	***-125.196***				

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1064602	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	1 / 15/ 1980	-148.96		3349.04	01	01	1	
	P	1 / 17/ 1981	-156.2	-7.24	3341.8	01	01	1	
	P	1 / 17/ 1983	-161.59	-5.39	3336.41	01	01	1	
	P	1 / 14/ 1985	-165.85	-4.26	3332.15	01	01	1	
	P	12 / 8 / 1986	-168.81	-2.96	3329.19	01	01	1	
	N	12 / 17/ 1987				01	01		42
	N	12 / 9 / 1988				01	01		63
	P	12 / 7 / 1989	-172.69		3325.31	01	01	1	20
	P	12 / 8 / 1990	-174.97	-2.28	3323.03	01	01	1	
	P	12 / 10/ 1991	-190.25	-15.3	3307.75	01	01	1	25
	P	1 / 25/ 1994	-176.42	13.83	3321.58	01	06	1	
	P	1 / 23/ 1995	-179.92	-3.5	3318.08	01	06	1	
	P	1 / 24/ 1996	-181.34	-1.42	3316.66	01	06	1	
	P	2 / 5 / 1997	-185.26	-3.92	3312.74	01	06	1	
	P	1 / 15/ 1998	-186.78	-1.52	3311.22	01	06	1	
	P	2 / 8 / 1999	-192	-5.22	3306	01	06	1	
	P	2 / 9 / 2000	-196.53	-4.53	3301.47	01	06	1	
	P	1 / 26/ 2001	-200.95	-4.42	3297.05	01	06	1	
	P	1 / 28/ 2002	-203.74	-2.79	3294.26	01	06	1	
	P	2 / 24/ 2003	-207.62	-3.88	3290.38	01	06	1	
	P	1 / 28/ 2004	-212.31	-4.69	3285.69	01	06	1	
	P	3 / 8 / 2005	-211.7	0.61	3286.3	01	06	1	
	N	3 / 6 / 2006				01	06		41
	N	3 / 21/ 2007				01	06		41
	P	1 / 9 / 2008	-218.26		3279.74	01	06	1	
	P	2 / 2 / 2009	-224.8	-6.54	3273.2	01	06	1	
	P	1 / 14/ 2010	-228.5	-3.7	3269.5	01	06	1	
	P	1 / 24/ 2011	-230.22	-1.72	3267.78	01	06	1	
	P	3 / 2 / 2012	-234.1	-3.88	3263.9	01	06	1	

Min ***-234.1*** **Max** ***-148.96*** **Avg** ***-192.391***

1064801	*(Aquifer: 121OGLL*		*Well Depth: 305*	*)*					
	P	3 / 3 / 1949	-88.1		3404.9	01	12	7	01
	P	2 / 20/ 1950	-78.99	9.11	3414.01	01	12	7	01
	P	1 / 30/ 1952	-82.28	-3.29	3410.72	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 13/ 1953	-85.9	-3.62	3407.1	01	12	7	01
	P	1/ 9/ 1954	-90.54	-4.64	3402.46	01	12	7	01
	P	1/ 13/ 1955	-95.41	-4.87	3397.59	01	12	7	01
	P	1/ 11/ 1956	-100.12	-4.71	3392.88	01	12	7	01
	P	1/ 10/ 1957	-122.14	-22.0	3370.86	01	12	7	01
	P	1/ 14/ 1958	-108.64	13.5	3384.36	01	12	7	01
	P	1/ 6/ 1959	-110.34	-1.7	3382.66	01	12	7	01
	P	1/ 18/ 1960	-118.75	-8.41	3374.25	01	12	7	01
	P	1/ 13/ 1961	-122.8	-4.05	3370.2	01	04	1	
	P	1/ 10/ 1962	-117.05	5.75	3375.95	01	01	1	
	P	1/ 7/ 1963	-123.65	-6.6	3369.35	01	01	1	
	P	1/ 8/ 1964	-123.35	0.3	3369.65	01	01	1	
	P	1/ 6/ 1965	-126.7	-3.35	3366.3	01	01	1	
	P	1/ 7/ 1966	-129.83	-3.13	3363.17	01	01	1	
	P	1/ 5/ 1967	-131.74	-1.91	3361.26	01	01	1	
	P	1/ 4/ 1968	-135.6	-3.86	3357.4	01	01	1	
	P	1/ 12/ 1969	-136.33	-0.73	3356.67	01	01	1	
	P	1/ 8/ 1970	-141.24	-4.91	3351.76	01	01	1	
	P	1/ 9/ 1971	-148.3	-7.06	3344.7	01	01	1	
	P	1/ 7/ 1972	-146.81	1.49	3346.19	01	01	1	
	P	1/ 18/ 1973	-147.46	-0.65	3345.54	01	01	1	
	P	1/ 11/ 1974	-150.27	-2.81	3342.73	01	01	1	
	N	1/ 10/ 1975				01	01	1	44
	P	1/ 7/ 1976	-158.43		3334.57	01	01	1	
	P	1/ 13/ 1977	-161.87	-3.44	3331.13	01	01	1	
	P	1/ 7/ 1978	-164.92	-3.05	3328.08	01	01	1	
	P	1/ 6/ 1979	-168.96	-4.04	3324.04	01	01	1	
	P	1/ 15/ 1980	-169.73	-0.77	3323.27	01	01	1	
	P	1/ 18/ 1982	-176.24	-6.51	3316.76	01	01	1	
	P	1/ 9/ 1984	-180.68	-4.44	3312.32	01	01	1	
	P	12/ 14/ 1985	-186.39	-5.71	3306.61	01	01	1	
	P	12/ 8/ 1986	-185.71	0.68	3307.29	01	01	1	
	P	12/ 17/ 1987	-194.4	-8.69	3298.6	01	01	1	
	P	12/ 8/ 1988	-187.6	6.8	3305.4	01	01	1	
	P	12/ 7/ 1989	-189.63	-2.03	3303.37	01	01	1	
	P	12/ 8/ 1990	-192.78	-3.15	3300.22	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 10/ 1991	-196.72	-3.94	3296.28	01	01	1	
	P	1 / 26/ 1993	-193.39	3.33	3299.61	01	01	1	
	N	1 / 25/ 1994				01	06	7	44

Min *-196.72* **Max** *-78.99* **Avg** *-141.745*

1064803 *(Aquifer: 121OGLL Well Depth: 318)*

	P	1 / 14/ 1976	-140.8		3371.2	01	01	1	
	P	1 / 13/ 1977	-142.62	-1.82	3369.38	01	01	1	
	P	1 / 7 / 1978	-150.82	-8.2	3361.18	01	01	1	
	N	1 / 6 / 1979				01	01	1	44
	P	1 / 15/ 1980	-157.19		3354.81	01	01	1	
	P	1 / 17/ 1981	-163.57	-6.38	3348.43	01	01	1	
	P	1 / 17/ 1983	-170.89	-7.32	3341.11	01	01	1	25
	P	1 / 14/ 1985	-176.66	-5.77	3335.34	01	01	1	
	P	12 / 17/ 1987	-187.1	-10.4	3324.9	01	01	1	
	P	12 / 9 / 1988	-177.05	10.05	3334.95	01	01	2	
	P	12 / 7 / 1989	-180.08	-3.03	3331.92	01	01	1	
	P	12 / 8 / 1990	-182.5	-2.42	3329.5	01	01	1	
	P	12 / 10/ 1991	-185.36	-2.86	3326.64	01	01	1	
	P	1 / 25/ 1994	-189.7	-4.34	3322.3	01	06	1	
	P	1 / 23/ 1995	-190.37	-0.67	3321.63	01	06	1	
	P	1 / 24/ 1996	-193.34	-2.97	3318.66	01	06	1	
	P	2 / 5 / 1997	-197.11	-3.77	3314.89	01	06	1	
	P	1 / 15/ 1998	-201.05	-3.94	3310.95	01	06	1	
	P	2 / 8 / 1999	-202	-0.95	3310	01	06	1	
	P	2 / 9 / 2000	-204.78	-2.78	3307.22	01	06	1	
	P	1 / 26/ 2001	-207.8	-3.02	3304.2	01	06	1	
	P	1 / 28/ 2002	-209.42	-1.62	3302.58	01	06	1	
	P	2 / 24/ 2003	-213.93	-4.51	3298.07	01	06	1	
	P	1 / 28/ 2004	-216.4	-2.47	3295.6	01	06	1	
	P	3 / 8 / 2005	-217.15	-0.75	3294.85	01	06	1	
	P	1 / 17/ 2006	-219.52	-2.37	3292.48	01	06	1	
	P	1 / 12/ 2007	-222.35	-2.83	3289.65	01	06	1	
	P	1 / 9 / 2008	-224.48	-2.13	3287.52	01	06	1	
	P	3 / 5 / 2009	-234.99	-10.5	3277.01	01	06	1	
	P	1 / 14/ 2010	-236.35	-1.36	3275.65	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 2011	-237.95	-1.6	3274.05	01	06	1	
	P	3 / 2 / 2012	-246.6	-8.65	3265.4	01	06	1	

Min *-246.6* **Max** *-140.8* **Avg** *-196.127*

1141501 *(Aquifer: 121OGLL Well Depth: 317)*

	P	2 / 19/ 1945	-59.37		3474.63	01	12	7	01
	P	2 / 25/ 1946	-60.12	-0.75	3473.88	01	12	7	01
	P	1 / 17/ 1947	-61.35	-1.23	3472.65	01	12	7	01
	P	3 / 10/ 1947	-60.74	0.61	3473.26	01	12	7	01
	P	2 / 20/ 1948	-62.91	-2.17	3471.09	01	12	7	01
	P	2 / 22/ 1949	-65.95	-3.04	3468.05	01	12	7	01
	P	2 / 18/ 1950	-68.11	-2.16	3465.89	01	12	7	01
	P	2 / 2 / 1951	-74.75	-6.64	3459.25	01	12	7	01
	P	1 / 28/ 1952	-72.97	1.78	3461.03	01	12	7	01
	P	1 / 9 / 1953	-77.4	-4.43	3456.6	01	12	7	01
	P	1 / 4 / 1954	-82.44	-5.04	3451.56	01	12	7	01
	P	1 / 14/ 1955	-86.68	-4.24	3447.32	01	12	7	01
	P	1 / 4 / 1957	-95.6	-8.92	3438.4	01	12	7	01
	P	1 / 13/ 1958	-102.51	-6.91	3431.49	01	12	7	01
	P	1 / 7 / 1959	-102.04	0.47	3431.96	01	12	7	01
	P	1 / 19/ 1960	-105.65	-3.61	3428.35	01	12	7	01
	P	1 / 11/ 1961	-109.68	-4.03	3424.32	01	04	1	
	P	1 / 16/ 1962	-109.56	0.12	3424.44	01	01	1	
	P	1 / 6 / 1963	-114.34	-4.78	3419.66	01	01	1	
	P	1 / 10/ 1964	-116.6	-2.26	3417.4	01	01	1	
	P	1 / 8 / 1965	-123.68	-7.08	3410.32	01	01	1	
	P	1 / 9 / 1966	-128.85	-5.17	3405.15	01	01	1	
	P	1 / 5 / 1967	-132.7	-3.85	3401.3	01	01	1	04
	P	1 / 6 / 1968	-140.47	-7.77	3393.53	01	01	1	20
	P	1 / 10/ 1969	-136.89	3.58	3397.11	01	01	1	
	P	1 / 2 / 1970	-138.64	-1.75	3395.36	01	01	1	
	P	1 / 6 / 1971	-144.4	-5.76	3389.6	01	01	1	
	P	1 / 6 / 1972	-149.95	-5.55	3384.05	01	01	1	
	P	1 / 18/ 1973	-150.11	-0.16	3383.89	01	01	1	
	P	1 / 14/ 1974	-155.25	-5.14	3378.75	01	01	1	
	P	1 / 9 / 1975	-158.5	-3.25	3375.5	01	01	1	20

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1976	-161.3	-2.8	3372.7	01	01	1	25
	P	1/ 13/ 1977	-168.17	-6.87	3365.83	01	01	1	
	P	1/ 9/ 1978	-172.08	-3.91	3361.92	01	01	1	
	P	1/ 3/ 1979	-178.71	-6.63	3355.29	01	01	1	
	P	1/ 11/ 1980	-188.15	-9.44	3345.85	01	01	1	
	P	1/ 17/ 1982	-192.41	-4.26	3341.59	01	01	1	
	P	1/ 10/ 1984	-222.8	-30.4	3311.2	01	01	1	
	P	12/ 10/ 1985	-231.35	-8.55	3302.65	01	01	1	
	P	12/ 10/ 1986	-231.35		3302.65	01	01	1	
	P	12/ 15/ 1987	-232.6	-1.25	3301.4	01	01	1	
	P	12/ 9/ 1988	-196.05	36.55	3337.95	01	01	2	
	P	12/ 6/ 1989	-198.01	-1.96	3335.99	01	01	1	
	P	12/ 8/ 1990	-199.55	-1.54	3334.45	01	01	1	
	P	12/ 11/ 1991	-203.59	-4.04	3330.41	01	01	1	
	P	1/ 25/ 1993	-204.35	-0.76	3329.65	01	01	1	
	P	1/ 18/ 1994	-210.48	-6.13	3323.52	01	06	1	
	P	3/ 6/ 1995	-210.83	-0.35	3323.17	01	06	1	
	P	1/ 23/ 1996	-214.57	-3.74	3319.43	01	06	1	
	P	1/ 30/ 1997	-219.34	-4.77	3314.66	01	06	1	
	P	1/ 14/ 1998	-221.78	-2.44	3312.22	01	06	1	

Min *-232.6* **Max** *-59.37* **Avg** *-143.249*

1141506 *(Aquifer: 121OGLL Well Depth: 345)*

	P	2/ 23/ 1998	-223.63		3308.37	01	06	1	
	P	2/ 25/ 1999	-229	-5.37	3303	01	06	1	
	P	2/ 1/ 2000	-234.22	-5.22	3297.78	01	06	1	
	P	1/ 24/ 2001	-239.01	-4.79	3292.99	01	06	1	
	P	1/ 25/ 2002	-242.24	-3.23	3289.76	01	06	1	
	P	3/ 21/ 2003	-246.85	-4.61	3285.15	01	06	1	
	P	1/ 22/ 2004	-252.17	-5.32	3279.83	01	06	1	
	P	2/ 17/ 2005	-253.5	-1.33	3278.5	01	06	1	
	P	1/ 18/ 2006	-253.73	-0.23	3278.27	01	06	1	
	P	1/ 5/ 2007	-258.12	-4.39	3273.88	01	06	1	
	P	1/ 14/ 2008	-257.61	0.51	3274.39	01	06	1	
	P	1/ 30/ 2009	-262.15	-4.54	3269.85	01	06	1	
	P	2/ 22/ 2010	-264.5	-2.35	3267.5	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 2011	-265.42	-0.92	3266.58	01	06	1	
	P	2 / 3 / 2012	-270.62	-5.2	3261.38	01	06	1	

Min *-270.62* **Max** *-223.63* **Avg** *-250.185*

1141601 *(Aquifer: 121OGLL Well Depth: 204)*

P	4 / 24/ 1936	-48.61		3449.39	01	12	7	01
P	6 / 8 / 1937	-47.08	1.53	3450.92	01	12	7	01
P	7 / 28/ 1937	-46.25	0.83	3451.75	01	12	7	01
P	10 / 1 / 1937	-46.04	0.21	3451.96	01	12	7	01
P	1 / 5 / 1938	-44.89	1.15	3453.11	01	12	7	01
P	3 / 12/ 1938	-45.61	-0.72	3452.39	01	12	7	01
P	6 / 25/ 1938	-45.89	-0.28	3452.11	01	12	7	01
P	3 / 4 / 1939	-45.27	0.62	3452.73	01	12	7	01
P	6 / 24/ 1939	-45.47	-0.2	3452.53	01	12	7	01
P	8 / 15/ 1939	-46.18	-0.71	3451.82	01	12	7	01
P	10 / 2 / 1939	-45.71	0.47	3452.29	01	12	7	01
P	12 / 1 / 1939	-45.8	-0.09	3452.2	01	12	7	01
P	3 / 5 / 1940	-45.89	-0.09	3452.11	01	12	7	01
P	11 / 16/ 1940	-46.68	-0.79	3451.32	01	12	7	01
P	1 / 17/ 1941	-46.8	-0.12	3451.2	01	12	7	01
P	3 / 8 / 1941	-46.65	0.15	3451.35	01	12	7	01
P	11 / 13/ 1941	-45.59	1.06	3452.41	01	12	7	01
P	2 / 28/ 1942	-45.05	0.54	3452.95	01	12	7	01
P	10 / 9 / 1942	-44.95	0.1	3453.05	01	12	7	01
P	1 / 27/ 1943	-44.33	0.62	3453.67	01	12	7	01
P	2 / 3 / 1944	-45.42	-1.09	3452.58	01	12	7	01
P	2 / 24/ 1945	-46.9	-1.48	3451.1	01	12	7	01
P	2 / 25/ 1946	-47.91	-1.01	3450.09	01	12	7	01
P	1 / 21/ 1947	-50.38	-2.47	3447.62	01	12	7	01
P	3 / 10/ 1947	-50.2	0.18	3447.8	01	12	7	01
P	2 / 20/ 1948	-52.25	-2.05	3445.75	01	12	7	01
P	2 / 22/ 1949	-53.92	-1.67	3444.08	01	12	7	01
P	2 / 18/ 1950	-55.31	-1.39	3442.69	01	12	7	01
P	1 / 18/ 1951	-56.51	-1.2	3441.49	01	12	7	01
P	1 / 28/ 1952	-58.14	-1.63	3439.86	01	12	7	01
P	1 / 9 / 1953	-62.14	-4	3435.86	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1954	-65.9	-3.76	3432.1	01	12	7	01
	P	1/14/1955	-70.4	-4.5	3427.6	01	12	7	01
	P	1/ 9/1956	-74.37	-3.97	3423.63	01	12	7	01
	P	1/ 4/1957	-78.1	-3.73	3419.9	01	12	7	01
	P	1/13/1958	-84.05	-5.95	3413.95	01	12	7	01
	P	1/ 7/1959	-83.53	0.52	3414.47	01	12	7	01

Min *-84.05* **Max** *-44.33* **Avg** *-52.8154*

1141602 *(Aquifer: 121OGLL Well Depth: 288)*

	P	1/19/1960	-86.52		3412.48	01	12	7	01
	P	1/11/1961	-88.29	-1.77	3410.71	01	04	1	
	P	1/16/1962	-93.95	-5.66	3405.05	01	01	1	
	P	1/ 6/1963	-97.83	-3.88	3401.17	01	01	1	
	P	1/10/1964	-101.61	-3.78	3397.39	01	01	1	
	P	1/ 8/1965	-108.4	-6.79	3390.6	01	01	1	
	P	1/ 9/1966	-113	-4.6	3386	01	01	1	
	P	1/ 5/1967	-126.07	-13.1	3372.93	01	01	1	04
	P	1/ 6/1968	-134.16	-8.09	3364.84	01	01	1	
	P	1/10/1969	-128.98	5.18	3370.02	01	01	1	
	P	1/ 2/1970	-125.68	3.3	3373.32	01	01	1	
	P	1/ 6/1971	-132.73	-7.05	3366.27	01	01	1	
	P	1/ 6/1972	-132.85	-0.12	3366.15	01	01	1	
	P	1/18/1973	-134.46	-1.61	3364.54	01	01	1	
	P	1/14/1974	-136.35	-1.89	3362.65	01	01	1	
	P	1/ 9/1975	-140.53	-4.18	3358.47	01	01	1	
	P	1/ 8/1976	-144.86	-4.33	3354.14	01	01	1	
	P	1/13/1977	-148.77	-3.91	3350.23	01	01	1	
	P	1/ 9/1978	-153.24	-4.47	3345.76	01	01	1	
	P	1/ 3/1979	-158.88	-5.64	3340.12	01	01	1	
	P	1/11/1980	-160.37	-1.49	3338.63	01	01	1	
	P	1/17/1982	-171.7	-11.3	3327.3	01	01	1	
	P	1/10/1984	-182.11	-10.4	3316.89	01	01	1	
	P	12/10/1985	-185.27	-3.16	3313.73	01	01	1	
	P	12/ 9/1986	-184.93	0.34	3314.07	01	01	1	
	P	12/15/1987	-186.2	-1.27	3312.8	01	01	1	25
	P	12/10/1988	-186.94	-0.74	3312.06	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 6 / 1989	-189.17	-2.23	3309.83	01	01	1	
	P	12 / 12/ 1990	-192.78	-3.61	3306.22	01	01	1	
	P	12 / 11/ 1991	-196.35	-3.57	3302.65	01	01	1	
	P	1 / 25/ 1993	-195.86	0.49	3303.14	01	01	1	
	P	1 / 18/ 1994	-201.8	-5.94	3297.2	01	06	1	
	P	1 / 20/ 1995	-204.66	-2.86	3294.34	01	06	1	
	P	1 / 23/ 1996	-208.65	-3.99	3290.35	01	06	1	
	N	3 / 7 / 1997				01	06		41
	P	1 / 14/ 1998	-216.52		3282.48	01	06	1	
	P	1 / 28/ 1999	-219	-2.48	3280	01	06	1	
	P	2 / 1 / 2000	-222.54	-3.54	3276.46	01	06	1	
	P	1 / 24/ 2001	-226.62	-4.08	3272.38	01	06	1	
	P	1 / 25/ 2002	-228.31	-1.69	3270.69	01	06	1	
	P	2 / 25/ 2003	-230.85	-2.54	3268.15	01	06	1	
	P	1 / 19/ 2004	-234.67	-3.82	3264.33	01	06	1	
	P	2 / 17/ 2005	-234.97	-0.3	3264.03	01	06	1	
	P	1 / 18/ 2006	-235.43	-0.46	3263.57	01	06	1	
	P	1 / 5 / 2007	-237.59	-2.16	3261.41	01	06	1	
	P	1 / 14/ 2008	-241.69	-4.1	3257.31	01	06	1	
	P	1 / 30/ 2009	-245.86	-4.17	3253.14	01	06	1	
	P	1 / 15/ 2010	-248.19	-2.33	3250.81	01	06	1	
	P	1 / 19/ 2011	-247.18	1.01	3251.82	01	06	1	
	P	2 / 3 / 2012	-250.72	-3.54	3248.28	01	06	1	

Min *-250.72* **Max** *-86.52* **Avg** *-176.614*

1141603 *(Aquifer: 121OGLL Well Depth:)*

	P	0 / 0 / 1936	-48.7		3453.3	01	12	7	01
	P	5 / 3 / 1937	-48.9	-0.2	3453.1	01	12	7	01
	P	5 / 21/ 1937	-49.11	-0.21	3452.89	01	12	7	01
	P	6 / 8 / 1937	-49.17	-0.06	3452.83	01	12	7	01
	P	7 / 7 / 1937	-49.94	-0.77	3452.06	01	12	7	01
	P	7 / 28/ 1937	-48.96	0.98	3453.04	01	12	7	01
	P	8 / 11/ 1937	-48.95	0.01	3453.05	01	12	7	01
	P	8 / 24/ 1937	-49.06	-0.11	3452.94	01	12	7	01
	P	9 / 10/ 1937	-49.21	-0.15	3452.79	01	12	7	01
	P	10 / 1 / 1937	-49.06	0.15	3452.94	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 2 / 1937	-48.87	0.19	3453.13	01	12	7	01
	P	12 / 1 / 1937	-48.76	0.11	3453.24	01	12	7	01
	P	1 / 5 / 1938	-48.65	0.11	3453.35	01	12	7	01
	P	3 / 12/ 1938	-48.86	-0.21	3453.14	01	12	7	01
	P	4 / 12/ 1938	-48.84	0.02	3453.16	01	12	7	01
	P	6 / 25/ 1938	-49.14	-0.3	3452.86	01	12	7	01
	P	8 / 10/ 1938	-49.04	0.1	3452.96	01	12	7	01
	P	10 / 10/ 1938	-48.99	0.05	3453.01	01	12	7	01
	P	12 / 6 / 1938	-48.99		3453.01	01	12	7	01
	P	3 / 4 / 1939	-49.04	-0.05	3452.96	01	12	7	01
	P	6 / 24/ 1939	-49.2	-0.16	3452.8	01	12	7	01
	P	8 / 15/ 1939	-49.25	-0.05	3452.75	01	12	7	01
	P	10 / 2 / 1939	-49.32	-0.07	3452.68	01	12	7	01
	P	12 / 1 / 1939	-49.63	-0.31	3452.37	01	12	7	01
	P	3 / 5 / 1940	-49.69	-0.06	3452.31	01	12	7	01
	P	7 / 9 / 1940	-50.24	-0.55	3451.76	01	12	7	01
	P	11 / 16/ 1940	-50.89	-0.65	3451.11	01	12	7	01
	P	1 / 17/ 1941	-50.93	-0.04	3451.07	01	12	7	01
	P	3 / 8 / 1941	-50.7	0.23	3451.3	01	12	7	01
	P	7 / 24/ 1941	-50.3	0.4	3451.7	01	12	7	01
	P	11 / 13/ 1941	-49.84	0.46	3452.16	01	12	7	01
	P	2 / 28/ 1942	-49.45	0.39	3452.55	01	12	7	01

Min *-50.93* **Max** *-48.65* **Avg** *-49.365*

1141701 *(Aquifer: 121OGLL Well Depth: 240)*

	P	4 / 2 / 1942	-57.35		3477.65	01	12	7	01
	P	10 / 9 / 1942	-58.27	-0.92	3476.73	01	12	7	01
	P	1 / 27/ 1943	-57.5	0.77	3477.5	01	12	7	01
	P	2 / 3 / 1944	-59.14	-1.64	3475.86	01	12	7	01
	P	2 / 25/ 1946	-60.76	-1.62	3474.24	01	12	7	01
	P	2 / 20/ 1948	-61.6	-0.84	3473.4	01	12	7	01
	P	2 / 23/ 1949	-62.72	-1.12	3472.28	01	12	7	01

Min *-62.72* **Max** *-57.35* **Avg** *-59.62*

1141801 *(Aquifer: 121OGLL Well Depth: 100)*

	P	8 / 19/ 1937	-57.3		3466.7	01	12	7	01
	P	1 / 17/ 1941	-59.5	-2.2	3464.5	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 13/ 1941	-58.62	0.88	3465.38	01	12	7	01
	P	2 / 27/ 1942	-58.15	0.47	3465.85	01	12	7	01
	P	10 / 9 / 1942	-58.16	-0.01	3465.84	01	12	7	01
	P	1 / 18/ 1943	-58.28	-0.12	3465.72	01	12	7	01
	P	7 / 20/ 1943	-57.98	0.3	3466.02	01	12	7	01
	P	2 / 3 / 1944	-58.58	-0.6	3465.42	01	12	7	01
	P	2 / 3 / 1945	-59.35	-0.77	3464.65	01	12	7	01
	P	2 / 25/ 1946	-60.19	-0.84	3463.81	01	12	7	01
	P	3 / 12/ 1947	-62.93	-2.74	3461.07	01	12	7	01
	P	2 / 20/ 1948	-62.52	0.41	3461.48	01	12	7	01
	P	2 / 23/ 1949	-64.54	-2.02	3459.46	01	12	7	01
	P	2 / 18/ 1950	-66.15	-1.61	3457.85	01	12	7	01
	P	1 / 17/ 1951	-67.6	-1.45	3456.4	01	12	7	01
	P	1 / 28/ 1952	-69.8	-2.2	3454.2	01	12	7	01
	P	1 / 12/ 1953	-76.28	-6.48	3447.72	01	12	7	01
	P	1 / 9 / 1954	-80.37	-4.09	3443.63	01	12	7	01

Min *-80.37* **Max** *-57.3* **Avg** *-63.1278*

1141802 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 4 / 1957	-94		3430	01	12	7	01
	P	1 / 5 / 1959	-98.25	-4.25	3425.75	01	12	7	01
	P	1 / 19/ 1960	-103.6	-5.35	3420.4	01	12	7	01
	N	1 / 16/ 1962				01	01		63
	N	1 / 6 / 1963				01	01		63

Min *-103.6* **Max** *-94* **Avg** *-98.6167*

1141803 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 25/ 1936	-37.6		3467.4	01	12	7	01
	P	5 / 8 / 1937	-37.13	0.47	3467.87	01	12	7	01
	P	6 / 8 / 1937	-36.29	0.84	3468.71	01	12	7	01
	P	8 / 19/ 1937	-36.92	-0.63	3468.08	01	12	7	01
	P	1 / 6 / 1938	-37.67	-0.75	3467.33	01	12	7	01
	P	6 / 25/ 1938	-37.82	-0.15	3467.18	01	12	7	01
	P	8 / 10/ 1938	-38.09	-0.27	3466.91	01	12	7	01
	P	12 / 6 / 1938	-38.38	-0.29	3466.62	01	12	7	01
	P	1 / 4 / 1939	-38.42	-0.04	3466.58	01	12	7	01
	P	1 / 31/ 1939	-38.17	0.25	3466.83	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 4 / 1939	-38.21	-0.04	3466.79	01	12	7	01
	P	7 / 7 / 1939	-38.33	-0.12	3466.67	01	12	7	01
	P	8 / 15/ 1939	-38.55	-0.22	3466.45	01	12	7	01
	P	10 / 2 / 1939	-38.8	-0.25	3466.2	01	12	7	01
	P	12 / 1 / 1939	-39.07	-0.27	3465.93	01	12	7	01
	P	2 / 29/ 1940	-39.33	-0.26	3465.67	01	12	7	01
	P	7 / 9 / 1940	-39.52	-0.19	3465.48	01	12	7	01
	P	11 / 16/ 1940	-40.03	-0.51	3464.97	01	12	7	01
	P	1 / 17/ 1941	-40.11	-0.08	3464.89	01	12	7	01
	P	3 / 8 / 1941	-40.19	-0.08	3464.81	01	12	7	01
	P	11 / 13/ 1941	-36.77	3.42	3468.23	01	12	7	01
	P	2 / 27/ 1942	-37.5	-0.73	3467.5	01	12	7	01
	P	10 / 9 / 1942	-38.22	-0.72	3466.78	01	12	7	01
	P	1 / 27/ 1943	-37.74	0.48	3467.26	01	12	7	01
	P	2 / 7 / 1944	-39	-1.26	3466	01	12	7	01
	P	2 / 23/ 1945	-40	-1	3465	01	12	7	01

Min *-40.19* **Max** *-36.29* **Avg** *-38.3792*

1141804 *(Aquifer: 121OGLL Well Depth:)*

	P	11 / 13/ 1941	-47.48		3467.52	01	12	7	
	P	2 / 27/ 1942	-47.53	-0.05	3467.47	01	12	7	
	P	2 / 3 / 1944	-48.83	-1.3	3466.17	01	12	7	
	P	2 / 26/ 1946	-50.37	-1.54	3464.63	01	12	7	

Min *-50.37* **Max** *-47.48* **Avg** *-48.5525*

1141805 *(Aquifer: 121OGLL Well Depth: 305)*

	P	1 / 19/ 1977	-167.76		3354.24	01	01	1	
	P	1 / 9 / 1978	-162.6	5.16	3359.4	01	01	1	
	P	1 / 4 / 1979	-166.85	-4.25	3355.15	01	01	1	
	P	1 / 14/ 1980	-167.8	-0.95	3354.2	01	01	1	
	P	1 / 17/ 1981	-174	-6.2	3348	01	01	1	
	P	1 / 15/ 1983	-184.12	-10.1	3337.88	01	01	1	
	P	1 / 10/ 1985	-187.41	-3.29	3334.59	01	01	1	
	P	12 / 10/ 1985	-198.72	-11.3	3323.28	01	01	1	
	P	12 / 10/ 1986	-200.29	-1.57	3321.71	01	01	1	
	N	12 / 15/ 1987				01	01		42
	N	12 / 9 / 1988				01	01		63

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 6 / 1989	-190.07		3331.93	01	01	1	
	P	12 / 12/ 1990	-193.4	-3.33	3328.6	01	01	1	
	P	12 / 11/ 1991	-196.57	-3.17	3325.43	01	01	1	
	P	1 / 25/ 1993	-197.22	-0.65	3324.78	01	01	1	
	N	1 / 18/ 1994				01	06		42

Min *-200.29* **Max** *-162.6* **Avg** *-183.601*

1141806 *(Aquifer: 121OGLL Well Depth: 60)*

	P	8 / 19/ 1937	-47.79		3467.21	01	04	7	
	P	3 / 4 / 1939	-48.83	-1.04	3466.17	01	04	7	
	P	6 / 23/ 1939	-49.13	-0.3	3465.87	01	04	7	
	P	7 / 7 / 1939	-48.98	0.15	3466.02	01	04	7	
	P	8 / 15/ 1939	-49.27	-0.29	3465.73	01	04	7	
	P	10 / 2 / 1939	-49.46	-0.19	3465.54	01	04	7	
	P	12 / 1 / 1939	-49.61	-0.15	3465.39	01	04	7	
	P	2 / 29/ 1940	-49.71	-0.1	3465.29	01	04	7	
	P	7 / 9 / 1940	-49.91	-0.2	3465.09	01	04	7	
	P	11 / 16/ 1940	-50.39	-0.48	3464.61	01	04	7	
	P	1 / 17/ 1941	-50.41	-0.02	3464.59	01	04	7	
	P	3 / 8 / 1941	-50.5	-0.09	3464.5	01	04	7	

Min *-50.5* **Max** *-47.79* **Avg** *-49.4992*

1141807 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-220.17		3282.83	01	01	1	
	P	2 / 3 / 2000	-219.84	0.33	3283.16	01	01	1	

Min *-220.17* **Max** *-219.84* **Avg** *-220.005*

1141808 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-211.84		3283.16	01	01	1	

Min *-211.84* **Max** *-211.84* **Avg** *-211.84*

1141901 *(Aquifer: 121OGLL Well Depth: 200)*

	P	0 / 0 / 1945	-46		3442	01	12	7	01
	P	3 / 12/ 1947	-50.02	-4.02	3437.98	01	12	7	01
	P	2 / 20/ 1948	-51.4	-1.38	3436.6	01	12	7	01
	P	2 / 22/ 1949	-54.25	-2.85	3433.75	01	12	7	01
	P	1 / 18/ 1951	-56.92	-2.67	3431.08	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 28/ 1952	-58.37	-1.45	3429.63	01	12	7	01
	P	1/ 9/ 1953	-61.85	-3.48	3426.15	01	12	7	01
	P	1/ 4/ 1954	-65.74	-3.89	3422.26	01	12	7	01
	P	1/ 14/ 1955	-71	-5.26	3417	01	12	7	01
	P	1/ 4/ 1957	-77.72	-6.72	3410.28	01	12	7	01
	P	1/ 13/ 1958	-87.65	-9.93	3400.35	01	12	7	01
	P	1/ 7/ 1959	-84.66	2.99	3403.34	01	12	7	01
	P	1/ 19/ 1960	-86.84	-2.18	3401.16	01	12	7	01
	P	1/ 11/ 1961	-87.9	-1.06	3400.1	01	04	1	
	P	1/ 16/ 1962	-90.54	-2.64	3397.46	01	01	1	
	P	1/ 6/ 1963	-94.48	-3.94	3393.52	01	01	1	
	P	1/ 10/ 1964	-98.3	-3.82	3389.7	01	01	1	
	P	1/ 8/ 1965	-112.5	-14.2	3375.5	01	01	1	
	P	1/ 9/ 1966	-108.68	3.82	3379.32	01	01	1	
	P	1/ 5/ 1967	-110.56	-1.88	3377.44	01	01	1	
	P	1/ 6/ 1968	-113.53	-2.97	3374.47	01	01	1	
	P	1/ 10/ 1969	-116.25	-2.72	3371.75	01	01	1	
	P	1/ 2/ 1970	-118.23	-1.98	3369.77	01	01	1	
	P	1/ 6/ 1971	-122.8	-4.57	3365.2	01	01	1	
	P	1/ 6/ 1972	-125.15	-2.35	3362.85	01	01	1	
	P	1/ 18/ 1973	-127.65	-2.5	3360.35	01	01	1	
	N	1/ 14/ 1974				01	01		63
	N	1/ 9/ 1975				01	01		63
	N	1/ 8/ 1976				01	01		63

Min *-127.65* **Max** *-46* **Avg** *-87.6535*

1141902 *(Aquifer: 121OGLL Well Depth: 307)*

	P	4/ 8/ 1988	-212.18		3286.82	01	01	1	
	P	2/ 1/ 2000	-230.88	-18.7	3268.12	01	01	1	

Min *-230.88* **Max** *-212.18* **Avg** *-221.53*

1141903 *(Aquifer: 121OGLL Well Depth: 317)*

	P	9/ 8/ 2004	-237.1		3265.9	01	01	1	

Min *-237.1* **Max** *-237.1* **Avg** *-237.1*

1141906 *(Aquifer: 121OGLL Well Depth: 309)*

	P	2/ 1/ 2000	-215.17		3283.83	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 2000	-214.85	0.32	3284.15	01	01	1	
Min -215.17		Max -214.85	Avg -215.01						
1141908	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-217.58		3283.42	01	01	1	
Min -217.58		Max -217.58	Avg -217.58						
1141909	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-229.83		3276.17	01	01	1	
Min -229.83		Max -229.83	Avg -229.83						
1141910	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-232.6		3272.4	01	01	1	
Min -232.6		Max -232.6	Avg -232.6						
1141911	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-233.66		3270.34	01	01	1	
Min -233.66		Max -233.66	Avg -233.66						
1141912	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-230.27		3270.73	01	01	1	
	P	2 / 3 / 2000	-229.9	0.37	3271.1	01	01	1	
Min -230.27		Max -229.9	Avg -230.085						
1141913	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-227.09		3267.91	01	01	1	
	P	2 / 3 / 2000	-226.76	0.33	3268.24	01	01	1	
Min -227.09		Max -226.76	Avg -226.925						
1141914	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-218		3270	01	01	1	
	P	2 / 3 / 2000	-217.7	0.3	3270.3	01	01	1	
Min -218		Max -217.7	Avg -217.85						
1141915	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 1 / 2000	-226.25		3270.75	01	01	1	
Min -226.25		Max -226.25	Avg -226.25						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1141916	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	2 / 1 / 2000	-224.25		3263.75	01	01	1	
	P	2 / 3 / 2000	-223.97	0.28	3264.03	01	01	1	
Min *-224.25*		**Max** *-223.97*	**Avg**	*-224.11*					
1142401	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	1 / 9 / 1956	-84.68		3407.32	01	12	7	01
	P	1 / 4 / 1957	-89.43	-4.75	3402.57	01	12	7	01
	P	1 / 7 / 1959	-98.16	-8.73	3393.84	01	12	7	01
	P	1 / 11/ 1961	-105.8	-7.64	3386.2	01	04	1	
	P	1 / 16/ 1962	-109.45	-3.65	3382.55	01	01	1	
	P	1 / 6 / 1963	-113.96	-4.51	3378.04	01	01	1	
	P	1 / 10/ 1964	-118.9	-4.94	3373.1	01	01	1	
	P	1 / 8 / 1965	-124.47	-5.57	3367.53	01	01	1	
	P	1 / 13/ 1966	-129.03	-4.56	3362.97	01	01	1	
	P	1 / 5 / 1967	-132.06	-3.03	3359.94	01	01	1	
	P	1 / 6 / 1968	-146.2	-14.1	3345.8	01	01	1	
	P	1 / 10/ 1969	-148.92	-2.72	3343.08	01	01	1	
	P	1 / 2 / 1970	-143.4	5.52	3348.6	01	01	1	
	P	1 / 6 / 1971	-151.18	-7.78	3340.82	01	01	1	
	P	1 / 6 / 1972	-155.79	-4.61	3336.21	01	01	1	
	P	1 / 18/ 1973	-154.74	1.05	3337.26	01	01	1	
	P	1 / 14/ 1974	-158.03	-3.29	3333.97	01	01	1	
	P	1 / 9 / 1975	-164.68	-6.65	3327.32	01	01	1	
	P	1 / 8 / 1976	-166.34	-1.66	3325.66	01	01	1	
	N	1 / 13/ 1977				01	01		63
	P	1 / 9 / 1978	-182.45		3309.55	01	01	1	
	P	1 / 3 / 1979	-191.87	-9.42	3300.13	01	01	1	
	N	1 / 11/ 1980				01	01	1	44
	N	1 / 17/ 1982				01	01	1	44
Min *-191.87*		**Max** *-84.68*	**Avg**	*-136.645*					
1142602	*(Aquifer: 121OGLL*		*Well Depth: 256*	*)*					
	P	4 / 29/ 1916	-61		3403	01	12	7	01
	P	4 / 18/ 1934	-62.6	-1.6	3401.4	01	12	7	01
	P	5 / 11/ 1936	-66.29	-3.69	3397.71	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 24/ 1937	-66.15	0.14	3397.85	01	12	7	01
	P	9 / 10/ 1937	-66.14	0.01	3397.86	01	12	7	01
	P	10 / 1 / 1937	-64.63	1.51	3399.37	01	12	7	01
	P	11 / 2 / 1937	-64.15	0.48	3399.85	01	12	7	01
	P	12 / 3 / 1937	-63.8	0.35	3400.2	01	12	7	01
	P	1 / 5 / 1938	-63.69	0.11	3400.31	01	12	7	01
	P	3 / 11/ 1938	-63.66	0.03	3400.34	01	12	7	01
	P	4 / 11/ 1938	-65.68	-2.02	3398.32	01	12	7	01
	P	6 / 21/ 1938	-69.9	-4.22	3394.1	01	12	7	01
	P	9 / 15/ 1938	-65.92	3.98	3398.08	01	12	7	01
	P	12 / 8 / 1938	-65.15	0.77	3398.85	01	12	7	01
	P	2 / 28/ 1939	-64.56	0.59	3399.44	01	12	7	01
	P	6 / 16/ 1939	-68.3	-3.74	3395.7	01	12	7	01
	P	10 / 2 / 1939	-66.58	1.72	3397.42	01	12	7	01
	P	12 / 1 / 1939	-65.52	1.06	3398.48	01	12	7	01
	P	3 / 5 / 1940	-65.22	0.3	3398.78	01	12	7	01
	P	11 / 7 / 1940	-67.13	-1.91	3396.87	01	12	7	01
	P	1 / 16/ 1941	-66.55	0.58	3397.45	01	12	7	01
	P	3 / 10/ 1941	-66.48	0.07	3397.52	01	12	7	01
	P	11 / 5 / 1941	-66.38	0.1	3397.62	01	12	7	01
	P	2 / 27/ 1942	-65.77	0.61	3398.23	01	12	7	01
	P	10 / 12/ 1942	-66.3	-0.53	3397.7	01	12	7	01
	P	1 / 27/ 1943	-65.44	0.86	3398.56	01	12	7	01
	P	2 / 7 / 1944	-66.64	-1.2	3397.36	01	12	7	01
	P	2 / 24/ 1945	-67.22	-0.58	3396.78	01	12	7	01
	P	2 / 27/ 1946	-68.52	-1.3	3395.48	01	12	7	01
	P	1 / 17/ 1947	-70.66	-2.14	3393.34	01	12	7	01
	P	3 / 13/ 1947	-70.63	0.03	3393.37	01	12	7	01
	P	2 / 20/ 1948	-73.68	-3.05	3390.32	01	12	7	01
	P	3 / 7 / 1949	-77.68	-4	3386.32	01	12	7	01
	P	2 / 14/ 1950	-80.18	-2.5	3383.82	01	12	7	01
	P	1 / 28/ 1952	-84.94	-4.76	3379.06	01	12	7	01
	P	1 / 9 / 1953	-90.08	-5.14	3373.92	01	12	7	01
	P	1 / 5 / 1954	-97	-6.92	3367	01	12	7	01

Min *-97* **Max** *-61* **Avg** *-68.9249*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1142603	(Aquifer: 121OGLL		Well Depth:	)					
	P	1/ 5/1954	-97.18		3365.82	01	12	7	01
	P	1/11/1955	-103.75	-6.57	3359.25	01	12	7	01
	P	1/10/1956	-109.65	-5.9	3353.35	01	12	7	01
	P	1/ 8/1957	-115.42	-5.77	3347.58	01	12	7	01
	P	1/13/1958	-118.88	-3.46	3344.12	01	12	7	01
	P	1/ 7/1959	-120.56	-1.68	3342.44	01	12	7	01
	P	1/ 8/1960	-126.6	-6.04	3336.4	01	12	7	01
	P	1/11/1961	-129.9	-3.3	3333.1	01	04	1	
	P	1/16/1962	-127.4	2.5	3335.6	01	01	1	
	P	1/ 6/1963	-132.99	-5.59	3330.01	01	01	1	
	P	1/10/1964	-138.7	-5.71	3324.3	01	01	1	
	P	1/ 8/1965	-161.05	-22.4	3301.95	01	01	1	
	P	1/13/1966	-153.43	7.62	3309.57	01	01	1	
	P	1/ 6/1967	-156.08	-2.65	3306.92	01	01	1	
	P	1/ 7/1968	-166.4	-10.3	3296.6	01	01	1	
	P	1/ 9/1969	-161.82	4.58	3301.18	01	01	1	
	P	1/ 2/1970	-165.7	-3.88	3297.3	01	01	1	
	P	1/ 6/1971	-172.02	-6.32	3290.98	01	01	1	
	P	1/ 5/1972	-175.36	-3.34	3287.64	01	01	1	
	P	1/10/1973	-177.21	-1.85	3285.79	01	01	1	
	P	1/14/1974	-180.5	-3.29	3282.5	01	01	1	
	P	1/ 9/1975	-185.22	-4.72	3277.78	01	01	1	20
	N	1/ 8/1976				01	01	1	47
	P	1/13/1977	-191.48		3271.52	01	01	1	
	P	1/ 9/1978	-200.28	-8.8	3262.72	01	01	1	
	N	1/ 3/1979				01	01		63
	P	1/11/1980	-194.1		3268.9	01	01	1	20
	P	1/14/1983	-213.99	-19.9	3249.01	01	01	1	
	P	1/10/1985	-225.18	-11.2	3237.82	01	01	1	
	P	12/11/1985	-233.66	-8.48	3229.34	01	01	1	
	P	12/12/1986	-226.52	7.14	3236.48	01	01	1	
	P	12/18/1987	-231.4	-4.88	3231.6	01	01	1	
	P	12/10/1988	-234.32	-2.92	3228.68	01	01	1	
	P	12/ 6/1989	-229.61	4.71	3233.39	01	01	1	
	N	12/12/1990				01	01		60

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 10/ 1994	-237.57		3225.43	01	06	1	

Min *-237.57* **Max** *-97.18* **Avg** *-169.513*

1142609 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 12/ 1991	-235.38		3226.62	01	01	1	
	P	1 / 28/ 1993	-234.45	0.93	3227.55	01	01	1	
	P	1 / 10/ 1994	-237.57	-3.12	3224.43	01	06	1	
	P	1 / 18/ 1995	-241.37	-3.8	3220.63	01	06	1	
	P	1 / 23/ 1996	-245.41	-4.04	3216.59	01	06	1	
	P	1 / 30/ 1997	-248.12	-2.71	3213.88	01	06	1	
	P	1 / 14/ 1998	-249.18	-1.06	3212.82	01	06	1	
	P	2 / 5 / 1999	-251	-1.82	3211	01	06	1	
	P	1 / 31/ 2000	-252.35	-1.35	3209.65	01	06	1	
	P	2 / 27/ 2001	-254.99	-2.64	3207.01	01	06	1	
	P	1 / 29/ 2002	-255.89	-0.9	3206.11	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	1 / 19/ 2004	-261.24		3200.76	01	06	1	
	P	2 / 16/ 2005	-262.37	-1.13	3199.63	01	06	1	
	P	1 / 16/ 2006	-264.53	-2.16	3197.47	01	06	1	
	P	1 / 5 / 2007	-263.68	0.85	3198.32	01	06	1	
	N	1 / 16/ 2008				01	06	7	44
	N	1 / 30/ 2009				01	06	1	44
	P	1 / 15/ 2010	-268		3194	01	06	1	
	P	1 / 19/ 2011	-266.38	1.62	3195.62	01	06	1	
	P	2 / 2 / 2012	-270.96	-4.58	3191.04	01	06	1	

Min *-270.96* **Max** *-234.45* **Avg** *-253.493*

1142701 *(Aquifer: 121OGLL Well Depth: 280)*

	P	7 / 28/ 1937	-52.24		3428.76	01	12	7	01
	P	8 / 11/ 1937	-52.54	-0.3	3428.46	01	12	7	01
	P	1 / 5 / 1938	-49.46	3.08	3431.54	01	12	7	01
	P	3 / 12/ 1938	-48.87	0.59	3432.13	01	12	7	01
	P	4 / 12/ 1938	-49.33	-0.46	3431.67	01	12	7	01
	P	6 / 25/ 1938	-55.68	-6.35	3425.32	01	12	7	01
	P	8 / 10/ 1938	-56.65	-0.97	3424.35	01	12	7	01
	P	10 / 19/ 1938	-52.83	3.82	3428.17	01	12	7	01
	P	12 / 6 / 1938	-50.66	2.17	3430.34	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1939	-50.29	0.37	3430.71	01	12	7	01
	P	1/31/1939	-49.94	0.35	3431.06	01	12	7	01
	P	3/ 4/1939	-49.7	0.24	3431.3	01	12	7	01
	P	6/24/1939	-54.04	-4.34	3426.96	01	12	7	01
	P	12/ 1/1939	-51.65	2.39	3429.35	01	12	7	01
	P	2/29/1940	-50.44	1.21	3430.56	01	12	7	01
	P	11/16/1940	-55.27	-4.83	3425.73	01	12	7	01
	P	1/17/1941	-52.08	3.19	3428.92	01	12	7	01
	P	3/ 8/1941	-51.63	0.45	3429.37	01	12	7	01
	P	7/24/1941	-51.15	0.48	3429.85	01	12	7	01
	P	11/13/1941	-50.57	0.58	3430.43	01	12	7	01
	P	2/28/1942	-49.48	1.09	3431.52	01	12	7	01
	P	10/ 9/1942	-50.16	-0.68	3430.84	01	12	7	01
	P	1/27/1943	-48.8	1.36	3432.2	01	12	7	01
	P	2/ 3/1944	-49.2	-0.4	3431.8	01	12	7	01
	P	2/24/1945	-50.83	-1.63	3430.17	01	12	7	01
	P	1/25/1946	-52.94	-2.11	3428.06	01	12	7	01
	P	2/20/1948	-56.19	-3.25	3424.81	01	12	7	01
	P	2/22/1949	-62.1	-5.91	3418.9	01	12	7	01
	P	2/18/1950	-63.05	-0.95	3417.95	01	12	7	01
	P	1/18/1951	-64.62	-1.57	3416.38	01	12	7	01
	P	1/28/1952	-67.05	-2.43	3413.95	01	12	7	01
	P	1/12/1953	-70.67	-3.62	3410.33	01	12	7	01
	P	1/ 4/1954	-75.02	-4.35	3405.98	01	12	7	01
	P	1/14/1955	-80.37	-5.35	3400.63	01	12	7	01
	P	1/ 9/1956	-84.97	-4.6	3396.03	01	12	7	01
	P	1/ 4/1957	-92.49	-7.52	3388.51	01	12	7	01
	P	1/14/1958	-93.92	-1.43	3387.08	01	12	7	01
	P	1/ 5/1959	-100.39	-6.47	3380.61	01	12	7	01
	P	1/19/1960	-102	-1.61	3379	01	12	7	01
	P	1/11/1961	-104	-2	3377	01	04	1	01
	P	1/16/1962	-107.51	-3.51	3373.49	01	01	1	
	P	1/ 6/1963	-111.33	-3.82	3369.67	01	01	1	
	P	1/10/1964	-114.96	-3.63	3366.04	01	01	1	
	N	1/ 8/1965				01	01		40
	P	12/10/1988	-187.3		3293.7	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -187.3		**Max -48.8**	**Avg -67.5993**						
1142702	*(Aquifer: 121OGLL*		*Well Depth: 186)*						
	P	0 / 0 / 1937	-46		3437	01	12	7	01
	P	3 / 12/ 1947	-53.58	-7.58	3429.42	01	12	7	01
	P	2 / 20/ 1948	-55.69	-2.11	3427.31	01	12	7	01
	P	2 / 22/ 1949	-58.42	-2.73	3424.58	01	12	7	01
	P	2 / 18/ 1950	-60.38	-1.96	3422.62	01	12	7	01
	P	1 / 28/ 1952	-64.68	-4.3	3418.32	01	12	7	01
	P	1 / 9 / 1953	-67.4	-2.72	3415.6	01	12	7	01
	P	1 / 5 / 1954	-71.6	-4.2	3411.4	01	12	7	01
Min -71.6		**Max -46**	**Avg -59.7188**						
1142703	*(Aquifer: 121OGLL*		*Well Depth: 272)*						
	P	4 / 18/ 1934	-48.83		3431.17	01	12	7	
	P	3 / 18/ 1937	-48.98	-0.15	3431.02	01	12	7	
	P	6 / 8 / 1937	-51.32	-2.34	3428.68	01	12	7	
	P	7 / 17/ 1937	-59.61	-8.29	3420.39	01	12	7	
Min -59.61		**Max -48.83**	**Avg -52.185**						
1142704	*(Aquifer: 121OGLL*		*Well Depth: 287)*						
	P	1 / 9 / 1966	-125.28		3355.72	01	01	1	
	P	1 / 5 / 1967	-130.6	-5.32	3350.4	01	01	1	
	P	1 / 7 / 1968	-132.98	-2.38	3348.02	01	01	1	
	P	1 / 10/ 1969	-136.23	-3.25	3344.77	01	01	1	
	P	1 / 2 / 1970	-135.62	0.61	3345.38	01	01	1	
	P	1 / 9 / 1971	-140.39	-4.77	3340.61	01	01	1	
	P	1 / 6 / 1972	-142.77	-2.38	3338.23	01	01	1	
	P	1 / 12/ 1973	-144.26	-1.49	3336.74	01	01	1	
	P	1 / 14/ 1974	-147.47	-3.21	3333.53	01	01	1	
	P	1 / 9 / 1975	-150.42	-2.95	3330.58	01	01	1	
	P	1 / 8 / 1976	-154.34	-3.92	3326.66	01	01	1	
	N	1 / 13/ 1977				01	01		41
	P	1 / 9 / 1978	-162.34		3318.66	01	01	1	
	P	1 / 4 / 1979	-168.86	-6.52	3312.14	01	01	1	
	P	1 / 14/ 1980	-167.9	0.96	3313.1	01	01	1	
	N	1 / 17/ 1982				01	01	1	47

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1983	-165.79		3315.21	01	01	1	20
	P	1 / 10/ 1985	-166.08	-0.29	3314.92	01	01	1	
	P	12 / 11/ 1985	-167.26	-1.18	3313.74	01	01	1	
	P	12 / 9 / 1986	-168.48	-1.22	3312.52	01	01	1	
	N	12 / 18/ 1987				01	01		63
	P	12 / 6 / 1989	-190.02		3290.98	01	01	1	
	P	12 / 12/ 1990	-193.05	-3.03	3287.95	01	01	1	
	P	12 / 12/ 1991	-194.7	-1.65	3286.3	01	01	1	
	P	1 / 28/ 1993	-194.2	0.5	3286.8	01	01	1	25
	P	1 / 18/ 1994	-198.01	-3.81	3282.99	01	06	1	
	P	1 / 20/ 1995	-200.3	-2.29	3280.7	01	06	1	
	P	1 / 23/ 1996	-206.08	-5.78	3274.92	01	06	1	
	P	1 / 30/ 1997	-210.55	-4.47	3270.45	01	06	1	
	P	2 / 23/ 1998	-211.89	-1.34	3269.11	01	06	1	
	P	2 / 8 / 1999	-217	-5.11	3264	01	06	1	
	P	2 / 1 / 2000	-219.5	-2.5	3261.5	01	06	1	
	P	1 / 24/ 2001	-223.03	-3.53	3257.97	01	06	1	
	P	1 / 25/ 2002	-225.32	-2.29	3255.68	01	06	1	
	P	3 / 21/ 2003	-229.01	-3.69	3251.99	01	06	1	
	P	1 / 22/ 2004	-231.45	-2.44	3249.55	01	06	1	
	P	2 / 17/ 2005	-231.75	-0.3	3249.25	01	06	1	
	P	1 / 18/ 2006	-232.01	-0.26	3248.99	01	06	1	
	P	1 / 5 / 2007	-236.05	-4.04	3244.95	01	06	1	
	P	1 / 14/ 2008	-237.51	-1.46	3243.49	01	06	1	
	P	1 / 30/ 2009	-239.76	-2.25	3241.24	01	06	1	
	P	2 / 22/ 2010	-241.27	-1.51	3239.73	01	06	1	
	P	1 / 19/ 2011	-241.53	-0.26	3239.47	01	06	1	
	P	3 / 2 / 2012	-248.47	-6.94	3232.53	01	06	1	

Min *-248.47* **Max** *-125.28* **Avg** *-189.257*

1142706 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 2 / 2000	-219.74		3259.26	01	01	1	
	P	2 / 3 / 2000	-219.83	-0.09	3259.17	01	01	1	

Min *-219.83* **Max** *-219.74* **Avg** *-219.785*

1142707 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 2 / 2000	-218.38		3262.62	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 2000	-218.21	0.17	3262.79	01	01	1	

Min *-218.38* **Max** *-218.21* **Avg** *-218.295*

1142801 *(Aquifer: 121OGLL Well Depth: 237)*

P	3 / 12/ 1948	-59.39		3400.61	01	12	7	01
P	3 / 7 / 1949	-63.27	-3.88	3396.73	01	12	7	01
P	1 / 18/ 1951	-72.91	-9.64	3387.09	01	12	7	01
P	1 / 28/ 1952	-70.75	2.16	3389.25	01	12	7	01
P	1 / 9 / 1953	-76.03	-5.28	3383.97	01	12	7	01
P	1 / 4 / 1954	-81.22	-5.19	3378.78	01	12	7	01
P	12 / 7 / 1954	-90.49	-9.27	3369.51	01	12	7	01
P	1 / 8 / 1957	-102.37	-11.9	3357.63	01	12	7	01
P	1 / 13/ 1958	-106.57	-4.2	3353.43	01	12	7	01
P	1 / 7 / 1959	-108.88	-2.31	3351.12	01	12	7	01
P	1 / 19/ 1960	-116.9	-8.02	3343.1	01	12	7	01
P	1 / 16/ 1962	-117.4	-0.5	3342.6	01	01	1	20
P	1 / 6 / 1963	-123.18	-5.78	3336.82	01	01	1	
P	1 / 10/ 1964	-126.52	-3.34	3333.48	01	01	1	
P	1 / 7 / 1965	-140.4	-13.9	3319.6	01	01	1	
N	1 / 13/ 1966				01	01	1	44
N	1 / 5 / 1967				01	01	1	44
N	1 / 7 / 1968				01	01	1	44
N	1 / 10/ 1969				01	01	1	44

Min *-140.4* **Max** *-59.39* **Avg** *-97.0853*

1142802 *(Aquifer: 121OGLL Well Depth: 342)*

P	1 / 18/ 1977	-179.79		3264.21	01	01	1	
P	1 / 9 / 1978	-159.1	20.69	3284.9	01	01	1	
N	1 / 4 / 1979				01	01		63
P	1 / 17/ 1981	-165.37		3278.63	01	01	1	
P	1 / 17/ 1982	-168.18	-2.81	3275.82	01	01	1	
N	1 / 10/ 1984				01	01		41
N	1 / 10/ 1985				01	01		41
P	12 / 11/ 1985	-196.74		3247.26	01	01	1	
N	12 / 18/ 1987				01	01		61
P	12 / 10/ 1988	-186.69		3257.31	01	01	1	
P	12 / 6 / 1989	-191.22	-4.53	3252.78	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 12/ 1990	-194.4	-3.18	3249.6	01	01	1	
	P	12 / 12/ 1991	-199.23	-4.83	3244.77	01	01	1	
	P	1 / 28/ 1993	-195.2	4.03	3248.8	01	01	1	
	N	1 / 18/ 1994				01	06		42

Min *-199.23* **Max** *-159.1* **Avg** *-183.592*

1142804 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 29/ 2005	-240.1		3209.9	01	06	1	
	P	1 / 16/ 2006	-240.8	-0.7	3209.2	01	06	1	
	P	1 / 5 / 2007	-242.67	-1.87	3207.33	01	06	1	
	P	1 / 16/ 2008	-243.71	-1.04	3206.29	01	06	1	
	P	1 / 30/ 2009	-247.74	-4.03	3202.26	01	06	1	
	P	1 / 15/ 2010	-247.2	0.54	3202.8	01	06	1	
	P	1 / 19/ 2011	-246.64	0.56	3203.36	01	06	1	
	P	2 / 2 / 2012	-250.7	-4.06	3199.3	01	06	1	

Min *-250.7* **Max** *-240.1* **Avg** *-244.945*

1142901 *(Aquifer: 121OGLL Well Depth:)*

	P	0 / 0 / 1942	-48		3401	01	12	7	01
	P	3 / 13/ 1947	-62.07	-14.1	3386.93	01	12	7	01
	P	2 / 20/ 1948	-65.26	-3.19	3383.74	01	12	7	01
	P	3 / 7 / 1949	-68.88	-3.62	3380.12	01	12	7	01
	P	1 / 18/ 1951	-74.29	-5.41	3374.71	01	12	7	01
	P	1 / 28/ 1952	-76.65	-2.36	3372.35	01	12	7	01
	P	1 / 9 / 1953	-82.64	-5.99	3366.36	01	12	7	01
	P	1 / 5 / 1954	-89.07	-6.43	3359.93	01	12	7	01
	P	12 / 8 / 1954	-96.33	-7.26	3352.67	01	12	7	01
	P	1 / 12/ 1955	-95.24	1.09	3353.76	01	12	7	01
	P	1 / 10/ 1956	-100.12	-4.88	3348.88	01	12	7	01
	P	1 / 8 / 1957	-106.37	-6.25	3342.63	01	12	7	01
	P	1 / 13/ 1958	-114.15	-7.78	3334.85	01	12	7	01
	P	1 / 7 / 1959	-110.77	3.38	3338.23	01	12	7	01
	P	1 / 19/ 1960	-115.1	-4.33	3333.9	01	12	7	01
	P	1 / 11/ 1961	-116	-0.9	3333	01	04	1	
	P	1 / 16/ 1962	-116.07	-0.07	3332.93	01	01	1	
	P	1 / 6 / 1963	-119.56	-3.49	3329.44	01	01	1	
	P	1 / 10/ 1964	-124.62	-5.06	3324.38	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1965	-131.88	-7.26	3317.12	01	01	1	
	P	1/13/1966	-134.21	-2.33	3314.79	01	01	1	
	P	1/ 6/1967	-136.9	-2.69	3312.1	01	01	1	
	P	1/ 7/1968	-143.26	-6.36	3305.74	01	01	1	
	P	1/ 9/1969	-146.11	-2.85	3302.89	01	01	1	
	P	1/ 2/1970	-150.09	-3.98	3298.91	01	01	1	
	P	1/ 6/1971	-156.4	-6.31	3292.6	01	01	1	04
	P	1/ 5/1972	-160.28	-3.88	3288.72	01	01	1	
	P	1/10/1973	-163.04	-2.76	3285.96	01	01	1	
	P	1/14/1974	-168.55	-5.51	3280.45	01	01	1	
	P	1/ 9/1975	-171.6	-3.05	3277.4	01	01	1	
	P	1/ 8/1976	-178.35	-6.75	3270.65	01	01	1	
	P	1/13/1977	-184.48	-6.13	3264.52	01	01	1	
	P	1/ 9/1978	-190.72	-6.24	3258.28	01	01	1	
	P	1/ 3/1979	-190.89	-0.17	3258.11	01	01	1	
	N	1/11/1980				01	01		41
	P	1/17/1981	-197.43		3251.57	01	01	1	
	P	1/14/1983	-205.02	-7.59	3243.98	01	01	1	
	P	1/10/1985	-206.9	-1.88	3242.1	01	01	1	
	P	12/11/1985	-210.16	-3.26	3238.84	01	01	1	
	P	12/12/1986	-212.16	-2	3236.84	01	01	1	
	P	12/18/1987	-213.1	-0.94	3235.9	01	01	1	
	P	12/10/1988	-214.25	-1.15	3234.75	01	01	1	
	P	12/ 6/1989	-217.39	-3.14	3231.61	01	01	1	
	P	12/12/1990	-220.45	-3.06	3228.55	01	01	1	
	P	12/12/1991	-222.85	-2.4	3226.15	01	01	1	
	P	1/28/1993	-221.71	1.14	3227.29	01	01	1	
	P	1/10/1994	-225	-3.29	3224	01	06	1	
	P	1/18/1995	-230.2	-5.2	3218.8	01	06	1	
	P	1/23/1996	-234.31	-4.11	3214.69	01	06	1	
	P	1/30/1997	-237.32	-3.01	3211.68	01	06	1	
	P	1/14/1998	-239.47	-2.15	3209.53	01	06	1	
	P	2/ 5/1999	-245	-5.53	3204	01	06	1	
	N	3/13/2000				01	06		41
	P	1/24/2001	-247.39		3201.61	01	06	1	
	P	1/29/2002	-248.63	-1.24	3200.37	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 25/ 2003	-251.24	-2.61	3197.76	01	06	1	
	P	1 / 19/ 2004	-254.71	-3.47	3194.29	01	06	1	
	N	3 / 8 / 2005				01	06	1	44

Min *-254.71* **Max** *-48* **Avg** *-162.593*

1142902 *(Aquifer: 121OGLL Well Depth: 252)*

	P	7 / 7 / 1916	-46		3382	01	12	7	01
	P	4 / 18/ 1934	-49.48	-3.48	3378.52	01	12	7	01
	P	9 / 13/ 1937	-55.12	-5.64	3372.88	01	12	7	01
	P	12 / 3 / 1937	-52.6	2.52	3375.4	01	12	7	01
	P	1 / 5 / 1938	-52.35	0.25	3375.65	01	12	7	01
	P	3 / 12/ 1938	-52.96	-0.61	3375.04	01	12	7	01
	P	4 / 11/ 1938	-52.69	0.27	3375.31	01	12	7	01
	P	6 / 21/ 1938	-54.94	-2.25	3373.06	01	12	7	01
	P	10 / 18/ 1938	-54.62	0.32	3373.38	01	12	7	01
	P	1 / 4 / 1939	-54.2	0.42	3373.8	01	12	7	01
	P	2 / 28/ 1939	-53.47	0.73	3374.53	01	12	7	01
	P	12 / 1 / 1939	-55.65	-2.18	3372.35	01	12	7	01
	P	3 / 5 / 1940	-54.9	0.75	3373.1	01	12	7	01
	P	11 / 7 / 1940	-57.62	-2.72	3370.38	01	12	7	01
	P	1 / 16/ 1941	-56.86	0.76	3371.14	01	12	7	01
	P	3 / 10/ 1941	-56.58	0.28	3371.42	01	12	7	01
	P	11 / 4 / 1941	-56.12	0.46	3371.88	01	12	7	01
	P	2 / 27/ 1942	-54.77	1.35	3373.23	01	12	7	01
	P	10 / 12/ 1942	-56.34	-1.57	3371.66	01	12	7	01
	P	1 / 27/ 1943	-55.4	0.94	3372.6	01	12	7	01
	P	2 / 7 / 1944	-56.7	-1.3	3371.3	01	12	7	01
	P	2 / 24/ 1945	-57.37	-0.67	3370.63	01	12	7	01
	P	3 / 13/ 1947	-61.87	-4.5	3366.13	01	12	7	01
	P	2 / 20/ 1948	-64.6	-2.73	3363.4	01	12	7	01
	P	2 / 7 / 1949	-68.24	-3.64	3359.76	01	12	7	01
	P	2 / 14/ 1950	-70.32	-2.08	3357.68	01	12	7	01
	P	1 / 18/ 1951	-72.13	-1.81	3355.87	01	12	7	01
	P	1 / 28/ 1952	-74	-1.87	3354	01	12	7	01
	P	1 / 9 / 1953	-80.52	-6.52	3347.48	01	12	7	01
	P	1 / 5 / 1954	-86.15	-5.63	3341.85	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 8 / 1954	-91.88	-5.73	3336.12	01	12	7	01
	P	1 / 12/ 1955	-91.36	0.52	3336.64	01	12	7	01
	P	1 / 10/ 1956	-94.9	-3.54	3333.1	01	12	7	01
	P	1 / 8 / 1957	-101.2	-6.3	3326.8	01	12	7	01
	P	1 / 13/ 1958	-102.09	-0.89	3325.91	01	12	7	01
	P	1 / 7 / 1959	-104.74	-2.65	3323.26	01	12	7	01
	P	1 / 19/ 1960	-112.94	-8.2	3315.06	01	12	7	01
	P	1 / 19/ 1962	-114.97	-2.03	3313.03	01	01	1	04
	P	1 / 6 / 1963	-112.9	2.07	3315.1	01	01	1	
	P	1 / 10/ 1964	-116.66	-3.76	3311.34	01	01	1	
	P	1 / 8 / 1965	-121.45	-4.79	3306.55	01	01	1	
	N	1 / 13/ 1966				01	01		63
	P	1 / 6 / 1967	-123.48		3304.52	01	01	1	
	P	1 / 7 / 1968	-131.8	-8.32	3296.2	01	01	1	
	P	1 / 9 / 1969	-134.96	-3.16	3293.04	01	01	1	
	P	1 / 2 / 1970	-139.5	-4.54	3288.5	01	01	1	
	P	1 / 6 / 1971	-148.3	-8.8	3279.7	01	01	1	04
	P	1 / 5 / 1972	-151.35	-3.05	3276.65	01	01	1	
	N	1 / 10/ 1973				01	01		42
	N	1 / 14/ 1974				01	01	1	44

Min *-151.35* **Max** *-46* **Avg** *-80.1926*

1142903 *(Aquifer: 121OGLL Well Depth: 251)*

	P	4 / 6 / 1916	-53.5		3384.5	01	12	7	01
	P	3 / 13/ 1947	-70.44	-16.9	3367.56	01	12	7	01
	P	2 / 20/ 1948	-73.5	-3.06	3364.5	01	12	7	01
	P	3 / 7 / 1949	-76.43	-2.93	3361.57	01	12	7	01
	P	2 / 14/ 1950	-78.63	-2.2	3359.37	01	12	7	01
	P	1 / 18/ 1951	-80.38	-1.75	3357.62	01	12	7	01
	P	1 / 28/ 1952	-82.36	-1.98	3355.64	01	12	7	01
	P	1 / 9 / 1953	-88.69	-6.33	3349.31	01	12	7	01
	P	12 / 8 / 1954	-101.99	-13.3	3336.01	01	12	7	01

Min *-101.99* **Max** *-53.5* **Avg** *-78.4356*

1142904 *(Aquifer: 121OGLL Well Depth: 273)*

	P	12 / 23/ 1916	-43		3388	01	12	7	01
	P	4 / 24/ 1936	-47.87	-4.87	3383.13	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 3 / 1937	-53.45	-5.58	3377.55	01	12	7	01
	P	6 / 10/ 1937	-50.68	2.77	3380.32	01	12	7	01
	P	7 / 16/ 1937	-49.86	0.82	3381.14	01	12	7	01
	P	7 / 28/ 1937	-50.89	-1.03	3380.11	01	12	7	01
	P	10 / 1 / 1937	-51.23	-0.34	3379.77	01	12	7	01
	P	11 / 2 / 1937	-50.42	0.81	3380.58	01	12	7	01
	P	3 / 12/ 1938	-50.02	0.4	3380.98	01	12	7	01
	P	4 / 11/ 1938	-50.14	-0.12	3380.86	01	12	7	01
	P	6 / 24/ 1938	-51.21	-1.07	3379.79	01	12	7	01
	P	10 / 18/ 1938	-51.77	-0.56	3379.23	01	12	7	01
	P	2 / 28/ 1939	-50.63	1.14	3380.37	01	12	7	01
	P	10 / 2 / 1939	-56.16	-5.53	3374.84	01	12	7	01
	P	12 / 1 / 1939	-52.87	3.29	3378.13	01	12	7	01
	P	3 / 5 / 1940	-52.05	0.82	3378.95	01	12	7	01
	P	11 / 7 / 1940	-55.44	-3.39	3375.56	01	12	7	01
	P	1 / 16/ 1941	-54.1	1.34	3376.9	01	12	7	01
	P	3 / 10/ 1941	-53.66	0.44	3377.34	01	12	7	01
	P	11 / 4 / 1941	-53.04	0.62	3377.96	01	12	7	01
	P	2 / 27/ 1942	-52.13	0.91	3378.87	01	12	7	01
	P	10 / 12/ 1942	-53.45	-1.32	3377.55	01	12	7	01
	P	1 / 27/ 1943	-52.23	1.22	3378.77	01	12	7	01
	P	2 / 7 / 1944	-53.25	-1.02	3377.75	01	12	7	01
	P	2 / 24/ 1945	-54.37	-1.12	3376.63	01	12	7	01
	P	2 / 27/ 1946	-56.34	-1.97	3374.66	01	12	7	01
	P	1 / 17/ 1947	-60.85	-4.51	3370.15	01	12	7	01
	P	3 / 13/ 1947	-60.21	0.64	3370.79	01	12	7	01
	P	2 / 20/ 1948	-64.47	-4.26	3366.53	01	12	7	01

Min *-64.47* **Max** *-43* **Avg** *-52.9583*

1142905 *(Aquifer: 121OGLL Well Depth: 273)*

	P	3 / 7 / 1949	-68.76		3362.24	01	12	7	01
	P	2 / 14/ 1950	-70.74	-1.98	3360.26	01	12	7	01
	P	1 / 18/ 1951	-71.98	-1.24	3359.02	01	12	7	01
	P	1 / 18/ 1952	-75.35	-3.37	3355.65	01	12	7	01
	P	1 / 9 / 1953	-80.94	-5.59	3350.06	01	12	7	01
	P	1 / 5 / 1954	-86.1	-5.16	3344.9	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 8 / 1954	-95.5	-9.4	3335.5	01	12	7	01
	P	1 / 12/ 1955	-92.74	2.76	3338.26	01	12	7	01

Min *-95.5* **Max** *-68.76* **Avg** *-80.2638*

1142906 *(Aquifer: 121OGLL Well Depth: 270)*

	P	4 / 24/ 1936	-49.77		3377.23	01	04	7	
	P	9 / 13/ 1937	-52.87	-3.1	3374.13	01	04	7	
	P	4 / 11/ 1938	-51.09	1.78	3375.91	01	04	7	
	P	10 / 18/ 1938	-52.88	-1.79	3374.12	01	04	7	
	P	1 / 4 / 1939	-51.99	0.89	3375.01	01	04	7	

Min *-52.88* **Max** *-49.77* **Avg** *-51.72*

1143405 *(Aquifer: 121OGLL Well Depth: 171)*

	P	9 / 12/ 1914	-51.5		3375.5	01	12	7	01
	P	3 / 30/ 1938	-61.52	-10.0	3365.48	01	12	7	01
	P	6 / 21/ 1938	-63.72	-2.2	3363.28	01	12	7	01
	P	10 / 19/ 1938	-66.23	-2.51	3360.77	01	12	7	01
	P	1 / 6 / 1939	-62.74	3.49	3364.26	01	12	7	01
	P	10 / 3 / 1939	-72.63	-9.89	3354.37	01	12	7	01
	P	12 / 1 / 1939	-66.25	6.38	3360.75	01	12	7	01
	P	3 / 5 / 1940	-62.89	3.36	3364.11	01	12	7	01
	P	11 / 15/ 1940	-68.37	-5.48	3358.63	01	12	7	01
	P	1 / 18/ 1941	-65.8	2.57	3361.2	01	12	7	01
	P	3 / 10/ 1941	-64.54	1.26	3362.46	01	12	7	01
	P	11 / 5 / 1941	-64.42	0.12	3362.58	01	12	7	01
	P	2 / 25/ 1942	-62.78	1.64	3364.22	01	12	7	01
	P	10 / 13/ 1942	-65.09	-2.31	3361.91	01	12	7	01
	P	1 / 26/ 1943	-62.74	2.35	3364.26	01	12	7	01
	P	2 / 10/ 1944	-64.26	-1.52	3362.74	01	12	7	01
	P	2 / 24/ 1945	-64.82	-0.56	3362.18	01	12	7	01
	P	2 / 27/ 1946	-66.09	-1.27	3360.91	01	12	7	01
	P	3 / 13/ 1947	-68.28	-2.19	3358.72	01	12	7	01
	P	2 / 21/ 1948	-69.9	-1.62	3357.1	01	12	7	01
	P	3 / 4 / 1949	-72.2	-2.3	3354.8	01	12	7	01
	P	2 / 14/ 1950	-74.25	-2.05	3352.75	01	12	7	01
	P	1 / 18/ 1951	-75.7	-1.45	3351.3	01	12	7	01
	P	1 / 28/ 1952	-76.57	-0.87	3350.43	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1953	-81.22	-4.65	3345.78	01	12	7	01
	P	1/ 5/1954	-86.71	-5.49	3340.29	01	12	7	01
	P	1/17/1955	-90	-3.29	3337	01	12	7	01
	P	1/ 9/1956	-94.05	-4.05	3332.95	01	12	7	01
	P	1/ 8/1957	-98.94	-4.89	3328.06	01	12	7	01
	P	1/16/1958	-101.92	-2.98	3325.08	01	12	7	01
	P	1/ 7/1959	-103.38	-1.46	3323.62	01	12	7	01
	P	1/ 8/1960	-106.06	-2.68	3320.94	01	12	7	01
	P	1/11/1961	-109.83	-3.77	3317.17	01	04	1	
	P	1/23/1962	-110.63	-0.8	3316.37	01	01	1	
	N	1/ 7/1963				01	01		40

Min *-110.63* **Max** *-51.5* **Avg** *-75.7656*

1143407 *(Aquifer: 121OGLL Well Depth:)*

	P	1/ 8/1960	-124		3327	01	12	7	01
	P	1/11/1961	-126.5	-2.5	3324.5	01	04	1	
	P	1/23/1962	-127.91	-1.41	3323.09	01	01	1	
	P	1/ 7/1963	-131.09	-3.18	3319.91	01	01	1	
	P	1/10/1964	-135.63	-4.54	3315.37	01	01	1	
	P	1/ 7/1965	-144.98	-9.35	3306.02	01	01	1	
	P	1/13/1966	-147.3	-2.32	3303.7	01	01	1	
	N	1/ 6/1967				01	01		41
	P	1/ 7/1968	-163.2		3287.8	01	01	1	
	P	1/ 9/1969	-167.34	-4.14	3283.66	01	01	1	
	P	1/ 2/1970	-165	2.34	3286	01	01	1	
	P	1/ 6/1971	-170.82	-5.82	3280.18	01	01	1	
	P	1/ 5/1972	-183.32	-12.5	3267.68	01	01	1	
	P	1/10/1973	-177.57	5.75	3273.43	01	01	1	
	P	1/15/1974	-180.6	-3.03	3270.4	01	01	1	
	P	1/ 9/1975	-184.6	-4	3266.4	01	01	1	
	P	1/ 8/1976	-188.24	-3.64	3262.76	01	01	1	
	P	1/15/1977	-192.39	-4.15	3258.61	01	01	1	
	P	1/10/1978	-197.94	-5.55	3253.06	01	01	1	
	N	1/ 3/1979				01	01		42
	P	1/11/1980	-203.27		3247.73	01	01	1	
	P	1/15/1982	-210.72	-7.45	3240.28	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 10/ 1984	-222.44	-11.7	3228.56	01	01	1	
	N	12 / 11/ 1985				01	01		61
	N	1 / 11/ 1988				01	01		61
	P	12 / 10/ 1988	-222.4		3228.6	01	01	1	
	N	12 / 6 / 1989				01	01	1	44

Min *-222.44* **Max** *-124* **Avg** *-171.239*

1143410 *(Aquifer: 121OGLL Well Depth: 235)*

	P	1 / 7 / 1963	-113.27		3312.73	01	01	1	
	P	1 / 10/ 1964	-116.42	-3.15	3309.58	01	01	1	
	P	1 / 7 / 1965	-124.33	-7.91	3301.67	01	01	1	
	N	1 / 13/ 1966				01	01		40

Min *-124.33* **Max** *-113.27* **Avg** *-118.007*

1143411 *(Aquifer: 121OGLL Well Depth: 206)*

	P	5 / 7 / 1936	-62.06		3378.94	01	12	7	01
	P	6 / 10/ 1937	-64.25	-2.19	3376.75	01	12	7	01
	P	1 / 5 / 1938	-63.44	0.81	3377.56	01	12	7	01
	P	4 / 9 / 1938	-62.97	0.47	3378.03	01	12	7	01
	P	5 / 27/ 1938	-63.65	-0.68	3377.35	01	12	7	01
	P	6 / 27/ 1938	-63.44	0.21	3377.56	01	12	7	01
	P	12 / 8 / 1938	-63.7	-0.26	3377.3	01	12	7	01
	P	1 / 6 / 1939	-63.55	0.15	3377.45	01	12	7	01
	P	3 / 1 / 1939	-63.31	0.24	3377.69	01	12	7	01
	P	6 / 16/ 1939	-63.87	-0.56	3377.13	01	12	7	01
	P	8 / 10/ 1939	-65.09	-1.22	3375.91	01	12	7	01
	P	10 / 3 / 1939	-64.8	0.29	3376.2	01	12	7	01
	P	12 / 1 / 1939	-64.58	0.22	3376.42	01	12	7	01
	P	3 / 5 / 1940	-64.26	0.32	3376.74	01	12	7	01
	P	9 / 18/ 1940	-66.15	-1.89	3374.85	01	12	7	01
	P	9 / 28/ 1940	-66.1	0.05	3374.9	01	12	7	01
	P	11 / 15/ 1940	-65.99	0.11	3375.01	01	12	7	01
	P	1 / 16/ 1941	-65.71	0.28	3375.29	01	12	7	01
	P	3 / 10/ 1941	-65.52	0.19	3375.48	01	12	7	01
	P	5 / 31/ 1941	-65.48	0.04	3375.52	01	12	7	01
	P	7 / 25/ 1941	-65.37	0.11	3375.63	01	12	7	01
	P	11 / 5 / 1941	-65.49	-0.12	3375.51	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 5 / 1942	-65.07	0.42	3375.93	01	12	7	01
	P	10 / 13/ 1942	-65.85	-0.78	3375.15	01	12	7	01
	P	1 / 26/ 1943	-65.25	0.6	3375.75	01	12	7	01
	P	2 / 10/ 1944	-66.76	-1.51	3374.24	01	12	7	01
	P	2 / 25/ 1945	-67.6	-0.84	3373.4	01	12	7	01
	P	2 / 27/ 1946	-69.84	-2.24	3371.16	01	12	7	01
	P	1 / 17/ 1947	-73	-3.16	3368	01	12	7	01
	P	3 / 13/ 1947	-72.58	0.42	3368.42	01	12	7	01
	P	2 / 21/ 1948	-74.84	-2.26	3366.16	01	12	7	01
	P	3 / 4 / 1949	-76.57	-1.73	3364.43	01	12	7	01
	P	2 / 14/ 1950	-78.32	-1.75	3362.68	01	12	7	01
	P	1 / 18/ 1951	-84.86	-6.54	3356.14	01	12	7	01
	P	1 / 28/ 1952	-82.17	2.69	3358.83	01	12	7	01
	P	1 / 9 / 1953	-86.42	-4.25	3354.58	01	12	7	01
	P	1 / 5 / 1954	-92.61	-6.19	3348.39	01	12	7	01

Min *-92.61* **Max** *-62.06* **Avg** *-68.6627*

1143412 *(Aquifer: 121OGLL Well Depth: 165)*

	P	9 / 8 / 1916	-62		3390	01	12	7	01
	P	5 / 11/ 1936	-70.23	-8.23	3381.77	01	12	7	01
	P	6 / 10/ 1937	-69.72	0.51	3382.28	01	12	7	01
	P	9 / 14/ 1937	-71.1	-1.38	3380.9	01	12	7	01
	P	1 / 5 / 1938	-67.46	3.64	3384.54	01	12	7	01
	P	4 / 11/ 1938	-66.96	0.5	3385.04	01	12	7	01
	P	1 / 6 / 1939	-67.71	-0.75	3384.29	01	12	7	01
	P	3 / 1 / 1939	-67.55	0.16	3384.45	01	12	7	01
	P	12 / 1 / 1939	-69.85	-2.3	3382.15	01	12	7	01
	P	3 / 5 / 1940	-69.16	0.69	3382.84	01	12	7	01
	P	11 / 15/ 1940	-71.5	-2.34	3380.5	01	12	7	01
	P	1 / 16/ 1941	-70.87	0.63	3381.13	01	12	7	01
	P	3 / 10/ 1941	-68.1	2.77	3383.9	01	12	7	01
	P	11 / 5 / 1941	-71.06	-2.96	3380.94	01	12	7	01
	P	2 / 27/ 1942	-70.12	0.94	3381.88	01	12	7	01
	P	10 / 13/ 1942	-71.53	-1.41	3380.47	01	12	7	01
	P	1 / 26/ 1943	-70.56	0.97	3381.44	01	12	7	01
	P	2 / 10/ 1944	-72.18	-1.62	3379.82	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 24/ 1945	-72.48	-0.3	3379.52	01	12	7	01
	P	2 / 27/ 1946	-74.21	-1.73	3377.79	01	12	7	01
	P	3 / 13/ 1947	-77.45	-3.24	3374.55	01	12	7	01
	P	2 / 21/ 1948	-79.1	-1.65	3372.9	01	12	7	01
	P	3 / 4 / 1949	-82.4	-3.3	3369.6	01	12	7	01
	P	1 / 19/ 1951	-83.24	-0.84	3368.76	01	12	7	01
	P	1 / 28/ 1952	-88.2	-4.96	3363.8	01	12	7	01
	P	1 / 9 / 1953	-92.61	-4.41	3359.39	01	12	7	01
	P	1 / 5 / 1954	-98.35	-5.74	3353.65	01	12	7	01
	P	10 / 21/ 1954	-104.23	-5.88	3347.77	01	12	7	01
	P	1 / 12/ 1955	-103.08	1.15	3348.92	01	12	7	01
	P	1 / 10/ 1956	-107.69	-4.61	3344.31	01	12	7	01
	P	1 / 8 / 1957	-118.28	-10.6	3333.72	01	12	7	01
	P	1 / 16/ 1958	-117.15	1.13	3334.85	01	12	7	01
	P	1 / 7 / 1959	-118.77	-1.62	3333.23	01	12	7	01

Min *-118.77* **Max** *-62* **Avg** *-80.7545*

1143413 *(Aquifer: 121OGLL Well Depth: 265)*

	P	1 / 6 / 1916	-54.7		3378.3	01	12	7	01
	P	5 / 7 / 1936	-65.16	-10.5	3367.84	01	12	7	01
	P	9 / 14/ 1937	-67.19	-2.03	3365.81	01	12	7	01
	P	5 / 11/ 1938	-65.1	2.09	3367.9	01	12	7	01
	P	9 / 15/ 1938	-65.1		3367.9	01	12	7	01
	P	1 / 6 / 1939	-65.43	-0.33	3367.57	01	12	7	01
	P	3 / 1 / 1939	-65.14	0.29	3367.86	01	12	7	01
	P	10 / 3 / 1939	-67.85	-2.71	3365.15	01	12	7	01
	P	12 / 1 / 1939	-66.81	1.04	3366.19	01	12	7	01
	P	3 / 5 / 1940	-66.28	0.53	3366.72	01	12	7	01
	P	11 / 15/ 1940	-68.9	-2.62	3364.1	01	12	7	01
	P	1 / 16/ 1941	-68.22	0.68	3364.78	01	12	7	01
	P	3 / 10/ 1941	-67.88	0.34	3365.12	01	12	7	01
	P	5 / 31/ 1941	-68.03	-0.15	3364.97	01	12	7	01
	P	7 / 25/ 1941	-67.55	0.48	3365.45	01	12	7	01
	P	11 / 5 / 1941	-67.75	-0.2	3365.25	01	12	7	01
	P	2 / 26/ 1942	-67.94	-0.19	3365.06	01	12	7	01
	P	10 / 13/ 1942	-67.3	0.64	3365.7	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 1943	-66.61	0.69	3366.39	01	12	7	01
	P	2 / 10/ 1944	-68.01	-1.4	3364.99	01	12	7	01
	P	2 / 24/ 1945	-68.85	-0.84	3364.15	01	12	7	01
	P	2 / 27/ 1946	-68.67	0.18	3364.33	01	12	7	01
	P	3 / 13/ 1947	-73.02	-4.35	3359.98	01	12	7	01
	P	2 / 21/ 1948	-72.63	0.39	3360.37	01	12	7	01
	P	3 / 4 / 1949	-75.6	-2.97	3357.4	01	12	7	01
	P	2 / 14/ 1950	-77.96	-2.36	3355.04	01	12	7	01
	P	1 / 18/ 1951	-79.52	-1.56	3353.48	01	12	7	01
	P	1 / 28/ 1952	-80.6	-1.08	3352.4	01	12	7	01
	P	1 / 9 / 1953	-85.36	-4.76	3347.64	01	12	7	01
	P	10 / 21/ 1954	-91.03	-5.67	3341.97	01	12	7	01

Min *-91.03* **Max** *-54.7* **Avg** *-70.0063*

1143414 *(Aquifer: 121OGLL Well Depth: 210)*

	P	6 / 3 / 1937	-61.71		3354.29	01	12	7	
	P	9 / 15/ 1937	-62.46	-0.75	3353.54	01	12	7	
	P	3 / 30/ 1938	-59.5	2.96	3356.5	01	12	7	
	P	6 / 21/ 1938	-60.33	-0.83	3355.67	01	12	7	

Min *-62.46* **Max** *-59.5* **Avg** *-61*

1143415 *(Aquifer: 121OGLL Well Depth: 189)*

	P	5 / 7 / 1936	-67.62		3369.38	01	12	7	
	P	6 / 10/ 1937	-65.12	2.5	3371.88	01	12	7	
	P	9 / 15/ 1937	-67.03	-1.91	3369.97	01	12	7	
	P	4 / 11/ 1938	-66.75	0.28	3370.25	01	12	7	

Min *-67.62* **Max** *-65.12* **Avg** *-66.63*

1143418 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 16/ 1994	-207.72		3213.28	01	06	1	
	P	1 / 18/ 1995	-208.93	-1.21	3212.07	01	06	1	
	P	1 / 23/ 1996	-213.88	-4.95	3207.12	01	06	1	
	P	1 / 17/ 1997	-217.04	-3.16	3203.96	01	06	1	
	P	1 / 14/ 1998	-218.94	-1.9	3202.06	01	06	1	
	N	2 / 5 / 1999				01	06		42
	N	1 / 31/ 2000				01	06		42
	N	1 / 24/ 2001				01	06		51

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 29/ 2002				01	06	7	44
	N	2 / 28/ 2003				01	06	7	44
	N	1 / 19/ 2004				01	06	1	44
	N	2 / 16/ 2005				01	06	1	44

Min *-218.94* **Max** *-207.72* **Avg** *-213.302*

1143503 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 2 / 1917	-57		3347	01	12	7	01
	P	9 / 16/ 1937	-68.32	-11.3	3335.68	01	12	7	01
	P	3 / 30/ 1938	-66.1	2.22	3337.9	01	12	7	01
	P	5 / 27/ 1938	-66.84	-0.74	3337.16	01	12	7	01
	P	6 / 27/ 1938	-66.87	-0.03	3337.13	01	12	7	01
	P	12 / 8 / 1938	-66.97	-0.1	3337.03	01	12	7	01
	P	3 / 1 / 1939	-66.41	0.56	3337.59	01	12	7	01
	P	6 / 16/ 1939	-68.16	-1.75	3335.84	01	12	7	01
	P	10 / 3 / 1939	-69.68	-1.52	3334.32	01	12	7	01
	P	10 / 24/ 1939	-69.45	0.23	3334.55	01	12	7	01
	P	12 / 8 / 1939	-68.91	0.54	3335.09	01	12	7	01
	P	3 / 5 / 1940	-68.09	0.82	3335.91	01	12	7	01
	P	11 / 15/ 1940	-70.96	-2.87	3333.04	01	12	7	01
	P	1 / 16/ 1941	-70.17	0.79	3333.83	01	12	7	01
	P	3 / 10/ 1941	-69.68	0.49	3334.32	01	12	7	01
	P	7 / 25/ 1941	-69.41	0.27	3334.59	01	12	7	01
	P	11 / 5 / 1941	-69.2	0.21	3334.8	01	12	7	01
	P	2 / 24/ 1942	-68.4	0.8	3335.6	01	12	7	01
	P	10 / 13/ 1942	-68.86	-0.46	3335.14	01	12	7	01
	P	1 / 26/ 1943	-68.1	0.76	3335.9	01	12	7	01
	P	2 / 10/ 1944	-69.02	-0.92	3334.98	01	12	7	01
	P	2 / 24/ 1945	-69.65	-0.63	3334.35	01	12	7	01
	P	2 / 27/ 1946	-73.42	-3.77	3330.58	01	12	7	01
	P	3 / 13/ 1947	-76.38	-2.96	3327.62	01	12	7	01
	P	2 / 21/ 1948	-78.42	-2.04	3325.58	01	12	7	01
	P	3 / 4 / 1949	-83.14	-4.72	3320.86	01	12	7	01
	P	2 / 14/ 1950	-84.4	-1.26	3319.6	01	12	7	01
	P	1 / 18/ 1951	-94.79	-10.4	3309.21	01	12	7	01
	P	1 / 28/ 1952	-87.73	7.06	3316.27	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 10/ 1953	-92.76	-5.03	3311.24	01	12	7	01
	P	1 / 5 / 1954	-98.18	-5.42	3305.82	01	12	7	01
	P	12 / 7 / 1954	-104	-5.82	3300	01	12	7	01

Min *-104* **Max** *-57* **Avg** *-74.0459*

1143504 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 19/ 1962	-130.05		3272.95	01	01	1	
	P	1 / 17/ 1963	-127.32	2.73	3275.68	01	01	1	
	P	1 / 10/ 1964	-132.55	-5.23	3270.45	01	01	1	
	P	1 / 7 / 1965	-137.39	-4.84	3265.61	01	01	1	
	P	1 / 9 / 1966	-145.4	-8.01	3257.6	01	01	1	
	P	1 / 7 / 1967	-147.01	-1.61	3255.99	01	01	1	
	P	1 / 8 / 1968	-154.95	-7.94	3248.05	01	01	1	
	P	1 / 9 / 1969	-160.49	-5.54	3242.51	01	01	1	
	P	1 / 2 / 1970	-156.49	4	3246.51	01	01	1	
	P	1 / 6 / 1971	-159.94	-3.45	3243.06	01	01	1	
	P	1 / 5 / 1972	-172.82	-12.9	3230.18	01	01	1	
	P	1 / 10/ 1973	-173.76	-0.94	3229.24	01	01	1	
	P	1 / 15/ 1974	-170.15	3.61	3232.85	01	01	1	
	P	1 / 8 / 1975	-177.99	-7.84	3225.01	01	01	1	
	P	1 / 10/ 1976	-176.18	1.81	3226.82	01	01	1	
	N	1 / 15/ 1977				01	01	1	44
	P	1 / 10/ 1978	-184.31		3218.69	01	01	1	
	P	1 / 3 / 1979	-187.21	-2.9	3215.79	01	01	1	
	P	1 / 12/ 1980	-186.3	0.91	3216.7	01	01	1	
	P	1 / 15/ 1982	-193.2	-6.9	3209.8	01	01	1	
	P	1 / 10/ 1984	-208.92	-15.7	3194.08	01	01	1	
	P	12 / 12/ 1985	-200.18	8.74	3202.82	01	01	1	
	P	12 / 16/ 1987	-200.75	-0.57	3202.25	01	01	1	
	N	12 / 10/ 1988				01	01	1	45
	N	12 / 6 / 1989				01	01	1	45

Min *-208.92* **Max** *-127.32* **Avg** *-167.425*

1143505 *(Aquifer: 121OGLL Well Depth: 162)*

	P	9 / 16/ 1938	-68.75		3336.25	01	04	1	
	P	3 / 30/ 1939	-65.32	3.43	3339.68	01	04	1	
	P	5 / 28/ 1939	-68.31	-2.99	3336.69	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 27/ 1939	-67.25	1.06	3337.75	01	04	1	
	P	10 / 20/ 1954	-106.53	-39.3	3298.47	01	12	7	01
	P	1 / 12/ 1955	-103.35	3.18	3301.65	01	12	7	
	P	1 / 9 / 1956	-107.5	-4.15	3297.5	01	12	7	
	P	1 / 8 / 1957	-110.79	-3.29	3294.21	01	12	7	
	P	1 / 15/ 1958	-114.25	-3.46	3290.75	01	12	7	
	P	1 / 7 / 1959	-112.81	1.44	3292.19	01	12	7	
	P	1 / 8 / 1960	-117.93	-5.12	3287.07	01	12	7	
	P	1 / 11/ 1961	-122.45	-4.52	3282.55	01	04	1	

Min *-122.45* **Max** *-65.32* **Avg** *-97.1033*

1143506 *(Aquifer: 121OGLL Well Depth: 165)*

	P	5 / 14/ 1915	-55		3335	01	12	7	01
	P	4 / 18/ 1934	-60.14	-5.14	3329.86	01	12	7	01
	P	9 / 16/ 1937	-65.03	-4.89	3324.97	01	12	7	01
	P	3 / 30/ 1938	-61.92	3.11	3328.08	01	12	7	01
	P	5 / 27/ 1938	-65.6	-3.68	3324.4	01	12	7	01
	P	6 / 27/ 1938	-63.06	2.54	3326.94	01	12	7	01
	P	12 / 8 / 1938	-62.88	0.18	3327.12	01	12	7	01
	P	1 / 6 / 1939	-62.77	0.11	3327.23	01	12	7	01
	P	3 / 1 / 1939	-62.44	0.33	3327.56	01	12	7	01
	P	12 / 8 / 1939	-64.65	-2.21	3325.35	01	12	7	01
	P	3 / 5 / 1940	-63.57	1.08	3326.43	01	12	7	01
	P	11 / 15/ 1940	-66.9	-3.33	3323.1	01	12	7	01
	P	1 / 16/ 1941	-65.55	1.35	3324.45	01	12	7	01
	P	3 / 10/ 1941	-65.03	0.52	3324.97	01	12	7	01
	P	7 / 25/ 1941	-64.69	0.34	3325.31	01	12	7	01
	P	11 / 5 / 1941	-64.7	-0.01	3325.3	01	12	7	01
	P	2 / 25/ 1942	-63.85	0.85	3326.15	01	12	7	01
	P	10 / 13/ 1942	-64.91	-1.06	3325.09	01	12	7	01
	P	1 / 26/ 1943	-64	0.91	3326	01	12	7	01
	P	2 / 10/ 1944	-65.7	-1.7	3324.3	01	12	7	01
	P	2 / 24/ 1945	-66.12	-0.42	3323.88	01	12	7	01
	P	2 / 27/ 1946	-67.83	-1.71	3322.17	01	12	7	01
	P	1 / 17/ 1947	-70.1	-2.27	3319.9	01	12	7	01
	P	3 / 13/ 1947	-69.92	0.18	3320.08	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 21/ 1948	-72.67	-2.75	3317.33	01	12	7	01
	P	3 / 4 / 1949	-76.4	-3.73	3313.6	01	12	7	01
	P	2 / 14/ 1950	-81.2	-4.8	3308.8	01	12	7	01
	P	1 / 18/ 1951	-77.7	3.5	3312.3	01	12	7	01

Min *-81.2* **Max** *-55* **Avg** *-66.2261*

1143601 *(Aquifer: 121OGLL Well Depth: 251)*

	P	5 / 4 / 1936	-62.28		3325.72	01	12	7	
	P	9 / 16/ 1936	-62.75	-0.47	3325.25	01	12	7	
	P	3 / 30/ 1938	-60.88	1.87	3327.12	01	12	7	
	P	5 / 27/ 1938	-63.26	-2.38	3324.74	01	12	7	
	P	6 / 27/ 1938	-61.89	1.37	3326.11	01	12	7	
	P	9 / 15/ 1938	-64.91	-3.02	3323.09	01	12	7	

Min *-64.91* **Max** *-60.88* **Avg** *-62.6617*

1143607 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 16/ 1994	-221.81		3156.19	01	06	1	
	P	1 / 17/ 1995	-223.2	-1.39	3154.8	01	06	1	
	P	1 / 22/ 1996	-227.39	-4.19	3150.61	01	06	1	
	P	1 / 17/ 1997	-230.64	-3.25	3147.36	01	06	1	
	P	1 / 20/ 1998	-231.29	-0.65	3146.71	01	06	1	
	P	1 / 8 / 1999	-235	-3.71	3143	01	06	1	
	P	1 / 31/ 2000	-234.62	0.38	3143.38	01	06	1	
	P	1 / 25/ 2001	-236.54	-1.92	3141.46	01	06	1	
	P	1 / 29/ 2002	-236.62	-0.08	3141.38	01	06	1	
	P	2 / 28/ 2003	-237.44	-0.82	3140.56	01	06	1	
	P	1 / 20/ 2004	-237.24	0.2	3140.76	01	06	1	
	P	2 / 15/ 2005	-238.44	-1.2	3139.56	01	06	1	
	P	1 / 16/ 2006	-240.92	-2.48	3137.08	01	06	1	
	P	1 / 5 / 2007	-239.08	1.84	3138.92	01	06	1	
	P	1 / 28/ 2008	-238.81	0.27	3139.19	01	06	1	
	P	1 / 29/ 2009	-240.87	-2.06	3137.13	01	06	1	
	P	1 / 15/ 2010	-242.1	-1.23	3135.9	01	06	1	
	P	1 / 19/ 2011	-241.68	0.42	3136.32	01	06	1	
	P	2 / 2 / 2012	-244.22	-2.54	3133.78	01	06	1	

Min *-244.22* **Max** *-221.81* **Avg** *-235.679*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1143701	(Aquifer: 121OGLL		Well Depth: 60	)					
	P	7 / 17/ 1937	-42.05		3369.95	01	12	7	01
	P	8 / 9 / 1937	-42.33	-0.28	3369.67	01	12	7	01
	P	9 / 13/ 1937	-42.84	-0.51	3369.16	01	12	7	01
	P	11 / 30/ 1937	-42.62	0.22	3369.38	01	12	7	01
	P	1 / 10/ 1938	-42.81	-0.19	3369.19	01	12	7	01
	P	4 / 11/ 1938	-42.98	-0.17	3369.02	01	12	7	01
	P	6 / 21/ 1938	-43.37	-0.39	3368.63	01	12	7	01
	P	8 / 10/ 1938	-43	0.37	3369	01	12	7	01
	P	10 / 18/ 1938	-43.33	-0.33	3368.67	01	12	7	01
	P	12 / 8 / 1938	-43.47	-0.14	3368.53	01	12	7	01
	P	3 / 1 / 1939	-43.36	0.11	3368.64	01	12	7	01
	P	6 / 16/ 1939	-43.79	-0.43	3368.21	01	12	7	01
	P	6 / 21/ 1939	-43.85	-0.06	3368.15	01	12	7	01
	P	8 / 10/ 1939	-44.11	-0.26	3367.89	01	12	7	01
	P	10 / 2 / 1939	-44.46	-0.35	3367.54	01	12	7	01
	P	10 / 20/ 1939	-44.67	-0.21	3367.33	01	12	7	01
	P	10 / 26/ 1939	-44.71	-0.04	3367.29	01	12	7	01
	P	11 / 2 / 1939	-44.73	-0.02	3367.27	01	12	7	01
	P	11 / 9 / 1939	-44.75	-0.02	3367.25	01	12	7	01
	P	11 / 16/ 1939	-44.78	-0.03	3367.22	01	12	7	01
	P	11 / 23/ 1939	-44.8	-0.02	3367.2	01	12	7	01
	P	11 / 29/ 1939	-44.81	-0.01	3367.19	01	12	7	01
	P	12 / 4 / 1939	-44.82	-0.01	3367.18	01	12	7	01
	P	12 / 11/ 1939	-44.83	-0.01	3367.17	01	12	7	01
	P	12 / 18/ 1939	-44.84	-0.01	3367.16	01	12	7	01
	P	12 / 30/ 1939	-44.86	-0.02	3367.14	01	12	7	01
	P	1 / 7 / 1940	-44.87	-0.01	3367.13	01	12	7	01
	P	1 / 14/ 1940	-44.87		3367.13	01	12	7	01
	P	1 / 21/ 1940	-44.88	-0.01	3367.12	01	12	7	01
	P	1 / 28/ 1940	-44.88		3367.12	01	12	7	01
	P	2 / 6 / 1940	-44.88		3367.12	01	12	7	01
	P	2 / 7 / 1940	-44.87	0.01	3367.13	01	12	7	01
	P	2 / 21/ 1940	-44.86	0.01	3367.14	01	12	7	01
	P	2 / 28/ 1940	-44.86		3367.14	01	12	7	01
	P	3 / 7 / 1940	-44.85	0.01	3367.15	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/14/1940	-44.84	0.01	3367.16	01	12	7	01
	P	3/21/1940	-44.84		3367.16	01	12	7	01
	P	3/28/1940	-44.83	0.01	3367.17	01	12	7	01
	P	4/ 7/1940	-44.86	-0.03	3367.14	01	12	7	01
	P	4/14/1940	-44.86		3367.14	01	12	7	01
	P	4/21/1940	-44.88	-0.02	3367.12	01	12	7	01
	P	4/28/1940	-44.91	-0.03	3367.09	01	12	7	01
	P	5/ 7/1940	-44.98	-0.07	3367.02	01	12	7	01
	P	5/14/1940	-45.02	-0.04	3366.98	01	12	7	01
	P	6/27/1940	-45.25	-0.23	3366.75	01	12	7	01
	P	7/ 7/1940	-45.3	-0.05	3366.7	01	12	7	01
	P	7/14/1940	-45.34	-0.04	3366.66	01	12	7	01
	P	7/27/1940	-45.4	-0.06	3366.6	01	12	7	01
	P	8/ 7/1940	-45.48	-0.08	3366.52	01	12	7	01
	P	8/21/1940	-45.57	-0.09	3366.43	01	12	7	01
	P	8/28/1940	-45.63	-0.06	3366.37	01	12	7	01
	P	9/ 7/1940	-45.68	-0.05	3366.32	01	12	7	01
	P	9/14/1940	-45.74	-0.06	3366.26	01	12	7	01
	P	9/21/1940	-45.79	-0.05	3366.21	01	12	7	01
	P	9/28/1940	-45.85	-0.06	3366.15	01	12	7	01
	P	10/ 7/1940	-46.03	-0.18	3365.97	01	12	7	01
	P	10/14/1940	-46.08	-0.05	3365.92	01	12	7	01
	P	10/21/1940	-46.12	-0.04	3365.88	01	12	7	01
	P	10/27/1940	-46.14	-0.02	3365.86	01	12	7	01
	P	11/ 7/1940	-46.17	-0.03	3365.83	01	12	7	01
	P	11/14/1940	-46.19	-0.02	3365.81	01	12	7	01
	P	11/28/1940	-46.21	-0.02	3365.79	01	12	7	01
	P	12/ 7/1940	-46.24	-0.03	3365.76	01	12	7	01
	P	12/14/1940	-46.27	-0.03	3365.73	01	12	7	01
	P	1/16/1941	-46.31	-0.04	3365.69	01	12	7	01
	P	1/28/1941	-46.38	-0.07	3365.62	01	12	7	01
	P	2/11/1941	-46.32	0.06	3365.68	01	12	7	01
	P	2/18/1941	-46.32		3365.68	01	12	7	01
	P	2/24/1941	-46.31	0.01	3365.69	01	12	7	01
	P	3/ 3/1941	-46.31		3365.69	01	12	7	01
	P	5/ 4/1941	-46.58	-0.27	3365.42	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 31/ 1941	-46.43	0.15	3365.57	01	12	7	01
	P	6 / 7 / 1941	-46.17	0.26	3365.83	01	12	7	01
	P	7 / 22/ 1941	-45.4	0.77	3366.6	01	12	7	01
	P	7 / 30/ 1941	-45.47	-0.07	3366.53	01	12	7	01
	P	8 / 6 / 1941	-45.52	-0.05	3366.48	01	12	7	01
	P	8 / 10/ 1941	-45.64	-0.12	3366.36	01	12	7	01
	P	8 / 17/ 1941	-45.76	-0.12	3366.24	01	12	7	01
	P	10 / 21/ 1941	-45.83	-0.07	3366.17	01	12	7	01
	P	10 / 28/ 1941	-45.68	0.15	3366.32	01	12	7	01
	P	11 / 4 / 1941	-45.52	0.16	3366.48	01	12	7	01
	P	11 / 10/ 1941	-45.41	0.11	3366.59	01	12	7	01
	P	11 / 17/ 1941	-45.25	0.16	3366.75	01	12	7	01
	P	2 / 27/ 1942	-44.37	0.88	3367.63	01	12	7	01
	P	3 / 6 / 1942	-44.34	0.03	3367.66	01	12	7	01
	P	3 / 28/ 1942	-44.39	-0.05	3367.61	01	12	7	01
	P	7 / 23/ 1942	-45.16	-0.77	3366.84	01	12	7	01
	P	9 / 12/ 1942	-46.6	-1.44	3365.4	01	12	7	01
	P	9 / 15/ 1942	-46.65	-0.05	3365.35	01	12	7	01
	P	9 / 26/ 1942	-46.64	0.01	3365.36	01	12	7	01
	P	10 / 12/ 1942	-46.46	0.18	3365.54	01	12	7	01
	P	11 / 7 / 1942	-46.22	0.24	3365.78	01	12	7	01
	P	1 / 26/ 1943	-45.64	0.58	3366.36	01	12	7	01
	P	2 / 7 / 1944	-46.8	-1.16	3365.2	01	12	7	01

Min *-46.8* **Max** *-42.05* **Avg** *-45.1188*

1143702 *(Aquifer: 121OGLL Well Depth: 73)*

	P	7 / 17/ 1937	-49.01		3366.99	01	04	7	
	P	8 / 9 / 1937	-49.06	-0.05	3366.94	01	04	7	
	P	9 / 13/ 1937	-49.37	-0.31	3366.63	01	04	7	
	P	10 / 29/ 1937	-49.17	0.2	3366.83	01	04	7	
	P	11 / 30/ 1937	-49.35	-0.18	3366.65	01	04	7	
	P	1 / 10/ 1938	-49.49	-0.14	3366.51	01	04	7	
	P	4 / 22/ 1938	-49.71	-0.22	3366.29	01	04	7	
	P	6 / 21/ 1938	-49.88	-0.17	3366.12	01	04	7	
	P	8 / 10/ 1938	-49.83	0.05	3366.17	01	04	7	

Min *-49.88* **Max** *-49.01* **Avg** *-49.43*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1143704	(Aquifer: 121OGLL		Well Depth: 306)						
	P	1 / 1 / 1996	-225		3178	01	08	1	
	P	6 / 22/ 2004	-225		3178	01	08	2	
Min -225		**Max** -225	**Avg**	-225					
1143707	(Aquifer: 121OGLL		Well Depth:)						
	P	1 / 29/ 2002	-237.2		3169.8	01	06	1	
	P	2 / 28/ 2003	-237.44	-0.24	3169.56	01	06	1	
	P	1 / 19/ 2004	-240.83	-3.39	3166.17	01	06	1	
	P	2 / 16/ 2005	-239.39	1.44	3167.61	01	06	1	
	P	1 / 16/ 2006	-240.73	-1.34	3166.27	01	06	1	
	P	1 / 5 / 2007	-242.69	-1.96	3164.31	01	06	1	
	P	1 / 16/ 2008	-243.28	-0.59	3163.72	01	06	1	
	P	1 / 29/ 2009	-246.08	-2.8	3160.92	01	06	1	
	P	1 / 15/ 2010	-249.72	-3.64	3157.28	01	06	1	
	P	2 / 11/ 2011	-245.28	4.44	3161.72	01	06	1	
	P	2 / 2 / 2012	-248.46	-3.18	3158.54	01	06	1	
Min -249.72		**Max** -237.2	**Avg**	-242.827					
1143801	(Aquifer: 121OGLL		Well Depth:)						
	P	4 / 23/ 1936	-42.09		3347.91	01	12	7	01
	P	5 / 3 / 1937	-43.03	-0.94	3346.97	01	12	7	01
	P	7 / 13/ 1937	-43.12	-0.09	3346.88	01	12	7	01
	P	8 / 26/ 1937	-43.45	-0.33	3346.55	01	12	7	01
	P	9 / 14/ 1937	-43.54	-0.09	3346.46	01	12	7	01
	P	10 / 4 / 1937	-43.5	0.04	3346.5	01	12	7	01
	P	12 / 3 / 1937	-43.35	0.15	3346.65	01	12	7	01
	P	3 / 30/ 1938	-43.24	0.11	3346.76	01	12	7	01
	P	5 / 27/ 1938	-44.02	-0.78	3345.98	01	12	7	01
	P	6 / 21/ 1938	-44.03	-0.01	3345.97	01	12	7	01
	P	8 / 11/ 1938	-43.96	0.07	3346.04	01	12	7	01
	P	9 / 15/ 1938	-44.2	-0.24	3345.8	01	12	7	01
	P	10 / 18/ 1938	-44.25	-0.05	3345.75	01	12	7	01
	P	12 / 8 / 1938	-44.01	0.24	3345.99	01	12	7	01
	P	1 / 6 / 1939	-43.95	0.06	3346.05	01	12	7	01
	P	2 / 28/ 1939	-43.78	0.17	3346.22	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 16/ 1939	-44.75	-0.97	3345.25	01	12	7	01
	P	7 / 24/ 1939	-44.88	-0.13	3345.12	01	12	7	01
	P	8 / 14/ 1939	-45.14	-0.26	3344.86	01	12	7	01
	P	10 / 3 / 1939	-45.79	-0.65	3344.21	01	12	7	01
	P	12 / 8 / 1939	-45.75	0.04	3344.25	01	12	7	01
	P	3 / 5 / 1940	-45.24	0.51	3344.76	01	12	7	01
	P	11 / 15/ 1940	-48.42	-3.18	3341.58	01	12	7	01
	P	1 / 16/ 1941	-46.98	1.44	3343.02	01	12	7	01
	P	3 / 10/ 1941	-46.7	0.28	3343.3	01	12	7	01
	P	7 / 25/ 1941	-46.25	0.45	3343.75	01	12	7	01
	P	10 / 16/ 1941	-46.54	-0.29	3343.46	01	12	7	01
	P	2 / 25/ 1942	-45.59	0.95	3344.41	01	12	7	01

Min *-48.42* **Max** *-42.09* **Avg** *-44.6268*

1143802 *(Aquifer: 121OGLL Well Depth:)*

	P	10 / 12/ 1942	-49.21		3337.79	01	12	7	01
	P	1 / 27/ 1943	-49.02	0.19	3337.98	01	12	7	01
	P	2 / 24/ 1945	-52.6	-3.58	3334.4	01	12	7	01
	P	2 / 28/ 1946	-53.12	-0.52	3333.88	01	12	7	01
	P	2 / 14/ 1950	-63.52	-10.4	3323.48	01	12	7	01
	P	1 / 28/ 1952	-69.1	-5.58	3317.9	01	12	7	01
	P	1 / 17/ 1955	-82.5	-13.4	3304.5	01	12	7	01
	P	1 / 9 / 1956	-87.36	-4.86	3299.64	01	12	7	01
	P	1 / 8 / 1957	-94.74	-7.38	3292.26	01	12	7	01
	P	1 / 14/ 1958	-91.48	3.26	3295.52	01	12	7	01

Min *-94.74* **Max** *-49.02* **Avg** *-69.265*

1143803 *(Aquifer: 121OGLL Well Depth: 280)*

	P	4 / 23/ 1936	-46.7		3333.3	01	12	7	01
	P	6 / 10/ 1937	-47.16	-0.46	3332.84	01	12	7	01
	P	9 / 14/ 1937	-47.28	-0.12	3332.72	01	12	7	01
	P	9 / 16/ 1937	-47.3	-0.02	3332.7	01	12	7	01
	P	10 / 4 / 1937	-47.31	-0.01	3332.69	01	12	7	01
	P	11 / 1 / 1937	-47.35	-0.04	3332.65	01	12	7	01
	P	12 / 3 / 1937	-47.38	-0.03	3332.62	01	12	7	01
	P	1 / 5 / 1938	-47.4	-0.02	3332.6	01	12	7	01
	P	3 / 12/ 1938	-47.44	-0.04	3332.56	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/11/1938	-47.46	-0.02	3332.54	01	12	7	01
	P	5/27/1938	-47.49	-0.03	3332.51	01	12	7	01
	P	6/27/1938	-47.53	-0.04	3332.47	01	12	7	01
	P	8/11/1938	-47.57	-0.04	3332.43	01	12	7	01
	P	9/15/1938	-47.61	-0.04	3332.39	01	12	7	01
	P	10/18/1938	-47.64	-0.03	3332.36	01	12	7	01
	P	12/ 8/1938	-47.67	-0.03	3332.33	01	12	7	01
	P	1/ 6/1939	-47.69	-0.02	3332.31	01	12	7	01
	P	2/28/1939	-47.73	-0.04	3332.27	01	12	7	01
	P	6/16/1939	-47.81	-0.08	3332.19	01	12	7	01
	P	7/20/1939	-47.86	-0.05	3332.14	01	12	7	01
	P	8/14/1939	-47.9	-0.04	3332.1	01	12	7	01
	P	10/ 3/1939	-47.99	-0.09	3332.01	01	12	7	01
	P	10/24/1939	-48.03	-0.04	3331.97	01	12	7	01
	P	12/ 8/1939	-48.11	-0.08	3331.89	01	12	7	01
	P	3/ 5/1940	-48.27	-0.16	3331.73	01	12	7	01
	P	11/15/1940	-49.08	-0.81	3330.92	01	12	7	01
	P	1/16/1941	-49.32	-0.24	3330.68	01	12	7	01
	P	3/10/1941	-49.42	-0.1	3330.58	01	12	7	01
	P	7/25/1941	-49.92	-0.5	3330.08	01	12	7	01
	P	10/16/1941	-49.76	0.16	3330.24	01	12	7	01
	P	2/25/1942	-49.5	0.26	3330.5	01	12	7	01
	P	10/23/1942	-50.01	-0.51	3329.99	01	12	7	01
	P	1/26/1943	-49.82	0.19	3330.18	01	12	7	01
	P	2/10/1944	-50.88	-1.06	3329.12	01	12	7	01
	P	2/24/1945	-51.99	-1.11	3328.01	01	12	7	01
	P	2/27/1946	-54.79	-2.8	3325.21	01	12	7	01
	P	3/13/1947	-57.37	-2.58	3322.63	01	12	7	01
	P	2/21/1948	-60.58	-3.21	3319.42	01	12	7	01
	P	3/ 4/1949	-63.96	-3.38	3316.04	01	12	7	01
	P	2/14/1950	-65.67	-1.71	3314.33	01	12	7	01
	P	1/18/1951	-67.51	-1.84	3312.49	01	12	7	01
	P	1/28/1952	-69.51	-2	3310.49	01	12	7	01
	P	1/10/1953	-72.87	-3.36	3307.13	01	12	7	01
	P	1/ 5/1954	-77.91	-5.04	3302.09	01	12	7	01
	P	1/12/1955	-83.14	-5.23	3296.86	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1957	-89.13	-5.99	3290.87	01	12	7	01
	P	1/14/1958	-91.62	-2.49	3288.38	01	12	7	01
	P	1/ 7/1959	-94.65	-3.03	3285.35	01	12	7	01
	P	1/ 8/1960	-99.56	-4.91	3280.44	01	12	7	01
	P	1/19/1962	-105.54	-5.98	3274.46	01	01	1	04
	P	1/ 7/1963	-105.26	0.28	3274.74	01	01	1	
	P	1/10/1964	-112.4	-7.14	3267.6	01	01	1	
	N	1/ 7/1965				01	01	1	46
	N	1/ 9/1966				01	01		61
	N	1/ 6/1967				01	01		41
	P	1/ 8/1968	-132.27		3247.73	01	01	1	
	P	1/ 9/1969	-134.68	-2.41	3245.32	01	01	1	
	P	1/ 4/1970	-134.2	0.48	3245.8	01	01	1	
	P	1/ 6/1971	-139.4	-5.2	3240.6	01	01	1	
	P	1/ 5/1972	-142.73	-3.33	3237.27	01	01	1	
	P	1/10/1973	-143.84	-1.11	3236.16	01	01	1	
	P	1/15/1974	-146.4	-2.56	3233.6	01	01	1	
	N	1/ 8/1975				01	01	1	44
	N	1/ 6/1976				01	01	1	44
	P	1/15/1977	-178.99		3201.01	01	01	1	
	N	1/10/1978				01	01	1	44
	N	1/ 3/1979				01	01	1	44

Min *-178.99* **Max** *-46.7* **Avg** *-70.2227*

1143805 *(Aquifer: 121OGLL Well Depth: 278)*

	P	8/25/2001	-232.8		3155.2	01	04	1	

Min *-232.8* **Max** *-232.8* **Avg** *-232.8*

1143902 *(Aquifer: 121OGLL Well Depth: 200)*

	P	1/17/1948	-60.76		3314.24	01	12	7	01
	P	2/21/1948	-60.68	0.08	3314.32	01	12	7	01
	P	3/ 4/1949	-63.94	-3.26	3311.06	01	12	7	01
	P	2/14/1950	-65.46	-1.52	3309.54	01	12	7	01
	P	1/18/1951	-66.83	-1.37	3308.17	01	12	7	01
	P	1/28/1952	-68.35	-1.52	3306.65	01	12	7	01
	P	1/10/1953	-71.99	-3.64	3303.01	01	12	7	01
	P	1/ 5/1954	-77.01	-5.02	3297.99	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1955	-82.1	-5.09	3292.9	01	12	7	01
	P	1/ 8/ 1957	-89.35	-7.25	3285.65	01	12	7	01
	P	1/ 14/ 1958	-91.02	-1.67	3283.98	01	12	7	01
	P	1/ 7/ 1959	-94.55	-3.53	3280.45	01	12	7	01
	P	1/ 8/ 1960	-98.28	-3.73	3276.72	01	12	7	01
	P	1/ 11/ 1961	-98.61	-0.33	3276.39	01	04	1	
	P	1/ 19/ 1962	-100.95	-2.34	3274.05	01	01	1	
	P	1/ 7/ 1963	-103.27	-2.32	3271.73	01	01	1	
	P	1/ 10/ 1964	-106.95	-3.68	3268.05	01	01	1	
	P	1/ 7/ 1965	-112.62	-5.67	3262.38	01	01	1	
	P	1/ 9/ 1966	-116.87	-4.25	3258.13	01	01	1	
	P	1/ 6/ 1967	-118.86	-1.99	3256.14	01	01	1	
	P	1/ 8/ 1968	-133.97	-15.1	3241.03	01	01	1	
	P	1/ 9/ 1969	-134.76	-0.79	3240.24	01	01	1	
	P	1/ 2/ 1970	-132.16	2.6	3242.84	01	01	1	
	P	1/ 6/ 1971	-137.8	-5.64	3237.2	01	01	1	
	P	1/ 5/ 1972	-140.7	-2.9	3234.3	01	01	1	
	P	1/ 10/ 1973	-143.38	-2.68	3231.62	01	01	1	
	P	1/ 15/ 1974	-147.49	-4.11	3227.51	01	01	1	
	N	2/ 0/ 1974				01	01		81

Min *-147.49* **Max** *-60.68* **Avg** *-100.693*

1143903 *(Aquifer: 121OGLL Well Depth:)*

	P	8/ 5/ 1916	-44		3331	01	12	7	01
	P	4/ 18/ 1934	-47.91	-3.91	3327.09	01	12	7	01
	P	9/ 16/ 1937	-50.69	-2.78	3324.31	01	12	7	01
	P	1/ 5/ 1938	-49.63	1.06	3325.37	01	12	7	01
	P	3/ 12/ 1938	-49.56	0.07	3325.44	01	12	7	01
	P	4/ 11/ 1938	-49.58	-0.02	3325.42	01	12	7	01
	P	6/ 27/ 1938	-50.77	-1.19	3324.23	01	12	7	01
	P	9/ 15/ 1938	-51.66	-0.89	3323.34	01	12	7	01
	P	10/ 18/ 1938	-50.62	1.04	3324.38	01	12	7	01
	P	12/ 8/ 1938	-50.09	0.53	3324.91	01	12	7	01
	P	1/ 6/ 1939	-50.07	0.02	3324.93	01	12	7	01
	P	2/ 28/ 1939	-50.03	0.04	3324.97	01	12	7	01
	P	6/ 16/ 1939	-54.4	-4.37	3320.6	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 18/ 1939	-51.32	3.08	3323.68	01	12	7	01
	P	10 / 24/ 1939	-51.36	-0.04	3323.64	01	12	7	01
	P	12 / 8 / 1939	-51.78	-0.42	3323.22	01	12	7	01
	P	3 / 5 / 1940	-50.82	0.96	3324.18	01	12	7	01
	P	10 / 27/ 1940	-52.4	-1.58	3322.6	01	12	7	01
	P	11 / 15/ 1940	-52.16	0.24	3322.84	01	12	7	01
	P	1 / 16/ 1941	-52.04	0.12	3322.96	01	12	7	01
	P	3 / 10/ 1941	-51.92	0.12	3323.08	01	12	7	01
	P	7 / 25/ 1941	-51.43	0.49	3323.57	01	12	7	01
	P	10 / 16/ 1941	-51.76	-0.33	3323.24	01	12	7	01
	P	2 / 25/ 1942	-51.52	0.24	3323.48	01	12	7	01
	P	10 / 23/ 1942	-52.25	-0.73	3322.75	01	12	7	01
	P	1 / 26/ 1943	-51.66	0.59	3323.34	01	12	7	01
	P	2 / 10/ 1944	-52.93	-1.27	3322.07	01	12	7	01
	P	2 / 24/ 1945	-53.97	-1.04	3321.03	01	12	7	01
	P	2 / 27/ 1946	-55.1	-1.13	3319.9	01	12	7	01
	P	1 / 17/ 1947	-57.5	-2.4	3317.5	01	12	7	01
	P	3 / 13/ 1947	-57.92	-0.42	3317.08	01	12	7	01

Min *-57.92* **Max** *-44* **Avg** *-51.5758*

1143904 *(Aquifer: 121OGLL Well Depth: 320)*

	P	1 / 12/ 1980	-180.6		3190.4	01	01	1	
	P	1 / 19/ 1981	-187.16	-6.56	3183.84	01	01	1	
	N	1 / 14/ 1983				01	01	1	44
	P	1 / 10/ 1984	-198.9		3172.1	01	01	1	
	N	12 / 12/ 1985				01	01	1	44
	N	12 / 12/ 1986				01	01	1	44
	N	12 / 31/ 1986				01	01		81

Min *-198.9* **Max** *-180.6* **Avg** *-188.887*

1143905 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 7 / 1949	-69.72		3303.28	01	12	7
	P	1 / 25/ 1951	-72.85	-3.13	3300.15	01	12	7
	P	1 / 25/ 1952	-75.74	-2.89	3297.26	01	12	7
	P	1 / 12/ 1953	-80.68	-4.94	3292.32	01	12	7
	P	1 / 6 / 1954	-85.67	-4.99	3287.33	01	12	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -85.67		**Max -69.72**	**Avg -76.932**						
1144403	*(Aquifer: 121OGLL*		*Well Depth: 291)*						
	P	2 / 4 / 1971	-159.8		3206.2	01	01	1	
	P	1 / 5 / 1972	-161.5	-1.7	3204.5	01	01	1	
	P	1 / 11/ 1973	-167.07	-5.57	3198.93	01	01	1	
	P	1 / 14/ 1974	-170.7	-3.63	3195.3	01	01	1	
	P	1 / 8 / 1975	-181.48	-10.8	3184.52	01	01	1	
	P	1 / 6 / 1976	-180.5	0.98	3185.5	01	01	1	
	P	1 / 15/ 1977	-204.04	-23.5	3161.96	01	01	1	
	P	1 / 10/ 1978	-198.98	5.06	3167.02	01	01	1	
	P	1 / 3 / 1979	-195.05	3.93	3170.95	01	01	1	
	P	1 / 12/ 1980	-195.74	-0.69	3170.26	01	01	1	
	N	1 / 19/ 1981				01	01	1	51
	P	1 / 15/ 1982	-205.61		3160.39	01	01	1	
	P	1 / 10/ 1984	-219.9	-14.3	3146.1	01	01	1	
	N	12 / 12/ 1985				01	01	1	44
	N	12 / 12/ 1986				01	01		42
Min -219.9		**Max -159.8**	**Avg -186.698**						
1144701	*(Aquifer: 121OGLL*		*Well Depth: 219)*						
	P	3 / 19/ 1947	-62.33		3295.67	01	12	7	01
	P	2 / 21/ 1948	-64.51	-2.18	3293.49	01	12	7	01
	P	3 / 7 / 1949	-67.36	-2.85	3290.64	01	12	7	01
	P	2 / 14/ 1950	-68.55	-1.19	3289.45	01	12	7	01
	P	1 / 18/ 1951	-70.47	-1.92	3287.53	01	12	7	01
	P	1 / 25/ 1952	-74.8	-4.33	3283.2	01	12	7	01
	P	1 / 11/ 1953	-78.45	-3.65	3279.55	01	12	7	01
	P	1 / 6 / 1954	-83.45	-5	3274.55	01	12	7	01
	P	11 / 16/ 1954	-91.48	-8.03	3266.52	01	12	7	01
	P	1 / 11/ 1955	-92.88	-1.4	3265.12	01	12	7	01
	P	1 / 9 / 1956	-99.72	-6.84	3258.28	01	12	7	01
	P	1 / 8 / 1957	-98.54	1.18	3259.46	01	12	7	01
	P	1 / 15/ 1958	-101.73	-3.19	3256.27	01	12	7	01
	P	1 / 7 / 1959	-104.05	-2.32	3253.95	01	12	7	01
	P	1 / 8 / 1960	-107.7	-3.65	3250.3	01	12	7	01
	P	1 / 11/ 1961	-111.04	-3.34	3246.96	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 19/ 1962	-112.68	-1.64	3245.32	01	01	1	
	P	1/ 7/ 1963	-114.89	-2.21	3243.11	01	01	1	
	P	1/ 10/ 1964	-118.8	-3.91	3239.2	01	01	1	
	P	1/ 7/ 1965	-129.32	-10.5	3228.68	01	01	1	
	N	1/ 8/ 1966				01	01	1	44
	N	1/ 6/ 1967				01	01	1	44
	N	1/ 8/ 1968				01	01	1	44
	P	1/ 9/ 1969	-153.1		3204.9	01	01	1	20
	P	1/ 2/ 1970	-146.55	6.55	3211.45	01	01	1	
	N	1/ 5/ 1971				01	01	1	44

Min *-153.1* **Max** *-62.33* **Avg** *-97.8364*

1144702 *(Aquifer: 121OGLL Well Depth: 224)*

	P	3/ 19/ 1947	-70.4		3286.6	01	12	7	01
	P	2/ 21/ 1948	-71.4	-1	3285.6	01	12	7	01
	P	3/ 7/ 1949	-73.93	-2.53	3283.07	01	12	7	01
	P	2/ 14/ 1950	-76.1	-2.17	3280.9	01	12	7	01
	P	1/ 25/ 1952	-79.91	-3.81	3277.09	01	12	7	01
	P	1/ 11/ 1953	-84.43	-4.52	3272.57	01	12	7	01
	P	1/ 6/ 1954	-89.28	-4.85	3267.72	01	12	7	01
	P	12/ 8/ 1954	-94.63	-5.35	3262.37	01	12	7	01
	P	1/ 11/ 1955	-94.55	0.08	3262.45	01	12	7	01
	P	1/ 9/ 1956	-97.94	-3.39	3259.06	01	12	7	01
	P	1/ 8/ 1957	-103.78	-5.84	3253.22	01	12	7	01
	P	1/ 16/ 1958	-106.08	-2.3	3250.92	01	12	7	01
	P	1/ 7/ 1959	-109.6	-3.52	3247.4	01	12	7	01
	P	1/ 8/ 1960	-114.4	-4.8	3242.6	01	12	7	01
	P	1/ 11/ 1961	-116.12	-1.72	3240.88	01	04	1	
	P	1/ 19/ 1962	-118.17	-2.05	3238.83	01	01	1	
	P	1/ 7/ 1963	-121.27	-3.1	3235.73	01	01	1	
	P	1/ 10/ 1964	-124.82	-3.55	3232.18	01	01	1	
	P	1/ 7/ 1965	-130.08	-5.26	3226.92	01	01	1	
	P	1/ 8/ 1966	-136.04	-5.96	3220.96	01	01	1	
	P	1/ 6/ 1967	-138.38	-2.34	3218.62	01	01	1	
	P	1/ 8/ 1968	-149.7	-11.3	3207.3	01	01	1	
	P	1/ 9/ 1969	-148.8	0.9	3208.2	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 2 / 1970	-151.74	-2.94	3205.26	01	01	1	
	N	1 / 5 / 1971				01	01		42

Min *-151.74* **Max** *-70.4* **Avg** *-108.398*

1144703 *(Aquifer: 121OGLL Well Depth: 300)*

P	5 / 5 / 1936	-62.49		3298.51	01	12	7	01
P	6 / 13/ 1936	-62.64	-0.15	3298.36	01	12	7	01
P	5 / 3 / 1937	-63.22	-0.58	3297.78	01	12	7	01
P	6 / 9 / 1937	-63.52	-0.3	3297.48	01	12	7	01
P	7 / 13/ 1937	-64.1	-0.58	3296.9	01	12	7	01
P	8 / 26/ 1937	-63.61	0.49	3297.39	01	12	7	01
P	9 / 14/ 1937	-63.75	-0.14	3297.25	01	12	7	01
P	10 / 4 / 1937	-63.73	0.02	3297.27	01	12	7	01
P	11 / 1 / 1937	-63.69	0.04	3297.31	01	12	7	01
P	12 / 3 / 1937	-63.74	-0.05	3297.26	01	12	7	01
P	1 / 5 / 1938	-63.63	0.11	3297.37	01	12	7	01
P	3 / 12/ 1938	-63.73	-0.1	3297.27	01	12	7	01
P	5 / 27/ 1938	-63.82	-0.09	3297.18	01	12	7	01
P	6 / 27/ 1938	-63.82		3297.18	01	12	7	01
P	8 / 11/ 1938	-63.87	-0.05	3297.13	01	12	7	01
P	9 / 15/ 1938	-63.93	-0.06	3297.07	01	12	7	01
P	10 / 18/ 1938	-63.91	0.02	3297.09	01	12	7	01
P	12 / 8 / 1938	-63.99	-0.08	3297.01	01	12	7	01
P	2 / 28/ 1939	-64.2	-0.21	3296.8	01	12	7	01
P	6 / 24/ 1939	-64.4	-0.2	3296.6	01	12	7	01

Min *-64.4* **Max** *-62.49* **Avg** *-63.6895*

1144709 *(Aquifer: 121OGLL Well Depth: 305)*

P	3 / 0 / 1970	-121.17		3210.83	01	06	1	
P	1 / 0 / 1972	-125.9	-4.73	3206.1	01	06	1	

Min *-125.9* **Max** *-121.17* **Avg** *-123.535*

1144710 *(Aquifer: 121OGLL Well Depth: 297)*

P	6 / 0 / 1969	-121		3206	01	06	1	
P	1 / 0 / 1972	-125.6	-4.6	3201.4	01	06	1	

Min *-125.6* **Max** *-121* **Avg** *-123.3*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1144711	(Aquifer: 121OGLL		Well Depth: 300)						
	P	6 / 0 / 1969	-115.33		3211.67	01	06	1	
	P	11 / 0 / 1970	-123.18	-7.85	3203.82	01	06	1	
	P	1 / 0 / 1972	-123.4	-0.22	3203.6	01	06	1	
Min -123.4		**Max** -115.33	**Avg** -120.637						
1144714	(Aquifer: 121OGLL		Well Depth: 311)						
	P	6 / 7 / 1994	-205.55		3141.45	01	06	1	
	P	1 / 17/ 1995	-207.23	-1.68	3139.77	01	06	1	
	P	1 / 22/ 1996	-209.03	-1.8	3137.97	01	06	1	
	P	1 / 17/ 1997	-211.34	-2.31	3135.66	01	06	1	
	P	1 / 20/ 1998	-211.95	-0.61	3135.05	01	06	1	
	P	1 / 25/ 1999	-213	-1.05	3134	01	06	1	
	P	1 / 31/ 2000	-214.37	-1.37	3132.63	01	06	1	
	P	1 / 25/ 2001	-215.45	-1.08	3131.55	01	06	1	
	P	1 / 29/ 2002	-216.1	-0.65	3130.9	01	06	1	
	P	2 / 21/ 2003	-217.84	-1.74	3129.16	01	06	1	
	P	1 / 20/ 2004	-217.72	0.12	3129.28	01	06	1	
	P	2 / 15/ 2005	-217.94	-0.22	3129.06	01	06	1	
	P	1 / 13/ 2006	-218.23	-0.29	3128.77	01	06	1	
	P	1 / 5 / 2007	-220.91	-2.68	3126.09	01	06	1	
	P	1 / 28/ 2008	-218.65	2.26	3128.35	01	06	1	
	P	1 / 29/ 2009	-220.3	-1.65	3126.7	01	06	1	
	P	1 / 18/ 2010	-220.46	-0.16	3126.54	01	06	1	
	P	2 / 11/ 2011	-220.91	-0.45	3126.09	01	06	1	
	P	2 / 2 / 2012	-222.69	-1.78	3124.31	01	06	1	
Min -222.69		**Max** -205.55	**Avg** -215.772						
1144717	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 27/ 2001	-252.87		3109.13	01	06	1	
	P	1 / 29/ 2002	-253.78	-0.91	3108.22	01	06	1	
	P	2 / 28/ 2003	-255.15	-1.37	3106.85	01	06	1	
	P	1 / 20/ 2004	-258.88	-3.73	3103.12	01	06	1	
	P	2 / 15/ 2005	-256.63	2.25	3105.37	01	06	1	
	P	1 / 13/ 2006	-255.7	0.93	3106.3	01	06	1	
	P	1 / 5 / 2007	-258.08	-2.38	3103.92	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 28/ 2008	-256.92	1.16	3105.08	01	06	1	
	P	1 / 29/ 2009	-259.98	-3.06	3102.02	01	06	1	
	P	1 / 15/ 2010	-261.2	-1.22	3100.8	01	06	1	
	P	1 / 19/ 2011	-260.56	0.64	3101.44	01	06	1	
	P	2 / 2 / 2012	-263.51	-2.95	3098.49	01	06	1	

Min *-263.51* **Max** *-252.87* **Avg** *-257.772*

1144801 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 15/ 1950	-83.25		3251.75	01	12	7	
	P	11 / 16/ 1950	-66.73	16.52	3268.27	01	12	7	
	P	12 / 7 / 1950	-66.55	0.18	3268.45	01	12	7	
	P	8 / 1 / 1951	-92.8	-26.3	3242.2	01	12	7	
	P	8 / 4 / 1952	-93.85	-1.05	3241.15	01	12	7	
	P	12 / 30/ 1952	-72.5	21.35	3262.5	01	12	7	
	P	3 / 5 / 1953	-76.8	-4.3	3258.2	01	12	7	
	P	6 / 3 / 1953	-84.8	-8	3250.2	01	12	7	
	P	8 / 11/ 1953	-109.4	-24.6	3225.6	01	12	7	
	P	10 / 6 / 1953	-87.6	21.8	3247.4	01	12	7	
	P	11 / 2 / 1953	-82.8	4.8	3252.2	01	12	7	
	P	3 / 15/ 1954	-78	4.8	3257	01	12	7	
	P	4 / 1 / 1954	-109	-31	3226	01	12	7	
	P	5 / 5 / 1954	-118.2	-9.2	3216.8	01	12	7	
	P	5 / 28/ 1954	-86	32.2	3249	01	12	7	
	P	7 / 1 / 1954	-82.5	3.5	3252.5	01	12	7	
	P	8 / 31/ 1954	-99.1	-16.6	3235.9	01	12	7	
	P	10 / 5 / 1954	-90.7	8.4	3244.3	01	12	7	
	P	11 / 2 / 1954	-87.6	3.1	3247.4	01	12	7	
	P	12 / 1 / 1954	-88.3	-0.7	3246.7	01	12	7	
	P	1 / 4 / 1955	-86.7	1.6	3248.3	01	12	7	
	P	2 / 4 / 1955	-85.3	1.4	3249.7	01	12	7	
	P	2 / 16/ 1956	-89	-3.7	3246	01	12	7	
	P	7 / 5 / 1956	-115.2	-26.2	3219.8	01	12	7	
	P	5 / 14/ 1957	-93.9	21.3	3241.1	01	12	7	
	P	6 / 5 / 1957	-93.8	0.1	3241.2	01	12	7	
	P	9 / 4 / 1957	-128.2	-34.4	3206.8	01	12	7	
	P	10 / 1 / 1957	-101.1	27.1	3233.9	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/ 1/1957	-97.4	3.7	3237.6	01	12	7	
	P	12/ 4/1957	-96	1.4	3239	01	12	7	
	P	1/10/1958	-95.6	0.4	3239.4	01	12	7	
	P	2/ 7/1958	-95	0.6	3240	01	12	7	
	P	3/ 5/1958	-94.9	0.1	3240.1	01	12	7	
	P	4/ 4/1958	-93.6	1.3	3241.4	01	12	7	
	P	5/ 1/1958	-94.6	-1	3240.4	01	12	7	
	P	8/ 1/1958	-108.2	-13.6	3226.8	01	12	7	
	P	11/ 4/1958	-98.9	9.3	3236.1	01	12	7	
	P	12/ 5/1958	-100	-1.1	3235	01	12	7	
	P	1/ 8/1959	-103	-3	3232	01	12	7	
	P	2/11/1959	-97.9	5.1	3237.1	01	12	7	
	P	3/ 3/1959	-95	2.9	3240	01	12	7	
	P	4/ 2/1959	-125.2	-30.2	3209.8	01	12	7	
	P	5/ 1/1959	-130.5	-5.3	3204.5	01	12	7	
	P	6/ 5/1959	-105	25.5	3230	01	12	7	

Min *-130.5* **Max** *-66.55* **Avg** *-95.0109*

1144811 *(Aquifer: 121OGLL Well Depth: 288)*

	P	1/12/1980	-177.06		3163.94	01	01	1	
	P	1/19/1981	-183.88	-6.82	3157.12	01	01	1	
	P	1/14/1983	-195.93	-12.1	3145.07	01	01	1	
	P	1/11/1985	-198.62	-2.69	3142.38	01	01	1	
	P	12/12/1986	-205.99	-7.37	3135.01	01	01	1	
	P	12/16/1987	-210.35	-4.36	3130.65	01	01	1	
	N	12/10/1988				01	01		41
	N	12/ 5/1989				01	01		41
	P	12/12/1990	-210.4		3130.6	01	01	1	
	P	12/12/1991	-214.32	-3.92	3126.68	01	01	1	
	P	1/27/1993	-213.42	0.9	3127.58	01	01	1	
	P	1/19/1994	-217.2	-3.78	3123.8	01	06	1	
	P	1/17/1995	-223.8	-6.6	3117.2	01	06	1	
	P	1/22/1996	-224.92	-1.12	3116.08	01	06	1	
	P	1/17/1997	-228.93	-4.01	3112.07	01	06	1	
	P	1/20/1998	-229.93	-1	3111.07	01	06	1	
	P	2/ 8/1999	-233	-3.07	3108	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 31/ 2000				01	06		42
	N	1 / 25/ 2001				01	06		51
	N	1 / 29/ 2002				01	06		42
	N	2 / 28/ 2003				01	06		42
	N	1 / 20/ 2004				01	06		42
	N	2 / 15/ 2005				01	06		42

Min *-233* **Max** *-177.06* **Avg** *-211.183*

1149101 *(Aquifer: 121OGLL Well Depth: 300)*

	P	3 / 12/ 1947	-85.95		3476.05	01	12	7	01
	P	2 / 19/ 1948	-89.04	-3.09	3472.96	01	12	7	01
	P	2 / 23/ 1949	-92.86	-3.82	3469.14	01	12	7	01
	P	2 / 18/ 1950	-93.27	-0.41	3468.73	01	12	7	01
	P	1 / 17/ 1951	-95.41	-2.14	3466.59	01	12	7	01
	P	1 / 29/ 1952	-99.12	-3.71	3462.88	01	12	7	01
	P	1 / 12/ 1953	-104.5	-5.38	3457.5	01	12	7	01
	P	1 / 10/ 1954	-108.78	-4.28	3453.22	01	12	7	01
	P	12 / 21/ 1954	-115.17	-6.39	3446.83	01	12	7	01
	P	1 / 14/ 1955	-114.5	0.67	3447.5	01	12	7	01
	P	1 / 10/ 1956	-118.43	-3.93	3443.57	01	12	7	01
	P	1 / 13/ 1958	-129.68	-11.3	3432.32	01	12	7	01
	P	1 / 5 / 1959	-131	-1.32	3431	01	12	7	01
	P	1 / 19/ 1960	-139.13	-8.13	3422.87	01	12	7	01
	P	1 / 11/ 1961	-145.35	-6.22	3416.65	01	04	1	
	P	1 / 9 / 1962	-142.72	2.63	3419.28	01	01	1	
	P	1 / 6 / 1963	-149.43	-6.71	3412.57	01	01	1	
	P	1 / 9 / 1964	-153	-3.57	3409	01	01	1	
	P	1 / 8 / 1965	-167.6	-14.6	3394.4	01	01	1	
	P	1 / 9 / 1966	-164.15	3.45	3397.85	01	01	1	
	P	1 / 5 / 1967	-166.84	-2.69	3395.16	01	01	1	03
	P	1 / 6 / 1968	-171.76	-4.92	3390.24	01	01	1	
	P	1 / 11/ 1969	-174.15	-2.39	3387.85	01	01	1	
	P	1 / 9 / 1970	-179.15	-5	3382.85	01	01	1	
	P	1 / 6 / 1971	-200.6	-21.5	3361.4	01	01	1	04
	N	1 / 6 / 1972				01	01	1	44
	N	1 / 16/ 1973				01	01		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 14/ 1974	-191.66		3370.34	01	01	1	03
	P	1/ 9/ 1975	-194.18	-2.52	3367.82	01	01	1	
	P	1/ 9/ 1976	-196.56	-2.38	3365.44	01	01	1	
	P	1/ 15/ 1977	-203.81	-7.25	3358.19	01	01	1	
	P	1/ 9/ 1978	-207.97	-4.16	3354.03	01	01	1	
	P	1/ 4/ 1979	-210.69	-2.72	3351.31	01	01	1	
	P	1/ 14/ 1980	-211.85	-1.16	3350.15	01	01	1	
	P	1/ 17/ 1982	-215.76	-3.91	3346.24	01	01	1	
	P	1/ 10/ 1984	-224.97	-9.21	3337.03	01	01	1	
	P	12/ 10/ 1985	-235.62	-10.7	3326.38	01	01	1	
	P	12/ 10/ 1986	-229.38	6.24	3332.62	01	01	1	
	N	12/ 18/ 1987				01	01		61
	P	12/ 9/ 1988	-223.75		3338.25	01	01	2	
	P	12/ 6/ 1989	-225.7	-1.95	3336.3	01	01	1	
	P	12/ 11/ 1990	-227.7	-2	3334.3	01	01	1	
	P	12/ 11/ 1991	-233.58	-5.88	3328.42	01	01	1	
	P	1/ 25/ 1993	-236.53	-2.95	3325.47	01	01	1	
	P	1/ 18/ 1994	-240.95	-4.42	3321.05	01	06	1	
	P	1/ 20/ 1995	-243.68	-2.73	3318.32	01	06	1	
	P	1/ 23/ 1996	-250.27	-6.59	3311.73	01	06	1	
	P	2/ 4/ 1997	-248.08	2.19	3313.92	01	06	1	
	P	1/ 15/ 1998	-251.32	-3.24	3310.68	01	06	1	
	P	2/ 8/ 1999	-253	-1.68	3309	01	06	1	
	P	2/ 10/ 2000	-254.37	-1.37	3307.63	01	06	1	
	P	1/ 24/ 2001	-257.08	-2.71	3304.92	01	06	1	
	P	1/ 25/ 2002	-258.5	-1.42	3303.5	01	06	1	
	N	4/ 2/ 2003				01	06		41
	P	1/ 22/ 2004	-263.36		3298.64	01	06	1	
	P	2/ 22/ 2005	-263.97	-0.61	3298.03	01	06	1	
	P	1/ 18/ 2006	-263.87	0.1	3298.13	01	06	1	
	P	1/ 8/ 2007	-266.32	-2.45	3295.68	01	06	1	
	P	1/ 9/ 2008	-266.79	-0.47	3295.21	01	06	1	
	P	2/ 2/ 2009	-269.71	-2.92	3292.29	01	06	1	
	P	1/ 14/ 2010	-271.65	-1.94	3290.35	01	06	1	
	P	1/ 21/ 2011	-274.08	-2.43	3287.92	01	06	1	
	P	2/ 6/ 2012	-277.42	-3.34	3284.58	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-277.42***	**Max**	***-85.95***	**Avg**	***-194.504***				
1149102	*(Aquifer: 121OGLL*		*Well Depth: 224)*						
	P	3 / 12/ 1947	-80.76		3461.24	01	12	7	01
	P	2 / 19/ 1948	-82.98	-2.22	3459.02	01	12	7	01
	P	2 / 23/ 1949	-87.19	-4.21	3454.81	01	12	7	01
	P	2 / 18/ 1950	-87.42	-0.23	3454.58	01	12	7	01
	P	1 / 29/ 1952	-93.09	-5.67	3448.91	01	12	7	01
	P	1 / 12/ 1953	-103.35	-10.3	3438.65	01	12	7	01
	P	1 / 10/ 1954	-103.62	-0.27	3438.38	01	12	7	01
	P	1 / 14/ 1955	-108.3	-4.68	3433.7	01	12	7	01
	P	1 / 10/ 1956	-111.85	-3.55	3430.15	01	12	7	01
	P	1 / 4 / 1957	-119.7	-7.85	3422.3	01	12	7	01
	P	1 / 13/ 1958	-125.5	-5.8	3416.5	01	12	7	01
	P	1 / 5 / 1959	-126.45	-0.95	3415.55	01	04	1	
	P	1 / 9 / 1962	-137.8	-11.4	3404.2	01	01	1	
	P	1 / 6 / 1963	-142.91	-5.11	3399.09	01	01	1	
	P	1 / 9 / 1964	-149.66	-6.75	3392.34	01	01	1	
	N	1 / 8 / 1965				01	01		42
	N	1 / 9 / 1966				01	01		42
	N	1 / 5 / 1967				01	01		42
	N	1 / 6 / 1968				01	01		42
	N	1 / 11/ 1969				01	01		42
Min	***-149.66***	**Max**	***-80.76***	**Avg**	***-110.705***				
1149103	*(Aquifer: 121OGLL*		*Well Depth: 202)*						
	P	5 / 19/ 1936	-77.53		3463.47	01	12	7	01
	P	6 / 8 / 1937	-77.72	-0.19	3463.28	01	12	7	01
	P	8 / 16/ 1937	-77.46	0.26	3463.54	01	12	7	01
	P	1 / 6 / 1938	-76.88	0.58	3464.12	01	12	7	01
	P	5 / 31/ 1938	-77.39	-0.51	3463.61	01	12	7	01
	P	6 / 27/ 1938	-77.49	-0.1	3463.51	01	12	7	01
	P	1 / 17/ 1941	-78.6	-1.11	3462.4	01	12	7	01
	P	3 / 8 / 1941	-78.33	0.27	3462.67	01	12	7	01
	P	11 / 13/ 1941	-78.01	0.32	3462.99	01	12	7	01
	P	2 / 28/ 1942	-77.53	0.48	3463.47	01	12	7	01
	P	10 / 24/ 1942	-77.55	-0.02	3463.45	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 20/ 1943	-77.37	0.18	3463.63	01	12	7	01
	P	2/ 3/ 1944	-78.06	-0.69	3462.94	01	12	7	01
	P	2/ 23/ 1945	-78.38	-0.32	3462.62	01	12	7	01
	P	2/ 25/ 1946	-79.38	-1	3461.62	01	12	7	01
	P	1/ 21/ 1947	-81.6	-2.22	3459.4	01	12	7	01
	P	2/ 19/ 1948	-83.59	-1.99	3457.41	01	12	7	01
	P	2/ 23/ 1949	-86.15	-2.56	3454.85	01	12	7	01
	P	2/ 18/ 1950	-87.59	-1.44	3453.41	01	12	7	01
	P	1/ 29/ 1952	-92.83	-5.24	3448.17	01	12	7	01
	P	1/ 12/ 1953	-98.19	-5.36	3442.81	01	12	7	01
	P	1/ 10/ 1954	-102.98	-4.79	3438.02	01	12	7	01
	P	12/ 21/ 1954	-109.07	-6.09	3431.93	01	12	7	01
	P	1/ 14/ 1955	-107.73	1.34	3433.27	01	12	7	01
	P	1/ 10/ 1956	-115.62	-7.89	3425.38	01	12	7	01
	P	1/ 5/ 1959	-127.67	-12.1	3413.33	01	12	7	01
	P	1/ 19/ 1960	-133.79	-6.12	3407.21	01	12	7	01
	P	1/ 11/ 1961	-139.09	-5.3	3401.91	01	04	1	
	P	1/ 9/ 1962	-141.74	-2.65	3399.26	01	01	1	
	P	1/ 6/ 1963	-147.49	-5.75	3393.51	01	01	1	
	P	1/ 9/ 1964	-153.61	-6.12	3387.39	01	01	1	
	P	1/ 8/ 1965	-165.33	-11.7	3375.67	01	01	1	
	P	1/ 9/ 1966	-166.28	-0.95	3374.72	01	01	1	
	P	1/ 5/ 1967	-167.1	-0.82	3373.9	01	01	1	
	P	1/ 6/ 1968	-172.96	-5.86	3368.04	01	01	1	
	P	1/ 11/ 1969	-175.8	-2.84	3365.2	01	01	1	
	N	1/ 9/ 1970				01	01		40

Min *-175.8* **Max** *-76.88* **Avg** *-106.219*

1149201 *(Aquifer: 121OGLL Well Depth:)*

	P	4/ 25/ 1936	-53.18		3452.82	01	12	7	01
	P	5/ 8/ 1937	-54.16	-0.98	3451.84	01	12	7	01
	P	6/ 8/ 1937	-54.4	-0.24	3451.6	01	12	7	01
	P	7/ 17/ 1937	-54.2	0.2	3451.8	01	12	7	01
	P	8/ 19/ 1937	-54.34	-0.14	3451.66	01	12	7	01
	P	1/ 6/ 1938	-53.73	0.61	3452.27	01	12	7	01
	P	4/ 12/ 1938	-54.36	-0.63	3451.64	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 25/ 1938	-55.06	-0.7	3450.94	01	12	7	01
	P	8 / 10/ 1938	-55.26	-0.2	3450.74	01	12	7	01
	P	10 / 19/ 1938	-54.42	0.84	3451.58	01	12	7	01
	P	12 / 6 / 1938	-55.07	-0.65	3450.93	01	12	7	01
	P	1 / 4 / 1939	-55.22	-0.15	3450.78	01	12	7	01
	P	1 / 31/ 1939	-55.01	0.21	3450.99	01	12	7	01
	P	3 / 4 / 1939	-54.86	0.15	3451.14	01	12	7	01
	P	6 / 23/ 1939	-56.05	-1.19	3449.95	01	12	7	01
	P	8 / 15/ 1939	-56.59	-0.54	3449.41	01	12	7	01
	P	10 / 2 / 1939	-57.17	-0.58	3448.83	01	12	7	01
	P	12 / 1 / 1939	-56.82	0.35	3449.18	01	12	7	01
	P	2 / 29/ 1940	-56.42	0.4	3449.58	01	12	7	01
	P	7 / 9 / 1940	-57.92	-1.5	3448.08	01	12	7	01
	P	10 / 29/ 1940	-58.92	-1	3447.08	01	12	7	01
	P	11 / 16/ 1940	-58.65	0.27	3447.35	01	12	7	01
	P	1 / 17/ 1941	-58.05	0.6	3447.95	01	12	7	01
	P	11 / 13/ 1941	-57.72	0.33	3448.28	01	12	7	01
	P	2 / 28/ 1942	-56.23	1.49	3449.77	01	12	7	01
	P	7 / 2 / 1942	-56.79	-0.56	3449.21	01	12	7	01
	P	2 / 11/ 1943	-54.64	2.15	3451.36	01	12	7	01
	P	2 / 2 / 1944	-56.26	-1.62	3449.74	01	12	7	01
	P	2 / 23/ 1945	-59.6	-3.34	3446.4	01	12	7	01

Min *-59.6* **Max** *-53.18* **Avg** *-55.9*

1149203 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 28/ 1994	-205.49		3307.51	01	06	1
	P	1 / 20/ 1995	-207.11	-1.62	3305.89	01	06	1
	P	1 / 23/ 1996	-210.36	-3.25	3302.64	01	06	1
	P	2 / 4 / 1997	-216.44	-6.08	3296.56	01	06	1
	P	1 / 15/ 1998	-217	-0.56	3296	01	06	1
	P	2 / 8 / 1999	-222	-5	3291	01	06	1
	P	2 / 10/ 2000	-227.69	-5.69	3285.31	01	06	1
	P	1 / 24/ 2001	-226.41	1.28	3286.59	01	06	1
	P	1 / 25/ 2002	-227.81	-1.4	3285.19	01	06	1
	P	2 / 25/ 2003	-234.14	-6.33	3278.86	01	06	1
	P	1 / 22/ 2004	-234.42	-0.28	3278.58	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 22/ 2005	-232.19	2.23	3280.81	01	06	1	
	P	1 / 18/ 2006	-233.5	-1.31	3279.5	01	06	1	
	P	1 / 8 / 2007	-237.35	-3.85	3275.65	01	06	1	
	P	1 / 14/ 2008	-238.21	-0.86	3274.79	01	06	1	
	P	1 / 30/ 2009	-241.51	-3.3	3271.49	01	06	1	
	P	2 / 22/ 2010	-243.67	-2.16	3269.33	01	06	1	
	P	1 / 21/ 2011	-244.2	-0.53	3268.8	01	06	1	
	P	3 / 2 / 2012	-250.03	-5.83	3262.97	01	06	1	

Min *-250.03* **Max** *-205.49* **Avg** *-228.923*

1149204 *(Aquifer: 121OGLL Well Depth: 290)*

	P	2 / 1 / 2000	-218.2		3280.8	01	01	1	
	P	2 / 3 / 2000	-217.97	0.23	3281.03	01	01	1	

Min *-218.2* **Max** *-217.97* **Avg** *-218.085*

1149205 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 2 / 2000	-221.39		3281.61	01	01	1	

Min *-221.39* **Max** *-221.39* **Avg** *-221.39*

1149206 *(Aquifer: 121OGLL Well Depth: 317)*

	P	2 / 2 / 2000	-221.05		3277.95	01	01	1	

Min *-221.05* **Max** *-221.05* **Avg** *-221.05*

1149207 *(Aquifer: 121OGLL Well Depth: 292)*

	P	5 / 7 / 1992	-228		3289	01	07	7	

Min *-228* **Max** *-228* **Avg** *-228*

1149301 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 12/ 1947	-67.86		3430.14	01	12	7	01
	P	2 / 23/ 1949	-73.99	-6.13	3424.01	01	12	7	01
	P	1 / 29/ 1952	-77.22	-3.23	3420.78	01	12	7	01
	P	1 / 12/ 1953	-85.2	-7.98	3412.8	01	12	7	01
	P	1 / 14/ 1955	-93.18	-7.98	3404.82	01	12	7	01
	P	1 / 10/ 1956	-96.55	-3.37	3401.45	01	12	7	01
	P	1 / 4 / 1957	-104.55	-8	3393.45	01	12	7	01
	P	1 / 15/ 1958	-107.11	-2.56	3390.89	01	12	7	01
	P	1 / 5 / 1959	-107.54	-0.43	3390.46	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 19/ 1960	-115	-7.46	3383	01	12	7	01
	P	1/ 11/ 1961	-117.7	-2.7	3380.3	01	04	1	
	P	1/ 16/ 1962	-118.22	-0.52	3379.78	01	01	1	
	P	1/ 6/ 1963	-123.55	-5.33	3374.45	01	01	1	
	P	1/ 9/ 1964	-128.2	-4.65	3369.8	01	01	1	
	P	1/ 8/ 1965	-139.4	-11.2	3358.6	01	01	1	
	P	1/ 9/ 1966	-140.5	-1.1	3357.5	01	01	1	
	P	1/ 5/ 1967	-143.64	-3.14	3354.36	01	01	1	
	P	1/ 6/ 1968	-158.45	-14.8	3339.55	01	01	1	
	P	1/ 10/ 1969	-165.62	-7.17	3332.38	01	01	1	
	P	1/ 2/ 1970	-150.65	14.97	3347.35	01	01	1	
	P	1/ 6/ 1971	-156	-5.35	3342	01	01	1	
	P	1/ 6/ 1972	-158.73	-2.73	3339.27	01	01	1	
	P	1/ 16/ 1973	-157.73	1	3340.27	01	01	1	
	P	1/ 14/ 1974	-161.4	-3.67	3336.6	01	01	1	
	P	1/ 9/ 1975	-164.43	-3.03	3333.57	01	01	1	
	P	1/ 10/ 1976	-167.04	-2.61	3330.96	01	01	1	
	P	1/ 14/ 1977	-171.94	-4.9	3326.06	01	01	1	
	N	1/ 8/ 1978				01	01		40

Min *-171.94* **Max** *-67.86* **Avg** *-127.83*

1149302 *(Aquifer: 121OGLL Well Depth:)*

	P	7/ 28/ 1937	-51.68		3430.32	01	12	7	01
	P	8/ 11/ 1937	-51.68		3430.32	01	12	7	01
	P	8/ 19/ 1937	-51.77	-0.09	3430.23	01	12	7	01
	P	8/ 24/ 1937	-51.74	0.03	3430.26	01	12	7	01
	P	9/ 10/ 1937	-51.67	0.07	3430.33	01	12	7	01
	P	10/ 1/ 1937	-52.01	-0.34	3429.99	01	12	7	01
	P	11/ 2/ 1937	-52.24	-0.23	3429.76	01	12	7	01
	P	12/ 1/ 1937	-52.38	-0.14	3429.62	01	12	7	01
	P	1/ 6/ 1938	-52.49	-0.11	3429.51	01	12	7	01
	P	3/ 12/ 1938	-52.57	-0.08	3429.43	01	12	7	01
	P	4/ 12/ 1938	-52.7	-0.13	3429.3	01	12	7	01
	P	6/ 24/ 1938	-52.9	-0.2	3429.1	01	12	7	01
	P	8/ 10/ 1938	-53.24	-0.34	3428.76	01	12	7	01
	P	10/ 19/ 1938	-53.3	-0.06	3428.7	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 4 / 1939	-53.41	-0.11	3428.59	01	12	7	01
	P	1 / 16/ 1939	-53.12	0.29	3428.88	01	12	7	01
	P	1 / 31/ 1939	-52.9	0.22	3429.1	01	12	7	01
	P	3 / 4 / 1939	-52.95	-0.05	3429.05	01	12	7	01
	P	4 / 3 / 1939	-53	-0.05	3429	01	12	7	01
	P	6 / 23/ 1939	-53.42	-0.42	3428.58	01	12	7	01
	P	8 / 15/ 1939	-53.4	0.02	3428.6	01	12	7	01
	P	10 / 2 / 1939	-53.63	-0.23	3428.37	01	12	7	01
	P	12 / 1 / 1939	-53.96	-0.33	3428.04	01	12	7	01
	P	2 / 29/ 1940	-54.3	-0.34	3427.7	01	12	7	01
	P	7 / 9 / 1940	-54.6	-0.3	3427.4	01	12	7	01
	P	11 / 16/ 1940	-60.15	-5.55	3421.85	01	12	7	01
	P	1 / 17/ 1941	-56.22	3.93	3425.78	01	12	7	01
	P	3 / 8 / 1941	-56.14	0.08	3425.86	01	12	7	01
	P	7 / 24/ 1941	-53.94	2.2	3428.06	01	12	7	01
	P	11 / 13/ 1941	-52.57	1.37	3429.43	01	12	7	01
	P	2 / 28/ 1942	-52.13	0.44	3429.87	01	12	7	01

Min *-60.15* **Max** *-51.67* **Avg** *-53.2971*

1149303 *(Aquifer: 121OGLL Well Depth: 280)*

	P	0 / 0 / 1914	-61.5		3423.5	01	12	7	01
	P	4 / 21/ 1936	-59.81	1.69	3425.19	01	12	7	01
	P	6 / 8 / 1937	-61.9	-2.09	3423.1	01	12	7	01
	P	7 / 17/ 1937	-62.25	-0.35	3422.75	01	12	7	01
	P	7 / 28/ 1937	-60.89	1.36	3424.11	01	12	7	01
	P	1 / 6 / 1938	-60.6	0.29	3424.4	01	12	7	01
	P	3 / 12/ 1938	-60.2	0.4	3424.8	01	12	7	01
	P	4 / 12/ 1938	-60.9	-0.7	3424.1	01	12	7	01
	P	6 / 24/ 1938	-61.47	-0.57	3423.53	01	12	7	01
	P	10 / 19/ 1938	-61.8	-0.33	3423.2	01	12	7	01
	P	1 / 4 / 1939	-61.23	0.57	3423.77	01	12	7	01
	P	3 / 3 / 1939	-61.08	0.15	3423.92	01	12	7	01
	P	8 / 15/ 1939	-63.46	-2.38	3421.54	01	12	7	01
	P	10 / 2 / 1939	-63.96	-0.5	3421.04	01	12	7	01
	P	12 / 1 / 1939	-62.1	1.86	3422.9	01	12	7	01
	P	3 / 5 / 1940	-62.09	0.01	3422.91	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 16/ 1940	-65.3	-3.21	3419.7	01	12	7	01
	P	1 / 17/ 1941	-63.7	1.6	3421.3	01	12	7	01
	P	3 / 8 / 1941	-63.38	0.32	3421.62	01	12	7	01
	P	7 / 24/ 1941	-63.21	0.17	3421.79	01	12	7	01
	P	11 / 13/ 1941	-62.81	0.4	3422.19	01	12	7	01
	P	2 / 28/ 1942	-62.02	0.79	3422.98	01	12	7	01
	P	10 / 9 / 1942	-62.41	-0.39	3422.59	01	12	7	01
	P	1 / 18/ 1943	-61.6	0.81	3423.4	01	12	7	01
	P	2 / 3 / 1944	-63.19	-1.59	3421.81	01	12	7	01
	P	2 / 23/ 1945	-64.8	-1.61	3420.2	01	12	7	01
	P	2 / 26/ 1946	-65.46	-0.66	3419.54	01	12	7	01
	P	1 / 21/ 1947	-67.07	-1.61	3417.93	01	12	7	01
	P	3 / 12/ 1947	-70.56	-3.49	3414.44	01	12	7	01
	P	1 / 17/ 1948	-69.56	1	3415.44	01	12	7	01
	P	2 / 22/ 1948	-69.64	-0.08	3415.36	01	12	7	01
	P	2 / 23/ 1949	-72.68	-3.04	3412.32	01	12	7	01
	P	2 / 15/ 1950	-73.03	-0.35	3411.97	01	12	7	01

Min *-73.03* **Max** *-59.81* **Avg** *-63.8079*

1149304 *(Aquifer: 121OGLL Well Depth: 307)*

	P	1 / 8 / 1978	-174.85		3323.15	01	01	1	
	P	1 / 4 / 1979	-178.2	-3.35	3319.8	01	01	1	
	P	1 / 14/ 1980	-178.25	-0.05	3319.75	01	01	1	
	P	1 / 17/ 1982	-187.83	-9.58	3310.17	01	01	1	
	P	1 / 10/ 1984	-193.67	-5.84	3304.33	01	01	1	
	P	12 / 10/ 1985	-202.35	-8.68	3295.65	01	01	1	
	P	12 / 10/ 1986	-203.92	-1.57	3294.08	01	01	1	
	N	1 / 11/ 1988				01	01		61
	N	12 / 9 / 1988				01	01		42
	P	12 / 6 / 1989	-201.6		3296.4	01	01	1	
	P	12 / 11/ 1990	-203.7	-2.1	3294.3	01	01	1	
	P	12 / 11/ 1991	-206.62	-2.92	3291.38	01	01	1	
	P	1 / 25/ 1993	-205.03	1.59	3292.97	01	01	1	
	P	1 / 18/ 1994	-209.83	-4.8	3288.17	01	06	1	

Min *-209.83* **Max** *-174.85* **Avg** *-195.488*

1149306 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 28/ 1994	-216.45		3280.55	01	06	1	
	P	1 / 20/ 1995	-212.47	3.98	3284.53	01	06	1	
	P	1 / 23/ 1996	-215.42	-2.95	3281.58	01	06	1	
	P	2 / 4 / 1997	-221.31	-5.89	3275.69	01	06	1	
	P	1 / 15/ 1998	-222.83	-1.52	3274.17	01	06	1	
	P	2 / 8 / 1999	-230	-7.17	3267	01	06	1	
	P	2 / 2 / 2000	-231.6	-1.6	3265.4	01	01	1	
	P	2 / 9 / 2000	-231.42	0.18	3265.58	01	06	1	
	P	1 / 24/ 2001	-234.85	-3.43	3262.15	01	06	1	
	P	1 / 25/ 2002	-236.54	-1.69	3260.46	01	06	1	
	P	2 / 25/ 2003	-241.33	-4.79	3255.67	01	06	1	
	P	1 / 28/ 2004	-241.77	-0.44	3255.23	01	06	1	
	P	2 / 22/ 2005	-242.08	-0.31	3254.92	01	06	1	
	P	1 / 18/ 2006	-243.31	-1.23	3253.69	01	06	1	
	P	1 / 8 / 2007	-243.79	-0.48	3253.21	01	06	1	
	P	1 / 14/ 2008	-244.84	-1.05	3252.16	01	06	1	
	P	2 / 2 / 2009	-248.6	-3.76	3248.4	01	06	1	
	P	2 / 22/ 2010	-250.71	-2.11	3246.29	01	06	1	
	P	2 / 11/ 2011	-249.76	0.95	3247.24	01	06	1	
	P	3 / 2 / 2012	-251.75	-1.99	3245.25	01	06	1	

Min *-251.75* **Max** *-212.47* **Avg** *-235.542*

1149307 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-205.5		3259.5	01	01	1	
	P	2 / 3 / 2000	-205.2	0.3	3259.8	01	01	1	

Min *-205.5* **Max** *-205.2* **Avg** *-205.35*

1149308 *(Aquifer: 121OGLL Well Depth: 305)*

	P	2 / 2 / 2000	-222.37		3271.63	01	01	1	

Min *-222.37* **Max** *-222.37* **Avg** *-222.37*

1149309 *(Aquifer: 121OGLL Well Depth: 331)*

	P	2 / 2 / 2000	-229.3		3266.7	01	01	1	

Min *-229.3* **Max** *-229.3* **Avg** *-229.3*

1149310 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 2 / 2000	-230.22		3267.78	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 2000	-230.01	0.21	3267.99	01	01	1	
Min -230.22		Max -230.01	Avg -230.115						
1149311	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 2 / 2000	-231.4		3260.6	01	01	1	
	P	2 / 3 / 2000	-231.35	0.05	3260.65	01	01	1	
Min -231.4		Max -231.35	Avg -231.375						
1149313	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 2 / 2000	-219.64		3277.36	01	01	1	
Min -219.64		Max -219.64	Avg -219.64						
1149314	(Aquifer: 121OGLL		Well Depth: 292	)					
	P	12 / 20/ 1994	-190		3303	01	07	7	
	P	2 / 2 / 2000	-231.3	-41.3	3261.7	01	01	1	
Min -231.3		Max -190	Avg -210.65						
1149315	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 2 / 2000	-233.03		3254.97	01	01	1	
Min -233.03		Max -233.03	Avg -233.03						
1149401	(Aquifer: 121OGLL		Well Depth: 108	)					
	P	6 / 15/ 1937	-81.38		3460.62	01	12	7	01
	P	7 / 22/ 1937	-81.48	-0.1	3460.52	01	12	7	01
	P	8 / 30/ 1937	-81.27	0.21	3460.73	01	12	7	01
	P	1 / 6 / 1938	-81.69	-0.42	3460.31	01	12	7	01
	P	4 / 12/ 1938	-81.65	0.04	3460.35	01	12	7	01
	P	5 / 31/ 1938	-82	-0.35	3460	01	12	7	01
	P	6 / 27/ 1938	-82.37	-0.37	3459.63	01	12	7	01
	P	8 / 10/ 1938	-82.17	0.2	3459.83	01	12	7	01
	P	10 / 19/ 1938	-82.34	-0.17	3459.66	01	12	7	01
	P	12 / 6 / 1938	-82.65	-0.31	3459.35	01	12	7	01
	P	1 / 4 / 1939	-82.65		3459.35	01	12	7	01
	P	3 / 3 / 1939	-82.32	0.33	3459.68	01	12	7	01
	P	6 / 23/ 1939	-82.95	-0.63	3459.05	01	12	7	01
	P	8 / 15/ 1939	-83.47	-0.52	3458.53	01	12	7	01
	P	10 / 2 / 1939	-83.85	-0.38	3458.15	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 1 / 1939	-83.26	0.59	3458.74	01	12	7	01
	P	3 / 27 / 1940	-83.13	0.13	3458.87	01	12	7	01
	P	11 / 13 / 1940	-84.39	-1.26	3457.61	01	12	7	01
	P	1 / 17 / 1941	-83.96	0.43	3458.04	01	12	7	01
	P	3 / 11 / 1941	-83.7	0.26	3458.3	01	12	7	01
	P	7 / 24 / 1941	-83.81	-0.11	3458.19	01	12	7	01
	P	11 / 13 / 1941	-83.4	0.41	3458.6	01	12	7	01
	P	2 / 28 / 1942	-82.89	0.51	3459.11	01	12	7	01
	P	7 / 25 / 1942	-83.52	-0.63	3458.48	01	12	7	01
	P	10 / 24 / 1942	-83.24	0.28	3458.76	01	12	7	01
	P	1 / 20 / 1943	-82.66	0.58	3459.34	01	12	7	01

Min *-84.39* **Max** *-81.27* **Avg** *-82.7769*

1149402 *(Aquifer: 121OGLL Well Depth: 75)*

	P	5 / 19 / 1936	-66.1		3458.9	01	12	7	
	P	6 / 8 / 1937	-66.7	-0.6	3458.3	01	12	7	
	P	1 / 6 / 1938	-66.18	0.52	3458.82	01	12	7	
	P	1 / 4 / 1939	-66.9	-0.72	3458.1	01	12	7	
	P	3 / 3 / 1939	-67.11	-0.21	3457.89	01	12	7	
	P	6 / 23 / 1939	-67.03	0.08	3457.97	01	12	7	
	P	8 / 15 / 1939	-67.11	-0.08	3457.89	01	12	7	
	P	11 / 20 / 1939	-67.22	-0.11	3457.78	01	12	7	
	P	12 / 1 / 1939	-67.23	-0.01	3457.77	01	12	7	
	P	3 / 27 / 1940	-67.3	-0.07	3457.7	01	12	7	
	P	11 / 16 / 1940	-67.87	-0.57	3457.13	01	12	7	
	P	1 / 17 / 1941	-67.95	-0.08	3457.05	01	12	7	
	P	3 / 8 / 1941	-67.95		3457.05	01	12	7	

Min *-67.95* **Max** *-66.1* **Avg** *-67.1269*

1149403 *(Aquifer: 121OGLL Well Depth: 92)*

	P	7 / 23 / 1937	-77.83		3459.17	01	12	7	
	P	8 / 30 / 1937	-77.87	-0.04	3459.13	01	12	7	
	P	1 / 6 / 1938	-78.06	-0.19	3458.94	01	12	7	
	P	4 / 12 / 1938	-78.14	-0.08	3458.86	01	12	7	
	P	6 / 27 / 1938	-78.37	-0.23	3458.63	01	12	7	

Min *-78.37* **Max** *-77.83* **Avg** *-78.054*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1149404	(Aquifer: 121OGLL		Well Depth: 334)						
	P	1 / 9 / 1978	-227.5		3322.5	01	01	1	
	P	1 / 4 / 1979	-234.76	-7.26	3315.24	01	01	1	
	P	1 / 14/ 1980	-236.18	-1.42	3313.82	01	01	1	
	P	1 / 18/ 1982	-245.8	-9.62	3304.2	01	01	1	
	P	1 / 10/ 1984	-256.73	-10.9	3293.27	01	01	1	
	P	12 / 10/ 1985	-273.85	-17.1	3276.15	01	01	1	
	P	12 / 10/ 1986	-261.4	12.45	3288.6	01	01	1	
	P	12 / 18/ 1987	-265.2	-3.8	3284.8	01	01	1	
	P	12 / 9 / 1988	-256.3	8.9	3293.7	01	01	2	
	P	12 / 6 / 1989	-258.87	-2.57	3291.13	01	01	1	
	P	12 / 11/ 1990	-261	-2.13	3289	01	01	1	
	P	12 / 11/ 1991	-263.75	-2.75	3286.25	01	01	1	
	P	1 / 25/ 1993	-263.3	0.45	3286.7	01	01	1	
	P	1 / 25/ 1994	-270.95	-7.65	3279.05	01	06	1	
	P	1 / 20/ 1995	-268.86	2.09	3281.14	01	06	1	
	P	1 / 23/ 1996	-273.37	-4.51	3276.63	01	06	1	
	P	2 / 10/ 1997	-276.54	-3.17	3273.46	01	06	1	
	P	1 / 19/ 1998	-277.78	-1.24	3272.22	01	06	1	
	P	2 / 8 / 1999	-281	-3.22	3269	01	06	1	
	P	2 / 10/ 2000	-282.4	-1.4	3267.6	01	06	1	
	P	1 / 24/ 2001	-284.13	-1.73	3265.87	01	06	1	
	P	1 / 25/ 2002	-285.57	-1.44	3264.43	01	06	1	
	P	2 / 26/ 2003	-286.72	-1.15	3263.28	01	06	1	
	P	1 / 22/ 2004	-288.94	-2.22	3261.06	01	06	1	
	P	2 / 22/ 2005	-288.2	0.74	3261.8	01	06	1	
	P	1 / 18/ 2006	-287.42	0.78	3262.58	01	06	1	
	P	1 / 8 / 2007	-290.35	-2.93	3259.65	01	06	1	
	P	1 / 16/ 2008	-289.92	0.43	3260.08	01	06	1	
	P	2 / 2 / 2009	-291.56	-1.64	3258.44	01	06	1	
	P	1 / 14/ 2010	-292.46	-0.9	3257.54	01	06	1	
	P	1 / 21/ 2011	-293.35	-0.89	3256.65	01	06	1	
	P	2 / 6 / 2012	-295.22	-1.87	3254.78	01	06	1	

Min *-295.22* **Max** *-227.5* **Avg** *-272.168*

1149501 (Aquifer: 121OGLL Well Depth: 238)

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	0 / 0 / 1939	-62		3440	01	12	7	01
	P	3 / 21/ 1947	-68.56	-6.56	3433.44	01	12	7	01
	P	9 / 19/ 1948	-70.72	-2.16	3431.28	01	12	7	01
	P	2 / 23/ 1949	-72.19	-1.47	3429.81	01	12	7	01
	P	1 / 17/ 1951	-77.23	-5.04	3424.77	01	12	7	01
	P	1 / 28/ 1952	-76.85	0.38	3425.15	01	12	7	01
	P	1 / 12/ 1953	-81.06	-4.21	3420.94	01	12	7	01
	P	1 / 9 / 1954	-85	-3.94	3417	01	12	7	01
	P	1 / 14/ 1955	-92.95	-7.95	3409.05	01	12	7	01
	P	1 / 10/ 1956	-94.15	-1.2	3407.85	01	12	7	01
	P	1 / 4 / 1957	-105.45	-11.3	3396.55	01	12	7	01
	P	1 / 5 / 1959	-108.75	-3.3	3393.25	01	12	7	01
	P	1 / 19/ 1960	-115.45	-6.7	3386.55	01	12	7	01
	P	1 / 11/ 1961	-119.2	-3.75	3382.8	01	04	1	
	P	1 / 9 / 1962	-121.65	-2.45	3380.35	01	01	1	
	P	1 / 6 / 1963	-133.36	-11.7	3368.64	01	01	1	
	P	1 / 9 / 1964	-131.65	1.71	3370.35	01	01	1	
	P	1 / 8 / 1965	-140.95	-9.3	3361.05	01	01	1	
	P	1 / 9 / 1966	-144.51	-3.56	3357.49	01	01	1	
	P	1 / 5 / 1967	-146.51	-2	3355.49	01	01	1	
	P	1 / 6 / 1968	-156.08	-9.57	3345.92	01	01	1	20
	P	1 / 11/ 1969	-159.04	-2.96	3342.96	01	01	1	
	P	1 / 9 / 1970	-156.55	2.49	3345.45	01	01	1	
	P	1 / 6 / 1971	-161.65	-5.1	3340.35	01	01	1	
	P	1 / 6 / 1972	-171.19	-9.54	3330.81	01	01	1	
	P	1 / 16/ 1973	-179.14	-7.95	3322.86	01	01	1	25
	P	1 / 13/ 1974	-170.2	8.94	3331.8	01	01	1	
	N	1 / 8 / 1975				01	01		23
	P	1 / 9 / 1976	-177.53		3324.47	01	01	1	
	N	1 / 14/ 1977				01	01	1	44
	P	1 / 9 / 1978	-188.35		3313.65	01	01	1	
	P	1 / 4 / 1979	-189.02	-0.67	3312.98	01	01	1	
	P	1 / 14/ 1980	-189.56	-0.54	3312.44	01	01	1	
	P	1 / 17/ 1982	-200.4	-10.8	3301.6	01	01	1	25

Min *-200.4* **Max** *-62* **Avg** *-129.591*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1149502	*(Aquifer: 121OGLL*		*Well Depth: 307)*						
	P	2 / 23/ 1955	-96.22		3418.78	01	12	7	01
	P	2 / 11/ 1957	-108.13	-11.9	3406.87	01	12	7	01
	P	1 / 5 / 1959	-117.87	-9.74	3397.13	01	12	7	01
	P	1 / 19/ 1960	-123.5	-5.63	3391.5	01	12	7	01
	P	1 / 11/ 1961	-125.93	-2.43	3389.07	01	04	1	
	P	1 / 9 / 1962	-130.3	-4.37	3384.7	01	01	1	
	P	1 / 6 / 1963	-135.29	-4.99	3379.71	01	01	1	
	P	1 / 8 / 1964	-140.77	-5.48	3374.23	01	01	1	
	P	1 / 8 / 1965	-149.62	-8.85	3365.38	01	01	1	
	P	1 / 9 / 1966	-152.34	-2.72	3362.66	01	01	1	
	P	1 / 5 / 1967	-154.98	-2.64	3360.02	01	01	1	
	P	1 / 6 / 1968	-159.58	-4.6	3355.42	01	01	1	
	N	1 / 11/ 1969				01	01	1	44
	P	1 / 9 / 1970	-168.3		3346.7	01	01	1	
	P	1 / 6 / 1971	-169.9	-1.6	3345.1	01	01	1	
	N	1 / 6 / 1972				01	01	1	44
	P	1 / 15/ 1973	-175.85		3339.15	01	01	1	
	P	1 / 13/ 1974	-177.84	-1.99	3337.16	01	01	1	
	P	1 / 8 / 1975	-183.2	-5.36	3331.8	01	01	1	20
	P	1 / 9 / 1976	-184.3	-1.1	3330.7	01	01	1	
	N	1 / 14/ 1977				01	01		41
	N	1 / 9 / 1978				01	01		42
	P	1 / 4 / 1979	-198.77		3316.23	01	01	1	
	P	1 / 14/ 1980	-201.35	-2.58	3313.65	01	01	1	
	P	1 / 17/ 1981	-209.2	-7.85	3305.8	01	01	1	
	P	1 / 15/ 1983	-219.62	-10.4	3295.38	01	01	1	
	P	1 / 14/ 1985	-227.95	-8.33	3287.05	01	01	1	
	P	12 / 10/ 1985	-235.08	-7.13	3279.92	01	01	1	
	P	12 / 10/ 1986	-228.98	6.1	3286.02	01	01	1	
	P	12 / 15/ 1987	-229.9	-0.92	3285.1	01	01	1	
	P	12 / 9 / 1988	-231	-1.1	3284	01	01	1	
	P	12 / 7 / 1989	-231.08	-0.08	3283.92	01	01	1	
	P	12 / 11/ 1990	-237.18	-6.1	3277.82	01	01	1	
	P	12 / 11/ 1991	-239.4	-2.22	3275.6	01	01	1	
	P	1 / 25/ 1993	-237.4	2	3277.6	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 1994	-243.15	-5.75	3271.85	01	06	1	
	P	1 / 20/ 1995	-244.28	-1.13	3270.72	01	06	1	
	P	1 / 23/ 1996	-246.8	-2.52	3268.2	01	06	1	
	P	2 / 10/ 1997	-251.6	-4.8	3263.4	01	06	1	
	P	1 / 19/ 1998	-253.26	-1.66	3261.74	01	06	1	
	P	2 / 8 / 1999	-257	-3.74	3258	01	06	1	
	P	2 / 9 / 2000	-263.38	-6.38	3251.62	01	06	1	
	P	1 / 4 / 2001	-266.76	-3.38	3248.24	01	06	1	
	N	3 / 5 / 2002				01	06		42
	N	3 / 5 / 2003				01	06		42
	N	1 / 22/ 2004				01	06		42
	N	2 / 22/ 2005				01	06		42

Min *-266.76* **Max** *-96.22* **Avg** *-195.053*

1149504 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 15/ 1937	-79.47		3435.53	01	12	7
	P	7 / 22/ 1937	-79.04	0.43	3435.96	01	12	7
	P	8 / 30/ 1937	-78.81	0.23	3436.19	01	12	7
	P	1 / 6 / 1938	-78.2	0.61	3436.8	01	12	7
	P	4 / 12/ 1938	-79.05	-0.85	3435.95	01	12	7
	P	5 / 31/ 1938	-80.08	-1.03	3434.92	01	12	7
	P	6 / 24/ 1938	-79.7	0.38	3435.3	01	12	7
	P	8 / 15/ 1938	-79.64	0.06	3435.36	01	12	7
	P	12 / 6 / 1938	-79.83	-0.19	3435.17	01	12	7
	P	1 / 4 / 1939	-79.74	0.09	3435.26	01	12	7
	P	3 / 3 / 1939	-79.53	0.21	3435.47	01	12	7
	P	6 / 23/ 1939	-80.94	-1.41	3434.06	01	12	7
	P	8 / 15/ 1939	-81.29	-0.35	3433.71	01	12	7
	P	10 / 2 / 1939	-81.45	-0.16	3433.55	01	12	7
	P	12 / 1 / 1939	-80.86	0.59	3434.14	01	12	7
	P	3 / 27/ 1940	-80.99	-0.13	3434.01	01	12	7
	P	11 / 13/ 1940	-83.54	-2.55	3431.46	01	12	7
	P	3 / 8 / 1941	-82.29	1.25	3432.71	01	12	7
	P	7 / 24/ 1941	-82.38	-0.09	3432.62	01	12	7
	P	11 / 13/ 1941	-81.84	0.54	3433.16	01	12	7
	P	2 / 8 / 1942	-81.28	0.56	3433.72	01	12	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 25/ 1942	-82.31	-1.03	3432.69	01	12	7	
	P	10 / 24/ 1942	-82.45	-0.14	3432.55	01	12	7	
	P	2 / 22/ 1945	-83.1	-0.65	3431.9	01	12	7	
	P	2 / 26/ 1946	-85.23	-2.13	3429.77	01	12	7	
	P	3 / 12/ 1947	-86.55	-1.32	3428.45	01	12	7	
	P	2 / 19/ 1948	-88.35	-1.8	3426.65	01	12	7	
	P	2 / 23/ 1949	-91.65	-3.3	3423.35	01	12	7	
	P	2 / 17/ 1950	-92.15	-0.5	3422.85	01	12	7	

Min *-92.15* **Max** *-78.2* **Avg** *-82.129*

1149512 *(Aquifer: 121OGLL Well Depth: 296)*

	P	9 / 9 / 2004	-269.72		3241.28	01	01	0	

Min *-269.72* **Max** *-269.72* **Avg** *-269.72*

1149514 *(Aquifer: 121OGLL Well Depth:)*

	P	10 / 10/ 1997	-254.1		3258.9	01	06	1	
	P	1 / 19/ 1998	-252.24	1.86	3260.76	01	06	1	
	P	10 / 5 / 2000	-260.58	-8.34	3252.42	01	04	4	
	P	2 / 27/ 2001	-259.93	0.65	3253.07	01	06	1	
	P	3 / 29/ 2001	-259.57	0.36	3253.43	01	04	4	
	P	9 / 15/ 2001	-261.92	-2.35	3251.08	01	04	4	
	P	9 / 30/ 2001	-262.11	-0.19	3250.89	01	04	4	
	P	10 / 4 / 2001	-261.85	0.26	3251.15	01	04	1	
	P	11 / 15/ 2001	-262.27	-0.42	3250.73	01	04	4	
	P	11 / 30/ 2001	-262.12	0.15	3250.88	01	04	4	
	P	12 / 12/ 2001	-261.9	0.22	3251.1	01	04	1	
	P	12 / 15/ 2001	-261.88	0.02	3251.12	01	04	4	
	P	12 / 30/ 2001	-262.02	-0.14	3250.98	01	04	4	
	P	1 / 15/ 2002	-261.73	0.29	3251.27	01	04	4	
	P	1 / 28/ 2002	-261.63	0.1	3251.37	01	06	1	
	P	1 / 30/ 2002	-261.66	-0.03	3251.34	01	04	4	
	P	2 / 15/ 2002	-261.71	-0.05	3251.29	01	04	4	
	P	3 / 15/ 2002	-261.65	0.06	3251.35	01	04	4	
	P	3 / 15/ 2002	-261.7	-0.05	3251.3	02	04	1	
	P	3 / 30/ 2002	-262.24	-0.54	3250.76	01	04	4	
	P	4 / 15/ 2002	-262.45	-0.21	3250.55	01	04	4	
	P	4 / 30/ 2002	-262.62	-0.17	3250.38	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/15/2002	-262.74	-0.12	3250.26	01	04	4	
	P	5/30/2002	-263.01	-0.27	3249.99	01	04	4	
	P	6/12/2002	-262.93	0.08	3250.07	01	04	1	
	P	6/15/2002	-262.99	-0.06	3250.01	01	04	4	
	P	6/30/2002	-263.28	-0.29	3249.72	01	04	4	
	P	7/15/2002	-263.51	-0.23	3249.49	01	04	4	
	P	7/30/2002	-263.79	-0.28	3249.21	01	04	4	
	P	8/14/2002	-264.03	-0.24	3248.97	01	04	1	
	P	8/15/2002	-263.94	0.09	3249.06	01	04	4	
	P	8/30/2002	-264.25	-0.31	3248.75	01	04	4	
	P	12/15/2002	-263.87	0.38	3249.13	01	04	4	
	P	12/30/2002	-263.8	0.07	3249.2	01	04	4	
	P	1/15/2003	-263.77	0.03	3249.23	01	04	4	
	P	1/30/2003	-263.74	0.03	3249.26	01	04	4	
	P	2/15/2003	-264.22	-0.48	3248.78	01	04	4	
	P	2/22/2003	-264.25	-0.03	3248.75	01	06	1	
	P	4/1/2003	-264.39	-0.14	3248.61	01	04	4	
	P	4/15/2003	-264.45	-0.06	3248.55	01	04	4	
	P	4/30/2003	-264.65	-0.2	3248.35	01	04	4	
	P	5/1/2003	-264.77	-0.12	3248.23	01	04	4	
	P	5/15/2003	-264.88	-0.11	3248.12	01	04	4	
	P	5/30/2003	-264.97	-0.09	3248.03	01	04	4	
	P	6/15/2003	-265.21	-0.24	3247.79	01	04	4	
	P	6/30/2003	-265.1	0.11	3247.9	01	04	4	
	P	7/15/2003	-265.09	0.01	3247.91	01	04	4	
	P	7/30/2003	-265.38	-0.29	3247.62	01	04	4	
	P	8/15/2003	-265.71	-0.33	3247.29	01	04	4	
	P	8/30/2003	-265.85	-0.14	3247.15	01	04	4	
	P	9/15/2003	-265.91	-0.06	3247.09	01	04	4	
	P	9/30/2003	-265.92	-0.01	3247.08	01	04	4	
	P	10/15/2003	-265.81	0.11	3247.19	01	04	4	
	P	10/30/2003	-265.63	0.18	3247.37	01	04	4	
	P	11/15/2003	-265.59	0.04	3247.41	01	04	4	
	P	11/30/2003	-265.64	-0.05	3247.36	01	04	4	
	P	12/15/2003	-265.41	0.23	3247.59	01	04	4	
	P	12/30/2003	-265.47	-0.06	3247.53	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/15/2004	-265.49	-0.02	3247.51	01	04	4	
	P	1/28/2004	-265.65	-0.16	3247.35	01	06	1	
	P	1/30/2004	-265.44	0.21	3247.56	01	04	4	
	P	2/15/2004	-265.43	0.01	3247.57	01	04	4	
	P	3/15/2004	-265.26	0.17	3247.74	01	04	4	
	P	3/30/2004	-265.57	-0.31	3247.43	01	04	4	
	P	4/15/2004	-265.55	0.02	3247.45	01	04	4	
	P	4/30/2004	-265.46	0.09	3247.54	01	04	4	
	P	5/15/2004	-265.66	-0.2	3247.34	01	04	4	
	P	5/30/2004	-265.76	-0.1	3247.24	01	04	4	
	P	6/15/2004	-265.97	-0.21	3247.03	01	04	4	
	P	6/30/2004	-265.91	0.06	3247.09	01	04	4	
	P	7/15/2004	-266.07	-0.16	3246.93	01	04	4	
	P	7/30/2004	-266.22	-0.15	3246.78	01	04	4	
	P	8/15/2004	-266.36	-0.14	3246.64	01	04	4	
	P	8/30/2004	-266.45	-0.09	3246.55	01	04	4	
	P	9/15/2004	-266.37	0.08	3246.63	01	04	4	
	P	9/30/2004	-266.27	0.1	3246.73	01	04	4	
	P	10/15/2004	-266.17	0.1	3246.83	01	04	4	
	P	10/21/2004	-266.32	-0.15	3246.68	01	04	1	
	P	10/30/2004	-266.37	-0.05	3246.63	01	04	4	
	P	11/15/2004	-266.36	0.01	3246.64	01	04	4	
	P	11/30/2004	-266.41	-0.05	3246.59	01	04	4	
	P	12/14/2004	-266.47	-0.06	3246.53	01	04	1	
	P	12/15/2004	-266.18	0.29	3246.82	01	04	4	
	P	12/30/2004	-266.01	0.17	3246.99	01	04	4	
	P	1/15/2005	-266.33	-0.32	3246.67	01	04	4	
	P	1/30/2005	-265.88	0.45	3247.12	01	04	4	
	P	2/3/2005	-266.1	-0.22	3246.9	01	04	1	
	P	2/15/2005	-265.81	0.29	3247.19	01	04	4	
	P	2/22/2005	-265.94	-0.13	3247.06	01	06	1	
	P	3/15/2005	-265.82	0.12	3247.18	01	04	4	
	P	3/29/2005	-265.5	0.32	3247.5	01	04	1	
	P	3/30/2005	-265.66	-0.16	3247.34	01	04	4	
	P	4/15/2005	-265.87	-0.21	3247.13	01	04	4	
	P	4/30/2005	-265.78	0.09	3247.22	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/15/2005	-265.81	-0.03	3247.19	01	04	4	
	P	5/24/2005	-265.78	0.03	3247.22	01	04	1	
	P	5/30/2005	-265.76	0.02	3247.24	01	04	4	
	P	6/15/2005	-265.91	-0.15	3247.09	01	04	4	
	P	6/30/2005	-266.14	-0.23	3246.86	01	04	4	
	P	7/15/2005	-266.45	-0.31	3246.55	01	04	4	
	P	7/19/2005	-266.5	-0.05	3246.5	01	04	1	
	P	7/30/2005	-266.67	-0.17	3246.33	01	04	4	
	P	8/15/2005	-266.84	-0.17	3246.16	01	04	4	
	P	8/30/2005	-266.7	0.14	3246.3	01	04	4	
	P	10/12/2005	-266.69	0.01	3246.31	01	04	1	
	P	1/18/2006	-266.35	0.34	3246.65	01	06	1	
	P	1/30/2006	-267.02	-0.67	3245.98	01	01	4	
	P	2/15/2006	-266.81	0.21	3246.19	01	01	4	
	P	2/28/2006	-267.04	-0.23	3245.96	01	01	4	
	P	3/15/2006	-267.6	-0.56	3245.4	01	01	4	
	P	3/30/2006	-267.28	0.32	3245.72	01	01	4	
	P	4/15/2006	-267.69	-0.41	3245.31	01	01	4	
	P	4/30/2006	-267.92	-0.23	3245.08	01	01	4	
	P	5/15/2006	-268.1	-0.18	3244.9	01	01	4	
	P	5/30/2006	-268.1		3244.9	01	01	4	
	P	6/15/2006	-268.05	0.05	3244.95	01	01	4	
	P	6/30/2006	-268.22	-0.17	3244.78	01	01	4	
	P	7/15/2006	-268.39	-0.17	3244.61	01	01	4	
	P	7/30/2006	-268.44	-0.05	3244.56	01	01	4	
	P	8/15/2006	-268.75	-0.31	3244.25	01	01	4	
	P	8/30/2006	-268.81	-0.06	3244.19	01	01	4	
	P	9/15/2006	-268.72	0.09	3244.28	01	01	4	
	P	9/30/2006	-268.77	-0.05	3244.23	01	01	4	
	P	10/15/2006	-268.62	0.15	3244.38	01	01	4	
	P	10/30/2006	-268.67	-0.05	3244.33	01	01	4	
	P	11/15/2006	-268.67		3244.33	01	01	4	
	P	11/30/2006	-268.85	-0.18	3244.15	01	01	4	
	P	12/15/2006	-268.59	0.26	3244.41	01	01	4	
	P	12/30/2006	-268.65	-0.06	3244.35	01	01	4	
	P	1/8/2007	-268.84	-0.19	3244.16	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/15/2007	-268.72	0.12	3244.28	01	01	4	
	P	1/30/2007	-268.58	0.14	3244.42	01	01	4	
	P	4/15/2007	-268.31	0.27	3244.69	01	01	4	
	P	4/30/2007	-268.24	0.07	3244.76	01	01	4	
	P	5/15/2007	-268.08	0.16	3244.92	01	01	4	
	P	5/30/2007	-268.02	0.06	3244.98	01	01	4	
	P	6/15/2007	-268.03	-0.01	3244.97	01	01	4	
	P	6/30/2007	-268	0.03	3245	01	01	4	
	P	7/15/2007	-267.72	0.28	3245.28	01	01	4	
	P	7/30/2007	-267.87	-0.15	3245.13	01	01	4	
	P	8/15/2007	-268.28	-0.41	3244.72	01	01	4	
	P	8/30/2007	-268.62	-0.34	3244.38	01	01	4	
	P	9/15/2007	-268.69	-0.07	3244.31	01	01	4	
	P	9/30/2007	-268.66	0.03	3244.34	01	01	4	
	P	10/15/2007	-268.56	0.1	3244.44	01	01	4	
	P	10/30/2007	-268.66	-0.1	3244.34	01	01	4	
	P	11/15/2007	-268.72	-0.06	3244.28	01	01	4	
	P	11/30/2007	-268.58	0.14	3244.42	01	01	4	
	P	12/15/2007	-268.49	0.09	3244.51	01	01	4	
	P	1/28/2008	-268.03	0.46	3244.97	01	06	1	
	P	4/30/2008	-268.9	-0.87	3244.1	01	01	4	
	P	5/15/2008	-269.21	-0.31	3243.79	01	01	4	
	P	5/30/2008	-269.22	-0.01	3243.78	01	01	4	
	P	6/15/2008	-269.24	-0.02	3243.76	01	01	4	
	P	6/30/2008	-269.36	-0.12	3243.64	01	01	4	
	P	7/15/2008	-269.36		3243.64	01	01	4	
	P	7/30/2008	-269.47	-0.11	3243.53	01	01	4	
	P	8/15/2008	-269.53	-0.06	3243.47	01	01	4	
	P	8/30/2008	-269.81	-0.28	3243.19	01	01	4	
	P	9/15/2008	-270.09	-0.28	3242.91	01	01	4	
	P	9/30/2008	-270.11	-0.02	3242.89	01	01	4	
	P	10/15/2008	-270.07	0.04	3242.93	01	01	4	
	P	10/30/2008	-270.16	-0.09	3242.84	01	01	4	
	P	11/15/2008	-270.25	-0.09	3242.75	01	01	4	
	P	11/30/2008	-270.18	0.07	3242.82	01	01	4	
	P	12/15/2008	-270.23	-0.05	3242.77	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/30/2008	-270.26	-0.03	3242.74	01	01	4	
	P	1/15/2009	-270.3	-0.04	3242.7	01	01	4	
	P	1/30/2009	-270.27	0.03	3242.73	01	01	4	
	P	2/ 2/2009	-270.14	0.13	3242.86	01	06	1	
	P	2/15/2009	-270.2	-0.06	3242.8	01	01	4	
	P	2/28/2009	-270.14	0.06	3242.86	01	01	4	
	P	3/15/2009	-270.14		3242.86	01	01	4	
	P	3/30/2009	-270.04	0.1	3242.96	01	01	4	
	P	4/15/2009	-270.28	-0.24	3242.72	01	01	4	
	P	4/30/2009	-270.4	-0.12	3242.6	01	01	4	
	P	5/15/2009	-270.47	-0.07	3242.53	01	01	4	
	P	5/30/2009	-270.61	-0.14	3242.39	01	01	4	
	P	6/15/2009	-270.61		3242.39	01	01	4	
	P	6/30/2009	-270.61		3242.39	01	01	4	
	P	7/15/2009	-270.59	0.02	3242.41	01	01	4	
	P	7/30/2009	-270.65	-0.06	3242.35	01	01	4	
	P	8/15/2009	-270.92	-0.27	3242.08	01	01	4	
	P	8/30/2009	-271.14	-0.22	3241.86	01	01	4	
	P	9/15/2009	-271.28	-0.14	3241.72	01	01	4	
	P	9/30/2009	-271.37	-0.09	3241.63	01	01	4	
	P	10/15/2009	-271.33	0.04	3241.67	01	01	4	
	P	10/30/2009	-271.34	-0.01	3241.66	01	01	4	
	P	11/15/2009	-271.3	0.04	3241.7	01	01	4	
	P	11/30/2009	-271.4	-0.1	3241.6	01	01	4	
	P	12/15/2009	-271.54	-0.14	3241.46	01	01	4	
	P	12/30/2009	-271.5	0.04	3241.5	01	01	4	
	P	1/14/2010	-271.76	-0.26	3241.24	01	06	1	
	P	1/15/2010	-271.03	0.73	3241.97	01	01	4	
	P	1/30/2010	-271.28	-0.25	3241.72	01	01	4	
	P	2/15/2010	-271.36	-0.08	3241.64	01	01	4	
	P	2/28/2010	-271.12	0.24	3241.88	01	01	4	
	P	3/15/2010	-271.35	-0.23	3241.65	01	01	4	
	P	3/30/2010	-271.18	0.17	3241.82	01	01	4	
	P	4/15/2010	-271.28	-0.1	3241.72	01	01	4	
	P	4/30/2010	-271.27	0.01	3241.73	01	01	4	
	P	5/15/2010	-271.4	-0.13	3241.6	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 30/ 2010	-271.37	0.03	3241.63	01	01	4	
	P	6 / 15/ 2010	-271.37		3241.63	01	01	4	
	P	6 / 30/ 2010	-271.36	0.01	3241.64	01	01	4	
	P	7 / 15/ 2010	-271.37	-0.01	3241.63	01	01	4	
	P	7 / 30/ 2010	-271.44	-0.07	3241.56	01	01	4	
	P	8 / 15/ 2010	-271.62	-0.18	3241.38	01	01	4	
	P	8 / 30/ 2010	-271.72	-0.1	3241.28	01	01	4	
	P	9 / 15/ 2010	-271.72		3241.28	01	01	4	
	P	9 / 30/ 2010	-271.72		3241.28	01	01	4	
	P	2 / 11/ 2011	-272.06	-0.34	3240.94	01	06	1	
	P	2 / 6 / 2012	-277.7	-5.64	3235.3	01	06	1	

Min *-277.7* **Max** *-252.24* **Avg** *-267.123*

1149601 *(Aquifer: 121OGLL Well Depth: 195)*

	P	1 / 17/ 1940	-72.51		3417.49	01	12	7	01
	P	7 / 24/ 1940	-72.41	0.1	3417.59	01	12	7	01
	P	2 / 28/ 1942	-72.47	-0.06	3417.53	01	12	7	01
	P	10 / 24/ 1942	-71.63	0.84	3418.37	01	12	7	01
	P	2 / 11/ 1943	-70.29	1.34	3419.71	01	12	7	01
	P	2 / 3 / 1944	-72.93	-2.64	3417.07	01	12	7	01
	P	2 / 23/ 1945	-72.92	0.01	3417.08	01	12	7	01
	P	2 / 26/ 1946	-75.79	-2.87	3414.21	01	12	7	01
	P	1 / 21/ 1947	-77.7	-1.91	3412.3	01	12	7	01
	P	3 / 21/ 1947	-76.88	0.82	3413.12	01	12	7	01
	P	2 / 19/ 1948	-78.53	-1.65	3411.47	01	12	7	01
	P	2 / 23/ 1949	-81.64	-3.11	3408.36	01	12	7	01
	P	1 / 28/ 1952	-87.65	-6.01	3402.35	01	12	7	01
	P	1 / 8 / 1953	-95.35	-7.7	3394.65	01	12	7	01
	P	1 / 5 / 1954	-100.77	-5.42	3389.23	01	12	7	01
	P	12 / 21/ 1954	-107.4	-6.63	3382.6	01	12	7	01
	P	1 / 10/ 1956	-111.33	-3.93	3378.67	01	12	7	01
	P	1 / 11/ 1957	-121	-9.67	3369	01	12	7	01
	P	1 / 5 / 1959	-128.6	-7.6	3361.4	01	12	7	01
	P	1 / 11/ 1961	-132.4	-3.8	3357.6	01	04	1	
	P	1 / 9 / 1962	-137.6	-5.2	3352.4	01	01	2	20
	P	1 / 6 / 1963	-147.59	-9.99	3342.41	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1964	-146.44	1.15	3343.56	01	01	1	
	N	1/ 8/1965				01	01		61
	P	1/ 9/1966	-159.25		3330.75	01	01	1	
	P	1/ 5/1967	-162.1	-2.85	3327.9	01	01	1	
	P	1/ 6/1968	-167.4	-5.3	3322.6	01	01	1	
	P	1/10/1969	-169.32	-1.92	3320.68	01	01	1	
	N	1/ 2/1970				01	01	1	46
	P	1/ 6/1971	-176.15		3313.85	01	01	1	
	P	1/ 6/1972	-178.03	-1.88	3311.97	01	01	1	
	N	1/12/1973				01	01	1	46
	P	1/13/1974	-181.57		3308.43	01	01	1	
	P	1/ 8/1975	-188.89	-7.32	3301.11	01	01	1	
	N	1/ 8/1976				01	01	1	46
	N	1/14/1977				01	01	1	46

Min *-188.89* **Max** *-70.29* **Avg** *-115.953*

1149602 *(Aquifer: 121OGLL Well Depth: 69)*

	P	7/17/1937	-57.35		3424.65	01	12	7	
	P	7/23/1937	-57.47	-0.12	3424.53	01	12	7	
	P	7/28/1937	-57.34	0.13	3424.66	01	12	7	
	P	8/11/1937	-57.28	0.06	3424.72	01	12	7	
	P	8/24/1937	-57.28		3424.72	01	12	7	
	P	9/10/1937	-57.37	-0.09	3424.63	01	12	7	
	P	10/ 1/1937	-57.38	-0.01	3424.62	01	12	7	
	P	11/ 2/1937	-57.22	0.16	3424.78	01	12	7	
	P	12/ 1/1937	-57.69	-0.47	3424.31	01	12	7	

Min *-57.69* **Max** *-57.22* **Avg** *-57.3756*

1149701 *(Aquifer: 121OGLL Well Depth: 81)*

	P	10/18/1937	-61.05		3448.95	01	12	7	
	P	6/27/1938	-61.37	-0.32	3448.63	01	12	7	
	P	8/15/1938	-61.44	-0.07	3448.56	01	12	7	
	P	9/19/1938	-61.57	-0.13	3448.43	01	12	7	
	P	8/15/1939	-61.91	-0.34	3448.09	01	12	7	

Min *-61.91* **Max** *-61.05* **Avg** *-61.468*

1149702 *(Aquifer: 121OGLL Well Depth: 288)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 21/ 1977	-221.24		3285.76	01	01	1	
	P	1/ 9 / 1978	-167	54.24	3340	01	01	1	
	P	1/ 5 / 1979	-172.04	-5.04	3334.96	01	01	1	
	P	1/ 15/ 1980	-173.65	-1.61	3333.35	01	01	1	
	P	1/ 18/ 1982	-181.5	-7.85	3325.5	01	01	1	
	P	1/ 9 / 1984	-186.76	-5.26	3320.24	01	01	1	
	P	12/ 10/ 1985	-190.55	-3.79	3316.45	01	01	1	
	P	12/ 10/ 1986	-192.39	-1.84	3314.61	01	01	1	
	P	12/ 17/ 1987	-197.2	-4.81	3309.8	01	01	1	
	P	12/ 9 / 1988	-193.95	3.25	3313.05	01	01	1	
	P	12/ 7 / 1989	-195.13	-1.18	3311.87	01	01	1	
	P	12/ 11/ 1990	-197.24	-2.11	3309.76	01	01	1	
	P	12/ 10/ 1991	-204.8	-7.56	3302.2	01	01	1	
	P	1/ 25/ 1993	-206.4	-1.6	3300.6	01	01	1	
	P	1/ 25/ 1994	-204.1	2.3	3302.9	01	06	1	
	P	1/ 20/ 1995	-209.77	-5.67	3297.23	01	06	1	
	P	1/ 24/ 1996	-214.49	-4.72	3292.51	01	06	1	
	P	2/ 10/ 1997	-219.36	-4.87	3287.64	01	06	1	
	P	1/ 19/ 1998	-221.16	-1.8	3285.84	01	06	1	
	P	2/ 8 / 1999	-225	-3.84	3282	01	06	1	
	P	2/ 10/ 2000	-227.02	-2.02	3279.98	01	06	1	
	P	1/ 26/ 2001	-230.78	-3.76	3276.22	01	06	1	
	P	1/ 28/ 2002	-232.88	-2.1	3274.12	01	06	1	
	P	2/ 24/ 2003	-238.81	-5.93	3268.19	01	06	1	
	P	1/ 28/ 2004	-238.83	-0.02	3268.17	01	06	1	
	P	2/ 17/ 2005	-239.91	-1.08	3267.09	01	06	1	
	P	1/ 18/ 2006	-239.56	0.35	3267.44	01	06	1	
	P	1/ 11/ 2007	-241.75	-2.19	3265.25	01	06	1	
	P	1/ 9 / 2008	-242.72	-0.97	3264.28	01	06	1	
	P	3/ 5 / 2009	-244.9	-2.18	3262.1	01	06	1	
	P	1/ 14/ 2010	-246.72	-1.82	3260.28	01	06	1	
	P	1/ 20/ 2011	-247.97	-1.25	3259.03	01	06	1	
	P	2/ 3 / 2012	-249.82	-1.85	3257.18	01	06	1	

Min *-249.82* **Max** *-167* **Avg** *-215.012*

1149801 *(Aquifer: 121OGLL Well Depth: 330)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1980	-197.05		3309.95	01	01	1	
	P	1 / 18/ 1982	-211.45	-14.4	3295.55	01	01	1	
	P	1 / 15/ 1983	-217.88	-6.43	3289.12	01	01	1	
	P	1 / 14/ 1985	-223.14	-5.26	3283.86	01	01	1	
	P	12 / 10/ 1985	-224.92	-1.78	3282.08	01	01	1	
	P	12 / 18/ 1987	-223.7	1.22	3283.3	01	01	1	
	P	12 / 9 / 1988	-225.4	-1.7	3281.6	01	01	1	
	P	12 / 7 / 1989	-228.17	-2.77	3278.83	01	01	1	
	P	12 / 11/ 1990	-230.2	-2.03	3276.8	01	01	1	
	P	12 / 11/ 1991	-233.27	-3.07	3273.73	01	01	1	
	P	1 / 25/ 1993	-231.19	2.08	3275.81	01	01	1	
	N	1 / 17/ 1994				01	06		61
	P	1 / 20/ 1995	-237.52		3269.48	01	06	1	
	P	1 / 23/ 1996	-242.2	-4.68	3264.8	01	06	1	
	P	2 / 10/ 1997	-246.23	-4.03	3260.77	01	06	1	
	P	1 / 19/ 1998	-247.35	-1.12	3259.65	01	06	1	
	P	2 / 8 / 1999	-252	-4.65	3255	01	06	1	
	P	2 / 9 / 2000	-254.17	-2.17	3252.83	01	06	1	
	P	1 / 24/ 2001	-256.88	-2.71	3250.12	01	06	1	
	P	1 / 23/ 2002	-257.68	-0.8	3249.32	01	06	1	
	P	3 / 21/ 2003	-258.6	-0.92	3248.4	01	06	1	
	P	1 / 20/ 2004	-262.15	-3.55	3244.85	01	06	1	
	P	2 / 22/ 2005	-262.12	0.03	3244.88	01	06	1	
	P	1 / 18/ 2006	-263.7	-1.58	3243.3	01	06	1	
	P	1 / 11/ 2007	-265.22	-1.52	3241.78	01	06	1	
	P	1 / 16/ 2008	-265.57	-0.35	3241.43	01	06	1	
	P	2 / 2 / 2009	-269.16	-3.59	3237.84	01	06	1	
	P	1 / 14/ 2010	-271.69	-2.53	3235.31	01	06	1	
	P	1 / 20/ 2011	-272.35	-0.66	3234.65	01	06	1	
	N	2 / 6 / 2012				01	06		42

Min *-272.35* **Max** *-197.05* **Avg** *-243.963*

1149802 *(Aquifer: 121OGLL Well Depth: 322)*

	P	4 / 8 / 1988	-236.44		3249.56	01	01	1	

Min *-236.44* **Max** *-236.44* **Avg** *-236.44*

1149901 *(Aquifer: 121OGLL Well Depth: 176)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 21/ 1947	-70.83		3420.17	01	12	7	01
	P	2 / 28/ 1948	-72.86	-2.03	3418.14	01	12	7	01
	P	3 / 7 / 1949	-75.3	-2.44	3415.7	01	12	7	01
	P	2 / 18/ 1950	-76.84	-1.54	3414.16	01	12	7	01
	P	1 / 29/ 1952	-80.9	-4.06	3410.1	01	12	7	01
	P	1 / 8 / 1953	-85.2	-4.3	3405.8	01	12	7	01
	P	1 / 9 / 1954	-90.74	-5.54	3400.26	01	12	7	01
	P	1 / 13/ 1955	-98.2	-7.46	3392.8	01	12	7	01
	P	1 / 10/ 1957	-107.72	-9.52	3383.28	01	12	7	01
	P	1 / 14/ 1958	-108.83	-1.11	3382.17	01	12	7	01
	P	1 / 6 / 1959	-114.25	-5.42	3376.75	01	12	7	01
	P	1 / 19/ 1960	-120.86	-6.61	3370.14	01	12	7	01
	P	1 / 13/ 1961	-125.2	-4.34	3365.8	01	04	1	
	P	1 / 9 / 1962	-126.59	-1.39	3364.41	01	01	1	
	P	1 / 6 / 1963	-131.5	-4.91	3359.5	01	01	1	
	P	1 / 8 / 1964	-135.92	-4.42	3355.08	01	01	1	
	P	1 / 8 / 1965	-141.93	-6.01	3349.07	01	01	1	
	P	1 / 13/ 1966	-146.51	-4.58	3344.49	01	01	1	
	P	1 / 5 / 1967	-157.1	-10.6	3333.9	01	01	1	03
	P	1 / 5 / 1968	-159.2	-2.1	3331.8	01	01	1	
	P	1 / 12/ 1969	-165.7	-6.5	3325.3	01	01	1	
	P	1 / 9 / 1970	-162.31	3.39	3328.69	01	01	1	
	P	1 / 9 / 1971	-171.9	-9.59	3319.1	01	01	1	
	N	1 / 6 / 1972				01	01	1	46
	P	1 / 16/ 1973	-172.29		3318.71	01	01	1	
	N	1 / 13/ 1974				01	01	1	46
	N	1 / 9 / 1975				01	01		40

Min *-172.29* **Max** *-70.83* **Avg** *-120.778*

1149902 *(Aquifer: 121OGLL Well Depth: 165)*

	P	8 / 26/ 1937	-53.82		3415.18	01	12	7	01
	P	3 / 21/ 1947	-56.43	-2.61	3412.57	01	12	7	01
	P	2 / 28/ 1948	-58.21	-1.78	3410.79	01	12	7	01
	P	3 / 7 / 1949	-60.82	-2.61	3408.18	01	12	7	01
	P	2 / 18/ 1950	-62.65	-1.83	3406.35	01	12	7	01
	P	1 / 27/ 1952	-65.65	-3	3403.35	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 8 / 1953	-70.55	-4.9	3398.45	01	12	7	01
	P	1 / 9 / 1954	-75.36	-4.81	3393.64	01	12	7	01
	P	1 / 13/ 1955	-80.16	-4.8	3388.84	01	12	7	01
	P	1 / 19/ 1960	-101.64	-21.5	3367.36	01	12	7	01
	P	1 / 13/ 1961	-104.5	-2.86	3364.5	01	12	7	01
	N	1 / 10/ 1962				01	01		63

Min *-104.5* **Max** *-53.82* **Avg** *-71.7991*

1149903 *(Aquifer: 121OGLL Well Depth: 337)*

	P	1 / 15/ 1980	-200.68		3290.32	01	01	1	
	P	1 / 18/ 1982	-211.73	-11.1	3279.27	01	01	1	
	P	1 / 10/ 1984	-218.18	-6.45	3272.82	01	01	1	
	P	12 / 10/ 1985	-223.95	-5.77	3267.05	01	01	1	
	P	12 / 10/ 1986	-223.68	0.27	3267.32	01	01	1	
	P	12 / 18/ 1987	-225.45	-1.77	3265.55	01	01	1	
	P	12 / 9 / 1988	-225.25	0.2	3265.75	01	01	1	
	P	12 / 7 / 1989	-228.73	-3.48	3262.27	01	01	1	
	P	12 / 11/ 1990	-232.25	-3.52	3258.75	01	01	1	
	P	12 / 11/ 1991	-235.62	-3.37	3255.38	01	01	1	
	P	1 / 27/ 1993	-232.37	3.25	3258.63	01	01	1	
	P	1 / 17/ 1994	-236.8	-4.43	3254.2	01	06	1	
	P	1 / 20/ 1995	-241.73	-4.93	3249.27	01	06	1	
	P	1 / 24/ 1996	-245.56	-3.83	3245.44	01	06	1	
	P	3 / 7 / 1997	-251.7	-6.14	3239.3	01	06	1	
	P	1 / 20/ 1998	-257.9	-6.2	3233.1	01	06	1	

Min *-257.9* **Max** *-200.68* **Avg** *-230.724*

1149904 *(Aquifer: 121OGLL Well Depth:)*

	P	10 / 16/ 1998	-236.4		3233.6	01	06	1	
	P	2 / 25/ 1999	-233	3.4	3237	01	06	1	
	P	2 / 9 / 2000	-233.23	-0.23	3236.77	01	06	1	
	P	1 / 24/ 2001	-237.21	-3.98	3232.79	01	06	1	
	P	1 / 23/ 2002	-237.43	-0.22	3232.57	01	06	1	
	P	2 / 25/ 2003	-239.33	-1.9	3230.67	01	06	1	
	P	1 / 20/ 2004	-240.89	-1.56	3229.11	01	06	1	
	P	2 / 22/ 2005	-242.19	-1.3	3227.81	01	06	1	
	P	1 / 18/ 2006	-241.67	0.52	3228.33	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 2007	-244.83	-3.16	3225.17	01	06	1	
	P	1 / 16/ 2008	-245.55	-0.72	3224.45	01	06	1	
	P	2 / 2 / 2009	-242.19	3.36	3227.81	01	06	1	
	P	1 / 14/ 2010	-252.3	-10.1	3217.7	01	06	1	
	P	1 / 20/ 2011	-252.35	-0.05	3217.65	01	06	1	
	P	2 / 6 / 2012	-257.34	-4.99	3212.66	01	06	1	

Min *-257.34* **Max** *-233* **Avg** *-242.394*

1150101 *(Aquifer: 121OGLL Well Depth: 275)*

	P	11 / 20/ 1939	-51.83		3411.17	01	12	7	01
	P	3 / 26/ 1943	-51.7	0.13	3411.3	01	12	7	01
	P	2 / 2 / 1944	-53.5	-1.8	3409.5	01	12	7	01
	P	2 / 20/ 1945	-54.32	-0.82	3408.68	01	12	7	01
	P	2 / 26/ 1946	-57.24	-2.92	3405.76	01	12	7	01
	P	1 / 17/ 1947	-60.55	-3.31	3402.45	01	12	7	01
	P	3 / 10/ 1947	-59.65	0.9	3403.35	01	12	7	01
	P	2 / 20/ 1948	-62.74	-3.09	3400.26	01	12	7	01
	P	2 / 22/ 1949	-65.65	-2.91	3397.35	01	12	7	01
	P	2 / 15/ 1950	-67.09	-1.44	3395.91	01	12	7	01
	P	1 / 28/ 1952	-71.44	-4.35	3391.56	01	12	7	01
	P	1 / 12/ 1953	-77.75	-6.31	3385.25	01	12	7	01
	P	1 / 5 / 1954	-80.77	-3.02	3382.23	01	12	7	01
	P	1 / 14/ 1955	-87.9	-7.13	3375.1	01	12	7	01
	P	1 / 15/ 1958	-99.31	-11.4	3363.69	01	12	7	01
	P	1 / 5 / 1959	-107.29	-7.98	3355.71	01	04	1	
	P	1 / 16/ 1962	-115.55	-8.26	3347.45	01	01	1	
	P	1 / 6 / 1963	-119.73	-4.18	3343.27	01	01	1	
	P	1 / 10/ 1964	-125.24	-5.51	3337.76	01	01	1	
	P	1 / 8 / 1965	-137.4	-12.2	3325.6	01	01	1	
	P	1 / 13/ 1966	-143.49	-6.09	3319.51	01	01	1	
	P	1 / 5 / 1967	-144.98	-1.49	3318.02	01	01	1	
	P	1 / 7 / 1968	-152.8	-7.82	3310.2	01	01	1	
	P	1 / 10/ 1969	-154.61	-1.81	3308.39	01	01	1	
	N	1 / 2 / 1970				01	01		63
	P	1 / 9 / 1971	-150.8		3312.2	01	01	1	
	P	1 / 6 / 1972	-159.29	-8.49	3303.71	01	01	1	25

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1973	-153.68	5.61	3309.32	01	01	1	20
	P	1 / 15/ 1974	-153.05	0.63	3309.95	01	01	1	03
	P	1 / 9 / 1975	-156.3	-3.25	3306.7	01	01	1	
	P	1 / 8 / 1976	-158.74	-2.44	3304.26	01	01	1	
	P	1 / 14/ 1977	-163.86	-5.12	3299.14	01	01	1	
	P	1 / 8 / 1978	-165.9	-2.04	3297.1	01	01	1	
	P	1 / 4 / 1979	-172.58	-6.68	3290.42	01	01	1	
	N	1 / 14/ 1983				01	01		61
	N	1 / 10/ 1984				01	01		61
	N	1 / 10/ 1985				01	01		61

Min *-172.58* **Max** *-51.7* **Avg** *-110.204*

1150102 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 26/ 1943	-48.06		3416.94	01	12	7	01
	P	2 / 9 / 1944	-49.69	-1.63	3415.31	01	12	7	01
	P	2 / 19/ 1945	-51.11	-1.42	3413.89	01	12	7	01
	P	2 / 26/ 1946	-53.81	-2.7	3411.19	01	12	7	01
	P	1 / 16/ 1947	-57.36	-3.55	3407.64	01	12	7	01
	P	3 / 10/ 1947	-56.68	0.68	3408.32	01	12	7	01
	P	2 / 22/ 1949	-62.27	-5.59	3402.73	01	12	7	01
	P	3 / 29/ 1949	-61.95	0.32	3403.05	01	12	7	01
	P	2 / 18/ 1950	-65.24	-3.29	3399.76	01	12	7	01
	P	1 / 17/ 1951	-65.89	-0.65	3399.11	01	12	7	01
	P	1 / 28/ 1952	-68.35	-2.46	3396.65	01	12	7	01
	P	1 / 12/ 1953	-73.42	-5.07	3391.58	01	12	7	01
	P	1 / 4 / 1954	-77.48	-4.06	3387.52	01	12	7	01
	P	1 / 14/ 1955	-83.22	-5.74	3381.78	01	12	7	01
	P	1 / 4 / 1957	-94.52	-11.3	3370.48	01	12	7	01
	P	1 / 14/ 1958	-98.84	-4.32	3366.16	01	12	7	01
	P	1 / 5 / 1959	-103.5	-4.66	3361.5	01	12	7	01
	P	1 / 19/ 1960	-106.9	-3.4	3358.1	01	12	7	
	P	1 / 11/ 1961	-111.8	-4.9	3353.2	01	04	1	
	P	1 / 16/ 1962	-112.57	-0.77	3352.43	01	01	1	
	P	1 / 6 / 1963	-115.56	-2.99	3349.44	01	01	1	
	P	1 / 10/ 1964	-120.26	-4.7	3344.74	01	01	1	
	P	1 / 8 / 1965	-128.36	-8.1	3336.64	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 13/ 1966	-129.39	-1.03	3335.61	01	01	1	
	P	1/ 5 / 1967	-130.6	-1.21	3334.4	01	01	1	
	P	1/ 7 / 1968	-140.5	-9.9	3324.5	01	01	1	
	P	1/ 10/ 1969	-137.35	3.15	3327.65	01	01	1	
	P	1/ 2 / 1970	-139.66	-2.31	3325.34	01	01	1	
	P	1/ 8 / 1971	-156	-16.3	3309	01	01	1	20
	P	1/ 6 / 1972	-145.94	10.06	3319.06	01	01	1	
	P	1/ 12/ 1973	-147.95	-2.01	3317.05	01	01	1	
	P	1/ 15/ 1974	-150.62	-2.67	3314.38	01	01	1	
	P	1/ 9 / 1975	-153.6	-2.98	3311.4	01	01	1	
	P	1/ 8 / 1976	-157.54	-3.94	3307.46	01	01	1	
	P	1/ 14/ 1977	-161.52	-3.98	3303.48	01	01	1	
	P	1/ 9 / 1978	-168.28	-6.76	3296.72	01	01	1	
	P	1/ 4 / 1979	-174.31	-6.03	3290.69	01	01	1	
	P	1/ 14/ 1980	-171.08	3.23	3293.92	01	01	1	
	P	1/ 17/ 1982	-179.78	-8.7	3285.22	01	01	1	
	P	1/ 14/ 1983	-179.79	-0.01	3285.21	01	01	1	
	P	1/ 10/ 1984	-186.05	-6.26	3278.95	01	01	1	
	P	12/ 11/ 1985	-205.65	-19.6	3259.35	01	01	1	
	P	12/ 9 / 1986	-205.74	-0.09	3259.26	01	01	1	
	P	12/ 15/ 1987	-206.4	-0.66	3258.6	01	01	1	25
	N	12/ 10/ 1988				01	01	1	44
	N	12/ 6 / 1989				01	01	1	44

Min *-206.4* **Max** *-48.06* **Avg** *-120.332*

1150103 *(Aquifer: 121OGLL Well Depth: 150)*

	P	2/ 13/ 1952	-60.19		3394.81	01	12	4	01
	P	1/ 15/ 1953	-65.91	-5.72	3389.09	01	12	4	01
	P	2/ 6 / 1955	-75.09	-9.18	3379.91	01	12	4	01
	P	1/ 15/ 1956	-79.65	-4.56	3375.35	01	12	4	01
	P	1/ 15/ 1957	-86.63	-6.98	3368.37	01	12	4	01
	P	1/ 15/ 1958	-91.34	-4.71	3363.66	01	12	4	01
	P	1/ 15/ 1959	-95	-3.66	3360	01	12	4	01
	P	1/ 15/ 1960	-98.7	-3.7	3356.3	01	12	4	01
	P	1/ 15/ 1961	-100.66	-1.96	3354.34	01	04	4	
	P	1/ 15/ 1962	-103.38	-2.72	3351.62	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1963	-107.23	-3.85	3347.77	01	01	1	
	P	4/10/1963	-109.05	-1.82	3345.95	01	01	1	
	P	7/ 2/1963	-111.58	-2.53	3343.42	01	01	1	
	P	1/10/1964	-111.81	-0.23	3343.19	01	01	1	
	N	1/ 8/1965				01	01	1	46

Min *-111.81* **Max** *-60.19* **Avg** *-92.5871*

1150104 *(Aquifer: 121OGLL Well Depth: 172)*

	P	3/17/1940	-50.7		3412.3	01	12	7	01
	P	3/26/1943	-52.71	-2.01	3410.29	01	12	7	01
	P	2/ 9/1944	-52.12	0.59	3410.88	01	12	7	01
	P	2/19/1945	-53.13	-1.01	3409.87	01	12	7	01
	P	2/26/1946	-56.3	-3.17	3406.7	01	12	7	01
	P	1/16/1947	-59.71	-3.41	3403.29	01	12	7	01
	P	3/10/1947	-58.54	1.17	3404.46	01	12	7	01
	P	2/20/1948	-61.22	-2.68	3401.78	01	12	7	01
	P	3/29/1949	-63.91	-2.69	3399.09	01	12	7	01
	P	2/18/1950	-66.26	-2.35	3396.74	01	12	7	01
	P	1/17/1951	-74.19	-7.93	3388.81	01	12	7	03
	P	1/28/1952	-68.15	6.04	3394.85	01	12	7	01
	P	1/12/1953	-76.7	-8.55	3386.3	01	12	7	01
	P	1/ 4/1954	-83.2	-6.5	3379.8	01	12	7	01

Min *-83.2* **Max** *-50.7* **Avg** *-62.6314*

1150105 *(Aquifer: 121OGLL Well Depth: 275)*

	P	4/ 5/1988	-190.5		3274.5	01	01	1	

Min *-190.5* **Max** *-190.5* **Avg** *-190.5*

1150106 *(Aquifer: 121OGLL Well Depth:)*

	P	2/ 2/2000	-225.07		3246.93	01	01	1	
	P	2/ 3/2000	-224.94	0.13	3247.06	01	01	1	

Min *-225.07* **Max** *-224.94* **Avg** *-225.005*

1150107 *(Aquifer: 121OGLL Well Depth:)*

	P	2/ 2/2000	-202		3246	01	01	1	
	P	2/ 3/2000	-199.4	2.6	3248.6	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -202		**Max -199.4**	**Avg**	**-200.7**					
1150108	*(Aquifer: 121OGLL*		*Well Depth: 308)*						
	P	2 / 2 / 2000	-227.2		3239.8	01	01	1	
Min -227.2		**Max -227.2**	**Avg**	**-227.2**					
1150109	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-228.45		3240.55	01	01	1	
Min -228.45		**Max -228.45**	**Avg**	**-228.45**					
1150110	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-228.3		3242.7	01	01	1	
	P	2 / 3 / 2000	-228.15	0.15	3242.85	01	01	1	
Min -228.3		**Max -228.15**	**Avg**	**-228.225**					
1150201	*(Aquifer: 121OGLL*		*Well Depth: 208)*						
	P	1 / 9 / 1956	-85.64		3356.36	01	12	7	01
	P	1 / 4 / 1957	-95.2	-9.56	3346.8	01	12	7	01
	P	1 / 15/ 1958	-101.76	-6.56	3340.24	01	12	7	01
	P	1 / 5 / 1959	-98.76	3	3343.24	01	12	7	01
	P	1 / 19/ 1960	-105.2	-6.44	3336.8	01	12	7	01
	P	1 / 11/ 1961	-108.85	-3.65	3333.15	01	04	1	
	P	1 / 9 / 1962	-109.4	-0.55	3332.6	01	01	2	20
	P	1 / 6 / 1963	-114.25	-4.85	3327.75	01	01	1	
	P	1 / 9 / 1964	-120.6	-6.35	3321.4	01	01	1	
	P	1 / 8 / 1965	-123.15	-2.55	3318.85	01	01	1	
	P	1 / 9 / 1966	-127.8	-4.65	3314.2	01	01	1	
	P	1 / 5 / 1967	-128.2	-0.4	3313.8	01	01	1	
	P	1 / 6 / 1968	-134.3	-6.1	3307.7	01	01	1	
	N	1 / 10/ 1969				01	01	1	44
	P	1 / 2 / 1970	-138.48		3303.52	01	01	1	
	P	1 / 9 / 1971	-141.2	-2.72	3300.8	01	01	1	
	N	1 / 6 / 1972				01	01	1	44
	P	1 / 12/ 1973	-146.25		3295.75	01	01	1	22
	P	1 / 15/ 1974	-150.82	-4.57	3291.18	01	01	1	03
	N	1 / 9 / 1975				01	01	1	44
	P	1 / 8 / 1976	-156.27		3285.73	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 14/ 1977				01	01	1	44
	P	1 / 9 / 1978	-163.99		3278.01	01	01	1	25
	N	1 / 4 / 1979				01	01	1	44
	N	1 / 14/ 1980				01	01	1	44

Min *-163.99* **Max** *-85.64* **Avg** *-123.691*

1150202 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 25/ 1936	-41.15		3403.85	01	12	7
	P	5 / 21/ 1937	-40.89	0.26	3404.11	01	12	7
	P	6 / 8 / 1937	-40.87	0.02	3404.13	01	12	7
	P	12 / 3 / 1937	-40.15	0.72	3404.85	01	12	7
	P	6 / 6 / 1938	-40.19	-0.04	3404.81	01	12	7

Min *-41.15* **Max** *-40.15* **Avg** *-40.65*

1150203 *(Aquifer: 121OGLL Well Depth: 280)*

	P	1 / 18/ 1977	-178.76		3258.24	01	01	1
	P	1 / 8 / 1978	-175.92	2.84	3261.08	01	01	1
	P	1 / 4 / 1979	-184.29	-8.37	3252.71	01	01	1
	P	1 / 14/ 1980	-181.72	2.57	3255.28	01	01	1
	N	1 / 17/ 1981				01	01	1	44
	P	1 / 14/ 1983	-192.12		3244.88	01	01	1
	P	1 / 10/ 1985	-194.72	-2.6	3242.28	01	01	1
	P	12 / 11/ 1985	-199.2	-4.48	3237.8	01	01	1
	P	12 / 9 / 1986	-196.74	2.46	3240.26	01	01	1
	P	12 / 15/ 1987	-198.2	-1.46	3238.8	01	01	1
	N	12 / 10/ 1988				01	01	1	47
	P	12 / 6 / 1989	-199.94		3237.06	01	01	1
	P	12 / 12/ 1990	-203	-3.06	3234	01	01	1
	P	12 / 12/ 1991	-205.05	-2.05	3231.95	01	01	1
	P	1 / 28/ 1993	-205.22	-0.17	3231.78	01	01	1
	P	1 / 18/ 1994	-208.81	-3.59	3228.19	01	06	1
	P	1 / 18/ 1995	-210.73	-1.92	3226.27	01	06	1
	P	1 / 23/ 1996	-215.56	-4.83	3221.44	01	06	1
	P	3 / 7 / 1997	-218.65	-3.09	3218.35	01	06	1
	P	2 / 24/ 1998	-220.54	-1.89	3216.46	01	06	1
	P	2 / 5 / 1999	-223	-2.46	3214	01	06	1
	P	2 / 1 / 2000	-225.1	-2.1	3211.9	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 2001	-227.44	-2.34	3209.56	01	06	1	
	P	1 / 25/ 2002	-228.58	-1.14	3208.42	01	06	1	
	P	2 / 26/ 2003	-229.95	-1.37	3207.05	01	06	1	
	P	1 / 19/ 2004	-232.18	-2.23	3204.82	01	06	1	
	P	2 / 16/ 2005	-231.87	0.31	3205.13	01	06	1	
	P	1 / 16/ 2006	-232.16	-0.29	3204.84	01	06	1	
	P	1 / 8 / 2007	-234.16	-2	3202.84	01	06	1	
	P	1 / 16/ 2008	-234.79	-0.63	3202.21	01	06	1	
	P	1 / 30/ 2009	-236.46	-1.67	3200.54	01	06	1	
	P	1 / 15/ 2010	-238.02	-1.56	3198.98	01	06	1	
	P	1 / 19/ 2011	-237.85	0.17	3199.15	01	06	1	
	P	1 / 31/ 2012	-242.63	-4.78	3194.37	01	06	1	

Min *-242.63* **Max** *-175.92* **Avg** *-213.855*

1150204 *(Aquifer: 121OGLL Well Depth: 322)*

	P	1 / 14/ 1980	-159.92		3282.08	01	01	1	
	P	1 / 18/ 1982	-171.38	-11.5	3270.62	01	01	1	
	P	1 / 14/ 1983	-174.11	-2.73	3267.89	01	01	1	
	P	1 / 10/ 1985	-177.58	-3.47	3264.42	01	01	1	
	P	12 / 11/ 1985	-194.26	-16.7	3247.74	01	01	1	25
	P	1 / 12/ 1988	-195.7	-1.44	3246.3	01	01	1	
	P	12 / 10/ 1988	-189.7	6	3252.3	01	01	1	
	P	12 / 6 / 1989	-187.85	1.85	3254.15	01	01	1	
	P	12 / 11/ 1990	-192.03	-4.18	3249.97	01	01	1	
	P	12 / 11/ 1991	-194.61	-2.58	3247.39	01	01	1	
	P	1 / 28/ 1993	-190.08	4.53	3251.92	01	01	1	
	P	1 / 18/ 1994	-195.95	-5.87	3246.05	01	06	1	
	P	1 / 18/ 1995	-202.29	-6.34	3239.71	01	06	1	
	P	1 / 23/ 1996	-205.48	-3.19	3236.52	01	06	1	
	P	1 / 17/ 1997	-208.95	-3.47	3233.05	01	06	1	
	P	1 / 15/ 1998	-208.98	-0.03	3233.02	01	06	1	
	P	2 / 8 / 1999	-212	-3.02	3230	01	06	1	
	P	2 / 1 / 2000	-215.02	-3.02	3226.98	01	01	1	
	P	1 / 24/ 2001	-219.47	-4.45	3222.53	01	06	1	
	P	1 / 25/ 2002	-220.96	-1.49	3221.04	01	06	1	
	P	2 / 26/ 2003	-224.05	-3.09	3217.95	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 22/ 2004	-226.85	-2.8	3215.15	01	06	1	
	P	2 / 17/ 2005	-225.85	1	3216.15	01	06	1	
	P	1 / 16/ 2006	-226.57	-0.72	3215.43	01	06	1	
	P	1 / 8 / 2007	-229.2	-2.63	3212.8	01	06	1	
	P	1 / 16/ 2008	-228.98	0.22	3213.02	01	06	1	
	P	1 / 30/ 2009	-231.28	-2.3	3210.72	01	06	1	
	P	1 / 14/ 2010	-233.52	-2.24	3208.48	01	06	1	
	P	1 / 21/ 2011	-232.94	0.58	3209.06	01	06	1	
	P	1 / 31/ 2012	-236.37	-3.43	3205.63	01	06	1	

Min *-236.37* **Max** *-159.92* **Avg** *-207.064*

1150205 *(Aquifer: 121OGLL Well Depth: 275)*

	P	4 / 5 / 1988	-199.6		3247.4	01	01	1	

Min *-199.6* **Max** *-199.6* **Avg** *-199.6*

1150206 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-202.54		3210.46	01	01	1	
	P	2 / 3 / 2000	-202.37	0.17	3210.63	01	01	1	

Min *-202.54* **Max** *-202.37* **Avg** *-202.455*

1150207 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-208.78		3219.22	01	01	1	

Min *-208.78* **Max** *-208.78* **Avg** *-208.78*

1150208 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-206.62		3218.38	01	01	1	
	P	2 / 3 / 2000	-212.57	-5.95	3212.43	01	01	1	

Min *-212.57* **Max** *-206.62* **Avg** *-209.595*

1150209 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 1 / 2000	-215.57		3211.43	01	01	1	

Min *-215.57* **Max** *-215.57* **Avg** *-215.57*

1150210 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 2 / 2000	-219.3		3214.7	01	01	1	

Min *-219.3* **Max** *-219.3* **Avg** *-219.3*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1150211	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**2 / 2 / 2000**	**-219.42**		**3210.58**	**01**	**01**	**1**	
Min *-219.42*		**Max *-219.42***	**Avg**	***-219.42***					
1150212	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**2 / 2 / 2000**	**-222.12**		**3205.88**	**01**	**01**	**1**	
Min *-222.12*		**Max *-222.12***	**Avg**	***-222.12***					
1150213	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**2 / 3 / 2000**	**-210.37**		**3213.63**	**01**	**01**	**1**	
Min *-210.37*		**Max *-210.37***	**Avg**	***-210.37***					
1150214	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**2 / 3 / 2000**	**-207.63**		**3218.37**	**01**	**01**	**1**	
Min *-207.63*		**Max *-207.63***	**Avg**	***-207.63***					
1150215	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**2 / 3 / 2000**	**-227.13**		**3209.87**	**01**	**01**	**1**	
Min *-227.13*		**Max *-227.13***	**Avg**	***-227.13***					
1150301	*(Aquifer: 121OGLL*		*Well Depth: 240*	*)*					
	P	**4 / 5 / 1948**	**-69.9**		**3339.1**	**01**	**12**	**7**	**01**
	P	**2 / 22/ 1949**	**-69.51**	**0.39**	**3339.49**	**01**	**12**	**7**	**01**
	P	**2 / 20/ 1950**	**-69.63**	**-0.12**	**3339.37**	**01**	**12**	**7**	**01**
	P	**1 / 18/ 1951**	**-71.15**	**-1.52**	**3337.85**	**01**	**12**	**7**	**01**
	P	**1 / 21/ 1952**	**-76.57**	**-5.42**	**3332.43**	**01**	**12**	**7**	**01**
	P	**1 / 9 / 1953**	**-81.94**	**-5.37**	**3327.06**	**01**	**12**	**7**	**01**
	P	**12 / 9 / 1954**	**-92.16**	**-10.2**	**3316.84**	**01**	**12**	**7**	**01**
	P	**1 / 11/ 1955**	**-93.78**	**-1.62**	**3315.22**	**01**	**12**	**7**	**01**
	P	**1 / 9 / 1956**	**-92.02**	**1.76**	**3316.98**	**01**	**12**	**7**	**01**
	P	**1 / 4 / 1957**	**-101.68**	**-9.66**	**3307.32**	**01**	**12**	**7**	**01**
	P	**1 / 14/ 1958**	**-104.39**	**-2.71**	**3304.61**	**01**	**12**	**7**	**01**
	P	**1 / 5 / 1959**	**-105.26**	**-0.87**	**3303.74**	**01**	**12**	**7**	**01**
	P	**1 / 16/ 1962**	**-108.73**	**-3.47**	**3300.27**	**01**	**01**	**1**	
	P	**1 / 6 / 1963**	**-110.8**	**-2.07**	**3298.2**	**01**	**01**	**1**	
	P	**1 / 10/ 1964**	**-114.28**	**-3.48**	**3294.72**	**01**	**01**	**1**	
	P	**1 / 8 / 1965**	**-126.75**	**-12.5**	**3282.25**	**01**	**01**	**1**	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1966	-125.9	0.85	3283.1	01	01	1	
	P	1/ 8/1967	-129.84	-3.94	3279.16	01	01	1	
	P	1/ 7/1968	-134.74	-4.9	3274.26	01	01	1	
	P	1/10/1969	-143.15	-8.41	3265.85	01	01	1	
	N	1/ 9/1970				01	01		60
	N	1/ 8/1971				01	01		60

Min *-143.15* **Max** *-69.51* **Avg** *-101.109*

1150304 *(Aquifer: 121OGLL Well Depth:)*

	P	5/24/1936	-43.6		3364.4	01	12	7	01
	P	4/22/1937	-44.35	-0.75	3363.65	01	12	7	01
	P	6/10/1937	-44.6	-0.25	3363.4	01	12	7	01
	P	7/16/1937	-44.72	-0.12	3363.28	01	12	7	01
	P	7/28/1937	-44.74	-0.02	3363.26	01	12	7	01
	P	8/11/1937	-44.75	-0.01	3363.25	01	12	7	01
	P	8/24/1937	-44.6	0.15	3363.4	01	12	7	01
	P	10/ 1/1937	-44.91	-0.31	3363.09	01	12	7	01
	P	11/ 2/1937	-44.99	-0.08	3363.01	01	12	7	01
	P	12/ 1/1937	-44.96	0.03	3363.04	01	12	7	01
	P	1/ 5/1938	-44.97	-0.01	3363.03	01	12	7	01
	P	3/12/1938	-44.8	0.17	3363.2	01	12	7	01
	P	4/11/1938	-44.7	0.1	3363.3	01	12	7	01
	P	6/21/1938	-45.12	-0.42	3362.88	01	12	7	01
	P	8/10/1938	-45.26	-0.14	3362.74	01	12	7	01
	P	10/18/1938	-45.42	-0.16	3362.58	01	12	7	01
	P	12/ 8/1938	-45.42		3362.58	01	12	7	01
	P	1/ 4/1939	-45.37	0.05	3362.63	01	12	7	01
	P	2/28/1939	-45.24	0.13	3362.76	01	12	7	01
	P	6/16/1939	-45.57	-0.33	3362.43	01	12	7	01
	P	8/16/1939	-45.91	-0.34	3362.09	01	12	7	01
	P	10/ 2/1939	-46.21	-0.3	3361.79	01	12	7	01
	P	12/ 1/1939	-46.54	-0.33	3361.46	01	12	7	01
	P	3/ 5/1940	-46.64	-0.1	3361.36	01	12	7	01

Min *-46.64* **Max** *-43.6* **Avg** *-45.1413*

1150305 *(Aquifer: 121OGLL Well Depth:)*

	P	0/ 0/1914	-39.08		3376.92	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 24/ 1936	-47.8	-8.72	3368.2	01	12	7	01
	P	6 / 10/ 1937	-47.86	-0.06	3368.14	01	12	7	01
	P	7 / 16/ 1937	-48.84	-0.98	3367.16	01	12	7	01
	P	7 / 28/ 1937	-47.55	1.29	3368.45	01	12	7	01
	P	8 / 11/ 1937	-58.6	-11.1	3357.4	01	12	7	01
	P	1 / 5 / 1938	-45.69	12.91	3370.31	01	12	7	01
	P	4 / 11/ 1938	-45.42	0.27	3370.58	01	12	7	01
	P	6 / 21/ 1938	-49.69	-4.27	3366.31	01	12	7	01
	P	1 / 4 / 1939	-46.45	3.24	3369.55	01	12	7	01
	P	12 / 1 / 1939	-41.23	5.22	3374.77	01	12	7	01
	P	3 / 5 / 1940	-48.55	-7.32	3367.45	01	12	7	01
	P	11 / 7 / 1940	-55.89	-7.34	3360.11	01	12	7	01
	P	1 / 16/ 1941	-51.64	4.25	3364.36	01	12	7	01
	P	3 / 10/ 1941	-50.6	1.04	3365.4	01	12	7	01
	P	1 / 27/ 1943	-48.5	2.1	3367.5	01	12	7	01
	P	2 / 7 / 1944	-49.37	-0.87	3366.63	01	12	7	01
	P	2 / 24/ 1945	-50.45	-1.08	3365.55	01	12	7	01
	P	2 / 27/ 1946	-66.85	-16.4	3349.15	01	12	7	01
	P	3 / 5 / 1947	-56.78	10.07	3359.22	01	12	7	01
	P	2 / 20/ 1948	-68.13	-11.4	3347.87	01	12	7	01
	P	3 / 12/ 1948	-63.42	4.71	3352.58	01	12	7	01
	P	3 / 7 / 1949	-68.91	-5.49	3347.09	01	12	7	01
	P	2 / 14/ 1950	-78.9	-9.99	3337.1	01	12	7	01
	P	1 / 18/ 1951	-75.91	2.99	3340.09	01	12	7	01
	P	1 / 21/ 1952	-76.6	-0.69	3339.4	01	12	7	01
	P	1 / 9 / 1953	-82.19	-5.59	3333.81	01	12	7	01
	P	1 / 5 / 1954	-97.62	-15.4	3318.38	01	12	7	01

Min *-97.62* **Max** *-39.08* **Avg** *-57.4471*

1150307 *(Aquifer: 121OGLL Well Depth: 295)*

	P	1 / 18/ 1977	-174.47		3242.53	01	01	1	
	P	1 / 9 / 1978	-178.5	-4.03	3238.5	01	01	1	25
	P	1 / 4 / 1979	-166.47	12.03	3250.53	01	01	1	
	P	1 / 14/ 1980	-167.3	-0.83	3249.7	01	01	1	
	P	1 / 18/ 1982	-168.75	-1.45	3248.25	01	01	1	25
	P	1 / 10/ 1984	-171.51	-2.76	3245.49	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	12 / 11/ 1985				01	01		61
	N	12 / 9 / 1986				01	01	1	44
	N	1 / 12/ 1988				01	01		61
Min *-178.5*		**Max** *-166.47*	**Avg** *-171.167*						
1150308	*(Aquifer: 121OGLL*		*Well Depth: 295)*						
	P	4 / 5 / 1988	-187		3228	01	01	1	
Min *-187*		**Max** *-187*	**Avg** *-187*						
1150309	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-211.6		3209.4	01	01	1	
Min *-211.6*		**Max** *-211.6*	**Avg** *-211.6*						
1150310	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-210.61		3211.39	01	01	1	
	P	2 / 3 / 2000	-210.5	0.11	3211.5	01	01	1	
Min *-210.61*		**Max** *-210.5*	**Avg** *-210.555*						
1150311	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 3 / 2000	-204.05		3213.95	01	01	1	
Min *-204.05*		**Max** *-204.05*	**Avg** *-204.05*						
1150312	*(Aquifer: 121OGLL*		*Well Depth: 296)*						
	P	2 / 3 / 2000	-206.44		3207.56	01	01	1	
Min *-206.44*		**Max** *-206.44*	**Avg** *-206.44*						
1150401	*(Aquifer: 121OGLL*		*Well Depth: 72)*						
	P	7 / 28/ 1937	-62.6		3400.4	01	04	7	
	P	8 / 10/ 1937	-64.15	-1.55	3398.85	01	04	7	
	P	8 / 11/ 1937	-62.77	1.38	3400.23	01	04	7	
	P	8 / 12/ 1937	-62.76	0.01	3400.24	01	04	7	
	P	8 / 24/ 1937	-62.64	0.12	3400.36	01	04	7	
	P	11 / 2 / 1937	-62.32	0.32	3400.68	01	04	7	
	P	12 / 1 / 1937	-62.27	0.05	3400.73	01	04	7	
	P	1 / 6 / 1938	-62.36	-0.09	3400.64	01	04	7	
	P	6 / 25/ 1938	-64	-1.64	3399	01	04	7	
	P	6 / 26/ 1938	-62.82	1.18	3400.18	01	04	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 27/ 1938	-62.75	0.07	3400.25	01	04	7	
	P	6 / 28/ 1938	-62.7	0.05	3400.3	01	04	7	
	P	6 / 29/ 1938	-62.7		3400.3	01	04	7	

Min *-64.15* **Max** *-62.27* **Avg** *-62.8338*

1150403 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 7 / 1994	-216.9		3259.1	01	06	1	
	P	1 / 19/ 1995	-223.7	-6.8	3252.3	01	06	1	
	P	1 / 23/ 1996	-216.53	7.17	3259.47	01	06	1	
	P	1 / 17/ 1997	-221.43	-4.9	3254.57	01	06	1	
	P	1 / 15/ 1998	-223.14	-1.71	3252.86	01	06	1	
	P	2 / 8 / 1999	-227	-3.86	3249	01	06	1	
	P	2 / 9 / 2000	-232.9	-5.9	3243.1	01	06	1	
	P	1 / 24/ 2001	-232.77	0.13	3243.23	01	06	1	
	P	1 / 25/ 2002	-233.49	-0.72	3242.51	01	06	1	
	P	2 / 25/ 2003	-235.91	-2.42	3240.09	01	06	1	
	P	1 / 20/ 2004	-244.47	-8.56	3231.53	01	06	1	
	P	2 / 22/ 2005	-240.78	3.69	3235.22	01	06	1	
	P	1 / 16/ 2006	-245.46	-4.68	3230.54	01	06	1	
	P	1 / 8 / 2007	-242.25	3.21	3233.75	01	06	1	
	P	1 / 14/ 2008	-243.17	-0.92	3232.83	01	06	1	
	P	1 / 30/ 2009	-247.13	-3.96	3228.87	01	06	1	
	P	1 / 14/ 2010	-247	0.13	3229	01	06	1	
	P	2 / 11/ 2011	-247.15	-0.15	3228.85	01	06	1	
	N	1 / 31/ 2012				01	06	1	44

Min *-247.15* **Max** *-216.53* **Avg** *-234.51*

1150501 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 0 / 1935	-45		3385	01	12	7	01
	P	2 / 19/ 1948	-54.02	-9.02	3375.98	01	12	7	01
	P	2 / 22/ 1949	-58.34	-4.32	3371.66	01	12	7	01
	P	2 / 15/ 1950	-61.74	-3.4	3368.26	01	12	7	01
	P	1 / 19/ 1951	-64.48	-2.74	3365.52	01	12	7	01
	P	1 / 28/ 1952	-67.35	-2.87	3362.65	01	12	7	01
	P	1 / 8 / 1953	-72.85	-5.5	3357.15	01	12	7	01
	P	1 / 5 / 1954	-78.36	-5.51	3351.64	01	12	7	01
	P	12 / 9 / 1954	-88.61	-10.3	3341.39	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 12/ 1955	-88.01	0.6	3341.99	01	12	7	01

Min *-88.61* **Max** *-45* **Avg** *-67.876*

1150502 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 27/ 1936	-37.75		3377.25	01	12	7	01
	P	4 / 22/ 1937	-36.24	1.51	3378.76	01	12	7	01
	P	5 / 21/ 1937	-36.44	-0.2	3378.56	01	12	7	01
	P	6 / 9 / 1937	-36.36	0.08	3378.64	01	12	7	01
	P	7 / 22/ 1937	-35.78	0.58	3379.22	01	12	7	01
	P	8 / 19/ 1937	-35.51	0.27	3379.49	01	12	7	01
	P	8 / 25/ 1937	-35.48	0.03	3379.52	01	12	7	01
	P	9 / 10/ 1937	-35.44	0.04	3379.56	01	12	7	01
	P	10 / 1 / 1937	-35.34	0.1	3379.66	01	12	7	01
	P	11 / 2 / 1937	-35.28	0.06	3379.72	01	12	7	01
	P	12 / 1 / 1937	-35.27	0.01	3379.73	01	12	7	01
	P	1 / 6 / 1938	-35.26	0.01	3379.74	01	12	7	01
	P	3 / 12/ 1938	-35.4	-0.14	3379.6	01	12	7	01
	P	4 / 12/ 1938	-35.5	-0.1	3379.5	01	12	7	01
	P	5 / 31/ 1938	-35.63	-0.13	3379.37	01	12	7	01
	P	6 / 25/ 1938	-35.69	-0.06	3379.31	01	12	7	01
	P	8 / 10/ 1938	-35.74	-0.05	3379.26	01	12	7	01
	P	10 / 19/ 1938	-36.05	-0.31	3378.95	01	12	7	01
	P	12 / 6 / 1938	-35.98	0.07	3379.02	01	12	7	01
	P	1 / 4 / 1939	-36.04	-0.06	3378.96	01	12	7	01
	P	1 / 16/ 1939	-36.05	-0.01	3378.95	01	12	7	01
	P	1 / 31/ 1939	-36	0.05	3379	01	12	7	01
	P	3 / 4 / 1939	-36.02	-0.02	3378.98	01	12	7	01
	P	4 / 3 / 1939	-36.1	-0.08	3378.9	01	12	7	01
	P	6 / 23/ 1939	-36.34	-0.24	3378.66	01	12	7	01
	P	7 / 19/ 1939	-36.3	0.04	3378.7	01	12	7	01
	P	10 / 2 / 1939	-36.58	-0.28	3378.42	01	12	7	01
	P	12 / 1 / 1939	-36.86	-0.28	3378.14	01	12	7	01
	P	2 / 29/ 1940	-37.17	-0.31	3377.83	01	12	7	01
	P	7 / 9 / 1940	-37.52	-0.35	3377.48	01	12	7	01
	P	11 / 14/ 1940	-38.06	-0.54	3376.94	01	12	7	01
	P	1 / 17/ 1941	-38.19	-0.13	3376.81	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 11/ 1941	-38.3	-0.11	3376.7	01	12	7	01
	P	6 / 2 / 1941	-38.11	0.19	3376.89	01	12	7	01
	P	7 / 24/ 1941	-36.11	2	3378.89	01	12	7	01
	P	11 / 21/ 1941	-34.57	1.54	3380.43	01	12	7	01
	P	2 / 28/ 1942	-34.03	0.54	3380.97	01	12	7	01
	P	10 / 8 / 1942	-34.61	-0.58	3380.39	01	12	7	01
	P	1 / 20/ 1943	-34.68	-0.07	3380.32	01	12	7	01
	P	2 / 2 / 1944	-36.38	-1.7	3378.62	01	12	7	01
	P	2 / 23/ 1945	-38.3	-1.92	3376.7	01	12	7	01
	P	3 / 6 / 1946	-40.88	-2.58	3374.12	01	12	7	01
	P	2 / 21/ 1947	-43.1	-2.22	3371.9	01	12	7	01

Min ***-43.1*** **Max** ***-34.03*** **Avg** ***-36.4288***

1150503 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 27/ 1936	-40.43		3381.57	01	12	7	01
	P	4 / 22/ 1937	-39.88	0.55	3382.12	01	12	7	01
	P	5 / 21/ 1937	-40.15	-0.27	3381.85	01	12	7	01
	P	6 / 8 / 1937	-38.92	1.23	3383.08	01	12	7	01
	P	8 / 19/ 1937	-38.99	-0.07	3383.01	01	12	7	01
	P	8 / 25/ 1937	-38.94	0.05	3383.06	01	12	7	01
	P	9 / 10/ 1937	-38.94		3383.06	01	12	7	01
	P	10 / 1 / 1937	-38.77	0.17	3383.23	01	12	7	01
	P	11 / 2 / 1937	-38.82	-0.05	3383.18	01	12	7	01
	P	6 / 23/ 1939	-40.09	-1.27	3381.91	01	12	7	01
	P	7 / 19/ 1939	-39.97	0.12	3382.03	01	12	7	01
	P	10 / 2 / 1939	-40.5	-0.53	3381.5	01	12	7	01
	P	12 / 1 / 1939	-40.79	-0.29	3381.21	01	12	7	01
	P	2 / 29/ 1940	-40.92	-0.13	3381.08	01	12	7	01
	P	7 / 9 / 1940	-41.33	-0.41	3380.67	01	12	7	01
	P	11 / 13/ 1940	-41.99	-0.66	3380.01	01	12	7	01
	P	1 / 17/ 1941	-42.01	-0.02	3379.99	01	12	7	01
	P	3 / 8 / 1941	-42.02	-0.01	3379.98	01	12	7	01
	P	6 / 2 / 1941	-41.38	0.64	3380.62	01	12	7	01
	P	7 / 24/ 1941	-38.65	2.73	3383.35	01	12	7	01
	P	11 / 21/ 1941	-37.61	1.04	3384.39	01	12	7	01
	P	2 / 28/ 1942	-37.58	0.03	3384.42	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 8 / 1942	-38.25	-0.67	3383.75	01	12	7	01
	P	1 / 20/ 1943	-38.26	-0.01	3383.74	01	12	7	01
	P	2 / 2 / 1944	-40.42	-2.16	3381.58	01	12	7	01
	P	2 / 23/ 1945	-42	-1.58	3380	01	12	7	01

Min *-42.02* **Max** *-37.58* **Avg** *-39.9081*

1150504 *(Aquifer: 121OGLL Well Depth:)*

	P	0 / 0 / 1914	-21.7		3392.3	01	12	7	01
	P	0 / 0 / 1936	-17.4	4.3	3396.6	01	12	7	01
	P	6 / 7 / 1937	-15.99	1.41	3398.01	01	12	7	01
	P	8 / 25/ 1937	-15.88	0.11	3398.12	01	12	7	01
	P	1 / 6 / 1938	-15.48	0.4	3398.52	01	12	7	01
	P	3 / 12/ 1938	-15.77	-0.29	3398.23	01	12	7	01
	P	4 / 12/ 1938	-15.97	-0.2	3398.03	01	12	7	01
	P	5 / 31/ 1938	-16.22	-0.25	3397.78	01	12	7	01
	P	6 / 27/ 1938	-16.2	0.02	3397.8	01	12	7	01
	P	12 / 6 / 1938	-16.52	-0.32	3397.48	01	12	7	01
	P	1 / 16/ 1939	-16.52		3397.48	01	12	7	01
	P	1 / 31/ 1939	-16.46	0.06	3397.54	01	12	7	01
	P	3 / 3 / 1939	-16.61	-0.15	3397.39	01	12	7	01
	P	3 / 26/ 1939	-16.78	-0.17	3397.22	01	12	7	01
	P	6 / 23/ 1939	-16.92	-0.14	3397.08	01	12	7	01
	P	7 / 19/ 1939	-19.54	-2.62	3394.46	01	12	7	01
	P	10 / 2 / 1939	-17.72	1.82	3396.28	01	12	7	01
	P	12 / 1 / 1939	-17.74	-0.02	3396.26	01	12	7	01
	P	2 / 29/ 1940	-17.89	-0.15	3396.11	01	12	7	01
	P	11 / 13/ 1940	-19.71	-1.82	3394.29	01	12	7	01
	P	1 / 17/ 1941	-18.7	1.01	3395.3	01	12	7	01
	P	3 / 8 / 1941	-18.85	-0.15	3395.15	01	12	7	01
	P	6 / 2 / 1941	-17.26	1.59	3396.74	01	12	7	01
	P	11 / 13/ 1941	-13.32	3.94	3400.68	01	12	7	01
	P	2 / 28/ 1942	-14.28	-0.96	3399.72	01	12	7	01
	P	10 / 24/ 1942	-14.88	-0.6	3399.12	01	12	7	01
	P	1 / 20/ 1943	-14.83	0.05	3399.17	01	12	7	01
	P	2 / 3 / 1944	-17.46	-2.63	3396.54	01	12	7	01
	P	2 / 23/ 1945	-19	-1.54	3395	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 27/ 1946	-20.93	-1.93	3393.07	01	12	7	01
	P	1 / 21/ 1947	-21.34	-0.41	3392.66	01	12	7	01
	P	3 / 21/ 1947	-21.93	-0.59	3392.07	01	12	7	01
	P	2 / 19/ 1948	-24.27	-2.34	3389.73	01	12	7	01
	P	2 / 22/ 1949	-32	-7.73	3382	01	12	7	01
	P	1 / 17/ 1951	-36.92	-4.92	3377.08	01	12	7	01
	P	1 / 28/ 1952	-39.08	-2.16	3374.92	01	12	7	01
	P	1 / 8 / 1953	-43.64	-4.56	3370.36	01	12	7	01
	P	1 / 4 / 1954	-49.55	-5.91	3364.45	01	12	7	01
	P	12 / 9 / 1954	-55.12	-5.57	3358.88	01	12	7	01
	P	1 / 14/ 1955	-55.11	0.01	3358.89	01	12	7	01

Min *-55.12* **Max** *-13.32* **Avg** *-22.2873*

1150505 *(Aquifer: 121OGLL Well Depth: 25)*

	P	8 / 19/ 1937	-14.13		3399.87	01	04	7	
	P	8 / 25/ 1937	-14.1	0.03	3399.9	01	04	7	
	P	9 / 10/ 1937	-13.69	0.41	3400.31	01	04	7	
	P	10 / 1 / 1937	-13.35	0.34	3400.65	01	04	7	
	P	11 / 2 / 1937	-13.63	-0.28	3400.37	01	04	7	
	P	12 / 1 / 1937	-13.72	-0.09	3400.28	01	04	7	
	P	1 / 6 / 1938	-13.95	-0.23	3400.05	01	04	7	
	P	3 / 12/ 1938	-14.44	-0.49	3399.56	01	04	7	
	P	4 / 12/ 1938	-14.68	-0.24	3399.32	01	04	7	
	P	6 / 25/ 1938	-15.33	-0.65	3398.67	01	04	7	
	P	8 / 10/ 1938	-15.69	-0.36	3398.31	01	04	7	
	P	10 / 19/ 1938	-15.93	-0.24	3398.07	01	04	7	
	P	12 / 6 / 1938	-15.59	0.34	3398.41	01	04	7	
	P	1 / 4 / 1939	-15.73	-0.14	3398.27	01	04	7	
	P	1 / 16/ 1939	-15.64	0.09	3398.36	01	04	7	
	P	1 / 31/ 1939	-15.43	0.21	3398.57	01	04	7	
	P	3 / 3 / 1939	-15.44	-0.01	3398.56	01	04	7	
	P	3 / 26/ 1939	-15.74	-0.3	3398.26	01	04	7	
	P	4 / 3 / 1939	-15.88	-0.14	3398.12	01	04	7	
	P	6 / 23/ 1939	-15.98	-0.1	3398.02	01	04	7	
	P	8 / 15/ 1939	-15.8	0.18	3398.2	01	04	7	
	P	10 / 2 / 1939	-16.21	-0.41	3397.79	01	04	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 1 / 1939	-16.46	-0.25	3397.54	01	04	7	
Min -16.46		Max -13.35	Avg -15.067						
1150506	(Aquifer: 121OGLL		Well Depth: 310)						
	P	4 / 5 / 1988	-193.07		3238.93	01	01	1	
	P	2 / 2 / 2000	-216.85	-23.8	3215.15	01	01	1	
Min -216.85		Max -193.07	Avg -204.96						
1150507	(Aquifer: 121OGLL		Well Depth: 332)						
	P	1 / 9 / 1986	-189		3249	01	07	7	
	N	6 / 24/ 2004				01	01		42
Min -189		Max -189	Avg -189						
1150508	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 1 / 2000	-197.57		3218.43	01	01	1	
	P	2 / 3 / 2000	-197.37	0.2	3218.63	01	01	1	
Min -197.57		Max -197.37	Avg -197.47						
1150509	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 1 / 2000	-209.55		3221.45	01	01	1	
	P	2 / 3 / 2000	-209.59	-0.04	3221.41	01	01	1	
Min -209.59		Max -209.55	Avg -209.57						
1150510	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 1 / 2000	-206.73		3222.27	01	01	1	
Min -206.73		Max -206.73	Avg -206.73						
1150511	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 2 / 2000	-209.05		3216.95	01	01	1	
	P	2 / 3 / 2000	-209.04	0.01	3216.96	01	01	1	
Min -209.05		Max -209.04	Avg -209.045						
1150512	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 2 / 2000	-216.15		3196.85	01	01	1	
Min -216.15		Max -216.15	Avg -216.15						
1150513	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 2 / 2000	-182.88		3238.12	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -182.88		**Max -182.88**	**Avg**	**-182.88**					
1150514	*(Aquifer: 121OGLL*		*Well Depth: 300)*						
	P	2 / 2 / 2000	-215.18		3215.82	01	01	1	
Min -215.18		**Max -215.18**	**Avg**	**-215.18**					
1150515	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-185.65		3216.35	01	01	1	
Min -185.65		**Max -185.65**	**Avg**	**-185.65**					
1150516	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-183.38		3223.62	01	01	1	
	P	2 / 3 / 2000	-183.34	0.04	3223.66	01	01	1	
Min -183.38		**Max -183.34**	**Avg**	**-183.36**					
1150517	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 2 / 2000	-207.57		3215.43	01	01	1	
	P	2 / 3 / 2000	-207.53	0.04	3215.47	01	01	1	
Min -207.57		**Max -207.53**	**Avg**	**-207.55**					
1150601	*(Aquifer: 121OGLL*		*Well Depth: 140)*						
	P	4 / 27/ 1936	-19.43		3356.57	01	12	7	01
	P	5 / 15/ 1936	-19.08	0.35	3356.92	01	12	7	01
	P	4 / 22/ 1937	-18.33	0.75	3357.67	01	12	7	01
	P	5 / 5 / 1937	-18.44	-0.11	3357.56	01	12	7	01
	P	5 / 21/ 1937	-17.6	0.84	3358.4	01	12	7	01
	P	6 / 8 / 1937	-13.06	4.54	3362.94	01	12	7	01
	P	6 / 24/ 1937	-13.5	-0.44	3362.5	01	12	7	01
	P	7 / 13/ 1937	-14.11	-0.61	3361.89	01	12	7	01
	P	7 / 23/ 1937	-14.11		3361.89	01	12	7	01
	P	7 / 30/ 1937	-14.25	-0.14	3361.75	01	12	7	01
	P	8 / 11/ 1937	-14.6	-0.35	3361.4	01	12	7	01
	P	8 / 19/ 1937	-14.83	-0.23	3361.17	01	12	7	01
	P	8 / 24/ 1937	-14.98	-0.15	3361.02	01	12	7	01
	P	9 / 10/ 1937	-14.77	0.21	3361.23	01	12	7	01
	P	10 / 1 / 1937	-15.22	-0.45	3360.78	01	12	7	01
	P	11 / 2 / 1937	-16	-0.78	3360	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/ 1/1937	-16.47	-0.47	3359.53	01	12	7	01
	P	1/ 5/1938	-16.88	-0.41	3359.12	01	12	7	01
	P	3/12/1938	-17.5	-0.62	3358.5	01	12	7	01
	P	4/12/1938	-17.78	-0.28	3358.22	01	12	7	01
	P	5/31/1938	-18.16	-0.38	3357.84	01	12	7	01
	P	6/25/1938	-17.83	0.33	3358.17	01	12	7	01
	P	8/10/1938	-18.11	-0.28	3357.89	01	12	7	01
	P	10/17/1938	-17.26	0.85	3358.74	01	12	7	01
	P	12/ 6/1938	-18.27	-1.01	3357.73	01	12	7	01
	P	1/ 5/1939	-18.67	-0.4	3357.33	01	12	7	01
	P	1/16/1939	-17.01	1.66	3358.99	01	12	7	01
	P	1/31/1939	-17.58	-0.57	3358.42	01	12	7	01
	P	3/ 4/1939	-18.29	-0.71	3357.71	01	12	7	01
	P	3/26/1939	-18.53	-0.24	3357.47	01	12	7	01
	P	4/ 3/1939	-18.25	0.28	3357.75	01	12	7	01
	P	6/19/1939	-19.16	-0.91	3356.84	01	12	7	01
	P	6/21/1939	-19.09	0.07	3356.91	01	12	7	01
	P	6/23/1939	-17.87	1.22	3358.13	01	12	7	01
	P	6/26/1939	-17.22	0.65	3358.78	01	12	7	01
	P	7/ 3/1939	-17.34	-0.12	3358.66	01	12	7	01
	P	7/ 7/1939	-17.56	-0.22	3358.44	01	12	7	01
	P	7/11/1939	-17.76	-0.2	3358.24	01	12	7	01
	P	7/19/1939	-18.05	-0.29	3357.95	01	12	7	01
	P	8/14/1939	-18.79	-0.74	3357.21	01	12	7	01
	P	10/ 2/1939	-19.47	-0.68	3356.53	01	12	7	01
	P	12/ 1/1939	-20	-0.53	3356	01	12	7	01
	P	2/29/1940	-20.73	-0.73	3355.27	01	12	7	01
	P	7/ 9/1940	-20.67	0.06	3355.33	01	12	7	01
	P	10/27/1940	-21.8	-1.13	3354.2	01	12	7	01
	P	11/14/1940	-21.92	-0.12	3354.08	01	12	7	01
	P	1/17/1941	-22.14	-0.22	3353.86	01	12	7	01
	P	3/ 4/1941	-22.28	-0.14	3353.72	01	12	7	01
	P	5/ 4/1941	-23.32	-1.04	3352.68	01	12	7	01
	P	5/30/1941	-17.38	5.94	3358.62	01	12	7	01
	P	6/ 2/1941	-15.8	1.58	3360.2	01	12	7	01
	P	6/ 3/1941	-15.51	0.29	3360.49	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 24/ 1941	-13.75	1.76	3362.25	01	12	7	01
	P	10 / 14/ 1941	-12.9	0.85	3363.1	01	12	7	01
	P	2 / 28/ 1942	-14.79	-1.89	3361.21	01	12	7	01
	P	7 / 2 / 1942	-15.56	-0.77	3360.44	01	12	7	01
	P	10 / 8 / 1942	-17.88	-2.32	3358.12	01	12	7	01
	P	2 / 11/ 1943	-18.1	-0.22	3357.9	01	12	7	01
	P	2 / 2 / 1944	-21.2	-3.1	3354.8	01	12	7	01
	P	2 / 23/ 1945	-23.19	-1.99	3352.81	01	12	7	01
	P	3 / 6 / 1946	-26.28	-3.09	3349.72	01	12	7	01
	P	1 / 21/ 1947	-27.37	-1.09	3348.63	01	12	7	01
	P	3 / 12/ 1947	-28.12	-0.75	3347.88	01	12	7	01
	P	6 / 8 / 1951	-41.24	-13.1	3334.76	01	12	7	01
	P	6 / 15/ 1951	-41.32	-0.08	3334.68	01	12	7	01
	P	6 / 19/ 1951	-41.37	-0.05	3334.63	01	12	7	01
	P	7 / 4 / 1951	-41.34	0.03	3334.66	01	12	7	01
	P	7 / 19/ 1951	-40.07	1.27	3335.93	01	12	7	01
	P	1 / 28/ 1952	-45.54	-5.47	3330.46	01	12	7	01
	P	1 / 8 / 1953	-51.11	-5.57	3324.89	01	12	7	01
	P	1 / 4 / 1954	-59.02	-7.91	3316.98	01	12	7	01
	P	12 / 10/ 1954	-66.3	-7.28	3309.7	01	12	7	01
	P	1 / 12/ 1955	-66.33	-0.03	3309.67	01	12	7	01

Min *-66.33* **Max** *-12.9* **Avg** *-22.4047*

1150602 *(Aquifer: 121OGLL Well Depth: 140)*

	P	3 / 12/ 1947	-28.12		3356.88	01	12	7	01
	P	6 / 8 / 1951	-41.24	-13.1	3343.76	01	12	7	01
	P	1 / 28/ 1952	-45.54	-4.3	3339.46	01	12	7	01
	P	1 / 8 / 1953	-51.11	-5.57	3333.89	01	12	7	01
	P	1 / 4 / 1954	-59.02	-7.91	3325.98	01	12	7	01
	P	12 / 10/ 1954	-66.3	-7.28	3318.7	01	12	7	01
	P	1 / 12/ 1955	-66.33	-0.03	3318.67	01	12	7	01
	P	1 / 9 / 1962	-83.58	-17.3	3301.42	01	01	1	
	P	1 / 6 / 1963	-86.4	-2.82	3298.6	01	01	1	

Min *-86.4* **Max** *-28.12* **Avg** *-58.6267*

1150603 *(Aquifer: 121OGLL Well Depth: 130)*

	P	0 / 0 / 1910	-20		3390	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	0 / 0 / 1914	-20		3390	01	12	7	01
	P	8 / 16/ 1937	-17.59	2.41	3392.41	01	12	7	01
	P	8 / 20/ 1937	-17.8	-0.21	3392.2	01	12	7	01
	P	4 / 12/ 1938	-18.65	-0.85	3391.35	01	12	7	01
	P	6 / 2 / 1938	-18.69	-0.04	3391.31	01	12	7	01
	P	6 / 27/ 1938	-18.68	0.01	3391.32	01	12	7	01
	P	8 / 10/ 1938	-18.96	-0.28	3391.04	01	12	7	01
	P	12 / 9 / 1938	-18.73	0.23	3391.27	01	12	7	01
	P	1 / 16/ 1939	-18.32	0.41	3391.68	01	12	7	01
	P	1 / 31/ 1939	-18.44	-0.12	3391.56	01	12	7	01
	P	3 / 4 / 1939	-18.75	-0.31	3391.25	01	12	7	01
	P	4 / 3 / 1939	-18.75		3391.25	01	12	7	01
	P	7 / 19/ 1939	-18.75		3391.25	01	12	7	01
	P	12 / 1 / 1939	-20.21	-1.46	3389.79	01	12	7	01
	P	2 / 29/ 1940	-20.24	-0.03	3389.76	01	12	7	01
	P	11 / 13/ 1940	-21.62	-1.38	3388.38	01	12	7	01
	P	1 / 17/ 1941	-21.2	0.42	3388.8	01	12	7	01
	P	3 / 8 / 1941	-21.24	-0.04	3388.76	01	12	7	01
	P	10 / 8 / 1942	-17.05	4.19	3392.95	01	12	7	01
	P	1 / 20/ 1943	-16.69	0.36	3393.31	01	12	7	01
	P	2 / 3 / 1944	-19.63	-2.94	3390.37	01	12	7	01
	P	2 / 23/ 1945	-21.58	-1.95	3388.42	01	12	7	01
	P	2 / 27/ 1946	-24.26	-2.68	3385.74	01	12	7	01
	P	3 / 21/ 1947	-26.92	-2.66	3383.08	01	12	7	01
	P	2 / 19/ 1948	-27.82	-0.9	3382.18	01	12	7	01
	P	2 / 23/ 1949	-31.7	-3.88	3378.3	01	12	7	01
	P	1 / 17/ 1951	-35.8	-4.1	3374.2	01	12	7	01
	P	1 / 29/ 1952	-37.8	-2	3372.2	01	12	7	01
	P	1 / 8 / 1953	-45.45	-7.65	3364.55	01	12	7	01
	P	1 / 4 / 1954	-51.19	-5.74	3358.81	01	12	7	01
	N	1 / 7 / 1955				01	12	1	46

Min *-51.19* **Max** *-16.69* **Avg** *-23.3068*

1150604 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 15/ 1936	-38.6		3358.4	01	12	7
	P	4 / 22/ 1937	-37.75	0.85	3359.25	01	12	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 27/ 1938	-37.79	-0.04	3359.21	01	12	7	
	P	8 / 10/ 1938	-37.95	-0.16	3359.05	01	12	7	

Min *-38.6* **Max** *-37.75* **Avg** *-38.0225*

1150605 *(Aquifer: 121OGLL Well Depth: 305)*

	P	1 / 18/ 1977	-153.26		3243.74	01	01	1	
	P	1 / 10/ 1978	-145.34	7.92	3251.66	01	01	1	
	P	1 / 5 / 1979	-147.31	-1.97	3249.69	01	01	1	
	P	1 / 16/ 1980	-146.85	0.46	3250.15	01	01	1	
	N	1 / 14/ 1983				01	01		61
	P	1 / 9 / 1984	-155.81		3241.19	01	01	1	
	N	12 / 11/ 1985				01	01		61
	P	12 / 9 / 1986	-158.01		3238.99	01	01	1	
	N	1 / 12/ 1988				01	01		61
	N	12 / 11/ 1988				01	01		61
	P	12 / 5 / 1989	-156.97		3240.03	01	01	1	
	P	12 / 11/ 1990	-159.58	-2.61	3237.42	01	01	1	
	P	12 / 11/ 1991	-160.8	-1.22	3236.2	01	01	1	
	P	1 / 27/ 1993	-161.66	-0.86	3235.34	01	01	1	
	P	1 / 17/ 1994	-163.28	-1.62	3233.72	01	06	1	
	P	1 / 18/ 1995	-166.39	-3.11	3230.61	01	06	1	
	P	1 / 19/ 1996	-173.48	-7.09	3223.52	01	06	1	
	P	3 / 7 / 1997	-171.34	2.14	3225.66	01	06	1	
	P	2 / 24/ 1998	-172.89	-1.55	3224.11	01	06	1	
	P	1 / 28/ 1999	-175	-2.11	3222	01	06	1	
	P	1 / 28/ 2000	-176.2	-1.2	3220.8	01	06	1	
	P	1 / 26/ 2001	-179.02	-2.82	3217.98	01	06	1	
	P	1 / 23/ 2002	-181.06	-2.04	3215.94	01	06	1	
	P	2 / 27/ 2003	-183.63	-2.57	3213.37	01	06	1	
	P	1 / 22/ 2004	-185.48	-1.85	3211.52	01	06	1	
	P	2 / 16/ 2005	-186.51	-1.03	3210.49	01	06	1	
	P	1 / 18/ 2006	-187.71	-1.2	3209.29	01	06	1	
	P	1 / 10/ 2007	-188.62	-0.91	3208.38	01	06	1	
	P	1 / 16/ 2008	-190.62	-2	3206.38	01	06	1	
	P	1 / 30/ 2009	-192.84	-2.22	3204.16	01	06	1	
	P	1 / 15/ 2010	-193.95	-1.11	3203.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 2011	-194.92	-0.97	3202.08	01	06	1	
	P	12 / 6 / 2011	-197.04	-2.12	3199.96	01	06	1	

Min *-197.04* **Max** *-145.34* **Avg** *-172.606*

1150606 *(Aquifer: 121OGLL Well Depth: 290)*

	P	5 / 3 / 1972	-110		3291	01	07	7	

Min *-110* **Max** *-110* **Avg** *-110*

1150607 *(Aquifer: 121OGLL Well Depth: 312)*

	P	4 / 5 / 1988	-187.6		3219.4	01	01	1	

Min *-187.6* **Max** *-187.6* **Avg** *-187.6*

1150609 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 3 / 2000	-196.65		3212.35	01	01	1	

Min *-196.65* **Max** *-196.65* **Avg** *-196.65*

1150701 *(Aquifer: 121OGLL Well Depth: 145)*

	P	5 / 11/ 1936	-67.35		3403.65	01	04	7	
	P	6 / 8 / 1937	-69.48	-2.13	3401.52	01	04	7	
	P	7 / 17/ 1937	-67.88	1.6	3403.12	01	04	7	
	P	7 / 28/ 1937	-67.72	0.16	3403.28	01	04	7	
	P	8 / 24/ 1937	-69.6	-1.88	3401.4	01	04	7	
	P	9 / 10/ 1937	-69.04	0.56	3401.96	01	04	7	
	P	10 / 1 / 1937	-67.9	1.14	3403.1	01	04	7	
	P	11 / 2 / 1937	-67.5	0.4	3403.5	01	04	7	
	P	12 / 1 / 1937	-67.22	0.28	3403.78	01	04	7	

Min *-69.6* **Max** *-67.22* **Avg** *-68.1878*

1150702 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 3 / 1971	-164.88		3301.12	01	01	1	
	N	1 / 7 / 1972				01	01		42
	N	1 / 15/ 1973				01	01		42
	P	1 / 13/ 1974	-173.49		3292.51	01	01	1	
	P	1 / 9 / 1975	-177.3	-3.81	3288.7	01	01	1	
	P	1 / 10/ 1976	-180.54	-3.24	3285.46	01	01	1	
	P	1 / 14/ 1977	-185.06	-4.52	3280.94	01	01	1	
	P	1 / 8 / 1978	-187.9	-2.84	3278.1	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 5 / 1979	-190.86	-2.96	3275.14	01	01	1	
	P	1 / 15/ 1980	-190.79	0.07	3275.21	01	01	1	
	P	1 / 17/ 1981	-195.72	-4.93	3270.28	01	01	1	
	P	1 / 14/ 1983	-202.47	-6.75	3263.53	01	01	1	
	P	1 / 11/ 1985	-207.89	-5.42	3258.11	01	01	1	
	P	12 / 10/ 1985	-211.65	-3.76	3254.35	01	01	1	
	P	12 / 9 / 1986	-214.09	-2.44	3251.91	01	01	1	
	P	12 / 15/ 1987	-213	1.09	3253	01	01	1	
	N	12 / 11/ 1988				01	01		42
	P	12 / 5 / 1989	-216.33		3249.67	01	01	1	
	N	12 / 11/ 1990				01	01		42
	P	12 / 11/ 1991	-229.95		3236.05	01	01	1	
	P	1 / 25/ 1993	-218.2	11.75	3247.8	01	01	1	
	P	1 / 17/ 1994	-229.85	-11.7	3236.15	01	06	1	
	P	1 / 19/ 1995	-235.11	-5.26	3230.89	01	06	1	
	P	1 / 19/ 1996	-238.6	-3.49	3227.4	01	06	1	

Min *-238.6* **Max** *-164.88* **Avg** *-203.184*

1150703 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 3 / 1996	-232.1		3229.9	01	06	1	
	P	1 / 17/ 1997	-232.57	-0.47	3229.43	01	06	1	
	P	1 / 20/ 1998	-232.34	0.23	3229.66	01	06	1	
	P	2 / 8 / 1999	-235	-2.66	3227	01	06	1	
	P	2 / 9 / 2000	-240.67	-5.67	3221.33	01	06	1	
	P	1 / 4 / 2001	-242.69	-2.02	3219.31	01	06	1	
	P	1 / 23/ 2002	-245.1	-2.41	3216.9	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	1 / 20/ 2004	-250.5		3211.5	01	06	1	
	P	2 / 22/ 2005	-248.75	1.75	3213.25	01	06	1	
	P	1 / 18/ 2006	-249.46	-0.71	3212.54	01	06	1	
	P	1 / 10/ 2007	-252.18	-2.72	3209.82	01	06	1	
	P	1 / 7 / 2008	-252.07	0.11	3209.93	01	06	1	
	P	1 / 30/ 2009	-255.5	-3.43	3206.5	01	06	1	
	P	2 / 19/ 2010	-257.56	-2.06	3204.44	01	06	1	
	P	1 / 20/ 2011	-258.45	-0.89	3203.55	01	06	1	
	P	1 / 31/ 2012	-263.58	-5.13	3198.42	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -263.58		**Max -232.1**	**Avg -246.783**						
1150802	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 10/ 1957	-107.12		3323.88	01	12	7	01
	P	1 / 15/ 1958	-111.46	-4.34	3319.54	01	12	7	01
	P	1 / 9 / 1959	-114.35	-2.89	3316.65	01	12	7	01
	P	1 / 19/ 1960	-119.5	-5.15	3311.5	01	12	7	01
	P	1 / 11/ 1961	-121.53	-2.03	3309.47	01	04	1	
	P	1 / 9 / 1962	-122.75	-1.22	3308.25	01	01	1	
	P	1 / 6 / 1963	-124.48	-1.73	3306.52	01	01	1	
	P	1 / 9 / 1964	-127.51	-3.03	3303.49	01	01	1	
	P	1 / 8 / 1965	-141.8	-14.3	3289.2	01	01	1	
	N	1 / 13/ 1966				01	01		40
Min -141.8		**Max -107.12**	**Avg -121.167**						
1150803	*(Aquifer: 121OGLL*		*Well Depth: 170)*						
	P	0 / 0 / 1914	-48		3382	01	12	7	01
	P	5 / 11/ 1936	-46	2	3384	01	12	7	01
	P	8 / 27/ 1937	-46.14	-0.14	3383.86	01	12	7	01
	P	1 / 6 / 1938	-45.7	0.44	3384.3	01	12	7	01
	P	4 / 12/ 1938	-45.86	-0.16	3384.14	01	12	7	01
	P	6 / 25/ 1938	-46.03	-0.17	3383.97	01	12	7	01
	P	8 / 10/ 1938	-46.15	-0.12	3383.85	01	12	7	01
	P	10 / 19/ 1938	-46.37	-0.22	3383.63	01	12	7	01
	P	12 / 9 / 1938	-46.41	-0.04	3383.59	01	12	7	01
	P	1 / 5 / 1939	-46.45	-0.04	3383.55	01	12	7	01
	P	3 / 3 / 1939	-46.47	-0.02	3383.53	01	12	7	01
	P	6 / 23/ 1939	-46.73	-0.26	3383.27	01	12	7	01
	P	7 / 19/ 1939	-46.85	-0.12	3383.15	01	12	7	01
	P	10 / 6 / 1939	-47.15	-0.3	3382.85	01	12	7	01
	P	12 / 1 / 1939	-47.31	-0.16	3382.69	01	12	7	01
	P	3 / 4 / 1940	-47.53	-0.22	3382.47	01	12	7	01
	P	11 / 14/ 1940	-49.1	-1.57	3380.9	01	12	7	01
	P	1 / 17/ 1941	-48.85	0.25	3381.15	01	12	7	01
	P	3 / 11/ 1941	-48.86	-0.01	3381.14	01	12	7	01
	P	10 / 14/ 1941	-48.69	0.17	3381.31	01	12	7	01
	P	2 / 28/ 1942	-47.82	0.87	3382.18	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 24/ 1942	-48.1	-0.28	3381.9	01	12	7	01
	P	1 / 20/ 1943	-47.92	0.18	3382.08	01	12	7	01
	P	2 / 16/ 1944	-49.08	-1.16	3380.92	01	12	7	01
	P	2 / 23/ 1945	-49.97	-0.89	3380.03	01	12	7	01
	P	3 / 6 / 1946	-51.54	-1.57	3378.46	01	12	7	01
	P	1 / 21/ 1947	-53.65	-2.11	3376.35	01	12	7	01
	P	3 / 12/ 1947	-53.58	0.07	3376.42	01	12	7	01
	P	2 / 28/ 1948	-55.15	-1.57	3374.85	01	12	7	01
	P	2 / 22/ 1949	-58.63	-3.48	3371.37	01	12	7	01
	P	2 / 15/ 1950	-60.94	-2.31	3369.06	01	12	7	01
	P	1 / 19/ 1951	-63.66	-2.72	3366.34	01	12	7	01
	P	1 / 28/ 1952	-66.7	-3.04	3363.3	01	12	7	01
	P	1 / 8 / 1953	-71.2	-4.5	3358.8	01	12	7	01

Min *-71.2* **Max** *-45.7* **Avg** *-50.5468*

1150901 *(Aquifer: 121OGLL Well Depth: 200)*

	P	12 / 10/ 1954	-108.45		3305.55	01	12	7	01
	P	1 / 10/ 1956	-115.33	-6.88	3298.67	01	12	7	01
	P	1 / 10/ 1957	-123.1	-7.77	3290.9	01	12	7	01
	P	1 / 15/ 1958	-127.64	-4.54	3286.36	01	12	7	01
	P	1 / 6 / 1959	-129.52	-1.88	3284.48	01	12	7	01
	P	1 / 19/ 1960	-133.2	-3.68	3280.8	01	12	7	01
	P	1 / 13/ 1961	-135.45	-2.25	3278.55	01	04	1	
	P	1 / 9 / 1962	-135.95	-0.5	3278.05	01	01	1	
	P	1 / 6 / 1963	-137.98	-2.03	3276.02	01	01	1	
	P	1 / 9 / 1964	-141.47	-3.49	3272.53	01	01	1	
	P	1 / 9 / 1965	-146.35	-4.88	3267.65	01	01	1	
	P	1 / 13/ 1966	-152.98	-6.63	3261.02	01	01	1	
	P	1 / 5 / 1967	-155.3	-2.32	3258.7	01	01	1	
	P	1 / 5 / 1968	-161.54	-6.24	3252.46	01	01	1	
	P	1 / 12/ 1969	-160.1	1.44	3253.9	01	01	1	
	P	1 / 9 / 1970	-162.08	-1.98	3251.92	01	01	1	
	P	1 / 10/ 1971	-167.54	-5.46	3246.46	01	01	1	
	P	1 / 7 / 1972	-171.17	-3.63	3242.83	01	01	1	
	P	1 / 17/ 1973	-169.01	2.16	3244.99	01	01	1	
	P	1 / 12/ 1974	-170.25	-1.24	3243.75	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 11/ 1975				01	01		23
	P	1 / 10/ 1976	-174.13		3239.87	01	01	1	
	N	1 / 14/ 1977				01	01	1	44
	N	1 / 10/ 1978				01	01	1	44
	N	1 / 5 / 1979				01	01	1	44

Min *-174.13* **Max** *-108.45* **Avg** *-146.597*

1150902 *(Aquifer: 121OGLL Well Depth:)*

P	5 / 12/ 1936	-51.8		3360.2	01	12	7	01
P	4 / 24/ 1937	-52.65	-0.85	3359.35	01	12	7	01
P	6 / 8 / 1938	-52.78	-0.13	3359.22	01	12	7	01
P	6 / 27/ 1938	-52.91	-0.13	3359.09	01	12	7	01
P	12 / 9 / 1938	-53.31	-0.4	3358.69	01	12	7	01
P	3 / 3 / 1939	-53.56	-0.25	3358.44	01	12	7	01
P	10 / 6 / 1939	-53.8	-0.24	3358.2	01	12	7	01
P	12 / 4 / 1939	-54.11	-0.31	3357.89	01	12	7	01
P	11 / 14/ 1940	-57.57	-3.46	3354.43	01	12	7	01
P	1 / 28/ 1941	-55.42	2.15	3356.58	01	12	7	01
P	3 / 4 / 1941	-55.53	-0.11	3356.47	01	12	7	01

Min *-57.57* **Max** *-51.8* **Avg** *-53.9491*

1150904 *(Aquifer: 121OGLL Well Depth: 318)*

P	1 / 16/ 1980	-181.78		3240.22	01	01	1	
P	1 / 16/ 1982	-188.55	-6.77	3233.45	01	01	1	
N	1 / 14/ 1983				01	01		42
P	1 / 9 / 1984	-192.26		3229.74	01	01	1	
N	12 / 11/ 1985				01	01		42
N	1 / 13/ 1988				01	01		61
P	12 / 11/ 1988	-195.58		3226.42	01	01	1	
P	12 / 5 / 1989	-196.28	-0.7	3225.72	01	01	1	
P	12 / 11/ 1990	-197.12	-0.84	3224.88	01	01	1	
P	12 / 11/ 1991	-198.53	-1.41	3223.47	01	01	1	
P	1 / 27/ 1993	-197.95	0.58	3224.05	01	01	1	
N	1 / 17/ 1994				01	06		42

Min *-198.53* **Max** *-181.78* **Avg** *-193.506*

1150906 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1994	-198.68		3223.32	01	06	1	
	P	1/ 18/ 1995	-200.88	-2.2	3221.12	01	06	1	
	P	1/ 19/ 1996	-200.52	0.36	3221.48	01	06	1	
	P	3/ 7/ 1997	-204	-3.48	3218	01	06	1	
	P	1/ 20/ 1998	-204.78	-0.78	3217.22	01	06	1	
	N	2/ 24/ 1999				01	06		61
	P	2/ 1/ 2000	-211.84		3210.16	01	06	1	
	P	1/ 26/ 2001	-214.57	-2.73	3207.43	01	06	1	
	P	1/ 23/ 2002	-215.14	-0.57	3206.86	01	06	1	
	P	2/ 27/ 2003	-216.82	-1.68	3205.18	01	06	1	
	P	1/ 22/ 2004	-218.47	-1.65	3203.53	01	06	1	
	P	2/ 16/ 2005	-217.59	0.88	3204.41	01	06	1	
	P	1/ 18/ 2006	-217.85	-0.26	3204.15	01	06	1	
	P	1/ 10/ 2007	-219.76	-1.91	3202.24	01	06	1	
	P	1/ 16/ 2008	-219.46	0.3	3202.54	01	06	1	
	P	1/ 30/ 2009	-221.6	-2.14	3200.4	01	06	1	
	P	1/ 15/ 2010	-222	-0.4	3200	01	06	1	
	P	1/ 20/ 2011	-222.16	-0.16	3199.84	01	06	1	
	P	12/ 6/ 2011	-225.67	-3.51	3196.33	01	06	1	

Min *-225.67* **Max** *-198.68* **Avg** *-213.988*

1151101 *(Aquifer: 121OGLL Well Depth: 198)*

	P	9/ 14/ 1937	-47.86		3347.14	01	12	7	01
	P	3/ 13/ 1947	-61.24	-13.4	3333.76	01	12	7	01
	P	2/ 20/ 1948	-65.38	-4.14	3329.62	01	12	7	01
	P	2/ 28/ 1949	-69.93	-4.55	3325.07	01	12	7	01
	P	1/ 16/ 1951	-82.75	-12.8	3312.25	01	12	7	01
	P	1/ 21/ 1952	-78.95	3.8	3316.05	01	12	7	01
	P	1/ 9/ 1953	-83.65	-4.7	3311.35	01	12	7	01
	P	1/ 4/ 1954	-88.3	-4.65	3306.7	01	12	7	01
	P	12/ 9/ 1954	-97.77	-9.47	3297.23	01	12	7	01
	P	1/ 12/ 1955	-94.85	2.92	3300.15	01	12	7	01
	P	1/ 8/ 1957	-102.69	-7.84	3292.31	01	12	7	01
	P	1/ 15/ 1958	-103.47	-0.78	3291.53	01	12	7	01
	P	1/ 7/ 1959	-106.87	-3.4	3288.13	01	12	7	01
	P	1/ 19/ 1960	-110.15	-3.28	3284.85	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 1961	-115.7	-5.55	3279.3	01	04	7	
	N	1 / 16/ 1962				01	04		63

Min *-115.7* **Max** *-47.86* **Avg** *-87.304*

1151102 *(Aquifer: 121OGLL Well Depth: 318)*

	P	0 / 0 / 1914	-42		3357	01	12	7	01
	P	4 / 23/ 1936	-43.9	-1.9	3355.1	01	12	7	01
	P	6 / 15/ 1936	-44.09	-0.19	3354.91	01	12	7	01
	P	6 / 10/ 1937	-46.63	-2.54	3352.37	01	12	7	01
	P	9 / 3 / 1937	-49.59	-2.96	3349.41	01	12	7	01
	P	1 / 5 / 1938	-45.54	4.05	3353.46	01	12	7	01
	P	3 / 12/ 1938	-45.36	0.18	3353.64	01	12	7	01
	P	4 / 11/ 1938	-45.46	-0.1	3353.54	01	12	7	01
	P	6 / 21/ 1938	-45.71	-0.25	3353.29	01	12	7	01
	P	10 / 18/ 1938	-45.9	-0.19	3353.1	01	12	7	01
	P	1 / 4 / 1939	-45.82	0.08	3353.18	01	12	7	01
	P	2 / 28/ 1939	-45.78	0.04	3353.22	01	12	7	01
	P	6 / 16/ 1939	-46.3	-0.52	3352.7	01	12	7	01
	P	8 / 14/ 1939	-46.37	-0.07	3352.63	01	12	7	01
	P	10 / 2 / 1939	-46.72	-0.35	3352.28	01	12	7	01
	P	12 / 1 / 1939	-46.85	-0.13	3352.15	01	12	7	01
	P	3 / 5 / 1940	-46.78	0.07	3352.22	01	12	7	01
	P	11 / 7 / 1940	-49.18	-2.4	3349.82	01	12	7	01
	P	1 / 16/ 1941	-48.83	0.35	3350.17	01	12	7	01
	P	3 / 10/ 1941	-48.69	0.14	3350.31	01	12	7	01
	P	11 / 5 / 1941	-48.11	0.58	3350.89	01	12	7	01
	P	2 / 24/ 1942	-47.41	0.7	3351.59	01	12	7	01
	P	10 / 12/ 1942	-48.25	-0.84	3350.75	01	12	7	01
	P	1 / 27/ 1943	-47.92	0.33	3351.08	01	12	7	01
	P	2 / 23/ 1944	-49	-1.08	3350	01	12	7	01
	P	2 / 24/ 1945	-50.17	-1.17	3348.83	01	12	7	01
	P	2 / 26/ 1946	-52.56	-2.39	3346.44	01	12	7	01
	P	1 / 17/ 1947	-55.57	-3.01	3343.43	01	12	7	01
	P	3 / 5 / 1947	-55.4	0.17	3343.6	01	12	7	01
	P	2 / 20/ 1948	-58.12	-2.72	3340.88	01	12	7	01
	P	2 / 28/ 1949	-63.15	-5.03	3335.85	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/14/1950	-65.3	-2.15	3333.7	01	12	7	01
	P	1/18/1951	-68.4	-3.1	3330.6	01	12	7	01
	P	1/21/1952	-71.53	-3.13	3327.47	01	12	7	01
	P	1/ 8/1953	-77.69	-6.16	3321.31	01	12	7	01
	P	1/ 5/1954	-84.05	-6.36	3314.95	01	12	7	01
	P	12/ 8/1954	-89.21	-5.16	3309.79	01	12	7	01
	P	1/12/1955	-89.13	0.08	3309.87	01	12	7	01
	P	1/10/1956	-92.9	-3.77	3306.1	01	12	7	01
	P	1/ 8/1957	-107.23	-14.3	3291.77	01	12	7	01
	P	1/15/1958	-113.49	-6.26	3285.51	01	12	7	01
	P	1/ 7/1959	-112.75	0.74	3286.25	01	12	7	01
	P	1/19/1960	-116	-3.25	3283	01	12	7	01
	P	1/11/1961	-122	-6	3277	01	04	1	
	P	1/16/1962	-106.84	15.16	3292.16	01	01	1	
	P	1/ 7/1963	-109.4	-2.56	3289.6	01	01	1	
	P	1/10/1964	-111.15	-1.75	3287.85	01	01	1	
	P	1/ 8/1965	-128.6	-17.5	3270.4	01	01	1	
	P	1/13/1966	-127.55	1.05	3271.45	01	01	1	
	P	1/ 8/1967	-132.74	-5.19	3266.26	01	01	1	
	P	1/ 7/1968	-141.34	-8.6	3257.66	01	01	1	
	P	1/11/1969	-145.78	-4.44	3253.22	01	01	1	
	P	1/ 9/1970	-133.2	12.58	3265.8	01	01	1	
	P	1/ 8/1971	-136	-2.8	3263	01	01	1	
	P	1/ 5/1972	-139.24	-3.24	3259.76	01	01	1	
	P	1/15/1974	-143	-3.76	3256	01	01	1	
	P	1/ 9/1975	-145.9	-2.9	3253.1	01	01	1	
	P	1/ 9/1976	-147.7	-1.8	3251.3	01	01	1	
	P	1/15/1977	-152.34	-4.64	3246.66	01	01	1	
	P	1/10/1978	-152.93	-0.59	3246.07	01	01	1	
	P	1/ 4/1979	-156.75	-3.82	3242.25	01	01	1	
	P	1/14/1980	-156.35	0.4	3242.65	01	01	1	
	P	1/14/1983	-168.67	-12.3	3230.33	01	01	1	
	P	1/10/1985	-173.69	-5.02	3225.31	01	01	1	
	P	12/12/1986	-174.46	-0.77	3224.54	01	01	1	
	P	12/11/1988	-181.45	-6.99	3217.55	01	01	2	
	P	12/ 6/1989	-181.83	-0.38	3217.17	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 12/ 1990	-185.26	-3.43	3213.74	01	01	1	
	P	12 / 12/ 1991	-186.88	-1.62	3212.12	01	01	1	
	P	1 / 27/ 1993	-187.6	-0.72	3211.4	01	01	1	
	P	1 / 10/ 1994	-190.4	-2.8	3208.6	01	06	1	
	P	1 / 18/ 1995	-191.82	-1.42	3207.18	01	06	1	
	P	1 / 22/ 1996	-194.73	-2.91	3204.27	01	06	1	
	P	1 / 17/ 1997	-198.64	-3.91	3200.36	01	06	1	
	P	1 / 17/ 1998	-198.64		3200.36	01	06	1	
	P	1 / 28/ 1999	-202	-3.36	3197	01	06	1	
	P	1 / 31/ 2000	-203.71	-1.71	3195.29	01	06	1	
	P	1 / 24/ 2001	-205.68	-1.97	3193.32	01	06	1	
	P	1 / 25/ 2002	-207.05	-1.37	3191.95	01	06	1	
	P	2 / 25/ 2003	-208.8	-1.75	3190.2	01	06	1	
	P	1 / 22/ 2004	-210.2	-1.4	3188.8	01	06	1	
	P	2 / 16/ 2005	-211.14	-0.94	3187.86	01	06	1	
	P	1 / 13/ 2006	-211.9	-0.76	3187.1	01	06	1	
	P	1 / 8 / 2007	-213.33	-1.43	3185.67	01	06	1	
	P	1 / 16/ 2008	-214.24	-0.91	3184.76	01	06	1	
	P	1 / 29/ 2009	-214.74	-0.5	3184.26	01	06	1	
	P	1 / 15/ 2010	-215.74	-1	3183.26	01	06	1	
	P	1 / 19/ 2011	-216.59	-0.85	3182.41	01	06	1	
	P	1 / 31/ 2012	-217.02	-0.43	3181.98	01	06	1	

Min *-217.02* **Max** *-42* **Avg** *-118.470*

1151103 *(Aquifer: 121OGLL Well Depth: 228)*

	P	3 / 3 / 1947	-60.2		3334.8	01	12	7	01
	P	2 / 20/ 1948	-64.16	-3.96	3330.84	01	12	7	01
	P	2 / 28/ 1949	-68.77	-4.61	3326.23	01	12	7	01
	P	1 / 21/ 1952	-77.89	-9.12	3317.11	01	12	7	01
	P	1 / 9 / 1953	-82.73	-4.84	3312.27	01	12	7	01
	P	1 / 4 / 1954	-87.54	-4.81	3307.46	01	12	7	01
	P	12 / 9 / 1954	-97.73	-10.2	3297.27	01	12	7	01
	P	1 / 12/ 1955	-98.9	-1.17	3296.1	01	12	7	01
	P	1 / 8 / 1957	-101.38	-2.48	3293.62	01	12	7	01
	P	1 / 13/ 1958	-102.61	-1.23	3292.39	01	12	7	01
	P	1 / 7 / 1959	-106	-3.39	3289	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 1960	-109.2	-3.2	3285.8	01	12	7	01
	P	1 / 11/ 1961	-113.2	-4	3281.8	01	04	1	
	P	1 / 16/ 1962	-110.72	2.48	3284.28	01	01	1	
	P	1 / 7 / 1963	-113.08	-2.36	3281.92	01	01	1	
	N	1 / 10/ 1964				01	01		63
	P	1 / 8 / 1965	-120.1		3274.9	01	01	1	
	P	1 / 13/ 1966	-123.16	-3.06	3271.84	01	01	1	
	P	1 / 8 / 1967	-127.38	-4.22	3267.62	01	01	1	
	P	1 / 7 / 1968	-136.17	-8.79	3258.83	01	01	1	
	P	1 / 11/ 1969	-141.3	-5.13	3253.7	01	01	1	
	N	1 / 9 / 1970				01	01		60
	N	1 / 8 / 1971				01	01		60

Min *-141.3* **Max** *-60.2* **Avg** *-102.111*

1151104 *(Aquifer: 121OGLL Well Depth: 276)*

	P	1 / 17/ 1977	-158.25		3244.75	01	01	1	
	P	1 / 10/ 1978	-158.24	0.01	3244.76	01	01	1	
	P	1 / 4 / 1979	-160.73	-2.49	3242.27	01	01	1	
	P	1 / 14/ 1980	-160.75	-0.02	3242.25	01	01	1	
	P	1 / 17/ 1981	-164.2	-3.45	3238.8	01	01	1	
	P	1 / 14/ 1983	-175.35	-11.2	3227.65	01	01	1	
	P	1 / 10/ 1985	-178.82	-3.47	3224.18	01	01	1	
	P	12 / 12/ 1985	-198.77	-20	3204.23	01	01	1	20
	P	12 / 18/ 1987	-172.3	26.47	3230.7	01	01	1	
	N	12 / 11/ 1988				01	01		42
	P	12 / 6 / 1989	-178.39		3224.61	01	01	1	
	P	12 / 12/ 1990	-180.05	-1.66	3222.95	01	01	1	
	P	12 / 12/ 1991	-182.4	-2.35	3220.6	01	01	1	
	P	1 / 27/ 1993	-181.96	0.44	3221.04	01	01	1	
	P	1 / 10/ 1994	-187.61	-5.65	3215.39	01	06	1	
	P	1 / 18/ 1995	-188.9	-1.29	3214.1	01	06	1	
	P	1 / 22/ 1996	-193.21	-4.31	3209.79	01	06	1	
	P	1 / 17/ 1997	-198.01	-4.8	3204.99	01	06	1	
	P	1 / 20/ 1998	-196.49	1.52	3206.51	01	06	1	
	P	2 / 24/ 1999	-199	-2.51	3204	01	06	1	
	P	1 / 31/ 2000	-200.37	-1.37	3202.63	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 2001	-203.76	-3.39	3199.24	01	06	1	
	P	1 / 25/ 2002	-204.32	-0.56	3198.68	01	06	1	
	P	3 / 21/ 2003	-206.24	-1.92	3196.76	01	06	1	
	P	1 / 19/ 2004	-210.75	-4.51	3192.25	01	06	1	
	P	2 / 16/ 2005	-209.62	1.13	3193.38	01	06	1	
	P	1 / 18/ 2006	-212.39	-2.77	3190.61	01	06	1	
	N	1 / 8 / 2007				01	06	7	44
	N	1 / 16/ 2008				01	06		42
	P	3 / 6 / 2009	-218.38		3184.62	01	06	1	
	P	2 / 19/ 2010	-220.15	-1.77	3182.85	01	06	1	
	P	1 / 19/ 2011	-220.76	-0.61	3182.24	01	06	1	
	P	1 / 31/ 2012	-229.56	-8.8	3173.44	01	06	1	

Min *-229.56* **Max** *-158.24* **Avg** *-191.658*

1151105 *(Aquifer: 121OGLL Well Depth: 367)*

	P	7 / 26/ 1983	-179		3228	01	01	1	
	P	4 / 29/ 1987	-177.4	1.6	3229.6	01	01	1	

Min *-179* **Max** *-177.4* **Avg** *-178.2*

1151201 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 15/ 1954	-86.84		3278.16	01	12	7	01
	P	1 / 11/ 1955	-86.48	0.36	3278.52	01	12	7	01
	P	1 / 9 / 1956	-91.13	-4.65	3273.87	01	12	7	01
	P	1 / 8 / 1957	-94.89	-3.76	3270.11	01	12	7	01
	P	1 / 16/ 1958	-97.1	-2.21	3267.9	01	12	7	01
	P	1 / 7 / 1959	-98.35	-1.25	3266.65	01	12	7	01
	P	1 / 8 / 1960	-102.64	-4.29	3262.36	01	12	7	01
	P	1 / 11/ 1961	-107.7	-5.06	3257.3	01	04	1	
	P	1 / 16/ 1962	-104.91	2.79	3260.09	01	01	1	
	P	1 / 7 / 1963	-109.59	-4.68	3255.41	01	01	1	
	P	1 / 10/ 1964	-110.12	-0.53	3254.88	01	01	1	
	P	1 / 7 / 1965	-113.8	-3.68	3251.2	01	01	1	
	P	1 / 9 / 1966	-118.75	-4.95	3246.25	01	01	1	
	P	1 / 6 / 1967	-120.12	-1.37	3244.88	01	01	1	
	P	1 / 8 / 1968	-124.5	-4.38	3240.5	01	01	1	
	P	1 / 10/ 1969	-128.54	-4.04	3236.46	01	01	1	
	P	1 / 4 / 1970	-132	-3.46	3233	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1971	-135.3	-3.3	3229.7	01	01	1	
	P	1/ 5/1972	-139.36	-4.06	3225.64	01	01	1	
	P	1/11/1973	-141.93	-2.57	3223.07	01	01	1	
	P	1/15/1974	-142.83	-0.9	3222.17	01	01	1	
	P	1/ 8/1975	-148.1	-5.27	3216.9	01	01	1	
	P	1/ 6/1976	-151.87	-3.77	3213.13	01	01	1	
	P	1/15/1977	-156.61	-4.74	3208.39	01	01	1	
	P	1/10/1978	-160.05	-3.44	3204.95	01	01	1	
	P	1/ 3/1979	-162.97	-2.92	3202.03	01	01	1	
	P	1/19/1981	-168.64	-5.67	3196.36	01	01	1	
	P	1/14/1983	-176.85	-8.21	3188.15	01	01	1	
	P	1/11/1985	-176.57	0.28	3188.43	01	01	1	
	P	12/12/1985	-181.34	-4.77	3183.66	01	01	1	
	P	12/12/1986	-193.92	-12.6	3171.08	01	01	1	
	P	12/16/1987	-205.25	-11.3	3159.75	01	01	1	
	P	12/11/1988	-183.02	22.23	3181.98	01	01	1	
	P	12/ 6/1989	-186.89	-3.87	3178.11	01	01	1	
	P	12/12/1990	-186.55	0.34	3178.45	01	01	1	
	P	12/12/1991	-209.85	-23.3	3155.15	01	01	1	
	P	1/27/1993	-188.36	21.49	3176.64	01	01	1	
	P	1/10/1994	-191.7	-3.34	3173.3	01	06	1	
	P	1/17/1995	-193.99	-2.29	3171.01	01	06	1	
	P	1/22/1996	-198.1	-4.11	3166.9	01	06	1	
	P	1/17/1997	-199.75	-1.65	3165.25	01	06	1	
	P	1/21/1998	-203.08	-3.33	3161.92	01	06	1	
	P	1/25/1999	-204	-0.92	3161	01	06	1	
	P	1/31/2000	-207.64	-3.64	3157.36	01	06	1	
	P	1/25/2001	-209.38	-1.74	3155.62	01	06	1	
	P	1/29/2002	-209.8	-0.42	3155.2	01	06	1	
	P	2/28/2003	-213.9	-4.1	3151.1	01	06	1	
	P	1/20/2004	-222.03	-8.13	3142.97	01	06	1	
	P	2/15/2005	-213.69	8.34	3151.31	01	06	1	
	P	1/13/2006	-220.04	-6.35	3144.96	01	06	1	
	P	1/ 5/2007	-224.2	-4.16	3140.8	01	06	1	
	N	1/28/2008				01	06	7	44
	N	3/ 6/2009				01	06	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 2010	-216.92		3148.08	01	06	1	
	N	1 / 19/ 2011				01	06	1	44
	N	2 / 2 / 2012				01	06	1	44

Min *-224.2* **Max** *-86.48* **Avg** *-160.614*

1151202 *(Aquifer: 121OGLL Well Depth:)*

P	8 / 26/ 1937	-42.68		3321.32	01	12	7	01
P	9 / 14/ 1937	-42.72	-0.04	3321.28	01	12	7	01
P	10 / 4 / 1937	-42.69	0.03	3321.31	01	12	7	01
P	11 / 1 / 1937	-42.57	0.12	3321.43	01	12	7	01
P	12 / 3 / 1937	-42.46	0.11	3321.54	01	12	7	01
P	1 / 5 / 1938	-42.36	0.1	3321.64	01	12	7	01
P	3 / 12/ 1938	-42.25	0.11	3321.75	01	12	7	01
P	4 / 11/ 1938	-42.25		3321.75	01	12	7	01
P	5 / 27/ 1938	-42.37	-0.12	3321.63	01	12	7	01
P	6 / 27/ 1938	-42.48	-0.11	3321.52	01	12	7	01
P	8 / 12/ 1938	-42.6	-0.12	3321.4	01	12	7	01
P	10 / 18/ 1938	-42.44	0.16	3321.56	01	12	7	01
P	12 / 8 / 1938	-42.35	0.09	3321.65	01	12	7	01
P	1 / 6 / 1939	-42.37	-0.02	3321.63	01	12	7	01
P	2 / 28/ 1939	-42.34	0.03	3321.66	01	12	7	01
P	6 / 16/ 1939	-42.88	-0.54	3321.12	01	12	7	01
P	7 / 20/ 1939	-42.87	0.01	3321.13	01	12	7	01
P	10 / 3 / 1939	-43.21	-0.34	3320.79	01	12	7	01
P	12 / 8 / 1939	-43.88	-0.67	3320.12	01	12	7	01
P	3 / 5 / 1940	-43.43	0.45	3320.57	01	12	7	01
P	11 / 15/ 1940	-44.73	-1.3	3319.27	01	12	7	01
P	3 / 10/ 1941	-44.67	0.06	3319.33	01	12	7	01
P	7 / 25/ 1941	-44.18	0.49	3319.82	01	12	7	01
P	11 / 5 / 1941	-43.58	0.6	3320.42	01	12	7	01
P	2 / 24/ 1942	-42.98	0.6	3321.02	01	12	7	01
P	1 / 26/ 1943	-43.64	-0.66	3320.36	01	12	7	01
P	2 / 3 / 1944	-45.1	-1.46	3318.9	01	12	7	01
P	2 / 21/ 1945	-46.55	-1.45	3317.45	01	12	7	01
P	2 / 27/ 1946	-48.67	-2.12	3315.33	01	12	7	01
P	1 / 17/ 1947	-52.1	-3.43	3311.9	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 13/ 1947	-51.54	0.56	3312.46	01	12	7	01
	P	2 / 21/ 1948	-53.8	-2.26	3310.2	01	12	7	01
	P	3 / 7 / 1949	-57.61	-3.81	3306.39	01	12	7	01
	P	2 / 13/ 1950	-59.19	-1.58	3304.81	01	12	7	01
	P	1 / 24/ 1952	-65.82	-6.63	3298.18	01	12	7	01
	P	1 / 11/ 1953	-74.08	-8.26	3289.92	01	12	7	01
	P	1 / 5 / 1954	-76.91	-2.83	3287.09	01	12	7	01

Min *-76.91* **Max** *-42.25* **Avg** *-47.2527*

1151203 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 13/ 1947	-54.28		3317.72	01	12	7	01
	P	2 / 21/ 1948	-58.28	-4	3313.72	01	12	7	01
	P	3 / 7 / 1949	-62.52	-4.24	3309.48	01	12	7	01

Min *-62.52* **Max** *-54.28* **Avg** *-58.36*

1151205 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 15/ 2010	-216.92		3155.08	01	06	1	
	P	1 / 19/ 2011	-217.98	-1.06	3154.02	01	06	1	
	P	2 / 2 / 2012	-217.24	0.74	3154.76	01	06	1	

Min *-217.98* **Max** *-216.92* **Avg** *-217.38*

1151301 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 13/ 1947	-60.93		3298.07	01	12	7	01
	P	2 / 21/ 1948	-64.6	-3.67	3294.4	01	12	7	01
	P	3 / 7 / 1949	-68.38	-3.78	3290.62	01	12	7	01
	P	1 / 25/ 1952	-78.45	-10.1	3280.55	01	12	7	01
	P	1 / 11/ 1953	-85.85	-7.4	3273.15	01	12	7	01
	P	12 / 15/ 1954	-99.43	-13.6	3259.57	01	12	7	01
	P	1 / 12/ 1955	-97.83	1.6	3261.17	01	12	7	01
	P	1 / 8 / 1957	-111.47	-13.6	3247.53	01	12	7	01
	P	1 / 16/ 1958	-111.38	0.09	3247.62	01	12	7	01
	P	1 / 7 / 1959	-111.05	0.33	3247.95	01	12	7	01
	P	1 / 8 / 1960	-114.15	-3.1	3244.85	01	12	7	01
	P	1 / 11/ 1961	-118.65	-4.5	3240.35	01	04	1	
	P	1 / 16/ 1962	-116.9	1.75	3242.1	01	01	1	
	N	1 / 7 / 1963				01	01	1	44
	P	1 / 10/ 1964	-115.03		3243.97	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1965	-123.3	-8.27	3235.7	01	01	1	
	N	1/ 9/1966				01	01		42
	P	1/ 7/1967	-128.2		3230.8	01	01	1	
	P	1/ 8/1968	-138.48	-10.3	3220.52	01	01	1	
	N	1/ 4/1970				01	01		42
	P	1/ 5/1971	-145.55		3213.45	01	01	1	
	P	1/ 5/1972	-148.18	-2.63	3210.82	01	01	1	20
	N	1/11/1973				01	01		42
	P	1/15/1974	-151.59		3207.41	01	01	1	
	N	1/ 8/1975				01	01	1	44
	P	1/ 6/1976	-160.68		3198.32	01	01	1	
	P	1/15/1977	-166.69	-6.01	3192.31	01	01	1	
	P	1/10/1978	-170.16	-3.47	3188.84	01	01	1	
	P	1/ 3/1979	-173.42	-3.26	3185.58	01	01	1	
	P	1/12/1980	-172.37	1.05	3186.63	01	01	1	
	P	1/14/1983	-180.71	-8.34	3178.29	01	01	1	
	P	1/11/1985	-184.38	-3.67	3174.62	01	01	1	
	P	12/12/1986	-194.05	-9.67	3164.95	01	01	1	
	P	12/16/1987	-194.35	-0.3	3164.65	01	01	1	
	P	12/11/1988	-192.75	1.6	3166.25	01	01	1	
	P	12/ 6/1989	-194.97	-2.22	3164.03	01	01	1	
	P	12/12/1990	-196.9	-1.93	3162.1	01	01	1	
	P	12/12/1991	-201.87	-4.97	3157.13	01	01	1	
	P	1/27/1993	-197.3	4.57	3161.7	01	01	1	
	N	1/10/1994				01	06		42

Min *-201.87* **Max** *-60.93* **Avg** *-140.294*

1151302 *(Aquifer: 121OGLL Well Depth: 200)*

	P	0/ 0/1914	-42		3326	01	12	7	01
	P	4/23/1936	-44.59	-2.59	3323.41	01	12	7	01
	P	6/10/1937	-44.85	-0.26	3323.15	01	12	7	01
	P	7/13/1937	-44.73	0.12	3323.27	01	12	7	01
	P	8/26/1937	-44.75	-0.02	3323.25	01	12	7	01
	P	10/ 4/1937	-44.85	-0.1	3323.15	01	12	7	01
	P	11/ 1/1937	-44.89	-0.04	3323.11	01	12	7	01
	P	12/ 3/1937	-44.84	0.05	3323.16	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 5 / 1938	-44.89	-0.05	3323.11	01	12	7	01
	P	3 / 12 / 1938	-45.38	-0.49	3322.62	01	12	7	01
	P	4 / 11 / 1938	-45.44	-0.06	3322.56	01	12	7	01
	P	5 / 27 / 1938	-45.44		3322.56	01	12	7	01
	P	6 / 27 / 1938	-45.52	-0.08	3322.48	01	12	7	01
	P	8 / 12 / 1938	-45.24	0.28	3322.76	01	12	7	01
	P	9 / 15 / 1938	-45.66	-0.42	3322.34	01	12	7	01
	P	10 / 18 / 1938	-45.32	0.34	3322.68	01	12	7	01
	P	12 / 8 / 1938	-45.24	0.08	3322.76	01	12	7	01
	P	1 / 6 / 1939	-45.32	-0.08	3322.68	01	12	7	01
	P	2 / 28 / 1939	-45.51	-0.19	3322.49	01	12	7	01
	P	7 / 20 / 1939	-45.8	-0.29	3322.2	01	12	7	01
	P	8 / 14 / 1939	-45.74	0.06	3322.26	01	12	7	01
	P	12 / 8 / 1939	-47.24	-1.5	3320.76	01	12	7	01
	P	3 / 5 / 1940	-46.03	1.21	3321.97	01	12	7	01
	P	11 / 15 / 1940	-46.68	-0.65	3321.32	01	12	7	01
	P	1 / 16 / 1941	-46.6	0.08	3321.4	01	12	7	01
	P	3 / 10 / 1941	-46.67	-0.07	3321.33	01	12	7	01
	P	11 / 5 / 1941	-46.21	0.46	3321.79	01	12	7	01
	P	2 / 25 / 1942	-45.98	0.23	3322.02	01	12	7	01
	P	10 / 23 / 1942	-46.76	-0.78	3321.24	01	12	7	01
	P	1 / 26 / 1943	-46.78	-0.02	3321.22	01	12	7	01
	P	2 / 10 / 1944	-47.34	-0.56	3320.66	01	12	7	01
	P	2 / 24 / 1945	-48.91	-1.57	3319.09	01	12	7	01
	P	2 / 27 / 1946	-50.25	-1.34	3317.75	01	12	7	01
	P	1 / 17 / 1947	-52.17	-1.92	3315.83	01	12	7	01
	P	3 / 13 / 1947	-53.3	-1.13	3314.7	01	12	7	01

Min *-53.3* **Max** *-42* **Avg** *-46.1977*

1151303 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 21 / 1948	-57		3311	01	12	7	01
	P	3 / 7 / 1949	-61.21	-4.21	3306.79	01	12	7	01
	P	2 / 14 / 1950	-62.82	-1.61	3305.18	01	12	7	01
	P	1 / 18 / 1951	-64.72	-1.9	3303.28	01	12	7	01
	P	1 / 25 / 1952	-67.28	-2.56	3300.72	01	12	7	01
	P	1 / 10 / 1953	-72.58	-5.3	3295.42	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1954	-78.97	-6.39	3289.03	01	12	7	01
	P	12/15/1954	-85.93	-6.96	3282.07	01	12	7	01
	P	1/12/1955	-84.49	1.44	3283.51	01	12	7	01
	P	1/ 9/1956	-90.7	-6.21	3277.3	01	12	7	01
	P	1/ 8/1957	-94.12	-3.42	3273.88	01	12	7	01
	P	1/16/1958	-97.31	-3.19	3270.69	01	12	7	01
	P	1/ 7/1959	-99.65	-2.34	3268.35	01	12	7	01
	P	1/ 8/1960	-105.79	-6.14	3262.21	01	12	7	01
	P	1/11/1961	-110.55	-4.76	3257.45	01	12	7	01
	P	1/16/1962	-105.79	4.76	3262.21	01	01	1	
	P	1/ 7/1963	-110.88	-5.09	3257.12	01	01	1	
	P	1/10/1964	-111.59	-0.71	3256.41	01	01	1	
	P	1/ 7/1965	-118.38	-6.79	3249.62	01	01	1	
	P	1/ 9/1966	-121.17	-2.79	3246.83	01	01	1	
	P	1/ 7/1967	-123.88	-2.71	3244.12	01	01	1	
	P	1/ 8/1968	-132.7	-8.82	3235.3	01	01	1	
	P	1/ 9/1969	-135.3	-2.6	3232.7	01	01	1	
	P	1/ 4/1970	-138.1	-2.8	3229.9	01	01	1	
	P	1/ 5/1971	-140.92	-2.82	3227.08	01	01	1	
	P	1/ 5/1972	-145.14	-4.22	3222.86	01	01	1	
	P	1/11/1973	-144.54	0.6	3223.46	01	01	1	
	P	1/15/1974	-146.37	-1.83	3221.63	01	01	1	
	P	1/ 8/1975	-151.13	-4.76	3216.87	01	01	1	
	P	1/ 6/1976	-154.92	-3.79	3213.08	01	01	1	
	P	1/15/1977	-160.36	-5.44	3207.64	01	01	1	
	P	1/10/1978	-163.61	-3.25	3204.39	01	01	1	
	P	1/ 3/1979	-167.66	-4.05	3200.34	01	01	1	
	P	1/12/1980	-168.67	-1.01	3199.33	01	01	1	
	P	1/15/1982	-178.2	-9.53	3189.8	01	01	1	
	P	1/10/1984	-184.98	-6.78	3183.02	01	01	1	
	P	12/16/1987	-194.2	-9.22	3173.8	01	01	1	
	P	12/11/1988	-194.1	0.1	3173.9	01	01	2	
	P	12/ 5/1989	-194.44	-0.34	3173.56	01	01	1	
	P	12/12/1990	-191.16	3.28	3176.84	01	01	1	
	P	12/12/1991	-194.15	-2.99	3173.85	01	01	1	
	P	1/27/1993	-194.38	-0.23	3173.62	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1994	-197.7	-3.32	3170.3	01	06	1	
	P	1/ 17/ 1995	-199.54	-1.84	3168.46	01	06	1	
	P	1/ 22/ 1996	-202.66	-3.12	3165.34	01	06	1	
	P	1/ 17/ 1997	-206.46	-3.8	3161.54	01	06	1	
	P	1/ 21/ 1998	-208.3	-1.84	3159.7	01	06	1	
	P	1/ 25/ 1999	-210	-1.7	3158	01	06	1	
	P	1/ 31/ 2000	-211.52	-1.52	3156.48	01	06	1	
	P	1/ 25/ 2001	-212.06	-0.54	3155.94	01	06	1	
	P	1/ 29/ 2002	-212.85	-0.79	3155.15	01	06	1	
	P	2/ 26/ 2003	-213.85	-1	3154.15	01	06	1	
	P	1/ 22/ 2004	-216.2	-2.35	3151.8	01	06	1	
	P	2/ 15/ 2005	-215.5	0.7	3152.5	01	06	1	
	P	1/ 13/ 2006	-216.12	-0.62	3151.88	01	06	1	
	P	1/ 5/ 2007	-217.67	-1.55	3150.33	01	06	1	
	P	1/ 28/ 2008	-217.36	0.31	3150.64	01	06	1	
	P	1/ 29/ 2009	-218.35	-0.99	3149.65	01	06	1	
	P	1/ 15/ 2010	-218.88	-0.53	3149.12	01	06	1	
	P	1/ 19/ 2011	-219	-0.12	3149	01	06	1	
	P	2/ 2/ 2012	-219.94	-0.94	3148.06	01	06	1	

Min *-219.94* **Max** *-57* **Avg** *-154.652*

1151305 *(Aquifer: 121OGLL Well Depth:)*

	P	4/ 25/ 1994	-206.18		3152.82	01	06	1	
	P	3/ 6/ 1995	-204.34	1.84	3154.66	01	06	1	
	P	1/ 22/ 1996	-207.82	-3.48	3151.18	01	06	1	
	P	1/ 17/ 1997	-211.52	-3.7	3147.48	01	06	1	
	P	2/ 24/ 1998	-211.49	0.03	3147.51	01	06	1	
	P	1/ 25/ 1999	-216	-4.51	3143	01	06	1	
	P	1/ 31/ 2000	-220.83	-4.83	3138.17	01	06	1	
	P	1/ 25/ 2001	-220.2	0.63	3138.8	01	06	1	
	P	1/ 29/ 2002	-221.01	-0.81	3137.99	01	06	1	
	P	2/ 26/ 2003	-223.15	-2.14	3135.85	01	06	1	
	P	1/ 20/ 2004	-227.04	-3.89	3131.96	01	06	1	
	P	2/ 15/ 2005	-226.37	0.67	3132.63	01	06	1	
	P	1/ 13/ 2006	-232.24	-5.87	3126.76	01	06	1	
	P	1/ 9/ 2007	-229.64	2.6	3129.36	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 28/ 2008	-228.59	1.05	3130.41	01	06	1	
	P	3 / 6 / 2009	-231.62	-3.03	3127.38	01	06	1	
	N	1 / 18/ 2010				01	06	1	44
	N	1 / 19/ 2011				01	06	1	44
	N	2 / 2 / 2012				01	06	1	44

Min *-232.24* **Max** *-204.34* **Avg** *-219.878*

1151306 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 18/ 2010	-231.82		3134.18	01	06	1
	P	1 / 19/ 2011	-231.68	0.14	3134.32	01	06	1
	P	2 / 2 / 2012	-237.35	-5.67	3128.65	01	06	1

Min *-237.35* **Max** *-231.68* **Avg** *-233.617*

1151403 *(Aquifer: 121OGLL Well Depth: 298)*

	P	5 / 10/ 1988	-160.41		3226.59	01	01	1
	P	5 / 15/ 1988	-160.32	0.09	3226.68	01	01	4
	P	5 / 30/ 1988	-160.38	-0.06	3226.62	01	01	4
	P	6 / 15/ 1988	-160.46	-0.08	3226.54	01	01	4
	P	6 / 30/ 1988	-160.52	-0.06	3226.48	01	01	4
	P	7 / 15/ 1988	-160.57	-0.05	3226.43	01	01	4
	P	7 / 30/ 1988	-160.59	-0.02	3226.41	01	01	4
	P	8 / 15/ 1988	-160.64	-0.05	3226.36	01	01	4
	P	8 / 30/ 1988	-160.65	-0.01	3226.35	01	01	4
	P	9 / 15/ 1988	-160.62	0.03	3226.38	01	01	4
	P	9 / 30/ 1988	-160.52	0.1	3226.48	01	01	4
	P	10 / 15/ 1988	-160.51	0.01	3226.49	01	01	4
	P	10 / 30/ 1988	-160.59	-0.08	3226.41	01	01	4
	P	11 / 15/ 1988	-160.47	0.12	3226.53	01	01	4
	P	11 / 30/ 1988	-160.6	-0.13	3226.4	01	01	4
	P	12 / 11/ 1988	-160.76	-0.16	3226.24	01	01	1
	P	12 / 15/ 1988	-160.68	0.08	3226.32	01	01	4
	P	12 / 30/ 1988	-160.58	0.1	3226.42	01	01	4
	P	1 / 15/ 1989	-160.58		3226.42	01	01	4
	P	1 / 30/ 1989	-160.62	-0.04	3226.38	01	01	4
	P	2 / 13/ 1989	-160.75	-0.13	3226.25	01	01	1
	P	2 / 15/ 1989	-160.76	-0.01	3226.24	01	01	4
	P	2 / 27/ 1989	-160.62	0.14	3226.38	01	01	4

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/1989	-160.73	-0.11	3226.27	01	01	4	
	P	3/30/1989	-160.74	-0.01	3226.26	01	01	4	
	P	4/15/1989	-160.79	-0.05	3226.21	01	01	4	
	P	4/29/1989	-160.89	-0.1	3226.11	01	01	4	
	P	5/15/1989	-160.98	-0.09	3226.02	01	01	4	
	P	5/30/1989	-161.07	-0.09	3225.93	01	01	4	
	P	6/15/1989	-161.15	-0.08	3225.85	01	01	4	
	P	6/30/1989	-161.23	-0.08	3225.77	01	01	4	
	P	7/15/1989	-161.35	-0.12	3225.65	01	01	4	
	P	7/30/1989	-161.36	-0.01	3225.64	01	01	4	
	P	8/15/1989	-161.42	-0.06	3225.58	01	01	4	
	P	8/30/1989	-161.42		3225.58	01	01	4	
	P	9/15/1989	-161.46	-0.04	3225.54	01	01	4	
	P	9/30/1989	-161.43	0.03	3225.57	01	01	4	
	P	10/15/1989	-161.43		3225.57	01	01	4	
	P	10/30/1989	-161.47	-0.04	3225.53	01	01	4	
	P	11/7/1989	-161.48	-0.01	3225.52	01	01	1	
	P	11/15/1989	-161.53	-0.05	3225.47	01	01	4	
	P	11/30/1989	-161.38	0.15	3225.62	01	01	4	
	P	12/5/1989	-161.42	-0.04	3225.58	01	01	1	
	P	12/15/1989	-161.39	0.03	3225.61	01	01	4	
	P	12/30/1989	-161.43	-0.04	3225.57	01	01	4	
	P	1/15/1990	-161.46	-0.03	3225.54	01	01	4	
	P	1/30/1990	-161.44	0.02	3225.56	01	01	4	
	P	2/15/1990	-161.49	-0.05	3225.51	01	01	4	
	P	2/21/1990	-161.48	0.01	3225.52	01	01	1	
	P	2/28/1990	-161.61	-0.13	3225.39	01	01	4	
	P	3/15/1990	-161.58	0.03	3225.42	01	01	4	
	P	3/30/1990	-161.6	-0.02	3225.4	01	01	4	
	P	4/15/1990	-161.57	0.03	3225.43	01	01	4	
	P	4/30/1990	-161.7	-0.13	3225.3	01	01	4	
	P	5/1/1990	-161.91	-0.21	3225.09	01	01	1	
	P	5/15/1990	-161.81	0.1	3225.19	01	01	4	
	P	5/30/1990	-161.93	-0.12	3225.07	01	01	4	
	P	6/15/1990	-161.93		3225.07	01	01	4	
	P	6/30/1990	-162.1	-0.17	3224.9	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 1990	-162.1		3224.9	01	01	4	
	P	7 / 30/ 1990	-162.29	-0.19	3224.71	01	01	4	
	P	8 / 8 / 1990	-162.28	0.01	3224.72	01	01	1	
	P	8 / 15/ 1990	-162.35	-0.07	3224.65	01	01	4	
	P	8 / 30/ 1990	-162.47	-0.12	3224.53	01	01	4	
	P	9 / 15/ 1990	-162.54	-0.07	3224.46	01	01	4	
	P	9 / 30/ 1990	-162.67	-0.13	3224.33	01	01	4	
	P	10 / 15/ 1990	-162.7	-0.03	3224.3	01	01	4	
	P	10 / 30/ 1990	-162.73	-0.03	3224.27	01	01	4	
	P	11 / 15/ 1990	-162.65	0.08	3224.35	01	01	1	
	P	11 / 30/ 1990	-162.57	0.08	3224.43	01	01	4	
	P	12 / 12/ 1990	-162.87	-0.3	3224.13	01	01	1	
	P	12 / 15/ 1990	-162.85	0.02	3224.15	01	01	4	
	P	12 / 30/ 1990	-162.95	-0.1	3224.05	01	01	4	
	P	1 / 15/ 1991	-162.9	0.05	3224.1	01	01	4	
	P	1 / 30/ 1991	-163.05	-0.15	3223.95	01	01	4	
	P	2 / 14/ 1991	-163.26	-0.21	3223.74	01	01	1	
	P	2 / 15/ 1991	-163	0.26	3224	01	01	4	
	P	2 / 28/ 1991	-162.96	0.04	3224.04	01	01	4	
	P	3 / 15/ 1991	-163.12	-0.16	3223.88	01	01	4	
	P	3 / 30/ 1991	-163.25	-0.13	3223.75	01	01	4	
	P	4 / 15/ 1991	-163.23	0.02	3223.77	01	01	4	
	P	4 / 30/ 1991	-163.41	-0.18	3223.59	01	01	4	
	P	5 / 9 / 1991	-163.59	-0.18	3223.41	01	01	1	
	P	5 / 15/ 1991	-163.46	0.13	3223.54	01	01	4	
	P	5 / 30/ 1991	-163.45	0.01	3223.55	01	01	4	
	P	6 / 15/ 1991	-163.62	-0.17	3223.38	01	01	4	
	P	6 / 30/ 1991	-163.7	-0.08	3223.3	01	01	4	
	P	7 / 15/ 1991	-163.77	-0.07	3223.23	01	01	4	
	P	7 / 30/ 1991	-163.85	-0.08	3223.15	01	01	4	
	P	8 / 8 / 1991	-164.21	-0.36	3222.79	01	01	1	
	P	8 / 15/ 1991	-164.04	0.17	3222.96	01	01	4	
	P	8 / 30/ 1991	-164.13	-0.09	3222.87	01	01	4	
	P	9 / 15/ 1991	-164.17	-0.04	3222.83	01	01	4	
	P	9 / 30/ 1991	-164.2	-0.03	3222.8	01	01	4	
	P	10 / 15/ 1991	-164.22	-0.02	3222.78	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/30/1991	-164.3	-0.08	3222.7	01	01	4	
	P	11/ 7/1991	-164.77	-0.47	3222.23	01	01	1	
	P	11/15/1991	-164.68	0.09	3222.32	01	01	4	
	P	11/30/1991	-164.76	-0.08	3222.24	01	01	4	
	P	12/12/1991	-164.63	0.13	3222.37	01	01	1	
	P	12/15/1991	-164.72	-0.09	3222.28	01	01	4	
	P	12/30/1991	-164.81	-0.09	3222.19	01	01	4	
	P	1/15/1992	-164.83	-0.02	3222.17	01	01	4	
	P	2/15/1992	-164.93	-0.1	3222.07	01	01	4	
	P	2/29/1992	-164.9	0.03	3222.1	01	01	4	
	P	3/15/1992	-164.97	-0.07	3222.03	01	01	4	
	P	3/30/1992	-165.03	-0.06	3221.97	01	01	4	
	P	4/15/1992	-165.05	-0.02	3221.95	01	01	4	
	P	4/30/1992	-165.12	-0.07	3221.88	01	01	4	
	P	5/15/1992	-165.24	-0.12	3221.76	01	01	1	
	P	5/30/1992	-165.27	-0.03	3221.73	01	01	4	
	P	6/15/1992	-165.35	-0.08	3221.65	01	01	4	
	P	6/30/1992	-165.3	0.05	3221.7	01	01	4	
	P	7/15/1992	-165.38	-0.08	3221.62	01	01	4	
	P	7/30/1992	-165.44	-0.06	3221.56	01	01	4	
	P	8/ 6/1992	-165.42	0.02	3221.58	01	01	1	
	P	8/15/1992	-165.47	-0.05	3221.53	01	01	4	
	P	8/30/1992	-165.52	-0.05	3221.48	01	01	4	
	P	9/15/1992	-165.55	-0.03	3221.45	01	01	4	
	P	9/30/1992	-165.52	0.03	3221.48	01	01	4	
	P	10/15/1992	-165.61	-0.09	3221.39	01	01	4	
	P	10/30/1992	-165.61		3221.39	01	01	4	
	P	11/15/1992	-165.6	0.01	3221.4	01	01	4	
	P	11/19/1992	-165.73	-0.13	3221.27	01	01	1	
	P	12/ 7/1992	-165.73		3221.27	01	01	1	
	P	12/15/1992	-165.58	0.15	3221.42	01	01	4	
	P	12/30/1992	-165.68	-0.1	3221.32	01	01	4	
	P	1/15/1993	-165.67	0.01	3221.33	01	01	4	
	P	1/30/1993	-165.76	-0.09	3221.24	01	01	4	
	P	2/15/1993	-165.61	0.15	3221.39	01	01	4	
	P	2/28/1993	-165.7	-0.09	3221.3	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/1993	-165.69	0.01	3221.31	01	01	4	
	P	3/30/1993	-165.84	-0.15	3221.16	01	01	4	
	P	4/15/1993	-165.92	-0.08	3221.08	01	01	4	
	P	4/30/1993	-165.82	0.1	3221.18	01	01	4	
	P	5/15/1993	-165.95	-0.13	3221.05	01	01	4	
	P	5/30/1993	-166.04	-0.09	3220.96	01	01	4	
	P	6/15/1993	-166.12	-0.08	3220.88	01	01	4	
	P	6/30/1993	-166.23	-0.11	3220.77	01	01	4	
	P	7/15/1993	-166.32	-0.09	3220.68	01	01	4	
	P	7/30/1993	-166.44	-0.12	3220.56	01	01	4	
	P	8/15/1993	-166.52	-0.08	3220.48	01	01	4	
	P	8/30/1993	-166.66	-0.14	3220.34	01	01	4	
	P	9/15/1993	-166.69	-0.03	3220.31	01	01	4	
	P	9/30/1993	-166.73	-0.04	3220.27	01	01	4	
	P	10/15/1993	-166.84	-0.11	3220.16	01	01	4	
	P	10/30/1993	-166.91	-0.07	3220.09	01	01	4	
	P	11/15/1993	-166.96	-0.05	3220.04	01	01	4	
	P	11/30/1993	-166.97	-0.01	3220.03	01	01	4	
	P	12/15/1993	-166.99	-0.02	3220.01	01	01	4	
	P	12/30/1993	-167.01	-0.02	3219.99	01	01	4	
	P	1/15/1994	-167.12	-0.11	3219.88	01	01	4	
	P	1/30/1994	-167.2	-0.08	3219.8	01	01	4	
	P	2/15/1994	-167.19	0.01	3219.81	01	01	4	
	P	2/24/1994	-167.14	0.05	3219.86	01	06	1	
	P	2/28/1994	-167.21	-0.07	3219.79	01	01	4	
	P	3/15/1994	-167.27	-0.06	3219.73	01	01	4	
	P	3/30/1994	-167.35	-0.08	3219.65	01	01	4	
	P	4/15/1994	-167.51	-0.16	3219.49	01	01	4	
	P	4/30/1994	-167.57	-0.06	3219.43	01	01	4	
	P	5/15/1994	-167.61	-0.04	3219.39	01	01	4	
	P	5/30/1994	-167.68	-0.07	3219.32	01	01	4	
	P	6/15/1994	-167.8	-0.12	3219.2	01	01	4	
	P	6/30/1994	-167.83	-0.03	3219.17	01	01	4	
	P	7/15/1994	-168.11	-0.28	3218.89	01	01	4	
	P	7/30/1994	-168.26	-0.15	3218.74	01	01	4	
	P	8/15/1994	-168.35	-0.09	3218.65	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 30/ 1994	-168.47	-0.12	3218.53	01	01	4	
	P	9 / 15/ 1994	-168.59	-0.12	3218.41	01	01	4	
	P	9 / 30/ 1994	-168.66	-0.07	3218.34	01	01	4	
	P	10 / 15/ 1994	-168.64	0.02	3218.36	01	01	4	
	P	10 / 30/ 1994	-168.76	-0.12	3218.24	01	01	4	
	P	11 / 15/ 1994	-168.88	-0.12	3218.12	01	01	4	
	P	11 / 30/ 1994	-168.91	-0.03	3218.09	01	01	4	
	P	12 / 15/ 1994	-168.92	-0.01	3218.08	01	01	4	
	P	12 / 30/ 1994	-168.94	-0.02	3218.06	01	01	4	
	P	1 / 15/ 1995	-168.95	-0.01	3218.05	01	01	4	
	P	1 / 18/ 1995	-168.95		3218.05	01	06	1	
	P	1 / 30/ 1995	-168.98	-0.03	3218.02	01	01	4	
	P	2 / 15/ 1995	-169.05	-0.07	3217.95	01	01	4	
	P	2 / 28/ 1995	-169.22	-0.17	3217.78	01	01	4	
	P	3 / 15/ 1995	-169.2	0.02	3217.8	01	01	4	
	P	3 / 30/ 1995	-169.28	-0.08	3217.72	01	01	4	
	P	4 / 15/ 1995	-169.38	-0.1	3217.62	01	01	4	
	P	4 / 30/ 1995	-169.39	-0.01	3217.61	01	01	4	
	P	5 / 15/ 1995	-169.56	-0.17	3217.44	01	01	4	
	P	5 / 30/ 1995	-169.67	-0.11	3217.33	01	01	4	
	P	6 / 15/ 1995	-169.83	-0.16	3217.17	01	01	4	
	P	6 / 30/ 1995	-169.95	-0.12	3217.05	01	01	4	
	P	7 / 15/ 1995	-170.15	-0.2	3216.85	01	01	4	
	P	7 / 30/ 1995	-170.3	-0.15	3216.7	01	01	4	
	P	8 / 15/ 1995	-170.48	-0.18	3216.52	01	01	4	
	P	8 / 30/ 1995	-170.64	-0.16	3216.36	01	01	4	
	P	9 / 15/ 1995	-170.78	-0.14	3216.22	01	01	4	
	P	9 / 30/ 1995	-170.9	-0.12	3216.1	01	01	4	
	P	10 / 15/ 1995	-170.96	-0.06	3216.04	01	01	4	
	P	10 / 30/ 1995	-171.1	-0.14	3215.9	01	01	4	
	P	11 / 15/ 1995	-171.17	-0.07	3215.83	01	01	4	
	P	11 / 30/ 1995	-171.18	-0.01	3215.82	01	01	4	
	P	12 / 15/ 1995	-171.41	-0.23	3215.59	01	01	4	
	P	12 / 30/ 1995	-171.28	0.13	3215.72	01	01	4	
	P	1 / 15/ 1996	-171.39	-0.11	3215.61	01	01	4	
	P	1 / 22/ 1996	-171.92	-0.53	3215.08	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/30/1996	-172	-0.08	3215	01	01	4	
	P	2/15/1996	-172.14	-0.14	3214.86	01	01	4	
	P	2/29/1996	-172.06	0.08	3214.94	01	01	4	
	P	3/15/1996	-172.2	-0.14	3214.8	01	01	4	
	P	3/30/1996	-171.42	0.78	3215.58	01	01	4	
	P	4/15/1996	-171.54	-0.12	3215.46	01	01	4	
	P	4/30/1996	-171.56	-0.02	3215.44	01	01	4	
	P	5/15/1996	-171.86	-0.3	3215.14	01	01	4	
	P	5/30/1996	-172	-0.14	3215	01	01	4	
	P	6/15/1996	-172.11	-0.11	3214.89	01	01	4	
	P	6/30/1996	-172.24	-0.13	3214.76	01	01	4	
	P	7/15/1996	-172.36	-0.12	3214.64	01	01	4	
	P	7/30/1996	-172.5	-0.14	3214.5	01	01	4	
	P	8/15/1996	-172.61	-0.11	3214.39	01	01	4	
	P	8/30/1996	-172.69	-0.08	3214.31	01	01	4	
	P	9/15/1996	-172.72	-0.03	3214.28	01	01	4	
	P	9/30/1996	-172.85	-0.13	3214.15	01	01	4	
	P	10/15/1996	-172.93	-0.08	3214.07	01	01	4	
	P	10/30/1996	-173.03	-0.1	3213.97	01	01	4	
	P	11/15/1996	-173.05	-0.02	3213.95	01	01	4	
	P	11/30/1996	-173.15	-0.1	3213.85	01	01	4	
	P	12/15/1996	-173.29	-0.14	3213.71	01	01	4	
	P	12/30/1996	-173.36	-0.07	3213.64	01	01	4	
	P	1/15/1997	-173.31	0.05	3213.69	01	01	4	
	P	1/17/1997	-174.57	-1.26	3212.43	01	06	1	
	P	1/30/1997	-173.43	1.14	3213.57	01	01	4	
	P	2/15/1997	-173.62	-0.19	3213.38	01	01	4	
	P	2/28/1997	-173.65	-0.03	3213.35	01	01	4	
	P	3/15/1997	-173.81	-0.16	3213.19	01	01	4	
	P	3/30/1997	-173.98	-0.17	3213.02	01	01	4	
	P	4/15/1997	-174.02	-0.04	3212.98	01	01	4	
	P	4/30/1997	-174.12	-0.1	3212.88	01	01	4	
	P	5/15/1997	-174.27	-0.15	3212.73	01	01	4	
	P	5/30/1997	-174.31	-0.04	3212.69	01	01	4	
	P	6/15/1997	-174.32	-0.01	3212.68	01	01	4	
	P	6/30/1997	-174.49	-0.17	3212.51	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 1997	-174.59	-0.1	3212.41	01	01	4	
	P	7 / 30/ 1997	-174.82	-0.23	3212.18	01	01	4	
	P	8 / 15/ 1997	-174.92	-0.1	3212.08	01	01	4	
	P	8 / 30/ 1997	-175.1	-0.18	3211.9	01	01	4	
	P	9 / 15/ 1997	-175.17	-0.07	3211.83	01	01	4	
	P	9 / 30/ 1997	-175.29	-0.12	3211.71	01	01	4	
	P	10 / 15/ 1997	-175.3	-0.01	3211.7	01	01	4	
	P	10 / 30/ 1997	-175.36	-0.06	3211.64	01	01	4	
	P	11 / 15/ 1997	-175.49	-0.13	3211.51	01	01	4	
	P	11 / 30/ 1997	-175.44	0.05	3211.56	01	01	4	
	P	12 / 15/ 1997	-175.34	0.1	3211.66	01	01	4	
	P	12 / 30/ 1997	-175.39	-0.05	3211.61	01	01	4	
	P	1 / 15/ 1998	-175.29	0.1	3211.71	01	01	4	
	P	1 / 20/ 1998	-175.54	-0.25	3211.46	01	06	1	
	P	1 / 30/ 1998	-175.37	0.17	3211.63	01	01	4	
	P	2 / 15/ 1998	-175.32	0.05	3211.68	01	01	4	
	P	2 / 28/ 1998	-175.56	-0.24	3211.44	01	01	4	
	P	3 / 15/ 1998	-175.39	0.17	3211.61	01	01	4	
	P	3 / 30/ 1998	-175.51	-0.12	3211.49	01	01	4	
	P	4 / 15/ 1998	-175.51		3211.49	01	01	4	
	P	4 / 30/ 1998	-175.61	-0.1	3211.39	01	01	4	
	P	5 / 15/ 1998	-175.73	-0.12	3211.27	01	01	4	
	P	5 / 30/ 1998	-175.86	-0.13	3211.14	01	01	4	
	P	6 / 15/ 1998	-176.11	-0.25	3210.89	01	01	4	
	P	6 / 30/ 1998	-176.37	-0.26	3210.63	01	01	4	
	P	7 / 15/ 1998	-176.68	-0.31	3210.32	01	01	4	
	P	7 / 30/ 1998	-176.91	-0.23	3210.09	01	01	4	
	P	8 / 15/ 1998	-177.08	-0.17	3209.92	01	01	4	
	P	8 / 30/ 1998	-177.17	-0.09	3209.83	01	01	4	
	P	9 / 15/ 1998	-177.36	-0.19	3209.64	01	01	4	
	P	9 / 30/ 1998	-177.43	-0.07	3209.57	01	01	4	
	P	10 / 15/ 1998	-177.46	-0.03	3209.54	01	01	4	
	P	10 / 30/ 1998	-177.56	-0.1	3209.44	01	01	4	
	P	11 / 15/ 1998	-177.57	-0.01	3209.43	01	01	4	
	P	11 / 30/ 1998	-177.71	-0.14	3209.29	01	01	4	
	P	12 / 15/ 1998	-177.76	-0.05	3209.24	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/30/1998	-177.59	0.17	3209.41	01	01	4	
	P	1/15/1999	-177.61	-0.02	3209.39	01	01	4	
	P	1/28/1999	-178	-0.39	3209	01	06	1	
	P	1/30/1999	-177.83	0.17	3209.17	01	01	4	
	P	2/15/1999	-177.69	0.14	3209.31	01	01	4	
	P	2/28/1999	-177.81	-0.12	3209.19	01	01	4	
	P	3/15/1999	-177.9	-0.09	3209.1	01	01	4	
	P	3/30/1999	-177.9		3209.1	01	01	4	
	P	4/15/1999	-178.16	-0.26	3208.84	01	01	4	
	P	4/30/1999	-178.13	0.03	3208.87	01	01	4	
	P	5/15/1999	-178.21	-0.08	3208.79	01	01	4	
	P	5/30/1999	-178.26	-0.05	3208.74	01	01	4	
	P	6/15/1999	-178.37	-0.11	3208.63	01	01	4	
	P	6/30/1999	-178.51	-0.14	3208.49	01	01	4	
	P	7/15/1999	-178.7	-0.19	3208.3	01	01	4	
	P	7/30/1999	-178.87	-0.17	3208.13	01	01	4	
	P	8/15/1999	-179.02	-0.15	3207.98	01	01	4	
	P	8/30/1999	-179.17	-0.15	3207.83	01	01	4	
	P	9/15/1999	-179.29	-0.12	3207.71	01	01	4	
	P	9/30/1999	-179.27	0.02	3207.73	01	01	4	
	P	10/15/1999	-179.35	-0.08	3207.65	01	01	4	
	P	10/30/1999	-179.57	-0.22	3207.43	01	01	4	
	P	11/15/1999	-179.49	0.08	3207.51	01	01	4	
	P	11/30/1999	-179.42	0.07	3207.58	01	01	4	
	P	1/28/2000	-179.95	-0.53	3207.05	01	06	1	
	P	6/30/2000	-180.3	-0.35	3206.7	01	01	4	
	P	7/15/2000	-180.35	-0.05	3206.65	01	01	4	
	P	7/30/2000	-180.62	-0.27	3206.38	01	01	4	
	P	8/15/2000	-180.89	-0.27	3206.11	01	01	4	
	P	8/30/2000	-181.05	-0.16	3205.95	01	01	4	
	P	9/15/2000	-181.32	-0.27	3205.68	01	01	4	
	P	9/30/2000	-181.5	-0.18	3205.5	01	01	4	
	P	10/15/2000	-181.77	-0.27	3205.23	01	01	4	
	P	10/30/2000	-181.89	-0.12	3205.11	01	01	4	
	P	6/15/2001	-184.61	-2.72	3202.39	01	01	4	
	P	6/30/2001	-184.81	-0.2	3202.19	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 2001	-184.97	-0.16	3202.03	01	01	4	
	P	7 / 30/ 2001	-185.28	-0.31	3201.72	01	01	4	
	P	8 / 15/ 2001	-185.47	-0.19	3201.53	01	01	4	
	P	8 / 30/ 2001	-185.71	-0.24	3201.29	01	01	4	
	P	9 / 15/ 2001	-185.78	-0.07	3201.22	01	01	4	
	P	9 / 30/ 2001	-185.96	-0.18	3201.04	01	01	4	
	P	10 / 15/ 2001	-186.11	-0.15	3200.89	01	01	4	
	P	10 / 30/ 2001	-186.17	-0.06	3200.83	01	01	4	
	P	11 / 15/ 2001	-186.32	-0.15	3200.68	01	01	4	
	P	12 / 30/ 2001	-185.6	0.72	3201.4	01	01	4	
	P	1 / 15/ 2002	-185.54	0.06	3201.46	01	01	4	
	P	1 / 28/ 2002	-185.47	0.07	3201.53	01	06	1	
	P	1 / 30/ 2002	-185.59	-0.12	3201.41	01	01	4	
	P	2 / 15/ 2002	-185.63	-0.04	3201.37	01	01	4	
	P	2 / 28/ 2002	-185.46	0.17	3201.54	01	01	4	
	P	3 / 15/ 2002	-185.78	-0.32	3201.22	01	01	4	
	P	3 / 30/ 2002	-185.73	0.05	3201.27	01	01	4	
	P	4 / 15/ 2002	-185.72	0.01	3201.28	01	01	4	
	P	4 / 30/ 2002	-185.77	-0.05	3201.23	01	01	4	
	P	5 / 15/ 2002	-185.91	-0.14	3201.09	01	01	4	
	P	5 / 30/ 2002	-186.09	-0.18	3200.91	01	01	4	
	P	6 / 15/ 2002	-186.29	-0.2	3200.71	01	01	4	
	P	6 / 30/ 2002	-186.44	-0.15	3200.56	01	01	4	
	P	8 / 15/ 2002	-186.83	-0.39	3200.17	01	01	4	
	P	8 / 30/ 2002	-187.02	-0.19	3199.98	01	01	4	
	P	9 / 15/ 2002	-187.19	-0.17	3199.81	01	01	4	
	P	9 / 30/ 2002	-187.26	-0.07	3199.74	01	01	4	
	P	10 / 15/ 2002	-187.26		3199.74	01	01	4	
	P	10 / 30/ 2002	-187.47	-0.21	3199.53	01	01	4	
	P	11 / 15/ 2002	-187.52	-0.05	3199.48	01	01	4	
	P	11 / 30/ 2002	-187.47	0.05	3199.53	01	01	4	
	P	12 / 15/ 2002	-187.59	-0.12	3199.41	01	01	4	
	P	12 / 30/ 2002	-187.49	0.1	3199.51	01	01	4	
	P	1 / 15/ 2003	-187.49		3199.51	01	01	4	
	P	1 / 30/ 2003	-187.81	-0.32	3199.19	01	01	4	
	P	2 / 15/ 2003	-187.79	0.02	3199.21	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/27/2003	-187.15	0.64	3199.85	01	06	1	
	P	2/28/2003	-187.97	-0.82	3199.03	01	01	4	
	P	3/15/2003	-187.85	0.12	3199.15	01	01	4	
	P	3/30/2003	-188.08	-0.23	3198.92	01	01	4	
	P	4/15/2003	-188.05	0.03	3198.95	01	01	4	
	P	4/30/2003	-188.1	-0.05	3198.9	01	01	4	
	P	5/15/2003	-188.33	-0.23	3198.67	01	01	4	
	P	5/30/2003	-188.29	0.04	3198.71	01	01	4	
	P	6/15/2003	-188.52	-0.23	3198.48	01	01	4	
	P	6/30/2003	-188.61	-0.09	3198.39	01	01	4	
	P	7/15/2003	-188.64	-0.03	3198.36	01	01	4	
	P	7/30/2003	-188.79	-0.15	3198.21	01	01	4	
	P	8/15/2003	-189.03	-0.24	3197.97	01	01	4	
	P	8/30/2003	-189.18	-0.15	3197.82	01	01	4	
	P	9/15/2003	-189.3	-0.12	3197.7	01	01	4	
	P	9/30/2003	-189.36	-0.06	3197.64	01	01	4	
	P	10/15/2003	-189.43	-0.07	3197.57	01	01	4	
	P	10/30/2003	-189.45	-0.02	3197.55	01	01	4	
	P	11/15/2003	-189.45		3197.55	01	01	4	
	P	11/30/2003	-189.48	-0.03	3197.52	01	01	4	
	P	12/15/2003	-189.54	-0.06	3197.46	01	01	4	
	P	12/30/2003	-189.73	-0.19	3197.27	01	01	4	
	P	1/15/2004	-189.82	-0.09	3197.18	01	01	4	
	P	1/19/2004	-189.69	0.13	3197.31	01	06	1	
	P	1/30/2004	-189.78	-0.09	3197.22	01	01	4	
	P	2/15/2004	-190.01	-0.23	3196.99	01	01	4	
	P	2/28/2004	-190.13	-0.12	3196.87	01	01	4	
	P	2/29/2004	-189.95	0.18	3197.05	01	01	4	
	P	3/15/2004	-190.01	-0.06	3196.99	01	01	4	
	P	3/30/2004	-190.2	-0.19	3196.8	01	01	4	
	P	4/15/2004	-190.21	-0.01	3196.79	01	01	4	
	P	4/30/2004	-190.4	-0.19	3196.6	01	01	4	
	P	5/15/2004	-190.49	-0.09	3196.51	01	01	4	
	P	5/30/2004	-190.55	-0.06	3196.45	01	01	4	
	P	6/15/2004	-190.74	-0.19	3196.26	01	01	4	
	P	6/30/2004	-190.82	-0.08	3196.18	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 2004	-190.94	-0.12	3196.06	01	01	4	
	P	7 / 30/ 2004	-191.1	-0.16	3195.9	01	01	4	
	P	8 / 15/ 2004	-191.17	-0.07	3195.83	01	01	4	
	P	8 / 30/ 2004	-191.28	-0.11	3195.72	01	01	4	
	P	9 / 15/ 2004	-191.33	-0.05	3195.67	01	01	4	
	P	9 / 30/ 2004	-191.38	-0.05	3195.62	01	01	4	
	P	10 / 15/ 2004	-191.45	-0.07	3195.55	01	01	4	
	P	10 / 30/ 2004	-191.61	-0.16	3195.39	01	01	4	
	P	11 / 15/ 2004	-191.66	-0.05	3195.34	01	01	4	
	P	11 / 30/ 2004	-191.78	-0.12	3195.22	01	01	4	
	P	12 / 15/ 2004	-191.5	0.28	3195.5	01	01	4	
	P	12 / 30/ 2004	-191.43	0.07	3195.57	01	01	4	
	P	1 / 15/ 2005	-191.55	-0.12	3195.45	01	01	4	
	P	1 / 30/ 2005	-191.41	0.14	3195.59	01	01	4	
	P	2 / 8 / 2005	-191.21	0.2	3195.79	01	06	1	
	P	2 / 15/ 2005	-191.48	-0.27	3195.52	01	01	4	
	P	2 / 28/ 2005	-191.65	-0.17	3195.35	01	01	4	
	P	3 / 15/ 2005	-191.65		3195.35	01	01	4	
	P	3 / 30/ 2005	-191.73	-0.08	3195.27	01	01	4	
	P	4 / 15/ 2005	-191.78	-0.05	3195.22	01	01	4	
	P	4 / 30/ 2005	-192.03	-0.25	3194.97	01	01	4	
	P	5 / 15/ 2005	-191.91	0.12	3195.09	01	01	4	
	P	5 / 30/ 2005	-192.03	-0.12	3194.97	01	01	4	
	P	6 / 15/ 2005	-192.11	-0.08	3194.89	01	01	4	
	P	6 / 30/ 2005	-192.15	-0.04	3194.85	01	01	4	
	P	7 / 15/ 2005	-192.31	-0.16	3194.69	01	01	4	
	P	7 / 30/ 2005	-192.35	-0.04	3194.65	01	01	4	
	P	8 / 15/ 2005	-192.43	-0.08	3194.57	01	01	4	
	P	8 / 30/ 2005	-192.38	0.05	3194.62	01	01	4	
	P	9 / 15/ 2005	-192.47	-0.09	3194.53	01	01	4	
	P	9 / 30/ 2005	-192.48	-0.01	3194.52	01	01	4	
	P	10 / 15/ 2005	-192.48		3194.52	01	01	4	
	P	10 / 30/ 2005	-192.62	-0.14	3194.38	01	01	4	
	P	11 / 15/ 2005	-192.5	0.12	3194.5	01	01	4	
	P	11 / 30/ 2005	-192.76	-0.26	3194.24	01	01	4	
	P	12 / 15/ 2005	-192.91	-0.15	3194.09	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/30/2005	-192.88	0.03	3194.12	01	01	4	
	P	1/13/2006	-193.22	-0.34	3193.78	01	06	1	
	P	1/15/2006	-192.83	0.39	3194.17	01	01	4	
	P	1/30/2006	-193.15	-0.32	3193.85	01	01	4	
	P	2/15/2006	-193.04	0.11	3193.96	01	01	4	
	P	2/28/2006	-193.16	-0.12	3193.84	01	01	4	
	P	3/15/2006	-193.31	-0.15	3193.69	01	01	4	
	P	3/30/2006	-193.24	0.07	3193.76	01	01	4	
	P	4/15/2006	-193.36	-0.12	3193.64	01	01	4	
	P	4/30/2006	-193.6	-0.24	3193.4	01	01	4	
	P	5/15/2006	-193.72	-0.12	3193.28	01	01	4	
	P	5/30/2006	-193.69	0.03	3193.31	01	01	4	
	P	6/15/2006	-193.72	-0.03	3193.28	01	01	4	
	P	6/30/2006	-193.83	-0.11	3193.17	01	01	4	
	P	7/15/2006	-194	-0.17	3193	01	01	4	
	P	7/30/2006	-194.05	-0.05	3192.95	01	01	4	
	P	8/15/2006	-194.22	-0.17	3192.78	01	01	4	
	P	8/30/2006	-194.25	-0.03	3192.75	01	01	4	
	P	9/15/2006	-194.28	-0.03	3192.72	01	01	4	
	P	9/30/2006	-194.37	-0.09	3192.63	01	01	4	
	P	10/15/2006	-194.44	-0.07	3192.56	01	01	4	
	P	10/30/2006	-194.46	-0.02	3192.54	01	01	4	
	P	11/15/2006	-194.7	-0.24	3192.3	01	01	4	
	P	11/30/2006	-194.79	-0.09	3192.21	01	01	4	
	P	12/15/2006	-194.68	0.11	3192.32	01	01	4	
	P	12/30/2006	-194.85	-0.17	3192.15	01	01	4	
	P	1/8/2007	-196.7	-1.85	3190.3	01	06	1	
	P	1/15/2007	-195.06	1.64	3191.94	01	01	4	
	P	1/30/2007	-195.01	0.05	3191.99	01	01	4	
	P	2/15/2007	-195.12	-0.11	3191.88	01	01	4	
	P	2/28/2007	-195.23	-0.11	3191.77	01	01	4	
	P	3/15/2007	-195.51	-0.28	3191.49	01	01	4	
	P	3/30/2007	-195.71	-0.2	3191.29	01	01	4	
	P	4/15/2007	-195.58	0.13	3191.42	01	01	4	
	P	4/30/2007	-195.56	0.02	3191.44	01	01	4	
	P	5/15/2007	-195.73	-0.17	3191.27	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/30/2007	-195.81	-0.08	3191.19	01	01	4	
	P	6/15/2007	-195.89	-0.08	3191.11	01	01	4	
	P	6/30/2007	-195.94	-0.05	3191.06	01	01	4	
	P	7/15/2007	-196.04	-0.1	3190.96	01	01	4	
	P	7/30/2007	-196.14	-0.1	3190.86	01	01	4	
	P	8/15/2007	-196.23	-0.09	3190.77	01	01	4	
	P	8/30/2007	-196.36	-0.13	3190.64	01	01	4	
	P	9/15/2007	-196.43	-0.07	3190.57	01	01	4	
	P	9/30/2007	-196.53	-0.1	3190.47	01	01	4	
	P	10/15/2007	-196.66	-0.13	3190.34	01	01	4	
	P	10/30/2007	-196.58	0.08	3190.42	01	01	4	
	P	11/15/2007	-196.7	-0.12	3190.3	01	01	4	
	P	11/30/2007	-196.76	-0.06	3190.24	01	01	4	
	P	12/15/2007	-196.76		3190.24	01	01	4	
	P	12/30/2007	-196.84	-0.08	3190.16	01	01	4	
	P	1/15/2008	-196.89	-0.05	3190.11	01	01	4	
	P	1/28/2008	-196.31	0.58	3190.69	01	06	1	
	P	1/30/2008	-196.95	-0.64	3190.05	01	01	4	
	P	2/15/2008	-197.12	-0.17	3189.88	01	01	4	
	P	2/28/2008	-196.89	0.23	3190.11	01	01	4	
	P	3/15/2008	-197.2	-0.31	3189.8	01	01	4	
	P	3/30/2008	-197.07	0.13	3189.93	01	01	4	
	P	4/15/2008	-197.11	-0.04	3189.89	01	01	4	
	P	5/15/2008	-197.44	-0.33	3189.56	01	01	4	
	P	5/30/2008	-197.42	0.02	3189.58	01	01	4	
	P	6/15/2008	-197.59	-0.17	3189.41	01	01	4	
	P	6/30/2008	-197.77	-0.18	3189.23	01	01	4	
	P	7/15/2008	-197.83	-0.06	3189.17	01	01	4	
	P	7/30/2008	-198.06	-0.23	3188.94	01	01	4	
	P	8/15/2008	-198.24	-0.18	3188.76	01	01	4	
	P	8/30/2008	-198.29	-0.05	3188.71	01	01	4	
	P	9/15/2008	-198.5	-0.21	3188.5	01	01	4	
	P	9/30/2008	-198.5		3188.5	01	01	4	
	P	10/15/2008	-198.55	-0.05	3188.45	01	01	4	
	P	10/30/2008	-198.58	-0.03	3188.42	01	01	4	
	P	11/15/2008	-199.02	-0.44	3187.98	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/30/2008	-198.8	0.22	3188.2	01	01	4	
	P	12/15/2008	-199.18	-0.38	3187.82	01	01	4	
	P	12/30/2008	-198.9	0.28	3188.1	01	01	4	
	P	1/15/2009	-199.15	-0.25	3187.85	01	01	4	
	P	1/30/2009	-199.17	-0.02	3187.83	01	01	4	
	P	1/30/2009	-198.96	0.21	3188.04	02	06	1	
	P	2/15/2009	-199.15	-0.19	3187.85	01	01	4	
	P	2/28/2009	-199.44	-0.29	3187.56	01	01	4	
	P	3/15/2009	-199.17	0.27	3187.83	01	01	4	
	P	3/30/2009	-199.16	0.01	3187.84	01	01	4	
	P	4/15/2009	-199.34	-0.18	3187.66	01	01	4	
	P	4/30/2009	-199.38	-0.04	3187.62	01	01	4	
	P	5/15/2009	-199.52	-0.14	3187.48	01	01	4	
	P	5/30/2009	-199.65	-0.13	3187.35	01	01	4	
	P	6/15/2009	-199.72	-0.07	3187.28	01	01	4	
	P	6/30/2009	-199.77	-0.05	3187.23	01	01	4	
	P	7/15/2009	-199.92	-0.15	3187.08	01	01	4	
	P	7/30/2009	-199.96	-0.04	3187.04	01	01	4	
	P	8/15/2009	-200.03	-0.07	3186.97	01	01	4	
	P	8/30/2009	-200.17	-0.14	3186.83	01	01	4	
	P	9/15/2009	-200.23	-0.06	3186.77	01	01	4	
	P	9/30/2009	-200.23		3186.77	01	01	4	
	P	10/15/2009	-200.35	-0.12	3186.65	01	01	4	
	P	10/30/2009	-200.56	-0.21	3186.44	01	01	4	
	P	11/15/2009	-200.57	-0.01	3186.43	01	01	4	
	P	11/30/2009	-200.74	-0.17	3186.26	01	01	4	
	P	12/15/2009	-200.8	-0.06	3186.2	01	01	4	
	P	12/30/2009	-200.57	0.23	3186.43	01	01	4	
	P	1/15/2010	-200.91	-0.34	3186.09	01	01	4	
	P	1/15/2010	-199.3	1.61	3187.7	02	06	1	
	P	1/30/2010	-200.9	-1.6	3186.1	01	01	4	
	P	2/15/2010	-201.15	-0.25	3185.85	01	01	4	
	P	2/28/2010	-200.99	0.16	3186.01	01	01	4	
	P	3/15/2010	-201.32	-0.33	3185.68	01	01	4	
	P	3/30/2010	-201.09	0.23	3185.91	01	01	4	
	P	4/15/2010	-201.37	-0.28	3185.63	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/30/2010	-201.36	0.01	3185.64	01	01	4	
	P	5/15/2010	-201.54	-0.18	3185.46	01	01	4	
	P	5/30/2010	-201.57	-0.03	3185.43	01	01	4	
	P	8/30/2010	-201.86	-0.29	3185.14	01	01	4	
	P	9/15/2010	-202.21	-0.35	3184.79	01	01	4	
	P	9/30/2010	-202.46	-0.25	3184.54	01	01	4	
	P	10/15/2010	-202.16	0.3	3184.84	01	01	4	
	P	11/15/2010	-203.21	-1.05	3183.79	01	01	4	
	P	11/30/2010	-203.51	-0.3	3183.49	01	01	4	
	P	12/15/2010	-203.31	0.2	3183.69	01	01	4	
	P	12/30/2010	-203.29	0.02	3183.71	01	01	4	
	P	1/15/2011	-203.47	-0.18	3183.53	01	01	4	
	P	1/19/2011	-202.32	1.15	3184.68	01	06	1	
	P	1/30/2011	-203.52	-1.2	3183.48	01	01	4	
	P	2/15/2011	-205.81	-2.29	3181.19	01	01	4	
	P	3/15/2011	-206.91	-1.1	3180.09	01	01	4	
	P	4/15/2011	-204.7	2.21	3182.3	01	01	4	
	P	4/30/2011	-203.87	0.83	3183.13	01	01	4	
	P	5/15/2011	-203.79	0.08	3183.21	01	01	4	
	P	5/30/2011	-207.21	-3.42	3179.79	01	01	4	
	P	6/15/2011	-207.5	-0.29	3179.5	01	01	4	
	P	6/30/2011	-206.34	1.16	3180.66	01	01	4	
	P	7/15/2011	-207.3	-0.96	3179.7	01	01	4	
	P	7/30/2011	-205.67	1.63	3181.33	01	01	4	
	P	8/15/2011	-205.15	0.52	3181.85	01	01	4	
	P	8/30/2011	-206.43	-1.28	3180.57	01	01	4	
	P	9/15/2011	-205.64	0.79	3181.36	01	01	4	
	P	9/30/2011	-205.56	0.08	3181.44	01	01	4	
	P	10/15/2011	-205.38	0.18	3181.62	01	01	4	
	P	10/30/2011	-205.18	0.2	3181.82	01	01	4	
	P	11/15/2011	-205.23	-0.05	3181.77	01	01	4	
	P	11/30/2011	-205.23		3181.77	01	01	4	
	P	12/ 6/2011	-205.06	0.17	3181.94	01	06	1	
	P	12/12/2011	-205.17	-0.11	3181.83	01	01	1	
	P	12/15/2011	-205.26	-0.09	3181.74	01	01	4	
	P	12/30/2011	-205.19	0.07	3181.81	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 2012	-205.28	-0.09	3181.72	01	01	4	
	P	1 / 30/ 2012	-205.31	-0.03	3181.69	01	01	4	
	P	2 / 15/ 2012	-205.41	-0.1	3181.59	01	01	4	
	P	2 / 28/ 2012	-205.71	-0.3	3181.29	01	01	4	
	P	3 / 15/ 2012	-205.61	0.1	3181.39	01	01	4	
	P	3 / 30/ 2012	-205.58	0.03	3181.42	01	01	4	
	P	4 / 15/ 2012	-205.71	-0.13	3181.29	01	01	4	
	P	4 / 30/ 2012	-205.88	-0.17	3181.12	01	01	4	
	P	6 / 26/ 2012	-206.82	-0.94	3180.18	01	01	2	
	P	6 / 30/ 2012	-207.92	-1.1	3179.08	01	01	4	
	P	7 / 15/ 2012	-209.87	-1.95	3177.13	01	01	4	
	P	8 / 15/ 2012	-211.19	-1.32	3175.81	01	01	4	
	P	8 / 30/ 2012	-210.68	0.51	3176.32	01	01	4	
	P	12 / 15/ 2012	-208.14	2.54	3178.86	01	01	4	
	P	12 / 30/ 2012	-210.18	-2.04	3176.82	01	01	4	
	P	1 / 15/ 2013	-210.54	-0.36	3176.46	01	01	4	
	P	1 / 30/ 2013	-209.78	0.76	3177.22	01	01	4	
	P	2 / 15/ 2013	-209.9	-0.12	3177.1	01	01	4	
	P	2 / 28/ 2013	-210.6	-0.7	3176.4	01	01	4	
	P	3 / 15/ 2013	-210.38	0.22	3176.62	01	01	4	
	P	3 / 30/ 2013	-209.64	0.74	3177.36	01	01	4	
	P	4 / 15/ 2013	-209.38	0.26	3177.62	01	01	4	
	P	4 / 30/ 2013	-209.11	0.27	3177.89	01	01	4	
	P	5 / 15/ 2013	-209.74	-0.63	3177.26	01	01	4	

Min *-211.19* **Max** *-160.32* **Avg** *-181.532*

1151404 *(Aquifer: 121OGLL Well Depth: 323)*

	P	11 / 10/ 1955	-94.8		3277.2	01	04	1	
	P	4 / 29/ 1987	-169.7	-74.9	3202.3	01	01	1	

Min *-169.7* **Max** *-94.8* **Avg** *-132.25*

1151405 *(Aquifer: 121OGLL Well Depth: 322)*

	P	4 / 29/ 1987	-162.7		3215.3	01	01	1	

Min *-162.7* **Max** *-162.7* **Avg** *-162.7*

1151406 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 9 / 1936	-45.24		3336.76	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/22/1937	-45.45	-0.21	3336.55	01	12	7	01
	P	6/ 4/1937	-45.75	-0.3	3336.25	01	12	7	01
	P	6/ 8/1937	-45.77	-0.02	3336.23	01	12	7	01
	P	7/13/1937	-45.7	0.07	3336.3	01	12	7	01
	P	7/15/1937	-45.71	-0.01	3336.29	01	12	7	01
	P	7/28/1937	-45.72	-0.01	3336.28	01	12	7	01
	P	8/11/1937	-45.75	-0.03	3336.25	01	12	7	01
	P	8/24/1937	-45.76	-0.01	3336.24	01	12	7	01
	P	9/10/1937	-45.77	-0.01	3336.23	01	12	7	01
	P	10/ 1/1937	-46.08	-0.31	3335.92	01	12	7	01
	P	11/ 2/1937	-46.22	-0.14	3335.78	01	12	7	01
	P	1/ 5/1938	-46.22		3335.78	01	12	7	01
	P	3/12/1938	-46.18	0.04	3335.82	01	12	7	01
	P	4/11/1938	-46.45	-0.27	3335.55	01	12	7	01
	P	6/ 2/1938	-46.84	-0.39	3335.16	01	12	7	01
	P	6/24/1938	-46.86	-0.02	3335.14	01	12	7	01
	P	8/10/1938	-47.16	-0.3	3334.84	01	12	7	01
	P	9/15/1938	-47.26	-0.1	3334.74	01	12	7	01
	P	10/17/1938	-47.4	-0.14	3334.6	01	12	7	01
	P	12/ 6/1938	-47.54	-0.14	3334.46	01	12	7	01
	P	1/ 4/1939	-47.47	0.07	3334.53	01	12	7	01
	P	2/28/1939	-47.28	0.19	3334.72	01	12	7	01
	P	6/16/1939	-47.74	-0.46	3334.26	01	12	7	01
	P	8/14/1939	-49	-1.26	3333	01	12	7	01
	P	10/ 2/1939	-50.37	-1.37	3331.63	01	12	7	01
	P	12/ 1/1939	-49.97	0.4	3332.03	01	12	7	01
	P	2/29/1940	-49.15	0.82	3332.85	01	12	7	01
	P	10/27/1940	-53.7	-4.55	3328.3	01	12	7	01
	P	11/ 7/1940	-54.12	-0.42	3327.88	01	12	7	01
	P	1/16/1941	-51.41	2.71	3330.59	01	12	7	01
	P	3/ 4/1941	-51.05	0.36	3330.95	01	12	7	01
	P	7/24/1941	-50.48	0.57	3331.52	01	12	7	01
	P	10/16/1941	-49.98	0.5	3332.02	01	12	7	01
	P	7/ 2/1942	-49.82	0.16	3332.18	01	12	7	01
	P	10/12/1942	-50.48	-0.66	3331.52	01	12	7	01
	P	1/27/1943	-49.16	1.32	3332.84	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 1944	-51.98	-2.82	3330.02	01	12	7	01
	P	2 / 21/ 1945	-53.25	-1.27	3328.75	01	12	7	01
	P	2 / 26/ 1946	-57.63	-4.38	3324.37	01	12	7	01
	P	1 / 16/ 1947	-62	-4.37	3320	01	12	7	01
	P	3 / 5 / 1947	-62.36	-0.36	3319.64	01	12	7	01
	P	1 / 17/ 1948	-66.36	-4	3315.64	01	12	7	01
	P	2 / 20/ 1948	-66.12	0.24	3315.88	01	12	7	01
	P	2 / 22/ 1949	-70.97	-4.85	3311.03	01	12	7	01

Min *-70.97* **Max** *-45.24* **Avg** *-50.2818*

1151407 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 20/ 1937	-18.03		3343.97	01	12	7	01
	P	8 / 25/ 1937	-17.87	0.16	3344.13	01	12	7	01
	P	9 / 10/ 1937	-16.95	0.92	3345.05	01	12	7	01
	P	10 / 1 / 1937	-18.13	-1.18	3343.87	01	12	7	01
	P	11 / 2 / 1937	-18.36	-0.23	3343.64	01	12	7	01
	P	12 / 1 / 1937	-18.65	-0.29	3343.35	01	12	7	01
	P	1 / 8 / 1938	-18.86	-0.21	3343.14	01	12	7	01
	P	5 / 31/ 1938	-19.41	-0.55	3342.59	01	12	7	01
	P	6 / 27/ 1938	-17.01	2.4	3344.99	01	12	7	01
	P	8 / 10/ 1938	-18.12	-1.11	3343.88	01	12	7	01
	P	10 / 17/ 1938	-18.89	-0.77	3343.11	01	12	7	01
	P	12 / 7 / 1938	-19.38	-0.49	3342.62	01	12	7	01
	P	1 / 5 / 1939	-19.56	-0.18	3342.44	01	12	7	01
	P	1 / 16/ 1939	-18.8	0.76	3343.2	01	12	7	01
	P	1 / 31/ 1939	-19.05	-0.25	3342.95	01	12	7	01
	P	3 / 1 / 1939	-19.41	-0.36	3342.59	01	12	7	01
	P	3 / 26/ 1939	-19.58	-0.17	3342.42	01	12	7	01
	P	4 / 3 / 1939	-19.44	0.14	3342.56	01	12	7	01
	P	6 / 19/ 1939	-20.05	-0.61	3341.95	01	12	7	01
	P	6 / 21/ 1939	-20	0.05	3342	01	12	7	01
	P	6 / 23/ 1939	-19.48	0.52	3342.52	01	12	7	01
	P	6 / 26/ 1939	-19.12	0.36	3342.88	01	12	7	01
	P	7 / 3 / 1939	-19.04	0.08	3342.96	01	12	7	01
	P	7 / 7 / 1939	-19.26	-0.22	3342.74	01	12	7	01
	P	7 / 19/ 1939	-19.73	-0.47	3342.27	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 14/ 1939	-19.84	-0.11	3342.16	01	12	7	01
	P	10 / 2 / 1939	-20.71	-0.87	3341.29	01	12	7	01
	P	12 / 1 / 1939	-21.14	-0.43	3340.86	01	12	7	01
	P	2 / 29/ 1940	-21.37	-0.23	3340.63	01	12	7	01
	P	7 / 9 / 1940	-22.04	-0.67	3339.96	01	12	7	01
	P	9 / 20/ 1940	-22.72	-0.68	3339.28	01	12	7	01
	P	10 / 27/ 1940	-23.02	-0.3	3338.98	01	12	7	01
	P	11 / 7 / 1940	-23.07	-0.05	3338.93	01	12	7	01
	P	1 / 14/ 1941	-23.25	-0.18	3338.75	01	12	7	01
	P	3 / 4 / 1941	-23.41	-0.16	3338.59	01	12	7	01
	P	5 / 4 / 1941	-23.35	0.06	3338.65	01	12	7	01
	P	5 / 30/ 1941	-21.94	1.41	3340.06	01	12	7	01
	P	6 / 2 / 1941	-21.63	0.31	3340.37	01	12	7	01
	P	7 / 24/ 1941	-15.49	6.14	3346.51	01	12	7	01
	P	10 / 16/ 1941	-17.16	-1.67	3344.84	01	12	7	01
	P	2 / 24/ 1942	-18.32	-1.16	3343.68	01	12	7	01
	P	7 / 2 / 1942	-19	-0.68	3343	01	12	7	01
	P	10 / 12/ 1942	-20.21	-1.21	3341.79	01	12	7	01
	P	1 / 27/ 1943	-20.25	-0.04	3341.75	01	12	7	01
	P	2 / 3 / 1944	-22.36	-2.11	3339.64	01	12	7	01
	P	2 / 21/ 1945	-24.62	-2.26	3337.38	01	12	7	01
	P	2 / 28/ 1946	-28.12	-3.5	3333.88	01	12	7	01
	P	3 / 5 / 1947	-30.37	-2.25	3331.63	01	12	7	01
	P	2 / 20/ 1948	-33.72	-3.35	3328.28	01	12	7	01
	P	2 / 22/ 1949	-38.22	-4.5	3323.78	01	12	7	01
	P	2 / 20/ 1950	-41.23	-3.01	3320.77	01	12	7	01

Min *-41.23* **Max** *-15.49* **Avg** *-21.3478*

1151408 *(Aquifer: 121OGLL Well Depth: 180)*

	P	0 / 0 / 1914	-49.2		3355.8	01	12	7	01
	P	5 / 15/ 1936	-48.78	0.42	3356.22	01	12	7	01
	P	6 / 15/ 1936	-48.68	0.1	3356.32	01	12	7	01
	P	4 / 22/ 1937	-48.62	0.06	3356.38	01	12	7	01
	P	6 / 8 / 1937	-48.98	-0.36	3356.02	01	12	7	01
	P	7 / 13/ 1937	-48.53	0.45	3356.47	01	12	7	01
	P	7 / 28/ 1937	-48.5	0.03	3356.5	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 11/ 1937	-48.63	-0.13	3356.37	01	12	7	01
	P	8 / 24/ 1937	-48.47	0.16	3356.53	01	12	7	01
	P	9 / 10/ 1937	-48.6	-0.13	3356.4	01	12	7	01
	P	10 / 1 / 1937	-48.61	-0.01	3356.39	01	12	7	01
	P	11 / 2 / 1937	-48.6	0.01	3356.4	01	12	7	01
	P	12 / 1 / 1937	-48.96	-0.36	3356.04	01	12	7	01
	P	1 / 5 / 1938	-48.43	0.53	3356.57	01	12	7	01
	P	3 / 12/ 1938	-48.65	-0.22	3356.35	01	12	7	01
	P	4 / 11/ 1938	-48.92	-0.27	3356.08	01	12	7	01
	P	6 / 2 / 1938	-49.12	-0.2	3355.88	01	12	7	01
	P	6 / 24/ 1938	-49.43	-0.31	3355.57	01	12	7	01
	P	8 / 10/ 1938	-49.5	-0.07	3355.5	01	12	7	01

Min *-49.5* **Max** *-48.43* **Avg** *-48.8005*

1151409 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 15/ 1936	-49.11		3353.89	01	04	7
	P	6 / 15/ 1936	-49.18	-0.07	3353.82	01	04	7
	P	4 / 22/ 1937	-49.14	0.04	3353.86	01	04	7
	P	6 / 8 / 1937	-49.53	-0.39	3353.47	01	04	7
	P	7 / 13/ 1937	-49.13	0.4	3353.87	01	04	7
	P	7 / 28/ 1937	-49.25	-0.12	3353.75	01	04	7
	P	8 / 11/ 1937	-49.32	-0.07	3353.68	01	04	7
	P	8 / 24/ 1937	-49.25	0.07	3353.75	01	04	7
	P	9 / 10/ 1937	-49.28	-0.03	3353.72	01	04	7
	P	10 / 1 / 1937	-49.16	0.12	3353.84	01	04	7
	P	11 / 2 / 1937	-49.11	0.05	3353.89	01	04	7
	P	12 / 1 / 1937	-49.05	0.06	3353.95	01	04	7
	P	1 / 5 / 1938	-49	0.05	3354	01	04	7
	P	3 / 12/ 1938	-49.24	-0.24	3353.76	01	04	7
	P	4 / 11/ 1938	-49.5	-0.26	3353.5	01	04	7
	P	6 / 2 / 1938	-49.77	-0.27	3353.23	01	04	7
	P	6 / 24/ 1938	-49.84	-0.07	3353.16	01	04	7

Min *-49.84* **Max** *-49* **Avg** *-49.2859*

1151410 *(Aquifer: 121OGLL Well Depth: 334)*

	P	4 / 29/ 1987	-149.8		3227.2	01	01	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -149.8		**Max -149.8**	**Avg**	**-149.8**					
1151411	*(Aquifer: 121OGLL*		*Well Depth: 312)*						
	P	4 / 29/ 1987	-155.3		3227.7	01	01	1	
Min -155.3		**Max -155.3**	**Avg**	**-155.3**					
1151412	*(Aquifer: 121OGLL*		*Well Depth: 323)*						
	P	5 / 16/ 1986	-152.5		3222.5	01	01	1	
	P	4 / 29/ 1987	-151.2	1.3	3223.8	01	01	1	
Min -152.5		**Max -151.2**	**Avg**	**-151.85**					
1151413	*(Aquifer: 121OGLL*		*Well Depth: 330)*						
	P	4 / 29/ 1987	-156.6		3223.4	01	01	1	
Min -156.6		**Max -156.6**	**Avg**	**-156.6**					
1151414	*(Aquifer: 121OGLL*		*Well Depth: 330)*						
	P	4 / 29/ 1987	-190.3		3211.7	01	01	1	
Min -190.3		**Max -190.3**	**Avg**	**-190.3**					
1151415	*(Aquifer: 121OGLL*		*Well Depth: 336)*						
	P	4 / 29/ 1987	-191		3209	01	01	1	
Min -191		**Max -191**	**Avg**	**-191**					
1151416	*(Aquifer: 121OGLL*		*Well Depth: 280)*						
	P	7 / 29/ 1968	-95		3260	01	01	1	
	P	4 / 29/ 1987	-138.8	-43.8	3216.2	01	01	1	
Min -138.8		**Max -95**	**Avg**	**-116.9**					
1151417	*(Aquifer: 121OGLL*		*Well Depth: 299)*						
	P	7 / 16/ 1968	-95		3271	01	01	1	
Min -95		**Max -95**	**Avg**	**-95**					
1151418	*(Aquifer: 121OGLL*		*Well Depth: 298)*						
	P	8 / 5 / 1968	-108		3262	01	01	1	
	P	4 / 29/ 1987	-149.8	-41.8	3220.2	01	01	1	
Min -149.8		**Max -108**	**Avg**	**-128.9**					
1151501	*(Aquifer: 121OGLL*		*Well Depth: 200)*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/ 7/1945	-47.5		3327.5	01	12	7	01
	P	3/ 5/1946	-50.78	-3.28	3324.22	01	12	7	01
	P	1/16/1947	-54.19	-3.41	3320.81	01	12	7	01
	P	3/ 6/1947	-54.08	0.11	3320.92	01	12	7	01
	P	2/28/1949	-61.42	-7.34	3313.58	01	12	7	01
	P	1/28/1952	-70.77	-9.35	3304.23	01	12	7	01
	P	1/ 8/1953	-74.66	-3.89	3300.34	01	12	7	01
	P	1/ 5/1954	-80.34	-5.68	3294.66	01	12	7	01
	P	1/17/1955	-88.05	-7.71	3286.95	01	12	7	01
	P	1/ 9/1956	-91.85	-3.8	3283.15	01	12	7	01
	P	1/ 8/1957	-97.09	-5.24	3277.91	01	12	7	01
	P	1/16/1958	-99.48	-2.39	3275.52	01	12	7	01
	P	1/ 7/1959	-102.24	-2.76	3272.76	01	12	7	01
	P	1/ 8/1960	-105.36	-3.12	3269.64	01	12	7	01
	P	1/11/1961	-105.95	-0.59	3269.05	01	04	1	
	P	1/16/1962	-107.53	-1.58	3267.47	01	01	1	
	P	1/ 7/1963	-110.08	-2.55	3264.92	01	01	1	
	P	1/11/1964	-113.3	-3.22	3261.7	01	01	1	
	P	1/ 7/1965	-115.38	-2.08	3259.62	01	01	1	
	P	1/ 9/1966	-116.99	-1.61	3258.01	01	01	1	
	P	1/ 7/1967	-117.94	-0.95	3257.06	01	01	1	
	P	1/ 7/1968	-125.28	-7.34	3249.72	01	01	1	
	P	1/11/1969	-121.41	3.87	3253.59	01	01	1	
	P	1/ 9/1970	-121.93	-0.52	3253.07	01	01	1	
	P	1/ 5/1971	-123.68	-1.75	3251.32	01	01	1	
	P	1/ 5/1972	-125.29	-1.61	3249.71	01	01	1	
	P	1/11/1973	-126.8	-1.51	3248.2	01	01	1	
	P	1/15/1974	-129.16	-2.36	3245.84	01	01	1	
	P	1/11/1975	-131.3	-2.14	3243.7	01	01	1	
	P	1/ 6/1976	-132.93	-1.63	3242.07	01	01	1	
	P	1/15/1977	-135.9	-2.97	3239.1	01	01	1	
	P	1/10/1978	-136.6	-0.7	3238.4	01	01	1	
	P	1/ 4/1979	-140.97	-4.37	3234.03	01	01	1	
	P	1/17/1980	-142.57	-1.6	3232.43	01	01	1	
	P	1/15/1982	-148.47	-5.9	3226.53	01	01	1	
	P	1/11/1984	-154.14	-5.67	3220.86	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 12/ 1985	-157.78	-3.64	3217.22	01	01	1	

Min *-157.78* **Max** *-47.5* **Avg** *-108.627*

1151503 *(Aquifer: 121OGLL Well Depth: 158)*

	P	6 / 27/ 1949	-41.9		3308.1	01	12	4	01
	P	1 / 15/ 1950	-43.98	-2.08	3306.02	01	12	4	01
	P	1 / 15/ 1951	-47.97	-3.99	3302.03	01	12	4	01
	P	1 / 15/ 1952	-50.06	-2.09	3299.94	01	12	4	01
	P	1 / 15/ 1953	-55.98	-5.92	3294.02	01	12	4	01
	P	1 / 8 / 1954	-62.69	-6.71	3287.31	01	12	4	01
	P	3 / 14/ 1955	-69.03	-6.34	3280.97	01	12	4	01
	P	3 / 13/ 1956	-71.55	-2.52	3278.45	01	12	4	01
	P	1 / 15/ 1957	-76.78	-5.23	3273.22	01	12	4	01
	P	1 / 15/ 1958	-77.39	-0.61	3272.61	01	12	4	01
	P	1 / 15/ 1959	-79.8	-2.41	3270.2	01	12	4	01
	P	1 / 15/ 1960	-82.05	-2.25	3267.95	01	12	4	01
	P	1 / 15/ 1961	-81.37	0.68	3268.63	01	04	4	
	P	1 / 15/ 1962	-82.4	-1.03	3267.6	01	04	4	
	P	1 / 7 / 1963	-85.02	-2.62	3264.98	01	01	4	
	P	1 / 10/ 1964	-87.11	-2.09	3262.89	01	01	4	
	P	1 / 7 / 1965	-90.24	-3.13	3259.76	01	01	4	
	P	4 / 28/ 1965	-91.8	-1.56	3258.2	01	01	1	
	P	6 / 22/ 1965	-91.53	0.27	3258.47	01	01	1	
	P	9 / 18/ 1965	-92.27	-0.74	3257.73	01	01	1	
	P	10 / 22/ 1965	-92.48	-0.21	3257.52	01	01	1	
	P	12 / 16/ 1965	-92.77	-0.29	3257.23	01	01	1	
	P	1 / 15/ 1966	-92.67	0.1	3257.33	01	01	4	
	P	2 / 15/ 1966	-92.9	-0.23	3257.1	01	01	4	
	P	2 / 24/ 1966	-92.8	0.1	3257.2	01	01	1	
	P	3 / 15/ 1966	-92.77	0.03	3257.23	01	01	4	
	P	4 / 15/ 1966	-93.2	-0.43	3256.8	01	01	4	
	P	4 / 21/ 1966	-93.33	-0.13	3256.67	01	01	1	
	P	6 / 15/ 1966	-93.99	-0.66	3256.01	01	01	4	
	P	6 / 22/ 1966	-93.95	0.04	3256.05	01	01	1	
	P	7 / 15/ 1966	-94.15	-0.2	3255.85	01	01	4	
	P	8 / 15/ 1966	-94.38	-0.23	3255.62	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/17/1966	-94.38		3255.62	01	01	1	
	P	9/15/1966	-94.52	-0.14	3255.48	01	01	4	
	P	10/ 6/1966	-94.54	-0.02	3255.46	01	01	1	
	P	10/15/1966	-94.59	-0.05	3255.41	01	01	4	
	P	11/15/1966	-94.61	-0.02	3255.39	01	01	4	
	P	12/14/1966	-94.93	-0.32	3255.07	01	01	1	
	P	12/15/1966	-94.92	0.01	3255.08	01	01	4	
	P	1/15/1967	-95.3	-0.38	3254.7	01	01	4	
	P	2/15/1967	-95.45	-0.15	3254.55	01	01	4	
	P	3/15/1967	-95.57	-0.12	3254.43	01	01	4	
	P	4/14/1967	-95.78	-0.21	3254.22	01	01	4	
	P	5/15/1967	-96.39	-0.61	3253.61	01	01	4	
	P	6/15/1967	-96.81	-0.42	3253.19	01	01	4	
	P	7/15/1967	-97.28	-0.47	3252.72	01	01	4	
	P	8/15/1967	-97.55	-0.27	3252.45	01	01	4	
	P	9/15/1967	-97.89	-0.34	3252.11	01	01	4	
	P	10/15/1967	-98.11	-0.22	3251.89	01	01	4	
	P	11/15/1967	-98.18	-0.07	3251.82	01	01	4	
	P	12/15/1967	-98.29	-0.11	3251.71	01	01	4	
	P	1/15/1968	-98.18	0.11	3251.82	01	01	4	
	P	2/15/1968	-98.25	-0.07	3251.75	01	01	4	
	P	3/15/1968	-98.12	0.13	3251.88	01	01	4	
	P	4/15/1968	-98.02	0.1	3251.98	01	01	4	
	P	5/15/1968	-98.45	-0.43	3251.55	01	01	4	
	P	6/15/1968	-98.62	-0.17	3251.38	01	01	4	
	P	7/15/1968	-98.86	-0.24	3251.14	01	01	4	
	P	8/15/1968	-99.26	-0.4	3250.74	01	01	4	
	P	9/ 4/1968	-99.51	-0.25	3250.49	01	01	4	
	P	10/24/1968	-99.95	-0.44	3250.05	01	01	4	
	P	11/15/1968	-100.03	-0.08	3249.97	01	01	4	
	P	12/15/1968	-100.06	-0.03	3249.94	01	01	4	
	P	1/15/1969	-100.13	-0.07	3249.87	01	01	4	
	P	2/15/1969	-100.15	-0.02	3249.85	01	01	4	
	P	3/15/1969	-100.14	0.01	3249.86	01	01	4	
	P	4/15/1969	-100.1	0.04	3249.9	01	01	4	
	P	5/15/1969	-100.18	-0.08	3249.82	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6/15/1969	-100.31	-0.13	3249.69	01	01	4	
	P	7/15/1969	-100.42	-0.11	3249.58	01	01	4	
	P	8/15/1969	-100.69	-0.27	3249.31	01	01	4	
	P	9/15/1969	-100.93	-0.24	3249.07	01	01	4	
	P	10/15/1969	-100.83	0.1	3249.17	01	01	4	
	P	11/15/1969	-100.74	0.09	3249.26	01	01	4	
	P	12/15/1969	-100.98	-0.24	3249.02	01	01	4	
	P	12/17/1969	-100.98		3249.02	01	01	1	
	P	1/15/1970	-100.85	0.13	3249.15	01	01	4	
	P	2/17/1970	-101.07	-0.22	3248.93	01	01	1	
	P	3/15/1970	-101.04	0.03	3248.96	01	01	4	
	P	4/22/1970	-101.37	-0.33	3248.63	01	01	1	
	P	5/15/1970	-101.38	-0.01	3248.62	01	01	4	
	P	6/9/1970	-101.88	-0.5	3248.12	01	01	1	
	P	7/15/1970	-102.31	-0.43	3247.69	01	01	4	
	P	8/17/1970	-102.91	-0.6	3247.09	01	01	1	
	P	9/15/1970	-103.51	-0.6	3246.49	01	01	4	
	P	10/12/1970	-103.76	-0.25	3246.24	01	01	1	
	P	12/14/1970	-103.92	-0.16	3246.08	01	01	1	
	P	1/5/1971	-104.1	-0.18	3245.9	01	01	1	
	P	2/12/1971	-104.49	-0.39	3245.51	01	01	1	
	P	4/14/1971	-104.55	-0.06	3245.45	01	01	1	
	P	6/15/1971	-105.08	-0.53	3244.92	01	01	1	
	P	7/20/1971	-105.45	-0.37	3244.55	01	01	1	
	P	8/10/1971	-105.58	-0.13	3244.42	01	01	1	
	P	9/10/1971	-105.83	-0.25	3244.17	01	01	1	
	P	10/5/1971	-106.15	-0.32	3243.85	01	01	1	
	P	12/15/1971	-106.14	0.01	3243.86	01	01	1	
	P	1/5/1972	-106.02	0.12	3243.98	01	01	1	
	P	2/10/1972	-106.39	-0.37	3243.61	01	01	1	
	P	4/15/1972	-106.63	-0.24	3243.37	01	01	1	
	P	6/6/1972	-107.11	-0.48	3242.89	01	01	1	
	P	8/15/1972	-107.54	-0.43	3242.46	01	01	1	
	P	10/17/1972	-107.7	-0.16	3242.3	01	01	1	
	P	12/5/1972	-107.7		3242.3	01	01	1	
	P	1/11/1973	-107.84	-0.14	3242.16	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 7/1973	-107.86	-0.02	3242.14	01	01	1	
	P	3/28/1973	-107.97	-0.11	3242.03	01	01	1	
	P	4/14/1973	-108.03	-0.06	3241.97	01	01	1	
	P	5/14/1973	-108.29	-0.26	3241.71	01	01	1	
	P	6/17/1973	-108.4	-0.11	3241.6	01	01	1	
	P	7/20/1973	-108.69	-0.29	3241.31	01	01	1	
	P	8/20/1973	-108.95	-0.26	3241.05	01	01	1	
	P	9/20/1973	-109.29	-0.34	3240.71	01	01	1	
	P	10/18/1973	-109.45	-0.16	3240.55	01	01	1	
	P	11/19/1973	-109.5	-0.05	3240.5	01	01	1	
	P	12/18/1973	-109.58	-0.08	3240.42	01	01	1	
	P	1/15/1974	-109.83	-0.25	3240.17	01	01	1	
	P	2/20/1974	-110.04	-0.21	3239.96	01	01	1	
	P	3/18/1974	-110.22	-0.18	3239.78	01	01	1	
	P	4/16/1974	-110.59	-0.37	3239.41	01	01	1	
	P	5/16/1974	-110.69	-0.1	3239.31	01	01	1	
	P	6/24/1974	-111.03	-0.34	3238.97	01	01	1	
	P	7/24/1974	-111.13	-0.1	3238.87	01	01	1	
	P	8/23/1974	-110.56	0.57	3239.44	01	01	1	
	P	9/23/1974	-111.32	-0.76	3238.68	01	01	1	
	P	10/16/1974	-111.22	0.1	3238.78	01	01	1	
	P	11/21/1974	-111.23	-0.01	3238.77	01	01	1	
	P	12/17/1974	-111.18	0.05	3238.82	01	01	1	
	P	1/11/1975	-111.01	0.17	3238.99	01	01	1	
	P	1/24/1975	-111.1	-0.09	3238.9	01	01	1	
	P	2/19/1975	-111.38	-0.28	3238.62	01	01	1	
	P	3/24/1975	-111.36	0.02	3238.64	01	01	1	
	P	4/16/1975	-111.54	-0.18	3238.46	01	01	1	
	P	5/19/1975	-111.74	-0.2	3238.26	01	01	1	
	P	6/17/1975	-111.93	-0.19	3238.07	01	01	1	
	P	7/21/1975	-111.44	0.49	3238.56	01	01	1	
	P	8/20/1975	-112.42	-0.98	3237.58	01	01	1	
	P	9/23/1975	-112.81	-0.39	3237.19	01	01	1	
	P	10/15/1975	-112.75	0.06	3237.25	01	01	1	
	P	11/20/1975	-112.91	-0.16	3237.09	01	01	1	
	P	12/15/1975	-113.05	-0.14	3236.95	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/15/1976	-113.2	-0.15	3236.8	01	01	1	
	P	2/23/1976	-113.49	-0.29	3236.51	01	01	1	
	P	3/22/1976	-113.64	-0.15	3236.36	01	01	1	
	P	4/19/1976	-113.85	-0.21	3236.15	01	01	1	
	P	5/12/1976	-114	-0.15	3236	01	01	1	
	P	6/17/1976	-114.28	-0.28	3235.72	01	01	1	
	P	7/15/1976	-114.62	-0.34	3235.38	01	01	1	
	P	8/23/1976	-115.09	-0.47	3234.91	01	01	1	
	P	9/24/1976	-115.38	-0.29	3234.62	01	01	1	
	P	10/20/1976	-115.65	-0.27	3234.35	01	01	1	
	P	11/16/1976	-115.82	-0.17	3234.18	01	01	1	
	P	12/21/1976	-116.15	-0.33	3233.85	01	01	1	
	P	1/14/1977	-116.36	-0.21	3233.64	01	01	1	
	P	2/23/1977	-116.62	-0.26	3233.38	01	01	1	
	P	3/24/1977	-116.92	-0.3	3233.08	01	01	1	
	P	4/25/1977	-117.27	-0.35	3232.73	01	01	1	
	P	5/24/1977	-116.74	0.53	3233.26	01	01	1	
	P	6/24/1977	-117.82	-1.08	3232.18	01	01	1	
	P	7/22/1977	-118.22	-0.4	3231.78	01	01	1	
	P	8/24/1977	-118.68	-0.46	3231.32	01	01	1	
	P	9/22/1977	-119	-0.32	3231	01	01	1	
	P	10/24/1977	-119.27	-0.27	3230.73	01	01	1	
	P	11/22/1977	-119.52	-0.25	3230.48	01	01	1	
	P	12/22/1977	-119.73	-0.21	3230.27	01	01	1	
	P	1/10/1978	-119.83	-0.1	3230.17	01	01	1	
	P	2/21/1978	-120.15	-0.32	3229.85	01	01	1	
	P	3/28/1978	-120.4	-0.25	3229.6	01	01	1	
	P	4/25/1978	-120.7	-0.3	3229.3	01	01	1	
	P	5/24/1978	-121.02	-0.32	3228.98	01	01	1	
	P	6/23/1978	-121.33	-0.31	3228.67	01	01	1	
	P	7/24/1978	-121.73	-0.4	3228.27	01	01	1	
	P	8/24/1978	-122.22	-0.49	3227.78	01	01	1	
	P	9/21/1978	-122.48	-0.26	3227.52	01	01	1	
	P	10/25/1978	-122.64	-0.16	3227.36	01	01	1	
	P	11/28/1978	-122.77	-0.13	3227.23	01	01	1	
	P	12/27/1978	-122.9	-0.13	3227.1	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1979	-122.95	-0.05	3227.05	01	01	1	
	P	2/23/1979	-123.1	-0.15	3226.9	01	01	1	
	P	3/28/1979	-123.27	-0.17	3226.73	01	01	1	
	P	4/26/1979	-123.37	-0.1	3226.63	01	01	1	
	P	5/29/1979	-123.51	-0.14	3226.49	01	01	1	
	P	6/25/1979	-123.65	-0.14	3226.35	01	01	1	
	P	7/25/1979	-123.54	0.11	3226.46	01	01	1	
	P	8/22/1979	-123.44	0.1	3226.56	01	01	1	
	P	9/25/1979	-123.55	-0.11	3226.45	01	01	1	
	P	10/23/1979	-123.55		3226.45	01	01	1	
	P	11/20/1979	-123.68	-0.13	3226.32	01	01	1	
	P	12/17/1979	-123.78	-0.1	3226.22	01	01	1	
	P	1/17/1980	-123.87	-0.09	3226.13	01	01	1	
	P	2/21/1980	-123.8	0.07	3226.2	01	01	1	
	P	3/26/1980	-123.98	-0.18	3226.02	01	01	1	
	P	4/25/1980	-124.2	-0.22	3225.8	01	01	1	
	P	5/23/1980	-124.32	-0.12	3225.68	01	01	1	
	P	6/25/1980	-124.74	-0.42	3225.26	01	01	1	
	P	7/23/1980	-125.52	-0.78	3224.48	01	01	1	
	P	8/25/1980	-125.9	-0.38	3224.1	01	01	1	
	P	9/25/1980	-126.17	-0.27	3223.83	01	01	1	
	P	10/28/1980	-126.28	-0.11	3223.72	01	01	1	
	P	11/19/1980	-126.47	-0.19	3223.53	01	01	1	
	P	12/19/1980	-126.57	-0.1	3223.43	01	01	1	
	P	1/19/1981	-126.58	-0.01	3223.42	01	01	1	
	P	2/19/1981	-126.65	-0.07	3223.35	01	01	4	
	P	3/19/1981	-127.22	-0.57	3222.78	01	01	4	
	P	4/14/1981	-127.62	-0.4	3222.38	01	01	1	
	P	5/26/1981	-128.13	-0.51	3221.87	01	01	4	
	P	6/26/1981	-128.73	-0.6	3221.27	01	01	1	
	P	7/25/1981	-129.75	-1.02	3220.25	01	01	4	
	P	8/25/1981	-130.4	-0.65	3219.6	01	01	4	
	P	9/28/1981	-130.23	0.17	3219.77	01	01	1	
	P	10/28/1981	-130.1	0.13	3219.9	01	01	4	
	P	11/28/1981	-130.06	0.04	3219.94	01	01	4	
	P	12/30/1981	-130.03	0.03	3219.97	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1982	-130.03		3219.97	01	01	1	
	P	1 / 14/ 1983	-133.31	-3.28	3216.69	01	01	1	
	P	3 / 29/ 1983	-133.35	-0.04	3216.65	01	01	4	
	N	1 / 11/ 1984				01	01	1	45

Min *-133.35* **Max** *-41.9* **Avg** *-106.898*

1151506 *(Aquifer: 121OGLL Well Depth: 28)*

	P	7 / 17/ 1937	-16.96		3332.04	01	04	7	
	P	8 / 24/ 1937	-17.81	-0.85	3331.19	01	04	7	
	P	9 / 10/ 1937	-17.55	0.26	3331.45	01	04	7	
	P	10 / 1 / 1937	-17.91	-0.36	3331.09	01	04	7	
	P	11 / 2 / 1937	-18.21	-0.3	3330.79	01	04	7	
	P	12 / 1 / 1937	-18.35	-0.14	3330.65	01	04	7	
	P	1 / 8 / 1938	-18.56	-0.21	3330.44	01	04	7	
	P	3 / 11/ 1938	-18.8	-0.24	3330.2	01	04	7	
	P	4 / 12/ 1938	-18.81	-0.01	3330.19	01	04	7	
	P	6 / 2 / 1938	-18.84	-0.03	3330.16	01	04	7	
	P	6 / 28/ 1938	-18.27	0.57	3330.73	01	04	7	
	P	8 / 10/ 1938	-17.89	0.38	3331.11	01	04	7	

Min *-18.84* **Max** *-16.96* **Avg** *-18.1633*

1151508 *(Aquifer: 121OGLL Well Depth: 314)*

	P	4 / 29/ 1987	-156.3		3208.7	01	01	1	

Min *-156.3* **Max** *-156.3* **Avg** *-156.3*

1151509 *(Aquifer: 121OGLL Well Depth: 303)*

	P	4 / 29/ 1987	-154.2		3205.8	01	01	1	

Min *-154.2* **Max** *-154.2* **Avg** *-154.2*

1151510 *(Aquifer: 121OGLL Well Depth: 339)*

	P	7 / 6 / 1968	-114		3246	01	01	1	
	P	4 / 29/ 1987	-155.9	-41.9	3204.1	01	01	1	
	N	6 / 22/ 2004				01	01		41

Min *-155.9* **Max** *-114* **Avg** *-134.95*

1151601 *(Aquifer: 121OGLL Well Depth: 259)*

	P	3 / 13/ 1947	-63.1		3294.9	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 21/ 1948	-67.2	-4.1	3290.8	01	12	7	01
	P	3 / 7 / 1949	-71	-3.8	3287	01	12	7	01
	P	2 / 13/ 1950	-73.15	-2.15	3284.85	01	12	7	01
	P	1 / 25/ 1951	-76.48	-3.33	3281.52	01	12	7	01
	P	1 / 21/ 1952	-79.59	-3.11	3278.41	01	12	7	01
	P	1 / 12/ 1953	-86.78	-7.19	3271.22	01	12	7	01
	P	1 / 6 / 1954	-92.68	-5.9	3265.32	01	12	7	01
	P	1 / 18/ 1955	-98.05	-5.37	3259.95	01	12	7	01
	P	1 / 9 / 1956	-102.71	-4.66	3255.29	01	12	7	01
	P	1 / 9 / 1957	-108.75	-6.04	3249.25	01	12	7	01
	P	1 / 16/ 1958	-109.6	-0.85	3248.4	01	12	7	01
	P	1 / 7 / 1959	-111.63	-2.03	3246.37	01	12	7	01
	P	1 / 20/ 1960	-114.8	-3.17	3243.2	01	12	7	01
	P	1 / 12/ 1961	-116.7	-1.9	3241.3	01	04	1	
	P	1 / 12/ 1962	-114.2	2.5	3243.8	01	01	1	
	P	1 / 7 / 1963	-121.5	-7.3	3236.5	01	01	1	
	P	1 / 10/ 1964	-118.08	3.42	3239.92	01	01	1	
	P	1 / 7 / 1965	-125.46	-7.38	3232.54	01	01	1	
	P	1 / 9 / 1966	-127.72	-2.26	3230.28	01	01	1	
	P	1 / 7 / 1967	-130.7	-2.98	3227.3	01	01	1	
	P	1 / 8 / 1968	-136.86	-6.16	3221.14	01	01	1	
	P	1 / 11/ 1969	-142.1	-5.24	3215.9	01	01	1	
	N	1 / 4 / 1970				01	01		63
	N	1 / 5 / 1971				01	01		61

Min *-142.1* **Max** *-63.1* **Avg** *-103.863*

1151602 *(Aquifer: 121OGLL Well Depth: 60)*

	P	5 / 0 / 1936	-35.9		3304.1	01	12	7	01
	P	6 / 5 / 1937	-36.33	-0.43	3303.67	01	12	7	01
	P	7 / 27/ 1937	-34.89	1.44	3305.11	01	12	7	01
	P	9 / 28/ 1937	-34.85	0.04	3305.15	01	12	7	01
	P	10 / 1 / 1937	-34.9	-0.05	3305.1	01	12	7	01
	P	10 / 10/ 1937	-35	-0.1	3305	01	12	7	01
	P	11 / 1 / 1937	-35.15	-0.15	3304.85	01	12	7	01
	P	12 / 2 / 1937	-35.46	-0.31	3304.54	01	12	7	01
	P	1 / 4 / 1938	-35.63	-0.17	3304.37	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1938	-35.82	-0.19	3304.18	01	12	7	01
	P	4 / 13/ 1938	-35.94	-0.12	3304.06	01	12	7	01
	P	5 / 26/ 1938	-36.25	-0.31	3303.75	01	12	7	01
	P	6 / 21/ 1938	-36.36	-0.11	3303.64	01	12	7	01
	P	8 / 11/ 1938	-36.09	0.27	3303.91	01	12	7	01
	P	10 / 17/ 1938	-36.39	-0.3	3303.61	01	12	7	01
	P	12 / 5 / 1938	-36.52	-0.13	3303.48	01	12	7	01
	P	1 / 3 / 1939	-36.68	-0.16	3303.32	01	12	7	01
	P	6 / 21/ 1939	-37.29	-0.61	3302.71	01	12	7	01
	P	6 / 26/ 1939	-37.29		3302.71	01	12	7	01
	P	7 / 25/ 1939	-37.29		3302.71	01	12	7	01
	P	8 / 16/ 1939	-37.39	-0.1	3302.61	01	12	7	01
	P	10 / 4 / 1939	-37.77	-0.38	3302.23	01	12	7	01
	P	12 / 14/ 1939	-37.93	-0.16	3302.07	01	12	7	01
	P	3 / 6 / 1940	-38.13	-0.2	3301.87	01	12	7	01
	P	11 / 15/ 1940	-39.67	-1.54	3300.33	01	12	7	01
	P	1 / 18/ 1941	-39.8	-0.13	3300.2	01	12	7	01
	P	3 / 10/ 1941	-39.87	-0.07	3300.13	01	12	7	01
	P	6 / 2 / 1941	-39.52	0.35	3300.48	01	12	7	01
	P	7 / 23/ 1941	-37.54	1.98	3302.46	01	12	7	01
	P	11 / 21/ 1941	-36.98	0.56	3303.02	01	12	7	01
	P	10 / 23/ 1942	-37.07	-0.09	3302.93	01	12	7	01
	P	1 / 29/ 1943	-36.86	0.21	3303.14	01	12	7	01
	P	2 / 1 / 1944	-38.72	-1.86	3301.28	01	12	7	01
	P	2 / 12/ 1945	-40.75	-2.03	3299.25	01	12	7	01
	P	3 / 5 / 1946	-44.27	-3.52	3295.73	01	12	7	01
	P	1 / 16/ 1947	-45.9	-1.63	3294.1	01	12	7	01
	P	3 / 13/ 1947	-45.82	0.08	3294.18	01	12	7	01
	P	1 / 17/ 1948	-49.07	-3.25	3290.93	01	12	7	01
	P	2 / 21/ 1948	-49.03	0.04	3290.97	01	12	7	01
	P	2 / 28/ 1949	-52.75	-3.72	3287.25	01	12	7	01
	P	1 / 25/ 1952	-63.42	-10.7	3276.58	01	12	7	01
	P	1 / 6 / 1954	-69.12	-5.7	3270.88	01	12	7	01
	N	1 / 14/ 1955				01	12		40

Min *-69.12* **Max** *-34.85* **Avg** *-39.9383*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1151604	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	5 / 19/ 2005	-232.05		3120.95	01	06	1	
	P	1 / 9 / 2007	-238.09	-6.04	3114.91	01	06	1	
	P	1 / 28/ 2008	-237.39	0.7	3115.61	01	06	1	
	P	1 / 29/ 2009	-242.79	-5.4	3110.21	01	06	1	
	P	1 / 18/ 2010	-247.09	-4.3	3105.91	01	06	1	
	P	1 / 19/ 2011	-248.26	-1.17	3104.74	01	06	1	
	P	2 / 2 / 2012	-255.15	-6.89	3097.85	01	06	1	
Min	***-255.15***	**Max**	***-232.05***	**Avg**	***-242.974***				
1151701	*(Aquifer: 121OGLL*		*Well Depth: 38*	*)*					
	P	7 / 22/ 1937	-32.93		3329.07	01	12	7	
	P	8 / 11/ 1937	-32.85	0.08	3329.15	01	12	7	
	P	8 / 24/ 1937	-32.48	0.37	3329.52	01	12	7	
	P	1 / 8 / 1938	-32.67	-0.19	3329.33	01	12	7	
Min	***-32.93***	**Max**	***-32.48***	**Avg**	***-32.7325***				
1151702	*(Aquifer: 121OGLL*		*Well Depth: 77*	*)*					
	P	7 / 26/ 1937	-40.83		3329.17	01	12	7	
	P	10 / 2 / 1937	-40.81	0.02	3329.19	01	12	7	
	P	1 / 8 / 1938	-40.49	0.32	3329.51	01	12	7	
	P	12 / 9 / 1938	-41.14	-0.65	3328.86	01	12	7	
Min	***-41.14***	**Max**	***-40.49***	**Avg**	***-40.8175***				
1151703	*(Aquifer: 121OGLL*		*Well Depth: 295*	*)*					
	P	1 / 16/ 1980	-161.85		3220.15	01	01	1	
	P	1 / 15/ 1982	-166.08	-4.23	3215.92	01	01	1	
	P	1 / 9 / 1984	-170.52	-4.44	3211.48	01	01	1	
	P	12 / 11/ 1986	-173.88	-3.36	3208.12	01	01	1	
	P	1 / 13/ 1988	-185.73	-11.9	3196.27	01	01	1	
	P	12 / 11/ 1988	-174.55	11.18	3207.45	01	01	1	
	P	12 / 5 / 1989	-174.3	0.25	3207.7	01	01	1	
	P	12 / 11/ 1990	-175.64	-1.34	3206.36	01	01	1	
	P	12 / 12/ 1991	-177.38	-1.74	3204.62	01	01	1	
	P	1 / 27/ 1993	-175.99	1.39	3206.01	01	01	1	
	P	1 / 10/ 1994	-177.5	-1.51	3204.5	01	06	1	
	P	1 / 18/ 1995	-179.46	-1.96	3202.54	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 1996	-181.72	-2.26	3200.28	01	06	1	
	P	1 / 17/ 1997	-184.39	-2.67	3197.61	01	06	1	
	P	1 / 20/ 1998	-185.6	-1.21	3196.4	01	06	1	
	P	1 / 28/ 1999	-187	-1.4	3195	01	06	1	
	P	1 / 28/ 2000	-188.2	-1.2	3193.8	01	06	1	
	P	1 / 26/ 2001	-189.21	-1.01	3192.79	01	06	1	
	P	1 / 28/ 2002	-190.15	-0.94	3191.85	01	06	1	
	P	2 / 21/ 2003	-191.5	-1.35	3190.5	01	06	1	
	P	1 / 20/ 2004	-192.95	-1.45	3189.05	01	06	1	
	P	2 / 15/ 2005	-194.17	-1.22	3187.83	01	06	1	
	P	1 / 16/ 2006	-195.2	-1.03	3186.8	01	06	1	
	P	1 / 9 / 2007	-196.16	-0.96	3185.84	01	06	1	
	P	1 / 17/ 2008	-196.69	-0.53	3185.31	01	06	1	
	P	1 / 30/ 2009	-197.74	-1.05	3184.26	01	06	1	
	P	1 / 15/ 2010	-198.61	-0.87	3183.39	01	06	1	
	P	1 / 19/ 2011	-199.08	-0.47	3182.92	01	06	1	
	P	12 / 6 / 2011	-200.39	-1.31	3181.61	01	06	1	

Min *-200.39* **Max** *-161.85* **Avg** *-184.884*

1151801 *(Aquifer: 121OGLL Well Depth: 160)*

	P	3 / 11/ 1947	-58.79		3310.21	01	12	7	01
	P	2 / 24/ 1948	-62.19	-3.4	3306.81	01	12	7	01
	P	3 / 2 / 1949	-66.5	-4.31	3302.5	01	12	7	01
	P	1 / 19/ 1951	-67.62	-1.12	3301.38	01	12	7	01
	P	1 / 30/ 1952	-76.36	-8.74	3292.64	01	12	7	01
	P	1 / 14/ 1953	-82.15	-5.79	3286.85	01	12	7	01
	P	1 / 8 / 1954	-90.35	-8.2	3278.65	01	12	7	01
	P	1 / 17/ 1955	-99.05	-8.7	3269.95	01	12	7	01
	P	1 / 16/ 1956	-99.14	-0.09	3269.86	01	12	7	01
	P	1 / 8 / 1957	-104.67	-5.53	3264.33	01	12	7	01
	P	1 / 16/ 1958	-111.13	-6.46	3257.87	01	12	7	01
	P	1 / 5 / 1959	-112.79	-1.66	3256.21	01	12	7	01
	P	1 / 19/ 1960	-115.2	-2.41	3253.8	01	12	7	01
	P	1 / 12/ 1961	-118	-2.8	3251	01	04	1	
	P	1 / 12/ 1962	-118.92	-0.92	3250.08	01	01	1	
	P	1 / 6 / 1963	-121.33	-2.41	3247.67	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 1964	-125.3	-3.97	3243.7	01	01	1	
	N	1 / 9 / 1965				01	01		40

Min *-125.3* **Max** *-58.79* **Avg** *-95.8524*

1151803 *(Aquifer: 121OGLL Well Depth:)*

P	5 / 8 / 1936	-45.3		3315.7	01	04	7	
P	4 / 29/ 1937	-45.58	-0.28	3315.42	01	04	7	
P	5 / 27/ 1937	-45.77	-0.19	3315.23	01	04	7	
P	7 / 12/ 1937	-45.86	-0.09	3315.14	01	04	7	
P	1 / 6 / 1938	-45.88	-0.02	3315.12	01	04	7	
P	3 / 11/ 1938	-46.12	-0.24	3314.88	01	04	7	
P	4 / 13/ 1938	-46.18	-0.06	3314.82	01	04	7	
P	6 / 3 / 1938	-46.36	-0.18	3314.64	01	04	7	
P	10 / 20/ 1938	-47.32	-0.96	3313.68	01	04	7	
P	12 / 7 / 1938	-47.44	-0.12	3313.56	01	04	7	
P	3 / 3 / 1939	-46.94	0.5	3314.06	01	04	7	
P	6 / 26/ 1939	-48.09	-1.15	3312.91	01	04	7	
P	8 / 16/ 1939	-48.55	-0.46	3312.45	01	04	7	

Min *-48.55* **Max** *-45.3* **Avg** *-46.5685*

1151804 *(Aquifer: 121OGLL Well Depth: 300)*

P	2 / 3 / 1971	-124.6		3235.4	01	01	1	
P	1 / 5 / 1972	-127.98	-3.38	3232.02	01	01	1	
P	1 / 11/ 1973	-129.47	-1.49	3230.53	01	01	1	
P	1 / 15/ 1974	-131.62	-2.15	3228.38	01	01	1	
N	2 / 0 / 1974				01	01		81

Min *-131.62* **Max** *-124.6* **Avg** *-128.418*

1151805 *(Aquifer: 121OGLL Well Depth: 150)*

P	3 / 11/ 1947	-52.27		3306.73	01	12	7	01
P	2 / 24/ 1948	-57.64	-5.37	3301.36	01	12	7	01
P	3 / 2 / 1949	-58.39	-0.75	3300.61	01	12	7	01
P	2 / 16/ 1950	-61.08	-2.69	3297.92	01	12	7	01
P	1 / 23/ 1951	-60.26	0.82	3298.74	01	12	7	01
P	1 / 28/ 1952	-60.29	-0.03	3298.71	01	12	7	01
P	1 / 9 / 1953	-66.47	-6.18	3292.53	01	12	7	01
P	1 / 8 / 1954	-74.28	-7.81	3284.72	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1955	-83.18	-8.9	3275.82	01	12	7	01
	P	1/ 16/ 1956	-86.31	-3.13	3272.69	01	12	7	01
	P	1/ 8/ 1957	-93.6	-7.29	3265.4	01	12	7	01
	P	1/ 16/ 1958	-103.18	-9.58	3255.82	01	12	7	01
	P	1/ 5/ 1959	-96.2	6.98	3262.8	01	12	7	01
	P	1/ 19/ 1960	-100	-3.8	3259	01	12	7	01
	P	1/ 11/ 1961	-102.1	-2.1	3256.9	01	04	1	
	P	1/ 12/ 1962	-103.7	-1.6	3255.3	01	01	1	
	P	1/ 6/ 1963	-106.15	-2.45	3252.85	01	01	1	
	P	1/ 11/ 1964	-107.16	-1.01	3251.84	01	01	1	
	P	1/ 7/ 1965	-111.3	-4.14	3247.7	01	01	1	
	P	1/ 9/ 1966	-115.68	-4.38	3243.32	01	01	1	
	P	1/ 8/ 1967	-124.32	-8.64	3234.68	01	01	1	
	P	1/ 7/ 1968	-135.8	-11.5	3223.2	01	01	1	
	P	1/ 11/ 1969	-136.68	-0.88	3222.32	01	01	1	
	P	1/ 9/ 1970	-128.07	8.61	3230.93	01	01	1	
	N	1/ 5/ 1971				01	01	1	46

Min *-136.68* **Max** *-52.27* **Avg** *-92.6713*

1151901 *(Aquifer: 121OGLL Well Depth: 325)*

	P	1/ 17/ 1977	-176.11		3164.89	01	01	1	
	P	1/ 10/ 1978	-159.58	16.53	3181.42	01	01	1	
	P	1/ 5/ 1979	-167.57	-7.99	3173.43	01	01	1	
	P	1/ 17/ 1980	-162.63	4.94	3178.37	01	01	1	
	P	1/ 15/ 1982	-170.27	-7.64	3170.73	01	01	1	
	P	1/ 10/ 1984	-174.15	-3.88	3166.85	01	01	1	
	P	12/ 12/ 1985	-169.75	4.4	3171.25	01	01	1	20
	P	12/ 16/ 1987	-178.2	-8.45	3162.8	01	01	1	
	P	12/ 11/ 1988	-178.85	-0.65	3162.15	01	01	1	
	P	12/ 5/ 1989	-180.28	-1.43	3160.72	01	01	1	
	P	12/ 12/ 1990	-183	-2.72	3158	01	01	1	
	P	12/ 12/ 1991	-186.2	-3.2	3154.8	01	01	1	
	P	1/ 27/ 1993	-183.79	2.41	3157.21	01	01	1	
	P	1/ 10/ 1994	-186.3	-2.51	3154.7	01	06	1	
	P	1/ 17/ 1995	-191.48	-5.18	3149.52	01	06	1	
	P	1/ 22/ 1996	-192.49	-1.01	3148.51	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 1997	-195.88	-3.39	3145.12	01	06	1	
	P	1 / 21/ 1998	-197.49	-1.61	3143.51	01	06	1	
	P	2 / 5 / 1999	-200	-2.51	3141	01	06	1	
	P	1 / 31/ 2000	-204.6	-4.6	3136.4	01	06	1	
	P	1 / 25/ 2001	-206.54	-1.94	3134.46	01	06	1	
	P	1 / 28/ 2002	-208.5	-1.96	3132.5	01	06	1	
	P	2 / 26/ 2003	-211.67	-3.17	3129.33	01	06	1	
	P	1 / 22/ 2004	-216.38	-4.71	3124.62	01	06	1	
	P	3 / 8 / 2005	-218.6	-2.22	3122.4	01	06	1	
	N	1 / 16/ 2006				01	06	7	44
	N	1 / 9 / 2007				01	06	7	44
	N	1 / 17/ 2008				01	06		81
	N	1 / 29/ 2009				01	06	1	44
	N	1 / 15/ 2010				01	06	1	44
	N	1 / 19/ 2011				01	06	1	44
	N	2 / 3 / 2012				01	06	1	44

Min *-218.6* **Max** *-159.58* **Avg** *-188.012*

1151902 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 14/ 1947	-58.79		3274.21	01	12	7	01
	P	2 / 24/ 1948	-62.45	-3.66	3270.55	01	12	7	01
	P	3 / 2 / 1949	-67.81	-5.36	3265.19	01	12	7	01
	P	2 / 16/ 1950	-70.7	-2.89	3262.3	01	12	7	01
	P	1 / 22/ 1951	-74.51	-3.81	3258.49	01	12	7	01
	P	1 / 21/ 1952	-77.46	-2.95	3255.54	01	12	7	01
	P	1 / 9 / 1953	-85.75	-8.29	3247.25	01	12	7	01
	P	1 / 7 / 1954	-93.74	-7.99	3239.26	01	12	7	01
	P	12 / 14/ 1954	-101.69	-7.95	3231.31	01	12	7	01
	P	1 / 13/ 1955	-100.84	0.85	3232.16	01	12	7	01
	P	1 / 16/ 1956	-105.82	-4.98	3227.18	01	12	7	01
	P	1 / 9 / 1957	-122.04	-16.2	3210.96	01	12	7	01
	P	1 / 15/ 1958	-115.16	6.88	3217.84	01	12	7	01
	P	1 / 7 / 1959	-115.79	-0.63	3217.21	01	12	7	01
	P	1 / 20/ 1960	-120.25	-4.46	3212.75	01	12	7	01
	P	1 / 12/ 1961	-122.9	-2.65	3210.1	01	12	7	01
	P	1 / 11/ 1964	-131.05	-8.15	3201.95	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1965	-135.29	-4.24	3197.71	01	01	1	
	N	1/ 9/1966				01	01	1	44
	P	1/ 7/1967	-145.68		3187.32	01	01	1	
	P	1/ 8/1968	-153.52	-7.84	3179.48	01	01	1	
	P	1/ 8/1969	-157.5	-3.98	3175.5	01	01	1	
	N	1/ 4/1970				01	01	1	44
	N	1/10/1971				01	01		40

Min *-157.5* **Max** *-58.79* **Avg** *-105.654*

1152101 *(Aquifer: 121OGLL Well Depth: 232)*

	P	3/17/1947	-50.74		3297.26	01	12	7	01
	P	2/21/1948	-52.62	-1.88	3295.38	01	12	7	01
	P	3/ 7/1949	-58.96	-6.34	3289.04	01	12	7	01
	P	2/14/1950	-59.85	-0.89	3288.15	01	12	7	01
	P	1/18/1951	-62.19	-2.34	3285.81	01	12	7	01
	P	1/25/1952	-63.47	-1.28	3284.53	01	12	7	01
	P	1/11/1953	-69.32	-5.85	3278.68	01	12	7	01
	P	1/ 6/1954	-75.26	-5.94	3272.74	01	12	7	01
	P	12/15/1954	-80.21	-4.95	3267.79	01	12	7	01
	P	1/ 6/1956	-88.87	-8.66	3259.13	01	12	7	01
	P	1/ 8/1957	-95.27	-6.4	3252.73	01	12	7	01
	P	1/16/1958	-95.84	-0.57	3252.16	01	12	7	01
	P	1/ 7/1959	-98.95	-3.11	3249.05	01	12	7	01
	P	1/ 8/1960	-102.52	-3.57	3245.48	01	12	7	01
	P	1/11/1961	-100.35	2.17	3247.65	01	12	7	01
	N	1/19/1962				01	01		40

Min *-102.52* **Max** *-50.74* **Avg** *-76.9613*

1152102 *(Aquifer: 121OGLL Well Depth: 210)*

	P	3/13/1947	-53.6		3293.4	01	12	7	01
	P	2/21/1948	-56.22	-2.62	3290.78	01	12	7	01
	P	3/ 7/1949	-60.32	-4.1	3286.68	01	12	7	01
	P	2/14/1950	-63.4	-3.08	3283.6	01	12	7	01
	P	1/25/1952	-68.1	-4.7	3278.9	01	12	7	01
	P	1/11/1953	-73.56	-5.46	3273.44	01	12	7	01
	P	1/ 6/1954	-80.6	-7.04	3266.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -80.6		**Max -53.6**	**Avg -65.1143**						
1152103	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	4 / 29/ 1936	-44.95		3289.05	01	12	7	01
	P	6 / 13/ 1936	-45.76	-0.81	3288.24	01	12	7	01
	P	5 / 3 / 1937	-46.81	-1.05	3287.19	01	12	7	01
	P	6 / 8 / 1937	-47.7	-0.89	3286.3	01	12	7	01
	P	10 / 1 / 1937	-46.5	1.2	3287.5	01	12	7	01
	P	12 / 2 / 1937	-46.05	0.45	3287.95	01	12	7	01
	P	1 / 4 / 1938	-45.87	0.18	3288.13	01	12	7	01
	P	4 / 13/ 1938	-48.85	-2.98	3285.15	01	12	7	01
	P	5 / 26/ 1938	-49.35	-0.5	3284.65	01	12	7	01
	P	6 / 28/ 1938	-48.04	1.31	3285.96	01	12	7	01
	P	8 / 11/ 1938	-47.36	0.68	3286.64	01	12	7	01
	P	10 / 17/ 1938	-47.78	-0.42	3286.22	01	12	7	01
	P	12 / 5 / 1938	-47.21	0.57	3286.79	01	12	7	01
	P	1 / 3 / 1939	-46.96	0.25	3287.04	01	12	7	01
	P	2 / 27/ 1939	-46.67	0.29	3287.33	01	12	7	01
	P	6 / 24/ 1939	-50.78	-4.11	3283.22	01	12	7	01
	P	12 / 8 / 1939	-51.69	-0.91	3282.31	01	12	7	01
	P	3 / 6 / 1940	-49.15	2.54	3284.85	01	12	7	01
Min -51.69		**Max -44.95**	**Avg -47.6378**						
1152105	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	6 / 3 / 1994	-203.13		3129.87	01	06	1	
	P	1 / 17/ 1995	-203.78	-0.65	3129.22	01	06	1	
	P	1 / 22/ 1996	-206.82	-3.04	3126.18	01	06	1	
	P	1 / 30/ 1997	-211.59	-4.77	3121.41	01	06	1	
	P	1 / 21/ 1998	-212.58	-0.99	3120.42	01	06	1	
	P	2 / 8 / 1999	-216	-3.42	3117	01	06	1	
	P	1 / 31/ 2000	-216.38	-0.38	3116.62	01	06	1	
	P	1 / 25/ 2001	-221.6	-5.22	3111.4	01	06	1	
	P	1 / 28/ 2002	-221.36	0.24	3111.64	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	1 / 22/ 2004	-235.88		3097.12	01	06	1	
	P	2 / 15/ 2005	-234.55	1.33	3098.45	01	06	1	
	P	1 / 13/ 2006	-232.15	2.4	3100.85	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 9 / 2007				01	06		41
	P	1 / 28/ 2008	-238.21		3094.79	01	06	1	
	P	1 / 29/ 2009	-245.52	-7.31	3087.48	01	06	1	
	P	1 / 18/ 2010	-248.43	-2.91	3084.57	01	06	1	
	P	1 / 19/ 2011	-247.58	0.85	3085.42	01	06	1	
	P	2 / 2 / 2012	-254.18	-6.6	3078.82	01	06	1	

Min *-254.18* **Max** *-203.13* **Avg** *-226.455*

1152201 *(Aquifer: 121OGLL Well Depth: 222)*

	P	0 / 0 / 1914	-42		3291	01	12	7	01
	P	4 / 30/ 1936	-45.3	-3.3	3287.7	01	12	7	01
	P	8 / 27/ 1937	-45.62	-0.32	3287.38	01	12	7	01
	P	9 / 14/ 1937	-45.68	-0.06	3287.32	01	12	7	01
	P	10 / 1 / 1937	-45.41	0.27	3287.59	01	12	7	01
	P	11 / 1 / 1937	-45.32	0.09	3287.68	01	12	7	01
	P	12 / 3 / 1937	-45.24	0.08	3287.76	01	12	7	01
	P	1 / 4 / 1938	-45.25	-0.01	3287.75	01	12	7	01
	P	3 / 11/ 1938	-45.29	-0.04	3287.71	01	12	7	01
	P	4 / 13/ 1938	-45.32	-0.03	3287.68	01	12	7	01
	P	5 / 26/ 1938	-45.96	-0.64	3287.04	01	12	7	01
	P	6 / 27/ 1938	-45.46	0.5	3287.54	01	12	7	01
	P	10 / 18/ 1938	-45.82	-0.36	3287.18	01	12	7	01
	P	12 / 5 / 1938	-45.78	0.04	3287.22	01	12	7	01
	P	1 / 3 / 1939	-45.69	0.09	3287.31	01	12	7	01
	P	2 / 27/ 1939	-45.68	0.01	3287.32	01	12	7	01
	P	3 / 6 / 1939	-46.97	-1.29	3286.03	01	12	7	01
	P	6 / 24/ 1939	-45.58	1.39	3287.42	01	12	7	01
	P	8 / 14/ 1939	-48.07	-2.49	3284.93	01	12	7	01
	P	10 / 4 / 1939	-47.53	0.54	3285.47	01	12	7	01
	P	11 / 15/ 1939	-48.42	-0.89	3284.58	01	12	7	01
	P	12 / 8 / 1939	-46.99	1.43	3286.01	01	12	7	01
	P	1 / 18/ 1941	-48.4	-1.41	3284.6	01	12	7	01
	P	3 / 11/ 1941	-48.34	0.06	3284.66	01	12	7	01
	P	11 / 5 / 1941	-46.73	1.61	3286.27	01	12	7	01
	P	2 / 25/ 1942	-46.21	0.52	3286.79	01	12	7	01
	P	10 / 20/ 1942	-46.86	-0.65	3286.14	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 1943	-46.35	0.51	3286.65	01	12	7	01
	P	2 / 11/ 1944	-48.44	-2.09	3284.56	01	12	7	01
	P	2 / 12/ 1945	-49.86	-1.42	3283.14	01	12	7	01
	P	2 / 28/ 1946	-51.53	-1.67	3281.47	01	12	7	01
	P	1 / 17/ 1947	-52.51	-0.98	3280.49	01	12	7	01
	P	3 / 19/ 1947	-53.09	-0.58	3279.91	01	12	7	01
	P	2 / 21/ 1948	-54.81	-1.72	3278.19	01	12	7	01
	P	3 / 7 / 1949	-57.91	-3.1	3275.09	01	12	7	01
	P	2 / 14/ 1950	-59.2	-1.29	3273.8	01	12	7	01
	P	1 / 25/ 1952	-63.61	-4.41	3269.39	01	12	7	01
	P	1 / 11/ 1953	-68.8	-5.19	3264.2	01	12	7	01

Min *-68.8* **Max** *-42* **Avg** *-48.7113*

1152202 *(Aquifer: 121OGLL Well Depth: 237)*

	P	12 / 15/ 1954	-79.97		3253.03	01	12	7	01
	P	1 / 12/ 1955	-79.73	0.24	3253.27	01	12	7	01
	P	1 / 9 / 1956	-81.53	-1.8	3251.47	01	12	7	01
	P	1 / 8 / 1957	-87.95	-6.42	3245.05	01	12	7	01
	P	1 / 15/ 1958	-92.84	-4.89	3240.16	01	12	7	01
	P	1 / 7 / 1959	-91.66	1.18	3241.34	01	12	7	01
	P	1 / 8 / 1960	-95.24	-3.58	3237.76	01	12	7	01
	P	1 / 11/ 1961	-96.5	-1.26	3236.5	01	04	1	
	P	1 / 19/ 1962	-97.14	-0.64	3235.86	01	01	1	
	P	1 / 7 / 1963	-99.67	-2.53	3233.33	01	01	1	
	P	1 / 10/ 1964	-103	-3.33	3230	01	01	1	
	P	1 / 7 / 1965	-109.47	-6.47	3223.53	01	01	1	
	P	1 / 8 / 1966	-115.42	-5.95	3217.58	01	01	1	
	P	1 / 7 / 1967	-118.35	-2.93	3214.65	01	01	1	
	P	1 / 8 / 1968	-127.12	-8.77	3205.88	01	01	1	
	P	1 / 9 / 1969	-124.6	2.52	3208.4	01	01	1	
	P	1 / 1 / 1970	-128.54	-3.94	3204.46	01	01	1	
	P	1 / 5 / 1971	-134.45	-5.91	3198.55	01	01	1	
	P	1 / 5 / 1972	-136.41	-1.96	3196.59	01	01	1	
	P	1 / 11/ 1973	-139.37	-2.96	3193.63	01	01	1	
	P	1 / 15/ 1974	-142.66	-3.29	3190.34	01	01	1	
	P	1 / 8 / 1975	-147.79	-5.13	3185.21	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1976	-151.38	-3.59	3181.62	01	01	1	
	P	1/15/1977	-161.1	-9.72	3171.9	01	01	1	
	P	1/10/1978	-156.2	4.9	3176.8	01	01	1	
	P	1/ 3/1979	-162.68	-6.48	3170.32	01	01	1	
	P	1/11/1980	-160.18	2.5	3172.82	01	01	1	
	P	1/15/1982	-170.38	-10.2	3162.62	01	01	1	
	P	1/10/1984	-183.93	-13.6	3149.07	01	01	1	
	N	12/11/1986				01	01		63
	N	12/16/1987				01	01	1	44

Min *-183.93* **Max** *-79.73* **Avg** *-123.285*

1152208 *(Aquifer: 121OGLL Well Depth: 281)*

	P	1/ 1/1990	-179		3149	01	07	7	
	P	4/18/2000	-242.7	-63.7	3085.3	01	01	1	02
	N	9/ 9/2004				01	01		42

Min *-242.7* **Max** *-179* **Avg** *-210.85*

1152401 *(Aquifer: 121OGLL Well Depth: 225)*

	P	3/ 7/1949	-63.41		3267.59	01	12	7	01
	P	1/18/1951	-63.37	0.04	3267.63	01	12	7	01
	P	1/21/1952	-72.3	-8.93	3258.7	01	12	7	01
	P	1/ 6/1954	-84.83	-12.5	3246.17	01	12	7	01
	P	12/15/1954	-92.68	-7.85	3238.32	01	12	7	01
	P	1/12/1955	-92.04	0.64	3238.96	01	12	7	01
	P	1/ 9/1956	-97.55	-5.51	3233.45	01	12	7	01
	P	1/ 8/1957	-105.24	-7.69	3225.76	01	12	7	01
	P	1/15/1958	-107.92	-2.68	3223.08	01	12	7	01
	P	1/ 7/1959	-110.2	-2.28	3220.8	01	12	7	01
	P	1/20/1960	-113.6	-3.4	3217.4	01	12	7	01
	P	1/12/1961	-118.22	-4.62	3212.78	01	04	1	
	P	1/12/1962	-121.8	-3.58	3209.2	01	01	2	
	P	1/ 7/1963	-123.89	-2.09	3207.11	01	01	1	
	P	1/10/1964	-131.93	-8.04	3199.07	01	01	1	
	P	1/ 7/1965	-139.71	-7.78	3191.29	01	01	1	
	P	1/ 9/1966	-148.14	-8.43	3182.86	01	01	1	
	P	1/ 7/1967	-142.37	5.77	3188.63	01	01	1	
	N	1/ 8/1968				01	01		61

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 1969	-158.3		3172.7	01	01	1	
	P	1 / 2 / 1970	-162.77	-4.47	3168.23	01	01	1	
	P	1 / 5 / 1971	-156.45	6.32	3174.55	01	01	1	
	P	1 / 5 / 1972	-159.8	-3.35	3171.2	01	01	1	
	P	1 / 11/ 1973	-161.48	-1.68	3169.52	01	01	1	
	P	1 / 12/ 1974	-164.2	-2.72	3166.8	01	01	1	
	P	1 / 8 / 1975	-168.55	-4.35	3162.45	01	01	1	
	P	1 / 6 / 1976	-170.8	-2.25	3160.2	01	01	1	
	P	1 / 14/ 1977	-176.66	-5.86	3154.34	01	01	1	
	P	1 / 10/ 1978	-179.82	-3.16	3151.18	01	01	1	
	N	1 / 3 / 1979				01	01		63
	P	1 / 12/ 1980	-182.66		3148.34	01	01	1	
	P	1 / 19/ 1981	-186.73	-4.07	3144.27	01	01	1	
	P	1 / 14/ 1983	-193.51	-6.78	3137.49	01	01	1	
	P	1 / 11/ 1985	-198.66	-5.15	3132.34	01	01	1	
	P	12 / 12/ 1985	-202.2	-3.54	3128.8	01	01	1	
	P	12 / 11/ 1986	-200.52	1.68	3130.48	01	01	1	
	P	12 / 16/ 1987	-200.4	0.12	3130.6	01	01	1	
	P	12 / 11/ 1988	-193.2	7.2	3137.8	01	01	2	
	P	12 / 5 / 1989	-202.5	-9.3	3128.5	01	01	2	
	P	12 / 12/ 1990	-204.47	-1.97	3126.53	01	01	1	
	P	12 / 12/ 1991	-212.2	-7.73	3118.8	01	01	1	
	P	1 / 27/ 1993	-204.21	7.99	3126.79	01	01	1	
	P	1 / 19/ 1994	-207.1	-2.89	3123.9	01	06	1	

Min *-212.2* **Max** *-63.37* **Avg** *-150.644*

1152402 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 14/ 1936	-45.13		3299.87	01	12	7	01
	P	4 / 30/ 1937	-46.51	-1.38	3298.49	01	12	7	01
	P	5 / 26/ 1937	-46.71	-0.2	3298.29	01	12	7	01
	P	6 / 9 / 1937	-45.84	0.87	3299.16	01	12	7	01
	P	6 / 18/ 1937	-45.77	0.07	3299.23	01	12	7	01
	P	7 / 13/ 1937	-45.39	0.38	3299.61	01	12	7	01
	P	7 / 24/ 1937	-45.44	-0.05	3299.56	01	12	7	01
	P	8 / 10/ 1937	-45.26	0.18	3299.74	01	12	7	01
	P	8 / 25/ 1937	-45.41	-0.15	3299.59	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9 / 14/ 1937	-45.23	0.18	3299.77	01	12	7	01
	P	10 / 1 / 1937	-45.11	0.12	3299.89	01	12	7	01
	P	11 / 1 / 1937	-44.96	0.15	3300.04	01	12	7	01
	P	12 / 2 / 1937	-44.95	0.01	3300.05	01	12	7	01
	P	1 / 4 / 1938	-44.97	-0.02	3300.03	01	12	7	01
	P	3 / 10/ 1938	-45.03	-0.06	3299.97	01	12	7	01
	P	4 / 13/ 1938	-45.25	-0.22	3299.75	01	12	7	01
	P	5 / 26/ 1938	-45.49	-0.24	3299.51	01	12	7	01
	P	6 / 21/ 1938	-45.53	-0.04	3299.47	01	12	7	01
	P	8 / 11/ 1938	-45.62	-0.09	3299.38	01	12	7	01
	P	9 / 15/ 1938	-45.65	-0.03	3299.35	01	12	7	01
	P	10 / 17/ 1938	-45.82	-0.17	3299.18	01	12	7	01
	P	12 / 5 / 1938	-45.77	0.05	3299.23	01	12	7	01
	P	1 / 3 / 1939	-45.65	0.12	3299.35	01	12	7	01

Min *-46.71* **Max** *-44.95* **Avg** *-45.4996*

1152403 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 29/ 1936	-47.01		3290.99	01	12	7	
	P	10 / 23/ 1937	-47.53	-0.52	3290.47	01	12	7	
	P	11 / 4 / 1937	-47.25	0.28	3290.75	01	12	7	
	P	11 / 29/ 1937	-47.25		3290.75	01	12	7	
	P	6 / 21/ 1938	-48.03	-0.78	3289.97	01	12	7	

Min *-48.03* **Max** *-47.01* **Avg** *-47.414*

1152404 *(Aquifer: 121OGLL Well Depth: 60)*

	P	6 / 5 / 1937	-39.73		3294.27	01	04	7	
	P	7 / 27/ 1937	-39.11	0.62	3294.89	01	04	7	
	P	1 / 4 / 1938	-38.69	0.42	3295.31	01	04	7	
	P	6 / 23/ 1938	-39.32	-0.63	3294.68	01	04	7	
	P	10 / 18/ 1938	-39.5	-0.18	3294.5	01	04	7	
	P	1 / 3 / 1939	-39.52	-0.02	3294.48	01	04	7	
	P	2 / 27/ 1939	-39.61	-0.09	3294.39	01	04	7	
	P	10 / 4 / 1939	-40.97	-1.36	3293.03	01	04	7	
	P	12 / 14/ 1939	-40.9	0.07	3293.1	01	04	7	
	P	3 / 6 / 1940	-41.01	-0.11	3292.99	01	04	7	
	P	11 / 15/ 1940	-42.49	-1.48	3291.51	01	04	7	
	P	1 / 18/ 1941	-42.49		3291.51	01	04	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1941	-43	-0.51	3291	01	04	7	
	P	3 / 11/ 1941	-42.59	0.41	3291.41	01	04	7	

Min *-43* **Max** *-38.69* **Avg** *-40.6379*

1152405 *(Aquifer: 121OGLL Well Depth: 204)*

	P	3 / 7 / 1945	-48.37		3281.63	01	12	7	01
	P	3 / 5 / 1946	-50.94	-2.57	3279.06	01	12	7	01
	P	1 / 16/ 1947	-52.77	-1.83	3277.23	01	12	7	01
	P	3 / 6 / 1947	-52.75	0.02	3277.25	01	12	7	01
	P	2 / 21/ 1948	-55.16	-2.41	3274.84	01	12	7	01
	P	2 / 28/ 1949	-58.91	-3.75	3271.09	01	12	7	01
	P	2 / 19/ 1950	-60.87	-1.96	3269.13	01	12	7	01
	P	1 / 16/ 1951	-65.55	-4.68	3264.45	01	12	7	01
	P	1 / 21/ 1952	-68.18	-2.63	3261.82	01	12	7	01
	P	1 / 11/ 1953	-73.97	-5.79	3256.03	01	12	7	01
	P	1 / 6 / 1954	-79.38	-5.41	3250.62	01	12	7	01

Min *-79.38* **Max** *-48.37* **Avg** *-60.6227*

1152406 *(Aquifer: 121OGLL Well Depth: 38)*

	P	8 / 20/ 1937	-26.49		3298.51	01	12	7
	P	4 / 14/ 1938	-28.26	-1.77	3296.74	01	12	7
	P	5 / 26/ 1938	-28.58	-0.32	3296.42	01	12	7
	P	6 / 26/ 1938	-28.52	0.06	3296.48	01	12	7

Min *-28.58* **Max** *-26.49* **Avg** *-27.9625*

1152409 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 15/ 2004	-223.52		3100.48	01	06	1
	P	1 / 13/ 2006	-229.73	-6.21	3094.27	01	06	1
	P	1 / 9 / 2007	-228.89	0.84	3095.11	01	06	1
	P	1 / 28/ 2008	-229.12	-0.23	3094.88	01	06	1
	P	1 / 29/ 2009	-234.98	-5.86	3089.02	01	06	1
	P	1 / 18/ 2010	-238.02	-3.04	3085.98	01	06	1
	P	1 / 19/ 2011	-240.17	-2.15	3083.83	01	06	1
	P	2 / 2 / 2012	-247.22	-7.05	3076.78	01	06	1

Min *-247.22* **Max** *-223.52* **Avg** *-233.956*

1152501 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	0/ 0/1914	-41		3275	01	12	7	01
	P	11/22/1936	-47.02	-6.02	3268.98	01	12	7	01
	P	5/ 3/1937	-48.64	-1.62	3267.36	01	12	7	01
	P	5/26/1937	-48.96	-0.32	3267.04	01	12	7	01
	P	6/ 9/1937	-47.9	1.06	3268.1	01	12	7	01
	P	7/27/1937	-48.35	-0.45	3267.65	01	12	7	01
	P	8/25/1937	-48.3	0.05	3267.7	01	12	7	01
	P	9/14/1937	-47.61	0.69	3268.39	01	12	7	01
	P	10/ 1/1937	-47.29	0.32	3268.71	01	12	7	01
	P	11/ 1/1937	-46.62	0.67	3269.38	01	12	7	01
	P	12/ 2/1937	-46.29	0.33	3269.71	01	12	7	01
	P	1/ 4/1938	-46.03	0.26	3269.97	01	12	7	01
	P	3/10/1938	-45.84	0.19	3270.16	01	12	7	01
	P	4/14/1938	-46.88	-1.04	3269.12	01	12	7	01
	P	5/26/1938	-46.9	-0.02	3269.1	01	12	7	01
	P	6/23/1938	-46.92	-0.02	3269.08	01	12	7	01
	P	8/11/1938	-48.02	-1.1	3267.98	01	12	7	01
	P	10/17/1938	-47.64	0.38	3268.36	01	12	7	01
	P	12/ 5/1938	-47.78	-0.14	3268.22	01	12	7	01
	P	1/ 5/1939	-47.71	0.07	3268.29	01	12	7	01
	P	3/ 1/1939	-47.21	0.5	3268.79	01	12	7	01
	P	6/26/1939	-48.6	-1.39	3267.4	01	12	7	01
	P	7/25/1939	-49.29	-0.69	3266.71	01	12	7	01
	P	10/ 5/1939	-49.65	-0.36	3266.35	01	12	7	01
	P	12/14/1939	-49.27	0.38	3266.73	01	12	7	01
	P	3/ 6/1940	-48.65	0.62	3267.35	01	12	7	01
	P	11/15/1940	-51.4	-2.75	3264.6	01	12	7	01
	P	1/20/1941	-50.7	0.7	3265.3	01	12	7	01
	P	3/11/1941	-50.53	0.17	3265.47	01	12	7	01
	P	11/21/1941	-48.08	2.45	3267.92	01	12	7	01
	P	3/ 9/1942	-46.97	1.11	3269.03	01	12	7	01
	P	10/23/1942	-47.01	-0.04	3268.99	01	12	7	01
	P	1/26/1943	-46.6	0.41	3269.4	01	12	7	01
	P	2/15/1944	-48.34	-1.74	3267.66	01	12	7	01
	P	2/13/1945	-50.95	-2.61	3265.05	01	12	7	01
	P	3/ 1/1946	-52.92	-1.97	3263.08	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1947	-55.44	-2.52	3260.56	01	12	7	01
	P	3 / 19/ 1947	-55.25	0.19	3260.75	01	12	7	01
	P	2 / 21/ 1948	-58.85	-3.6	3257.15	01	12	7	01
	P	3 / 7 / 1949	-63.77	-4.92	3252.23	01	12	7	01
	P	2 / 19/ 1950	-66.87	-3.1	3249.13	01	12	7	01
	P	2 / 2 / 1951	-70.45	-3.58	3245.55	01	12	7	01
	P	1 / 21/ 1952	-74.15	-3.7	3241.85	01	12	7	01
	P	1 / 9 / 1953	-80.54	-6.39	3235.46	01	12	7	01
	P	1 / 6 / 1954	-87.96	-7.42	3228.04	01	12	7	01
	P	12 / 14/ 1954	-96	-8.04	3220	01	12	7	01
	P	1 / 12/ 1955	-96.08	-0.08	3219.92	01	12	7	01
	P	1 / 16/ 1956	-99.18	-3.1	3216.82	01	12	7	01
	P	1 / 8 / 1957	-106.58	-7.4	3209.42	01	12	7	01
	P	1 / 15/ 1958	-109.07	-2.49	3206.93	01	12	7	01
	P	1 / 7 / 1959	-109.67	-0.6	3206.33	01	12	7	01

Min ***-109.67*** **Max** ***-41*** **Avg** ***-57.9947***

1152701 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 4 / 1936	-52		3285	01	12	7	01
	P	3 / 17/ 1937	-53.62	-1.62	3283.38	01	12	7	01
	P	5 / 12/ 1937	-53.18	0.44	3283.82	01	12	7	01
	P	5 / 25/ 1937	-52	1.18	3285	01	12	7	01
	P	6 / 9 / 1937	-51.41	0.59	3285.59	01	12	7	01
	P	6 / 18/ 1937	-51.28	0.13	3285.72	01	12	7	01
	P	6 / 26/ 1937	-51.22	0.06	3285.78	01	12	7	01
	P	7 / 12/ 1937	-51.76	-0.54	3285.24	01	12	7	01
	P	7 / 23/ 1937	-51.68	0.08	3285.32	01	12	7	01
	P	8 / 25/ 1937	-52.35	-0.67	3284.65	01	12	7	01
	P	9 / 10/ 1937	-51.5	0.85	3285.5	01	12	7	01
	P	10 / 2 / 1937	-51.16	0.34	3285.84	01	12	7	01
	P	11 / 2 / 1937	-50.81	0.35	3286.19	01	12	7	01
	P	12 / 1 / 1937	-50.56	0.25	3286.44	01	12	7	01
	P	1 / 4 / 1938	-50.3	0.26	3286.7	01	12	7	01
	P	3 / 8 / 1938	-50.36	-0.06	3286.64	01	12	7	01
	P	4 / 13/ 1938	-51.01	-0.65	3285.99	01	12	7	01
	P	5 / 26/ 1938	-51.44	-0.43	3285.56	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 23/ 1938	-51.27	0.17	3285.73	01	12	7	01
	P	10 / 17/ 1938	-51.9	-0.63	3285.1	01	12	7	01
	P	12 / 7 / 1938	-51.82	0.08	3285.18	01	12	7	01
	P	3 / 2 / 1939	-51.48	0.34	3285.52	01	12	7	01
	P	8 / 16/ 1939	-54.06	-2.58	3282.94	01	12	7	01
	P	10 / 5 / 1939	-54.15	-0.09	3282.85	01	12	7	01
	P	12 / 14/ 1939	-53.54	0.61	3283.46	01	12	7	01
	P	1 / 20/ 1940	-55.51	-1.97	3281.49	01	12	7	01
	P	3 / 11/ 1940	-55.51		3281.49	01	12	7	01
	P	11 / 14/ 1940	-56.51	-1	3280.49	01	12	7	01
	P	11 / 21/ 1940	-52.76	3.75	3284.24	01	12	7	01
	P	3 / 12/ 1942	-51.29	1.47	3285.71	01	12	7	01
	P	10 / 20/ 1942	-52.23	-0.94	3284.77	01	12	7	01
	P	1 / 18/ 1943	-51.4	0.83	3285.6	01	12	7	01
	P	7 / 20/ 1943	-52.65	-1.25	3284.35	01	12	7	01
	P	2 / 17/ 1944	-53.03	-0.38	3283.97	01	12	7	01
	P	2 / 13/ 1945	-55.84	-2.81	3281.16	01	12	7	01
	P	3 / 1 / 1946	-58.85	-3.01	3278.15	01	12	7	01
	P	1 / 20/ 1947	-63.2	-4.35	3273.8	01	12	7	01
	P	3 / 11/ 1947	-62.53	0.67	3274.47	01	12	7	01
	P	2 / 24/ 1948	-66.2	-3.67	3270.8	01	12	7	01
	P	3 / 2 / 1949	-71.3	-5.1	3265.7	01	12	7	01
	P	2 / 16/ 1950	-73.84	-2.54	3263.16	01	12	7	01
	P	1 / 23/ 1951	-78.45	-4.61	3258.55	01	12	7	01
	P	1 / 21/ 1952	-81.39	-2.94	3255.61	01	12	7	01
	P	1 / 11/ 1953	-89.41	-8.02	3247.59	01	12	7	01
	P	1 / 6 / 1954	-96.14	-6.73	3240.86	01	12	7	01
	P	12 / 14/ 1954	-104.81	-8.67	3232.19	01	12	7	01

Min *-104.81* **Max** *-50.3* **Avg** *-58.2328*

1152702 *(Aquifer: 121OGLL Well Depth: 292)*

	P	1 / 13/ 1955	-106.34		3229.66	01	12	7	01
	P	1 / 16/ 1956	-112.34	-6	3223.66	01	12	7	01
	P	1 / 9 / 1957	-115.47	-3.13	3220.53	01	12	7	01
	P	1 / 15/ 1958	-117.48	-2.01	3218.52	01	12	7	01
	P	1 / 7 / 1959	-118.25	-0.77	3217.75	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 20/ 1960	-122.66	-4.41	3213.34	01	12	7	01
	P	1/ 12/ 1961	-125.5	-2.84	3210.5	01	04	1	
	P	1/ 12/ 1962	-125.79	-0.29	3210.21	01	01	1	
	P	1/ 6/ 1963	-127.71	-1.92	3208.29	01	01	1	
	P	1/ 11/ 1964	-132.63	-4.92	3203.37	01	01	1	
	P	1/ 7/ 1965	-137.78	-5.15	3198.22	01	01	1	
	N	1/ 9/ 1966				01	01	1	44
	P	1/ 7/ 1967	-145		3191	01	01	2	
	P	1/ 8/ 1968	-153.9	-8.9	3182.1	01	01	1	
	P	1/ 8/ 1969	-160.2	-6.3	3175.8	01	01	1	
	P	1/ 4/ 1970	-154.65	5.55	3181.35	01	01	1	
	P	1/ 10/ 1971	-159.3	-4.65	3176.7	01	01	1	
	P	1/ 9/ 1972	-164.11	-4.81	3171.89	01	01	1	
	P	1/ 17/ 1973	-165.62	-1.51	3170.38	01	01	1	
	P	1/ 12/ 1974	-166.96	-1.34	3169.04	01	01	1	
	N	2/ 0/ 1974				01	01		81

Min *-166.96* **Max** *-106.34* **Avg** *-137.457*

1152703 *(Aquifer: 121OGLL Well Depth: 292)*

	P	1/ 20/ 1917	-46		3281	01	12	7	01
	P	10/ 25/ 1937	-48.59	-2.59	3278.41	01	12	7	01
	P	5/ 26/ 1938	-47.92	0.67	3279.08	01	12	7	01
	P	6/ 23/ 1938	-47.96	-0.04	3279.04	01	12	7	01
	P	10/ 17/ 1938	-48.63	-0.67	3278.37	01	12	7	01
	P	3/ 2/ 1939	-48.57	0.06	3278.43	01	12	7	01
	P	10/ 5/ 1939	-50.23	-1.66	3276.77	01	12	7	01
	P	12/ 14/ 1939	-50.23		3276.77	01	12	7	01
	P	3/ 7/ 1940	-50.33	-0.1	3276.67	01	12	7	01
	P	11/ 14/ 1940	-52.41	-2.08	3274.59	01	12	7	01
	P	1/ 20/ 1941	-52.17	0.24	3274.83	01	12	7	01
	P	3/ 11/ 1941	-52.24	-0.07	3274.76	01	12	7	01
	P	11/ 21/ 1941	-48.63	3.61	3278.37	01	12	7	01
	P	3/ 12/ 1942	-47.08	1.55	3279.92	01	12	7	01
	P	10/ 20/ 1942	-48.06	-0.98	3278.94	01	12	7	01
	P	1/ 18/ 1943	-47.62	0.44	3279.38	01	12	7	01
	P	7/ 20/ 1943	-48.69	-1.07	3278.31	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/17/1944	-49.35	-0.66	3277.65	01	12	7	01
	P	2/13/1945	-52.2	-2.85	3274.8	01	12	7	01
	P	3/1/1946	-55.04	-2.84	3271.96	01	12	7	01
	P	3/14/1947	-58.07	-3.03	3268.93	01	12	7	01
	P	2/24/1948	-61.73	-3.66	3265.27	01	12	7	01
	P	3/2/1949	-67.03	-5.3	3259.97	01	12	7	01
	P	1/21/1952	-77.63	-10.6	3249.37	01	12	7	01
	P	1/9/1953	-85.26	-7.63	3241.74	01	12	7	01
	P	1/6/1954	-92.31	-7.05	3234.69	01	12	7	01
	P	12/14/1954	-101.86	-9.55	3225.14	01	12	7	01
	P	1/13/1955	-100.9	0.96	3226.1	01	12	7	01
	P	1/9/1957	-105.5	-4.6	3221.5	01	12	7	01
	P	1/7/1959	-115.6	-10.1	3211.4	01	12	7	01
	P	1/20/1960	-119.95	-4.35	3207.05	01	12	7	01
	P	1/12/1961	-122.88	-2.93	3204.12	01	04	1	
	P	1/12/1962	-125.29	-2.41	3201.71	01	01	1	
	N	1/6/1963				01	01		63
	P	1/11/1964	-129.88		3197.12	01	01	1	
	N	1/7/1965				01	01		61
	P	1/9/1966	-142.82		3184.18	01	01	1	
	P	1/7/1967	-142	0.82	3185	01	01	2	
	P	1/8/1968	-147.7	-5.7	3179.3	01	01	1	
	P	1/8/1969	-154.85	-7.15	3172.15	01	01	1	
	P	1/4/1970	-151.25	3.6	3175.75	01	01	1	
	P	1/10/1971	-156.17	-4.92	3170.83	01	01	1	
	P	1/9/1972	-160.77	-4.6	3166.23	01	01	1	
	P	1/17/1973	-164.96	-4.19	3162.04	01	01	1	25
	P	1/12/1974	-164.7	0.26	3162.3	01	01	1	
	P	1/6/1976	-170.32	-5.62	3156.68	01	01	1	
	N	1/14/1977				01	01		61
	P	1/10/1978	-177.2		3149.8	01	01	1	
	N	1/5/1979				01	01	1	44
	P	1/17/1980	-180		3147	01	01	1	
	P	1/15/1982	-188.94	-8.94	3138.06	01	01	1	
	N	1/10/1984				01	01	1	44
	P	1/11/1985	-193.13		3133.87	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	12 / 12/ 1985				01	01		61
	P	12 / 11/ 1986	-198.46		3128.54	01	01	1	
	P	12 / 16/ 1987	-196.75	1.71	3130.25	01	01	1	
	P	12 / 11/ 1988	-199.25	-2.5	3127.75	01	01	2	
	P	12 / 5 / 1989	-199.28	-0.03	3127.72	01	01	1	
	P	12 / 12/ 1990	-201.32	-2.04	3125.68	01	01	1	
	P	12 / 12/ 1991	-203.75	-2.43	3123.25	01	01	1	
	P	1 / 27/ 1993	-203.14	0.61	3123.86	01	01	1	
	P	1 / 19/ 1994	-207.93	-4.79	3119.07	01	06	1	
	P	1 / 17/ 1995	-210.72	-2.79	3116.28	01	06	1	
	P	1 / 19/ 1996	-214.65	-3.93	3112.35	01	06	1	
	P	2 / 3 / 1997	-219.15	-4.5	3107.85	01	06	1	
	P	1 / 21/ 1998	-220.48	-1.33	3106.52	01	06	1	
	P	2 / 8 / 1999	-223	-2.52	3104	01	06	1	
	P	1 / 31/ 2000	-226.45	-3.45	3100.55	01	06	1	
	P	1 / 25/ 2001	-231.72	-5.27	3095.28	01	06	1	
	P	1 / 28/ 2002	-233.58	-1.86	3093.42	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	1 / 22/ 2004	-242.32		3084.68	01	06	1	
	P	2 / 15/ 2005	-244.19	-1.87	3082.81	01	06	1	
	P	1 / 16/ 2006	-249.42	-5.23	3077.58	01	06	1	
	P	1 / 9 / 2007	-248.13	1.29	3078.87	01	06	1	
	P	1 / 28/ 2008	-247.57	0.56	3079.43	01	06	1	
	P	1 / 29/ 2009	-252.06	-4.49	3074.94	01	06	1	
	P	1 / 18/ 2010	-254.97	-2.91	3072.03	01	06	1	
	P	1 / 19/ 2011	-255.26	-0.29	3071.74	01	06	1	
	P	2 / 3 / 2012	-259.66	-4.4	3067.34	01	06	1	

Min *-259.66* **Max** *-46* **Avg** *-141.012*

1152704 *(Aquifer: 121OGLL Well Depth: 310)*

	P	1 / 5 / 1917	-43		3284	01	12	7	01
	P	10 / 25/ 1937	-44.12	-1.12	3282.88	01	12	7	01
	P	5 / 26/ 1938	-44.52	-0.4	3282.48	01	12	7	01
	P	6 / 23/ 1938	-44.65	-0.13	3282.35	01	12	7	01
	P	10 / 17/ 1938	-45.31	-0.66	3281.69	01	12	7	01
	P	3 / 2 / 1939	-45.38	-0.07	3281.62	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 5 / 1939	-46.79	-1.41	3280.21	01	12	7	01
	P	12 / 14/ 1939	-46.89	-0.1	3280.11	01	12	7	01
	P	3 / 7 / 1940	-46.94	-0.05	3280.06	01	12	7	01
	P	11 / 14/ 1940	-48.89	-1.95	3278.11	01	12	7	01
	P	1 / 20/ 1941	-48.82	0.07	3278.18	01	12	7	01
	P	3 / 11/ 1941	-48.94	-0.12	3278.06	01	12	7	01
	P	11 / 21/ 1941	-44.7	4.24	3282.3	01	12	7	01
	P	3 / 12/ 1942	-43.2	1.5	3283.8	01	12	7	01
	P	10 / 20/ 1942	-44.3	-1.1	3282.7	01	12	7	01
	P	1 / 18/ 1943	-43.94	0.36	3283.06	01	12	7	01
	P	3 / 1 / 1946	-52.06	-8.12	3274.94	01	12	7	01

Min *-52.06* **Max** *-43* **Avg** *-46.0265*

1152705 *(Aquifer: 121OGLL Well Depth: 180)*

	P	0 / 0 / 1914	-23		3305	01	12	7	01
	P	4 / 22/ 1936	-24.39	-1.39	3303.61	01	12	7	01
	P	6 / 18/ 1936	-20.84	3.55	3307.16	01	12	7	01
	P	3 / 17/ 1937	-22.95	-2.11	3305.05	01	12	7	01
	P	4 / 29/ 1937	-23.47	-0.52	3304.53	01	12	7	01
	P	5 / 25/ 1937	-23.71	-0.24	3304.29	01	12	7	01
	P	6 / 5 / 1937	-21.54	2.17	3306.46	01	12	7	01
	P	6 / 9 / 1937	-21.08	0.46	3306.92	01	12	7	01
	P	6 / 18/ 1937	-30.31	-9.23	3297.69	01	12	7	01
	P	6 / 26/ 1937	-20.16	10.15	3307.84	01	12	7	01
	P	7 / 3 / 1937	-20.35	-0.19	3307.65	01	12	7	01
	P	7 / 12/ 1937	-19.94	0.41	3308.06	01	12	7	01
	P	7 / 23/ 1937	-19.91	0.03	3308.09	01	12	7	01
	P	7 / 27/ 1937	-20.98	-1.07	3307.02	01	12	7	01
	P	8 / 9 / 1937	-21.28	-0.3	3306.72	01	12	7	01
	P	8 / 25/ 1937	-21.48	-0.2	3306.52	01	12	7	01
	P	9 / 10/ 1937	-21.3	0.18	3306.7	01	12	7	01
	P	11 / 2 / 1937	-21.89	-0.59	3306.11	01	12	7	01
	P	12 / 1 / 1937	-21.39	0.5	3306.61	01	12	7	01
	P	1 / 4 / 1938	-22.5	-1.11	3305.5	01	12	7	01
	P	3 / 11/ 1938	-22.55	-0.05	3305.45	01	12	7	01
	P	4 / 13/ 1938	-22.74	-0.19	3305.26	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 26/ 1938	-23.13	-0.39	3304.87	01	12	7	01
	P	6 / 23/ 1938	-23.13		3304.87	01	12	7	01
	P	8 / 11/ 1938	-23.27	-0.14	3304.73	01	12	7	01

Min *-30.31* **Max** *-19.91* **Avg** *-22.2916*

1152706 *(Aquifer: 121OGLL Well Depth: 69)*

	P	10 / 1 / 1937	-38.04		3275.96	01	12	7	01
	P	10 / 23/ 1937	-38.15	-0.11	3275.85	01	12	7	01
	P	11 / 1 / 1937	-38.28	-0.13	3275.72	01	12	7	01
	P	11 / 4 / 1937	-38.29	-0.01	3275.71	01	12	7	01
	P	12 / 2 / 1937	-38.5	-0.21	3275.5	01	12	7	01
	P	1 / 4 / 1938	-38.71	-0.21	3275.29	01	12	7	01
	P	5 / 26/ 1938	-39.51	-0.8	3274.49	01	12	7	01
	P	6 / 28/ 1938	-39.87	-0.36	3274.13	01	12	7	01
	P	10 / 17/ 1938	-40.68	-0.81	3273.32	01	12	7	01
	P	1 / 5 / 1939	-41.01	-0.33	3272.99	01	12	7	01
	P	3 / 1 / 1939	-40.75	0.26	3273.25	01	12	7	01
	P	6 / 26/ 1939	-41.26	-0.51	3272.74	01	12	7	01
	P	10 / 5 / 1939	-41.81	-0.55	3272.19	01	12	7	01
	P	3 / 7 / 1940	-42.18	-0.37	3271.82	01	12	7	01
	P	11 / 15/ 1940	-43.59	-1.41	3270.41	01	12	7	01
	P	1 / 20/ 1941	-43.81	-0.22	3270.19	01	12	7	01
	P	3 / 11/ 1941	-43.96	-0.15	3270.04	01	12	7	01
	P	6 / 2 / 1941	-43.07	0.89	3270.93	01	12	7	01
	P	11 / 21/ 1941	-35.95	7.12	3278.05	01	12	7	01
	P	3 / 12/ 1942	-36.41	-0.46	3277.59	01	12	7	01
	P	10 / 29/ 1942	-37.95	-1.54	3276.05	01	12	7	01
	P	1 / 26/ 1943	-37.65	0.3	3276.35	01	12	7	01
	P	2 / 16/ 1944	-41.33	-3.68	3272.67	01	12	7	01
	P	2 / 13/ 1945	-44.5	-3.17	3269.5	01	12	7	01
	P	3 / 19/ 1947	-47.7	-3.2	3266.3	01	12	7	01
	P	2 / 21/ 1948	-49.76	-2.06	3264.24	01	12	7	01

Min *-49.76* **Max** *-35.95* **Avg** *-40.8738*

1152709 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 22/ 1936	-38.3		3280.7	01	04	7	
	P	5 / 25/ 1937	-32.56	5.74	3286.44	01	04	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 15/ 1937	-25.83	6.73	3293.17	01	04	7	
	P	8 / 25/ 1937	-25.85	-0.02	3293.15	01	04	7	
	P	9 / 14/ 1937	-15.73	10.12	3303.27	01	04	7	
	P	9 / 26/ 1937	-17.06	-1.33	3301.94	01	04	7	
	P	10 / 1 / 1937	-17.37	-0.31	3301.63	01	04	7	
	P	10 / 23/ 1937	-24.73	-7.36	3294.27	01	04	7	
	P	11 / 1 / 1937	-37.47	-12.7	3281.53	01	04	7	
	P	12 / 2 / 1937	-37.68	-0.21	3281.32	01	04	7	
	P	1 / 4 / 1938	-37.9	-0.22	3281.1	01	04	7	
	P	5 / 26/ 1938	-38.78	-0.88	3280.22	01	04	7	

Min *-38.78* **Max** *-15.73* **Avg** *-29.105*

1152711 *(Aquifer: 121OGLL Well Depth: 370)*

	P	1 / 17/ 1977	-170.2		3148.8	01	01	1	
	N	1 / 10/ 1978				01	01	1	44
	N	1 / 5 / 1979				01	01	1	44
	P	1 / 17/ 1980	-175.54		3143.46	01	01	1	
	P	1 / 19/ 1981	-179.62	-4.08	3139.38	01	01	1	
	P	1 / 14/ 1983	-194.77	-15.2	3124.23	01	01	1	
	P	1 / 11/ 1985	-197.86	-3.09	3121.14	01	01	1	
	P	12 / 16/ 1987	-194.9	2.96	3124.1	01	01	1	
	P	12 / 11/ 1988	-195.15	-0.25	3123.85	01	01	1	
	P	12 / 5 / 1989	-197.24	-2.09	3121.76	01	01	1	
	P	12 / 12/ 1990	-199.78	-2.54	3119.22	01	01	1	
	P	12 / 12/ 1991	-203.25	-3.47	3115.75	01	01	1	
	P	1 / 27/ 1993	-202.22	1.03	3116.78	01	01	1	
	P	1 / 19/ 1994	-207.63	-5.41	3111.37	01	06	1	
	P	1 / 17/ 1995	-208.32	-0.69	3110.68	01	06	1	
	P	1 / 22/ 1996	-212.27	-3.95	3106.73	01	06	1	
	N	2 / 3 / 1997				01	06	7	44
	N	1 / 21/ 1998				01	06	7	44

Min *-212.27* **Max** *-170.2* **Avg** *-195.625*

1152712 *(Aquifer: 121OGLL Well Depth: 200)*

	P	2 / 17/ 1944	-50.11		3281.89	01	12	7	01
	P	3 / 14/ 1947	-58.74	-8.63	3273.26	01	12	7	01
	P	2 / 24/ 1948	-62.41	-3.67	3269.59	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 2 / 1949	-67.78	-5.37	3264.22	01	12	7	01
	P	2 / 16/ 1950	-70.33	-2.55	3261.67	01	12	7	01
	P	1 / 9 / 1953	-85.49	-15.2	3246.51	01	12	7	01

Min *-85.49* **Max** *-50.11* **Avg** *-65.81*

1152714 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 3 / 1997	-205.59		3116.41	01	06	1	
	P	1 / 21/ 1998	-207.36	-1.77	3114.64	01	06	1	
	P	2 / 5 / 1999	-212	-4.64	3110	01	06	1	
	P	1 / 31/ 2000	-213.63	-1.63	3108.37	01	06	1	
	P	1 / 4 / 2001	-217.67	-4.04	3104.33	01	06	1	
	P	1 / 29/ 2002	-217.55	0.12	3104.45	01	06	1	
	P	2 / 21/ 2003	-219.02	-1.47	3102.98	01	06	1	
	P	1 / 20/ 2004	-222.8	-3.78	3099.2	01	06	1	
	P	2 / 8 / 2005	-222.81	-0.01	3099.19	01	06	1	
	P	1 / 16/ 2006	-225.19	-2.38	3096.81	01	06	1	
	P	1 / 9 / 2007	-228.3	-3.11	3093.7	01	06	1	
	P	1 / 28/ 2008	-229.17	-0.87	3092.83	01	06	1	
	P	1 / 29/ 2009	-234.95	-5.78	3087.05	01	06	1	
	P	1 / 18/ 2010	-239.35	-4.4	3082.65	01	06	1	
	N	1 / 19/ 2011				01	06		41
	N	2 / 3 / 2012				01	06		41

Min *-239.35* **Max** *-205.59* **Avg** *-221.099*

1152803 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 21/ 1949	-64.15		3250.85	01	12	7	01
	P	1 / 16/ 1951	-74.31	-10.2	3240.69	01	12	7	03
	P	12 / 31/ 1951	-71.5	2.81	3243.5	01	12	7	01
	P	1 / 0 / 1952	-74.7	-3.2	3240.3	01	12	7	01
	P	1 / 6 / 1954	-88.99	-14.3	3226.01	01	12	7	01
	N	0 / 0 / 1955				01	12	1	46

Min *-88.99* **Max** *-64.15* **Avg** *-74.73*

1157101 *(Aquifer: 121OGLL Well Depth: 159)*

	P	1 / 26/ 1955	-92.1		3405.9	01	12	7	01
	P	1 / 11/ 1956	-96.52	-4.42	3401.48	01	12	7	01
	P	1 / 10/ 1957	-100.37	-3.85	3397.63	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1958	-103.38	-3.01	3394.62	01	12	7	01
	P	1 / 6 / 1959	-105.76	-2.38	3392.24	01	12	7	01
	P	1 / 18/ 1960	-111.05	-5.29	3386.95	01	12	7	01
	P	1 / 13/ 1961	-113.8	-2.75	3384.2	01	04	1	
	P	1 / 10/ 1962	-116.52	-2.72	3381.48	01	01	1	
	P	1 / 6 / 1963	-119.65	-3.13	3378.35	01	01	1	
	P	1 / 8 / 1964	-122.56	-2.91	3375.44	01	01	1	
	P	1 / 8 / 1965	-126.56	-4	3371.44	01	01	1	
	P	1 / 13/ 1966	-129.73	-3.17	3368.27	01	01	1	
	P	1 / 7 / 1967	-132.38	-2.65	3365.62	01	01	1	
	P	1 / 5 / 1968	-136.2	-3.82	3361.8	01	01	1	
	P	1 / 12/ 1969	-144.27	-8.07	3353.73	01	01	1	
	P	1 / 8 / 1970	-147.85	-3.58	3350.15	01	01	1	
	P	1 / 9 / 1971	-146.35	1.5	3351.65	01	01	1	
	P	1 / 7 / 1972	-149.11	-2.76	3348.89	01	01	1	
	N	1 / 16/ 1973				01	01	1	44
	P	1 / 13/ 1974	-152.01		3345.99	01	01	1	
	N	1 / 9 / 1975				01	01	1	46

Min *-152.01* **Max** *-92.1* **Avg** *-123.483*

1157102 *(Aquifer: 121OGLL Well Depth: 305)*

	N	6 / 24/ 2004				01	01		42

Min **Max** **Avg**

1157201 *(Aquifer: 121OGLL Well Depth: 81)*

	P	8 / 12/ 1937	-59.7		3431.3	01	12	7	01
	P	2 / 23/ 1949	-66.32	-6.62	3424.68	01	12	7	01
	P	2 / 20/ 1950	-68.2	-1.88	3422.8	01	12	7	01
	P	1 / 19/ 1951	-69.51	-1.31	3421.49	01	12	7	01
	P	1 / 29/ 1952	-71.98	-2.47	3419.02	01	12	7	01

Min *-71.98* **Max** *-59.7* **Avg** *-67.142*

1157202 *(Aquifer: 121OGLL Well Depth: 298)*

	P	1 / 20/ 1977	-160.13		3324.87	01	01	1	
	P	1 / 7 / 1978	-163.43	-3.3	3321.57	01	01	1	
	P	1 / 5 / 1979	-167.02	-3.59	3317.98	01	01	1	
	P	1 / 16/ 1980	-168.82	-1.8	3316.18	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1982	-177.64	-8.82	3307.36	01	01	1	
	P	1 / 9 / 1984	-184.05	-6.41	3300.95	01	01	1	
	P	12 / 14/ 1985	-189.79	-5.74	3295.21	01	01	1	
	P	12 / 8 / 1986	-189.51	0.28	3295.49	01	01	1	
	P	12 / 17/ 1987	-190.2	-0.69	3294.8	01	01	1	
	P	12 / 10/ 1988	-190.8	-0.6	3294.2	01	01	2	
	P	12 / 7 / 1989	-194.39	-3.59	3290.61	01	01	1	
	P	12 / 11/ 1990	-197.8	-3.41	3287.2	01	01	1	
	P	12 / 10/ 1991	-201.6	-3.8	3283.4	01	01	1	
	P	1 / 26/ 1993	-202.25	-0.65	3282.75	01	01	1	
	P	1 / 25/ 1994	-207.48	-5.23	3277.52	01	06	1	
	P	1 / 23/ 1995	-211.9	-4.42	3273.1	01	06	1	
	P	1 / 24/ 1996	-213.93	-2.03	3271.07	01	06	1	
	P	2 / 10/ 1997	-212.56	1.37	3272.44	01	06	1	
	P	1 / 19/ 1998	-213	-0.44	3272	01	06	1	
	P	2 / 8 / 1999	-219	-6	3266	01	06	1	
	P	2 / 9 / 2000	-226.34	-7.34	3258.66	01	06	1	
	P	1 / 27/ 2001	-220.92	5.42	3264.08	01	06	1	
	P	1 / 28/ 2002	-221.37	-0.45	3263.63	01	06	1	
	P	2 / 25/ 2003	-223.1	-1.73	3261.9	01	06	1	
	P	1 / 28/ 2004	-226.98	-3.88	3258.02	01	06	1	
	P	2 / 17/ 2005	-228.6	-1.62	3256.4	01	06	1	
	P	1 / 13/ 2006	-226.11	2.49	3258.89	01	06	1	
	P	1 / 11/ 2007	-230.3	-4.19	3254.7	01	06	1	
	P	1 / 7 / 2008	-227.09	3.21	3257.91	01	06	1	
	P	2 / 3 / 2009	-228.74	-1.65	3256.26	01	06	1	
	P	1 / 15/ 2010	-229.89	-1.15	3255.11	01	06	1	
	P	1 / 21/ 2011	-230.24	-0.35	3254.76	01	06	1	
	P	2 / 7 / 2012	-234.45	-4.21	3250.55	01	06	1	

Min *-234.45* **Max** *-160.13* **Avg** *-206.346*

1157301 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 21/ 1947	-62.07		3400.93	01	12	7	01
	P	2 / 28/ 1948	-64.38	-2.31	3398.62	01	12	7	01
	P	3 / 3 / 1949	-67.43	-3.05	3395.57	01	12	7	01
	P	1 / 19/ 1951	-71.32	-3.89	3391.68	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 29/ 1952	-74.23	-2.91	3388.77	01	12	7	01
	P	1/ 13/ 1953	-79.64	-5.41	3383.36	01	12	7	01
	P	1/ 9/ 1954	-85.18	-5.54	3377.82	01	12	7	01
	P	1/ 13/ 1955	-92.5	-7.32	3370.5	01	12	7	01
	P	1/ 10/ 1956	-96.84	-4.34	3366.16	01	12	7	01
	P	1/ 14/ 1958	-108.04	-11.2	3354.96	01	12	7	01
	P	1/ 6/ 1959	-105.15	2.89	3357.85	01	12	7	01
	P	1/ 19/ 1960	-113.6	-8.45	3349.4	01	12	7	01
	P	1/ 10/ 1962	-118.7	-5.1	3344.3	01	01	2	20
	N	1/ 6/ 1963				01	01		63
	P	1/ 8/ 1964	-129.24		3333.76	01	01	1	
	P	1/ 8/ 1965	-134.7	-5.46	3328.3	01	01	1	
	P	1/ 13/ 1966	-137.74	-3.04	3325.26	01	01	1	
	N	1/ 7/ 1967				01	01		42
	P	1/ 5/ 1968	-151.39		3311.61	01	01	1	
	P	1/ 12/ 1969	-156.9	-5.51	3306.1	01	01	1	
	P	1/ 9/ 1970	-153.65	3.25	3309.35	01	01	1	
	N	1/ 9/ 1971				01	01		40

Min *-156.9* **Max** *-62.07* **Avg** *-105.405*

1157302 *(Aquifer: 121OGLL Well Depth: 302)*

	P	1/ 9/ 1971	-155.85		3307.15	01	01	1	
	P	1/ 7/ 1972	-157.72	-1.87	3305.28	01	01	1	
	P	1/ 16/ 1973	-159.49	-1.77	3303.51	01	01	1	
	P	1/ 13/ 1974	-162.32	-2.83	3300.68	01	01	1	
	P	1/ 9/ 1975	-165.48	-3.16	3297.52	01	01	1	
	P	1/ 10/ 1976	-168.59	-3.11	3294.41	01	01	1	
	P	1/ 14/ 1977	-172.94	-4.35	3290.06	01	01	1	
	P	1/ 7/ 1978	-175.17	-2.23	3287.83	01	01	1	
	P	1/ 5/ 1979	-182.77	-7.6	3280.23	01	01	1	
	P	1/ 16/ 1980	-178.7	4.07	3284.3	01	01	1	
	P	1/ 17/ 1983	-191.73	-13.0	3271.27	01	01	1	
	P	1/ 11/ 1985	-194.77	-3.04	3268.23	01	01	1	
	P	12/ 14/ 1985	-201.96	-7.19	3261.04	01	01	1	
	P	12/ 9/ 1986	-202.48	-0.52	3260.52	01	01	1	
	P	12/ 17/ 1987	-203.2	-0.72	3259.8	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 10/ 1988	-204.75	-1.55	3258.25	01	01	1	
	P	12 / 5 / 1989	-224.58	-19.8	3238.42	01	01	1	
	P	12 / 11/ 1990	-214.32	10.26	3248.68	01	01	1	
	P	12 / 10/ 1991	-216.55	-2.23	3246.45	01	01	1	
	P	1 / 26/ 1993	-211.02	5.53	3251.98	01	01	1	
	P	1 / 17/ 1994	-214.88	-3.86	3248.12	01	06	1	
	P	1 / 19/ 1995	-218.49	-3.61	3244.51	01	06	1	
	P	1 / 24/ 1996	-226.13	-7.64	3236.87	01	06	1	
	P	2 / 4 / 1997	-227.64	-1.51	3235.36	01	06	1	
	P	1 / 20/ 1998	-227.22	0.42	3235.78	01	06	1	
	P	2 / 8 / 1999	-232	-4.78	3231	01	06	1	
	N	2 / 15/ 2000				01	06		42
	N	1 / 25/ 2001				01	06		51
	N	1 / 28/ 2002				01	06		42
	N	2 / 26/ 2003				01	06		42
	N	1 / 28/ 2004				01	06		42
	N	2 / 22/ 2005				01	06		42

Min *-232* **Max** *-155.85* **Avg** *-195.798*

1157303 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 26/ 2003	-239.4		3225.6	01	06	1	
	P	1 / 28/ 2004	-241.47	-2.07	3223.53	01	06	1	
	P	2 / 22/ 2005	-239.79	1.68	3225.21	01	06	1	
	P	1 / 13/ 2006	-240.9	-1.11	3224.1	01	06	1	
	P	1 / 11/ 2007	-242.3	-1.4	3222.7	01	06	1	
	P	1 / 7 / 2008	-242.39	-0.09	3222.61	01	06	1	
	P	2 / 3 / 2009	-245.83	-3.44	3219.17	01	06	1	
	P	1 / 15/ 2010	-247.59	-1.76	3217.41	01	06	1	
	P	2 / 14/ 2011	-248.77	-1.18	3216.23	01	06	1	
	P	2 / 7 / 2012	-252.04	-3.27	3212.96	01	06	1	

Min *-252.04* **Max** *-239.4* **Avg** *-244.048*

1157401 *(Aquifer: 121OGLL Well Depth: 339)*

	P	1 / 20/ 1977	-164.49		3322.51	01	01	1	
	P	1 / 8 / 1978	-168.37	-3.88	3318.63	01	01	1	
	P	1 / 6 / 1979	-171.81	-3.44	3315.19	01	01	1	
	P	1 / 17/ 1981	-176.9	-5.09	3310.1	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1983	-181.9	-5	3305.1	01	01	1	
	P	1/ 14/ 1985	-186.2	-4.3	3300.8	01	01	1	
	P	12/ 14/ 1985	-194.15	-7.95	3292.85	01	01	1	
	P	12/ 8/ 1986	-189.52	4.63	3297.48	01	01	1	
	P	12/ 17/ 1987	-193.5	-3.98	3293.5	01	01	1	
	P	12/ 9/ 1988	-190.85	2.65	3296.15	01	01	2	
	P	12/ 7/ 1989	-193.24	-2.39	3293.76	01	01	1	
	P	12/ 10/ 1990	-195.45	-2.21	3291.55	01	01	1	
	P	12/ 10/ 1991	-197.65	-2.2	3289.35	01	01	1	
	P	1/ 26/ 1993	-196.75	0.9	3290.25	01	01	1	
	P	1/ 25/ 1994	-199.4	-2.65	3287.6	01	06	1	
	P	1/ 23/ 1995	-205.01	-5.61	3281.99	01	06	1	
	P	1/ 24/ 1996	-208.3	-3.29	3278.7	01	06	1	
	P	2/ 10/ 1997	-211.19	-2.89	3275.81	01	06	1	
	P	1/ 19/ 1998	-213.02	-1.83	3273.98	01	06	1	
	P	2/ 8/ 1999	-218	-4.98	3269	01	06	1	
	P	2/ 9/ 2000	-220.65	-2.65	3266.35	01	06	1	
	P	1/ 4/ 2001	-227.01	-6.36	3259.99	01	06	1	
	P	1/ 28/ 2002	-228.51	-1.5	3258.49	01	06	1	
	P	2/ 27/ 2003	-232.5	-3.99	3254.5	01	06	1	
	P	1/ 28/ 2004	-236.86	-4.36	3250.14	01	06	1	
	P	3/ 8/ 2005	-236.48	0.38	3250.52	01	06	1	
	P	1/ 13/ 2006	-237.87	-1.39	3249.13	01	06	1	
	P	1/ 11/ 2007	-242.64	-4.77	3244.36	01	06	1	
	P	1/ 9/ 2008	-241.65	0.99	3245.35	01	06	1	
	P	2/ 3/ 2009	-246.82	-5.17	3240.18	01	06	1	
	P	1/ 15/ 2010	-249.17	-2.35	3237.83	01	06	1	
	P	2/ 14/ 2011	-252.3	-3.13	3234.7	01	06	1	
	P	2/ 7/ 2012	-254.96	-2.66	3232.04	01	06	1	

Min *-254.96* **Max** *-164.49* **Avg** *-211.004*

1157501 *(Aquifer: 121OGLL Well Depth: 310)*

	P	2/ 7/ 1955	-96.86		3371.14	01	12	7	01
	P	1/ 11/ 1956	-101.54	-4.68	3366.46	01	12	7	01
	P	1/ 10/ 1957	-106.35	-4.81	3361.65	01	12	7	01
	P	1/ 15/ 1958	-109.42	-3.07	3358.58	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1959	-111.6	-2.18	3356.4	01	12	7	01
	P	1/18/1960	-119	-7.4	3349	01	12	7	01
	P	1/13/1961	-120.68	-1.68	3347.32	01	04	1	
	P	1/10/1962	-119.1	1.58	3348.9	01	01	1	
	P	1/ 7/1963	-125.42	-6.32	3342.58	01	01	1	
	P	1/ 8/1964	-127.68	-2.26	3340.32	01	01	1	
	P	1/ 8/1965	-132.35	-4.67	3335.65	01	01	1	
	P	1/ 7/1966	-137.64	-5.29	3330.36	01	01	1	
	P	1/ 7/1967	-140.87	-3.23	3327.13	01	01	1	
	P	1/ 5/1968	-145.75	-4.88	3322.25	01	01	1	
	P	1/12/1969	-149.23	-3.48	3318.77	01	01	1	
	P	1/ 8/1970	-150.45	-1.22	3317.55	01	01	1	
	P	1/ 9/1971	-154.97	-4.52	3313.03	01	01	1	
	P	1/ 7/1972	-157	-2.03	3311	01	01	1	
	P	1/18/1973	-157.4	-0.4	3310.6	01	01	1	
	P	1/13/1974	-160.62	-3.22	3307.38	01	01	1	
	P	1/10/1975	-163.35	-2.73	3304.65	01	01	1	
	P	1/10/1976	-166.44	-3.09	3301.56	01	01	1	
	P	1/13/1977	-171.16	-4.72	3296.84	01	01	1	
	P	1/ 7/1978	-175.54	-4.38	3292.46	01	01	1	
	N	1/ 6/1979				01	01		63
	P	1/15/1980	-183.62		3284.38	01	01	1	
	P	1/16/1982	-190.65	-7.03	3277.35	01	01	1	
	P	1/ 9/1984	-195.45	-4.8	3272.55	01	01	1	
	P	12/14/1985	-198.82	-3.37	3269.18	01	01	1	
	N	12/ 8/1986				01	01	1	44
	N	12/17/1987				01	01		42
	N	12/ 9/1988				01	01		42
	N	12/ 7/1989				01	01		42

Min *-198.82* **Max** *-96.86* **Avg** *-145.32*

1157601 *(Aquifer: 121OGLL Well Depth: 325)*

	P	1/18/1977	-157.87		3292.13	01	01	1	
	N	1/ 7/1978				01	01		41
	N	1/ 6/1979				01	01		42
	P	1/15/1980	-169.3		3280.7	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/16/1982	-169.4	-0.1	3280.6	01	01	1	
	P	1/14/1985	-172.86	-3.46	3277.14	01	01	1	
	N	12/14/1985				01	01		42
	P	12/17/1987	-183.9		3266.1	01	01	1	
	P	12/ 9/1988	-185.2	-1.3	3264.8	01	01	2	
	P	12/ 7/1989	-187.84	-2.64	3262.16	01	01	2	
	P	12/10/1990	-190.88	-3.04	3259.12	01	01	2	
	P	12/10/1991	-191.18	-0.3	3258.82	01	01	1	
	P	1/26/1993	-187.59	3.59	3262.41	01	01	1	
	P	1/25/1994	-188.8	-1.21	3261.2	01	06	1	
	P	1/23/1995	-193.99	-5.19	3256.01	01	06	1	
	P	1/24/1996	-198.09	-4.1	3251.91	01	06	1	
	P	2/ 4/1997	-200.09	-2	3249.91	01	06	1	
	P	1/19/1998	-200.71	-0.62	3249.29	01	06	1	
	P	2/24/1999	-202	-1.29	3248	01	06	1	
	P	2/ 9/2000	-203.88	-1.88	3246.12	01	06	1	
	P	1/23/2001	-206.25	-2.37	3243.75	01	06	1	
	P	1/28/2002	-207.66	-1.41	3242.34	01	06	1	
	P	2/27/2003	-209.6	-1.94	3240.4	01	06	1	
	P	1/28/2004	-211.61	-2.01	3238.39	01	06	1	
	P	3/30/2005	-211.17	0.44	3238.83	01	06	1	
	P	1/13/2006	-212.51	-1.34	3237.49	01	06	1	
	P	1/11/2007	-213.69	-1.18	3236.31	01	06	1	
	P	1/ 7/2008	-214.01	-0.32	3235.99	01	06	1	
	P	3/ 5/2009	-215.29	-1.28	3234.71	01	06	1	
	P	1/15/2010	-215.27	0.02	3234.73	01	06	1	
	P	1/21/2011	-216.18	-0.91	3233.82	01	06	1	
	P	2/ 7/2012	-219.67	-3.49	3230.33	01	06	1	

Min *-219.67* **Max** *-157.87* **Avg** *-197.81*

1157602 *(Aquifer: 121OGLL Well Depth: 292)*

	P	4/ 6/1988	-149.5		3279.5	01	01	1	

Min *-149.5* **Max** *-149.5* **Avg** *-149.5*

1157603 *(Aquifer: 121OGLL Well Depth: 285)*

	P	4/ 6/1988	-150.3		3268.7	01	01	1	
	P	6/23/2004	-175.75	-25.5	3243.25	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -175.75		**Max -150.3**	**Avg -163.025**						
1157701	*(Aquifer: 121OGLL*		*Well Depth: 347)*						
	P	7 / 15/ 1966	-136		3327	01	07	7	
	P	1 / 14/ 1976	-146.8	-10.8	3316.2	01	01	1	
	N	1 / 13/ 1977				01	01		60
	P	1 / 7 / 1978	-154.19		3308.81	01	01	1	
	P	1 / 6 / 1979	-158.46	-4.27	3304.54	01	01	1	
	P	1 / 15/ 1980	-160.02	-1.56	3302.98	01	01	1	
	P	1 / 18/ 1982	-168.88	-8.86	3294.12	01	01	1	04
	P	1 / 9 / 1984	-180.41	-11.5	3282.59	01	01	1	
	P	12 / 13/ 1985	-181.02	-0.61	3281.98	01	01	1	
	P	12 / 8 / 1986	-189.2	-8.18	3273.8	01	01	1	
	P	12 / 17/ 1987	-189.6	-0.4	3273.4	01	01	1	04
	P	12 / 9 / 1988	-179.69	9.91	3283.31	01	01	1	
	P	12 / 7 / 1989	-181.85	-2.16	3281.15	01	01	1	
	P	12 / 10/ 1990	-183.72	-1.87	3279.28	01	01	1	
	P	12 / 10/ 1991	-187.15	-3.43	3275.85	01	01	1	
	N	1 / 25/ 1994				01	06		81
Min -189.6		**Max -136**	**Avg -171.214**						
1157702	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	6 / 2 / 1994	-202.85		3270.15	01	06	1	
	P	1 / 23/ 1995	-207.23	-4.38	3265.77	01	06	1	
	P	1 / 24/ 1996	-216.75	-9.52	3256.25	01	06	1	04
	P	3 / 7 / 1997	-221.15	-4.4	3251.85	01	06	1	
	P	1 / 19/ 1998	-222.77	-1.62	3250.23	01	06	1	
	P	2 / 8 / 1999	-230	-7.23	3243	01	06	1	
	P	2 / 9 / 2000	-237.83	-7.83	3235.17	01	06	1	
	P	1 / 26/ 2001	-242.83	-5	3230.17	01	06	1	
	P	1 / 28/ 2002	-242.4	0.43	3230.6	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	1 / 28/ 2004	-252.22		3220.78	01	06	1	
	P	3 / 30/ 2005	-256.05	-3.83	3216.95	01	06	1	
	P	1 / 13/ 2006	-253.04	3.01	3219.96	01	06	1	
	P	1 / 12/ 2007	-258.94	-5.9	3214.06	01	06	1	
	P	1 / 9 / 2008	-259.55	-0.61	3213.45	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 2009	-258.14	1.41	3214.86	01	06	1	
	P	2 / 19/ 2010	-259.62	-1.48	3213.38	01	06	1	
	P	1 / 19/ 2011	-260.22	-0.6	3212.78	01	06	1	
	P	2 / 7 / 2012	-266.22	-6	3206.78	01	06	1	

Min *-266.22* **Max** *-202.85* **Avg** *-241.545*

1157801 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 15/ 1980	-180.03		3272.97	01	01	1	
	P	1 / 19/ 1981	-184.7	-4.67	3268.3	01	01	1	
	P	1 / 17/ 1983	-190.98	-6.28	3262.02	01	01	1	
	P	1 / 14/ 1985	-197.44	-6.46	3255.56	01	01	1	
	P	12 / 14/ 1985	-200.68	-3.24	3252.32	01	01	1	
	P	12 / 17/ 1987	-207.5	-6.82	3245.5	01	01	1	
	P	12 / 9 / 1988	-206.4	1.1	3246.6	01	01	2	
	P	12 / 7 / 1989	-210.73	-4.33	3242.27	01	01	2	
	P	12 / 10/ 1990	-212.92	-2.19	3240.08	01	01	1	
	P	12 / 10/ 1991	-224.05	-11.1	3228.95	01	01	1	
	P	1 / 25/ 1994	-217.1	6.95	3235.9	01	06	1	
	P	1 / 23/ 1995	-223.52	-6.42	3229.48	01	06	1	
	P	1 / 24/ 1996	-229.34	-5.82	3223.66	01	06	1	
	P	2 / 10/ 1997	-233.18	-3.84	3219.82	01	06	1	
	P	1 / 19/ 1998	-235.43	-2.25	3217.57	01	06	1	
	P	2 / 8 / 1999	-240	-4.57	3213	01	06	1	
	P	3 / 13/ 2000	-250.49	-10.5	3202.51	01	06	1	
	P	1 / 23/ 2001	-253.32	-2.83	3199.68	01	06	1	
	P	1 / 28/ 2002	-254.81	-1.49	3198.19	01	06	1	
	P	2 / 27/ 2003	-257.71	-2.9	3195.29	01	06	1	
	N	1 / 28/ 2004				01	06	1	44
	N	1 / 28/ 2005				01	06	1	44

Min *-257.71* **Max** *-180.03* **Avg** *-220.517*

1157802 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 25/ 2004	-260.18		3191.82	01	06	1	
	P	3 / 8 / 2005	-260.35	-0.17	3191.65	01	06	1	
	P	1 / 13/ 2006	-262.59	-2.24	3189.41	01	06	1	
	P	1 / 12/ 2007	-265.01	-2.42	3186.99	01	06	1	
	P	1 / 7 / 2008	-264.79	0.22	3187.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 2009	-268.21	-3.42	3183.79	01	06	1	
	P	1 / 15/ 2010	-270.05	-1.84	3181.95	01	06	1	
	P	1 / 21/ 2011	-270.75	-0.7	3181.25	01	06	1	
	P	3 / 2 / 2012	-277.48	-6.73	3174.52	01	06	1	

Min *-277.48* **Max** *-260.18* **Avg** *-266.601*

1157901 *(Aquifer: 121OGLL Well Depth: 315)*

	P	1 / 16/ 1980	-172.07		3265.93	01	01	1	
	P	1 / 16/ 1982	-183.98	-11.9	3254.02	01	01	1	
	P	1 / 17/ 1983	-193.52	-9.54	3244.48	01	01	1	
	P	1 / 14/ 1985	-194.07	-0.55	3243.93	01	01	1	
	P	12 / 14/ 1985	-202.17	-8.1	3235.83	01	01	1	
	P	12 / 8 / 1986	-200.48	1.69	3237.52	01	01	1	
	P	12 / 17/ 1987	-204.4	-3.92	3233.6	01	01	1	
	P	12 / 9 / 1988	-195.1	9.3	3242.9	01	01	2	
	P	12 / 7 / 1989	-197.15	-2.05	3240.85	01	01	1	
	P	12 / 10/ 1990	-199.11	-1.96	3238.89	01	01	1	
	P	12 / 10/ 1991	-199.8	-0.69	3238.2	01	01	1	
	P	1 / 25/ 1994	-202.2	-2.4	3235.8	01	06	1	
	P	1 / 23/ 1995	-206.79	-4.59	3231.21	01	06	1	
	P	1 / 1 / 1996	-208.23	-1.44	3229.77	01	06	1	
	P	2 / 10/ 1997	-209.91	-1.68	3228.09	01	06	1	
	P	1 / 19/ 1998	-212.7	-2.79	3225.3	01	06	1	
	P	2 / 8 / 1999	-217	-4.3	3221	01	06	1	
	P	2 / 9 / 2000	-220.07	-3.07	3217.93	01	06	1	
	P	1 / 23/ 2001	-224.47	-4.4	3213.53	01	06	1	
	P	1 / 28/ 2002	-226.27	-1.8	3211.73	01	06	1	
	P	4 / 2 / 2003	-235.75	-9.48	3202.25	01	06	1	
	P	1 / 28/ 2004	-237.41	-1.66	3200.59	01	06	1	
	P	3 / 30/ 2005	-233.66	3.75	3204.34	01	06	1	
	P	1 / 13/ 2006	-237.57	-3.91	3200.43	01	06	1	
	P	1 / 16/ 2007	-238.65	-1.08	3199.35	01	06	1	
	P	1 / 7 / 2008	-238.51	0.14	3199.49	01	06	1	
	P	2 / 4 / 2009	-243.26	-4.75	3194.74	01	06	1	
	P	1 / 15/ 2010	-244.01	-0.75	3193.99	01	06	1	
	P	1 / 21/ 2011	-246.18	-2.17	3191.82	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 7 / 2012	-251.72	-5.54	3186.28	01	06	1	

Min *-251.72* **Max** *-172.07* **Avg** *-215.874*

1158102 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 12/ 1936	-48.57		3379.43	01	12	7
	P	4 / 23/ 1937	-48.88	-0.31	3379.12	01	12	7
	P	6 / 27/ 1938	-49.7	-0.82	3378.3	01	12	7

Min *-49.7* **Max** *-48.57* **Avg** *-49.05*

1158103 *(Aquifer: 121OGLL Well Depth: 336)*

	P	1 / 16/ 1980	-176.2		3261.8	01	01	1	
	P	1 / 17/ 1981	-188.35	-12.2	3249.65	01	01	1	04
	P	1 / 17/ 1983	-193.16	-4.81	3244.84	01	01	1	
	P	1 / 11/ 1985	-195.6	-2.44	3242.4	01	01	1	
	P	12 / 13/ 1985	-200.2	-4.6	3237.8	01	01	1	
	P	12 / 11/ 1986	-201.36	-1.16	3236.64	01	01	1	
	P	12 / 17/ 1987	-200.5	0.86	3237.5	01	01	1	
	P	12 / 10/ 1988	-201.15	-0.65	3236.85	01	01	1	
	P	12 / 5 / 1989	-207.26	-6.11	3230.74	01	01	1	
	P	12 / 11/ 1990	-210.96	-3.7	3227.04	01	01	1	
	P	12 / 10/ 1991	-212.25	-1.29	3225.75	01	01	1	
	P	1 / 26/ 1993	-204.22	8.03	3233.78	01	01	1	
	P	1 / 17/ 1994	-203.9	0.32	3234.1	01	06	1	
	P	3 / 6 / 1995	-210.8	-6.9	3227.2	01	06	1	
	P	1 / 19/ 1996	-215.91	-5.11	3222.09	01	06	1	
	P	2 / 4 / 1997	-219.41	-3.5	3218.59	01	06	1	
	P	1 / 20/ 1998	-218.71	0.7	3219.29	01	06	1	
	P	2 / 8 / 1999	-222	-3.29	3216	01	06	1	
	P	2 / 1 / 2000	-222.99	-0.99	3215.01	01	06	1	
	P	1 / 4 / 2001	-226.08	-3.09	3211.92	01	06	1	
	P	2 / 11/ 2002	-225.85	0.23	3212.15	01	06	1	
	P	2 / 25/ 2003	-227.72	-1.87	3210.28	01	06	1	
	P	1 / 30/ 2004	-229.15	-1.43	3208.85	01	06	1	
	P	2 / 16/ 2005	-228.42	0.73	3209.58	01	06	1	
	P	1 / 12/ 2006	-229.22	-0.8	3208.78	01	06	1	
	P	1 / 10/ 2007	-232.64	-3.42	3205.36	01	06	1	
	P	1 / 7 / 2008	-232.37	0.27	3205.63	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 2009	-236.63	-4.26	3201.37	01	06	1	
	P	1 / 15/ 2010	-238.01	-1.38	3199.99	01	06	1	
	P	1 / 21/ 2011	-239.15	-1.14	3198.85	01	06	1	
	P	2 / 7 / 2012	-243.89	-4.74	3194.11	01	06	1	

Min *-243.89* **Max** *-176.2* **Avg** *-215.937*

1158201 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 7 / 1949	-67		3343	01	12	7	01
	P	2 / 16/ 1950	-72.68	-5.68	3337.32	01	12	7	01
	P	1 / 19/ 1951	-68.35	4.33	3341.65	01	12	7	01
	P	1 / 30/ 1952	-74.63	-6.28	3335.37	01	12	7	01
	P	1 / 13/ 1953	-82.91	-8.28	3327.09	01	12	7	01
	P	1 / 9 / 1954	-89.91	-7	3320.09	01	12	7	01
	P	12 / 10/ 1954	-102.2	-12.3	3307.8	01	12	7	01
	P	1 / 11/ 1955	-100.26	1.94	3309.74	01	12	7	01
	P	1 / 13/ 1956	-107.41	-7.15	3302.59	01	12	7	01
	P	1 / 10/ 1957	-121.4	-14	3288.6	01	12	7	01
	P	1 / 16/ 1958	-119.35	2.05	3290.65	01	12	7	01
	P	1 / 6 / 1959	-120.83	-1.48	3289.17	01	12	7	01
	P	1 / 19/ 1960	-128	-7.17	3282	01	12	7	01
	P	1 / 10/ 1961	-131.13	-3.13	3278.87	01	01	2	
	P	1 / 8 / 1962	-130.9	0.23	3279.1	01	01	2	
	N	1 / 4 / 1963				01	01		42

Min *-131.13* **Max** *-67* **Avg** *-101.131*

1158202 *(Aquifer: 121OGLL Well Depth: 158)*

	P	10 / 26/ 1937	-54.52		3355.48	01	12	7	01
	P	4 / 12/ 1938	-55.3	-0.78	3354.7	01	12	7	01
	P	6 / 2 / 1938	-55.07	0.23	3354.93	01	12	7	01
	P	8 / 11/ 1938	-55.66	-0.59	3354.34	01	12	7	01
	P	10 / 20/ 1938	-55.78	-0.12	3354.22	01	12	7	01
	P	12 / 9 / 1938	-55.83	-0.05	3354.17	01	12	7	01
	P	3 / 3 / 1939	-55.28	0.55	3354.72	01	12	7	01
	P	6 / 19/ 1939	-56.88	-1.6	3353.12	01	12	7	01
	P	7 / 19/ 1939	-56.59	0.29	3353.41	01	12	7	01
	P	8 / 16/ 1939	-56.34	0.25	3353.66	01	12	7	01
	P	10 / 6 / 1939	-57.25	-0.91	3352.75	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 14/ 1939	-56.18	1.07	3353.82	01	12	7	01
	P	3 / 13/ 1940	-56.11	0.07	3353.89	01	12	7	01
	P	11 / 14/ 1940	-57.66	-1.55	3352.34	01	12	7	01
	P	1 / 21/ 1941	-57.18	0.48	3352.82	01	12	7	01
	P	3 / 4 / 1941	-57.29	-0.11	3352.71	01	12	7	01
	P	1 / 26/ 1943	-56.01	1.28	3353.99	01	12	7	01
	P	2 / 17/ 1944	-57.59	-1.58	3352.41	01	12	7	01
	P	2 / 24/ 1945	-57.7	-0.11	3352.3	01	12	7	01
	P	3 / 1 / 1946	-61.19	-3.49	3348.81	01	12	7	01
	P	1 / 21/ 1947	-62.79	-1.6	3347.21	01	12	7	01
	P	3 / 14/ 1947	-61.96	0.83	3348.04	01	12	7	01
	P	2 / 28/ 1949	-64.18	-2.22	3345.82	01	12	7	01

Min *-64.18* **Max** *-54.52* **Avg** *-57.4061*

1158203 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 11/ 1936	-55.24		3354.76	01	12	7	
	P	4 / 24/ 1937	-56.2	-0.96	3353.8	01	12	7	
	P	6 / 26/ 1937	-56.48	-0.28	3353.52	01	12	7	
	P	8 / 11/ 1937	-56.35	0.13	3353.65	01	12	7	
	P	6 / 28/ 1938	-56.52	-0.17	3353.48	01	12	7	

Min *-56.52* **Max** *-55.24* **Avg** *-56.158*

1158204 *(Aquifer: 121OGLL Well Depth: 341)*

	P	3 / 7 / 1949	-65.64		3358.36	01	12	1	01
	P	1 / 16/ 1950	-66.89	-1.25	3357.11	01	12	1	01
	P	1 / 19/ 1951	-69.3	-2.41	3354.7	01	12	1	01
	P	1 / 13/ 1953	-78.05	-8.75	3345.95	01	12	1	01
	P	1 / 9 / 1954	-86.37	-8.32	3337.63	01	12	1	01
	P	1 / 11/ 1955	-93.24	-6.87	3330.76	01	12	1	01
	P	1 / 10/ 1957	-112.94	-19.7	3311.06	01	12	1	01
	P	1 / 16/ 1958	-113.56	-0.62	3310.44	01	12	1	01
	P	1 / 6 / 1959	-115.98	-2.42	3308.02	01	12	1	01
	P	1 / 19/ 1960	-121.8	-5.82	3302.2	01	12	1	01
	P	1 / 10/ 1961	-124.96	-3.16	3299.04	01	12	1	01
	P	1 / 8 / 1962	-125.58	-0.62	3298.42	01	01	1	
	P	1 / 3 / 1963	-135.46	-9.88	3288.54	01	01	1	
	P	1 / 9 / 1964	-134.8	0.66	3289.2	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1965	-141.78	-6.98	3282.22	01	01	1	
	P	1/ 8/1966	-145.96	-4.18	3278.04	01	01	1	
	P	1/ 5/1968	-155.56	-9.6	3268.44	01	01	1	
	P	1/ 8/1969	-153.98	1.58	3270.02	01	01	1	
	P	1/ 9/1970	-156.48	-2.5	3267.52	01	01	1	
	P	1/10/1971	-163.42	-6.94	3260.58	01	01	1	
	P	1/ 7/1972	-165.46	-2.04	3258.54	01	01	1	
	P	1/22/1973	-165.7	-0.24	3258.3	01	01	1	
	P	1/12/1974	-172.82	-7.12	3251.18	01	01	1	
	P	1/10/1975	-173.6	-0.78	3250.4	01	01	1	20
	P	1/12/1976	-177.84	-4.24	3246.16	01	01	1	
	P	1/14/1977	-183.82	-5.98	3240.18	01	01	1	
	P	1/10/1978	-188.73	-4.91	3235.27	01	01	1	
	P	1/ 5/1979	-196.7	-7.97	3227.3	01	01	1	
	P	1/17/1980	-188.33	8.37	3235.67	01	01	1	
	P	1/16/1982	-197.65	-9.32	3226.35	01	01	1	
	P	1/ 9/1984	-212.63	-15	3211.37	01	01	1	
	P	12/13/1985	-217.82	-5.19	3206.18	01	01	1	
	P	12/11/1986	-219.77	-1.95	3204.23	01	01	1	
	P	12/17/1987	-218.3	1.47	3205.7	01	01	1	
	N	12/10/1988				01	01	1	44
	N	12/ 5/1989				01	01	1	44
	P	12/10/1990	-208.18		3215.82	01	01	1	
	P	12/10/1991	-221.25	-13.1	3202.75	01	01	1	
	P	1/26/1993	-202.74	18.51	3221.26	01	01	1	
	N	1/17/1994				01	06	7	44
	P	1/19/1995	-210.86		3213.14	01	06	1	
	P	1/19/1996	-213.44	-2.58	3210.56	01	06	1	
	P	2/ 4/1997	-215.11	-1.67	3208.89	01	06	1	
	P	1/20/1998	-213.19	1.92	3210.81	01	06	1	
	P	1/28/1999	-219	-5.81	3205	01	06	1	
	P	2/ 1/2000	-219.85	-0.85	3204.15	01	06	1	
	P	2/27/2001	-222.1	-2.25	3201.9	01	06	1	
	P	2/15/2002	-225.01	-2.91	3198.99	01	06	1	
	P	2/25/2003	-230.9	-5.89	3193.1	01	06	1	
	P	1/30/2004	-230.95	-0.05	3193.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/ 9/2005	-226.11	4.84	3197.89	01	06	1	
	N	3/ 6/2006				01	06	7	44
	N	1/10/2007				01	06	7	44
	N	1/16/2008				01	06		81
	N	2/ 3/2009				01	06	1	44
	N	1/15/2010				01	06	1	44

Min *-230.95* **Max** *-65.64* **Avg** *-168.742*

1158205 *(Aquifer: 121OGLL Well Depth: 345)*

	P	1/18/1977	-176.56		3230.44	01	01	1
	P	1/10/1978	-179.34	-2.78	3227.66	01	01	1
	P	1/ 5/1979	-184.49	-5.15	3222.51	01	01	1
	P	1/17/1980	-183.49	1	3223.51	01	01	1
	P	1/19/1981	-189.12	-5.63	3217.88	01	01	1
	P	1/18/1983	-196.87	-7.75	3210.13	01	01	1
	P	1/11/1985	-201.33	-4.46	3205.67	01	01	1
	P	1/13/1988	-202.6	-1.27	3204.4	01	01	1
	P	12/11/1988	-201.87	0.73	3205.13	01	01	1
	P	12/ 5/1989	-204.36	-2.49	3202.64	01	01	1
	P	12/11/1990	-208.89	-4.53	3198.11	01	01	1
	P	12/10/1991	-209.25	-0.36	3197.75	01	01	1
	P	1/26/1993	-203.93	5.32	3203.07	01	01	1
	P	1/17/1994	-204.1	-0.17	3202.9	01	06	1
	P	1/19/1995	-210.11	-6.01	3196.89	01	06	1
	P	1/19/1996	-213.45	-3.34	3193.55	01	06	1
	P	2/ 4/1997	-216.97	-3.52	3190.03	01	06	1
	P	1/20/1998	-217.41	-0.44	3189.59	01	06	1
	P	1/28/1999	-223	-5.59	3184	01	06	1
	P	2/ 1/2000	-223.4	-0.4	3183.6	01	06	1
	P	1/24/2001	-228.15	-4.75	3178.85	01	06	1
	P	2/11/2002	-230.08	-1.93	3176.92	01	06	1
	P	2/25/2003	-232.08	-2	3174.92	01	06	1
	P	1/30/2004	-236.82	-4.74	3170.18	01	06	1
	P	2/16/2005	-235.2	1.62	3171.8	01	06	1
	P	1/13/2006	-236.26	-1.06	3170.74	01	06	1
	P	1/10/2007	-239.05	-2.79	3167.95	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 2008	-238.58	0.47	3168.42	01	06	1	
	P	2 / 3 / 2009	-241.91	-3.33	3165.09	01	06	1	
	P	1 / 15/ 2010	-244.17	-2.26	3162.83	01	06	1	
	P	1 / 21/ 2011	-248.67	-4.5	3158.33	01	06	1	
	P	2 / 10/ 2012	-251.89	-3.22	3155.11	01	06	1	

Min *-251.89* **Max** *-176.56* **Avg** *-216.044*

1158206 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 12/ 1936	-52.2		3373.8	01	12	7	
	P	4 / 23/ 1937	-53.8	-1.6	3372.2	01	12	7	
	P	6 / 8 / 1937	-54.52	-0.72	3371.48	01	12	7	
	P	6 / 27/ 1937	-55.34	-0.82	3370.66	01	12	7	
	P	12 / 9 / 1938	-57.35	-2.01	3368.65	01	12	7	
	P	12 / 14/ 1939	-59.27	-1.92	3366.73	01	12	7	

Min *-59.27* **Max** *-52.2* **Avg** *-55.4133*

1158207 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 16/ 1937	-55.85		3364.15	01	12	7	01
	P	8 / 24/ 1937	-55.88	-0.03	3364.12	01	12	7	01
	P	8 / 30/ 1937	-55.89	-0.01	3364.11	01	12	7	01
	P	9 / 10/ 1937	-55.86	0.03	3364.14	01	12	7	01
	P	10 / 2 / 1937	-55.89	-0.03	3364.11	01	12	7	01
	P	11 / 2 / 1937	-55.87	0.02	3364.13	01	12	7	01
	P	12 / 1 / 1937	-55.83	0.04	3364.17	01	12	7	01
	P	1 / 6 / 1938	-55.76	0.07	3364.24	01	12	7	01
	P	3 / 11/ 1938	-55.75	0.01	3364.25	01	12	7	01
	P	4 / 12/ 1938	-55.37	0.38	3364.63	01	12	7	01
	P	6 / 2 / 1938	-55.75	-0.38	3364.25	01	12	7	01
	P	6 / 28/ 1938	-55.81	-0.06	3364.19	01	12	7	01
	P	8 / 11/ 1938	-55.75	0.06	3364.25	01	12	7	01
	P	10 / 20/ 1938	-55.96	-0.21	3364.04	01	12	7	01
	P	12 / 9 / 1938	-56	-0.04	3364	01	12	7	01
	P	3 / 3 / 1939	-56.05	-0.05	3363.95	01	12	7	01
	P	3 / 19/ 1939	-56.24	-0.19	3363.76	01	12	7	01
	P	7 / 19/ 1939	-56.31	-0.07	3363.69	01	12	7	01
	P	8 / 16/ 1939	-56.36	-0.05	3363.64	01	12	7	01
	P	10 / 6 / 1939	-56.45	-0.09	3363.55	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 14/ 1939	-56.53	-0.08	3363.47	01	12	7	01
	P	3 / 13/ 1940	-56.66	-0.13	3363.34	01	12	7	01
	P	7 / 10/ 1940	-56.87	-0.21	3363.13	01	12	7	01
	P	11 / 14/ 1940	-57.21	-0.34	3362.79	01	12	7	01
	P	1 / 21/ 1941	-57.28	-0.07	3362.72	01	12	7	01
	P	3 / 4 / 1941	-57.34	-0.06	3362.66	01	12	7	01
	P	7 / 25/ 1941	-57.46	-0.12	3362.54	01	12	7	01
	P	11 / 25/ 1941	-57.15	0.31	3362.85	01	12	7	01
	P	3 / 13/ 1942	-56.87	0.28	3363.13	01	12	7	01
	P	7 / 25/ 1942	-56.68	0.19	3363.32	01	12	7	01
	P	10 / 29/ 1942	-56.79	-0.11	3363.21	01	12	7	01
	P	1 / 26/ 1943	-56.86	-0.07	3363.14	01	12	7	01
	P	2 / 16/ 1944	-57.34	-0.48	3362.66	01	12	7	01
	P	2 / 16/ 1945	-57.85	-0.51	3362.15	01	12	7	01
	P	3 / 1 / 1946	-58.67	-0.82	3361.33	01	12	7	01
	P	3 / 14/ 1947	-60.68	-2.01	3359.32	01	12	7	01
	P	2 / 28/ 1948	-62.32	-1.64	3357.68	01	12	7	01

Min *-62.32* **Max** *-55.37* **Avg** *-56.7349*

1158301 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 14/ 1947	-57.39		3329.61	01	12	7	01
	P	2 / 26/ 1948	-59.36	-1.97	3327.64	01	12	7	01
	P	3 / 4 / 1949	-62.02	-2.66	3324.98	01	12	7	01
	P	2 / 16/ 1950	-62.96	-0.94	3324.04	01	12	7	01
	P	1 / 19/ 1951	-66.41	-3.45	3320.59	01	12	7	01
	P	1 / 28/ 1952	-68.85	-2.44	3318.15	01	12	7	01
	P	1 / 13/ 1953	-76.33	-7.48	3310.67	01	12	7	01
	P	1 / 8 / 1954	-84.66	-8.33	3302.34	01	12	7	01
	P	12 / 13/ 1954	-94.95	-10.3	3292.05	01	12	7	01
	P	1 / 17/ 1955	-94.34	0.61	3292.66	01	12	7	01
	P	1 / 13/ 1956	-99.35	-5.01	3287.65	01	12	7	01
	P	1 / 9 / 1957	-106.47	-7.12	3280.53	01	12	7	01
	P	1 / 16/ 1958	-115.29	-8.82	3271.71	01	12	7	01
	P	1 / 5 / 1959	-112.86	2.43	3274.14	01	12	7	01
	P	1 / 19/ 1960	-117.75	-4.89	3269.25	01	12	7	01
	P	1 / 10/ 1961	-119.95	-2.2	3267.05	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1962	-120.89	-0.94	3266.11	01	01	1	
	P	1/ 4/ 1963	-124.24	-3.35	3262.76	01	01	1	
	P	1/ 9/ 1964	-127.58	-3.34	3259.42	01	01	1	
	P	1/ 9/ 1965	-133.95	-6.37	3253.05	01	01	1	
	P	1/ 8/ 1966	-139.84	-5.89	3247.16	01	01	1	
	P	1/ 7/ 1967	-143.42	-3.58	3243.58	01	01	1	
	P	1/ 5/ 1968	-152.8	-9.38	3234.2	01	01	1	
	P	1/ 8/ 1969	-153.32	-0.52	3233.68	01	01	1	
	P	1/ 4/ 1970	-153.61	-0.29	3233.39	01	01	1	
	P	1/ 10/ 1971	-158.5	-4.89	3228.5	01	01	1	
	P	1/ 7/ 1972	-166.22	-7.72	3220.78	01	01	1	
	P	1/ 17/ 1973	-164	2.22	3223	01	01	1	
	P	1/ 12/ 1974	-173.45	-9.45	3213.55	01	01	1	03
	P	1/ 10/ 1975	-175.09	-1.64	3211.91	01	01	1	
	P	1/ 15/ 1976	-179.97	-4.88	3207.03	01	01	1	
	P	1/ 14/ 1977	-185.86	-5.89	3201.14	01	01	1	
	P	1/ 10/ 1978	-189.43	-3.57	3197.57	01	01	1	
	P	1/ 5/ 1979	-195.42	-5.99	3191.58	01	01	1	
	P	1/ 16/ 1982	-205.55	-10.1	3181.45	01	01	1	
	P	1/ 9/ 1984	-214.12	-8.57	3172.88	01	01	1	
	P	12/ 17/ 1985	-210.86	3.26	3176.14	01	01	1	
	P	12/ 9/ 1986	-217.1	-6.24	3169.9	01	01	1	
	P	12/ 16/ 1987	-215.6	1.5	3171.4	01	01	1	
	N	12/ 11/ 1988				01	01	1	44
	P	12/ 5/ 1989	-217.63		3169.37	01	01	1	
	P	12/ 10/ 1990	-222.57	-4.94	3164.43	01	01	1	
	P	12/ 10/ 1991	-225.28	-2.71	3161.72	01	01	1	
	P	1/ 26/ 1993	-220.44	4.84	3166.56	01	01	1	
	N	1/ 17/ 1994				01	06	7	44

Min *-225.28* **Max** *-57.39* **Avg** *-143.853*

1158302 *(Aquifer: 121OGLL Well Depth: 60)*

	P	5/ 9/ 1936	-35.58		3349.42	01	12	7	01
	P	4/ 24/ 1937	-35.8	-0.22	3349.2	01	12	7	01
	P	6/ 2/ 1937	-35.72	0.08	3349.28	01	12	7	01
	P	7/ 26/ 1937	-35.07	0.65	3349.93	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/11/1937	-35.06	0.01	3349.94	01	12	7	01
	P	8/24/1937	-34.97	0.09	3350.03	01	12	7	01
	P	8/30/1937	-34.95	0.02	3350.05	01	12	7	01
	P	9/10/1937	-34.77	0.18	3350.23	01	12	7	01
	P	10/ 2/1937	-34.1	0.67	3350.9	01	12	7	01
	P	11/ 2/1937	-33.84	0.26	3351.16	01	12	7	01
	P	12/ 1/1937	-33.84		3351.16	01	12	7	01
	P	1/ 6/1938	-34.16	-0.32	3350.84	01	12	7	01
	P	3/11/1938	-34.46	-0.3	3350.54	01	12	7	01
	P	4/12/1938	-34.62	-0.16	3350.38	01	12	7	01
	P	6/ 2/1938	-34.9	-0.28	3350.1	01	12	7	01
	P	6/28/1938	-35.06	-0.16	3349.94	01	12	7	01
	P	8/10/1938	-34.7	0.36	3350.3	01	12	7	01
	P	10/19/1938	-35.64	-0.94	3349.36	01	12	7	01
	P	12/ 9/1938	-35.81	-0.17	3349.19	01	12	7	01
	P	1/ 5/1939	-35.91	-0.1	3349.09	01	12	7	01
	P	3/ 3/1939	-36.04	-0.13	3348.96	01	12	7	01
	P	6/19/1939	-36.32	-0.28	3348.68	01	12	7	01
	P	6/21/1939	-36.33	-0.01	3348.67	01	12	7	01
	P	6/26/1939	-36.33		3348.67	01	12	7	01
	P	7/ 3/1939	-36.29	0.04	3348.71	01	12	7	01
	P	7/19/1939	-36.29		3348.71	01	12	7	01
	P	8/16/1939	-36.47	-0.18	3348.53	01	12	7	01
	P	10/ 6/1939	-36.52	-0.05	3348.48	01	12	7	01
	P	10/17/1939	-36.47	0.05	3348.53	01	12	7	01
	P	10/18/1939	-36.48	-0.01	3348.52	01	12	7	01
	P	10/21/1939	-36.5	-0.02	3348.5	01	12	7	01
	P	10/26/1939	-36.52	-0.02	3348.48	01	12	7	01
	P	11/ 2/1939	-36.53	-0.01	3348.47	01	12	7	01
	P	11/ 9/1939	-36.54	-0.01	3348.46	01	12	7	01
	P	11/16/1939	-36.56	-0.02	3348.44	01	12	7	01
	P	11/23/1939	-36.59	-0.03	3348.41	01	12	7	01
	P	11/29/1939	-36.6	-0.01	3348.4	01	12	7	01
	P	12/ 4/1939	-36.61	-0.01	3348.39	01	12	7	01
	P	12/11/1939	-36.63	-0.02	3348.37	01	12	7	01
	P	12/14/1939	-36.64	-0.01	3348.36	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/18/1939	-36.64		3348.36	01	12	7	01
	P	1/ 1/1940	-36.69	-0.05	3348.31	01	12	7	01
	P	1/11/1940	-36.72	-0.03	3348.28	01	12	7	01
	P	1/22/1940	-36.75	-0.03	3348.25	01	12	7	01
	P	2/ 1/1940	-36.77	-0.02	3348.23	01	12	7	01
	P	2/11/1940	-36.8	-0.03	3348.2	01	12	7	01
	P	2/21/1940	-36.83	-0.03	3348.17	01	12	7	01
	P	3/11/1940	-36.91	-0.08	3348.09	01	12	7	01
	P	3/21/1940	-36.95	-0.04	3348.05	01	12	7	01
	P	4/ 1/1940	-36.97	-0.02	3348.03	01	12	7	01
	P	4/11/1940	-37.01	-0.04	3347.99	01	12	7	01
	P	4/21/1940	-37.02	-0.01	3347.98	01	12	7	01
	P	5/ 1/1940	-37.06	-0.04	3347.94	01	12	7	01
	P	5/11/1940	-37.08	-0.02	3347.92	01	12	7	01
	P	5/21/1940	-37.09	-0.01	3347.91	01	12	7	01
	P	6/24/1940	-37.2	-0.11	3347.8	01	12	7	01
	P	7/ 1/1940	-37.23	-0.03	3347.77	01	12	7	01
	P	7/11/1940	-37.24	-0.01	3347.76	01	12	7	01
	P	7/22/1940	-37.29	-0.05	3347.71	01	12	7	01
	P	8/ 1/1940	-37.3	-0.01	3347.7	01	12	7	01
	P	8/11/1940	-37.34	-0.04	3347.66	01	12	7	01
	P	8/21/1940	-37.37	-0.03	3347.63	01	12	7	01
	P	9/ 1/1940	-37.4	-0.03	3347.6	01	12	7	01
	P	9/11/1940	-37.43	-0.03	3347.57	01	12	7	01
	P	9/21/1940	-37.45	-0.02	3347.55	01	12	7	01
	P	10/11/1940	-37.53	-0.08	3347.47	01	12	7	01
	P	10/21/1940	-37.56	-0.03	3347.44	01	12	7	01
	P	11/ 1/1940	-37.6	-0.04	3347.4	01	12	7	01
	P	11/21/1940	-37.67	-0.07	3347.33	01	12	7	01
	P	12/ 1/1940	-37.7	-0.03	3347.3	01	12	7	01
	P	12/11/1940	-37.63	0.07	3347.37	01	12	7	01
	P	1/21/1941	-37.8	-0.17	3347.2	01	12	7	01
	P	1/28/1941	-37.82	-0.02	3347.18	01	12	7	01
	P	2/ 4/1941	-37.83	-0.01	3347.17	01	12	7	01
	P	2/11/1941	-37.86	-0.03	3347.14	01	12	7	01
	P	2/18/1941	-37.88	-0.02	3347.12	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 24/ 1941	-37.89	-0.01	3347.11	01	12	7	01
	P	3 / 4 / 1941	-37.92	-0.03	3347.08	01	12	7	01
	P	3 / 11/ 1941	-37.93	-0.01	3347.07	01	12	7	01
	P	5 / 4 / 1941	-38.13	-0.2	3346.87	01	12	7	01
	P	5 / 11/ 1941	-38.13		3346.87	01	12	7	01
	P	5 / 31/ 1941	-37.82	0.31	3347.18	01	12	7	01
	P	6 / 3 / 1941	-37.66	0.16	3347.34	01	12	7	01
	P	6 / 10/ 1941	-37.48	0.18	3347.52	01	12	7	01
	P	7 / 22/ 1941	-36.74	0.74	3348.26	01	12	7	01
	P	7 / 30/ 1941	-36.68	0.06	3348.32	01	12	7	01
	P	8 / 6 / 1941	-36.64	0.04	3348.36	01	12	7	01
	P	8 / 10/ 1941	-36.62	0.02	3348.38	01	12	7	01
	P	8 / 17/ 1941	-37.5	-0.88	3347.5	01	12	7	01
	P	10 / 14/ 1941	-36.39	1.11	3348.61	01	12	7	01
	P	10 / 21/ 1941	-36.32	0.07	3348.68	01	12	7	01
	P	10 / 28/ 1941	-36.24	0.08	3348.76	01	12	7	01
	P	11 / 4 / 1941	-36.08	0.16	3348.92	01	12	7	01
	P	11 / 10/ 1941	-35.87	0.21	3349.13	01	12	7	01
	P	11 / 17/ 1941	-35.68	0.19	3349.32	01	12	7	01
	P	3 / 6 / 1942	-35.12	0.56	3349.88	01	12	7	01
	P	3 / 28/ 1942	-35.28	-0.16	3349.72	01	12	7	01
	P	7 / 23/ 1942	-35.71	-0.43	3349.29	01	12	7	01
	P	9 / 12/ 1942	-36.2	-0.49	3348.8	01	12	7	01
	P	9 / 26/ 1942	-36.34	-0.14	3348.66	01	12	7	01
	P	10 / 12/ 1942	-36.45	-0.11	3348.55	01	12	7	01

Min *-38.13* **Max** *-33.84* **Avg** *-36.5194*

1158303 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 9 / 1936	-41.17		3348.83	01	04	7
	P	6 / 18/ 1936	-41.32	-0.15	3348.68	01	04	7
	P	4 / 24/ 1937	-41.7	-0.38	3348.3	01	04	7
	P	7 / 26/ 1937	-41.44	0.26	3348.56	01	04	7
	P	8 / 11/ 1937	-41.32	0.12	3348.68	01	04	7
	P	8 / 24/ 1937	-41.33	-0.01	3348.67	01	04	7
	P	8 / 30/ 1937	-41.31	0.02	3348.69	01	04	7
	P	9 / 10/ 1937	-41.22	0.09	3348.78	01	04	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 2 / 1937	-41.06	0.16	3348.94	01	04	7	
	P	11 / 2 / 1937	-40.93	0.13	3349.07	01	04	7	
	P	12 / 1 / 1937	-40.91	0.02	3349.09	01	04	7	
	P	1 / 6 / 1938	-40.84	0.07	3349.16	01	04	7	
	P	3 / 11 / 1938	-40.98	-0.14	3349.02	01	04	7	
	P	4 / 12 / 1938	-41.78	-0.8	3348.22	01	04	7	

Min *-41.78* **Max** *-40.84* **Avg** *-41.2364*

1158304 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 9 / 1936	-43.1		3326.9	01	12	7	01
	P	5 / 15 / 1950	-67	-23.9	3303	01	12	7	
	P	11 / 16 / 1950	-66.5	0.5	3303.5	01	12	7	
	P	12 / 7 / 1950	-66.9	-0.4	3303.1	01	12	7	
	P	8 / 6 / 1951	-74.25	-7.35	3295.75	01	12	7	
	P	8 / 1 / 1952	-75.3	-1.05	3294.7	01	12	7	
	P	12 / 30 / 1952	-78.6	-3.3	3291.4	01	12	7	
	P	3 / 9 / 1953	-75.8	2.8	3294.2	01	12	7	
	P	6 / 3 / 1953	-87.65	-11.9	3282.35	01	12	7	
	P	8 / 3 / 1953	-86.1	1.55	3283.9	01	12	7	
	P	10 / 6 / 1953	-88.3	-2.2	3281.7	01	12	7	
	P	11 / 2 / 1953	-87.2	1.1	3282.8	01	12	7	
	P	3 / 15 / 1954	-84.1	3.1	3285.9	01	12	7	
	P	4 / 2 / 1954	-93.9	-9.8	3276.1	01	12	7	
	P	5 / 5 / 1954	-91	2.9	3279	01	12	7	
	P	5 / 28 / 1954	-88.7	2.3	3281.3	01	12	7	
	P	7 / 1 / 1954	-89	-0.3	3281	01	12	7	
	P	9 / 1 / 1954	-98.1	-9.1	3271.9	01	12	7	
	P	10 / 5 / 1954	-96.5	1.6	3273.5	01	12	7	
	P	11 / 5 / 1954	-96	0.5	3274	01	12	7	
	P	12 / 1 / 1954	-95.2	0.8	3274.8	01	12	7	
	P	1 / 4 / 1955	-94.6	0.6	3275.4	01	12	7	
	P	2 / 2 / 1955	-94.4	0.2	3275.6	01	12	7	
	P	2 / 16 / 1956	-99	-4.6	3271	01	12	7	
	P	7 / 3 / 1956	-104.7	-5.7	3265.3	01	12	7	
	P	5 / 10 / 1957	-110.5	-5.8	3259.5	01	12	7	
	P	6 / 5 / 1957	-109.3	1.2	3260.7	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9 / 4 / 1957	-145.7	-36.4	3224.3	01	12	7	
	P	10 / 1 / 1957	-125.9	19.8	3244.1	01	12	7	
	P	11 / 7 / 1957	-113.2	12.7	3256.8	01	12	7	
	P	12 / 4 / 1957	-111.6	1.6	3258.4	01	12	7	
	P	1 / 13 / 1958	-110.8	0.8	3259.2	01	12	7	
	P	2 / 6 / 1958	-110.2	0.6	3259.8	01	12	7	
	P	3 / 7 / 1958	-110	0.2	3260	01	12	7	
	P	4 / 1 / 1958	-109.7	0.3	3260.3	01	12	7	
	P	5 / 1 / 1958	-109.4	0.3	3260.6	01	12	7	
	P	8 / 1 / 1958	-141	-31.6	3229	01	12	7	
	P	11 / 13 / 1958	-114.3	26.7	3255.7	01	12	7	
	P	12 / 10 / 1958	-113.9	0.4	3256.1	01	12	7	
	P	1 / 7 / 1959	-113.8	0.1	3256.2	01	12	7	
	P	2 / 9 / 1959	-114.3	-0.5	3255.7	01	12	7	
	P	3 / 9 / 1959	-116	-1.7	3254	01	12	7	
	P	4 / 1 / 1959	-146.5	-30.5	3223.5	01	12	7	
	P	5 / 1 / 1959	-143.6	2.9	3226.4	01	12	7	
	P	6 / 5 / 1959	-119.5	24.1	3250.5	01	12	7	

Min *-146.5* **Max** *-43.1* **Avg** *-100.247*

1158401 *(Aquifer: 121OGLL Well Depth: 123)*

	P	1 / 0 / 1936	-51		3371	01	01	1	

Min *-51* **Max** *-51* **Avg** *-51*

1158402 *(Aquifer: 121OGLL Well Depth: 330)*

	P	4 / 6 / 1988	-209.6		3215.4	01	01	1	

Min *-209.6* **Max** *-209.6* **Avg** *-209.6*

1158403 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 21 / 1947	-64.6		3378.4	01	12	7	01
	P	2 / 28 / 1948	-67.54	-2.94	3375.46	01	12	7	01
	P	3 / 7 / 1949	-68.75	-1.21	3374.25	01	12	7	01
	P	2 / 16 / 1950	-73.3	-4.55	3369.7	01	12	7	01
	P	1 / 19 / 1951	-72.09	1.21	3370.91	01	12	7	01
	P	1 / 29 / 1952	-72.43	-0.34	3370.57	01	12	7	01
	P	1 / 13 / 1953	-76.79	-4.36	3366.21	01	12	7	01
	P	1 / 9 / 1954	-80.21	-3.42	3362.79	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -80.21		**Max -64.6**	**Avg -71.9638**						
1158405	*(Aquifer: 121OGLL*		*Well Depth: 315)*						
	P	4 / 6 / 1988	-142		3287	01	01	1	
Min -142		**Max -142**	**Avg -142**						
1158406	*(Aquifer: 121OGLL*		*Well Depth: 315)*						
	P	4 / 7 / 1988	-155.8		3287.2	01	01	1	
Min -155.8		**Max -155.8**	**Avg -155.8**						
1158407	*(Aquifer: 121OGLL*		*Well Depth: 340)*						
	P	4 / 7 / 1988	-190.8		3252.2	01	01	1	
Min -190.8		**Max -190.8**	**Avg -190.8**						
1158409	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	4 / 6 / 1988	-193		3236	01	01	1	
Min -193		**Max -193**	**Avg -193**						
1158411	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	4 / 6 / 1988	-204.8		3218.2	01	01	1	
	N	6 / 23/ 2004				01	01		41
Min -204.8		**Max -204.8**	**Avg -204.8**						
1158412	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	5 / 11/ 1936	-51.92		3374.08	01	12	7	01
	P	4 / 26/ 1937	-52.35	-0.43	3373.65	01	12	7	01
	P	6 / 8 / 1937	-52.39	-0.04	3373.61	01	12	7	01
	P	7 / 12/ 1937	-52.23	0.16	3373.77	01	12	7	01
	P	7 / 26/ 1937	-52.23		3373.77	01	12	7	01
	P	8 / 11/ 1937	-52.18	0.05	3373.82	01	12	7	01
	P	8 / 24/ 1937	-52.04	0.14	3373.96	01	12	7	01
	P	8 / 30/ 1937	-51.99	0.05	3374.01	01	12	7	01
	P	9 / 10/ 1937	-51.99		3374.01	01	12	7	01
	P	10 / 2 / 1937	-51.77	0.22	3374.23	01	12	7	01
	P	11 / 2 / 1937	-51.76	0.01	3374.24	01	12	7	01
	P	12 / 1 / 1937	-51.62	0.14	3374.38	01	12	7	01
	P	1 / 6 / 1938	-51.52	0.1	3374.48	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 11/ 1938	-51.65	-0.13	3374.35	01	12	7	01
	P	4 / 12/ 1938	-51.69	-0.04	3374.31	01	12	7	01
	P	6 / 2 / 1938	-51.86	-0.17	3374.14	01	12	7	01
	P	6 / 28/ 1938	-52.9	-1.04	3373.1	01	12	7	01
	P	8 / 11/ 1938	-52.05	0.85	3373.95	01	12	7	01
	P	10 / 20/ 1938	-52.25	-0.2	3373.75	01	12	7	01
	P	12 / 9 / 1938	-52.27	-0.02	3373.73	01	12	7	01
	P	3 / 3 / 1939	-52.34	-0.07	3373.66	01	12	7	01
	P	6 / 19/ 1939	-52.6	-0.26	3373.4	01	12	7	01
	P	7 / 19/ 1939	-52.8	-0.2	3373.2	01	12	7	01
	P	10 / 6 / 1939	-52.75	0.05	3373.25	01	12	7	01
	P	12 / 14/ 1939	-52.69	0.06	3373.31	01	12	7	01
	P	3 / 13/ 1940	-53.12	-0.43	3372.88	01	12	7	01
	P	11 / 14/ 1940	-53.4	-0.28	3372.6	01	12	7	01
	P	1 / 21/ 1941	-53.51	-0.11	3372.49	01	12	7	01
	P	3 / 4 / 1941	-53.57	-0.06	3372.43	01	12	7	01
	P	11 / 25/ 1941	-52.51	1.06	3373.49	01	12	7	01
	P	3 / 13/ 1942	-52.05	0.46	3373.95	01	12	7	01
	P	7 / 25/ 1942	-52.4	-0.35	3373.6	01	12	7	01
	P	10 / 29/ 1942	-52.63	-0.23	3373.37	01	12	7	01
	P	1 / 26/ 1943	-52.62	0.01	3373.38	01	12	7	01
	P	2 / 27/ 1944	-53.47	-0.85	3372.53	01	12	7	01
	P	2 / 24/ 1945	-54.03	-0.56	3371.97	01	12	7	01
	P	3 / 1 / 1946	-54.86	-0.83	3371.14	01	12	7	01
	P	1 / 21/ 1947	-56	-1.14	3370	01	12	7	01
	P	3 / 14/ 1947	-55.76	0.24	3370.24	01	12	7	01
	P	2 / 28/ 1948	-56.97	-1.21	3369.03	01	12	7	01

Min *-56.97* **Max** *-51.52* **Avg** *-52.7685*

1158414 *(Aquifer: 121OGLL Well Depth: 295)*

	P	8 / 25/ 1997	-140.74		3284.26	01	06	1
	P	2 / 4 / 1998	-141.2	-0.46	3283.8	01	06	1
	P	1 / 26/ 1999	-143	-1.8	3282	01	06	1
	P	2 / 1 / 2000	-144.3	-1.3	3280.7	01	06	1
	P	1 / 23/ 2001	-146.02	-1.72	3278.98	01	06	1
	P	2 / 15/ 2002	-147.51	-1.49	3277.49	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 24/ 2003	-148.82	-1.31	3276.18	01	06	1	
	P	1 / 30/ 2004	-149.87	-1.05	3275.13	01	06	1	
	P	2 / 16/ 2005	-150.31	-0.44	3274.69	01	06	1	
	P	1 / 12/ 2006	-150.55	-0.24	3274.45	01	06	1	
	P	1 / 11/ 2007	-151.14	-0.59	3273.86	01	06	1	
	N	1 / 16/ 2008				01	06		61
	N	2 / 2 / 2009				01	06		61
	N	1 / 15/ 2010				01	06		61
	N	1 / 21/ 2011				01	06		61
	N	2 / 7 / 2012				01	06		61

Min *-151.14* **Max** *-140.74* **Avg** *-146.678*

1158417 *(Aquifer: 121OGLL Well Depth: 335)*

	P	1 / 15/ 2010	-224.85		3217.15	01	06	1	
	P	2 / 14/ 2011	-225.33	-0.48	3216.67	01	06	1	
	P	2 / 7 / 2012	-230.29	-4.96	3211.71	01	06	1	

Min *-230.29* **Max** *-224.85* **Avg** *-226.823*

1158501 *(Aquifer: 121OGLL Well Depth: 210)*

	P	5 / 11/ 1936	-53.5		3352.5	01	12	7	01
	P	4 / 26/ 1937	-55.4	-1.9	3350.6	01	12	7	01
	P	6 / 7 / 1937	-55.74	-0.34	3350.26	01	12	7	01
	P	7 / 26/ 1937	-53.87	1.87	3352.13	01	12	7	01
	P	8 / 11/ 1937	-53.14	0.73	3352.86	01	12	7	01
	P	1 / 6 / 1938	-52.56	0.58	3353.44	01	12	7	01
	P	3 / 11/ 1938	-52.64	-0.08	3353.36	01	12	7	01
	P	4 / 12/ 1938	-52.6	0.04	3353.4	01	12	7	01
	P	6 / 2 / 1938	-53.78	-1.18	3352.22	01	12	7	01
	P	6 / 28/ 1938	-53.38	0.4	3352.62	01	12	7	01
	P	8 / 15/ 1938	-53.08	0.3	3352.92	01	12	7	01
	P	10 / 20/ 1938	-53.27	-0.19	3352.73	01	12	7	01
	P	12 / 9 / 1938	-53.14	0.13	3352.86	01	12	7	01
	P	6 / 19/ 1939	-54	-0.86	3352	01	12	7	01
	P	7 / 19/ 1939	-54		3352	01	12	7	01
	P	10 / 6 / 1939	-54.03	-0.03	3351.97	01	12	7	01
	P	12 / 14/ 1939	-54.11	-0.08	3351.89	01	12	7	01
	P	3 / 7 / 1940	-54.34	-0.23	3351.66	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/13/1940	-55.69	-1.35	3350.31	01	12	7	01
	P	1/21/1941	-55.37	0.32	3350.63	01	12	7	01
	P	3/ 4/1941	-55.52	-0.15	3350.48	01	12	7	01
	P	11/25/1941	-53.13	2.39	3352.87	01	12	7	01
	P	3/13/1942	-52.98	0.15	3353.02	01	12	7	01
	P	10/29/1942	-53.35	-0.37	3352.65	01	12	7	01
	P	1/24/1943	-53.21	0.14	3352.79	01	12	7	01
	P	2/17/1944	-53.98	-0.77	3352.02	01	12	7	01
	P	2/24/1945	-55.05	-1.07	3350.95	01	12	7	01
	P	3/ 1/1946	-57.82	-2.77	3348.18	01	12	7	01
	P	1/21/1947	-58.55	-0.73	3347.45	01	12	7	01
	P	3/14/1947	-57.93	0.62	3348.07	01	12	7	01
	P	2/28/1948	-59.86	-1.93	3346.14	01	12	7	01
	P	3/ 4/1949	-61.72	-1.86	3344.28	01	12	7	01
	P	2/16/1950	-61.86	-0.14	3344.14	01	12	7	01
	P	1/19/1951	-63.57	-1.71	3342.43	01	12	7	01
	P	1/30/1952	-63.72	-0.15	3342.28	01	12	7	01
	P	1/13/1953	-66.08	-2.36	3339.92	01	12	7	01
	P	1/ 8/1954	-68.5	-2.42	3337.5	01	12	7	01
	P	12/10/1954	-71.82	-3.32	3334.18	01	12	7	01
	P	1/17/1955	-71.33	0.49	3334.67	01	12	7	01
	P	1/12/1956	-72.26	-0.93	3333.74	01	12	7	01
	P	1/10/1957	-80.13	-7.87	3325.87	01	12	7	01
	P	1/16/1958	-85.49	-5.36	3320.51	01	12	7	01
	P	1/ 6/1959	-89.75	-4.26	3316.25	01	12	7	01
	P	1/20/1960	-89.35	0.4	3316.65	01	12	7	01
	P	1/10/1961	-92.77	-3.42	3313.23	01	04	1	
	N	1/11/1962				01	01		63
	P	1/ 4/1963	-88.62		3317.38	01	01	1	20
	P	1/ 8/1964	-91.8	-3.18	3314.2	01	01	1	
	N	1/ 9/1965				01	01	1	44
	P	1/ 8/1966	-97.78		3308.22	01	01	1	
	N	1/ 7/1967				01	01	1	44
	N	1/ 5/1968				01	01	1	44
	P	1/ 8/1969	-103.4		3302.6	01	01	1	
	N	1/ 9/1970				01	01	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-103.4*		**Max** *-52.56*	**Avg** *-63.4484*						
1158504	*(Aquifer: 310QRRM*		*Well Depth: 200)*						
	P	3 / 14/ 1947	-61.92		3351.08	01	12	7	01
	P	2 / 28/ 1948	-64.26	-2.34	3348.74	01	12	7	01
	P	3 / 4 / 1949	-66.21	-1.95	3346.79	01	12	7	01
	P	2 / 16/ 1950	-67.96	-1.75	3345.04	01	12	7	01
	P	1 / 19/ 1951	-69.66	-1.7	3343.34	01	12	7	01
	P	1 / 30/ 1952	-70.86	-1.2	3342.14	01	12	7	01
	P	1 / 13/ 1953	-75.92	-5.06	3337.08	01	12	7	01
	P	1 / 8 / 1954	-80.28	-4.36	3332.72	01	12	7	01
	P	1 / 17/ 1955	-87.72	-7.44	3325.28	01	12	7	01
	P	1 / 5 / 1959	-105.18	-17.5	3307.82	01	12	7	01
	P	1 / 19/ 1960	-110.85	-5.67	3302.15	01	12	7	01
	P	1 / 10/ 1961	-114.8	-3.95	3298.2	01	04	1	
	N	1 / 11/ 1962				01	01		42
Min *-114.8*		**Max** *-61.92*	**Avg** *-81.3017*						
1158506	*(Aquifer: 121OGLL*		*Well Depth: 56)*						
	P	5 / 11/ 1936	-51.1		3368.9	01	12	7	
	P	4 / 26/ 1937	-51.66	-0.56	3368.34	01	12	7	
	P	6 / 8 / 1937	-51.61	0.05	3368.39	01	12	7	
	P	7 / 17/ 1937	-51.66	-0.05	3368.34	01	12	7	
	P	8 / 11/ 1937	-51.78	-0.12	3368.22	01	12	7	
Min *-51.78*		**Max** *-51.1*	**Avg** *-51.562*						
1158507	*(Aquifer: 121OGLL*		*Well Depth: 67)*						
	P	7 / 17/ 1937	-40.36		3371.64	01	04	7	
	P	8 / 11/ 1937	-39.89	0.47	3372.11	01	04	7	
	P	8 / 30/ 1937	-39.4	0.49	3372.6	01	04	7	
	P	9 / 10/ 1937	-39.22	0.18	3372.78	01	04	7	
	P	10 / 2 / 1937	-38.85	0.37	3373.15	01	04	7	
	P	11 / 2 / 1937	-38.62	0.23	3373.38	01	04	7	
	P	1 / 6 / 1938	-39.58	-0.96	3372.42	01	04	7	
Min *-40.36*		**Max** *-38.62*	**Avg** *-39.4171*						
1158509	*(Aquifer: UNKNOWN*		*Well Depth:)*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 2008	-226.23		3191.77	01	06	1	
	P	2 / 3 / 2009	-229.66	-3.43	3188.34	01	06	1	
	P	1 / 15/ 2010	-232.3	-2.64	3185.7	01	06	1	
	P	1 / 21/ 2011	-235.38	-3.08	3182.62	01	06	1	
	P	2 / 10/ 2012	-239.58	-4.2	3178.42	01	06	1	

Min *-239.58* **Max** *-226.23* **Avg** *-232.63*

1158601 *(Aquifer: 121OGLL Well Depth: 309)*

	P	4 / 16/ 1934	-52.85		3337.15	01	12	7	01
	P	5 / 5 / 1936	-55.95	-3.1	3334.05	01	12	7	01
	P	3 / 17/ 1937	-53.43	2.52	3336.57	01	12	7	01
	P	4 / 26/ 1937	-54.41	-0.98	3335.59	01	12	7	01
	P	5 / 27/ 1937	-54.35	0.06	3335.65	01	12	7	01
	P	7 / 9 / 1937	-53.66	0.69	3336.34	01	12	7	01
	P	8 / 24/ 1937	-54.5	-0.84	3335.5	01	12	7	01
	P	9 / 10/ 1937	-53.47	1.03	3336.53	01	12	7	01
	P	10 / 2 / 1937	-53.31	0.16	3336.69	01	12	7	01
	P	11 / 2 / 1937	-52.16	1.15	3337.84	01	12	7	01
	P	12 / 1 / 1937	-53.03	-0.87	3336.97	01	12	7	01
	P	1 / 6 / 1938	-52.99	0.04	3337.01	01	12	7	01
	P	3 / 11/ 1938	-52.94	0.05	3337.06	01	12	7	01
	P	4 / 12/ 1938	-52.97	-0.03	3337.03	01	12	7	01
	P	6 / 28/ 1938	-53.69	-0.72	3336.31	01	12	7	01
	P	8 / 15/ 1938	-59.75	-6.06	3330.25	01	12	7	01
	P	10 / 20/ 1938	-53.88	5.87	3336.12	01	12	7	01
	P	12 / 9 / 1938	-52.76	1.12	3337.24	01	12	7	01
	P	1 / 5 / 1939	-53.65	-0.89	3336.35	01	12	7	01
	P	3 / 3 / 1939	-53.55	0.1	3336.45	01	12	7	01
	P	7 / 19/ 1939	-56.26	-2.71	3333.74	01	12	7	01
	P	8 / 16/ 1939	-54.94	1.32	3335.06	01	12	7	01
	P	10 / 6 / 1939	-55.42	-0.48	3334.58	01	12	7	01
	P	12 / 14/ 1939	-54.46	0.96	3335.54	01	12	7	01
	P	3 / 7 / 1940	-54.31	0.15	3335.69	01	12	7	01
	P	11 / 13/ 1940	-55.73	-1.42	3334.27	01	12	7	01
	P	1 / 21/ 1941	-55.31	0.42	3334.69	01	12	7	01
	P	3 / 4 / 1941	-58.97	-3.66	3331.03	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 25/ 1941	-54.4	4.57	3335.6	01	12	7	01
	P	3 / 13/ 1942	-53.86	0.54	3336.14	01	12	7	01
	P	10 / 29/ 1942	-54.04	-0.18	3335.96	01	12	7	01
	P	1 / 26/ 1943	-53.71	0.33	3336.29	01	12	7	01
	P	2 / 16/ 1944	-54.11	-0.4	3335.89	01	12	7	01
	P	2 / 24/ 1945	-54.89	-0.78	3335.11	01	12	7	01
	P	3 / 1 / 1946	-57.62	-2.73	3332.38	01	12	7	01
	P	1 / 20/ 1947	-57.57	0.05	3332.43	01	12	7	01
	P	3 / 14/ 1947	-57.34	0.23	3332.66	01	12	7	01
	P	2 / 28/ 1948	-59.9	-2.56	3330.1	01	12	7	01
	P	3 / 4 / 1949	-61.1	-1.2	3328.9	01	12	7	01
	P	2 / 20/ 1950	-62.45	-1.35	3327.55	01	12	7	01
	P	1 / 19/ 1951	-63.05	-0.6	3326.95	01	12	7	01
	P	1 / 28/ 1952	-66.68	-3.63	3323.32	01	12	7	01
	P	1 / 13/ 1953	-71.41	-4.73	3318.59	01	12	7	01
	P	1 / 8 / 1954	-77.82	-6.41	3312.18	01	12	7	01
	P	12 / 13/ 1954	-89.48	-11.7	3300.52	01	12	7	01
	P	1 / 17/ 1955	-86.13	3.35	3303.87	01	12	7	01
	P	1 / 13/ 1956	-98.15	-12.0	3291.85	01	12	7	01
	P	1 / 9 / 1957	-111.8	-13.7	3278.2	01	12	7	01
	P	1 / 16/ 1958	-112.14	-0.34	3277.86	01	12	7	01
	P	1 / 5 / 1959	-115.5	-3.36	3274.5	01	12	7	01
	P	1 / 19/ 1960	-122.1	-6.6	3267.9	01	12	7	01
	P	1 / 10/ 1961	-124.9	-2.8	3265.1	01	04	1	
	P	1 / 11/ 1962	-123.6	1.3	3266.4	01	01	2	
	N	1 / 5 / 1963				01	01		40

Min *-124.9* **Max** *-52.16* **Avg** *-65.4047*

1158602 *(Aquifer: 121OGLL Well Depth: 317)*

	P	12 / 28/ 1914	-62		3333	01	12	7	01
	P	4 / 16/ 1934	-57.36	4.64	3337.64	01	12	7	01
	P	5 / 5 / 1936	-60.33	-2.97	3334.67	01	12	7	01
	P	4 / 26/ 1937	-58.93	1.4	3336.07	01	12	7	01
	P	5 / 27/ 1937	-59.16	-0.23	3335.84	01	12	7	01
	P	7 / 12/ 1937	-59.23	-0.07	3335.77	01	12	7	01
	P	8 / 9 / 1937	-58.36	0.87	3336.64	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/24/1937	-59.07	-0.71	3335.93	01	12	7	01
	P	9/10/1937	-58.09	0.98	3336.91	01	12	7	01
	P	10/ 2/1937	-57.89	0.2	3337.11	01	12	7	01
	P	11/ 2/1937	-57.73	0.16	3337.27	01	12	7	01
	P	12/ 1/1937	-57.6	0.13	3337.4	01	12	7	01
	P	1/ 6/1938	-57.64	-0.04	3337.36	01	12	7	01
	P	3/11/1938	-57.6	0.04	3337.4	01	12	7	01
	P	4/12/1938	-57.65	-0.05	3337.35	01	12	7	01
	P	6/ 2/1938	-65.18	-7.53	3329.82	01	12	7	01
	P	6/28/1938	-58.36	6.82	3336.64	01	12	7	01
	P	8/15/1938	-61.41	-3.05	3333.59	01	12	7	01
	P	10/20/1938	-58.61	2.8	3336.39	01	12	7	01
	P	12/ 9/1938	-58.49	0.12	3336.51	01	12	7	01
	P	1/ 5/1939	-58.4	0.09	3336.6	01	12	7	01
	P	3/ 3/1939	-58.28	0.12	3336.72	01	12	7	01
	P	6/19/1939	-66.49	-8.21	3328.51	01	12	7	01
	P	7/19/1939	-60.92	5.57	3334.08	01	12	7	01
	P	8/16/1939	-59.69	1.23	3335.31	01	12	7	01
	P	10/ 6/1939	-60.13	-0.44	3334.87	01	12	7	01
	P	12/14/1939	-59.2	0.93	3335.8	01	12	7	01
	P	3/ 7/1940	-59.04	0.16	3335.96	01	12	7	01
	P	11/13/1940	-60.5	-1.46	3334.5	01	12	7	01
	P	1/21/1941	-60.14	0.36	3334.86	01	12	7	01
	P	3/ 4/1941	-61.06	-0.92	3333.94	01	12	7	01
	P	11/25/1941	-58.97	2.09	3336.03	01	12	7	01
	P	3/13/1942	-58.35	0.62	3336.65	01	12	7	01
	P	10/29/1942	-58.55	-0.2	3336.45	01	12	7	01
	P	1/26/1943	-58.2	0.35	3336.8	01	12	7	01
	P	2/16/1944	-58.8	-0.6	3336.2	01	12	7	01
	P	2/24/1945	-59.58	-0.78	3335.42	01	12	7	01
	P	3/ 1/1946	-62.3	-2.72	3332.7	01	12	7	01
	P	1/20/1947	-61.77	0.53	3333.23	01	12	7	01
	P	3/14/1947	-61.53	0.24	3333.47	01	12	7	01
	P	2/28/1948	-63.44	-1.91	3331.56	01	12	7	01
	P	3/ 4/1949	-65.7	-2.26	3329.3	01	12	7	01
	P	1/19/1951	-69.35	-3.65	3325.65	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 28/ 1952	-70.44	-1.09	3324.56	01	12	7	01
	P	1 / 13/ 1953	-73.9	-3.46	3321.1	01	12	7	01
	P	1 / 8 / 1954	-81.03	-7.13	3313.97	01	12	7	01

Min *-81.03* **Max** *-57.36* **Avg** *-61.0098*

1158603 *(Aquifer: 121OGLL Well Depth: 311)*

	P	12 / 13/ 1954	-91.25		3303.75	01	12	7	01
	P	1 / 17/ 1955	-90.65	0.6	3304.35	01	12	7	01
	P	1 / 16/ 1958	-118.01	-27.4	3276.99	01	12	7	01
	P	1 / 5 / 1959	-118.5	-0.49	3276.5	01	12	7	01
	P	1 / 19/ 1960	-122.9	-4.4	3272.1	01	12	7	01
	P	1 / 10/ 1961	-127.5	-4.6	3267.5	01	04	1	
	P	1 / 11/ 1962	-125.5	2	3269.5	01	01	2	
	P	1 / 5 / 1963	-129.01	-3.51	3265.99	01	01	1	
	P	1 / 9 / 1964	-131.67	-2.66	3263.33	01	01	1	
	P	1 / 9 / 1965	-139.78	-8.11	3255.22	01	01	1	
	P	1 / 8 / 1966	-144.3	-4.52	3250.7	01	01	1	
	P	1 / 7 / 1967	-148.5	-4.2	3246.5	01	01	1	
	P	1 / 5 / 1968	-152.9	-4.4	3242.1	01	01	1	
	P	1 / 8 / 1969	-146.62	6.28	3248.38	01	01	1	
	P	1 / 9 / 1970	-148.37	-1.75	3246.63	01	01	1	
	P	1 / 10/ 1971	-152.29	-3.92	3242.71	01	01	1	
	P	1 / 8 / 1972	-153.58	-1.29	3241.42	01	01	1	
	P	1 / 22/ 1973	-154.99	-1.41	3240.01	01	01	1	
	P	1 / 12/ 1974	-157.15	-2.16	3237.85	01	01	1	
	P	1 / 10/ 1975	-157.6	-0.45	3237.4	01	01	1	
	P	1 / 12/ 1976	-161.63	-4.03	3233.37	01	01	1	
	P	1 / 14/ 1977	-166.23	-4.6	3228.77	01	01	1	
	P	1 / 10/ 1978	-171	-4.77	3224	01	01	1	
	P	1 / 5 / 1979	-172.32	-1.32	3222.68	01	01	1	
	P	1 / 16/ 1980	-172.42	-0.1	3222.58	01	01	1	
	P	1 / 16/ 1982	-178.2	-5.78	3216.8	01	01	1	
	P	1 / 9 / 1984	-181.56	-3.36	3213.44	01	01	1	
	P	12 / 13/ 1985	-184.34	-2.78	3210.66	01	01	1	
	P	12 / 11/ 1986	-184.46	-0.12	3210.54	01	01	1	
	P	12 / 18/ 1987	-184.2	0.26	3210.8	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 10/ 1988	-184.8	-0.6	3210.2	01	01	2	
	P	12 / 5 / 1989	-185.94	-1.14	3209.06	01	01	1	
	P	12 / 10/ 1990	-187.43	-1.49	3207.57	01	01	1	
	P	12 / 10/ 1991	-189.18	-1.75	3205.82	01	01	1	
	P	1 / 26/ 1993	-187.76	1.42	3207.24	01	01	1	
	P	1 / 17/ 1994	-193.48	-5.72	3201.52	01	06	1	
	P	1 / 19/ 1995	-191.44	2.04	3203.56	01	06	1	
	P	1 / 19/ 1996	-192.55	-1.11	3202.45	01	06	1	
	P	2 / 4 / 1997	-196.79	-4.24	3198.21	01	06	1	
	N	1 / 19/ 1998				01	06		64

Min *-196.79* **Max** *-90.65* **Avg** *-158.379*

1158604 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 2 / 1998	-219.88		3179.12	01	06	1	
	P	1 / 28/ 1999	-214	5.88	3185	01	06	1	
	P	2 / 1 / 2000	-207.36	6.64	3191.64	01	06	1	
	P	2 / 27/ 2001	-209.78	-2.42	3189.22	01	06	1	
	P	2 / 15/ 2002	-212.23	-2.45	3186.77	01	06	1	
	N	4 / 2 / 2003				01	06	7	44
	N	1 / 30/ 2004				01	06	1	44
	N	2 / 9 / 2005				01	06	1	44

Min *-219.88* **Max** *-207.36* **Avg** *-212.65*

1158605 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 15/ 2004	-224.85		3160.15	01	06	1	
	P	2 / 9 / 2005	-215.37	9.48	3169.63	01	06	1	
	P	1 / 13/ 2006	-220.7	-5.33	3164.3	01	06	1	
	P	1 / 10/ 2007	-224.38	-3.68	3160.62	01	06	1	
	P	1 / 16/ 2008	-228.71	-4.33	3156.29	01	06	1	
	N	3 / 6 / 2009				01	06		41
	P	1 / 15/ 2010	-233.56		3151.44	01	06	1	
	P	1 / 21/ 2011	-245.63	-12.1	3139.37	01	06	1	
	P	2 / 10/ 2012	-254.39	-8.76	3130.61	01	06	1	

Min *-254.39* **Max** *-215.37* **Avg** *-230.949*

1158701 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 27/ 1954	-96.45		3326.55	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1956	-99.53	-3.08	3323.47	01	12	7	01
	P	1 / 10/ 1957	-104.12	-4.59	3318.88	01	12	7	01
	P	1 / 16/ 1958	-106.4	-2.28	3316.6	01	12	7	01
	P	1 / 6 / 1959	-107.24	-0.84	3315.76	01	12	7	01
	P	1 / 20/ 1960	-110.4	-3.16	3312.6	01	12	7	01
	P	1 / 10/ 1961	-112.35	-1.95	3310.65	01	04	1	
	P	1 / 8 / 1962	-112.95	-0.6	3310.05	01	01	1	
	N	1 / 4 / 1963				01	01	1	45

Min *-112.95* **Max** *-96.45* **Avg** *-106.18*

1158702 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 16/ 1937	-65.12		3357.88	01	12	7	01
	P	7 / 17/ 1937	-65.08	0.04	3357.92	01	12	7	01
	P	8 / 8 / 1937	-65.1	-0.02	3357.9	01	12	7	01
	P	4 / 13/ 1938	-65.22	-0.12	3357.78	01	12	7	01
	P	8 / 10/ 1938	-65.04	0.18	3357.96	01	12	7	01
	P	10 / 18/ 1938	-64.98	0.06	3358.02	01	12	7	01
	P	3 / 7 / 1939	-65.02	-0.04	3357.98	01	12	7	01
	P	6 / 23/ 1939	-65.11	-0.09	3357.89	01	12	7	01
	P	12 / 17/ 1939	-65.27	-0.16	3357.73	01	12	7	01
	P	3 / 7 / 1940	-65.22	0.05	3357.78	01	12	7	01
	P	11 / 13/ 1940	-65.8	-0.58	3357.2	01	12	7	01
	P	1 / 21/ 1941	-65.57	0.23	3357.43	01	12	7	01
	P	3 / 11/ 1941	-65.61	-0.04	3357.39	01	12	7	01
	P	7 / 25/ 1941	-65.39	0.22	3357.61	01	12	7	01
	P	11 / 25/ 1941	-65.3	0.09	3357.7	01	12	7	01
	P	3 / 13/ 1942	-65.17	0.13	3357.83	01	12	7	01
	P	7 / 23/ 1942	-65.04	0.13	3357.96	01	12	7	01
	P	10 / 29/ 1942	-65.03	0.01	3357.97	01	12	7	01
	P	1 / 24/ 1943	-64.89	0.14	3358.11	01	12	7	01
	P	2 / 17/ 1944	-64.85	0.04	3358.15	01	12	7	01
	P	3 / 5 / 1946	-66.68	-1.83	3356.32	01	12	7	01
	P	1 / 21/ 1947	-68.38	-1.7	3354.62	01	12	7	01
	P	1 / 14/ 1953	-85.8	-17.4	3337.2	01	12	7	01
	P	1 / 8 / 1954	-93.76	-7.96	3329.24	01	12	7	01

Min *-93.76* **Max** *-64.85* **Avg** *-67.4346*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1158703	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	2 / 4 / 1971	-120.35		3302.65	01	01	1	
	P	1 / 8 / 1972	-123.43	-3.08	3299.57	01	01	1	
	P	1 / 22/ 1973	-120.87	2.56	3302.13	01	01	1	20
	P	1 / 11/ 1974	-126.75	-5.88	3296.25	01	01	1	
	P	1 / 10/ 1975	-130.53	-3.78	3292.47	01	01	1	
	P	1 / 12/ 1976	-130.77	-0.24	3292.23	01	01	1	
	P	1 / 14/ 1977	-133.29	-2.52	3289.71	01	01	1	
	P	1 / 10/ 1978	-133.3	-0.01	3289.7	01	01	1	
	P	1 / 6 / 1979	-138.28	-4.98	3284.72	01	01	1	
	P	1 / 16/ 1980	-140.67	-2.39	3282.33	01	01	1	
	P	1 / 19/ 1981	-145.67	-5	3277.33	01	01	1	
	P	1 / 17/ 1983	-150.29	-4.62	3272.71	01	01	1	
	P	1 / 14/ 1985	-152.27	-1.98	3270.73	01	01	1	
	P	12 / 14/ 1985	-148.82	3.45	3274.18	01	01	1	
	P	12 / 18/ 1987	-148.3	0.52	3274.7	01	01	1	
	P	12 / 10/ 1988	-144.35	3.95	3278.65	01	01	1	
	P	12 / 5 / 1989	-144.54	-0.19	3278.46	01	01	1	
	P	12 / 10/ 1990	-148.8	-4.26	3274.2	01	01	1	
	P	12 / 10/ 1991	-150.34	-1.54	3272.66	01	01	1	
	P	1 / 26/ 1993	-147.86	2.48	3275.14	01	01	1	
	P	1 / 19/ 1994	-149.85	-1.99	3273.15	01	06	1	
	P	1 / 19/ 1995	-152.42	-2.57	3270.58	01	06	1	
	P	1 / 19/ 1996	-154	-1.58	3269	01	06	1	
	P	2 / 4 / 1997	-157.11	-3.11	3265.89	01	06	1	
	P	1 / 19/ 1998	-155.76	1.35	3267.24	01	06	1	
	P	1 / 28/ 1999	-160	-4.24	3263	01	06	1	
	P	2 / 1 / 2000	-161.3	-1.3	3261.7	01	06	1	
	P	1 / 5 / 2001	-165.28	-3.98	3257.72	01	06	1	
	P	2 / 15/ 2002	-164.7	0.58	3258.3	01	06	1	
	P	2 / 24/ 2003	-167.65	-2.95	3255.35	01	06	1	
	P	1 / 30/ 2004	-167.22	0.43	3255.78	01	06	1	
	P	2 / 16/ 2005	-165.88	1.34	3257.12	01	06	1	
	P	1 / 16/ 2006	-166.37	-0.49	3256.63	01	06	1	
	P	1 / 12/ 2007	-166.24	0.13	3256.76	01	06	1	
	N	1 / 17/ 2008				01	06	1	47

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 4 / 2009				01	06	1	47
	N	1 / 18/ 2010				01	06	1	47
	N	1 / 18/ 2011				01	06	1	47
	N	2 / 7 / 2012				01	06	1	47

Min *-167.65* **Max** *-120.35* **Avg** *-148.037*

1158706 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 18/ 2010	-220.73		3214.27	01	06	1
	P	2 / 14/ 2011	-221.77	-1.04	3213.23	01	06	1
	P	3 / 5 / 2012	-233.86	-12.1	3201.14	01	06	1

Min *-233.86* **Max** *-220.73* **Avg** *-225.453*

1158801 *(Aquifer: 121OGLL Well Depth: 255)*

	P	1 / 20/ 1977	-93.92		3300.08	01	01	1
	P	1 / 10/ 1978	-94.56	-0.64	3299.44	01	01	1
	P	1 / 6 / 1979	-97.4	-2.84	3296.6	01	01	1
	P	1 / 16/ 1980	-95.39	2.01	3298.61	01	01	1
	P	1 / 16/ 1982	-99.42	-4.03	3294.58	01	01	1
	P	1 / 9 / 1984	-97.39	2.03	3296.61	01	01	1
	P	12 / 14/ 1985	-101.15	-3.76	3292.85	01	01	1
	P	12 / 11/ 1986	-97.72	3.43	3296.28	01	01	1
	P	1 / 13/ 1988	-111.6	-13.9	3282.4	01	01	1
	P	12 / 10/ 1988	-96.6	15	3297.4	01	01	2
	P	12 / 5 / 1989	-96.26	0.34	3297.74	01	01	1
	P	12 / 10/ 1990	-96.12	0.14	3297.88	01	01	1
	P	12 / 10/ 1991	-96.7	-0.58	3297.3	01	01	1
	P	1 / 19/ 1994	-97.7	-1	3296.3	01	06	1
	P	1 / 19/ 1995	-98.49	-0.79	3295.51	01	06	1
	P	1 / 19/ 1996	-96.92	1.57	3297.08	01	06	1
	P	2 / 4 / 1997	-98.64	-1.72	3295.36	01	06	1
	P	1 / 19/ 1998	-99	-0.36	3295	01	06	1
	P	1 / 28/ 1999	-100	-1	3294	01	06	1
	P	2 / 1 / 2000	-100.25	-0.25	3293.75	01	06	1
	P	1 / 23/ 2001	-101.03	-0.78	3292.97	01	06	1
	P	2 / 15/ 2002	-101.5	-0.47	3292.5	01	06	1
	P	2 / 24/ 2003	-102.26	-0.76	3291.74	01	06	1
	P	1 / 30/ 2004	-104.2	-1.94	3289.8	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 16/ 2005	-104.65	-0.45	3289.35	01	06	1	
	P	1 / 16/ 2006	-105.49	-0.84	3288.51	01	06	1	
	P	1 / 12/ 2007	-104.75	0.74	3289.25	01	06	1	
	P	1 / 17/ 2008	-106.07	-1.32	3287.93	01	06	1	
	P	2 / 4 / 2009	-104.92	1.15	3289.08	01	06	1	
	P	2 / 26/ 2010	-104.98	-0.06	3289.02	01	06	1	
	P	1 / 19/ 2011	-108	-3.02	3286	01	06	1	
	P	2 / 10/ 2012	-114.65	-6.65	3279.35	01	06	1	

Min *-114.65* **Max** *-93.92* **Avg** *-100.867*

1158901 *(Aquifer: 121OGLL Well Depth: 225)*

	P	10 / 18/ 1979	-101.75		3237.25	01	06	1	
	P	1 / 2 / 1980	-102	-0.25	3237	01	06	1	
	P	1 / 12/ 1981	-103.57	-1.57	3235.43	01	06	1	
	P	1 / 6 / 1982	-102.74	0.83	3236.26	01	06	1	20
	P	2 / 23/ 1983	-104.01	-1.27	3234.99	01	06	1	
	P	1 / 3 / 1984	-100.98	3.03	3238.02	01	06	1	
	P	1 / 17/ 1986	-99.15	1.83	3239.85	01	06	1	
	P	1 / 12/ 1987	-96.44	2.71	3242.56	01	06	1	
	P	1 / 18/ 1988	-97.5	-1.06	3241.5	01	06	1	
	P	1 / 4 / 1989	-99.62	-2.12	3239.38	01	06	1	
	P	1 / 7 / 1990	-96.58	3.04	3242.42	01	06	1	
	P	1 / 14/ 1991	-99.78	-3.2	3239.22	01	06	1	
	P	1 / 6 / 1992	-102.97	-3.19	3236.03	01	06	1	
	P	1 / 18/ 1993	-103.47	-0.5	3235.53	01	06	1	
	P	1 / 19/ 1994	-103.95	-0.48	3235.05	01	06	1	
	P	1 / 19/ 1995	-104	-0.05	3235	01	06	1	
	P	1 / 19/ 1996	-103.75	0.25	3235.25	01	06	1	
	P	2 / 4 / 1997	-103.71	0.04	3235.29	01	06	1	
	P	1 / 19/ 1998	-103.86	-0.15	3235.14	01	06	1	
	P	1 / 28/ 1999	-104	-0.14	3235	01	06	1	
	P	2 / 1 / 2000	-103.88	0.12	3235.12	01	06	1	
	P	1 / 23/ 2001	-104.4	-0.52	3234.6	01	06	1	
	P	2 / 15/ 2002	-104.4		3234.6	01	06	1	
	P	2 / 24/ 2003	-104.67	-0.27	3234.33	01	06	1	
	P	1 / 30/ 2004	-104.58	0.09	3234.42	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 9 / 2005	-103.58	1	3235.42	01	06	1	
	P	1 / 16/ 2006	-104.11	-0.53	3234.89	01	06	1	
	P	1 / 12/ 2007	-103.78	0.33	3235.22	01	06	1	
	P	1 / 16/ 2008	-103.81	-0.03	3235.19	01	06	1	
	P	2 / 3 / 2009	-103.8	0.01	3235.2	01	06	1	
	P	1 / 15/ 2010	-104	-0.2	3235	01	06	1	
	P	1 / 19/ 2011	-103.85	0.15	3235.15	01	06	1	
	P	2 / 10/ 2012	-104.49	-0.64	3234.51	01	06	1	

Min *-104.67* **Max** *-96.44* **Avg** *-102.642*

1159101 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 4 / 1949	-64.63		3322.37	01	12	7	01
	P	2 / 16/ 1950	-68.37	-3.74	3318.63	01	12	7	01
	P	1 / 30/ 1952	-72.88	-4.51	3314.12	01	12	7	01
	P	1 / 13/ 1953	-77.68	-4.8	3309.32	01	12	7	01
	P	1 / 8 / 1954	-87.39	-9.71	3299.61	01	12	7	01
	P	12 / 13/ 1954	-99.23	-11.8	3287.77	01	12	7	01
	P	1 / 17/ 1955	-96.09	3.14	3290.91	01	12	7	01
	P	1 / 13/ 1956	-103.45	-7.36	3283.55	01	12	7	01
	P	1 / 8 / 1957	-108.5	-5.05	3278.5	01	12	7	01
	P	1 / 16/ 1958	-113.76	-5.26	3273.24	01	12	7	01
	P	1 / 5 / 1959	-115.14	-1.38	3271.86	01	12	7	01
	P	1 / 19/ 1960	-121.34	-6.2	3265.66	01	12	7	01
	P	1 / 12/ 1961	-122.72	-1.38	3264.28	01	04	1	
	P	1 / 12/ 1962	-123.69	-0.97	3263.31	01	01	1	
	P	1 / 4 / 1963	-129.18	-5.49	3257.82	01	01	1	
	P	1 / 9 / 1964	-131.16	-1.98	3255.84	01	01	1	
	P	1 / 9 / 1965	-138.82	-7.66	3248.18	01	01	1	
	P	1 / 8 / 1966	-142.04	-3.22	3244.96	01	01	1	
	P	1 / 7 / 1967	-145.29	-3.25	3241.71	01	01	1	
	P	1 / 5 / 1968	-149.09	-3.8	3237.91	01	01	1	
	P	1 / 8 / 1969	-148.78	0.31	3238.22	01	01	1	
	P	1 / 4 / 1970	-151.85	-3.07	3235.15	01	01	1	
	P	1 / 10/ 1971	-157.85	-6	3229.15	01	01	1	
	P	1 / 7 / 1972	-161.02	-3.17	3225.98	01	01	1	
	P	1 / 17/ 1973	-161.93	-0.91	3225.07	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1974	-164.66	-2.73	3222.34	01	01	1	
	P	1 / 11/ 1975	-167.98	-3.32	3219.02	01	01	1	
	P	1 / 12/ 1976	-172.59	-4.61	3214.41	01	01	1	
	P	1 / 14/ 1977	-177.88	-5.29	3209.12	01	01	1	
	P	1 / 10/ 1978	-181.45	-3.57	3205.55	01	01	1	
	N	1 / 5 / 1979				01	01	1	44
	P	1 / 16/ 1980	-184.87		3202.13	01	01	1	
	N	1 / 14/ 1983				01	01	1	44
	N	1 / 9 / 1984				01	01		63
	N	1 / 11/ 1985				01	01		63

Min *-184.87* **Max** *-64.63* **Avg** *-130.365*

1159102 *(Aquifer: 121OGLL Well Depth: 181)*

	P	0 / 0 / 1914	-57.5		3326.5	01	12	7	01
	P	5 / 6 / 1936	-57.75	-0.25	3326.25	01	12	7	01
	P	4 / 26/ 1937	-59	-1.25	3325	01	12	7	01
	P	6 / 8 / 1937	-58.34	0.66	3325.66	01	12	7	01
	P	7 / 12/ 1937	-58.17	0.17	3325.83	01	12	7	01
	P	7 / 19/ 1937	-58.24	-0.07	3325.76	01	12	7	01
	P	8 / 9 / 1937	-58.2	0.04	3325.8	01	12	7	01
	P	1 / 8 / 1938	-57.6	0.6	3326.4	01	12	7	01
	P	3 / 11/ 1938	-57.81	-0.21	3326.19	01	12	7	01
	P	4 / 12/ 1938	-57.76	0.05	3326.24	01	12	7	01
	P	6 / 2 / 1938	-58.3	-0.54	3325.7	01	12	7	01
	P	8 / 10/ 1938	-58.2	0.1	3325.8	01	12	7	01
	P	10 / 20/ 1938	-58.55	-0.35	3325.45	01	12	7	01
	P	12 / 7 / 1938	-58.37	0.18	3325.63	01	12	7	01
	P	3 / 3 / 1939	-58.29	0.08	3325.71	01	12	7	01
	P	6 / 26/ 1939	-58.82	-0.53	3325.18	01	12	7	01
	P	8 / 16/ 1939	-59.11	-0.29	3324.89	01	12	7	01
	P	10 / 6 / 1939	-59.08	0.03	3324.92	01	12	7	01
	P	12 / 14/ 1939	-59.4	-0.32	3324.6	01	12	7	01
	P	3 / 7 / 1940	-59	0.4	3325	01	12	7	01
	P	11 / 14/ 1940	-61.91	-2.91	3322.09	01	12	7	01
	P	1 / 21/ 1941	-61.08	0.83	3322.92	01	12	7	01
	P	3 / 4 / 1941	-60.9	0.18	3323.1	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 24/ 1941	-60.14	0.76	3323.86	01	12	7	01
	P	3 / 12/ 1942	-60.08	0.06	3323.92	01	12	7	01
	P	10 / 8 / 1942	-60.83	-0.75	3323.17	01	12	7	01
	P	1 / 26/ 1943	-60.01	0.82	3323.99	01	12	7	01
	P	2 / 8 / 1944	-60.7	-0.69	3323.3	01	12	7	01
	P	2 / 13/ 1945	-61.72	-1.02	3322.28	01	12	7	01
	P	2 / 28/ 1946	-62.67	-0.95	3321.33	01	12	7	01

Min *-62.67* **Max** *-57.5* **Avg** *-59.251*

1159103 *(Aquifer: 121OGLL Well Depth: 181)*

	P	1 / 20/ 1947	-64.63		3318.37	01	12	7	01
	P	3 / 14/ 1947	-64.58	0.05	3318.42	01	12	7	01
	P	2 / 26/ 1948	-65.73	-1.15	3317.27	01	12	7	01
	P	3 / 16/ 1949	-69.63	-3.9	3313.37	01	12	7	01
	P	2 / 16/ 1950	-69.54	0.09	3313.46	01	12	7	01
	P	1 / 19/ 1951	-69.87	-0.33	3313.13	01	12	7	01
	P	1 / 28/ 1952	-74.89	-5.02	3308.11	01	12	7	01
	P	1 / 13/ 1953	-80.05	-5.16	3302.95	01	12	7	01
	P	1 / 8 / 1954	-89.04	-8.99	3293.96	01	12	7	01
	P	1 / 13/ 1955	-97.79	-8.75	3285.21	01	12	7	01
	P	1 / 13/ 1956	-105.83	-8.04	3277.17	01	12	7	01
	P	1 / 9 / 1957	-114.87	-9.04	3268.13	01	12	7	01
	P	1 / 16/ 1958	-123.16	-8.29	3259.84	01	12	7	01
	P	1 / 5 / 1959	-124.02	-0.86	3258.98	01	12	7	01
	P	1 / 12/ 1962	-136.07	-12.1	3246.93	01	01	1	03
	P	1 / 4 / 1963	-137.8	-1.73	3245.2	01	01	1	
	P	1 / 9 / 1964	-140.55	-2.75	3242.45	01	01	1	
	P	1 / 9 / 1965	-149.52	-8.97	3233.48	01	01	1	
	P	1 / 8 / 1966	-152.05	-2.53	3230.95	01	01	1	
	P	1 / 7 / 1967	-155.67	-3.62	3227.33	01	01	1	
	P	1 / 5 / 1968	-160.2	-4.53	3222.8	01	01	1	
	N	1 / 8 / 1969				01	01	1	44
	P	1 / 4 / 1970	-164.11		3218.89	01	01	1	
	N	1 / 10/ 1971				01	01	1	46

Min *-164.11* **Max** *-64.58* **Avg** *-109.527*

1159104 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 7 / 1936	-55.36		3326.64	01	12	7	01
	P	4 / 24/ 1937	-55.89	-0.53	3326.11	01	12	7	01
	P	6 / 8 / 1937	-56.03	-0.14	3325.97	01	12	7	01
	P	7 / 12/ 1937	-55.93	0.1	3326.07	01	12	7	01
	P	7 / 19/ 1937	-56.07	-0.14	3325.93	01	12	7	01
	P	8 / 9 / 1937	-56.06	0.01	3325.94	01	12	7	01
	P	1 / 8 / 1938	-55.49	0.57	3326.51	01	12	7	01
	P	3 / 11/ 1938	-55.46	0.03	3326.54	01	12	7	01
	P	4 / 12/ 1938	-55.47	-0.01	3326.53	01	12	7	01
	P	6 / 2 / 1938	-55.7	-0.23	3326.3	01	12	7	01
	P	6 / 28/ 1938	-55.94	-0.24	3326.06	01	12	7	01
	P	8 / 10/ 1938	-55.94		3326.06	01	12	7	01
	P	10 / 20/ 1938	-56.2	-0.26	3325.8	01	12	7	01
	P	12 / 7 / 1938	-56.24	-0.04	3325.76	01	12	7	01
	P	3 / 3 / 1939	-56.3	-0.06	3325.7	01	12	7	01
	P	6 / 26/ 1939	-56.6	-0.3	3325.4	01	12	7	01
	P	8 / 16/ 1939	-56.75	-0.15	3325.25	01	12	7	01
	P	10 / 6 / 1939	-57.04	-0.29	3324.96	01	12	7	01
	P	12 / 14/ 1939	-57.1	-0.06	3324.9	01	12	7	01
	P	3 / 7 / 1940	-52.36	4.74	3329.64	01	12	7	01
	P	11 / 14/ 1940	-53.88	-1.52	3328.12	01	12	7	01
	P	1 / 21/ 1941	-58.88	-5	3323.12	01	12	7	01
	P	3 / 4 / 1941	-58.82	0.06	3323.18	01	12	7	01

Min *-58.88* **Max** *-52.36* **Avg** *-56.0657*

1159105 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 5 / 1936	-50.07		3338.93	01	12	7	01
	P	4 / 24/ 1937	-50.84	-0.77	3338.16	01	12	7	01
	P	5 / 27/ 1937	-50.97	-0.13	3338.03	01	12	7	01
	P	7 / 12/ 1937	-50.84	0.13	3338.16	01	12	7	01
	P	7 / 26/ 1937	-50.92	-0.08	3338.08	01	12	7	01
	P	8 / 24/ 1937	-50.84	0.08	3338.16	01	12	7	01
	P	8 / 30/ 1937	-50.79	0.05	3338.21	01	12	7	01
	P	9 / 10/ 1937	-50.72	0.07	3338.28	01	12	7	01
	P	10 / 2 / 1937	-50.52	0.2	3338.48	01	12	7	01
	P	11 / 2 / 1937	-50.36	0.16	3338.64	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 1 / 1937	-50.2	0.16	3338.8	01	12	7	01
	P	1 / 8 / 1938	-50.16	0.04	3338.84	01	12	7	01
	P	3 / 11/ 1938	-50.29	-0.13	3338.71	01	12	7	01
	P	4 / 12/ 1938	-50.32	-0.03	3338.68	01	12	7	01
	P	6 / 28/ 1938	-50.83	-0.51	3338.17	01	12	7	01
	P	8 / 10/ 1938	-50.94	-0.11	3338.06	01	12	7	01
	P	10 / 19/ 1938	-51.14	-0.2	3337.86	01	12	7	01
	P	12 / 7 / 1938	-51.21	-0.07	3337.79	01	12	7	01
	P	3 / 3 / 1939	-51.24	-0.03	3337.76	01	12	7	01
	P	6 / 19/ 1939	-51.67	-0.43	3337.33	01	12	7	01
	P	8 / 16/ 1939	-51.77	-0.1	3337.23	01	12	7	01
	P	10 / 6 / 1939	-52.03	-0.26	3336.97	01	12	7	01
	P	12 / 14/ 1939	-52.04	-0.01	3336.96	01	12	7	01
	P	3 / 7 / 1940	-52.16	-0.12	3336.84	01	12	7	01
	P	11 / 14/ 1940	-53.68	-1.52	3335.32	01	12	7	01
	P	1 / 21/ 1941	-53.65	0.03	3335.35	01	12	7	01
	P	3 / 4 / 1941	-53.78	-0.13	3335.22	01	12	7	01
	P	11 / 25/ 1941	-52.8	0.98	3336.2	01	12	7	01
	P	3 / 12/ 1942	-52.26	0.54	3336.74	01	12	7	01
	P	10 / 12/ 1942	-53.59	-1.33	3335.41	01	12	7	01
	P	1 / 16/ 1943	-52.84	0.75	3336.16	01	12	7	01
	P	2 / 8 / 1944	-54.7	-1.86	3334.3	01	12	7	01
	P	2 / 13/ 1945	-55.55	-0.85	3333.45	01	12	7	01
	P	3 / 1 / 1946	-54.88	0.67	3334.12	01	12	7	01
	P	1 / 21/ 1947	-55.13	-0.25	3333.87	01	12	7	01
	P	3 / 14/ 1947	-53.12	2.01	3335.88	01	12	7	01
	P	2 / 26/ 1948	-52.31	0.81	3336.69	01	12	7	01

Min *-55.55* **Max** *-50.07* **Avg** *-51.9232*

1159106 *(Aquifer: 121OGLL Well Depth:)*

	P	6 / 16/ 1936	-59.07		3324.93	01	12	7
	P	6 / 28/ 1937	-60	-0.93	3324	01	12	7
	P	1 / 8 / 1938	-58.7	1.3	3325.3	01	12	7
	P	3 / 3 / 1939	-59.25	-0.55	3324.75	01	12	7

Min *-60* **Max** *-58.7* **Avg** *-59.255*

1159109 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 1994	-225.01		3162.99	01	06	1	
	P	1 / 17/ 1995	-227.28	-2.27	3160.72	01	06	1	
	P	1 / 25/ 1996	-227.91	-0.63	3160.09	01	06	1	
	P	2 / 3 / 1997	-234.32	-6.41	3153.68	01	06	1	
	P	1 / 12/ 1998	-234.64	-0.32	3153.36	01	06	1	
	P	1 / 25/ 1999	-236	-1.36	3152	01	06	1	
	P	1 / 31/ 2000	-237.79	-1.79	3150.21	01	06	1	
	P	1 / 23/ 2001	-241.62	-3.83	3146.38	01	06	1	
	P	2 / 11/ 2002	-243.21	-1.59	3144.79	01	06	1	
	P	2 / 25/ 2003	-243.62	-0.41	3144.38	01	06	1	
	N	1 / 30/ 2004				01	06		62
	N	2 / 9 / 2005				01	06		62

Min *-243.62* **Max** *-225.01* **Avg** *-235.14*

1159110 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 15/ 2004	-253.66		3133.34	01	06	1	
	P	2 / 9 / 2005	-254.93	-1.27	3132.07	01	06	1	
	P	1 / 17/ 2006	-255.03	-0.1	3131.97	01	06	1	
	P	1 / 10/ 2007	-257.95	-2.92	3129.05	01	06	1	
	N	1 / 17/ 2008				01	06	7	44
	P	2 / 3 / 2009	-260.83		3126.17	01	06	1	
	P	1 / 15/ 2010	-262.9	-2.07	3124.1	01	06	1	
	P	1 / 21/ 2011	-263.07	-0.17	3123.93	01	06	1	
	P	2 / 10/ 2012	-268.34	-5.27	3118.66	01	06	1	

Min *-268.34* **Max** *-253.66* **Avg** *-259.589*

1159201 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 7 / 1936	-31.83		3313.17	01	04	7	
	P	4 / 26/ 1937	-33	-1.17	3312	01	04	7	
	P	6 / 24/ 1938	-33.15	-0.15	3311.85	01	04	7	
	P	10 / 20/ 1938	-33.3	-0.15	3311.7	01	04	7	
	P	3 / 3 / 1939	-33.48	-0.18	3311.52	01	04	7	
	P	6 / 26/ 1939	-33.71	-0.23	3311.29	01	04	7	
	P	8 / 16/ 1939	-33.81	-0.1	3311.19	01	04	7	
	P	10 / 5 / 1939	-33.83	-0.02	3311.17	01	04	7	

Min *-33.83* **Max** *-31.83* **Avg** *-33.2638*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1159202	*(Aquifer: 121OGLL*		*Well Depth: 315)*						
	P	1 / 17/ 1977	-184.67		3157.33	01	01	1	
	P	1 / 10/ 1978	-170.95	13.72	3171.05	01	01	1	
	P	1 / 5 / 1979	-181.41	-10.5	3160.59	01	01	1	
	P	1 / 17/ 1980	-177.26	4.15	3164.74	01	01	1	
	P	1 / 14/ 1983	-198.06	-20.8	3143.94	01	01	1	
	P	1 / 11/ 1985	-200.08	-2.02	3141.92	01	01	1	
	P	12 / 16/ 1985	-199.15	0.93	3142.85	01	01	1	
	P	12 / 11/ 1986	-198.69	0.46	3143.31	01	01	1	
	P	1 / 13/ 1988	-208.84	-10.2	3133.16	01	01	1	
	N	12 / 11/ 1988				01	01		63
	P	12 / 5 / 1989	-202.81		3139.19	01	01	1	
	P	12 / 12/ 1990	-205.5	-2.69	3136.5	01	01	1	
	P	12 / 12/ 1991	-207.25	-1.75	3134.75	01	01	1	
	P	1 / 27/ 1993	-204.7	2.55	3137.3	01	01	1	
	P	1 / 19/ 1994	-209.1	-4.4	3132.9	01	06	1	
	P	1 / 17/ 1995	-212.69	-3.59	3129.31	01	06	1	
	P	1 / 25/ 1996	-216.35	-3.66	3125.65	01	06	1	
	P	2 / 3 / 1997	-219.84	-3.49	3122.16	01	06	1	
	P	1 / 9 / 1998	-220.2	-0.36	3121.8	01	06	1	
	P	1 / 28/ 1999	-224	-3.8	3118	01	06	1	
	P	1 / 31/ 2000	-223.76	0.24	3118.24	01	06	1	
	P	1 / 23/ 2001	-226.45	-2.69	3115.55	01	06	1	
	P	3 / 1 / 2002	-225.65	0.8	3116.35	01	06	1	
	P	2 / 25/ 2003	-228.68	-3.03	3113.32	01	06	1	
	P	1 / 30/ 2004	-232.25	-3.57	3109.75	01	06	1	
	P	3 / 8 / 2005	-230.9	1.35	3111.1	01	06	1	
	P	1 / 16/ 2006	-232.9	-2	3109.1	01	06	1	
	N	1 / 7 / 2007				01	06		61
	P	1 / 17/ 2008	-237.01		3104.99	01	06	1	
	P	2 / 3 / 2009	-241.35	-4.34	3100.65	01	06	1	
	P	1 / 18/ 2010	-242.54	-1.19	3099.46	01	06	1	
	P	1 / 21/ 2011	-242.69	-0.15	3099.31	01	06	1	
	P	2 / 9 / 2012	-248.82	-6.13	3093.18	01	06	1	

Min ***-248.82*** **Max** ***-170.95*** **Avg** ***-214.663***

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1159301	*(Aquifer: 121OGLL*		*Well Depth: 185)*						
	P	11 / 28/ 1945	-43.54		3295.46	01	12	7	01
	P	3 / 14/ 1947	-46.8	-3.26	3292.2	01	12	7	01
	P	2 / 26/ 1948	-49.16	-2.36	3289.84	01	12	7	01
	P	3 / 3 / 1949	-50.98	-1.82	3288.02	01	12	7	01
	P	2 / 16/ 1950	-51.95	-0.97	3287.05	01	12	7	01
	P	1 / 22/ 1951	-54.55	-2.6	3284.45	01	12	7	01
	P	1 / 25/ 1952	-57.3	-2.75	3281.7	01	12	7	01
	P	1 / 14/ 1953	-62.92	-5.62	3276.08	01	12	7	01
	P	1 / 7 / 1954	-66.67	-3.75	3272.33	01	12	7	01
	P	12 / 13/ 1954	-74.15	-7.48	3264.85	01	12	7	01
	P	1 / 13/ 1955	-73.63	0.52	3265.37	01	12	7	01
	P	1 / 16/ 1956	-80.99	-7.36	3258.01	01	12	7	01
	P	1 / 9 / 1957	-86.73	-5.74	3252.27	01	12	7	01
	P	1 / 15/ 1958	-90.48	-3.75	3248.52	01	12	7	01
	P	1 / 7 / 1959	-95.9	-5.42	3243.1	01	12	7	01
	P	1 / 20/ 1960	-103.65	-7.75	3235.35	01	12	7	01
	P	1 / 12/ 1961	-107.4	-3.75	3231.6	01	04	1	
	P	1 / 12/ 1962	-108.58	-1.18	3230.42	01	01	1	
	P	1 / 6 / 1963	-111.41	-2.83	3227.59	01	01	1	
	P	1 / 11/ 1964	-117.08	-5.67	3221.92	01	01	1	
	N	1 / 7 / 1965				01	01	1	45
	N	1 / 8 / 1966				01	01	1	44
	P	1 / 7 / 1967	-128		3211	01	01	2	
	P	1 / 8 / 1969	-137.7	-9.7	3201.3	01	01	1	
	N	1 / 3 / 1970				01	01	1	44
	P	1 / 10/ 1971	-136.25		3202.75	01	01	1	
	N	1 / 8 / 1972				01	01		41
	N	1 / 17/ 1973				01	01	1	44
	P	1 / 12/ 1974	-140.9		3198.1	01	01	1	25
	N	1 / 10/ 1975				01	01	1	44
	N	1 / 6 / 1976				01	01	1	44
	N	1 / 14/ 1977				01	01		63

Min ***-140.9*** **Max** ***-43.54*** **Avg** ***-86.53***

1159302 *(Aquifer: 121OGLL* *Well Depth: 175)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 14/ 1947	-53.3		3277.7	01	12	7	01
	P	2 / 24/ 1948	-56.8	-3.5	3274.2	01	12	7	01
	P	3 / 2 / 1949	-61.34	-4.54	3269.66	01	12	7	01
	P	2 / 16/ 1950	-63.75	-2.41	3267.25	01	12	7	01
	P	1 / 25/ 1952	-70.9	-7.15	3260.1	01	12	7	01
	P	1 / 6 / 1954	-86.59	-15.7	3244.41	01	12	7	01
	P	12 / 13/ 1954	-94.23	-7.64	3236.77	01	12	7	01
	P	1 / 13/ 1955	-93.43	0.8	3237.57	01	12	7	01
	P	1 / 9 / 1957	-115.57	-22.1	3215.43	01	12	7	01

Min *-115.57* **Max** *-53.3* **Avg** *-77.3233*

1159306 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 13/ 2004	-170.4		3155.6	01	06	1	
	P	1 / 16/ 2006	-170.75	-0.35	3155.25	01	06	1	
	P	1 / 9 / 2007	-171.34	-0.59	3154.66	01	06	1	
	P	1 / 17/ 2008	-171.86	-0.52	3154.14	01	06	1	
	P	2 / 3 / 2009	-172.4	-0.54	3153.6	01	06	1	
	P	1 / 18/ 2010	-172.74	-0.34	3153.26	01	06	1	
	P	1 / 21/ 2011	-173.22	-0.48	3152.78	01	06	1	
	P	2 / 9 / 2012	-173.59	-0.37	3152.41	01	06	1	

Min *-173.59* **Max** *-170.4* **Avg** *-172.038*

1159401 *(Aquifer: 121OGLL Well Depth: 240)*

	P	3 / 14/ 1947	-48.53		3335.47	01	12	7	01
	P	2 / 28/ 1948	-50.27	-1.74	3333.73	01	12	7	01
	P	3 / 3 / 1949	-52.61	-2.34	3331.39	01	12	7	01
	P	1 / 30/ 1952	-66.08	-13.5	3317.92	01	12	7	01
	P	1 / 13/ 1953	-62.96	3.12	3321.04	01	12	7	01
	P	1 / 8 / 1954	-70.65	-7.69	3313.35	01	12	7	01
	P	12 / 13/ 1954	-98.82	-28.2	3285.18	01	12	7	01
	P	1 / 17/ 1955	-94.93	3.89	3289.07	01	12	7	01
	P	1 / 16/ 1958	-120.1	-25.2	3263.9	01	12	7	01
	P	1 / 5 / 1959	-121.6	-1.5	3262.4	01	12	7	01
	P	1 / 19/ 1960	-127.18	-5.58	3256.82	01	12	7	01
	P	1 / 10/ 1961	-131.1	-3.92	3252.9	01	04	1	
	P	1 / 12/ 1962	-127.75	3.35	3256.25	01	01	1	
	P	1 / 5 / 1963	-132.8	-5.05	3251.2	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1964	-136.5	-3.7	3247.5	01	01	1	
	P	1/ 9/1965	-139.62	-3.12	3244.38	01	01	1	
	P	1/ 8/1966	-146.48	-6.86	3237.52	01	01	1	
	P	1/ 7/1967	-155.61	-9.13	3228.39	01	01	1	
	P	1/ 2/1968	-159.85	-4.24	3224.15	01	06	1	
	P	1/ 8/1969	-162.9	-3.05	3221.1	01	01	1	
	N	1/ 3/1970				01	01	1	44
	N	1/10/1971				01	01	1	44

Min *-162.9* **Max** *-48.53* **Avg** *-110.317*

1159402 *(Aquifer: 121OGLL Well Depth: 135)*

	P	1/20/1955	-60.55		3280.45	01	12	7	01
	P	1/13/1956	-60.47	0.08	3280.53	01	12	7	01
	P	1/10/1957	-66.85	-6.38	3274.15	01	12	7	01
	P	1/16/1958	-66.65	0.2	3274.35	01	12	7	01
	P	1/ 8/1959	-67.06	-0.41	3273.94	01	12	7	01
	P	1/20/1960	-75.35	-8.29	3265.65	01	12	7	01
	P	1/12/1961	-70.83	4.52	3270.17	01	04	1	
	P	1/11/1962	-69.7	1.13	3271.3	01	01	1	
	P	1/ 5/1963	-70.9	-1.2	3270.1	01	01	1	
	P	1/ 9/1964	-72.62	-1.72	3268.38	01	01	1	
	P	1/ 9/1965	-78.85	-6.23	3262.15	01	01	1	
	P	1/ 8/1966	-85.26	-6.41	3255.74	01	01	1	
	P	1/ 7/1967	-85.76	-0.5	3255.24	01	01	1	
	P	1/ 2/1968	-89.14	-3.38	3251.86	01	06	1	
	P	1/ 8/1969	-83.3	5.84	3257.7	01	01	1	
	P	1/ 3/1970	-85.6	-2.3	3255.4	01	01	1	
	P	1/10/1971	-99.5	-13.9	3241.5	01	01	1	
	P	1/ 8/1972	-87.46	12.04	3253.54	01	01	1	
	P	1/17/1973	-83.38	4.08	3257.62	01	01	1	
	P	1/10/1974	-87.03	-3.65	3253.97	01	06	1	03
	P	1/13/1975	-78.71	8.32	3262.29	01	06	1	
	P	1/ 5/1976	-79.77	-1.06	3261.23	01	06	1	
	P	1/ 6/1977	-86.48	-6.71	3254.52	01	06	1	
	P	1/12/1978	-90	-3.52	3251	01	06	1	
	P	1/23/1979	-93.32	-3.32	3247.68	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 2/1980	-85.75	7.57	3255.25	01	06	1	
	P	1/12/1981	-94.14	-8.39	3246.86	01	06	1	
	P	1/ 6/1982	-96.01	-1.87	3244.99	01	06	1	
	P	2/23/1983	-92.14	3.87	3248.86	01	06	1	
	P	1/ 3/1984	-90.87	1.27	3250.13	01	06	1	
	P	1/ 7/1985	-88.02	2.85	3252.98	01	06	1	
	P	1/17/1986	-79.88	8.14	3261.12	01	06	2	
	P	1/12/1987	-74.57	5.31	3266.43	01	06	2	
	P	1/18/1988	-75.65	-1.08	3265.35	01	06	2	
	N	1/ 4/1989				01	06		40

Min *-99.5* **Max** *-60.47* **Avg** *-80.9285*

1159403 *(Aquifer: 121OGLL Well Depth: 176)*

	P	5/ 7/1936	-38.1		3301.9	01	12	7	01
	P	4/26/1937	-38.5	-0.4	3301.5	01	12	7	01
	P	5/27/1937	-38.55	-0.05	3301.45	01	12	7	01
	P	7/19/1937	-38.42	0.13	3301.58	01	12	7	01
	P	8/ 9/1937	-38.19	0.23	3301.81	01	12	7	01
	P	8/24/1937	-38.57	-0.38	3301.43	01	12	7	01
	P	9/10/1937	-38.2	0.37	3301.8	01	12	7	01
	P	10/ 2/1937	-38.02	0.18	3301.98	01	12	7	01
	P	11/ 2/1937	-37.88	0.14	3302.12	01	12	7	01
	P	12/ 1/1937	-37.78	0.1	3302.22	01	12	7	01
	P	1/ 6/1938	-37.64	0.14	3302.36	01	12	7	01
	P	3/11/1938	-37.65	-0.01	3302.35	01	12	7	01
	P	4/12/1938	-37.7	-0.05	3302.3	01	12	7	01
	P	6/ 2/1938	-38.09	-0.39	3301.91	01	12	7	01
	P	6/28/1938	-38.12	-0.03	3301.88	01	12	7	01
	P	8/11/1938	-38.09	0.03	3301.91	01	12	7	01
	P	10/20/1938	-38.47	-0.38	3301.53	01	12	7	01
	P	12/ 7/1938	-38.32	0.15	3301.68	01	12	7	01
	P	1/ 5/1939	-38.27	0.05	3301.73	01	12	7	01
	P	3/ 3/1939	-38.23	0.04	3301.77	01	12	7	01
	P	6/19/1939	-38.67	-0.44	3301.33	01	12	7	01
	P	7/19/1939	-38.54	0.13	3301.46	01	12	7	01
	P	8/16/1939	-38.43	0.11	3301.57	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 5 / 1939	-38.45	-0.02	3301.55	01	12	7	01
	P	12 / 14/ 1939	-38.23	0.22	3301.77	01	12	7	01
	P	3 / 7 / 1940	-38.26	-0.03	3301.74	01	12	7	01
	P	11 / 13/ 1940	-38.17	0.09	3301.83	01	12	7	01
	P	1 / 21/ 1941	-38.96	-0.79	3301.04	01	12	7	01
	P	3 / 11/ 1941	-38.95	0.01	3301.05	01	12	7	01
	P	11 / 24/ 1941	-37.6	1.35	3302.4	01	12	7	01
	P	3 / 12/ 1942	-37.19	0.41	3302.81	01	12	7	01
	P	10 / 29/ 1942	-37.17	0.02	3302.83	01	12	7	01
	P	1 / 26/ 1943	-36.57	0.6	3303.43	01	12	7	01
	P	2 / 8 / 1944	-36.44	0.13	3303.56	01	12	7	01
	P	2 / 13/ 1945	-37.2	-0.76	3302.8	01	12	7	01
	P	2 / 28/ 1946	-36.78	0.42	3303.22	01	12	7	01

Min *-38.96* **Max** *-36.44* **Avg** *-38.0111*

1159404 *(Aquifer: 121OGLL Well Depth: 320)*

	P	1 / 2 / 1980	-179.69		3194.31	01	06	1	
	P	1 / 29/ 1981	-184.83	-5.14	3189.17	01	06	1	
	P	1 / 5 / 1982	-188.29	-3.46	3185.71	01	06	1	
	P	2 / 23/ 1983	-191.03	-2.74	3182.97	01	06	1	
	P	1 / 3 / 1984	-193.7	-2.67	3180.3	01	06	1	
	P	1 / 7 / 1985	-195.92	-2.22	3178.08	01	06	1	
	P	1 / 17/ 1986	-196.4	-0.48	3177.6	01	06	1	
	P	1 / 12/ 1987	-196.44	-0.04	3177.56	01	06	1	
	P	1 / 29/ 1988	-196	0.44	3178	01	06	1	
	P	1 / 4 / 1989	-197.76	-1.76	3176.24	01	06	1	
	P	1 / 7 / 1990	-199.42	-1.66	3174.58	01	06	1	
	P	1 / 14/ 1991	-201.08	-1.66	3172.92	01	06	1	
	P	1 / 6 / 1992	-203.6	-2.52	3170.4	01	06	1	
	P	1 / 18/ 1993	-203.2	0.4	3170.8	01	06	1	
	P	2 / 24/ 1994	-214.76	-11.6	3159.24	01	06	1	
	P	1 / 17/ 1995	-207.78	6.98	3166.22	01	06	1	
	P	1 / 25/ 1996	-209.42	-1.64	3164.58	01	06	1	
	P	2 / 4 / 1997	-212.41	-2.99	3161.59	01	06	1	
	P	1 / 12/ 1998	-212.58	-0.17	3161.42	01	06	1	
	P	1 / 25/ 1999	-222	-9.42	3152	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 31/ 2000	-217.26	4.74	3156.74	01	06	1	
	P	1/ 22/ 2001	-219.53	-2.27	3154.47	01	06	1	
	P	2/ 11/ 2002	-220.76	-1.23	3153.24	01	06	1	
	N	4/ 2/ 2003				01	06		41
	P	1/ 30/ 2004	-229.78		3144.22	01	06	1	
	P	2/ 9/ 2005	-225.23	4.55	3148.77	01	06	1	
	P	1/ 17/ 2006	-231.25	-6.02	3142.75	01	06	1	
	P	1/ 10/ 2007	-234.37	-3.12	3139.63	01	06	1	
	P	1/ 17/ 2008	-241.67	-7.3	3132.33	01	06	1	
	N	3/ 6/ 2009				01	06		41
	P	1/ 18/ 2010	-240.03		3133.97	01	06	1	
	P	1/ 21/ 2011	-248.9	-8.87	3125.1	01	06	1	
	P	2/ 10/ 2012	-254.51	-5.61	3119.49	01	06	1	

Min *-254.51* **Max** *-179.69* **Avg** *-211.923*

1159405 *(Aquifer: 121OGLL Well Depth:)*

	P	2/ 8/ 1990	-74.18		3264.82	01	06	1	
	P	1/ 14/ 1991	-76.76	-2.58	3262.24	01	06	1	
	P	1/ 6/ 1992	-78.95	-2.19	3260.05	01	06	1	
	P	1/ 18/ 1993	-79.62	-0.67	3259.38	01	06	1	
	P	1/ 19/ 1994	-81.3	-1.68	3257.7	01	06	1	
	P	1/ 17/ 1995	-84.12	-2.82	3254.88	01	06	1	
	P	1/ 25/ 1996	-85.06	-0.94	3253.94	01	06	1	
	P	1/ 31/ 1997	-86.77	-1.71	3252.23	01	06	1	
	P	1/ 12/ 1998	-87.83	-1.06	3251.17	01	06	1	
	P	1/ 25/ 1999	-90	-2.17	3249	01	06	1	
	P	1/ 31/ 2000	-89.92	0.08	3249.08	01	06	1	
	P	1/ 23/ 2001	-91.04	-1.12	3247.96	01	06	1	
	P	2/ 11/ 2002	-91.62	-0.58	3247.38	01	06	1	
	P	2/ 24/ 2003	-93.47	-1.85	3245.53	01	06	1	
	P	1/ 30/ 2004	-93.58	-0.11	3245.42	01	06	1	
	P	2/ 9/ 2005	-93.15	0.43	3245.85	01	06	1	
	P	1/ 13/ 2006	-92.27	0.88	3246.73	01	06	1	
	P	1/ 12/ 2007	-93.87	-1.6	3245.13	01	06	1	
	P	1/ 17/ 2008	-91.89	1.98	3247.11	01	06	1	
	P	2/ 3/ 2009	-93.29	-1.4	3245.71	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 2010	-94.03	-0.74	3244.97	01	06	1	
	P	1 / 19/ 2011	-90.75	3.28	3248.25	01	06	1	
	P	2 / 10/ 2012	-93.39	-2.64	3245.61	01	06	1	

Min *-94.03* **Max** *-74.18* **Avg** *-88.1243*

1159501 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 21/ 1955	-58.09		3263.91	01	12	7	01
	P	1 / 13/ 1956	-62.88	-4.79	3259.12	01	12	7	01
	P	1 / 9 / 1957	-70.74	-7.86	3251.26	01	12	7	01
	P	1 / 15/ 1958	-75.1	-4.36	3246.9	01	12	7	01
	P	1 / 8 / 1959	-77.61	-2.51	3244.39	01	12	7	01
	P	1 / 20/ 1960	-81.1	-3.49	3240.9	01	12	7	01
	P	1 / 12/ 1961	-77.2	3.9	3244.8	01	04	1	
	P	1 / 12/ 1962	-79.04	-1.84	3242.96	01	01	1	
	P	1 / 5 / 1963	-80.17	-1.13	3241.83	01	01	1	
	P	1 / 9 / 1964	-79.85	0.32	3242.15	01	01	1	
	P	1 / 7 / 1965	-83.96	-4.11	3238.04	01	01	1	
	P	1 / 8 / 1966	-89.15	-5.19	3232.85	01	01	1	
	P	1 / 6 / 1967	-85.43	3.72	3236.57	01	01	1	
	P	1 / 2 / 1968	-81.45	3.98	3240.55	01	06	1	
	P	1 / 8 / 1969	-81.6	-0.15	3240.4	01	01	1	
	P	1 / 3 / 1970	-80.86	0.74	3241.14	01	01	1	
	P	1 / 10/ 1971	-81.88	-1.02	3240.12	01	01	1	
	P	1 / 8 / 1972	-81.3	0.58	3240.7	01	01	1	
	N	1 / 17/ 1973				01	01		40

Min *-89.15* **Max** *-58.09* **Avg** *-78.1894*

1159502 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 6 / 1936	-31.45		3289.55	01	04	7	
	P	5 / 6 / 1937	-31.57	-0.12	3289.43	01	04	7	
	P	5 / 27/ 1937	-31.58	-0.01	3289.42	01	04	7	
	P	1 / 6 / 1938	-30.77	0.81	3290.23	01	04	7	
	P	3 / 11/ 1938	-31	-0.23	3290	01	04	7	
	P	6 / 28/ 1938	-31.42	-0.42	3289.58	01	04	7	

Min *-31.58* **Max** *-30.77* **Avg** *-31.2983*

1159503 *(Aquifer: 121OGLL Well Depth: 150)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/17/1972	-86.5		3237.5	01	06	1	
	P	1/ 8/1974	-86.04	0.46	3237.96	01	06	1	
	P	1/13/1975	-80.7	5.34	3243.3	01	06	1	
	P	1/ 5/1976	-82.82	-2.12	3241.18	01	06	1	
	P	1/ 6/1977	-86.6	-3.78	3237.4	01	06	1	
	P	1/12/1978	-86.69	-0.09	3237.31	01	06	1	
	P	1/23/1979	-86.14	0.55	3237.86	01	06	1	
	P	1/ 2/1980	-80.97	5.17	3243.03	01	06	1	
	P	1/12/1981	-85.6	-4.63	3238.4	01	06	1	
	P	1/ 5/1982	-87.51	-1.91	3236.49	01	06	1	
	P	2/23/1983	-85.06	2.45	3238.94	01	06	1	
	P	1/ 3/1984	-88.02	-2.96	3235.98	01	06	1	
	P	1/ 7/1985	-85.93	2.09	3238.07	01	06	1	
	P	1/17/1986	-80.8	5.13	3243.2	01	06	1	
	P	1/13/1987	-78.71	2.09	3245.29	01	06	1	
	P	1/29/1988	-79.52	-0.81	3244.48	01	06	1	
	P	1/ 4/1989	-82.71	-3.19	3241.29	01	06	1	
	P	1/ 7/1990	-81.05	1.66	3242.95	01	06	1	
	P	1/14/1991	-83.45	-2.4	3240.55	01	06	1	
	P	1/ 6/1992	-85.28	-1.83	3238.72	01	06	1	
	P	1/18/1993	-83.77	1.51	3240.23	01	06	1	
	P	2/24/1994	-87.44	-3.67	3236.56	01	06	1	
	P	1/17/1995	-91.84	-4.4	3232.16	01	06	1	
	P	1/25/1996	-92.22	-0.38	3231.78	01	06	1	
	P	3/ 6/1997	-86.68	5.54	3237.32	01	06	1	
	P	1/12/1998	-89.68	-3	3234.32	01	06	1	
	P	1/25/1999	-90	-0.32	3234	01	06	1	
	P	1/31/2000	-89.11	0.89	3234.89	01	06	1	
	P	1/22/2001	-91.08	-1.97	3232.92	01	06	1	
	P	2/11/2002	-91.98	-0.9	3232.02	01	06	1	
	P	2/24/2003	-93.33	-1.35	3230.67	01	06	1	
	N	3/15/2004				01	06		61
	P	2/ 9/2005	-90.92		3233.08	01	06	1	
	P	1/17/2006	-91.59	-0.67	3232.41	01	06	1	
	P	1/12/2007	-92.95	-1.36	3231.05	01	06	1	
	P	1/17/2008	-89.35	3.6	3234.65	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 3 / 2009	-89.58	-0.23	3234.42	01	06	1	
	P	1 / 18/ 2010	-91.79	-2.21	3232.21	01	06	1	
	P	1 / 19/ 2011	-89	2.79	3235	01	06	1	
	P	2 / 9 / 2012	-91.85	-2.85	3232.15	01	06	1	
Min	*-93.33*	**Max**	*-78.71*	**Avg**	*-87.0323*				
1159504	*(Aquifer: 218FKBG*		*Well Depth: 125)*						
	P	5 / 31/ 1983	-86.5		3234.5	01	12	7	
Min	*-86.5*	**Max**	*-86.5*	**Avg**	*-86.5*				
1159505	*(Aquifer: 121OGLL*		*Well Depth: 147)*						
	P	6 / 17/ 1974	-92		3233	01	07	7	
	N	9 / 7 / 2004				01	01		42
Min	*-92*	**Max**	*-92*	**Avg**	*-92*				
1159601	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	6 / 18/ 1936	-55.2		3259.8	01	12	7	01
	P	8 / 25/ 1937	-32.62	22.58	3282.38	01	12	7	01
	P	9 / 10/ 1937	-32.58	0.04	3282.42	01	12	7	01
	P	10 / 2 / 1937	-32.58		3282.42	01	12	7	01
	P	11 / 2 / 1937	-32.57	0.01	3282.43	01	12	7	01
	P	12 / 1 / 1937	-32.52	0.05	3282.48	01	12	7	01
	P	1 / 6 / 1938	-32.42	0.1	3282.58	01	12	7	01
	P	3 / 11/ 1938	-32.39	0.03	3282.61	01	12	7	01
	P	4 / 13/ 1938	-32.42	-0.03	3282.58	01	12	7	01
	P	6 / 28/ 1938	-32.54	-0.12	3282.46	01	12	7	01
	P	8 / 11/ 1938	-32.62	-0.08	3282.38	01	12	7	01
	P	10 / 20/ 1938	-32.64	-0.02	3282.36	01	12	7	01
	P	12 / 7 / 1938	-32.66	-0.02	3282.34	01	12	7	01
	P	1 / 5 / 1939	-32.66		3282.34	01	12	7	01
	P	3 / 3 / 1939	-32.66		3282.34	01	12	7	01
	P	6 / 19/ 1939	-32.82	-0.16	3282.18	01	12	7	01
	P	8 / 16/ 1939	-32.9	-0.08	3282.1	01	12	7	01
	P	10 / 5 / 1939	-32.94	-0.04	3282.06	01	12	7	01
	P	12 / 14/ 1939	-32.95	-0.01	3282.05	01	12	7	01
	P	3 / 7 / 1940	-33.06	-0.11	3281.94	01	12	7	01
	P	11 / 13/ 1940	-33.34	-0.28	3281.66	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1941	-33.33	0.01	3281.67	01	12	7	01
	P	3 / 11/ 1941	-33.4	-0.07	3281.6	01	12	7	01
	P	7 / 25/ 1941	-32.85	0.55	3282.15	01	12	7	01
	P	11 / 24/ 1941	-31.59	1.26	3283.41	01	12	7	01
	P	3 / 12/ 1942	-31.19	0.4	3283.81	01	12	7	01
	P	10 / 29/ 1942	-31.92	-0.73	3283.08	01	12	7	01
	P	1 / 26/ 1943	-31.1	0.82	3283.9	01	12	7	01
	P	2 / 8 / 1944	-30.44	0.66	3284.56	01	12	7	01
	P	2 / 13/ 1945	-31.18	-0.74	3283.82	01	12	7	01
	P	2 / 28/ 1946	-31.79	-0.61	3283.21	01	12	7	01
	P	3 / 14/ 1947	-32.3	-0.51	3282.7	01	12	7	01
	P	2 / 26/ 1948	-32.98	-0.68	3282.02	01	12	7	01
	P	3 / 3 / 1949	-33.54	-0.56	3281.46	01	12	7	01
	P	2 / 16/ 1950	-35.53	-1.99	3279.47	01	12	7	01
	P	1 / 22/ 1951	-37.37	-1.84	3277.63	01	12	7	01

Min *-55.2* **Max** *-30.44* **Avg** *-33.3222*

1159801 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 9 / 1937	-50.05		3281.95	01	12	7	01
	P	8 / 24/ 1937	-50.19	-0.14	3281.81	01	12	7	01
	P	9 / 10/ 1937	-50.13	0.06	3281.87	01	12	7	01
	P	10 / 2 / 1937	-50.09	0.04	3281.91	01	12	7	01
	P	11 / 2 / 1937	-50.07	0.02	3281.93	01	12	7	01
	P	12 / 1 / 1937	-50.02	0.05	3281.98	01	12	7	01
	P	1 / 8 / 1938	-50.01	0.01	3281.99	01	12	7	01
	P	3 / 11/ 1938	-49.99	0.02	3282.01	01	12	7	01
	P	4 / 13/ 1938	-50.03	-0.04	3281.97	01	12	7	01
	P	6 / 24/ 1938	-50.31	-0.28	3281.69	01	12	7	01
	P	8 / 11/ 1938	-50.37	-0.06	3281.63	01	12	7	01
	P	10 / 20/ 1938	-50.48	-0.11	3281.52	01	12	7	01
	P	12 / 7 / 1938	-50.46	0.02	3281.54	01	12	7	01
	P	3 / 3 / 1939	-50.44	0.02	3281.56	01	12	7	01
	P	6 / 24/ 1939	-50.71	-0.27	3281.29	01	12	7	01
	P	7 / 19/ 1939	-50.72	-0.01	3281.28	01	12	7	01
	P	8 / 16/ 1939	-50.7	0.02	3281.3	01	12	7	01
	P	10 / 5 / 1939	-50.78	-0.08	3281.22	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/14/1939	-50.75	0.03	3281.25	01	12	7	01
	P	3/ 7/1940	-50.86	-0.11	3281.14	01	12	7	01
	P	11/13/1940	-51.66	-0.8	3280.34	01	12	7	01
	P	1/21/1941	-51.46	0.2	3280.54	01	12	7	01
	P	3/11/1941	-51.69	-0.23	3280.31	01	12	7	01
	P	7/25/1941	-50.43	1.26	3281.57	01	12	7	01
	P	11/24/1941	-49.48	0.95	3282.52	01	12	7	01
	P	3/12/1942	-48.94	0.54	3283.06	01	12	7	01
	P	11/30/1942	-48.83	0.11	3283.17	01	12	7	01
	P	1/26/1943	-48.24	0.59	3283.76	01	12	7	01
	P	2/16/1944	-48.02	0.22	3283.98	01	12	7	01
	P	2/13/1945	-48.67	-0.65	3283.33	01	12	7	01
	P	3/ 1/1946	-49.71	-1.04	3282.29	01	12	7	01
	P	1/20/1947	-50.83	-1.12	3281.17	01	12	7	01
	P	3/14/1947	-50.76	0.07	3281.24	01	12	7	01
	P	2/28/1948	-52.48	-1.72	3279.52	01	12	7	01
	P	3/ 3/1949	-54.38	-1.9	3277.62	01	12	7	01
	P	2/18/1950	-54.21	0.17	3277.79	01	12	7	01
	P	1/22/1951	-58.26	-4.05	3273.74	01	12	7	01
	P	1/31/1952	-57.4	0.86	3274.6	01	12	7	01
	P	1/14/1953	-61.3	-3.9	3270.7	01	12	7	01
	P	12/16/1954	-72.24	-10.9	3259.76	01	12	7	01
	P	1/12/1955	-71.91	0.33	3260.09	01	12	7	01
	P	1/13/1956	-76.97	-5.06	3255.03	01	12	7	01
	P	1/ 9/1957	-83.9	-6.93	3248.1	01	12	7	01
	P	1/15/1958	-87.83	-3.93	3244.17	01	12	7	01
	P	1/ 8/1959	-89.65	-1.82	3242.35	01	12	7	01
	P	1/20/1960	-96.45	-6.8	3235.55	01	12	7	01
	P	1/12/1961	-98.92	-2.47	3233.08	01	04	1	
	P	1/12/1962	-99.28	-0.36	3232.72	01	01	1	
	P	1/ 5/1963	-103.01	-3.73	3228.99	01	01	1	
	P	1/ 9/1964	-105.63	-2.62	3226.37	01	01	1	
	P	1/ 8/1966	-107.79	-2.16	3224.21	01	01	1	
	P	1/ 6/1967	-107.82	-0.03	3224.18	01	01	1	
	P	1/ 2/1968	-108.4	-0.58	3223.6	01	06	1	
	P	1/ 8/1969	-107.85	0.55	3224.15	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/1970	-106.78	1.07	3225.22	01	01	1	
	P	1/10/1971	-108.25	-1.47	3223.75	01	01	1	
	P	1/ 8/1972	-107.77	0.48	3224.23	01	01	1	
	P	1/17/1973	-107.8	-0.03	3224.2	01	01	1	
	P	1/ 8/1974	-107.46	0.34	3224.54	01	06	1	
	P	1/ 3/1975	-106.46	1	3225.54	01	06	1	
	P	1/ 5/1976	-106.57	-0.11	3225.43	01	06	1	
	P	1/ 6/1977	-108.22	-1.65	3223.78	01	06	1	
	P	1/12/1978	-108.7	-0.48	3223.3	01	06	1	
	P	1/23/1979	-107.98	0.72	3224.02	01	06	1	
	P	1/ 2/1980	-105.93	2.05	3226.07	01	06	1	
	P	1/12/1981	-108.15	-2.22	3223.85	01	06	1	
	N	1/ 5/1982				01	06	1	44
	N	2/23/1983				01	06	1	45

Min *-108.7* **Max** *-48.02* **Avg** *-71.2368*

1159802 *(Aquifer: 121OGLL Well Depth: 89)*

	P	5/ 7/1936	-45.7		3279.3	01	04	7	
	P	4/26/1937	-48.28	-2.58	3276.72	01	04	7	
	P	6/ 8/1937	-48.88	-0.6	3276.12	01	04	7	
	P	1/ 8/1938	-47.83	1.05	3277.17	01	04	7	
	P	6/24/1938	-49.01	-1.18	3275.99	01	04	7	

Min *-49.01* **Max** *-45.7* **Avg** *-47.94*

1159803 *(Aquifer: 121OGLL Well Depth:)*

	P	3/14/1947	-58.79		3252.21	01	12	7	01
	P	2/24/1948	-62.45	-3.66	3248.55	01	12	7	01
	P	3/ 2/1949	-67.81	-5.36	3243.19	01	12	7	01
	P	2/16/1950	-70.7	-2.89	3240.3	01	12	7	01
	P	1/22/1951	-74.51	-3.81	3236.49	01	12	7	01
	P	1/21/1952	-77.46	-2.95	3233.54	01	12	7	01
	P	1/ 9/1953	-85.75	-8.29	3225.25	01	12	7	01
	P	1/ 7/1954	-93.74	-7.99	3217.26	01	12	7	01
	P	1/ 8/1954	-60.19	33.55	3250.81	01	12	7	
	P	1/13/1955	-100.84	-40.7	3210.16	01	12	7	01
	P	1/16/1956	-105.82	-4.98	3205.18	01	12	7	01
	P	1/ 9/1957	-122.04	-16.2	3188.96	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1958	-115.16	6.88	3195.84	01	12	7	01
	P	1/ 7/ 1959	-115.79	-0.63	3195.21	01	12	7	01
	P	1/ 20/ 1960	-120.25	-4.46	3190.75	01	12	7	01
	P	1/ 12/ 1961	-122.9	-2.65	3188.1	01	04	1	
	P	1/ 12/ 1962	-125.52	-2.62	3185.48	01	01	1	
	P	1/ 6/ 1963	-126.79	-1.27	3184.21	01	01	1	
	P	1/ 11/ 1964	-131.05	-4.26	3179.95	01	01	1	
	P	1/ 7/ 1965	-135.29	-4.24	3175.71	01	01	1	
	N	1/ 9/ 1966				01	01	1	44
	P	1/ 7/ 1967	-145.68		3165.32	01	01	1	

Min *-145.68* **Max** *-58.79* **Avg** *-100.882*

1159804 *(Aquifer: 121OGLL Well Depth:)*

	P	2/ 23/ 1983	-105.48		3212.52	01	06	1	
	P	1/ 4/ 1984	-105.5	-0.02	3212.5	01	06	1	
	P	1/ 8/ 1985	-104.54	0.96	3213.46	01	06	1	
	P	1/ 20/ 1986	-105.03	-0.49	3212.97	01	06	1	
	P	1/ 13/ 1987	-94.56	10.47	3223.44	01	06	1	
	P	1/ 18/ 1988	-92.43	2.13	3225.57	01	06	1	
	P	1/ 4/ 1989	-92.55	-0.12	3225.45	01	06	1	
	P	1/ 7/ 1990	-92.29	0.26	3225.71	01	06	1	
	P	1/ 14/ 1991	-91.9	0.39	3226.1	01	06	1	
	N	1/ 6/ 1992				01	06		61
	P	1/ 8/ 1993	-93.08		3224.92	01	06	1	
	P	1/ 19/ 1994	-94.78	-1.7	3223.22	01	06	1	
	P	1/ 17/ 1995	-97.23	-2.45	3220.77	01	06	1	
	P	1/ 25/ 1996	-97.61	-0.38	3220.39	01	06	1	
	P	1/ 31/ 1997	-102.12	-4.51	3215.88	01	06	1	
	P	1/ 12/ 1998	-103.41	-1.29	3214.59	01	06	1	
	P	1/ 25/ 1999	-106	-2.59	3212	01	06	1	
	P	1/ 31/ 2000	-106.4	-0.4	3211.6	01	06	1	
	N	2/ 27/ 2001				01	06		51
	N	3/ 1/ 2002				01	06	7	46
	N	2/ 24/ 2003				01	06	7	46
	N	1/ 30/ 2004				01	06	1	46
	N	2/ 9/ 2005				01	06	1	46

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -106.4		**Max -91.9**	**Avg -99.1124**						
1159805	*(Aquifer: 218FKBT*		*Well Depth: 170)*						
	P	6 / 1 / 1983	-111.7		3210.3	01	12	7	
Min -111.7		**Max -111.7**	**Avg -111.7**						
1159806	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	3 / 1 / 2002	-102.35		3209.65	01	06	1	
	P	2 / 24/ 2003	-103.45	-1.1	3208.55	01	06	1	
	P	1 / 30/ 2004	-103.7	-0.25	3208.3	01	06	1	
	P	2 / 9 / 2005	-102.91	0.79	3209.09	01	06	1	
	P	1 / 17/ 2006	-102.98	-0.07	3209.02	01	06	1	
	P	1 / 12/ 2007	-103.42	-0.44	3208.58	01	06	1	
	P	1 / 3 / 2008	-102.79	0.63	3209.21	01	06	1	
	P	3 / 6 / 2009	-102.78	0.01	3209.22	01	06	1	
	P	1 / 18/ 2010	-103.18	-0.4	3208.82	01	06	1	
	P	1 / 19/ 2011	-102.67	0.51	3209.33	01	06	1	
	P	2 / 9 / 2012	-103.02	-0.35	3208.98	01	06	1	
Min -103.7		**Max -102.35**	**Avg -103.023**						
1159901	*(Aquifer: 218FKBT*		*Well Depth: 146)*						
	P	6 / 27/ 1955	-72.1		3239.9	01	12	7	
Min -72.1		**Max -72.1**	**Avg -72.1**						
1160102	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	4 / 14/ 1938	-17.99		3278.01	01	12	7	01
	P	6 / 3 / 1938	-18.21	-0.22	3277.79	01	12	7	01
	P	6 / 23/ 1938	-18.66	-0.45	3277.34	01	12	7	01
	P	1 / 16/ 1939	-18.45	0.21	3277.55	01	12	7	01
	P	3 / 2 / 1939	-19.51	-1.06	3276.49	01	12	7	01
	P	6 / 19/ 1939	-20.53	-1.02	3275.47	01	12	7	01
	P	8 / 16/ 1939	-19.02	1.51	3276.98	01	12	7	01
	P	10 / 5 / 1939	-21.1	-2.08	3274.9	01	12	7	01
	P	2 / 7 / 1940	-22.08	-0.98	3273.92	01	12	7	01
	P	7 / 9 / 1940	-23.2	-1.12	3272.8	01	12	7	01
	P	1 / 20/ 1941	-24.43	-1.23	3271.57	01	12	7	01
	P	3 / 11/ 1941	-24.62	-0.19	3271.38	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 21/ 1941	-6.47	18.15	3289.53	01	12	7	01
	P	10 / 29/ 1942	-12.22	-5.75	3283.78	01	12	7	01
	P	1 / 26/ 1943	-14.66	-2.44	3281.34	01	12	7	01
	P	2 / 17/ 1944	-19.75	-5.09	3276.25	01	12	7	01
	P	2 / 13/ 1945	-23.27	-3.52	3272.73	01	12	7	01
	P	3 / 1 / 1946	-25.96	-2.69	3270.04	01	12	7	01
	P	2 / 11/ 1947	-26.2	-0.24	3269.8	01	12	7	01
	P	2 / 24/ 1948	-29.79	-3.59	3266.21	01	12	7	01
	P	2 / 28/ 1949	-35.49	-5.7	3260.51	01	12	7	01
	P	2 / 16/ 1950	-36.73	-1.24	3259.27	01	12	7	01
	P	1 / 23/ 1951	-37.2	-0.47	3258.8	01	12	7	01
	P	1 / 25/ 1952	-39.4	-2.2	3256.6	01	12	7	01
	P	1 / 9 / 1953	-49.4	-10	3246.6	01	12	7	01
	P	1 / 6 / 1954	-54.62	-5.22	3241.38	01	12	7	01
	N	0 / 0 / 1955				01	12	1	46

Min *-54.62* **Max** *-6.47* **Avg** *-25.3446*

1160107 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 11/ 2005	-164.1		3138.9	01	06	1	
	P	1 / 17/ 2006	-164.55	-0.45	3138.45	01	06	1	
	P	1 / 9 / 2007	-165.15	-0.6	3137.85	01	06	1	
	P	1 / 17/ 2008	-165.26	-0.11	3137.74	01	06	1	
	P	2 / 3 / 2009	-166.82	-1.56	3136.18	01	06	1	
	P	1 / 18/ 2010	-166.98	-0.16	3136.02	01	06	1	
	P	1 / 21/ 2011	-167.3	-0.32	3135.7	01	06	1	
	P	2 / 9 / 2012	-167.78	-0.48	3135.22	01	06	1	

Min *-167.78* **Max** *-164.1* **Avg** *-165.993*

1160201 *(Aquifer: 121OGLL Well Depth: 276)*

	P	6 / 27/ 1914	-47.6		3262.4	01	12	7	01
	P	7 / 23/ 1937	-52.69	-5.09	3257.31	01	12	7	01
	P	1 / 8 / 1938	-49.45	3.24	3260.55	01	12	7	01
	P	4 / 14/ 1938	-58.04	-8.59	3251.96	01	12	7	01
	P	6 / 26/ 1938	-51.12	6.92	3258.88	01	12	7	01
	P	10 / 17/ 1938	-51.62	-0.5	3258.38	01	12	7	01
	P	12 / 7 / 1938	-51.78	-0.16	3258.22	01	12	7	01
	P	1 / 5 / 1939	-51.1	0.68	3258.9	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/16/1939	-58.05	-6.95	3251.95	01	12	7	01
	P	10/ 5/1939	-61.88	-3.83	3248.12	01	12	7	01
	P	12/14/1939	-54.3	7.58	3255.7	01	12	7	01
	P	3/ 7/1940	-53.12	1.18	3256.88	01	12	7	01
	P	11/ 5/1940	-55.96	-2.84	3254.04	01	12	7	01
	P	1/20/1941	-55.19	0.77	3254.81	01	12	7	01
	P	3/11/1941	-54.94	0.25	3255.06	01	12	7	01
	P	1/26/1943	-50.23	4.71	3259.77	01	12	7	01
	P	2/17/1944	-51.9	-1.67	3258.1	01	12	7	01
	P	2/13/1945	-57.42	-5.52	3252.58	01	12	7	01
	P	2/28/1946	-56.76	0.66	3253.24	01	12	7	01
	P	3/11/1947	-60.59	-3.83	3249.41	01	12	7	01
	P	2/ 2/1948	-66.42	-5.83	3243.58	01	12	7	01
	P	2/28/1949	-72.44	-6.02	3237.56	01	12	7	01
	P	2/16/1950	-79.8	-7.36	3230.2	01	12	7	01
	P	1/23/1951	-87.93	-8.13	3222.07	01	12	7	01
	P	1/25/1952	-82.2	5.73	3227.8	01	12	7	01
	P	1/ 9/1953	-91.42	-9.22	3218.58	01	12	7	01
	P	1/ 6/1954	-101.44	-10.0	3208.56	01	12	7	01
	P	12/14/1954	-115.37	-13.9	3194.63	01	12	7	01
	P	1/13/1955	-113.2	2.17	3196.8	01	12	7	01
	P	1/16/1956	-116.39	-3.19	3193.61	01	12	7	01
	P	1/ 9/1957	-121.65	-5.26	3188.35	01	12	7	01
	P	1/15/1958	-126.02	-4.37	3183.98	01	12	7	01
	P	1/ 7/1959	-124.78	1.24	3185.22	01	12	7	01
	P	1/20/1960	-131.2	-6.42	3178.8	01	12	7	01
	P	1/12/1961	-133.53	-2.33	3176.47	01	04	1	
	P	1/12/1962	-134.29	-0.76	3175.71	01	01	1	
	P	1/ 6/1963	-138.13	-3.84	3171.87	01	01	1	
	P	1/11/1964	-141.06	-2.93	3168.94	01	01	1	
	P	1/ 7/1965	-149.2	-8.14	3160.8	01	01	1	
	P	1/ 9/1966	-149.5	-0.3	3160.5	01	01	1	
	P	1/ 7/1967	-153.28	-3.78	3156.72	01	01	1	
	P	1/ 8/1968	-155.9	-2.62	3154.1	01	01	1	
	P	1/ 8/1969	-159.64	-3.74	3150.36	01	01	1	
	P	1/ 4/1970	-161.25	-1.61	3148.75	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1971	-166	-4.75	3144	01	01	1	
	P	1/ 9/ 1972	-167.42	-1.42	3142.58	01	01	1	20
	P	1/ 17/ 1973	-170.14	-2.72	3139.86	01	01	1	
	P	1/ 12/ 1974	-174.15	-4.01	3135.85	01	01	1	
	P	1/ 10/ 1975	-177.66	-3.51	3132.34	01	01	1	
	P	1/ 6/ 1976	-180.78	-3.12	3129.22	01	01	1	
	P	1/ 14/ 1977	-185.28	-4.5	3124.72	01	01	1	
	P	1/ 10/ 1978	-188.95	-3.67	3121.05	01	01	1	20
	P	1/ 5/ 1979	-194.32	-5.37	3115.68	01	01	1	
	P	1/ 18/ 1980	-194.5	-0.18	3115.5	01	01	1	
	P	1/ 19/ 1981	-195.4	-0.9	3114.6	01	01	1	20
	P	1/ 14/ 1983	-203.2	-7.8	3106.8	01	01	1	20
	P	1/ 11/ 1985	-204.22	-1.02	3105.78	01	01	1	
	N	12/ 12/ 1985				01	01	1	47
	P	12/ 11/ 1986	-198.85		3111.15	01	01	1	
	P	12/ 11/ 1988	-225.7	-26.9	3084.3	01	01	2	20
	N	12/ 5/ 1989				01	01	1	47
	P	12/ 12/ 1990	-212.05		3097.95	01	01	1	
	P	12/ 12/ 1991	-217.4	-5.35	3092.6	01	01	1	
	P	1/ 27/ 1993	-232.6	-15.2	3077.4	01	01	1	
	N	1/ 19/ 1994				01	06	7	44

Min *-232.6* **Max** *-47.6* **Avg** *-120.619*

1160202 *(Aquifer: 121OGLL Well Depth: 277)*

	P	3/ 2/ 1915	-38		3260	01	12	7	01
	P	5/ 15/ 1936	-39.28	-1.28	3258.72	01	12	7	01
	P	6/ 20/ 1936	-38.6	0.68	3259.4	01	12	7	01
	P	4/ 29/ 1937	-39.01	-0.41	3258.99	01	12	7	01
	P	6/ 9/ 1937	-39.16	-0.15	3258.84	01	12	7	01
	P	7/ 23/ 1937	-38.67	0.49	3259.33	01	12	7	01
	P	8/ 9/ 1937	-38.49	0.18	3259.51	01	12	7	01
	P	10/ 2/ 1937	-38.21	0.28	3259.79	01	12	7	01
	P	11/ 2/ 1937	-37.86	0.35	3260.14	01	12	7	01
	P	12/ 1/ 1937	-37.65	0.21	3260.35	01	12	7	01
	P	1/ 8/ 1938	-37.49	0.16	3260.51	01	12	7	01
	P	3/ 10/ 1938	-37.57	-0.08	3260.43	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 14/ 1938	-38.08	-0.51	3259.92	01	12	7	01
	P	5 / 26/ 1938	-38.86	-0.78	3259.14	01	12	7	01
	P	6 / 28/ 1938	-38.85	0.01	3259.15	01	12	7	01
	P	8 / 11/ 1938	-39.99	-1.14	3258.01	01	12	7	01
	P	10 / 17/ 1938	-40	-0.01	3258	01	12	7	01
	P	12 / 7 / 1938	-39.63	0.37	3258.37	01	12	7	01
	P	1 / 5 / 1939	-39.52	0.11	3258.48	01	12	7	01
	P	3 / 2 / 1939	-39.3	0.22	3258.7	01	12	7	01
	P	8 / 16/ 1939	-42.2	-2.9	3255.8	01	12	7	01
	P	10 / 5 / 1939	-42.63	-0.43	3255.37	01	12	7	01
	P	12 / 14/ 1939	-42.7	-0.07	3255.3	01	12	7	01
	P	3 / 7 / 1940	-41.22	1.48	3256.78	01	12	7	01
	P	11 / 15/ 1940	-44.2	-2.98	3253.8	01	12	7	01
	P	1 / 20/ 1941	-43.67	0.53	3254.33	01	12	7	01
	P	3 / 11/ 1941	-42.57	1.1	3255.43	01	12	7	01
	P	11 / 24/ 1941	-37.5	5.07	3260.5	01	12	7	01
	P	3 / 12/ 1942	-36.83	0.67	3261.17	01	12	7	01
	P	10 / 29/ 1942	-38.15	-1.32	3259.85	01	12	7	01
	P	1 / 26/ 1943	-37.47	0.68	3260.53	01	12	7	01
	P	1 / 13/ 1955	-103.49	-66.0	3194.51	01	12	7	01

Min *-103.49* **Max** *-36.83* **Avg** *-41.4641*

1160203 *(Aquifer: 121OGLL Well Depth: 266)*

	P	3 / 13/ 1915	-38		3250	01	12	7	01
	P	5 / 15/ 1936	-42.35	-4.35	3245.65	01	12	7	01
	P	6 / 16/ 1936	-40.44	1.91	3247.56	01	12	7	01
	P	3 / 17/ 1937	-41.62	-1.18	3246.38	01	12	7	01
	P	4 / 29/ 1937	-41.67	-0.05	3246.33	01	12	7	01
	P	10 / 2 / 1937	-39.21	2.46	3248.79	01	12	7	01
	P	12 / 1 / 1937	-39.01	0.2	3248.99	01	12	7	01
	P	1 / 8 / 1938	-39.22	-0.21	3248.78	01	12	7	01
	P	3 / 10/ 1938	-39.5	-0.28	3248.5	01	12	7	01
	P	4 / 14/ 1938	-40.35	-0.85	3247.65	01	12	7	01
	P	5 / 26/ 1938	-40.97	-0.62	3247.03	01	12	7	01
	P	6 / 28/ 1938	-41.34	-0.37	3246.66	01	12	7	01
	P	10 / 17/ 1938	-42.21	-0.87	3245.79	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 7 / 1938	-41.81	0.4	3246.19	01	12	7	01
	P	1 / 5 / 1939	-41.76	0.05	3246.24	01	12	7	01
	P	3 / 2 / 1939	-41.39	0.37	3246.61	01	12	7	01
	P	6 / 19 / 1939	-45.79	-4.4	3242.21	01	12	7	01
	P	8 / 16 / 1939	-44.56	1.23	3243.44	01	12	7	01
	P	10 / 5 / 1939	-45.39	-0.83	3242.61	01	12	7	01
	P	12 / 14 / 1939	-43.99	1.4	3244.01	01	12	7	01
	P	3 / 7 / 1940	-43.65	0.34	3244.35	01	12	7	01
	P	11 / 15 / 1940	-47.56	-3.91	3240.44	01	12	7	01
	P	1 / 20 / 1941	-46.09	1.47	3241.91	01	12	7	01
	P	3 / 11 / 1941	-46.03	0.06	3241.97	01	12	7	01
	P	11 / 24 / 1941	-37.2	8.83	3250.8	01	12	7	01
	P	3 / 12 / 1942	-37.37	-0.17	3250.63	01	12	7	01
	P	10 / 29 / 1942	-39.31	-1.94	3248.69	01	12	7	01
	P	1 / 26 / 1943	-38.6	0.71	3249.4	01	12	7	01
	P	2 / 17 / 1944	-41.66	-3.06	3246.34	01	12	7	01
	P	2 / 13 / 1945	-44.9	-3.24	3243.1	01	12	7	01
	P	2 / 28 / 1946	-47.74	-2.84	3240.26	01	12	7	01
	P	1 / 20 / 1947	-52.32	-4.58	3235.68	01	12	7	01
	P	3 / 11 / 1947	-51.85	0.47	3236.15	01	12	7	01
	P	2 / 26 / 1948	-57.68	-5.83	3230.32	01	12	7	01
	P	2 / 28 / 1948	-64.24	-6.56	3223.76	01	12	7	01
	P	1 / 23 / 1951	-74.9	-10.7	3213.1	01	12	7	01
	P	1 / 25 / 1952	-73.1	1.8	3214.9	01	12	7	01
	P	1 / 6 / 1954	-89.14	-16.0	3198.86	01	12	7	01

Min *-89.14* **Max** *-37.2* **Avg** *-46.4189*

1160204 *(Aquifer: 121OGLL Well Depth: 271)*

	P	2 / 24 / 1915	-35		3258	01	12	7	01
	P	9 / 10 / 1937	-32.6	2.4	3260.4	01	12	7	01
	P	10 / 2 / 1937	-32.62	-0.02	3260.38	01	12	7	01
	P	11 / 2 / 1937	-32.53	0.09	3260.47	01	12	7	01
	P	12 / 1 / 1937	-32.61	-0.08	3260.39	01	12	7	01
	P	4 / 14 / 1938	-34.92	-2.31	3258.08	01	12	7	01
	P	6 / 28 / 1938	-34.81	0.11	3258.19	01	12	7	01
	P	10 / 17 / 1938	-35.78	-0.97	3257.22	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/ 7/1938	-35.62	0.16	3257.38	01	12	7	01
	P	1/ 5/1939	-35.5	0.12	3257.5	01	12	7	01
	P	3/ 2/1939	-35.13	0.37	3257.87	01	12	7	01
	P	8/16/1939	-37.6	-2.47	3255.4	01	12	7	01
	P	10/ 5/1939	-38.9	-1.3	3254.1	01	12	7	01
	P	12/14/1939	-37.79	1.11	3255.21	01	12	7	01
	P	3/ 7/1940	-37.54	0.25	3255.46	01	12	7	01
	P	11/15/1940	-40.23	-2.69	3252.77	01	12	7	01
	P	1/20/1941	-39.84	0.39	3253.16	01	12	7	01
	P	3/11/1941	-39.81	0.03	3253.19	01	12	7	01
	P	6/ 2/1941	-37.67	2.14	3255.33	01	12	7	01
	P	7/23/1941	-31.47	6.2	3261.53	01	12	7	01
	P	11/24/1941	-32.09	-0.62	3260.91	01	12	7	01
	P	3/12/1942	-31.12	0.97	3261.88	01	12	7	01
	P	10/29/1942	-32.4	-1.28	3260.6	01	12	7	01
	P	1/26/1943	-31.97	0.43	3261.03	01	12	7	01
	P	2/17/1944	-36.82	-4.85	3256.18	01	12	7	01
	P	2/13/1945	-38.88	-2.06	3254.12	01	12	7	01
	P	2/28/1946	-41.74	-2.86	3251.26	01	12	7	01
	P	3/11/1947	-45.49	-3.75	3247.51	01	12	7	01
	P	2/26/1948	-50.45	-4.96	3242.55	01	12	7	01
	P	7/19/1948	-59.55	-9.1	3233.45	01	12	7	01
	P	2/28/1949	-56.6	2.95	3236.4	01	12	7	01
	P	2/16/1950	-61.46	-4.86	3231.54	01	12	7	01
	P	2/23/1951	-63.99	-2.53	3229.01	01	12	7	01
	P	1/25/1952	-64.96	-0.97	3228.04	01	12	7	01
	P	1/ 6/1954	-79.85	-14.9	3213.15	01	12	7	01
	P	1/ 9/1957	-105.82	-26	3187.18	01	12	7	01
	P	1/15/1958	-105.45	0.37	3187.55	01	12	7	01
	P	1/ 7/1959	-105.23	0.22	3187.77	01	12	7	01
	P	5/16/1994	-221.1	-116	3071.9	01	06	1	
	P	1/17/1995	-214.79	6.31	3078.21	01	06	1	
	P	1/25/1996	-217.78	-2.99	3075.22	01	06	1	
	P	2/ 3/1997	-223.01	-5.23	3069.99	01	06	1	
	P	1/ 9/1998	-224.79	-1.78	3068.21	01	06	1	
	P	1/26/1999	-228	-3.21	3065	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 31/ 2000	-232.27	-4.27	3060.73	01	06	1	
	P	1 / 24/ 2001	-236.84	-4.57	3056.16	01	06	1	
	P	2 / 4 / 2002	-237.27	-0.43	3055.73	01	06	1	
	P	2 / 21/ 2003	-240.1	-2.83	3052.9	01	06	1	
	P	2 / 2 / 2004	-243.04	-2.94	3049.96	01	06	1	
	P	2 / 8 / 2005	-242.98	0.06	3050.02	01	06	1	
	P	1 / 16/ 2006	-244.4	-1.42	3048.6	01	06	1	
	P	1 / 9 / 2007	-248.05	-3.65	3044.95	01	06	1	
	P	1 / 17/ 2008	-248.79	-0.74	3044.21	01	06	1	
	P	2 / 3 / 2009	-252.88	-4.09	3040.12	01	06	1	
	P	1 / 18/ 2010	-254.65	-1.77	3038.35	01	06	1	
	P	1 / 21/ 2011	-256.72	-2.07	3036.28	01	06	1	
	P	2 / 9 / 2012	-258.16	-1.44	3034.84	01	06	1	

Min *-258.16* **Max** *-31.12* **Avg** *-110.306*

1160205 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 15/ 1936	-45.45		3254.55	01	04	7	
	P	6 / 16/ 1936	-43.72	1.73	3256.28	01	04	7	
	P	4 / 29/ 1937	-45	-1.28	3255	01	04	7	
	P	10 / 2 / 1937	-42.72	2.28	3257.28	01	04	7	
	P	12 / 1 / 1937	-42.41	0.31	3257.59	01	04	7	
	P	1 / 8 / 1938	-42.45	-0.04	3257.55	01	04	7	
	P	6 / 28/ 1938	-44.31	-1.86	3255.69	01	04	7	
	P	12 / 7 / 1938	-44.91	-0.6	3255.09	01	04	7	
	P	1 / 5 / 1939	-44.79	0.12	3255.21	01	04	7	
	P	3 / 2 / 1939	-44.46	0.33	3255.54	01	04	7	

Min *-45.45* **Max** *-42.41* **Avg** *-44.022*

1160209 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 23/ 2005	-254.06		3055.94	01	06	1	
	P	1 / 16/ 2006	-254.55	-0.49	3055.45	01	06	1	
	P	1 / 8 / 2007	-258.5	-3.95	3051.5	01	06	1	
	N	1 / 17/ 2008				01	06		42
	N	2 / 3 / 2009				01	06		42
	N	1 / 18/ 2010				01	06		42
	N	1 / 21/ 2011				01	06		42
	P	2 / 9 / 2012	-275.22		3034.78	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-275.22*		**Max** *-254.06*	**Avg** *-260.583*						
1160401	*(Aquifer: 121OGLL*		*Well Depth: 135)*						
	P	9 / 10/ 1937	-34.11		3267.89	01	12	7	01
	P	10 / 2 / 1937	-33.9	0.21	3268.1	01	12	7	01
	P	11 / 2 / 1937	-33.72	0.18	3268.28	01	12	7	01
	P	12 / 1 / 1937	-33.4	0.32	3268.6	01	12	7	01
	P	1 / 8 / 1938	-33.07	0.33	3268.93	01	12	7	01
	P	3 / 11/ 1938	-32.76	0.31	3269.24	01	12	7	01
	P	4 / 13/ 1938	-32.68	0.08	3269.32	01	12	7	01
	P	6 / 28/ 1938	-32.65	0.03	3269.35	01	12	7	01
	P	8 / 11/ 1938	-32.87	-0.22	3269.13	01	12	7	01
	P	10 / 20/ 1938	-33.74	-0.87	3268.26	01	12	7	01
	P	12 / 7 / 1938	-33.94	-0.2	3268.06	01	12	7	01
	P	1 / 5 / 1939	-33.92	0.02	3268.08	01	12	7	01
	P	3 / 2 / 1939	-33.65	0.27	3268.35	01	12	7	01
	P	6 / 19/ 1939	-34.42	-0.77	3267.58	01	12	7	01
	P	8 / 16/ 1939	-36.77	-2.35	3265.23	01	12	7	01
	P	10 / 5 / 1939	-36.61	0.16	3265.39	01	12	7	01
	P	12 / 14/ 1939	-35.47	1.14	3266.53	01	12	7	01
	P	3 / 7 / 1940	-35	0.47	3267	01	12	7	01
	P	11 / 13/ 1940	-39.3	-4.3	3262.7	01	12	7	01
	P	1 / 20/ 1941	-38.03	1.27	3263.97	01	12	7	01
	P	3 / 11/ 1941	-37.45	0.58	3264.55	01	12	7	01
	P	11 / 24/ 1941	-35.49	1.96	3266.51	01	12	7	01
	P	3 / 12/ 1942	-34.02	1.47	3267.98	01	12	7	01
	P	10 / 29/ 1942	-33.8	0.22	3268.2	01	12	7	01
	P	1 / 26/ 1943	-33.17	0.63	3268.83	01	12	7	01
	P	2 / 17/ 1944	-35.7	-2.53	3266.3	01	12	7	01
	P	2 / 13/ 1945	-37.55	-1.85	3264.45	01	12	7	01
	P	2 / 28/ 1946	-37.67	-0.12	3264.33	01	12	7	01
	P	1 / 20/ 1947	-40.7	-3.03	3261.3	01	12	7	01
	P	3 / 14/ 1947	-39.95	0.75	3262.05	01	12	7	01
	P	2 / 26/ 1948	-42.3	-2.35	3259.7	01	12	7	01
	P	3 / 2 / 1949	-44.32	-2.02	3257.68	01	12	7	01
	P	2 / 16/ 1950	-44.6	-0.28	3257.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 23/ 1951	-45.12	-0.52	3256.88	01	12	7	01
	P	1/ 24/ 1952	-48.05	-2.93	3253.95	01	12	7	01
	P	1/ 14/ 1953	-51.58	-3.53	3250.42	01	12	7	01
	P	1/ 7/ 1954	-54.74	-3.16	3247.26	01	12	7	01
	P	12/ 14/ 1954	-57.93	-3.19	3244.07	01	12	7	01
	P	1/ 13/ 1955	-58.23	-0.3	3243.77	01	12	7	01
	P	1/ 16/ 1956	-62.3	-4.07	3239.7	01	12	7	01
	P	1/ 9/ 1957	-65.94	-3.64	3236.06	01	12	7	01
	P	1/ 15/ 1958	-69.24	-3.3	3232.76	01	12	7	01
	P	1/ 7/ 1959	-71.57	-2.33	3230.43	01	12	7	01
	P	1/ 20/ 1960	-74.59	-3.02	3227.41	01	12	7	01
	P	1/ 12/ 1961	-76.87	-2.28	3225.13	01	04	1	
	P	1/ 12/ 1962	-78.09	-1.22	3223.91	01	01	1	
	P	1/ 6/ 1963	-80.25	-2.16	3221.75	01	01	1	
	P	1/ 7/ 1965	-83.84	-3.59	3218.16	01	01	1	
	P	1/ 8/ 1966	-85.7	-1.86	3216.3	01	01	1	
	P	1/ 7/ 1967	-87.64	-1.94	3214.36	01	01	1	
	P	1/ 2/ 1968	-89.09	-1.45	3212.91	01	06	1	
	P	1/ 8/ 1969	-90.4	-1.31	3211.6	01	01	1	
	P	1/ 3/ 1970	-91.38	-0.98	3210.62	01	01	1	
	P	1/ 10/ 1971	-92.05	-0.67	3209.95	01	01	1	
	P	1/ 9/ 1972	-93.27	-1.22	3208.73	01	01	1	
	P	1/ 17/ 1973	-94.16	-0.89	3207.84	01	01	1	
	P	1/ 8/ 1974	-94.84	-0.68	3207.16	01	06	1	
	P	1/ 13/ 1975	-94.81	0.03	3207.19	01	06	1	
	P	1/ 5/ 1976	-94.96	-0.15	3207.04	01	06	1	
	P	1/ 6/ 1977	-94.45	0.51	3207.55	01	06	1	
	P	1/ 12/ 1978	-94.3	0.15	3207.7	01	06	1	
	P	1/ 23/ 1979	-95.28	-0.98	3206.72	01	06	1	
	P	1/ 2/ 1980	-95.22	0.06	3206.78	01	06	1	
	P	1/ 8/ 1981	-95.82	-0.6	3206.18	01	06	1	
	P	1/ 5/ 1982	-96.5	-0.68	3205.5	01	06	1	
	P	2/ 23/ 1983	-97.83	-1.33	3204.17	01	06	1	
	P	1/ 4/ 1984	-98.79	-0.96	3203.21	01	06	1	
	P	1/ 7/ 1985	-100.71	-1.92	3201.29	01	06	1	
	P	1/ 17/ 1986	-101.07	-0.36	3200.93	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1987	-101.18	-0.11	3200.82	01	06	1	
	P	1 / 18/ 1988	-100.82	0.36	3201.18	01	06	1	
	P	1 / 4 / 1989	-100.28	0.54	3201.72	01	06	1	
	P	1 / 7 / 1990	-101.59	-1.31	3200.41	01	06	1	
	P	1 / 14/ 1991	-101.75	-0.16	3200.25	01	06	1	
	P	1 / 6 / 1992	-102.2	-0.45	3199.8	01	06	1	
	P	1 / 18/ 1993	-102.52	-0.32	3199.48	01	06	1	
	P	1 / 19/ 1994	-102.95	-0.43	3199.05	01	06	1	
	P	1 / 17/ 1995	-103.69	-0.74	3198.31	01	06	1	
	P	1 / 25/ 1996	-103.13	0.56	3198.87	01	06	1	
	P	2 / 3 / 1997	-103.82	-0.69	3198.18	01	06	1	
	P	1 / 9 / 1998	-103.84	-0.02	3198.16	01	06	1	
	P	1 / 26/ 1999	-105	-1.16	3197	01	06	1	
	P	1 / 31/ 2000	-104.65	0.35	3197.35	01	06	1	
	P	1 / 24/ 2001	-105.64	-0.99	3196.36	01	06	1	
	P	3 / 1 / 2002	-103.2	2.44	3198.8	01	06	1	
	N	2 / 25/ 2003				01	06	7	46
	N	3 / 15/ 2004				01	06		41
	N	3 / 8 / 2005				01	06	1	46

Min *-105.64* **Max** *-32.65* **Avg** *-68.1129*

1160403 *(Aquifer: 121OGLL Well Depth: 297)*

	P	5 / 31/ 1984	-196		3089	01	07	1	
	P	2 / 5 / 1996	-220	-24	3065	01	07	1	
	N	6 / 23/ 2004				01	01		42

Min *-220* **Max** *-196* **Avg** *-208*

1160701 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 5 / 1936	-37.7		3254.3	01	12	7	01
	P	5 / 10/ 1937	-44.19	-6.49	3247.81	01	12	7	01
	P	6 / 3 / 1937	-41.18	3.01	3250.82	01	12	7	01
	P	7 / 29/ 1937	-40.73	0.45	3251.27	01	12	7	01
	P	8 / 9 / 1937	-41.52	-0.79	3250.48	01	12	7	01
	P	9 / 10/ 1937	-40.02	1.5	3251.98	01	12	7	01
	P	10 / 2 / 1937	-39.46	0.56	3252.54	01	12	7	01
	P	11 / 2 / 1937	-39.22	0.24	3252.78	01	12	7	01
	P	12 / 1 / 1937	-39.02	0.2	3252.98	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 8 / 1938	-38.84	0.18	3253.16	01	12	7	01
	P	3 / 11/ 1938	-38.86	-0.02	3253.14	01	12	7	01
	P	4 / 13/ 1938	-39.81	-0.95	3252.19	01	12	7	01
	P	6 / 24/ 1938	-39.49	0.32	3252.51	01	12	7	01
	P	8 / 11/ 1938	-39.52	-0.03	3252.48	01	12	7	01
	P	10 / 20/ 1938	-39.58	-0.06	3252.42	01	12	7	01
	P	12 / 7 / 1938	-39.57	0.01	3252.43	01	12	7	01
	P	3 / 3 / 1939	-39.57		3252.43	01	12	7	01
	P	8 / 2 / 1939	-43.86	-4.29	3248.14	01	12	7	01
	P	10 / 5 / 1939	-41.3	2.56	3250.7	01	12	7	01
	P	11 / 21/ 1939	-41.14	0.16	3250.86	01	12	7	01
	P	12 / 14/ 1939	-41.06	0.08	3250.94	01	12	7	01
	P	3 / 7 / 1940	-40.83	0.23	3251.17	01	12	7	01
	P	11 / 13/ 1940	-42.83	-2	3249.17	01	12	7	01
	P	1 / 21/ 1941	-42.8	0.03	3249.2	01	12	7	01
	P	11 / 24/ 1941	-39.43	3.37	3252.57	01	12	7	01
	P	3 / 12/ 1942	-37.5	1.93	3254.5	01	12	7	01
	P	10 / 30/ 1942	-38.37	-0.87	3253.63	01	12	7	01
	P	1 / 26/ 1943	-37.59	0.78	3254.41	01	12	7	01
	P	2 / 8 / 1944	-38.39	-0.8	3253.61	01	12	7	01
	P	2 / 13/ 1945	-39.12	-0.73	3252.88	01	12	7	01
	P	3 / 1 / 1946	-40.15	-1.03	3251.85	01	12	7	01
	P	1 / 20/ 1947	-42.35	-2.2	3249.65	01	12	7	01
	P	3 / 11/ 1947	-41.98	0.37	3250.02	01	12	7	01
	P	2 / 28/ 1948	-43.13	-1.15	3248.87	01	12	7	01
	P	3 / 2 / 1949	-43.96	-0.83	3248.04	01	12	7	01
	P	2 / 18/ 1950	-44.58	-0.62	3247.42	01	12	7	01
	P	1 / 22/ 1951	-46.89	-2.31	3245.11	01	12	7	01
	P	1 / 31/ 1952	-48.48	-1.59	3243.52	01	12	7	01
	P	1 / 14/ 1953	-51.75	-3.27	3240.25	01	12	7	01
	P	1 / 7 / 1954	-56.88	-5.13	3235.12	01	12	7	01
	P	12 / 16/ 1954	-62.94	-6.06	3229.06	01	12	7	01
	P	1 / 17/ 1955	-62.31	0.63	3229.69	01	12	7	01

Min *-62.94* **Max** *-37.5* **Avg** *-42.5690*

1160702 *(Aquifer: 121OGLL Well Depth:)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1956	-66.3		3227.7	01	12	7	01
	P	1/ 9/ 1957	-67.79	-1.49	3226.21	01	12	7	01
	P	1/ 15/ 1958	-69.33	-1.54	3224.67	01	12	7	01
	P	1/ 8/ 1959	-73.45	-4.12	3220.55	01	12	7	01
	P	1/ 20/ 1960	-75.47	-2.02	3218.53	01	12	7	01
	P	1/ 12/ 1961	-76.64	-1.17	3217.36	01	04	1	
	P	1/ 12/ 1962	-77.52	-0.88	3216.48	01	01	1	
	P	1/ 5/ 1963	-79.06	-1.54	3214.94	01	01	1	
	P	1/ 9/ 1964	-80.84	-1.78	3213.16	01	01	1	
	P	1/ 7/ 1965	-82.44	-1.6	3211.56	01	01	1	
	P	1/ 8/ 1966	-85.7	-3.26	3208.3	01	01	1	
	P	1/ 6/ 1967	-84.39	1.31	3209.61	01	01	1	
	P	1/ 2/ 1968	-91.53	-7.14	3202.47	01	06	1	
	P	1/ 7/ 1969	-92.86	-1.33	3201.14	01	01	1	
	P	1/ 3/ 1970	-95.29	-2.43	3198.71	01	01	1	
	P	1/ 10/ 1971	-97.75	-2.46	3196.25	01	01	1	
	P	1/ 9/ 1972	-99.14	-1.39	3194.86	01	01	1	
	P	1/ 17/ 1973	-100	-0.86	3194	01	01	1	
	P	1/ 8/ 1974	-100.52	-0.52	3193.48	01	06	1	
	P	1/ 3/ 1975	-102.23	-1.71	3191.77	01	06	1	
	P	1/ 5/ 1976	-103.18	-0.95	3190.82	01	06	1	
	P	1/ 6/ 1977	-105.17	-1.99	3188.83	01	06	1	
	P	1/ 12/ 1978	-105.94	-0.77	3188.06	01	06	1	
	P	1/ 23/ 1979	-107.08	-1.14	3186.92	01	06	1	
	P	1/ 2/ 1980	-107.14	-0.06	3186.86	01	06	1	
	P	1/ 12/ 1981	-108.62	-1.48	3185.38	01	06	1	

Min *-108.62* **Max** *-66.3* **Avg** *-89.8223*

1160703 *(Aquifer: 121OGFA Well Depth: 308)*

	P	5/ 21/ 1983	-130.7		3154.3	01	12	7	

Min *-130.7* **Max** *-130.7* **Avg** *-130.7*

1160802 *(Aquifer: 121OGLL Well Depth: 235)*

	P	1/ 5/ 1982	-184.77		3090.23	01	06	1	20
	P	2/ 23/ 1983	-185.3	-0.53	3089.7	01	06	1	
	P	1/ 4/ 1984	-183.44	1.86	3091.56	01	06	1	
	P	1/ 7/ 1985	-181.58	1.86	3093.42	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1986	-179.49	2.09	3095.51	01	06	1	
	P	1/ 14/ 1987	-178.24	1.25	3096.76	01	06	1	
	P	1/ 29/ 1988	-177.18	1.06	3097.82	01	06	1	
	P	1/ 4/ 1989	-178.76	-1.58	3096.24	01	06	1	
	P	1/ 7/ 1990	-177.52	1.24	3097.48	01	06	1	
	N	1/ 14/ 1991				01	06		81

Min *-185.3* **Max** *-177.18* **Avg** *-180.698*

1160803 *(Aquifer: 121OGLL Well Depth:)*

	P	1/ 14/ 1991	-175.3		3098.7	01	06	1	
	P	1/ 2/ 1992	-177.35	-2.05	3096.65	01	06	1	
	P	1/ 18/ 1993	-176.99	0.36	3097.01	01	06	1	
	P	1/ 19/ 1994	-178.75	-1.76	3095.25	01	06	1	
	N	3/ 6/ 1995				01	06		41
	P	1/ 25/ 1996	-180.87		3093.13	01	06	1	
	P	1/ 31/ 1997	-180.89	-0.02	3093.11	01	06	1	
	P	1/ 9/ 1998	-178.77	2.12	3095.23	01	06	1	
	P	1/ 26/ 1999	-177	1.77	3097	01	06	1	
	P	1/ 31/ 2000	-176.59	0.41	3097.41	01	06	1	
	P	1/ 24/ 2001	-176.75	-0.16	3097.25	01	06	1	
	P	2/ 4/ 2002	-176.41	0.34	3097.59	01	06	1	
	P	2/ 25/ 2003	-176.52	-0.11	3097.48	01	06	1	
	P	2/ 2/ 2004	-176.66	-0.14	3097.34	01	06	1	
	P	2/ 8/ 2005	-176.22	0.44	3097.78	01	06	1	
	N	3/ 6/ 2006				01	06		41
	P	1/ 12/ 2007	-177.38		3096.62	01	06	1	
	P	1/ 3/ 2008	-177.64	-0.26	3096.36	01	06	1	
	P	2/ 3/ 2009	-178.04	-0.4	3095.96	01	06	1	
	P	1/ 18/ 2010	-178.94	-0.9	3095.06	01	06	1	
	P	1/ 21/ 2011	-178.12	0.82	3095.88	01	06	1	
	P	2/ 9/ 2012	-178.88	-0.76	3095.12	01	06	1	

Min *-180.89* **Max** *-175.3* **Avg** *-177.704*

2301101 *(Aquifer: 121OGLL Well Depth: 277)*

	P	3/ 11/ 1947	-80.66		3378.34	01	12	7	01
	P	2/ 23/ 1948	-82.89	-2.23	3376.11	01	12	7	01
	P	3/ 3/ 1949	-84.56	-1.67	3374.44	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1950	-86	-1.44	3373	01	12	7	01
	P	1 / 19/ 1951	-86.52	-0.52	3372.48	01	12	7	01
	P	1 / 30/ 1952	-89.92	-3.4	3369.08	01	12	7	01
	P	1 / 13/ 1953	-95.68	-5.76	3363.32	01	12	7	01
	P	1 / 9 / 1954	-102.05	-6.37	3356.95	01	12	7	01

Min *-102.05* **Max** *-80.66* **Avg** *-88.535*

2301102 *(Aquifer: 121OGLL Well Depth: 218)*

	P	3 / 21/ 1947	-79.5		3382.5	01	12	7	01
	P	2 / 23/ 1948	-80.95	-1.45	3381.05	01	12	7	01
	P	3 / 3 / 1949	-83.22	-2.27	3378.78	01	12	7	01
	P	2 / 18/ 1950	-85.71	-2.49	3376.29	01	12	7	01
	P	1 / 19/ 1951	-90.95	-5.24	3371.05	01	12	7	01
	P	1 / 30/ 1952	-87.43	3.52	3374.57	01	12	7	01
	P	1 / 13/ 1953	-91.7	-4.27	3370.3	01	12	7	01
	P	1 / 9 / 1954	-97.25	-5.55	3364.75	01	12	7	01
	P	12 / 27/ 1954	-104.3	-7.05	3357.7	01	12	7	01
	P	1 / 11/ 1956	-109.06	-4.76	3352.94	01	12	7	01
	P	1 / 10/ 1957	-121.1	-12.0	3340.9	01	12	7	01
	P	1 / 14/ 1958	-117.43	3.67	3344.57	01	12	7	01
	P	1 / 6 / 1959	-121.65	-4.22	3340.35	01	12	7	01
	P	1 / 18/ 1960	-126.8	-5.15	3335.2	01	12	7	01
	P	1 / 13/ 1961	-129.9	-3.1	3332.1	01	04	1	
	P	1 / 10/ 1962	-129.98	-0.08	3332.02	01	01	1	
	P	1 / 7 / 1963	-135.85	-5.87	3326.15	01	01	1	
	P	1 / 8 / 1964	-137.36	-1.51	3324.64	01	01	1	
	P	1 / 6 / 1965	-141.95	-4.59	3320.05	01	01	1	
	P	1 / 7 / 1966	-145.68	-3.73	3316.32	01	01	1	
	P	1 / 5 / 1967	-161.99	-16.3	3300.01	01	01	1	
	P	1 / 4 / 1968	-150.6	11.39	3311.4	01	01	1	
	P	1 / 12/ 1969	-157.86	-7.26	3304.14	01	01	1	
	P	1 / 7 / 1970	-163.85	-5.99	3298.15	01	01	1	
	P	1 / 9 / 1971	-157.1	6.75	3304.9	01	01	1	
	P	1 / 7 / 1972	-159.25	-2.15	3302.75	01	01	1	
	N	1 / 22/ 1973				01	01	1	44
	P	1 / 11/ 1974	-164.1		3297.9	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 10/ 1975	-167.2	-3.1	3294.8	01	01	1	
	P	1 / 7 / 1976	-170.34	-3.14	3291.66	01	01	1	
	P	1 / 13/ 1977	-174.48	-4.14	3287.52	01	01	1	
	P	1 / 7 / 1978	-180.9	-6.42	3281.1	01	01	1	
	N	1 / 8 / 1979				01	01	1	44
	P	1 / 15/ 1980	-183.1		3278.9	01	01	1	
	P	1 / 18/ 1982	-190.05	-6.95	3271.95	01	01	1	
	N	1 / 9 / 1984				01	01	1	44
	N	1 / 14/ 1985				01	01	1	44

Min *-190.05* **Max** *-79.5* **Avg** *-133.291*

2301103 *(Aquifer: 121OGLL Well Depth: 284)*

	P	12 / 27/ 1954	-109.87		3348.13	01	12	7	01
	P	1 / 10/ 1957	-119.78	-9.91	3338.22	01	12	7	01
	P	1 / 14/ 1958	-122.18	-2.4	3335.82	01	12	7	01
	P	1 / 6 / 1959	-124.87	-2.69	3333.13	01	12	7	01
	P	1 / 18/ 1960	-131.05	-6.18	3326.95	01	12	7	01
	P	1 / 13/ 1961	-133.24	-2.19	3324.76	01	04	1	
	P	1 / 10/ 1962	-131.53	1.71	3326.47	01	01	1	

Min *-133.24* **Max** *-109.87* **Avg** *-124.646*

2301104 *(Aquifer: 121OGLL Well Depth: 330)*

	P	4 / 8 / 1988	-224.15		3237.85	01	01	1	

Min *-224.15* **Max** *-224.15* **Avg** *-224.15*

2301105 *(Aquifer: 121OGLL Well Depth: 340)*

	P	4 / 8 / 1988	-224.8		3219.2	01	01	1	

Min *-224.8* **Max** *-224.8* **Avg** *-224.8*

2301107 *(Aquifer: 121OGLL Well Depth: 327)*

	P	6 / 27/ 1996	-246		3228	01	07	7	

Min *-246* **Max** *-246* **Avg** *-246*

2301301 *(Aquifer: 121OGLL Well Depth: 300)*

	P	12 / 27/ 1954	-114.64		3321.36	01	12	7	01
	P	1 / 16/ 1956	-121.4	-6.76	3314.6	01	12	7	01
	P	1 / 10/ 1957	-138	-16.6	3298	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1958	-140.88	-2.88	3295.12	01	12	7	01
	P	1 / 6 / 1959	-133.3	7.58	3302.7	01	12	7	01
	P	1 / 18/ 1960	-140.45	-7.15	3295.55	01	12	7	01
	P	1 / 13/ 1961	-143.32	-2.87	3292.68	01	04	1	
	P	1 / 10/ 1962	-143	0.32	3293	01	01	1	
	P	1 / 7 / 1963	-151.38	-8.38	3284.62	01	01	1	
	P	1 / 8 / 1964	-151.35	0.03	3284.65	01	01	1	
	P	1 / 6 / 1965	-157.89	-6.54	3278.11	01	01	1	
	P	1 / 7 / 1966	-161.2	-3.31	3274.8	01	01	1	

Min *-161.2* **Max** *-114.64* **Avg** *-141.401*

2301302 *(Aquifer: 121OGLL Well Depth: 371)*

	P	1 / 5 / 1967	-167.82		3267.18	01	01	1	
	P	1 / 4 / 1968	-168.37	-0.55	3266.63	01	01	1	
	P	1 / 12/ 1969	-171.08	-2.71	3263.92	01	01	1	
	P	7 / 7 / 1970	-171.97	-0.89	3263.03	01	01	1	
	P	1 / 9 / 1971	-175.22	-3.25	3259.78	01	01	1	
	P	1 / 7 / 1972	-177.68	-2.46	3257.32	01	01	1	
	P	1 / 22/ 1973	-179.02	-1.34	3255.98	01	01	1	
	P	1 / 11/ 1974	-183.52	-4.5	3251.48	01	01	1	
	P	1 / 10/ 1975	-185.6	-2.08	3249.4	01	01	1	
	P	1 / 7 / 1976	-188.54	-2.94	3246.46	01	01	1	
	N	1 / 13/ 1977				01	01	1	44
	P	1 / 6 / 1978	-193.73		3241.27	01	01	1	
	P	1 / 8 / 1979	-197.05	-3.32	3237.95	01	01	1	
	P	1 / 16/ 1980	-197.37	-0.32	3237.63	01	01	1	
	P	1 / 19/ 1981	-200.9	-3.53	3234.1	01	01	1	
	P	1 / 17/ 1983	-205.67	-4.77	3229.33	01	01	1	
	P	1 / 14/ 1985	-210.08	-4.41	3224.92	01	01	1	
	P	12 / 14/ 1985	-210.92	-0.84	3224.08	01	01	1	
	P	12 / 7 / 1986	-212.69	-1.77	3222.31	01	01	1	
	P	1 / 13/ 1988	-219.59	-6.9	3215.41	01	01	1	
	P	12 / 8 / 1988	-213.2	6.39	3221.8	01	01	2	
	P	12 / 8 / 1989	-215.02	-1.82	3219.98	01	01	1	
	P	12 / 10/ 1990	-216.9	-1.88	3218.1	01	01	1	
	P	12 / 10/ 1991	-222.2	-5.3	3212.8	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1994	-221.02	1.18	3213.98	01	06	1	
	P	3 / 6 / 1995	-229.8	-8.78	3205.2	01	06	1	
	P	1 / 25/ 1996	-231.01	-1.21	3203.99	01	06	1	
	P	2 / 10/ 1997	-233.52	-2.51	3201.48	01	06	1	
	P	1 / 13/ 1998	-234.84	-1.32	3200.16	01	06	1	
	P	1 / 25/ 1999	-235	-0.16	3200	01	06	1	
	P	3 / 13/ 2000	-237.12	-2.12	3197.88	01	06	1	
	P	2 / 5 / 2001	-235.28	1.84	3199.72	01	06	1	
	P	2 / 15/ 2002	-234.95	0.33	3200.05	01	06	1	
	P	2 / 26/ 2003	-239.1	-4.15	3195.9	01	06	1	
	P	3 / 15/ 2004	-238.04	1.06	3196.96	01	06	1	
	P	2 / 15/ 2005	-234.61	3.43	3200.39	01	06	1	
	P	1 / 13/ 2006	-235.27	-0.66	3199.73	01	06	1	
	P	2 / 1 / 2007	-236.65	-1.38	3198.35	01	06	1	
	P	1 / 7 / 2008	-240.59	-3.94	3194.41	01	06	1	
	P	2 / 4 / 2009	-241.61	-1.02	3193.39	01	06	1	
	N	1 / 18/ 2010				01	06	1	44
	N	1 / 18/ 2011				01	06	1	44
	N	2 / 7 / 2012				01	06	1	44

Min *-241.61* **Max** *-167.82* **Avg** *-211.347*

2301401 *(Aquifer: 121OGLL Well Depth: 350)*

	P	1 / 14/ 1976	-185.15		3256.85	01	01	1	
	N	1 / 12/ 1977				01	01		63
	P	1 / 6 / 1978	-191.6		3250.4	01	01	1	03
	P	1 / 8 / 1979	-192.86	-1.26	3249.14	01	01	1	
	P	1 / 17/ 1983	-219.49	-26.6	3222.51	01	01	1	
	P	1 / 14/ 1985	-221.18	-1.69	3220.82	01	01	1	
	P	1 / 13/ 1988	-211.3	9.88	3230.7	01	01	1	
	P	12 / 8 / 1988	-204	7.3	3238	01	01	1	
	P	12 / 8 / 1989	-210.04	-6.04	3231.96	01	01	1	
	P	12 / 10/ 1990	-209.06	0.98	3232.94	01	01	1	
	P	12 / 9 / 1991	-208.08	0.98	3233.92	01	01	1	
	P	1 / 24/ 1994	-209.9	-1.82	3232.1	01	06	1	
	P	1 / 23/ 1995	-215.41	-5.51	3226.59	01	06	1	
	P	1 / 25/ 1996	-216.48	-1.07	3225.52	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 10/ 1997	-217.82	-1.34	3224.18	01	06	1	
	P	1 / 13/ 1998	-220.03	-2.21	3221.97	01	06	1	
	P	1 / 25/ 1999	-225	-4.97	3217	01	06	1	
	P	2 / 11/ 2000	-227.94	-2.94	3214.06	01	06	1	
	P	2 / 5 / 2001	-230.95	-3.01	3211.05	01	06	1	
	P	2 / 15/ 2002	-232.49	-1.54	3209.51	01	06	1	
	N	4 / 2 / 2003				01	06		41
	P	3 / 15/ 2004	-240.74		3201.26	01	06	1	
	P	2 / 15/ 2005	-230.77	9.97	3211.23	01	06	1	
	P	1 / 13/ 2006	-240.78	-10.0	3201.22	01	06	1	
	P	2 / 1 / 2007	-240.77	0.01	3201.23	01	06	1	
	P	1 / 7 / 2008	-247.71	-6.94	3194.29	01	06	1	
	P	2 / 4 / 2009	-255.05	-7.34	3186.95	01	06	1	
	P	2 / 19/ 2010	-258.93	-3.88	3183.07	01	06	1	
	P	2 / 21/ 2011	-260.59	-1.66	3181.41	01	06	1	
	P	1 / 1 / 2012	-268.76	-8.17	3173.24	01	06	1	

Min *-268.76* **Max** *-185.15* **Avg** *-224.746*

2301403 *(Aquifer: 121OGLL Well Depth: 339)*

	P	4 / 9 / 1988	-210.7		3215.3	01	01	1	

Min *-210.7* **Max** *-210.7* **Avg** *-210.7*

2301501 *(Aquifer: 121OGLL Well Depth: 327)*

	P	3 / 18/ 1955	-127.02		3306.98	01	12	7	01
	P	1 / 12/ 1956	-128.58	-1.56	3305.42	01	12	7	01
	P	1 / 10/ 1957	-133.45	-4.87	3300.55	01	12	7	01
	P	1 / 16/ 1958	-135.72	-2.27	3298.28	01	12	7	01
	P	1 / 7 / 1959	-131.4	4.32	3302.6	01	12	7	01
	P	1 / 18/ 1960	-136.6	-5.2	3297.4	01	12	7	01
	P	1 / 13/ 1961	-139.4	-2.8	3294.6	01	04	1	
	P	1 / 10/ 1962	-145.94	-6.54	3288.06	01	01	1	
	P	1 / 7 / 1963	-150.15	-4.21	3283.85	01	01	1	
	P	1 / 8 / 1964	-154.8	-4.65	3279.2	01	01	1	
	P	1 / 6 / 1965	-161.16	-6.36	3272.84	01	01	1	
	P	1 / 7 / 1966	-167.3	-6.14	3266.7	01	01	1	
	P	1 / 5 / 1967	-168.6	-1.3	3265.4	01	01	1	
	P	1 / 4 / 1968	-169.24	-0.64	3264.76	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1969	-169.2	0.04	3264.8	01	01	1	
	N	1/ 7/ 1970				01	01		60
	P	1/ 11/ 1971	-179.75		3254.25	01	01	1	
	P	1/ 7/ 1972	-182.68	-2.93	3251.32	01	01	1	
	P	1/ 22/ 1973	-183.33	-0.65	3250.67	01	01	1	
	P	1/ 11/ 1974	-187.18	-3.85	3246.82	01	01	1	
	P	1/ 10/ 1975	-189.56	-2.38	3244.44	01	01	1	
	P	1/ 7/ 1976	-192.49	-2.93	3241.51	01	01	1	
	P	1/ 12/ 1977	-196.24	-3.75	3237.76	01	01	1	
	P	1/ 6/ 1978	-199.39	-3.15	3234.61	01	01	1	
	N	1/ 8/ 1979				01	01		42
	P	1/ 16/ 1980	-200.14		3233.86	01	01	1	
	P	1/ 17/ 1981	-204.23	-4.09	3229.77	01	01	1	
	P	1/ 17/ 1983	-207.62	-3.39	3226.38	01	01	1	
	N	1/ 14/ 1985				01	01		42
	N	12/ 14/ 1985				01	01		42
	P	12/ 7/ 1986	-210.03		3223.97	01	01	1	
	P	1/ 13/ 1988	-207.9	2.13	3226.1	01	01	1	
	P	12/ 8/ 1988	-209.3	-1.4	3224.7	01	01	2	
	P	12/ 8/ 1989	-211.23	-1.93	3222.77	01	01	1	
	P	12/ 10/ 1990	-211.38	-0.15	3222.62	01	01	1	
	P	12/ 9/ 1991	-212.95	-1.57	3221.05	01	01	1	
	P	1/ 24/ 1994	-213.94	-0.99	3220.06	01	06	1	
	P	1/ 23/ 1995	-218.74	-4.8	3215.26	01	06	1	
	P	1/ 25/ 1996	-222.62	-3.88	3211.38	01	06	1	
	P	2/ 5/ 1997	-221.58	1.04	3212.42	01	06	1	
	P	1/ 13/ 1998	-223.05	-1.47	3210.95	01	06	1	
	P	1/ 25/ 1999	-227	-3.95	3207	01	06	1	
	N	3/ 13/ 2000				01	06	7	45
	N	2/ 5/ 2001				01	06		51
	N	2/ 15/ 2002				01	06	7	45
	N	2/ 26/ 2003				01	06	7	45
	P	1/ 29/ 2004	-224.31		3209.69	01	06	1	
	N	2/ 15/ 2005				01	06	1	45

Min *-227* **Max** *-127.02* **Avg** *-183.467*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2301502	(Aquifer: 121OGLL		Well Depth: 352)						
	P	4 / 8 / 1988	-238.3		3177.7	01	01	1	
Min -238.3		Max -238.3	Avg	-238.3					
2301503	(Aquifer: 121OGLL		Well Depth: 368)						
	P	4 / 8 / 1988	-242.6		3188.4	01	01	1	
Min -242.6		Max -242.6	Avg	-242.6					
2301601	(Aquifer: 121OGLL		Well Depth: 373)						
	P	1 / 20 / 1977	-196.16		3214.84	01	01	1	
	P	1 / 6 / 1978	-199.12	-2.96	3211.88	01	01	1	
	P	1 / 8 / 1979	-201.45	-2.33	3209.55	01	01	1	
	P	1 / 17 / 1980	-201	0.45	3210	01	12	7	
	P	1 / 19 / 1980	-201.04	-0.04	3209.96	01	01	1	
	P	1 / 18 / 1982	-208.2	-7.16	3202.8	01	01	1	
	P	1 / 9 / 1984	-217.56	-9.36	3193.44	01	01	1	
	P	12 / 13 / 1985	-214.08	3.48	3196.92	01	01	1	
	P	12 / 7 / 1986	-212.35	1.73	3198.65	01	01	1	
	P	1 / 13 / 1988	-219.28	-6.93	3191.72	01	01	1	
	P	12 / 8 / 1988	-211.5	7.78	3199.5	01	01	2	
	P	12 / 8 / 1989	-213.06	-1.56	3197.94	01	01	1	
	P	12 / 10 / 1990	-213.24	-0.18	3197.76	01	01	1	
	P	12 / 10 / 1991	-216.5	-3.26	3194.5	01	01	1	
	P	1 / 24 / 1994	-217.02	-0.52	3193.98	01	06	1	
	P	1 / 23 / 1995	-222.49	-5.47	3188.51	01	06	1	
	P	1 / 25 / 1996	-223.8	-1.31	3187.2	01	06	1	
	P	2 / 10 / 1997	-225.81	-2.01	3185.19	01	06	1	
	P	1 / 13 / 1998	-226.75	-0.94	3184.25	01	06	1	
	P	1 / 25 / 1999	-232	-5.25	3179	01	06	1	
	N	2 / 11 / 2000				01	06		41
	P	2 / 5 / 2001	-238.18		3172.82	01	06	1	
	P	2 / 15 / 2002	-239.87	-1.69	3171.13	01	06	1	
	P	2 / 25 / 2003	-244.77	-4.9	3166.23	01	06	1	
	P	1 / 29 / 2004	-250.72	-5.95	3160.28	01	06	1	
	P	2 / 15 / 2005	-244.58	6.14	3166.42	01	06	1	
	P	3 / 6 / 2006	-248.7	-4.12	3162.3	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 1 / 2007				01	06	7	44
	N	1 / 7 / 2008				01	06		81
	N	2 / 4 / 2009				01	06	1	44
	N	1 / 18/ 2010				01	06	1	44
Min -250.72		**Max** -196.16	**Avg** -220.74						
2301604	(Aquifer: 121OGLL		Well Depth: 384)						
	P	11 / 29/ 1968	-155		3260	01	07	7	
Min -155		**Max** -155	**Avg** -155						
2301605	(Aquifer: 121OGLL		Well Depth: 374)						
	P	4 / 8 / 1988	-252.3		3166.7	01	01	1	
Min -252.3		**Max** -252.3	**Avg** -252.3						
2301608	(Aquifer: 121OGLL		Well Depth:)						
	P	1 / 7 / 2008	-252.82		3160.18	01	06	1	
	P	2 / 4 / 2009	-261.04	-8.22	3151.96	01	06	1	
	P	1 / 18/ 2010	-264.42	-3.38	3148.58	01	06	1	
	P	1 / 18/ 2011	-266.13	-1.71	3146.87	01	06	1	
	P	3 / 5 / 2012	-277.97	-11.8	3135.03	01	06	2	
Min -277.97		**Max** -252.82	**Avg** -264.476						
2301701	(Aquifer: 121OGLL		Well Depth: 300)						
	P	1 / 13/ 1955	-120.63		3332.37	01	12	7	01
	P	1 / 11/ 1956	-122.2	-1.57	3330.8	01	12	7	01
	P	1 / 10/ 1957	-127.73	-5.53	3325.27	01	12	7	01
	P	1 / 14/ 1958	-130.37	-2.64	3322.63	01	12	7	01
	P	1 / 6 / 1959	-132.3	-1.93	3320.7	01	12	7	01
	P	1 / 18/ 1960	-138.9	-6.6	3314.1	01	12	7	01
	P	1 / 13/ 1961	-140.19	-1.29	3312.81	01	04	1	
	P	1 / 10/ 1962	-143.45	-3.26	3309.55	01	01	1	
	P	1 / 7 / 1963	-149.4	-5.95	3303.6	01	01	1	
	P	1 / 8 / 1964	-152.96	-3.56	3300.04	01	01	1	
	P	1 / 6 / 1965	-159.2	-6.24	3293.8	01	01	1	
	P	1 / 7 / 1966	-165.38	-6.18	3287.62	01	01	1	
	P	1 / 4 / 1967	-168.98	-3.6	3284.02	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -168.98		**Max -120.63**	**Avg -142.438**						
2301703	*(Aquifer: 121OGLL*		*Well Depth: 332)*						
	P	4 / 8 / 1988	-199.9		3216.1	01	01	1	
Min -199.9		**Max -199.9**	**Avg -199.9**						
2301704	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 24/ 1994	-205.95		3247.05	01	06	1	
	P	1 / 23/ 1995	-208.35	-2.4	3244.65	01	06	1	
	P	1 / 25/ 1996	-210.37	-2.02	3242.63	01	06	1	
	P	2 / 5 / 1997	-214.19	-3.82	3238.81	01	06	1	
	P	2 / 27/ 1998	-216.88	-2.69	3236.12	01	06	1	
	P	1 / 25/ 1999	-216	0.88	3237	01	06	1	
	N	2 / 13/ 2000				01	06	7	44
	P	1 / 25/ 2001	-219.15		3233.85	01	06	1	
	P	2 / 1 / 2002	-219.64	-0.49	3233.36	01	06	1	
	P	2 / 26/ 2003	-220.11	-0.47	3232.89	01	06	1	
	P	1 / 23/ 2004	-222	-1.89	3231	01	06	1	
	P	2 / 15/ 2005	-220.74	1.26	3232.26	01	06	1	
	P	1 / 13/ 2006	-221.79	-1.05	3231.21	01	06	1	
	P	2 / 1 / 2007	-221.21	0.58	3231.79	01	06	1	
	P	1 / 4 / 2008	-222.89	-1.68	3230.11	01	06	1	
	P	2 / 4 / 2009	-224.95	-2.06	3228.05	01	06	1	
	P	1 / 18/ 2010	-226.64	-1.69	3226.36	01	06	1	
	P	1 / 18/ 2011	-226.53	0.11	3226.47	01	06	1	
	P	2 / 9 / 2012	-230.44	-3.91	3222.56	01	06	1	
Min -230.44		**Max -205.95**	**Avg -219.324**						
2301802	*(Aquifer: 121OGLL*		*Well Depth: 345)*						
	P	2 / 5 / 2001	-217.33		3205.67	01	06	1	
	P	2 / 15/ 2002	-218.92	-1.59	3204.08	01	06	1	
	P	2 / 26/ 2003	-222.12	-3.2	3200.88	01	06	1	
	P	1 / 29/ 2004	-224.31	-2.19	3198.69	01	06	1	
	P	2 / 15/ 2005	-221.4	2.91	3201.6	01	06	1	
	P	1 / 13/ 2006	-224.15	-2.75	3198.85	01	06	1	
	P	2 / 1 / 2007	-226.05	-1.9	3196.95	01	06	1	
	P	1 / 4 / 2008	-228.92	-2.87	3194.08	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	3 / 5 / 2009				01	06		41
	P	2 / 19/ 2010	-238.35		3184.65	01	06	1	
	P	1 / 18/ 2011	-239.05	-0.7	3183.95	01	06	1	
	P	2 / 7 / 2012	-246.48	-7.43	3176.52	01	06	1	

Min *-246.48* **Max** *-217.33* **Avg** *-227.916*

2301901 *(Aquifer: 121OGLL Well Depth: 202)*

	P	8 / 23/ 1963	-147		3229	01	07	7	
	P	1 / 15/ 1976	-149.07	-2.07	3226.93	01	01	1	
	P	1 / 13/ 1977	-151.84	-2.77	3224.16	01	01	1	
	P	1 / 6 / 1978	-154.95	-3.11	3221.05	01	01	1	
	P	1 / 8 / 1979	-156.62	-1.67	3219.38	01	01	1	
	P	1 / 16/ 1982	-157.02	-0.4	3218.98	01	01	1	
	P	1 / 9 / 1984	-169.55	-12.5	3206.45	01	01	1	
	P	12 / 14/ 1985	-156.4	13.15	3219.6	01	01	1	
	N	12 / 17/ 1987				01	01		60
	P	12 / 8 / 1988	-147.29		3228.71	01	01	1	
	P	12 / 8 / 1989	-147.76	-0.47	3228.24	01	01	1	
	P	12 / 10/ 1990	-147.48	0.28	3228.52	01	01	2	
	P	12 / 9 / 1991	-150.37	-2.89	3225.63	01	01	1	
	P	1 / 26/ 1993	-149.57	0.8	3226.43	01	01	1	
	P	1 / 24/ 1994	-153.03	-3.46	3222.97	01	06	1	
	P	1 / 24/ 1995	-157.1	-4.07	3218.9	01	06	1	
	P	1 / 25/ 1996	-163.02	-5.92	3212.98	01	06	1	
	P	2 / 5 / 1997	-164.12	-1.1	3211.88	01	06	1	
	P	1 / 13/ 1998	-158.12	6	3217.88	01	06	1	
	P	1 / 21/ 1999	-161	-2.88	3215	01	06	1	
	P	2 / 11/ 2000	-163.55	-2.55	3212.45	01	06	1	
	P	2 / 5 / 2001	-159.56	3.99	3216.44	01	06	1	
	P	2 / 15/ 2002	-163.25	-3.69	3212.75	01	06	1	
	P	2 / 26/ 2003	-167.1	-3.85	3208.9	01	06	1	
	P	1 / 21/ 2004	-165.28	1.82	3210.72	01	06	1	
	P	3 / 8 / 2005	-160.27	5.01	3215.73	01	06	1	
	P	1 / 13/ 2006	-159.94	0.33	3216.06	01	06	1	
	P	2 / 1 / 2007	-160.97	-1.03	3215.03	01	06	1	
	P	1 / 4 / 2008	-159.78	1.19	3216.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 2009	-161.46	-1.68	3214.54	01	06	1	
	P	1 / 18/ 2010	-163.43	-1.97	3212.57	01	06	1	
	P	1 / 18/ 2011	-163.62	-0.19	3212.38	01	06	1	
	P	2 / 7 / 2012	-163.38	0.24	3212.62	01	06	1	

Min *-169.55* **Max** *-147* **Avg** *-157.903*

2302101 *(Aquifer: 121OGLL Well Depth: 318)*

	P	3 / 5 / 1946	-74.87		3347.13	01	12	7	01
	P	3 / 11/ 1947	-76.74	-1.87	3345.26	01	12	7	01
	P	2 / 23/ 1948	-78.2	-1.46	3343.8	01	12	7	01
	P	3 / 3 / 1949	-79.73	-1.53	3342.27	01	12	7	01
	P	2 / 19/ 1950	-81.25	-1.52	3340.75	01	12	7	01
	P	1 / 19/ 1951	-82.24	-0.99	3339.76	01	12	7	01
	P	1 / 30/ 1952	-84.04	-1.8	3337.96	01	12	7	01
	P	1 / 13/ 1953	-87.65	-3.61	3334.35	01	12	7	01
	P	1 / 8 / 1954	-92.99	-5.34	3329.01	01	12	7	01
	P	12 / 27/ 1954	-98	-5.01	3324	01	12	7	01
	P	1 / 12/ 1956	-100.26	-2.26	3321.74	01	12	7	01
	P	1 / 10/ 1957	-110	-9.74	3312	01	12	7	01
	P	1 / 16/ 1958	-107.67	2.33	3314.33	01	12	7	01
	P	1 / 6 / 1959	-110.08	-2.41	3311.92	01	12	7	01
	P	1 / 20/ 1960	-114.62	-4.54	3307.38	01	12	7	01
	P	1 / 10/ 1961	-118	-3.38	3304	01	04	1	
	P	1 / 8 / 1962	-116.6	1.4	3305.4	01	01	2	
	P	1 / 4 / 1963	-121.61	-5.01	3300.39	01	01	1	
	P	1 / 8 / 1964	-124.85	-3.24	3297.15	01	01	1	
	P	1 / 6 / 1965	-133.16	-8.31	3288.84	01	01	1	
	P	1 / 7 / 1966	-144.63	-11.5	3277.37	01	01	1	
	P	1 / 5 / 1967	-152.32	-7.69	3269.68	01	01	1	
	P	1 / 4 / 1968	-160.4	-8.08	3261.6	01	01	1	
	P	1 / 12/ 1969	-166.42	-6.02	3255.58	01	01	1	
	P	1 / 7 / 1970	-164.87	1.55	3257.13	01	01	1	
	P	1 / 9 / 1971	-168.18	-3.31	3253.82	01	01	1	
	P	1 / 7 / 1972	-171.29	-3.11	3250.71	01	01	1	
	P	1 / 22/ 1973	-169.85	1.44	3252.15	01	01	1	
	N	1 / 11/ 1974				01	01	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 10/ 1975				01	01	1	44
	N	1 / 12/ 1976				01	01	1	44

Min *-171.29* **Max** *-74.87* **Avg** *-117.519*

2302102 *(Aquifer: 121OGLL Well Depth: 218)*

P	6 / 15/ 1938	-73.99		3349.01	01	12	7	01
P	10 / 18/ 1938	-72.86	1.13	3350.14	01	12	7	01
P	3 / 7 / 1939	-71.58	1.28	3351.42	01	12	7	01
P	6 / 23/ 1939	-74.11	-2.53	3348.89	01	12	7	01
P	12 / 17/ 1939	-72.83	1.28	3350.17	01	12	7	01
P	3 / 13/ 1940	-72.23	0.6	3350.77	01	12	7	01
P	11 / 15/ 1940	-73.51	-1.28	3349.49	01	12	7	01
P	1 / 21/ 1941	-72.65	0.86	3350.35	01	12	7	01
P	3 / 11/ 1941	-79.59	-6.94	3343.41	01	12	7	01
P	11 / 24/ 1941	-72.22	7.37	3350.78	01	12	7	01
P	3 / 13/ 1942	-71.48	0.74	3351.52	01	12	7	01
P	10 / 29/ 1942	-71.53	-0.05	3351.47	01	12	7	01
P	1 / 24/ 1943	-71.12	0.41	3351.88	01	12	7	01
P	2 / 17/ 1944	-71.37	-0.25	3351.63	01	12	7	01
P	2 / 24/ 1945	-71.75	-0.38	3351.25	01	12	7	01
P	3 / 5 / 1946	-75.65	-3.9	3347.35	01	12	7	01
P	1 / 21/ 1947	-76.04	-0.39	3346.96	01	12	7	01
P	3 / 11/ 1947	-75.32	0.72	3347.68	01	12	7	01
P	2 / 23/ 1948	-76.7	-1.38	3346.3	01	12	7	01
P	3 / 3 / 1949	-78.17	-1.47	3344.83	01	12	7	01
P	2 / 19/ 1950	-79.7	-1.53	3343.3	01	12	7	01
P	1 / 19/ 1951	-80.81	-1.11	3342.19	01	12	7	01
P	1 / 30/ 1952	-82.49	-1.68	3340.51	01	12	7	01
P	1 / 13/ 1953	-86.04	-3.55	3336.96	01	12	7	01
P	1 / 8 / 1954	-91.45	-5.41	3331.55	01	12	7	01
N	1 / 12/ 1955				01	12		40

Min *-91.45* **Max** *-71.12* **Avg** *-75.8076*

2302103 *(Aquifer: 121OGLL Well Depth:)*

P	1 / 16/ 1958	-106.27		3300.73	01	12	7	01
P	1 / 8 / 1959	-99.26	7.01	3307.74	01	12	7	01
P	1 / 10/ 1960	-105.5	-6.24	3301.5	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 11/ 1962	-101.91	3.59	3305.09	01	01	1	
	P	1/ 4/ 1963	-109.83	-7.92	3297.17	01	01	1	
	P	1/ 8/ 1964	-113.2	-3.37	3293.8	01	01	1	
	P	1/ 6/ 1965	-121.15	-7.95	3285.85	01	01	1	
	P	1/ 7/ 1966	-128.75	-7.6	3278.25	01	01	1	
	P	1/ 5/ 1967	-133.05	-4.3	3273.95	01	01	1	
	P	1/ 4/ 1968	-136.1	-3.05	3270.9	01	01	1	
	P	1/ 7/ 1969	-138.24	-2.14	3268.76	01	01	1	
	P	1/ 9/ 1970	-137.5	0.74	3269.5	01	01	1	
	P	1/ 9/ 1970	-136.9	0.6	3270.1	02	01	1	
	P	1/ 9/ 1971	-151.12	-14.2	3255.88	01	01	1	
	P	1/ 8/ 1972	-149.26	1.86	3257.74	01	01	1	
	N	1/ 23/ 1973				01	01	1	44
	P	1/ 11/ 1974	-158.38		3248.62	01	01	1	
	N	2/ 0/ 1974				01	01		81
	N	1/ 0/ 1977				01	01		42

Min *-158.38* **Max** *-99.26* **Avg** *-126.651*

2302104 *(Aquifer: 121OGLL Well Depth: 330)*

	P	1/ 17/ 1980	-198.05		3217.95	01	01	1	
	P	1/ 19/ 1981	-204.55	-6.5	3211.45	01	01	1	
	P	1/ 17/ 1983	-209.7	-5.15	3206.3	01	01	1	
	P	1/ 14/ 1985	-212.11	-2.41	3203.89	01	01	1	
	P	12/ 13/ 1985	-212.71	-0.6	3203.29	01	01	1	
	P	12/ 10/ 1986	-211.57	1.14	3204.43	01	01	1	
	P	12/ 18/ 1987	-212.55	-0.98	3203.45	01	01	1	
	N	12/ 8/ 1988				01	01	1	44
	P	12/ 4/ 1989	-211.97		3204.03	01	01	1	
	P	12/ 10/ 1990	-214.12	-2.15	3201.88	01	01	1	
	P	12/ 9/ 1991	-223.95	-9.83	3192.05	01	01	1	
	P	1/ 26/ 1993	-214.5	9.45	3201.5	01	01	1	
	P	1/ 19/ 1994	-215.4	-0.9	3200.6	01	06	1	
	P	1/ 19/ 1995	-220.6	-5.2	3195.4	01	06	1	
	P	1/ 25/ 1996	-222.73	-2.13	3193.27	01	06	1	
	P	2/ 3/ 1997	-225.41	-2.68	3190.59	01	06	1	
	P	1/ 12/ 1998	-226.14	-0.73	3189.86	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 25/ 1999	-232	-5.86	3184	01	06	1	
	P	2 / 11/ 2000	-234.67	-2.67	3181.33	01	06	1	
	P	1 / 5 / 2001	-238.58	-3.91	3177.42	01	06	1	
	P	2 / 4 / 2002	-239.46	-0.88	3176.54	01	06	1	
	P	2 / 24/ 2003	-242.98	-3.52	3173.02	01	06	1	
	P	1 / 29/ 2004	-245.93	-2.95	3170.07	01	06	1	
	P	1 / 28/ 2005	-246.18	-0.25	3169.82	01	06	1	
	P	1 / 16/ 2006	-248	-1.82	3168	01	06	1	
	P	1 / 31/ 2007	-250.71	-2.71	3165.29	01	06	1	
	P	1 / 2 / 2008	-251.41	-0.7	3164.59	01	06	1	
	P	2 / 4 / 2009	-255.93	-4.52	3160.07	01	06	1	
	P	1 / 15/ 2010	-258.34	-2.41	3157.66	01	06	1	
	P	1 / 19/ 2011	-258.85	-0.51	3157.15	01	06	1	
	P	2 / 9 / 2012	-256.48	2.37	3159.52	01	06	1	

Min *-258.85* **Max** *-198.05* **Avg** *-229.853*

2302105 *(Aquifer: 121OGLL Well Depth: 319)*

	P	4 / 7 / 1988	-199		3199	01	01	1	

Min *-199* **Max** *-199* **Avg** *-199*

2302107 *(Aquifer: 121OGLL Well Depth: 364)*

	P	4 / 7 / 1988	-210.8		3193.2	01	01	1	

Min *-210.8* **Max** *-210.8* **Avg** *-210.8*

2302108 *(Aquifer: 121OGLL Well Depth: 296)*

	P	4 / 7 / 1988	-223.1		3182.9	01	01	1	

Min *-223.1* **Max** *-223.1* **Avg** *-223.1*

2302109 *(Aquifer: 121OGLL Well Depth: 300)*

	P	4 / 7 / 1988	-186.2		3209.8	01	01	2	

Min *-186.2* **Max** *-186.2* **Avg** *-186.2*

2302202 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 28/ 1948	-61.77		3321.23	01	12	7	
	P	3 / 4 / 1949	-66.73	-4.96	3316.27	01	12	7	
	P	2 / 19/ 1950	-67.38	-0.65	3315.62	01	12	7	
	P	1 / 19/ 1951	-68.19	-0.81	3314.81	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 30/ 1952	-68.93	-0.74	3314.07	01	12	7	
	P	1 / 13/ 1953	-69.05	-0.12	3313.95	01	12	7	
	P	1 / 8 / 1954	-73.58	-4.53	3309.42	01	12	7	
	P	1 / 17/ 1955	-78.78	-5.2	3304.22	01	12	7	
	P	1 / 12/ 1956	-85.43	-6.65	3297.57	01	12	7	
	P	1 / 10/ 1957	-90.41	-4.98	3292.59	01	12	7	

Min *-90.41* **Max** *-61.77* **Avg** *-73.025*

2302203 *(Aquifer: 121OGLL Well Depth: 61)*

	P	10 / 18/ 1937	-51.15		3288.85	01	12	7	01
	P	6 / 15/ 1938	-51.34	-0.19	3288.66	01	12	7	01
	P	8 / 9 / 1938	-51.07	0.27	3288.93	01	12	7	01
	P	10 / 18/ 1938	-51.18	-0.11	3288.82	01	12	7	01
	P	3 / 7 / 1939	-51.3	-0.12	3288.7	01	12	7	01
	P	6 / 23/ 1939	-51.35	-0.05	3288.65	01	12	7	01
	P	10 / 6 / 1939	-51.39	-0.04	3288.61	01	12	7	01
	P	12 / 17/ 1939	-51.41	-0.02	3288.59	01	12	7	01
	P	3 / 7 / 1940	-51.54	-0.13	3288.46	01	12	7	01
	P	7 / 10/ 1940	-51.58	-0.04	3288.42	01	12	7	01
	P	11 / 13/ 1940	-51.74	-0.16	3288.26	01	12	7	01
	P	1 / 21/ 1941	-51.68	0.06	3288.32	01	12	7	01
	P	3 / 11/ 1941	-51.71	-0.03	3288.29	01	12	7	01
	P	7 / 25/ 1941	-49.9	1.81	3290.1	01	12	7	01
	P	11 / 7 / 1941	-48.89	1.01	3291.11	01	12	7	01
	P	3 / 12/ 1942	-49.18	-0.29	3290.82	01	12	7	01
	P	7 / 23/ 1942	-50.45	-1.27	3289.55	01	12	7	01

Min *-51.74* **Max** *-48.89* **Avg** *-50.9918*

2302204 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 11/ 1936	-64		3317	01	12	7	01
	P	4 / 26/ 1937	-64.05	-0.05	3316.95	01	12	7	01
	P	7 / 26/ 1937	-64.01	0.04	3316.99	01	12	7	01
	P	6 / 28/ 1938	-63.93	0.08	3317.07	01	12	7	01
	P	8 / 11/ 1938	-63.9	0.03	3317.1	01	12	7	01
	P	6 / 23/ 1939	-63.88	0.02	3317.12	01	12	7	01
	P	10 / 6 / 1939	-63.92	-0.04	3317.08	01	12	7	01
	P	12 / 17/ 1939	-63.93	-0.01	3317.07	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 7 / 1940	-64.02	-0.09	3316.98	01	12	7	01
	P	7 / 10/ 1940	-64.03	-0.01	3316.97	01	12	7	01
	P	11 / 13/ 1940	-64.17	-0.14	3316.83	01	12	7	01
	P	1 / 21/ 1941	-64.18	-0.01	3316.82	01	12	7	01
	P	7 / 25/ 1941	-64.2	-0.02	3316.8	01	12	7	01
	P	11 / 7 / 1941	-64.1	0.1	3316.9	01	12	7	01
	P	3 / 12/ 1942	-63.82	0.28	3317.18	01	12	7	01
	P	7 / 23/ 1942	-63.49	0.33	3317.51	01	12	7	01
	P	10 / 29/ 1942	-63.62	-0.13	3317.38	01	12	7	01
	P	1 / 24/ 1943	-63.29	0.33	3317.71	01	12	7	01

Min *-64.2* **Max** *-63.29* **Avg** *-63.9189*

2302301 *(Aquifer: 121OGLL Well Depth: 139)*

	P	1 / 8 / 1954	-72.32		3269.68	01	12	7	01
	P	1 / 17/ 1955	-78.93	-6.61	3263.07	01	12	7	01
	P	1 / 12/ 1956	-86.53	-7.6	3255.47	01	12	7	01
	P	1 / 10/ 1957	-94.2	-7.67	3247.8	01	12	7	01
	P	1 / 15/ 1958	-94.47	-0.27	3247.53	01	12	7	01
	P	1 / 8 / 1959	-95.37	-0.9	3246.63	01	12	7	01
	P	1 / 20/ 1960	-99.1	-3.73	3242.9	01	12	7	01
	P	1 / 10/ 1961	-101.9	-2.8	3240.1	01	04	1	
	P	1 / 11/ 1962	-103.22	-1.32	3238.78	01	01	1	
	P	1 / 5 / 1963	-106.35	-3.13	3235.65	01	01	1	
	N	1 / 8 / 1964				01	01		40

Min *-106.35* **Max** *-72.32* **Avg** *-93.239*

2302302 *(Aquifer: 121OGLL Well Depth: 162)*

	P	1 / 8 / 1964	-106.87		3235.13	01	01	1	
	P	1 / 6 / 1965	-108.94	-2.07	3233.06	01	01	1	
	P	1 / 7 / 1966	-110	-1.06	3232	01	01	1	
	P	1 / 6 / 1967	-111.74	-1.74	3230.26	01	01	1	
	P	1 / 2 / 1968	-105.14	6.6	3236.86	01	06	1	
	P	1 / 7 / 1969	-117.2	-12.1	3224.8	01	01	1	
	P	1 / 3 / 1970	-116.39	0.81	3225.61	01	01	1	
	P	1 / 11/ 1971	-112.47	3.92	3229.53	01	01	1	
	P	1 / 8 / 1972	-111.44	1.03	3230.56	01	01	1	
	P	1 / 23/ 1973	-110.96	0.48	3231.04	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1974	-111.09	-0.13	3230.91	01	06	1	
	P	1/ 13/ 1975	-109.99	1.1	3232.01	01	06	1	
	P	1/ 5/ 1976	-108.59	1.4	3233.41	01	06	1	
	P	1/ 6/ 1977	-109.91	-1.32	3232.09	01	06	1	
	P	1/ 12/ 1978	-110.35	-0.44	3231.65	01	06	1	
	P	1/ 23/ 1979	-111.14	-0.79	3230.86	01	06	1	
	P	1/ 2/ 1980	-111.37	-0.23	3230.63	01	06	1	
	P	1/ 8/ 1981	-112.3	-0.93	3229.7	01	06	1	
	P	1/ 5/ 1982	-113.26	-0.96	3228.74	01	06	1	
	P	2/ 23/ 1983	-114.42	-1.16	3227.58	01	06	1	
	P	1/ 3/ 1984	-114.61	-0.19	3227.39	01	06	1	
	P	1/ 8/ 1985	-113.81	0.8	3228.19	01	06	1	
	P	1/ 20/ 1986	-113.64	0.17	3228.36	01	06	1	
	P	1/ 12/ 1987	-112.93	0.71	3229.07	01	06	1	
	P	1/ 29/ 1988	-111.05	1.88	3230.95	01	06	1	
	P	1/ 3/ 1989	-111.1	-0.05	3230.9	01	06	1	
	P	1/ 7/ 1990	-111.85	-0.75	3230.15	01	06	1	
	P	1/ 14/ 1991	-111.16	0.69	3230.84	01	06	1	
	P	1/ 6/ 1992	-111.4	-0.24	3230.6	01	06	1	
	P	1/ 6/ 1993	-112.4	-1	3229.6	01	06	1	
	P	1/ 20/ 1994	-114.75	-2.35	3227.25	01	06	1	
	P	1/ 19/ 1995	-118.78	-4.03	3223.22	01	06	1	
	P	1/ 25/ 1996	-118.81	-0.03	3223.19	01	06	1	
	P	2/ 3/ 1997	-119.04	-0.23	3222.96	01	06	1	
	P	1/ 12/ 1998	-115.82	3.22	3226.18	01	06	1	
	P	1/ 25/ 1999	-118	-2.18	3224	01	06	1	
	P	2/ 10/ 2000	-117.42	0.58	3224.58	01	06	1	
	P	2/ 6/ 2001	-117.95	-0.53	3224.05	01	06	1	
	P	2/ 4/ 2002	-117.39	0.56	3224.61	01	06	1	
	P	2/ 20/ 2003	-117.98	-0.59	3224.02	01	06	1	
	P	1/ 29/ 2004	-118.8	-0.82	3223.2	01	06	1	
	P	1/ 14/ 2005	-117.42	1.38	3224.58	01	06	1	
	P	1/ 16/ 2006	-117.47	-0.05	3224.53	01	06	1	
	P	2/ 1/ 2007	-118.31	-0.84	3223.69	01	06	1	
	P	1/ 2/ 2008	-119.11	-0.8	3222.89	01	06	1	
	P	2/ 4/ 2009	-119.06	0.05	3222.94	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 2010	-119.12	-0.06	3222.88	01	06	1	
	P	1 / 19/ 2011	-118.68	0.44	3223.32	01	06	1	
	P	2 / 10/ 2012	-119	-0.32	3223	01	06	1	

Min *-119.12* **Max** *-105.14* **Avg** *-114.090*

2302304 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 9 / 1936	-64		3279	01	12	7	01
	P	4 / 26/ 1938	-64.55	-0.55	3278.45	01	12	7	01
	P	6 / 15/ 1938	-63.98	0.57	3279.02	01	12	7	01
	P	8 / 9 / 1938	-63.9	0.08	3279.1	01	12	7	01
	P	10 / 18/ 1938	-63.86	0.04	3279.14	01	12	7	01
	P	3 / 7 / 1939	-63.88	-0.02	3279.12	01	12	7	01
	P	6 / 23/ 1939	-63.94	-0.06	3279.06	01	12	7	01
	P	10 / 6 / 1939	-63.87	0.07	3279.13	01	12	7	01
	P	12 / 17/ 1939	-63.86	0.01	3279.14	01	12	7	01
	P	3 / 7 / 1940	-63.95	-0.09	3279.05	01	12	7	01
	P	11 / 7 / 1941	-63.73	0.22	3279.27	01	12	7	01
	P	3 / 12/ 1942	-63.18	0.55	3279.82	01	12	7	01
	P	7 / 23/ 1942	-62.76	0.42	3280.24	01	12	7	01
	P	10 / 29/ 1942	-62.58	0.18	3280.42	01	12	7	01
	P	6 / 24/ 1943	-62.44	0.14	3280.56	01	12	7	01
	P	2 / 16/ 1944	-61.79	0.65	3281.21	01	12	7	01
	P	2 / 16/ 1945	-61.65	0.14	3281.35	01	12	7	01
	P	3 / 12/ 1946	-61.97	-0.32	3281.03	01	12	7	01
	P	1 / 21/ 1947	-62.63	-0.66	3280.37	01	12	7	01
	P	3 / 14/ 1947	-62.58	0.05	3280.42	01	12	7	01
	P	2 / 28/ 1948	-63.14	-0.56	3279.86	01	12	7	01
	P	3 / 3 / 1949	-63.81	-0.67	3279.19	01	12	7	01
	P	2 / 19/ 1950	-63.76	0.05	3279.24	01	12	7	01

Min *-64.55* **Max** *-61.65* **Avg** *-63.2961*

2302401 *(Aquifer: 121OGLL Well Depth: 251)*

	P	1 / 8 / 1954	-100.72		3298.28	01	12	7	01
	P	1 / 13/ 1955	-115.78	-15.1	3283.22	01	12	7	01
	P	1 / 12/ 1956	-123.88	-8.1	3275.12	01	12	7	01
	P	1 / 10/ 1957	-132.06	-8.18	3266.94	01	12	7	01
	P	1 / 16/ 1958	-135.17	-3.11	3263.83	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1959	-138.2	-3.03	3260.8	01	12	7	01
	P	1/20/1960	-146.7	-8.5	3252.3	01	12	7	01
	P	1/ 9/1961	-150.85	-4.15	3248.15	01	04	1	
	P	1/ 8/1962	-140.1	10.75	3258.9	01	01	2	
	P	1/ 4/1963	-145.69	-5.59	3253.31	01	01	1	
	P	1/ 8/1964	-150	-4.31	3249	01	01	1	
	P	1/ 6/1965	-156.75	-6.75	3242.25	01	01	1	
	P	1/ 7/1966	-164.32	-7.57	3234.68	01	01	1	
	P	1/ 5/1967	-175.38	-11.1	3223.62	01	01	1	
	P	1/ 4/1968	-170.53	4.85	3228.47	01	01	1	
	P	1/ 7/1969	-172.68	-2.15	3226.32	01	01	1	
	P	1/ 7/1970	-174.18	-1.5	3224.82	01	01	1	
	P	1/11/1971	-178.15	-3.97	3220.85	01	01	1	
	P	1/ 8/1972	-180.72	-2.57	3218.28	01	01	1	
	P	1/23/1973	-184.16	-3.44	3214.84	01	01	1	
	P	1/11/1974	-184.1	0.06	3214.9	01	01	1	
	P	1/10/1975	-186.8	-2.7	3212.2	01	01	1	
	P	1/12/1976	-188.99	-2.19	3210.01	01	01	1	
	P	1/13/1977	-192.1	-3.11	3206.9	01	01	1	
	P	1/ 6/1978	-196.98	-4.88	3202.02	01	01	1	
	P	1/ 8/1979	-199.83	-2.85	3199.17	01	01	1	
	P	1/17/1980	-200.87	-1.04	3198.13	01	01	1	
	P	1/19/1981	-206.75	-5.88	3192.25	01	01	1	
	P	1/17/1983	-210.24	-3.49	3188.76	01	01	1	
	P	1/14/1985	-212.72	-2.48	3186.28	01	01	1	
	P	12/13/1985	-221.48	-8.76	3177.52	01	01	1	
	P	12/10/1986	-226.79	-5.31	3172.21	01	01	1	
	P	1/13/1988	-212.6	14.19	3186.4	01	01	1	
	N	12/ 8/1988				01	01	1	44
	P	12/ 4/1989	-212.39		3186.61	01	01	1	
	P	12/10/1990	-213.25	-0.86	3185.75	01	01	1	
	N	12/ 9/1991				01	01	1	44
	P	1/19/1994	-214.8		3184.2	01	06	1	
	P	1/20/1995	-218.73	-3.93	3180.27	01	06	1	
	P	1/25/1996	-221	-2.27	3178	01	06	1	
	P	2/ 3/1997	-221.09	-0.09	3177.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1998	-224.78	-3.69	3174.22	01	06	1	
	N	1 / 25/ 1999				01	06	1	44
	N	2 / 11/ 2000				01	06	7	44
	N	1 / 22/ 2001				01	06		51
	N	2 / 4 / 2002				01	06	7	44
	N	2 / 24/ 2003				01	06		42
	N	1 / 29/ 2004				01	06		42
	N	2 / 14/ 2005				01	06	1	44

Min *-226.79* **Max** *-100.72* **Avg** *-180.058*

2302402 *(Aquifer: 121OGLL Well Depth: 93)*

P	6 / 16/ 1937	-83.5		3313.5	01	12	7	01
P	7 / 21/ 1937	-83.16	0.34	3313.84	01	12	7	01
P	7 / 27/ 1937	-83.46	-0.3	3313.54	01	12	7	01
P	8 / 8 / 1937	-83.51	-0.05	3313.49	01	12	7	01
P	6 / 15/ 1938	-83.55	-0.04	3313.45	01	12	7	01
P	8 / 11/ 1938	-83.54	0.01	3313.46	01	12	7	01
P	10 / 18/ 1938	-83.56	-0.02	3313.44	01	12	7	01
P	6 / 23/ 1939	-83.55	0.01	3313.45	01	12	7	01
P	10 / 6 / 1939	-83.47	0.08	3313.53	01	12	7	01
P	12 / 17/ 1939	-83.41	0.06	3313.59	01	12	7	01
P	3 / 13/ 1940	-83.4	0.01	3313.6	01	12	7	01
P	7 / 10/ 1940	-83.48	-0.08	3313.52	01	12	7	01
P	1 / 21/ 1941	-83.83	-0.35	3313.17	01	12	7	01
P	3 / 11/ 1941	-83.86	-0.03	3313.14	01	12	7	01

Min *-83.86* **Max** *-83.16* **Avg** *-83.52*

2302403 *(Aquifer: 121OGLL Well Depth: 89)*

P	6 / 16/ 1937	-76.64		3324.36	01	12	7	01
P	7 / 21/ 1937	-76.73	-0.09	3324.27	01	12	7	01
P	8 / 11/ 1937	-76.71	0.02	3324.29	01	12	7	01
P	4 / 13/ 1938	-76.6	0.11	3324.4	01	12	7	01
P	6 / 15/ 1938	-76.72	-0.12	3324.28	01	12	7	01
P	8 / 19/ 1938	-76.69	0.03	3324.31	01	12	7	01
P	10 / 18/ 1938	-76.73	-0.04	3324.27	01	12	7	01
P	3 / 7 / 1939	-76.71	0.02	3324.29	01	12	7	01
P	6 / 23/ 1939	-76.8	-0.09	3324.2	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 6 / 1939	-76.78	0.02	3324.22	01	12	7	01
	P	12 / 17/ 1939	-76.82	-0.04	3324.18	01	12	7	01
	P	3 / 13/ 1940	-76.89	-0.07	3324.11	01	12	7	01
	P	7 / 10/ 1940	-76.91	-0.02	3324.09	01	12	7	01
	P	11 / 13/ 1940	-77.29	-0.38	3323.71	01	12	7	01
	P	1 / 21/ 1941	-77.28	0.01	3323.72	01	12	7	01
	P	3 / 11/ 1941	-77.31	-0.03	3323.69	01	12	7	01
	P	11 / 25/ 1941	-76.64	0.67	3324.36	01	12	7	01
	P	3 / 13/ 1942	-76.34	0.3	3324.66	01	12	7	01
	P	7 / 13/ 1942	-76.15	0.19	3324.85	01	12	7	01
	P	10 / 29/ 1942	-76.15		3324.85	01	12	7	01
	P	1 / 24/ 1943	-76.02	0.13	3324.98	01	12	7	01
	P	2 / 17/ 1944	-76.05	-0.03	3324.95	01	12	7	01
	P	2 / 24/ 1945	-76.2	-0.15	3324.8	01	12	7	01
	P	3 / 5 / 1946	-78.24	-2.04	3322.76	01	12	7	01
	P	1 / 21/ 1947	-79.84	-1.6	3321.16	01	12	7	01

Min *-79.84* **Max** *-76.02* **Avg** *-76.8496*

2302404 *(Aquifer: 121OGLL Well Depth: 67)*

	P	7 / 27/ 1937	-59.42		3320.58	01	12	7	01
	P	8 / 11/ 1937	-59.43	-0.01	3320.57	01	12	7	01
	P	4 / 13/ 1938	-59.27	0.16	3320.73	01	12	7	01
	P	6 / 15/ 1938	-59.31	-0.04	3320.69	01	12	7	01
	P	8 / 11/ 1938	-59.43	-0.12	3320.57	01	12	7	01
	P	10 / 18/ 1938	-59.37	0.06	3320.63	01	12	7	01
	P	3 / 7 / 1939	-59.43	-0.06	3320.57	01	12	7	01
	P	6 / 23/ 1939	-59.53	-0.1	3320.47	01	12	7	01
	P	10 / 6 / 1939	-59.58	-0.05	3320.42	01	12	7	01
	P	12 / 17/ 1939	-59.63	-0.05	3320.37	01	12	7	01
	P	3 / 13/ 1940	-59.77	-0.14	3320.23	01	12	7	01
	P	7 / 10/ 1940	-59.83	-0.06	3320.17	01	12	7	01
	P	11 / 13/ 1940	-60	-0.17	3320	01	12	7	01
	P	1 / 21/ 1941	-60		3320	01	12	7	01
	P	3 / 11/ 1941	-60.05	-0.05	3319.95	01	12	7	01

Min *-60.05* **Max** *-59.27* **Avg** *-59.6033*

2302407 *(Aquifer: 121OGLL Well Depth: 358)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 7 / 1988	-199.9		3189.1	01	01	1	
Min -199.9		Max -199.9	Avg -199.9						
2302408	(Aquifer: 121OGFA		Well Depth: 341)						
	P	4 / 7 / 1988	-207.95		3157.05	01	01	1	
Min -207.95		Max -207.95	Avg -207.95						
2302409	(Aquifer: 121OGLL		Well Depth: 240)						
	P	3 / 1 / 1968	-160		3238	01	07	7	
	P	3 / 1 / 1968	-200	-40	3198	02	07	7	02
	P	4 / 7 / 1988	-194.3	5.7	3203.7	01	01	1	
Min -200		Max -160	Avg -184.767						
2302410	(Aquifer: 121OGLL		Well Depth: 356)						
	N	9 / 8 / 2004				01	01		42
Min		Max	Avg						
2302411	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 11/ 2000	-240.82		3156.18	01	06	1	
	P	1 / 22/ 2001	-245.72	-4.9	3151.28	01	06	1	
	P	2 / 4 / 2002	-245.22	0.5	3151.78	01	06	1	
	P	2 / 24/ 2003	-247.89	-2.67	3149.11	01	06	1	
	P	1 / 29/ 2004	-250.77	-2.88	3146.23	01	06	1	
	P	2 / 14/ 2005	-248.7	2.07	3148.3	01	06	1	
	P	1 / 16/ 2006	-250.56	-1.86	3146.44	01	06	1	
	P	1 / 31/ 2007	-254.42	-3.86	3142.58	01	06	1	
	P	1 / 2 / 2008	-257.72	-3.3	3139.28	01	06	1	
	P	2 / 4 / 2009	-263.19	-5.47	3133.81	01	06	1	
	P	2 / 26/ 2010	-270.15	-6.96	3126.85	01	06	1	
	N	2 / 15/ 2011				01	06		41
	P	3 / 2 / 2012	-282.21		3114.79	01	06	1	
Min -282.21		Max -240.82	Avg -254.781						
2302501	(Aquifer: 121OGLL		Well Depth: 351)						
	P	2 / 4 / 1955	-104.42		3257.58	01	12	7	01
	P	1 / 12/ 1956	-110.1	-5.68	3251.9	01	12	7	01
	P	1 / 10/ 1957	-121.22	-11.1	3240.78	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/16/1958	-119.11	2.11	3242.89	01	12	7	01
	P	1/ 8/1959	-122.05	-2.94	3239.95	01	12	7	01
	P	1/20/1960	-130.54	-8.49	3231.46	01	12	7	01
	P	1/13/1961	-133.32	-2.78	3228.68	01	04	1	
	P	1/10/1962	-133.91	-0.59	3228.09	01	01	1	
	P	1/ 5/1963	-140.44	-6.53	3221.56	01	01	1	
	P	1/ 8/1964	-144.5	-4.06	3217.5	01	01	1	
	P	1/ 6/1965	-150.79	-6.29	3211.21	01	01	1	
	P	1/ 7/1966	-156.93	-6.14	3205.07	01	01	1	
	P	1/ 5/1967	-172.58	-15.7	3189.42	01	01	1	
	P	1/ 2/1968	-165.58	7	3196.42	01	06	1	
	P	1/ 7/1969	-170.26	-4.68	3191.74	01	01	1	
	P	1/ 3/1970	-168.7	1.56	3193.3	01	01	1	
	P	1/11/1971	-171.85	-3.15	3190.15	01	01	1	
	P	1/ 8/1972	-174.02	-2.17	3187.98	01	01	1	
	P	1/23/1973	-174.51	-0.49	3187.49	01	01	1	
	P	1/10/1974	-177.22	-2.71	3184.78	01	06	1	
	P	1/13/1975	-180.93	-3.71	3181.07	01	06	1	
	P	1/ 5/1976	-183.65	-2.72	3178.35	01	06	1	
	P	1/ 6/1977	-189.02	-5.37	3172.98	01	06	1	
	P	1/12/1978	-191.57	-2.55	3170.43	01	06	1	
	P	1/23/1979	-193.94	-2.37	3168.06	01	06	1	
	P	1/ 3/1980	-195.63	-1.69	3166.37	01	06	1	
	P	1/ 8/1981	-200.95	-5.32	3161.05	01	06	1	
	P	1/ 5/1982	-203.68	-2.73	3158.32	01	06	1	
	P	2/23/1983	-205.97	-2.29	3156.03	01	06	1	
	P	1/ 3/1984	-207.98	-2.01	3154.02	01	06	1	
	P	1/ 8/1985	-209.82	-1.84	3152.18	01	06	1	
	P	1/20/1986	-209.31	0.51	3152.69	01	06	1	
	P	1/12/1987	-207.75	1.56	3154.25	01	06	1	
	P	1/18/1988	-204.77	2.98	3157.23	01	06	1	
	P	1/ 3/1989	-205.75	-0.98	3156.25	01	06	1	
	P	1/ 7/1990	-206.3	-0.55	3155.7	01	06	1	
	P	1/14/1991	-209.54	-3.24	3152.46	01	06	1	
	P	1/ 6/1992	-211.75	-2.21	3150.25	01	06	1	
	P	1/25/1993	-208.74	3.01	3153.26	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1994	-211.4	-2.66	3150.6	01	06	1	
	P	1 / 19/ 1995	-217.29	-5.89	3144.71	01	06	1	
	P	1 / 25/ 1996	-219.76	-2.47	3142.24	01	06	1	
	P	2 / 3 / 1997	-222.46	-2.7	3139.54	01	06	1	
	P	1 / 12/ 1998	-224.97	-2.51	3137.03	01	06	1	
	P	1 / 26/ 1999	-229	-4.03	3133	01	06	1	
	P	3 / 10/ 2000	-231	-2	3131	01	06	1	
	P	2 / 6 / 2001	-235.25	-4.25	3126.75	01	06	1	
	P	2 / 4 / 2002	-237.58	-2.33	3124.42	01	06	1	
	P	2 / 20/ 2003	-242.84	-5.26	3119.16	01	06	1	
	P	1 / 29/ 2004	-246	-3.16	3116	01	06	1	
	P	2 / 14/ 2005	-244.47	1.53	3117.53	01	06	1	
	P	1 / 16/ 2006	-248.81	-4.34	3113.19	01	06	1	
	P	1 / 31/ 2007	-252.82	-4.01	3109.18	01	06	1	
	P	1 / 2 / 2008	-259.66	-6.84	3102.34	01	06	1	
	P	2 / 4 / 2009	-266.3	-6.64	3095.7	01	06	1	
	P	2 / 26/ 2010	-272.43	-6.13	3089.57	01	06	1	
	P	1 / 18/ 2011	-276.8	-4.37	3085.2	01	06	1	
	P	2 / 10/ 2012	-284.54	-7.74	3077.46	01	06	1	

Min *-284.54* **Max** *-104.42* **Avg** *-196.422*

2302701 *(Aquifer: 121OGLL Well Depth:)*

	P	7 / 27/ 1937	-95.95		3269.05	01	12	7	01
	P	6 / 15/ 1938	-95.89	0.06	3269.11	01	12	7	01
	P	10 / 18/ 1938	-95.83	0.06	3269.17	01	12	7	01
	P	3 / 7 / 1939	-95.81	0.02	3269.19	01	12	7	01
	P	12 / 17/ 1939	-95.67	0.14	3269.33	01	12	7	01
	P	3 / 13/ 1940	-95.78	-0.11	3269.22	01	12	7	01
	P	1 / 22/ 1941	-96.03	-0.25	3268.97	01	12	7	01
	P	3 / 11/ 1941	-96.05	-0.02	3268.95	01	12	7	01
	P	11 / 25/ 1941	-95.2	0.85	3269.8	01	12	7	01
	P	10 / 30/ 1942	-95.32	-0.12	3269.68	01	12	7	01
	P	2 / 23/ 1948	-96.52	-1.2	3268.48	01	12	7	01
	P	3 / 8 / 1949	-97.1	-0.58	3267.9	01	12	7	01
	P	2 / 19/ 1950	-98.72	-1.62	3266.28	01	12	7	01
	P	1 / 30/ 1952	-99.44	-0.72	3265.56	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1953	-101	-1.56	3264	01	12	7	01
	P	1 / 8 / 1954	-106.64	-5.64	3258.36	01	12	7	01
	P	1 / 13/ 1955	-110.75	-4.11	3254.25	01	12	7	01
	P	1 / 12/ 1956	-116	-5.25	3249	01	12	7	01
	P	1 / 7 / 1957	-122.85	-6.85	3242.15	01	12	7	01
	P	1 / 6 / 1959	-129.32	-6.47	3235.68	01	12	7	01

Min *-129.32* **Max** *-95.2* **Avg** *-101.794*

2302702 *(Aquifer: 121OGFA Well Depth: 201)*

	P	8 / 0 / 1953	-105		3275	01	12	7	

Min *-105* **Max** *-105* **Avg** *-105*

2302703 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 17/ 1980	-140.47		3217.53	01	01	1	
	P	1 / 17/ 1983	-140.76	-0.29	3217.24	01	01	1	
	P	1 / 14/ 1985	-140.8	-0.04	3217.2	01	01	1	
	P	12 / 13/ 1985	-141.44	-0.64	3216.56	01	01	1	
	P	12 / 17/ 1987	-143.72	-2.28	3214.28	01	01	1	
	P	12 / 8 / 1988	-137.98	5.74	3220.02	01	01	1	
	P	12 / 4 / 1989	-138.16	-0.18	3219.84	01	01	1	
	P	12 / 10/ 1990	-138.88	-0.72	3219.12	01	01	1	
	P	12 / 9 / 1991	-140.35	-1.47	3217.65	01	01	1	
	P	1 / 26/ 1993	-140.03	0.32	3217.97	01	01	1	
	P	1 / 19/ 1994	-140.42	-0.39	3217.58	01	06	1	
	P	1 / 20/ 1995	-141.11	-0.69	3216.89	01	06	1	
	P	1 / 25/ 1996	-141.78	-0.67	3216.22	01	06	1	
	P	1 / 31/ 1997	-142.44	-0.66	3215.56	01	06	1	
	P	1 / 12/ 1998	-142.58	-0.14	3215.42	01	06	1	
	P	1 / 21/ 1999	-143	-0.42	3215	01	06	1	
	P	2 / 11/ 2000	-142.95	0.05	3215.05	01	06	1	
	P	1 / 5 / 2001	-143.08	-0.13	3214.92	01	06	1	
	P	2 / 1 / 2002	-143.34	-0.26	3214.66	01	06	1	
	P	2 / 20/ 2003	-143.86	-0.52	3214.14	01	06	1	
	P	1 / 21/ 2004	-144.21	-0.35	3213.79	01	06	1	
	P	2 / 14/ 2005	-144.03	0.18	3213.97	01	06	1	
	P	1 / 16/ 2006	-142.92	1.11	3215.08	01	06	1	
	P	1 / 31/ 2007	-142.6	0.32	3215.4	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 2/2008	-142.77	-0.17	3215.23	01	06	1	
	P	2/ 4/2009	-142.58	0.19	3215.42	01	06	1	
	P	1/18/2010	-142.72	-0.14	3215.28	01	06	1	
	P	1/18/2011	-143.48	-0.76	3214.52	01	06	1	
	P	2/ 7/2012	-143.88	-0.4	3214.12	01	06	1	

Min *-144.21* **Max** *-137.98* **Avg** *-141.943*

2302704 *(Aquifer: 231DCKM Well Depth: 390)*

	P	4/ 7/1988	-166.66		3201.34	01	01	1	

Min *-166.66* **Max** *-166.66* **Avg** *-166.66*

2302801 *(Aquifer: 121OGLL Well Depth: 220)*

	P	3/ 3/1949	-92.77		3263.23	01	12	7	01
	P	1/22/1951	-107.1	-14.3	3248.9	01	12	7	01
	P	1/30/1952	-97.69	9.41	3258.31	01	12	7	01
	P	1/13/1953	-102.62	-4.93	3253.38	01	12	7	01
	P	1/ 7/1954	-108.1	-5.48	3247.9	01	12	7	01
	P	1/ 3/1955	-114.63	-6.53	3241.37	01	12	7	01
	P	1/12/1956	-115.84	-1.21	3240.16	01	12	7	01
	P	1/ 7/1957	-128.15	-12.3	3227.85	01	12	7	01
	P	1/ 8/1958	-126.93	1.22	3229.07	01	12	7	01
	P	1/ 8/1959	-129.05	-2.12	3226.95	01	12	7	01
	P	1/20/1960	-136.05	-7	3219.95	01	12	7	01
	P	1/10/1961	-141.25	-5.2	3214.75	01	04	1	
	P	1/10/1962	-140.92	0.33	3215.08	01	01	1	
	P	1/ 5/1963	-150.51	-9.59	3205.49	01	01	1	
	P	1/ 8/1964	-154.05	-3.54	3201.95	01	01	1	
	N	1/ 6/1965				01	01		41
	P	1/ 7/1966	-160.18		3195.82	01	01	1	
	P	1/ 5/1967	-162.05	-1.87	3193.95	01	01	1	
	P	1/ 2/1968	-162	0.05	3194	01	06	1	
	N	1/ 7/1969				01	01		41
	P	1/ 3/1970	-161.25		3194.75	01	01	1	
	P	1/11/1971	-162.05	-0.8	3193.95	01	01	1	
	P	1/ 8/1972	-168.52	-6.47	3187.48	01	01	1	
	P	1/23/1973	-170.76	-2.24	3185.24	01	01	1	
	P	1/10/1974	-160.56	10.2	3195.44	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 13/ 1975	-164.54	-3.98	3191.46	01	06	1	25
	P	1/ 5 / 1976	-166.91	-2.37	3189.09	01	06	1	
	P	1/ 6 / 1977	-164.18	2.73	3191.82	01	06	1	
	N	1/ 12/ 1978				01	06		41
	N	1/ 24/ 1979				01	06		41
	P	1/ 9 / 1980	-163.45		3192.55	01	06	1	
	P	1/ 8 / 1981	-167.32	-3.87	3188.68	01	06	1	04
	P	1/ 5 / 1982	-167.54	-0.22	3188.46	01	06	1	
	P	2/ 23/ 1983	-165.46	2.08	3190.54	01	06	1	
	P	1/ 3 / 1984	-168.95	-3.49	3187.05	01	06	1	
	P	1/ 8 / 1985	-167.5	1.45	3188.5	01	06	1	
	P	1/ 17/ 1986	-169.69	-2.19	3186.31	01	06	1	
	P	1/ 12/ 1987	-163.11	6.58	3192.89	01	06	1	
	P	1/ 7 / 1990	-157.67	5.44	3198.33	01	06	1	
	P	1/ 14/ 1991	-158.2	-0.53	3197.8	01	06	1	
	P	1/ 6 / 1992	-164.58	-6.38	3191.42	01	06	1	
	P	1/ 25/ 1993	-162.96	1.62	3193.04	01	06	1	
	P	1/ 20/ 1994	-167.44	-4.48	3188.56	01	06	1	
	P	1/ 20/ 1995	-170.55	-3.11	3185.45	01	06	1	
	N	2/ 22/ 1996				01	06		41
	P	2/ 3 / 1997	-171.12		3184.88	01	06	1	
	P	1/ 13/ 1998	-170.63	0.49	3185.37	01	06	1	
	P	1/ 21/ 1999	-173	-2.37	3183	01	06	1	
	P	2/ 11/ 2000	-173		3183	01	06	1	
	P	1/ 5 / 2001	-175.37	-2.37	3180.63	01	06	1	
	P	2/ 1 / 2002	-176.37	-1	3179.63	01	06	1	
	P	2/ 20/ 2003	-179.33	-2.96	3176.67	01	06	1	
	P	2/ 3 / 2004	-176.91	2.42	3179.09	01	06	1	
	P	2/ 14/ 2005	-174.5	2.41	3181.5	01	06	1	
	P	1/ 16/ 2006	-174.51	-0.01	3181.49	01	06	1	
	P	1/ 31/ 2007	-174.9	-0.39	3181.1	01	06	1	
	P	1/ 2 / 2008	-174.31	0.59	3181.69	01	06	1	
	P	2/ 3 / 2009	-175.47	-1.16	3180.53	01	06	1	
	P	1/ 18/ 2010	-176.64	-1.17	3179.36	01	06	1	
	P	2/ 15/ 2011	-177.3	-0.66	3178.7	01	06	1	
	P	2/ 7 / 2012	-176.33	0.97	3179.67	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-179.33*		**Max** *-92.77*	**Avg** *-156.478*						
2302901	*(Aquifer: 121OGLL*		*Well Depth: 374)*						
	P	1 / 3 / 1980	-185.75		3149.25	01	06	1	
	P	1 / 8 / 1981	-188.15	-2.4	3146.85	01	06	1	
	P	1 / 6 / 1982	-190.35	-2.2	3144.65	01	06	1	
	P	2 / 23/ 1983	-192.6	-2.25	3142.4	01	06	1	
	P	1 / 3 / 1984	-192.38	0.22	3142.62	01	06	1	
	P	1 / 8 / 1985	-192.98	-0.6	3142.02	01	06	1	
	P	1 / 20/ 1986	-193.67	-0.69	3141.33	01	06	1	
	P	1 / 12/ 1987	-192.47	1.2	3142.53	01	06	1	
	P	1 / 18/ 1988	-189.25	3.22	3145.75	01	06	1	
	P	1 / 3 / 1989	-190.83	-1.58	3144.17	01	06	1	
	P	1 / 14/ 1991	-194.92	-4.09	3140.08	01	06	1	
	P	1 / 6 / 1992	-197.85	-2.93	3137.15	01	06	1	
	P	1 / 25/ 1993	-197.31	0.54	3137.69	01	06	1	
	P	1 / 20/ 1994	-199.03	-1.72	3135.97	01	06	1	
	P	1 / 19/ 1995	-203.3	-4.27	3131.7	01	06	1	
	P	1 / 25/ 1996	-206.55	-3.25	3128.45	01	06	1	
	P	2 / 3 / 1997	-210.36	-3.81	3124.64	01	06	1	
	P	1 / 12/ 1998	-210.94	-0.58	3124.06	01	06	1	
	P	1 / 26/ 1999	-218	-7.06	3117	01	06	1	
	P	3 / 10/ 2000	-222.2	-4.2	3112.8	01	06	1	
	P	2 / 6 / 2001	-223.05	-0.85	3111.95	01	06	1	
	P	2 / 4 / 2002	-225.14	-2.09	3109.86	01	06	1	
	P	2 / 20/ 2003	-228.87	-3.73	3106.13	01	06	1	
	P	2 / 3 / 2004	-233.14	-4.27	3101.86	01	06	1	
	P	2 / 14/ 2005	-231.9	1.24	3103.1	01	06	1	
	P	1 / 16/ 2006	-235.08	-3.18	3099.92	01	06	1	
	P	1 / 31/ 2007	-237.89	-2.81	3097.11	01	06	1	
	P	1 / 2 / 2008	-241.06	-3.17	3093.94	01	06	1	
	P	3 / 6 / 2009	-252.15	-11.1	3082.85	01	06	1	
	P	2 / 26/ 2010	-261.58	-9.43	3073.42	01	06	1	
	P	1 / 18/ 2011	-265.6	-4.02	3069.4	01	06	1	
	P	3 / 2 / 2012	-278.05	-12.5	3056.95	01	06	1	
Min *-278.05*		**Max** *-185.75*	**Avg** *-215.075*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2302902	(Aquifer: 121OGAL		Well Depth: 410)						
	P	10 / 21/ 1978	-170		3157	01	01	1	
	P	4 / 8 / 1988	-219.1	-49.1	3107.9	01	01	1	
	P	1 / 8 / 1990	-193.32	25.78	3133.68	01	06	1	
	P	9 / 7 / 2004	-248.25	-54.9	3078.75	01	01	1	
Min	-248.25	**Max**	-170	**Avg**	-207.668				
2303101	(Aquifer: 121OGLL		Well Depth:)						
	P	5 / 7 / 1936	-55.5		3271.5	01	12	7	01
	P	4 / 26/ 1937	-56.31	-0.81	3270.69	01	12	7	01
	P	6 / 7 / 1937	-56.4	-0.09	3270.6	01	12	7	01
	P	7 / 19/ 1937	-56.24	0.16	3270.76	01	12	7	01
	P	8 / 9 / 1937	-56.33	-0.09	3270.67	01	12	7	01
	P	8 / 24/ 1937	-56.39	-0.06	3270.61	01	12	7	01
	P	9 / 10/ 1937	-56.36	0.03	3270.64	01	12	7	01
	P	10 / 2 / 1937	-56.29	0.07	3270.71	01	12	7	01
	P	11 / 2 / 1937	-56.3	-0.01	3270.7	01	12	7	01
	P	12 / 1 / 1937	-56.26	0.04	3270.74	01	12	7	01
	P	1 / 8 / 1938	-56.26		3270.74	01	12	7	01
	P	3 / 11/ 1938	-56.26		3270.74	01	12	7	01
	P	4 / 13/ 1938	-56.3	-0.04	3270.7	01	12	7	01
	P	6 / 24/ 1938	-56.54	-0.24	3270.46	01	12	7	01
	P	8 / 11/ 1938	-56.55	-0.01	3270.45	01	12	7	01
	P	10 / 20/ 1938	-56.6	-0.05	3270.4	01	12	7	01
	P	12 / 7 / 1938	-56.37	0.23	3270.63	01	12	7	01
	P	3 / 3 / 1939	-56.5	-0.13	3270.5	01	12	7	01
	P	6 / 26/ 1939	-56.8	-0.3	3270.2	01	12	7	01
	P	8 / 16/ 1939	-56.6	0.2	3270.4	01	12	7	01
	P	10 / 5 / 1939	-56.86	-0.26	3270.14	01	12	7	01
	P	12 / 14/ 1939	-56.73	0.13	3270.27	01	12	7	01
	P	3 / 7 / 1940	-56.79	-0.06	3270.21	01	12	7	01
	P	11 / 13/ 1940	-57.44	-0.65	3269.56	01	12	7	01
	P	1 / 21/ 1941	-57.34	0.1	3269.66	01	12	7	01
	P	3 / 11/ 1941	-57.34		3269.66	01	12	7	01
	P	7 / 25/ 1941	-55.78	1.56	3271.22	01	12	7	01
	P	11 / 24/ 1941	-54.88	0.9	3272.12	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 12/ 1942	-54.48	0.4	3272.52	01	12	7	01
	P	10 / 30/ 1942	-54.47	0.01	3272.53	01	12	7	01
	P	1 / 24/ 1943	-54.11	0.36	3272.89	01	12	7	01
	P	2 / 16/ 1944	-53.82	0.29	3273.18	01	12	7	01
	P	2 / 13/ 1945	-53.94	-0.12	3273.06	01	12	7	01
	P	3 / 2 / 1946	-54.88	-0.94	3272.12	01	12	7	01
	P	1 / 20/ 1947	-55.8	-0.92	3271.2	01	12	7	01
	P	3 / 14/ 1947	-55.78	0.02	3271.22	01	12	7	01
	P	2 / 28/ 1948	-56.8	-1.02	3270.2	01	12	7	01
	P	3 / 3 / 1949	-57.57	-0.77	3269.43	01	12	7	01
	P	2 / 19/ 1950	-58.53	-0.96	3268.47	01	12	7	01
	P	1 / 22/ 1951	-60.97	-2.44	3266.03	01	12	7	01
	P	1 / 31/ 1952	-57.93	3.04	3269.07	01	12	7	01
	P	1 / 13/ 1953	-62.85	-4.92	3264.15	01	12	7	01
	P	1 / 7 / 1954	-67.3	-4.45	3259.7	01	12	7	01
	P	12 / 21/ 1954	-72.03	-4.73	3254.97	01	12	7	01
	P	1 / 13/ 1955	-72.04	-0.01	3254.96	01	12	7	01
	P	1 / 13/ 1956	-74.47	-2.43	3252.53	01	12	7	01
	P	1 / 9 / 1957	-81.68	-7.21	3245.32	01	12	7	01
	P	1 / 15/ 1958	-82.41	-0.73	3244.59	01	12	7	01
	P	1 / 8 / 1959	-85.34	-2.93	3241.66	01	12	7	01
	P	1 / 10/ 1961	-97.65	-12.3	3229.35	01	04	1	
	P	1 / 11/ 1962	-108.4	-10.8	3218.6	01	01	1	
	P	1 / 5 / 1963	-101.31	7.09	3225.69	01	01	1	
	P	1 / 9 / 1964	-104.12	-2.81	3222.88	01	01	1	
	P	1 / 6 / 1965	-105.41	-1.29	3221.59	01	01	1	
	P	1 / 7 / 1966	-107.48	-2.07	3219.52	01	01	1	
	N	1 / 6 / 1967				01	01	1	45
	P	1 / 2 / 1968	-108.85		3218.15	01	06	1	
	N	1 / 7 / 1969				01	01	1	45
	N	1 / 3 / 1970				01	01	1	45

Min *-108.85* **Max** *-53.82* **Avg** *-65.0132*

2303103 *(Aquifer: 121OGLL Well Depth: 140)*

	P	11 / 18/ 1971	-118.52		3217.48	01	06	1	
	P	1 / 8 / 1972	-117.16	1.36	3218.84	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/23/1973	-116.09	1.07	3219.91	01	01	1	
	P	1/10/1974	-115.46	0.63	3220.54	01	06	1	
	P	1/13/1975	-114.01	1.45	3221.99	01	06	1	
	P	1/ 5/1976	-111.77	2.24	3224.23	01	06	1	
	P	1/ 6/1977	-114.87	-3.1	3221.13	01	06	1	
	P	1/12/1978	-117.14	-2.27	3218.86	01	06	1	
	P	1/23/1979	-116.79	0.35	3219.21	01	06	1	
	P	1/ 2/1980	-114.27	2.52	3221.73	01	06	1	
	P	1/12/1981	-117.62	-3.35	3218.38	01	06	1	
	P	1/ 5/1982	-119.09	-1.47	3216.91	01	06	1	
	P	2/23/1983	-118.66	0.43	3217.34	01	06	1	
	P	1/ 3/1984	-118.29	0.37	3217.71	01	06	1	
	P	1/ 8/1985	-117.35	0.94	3218.65	01	06	1	
	P	1/20/1986	-114.99	2.36	3221.01	01	06	1	
	P	1/12/1987	-111.89	3.1	3224.11	01	06	1	
	P	1/29/1988	-110.4	1.49	3225.6	01	06	2	
	P	1/ 4/1989	-110.9	-0.5	3225.1	01	06	1	
	P	1/ 7/1990	-112.79	-1.89	3223.21	01	06	1	
	P	1/14/1991	-110.7	2.09	3225.3	01	06	1	
	P	1/ 6/1992	-113.04	-2.34	3222.96	01	06	1	
	P	1/18/1993	-114.12	-1.08	3221.88	01	06	1	
	P	1/20/1994	-116.12	-2	3219.88	01	06	1	
	P	1/24/1995	-118.57	-2.45	3217.43	01	06	1	
	P	2/22/1996	-134.79	-16.2	3201.21	01	06	1	
	P	1/31/1997	-136.29	-1.5	3199.71	01	06	1	
	P	2/27/1998	-119.56	16.73	3216.44	01	06	1	
	P	1/25/1999	-124	-4.44	3212	01	06	1	
	P	2/ 1/2000	-121.11	2.89	3214.89	01	06	1	
	P	1/22/2001	-121.34	-0.23	3214.66	01	06	1	
	P	2/ 4/2002	-121.42	-0.08	3214.58	01	06	1	
	P	2/20/2003	-121.91	-0.49	3214.09	01	06	1	
	P	1/30/2004	-123.34	-1.43	3212.66	01	06	1	
	P	2/ 9/2005	-122.66	0.68	3213.34	01	06	1	
	P	1/17/2006	-121	1.66	3215	01	06	1	
	P	2/ 1/2007	-121.24	-0.24	3214.76	01	06	1	
	P	1/ 2/2008	-121.04	0.2	3214.96	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 2009	-120.97	0.07	3215.03	01	06	1	
	P	1 / 18/ 2010	-121.2	-0.23	3214.8	01	06	1	
	P	1 / 14/ 2011	-121	0.2	3215	01	06	1	
	P	2 / 8 / 2012	-121.14	-0.14	3214.86	01	06	1	

Min *-136.29* **Max** *-110.4* **Avg** *-118.443*

2303201 *(Aquifer: 121OGLL Well Depth: 201)*

	P	10 / 19/ 1979	-135.58		3181.42	01	06	1	
	P	1 / 2 / 1980	-134.9	0.68	3182.1	01	06	1	
	P	1 / 12/ 1981	-136.57	-1.67	3180.43	01	06	1	
	P	1 / 5 / 1982	-137.61	-1.04	3179.39	01	06	1	
	P	2 / 23/ 1983	-137.8	-0.19	3179.2	01	06	1	
	P	1 / 4 / 1984	-135.45	2.35	3181.55	01	06	1	
	P	1 / 8 / 1985	-133.58	1.87	3183.42	01	06	1	
	P	1 / 20/ 1986	-133.14	0.44	3183.86	01	06	1	
	P	1 / 13/ 1987	-132.14	1	3184.86	01	06	1	
	P	1 / 18/ 1988	-129.5	2.64	3187.5	01	06	1	
	P	1 / 3 / 1989	-129.53	-0.03	3187.47	01	06	1	
	P	1 / 7 / 1990	-128.34	1.19	3188.66	01	06	1	
	P	1 / 14/ 1991	-125.8	2.54	3191.2	01	06	1	
	P	1 / 6 / 1992	-124.9	0.9	3192.1	01	06	1	
	P	1 / 8 / 1993	-122.66	2.24	3194.34	01	06	1	
	P	1 / 20/ 1994	-123.02	-0.36	3193.98	01	06	1	
	P	1 / 24/ 1995	-124.07	-1.05	3192.93	01	06	1	
	P	1 / 25/ 1996	-125.15	-1.08	3191.85	01	06	1	
	P	1 / 31/ 1997	-125.87	-0.72	3191.13	01	06	1	
	P	1 / 12/ 1998	-125.61	0.26	3191.39	01	06	1	
	P	1 / 25/ 1999	-127	-1.39	3190	01	06	1	
	P	2 / 1 / 2000	-126.42	0.58	3190.58	01	06	1	
	P	1 / 22/ 2001	-127.49	-1.07	3189.51	01	06	1	
	P	2 / 4 / 2002	-128.09	-0.6	3188.91	01	06	1	
	P	2 / 25/ 2003	-128.98	-0.89	3188.02	01	06	1	
	P	2 / 2 / 2004	-129.15	-0.17	3187.85	01	06	1	
	P	2 / 9 / 2005	-128.17	0.98	3188.83	01	06	1	
	P	1 / 17/ 2006	-128.96	-0.79	3188.04	01	06	1	
	P	2 / 1 / 2007	-130.21	-1.25	3186.79	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 2 / 2008	-130.43	-0.22	3186.57	01	06	1	
	P	3 / 6 / 2009	-130.63	-0.2	3186.37	01	06	1	
	P	1 / 18/ 2010	-130.54	0.09	3186.46	01	06	1	
	P	1 / 14/ 2011	-130.59	-0.05	3186.41	01	06	1	
	P	2 / 8 / 2012	-132.68	-2.09	3184.32	01	06	1	

Min *-137.8* **Max** *-122.66* **Avg** *-129.722*

2303202 *(Aquifer: 218FKBT Well Depth: 162)*

	P	7 / 20/ 1983	-56.8		3248.2	01	12	7	

Min *-56.8* **Max** *-56.8* **Avg** *-56.8*

2303301 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 8 / 1959	-76.79		3229.21	01	12	7	01
	P	1 / 20/ 1960	-82.67	-5.88	3223.33	01	12	7	01
	P	1 / 12/ 1961	-85.16	-2.49	3220.84	01	12	7	01
	P	1 / 11/ 1962	-86.5	-1.34	3219.5	01	01	1	
	P	1 / 5 / 1963	-91.32	-4.82	3214.68	01	01	1	
	P	1 / 9 / 1964	-95.16	-3.84	3210.84	01	01	1	
	P	1 / 7 / 1965	-98.51	-3.35	3207.49	01	01	1	
	P	1 / 7 / 1966	-101.09	-2.58	3204.91	01	01	1	
	P	1 / 6 / 1967	-102.13	-1.04	3203.87	01	01	1	
	P	1 / 2 / 1968	-101.89	0.24	3204.11	01	06	1	
	P	1 / 7 / 1969	-99	2.89	3207	01	01	1	
	P	1 / 3 / 1970	-100.1	-1.1	3205.9	01	01	1	
	P	1 / 11/ 1971	-102.22	-2.12	3203.78	01	01	1	
	P	1 / 8 / 1972	-100.26	1.96	3205.74	01	01	1	
	P	1 / 17/ 1973	-97.65	2.61	3208.35	01	01	1	
	P	1 / 8 / 1974	-98.95	-1.3	3207.05	01	06	1	
	P	1 / 13/ 1975	-99.36	-0.41	3206.64	01	06	1	
	P	1 / 5 / 1976	-98.2	1.16	3207.8	01	06	1	
	P	1 / 6 / 1977	-102.19	-3.99	3203.81	01	06	1	
	P	1 / 12/ 1978	-102.05	0.14	3203.95	01	06	1	
	P	1 / 23/ 1979	-102.52	-0.47	3203.48	01	06	1	
	N	11 / 0 / 1979				01	06	7	45

Min *-102.52* **Max** *-76.79* **Avg** *-96.3676*

2303302 *(Aquifer: 121OGLL Well Depth: 162)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1950	-47.94		3261.06	01	12	7	01
	P	1 / 22/ 1951	-49.67	-1.73	3259.33	01	12	7	01
	P	1 / 31/ 1952	-51.07	-1.4	3257.93	01	12	7	01
	P	1 / 13/ 1953	-54.18	-3.11	3254.82	01	12	7	01
	P	1 / 7 / 1954	-58.54	-4.36	3250.46	01	12	7	01
	P	1 / 3 / 1955	-63.75	-5.21	3245.25	01	12	7	01
	P	1 / 13/ 1956	-66.86	-3.11	3242.14	01	12	7	01
	P	1 / 9 / 1957	-72.28	-5.42	3236.72	01	12	7	01
	P	1 / 15/ 1958	-75.56	-3.28	3233.44	01	12	7	01

Min *-75.56* **Max** *-47.94* **Avg** *-59.9833*

2303303 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 7 / 1936	-39.45		3267.55	01	12	7	01
	P	6 / 7 / 1937	-41.27	-1.82	3265.73	01	12	7	01
	P	7 / 19/ 1937	-41.03	0.24	3265.97	01	12	7	01
	P	8 / 9 / 1937	-41.32	-0.29	3265.68	01	12	7	01
	P	8 / 24/ 1937	-41.49	-0.17	3265.51	01	12	7	01
	P	9 / 10/ 1937	-41.42	0.07	3265.58	01	12	7	01
	P	10 / 2 / 1937	-41.27	0.15	3265.73	01	12	7	01
	P	11 / 2 / 1937	-41.15	0.12	3265.85	01	12	7	01
	P	12 / 1 / 1937	-41.13	0.02	3265.87	01	12	7	01
	P	2 / 28/ 1948	-46.05	-4.92	3260.95	01	12	7	01

Min *-46.05* **Max** *-39.45* **Avg** *-41.558*

2303304 *(Aquifer: 121OGLL Well Depth: 200)*

	P	10 / 18/ 1979	-133.02		3167.98	01	06	1	
	P	1 / 2 / 1980	-132.32	0.7	3168.68	01	06	1	
	P	1 / 12/ 1981	-134.62	-2.3	3166.38	01	06	1	
	P	1 / 5 / 1982	-134.63	-0.01	3166.37	01	06	1	
	P	2 / 23/ 1983	-134.8	-0.17	3166.2	01	06	1	
	P	1 / 4 / 1984	-137.07	-2.27	3163.93	01	06	1	
	P	1 / 8 / 1985	-134.53	2.54	3166.47	01	06	1	
	P	1 / 17/ 1986	-133.3	1.23	3167.7	01	06	1	
	P	1 / 14/ 1987	-132.17	1.13	3168.83	01	06	1	
	P	1 / 29/ 1988	-130.89	1.28	3170.11	01	06	1	
	P	1 / 3 / 1989	-130.29	0.6	3170.71	01	06	1	
	P	1 / 7 / 1990	-130	0.29	3171	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 14/ 1991	-135.05	-5.05	3165.95	01	06	1	
	P	1/ 6/ 1992	-129.38	5.67	3171.62	01	06	1	
	P	1/ 18/ 1993	-128.8	0.58	3172.2	01	06	1	
	P	1/ 20/ 1994	-130.14	-1.34	3170.86	01	06	1	
	P	1/ 24/ 1995	-129.6	0.54	3171.4	01	06	1	
	P	1/ 25/ 1996	-131.8	-2.2	3169.2	01	06	1	
	P	1/ 31/ 1997	-133.39	-1.59	3167.61	01	06	1	
	P	1/ 12/ 1998	-132.86	0.53	3168.14	01	06	1	
	P	1/ 26/ 1999	-137	-4.14	3164	01	06	1	
	P	2/ 1/ 2000	-138.01	-1.01	3162.99	01	06	1	
	P	1/ 24/ 2001	-138.9	-0.89	3162.1	01	06	1	
	P	2/ 4/ 2002	-139.89	-0.99	3161.11	01	06	1	
	P	2/ 25/ 2003	-139.05	0.84	3161.95	01	06	1	
	P	2/ 2/ 2004	-139.56	-0.51	3161.44	01	06	1	
	P	2/ 9/ 2005	-138.67	0.89	3162.33	01	06	1	
	P	1/ 17/ 2006	-139.8	-1.13	3161.2	01	06	1	
	P	2/ 1/ 2007	-140.89	-1.09	3160.11	01	06	1	
	P	1/ 2/ 2008	-141.58	-0.69	3159.42	01	06	1	
	P	2/ 6/ 2009	-141.03	0.55	3159.97	01	06	1	
	P	1/ 18/ 2010	-141.53	-0.5	3159.47	01	06	1	
	P	1/ 14/ 2011	-140.59	0.94	3160.41	01	06	1	
	P	2/ 8/ 2012	-141.9	-1.31	3159.1	01	06	1	

Min *-141.9* **Max** *-128.8* **Avg** *-135.502*

2303401 *(Aquifer: 121OGLL Well Depth: 168)*

	P	10/ 19/ 1979	-105.89		3214.11	01	06	1	
	P	1/ 3/ 1980	-105.52	0.37	3214.48	01	06	1	
	P	1/ 8/ 1981	-106.04	-0.52	3213.96	01	06	1	
	P	1/ 6/ 1982	-106.76	-0.72	3213.24	01	06	1	
	P	2/ 23/ 1983	-108.99	-2.23	3211.01	01	06	1	
	P	1/ 3/ 1984	-109.3	-0.31	3210.7	01	06	1	
	P	1/ 8/ 1985	-108.18	1.12	3211.82	01	06	1	
	P	1/ 20/ 1986	-108.3	-0.12	3211.7	01	06	1	
	P	1/ 12/ 1987	-107.53	0.77	3212.47	01	06	1	
	P	1/ 29/ 1988	-105.43	2.1	3214.57	01	06	1	
	P	1/ 3/ 1989	-105.54	-0.11	3214.46	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1990	-105.79	-0.25	3214.21	01	06	1	
	P	1/14/1991	-106.05	-0.26	3213.95	01	06	1	
	N	1/ 6/1992				01	06		81
	P	1/25/1993	-107.16		3212.84	01	06	1	
	P	1/20/1994	-107.73	-0.57	3212.27	01	06	1	
	P	1/19/1995	-108.18	-0.45	3211.82	01	06	1	
	P	1/25/1996	-108.88	-0.7	3211.12	01	06	1	
	N	3/ 6/1997				01	06		61
	N	1/12/1998				01	06		61
	P	1/26/1999	-111		3209	01	06	1	
	P	2/10/2000	-111.16	-0.16	3208.84	01	06	1	
	P	2/ 6/2001	-111.67	-0.51	3208.33	01	06	1	
	P	3/ 1/2002	-112.08	-0.41	3207.92	01	06	1	
	P	2/20/2003	-112.69	-0.61	3207.31	01	06	1	
	P	1/30/2004	-113.06	-0.37	3206.94	01	06	1	
	P	3/ 8/2005	-113.32	-0.26	3206.68	01	06	1	
	N	3/ 6/2006				01	06		61
	P	2/ 1/2007	-113.92		3206.08	01	06	1	
	P	1/ 2/2008	-114.16	-0.24	3205.84	01	06	1	
	N	3/ 6/2009				01	06		61
	N	1/18/2010				01	06		61
	N	1/14/2011				01	06		61
	N	2/ 8/2012				01	06		61

Min *-114.16* **Max** *-105.43* **Avg** *-109.013*

2303403 *(Aquifer: 121OGLL Well Depth:)*

	P	1/18/2010	-114		3212	01	06	1	
	P	1/14/2011	-113.36	0.64	3212.64	01	06	1	
	P	2/ 8/2012	-114.22	-0.86	3211.78	01	06	1	

Min *-114.22* **Max** *-113.36* **Avg** *-113.86*

2303501 *(Aquifer: 121OGLL Well Depth:)*

	P	5/ 7/1936	-59.33		3257.67	01	12	7	01
	P	6/ 7/1937	-58.15	1.18	3258.85	01	12	7	01
	P	7/14/1937	-58.63	-0.48	3258.37	01	12	7	01
	P	9/15/1937	-57.88	0.75	3259.12	01	12	7	01
	P	6/28/1938	-57.82	0.06	3259.18	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 20/ 1938	-57.81	0.01	3259.19	01	12	7	01
	P	3 / 3 / 1939	-57.64	0.17	3259.36	01	12	7	01
	P	7 / 19/ 1939	-57.96	-0.32	3259.04	01	12	7	01
	P	10 / 5 / 1939	-58.05	-0.09	3258.95	01	12	7	01
	P	12 / 14/ 1939	-57.9	0.15	3259.1	01	12	7	01
	P	3 / 7 / 1940	-58	-0.1	3259	01	12	7	01
	P	11 / 13/ 1940	-59.14	-1.14	3257.86	01	12	7	01
	P	1 / 21/ 1941	-58.88	0.26	3258.12	01	12	7	01
	P	3 / 11/ 1941	-58.85	0.03	3258.15	01	12	7	01
	P	11 / 24/ 1941	-56.5	2.35	3260.5	01	12	7	01
	P	3 / 12/ 1942	-56.02	0.48	3260.98	01	12	7	01
	P	10 / 30/ 1942	-55.82	0.2	3261.18	01	12	7	01
	P	1 / 24/ 1943	-55.33	0.49	3261.67	01	12	7	01
	P	2 / 16/ 1944	-55.27	0.06	3261.73	01	12	7	01
	P	2 / 16/ 1945	-56.15	-0.88	3260.85	01	12	7	01
	P	3 / 1 / 1946	-57.15	-1	3259.85	01	12	7	01
	P	3 / 14/ 1947	-58.55	-1.4	3258.45	01	12	7	01
	P	2 / 28/ 1948	-60.14	-1.59	3256.86	01	12	7	01
	P	3 / 3 / 1949	-61.23	-1.09	3255.77	01	12	7	01
	P	2 / 19/ 1950	-66.24	-5.01	3250.76	01	12	7	01

Min *-66.24* **Max** *-55.27* **Avg** *-58.1776*

2303502 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 20/ 1960	-102		3215	01	12	7	01
	P	1 / 10/ 1961	-101.06	0.94	3215.94	01	04	1	
	P	1 / 11/ 1962	-101.22	-0.16	3215.78	01	01	1	
	P	1 / 5 / 1963	-136.91	-35.7	3180.09	01	01	1	
	P	1 / 9 / 1964	-144.08	-7.17	3172.92	01	01	1	
	N	1 / 7 / 1966				01	01	1	45
	P	1 / 6 / 1967	-122		3195	01	01	2	
	P	1 / 2 / 1968	-123.23	-1.23	3193.77	01	06	1	
	P	1 / 7 / 1969	-120.01	3.22	3196.99	01	01	1	
	P	1 / 3 / 1970	-120.14	-0.13	3196.86	01	01	1	
	P	1 / 11/ 1971	-121.62	-1.48	3195.38	01	01	1	
	P	1 / 8 / 1972	-121.6	0.02	3195.4	01	01	1	
	P	1 / 23/ 1973	-120.81	0.79	3196.19	01	01	1	25

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1974	-121	-0.19	3196	01	06	1	
	P	1/ 3/1975	-120.31	0.69	3196.69	01	06	1	
	P	1/ 5/1976	-118.12	2.19	3198.88	01	06	1	
	P	1/ 6/1977	-120.45	-2.33	3196.55	01	06	1	
	P	1/12/1978	-123.36	-2.91	3193.64	01	06	1	
	P	1/24/1979	-124.78	-1.42	3192.22	01	06	1	
	P	1/ 2/1980	-121.7	3.08	3195.3	01	06	1	
	P	1/ 8/1981	-124.82	-3.12	3192.18	01	06	1	

Min *-144.08* **Max** *-101.06* **Avg** *-120.461*

2303503 *(Aquifer: 121OGLL Well Depth:)*

	P	1/30/1952	-65.87		3258.13	01	12	7	01
	P	1/13/1953	-67.07	-1.2	3256.93	01	12	7	01
	P	1/ 7/1954	-73.73	-6.66	3250.27	01	12	7	01
	P	12/23/1954	-83	-9.27	3241	01	12	7	01
	P	1/13/1955	-81.71	1.29	3242.29	01	12	7	01
	P	1/ 9/1957	-90.8	-9.09	3233.2	01	12	7	01
	P	1/15/1958	-93.38	-2.58	3230.62	01	12	7	01
	P	1/ 8/1959	-94.45	-1.07	3229.55	01	12	7	01

Min *-94.45* **Max** *-65.87* **Avg** *-81.2513*

2303504 *(Aquifer: 121OGLL Well Depth: 185)*

	P	10/21/1937	-60.37		3255.63	01	12	7	01
	P	1/16/1938	-60.73	-0.36	3255.27	01	12	7	01
	P	10/18/1938	-60.88	-0.15	3255.12	01	12	7	01
	P	3/ 7/1939	-60.36	0.52	3255.64	01	12	7	01
	P	7/19/1939	-60.48	-0.12	3255.52	01	12	7	01
	P	10/ 5/1939	-60.61	-0.13	3255.39	01	12	7	01
	P	11/13/1940	-61.79	-1.18	3254.21	01	12	7	01
	P	11/24/1941	-59.18	2.61	3256.82	01	12	7	01
	P	3/12/1942	-58.72	0.46	3257.28	01	12	7	01
	P	1/24/1943	-57.72	1	3258.28	01	12	7	01
	P	1/16/1945	-58.85	-1.13	3257.15	01	12	7	01
	P	3/ 1/1946	-59.82	-0.97	3256.18	01	12	7	01
	P	3/14/1947	-61.24	-1.42	3254.76	01	12	7	01
	P	2/28/1948	-62.62	-1.38	3253.38	01	12	7	01
	P	3/ 3/1949	-63.86	-1.24	3252.14	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 19/ 1950	-64.95	-1.09	3251.05	01	12	7	01
	P	1 / 22/ 1951	-65.56	-0.61	3250.44	01	12	7	01
	P	1 / 30/ 1952	-68.09	-2.53	3247.91	01	12	7	01
	P	1 / 13/ 1953	-71.42	-3.33	3244.58	01	12	7	01
	P	1 / 7 / 1954	-77.06	-5.64	3238.94	01	12	7	01
	P	12 / 23/ 1954	-84.28	-7.22	3231.72	01	12	7	01
	P	1 / 13/ 1955	-83.95	0.33	3232.05	01	12	7	01
	P	1 / 13/ 1956	-87.54	-3.59	3228.46	01	12	7	01
	P	1 / 9 / 1957	-92.95	-5.41	3223.05	01	12	7	01

Min *-92.95* **Max** *-57.72* **Avg** *-66.7929*

2303505 *(Aquifer: 121OGLL Well Depth: 205)*

	P	3 / 2 / 1983	-126.02		3190.98	01	06	1	
	P	1 / 4 / 1984	-126.82	-0.8	3190.18	01	06	1	
	P	1 / 8 / 1985	-125.34	1.48	3191.66	01	06	1	
	P	1 / 20/ 1986	-123.74	1.6	3193.26	01	06	1	
	P	2 / 13/ 1987	-115.73	8.01	3201.27	01	06	1	
	P	1 / 29/ 1988	-111.9	3.83	3205.1	01	06	1	
	P	1 / 3 / 1989	-111.82	0.08	3205.18	01	06	1	
	P	1 / 8 / 1990	-112.04	-0.22	3204.96	01	06	1	
	P	1 / 14/ 1991	-113.6	-1.56	3203.4	01	06	1	
	P	1 / 6 / 1992	-113.5	0.1	3203.5	01	06	1	
	P	1 / 18/ 1993	-113.04	0.46	3203.96	01	06	1	
	P	1 / 20/ 1994	-115.2	-2.16	3201.8	01	06	1	
	N	3 / 6 / 1995				01	06		41
	P	1 / 25/ 1996	-122.38		3194.62	01	06	1	
	P	1 / 31/ 1997	-125.11	-2.73	3191.89	01	06	1	
	P	1 / 12/ 1998	-125.95	-0.84	3191.05	01	06	1	
	N	1 / 26/ 1999				01	06		61
	N	2 / 10/ 2000				01	06		61
	P	1 / 5 / 2001	-137.28		3179.72	01	06	1	
	N	2 / 4 / 2002				01	06		61
	N	2 / 20/ 2003				01	06		61
	N	2 / 2 / 2004				01	06		61
	N	2 / 14/ 2005				01	06		61

Min *-137.28* **Max** *-111.82* **Avg** *-119.967*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2303507	(Aquifer: 218FKBT		Well Depth: 220)						
	P	7 / 20/ 1983	-153.8		3159.2	01	12	7	
Min -153.8		Max -153.8	Avg -153.8						
2303508	(Aquifer: 218FKBT		Well Depth: 225)						
	P	7 / 20/ 1983	-170.6		3142.4	01	12	7	
Min -170.6		Max -170.6	Avg -170.6						
2303509	(Aquifer: 218FKBT		Well Depth: 200)						
	P	7 / 20/ 1983	-136.6		3180.4	01	12	7	
Min -136.6		Max -136.6	Avg -136.6						
2303510	(Aquifer: 218FKBT		Well Depth: 210)						
	P	7 / 20/ 1983	-153.6		3159.4	01	12	7	
Min -153.6		Max -153.6	Avg -153.6						
2303511	(Aquifer: 121OGFA		Well Depth: 155)						
	P	7 / 20/ 1983	-25.8		3287.2	01	12	7	
Min -25.8		Max -25.8	Avg -25.8						
2303513	(Aquifer: 121OGLL		Well Depth:)						
	P	2 / 14/ 2005	-130.47		3182.53	01	06	1	
	P	1 / 17/ 2006	-130.9	-0.43	3182.1	01	06	1	
	P	2 / 1 / 2007	-132.36	-1.46	3180.64	01	06	1	
	P	1 / 2 / 2008	-133.88	-1.52	3179.12	01	06	1	
	P	2 / 6 / 2009	-128.63	5.25	3184.37	01	06	1	
	P	1 / 18/ 2010	-128.47	0.16	3184.53	01	06	1	
	P	1 / 14/ 2011	-126.6	1.87	3186.4	01	06	1	
	P	2 / 8 / 2012	-126.02	0.58	3186.98	01	06	1	
Min -133.88		Max -126.02	Avg -129.666						
2303601	(Aquifer: 121OGFA		Well Depth: 220)						
	P	7 / 20/ 1983	-145.1		3161.9	01	12	7	
Min -145.1		Max -145.1	Avg -145.1						
2303602	(Aquifer: 218FKBT		Well Depth: 200)						
	P	7 / 20/ 1983	-166.2		3140.8	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -166.2		**Max -166.2**	**Avg**	**-166.2**					
2303603	*(Aquifer: 218FKBT*		*Well Depth: 190)*						
	P	7 / 20/ 1983	-130.1		3159.9	01	12	7	
Min -130.1		**Max -130.1**	**Avg**	**-130.1**					
2303701	*(Aquifer: 121OGLL*		*Well Depth: 200)*						
	P	1 / 31/ 1955	-103.16		3213.84	01	12	7	01
	P	1 / 13/ 1956	-107.95	-4.79	3209.05	01	12	7	01
	P	1 / 7 / 1957	-115.54	-7.59	3201.46	01	12	7	01
	P	1 / 15/ 1958	-121.88	-6.34	3195.12	01	12	7	01
	P	1 / 8 / 1959	-124.65	-2.77	3192.35	01	12	7	01
	P	1 / 10/ 1961	-134.86	-10.2	3182.14	01	04	1	
	P	1 / 11/ 1962	-128.6	6.26	3188.4	01	01	2	
	N	1 / 5 / 1963				01	01		42
	N	1 / 9 / 1964				01	01		42
Min -134.86		**Max -103.16**	**Avg**	**-119.52**					
2303702	*(Aquifer: 121OGLL*		*Well Depth: 238)*						
	P	1 / 3 / 1980	-173.39		3138.61	01	06	1	
	P	1 / 29/ 1981	-177.27	-3.88	3134.73	01	06	1	
	P	1 / 6 / 1982	-183.59	-6.32	3128.41	01	06	1	
	P	2 / 23/ 1983	-187.51	-3.92	3124.49	01	06	1	
	P	1 / 3 / 1984	-189.65	-2.14	3122.35	01	06	1	
	P	1 / 8 / 1985	-190.3	-0.65	3121.7	01	06	1	
	P	1 / 20/ 1986	-194.7	-4.4	3117.3	01	06	2	
	P	1 / 12/ 1987	-188.53	6.17	3123.47	01	06	1	
	P	1 / 18/ 1988	-181.18	7.35	3130.82	01	06	1	
	P	1 / 3 / 1989	-189.59	-8.41	3122.41	01	06	1	
	P	2 / 8 / 1990	-196.53	-6.94	3115.47	01	06	1	
	P	2 / 22/ 1991	-196.6	-0.07	3115.4	01	06	1	
	P	1 / 6 / 1992	-200.18	-3.58	3111.82	01	06	1	
	P	1 / 26/ 1993	-196.98	3.2	3115.02	01	06	1	
	P	1 / 20/ 1994	-199.4	-2.42	3112.6	01	06	1	
	P	1 / 19/ 1995	-205.97	-6.57	3106.03	01	06	1	
	P	1 / 25/ 1996	-206.97	-1	3105.03	01	06	1	
	N	3 / 6 / 1997				01	06		41

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1998	-207.83		3104.17	01	06	1	
	P	1/ 26/ 1999	-208	-0.17	3104	01	06	1	
	P	2/ 10/ 2000	-207.83	0.17	3104.17	01	06	1	
	P	1/ 24/ 2001	-209.41	-1.58	3102.59	01	06	1	
	P	2/ 1/ 2002	-210.41	-1	3101.59	01	06	1	
	P	2/ 20/ 2003	-210.4	0.01	3101.6	01	06	1	
	P	1/ 30/ 2004	-212.09	-1.69	3099.91	01	06	1	
	P	2/ 14/ 2005	-210.69	1.4	3101.31	01	06	1	
	P	1/ 17/ 2006	-210.6	0.09	3101.4	01	06	1	
	P	2/ 1/ 2007	-212.6	-2	3099.4	01	06	1	
	P	1/ 3/ 2008	-212.75	-0.15	3099.25	01	06	1	
	P	2/ 5/ 2009	-214.35	-1.6	3097.65	01	06	1	
	P	1/ 18/ 2010	-215.67	-1.32	3096.33	01	06	1	
	P	1/ 14/ 2011	-215.65	0.02	3096.35	01	06	1	
	P	2/ 8/ 2012	-217.45	-1.8	3094.55	01	06	1	

Min *-217.45* **Max** *-173.39* **Avg** *-201.065*

2303801 *(Aquifer: 121OGLL Well Depth: 200)*

	P	9/ 15/ 1937	-75.2		3217.8	01	12	7	01
	P	6/ 16/ 1938	-76.23	-1.03	3216.77	01	12	7	01
	P	3/ 7/ 1939	-75.8	0.43	3217.2	01	12	7	01
	P	6/ 23/ 1939	-76.33	-0.53	3216.67	01	12	7	01
	P	10/ 6/ 1939	-76.62	-0.29	3216.38	01	12	7	01
	P	11/ 29/ 1940	-77.16	-0.54	3215.84	01	12	7	01
	P	1/ 25/ 1941	-77	0.16	3216	01	12	7	01
	P	11/ 7/ 1941	-74.24	2.76	3218.76	01	12	7	01
	P	3/ 12/ 1942	-73.57	0.67	3219.43	01	12	7	01
	P	10/ 30/ 1942	-72.69	0.88	3220.31	01	12	7	01
	P	1/ 24/ 1943	-72.25	0.44	3220.75	01	12	7	01
	P	2/ 16/ 1944	-72.5	-0.25	3220.5	01	12	7	01
	P	2/ 16/ 1945	-73.62	-1.12	3219.38	01	12	7	01
	P	3/ 2/ 1946	-76.16	-2.54	3216.84	01	12	7	01
	P	1/ 20/ 1947	-78.13	-1.97	3214.87	01	12	7	01
	P	2/ 28/ 1948	-80.12	-1.99	3212.88	01	12	7	01
	P	3/ 2/ 1949	-83.08	-2.96	3209.92	01	12	7	01
	P	2/ 18/ 1950	-87.22	-4.14	3205.78	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 30/ 1952	-89.99	-2.77	3203.01	01	12	7	01
	P	1/ 13/ 1953	-94.31	-4.32	3198.69	01	12	7	01
	P	1/ 7/ 1954	-98.43	-4.12	3194.57	01	12	7	01
	P	12/ 23/ 1954	-105.21	-6.78	3187.79	01	12	7	01
	P	1/ 3/ 1955	-105.21		3187.79	01	12	7	01

Min *-105.21* **Max** *-72.25* **Avg** *-81.3509*

2303802 *(Aquifer: 121OGLL Well Depth: 225)*

	P	1/ 13/ 1956	-110.25		3181.75	01	12	7	01
	P	1/ 7/ 1957	-117.8	-7.55	3174.2	01	12	7	01
	P	1/ 15/ 1958	-121.37	-3.57	3170.63	01	12	7	01
	P	1/ 8/ 1959	-124.5	-3.13	3167.5	01	12	7	01
	P	1/ 20/ 1960	-129.45	-4.95	3162.55	01	12	7	01
	P	1/ 10/ 1961	-135.58	-6.13	3156.42	01	04	1	
	P	1/ 11/ 1962	-132.19	3.39	3159.81	01	01	1	
	P	1/ 5/ 1963	-136.08	-3.89	3155.92	01	01	1	
	P	1/ 9/ 1964	-139.8	-3.72	3152.2	01	01	1	
	P	1/ 6/ 1965	-145.12	-5.32	3146.88	01	01	1	
	P	1/ 7/ 1966	-151.21	-6.09	3140.79	01	01	1	
	P	1/ 5/ 1967	-158.98	-7.77	3133.02	01	01	1	
	P	1/ 2/ 1968	-161.18	-2.2	3130.82	01	06	1	
	P	1/ 7/ 1969	-169	-7.82	3123	01	01	1	
	P	1/ 3/ 1970	-165.4	3.6	3126.6	01	01	1	
	P	1/ 11/ 1971	-166.23	-0.83	3125.77	01	01	1	
	P	1/ 8/ 1972	-169.02	-2.79	3122.98	01	01	1	
	P	1/ 23/ 1973	-170.76	-1.74	3121.24	01	01	1	
	P	1/ 8/ 1974	-172.66	-1.9	3119.34	01	06	1	
	P	1/ 13/ 1975	-177.25	-4.59	3114.75	01	06	1	
	P	1/ 5/ 1976	-181.44	-4.19	3110.56	01	06	1	
	P	1/ 6/ 1977	-186.01	-4.57	3105.99	01	06	1	
	P	1/ 12/ 1978	-189.24	-3.23	3102.76	01	06	1	
	P	2/ 8/ 1979	-192.31	-3.07	3099.69	01	06	1	
	P	1/ 3/ 1980	-191.67	0.64	3100.33	01	06	1	
	P	1/ 8/ 1981	-196.25	-4.58	3095.75	01	06	1	
	P	1/ 5/ 1982	-198.86	-2.61	3093.14	01	06	1	
	P	2/ 23/ 1983	-202.09	-3.23	3089.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/1984	-203.13	-1.04	3088.87	01	06	1	
	P	1/ 7/1985	-205.22	-2.09	3086.78	01	06	1	
	P	1/20/1986	-206.88	-1.66	3085.12	01	06	1	
	P	1/12/1987	-206.8	0.08	3085.2	01	06	1	
	P	1/29/1988	-205.45	1.35	3086.55	01	06	1	
	P	1/ 3/1989	-208.64	-3.19	3083.36	01	06	1	
	P	1/ 7/1990	-212.86	-4.22	3079.14	01	06	1	
	P	1/14/1991	-214.3	-1.44	3077.7	01	06	1	
	P	1/ 6/1992	-216.1	-1.8	3075.9	01	06	1	
	P	1/25/1993	-219.17	-3.07	3072.83	01	06	1	
	P	1/20/1994	-219.53	-0.36	3072.47	01	06	1	
	P	1/24/1995	-224.55	-5.02	3067.45	01	06	1	
	P	1/25/1996	-233.13	-8.58	3058.87	01	06	1	
	P	3/ 6/1997	-236.68	-3.55	3055.32	01	06	1	
	P	1/12/1998	-238.06	-1.38	3053.94	01	06	1	
	P	1/26/1999	-244	-5.94	3048	01	06	1	
	P	2/10/2000	-247.6	-3.6	3044.4	01	06	1	
	P	1/24/2001	-247.96	-0.36	3044.04	01	06	1	
	P	2/ 1/2002	-254.28	-6.32	3037.72	01	06	1	
	P	2/20/2003	-255.75	-1.47	3036.25	01	06	1	
	P	2/ 3/2004	-263.04	-7.29	3028.96	01	06	1	
	P	2/14/2005	-266.07	-3.03	3025.93	01	06	1	
	P	1/17/2006	-263.6	2.47	3028.4	01	06	1	
	P	2/ 1/2007	-267.98	-4.38	3024.02	01	06	1	
	P	1/ 3/2008	-270.51	-2.53	3021.49	01	06	1	
	P	2/ 5/2009	-274.8	-4.29	3017.2	01	06	1	
	P	2/19/2010	-280.5	-5.7	3011.5	01	06	1	
	P	1/14/2011	-281.8	-1.3	3010.2	01	06	1	
	P	2/ 8/2012	-290	-8.2	3002	01	06	1	

Min *-290* **Max** *-110.25* **Avg** *-200.879*

2303901 *(Aquifer: 121OGLL Well Depth:)*

	P	5/15/1950	-74.55		3205.45	01	12	7
	P	11/ 8/1950	-76.1	-1.55	3203.9	01	12	7
	P	12/ 7/1950	-76	0.1	3204	01	12	7
	P	8/ 6/1951	-84.4	-8.4	3195.6	01	12	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/ 4/1952	-106.6	-22.2	3173.4	01	12	7	
	P	12/30/1952	-82.9	23.7	3197.1	01	12	7	
	P	3/ 5/1953	-82.1	0.8	3197.9	01	12	7	
	P	6/ 3/1953	-89.5	-7.4	3190.5	01	12	7	
	P	8/ 4/1953	-92.6	-3.1	3187.4	01	12	7	
	P	10/ 1/1953	-96.3	-3.7	3183.7	01	12	7	
	P	11/ 2/1953	-91.5	4.8	3188.5	01	12	7	
	P	3/15/1954	-87.7	3.8	3192.3	01	12	7	
	P	4/ 1/1954	-125.2	-37.5	3154.8	01	12	7	
	P	5/ 5/1954	-92.8	32.4	3187.2	01	12	7	
	P	5/28/1954	-90.9	1.9	3189.1	01	12	7	
	P	7/ 1/1954	-121.2	-30.3	3158.8	01	12	7	
	P	8/30/1954	-127.1	-5.9	3152.9	01	12	7	
	P	9/29/1954	-101.5	25.6	3178.5	01	12	7	
	P	11/ 4/1954	-99.15	2.35	3180.85	01	12	7	
	P	12/ 1/1954	-97.1	2.05	3182.9	01	12	7	
	P	1/ 5/1955	-95.2	1.9	3184.8	01	12	7	
	P	2/ 4/1955	-94.5	0.7	3185.5	01	12	7	
	P	2/16/1956	-99.3	-4.8	3180.7	01	12	7	
	P	7/ 2/1956	-103.5	-4.2	3176.5	01	12	7	
	P	5/15/1957	-109.8	-6.3	3170.2	01	12	7	
	P	6/ 5/1957	-108.4	1.4	3171.6	01	12	7	
	P	9/ 4/1957	-117.3	-8.9	3162.7	01	12	7	
	P	10/ 3/1957	-112.5	4.8	3167.5	01	12	7	
	P	11/ 7/1957	-109.6	2.9	3170.4	01	12	7	
	P	12/ 4/1957	-108.6	1	3171.4	01	12	7	
	P	1/10/1958	-107.8	0.8	3172.2	01	12	7	
	P	2/ 6/1958	-107.1	0.7	3172.9	01	12	7	
	P	3/ 7/1958	-106.7	0.4	3173.3	01	12	7	
	P	4/ 1/1958	-106.6	0.1	3173.4	01	12	7	
	P	5/ 2/1958	-106	0.6	3174	01	12	7	
	P	8/ 6/1958	-132.3	-26.3	3147.7	01	12	7	
	P	11/14/1958	-112.8	19.5	3167.2	01	12	7	
	P	12/11/1958	-108.8	4	3171.2	01	12	7	
	P	1/12/1959	-109.1	-0.3	3170.9	01	12	7	
	P	2/11/1959	-108.8	0.3	3171.2	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 3 / 1959	-108.9	-0.1	3171.1	01	12	7	
	P	4 / 2 / 1959	-131.5	-22.6	3148.5	01	12	7	
	P	5 / 1 / 1959	-134.1	-2.6	3145.9	01	12	7	
	P	6 / 5 / 1959	-115.5	18.6	3164.5	01	12	7	

Min *-134.1* **Max** *-74.55* **Avg** *-103.407*

2303902 *(Aquifer: 121OGLL Well Depth: 351)*

	P	1 / 3 / 1980	-177.94		3100.06	01	06	1	
	P	1 / 8 / 1981	-183.2	-5.26	3094.8	01	06	1	
	P	1 / 6 / 1982	-184.65	-1.45	3093.35	01	06	1	
	P	2 / 23/ 1983	-184.1	0.55	3093.9	01	06	1	
	P	1 / 4 / 1984	-187.58	-3.48	3090.42	01	06	1	
	P	1 / 9 / 1985	-189.27	-1.69	3088.73	01	06	1	
	P	1 / 17/ 1986	-188.8	0.47	3089.2	01	06	1	
	P	1 / 12/ 1987	-188.97	-0.17	3089.03	01	06	1	
	P	1 / 18/ 1988	-186.44	2.53	3091.56	01	06	1	
	P	1 / 3 / 1989	-189.33	-2.89	3088.67	01	06	1	
	P	1 / 8 / 1990	-194.5	-5.17	3083.5	01	06	1	
	P	1 / 14/ 1991	-200.02	-5.52	3077.98	01	06	1	
	P	1 / 6 / 1992	-199.25	0.77	3078.75	01	06	1	
	P	1 / 25/ 1993	-197.69	1.56	3080.31	01	06	1	
	P	1 / 20/ 1994	-200.3	-2.61	3077.7	01	06	1	
	P	1 / 24/ 1995	-204.76	-4.46	3073.24	01	06	1	
	N	1 / 25/ 1996				01	06	7	44

Min *-204.76* **Max** *-177.94* **Avg** *-191.05*

2303903 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 22/ 1996	-199.3		3081.7	01	06	1	
	P	1 / 31/ 1997	-202.07	-2.77	3078.93	01	06	1	
	P	1 / 12/ 1998	-204.38	-2.31	3076.62	01	06	1	
	P	1 / 26/ 1999	-210	-5.62	3071	01	06	1	
	P	2 / 1 / 2000	-207.99	2.01	3073.01	01	06	1	
	P	1 / 24/ 2001	-209.1	-1.11	3071.9	01	06	1	
	P	1 / 28/ 2002	-209.26	-0.16	3071.74	01	06	1	
	P	2 / 20/ 2003	-210.15	-0.89	3070.85	01	06	1	
	P	2 / 2 / 2004	-210.86	-0.71	3070.14	01	06	1	
	P	3 / 8 / 2005	-210.3	0.56	3070.7	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 2006	-211.38	-1.08	3069.62	01	06	1	
	P	2 / 1 / 2007	-211.96	-0.58	3069.04	01	06	1	
	P	1 / 3 / 2008	-211.58	0.38	3069.42	01	06	1	
	P	2 / 6 / 2009	-212.63	-1.05	3068.37	01	06	1	
	P	1 / 15/ 2010	-211.98	0.65	3069.02	01	06	1	
	P	1 / 14/ 2011	-212.85	-0.87	3068.15	01	06	1	
	P	2 / 8 / 2012	-213.54	-0.69	3067.46	01	06	1	

Min *-213.54* **Max** *-199.3* **Avg** *-209.372*

2303904 *(Aquifer: 121OGLL Well Depth: 265)*

	P	9 / 19/ 2001	-243.4		3022.6	01	04	1	

Min *-243.4* **Max** *-243.4* **Avg** *-243.4*

2304103 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 7 / 1936	-43.17		3246.83	01	12	7	01
	P	4 / 26/ 1937	-44.53	-1.36	3245.47	01	12	7	01
	P	6 / 7 / 1937	-46.1	-1.57	3243.9	01	12	7	01
	P	7 / 19/ 1937	-45.33	0.77	3244.67	01	12	7	01
	P	8 / 9 / 1937	-45.32	0.01	3244.68	01	12	7	01
	P	9 / 10/ 1937	-45.25	0.07	3244.75	01	12	7	01
	P	10 / 2 / 1937	-45.04	0.21	3244.96	01	12	7	01
	P	11 / 2 / 1937	-44.82	0.22	3245.18	01	12	7	01
	P	12 / 1 / 1937	-44.66	0.16	3245.34	01	12	7	01
	P	1 / 8 / 1938	-45.53	-0.87	3244.47	01	12	7	01
	P	3 / 11/ 1938	-44.36	1.17	3245.64	01	12	7	01
	P	4 / 13/ 1938	-46.18	-1.82	3243.82	01	12	7	01
	P	6 / 24/ 1938	-46.96	-0.78	3243.04	01	12	7	01
	P	8 / 11/ 1938	-46.68	0.28	3243.32	01	12	7	01
	P	10 / 20/ 1938	-46.01	0.67	3243.99	01	12	7	01
	P	12 / 7 / 1938	-45.98	0.03	3244.02	01	12	7	01
	P	7 / 19/ 1939	-47.6	-1.62	3242.4	01	12	7	01
	P	10 / 5 / 1939	-48.41	-0.81	3241.59	01	12	7	01
	P	12 / 14/ 1939	-47.83	0.58	3242.17	01	12	7	01
	P	3 / 7 / 1940	-47.34	0.49	3242.66	01	12	7	01
	P	11 / 13/ 1940	-50.06	-2.72	3239.94	01	12	7	01
	P	1 / 21/ 1941	-49.76	0.3	3240.24	01	12	7	01
	P	3 / 11/ 1941	-49	0.76	3241	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 24/ 1941	-46.45	2.55	3243.55	01	12	7	01
	P	3 / 12/ 1942	-45.57	0.88	3244.43	01	12	7	01
	P	10 / 30/ 1942	-45.92	-0.35	3244.08	01	12	7	01
	P	1 / 24/ 1943	-44.14	1.78	3245.86	01	12	7	01
	P	2 / 16/ 1944	-45.36	-1.22	3244.64	01	12	7	01
	P	2 / 13/ 1945	-46.18	-0.82	3243.82	01	12	7	01
	P	3 / 2 / 1946	-48.76	-2.58	3241.24	01	12	7	01
	P	1 / 20/ 1947	-50.77	-2.01	3239.23	01	12	7	01
	P	3 / 11/ 1947	-50.43	0.34	3239.57	01	12	7	01
	P	2 / 28/ 1948	-51.24	-0.81	3238.76	01	12	7	01
	P	3 / 2 / 1949	-52.12	-0.88	3237.88	01	12	7	01

Min *-52.12* **Max** *-43.17* **Avg** *-46.8488*

2304104 *(Aquifer: 121OGLL Well Depth: 392)*

	P	10 / 22/ 1937	-54.84		3243.16	01	12	7	01
	P	3 / 3 / 1939	-57.04	-2.2	3240.96	01	12	7	01
	P	7 / 19/ 1939	-58.2	-1.16	3239.8	01	12	7	01
	P	10 / 5 / 1939	-59.02	-0.82	3238.98	01	12	7	01
	P	12 / 14/ 1939	-58.61	0.41	3239.39	01	12	7	01
	P	3 / 7 / 1940	-58.42	0.19	3239.58	01	12	7	01
	P	11 / 13/ 1940	-60.39	-1.97	3237.61	01	12	7	01
	P	3 / 11/ 1941	-60.01	0.38	3237.99	01	12	7	01
	P	11 / 24/ 1941	-58.97	1.04	3239.03	01	12	7	01
	P	3 / 12/ 1942	-58.4	0.57	3239.6	01	12	7	01
	P	10 / 30/ 1942	-58.24	0.16	3239.76	01	12	7	01
	P	1 / 24/ 1943	-57.85	0.39	3240.15	01	12	7	01
	P	2 / 16/ 1944	-58.59	-0.74	3239.41	01	12	7	01
	P	2 / 13/ 1945	-60.04	-1.45	3237.96	01	12	7	01
	P	3 / 2 / 1946	-61.3	-1.26	3236.7	01	12	7	01
	P	1 / 20/ 1947	-63.6	-2.3	3234.4	01	12	7	01
	P	3 / 11/ 1947	-63.45	0.15	3234.55	01	12	7	01
	P	1 / 15/ 1948	-68.3	-4.85	3229.7	01	12	7	01

Min *-68.3* **Max** *-54.84* **Avg** *-59.7372*

2304106 *(Aquifer: 121OGLL Well Depth: 320)*

	P	10 / 18/ 1979	-205.38		3078.62	01	06	1	
	P	1 / 2 / 1980	-204.78	0.6	3079.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1981	-207.76	-2.98	3076.24	01	06	1	
	P	1/ 5/1982	-207.37	0.39	3076.63	01	06	1	
	P	2/23/1983	-208.83	-1.46	3075.17	01	06	1	
	P	1/ 4/1984	-210.05	-1.22	3073.95	01	06	1	
	P	1/ 8/1985	-209.7	0.35	3074.3	01	06	1	
	P	1/17/1986	-209.01	0.69	3074.99	01	06	1	
	P	1/13/1987	-208.6	0.41	3075.4	01	06	1	
	P	1/18/1988	-207.68	0.92	3076.32	01	06	1	
	P	1/ 3/1989	-209.27	-1.59	3074.73	01	06	1	
	P	1/ 7/1990	-209.19	0.08	3074.81	01	06	1	
	P	1/14/1991	-214.28	-5.09	3069.72	01	06	1	
	P	1/ 6/1992	-212.18	2.1	3071.82	01	06	1	
	P	1/ 8/1993	-211.85	0.33	3072.15	01	06	1	
	P	1/20/1994	-213.8	-1.95	3070.2	01	06	1	
	P	1/24/1995	-214.97	-1.17	3069.03	01	06	1	
	P	1/25/1996	-215.73	-0.76	3068.27	01	06	1	
	P	1/31/1997	-215.67	0.06	3068.33	01	06	1	
	P	1/ 9/1998	-215.97	-0.3	3068.03	01	06	1	
	P	1/26/1999	-220	-4.03	3064	01	06	1	
	P	1/31/2000	-216.15	3.85	3067.85	01	06	1	
	P	1/ 5/2001	-216.38	-0.23	3067.62	01	06	1	
	P	2/ 4/2002	-216.44	-0.06	3067.56	01	06	1	
	P	2/25/2003	-218.49	-2.05	3065.51	01	06	1	
	P	2/ 2/2004	-216.36	2.13	3067.64	01	06	1	
	P	2/ 8/2005	-215.24	1.12	3068.76	01	06	1	
	P	1/17/2006	-215.12	0.12	3068.88	01	06	1	
	P	2/ 1/2007	-214.15	0.97	3069.85	01	06	1	
	P	1/ 2/2008	-214.64	-0.49	3069.36	01	06	1	
	P	2/ 6/2009	-214.54	0.1	3069.46	01	06	1	
	P	1/15/2010	-215.1	-0.56	3068.9	01	06	1	
	P	1/14/2011	-214.94	0.16	3069.06	01	06	1	
	P	2/ 8/2012	-216.5	-1.56	3067.5	01	06	1	

Min *-220* **Max** *-204.78* **Avg** *-212.827*

2304201 *(Aquifer: 121OGLL Well Depth: 307)*

	P	1/12/1939	-51.87		3208.13	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 2 / 1949	-60.19	-8.32	3199.81	01	12	7	01
	P	2 / 18/ 1950	-67.78	-7.59	3192.22	01	12	7	01
	P	1 / 22/ 1951	-69.48	-1.7	3190.52	01	12	7	01
	P	1 / 31/ 1952	-68.79	0.69	3191.21	01	12	7	01
	P	1 / 13/ 1953	-72.61	-3.82	3187.39	01	12	7	01
	P	1 / 7 / 1954	-75.87	-3.26	3184.13	01	12	7	01
	P	1 / 3 / 1955	-84.14	-8.27	3175.86	01	12	7	01
	P	1 / 13/ 1956	-88.45	-4.31	3171.55	01	12	7	01
	P	1 / 9 / 1957	-95.8	-7.35	3164.2	01	12	7	01
	P	1 / 15/ 1958	-96.58	-0.78	3163.42	01	12	7	01
	P	1 / 8 / 1959	-99.45	-2.87	3160.55	01	12	7	01
	P	1 / 20/ 1960	-98.9	0.55	3161.1	01	12	7	01
	P	1 / 12/ 1961	-99.2	-0.3	3160.8	01	04	1	
	N	1 / 11/ 1962				01	01		42
	N	1 / 5 / 1963				01	01		40

Min *-99.45* **Max** *-51.87* **Avg** *-80.6507*

2304401 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 22/ 1954	-92.38		3192.62	01	12	7	01
	P	1 / 13/ 1956	-98.33	-5.95	3186.67	01	12	7	01
	P	1 / 7 / 1957	-101.8	-3.47	3183.2	01	12	7	01
	P	1 / 15/ 1958	-104.52	-2.72	3180.48	01	12	7	01
	P	1 / 8 / 1959	-106.45	-1.93	3178.55	01	12	7	01
	P	1 / 10/ 1962	-108	-1.55	3177	01	01	2	
	N	1 / 5 / 1963				01	01	1	45

Min *-108* **Max** *-92.38* **Avg** *-101.913*

2304402 *(Aquifer: 121OGLL Well Depth: 72)*

	P	7 / 19/ 1937	-60.57		3219.43	01	12	7	
	P	8 / 9 / 1937	-60.59	-0.02	3219.41	01	12	7	
	P	8 / 11/ 1938	-61.43	-0.84	3218.57	01	12	7	
	P	12 / 7 / 1938	-61.61	-0.18	3218.39	01	12	7	

Min *-61.61* **Max** *-60.57* **Avg** *-61.05*

2304403 *(Aquifer: 121OGLL Well Depth: 330)*

	P	10 / 17/ 1979	-151.51		3125.49	01	06	1	
	P	1 / 3 / 1980	-151.22	0.29	3125.78	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1981	-155.65	-4.43	3121.35	01	06	1	
	P	1/ 5/1982	-154.91	0.74	3122.09	01	06	1	
	P	2/23/1983	-159.05	-4.14	3117.95	01	06	1	
	P	1/ 4/1984	-161.6	-2.55	3115.4	01	06	1	
	P	1/ 8/1985	-155.25	6.35	3121.75	01	06	1	
	P	1/17/1986	-161.79	-6.54	3115.21	01	06	1	
	N	6/24/2004				01	01		41

Min *-161.79* **Max** *-151.22* **Avg** *-156.373*

2304404 *(Aquifer: 121OGLL Well Depth:)*

	P	1/17/1986	-135.9		3141.1	01	06	1	
	P	1/14/1987	-133.69	2.21	3143.31	01	06	1	
	P	1/29/1988	-128.08	5.61	3148.92	01	06	1	
	P	1/ 3/1989	-129.7	-1.62	3147.3	01	06	1	
	P	1/ 8/1990	-128.32	1.38	3148.68	01	06	1	
	P	1/14/1991	-128.7	-0.38	3148.3	01	06	1	
	P	1/ 6/1992	-130.65	-1.95	3146.35	01	06	1	
	P	1/18/1993	-129.72	0.93	3147.28	01	06	1	
	P	1/20/1994	-131.8	-2.08	3145.2	01	06	1	

Min *-135.9* **Max** *-128.08* **Avg** *-130.729*

2304405 *(Aquifer: 121OGLL Well Depth:)*

	P	6/ 7/1994	-112.55		3162.45	01	06	1	
	P	1/24/1995	-112.84	-0.29	3162.16	01	06	1	
	P	1/25/1996	-113.32	-0.48	3161.68	01	06	1	
	P	1/31/1997	-113.69	-0.37	3161.31	01	06	1	
	P	1/ 9/1998	-113.37	0.32	3161.63	01	06	1	
	P	1/26/1999	-114	-0.63	3161	01	06	1	
	P	2/ 1/2000	-114.45	-0.45	3160.55	01	06	1	
	P	1/24/2001	-114.8	-0.35	3160.2	01	06	1	
	P	2/ 4/2002	-115.38	-0.58	3159.62	01	06	1	
	P	2/25/2003	-115.87	-0.49	3159.13	01	06	1	
	P	2/ 2/2004	-116.44	-0.57	3158.56	01	06	1	
	P	2/ 9/2005	-117.01	-0.57	3157.99	01	06	1	
	P	1/17/2006	-117.46	-0.45	3157.54	01	06	1	
	P	2/ 1/2007	-118.08	-0.62	3156.92	01	06	1	
	P	1/ 3/2008	-118.59	-0.51	3156.41	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 2009	-119.14	-0.55	3155.86	01	06	1	
	P	1 / 15/ 2010	-119.74	-0.6	3155.26	01	06	1	
	P	1 / 14/ 2011	-119.86	-0.12	3155.14	01	06	1	
	P	2 / 8 / 2012	-120.22	-0.36	3154.78	01	06	1	

Min *-120.22* **Max** *-112.55* **Avg** *-116.148*

2304406 *(Aquifer: 121OGLL Well Depth:)*

	N	6 / 24/ 2004				01	01		42

Min **Max** **Avg**

2304502 *(Aquifer: 121OGLL Well Depth: 339)*

	P	3 / 2 / 1949	-72.43		3172.57	01	12	7	01
	P	2 / 19/ 1950	-82.78	-10.4	3162.22	01	12	7	01
	P	1 / 22/ 1951	-87.09	-4.31	3157.91	01	12	7	01
	P	1 / 31/ 1952	-78	9.09	3167	01	12	7	01
	P	1 / 13/ 1953	-81.68	-3.68	3163.32	01	12	7	01
	P	1 / 7 / 1954	-84.98	-3.3	3160.02	01	12	7	01
	P	12 / 22/ 1954	-95.88	-10.9	3149.12	01	12	7	01
	P	1 / 3 / 1955	-95.88		3149.12	01	12	7	01
	P	1 / 7 / 1957	-110.16	-14.3	3134.84	01	12	7	01
	P	1 / 8 / 1958	-114	-3.84	3131	01	12	7	01
	P	1 / 8 / 1959	-119.92	-5.92	3125.08	01	12	7	01
	P	1 / 20/ 1960	-126.15	-6.23	3118.85	01	12	7	01
	P	1 / 10/ 1961	-128.04	-1.89	3116.96	01	04	1	
	P	1 / 11/ 1962	-129.56	-1.52	3115.44	01	01	1	
	P	1 / 5 / 1963	-138.61	-9.05	3106.39	01	01	1	

Min *-138.61* **Max** *-72.43* **Avg** *-103.011*

2304505 *(Aquifer: 121OGLL Well Depth: 384)*

	P	1 / 9 / 1964	-150.3		3094.7	01	01	1	
	P	1 / 7 / 1965	-161.94	-11.6	3083.06	01	01	1	
	N	1 / 8 / 1966				01	01	1	45
	N	1 / 6 / 1967				01	01	1	45
	P	1 / 2 / 1968	-179.59		3065.41	01	06	1	
	P	1 / 7 / 1969	-179.7	-0.11	3065.3	01	01	1	
	P	1 / 3 / 1970	-182.94	-3.24	3062.06	01	01	1	
	P	1 / 11/ 1971	-188.32	-5.38	3056.68	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1972	-190.96	-2.64	3054.04	01	01	1	
	P	1/23/1973	-192.31	-1.35	3052.69	01	01	1	
	P	1/ 8/1974	-194.64	-2.33	3050.36	01	06	1	
	P	1/13/1975	-197.83	-3.19	3047.17	01	06	1	
	P	1/ 5/1976	-201.5	-3.67	3043.5	01	06	1	
	P	1/ 6/1977	-203.82	-2.32	3041.18	01	06	1	
	P	1/12/1978	-206.48	-2.66	3038.52	01	06	1	
	P	1/24/1979	-208.09	-1.61	3036.91	01	06	1	
	P	1/ 3/1980	-207.89	0.2	3037.11	01	06	1	
	P	1/ 8/1981	-211.91	-4.02	3033.09	01	06	1	
	P	1/ 6/1982	-213.09	-1.18	3031.91	01	06	1	
	P	2/23/1983	-215.04	-1.95	3029.96	01	06	1	
	P	1/ 4/1984	-217.24	-2.2	3027.76	01	06	1	
	P	1/ 9/1985	-217.96	-0.72	3027.04	01	06	1	
	P	1/17/1986	-218.1	-0.14	3026.9	01	06	1	
	P	1/12/1987	-217.57	0.53	3027.43	01	06	1	
	P	1/18/1988	-217.31	0.26	3027.69	01	06	1	
	P	1/ 3/1989	-220.07	-2.76	3024.93	01	06	1	
	P	1/ 8/1990	-221.67	-1.6	3023.33	01	06	1	
	P	1/14/1991	-224.29	-2.62	3020.71	01	06	1	
	P	1/ 6/1992	-221.75	2.54	3023.25	01	06	1	
	P	1/ 8/1993	-221.58	0.17	3023.42	01	06	1	
	P	1/20/1994	-224.18	-2.6	3020.82	01	06	1	
	P	1/24/1995	-227.59	-3.41	3017.41	01	06	1	
	P	1/25/1996	-226.75	0.84	3018.25	01	06	1	
	P	1/31/1997	-228.02	-1.27	3016.98	01	06	1	
	P	1/ 9/1998	-228.66	-0.64	3016.34	01	06	1	
	P	1/26/1999	-234	-5.34	3011	01	06	1	
	P	2/ 1/2000	-238.48	-4.48	3006.52	01	06	1	
	P	1/24/2001	-238.59	-0.11	3006.41	01	06	1	
	P	2/ 4/2002	-237.72	0.87	3007.28	01	06	1	
	P	2/25/2003	-243.57	-5.85	3001.43	01	06	1	
	P	2/ 2/2004	-245.41	-1.84	2999.59	01	06	1	
	P	2/ 8/2005	-238.92	6.49	3006.08	01	06	1	
	P	1/17/2006	-238.45	0.47	3006.55	01	06	1	
	P	2/ 1/2007	-243.16	-4.71	3001.84	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/2008	-243.39	-0.23	3001.61	01	06	1	
	P	2/ 6/2009	-243.09	0.3	3001.91	01	06	1	
	P	1/15/2010	-243.46	-0.37	3001.54	01	06	1	
	P	2/15/2011	-243.34	0.12	3001.66	01	06	1	
	P	2/ 8/2012	-245.41	-2.07	2999.59	01	06	1	

Min *-245.41* **Max** *-150.3* **Avg** *-216.938*

2304701 *(Aquifer: 121OGLL Well Depth: 180)*

	P	3/11/1947	-67.69		3185.31	01	12	7	01
	P	2/28/1948	-70.49	-2.8	3182.51	01	12	7	01
	P	3/ 2/1949	-75.19	-4.7	3177.81	01	12	7	01
	P	1/22/1951	-85.03	-9.84	3167.97	01	12	7	01
	P	1/31/1952	-82.94	2.09	3170.06	01	12	7	01
	P	1/13/1953	-85.74	-2.8	3167.26	01	12	7	01
	P	1/ 3/1955	-94.53	-8.79	3158.47	01	12	7	01
	P	1/13/1956	-101.42	-6.89	3151.58	01	12	7	01
	P	1/ 7/1957	-105.75	-4.33	3147.25	01	12	7	01
	P	1/ 8/1958	-110.11	-4.36	3142.89	01	12	7	01
	P	1/ 8/1959	-111.1	-0.99	3141.9	01	12	7	01
	P	1/20/1960	-115	-3.9	3138	01	12	7	01
	P	1/10/1961	-118.41	-3.41	3134.59	01	04	1	
	P	1/11/1962	-117.89	0.52	3135.11	01	01	1	
	P	1/ 5/1963	-125.75	-7.86	3127.25	01	01	1	
	P	1/ 9/1964	-128	-2.25	3125	01	01	1	
	P	1/ 7/1965	-132.84	-4.84	3120.16	01	01	1	
	P	1/ 8/1966	-137.64	-4.8	3115.36	01	01	1	
	P	1/ 5/1967	-140.55	-2.91	3112.45	01	01	1	
	P	1/ 2/1968	-143.6	-3.05	3109.4	01	06	1	
	P	1/ 7/1969	-147.07	-3.47	3105.93	01	01	1	
	P	1/ 3/1970	-147.4	-0.33	3105.6	01	01	1	
	P	1/11/1971	-148.93	-1.53	3104.07	01	01	1	
	P	1/ 8/1972	-150.5	-1.57	3102.5	01	01	1	
	P	1/23/1973	-151.95	-1.45	3101.05	01	01	1	
	P	1/ 8/1974	-152.82	-0.87	3100.18	01	06	1	
	P	1/13/1975	-154.65	-1.83	3098.35	01	06	1	
	P	1/ 5/1976	-156.49	-1.84	3096.51	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1977	-157.08	-0.59	3095.92	01	06	1	
	P	1/12/1978	-158.17	-1.09	3094.83	01	06	1	
	P	1/24/1979	-158.94	-0.77	3094.06	01	06	1	
	P	1/ 2/1980	-158.46	0.48	3094.54	01	06	1	
	P	1/ 8/1981	-160.75	-2.29	3092.25	01	06	1	
	P	1/ 6/1982	-161.71	-0.96	3091.29	01	06	1	
	P	2/23/1983	-163.08	-1.37	3089.92	01	06	1	
	P	1/ 4/1984	-163.65	-0.57	3089.35	01	06	1	
	P	1/ 8/1985	-161.8	1.85	3091.2	01	06	1	
	P	1/17/1986	-161.84	-0.04	3091.16	01	06	1	
	P	1/12/1987	-162.15	-0.31	3090.85	01	06	1	
	P	1/18/1988	-161.67	0.48	3091.33	01	06	1	
	P	1/ 3/1989	-162.18	-0.51	3090.82	01	06	1	
	P	1/ 8/1990	-162.48	-0.3	3090.52	01	06	1	
	P	1/14/1991	-162.25	0.23	3090.75	01	06	1	
	P	1/ 6/1992	-163.55	-1.3	3089.45	01	06	1	
	P	1/18/1993	-163.55		3089.45	01	06	1	
	P	1/20/1994	-168.99	-5.44	3084.01	01	06	1	
	P	1/24/1995	-171.2	-2.21	3081.8	01	06	1	
	P	1/24/1996	-171.2		3081.8	01	06	1	
	P	1/31/1997	-170.56	0.64	3082.44	01	06	1	
	P	1/ 9/1998	-172.74	-2.18	3080.26	01	06	1	
	P	1/26/1999	-174	-1.26	3079	01	06	1	
	P	2/ 1/2000	-176.4	-2.4	3076.6	01	06	1	
	P	1/24/2001	-175.62	0.78	3077.38	01	06	1	
	P	1/28/2002	-176.04	-0.42	3076.96	01	06	1	
	P	2/19/2003	-176.84	-0.8	3076.16	01	06	1	
	P	2/ 2/2004	-177.9	-1.06	3075.1	01	06	1	
	P	2/ 9/2005	-178.46	-0.56	3074.54	01	06	1	
	P	1/17/2006	-179.56	-1.1	3073.44	01	06	1	
	P	2/ 1/2007	-180.32	-0.76	3072.68	01	06	1	
	P	1/ 3/2008	-180.58	-0.26	3072.42	01	06	1	
	P	2/ 6/2009	-181.34	-0.76	3071.66	01	06	1	
	P	1/15/2010	-181.9	-0.56	3071.1	01	06	1	
	P	1/14/2011	-182.05	-0.15	3070.95	01	06	1	
	P	2/ 8/2012	-183.65	-1.6	3069.35	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -183.65		**Max -67.69**	**Avg -147.846**						
2304702	*(Aquifer: 121OGLL*		*Well Depth: 240)*						
	P	9 / 10/ 1937	-61.4		3193.6	01	12	7	01
	P	6 / 16/ 1938	-62.81	-1.41	3192.19	01	12	7	01
	P	10 / 18/ 1938	-61.4	1.41	3193.6	01	12	7	01
	P	3 / 7 / 1939	-59.92	1.48	3195.08	01	12	7	01
	P	6 / 23/ 1939	-60.48	-0.56	3194.52	01	12	7	01
	P	10 / 6 / 1939	-61.26	-0.78	3193.74	01	12	7	01
	P	11 / 29/ 1940	-62.06	-0.8	3192.94	01	12	7	01
	P	3 / 12/ 1942	-59.98	2.08	3195.02	01	12	7	01
	P	10 / 30/ 1942	-59.68	0.3	3195.32	01	12	7	01
	P	1 / 24/ 1943	-59.09	0.59	3195.91	01	12	7	01
	P	2 / 16/ 1944	-58.1	0.99	3196.9	01	12	7	01
	P	2 / 16/ 1945	-58.7	-0.6	3196.3	01	12	7	01
	P	3 / 2 / 1946	-59.91	-1.21	3195.09	01	12	7	01
	P	1 / 20/ 1947	-61.76	-1.85	3193.24	01	12	7	01
	P	3 / 11/ 1947	-61.63	0.13	3193.37	01	12	7	01
	P	2 / 28/ 1948	-63.95	-2.32	3191.05	01	12	7	01
	P	3 / 2 / 1949	-67.37	-3.42	3187.63	01	12	7	01
	P	2 / 18/ 1950	-69.85	-2.48	3185.15	01	12	7	01
	P	1 / 22/ 1951	-73.25	-3.4	3181.75	01	12	7	01
Min -73.25		**Max -58.1**	**Avg -62.2421**						
2309101	*(Aquifer: 121OGLL*		*Well Depth: 146)*						
	P	1 / 13/ 1976	-95.76		3282.24	01	01	1	
	N	1 / 12/ 1977				01	01		63
	P	1 / 6 / 1978	-97.15		3280.85	01	01	1	
	P	1 / 6 / 1979	-98.5	-1.35	3279.5	01	01	1	
	P	1 / 16/ 1980	-99.03	-0.53	3278.97	01	01	1	
	P	1 / 18/ 1982	-101.17	-2.14	3276.83	01	01	1	
	N	1 / 9 / 1984				01	01	1	44
	P	1 / 14/ 1985	-103.1		3274.9	01	01	1	
	P	12 / 7 / 1986	-106.96	-3.86	3271.04	01	01	1	
	P	12 / 17/ 1987	-103.02	3.94	3274.98	01	01	1	
	P	12 / 8 / 1988	-101.57	1.45	3276.43	01	01	1	
	P	12 / 8 / 1989	-101.73	-0.16	3276.27	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 10/ 1990	-101.94	-0.21	3276.06	01	01	1	
	P	12 / 9 / 1991	-102.66	-0.72	3275.34	01	01	1	
	P	1 / 26/ 1993	-102.98	-0.32	3275.02	01	01	1	
	P	1 / 24/ 1994	-105.6	-2.62	3272.4	01	06	1	
	P	1 / 24/ 1995	-103.65	1.95	3274.35	01	06	1	
	P	1 / 25/ 1996	-105.34	-1.69	3272.66	01	06	1	
	P	2 / 5 / 1997	-105.97	-0.63	3272.03	01	06	1	
	P	1 / 13/ 1998	-106.02	-0.05	3271.98	01	06	1	
	P	1 / 21/ 1999	-107	-0.98	3271	01	06	1	
	P	2 / 11/ 2000	-106.65	0.35	3271.35	01	06	1	
	N	2 / 27/ 2001				01	06		51
	N	3 / 8 / 2002				01	06		42
	N	2 / 23/ 2003				01	06		42
	N	1 / 23/ 2004				01	06		42
	N	2 / 15/ 2005				01	06		42

Min *-107* **Max** *-95.76* **Avg** *-102.79*

2309105 *(Aquifer: 121OGLL Well Depth: 203)*

	P	4 / 7 / 1988	-124		3296	01	01	1	

Min *-124* **Max** *-124* **Avg** *-124*

2309106 *(Aquifer: 121OGLL Well Depth: 186)*

	P	3 / 8 / 2002	-100.12		3269.88	01	06	1	
	P	2 / 23/ 2003	-101.62	-1.5	3268.38	01	06	1	
	P	1 / 23/ 2004	-102.33	-0.71	3267.67	01	06	1	
	P	2 / 15/ 2005	-102.86	-0.53	3267.14	01	06	1	
	P	1 / 17/ 2006	-102.92	-0.06	3267.08	01	06	1	
	N	3 / 21/ 2007				01	06		41
	P	1 / 4 / 2008	-103.52		3266.48	01	06	1	
	P	2 / 5 / 2009	-105.11	-1.59	3264.89	01	06	1	
	P	1 / 15/ 2010	-104.18	0.93	3265.82	01	06	1	
	P	1 / 17/ 2011	-104.5	-0.32	3265.5	01	06	1	
	P	2 / 9 / 2012	-103.73	0.77	3266.27	01	06	1	

Min *-105.11* **Max** *-100.12* **Avg** *-103.089*

2309201 *(Aquifer: 121OGLL Well Depth: 142)*

	P	1 / 13/ 1955	-71.98		3242.02	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1956	-77.39	-5.41	3236.61	01	12	7	01
	P	1/ 7/ 1957	-83.49	-6.1	3230.51	01	12	7	01
	P	1/ 15/ 1958	-90.28	-6.79	3223.72	01	12	7	01
	P	1/ 6/ 1959	-87.46	2.82	3226.54	01	12	7	01
	P	1/ 18/ 1960	-92.67	-5.21	3221.33	01	12	7	01
	P	1/ 10/ 1961	-96.16	-3.49	3217.84	01	04	1	01
	P	1/ 10/ 1962	-94.91	1.25	3219.09	01	01	1	
	P	1/ 7/ 1963	-101.6	-6.69	3212.4	01	01	1	
	P	1/ 8/ 1964	-101.87	-0.27	3212.13	01	01	1	
	P	1/ 6/ 1965	-107.97	-6.1	3206.03	01	01	1	
	P	1/ 7/ 1966	-113.27	-5.3	3200.73	01	01	1	
	P	1/ 5/ 1967	-105.04	8.23	3208.96	01	01	1	
	P	1/ 4/ 1968	-105.9	-0.86	3208.1	01	01	1	
	P	1/ 13/ 1969	-111.95	-6.05	3202.05	01	01	1	
	P	1/ 8/ 1970	-100.32	11.63	3213.68	01	01	1	
	P	1/ 11/ 1971	-115.45	-15.1	3198.55	01	01	1	
	P	1/ 7/ 1972	-111.45	4	3202.55	01	01	1	
	P	1/ 24/ 1973	-109.55	1.9	3204.45	01	01	1	
	P	1/ 11/ 1974	-114.55	-5	3199.45	01	01	1	
	P	1/ 10/ 1975	-112.3	2.25	3201.7	01	01	1	
	P	1/ 7/ 1976	-115.16	-2.86	3198.84	01	01	1	
	P	1/ 12/ 1977	-114.98	0.18	3199.02	01	01	1	
	P	1/ 6/ 1978	-114.61	0.37	3199.39	01	01	1	
	P	1/ 8/ 1979	-116.35	-1.74	3197.65	01	01	1	
	P	1/ 16/ 1980	-115.44	0.91	3198.56	01	01	1	
	P	1/ 17/ 1983	-117.57	-2.13	3196.43	01	01	1	
	P	1/ 14/ 1985	-116.73	0.84	3197.27	01	01	1	
	P	12/ 14/ 1985	-113.27	3.46	3200.73	01	01	1	
	P	12/ 7/ 1986	-113.35	-0.08	3200.65	01	01	1	
	P	12/ 17/ 1987	-113.21	0.14	3200.79	01	01	1	
	P	12/ 8/ 1988	-116	-2.79	3198	01	01	1	
	P	12/ 8/ 1989	-116.06	-0.06	3197.94	01	01	1	
	P	12/ 10/ 1990	-117.3	-1.24	3196.7	01	01	1	
	P	12/ 9/ 1991	-118.45	-1.15	3195.55	01	01	1	
	P	1/ 24/ 1994	-119.08	-0.63	3194.92	01	06	1	
	P	1/ 24/ 1995	-119.37	-0.29	3194.63	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 25/ 1996	-117.66	1.71	3196.34	01	06	1	
	P	2 / 5 / 1997	-118.33	-0.67	3195.67	01	06	1	
	P	1 / 13/ 1998	-117.14	1.19	3196.86	01	06	1	
	P	1 / 21/ 1999	-120	-2.86	3194	01	06	1	
	P	2 / 11/ 2000	-115.79	4.21	3198.21	01	06	1	
	P	2 / 5 / 2001	-118.63	-2.84	3195.37	01	06	1	
	P	2 / 15/ 2002	-120.02	-1.39	3193.98	01	06	1	
	P	2 / 21/ 2003	-119.65	0.37	3194.35	01	06	1	
	P	1 / 21/ 2004	-119.63	0.02	3194.37	01	06	1	
	P	2 / 15/ 2005	-118.33	1.3	3195.67	01	06	1	
	P	1 / 17/ 2006	-118.92	-0.59	3195.08	01	06	1	
	P	1 / 17/ 2007	-118.92		3195.08	01	06	1	
	P	1 / 4 / 2008	-117.41	1.51	3196.59	01	06	1	
	P	2 / 5 / 2009	-117.76	-0.35	3196.24	01	06	1	
	P	1 / 15/ 2010	-119.27	-1.51	3194.73	01	06	1	
	P	1 / 19/ 2011	-119.53	-0.26	3194.47	01	06	1	
	P	2 / 9 / 2012	-120.2	-0.67	3193.8	01	06	1	

Min *-120.2* **Max** *-71.98* **Avg** *-110.735*

2309203 *(Aquifer: 121OGFA Well Depth: 210)*

	P	7 / 21/ 1983	-178.8		3201.2	01	12	7	

Min *-178.8* **Max** *-178.8* **Avg** *-178.8*

2309301 *(Aquifer: 121OGLL Well Depth: 230)*

	P	1 / 13/ 1955	-118.03		3257.97	01	12	7	01
	P	1 / 12/ 1956	-123.07	-5.04	3252.93	01	12	7	01
	P	1 / 7 / 1957	-127.16	-4.09	3248.84	01	12	7	01
	P	1 / 15/ 1958	-130.18	-3.02	3245.82	01	12	7	01
	P	1 / 6 / 1959	-131.92	-1.74	3244.08	01	12	7	01
	P	1 / 18/ 1960	-137.87	-5.95	3238.13	01	12	7	01
	P	1 / 10/ 1961	-140.58	-2.71	3235.42	01	04	1	
	P	1 / 10/ 1962	-140.55	0.03	3235.45	01	01	1	
	P	1 / 7 / 1963	-146.64	-6.09	3229.36	01	01	1	
	P	1 / 8 / 1964	-149.87	-3.23	3226.13	01	01	1	
	P	1 / 6 / 1965	-152.83	-2.96	3223.17	01	01	1	
	N	1 / 7 / 1966				01	01		61
	P	1 / 5 / 1967	-169.64		3206.36	01	01	1	04

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1968	-163.42	6.22	3212.58	01	01	1	
	P	1/13/1969	-168.04	-4.62	3207.96	01	01	1	
	P	1/ 8/1970	-169.5	-1.46	3206.5	01	01	1	
	P	1/11/1971	-169.78	-0.28	3206.22	01	01	1	
	P	1/ 7/1972	-168.13	1.65	3207.87	01	01	1	
	P	1/24/1973	-160.09	8.04	3215.91	01	01	1	
	P	1/11/1974	-163.97	-3.88	3212.03	01	01	1	03
	P	1/10/1975	-165.74	-1.77	3210.26	01	01	1	
	P	1/12/1976	-158.79	6.95	3217.21	01	01	1	
	P	1/12/1977	-158.79		3217.21	01	01	1	
	P	1/ 6/1978	-164.29	-5.5	3211.71	01	01	1	
	P	1/ 8/1979	-168.73	-4.44	3207.27	01	01	1	
	P	1/16/1980	-161.35	7.38	3214.65	01	01	1	
	P	1/17/1981	-165.4	-4.05	3210.6	01	01	1	
	P	1/17/1983	-167.26	-1.86	3208.74	01	01	1	
	P	1/14/1985	-167.36	-0.1	3208.64	01	01	1	
	P	12/14/1985	-173.95	-6.59	3202.05	01	01	1	
	P	12/ 7/1986	-186.99	-13.0	3189.01	01	01	1	
	P	12/17/1987	-167.44	19.55	3208.56	01	01	1	
	P	12/ 8/1988	-169.15	-1.71	3206.85	01	01	1	
	P	12/ 8/1989	-158.27	10.88	3217.73	01	01	1	
	P	12/10/1990	-157.94	0.33	3218.06	01	01	1	
	P	12/ 9/1991	-160.17	-2.23	3215.83	01	01	1	
	P	1/26/1993	-160.3	-0.13	3215.7	01	01	1	
	P	1/24/1994	-165.03	-4.73	3210.97	01	06	1	
	P	1/24/1995	-170.33	-5.3	3205.67	01	06	1	
	P	1/25/1996	-174.66	-4.33	3201.34	01	06	1	
	P	2/ 5/1997	-174.09	0.57	3201.91	01	06	1	
	P	1/13/1998	-177.49	-3.4	3198.51	01	06	1	
	P	1/21/1999	-180	-2.51	3196	01	06	1	
	P	2/11/2000	-179.53	0.47	3196.47	01	06	1	
	P	2/ 5/2001	-181.15	-1.62	3194.85	01	06	1	
	N	3/ 8/2002				01	06	7	44
	N	2/26/2003				01	06	7	44
	P	1/21/2004	-179.67		3196.33	01	06	1	
	N	2/15/2005				01	06	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -186.99		**Max** -118.03	**Avg** -160.559						
2309303	(Aquifer: 218FKBT		Well Depth: 201)						
	P	7 / 20/ 1983	-182.3		3187.7	01	12	7	
Min -182.3		**Max** -182.3	**Avg** -182.3						
2309304	(Aquifer: 121OGLL		Well Depth: 231)						
	P	3 / 4 / 1969	-160		3200	01	12	7	
Min -160		**Max** -160	**Avg** -160						
2309307	(Aquifer: 121OGFA		Well Depth: 230)						
	P	7 / 21/ 1983	-168.5		3204.5	01	12	7	
	P	3 / 8 / 2002	-175.15	-6.65	3197.85	01	06	1	
	P	2 / 26/ 2003	-181.4	-6.25	3191.6	01	06	1	
	P	1 / 21/ 2004	-179.67	1.73	3193.33	01	06	1	
	P	2 / 15/ 2005	-174.96	4.71	3198.04	01	06	1	
	P	1 / 17/ 2006	-172.8	2.16	3200.2	01	06	1	
	N	3 / 21/ 2007				01	06		41
	P	1 / 4 / 2008	-173.25		3199.75	01	06	1	
	P	2 / 5 / 2009	-175.29	-2.04	3197.71	01	06	1	
	P	1 / 15/ 2010	-177.64	-2.35	3195.36	01	06	1	
	P	1 / 17/ 2011	-176	1.64	3197	01	06	1	
	P	2 / 9 / 2012	-178.87	-2.87	3194.13	01	06	1	
Min -181.4		**Max** -168.5	**Avg** -175.775						
2309603	(Aquifer: 218FKBG		Well Depth: 200)						
	P	10 / 0 / 1964	-154		3193	01	12	7	
Min -154		**Max** -154	**Avg** -154						
2310101	(Aquifer: 121OGLL		Well Depth: 204)						
	P	1 / 8 / 1954	-135.69		3220.31	01	12	7	01
	P	1 / 13/ 1955	-141.38	-5.69	3214.62	01	12	7	01
	P	1 / 12/ 1956	-148.63	-7.25	3207.37	01	12	7	01
	P	1 / 7 / 1957	-152.9	-4.27	3203.1	01	12	7	01
	P	1 / 15/ 1958	-155.18	-2.28	3200.82	01	12	7	01
	P	1 / 6 / 1959	-156.05	-0.87	3199.95	01	12	7	01
	P	1 / 18/ 1960	-160.47	-4.42	3195.53	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1961	-163.31	-2.84	3192.69	01	04	1	
	P	1/ 8/ 1962	-162.85	0.46	3193.15	01	01	1	
	P	1/ 4/ 1963	-167.32	-4.47	3188.68	01	01	1	
	P	1/ 8/ 1964	-171.34	-4.02	3184.66	01	01	1	
	P	1/ 6/ 1965	-178.4	-7.06	3177.6	01	01	1	
	P	1/ 7/ 1966	-176.95	1.45	3179.05	01	01	1	
	P	1/ 5/ 1967	-182.3	-5.35	3173.7	01	01	1	
	P	1/ 4/ 1968	-186.11	-3.81	3169.89	01	01	1	
	P	1/ 13/ 1969	-185.53	0.58	3170.47	01	01	1	
	P	1/ 8/ 1970	-185.37	0.16	3170.63	01	01	1	
	P	1/ 11/ 1971	-187.1	-1.73	3168.9	01	01	1	
	P	1/ 7/ 1972	-185.37	1.73	3170.63	01	01	1	
	P	1/ 24/ 1973	-184.57	0.8	3171.43	01	01	1	
	P	1/ 11/ 1974	-186.9	-2.33	3169.1	01	01	1	
	P	1/ 10/ 1975	-186.24	0.66	3169.76	01	01	1	
	P	1/ 12/ 1976	-184.28	1.96	3171.72	01	01	1	
	P	1/ 12/ 1977	-186.78	-2.5	3169.22	01	01	1	
	P	1/ 6/ 1978	-188.74	-1.96	3167.26	01	01	1	
	P	1/ 8/ 1979	-187.02	1.72	3168.98	01	01	1	
	P	1/ 17/ 1980	-186.1	0.92	3169.9	01	01	1	
	P	1/ 16/ 1982	-188.01	-1.91	3167.99	01	01	1	
	P	1/ 9/ 1984	-190.1	-2.09	3165.9	01	01	1	
	N	12/ 7/ 1986				01	01		42
	N	12/ 31/ 1986				01	01		81

Min *-190.1* **Max** *-135.69* **Avg** *-174.172*

2310107 *(Aquifer: 121OGFA Well Depth: 267)*

	P	11/ 0/ 1955	-124		3226	01	12	7	

Min *-124* **Max** *-124* **Avg** *-124*

2310108 *(Aquifer: 121OGLL Well Depth: 128)*

	P	7/ 27/ 1937	-117.9		3239.1	01	07	7	

Min *-117.9* **Max** *-117.9* **Avg** *-117.9*

2310111 *(Aquifer: 218FKBT Well Depth: 232)*

	P	7/ 19/ 1983	-198.7		3158.3	01	12	7	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -198.7		**Max -198.7**	**Avg**	**-198.7**					
2310112	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	3 / 8 / 2002	-190.38		3166.62	01	06	1	
	P	2 / 20/ 2003	-190.69	-0.31	3166.31	01	06	1	
	P	1 / 21/ 2004	-191.28	-0.59	3165.72	01	06	1	
	P	3 / 8 / 2005	-189.35	1.93	3167.65	01	06	1	
	P	1 / 17/ 2006	-189.82	-0.47	3167.18	01	06	1	
	N	3 / 21/ 2007				01	06		41
	P	1 / 4 / 2008	-189.26		3167.74	01	06	1	
	P	2 / 5 / 2009	-189.95	-0.69	3167.05	01	06	1	
	P	1 / 15/ 2010	-190.47	-0.52	3166.53	01	06	1	
	P	1 / 17/ 2011	-189.9	0.57	3167.1	01	06	1	
	P	2 / 9 / 2012	-191.22	-1.32	3165.78	01	06	1	
Min -191.28		**Max -189.26**	**Avg**	**-190.232**					
2310203	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	10 / 18/ 1979	-167.4		3168.6	01	06	1	
	P	1 / 3 / 1980	-166.44	0.96	3169.56	01	06	1	
	P	1 / 8 / 1981	-167.1	-0.66	3168.9	01	06	1	
	P	1 / 6 / 1982	-167.89	-0.79	3168.11	01	06	1	
	P	2 / 23/ 1983	-169.96	-2.07	3166.04	01	06	1	
	P	1 / 3 / 1984	-172.25	-2.29	3163.75	01	06	1	
	P	1 / 7 / 1985	-174.85	-2.6	3161.15	01	06	1	
	P	1 / 17/ 1986	-169.36	5.49	3166.64	01	06	2	
	P	1 / 12/ 1987	-168.52	0.84	3167.48	01	06	2	
	P	1 / 29/ 1988	-166.95	1.57	3169.05	01	06	2	
	P	1 / 3 / 1989	-167.08	-0.13	3168.92	01	06	1	
	P	1 / 8 / 1990	-167.29	-0.21	3168.71	01	06	1	
	P	1 / 14/ 1991	-167.92	-0.63	3168.08	01	06	1	
	P	1 / 6 / 1992	-168.9	-0.98	3167.1	01	06	1	
	P	1 / 18/ 1993	-168.91	-0.01	3167.09	01	06	1	
	P	1 / 20/ 1994	-169.52	-0.61	3166.48	01	06	1	
	P	1 / 20/ 1995	-170.94	-1.42	3165.06	01	06	1	
	P	1 / 25/ 1996	-171.52	-0.58	3164.48	01	06	1	
	P	1 / 31/ 1997	-172.42	-0.9	3163.58	01	06	1	
	P	1 / 12/ 1998	-172.8	-0.38	3163.2	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 21/ 1999	-174	-1.2	3162	01	06	1	
	P	2 / 11/ 2000	-174.02	-0.02	3161.98	01	06	1	
	P	2 / 5 / 2001	-176.82	-2.8	3159.18	01	06	1	
	P	1 / 28/ 2002	-174.28	2.54	3161.72	01	06	1	
	N	4 / 2 / 2003				01	06		42
	P	2 / 2 / 2004	-174.55		3161.45	01	06	1	
	P	2 / 9 / 2005	-174.08	0.47	3161.92	01	06	1	
	P	1 / 17/ 2006	-174.9	-0.82	3161.1	01	06	1	
	N	3 / 21/ 2007				01	06		41
	P	1 / 3 / 2008	-173.45		3162.55	01	06	1	
	P	2 / 5 / 2009	-172.57	0.88	3163.43	01	06	1	
	P	1 / 15/ 2010	-172.84	-0.27	3163.16	01	06	1	
	P	1 / 17/ 2011	-172.33	0.51	3163.67	01	06	1	
	P	2 / 8 / 2012	-173.84	-1.51	3162.16	01	06	1	

Min *-176.82* **Max** *-166.44* **Avg** *-171.116*

2310204 *(Aquifer: 218FGAS Well Depth: 225)*

	P	11 / 21/ 1964	-181		3167	01	07	7	

Min *-181* **Max** *-181* **Avg** *-181*

2310205 *(Aquifer: 121OGLL Well Depth: 393)*

	P	2 / 19/ 1966	-227		3124	01	07	7	
	P	4 / 12/ 1988	-181.05	45.95	3169.95	01	01	1	

Min *-227* **Max** *-181.05* **Avg** *-204.025*

2310206 *(Aquifer: 218FGAS Well Depth: 207)*

	P	7 / 30/ 1964	-180		3173	01	07	7	
	P	7 / 30/ 1964	-194	-14	3159	02	07	7	02

Min *-194* **Max** *-180* **Avg** *-187*

2310207 *(Aquifer: 218FGAS Well Depth: 178)*

	P	8 / 1 / 1964	-151		3167	01	07	7	
	P	8 / 1 / 1964	-168	-17	3150	02	07	7	02

Min *-168* **Max** *-151* **Avg** *-159.5*

2310301 *(Aquifer: 218FKBG Well Depth: 289)*

	P	9 / 7 / 2004	-241.37		3074.63	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -241.37		**Max -241.37**	**Avg -241.37**						
2310304	*(Aquifer: 218FKBG*		*Well Depth: 336)*						
	P	4 / 6 / 1996	-185		3146	01	07	7	
Min -185		**Max -185**	**Avg -185**						
2310401	*(Aquifer: 218FKBG*		*Well Depth: 223)*						
	P	9 / 15/ 2001	-180.22		3163.78	01	04	4	
	P	9 / 30/ 2001	-180.28	-0.06	3163.72	01	04	4	
	P	10 / 3 / 2001	-180.26	0.02	3163.74	01	04	2	
	P	10 / 15/ 2001	-180.31	-0.05	3163.69	01	04	4	
	P	10 / 30/ 2001	-180.24	0.07	3163.76	01	04	4	
	P	11 / 15/ 2001	-180.14	0.1	3163.86	01	04	4	
	P	11 / 30/ 2001	-180.01	0.13	3163.99	01	04	4	
	P	12 / 11/ 2001	-179.87	0.14	3164.13	01	04	1	
	P	12 / 15/ 2001	-179.85	0.02	3164.15	01	04	4	
	P	12 / 30/ 2001	-179.78	0.07	3164.22	01	04	4	
	P	1 / 15/ 2002	-179.5	0.28	3164.5	01	04	4	
	P	1 / 30/ 2002	-179.19	0.31	3164.81	01	04	4	
	P	2 / 15/ 2002	-179.16	0.03	3164.84	01	04	4	
	P	3 / 14/ 2002	-179.47	-0.31	3164.53	01	04	1	
	P	3 / 15/ 2002	-179.57	-0.1	3164.43	01	04	4	
	P	3 / 30/ 2002	-179.77	-0.2	3164.23	01	04	4	
	P	4 / 15/ 2002	-179.86	-0.09	3164.14	01	04	4	
	P	4 / 30/ 2002	-180.02	-0.16	3163.98	01	04	4	
	P	5 / 15/ 2002	-180.06	-0.04	3163.94	01	04	4	
	P	5 / 30/ 2002	-180.11	-0.05	3163.89	01	04	4	
	P	6 / 11/ 2002	-180.07	0.04	3163.93	01	04	1	
	P	6 / 15/ 2002	-180.11	-0.04	3163.89	01	04	4	
	P	6 / 30/ 2002	-180.08	0.03	3163.92	01	04	4	
	P	7 / 16/ 2002	-180.03	0.05	3163.97	01	04	1	
	P	7 / 30/ 2002	-180.1	-0.07	3163.9	01	04	4	
	P	8 / 15/ 2002	-180.09	0.01	3163.91	01	04	4	
	P	8 / 30/ 2002	-180.12	-0.03	3163.88	01	04	4	
	P	12 / 15/ 2002	-180.09	0.03	3163.91	01	04	4	
	P	12 / 30/ 2002	-179.97	0.12	3164.03	01	04	4	
	P	1 / 15/ 2003	-179.84	0.13	3164.16	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/30/2003	-179.74	0.1	3164.26	01	04	4	
	P	2/15/2003	-179.64	0.1	3164.36	01	04	4	
	P	3/ 1/2003	-179.61	0.03	3164.39	01	04	4	
	P	3/15/2003	-179.79	-0.18	3164.21	01	04	4	
	P	3/30/2003	-179.98	-0.19	3164.02	01	04	4	
	P	4/ 1/2003	-179.88	0.1	3164.12	01	04	4	
	P	4/15/2003	-179.98	-0.1	3164.02	01	04	4	
	P	4/30/2003	-180.09	-0.11	3163.91	01	04	4	
	P	5/ 1/2003	-180.13	-0.04	3163.87	01	04	4	
	P	5/15/2003	-180.16	-0.03	3163.84	01	04	4	
	P	5/30/2003	-180.16		3163.84	01	04	4	
	P	6/15/2003	-180.24	-0.08	3163.76	01	04	4	
	P	6/30/2003	-180.23	0.01	3163.77	01	04	4	
	P	7/15/2003	-180.21	0.02	3163.79	01	04	4	
	P	7/30/2003	-180.19	0.02	3163.81	01	04	4	
	P	8/15/2003	-180.19		3163.81	01	04	4	
	P	8/30/2003	-180.17	0.02	3163.83	01	04	4	
	P	9/15/2003	-180.2	-0.03	3163.8	01	04	4	
	P	9/30/2003	-180.21	-0.01	3163.79	01	04	4	
	P	10/15/2003	-180.2	0.01	3163.8	01	04	4	
	P	10/30/2003	-180.19	0.01	3163.81	01	04	4	
	P	11/15/2003	-180.16	0.03	3163.84	01	04	4	
	P	11/30/2003	-180.17	-0.01	3163.83	01	04	4	
	P	12/15/2003	-180.18	-0.01	3163.82	01	04	4	
	P	12/30/2003	-180.14	0.04	3163.86	01	04	4	
	P	1/15/2004	-180	0.14	3164	01	04	4	
	P	1/30/2004	-179.89	0.11	3164.11	01	04	4	
	P	2/15/2004	-179.72	0.17	3164.28	01	04	4	
	P	3/15/2004	-179.33	0.39	3164.67	01	04	4	
	P	3/30/2004	-179.27	0.06	3164.73	01	04	4	
	P	4/15/2004	-178.86	0.41	3165.14	01	04	4	
	P	4/30/2004	-178.31	0.55	3165.69	01	04	4	
	P	5/15/2004	-177.91	0.4	3166.09	01	04	4	
	P	5/30/2004	-177.6	0.31	3166.4	01	04	4	
	P	6/15/2004	-177.38	0.22	3166.62	01	04	4	
	P	6/30/2004	-177.2	0.18	3166.8	01	04	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 2004	-177.02	0.18	3166.98	01	04	4	
	P	7 / 30/ 2004	-177.43	-0.41	3166.57	01	04	4	
	P	8 / 15/ 2004	-177.73	-0.3	3166.27	01	04	4	
	P	8 / 30/ 2004	-177.8	-0.07	3166.2	01	04	4	
	P	9 / 15/ 2004	-177.63	0.17	3166.37	01	04	4	
	P	9 / 30/ 2004	-177.35	0.28	3166.65	01	04	4	
	P	10 / 5 / 2004	-177.37	-0.02	3166.63	01	04	1	
	P	10 / 15/ 2004	-177.11	0.26	3166.89	01	04	4	
	P	10 / 30/ 2004	-177	0.11	3167	01	04	4	
	P	11 / 15/ 2004	-176.72	0.28	3167.28	01	04	4	
	P	11 / 30/ 2004	-176.39	0.33	3167.61	01	04	4	
	P	12 / 14/ 2004	-176.12	0.27	3167.88	01	04	1	
	P	12 / 15/ 2004	-175.78	0.34	3168.22	01	04	4	
	P	12 / 30/ 2004	-175.54	0.24	3168.46	01	04	4	
	P	1 / 15/ 2005	-175.47	0.07	3168.53	01	04	4	
	P	1 / 30/ 2005	-175.07	0.4	3168.93	01	04	4	
	P	2 / 2 / 2005	-175.14	-0.07	3168.86	01	04	1	
	P	2 / 15/ 2005	-174.95	0.19	3169.05	01	04	4	
	P	3 / 15/ 2005	-174.77	0.18	3169.23	01	04	4	
	P	3 / 30/ 2005	-174.69	0.08	3169.31	01	04	4	
	P	4 / 15/ 2005	-174.65	0.04	3169.35	01	04	4	
	P	4 / 30/ 2005	-175.15	-0.5	3168.85	01	04	4	
	P	5 / 15/ 2005	-175.14	0.01	3168.86	01	04	4	
	P	5 / 24/ 2005	-175.07	0.07	3168.93	01	04	1	
	P	5 / 30/ 2005	-175	0.07	3169	01	04	4	
	P	6 / 15/ 2005	-174.92	0.08	3169.08	01	04	4	
	P	6 / 30/ 2005	-174.8	0.12	3169.2	01	04	4	
	P	7 / 15/ 2005	-174.9	-0.1	3169.1	01	04	4	
	P	7 / 19/ 2005	-174.87	0.03	3169.13	01	04	1	
	P	7 / 30/ 2005	-175.54	-0.67	3168.46	01	04	4	
	P	8 / 15/ 2005	-177.32	-1.78	3166.68	01	04	4	
	P	8 / 30/ 2005	-177.99	-0.67	3166.01	01	04	4	
	P	10 / 13/ 2005	-177.26	0.73	3166.74	01	04	1	
	P	1 / 30/ 2006	-175.81	1.45	3168.19	01	01	4	
	P	2 / 15/ 2006	-175.25	0.56	3168.75	01	01	4	
	P	2 / 28/ 2006	-175.2	0.05	3168.8	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/2006	-175.12	0.08	3168.88	01	01	4	
	P	3/30/2006	-175.41	-0.29	3168.59	01	01	4	
	P	4/15/2006	-176.63	-1.22	3167.37	01	01	4	
	P	4/30/2006	-177.89	-1.26	3166.11	01	01	4	
	P	5/15/2006	-178.08	-0.19	3165.92	01	01	4	
	P	5/30/2006	-177.69	0.39	3166.31	01	01	4	
	P	6/15/2006	-177.34	0.35	3166.66	01	01	4	
	P	6/30/2006	-177.26	0.08	3166.74	01	01	4	
	P	7/15/2006	-178.8	-1.54	3165.2	01	01	4	
	P	7/30/2006	-179.45	-0.65	3164.55	01	01	4	
	P	8/15/2006	-179.81	-0.36	3164.19	01	01	4	
	P	8/30/2006	-179.89	-0.08	3164.11	01	01	4	
	P	9/15/2006	-179.91	-0.02	3164.09	01	01	4	
	P	9/30/2006	-179.94	-0.03	3164.06	01	01	4	
	P	10/15/2006	-179.92	0.02	3164.08	01	01	4	
	P	10/30/2006	-179.93	-0.01	3164.07	01	01	4	
	P	11/15/2006	-179.84	0.09	3164.16	01	01	4	
	P	11/30/2006	-179.86	-0.02	3164.14	01	01	4	
	P	12/15/2006	-179.51	0.35	3164.49	01	01	4	
	P	12/30/2006	-179.36	0.15	3164.64	01	01	4	
	P	1/15/2007	-179.25	0.11	3164.75	01	01	4	
	P	1/30/2007	-178.71	0.54	3165.29	01	01	4	
	P	2/15/2007	-178.64	0.07	3165.36	01	01	4	
	P	2/28/2007	-177.9	0.74	3166.1	01	01	4	
	P	3/15/2007	-177.52	0.38	3166.48	01	01	4	
	P	3/30/2007	-177.12	0.4	3166.88	01	01	4	
	P	4/15/2007	-176.89	0.23	3167.11	01	01	4	
	P	4/30/2007	-176.44	0.45	3167.56	01	01	4	
	P	5/15/2007	-176.2	0.24	3167.8	01	01	4	
	P	5/30/2007	-175.87	0.33	3168.13	01	01	4	
	P	6/15/2007	-175.65	0.22	3168.35	01	01	4	
	P	6/30/2007	-175.33	0.32	3168.67	01	01	4	
	P	7/15/2007	-175.27	0.06	3168.73	01	01	4	
	P	7/30/2007	-175.4	-0.13	3168.6	01	01	4	
	P	8/15/2007	-176.43	-1.03	3167.57	01	01	4	
	P	8/30/2007	-177.48	-1.05	3166.52	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9 / 15/ 2007	-177.37	0.11	3166.63	01	01	4	
	P	9 / 30/ 2007	-176.97	0.4	3167.03	01	01	4	
	P	10 / 15/ 2007	-176.71	0.26	3167.29	01	01	4	
	P	10 / 30/ 2007	-176.22	0.49	3167.78	01	01	4	
	P	11 / 15/ 2007	-176.14	0.08	3167.86	01	01	4	
	P	11 / 30/ 2007	-175.44	0.7	3168.56	01	01	4	
	P	12 / 15/ 2007	-175.27	0.17	3168.73	01	01	4	
	P	12 / 30/ 2007	-175.06	0.21	3168.94	01	01	4	
	P	1 / 15/ 2008	-174.87	0.19	3169.13	01	01	4	
	P	1 / 30/ 2008	-174.67	0.2	3169.33	01	01	4	
	P	2 / 15/ 2008	-174.95	-0.28	3169.05	01	01	4	
	P	2 / 28/ 2008	-174.64	0.31	3169.36	01	01	4	
	P	2 / 29/ 2008	-174.77	-0.13	3169.23	01	01	4	
	P	3 / 15/ 2008	-174.47	0.3	3169.53	01	01	4	
	P	3 / 30/ 2008	-174.92	-0.45	3169.08	01	01	4	
	P	4 / 15/ 2008	-175.76	-0.84	3168.24	01	01	4	
	P	4 / 30/ 2008	-176.57	-0.81	3167.43	01	01	4	
	P	5 / 15/ 2008	-177.08	-0.51	3166.92	01	01	4	
	P	5 / 30/ 2008	-176.84	0.24	3167.16	01	01	4	
	P	6 / 15/ 2008	-176.71	0.13	3167.29	01	01	4	
	P	6 / 30/ 2008	-176.64	0.07	3167.36	01	01	4	
	P	7 / 15/ 2008	-176.38	0.26	3167.62	01	01	4	
	P	7 / 30/ 2008	-176.74	-0.36	3167.26	01	01	4	
	P	8 / 15/ 2008	-178.8	-2.06	3165.2	01	01	4	
	P	8 / 30/ 2008	-179.17	-0.37	3164.83	01	01	4	
	P	9 / 15/ 2008	-179.12	0.05	3164.88	01	01	4	
	P	9 / 30/ 2008	-179	0.12	3165	01	01	4	
	P	10 / 15/ 2008	-178.87	0.13	3165.13	01	01	4	
	P	10 / 30/ 2008	-178.63	0.24	3165.37	01	01	4	
	P	11 / 15/ 2008	-178.43	0.2	3165.57	01	01	4	
	P	11 / 30/ 2008	-177.53	0.9	3166.47	01	01	4	
	P	12 / 15/ 2008	-177.25	0.28	3166.75	01	01	4	
	P	12 / 30/ 2008	-176.73	0.52	3167.27	01	01	4	
	P	1 / 15/ 2009	-176.62	0.11	3167.38	01	01	4	
	P	2 / 15/ 2009	-176.05	0.57	3167.95	01	01	4	
	P	2 / 28/ 2009	-175.85	0.2	3168.15	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/2009	-175.92	-0.07	3168.08	01	01	4	
	P	3/30/2009	-176.76	-0.84	3167.24	01	01	4	
	P	4/15/2009	-177.94	-1.18	3166.06	01	01	4	
	P	4/30/2009	-178.92	-0.98	3165.08	01	01	4	
	P	5/15/2009	-178.87	0.05	3165.13	01	01	4	
	P	5/30/2009	-178.87		3165.13	01	01	4	
	P	6/15/2009	-178.61	0.26	3165.39	01	01	4	
	P	6/30/2009	-178.35	0.26	3165.65	01	01	4	
	P	7/15/2009	-178.21	0.14	3165.79	01	01	4	
	P	7/30/2009	-179.32	-1.11	3164.68	01	01	4	
	P	8/15/2009	-179.79	-0.47	3164.21	01	01	4	
	P	8/30/2009	-179.97	-0.18	3164.03	01	01	4	
	P	9/15/2009	-180.05	-0.08	3163.95	01	01	4	
	P	9/30/2009	-180.08	-0.03	3163.92	01	01	4	
	P	10/15/2009	-180.1	-0.02	3163.9	01	01	4	
	P	10/30/2009	-180.16	-0.06	3163.84	01	01	4	
	P	11/15/2009	-180.06	0.1	3163.94	01	01	4	
	P	11/30/2009	-180.07	-0.01	3163.93	01	01	4	
	P	12/15/2009	-179.91	0.16	3164.09	01	01	4	
	P	12/30/2009	-179.59	0.32	3164.41	01	01	4	
	P	1/15/2010	-179.41	0.18	3164.59	01	01	4	
	P	1/30/2010	-179.13	0.28	3164.87	01	01	4	
	P	2/15/2010	-178.85	0.28	3165.15	01	01	4	
	P	2/28/2010	-178.31	0.54	3165.69	01	01	4	
	P	3/15/2010	-177.98	0.33	3166.02	01	01	4	
	P	3/30/2010	-177.35	0.63	3166.65	01	01	4	
	P	4/15/2010	-177.26	0.09	3166.74	01	01	4	
	P	4/30/2010	-176.96	0.3	3167.04	01	01	4	
	P	5/15/2010	-176.81	0.15	3167.19	01	01	4	
	P	5/30/2010	-176.49	0.32	3167.51	01	01	4	
	P	6/15/2010	-176.45	0.04	3167.55	01	01	4	
	P	6/30/2010	-176.61	-0.16	3167.39	01	01	4	
	P	7/15/2010	-176.72	-0.11	3167.28	01	01	4	
	P	7/30/2010	-176.52	0.2	3167.48	01	01	4	
	P	8/15/2010	-178.3	-1.78	3165.7	01	01	4	
	P	8/30/2010	-179.06	-0.76	3164.94	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/15/2010	-178.94	0.12	3165.06	01	01	4	
	P	9/30/2010	-178.8	0.14	3165.2	01	01	4	
	P	10/15/2010	-178.64	0.16	3165.36	01	01	4	
	P	10/30/2010	-178.25	0.39	3165.75	01	01	4	
	P	11/15/2010	-177.67	0.58	3166.33	01	01	4	
	P	11/30/2010	-177.67		3166.33	01	01	4	
	P	12/15/2010	-177	0.67	3167	01	01	4	
	P	12/30/2010	-176.68	0.32	3167.32	01	01	4	
	P	1/15/2011	-176.72	-0.04	3167.28	01	01	4	
	P	1/30/2011	-176.29	0.43	3167.71	01	01	4	
	P	2/15/2011	-176.03	0.26	3167.97	01	01	4	
	P	3/15/2011	-176.04	-0.01	3167.96	01	01	4	
	P	3/30/2011	-177.43	-1.39	3166.57	01	01	4	
	P	4/15/2011	-179.05	-1.62	3164.95	01	01	4	
	P	4/30/2011	-179.12	-0.07	3164.88	01	01	4	
	P	5/15/2011	-179.37	-0.25	3164.63	01	01	4	
	P	5/30/2011	-179.42	-0.05	3164.58	01	01	4	
	P	6/15/2011	-179.68	-0.26	3164.32	01	01	4	
	P	6/30/2011	-179.81	-0.13	3164.19	01	01	4	
	P	7/15/2011	-179.82	-0.01	3164.18	01	01	4	
	P	7/30/2011	-179.87	-0.05	3164.13	01	01	4	
	P	8/15/2011	-179.89	-0.02	3164.11	01	01	4	
	P	8/30/2011	-179.88	0.01	3164.12	01	01	4	
	P	9/15/2011	-180.05	-0.17	3163.95	01	01	4	
	P	9/30/2011	-180.08	-0.03	3163.92	01	01	4	
	P	10/15/2011	-180.05	0.03	3163.95	01	01	4	
	P	10/30/2011	-179.92	0.13	3164.08	01	01	4	
	P	11/15/2011	-179.93	-0.01	3164.07	01	01	4	
	P	11/30/2011	-179.93		3164.07	01	01	4	
	P	12/12/2011	-179.78	0.15	3164.22	01	01	1	
	P	12/15/2011	-179.79	-0.01	3164.21	01	01	4	
	P	12/30/2011	-179.57	0.22	3164.43	01	01	4	
	P	1/15/2012	-179.43	0.14	3164.57	01	01	4	
	P	1/30/2012	-179.18	0.25	3164.82	01	01	4	
	P	2/15/2012	-178.89	0.29	3165.11	01	01	4	
	P	2/28/2012	-178.93	-0.04	3165.07	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 15/ 2012	-178.43	0.5	3165.57	01	01	4	
	P	3 / 30/ 2012	-178.15	0.28	3165.85	01	01	4	
	P	4 / 15/ 2012	-178.43	-0.28	3165.57	01	01	4	
	P	4 / 30/ 2012	-179.43	-1	3164.57	01	01	4	
	P	5 / 15/ 2012	-179.65	-0.22	3164.35	01	01	4	
	P	5 / 30/ 2012	-179.71	-0.06	3164.29	01	01	4	
	P	6 / 15/ 2012	-179.67	0.04	3164.33	01	01	4	
	P	6 / 26/ 2012	-179.75	-0.08	3164.25	01	01	2	
	P	6 / 30/ 2012	-179.65	0.1	3164.35	01	01	4	
	P	7 / 15/ 2012	-179.66	-0.01	3164.34	01	01	4	
	P	7 / 30/ 2012	-179.95	-0.29	3164.05	01	01	4	
	P	8 / 15/ 2012	-179.97	-0.02	3164.03	01	01	4	
	P	8 / 30/ 2012	-180.02	-0.05	3163.98	01	01	4	
	P	9 / 15/ 2012	-180.05	-0.03	3163.95	01	01	4	
	P	9 / 30/ 2012	-180.03	0.02	3163.97	01	01	4	
	P	10 / 15/ 2012	-180.11	-0.08	3163.89	01	01	4	
	P	10 / 30/ 2012	-180.07	0.04	3163.93	01	01	4	
	P	11 / 15/ 2012	-180.07		3163.93	01	01	4	
	P	11 / 30/ 2012	-180.03	0.04	3163.97	01	01	4	
	P	12 / 15/ 2012	-179.96	0.07	3164.04	01	01	4	
	P	12 / 30/ 2012	-180.04	-0.08	3163.96	01	01	4	
	P	1 / 15/ 2013	-179.87	0.17	3164.13	01	01	4	
	P	1 / 30/ 2013	-179.69	0.18	3164.31	01	01	4	
	P	2 / 15/ 2013	-179.59	0.1	3164.41	01	01	4	
	P	2 / 28/ 2013	-179.37	0.22	3164.63	01	01	4	
	P	3 / 15/ 2013	-179.2	0.17	3164.8	01	01	4	
	P	3 / 30/ 2013	-179.17	0.03	3164.83	01	01	4	
	P	4 / 15/ 2013	-179.47	-0.3	3164.53	01	01	4	
	P	4 / 30/ 2013	-179.77	-0.3	3164.23	01	01	4	
	P	5 / 15/ 2013	-179.85	-0.08	3164.15	01	01	4	

Min *-180.31* **Max** *-174.47* **Avg** *-178.299*

2310406 *(Aquifer: 218FKBT Well Depth: 225)*

	P	7 / 19/ 1983	-152.7		3197.3	01	12	7	

Min *-152.7* **Max** *-152.7* **Avg** *-152.7*

2310407 *(Aquifer: 218FKBG Well Depth: 237)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/ 7/1964	-187		3171	01	07	7	
	P	8/18/1977	-195	-8	3163	01	03	2	
	P	7/ 5/1988	-189	6	3169	01	06	1	
	P	12/23/1993	-193.2	-4.2	3164.8	01	03	2	
	P	12/24/1993	-193.24	-0.04	3164.76	01	03	2	
	P	12/25/1993	-193.95	-0.71	3164.05	01	03	2	
	P	3/ 6/1995	-194.25	-0.3	3163.75	01	06	1	
	P	1/ 3/1996	-192.77	1.48	3165.23	01	03	2	
	P	1/ 7/1996	-193.79	-1.02	3164.21	01	03	2	
	P	1/ 8/1996	-192.67	1.12	3165.33	01	03	2	
	P	1/15/1996	-192.62	0.05	3165.38	01	03	2	
	P	1/25/1996	-193.05	-0.43	3164.95	01	06	1	
	P	10/ 1/1996	-195.13	-2.08	3162.87	01	03	2	
	P	10/ 2/1996	-195.21	-0.08	3162.79	01	03	2	
	P	10/ 3/1996	-195.09	0.12	3162.91	01	03	2	
	P	10/ 4/1996	-195.06	0.03	3162.94	01	03	2	
	P	10/ 5/1996	-195.03	0.03	3162.97	01	03	2	
	P	10/ 6/1996	-195.01	0.02	3162.99	01	03	2	
	P	10/ 7/1996	-194.99	0.02	3163.01	01	03	2	
	P	10/ 8/1996	-194.96	0.03	3163.04	01	03	2	
	P	10/ 9/1996	-194.99	-0.03	3163.01	01	03	2	
	P	10/10/1996	-194.94	0.05	3163.06	01	03	2	
	P	10/11/1996	-194.82	0.12	3163.18	01	03	2	
	P	10/12/1996	-194.81	0.01	3163.19	01	03	2	
	P	10/13/1996	-194.81		3163.19	01	03	2	
	P	10/14/1996	-194.74	0.07	3163.26	01	03	2	
	P	10/15/1996	-194.71	0.03	3163.29	01	03	2	
	P	10/16/1996	-194.65	0.06	3163.35	01	03	2	
	P	10/17/1996	-194.83	-0.18	3163.17	01	03	2	
	P	10/18/1996	-194.65	0.18	3163.35	01	03	2	
	P	10/19/1996	-194.5	0.15	3163.5	01	03	2	
	P	10/20/1996	-194.77	-0.27	3163.23	01	03	2	
	P	10/21/1996	-194.7	0.07	3163.3	01	03	2	
	P	10/22/1996	-194.55	0.15	3163.45	01	03	2	
	P	10/23/1996	-194.47	0.08	3163.53	01	03	2	
	P	10/24/1996	-194.47		3163.53	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 25/ 1996	-194.39	0.08	3163.61	01	03	2	
	P	10 / 26/ 1996	-194.57	-0.18	3163.43	01	03	2	
	P	10 / 27/ 1996	-194.57		3163.43	01	03	2	
	P	10 / 28/ 1996	-194.25	0.32	3163.75	01	03	2	
	P	10 / 29/ 1996	-194.31	-0.06	3163.69	01	03	2	
	P	10 / 30/ 1996	-194.33	-0.02	3163.67	01	03	2	
	P	10 / 31/ 1996	-194.28	0.05	3163.72	01	03	2	
	P	11 / 1 / 1996	-194.34	-0.06	3163.66	01	03	2	
	P	11 / 2 / 1996	-194.27	0.07	3163.73	01	03	2	
	P	11 / 3 / 1996	-194.08	0.19	3163.92	01	03	2	
	P	11 / 4 / 1996	-194.15	-0.07	3163.85	01	03	2	
	P	11 / 5 / 1996	-194.1	0.05	3163.9	01	03	2	
	P	11 / 6 / 1996	-194.14	-0.04	3163.86	01	03	2	
	P	11 / 7 / 1996	-194.2	-0.06	3163.8	01	03	2	
	P	11 / 8 / 1996	-194.14	0.06	3163.86	01	03	2	
	P	11 / 9 / 1996	-193.99	0.15	3164.01	01	03	2	
	P	11 / 10/ 1996	-193.99		3164.01	01	03	2	
	P	11 / 11/ 1996	-194.02	-0.03	3163.98	01	03	2	
	P	11 / 12/ 1996	-194.07	-0.05	3163.93	01	03	2	
	P	11 / 13/ 1996	-193.89	0.18	3164.11	01	03	2	
	P	11 / 14/ 1996	-193.82	0.07	3164.18	01	03	2	
	P	11 / 15/ 1996	-193.81	0.01	3164.19	01	03	2	
	P	11 / 16/ 1996	-193.91	-0.1	3164.09	01	03	2	
	P	11 / 18/ 1996	-193.78	0.13	3164.22	01	03	2	
	P	11 / 19/ 1996	-193.73	0.05	3164.27	01	03	2	
	P	11 / 20/ 1996	-193.77	-0.04	3164.23	01	03	2	
	P	11 / 21/ 1996	-193.89	-0.12	3164.11	01	03	2	
	P	11 / 22/ 1996	-193.69	0.2	3164.31	01	03	2	
	P	11 / 23/ 1996	-193.69		3164.31	01	03	2	
	P	11 / 24/ 1996	-193.82	-0.13	3164.18	01	03	2	
	P	11 / 25/ 1996	-193.69	0.13	3164.31	01	03	2	
	P	11 / 26/ 1996	-193.74	-0.05	3164.26	01	03	2	
	P	11 / 27/ 1996	-193.67	0.07	3164.33	01	03	2	
	P	11 / 28/ 1996	-193.47	0.2	3164.53	01	03	2	
	P	11 / 29/ 1996	-193.39	0.08	3164.61	01	03	2	
	P	11 / 30/ 1996	-193.66	-0.27	3164.34	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/ 1/1996	-193.59	0.07	3164.41	01	03	2	
	P	12/ 2/1996	-193.57	0.02	3164.43	01	03	2	
	P	12/ 3/1996	-193.61	-0.04	3164.39	01	03	2	
	P	12/ 4/1996	-193.44	0.17	3164.56	01	03	2	
	P	12/ 5/1996	-193.34	0.1	3164.66	01	03	2	
	P	12/ 6/1996	-193.63	-0.29	3164.37	01	03	2	
	P	12/ 7/1996	-193.63		3164.37	01	03	2	
	P	12/ 8/1996	-193.42	0.21	3164.58	01	03	2	
	P	12/ 9/1996	-193.3	0.12	3164.7	01	03	2	
	P	12/10/1996	-193.31	-0.01	3164.69	01	03	2	
	P	12/11/1996	-193.37	-0.06	3164.63	01	03	2	
	P	12/12/1996	-193.44	-0.07	3164.56	01	03	2	
	P	12/13/1996	-193.32	0.12	3164.68	01	03	2	
	P	12/14/1996	-193.29	0.03	3164.71	01	03	2	
	P	12/15/1996	-193.4	-0.11	3164.6	01	03	2	
	P	12/16/1996	-193.03	0.37	3164.97	01	03	2	
	P	12/17/1996	-193.38	-0.35	3164.62	01	03	2	
	P	12/18/1996	-193.32	0.06	3164.68	01	03	2	
	P	12/19/1996	-193.16	0.16	3164.84	01	03	2	
	P	12/20/1996	-193.09	0.07	3164.91	01	03	2	
	P	12/21/1996	-193.09		3164.91	01	03	2	
	P	12/22/1996	-193.15	-0.06	3164.85	01	03	2	
	P	12/26/1996	-193.05	0.1	3164.95	01	03	2	
	P	12/27/1996	-193.01	0.04	3164.99	01	03	2	
	P	12/28/1996	-193.05	-0.04	3164.95	01	03	2	
	P	12/29/1996	-193.05		3164.95	01	03	2	
	P	12/30/1996	-192.98	0.07	3165.02	01	03	2	
	P	12/31/1996	-192.99	-0.01	3165.01	01	03	2	
	P	1/ 1/1997	-192.9	0.09	3165.1	01	03	2	
	P	1/ 2/1997	-192.84	0.06	3165.16	01	03	2	
	P	1/ 4/1997	-192.93	-0.09	3165.07	01	03	2	
	P	1/ 5/1997	-192.95	-0.02	3165.05	01	03	2	
	P	1/ 6/1997	-192.91	0.04	3165.09	01	03	2	
	P	1/ 8/1997	-192.35	0.56	3165.65	01	03	2	
	P	1/ 9/1997	-192.76	-0.41	3165.24	01	03	2	
	P	1/10/1997	-192.74	0.02	3165.26	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 11/ 1997	-192.72	0.02	3165.28	01	03	2	
	P	1/ 12/ 1997	-192.7	0.02	3165.3	01	03	2	
	P	1/ 13/ 1997	-192.68	0.02	3165.32	01	03	2	
	P	1/ 14/ 1997	-192.65	0.03	3165.35	01	03	2	
	P	1/ 16/ 1997	-192.6	0.05	3165.4	01	03	2	
	P	1/ 17/ 1997	-192.57	0.03	3165.43	01	03	2	
	P	1/ 18/ 1997	-192.56	0.01	3165.44	01	03	2	
	P	1/ 19/ 1997	-192.55	0.01	3165.45	01	03	2	
	P	1/ 20/ 1997	-192.54	0.01	3165.46	01	03	2	
	P	1/ 21/ 1997	-192.52	0.02	3165.48	01	03	2	
	P	1/ 22/ 1997	-192.2	0.32	3165.8	01	03	2	
	P	1/ 23/ 1997	-192.47	-0.27	3165.53	01	03	2	
	P	1/ 24/ 1997	-192.44	0.03	3165.56	01	03	2	
	P	1/ 25/ 1997	-192.41	0.03	3165.59	01	03	2	
	P	1/ 26/ 1997	-192.3	0.11	3165.7	01	03	2	
	P	1/ 27/ 1997	-192.53	-0.23	3165.47	01	03	2	
	P	1/ 28/ 1997	-192.44	0.09	3165.56	01	03	2	
	P	1/ 29/ 1997	-192.3	0.14	3165.7	01	03	2	
	P	1/ 30/ 1997	-192.25	0.05	3165.75	01	03	2	
	P	1/ 31/ 1997	-192.16	0.09	3165.84	01	03	2	
	P	2/ 1/ 1997	-192.21	-0.05	3165.79	01	03	2	
	P	2/ 2/ 1997	-192.31	-0.1	3165.69	01	03	2	
	P	2/ 3/ 1997	-192.25	0.06	3165.75	01	03	2	
	P	2/ 4/ 1997	-192.43	-0.18	3165.57	01	03	2	
	P	2/ 5/ 1997	-192.31	0.12	3165.69	01	03	2	
	P	2/ 6/ 1997	-192.37	-0.06	3165.63	01	06	1	
	P	2/ 7/ 1997	-192.4	-0.03	3165.6	01	03	2	
	P	2/ 9/ 1997	-192.3	0.1	3165.7	01	03	2	
	P	2/ 10/ 1997	-192.38	-0.08	3165.62	01	03	2	
	P	2/ 11/ 1997	-192.27	0.11	3165.73	01	03	2	
	P	2/ 12/ 1997	-192.41	-0.14	3165.59	01	03	2	
	P	2/ 13/ 1997	-192.42	-0.01	3165.58	01	03	2	
	P	2/ 14/ 1997	-192.54	-0.12	3165.46	01	03	2	
	P	2/ 16/ 1997	-192.54		3165.46	01	03	2	
	P	2/ 17/ 1997	-192.42	0.12	3165.58	01	03	2	
	P	2/ 18/ 1997	-192.48	-0.06	3165.52	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/19/1997	-192.63	-0.15	3165.37	01	03	2	
	P	2/20/1997	-192.53	0.1	3165.47	01	03	2	
	P	2/21/1997	-192.87	-0.34	3165.13	01	03	2	
	P	2/22/1997	-192.83	0.04	3165.17	01	03	2	
	P	2/23/1997	-192.79	0.04	3165.21	01	03	2	
	P	2/24/1997	-192.91	-0.12	3165.09	01	03	2	
	P	2/25/1997	-192.48	0.43	3165.52	01	03	2	
	P	2/26/1997	-192.8	-0.32	3165.2	01	03	2	
	P	2/27/1997	-192.93	-0.13	3165.07	01	03	2	
	P	2/28/1997	-192.97	-0.04	3165.03	01	03	2	
	P	3/ 1/1997	-193.21	-0.24	3164.79	01	03	2	
	P	3/ 2/1997	-193.12	0.09	3164.88	01	03	2	
	P	3/ 3/1997	-193.1	0.02	3164.9	01	03	2	
	P	3/ 4/1997	-193.22	-0.12	3164.78	01	03	2	
	P	3/ 5/1997	-193.45	-0.23	3164.55	01	03	2	
	P	3/ 6/1997	-193.27	0.18	3164.73	01	03	2	
	P	3/ 7/1997	-193.24	0.03	3164.76	01	03	2	
	P	3/ 8/1997	-193.36	-0.12	3164.64	01	03	2	
	P	3/ 9/1997	-193.52	-0.16	3164.48	01	03	2	
	P	3/10/1997	-193.51	0.01	3164.49	01	03	2	
	P	3/12/1997	-197.52	-4.01	3160.48	01	03	2	
	P	3/13/1997	-193.58	3.94	3164.42	01	03	2	
	P	3/14/1997	-193.88	-0.3	3164.12	01	03	2	
	P	3/15/1997	-193.77	0.11	3164.23	01	03	2	
	P	3/16/1997	-193.78	-0.01	3164.22	01	03	2	
	P	3/17/1997	-193.86	-0.08	3164.14	01	03	2	
	P	3/18/1997	-194.12	-0.26	3163.88	01	03	2	
	P	3/19/1997	-194.07	0.05	3163.93	01	03	2	
	P	3/20/1997	-194.07		3163.93	01	03	2	
	P	3/21/1997	-194.13	-0.06	3163.87	01	03	2	
	P	3/22/1997	-194.34	-0.21	3163.66	01	03	2	
	P	3/23/1997	-194.26	0.08	3163.74	01	03	2	
	P	3/24/1997	-194.29	-0.03	3163.71	01	03	2	
	P	3/25/1997	-194.62	-0.33	3163.38	01	03	2	
	P	3/26/1997	-194.52	0.1	3163.48	01	03	2	
	P	3/27/1997	-194.43	0.09	3163.57	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/28/1997	-194.66	-0.23	3163.34	01	03	2	
	P	3/29/1997	-194.86	-0.2	3163.14	01	03	2	
	P	3/30/1997	-194.86		3163.14	01	03	2	
	P	3/31/1997	-194.77	0.09	3163.23	01	03	2	
	P	4/ 1/1997	-194.77		3163.23	01	03	2	
	P	4/ 2/1997	-194.9	-0.13	3163.1	01	03	2	
	P	4/ 3/1997	-194.82	0.08	3163.18	01	03	2	
	P	4/ 4/1997	-194.82		3163.18	01	03	2	
	P	4/ 5/1997	-194.98	-0.16	3163.02	01	03	2	
	P	4/ 6/1997	-195.16	-0.18	3162.84	01	03	2	
	P	4/ 7/1997	-195.02	0.14	3162.98	01	03	2	
	P	4/ 8/1997	-195.12	-0.1	3162.88	01	03	2	
	P	4/ 9/1997	-195.04	0.08	3162.96	01	03	2	
	P	4/10/1997	-194.98	0.06	3163.02	01	03	2	
	P	4/11/1997	-195.24	-0.26	3162.76	01	03	2	
	P	4/12/1997	-194.2	1.04	3163.8	01	03	2	
	P	4/13/1997	-195.17	-0.97	3162.83	01	03	2	
	P	4/14/1997	-195.15	0.02	3162.85	01	03	2	
	P	4/15/1997	-195.19	-0.04	3162.81	01	03	2	
	P	4/16/1997	-195.28	-0.09	3162.72	01	03	2	
	P	4/17/1997	-195.23	0.05	3162.77	01	03	2	
	P	4/18/1997	-195.18	0.05	3162.82	01	03	2	
	P	4/19/1997	-195.23	-0.05	3162.77	01	03	2	
	P	4/20/1997	-195.25	-0.02	3162.75	01	03	2	
	P	4/21/1997	-195.25		3162.75	01	03	2	
	P	4/22/1997	-195.38	-0.13	3162.62	01	03	2	
	P	4/23/1997	-195.29	0.09	3162.71	01	03	2	
	P	4/24/1997	-195.25	0.04	3162.75	01	03	2	
	P	4/25/1997	-195.41	-0.16	3162.59	01	03	2	
	P	4/27/1997	-195.38	0.03	3162.62	01	03	2	
	P	4/28/1997	-195.27	0.11	3162.73	01	03	2	
	P	4/29/1997	-195.3	-0.03	3162.7	01	03	2	
	P	4/30/1997	-195.42	-0.12	3162.58	01	03	2	
	P	5/ 1/1997	-195.26	0.16	3162.74	01	03	2	
	P	5/ 2/1997	-195.47	-0.21	3162.53	01	03	2	
	P	5/ 3/1997	-195.5	-0.03	3162.5	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/ 4/1997	-195.35	0.15	3162.65	01	03	2	
	P	5/ 5/1997	-195.36	-0.01	3162.64	01	03	2	
	P	5/ 6/1997	-195.34	0.02	3162.66	01	03	2	
	P	5/ 7/1997	-195.33	0.01	3162.67	01	03	2	
	P	5/ 8/1997	-195.45	-0.12	3162.55	01	03	2	
	P	5/ 9/1997	-195.5	-0.05	3162.5	01	03	2	
	P	5/10/1997	-195.35	0.15	3162.65	01	03	2	
	P	5/11/1997	-195.32	0.03	3162.68	01	03	2	
	P	5/12/1997	-195.4	-0.08	3162.6	01	03	2	
	P	5/13/1997	-195.32	0.08	3162.68	01	03	2	
	P	5/14/1997	-195.43	-0.11	3162.57	01	03	2	
	P	5/15/1997	-195.35	0.08	3162.65	01	03	2	
	P	5/16/1997	-195.41	-0.06	3162.59	01	03	2	
	P	5/17/1997	-195.35	0.06	3162.65	01	03	2	
	P	5/18/1997	-195.35		3162.65	01	03	2	
	P	5/19/1997	-195.5	-0.15	3162.5	01	03	2	
	P	5/20/1997	-195.44	0.06	3162.56	01	03	2	
	P	5/21/1997	-195.41	0.03	3162.59	01	03	2	
	P	5/22/1997	-195.38	0.03	3162.62	01	03	2	
	P	5/23/1997	-195.38		3162.62	01	03	2	
	P	5/24/1997	-195.35	0.03	3162.65	01	03	2	
	P	5/25/1997	-195.37	-0.02	3162.63	01	03	2	
	P	5/26/1997	-195.43	-0.06	3162.57	01	03	2	
	P	5/27/1997	-195.48	-0.05	3162.52	01	03	2	
	P	5/28/1997	-195.42	0.06	3162.58	01	03	2	
	P	5/29/1997	-195.33	0.09	3162.67	01	03	2	
	P	5/30/1997	-195.42	-0.09	3162.58	01	03	2	
	P	5/31/1997	-195.39	0.03	3162.61	01	03	2	
	P	6/ 1/1997	-195.3	0.09	3162.7	01	03	2	
	P	6/ 2/1997	-195.34	-0.04	3162.66	01	03	2	
	P	6/ 3/1997	-195.42	-0.08	3162.58	01	03	2	
	P	6/ 4/1997	-195.37	0.05	3162.63	01	03	2	
	P	6/ 5/1997	-195.31	0.06	3162.69	01	03	2	
	P	6/ 6/1997	-195.35	-0.04	3162.65	01	03	2	
	P	6/ 7/1997	-195.38	-0.03	3162.62	01	03	2	
	P	6/ 8/1997	-195.35	0.03	3162.65	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6/ 9/1997	-195.37	-0.02	3162.63	01	03	2	
	P	6/10/1997	-195.39	-0.02	3162.61	01	03	2	
	P	6/11/1997	-195.29	0.1	3162.71	01	03	2	
	P	6/12/1997	-195.25	0.04	3162.75	01	03	2	
	P	6/13/1997	-195.34	-0.09	3162.66	01	03	2	
	P	6/14/1997	-195.37	-0.03	3162.63	01	03	2	
	P	6/15/1997	-195.28	0.09	3162.72	01	03	2	
	P	6/16/1997	-195.32	-0.04	3162.68	01	03	2	
	P	6/17/1997	-195.35	-0.03	3162.65	01	03	2	
	P	6/18/1997	-195.33	0.02	3162.67	01	03	2	
	P	6/19/1997	-195.26	0.07	3162.74	01	03	2	
	P	6/20/1997	-195.24	0.02	3162.76	01	03	2	
	P	6/21/1997	-195.28	-0.04	3162.72	01	03	2	
	P	6/22/1997	-195.29	-0.01	3162.71	01	03	2	
	P	6/23/1997	-195.22	0.07	3162.78	01	03	2	
	P	6/24/1997	-195.23	-0.01	3162.77	01	03	2	
	P	6/25/1997	-195.24	-0.01	3162.76	01	03	2	
	P	6/26/1997	-195.21	0.03	3162.79	01	03	2	
	P	6/27/1997	-195.14	0.07	3162.86	01	03	2	
	P	6/28/1997	-195.09	0.05	3162.91	01	03	2	
	P	6/29/1997	-195.1	-0.01	3162.9	01	03	2	
	P	6/30/1997	-195.1		3162.9	01	03	2	
	P	7/ 1/1997	-195.06	0.04	3162.94	01	03	2	
	P	7/ 2/1997	-195.04	0.02	3162.96	01	03	2	
	P	7/ 3/1997	-194.97	0.07	3163.03	01	03	2	
	P	7/ 4/1997	-194.03	0.94	3163.97	01	03	2	
	P	7/ 5/1997	-195.89	-1.86	3162.11	01	03	2	
	P	7/ 6/1997	-194.86	1.03	3163.14	01	03	2	
	P	7/ 7/1997	-194.81	0.05	3163.19	01	03	2	
	P	7/ 8/1997	-194.77	0.04	3163.23	01	03	2	
	P	7/ 9/1997	-195.71	-0.94	3162.29	01	03	2	
	P	7/10/1997	-194.67	1.04	3163.33	01	03	2	
	P	7/11/1997	-194.59	0.08	3163.41	01	03	2	
	P	7/13/1997	-194.54	0.05	3163.46	01	03	2	
	P	7/14/1997	-194.54		3163.46	01	03	2	
	P	7/15/1997	-194.47	0.07	3163.53	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7/16/1997	-194.39	0.08	3163.61	01	03	2	
	P	7/17/1997	-194.33	0.06	3163.67	01	03	2	
	P	7/18/1997	-194.33		3163.67	01	03	2	
	P	7/19/1997	-194.34	-0.01	3163.66	01	03	2	
	P	7/20/1997	-194.3	0.04	3163.7	01	03	2	
	P	7/21/1997	-194.25	0.05	3163.75	01	03	2	
	P	7/22/1997	-194.21	0.04	3163.79	01	03	2	
	P	7/23/1997	-194.17	0.04	3163.83	01	03	2	
	P	7/24/1997	-194.15	0.02	3163.85	01	03	2	
	P	7/25/1997	-194.13	0.02	3163.87	01	03	2	
	P	7/26/1997	-194.12	0.01	3163.88	01	03	2	
	P	7/27/1997	-194.14	-0.02	3163.86	01	03	2	
	P	7/28/1997	-194.18	-0.04	3163.82	01	03	2	
	P	7/29/1997	-194.21	-0.03	3163.79	01	03	2	
	P	7/30/1997	-194.24	-0.03	3163.76	01	03	2	
	P	7/31/1997	-194.26	-0.02	3163.74	01	03	2	
	P	8/ 2/1997	-194.31	-0.05	3163.69	01	03	2	
	P	8/ 3/1997	-194.37	-0.06	3163.63	01	03	2	
	P	8/ 4/1997	-194.44	-0.07	3163.56	01	03	2	
	P	8/ 5/1997	-194.45	-0.01	3163.55	01	03	2	
	P	8/ 6/1997	-194.48	-0.03	3163.52	01	03	2	
	P	8/ 7/1997	-194.6	-0.12	3163.4	01	03	2	
	P	8/ 8/1997	-194.55	0.05	3163.45	01	02	2	
	P	8/ 9/1997	-194.62	-0.07	3163.38	01	03	2	
	P	8/10/1997	-194.73	-0.11	3163.27	01	03	2	
	P	8/11/1997	-194.75	-0.02	3163.25	01	03	2	
	P	8/12/1997	-194.82	-0.07	3163.18	01	03	2	
	P	8/13/1997	-194.85	-0.03	3163.15	01	03	2	
	P	8/14/1997	-194.79	0.06	3163.21	01	03	2	
	P	8/15/1997	-194.84	-0.05	3163.16	01	03	2	
	P	8/16/1997	-194.96	-0.12	3163.04	01	03	2	
	P	8/17/1997	-195.04	-0.08	3162.96	01	03	2	
	P	8/19/1997	-195.01	0.03	3162.99	01	03	2	
	P	8/20/1997	-195.07	-0.06	3162.93	01	03	2	
	P	8/21/1997	-195.06	0.01	3162.94	01	03	2	
	P	8/22/1997	-195.07	-0.01	3162.93	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/23/1997	-195.12	-0.05	3162.88	01	03	2	
	P	8/24/1997	-195.09	0.03	3162.91	01	03	2	
	P	8/25/1997	-195.1	-0.01	3162.9	01	03	2	
	P	8/26/1997	-195.12	-0.02	3162.88	01	03	2	
	P	8/27/1997	-195.11	0.01	3162.89	01	03	2	
	P	8/28/1997	-195.11		3162.89	01	03	2	
	P	8/29/1997	-195.12	-0.01	3162.88	01	03	2	
	P	8/30/1997	-195.14	-0.02	3162.86	01	03	2	
	P	8/31/1997	-195.16	-0.02	3162.84	01	03	2	
	P	9/ 1/1997	-195.16		3162.84	01	03	2	
	P	9/ 2/1997	-195.14	0.02	3162.86	01	03	2	
	P	9/ 3/1997	-195.17	-0.03	3162.83	01	03	2	
	P	9/ 4/1997	-195.09	0.08	3162.91	01	03	2	
	P	9/ 5/1997	-195.08	0.01	3162.92	01	03	2	
	P	9/ 6/1997	-195.09	-0.01	3162.91	01	03	2	
	P	9/ 7/1997	-195.07	0.02	3162.93	01	03	2	
	P	9/ 8/1997	-195.07		3162.93	01	03	2	
	P	9/ 9/1997	-195.1	-0.03	3162.9	01	03	2	
	P	9/10/1997	-195.08	0.02	3162.92	01	03	2	
	P	9/11/1997	-195.04	0.04	3162.96	01	03	2	
	P	9/12/1997	-195.05	-0.01	3162.95	01	03	2	
	P	9/13/1997	-195.08	-0.03	3162.92	01	03	2	
	P	9/14/1997	-195.07	0.01	3162.93	01	03	2	
	P	9/15/1997	-194.99	0.08	3163.01	01	03	2	
	P	9/16/1997	-194.96	0.03	3163.04	01	03	2	
	P	9/17/1997	-194.98	-0.02	3163.02	01	03	2	
	P	9/18/1997	-194.98		3163.02	01	03	2	
	P	9/19/1997	-194.98		3163.02	01	03	2	
	P	9/20/1997	-194.06	0.92	3163.94	01	03	2	
	P	9/21/1997	-194.96	-0.9	3163.04	01	03	2	
	P	9/22/1997	-194.82	0.14	3163.18	01	03	2	
	P	9/23/1997	-194.82		3163.18	01	03	2	
	P	9/24/1997	-194.89	-0.07	3163.11	01	03	2	
	P	9/25/1997	-194.83	0.06	3163.17	01	03	2	
	P	9/26/1997	-194.79	0.04	3163.21	01	03	2	
	P	9/27/1997	-194.72	0.07	3163.28	01	03	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9 / 28/ 1997	-194.83	-0.11	3163.17	01	03	2	
	P	9 / 29/ 1997	-194.72	0.11	3163.28	01	03	2	
	P	9 / 30/ 1997	-194.69	0.03	3163.31	01	03	2	
	P	10 / 18/ 1997	-194.65	0.04	3163.35	01	03	2	
	P	11 / 17/ 1997	-194.03	0.62	3163.97	01	03	2	
	P	1 / 13/ 1998	-192.53	1.5	3165.47	01	06	1	
	P	1 / 21/ 1999	-194	-1.47	3164	01	06	1	
	P	2 / 11/ 2000	-193.72	0.28	3164.28	01	06	1	
	P	10 / 4 / 2000	-195.61	-1.89	3162.39	01	04	4	
	P	11 / 20/ 2000	-195.49	0.12	3162.51	01	04	4	
	P	11 / 21/ 2000	-180.33	15.16	3177.67	01	04	4	
	P	2 / 11/ 2001	-193.72	-13.4	3164.28	01	06	1	
	P	3 / 29/ 2001	-178.36	15.36	3179.64	01	04	4	
	N	2 / 20/ 2002				01	06		40

Min *-197.52* **Max** *-178.36* **Avg** *-194.163*

2310410 *(Aquifer: 218FGAS Well Depth: 220)*

	P	8 / 10/ 1964	-168		3181	01	07	7	
	P	8 / 10/ 1964	-176	-8	3173	02	07	7	02

Min *-176* **Max** *-168* **Avg** *-172*

2311101 *(Aquifer: 121OGLL Well Depth: 220)*

	P	12 / 27/ 1954	-125.95		3181.05	01	12	7	01
	P	1 / 13/ 1956	-127.04	-1.09	3179.96	01	12	7	01
	P	1 / 7 / 1957	-136.25	-9.21	3170.75	01	12	7	01
	P	1 / 15/ 1958	-147.6	-11.4	3159.4	01	12	7	01

Min *-147.6* **Max** *-125.95* **Avg** *-134.21*

2311102 *(Aquifer: 121OGLL Well Depth: 225)*

	P	1 / 8 / 1959	-144.9		3164.1	01	12	7	01
	P	1 / 20/ 1960	-145	-0.1	3164	01	12	7	01
	P	1 / 10/ 1961	-152.48	-7.48	3156.52	01	04	1	
	P	1 / 11/ 1962	-151.6	0.88	3157.4	01	01	2	
	P	1 / 5 / 1963	-157.8	-6.2	3151.2	01	01	1	
	P	1 / 9 / 1964	-162.68	-4.88	3146.32	01	01	1	
	P	1 / 6 / 1965	-167.18	-4.5	3141.82	01	01	1	
	P	9 / 18/ 1965	-172.96	-5.78	3136.04	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/26/1965	-173.56	-0.6	3135.44	01	01	1	
	P	12/14/1965	-173.94	-0.38	3135.06	01	01	1	
	P	2/22/1966	-174.56	-0.62	3134.44	01	01	1	
	P	4/19/1966	-175	-0.44	3134	01	01	1	
	P	6/21/1966	-175.8	-0.8	3133.2	01	01	1	
	P	8/16/1966	-177.91	-2.11	3131.09	01	01	1	
	P	10/ 5/1966	-178.64	-0.73	3130.36	01	01	1	
	P	12/13/1966	-178.92	-0.28	3130.08	01	01	1	
	P	2/16/1967	-179.3	-0.38	3129.7	01	01	1	03
	P	4/20/1967	-180.95	-1.65	3128.05	01	01	1	
	P	6/24/1967	-182.72	-1.77	3126.28	01	01	1	
	P	8/14/1967	-184.05	-1.33	3124.95	01	01	1	03
	P	10/18/1967	-185.86	-1.81	3123.14	01	01	1	
	P	12/12/1967	-186.74	-0.88	3122.26	01	01	1	
	P	2/21/1968	-186.64	0.1	3122.36	01	01	1	
	P	4/24/1968	-186.04	0.6	3122.96	01	01	1	
	P	6/10/1968	-185.35	0.69	3123.65	01	01	1	
	P	8/21/1968	-186.9	-1.55	3122.1	01	01	1	
	P	10/23/1968	-187.37	-0.47	3121.63	01	01	1	
	P	12/17/1968	-186.82	0.55	3122.18	01	01	1	
	P	2/25/1969	-186.45	0.37	3122.55	01	01	1	
	P	4/22/1969	-187.45	-1	3121.55	01	01	1	
	P	6/24/1969	-187.88	-0.43	3121.12	01	01	1	
	P	8/13/1969	-189.1	-1.22	3119.9	01	01	1	
	N	10/21/1969				01	01		61
	P	12/11/1969	-190.64		3118.36	01	01	1	
	P	2/12/1970	-189.8	0.84	3119.2	01	01	1	
	P	4/16/1970	-190.53	-0.73	3118.47	01	01	1	
	P	6/ 4/1970	-190.84	-0.31	3118.16	01	01	1	
	P	8/14/1970	-191.68	-0.84	3117.32	01	01	1	
	P	10/ 9/1970	-193	-1.32	3116	01	01	1	
	P	12/11/1970	-193.47	-0.47	3115.53	01	01	1	
	P	2/16/1971	-193.3	0.17	3115.7	01	01	1	
	P	4/14/1971	-193.58	-0.28	3115.42	01	01	1	
	P	6/15/1971	-194.35	-0.77	3114.65	01	01	1	
	P	8/10/1971	-195.65	-1.3	3113.35	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/ 5/1971	-195.72	-0.07	3113.28	01	01	1	
	P	12/15/1971	-195.98	-0.26	3113.02	01	01	1	
	P	1/ 8/1972	-195.69	0.29	3113.31	01	01	1	
	P	2/ 9/1972	-195.9	-0.21	3113.1	01	01	1	
	P	4/15/1972	-196.58	-0.68	3112.42	01	01	1	
	P	6/ 6/1972	-196.97	-0.39	3112.03	01	01	1	
	P	8/13/1972	-197.1	-0.13	3111.9	01	01	1	
	P	10/17/1972	-197.38	-0.28	3111.62	01	01	1	
	P	12/ 5/1972	-197.55	-0.17	3111.45	01	01	1	
	P	1/23/1973	-197.83	-0.28	3111.17	01	01	1	
	P	2/ 7/1973	-197.68	0.15	3111.32	01	01	1	
	P	3/28/1973	-198.59	-0.91	3110.41	01	01	1	
	P	6/17/1973	-197.05	1.54	3111.95	01	01	1	
	P	8/ 7/1973	-197.85	-0.8	3111.15	01	01	1	
	P	10/10/1973	-197.92	-0.07	3111.08	01	01	1	
	P	12/18/1973	-198.08	-0.16	3110.92	01	01	1	
	P	1/10/1974	-198.2	-0.12	3110.8	01	01	1	
	P	2/20/1974	-198.03	0.17	3110.97	01	01	1	
	P	4/17/1974	-198.23	-0.2	3110.77	01	01	1	
	P	7/24/1974	-198.94	-0.71	3110.06	01	01	1	
	P	10/16/1974	-199.91	-0.97	3109.09	01	01	1	
	P	12/17/1974	-200.29	-0.38	3108.71	01	01	1	
	P	1/13/1975	-200.37	-0.08	3108.63	01	06	1	
	P	2/19/1975	-200.58	-0.21	3108.42	01	01	1	
	P	4/16/1975	-200.55	0.03	3108.45	01	01	1	
	P	6/17/1975	-200.9	-0.35	3108.1	01	01	1	
	P	8/20/1975	-201.14	-0.24	3107.86	01	01	1	
	P	1/ 5/1976	-201.59	-0.45	3107.41	01	06	1	
	P	2/23/1976	-201.83	-0.24	3107.17	01	01	1	
	P	5/12/1976	-201.98	-0.15	3107.02	01	01	1	
	P	8/23/1976	-202.45	-0.47	3106.55	01	01	1	
	P	11/22/1976	-202.74	-0.29	3106.26	01	01	1	
	P	1/ 6/1977	-202.64	0.1	3106.36	01	06	1	
	P	2/23/1977	-202.79	-0.15	3106.21	01	01	1	
	P	5/24/1977	-202.99	-0.2	3106.01	01	01	1	
	P	8/24/1977	-203.03	-0.04	3105.97	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 29/ 1977	-203.21	-0.18	3105.79	01	01	1	
	P	1 / 12/ 1978	-203.02	0.19	3105.98	01	06	1	
	P	3 / 28/ 1978	-203.14	-0.12	3105.86	01	01	1	
	P	6 / 1 / 1978	-203.22	-0.08	3105.78	01	01	1	
	P	1 / 24/ 1979	-203.32	-0.1	3105.68	01	06	1	
	P	2 / 23/ 1979	-203.17	0.15	3105.83	01	01	1	
	P	4 / 23/ 1979	-203.2	-0.03	3105.8	01	01	1	
	P	6 / 19/ 1979	-203.33	-0.13	3105.67	01	01	1	
	P	9 / 28/ 1979	-203.35	-0.02	3105.65	01	01	1	
	P	1 / 3 / 1980	-203.35		3105.65	01	06	1	
	P	1 / 13/ 1980	-203.28	0.07	3105.72	01	01	1	
	P	4 / 28/ 1980	-203.4	-0.12	3105.6	01	01	1	
	P	7 / 17/ 1980	-203.6	-0.2	3105.4	01	01	1	
	N	1 / 8 / 1981				01	06		81

Min *-203.6* **Max** *-144.9* **Avg** *-190.924*

2311103 *(Aquifer: 121OGLL Well Depth: 280)*

	P	1 / 5 / 1982	-215.98		3090.02	01	06	1	
	P	2 / 23/ 1983	-216.1	-0.12	3089.9	01	06	1	
	P	1 / 3 / 1984	-215.64	0.46	3090.36	01	06	1	
	P	1 / 7 / 1985	-216.75	-1.11	3089.25	01	06	1	
	P	1 / 17/ 1986	-217.65	-0.9	3088.35	01	06	1	
	P	1 / 12/ 1987	-216.62	1.03	3089.38	01	06	1	
	P	1 / 18/ 1988	-216.2	0.42	3089.8	01	06	1	
	P	1 / 3 / 1989	-216.4	-0.2	3089.6	01	06	1	
	P	1 / 7 / 1990	-217.65	-1.25	3088.35	01	06	1	
	P	1 / 14/ 1991	-218.55	-0.9	3087.45	01	06	2	
	P	1 / 6 / 1992	-220.95	-2.4	3085.05	01	06	1	
	P	1 / 25/ 1993	-219.89	1.06	3086.11	01	06	1	
	P	1 / 20/ 1994	-220.25	-0.36	3085.75	01	06	1	
	P	1 / 24/ 1995	-223.65	-3.4	3082.35	01	06	1	
	P	1 / 25/ 1996	-224.32	-0.67	3081.68	01	06	1	
	P	1 / 31/ 1997	-224.83	-0.51	3081.17	01	06	1	
	P	1 / 12/ 1998	-226.19	-1.36	3079.81	01	06	1	
	P	1 / 26/ 1999	-228	-1.81	3078	01	06	1	
	P	3 / 14/ 2000	-227.8	0.2	3078.2	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 5 / 2001	-229.18	-1.38	3076.82	01	06	1	
	P	1 / 28/ 2002	-230.06	-0.88	3075.94	01	06	1	
	P	2 / 20/ 2003	-231.36	-1.3	3074.64	01	06	1	
	P	2 / 2 / 2004	-231.38	-0.02	3074.62	01	06	1	
	P	2 / 9 / 2005	-231.6	-0.22	3074.4	01	06	1	
	P	1 / 17/ 2006	-234.01	-2.41	3071.99	01	06	1	
	P	2 / 1 / 2007	-233.41	0.6	3072.59	01	06	1	
	P	1 / 3 / 2008	-234.98	-1.57	3071.02	01	06	1	
	P	2 / 5 / 2009	-235.04	-0.06	3070.96	01	06	1	
	P	1 / 15/ 2010	-236.85	-1.81	3069.15	01	06	1	
	P	1 / 17/ 2011	-235.67	1.18	3070.33	01	06	1	
	P	2 / 8 / 2012	-236.69	-1.02	3069.31	01	06	1	

Min *-236.85* **Max** *-215.64* **Avg** *-225.279*

2311201 *(Aquifer: 121OGLL Well Depth: 351)*

	P	10 / 21/ 1978	-170		3103	01	07	1	
	P	4 / 8 / 1988	-200.7	-30.7	3072.3	01	01	1	
	P	9 / 7 / 2004	-239.1	-38.4	3033.9	01	01	1	

Min *-239.1* **Max** *-170* **Avg** *-203.267*

2311202 *(Aquifer: 121OGLL Well Depth: 415)*

	P	10 / 30/ 1978	-167.2		3109.8	01	07	1	
	P	4 / 8 / 1988	-190.6	-23.4	3086.4	01	01	1	

Min *-190.6* **Max** *-167.2* **Avg** *-178.9*

2311301 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 11/ 1947	-70.11		3198.89	01	12	7	01
	P	2 / 28/ 1948	-72.38	-2.27	3196.62	01	12	7	01
	P	3 / 3 / 1949	-75.44	-3.06	3193.56	01	12	7	01
	P	1 / 31/ 1952	-84.65	-9.21	3184.35	01	12	7	01
	P	1 / 13/ 1953	-88.95	-4.3	3180.05	01	12	7	01
	P	1 / 7 / 1954	-94.61	-5.66	3174.39	01	12	7	01
	P	1 / 3 / 1955	-105.09	-10.5	3163.91	01	12	7	01
	P	1 / 13/ 1956	-107.95	-2.86	3161.05	01	12	7	01
	P	1 / 7 / 1957	-120	-12.1	3149	01	12	7	03
	P	1 / 8 / 1959	-121.4	-1.4	3147.6	01	12	7	01
	P	1 / 20/ 1960	-125.6	-4.2	3143.4	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 1962	-128.6	-3	3140.4	01	01	2	
	N	1 / 5 / 1963				01	01		63

Min *-128.6* **Max** *-70.11* **Avg** *-99.565*

2311302 *(Aquifer: 121OGLL Well Depth:)*

P	12 / 27/ 1954	-112.76		3163.24	01	12	7	01
P	1 / 13/ 1956	-121.07	-8.31	3154.93	01	12	7	01
P	1 / 9 / 1957	-132.14	-11.1	3143.86	01	12	7	01
P	1 / 15/ 1958	-135.17	-3.03	3140.83	01	12	7	01
P	1 / 8 / 1959	-136.88	-1.71	3139.12	01	12	7	01
P	1 / 20/ 1960	-138.5	-1.62	3137.5	01	12	7	01
P	1 / 10/ 1961	-143.8	-5.3	3132.2	01	04	1	
P	1 / 11/ 1962	-139.12	4.68	3136.88	01	01	1	
P	1 / 5 / 1963	-149.65	-10.5	3126.35	01	01	1	
P	1 / 9 / 1964	-149.92	-0.27	3126.08	01	01	1	
P	1 / 7 / 1965	-154.61	-4.69	3121.39	01	01	1	
P	1 / 7 / 1966	-161.51	-6.9	3114.49	01	01	1	
P	1 / 5 / 1967	-155.7	5.81	3120.3	01	01	1	

Min *-161.51* **Max** *-112.76* **Avg** *-140.833*

2311303 *(Aquifer: 121OGLL Well Depth:)*

P	6 / 16/ 1938	-62.28		3215.72	01	12	7
P	10 / 18/ 1938	-62.37	-0.09	3215.63	01	12	7
P	3 / 7 / 1939	-62.58	-0.21	3215.42	01	12	7
P	6 / 23/ 1939	-62.94	-0.36	3215.06	01	12	7
P	10 / 6 / 1939	-62.98	-0.04	3215.02	01	12	7
P	11 / 29/ 1940	-63.51	-0.53	3214.49	01	12	7
P	11 / 7 / 1941	-61.87	1.64	3216.13	01	12	7

Min *-63.51* **Max** *-61.87* **Avg** *-62.6471*

2311304 *(Aquifer: 121OGLL Well Depth:)*

P	8 / 8 / 1967	-171.03		3100.97	01	06	1
P	1 / 2 / 1968	-163.42	7.61	3108.58	01	06	1
P	1 / 7 / 1969	-162.6	0.82	3109.4	01	01	1
P	1 / 3 / 1970	-165.78	-3.18	3106.22	01	01	1
P	1 / 11/ 1971	-169.02	-3.24	3102.98	01	01	1
P	1 / 8 / 1972	-172.57	-3.55	3099.43	01	01	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 23/ 1973	-175.43	-2.86	3096.57	01	01	1	
	P	1/ 10/ 1974	-175.63	-0.2	3096.37	01	06	1	
	P	1/ 13/ 1975	-180.05	-4.42	3091.95	01	06	1	
	P	1/ 5/ 1976	-183.13	-3.08	3088.87	01	06	1	
	P	1/ 6/ 1977	-187.67	-4.54	3084.33	01	06	1	
	P	1/ 12/ 1978	-191.55	-3.88	3080.45	01	06	1	
	P	1/ 24/ 1979	-195.27	-3.72	3076.73	01	06	1	
	P	1/ 9/ 1980	-194.26	1.01	3077.74	01	06	1	
	P	1/ 8/ 1981	-198.15	-3.89	3073.85	01	06	1	
	P	1/ 5/ 1982	-203.09	-4.94	3068.91	01	06	1	
	P	3/ 2/ 1983	-205.9	-2.81	3066.1	01	06	1	
	P	1/ 3/ 1984	-208.6	-2.7	3063.4	01	06	1	
	P	2/ 8/ 1985	-208.12	0.48	3063.88	01	06	1	
	P	1/ 17/ 1986	-209.85	-1.73	3062.15	01	06	1	04
	P	1/ 13/ 1987	-206.03	3.82	3065.97	01	06	1	04

Min *-209.85* **Max** *-162.6* **Avg** *-187.007*

2311305 *(Aquifer: 121OGLL Well Depth: 365)*

	P	3/ 20/ 1987	-185.75		3066.25	01	06	2	
	P	1/ 18/ 1988	-180.27	5.48	3071.73	01	06	1	
	P	1/ 3/ 1989	-184.77	-4.5	3067.23	01	06	1	
	P	1/ 8/ 1990	-189.84	-5.07	3062.16	01	06	1	
	P	1/ 14/ 1991	-189.1	0.74	3062.9	01	06	2	
	P	1/ 6/ 1992	-192.7	-3.6	3059.3	01	06	1	
	P	1/ 18/ 1993	-192.82	-0.12	3059.18	01	06	1	
	P	1/ 20/ 1994	-194.6	-1.78	3057.4	01	06	1	
	P	1/ 24/ 1995	-200.91	-6.31	3051.09	01	06	1	
	P	1/ 25/ 1996	-204.79	-3.88	3047.21	01	06	1	
	P	1/ 31/ 1997	-209.48	-4.69	3042.52	01	06	1	
	P	1/ 12/ 1998	-209.84	-0.36	3042.16	01	06	1	
	P	1/ 25/ 1999	-216	-6.16	3036	01	06	1	
	P	2/ 1/ 2000	-219.76	-3.76	3032.24	01	06	1	
	P	2/ 6/ 2001	-221.7	-1.94	3030.3	01	06	1	
	P	1/ 28/ 2002	-224.65	-2.95	3027.35	01	06	1	
	P	2/ 20/ 2003	-227.13	-2.48	3024.87	01	06	1	
	P	2/ 2/ 2004	-233.21	-6.08	3018.79	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 9 / 2005	-230.53	2.68	3021.47	01	06	1	
	P	1 / 18/ 2006	-232.35	-1.82	3019.65	01	06	1	
	P	2 / 1 / 2007	-236.13	-3.78	3015.87	01	06	1	
	N	1 / 3 / 2008				01	06	7	44
	N	2 / 5 / 2009				01	06	1	44
	N	1 / 15/ 2010				01	06	1	44
	N	1 / 14/ 2011				01	06	1	44
	N	2 / 8 / 2012				01	06	1	44

Min *-236.13* **Max** *-180.27* **Avg** *-208.397*

2311306 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 19/ 2010	-241.47		3019.53	01	06	1	
	P	1 / 14/ 2011	-243.04	-1.57	3017.96	01	06	1	
	P	2 / 8 / 2012	-248.15	-5.11	3012.85	01	06	1	

Min *-248.15* **Max** *-241.47* **Avg** *-244.22*

2312101 *(Aquifer: 121OGLL Well Depth: 402)*

	N	1 / 5 / 1967				01	01	1	46
	N	1 / 2 / 1968				01	06	1	46

Min **Max** **Avg**

2312102 *(Aquifer: 121OGLL Well Depth: 340)*

	P	1 / 9 / 1964	-154.17		3097.83	01	01	1	
	P	1 / 7 / 1965	-159.12	-4.95	3092.88	01	01	1	
	P	1 / 8 / 1966	-163.79	-4.67	3088.21	01	01	1	
	P	1 / 5 / 1967	-167.04	-3.25	3084.96	01	01	1	
	P	1 / 2 / 1968	-171.05	-4.01	3080.95	01	06	1	
	P	1 / 7 / 1969	-180.6	-9.55	3071.4	01	01	1	
	P	1 / 3 / 1970	-171.83	8.77	3080.17	01	01	1	
	P	1 / 11/ 1971	-175.12	-3.29	3076.88	01	01	1	
	P	1 / 8 / 1972	-177.32	-2.2	3074.68	01	01	1	
	P	1 / 23/ 1973	-179.33	-2.01	3072.67	01	01	1	
	P	1 / 8 / 1974	-181.06	-1.73	3070.94	01	06	1	
	P	1 / 13/ 1975	-186.05	-4.99	3065.95	01	06	1	
	P	1 / 5 / 1976	-188.92	-2.87	3063.08	01	06	1	
	P	1 / 6 / 1977	-192.1	-3.18	3059.9	01	06	1	
	P	1 / 12/ 1978	-195.11	-3.01	3056.89	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 24/ 1979	-197.84	-2.73	3054.16	01	06	1	
	P	1/ 2/ 1980	-197.52	0.32	3054.48	01	06	1	
	P	1/ 8/ 1981	-200.25	-2.73	3051.75	01	06	1	
	P	1/ 6/ 1982	-202.09	-1.84	3049.91	01	06	1	
	P	2/ 23/ 1983	-204.04	-1.95	3047.96	01	06	1	
	P	1/ 4/ 1984	-205.32	-1.28	3046.68	01	06	1	
	P	1/ 8/ 1985	-206.19	-0.87	3045.81	01	06	1	
	P	2/ 20/ 1986	-206.4	-0.21	3045.6	01	06	1	
	P	1/ 12/ 1987	-206.43	-0.03	3045.57	01	06	1	
	P	1/ 18/ 1988	-205.8	0.63	3046.2	01	06	1	
	P	1/ 3/ 1989	-207.77	-1.97	3044.23	01	06	1	
	P	1/ 8/ 1990	-209.71	-1.94	3042.29	01	06	1	
	P	1/ 14/ 1991	-210.2	-0.49	3041.8	01	06	2	
	P	1/ 6/ 1992	-212.75	-2.55	3039.25	01	06	1	
	P	1/ 18/ 1993	-213.49	-0.74	3038.51	01	06	1	
	P	1/ 20/ 1994	-216.2	-2.71	3035.8	01	06	1	
	P	1/ 24/ 1995	-221.44	-5.24	3030.56	01	06	1	
	P	1/ 25/ 1996	-224.62	-3.18	3027.38	01	06	1	
	P	1/ 31/ 1997	-227.94	-3.32	3024.06	01	06	1	
	P	1/ 9/ 1998	-230.09	-2.15	3021.91	01	06	1	
	P	1/ 26/ 1999	-237	-6.91	3015	01	06	1	
	P	2/ 1/ 2000	-240.02	-3.02	3011.98	01	06	1	
	P	1/ 5/ 2001	-243.19	-3.17	3008.81	01	06	1	
	P	1/ 28/ 2002	-244.06	-0.87	3007.94	01	06	1	
	P	2/ 19/ 2003	-245.62	-1.56	3006.38	01	06	1	
	P	2/ 2/ 2004	-249.48	-3.86	3002.52	01	06	1	
	P	2/ 8/ 2005	-249.46	0.02	3002.54	01	06	1	
	P	1/ 17/ 2006	-251.35	-1.89	3000.65	01	06	1	
	N	3/ 21/ 2007				01	06		61
	P	1/ 3/ 2008	-254.98		2997.02	01	06	1	
	P	2/ 6/ 2009	-256.83	-1.85	2995.17	01	06	1	
	P	1/ 15/ 2010	-255.65	1.18	2996.35	01	06	1	
	P	1/ 14/ 2011	-260.2	-4.55	2991.8	01	06	1	
	P	2/ 8/ 2012	-264.19	-3.99	2987.81	01	06	1	

Min *-264.19* **Max** *-154.17* **Avg** *-210.432*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2312103	(Aquifer: 121OGLL		Well Depth: 300)						
	P	4 / 28/ 1987	-201.3		3050.7	01	01	1	
Min -201.3		Max -201.3	Avg -201.3						
2312104	(Aquifer: 121OGLL		Well Depth: 222)						
	P	11 / 21/ 1945	-76		3178	01	07	7	
Min -76		Max -76	Avg -76						
2312106	(Aquifer: 121OGLL		Well Depth: 380)						
	P	4 / 28/ 1987	-199.9		3053.1	01	01	1	
	P	6 / 24/ 2004	-215.73	-15.8	3037.27	01	01	1	
Min -215.73		Max -199.9	Avg -207.815						
2312107	(Aquifer: 121OGLL		Well Depth: 420)						
	P	4 / 28/ 1987	-223.2		3028.8	01	01	1	
Min -223.2		Max -223.2	Avg -223.2						
2312108	(Aquifer: 121OGLL		Well Depth: 435)						
	P	6 / 6 / 1977	-190		3051	01	07	7	
	P	4 / 28/ 1987	-196.6	-6.6	3044.4	01	01	1	
Min -196.6		Max -190	Avg -193.3						
2312109	(Aquifer: 121OGLL		Well Depth: 425)						
	P	4 / 24/ 1997	-229		3015	01	07	7	
Min -229		Max -229	Avg -229						
2408201	(Aquifer: 121OGLL		Well Depth: 303)						
	P	1 / 15/ 1980	-141.38		3346.62	01	01	1	
	P	1 / 18/ 1982	-144.17	-2.79	3343.83	01	01	1	
	P	1 / 9 / 1984	-156.61	-12.4	3331.39	01	01	1	
	P	12 / 8 / 1986	-146.75	9.86	3341.25	01	01	1	
	P	12 / 17/ 1987	-146.6	0.15	3341.4	01	01	1	
	P	12 / 8 / 1988	-147.6	-1	3340.4	01	01	1	
	P	12 / 7 / 1989	-147.93	-0.33	3340.07	01	01	1	
	P	12 / 8 / 1990	-148.8	-0.87	3339.2	01	01	2	
	P	12 / 10/ 1991	-149.6	-0.8	3338.4	01	01	1	
	N	1 / 25/ 1994				01	06		40

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -156.61		**Max -141.38**	**Avg -147.716**						
2408203	*(Aquifer: 121OGLL*		*Well Depth: 319)*						
	P	4 / 9 / 1988	-180.7		3281.3	01	01	1	
Min -180.7		**Max -180.7**	**Avg -180.7**						
2408204	*(Aquifer: 121OGLL*		*Well Depth: 319)*						
	P	4 / 9 / 1988	-180.7		3281.3	01	01	1	
Min -180.7		**Max -180.7**	**Avg -180.7**						
2408205	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	4 / 26/ 1994	-203.03		3288.97	01	06	1	
	P	1 / 23/ 1995	-197.32	5.71	3294.68	01	06	1	
	P	1 / 24/ 1996	-199.95	-2.63	3292.05	01	06	1	
	P	2 / 5 / 1997	-202.29	-2.34	3289.71	01	06	1	
	P	1 / 13/ 1998	-203.76	-1.47	3288.24	01	06	1	
	P	1 / 25/ 1999	-208	-4.24	3284	01	06	1	
	P	3 / 13/ 2000	-211.9	-3.9	3280.1	01	06	1	
	P	1 / 25/ 2001	-213.89	-1.99	3278.11	01	06	1	
	P	2 / 20/ 2002	-215.85	-1.96	3276.15	01	06	1	
	P	2 / 26/ 2003	-220.75	-4.9	3271.25	01	06	1	
	P	1 / 29/ 2004	-225.13	-4.38	3266.87	01	06	1	
	P	2 / 15/ 2005	-225.48	-0.35	3266.52	01	06	1	
	P	1 / 17/ 2006	-228.88	-3.4	3263.12	01	06	1	
	N	2 / 1 / 2007				01	06		41
	N	1 / 7 / 2008				01	06		42
	P	2 / 5 / 2009	-240.16		3251.84	01	06	1	
	P	1 / 18/ 2010	-241.39	-1.23	3250.61	01	06	1	
	P	2 / 14/ 2011	-245.14	-3.75	3246.86	01	06	1	
	P	2 / 10/ 2012	-249.44	-4.3	3242.56	01	06	1	
Min -249.44		**Max -197.32**	**Avg -219.551**						
2408301	*(Aquifer: 121OGLL*		*Well Depth: 341)*						
	P	1 / 15/ 1976	-158.45		3302.55	01	01	1	
	P	1 / 13/ 1977	-163.44	-4.99	3297.56	01	01	1	
	P	1 / 7 / 1978	-166.28	-2.84	3294.72	01	01	1	
	P	1 / 6 / 1979	-169.78	-3.5	3291.22	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1980	-171.08	-1.3	3289.92	01	01	1	
	P	1 / 18/ 1982	-176.82	-5.74	3284.18	01	01	1	
	P	1 / 9 / 1984	-180.9	-4.08	3280.1	01	01	1	
	P	12 / 14/ 1985	-186.69	-5.79	3274.31	01	01	1	
	P	12 / 8 / 1986	-186.67	0.02	3274.33	01	01	1	
	P	12 / 17/ 1987	-199.2	-12.5	3261.8	01	01	1	
	P	12 / 8 / 1988	-189.1	10.1	3271.9	01	01	2	
	P	12 / 7 / 1989	-189.41	-0.31	3271.59	01	01	1	
	P	12 / 8 / 1990	-191.95	-2.54	3269.05	01	01	1	
	P	12 / 10/ 1991	-195.3	-3.35	3265.7	01	01	1	
	P	1 / 26/ 1993	-193.71	1.59	3267.29	01	01	1	
	P	1 / 25/ 1994	-200.5	-6.79	3260.5	01	06	1	
	P	1 / 23/ 1995	-202.71	-2.21	3258.29	01	06	1	
	P	1 / 24/ 1996	-206.92	-4.21	3254.08	01	06	1	
	P	2 / 5 / 1997	-210.39	-3.47	3250.61	01	06	1	
	P	1 / 13/ 1998	-211.9	-1.51	3249.1	01	06	1	
	P	1 / 25/ 1999	-218	-6.1	3243	01	06	1	
	P	2 / 11/ 2000	-221.75	-3.75	3239.25	01	06	1	
	P	2 / 27/ 2001	-229.65	-7.9	3231.35	01	06	1	
	P	2 / 20/ 2002	-231.16	-1.51	3229.84	01	06	1	
	P	2 / 26/ 2003	-236.1	-4.94	3224.9	01	06	1	
	P	1 / 29/ 2004	-241.44	-5.34	3219.56	01	06	1	
	P	2 / 15/ 2005	-240.1	1.34	3220.9	01	06	1	
	P	1 / 18/ 2006	-241.5	-1.4	3219.5	01	06	1	
	P	2 / 1 / 2007	-240.08	1.42	3220.92	01	06	1	
	N	1 / 9 / 2008				01	06		41
	P	2 / 5 / 2009	-251.02		3209.98	01	06	1	
	P	1 / 18/ 2010	-252.17	-1.15	3208.83	01	06	1	
	P	2 / 14/ 2011	-253.66	-1.49	3207.34	01	06	1	
	P	2 / 10/ 2012	-256.08	-2.42	3204.92	01	06	1	

Min *-256.08* **Max** *-158.45* **Avg** *-207.997*

2408302 *(Aquifer: 121OGLL Well Depth: 349)*

	P	4 / 9 / 1988	-202.6		3282.4	01	01	1	

Min *-202.6* **Max** *-202.6* **Avg** *-202.6*

2408304 *(Aquifer: 121OGLL Well Depth: 340)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 9 / 1988	-207.5		3257.5	01	01	1	
Min -207.5		Max -207.5	Avg	-207.5					

2408501 *(Aquifer: 121OGLL Well Depth: 271)*

P	1 / 13 / 1955	-101.38		3370.62	01	12	7	01
P	1 / 11 / 1956	-103.53	-2.15	3368.47	01	12	7	01
P	1 / 10 / 1957	-116.1	-12.6	3355.9	01	12	7	01
P	1 / 16 / 1958	-119.24	-3.14	3352.76	01	12	7	01
P	1 / 6 / 1959	-112.74	6.5	3359.26	01	12	7	01
P	1 / 18 / 1960	-116.65	-3.91	3355.35	01	12	7	01
P	1 / 12 / 1961	-116.67	-0.02	3355.33	01	04	1	
P	1 / 10 / 1962	-118.39	-1.72	3353.61	01	01	1	
P	1 / 7 / 1963	-121.83	-3.44	3350.17	01	01	1	
P	1 / 8 / 1964	-123.65	-1.82	3348.35	01	01	1	
P	1 / 6 / 1965	-127.39	-3.74	3344.61	01	01	1	
P	1 / 7 / 1966	-130.13	-2.74	3341.87	01	01	1	
P	1 / 5 / 1967	-133.12	-2.99	3338.88	01	01	1	
P	1 / 4 / 1968	-137.9	-4.78	3334.1	01	01	1	
P	1 / 12 / 1969	-155.1	-17.2	3316.9	01	01	1	20
P	1 / 7 / 1970	-133.4	21.7	3338.6	01	01	1	
P	1 / 9 / 1971	-137.25	-3.85	3334.75	01	01	1	
P	1 / 7 / 1972	-138.64	-1.39	3333.36	01	01	1	
P	1 / 22 / 1973	-139.37	-0.73	3332.63	01	01	1	
P	1 / 11 / 1974	-143.75	-4.38	3328.25	01	01	1	
P	1 / 10 / 1975	-145.98	-2.23	3326.02	01	01	1	
P	1 / 7 / 1976	-148.19	-2.21	3323.81	01	01	1	
P	1 / 12 / 1977	-150.5	-2.31	3321.5	01	01	1	
P	1 / 6 / 1978	-150.91	-0.41	3321.09	01	01	1	
P	1 / 6 / 1979	-152.05	-1.14	3319.95	01	01	1	
P	1 / 15 / 1980	-152.63	-0.58	3319.37	01	01	1	
P	1 / 17 / 1983	-154.7	-2.07	3317.3	01	01	1	
P	1 / 14 / 1985	-158.92	-4.22	3313.08	01	01	1	
P	12 / 14 / 1985	-159.74	-0.82	3312.26	01	01	1	
P	12 / 8 / 1986	-158.19	1.55	3313.81	01	01	1	
P	12 / 17 / 1987	-161.9	-3.71	3310.1	01	01	1	
P	12 / 8 / 1988	-158	3.9	3314	01	01	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 7 / 1989	-160.76	-2.76	3311.24	01	01	1	
	P	12 / 8 / 1990	-159.38	1.38	3312.62	01	01	1	
	P	12 / 9 / 1991	-160.15	-0.77	3311.85	01	01	1	
	P	1 / 25 / 1994	-158.71	1.44	3313.29	01	06	1	
	P	1 / 23 / 1995	-159.87	-1.16	3312.13	01	06	1	
	P	1 / 25 / 1996	-161.44	-1.57	3310.56	01	06	1	
	P	2 / 5 / 1997	-162.75	-1.31	3309.25	01	06	1	
	P	1 / 13 / 1998	-164.27	-1.52	3307.73	01	06	1	
	P	1 / 25 / 1999	-167	-2.73	3305	01	06	1	
	P	2 / 11 / 2000	-168.17	-1.17	3303.83	01	06	1	
	P	1 / 25 / 2001	-169.78	-1.61	3302.22	01	06	1	
	P	2 / 20 / 2002	-169.52	0.26	3302.48	01	06	1	
	P	2 / 26 / 2003	-173.28	-3.76	3298.72	01	06	1	
	P	1 / 29 / 2004	-173.64	-0.36	3298.36	01	06	1	
	P	2 / 15 / 2005	-172.55	1.09	3299.45	01	06	1	
	P	1 / 18 / 2006	-173.92	-1.37	3298.08	01	06	1	
	P	1 / 18 / 2007	-173.92		3298.08	01	06	1	
	P	1 / 7 / 2008	-177.02	-3.1	3294.98	01	06	1	
	P	2 / 5 / 2009	-178.39	-1.37	3293.61	01	06	1	
	P	1 / 18 / 2010	-180.99	-2.6	3291.01	01	06	1	
	P	1 / 17 / 2011	-179.68	1.31	3292.32	01	06	1	
	P	2 / 10 / 2012	-184.05	-4.37	3287.95	01	06	1	

Min ***-184.05*** **Max** ***-101.38*** **Avg** ***-150.133***

2408502 *(Aquifer: 121OGLL Well Depth: 85)*

	P	8 / 10 / 1938	-76.76		3393.24	01	12	7	01
	P	9 / 23 / 1938	-76.75	0.01	3393.25	01	12	7	01
	P	10 / 24 / 1938	-76.73	0.02	3393.27	01	12	7	01
	P	12 / 22 / 1938	-76.94	-0.21	3393.06	01	12	7	01
	P	1 / 28 / 1939	-76.88	0.06	3393.12	01	12	7	01
	P	3 / 4 / 1939	-76.9	-0.02	3393.1	01	12	7	01
	P	4 / 3 / 1939	-77.06	-0.16	3392.94	01	12	7	01
	P	6 / 16 / 1939	-77.13	-0.07	3392.87	01	12	7	01
	P	8 / 16 / 1939	-77.24	-0.11	3392.76	01	12	7	01
	P	1 / 29 / 1940	-77.3	-0.06	3392.7	01	12	7	01
	P	3 / 13 / 1940	-77.42	-0.12	3392.58	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 16/ 1941	-76.36	1.06	3393.64	01	12	7	01
	P	3 / 13/ 1942	-75.51	0.85	3394.49	01	12	7	01
	P	1 / 24/ 1943	-74.29	1.22	3395.71	01	12	7	01
	P	3 / 2 / 1946	-75.12	-0.83	3394.88	01	12	7	01
	P	2 / 23/ 1948	-78.03	-2.91	3391.97	01	12	7	01
	P	3 / 3 / 1949	-80.04	-2.01	3389.96	01	12	7	01

Min *-80.04* **Max** *-74.29* **Avg** *-76.8506*

2408503 *(Aquifer: 121OGLL Well Depth:)*

	P	10 / 24/ 1938	-11.13		3398.87	01	12	7	
	P	12 / 22/ 1938	-11.2	-0.07	3398.8	01	12	7	
	P	1 / 28/ 1939	-10.71	0.49	3399.29	01	12	7	
	P	3 / 4 / 1939	-11.22	-0.51	3398.78	01	12	7	
	P	4 / 3 / 1939	-11.28	-0.06	3398.72	01	12	7	
	P	6 / 16/ 1939	-11.71	-0.43	3398.29	01	12	7	
	P	8 / 16/ 1939	-10.51	1.2	3399.49	01	12	7	
	P	1 / 29/ 1940	-11.56	-1.05	3398.44	01	12	7	
	P	3 / 11/ 1941	-12.26	-0.7	3397.74	01	12	7	
	P	11 / 6 / 1941	-3	9.26	3407	01	12	7	
	P	3 / 13/ 1942	-4.02	-1.02	3405.98	01	12	7	
	P	1 / 24/ 1943	-4.7	-0.68	3405.3	01	12	7	

Min *-12.26* **Max** *-3* **Avg** *-9.44167*

2408601 *(Aquifer: 121OGLL Well Depth: 351)*

	P	1 / 15/ 1976	-169.22		3287.78	01	01	1	
	N	1 / 12/ 1977				01	01	1	44
	P	1 / 6 / 1978	-179.42		3277.58	01	01	1	
	P	1 / 6 / 1979	-182.34	-2.92	3274.66	01	01	1	
	P	1 / 18/ 1982	-188.06	-5.72	3268.94	01	01	1	
	P	1 / 9 / 1984	-203.15	-15.1	3253.85	01	01	1	
	P	12 / 14/ 1985	-200.65	2.5	3256.35	01	01	1	
	N	12 / 17/ 1987				01	01		42
	P	12 / 8 / 1988	-194.47		3262.53	01	01	1	
	P	12 / 7 / 1989	-195.98	-1.51	3261.02	01	01	1	
	P	12 / 8 / 1990	-198.18	-2.2	3258.82	01	01	1	
	P	12 / 9 / 1991	-199.62	-1.44	3257.38	01	01	1	
	P	1 / 25/ 1994	-200.22	-0.6	3256.78	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-203.15***	**Max**	***-169.22***	**Avg**	***-191.937***				
2408602	*(Aquifer: 121OGLL*		*Well Depth: 331)*						
	P	12 / 8 / 1990	-198.18		3263.82	01	06	1	
	P	12 / 9 / 1991	-199.62	-1.44	3262.38	01	06	1	
	P	12 / 12/ 1992	-199.46	0.16	3262.54	01	06	1	
	P	1 / 25/ 1994	-200.22	-0.76	3261.78	01	06	1	
	P	1 / 23/ 1995	-203.22	-3	3258.78	01	06	1	
	P	1 / 25/ 1996	-205.04	-1.82	3256.96	01	06	1	
	P	2 / 5 / 1997	-206.27	-1.23	3255.73	01	06	1	
	P	1 / 13/ 1998	-207.59	-1.32	3254.41	01	06	1	
	P	2 / 25/ 1999	-211	-3.41	3251	01	06	1	
	P	2 / 11/ 2000	-212.32	-1.32	3249.68	01	06	1	
	P	1 / 25/ 2001	-215.58	-3.26	3246.42	01	06	1	
	P	2 / 20/ 2002	-215.8	-0.22	3246.2	01	06	1	
	P	2 / 26/ 2003	-219.2	-3.4	3242.8	01	06	1	
	P	1 / 29/ 2004	-222.38	-3.18	3239.62	01	06	1	
	P	2 / 15/ 2005	-221.84	0.54	3240.16	01	06	1	
	P	1 / 18/ 2006	-225.35	-3.51	3236.65	01	06	1	
	P	2 / 1 / 2007	-228	-2.65	3234	01	06	1	
	P	1 / 7 / 2008	-230.54	-2.54	3231.46	01	06	1	
	P	2 / 5 / 2009	-236.22	-5.68	3225.78	01	06	1	
	P	2 / 19/ 2010	-241.32	-5.1	3220.68	01	06	1	
	P	1 / 17/ 2011	-243.68	-2.36	3218.32	01	06	1	
	P	2 / 9 / 2012	-249.07	-5.39	3212.93	01	06	1	
Min	***-249.07***	**Max**	***-198.18***	**Avg**	***-217.814***				
2408801	*(Aquifer: 121OGLL*		*Well Depth: 25)*						
	P	8 / 10/ 1938	-14.66		3385.34	01	12	7	01
	P	9 / 23/ 1938	-15	-0.34	3385	01	12	7	01
	P	10 / 24/ 1938	-15.22	-0.22	3384.78	01	12	7	01
	P	12 / 22/ 1938	-15.29	-0.07	3384.71	01	12	7	01
	P	1 / 28/ 1939	-14.87	0.42	3385.13	01	12	7	01
	P	3 / 4 / 1939	-15.27	-0.4	3384.73	01	12	7	01
	P	4 / 3 / 1939	-15.42	-0.15	3384.58	01	12	7	01
	P	6 / 16/ 1939	-15.7	-0.28	3384.3	01	12	7	01
	P	11 / 7 / 1941	-9.79	5.91	3390.21	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1943	-9.23	0.56	3390.77	01	12	7	01
	P	3 / 2 / 1946	-13.56	-4.33	3386.44	01	12	7	01
	P	2 / 23/ 1948	-14.09	-0.53	3385.91	01	12	7	01
	P	1 / 30/ 1952	-15.9	-1.81	3384.1	01	12	7	01

Min *-15.9* **Max** *-9.23* **Avg** *-14.1538*

2408802 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 4 / 1971	-139.48		3311.52	01	01	1	
	P	1 / 7 / 1972	-142.16	-2.68	3308.84	01	01	1	
	P	1 / 24/ 1973	-143.7	-1.54	3307.3	01	01	1	
	P	1 / 11/ 1974	-143.15	0.55	3307.85	01	01	1	
	P	1 / 10/ 1975	-147.61	-4.46	3303.39	01	01	1	
	P	1 / 7 / 1976	-148.32	-0.71	3302.68	01	01	1	
	P	1 / 12/ 1977	-150.73	-2.41	3300.27	01	01	1	
	P	1 / 6 / 1978	-153.51	-2.78	3297.49	01	01	1	
	P	1 / 6 / 1979	-160.75	-7.24	3290.25	01	01	1	
	P	1 / 16/ 1980	-157.89	2.86	3293.11	01	01	1	
	P	1 / 17/ 1983	-168.17	-10.3	3282.83	01	01	1	
	P	1 / 14/ 1985	-172.7	-4.53	3278.3	01	01	1	
	P	12 / 14/ 1985	-166.37	6.33	3284.63	01	01	1	
	P	12 / 7 / 1986	-163.63	2.74	3287.37	01	01	1	
	P	12 / 17/ 1987	-167.5	-3.87	3283.5	01	01	1	
	P	12 / 8 / 1988	-161.2	6.3	3289.8	01	01	1	
	P	12 / 8 / 1989	-161.56	-0.36	3289.44	01	01	1	
	P	12 / 8 / 1990	-162.8	-1.24	3288.2	01	01	1	
	P	12 / 6 / 1991	-163.35	-0.55	3287.65	01	01	1	
	P	1 / 26/ 1993	-161.71	1.64	3289.29	01	01	1	
	P	1 / 24/ 1994	-163.25	-1.54	3287.75	01	06	1	
	P	1 / 23/ 1995	-165.82	-2.57	3285.18	01	06	1	
	P	1 / 25/ 1996	-167.08	-1.26	3283.92	01	06	1	
	P	2 / 5 / 1997	-167.97	-0.89	3283.03	01	06	1	
	P	1 / 13/ 1998	-168.26	-0.29	3282.74	01	06	1	
	P	1 / 21/ 1999	-170	-1.74	3281	01	06	1	
	P	2 / 11/ 2000	-170.1	-0.1	3280.9	01	06	1	
	P	1 / 4 / 2001	-176.07	-5.97	3274.93	01	06	1	
	P	2 / 1 / 2002	-171.6	4.47	3279.4	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 26/ 2003	-172.01	-0.41	3278.99	01	06	1	
	P	1 / 23/ 2004	-174.16	-2.15	3276.84	01	06	1	
	P	2 / 15/ 2005	-173.18	0.98	3277.82	01	06	1	
	P	1 / 17/ 2006	-174.41	-1.23	3276.59	01	06	1	
	P	2 / 1 / 2007	-175.85	-1.44	3275.15	01	06	1	
	P	1 / 4 / 2008	-177.38	-1.53	3273.62	01	06	1	
	P	2 / 5 / 2009	-180.03	-2.65	3270.97	01	06	1	
	N	1 / 15/ 2010				01	06		42
	N	1 / 17/ 2011				01	06		40

Min *-180.03* **Max** *-139.48* **Avg** *-163.429*

2408901 *(Aquifer: 121OGLL Well Depth: 330)*

	P	3 / 3 / 1949	-95.47		3358.53	01	12	7	01
	P	2 / 18/ 1950	-90.16	5.31	3363.84	01	12	7	01
	P	1 / 13/ 1953	-105.87	-15.7	3348.13	01	12	7	01
	P	1 / 9 / 1954	-111.37	-5.5	3342.63	01	12	7	01

Min *-111.37* **Max** *-90.16* **Avg** *-100.718*

2408902 *(Aquifer: 121OGLL Well Depth: 302)*

	P	1 / 16/ 1980	-147.95		3270.05	01	01	1	
	P	1 / 17/ 1983	-162.26	-14.3	3255.74	01	01	1	
	P	1 / 14/ 1985	-157.48	4.78	3260.52	01	01	1	
	P	12 / 8 / 1986	-157.54	-0.06	3260.46	01	01	1	
	P	12 / 17/ 1987	-157.2	0.34	3260.8	01	01	1	
	P	12 / 8 / 1988	-158.4	-1.2	3259.6	01	01	1	
	P	12 / 8 / 1989	-159.29	-0.89	3258.71	01	01	1	
	P	12 / 8 / 1990	-161.1	-1.81	3256.9	01	01	1	
	P	12 / 9 / 1991	-167.31	-6.21	3250.69	01	01	1	
	P	1 / 24/ 1994	-162.08	5.23	3255.92	01	06	1	
	P	1 / 23/ 1995	-166.56	-4.48	3251.44	01	06	1	
	P	1 / 25/ 1996	-164.38	2.18	3253.62	01	06	1	
	P	2 / 5 / 1997	-166.21	-1.83	3251.79	01	06	1	
	P	1 / 13/ 1998	-166.7	-0.49	3251.3	01	06	1	
	P	1 / 21/ 1999	-168	-1.3	3250	01	06	1	
	P	2 / 11/ 2000	-167.85	0.15	3250.15	01	06	1	
	P	1 / 26/ 2001	-169.96	-2.11	3248.04	01	06	1	
	P	2 / 20/ 2002	-170.14	-0.18	3247.86	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 26/ 2003	-170.76	-0.62	3247.24	01	06	1	
	P	1 / 23/ 2004	-171.85	-1.09	3246.15	01	06	1	
	P	2 / 15/ 2005	-171.57	0.28	3246.43	01	06	1	
	P	1 / 18/ 2006	-172.27	-0.7	3245.73	01	06	1	
	P	2 / 1 / 2007	-173.02	-0.75	3244.98	01	06	1	
	P	1 / 4 / 2008	-173.42	-0.4	3244.58	01	06	1	
	P	2 / 5 / 2009	-174.61	-1.19	3243.39	01	06	1	
	P	1 / 15/ 2010	-176.38	-1.77	3241.62	01	06	1	
	P	1 / 17/ 2011	-176.1	0.28	3241.9	01	06	1	
	P	2 / 9 / 2012	-182.12	-6.02	3235.88	01	06	1	

Min *-182.12* **Max** *-147.95* **Avg** *-166.875*

2408903 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 5 / 1968	-165.08		3287.92	01	01	1	
	P	1 / 12/ 1969	-165.28	-0.2	3287.72	01	01	1	
	P	1 / 7 / 1970	-166.55	-1.27	3286.45	01	01	1	
	P	1 / 11/ 1971	-169.85	-3.3	3283.15	01	01	1	
	P	1 / 7 / 1972	-173.61	-3.76	3279.39	01	01	1	
	P	1 / 22/ 1973	-172.75	0.86	3280.25	01	01	1	
	P	1 / 11/ 1974	-177.2	-4.45	3275.8	01	01	1	
	N	1 / 10/ 1975				01	01	1	44
	P	1 / 7 / 1976	-183.2		3269.8	01	01	1	
	P	1 / 12/ 1977	-184.56	-1.36	3268.44	01	01	1	
	P	1 / 6 / 1978	-185.43	-0.87	3267.57	01	01	1	
	P	1 / 6 / 1979	-193.87	-8.44	3259.13	01	01	1	
	P	1 / 16/ 1980	-185.72	8.15	3267.28	01	01	1	
	P	1 / 18/ 1982	-193.2	-7.48	3259.8	01	01	1	
	P	1 / 9 / 1984	-209.4	-16.2	3243.6	01	01	1	
	P	12 / 14/ 1985	-210.84	-1.44	3242.16	01	01	1	
	P	12 / 7 / 1986	-207.58	3.26	3245.42	01	01	1	
	P	12 / 17/ 1987	-212.35	-4.77	3240.65	01	01	1	
	P	12 / 8 / 1988	-194.7	17.65	3258.3	01	01	1	
	P	12 / 7 / 1989	-197.17	-2.47	3255.83	01	01	1	
	P	12 / 8 / 1990	-200.08	-2.91	3252.92	01	01	1	
	P	12 / 9 / 1991	-199.99	0.09	3253.01	01	01	1	
	P	1 / 26/ 1993	-199.69	0.3	3253.31	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 24/ 1994				01	06		42
Min -212.35		Max -165.08	Avg -188.55						
2408904	(Aquifer: 121OGLL		Well Depth: 297)						
	P	3 / 4 / 1971	-135		3318	01	07	7	
	P	4 / 9 / 1988	-166.9	-31.9	3286.1	01	01	1	
Min -166.9		Max -135	Avg -150.95						
2416102	(Aquifer: 121OGLL		Well Depth: 248)						
	P	4 / 6 / 1988	-154		3286	01	01	1	
Min -154		Max -154	Avg -154						
2416201	(Aquifer: 121OGLL		Well Depth:)						
	P	1 / 13/ 1955	-96.24		3335.76	01	12	7	01
	P	1 / 11/ 1956	-99.58	-3.34	3332.42	01	12	7	01
	P	1 / 6 / 1959	-106.4	-6.82	3325.6	01	12	7	01
	P	1 / 18/ 1960	-109.54	-3.14	3322.46	01	12	7	01
	P	1 / 10/ 1961	-110.9	-1.36	3321.1	01	04	1	
	P	1 / 10/ 1962	-110.61	0.29	3321.39	01	01	1	
	P	1 / 7 / 1963	-112.45	-1.84	3319.55	01	01	1	
	N	1 / 8 / 1964				01	01		63
	P	1 / 6 / 1965	-117.04		3314.96	01	01	1	
	P	1 / 7 / 1966	-119.5	-2.46	3312.5	01	01	1	
	P	1 / 5 / 1967	-121.64	-2.14	3310.36	01	01	1	
	P	1 / 4 / 1968	-125.3	-3.66	3306.7	01	01	1	
	P	1 / 13/ 1969	-122.68	2.62	3309.32	01	01	1	
	P	1 / 8 / 1970	-123.85	-1.17	3308.15	01	01	1	
	N	1 / 11/ 1971				01	01		42
Min -125.3		Max -96.24	Avg -113.518						
2416202	(Aquifer: 121OGLL		Well Depth: 144)						
	P	3 / 3 / 1949	-92.35		3319.65	01	12	7	01
	P	2 / 20/ 1950	-93.51	-1.16	3318.49	01	12	7	01
	P	1 / 30/ 1952	-96	-2.49	3316	01	12	7	01
	P	1 / 13/ 1953	-96.75	-0.75	3315.25	01	12	7	01
Min -96.75		Max -92.35	Avg -94.6525						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2416203	(Aquifer: 121OGLL		Well Depth:	)					
	P	2 / 2 / 1955	-102.56		3343.44	01	12	7	01
	P	1 / 11/ 1956	-106.22	-3.66	3339.78	01	12	7	01
	P	1 / 7 / 1957	-111.1	-4.88	3334.9	01	12	7	01
	P	1 / 16/ 1958	-116.08	-4.98	3329.92	01	12	7	01
Min	-116.08	**Max**	-102.56	**Avg**	-108.99				
2416205	(Aquifer: 121OGFA		Well Depth: 180	)					
	P	7 / 13/ 1983	-119.8		3280.2	01	12	7	
Min	-119.8	**Max**	-119.8	**Avg**	-119.8				
2416207	(Aquifer: 121OGLL		Well Depth: 259	)					
	P	3 / 22/ 1966	-176		3257	01	07	7	
	P	4 / 6 / 1988	-141.4	34.6	3291.6	01	01	1	
Min	-176	**Max**	-141.4	**Avg**	-158.7				
2416208	(Aquifer: 121OGLL		Well Depth:	)					
	P	11 / 15/ 1994	-150.59		3286.41	01	06	1	
	P	1 / 25/ 1996	-150.98	-0.39	3286.02	01	06	1	
	P	2 / 5 / 1997	-151.43	-0.45	3285.57	01	06	1	
	P	1 / 13/ 1998	-150.74	0.69	3286.26	01	06	1	
	P	1 / 21/ 1999	-153	-2.26	3284	01	06	1	
	P	2 / 11/ 2000	-151.05	1.95	3285.95	01	06	1	
	P	1 / 26/ 2001	-150	1.05	3287	01	06	1	
	P	2 / 20/ 2002	-150.01	-0.01	3286.99	01	06	1	
	P	2 / 26/ 2003	-150.26	-0.25	3286.74	01	06	1	
	P	1 / 24/ 2004	-150.22	0.04	3286.78	01	06	1	
	P	2 / 15/ 2005	-150.32	-0.1	3286.68	01	06	1	
	P	1 / 18/ 2006	-150.42	-0.1	3286.58	01	06	1	
	P	2 / 1 / 2007	-150.92	-0.5	3286.08	01	06	1	
	P	1 / 4 / 2008	-151.08	-0.16	3285.92	01	06	1	
	P	2 / 5 / 2009	-156.5	-5.42	3280.5	01	06	1	
	P	1 / 15/ 2010	-154.4	2.1	3282.6	01	06	1	
	P	2 / 14/ 2011	-150.5	3.9	3286.5	01	06	1	
	P	2 / 9 / 2012	-150.44	0.06	3286.56	01	06	1	
Min	-156.5	**Max**	-150	**Avg**	-151.27				

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2416311	*(Aquifer: 121OGLL*		*Well Depth: 181)*						
	P	1/ 13/ 1955	-114.87		3296.13	01	12	7	01
	P	1/ 11/ 1956	-116.85	-1.98	3294.15	01	12	7	01
	P	1/ 7/ 1957	-121.15	-4.3	3289.85	01	12	7	01
	P	1/ 16/ 1958	-127.5	-6.35	3283.5	01	12	7	01
	P	1/ 6/ 1959	-119.8	7.7	3291.2	01	12	7	01
	P	1/ 18/ 1960	-122.05	-2.25	3288.95	01	12	7	01
	P	1/ 10/ 1961	-123.23	-1.18	3287.77	01	04	1	
	P	1/ 10/ 1962	-135.25	-12.0	3275.75	01	01	1	22
	P	1/ 7/ 1963	-123.2	12.05	3287.8	01	01	1	
	P	1/ 8/ 1964	-123.88	-0.68	3287.12	01	01	1	
	P	1/ 6/ 1965	-125.39	-1.51	3285.61	01	01	1	
	P	1/ 7/ 1966	-121.37	4.02	3289.63	01	01	1	
	P	1/ 5/ 1967	-126.95	-5.58	3284.05	01	01	1	
	P	1/ 4/ 1968	-131.12	-4.17	3279.88	01	01	1	
	P	1/ 13/ 1969	-127.17	3.95	3283.83	01	01	1	
	P	1/ 8/ 1970	-127.59	-0.42	3283.41	01	01	1	
	P	1/ 11/ 1971	-128.2	-0.61	3282.8	01	01	1	
	P	1/ 7/ 1972	-128.94	-0.74	3282.06	01	01	1	
	P	1/ 24/ 1973	-128.57	0.37	3282.43	01	01	1	
	P	1/ 11/ 1974	-128.83	-0.26	3282.17	01	01	1	
	P	1/ 10/ 1975	-129.93	-1.1	3281.07	01	01	1	
	P	1/ 7/ 1976	-129.89	0.04	3281.11	01	01	1	
	N	1/ 12/ 1977				01	01		60
	P	1/ 6/ 1978	-130.86		3280.14	01	01	1	
	P	1/ 6/ 1979	-132.56	-1.7	3278.44	01	01	1	
	P	1/ 16/ 1980	-131.23	1.33	3279.77	01	01	1	
	P	1/ 18/ 1982	-131.8	-0.57	3279.2	01	01	1	
	P	1/ 9/ 1984	-134	-2.2	3277	01	01	1	
	N	12/ 14/ 1985				01	01		61
	P	12/ 7/ 1986	-133.57		3277.43	01	01	1	
	P	12/ 8/ 1988	-129.95	3.62	3281.05	01	01	1	
	P	12/ 8/ 1989	-128.74	1.21	3282.26	01	01	1	
	P	12/ 8/ 1990	-128.88	-0.14	3282.12	01	01	1	
	P	12/ 6/ 1991	-131.95	-3.07	3279.05	01	01	1	
	P	1/ 24/ 1994	-128.4	3.55	3282.6	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1995	-128.9	-0.5	3282.1	01	06	1	
	P	1 / 25/ 1996	-129.28	-0.38	3281.72	01	06	1	
	P	2 / 5 / 1997	-129.51	-0.23	3281.49	01	06	1	
	P	1 / 13/ 1998	-129.4	0.11	3281.6	01	06	1	
	P	1 / 21/ 1999	-133	-3.6	3278	01	06	1	
	P	2 / 11/ 2000	-129.67	3.33	3281.33	01	06	1	
	P	1 / 26/ 2001	-129.65	0.02	3281.35	01	06	1	
	P	2 / 20/ 2002	-129.82	-0.17	3281.18	01	06	1	
	P	2 / 26/ 2003	-130.6	-0.78	3280.4	01	06	1	
	P	1 / 23/ 2004	-130.75	-0.15	3280.25	01	06	1	
	P	2 / 15/ 2005	-130.87	-0.12	3280.13	01	06	1	
	P	1 / 18/ 2006	-130.8	0.07	3280.2	01	06	1	
	P	2 / 1 / 2007	-133.19	-2.39	3277.81	01	06	1	
	P	1 / 4 / 2008	-130.85	2.34	3280.15	01	06	1	
	P	2 / 5 / 2009	-130.99	-0.14	3280.01	01	06	1	
	P	1 / 15/ 2010	-131.08	-0.09	3279.92	01	06	1	
	P	1 / 17/ 2011	-130.85	0.23	3280.15	01	06	1	
	P	2 / 9 / 2012	-131.35	-0.5	3279.65	01	06	1	

Min *-135.25* **Max** *-114.87* **Avg** *-128.514*

2416313 *(Aquifer: 121OGLL Well Depth: 193)*

	P	9 / 13/ 1983	-35.8		3386.2	01	12	7	

Min *-35.8* **Max** *-35.8* **Avg** *-35.8*

2416314 *(Aquifer: 121OGLL Well Depth: 231)*

	P	4 / 6 / 1988	-158.3		3274.7	01	01	1	

Min *-158.3* **Max** *-158.3* **Avg** *-158.3*

2416315 *(Aquifer: 121OGLL Well Depth: 185)*

	N	9 / 8 / 2004				01	01		42

Min **Max** **Avg**

2416316 *(Aquifer: 121OGLL Well Depth:)*

	P	11 / 15/ 1994	-134.22		3294.78	01	06	1	
	P	1 / 25/ 1996	-135.68	-1.46	3293.32	01	06	1	
	P	2 / 5 / 1997	-136.35	-0.67	3292.65	01	06	1	
	P	1 / 13/ 1998	-136.42	-0.07	3292.58	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 21/ 1999	-137	-0.58	3292	01	06	1	
	P	2 / 11/ 2000	-137.57	-0.57	3291.43	01	06	1	
	P	1 / 26/ 2001	-138.01	-0.44	3290.99	01	06	1	
	P	2 / 20/ 2002	-138.15	-0.14	3290.85	01	06	1	
	N	2 / 26/ 2003				01	06		40

Min ***-138.15*** **Max** ***-134.22*** **Avg** ***-136.675***

2416502 *(Aquifer: 121OGFA Well Depth: 210)*

	P	7 / 14/ 1983	-127.6		3272.4	01	12	7	

Min ***-127.6*** **Max** ***-127.6*** **Avg** ***-127.6***