Texas Water Development Board
Groundwater Database Reports

Record of Wells

County: Jeff Davis

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
4762901	Arturo Balleres	310043	1041633	00/00/1965	240	C	10			100ALVM	4567		P	W	S	"New Duncan" well. Originally drilled in 1960, deepened in 1965.
						C	6									
4762903	Reynolds Cattle Co.	310112	1041526	00/00/1967	117		8	0	117	210CRCS	4452		N		U	"Running Water" well. Dry test hole.
4763902	Reynolds Cattle Co.	310049	1040909	00/00/1967	550		11	0	30	210CRCS	4343		N		U	"Lower King Trap" well. Dry hole.
							8	30	550							
4763903	Reynolds Cattle Co.	310104	1040933	00/00/1967	550	C	8	0	30	210CRCS	4364		P	G	S	"Lower King" well. Obstruction in wellbore at 290 feet in 1970.
						C	6	0	500				5 hp			
						S	6	500	550							
4764102	Springhills Ranch	310545	1040707	05/00/1962	300	C	6	0	68	100ALVM	3950		N		U	"Lake" well. Reported yield 12 GPM in 1962. Originally drilled to 300 feet, caved or filled to 30 feet and dry in 2002.
	J. L. Davis					S	6	68	83							
						C	6	83	88							
								88	300							
4764104	Springhills Ranch	310538	1040554							NOT-APPL	4025		N		U	Oil Test. Geophysical log Q-21.
4764401	Springhills Ranch	310443	1040548	10/30/1960	973	C	6	0	925	210CRCS	4176	2 measurements	S	E	S	"Stratton" well.
	JL Davis/Stratton well							925	973			1970 to 2002				
												MIN -635.8 MAX -635.8				
4764601	C. Flores	310245	1040220		5250					NOT-APPL	4228		N		U	Oil test. Geophysical log Q-4.
4764701	Bill Cowden	310044	1040619							120VLCC	4700		N		H	"Walnut" spring. Reported flow 4 to 5 GPM in 1970.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
4764702	Bill Cowden	310120	1040603							120VLCC	4800		N		S	"Indian" springs No. 1. Reported flow 4 to 5 GPM in 1970.
4764703	Bill Cowden	310140	1040627							120VLCC	4640		N		S	"Indian" springs No. 2. Reported flow 4 to 5 GPM in 1970.
4764704	Bill Cowden	310135	1040635							120VLCC	4640		N		S	"Red House" spring. Reported flow 4 to 6 GPM in 1970.
4764705	Bill Cowden	310140	1040634		22	C	6	0	21	100ALVM	4644	1 measurement 1970 -17.43	N		U	"Nelson" well. Depth originally reported to 36 feet.
4764706	Bill Cowden	310139	1040526							100ALVM	4982		N		S	"Hidden" spring. Reported flow 4 to 5 GPM in 1970.
4764801	Little Willow Springs	310131	1040332							110AVCC	5365					
4764901	Roxie Neal	310152	1040138	00/00/1964	10254					NOT-APPL	4259		N		U	Oil test Roxie Neal No. 1. Geophys-ical log Q-22.
4764902	Leonard Lethco	310051	1040115	08/30/1967	375	C	7	0 58	58 275	210CRCS	4250	1 measurement 1969 -89.65	N		U	Reported dry in 1995.
5105701	Means Ranch Co.	305233	1042818	00/00/1955	200	C	7			112SLBL	4305	1 measurement 1972 -124.4	P	W	S	"Gap" well.
5105901	Rube Evans Est.	305345	1042344	00/00/1920	142	C	6			120VLCC	4520	1 measurement 1971 -94.9	P	W 2 hp	H	"Little Mill" well. East well of two at this site.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5106101	Reynolds Cattle Co.	305734	1042209		430	C	6			210CRCS	4642	1 measurement 1971 -144.75	P	W	S	"Lower Buena Vista" well. North well at this site.
5106102	Reynolds Cattle Co.	305734	1042208		480	C C	9 6	0	175	210CRCS	4645	1 measurement 1971 -153.65	P	W	S	"Upper Buena Vista" well. South well at this site. Reported yield 11 GPM in 1971.
5106201	Reynolds Cattle Co.	305935	1041739	00/00/1959	240	C S	6 6	0 187	187 240	210CRCS	4715		P	W	S	"Kildugan No. 1" well. Deepened from 173 feet by Stratton.
5106202	Reynolds Cattle Co.	305933	1041739	00/00/1959	350	C	7			210CRCS	4715		P	W	S	"Kildugan No. 2" well. Deepened from 240 feet by Stratton.
5106203	Reynolds Cattle Co.	305934	1041745	00/00/1967	600	C	9			210CRCS	4715	1 measurement 1970 -137.9	N		U	"Kildugan No. 3" well.
5106204	Reynolds Cattle Co.	305936	1041842		600	C	8			120VLCC	4897	1 measurement 1971 -200.95	P	G	S	South "Horse Camp" well.
5106205	Reynolds Cattle Co.	305937	1041842		600	C	8			120VLCC	4897		P	W	S	North "Horse Camp" well.
5106301	Arturo Balleres	305904	1041530		30					100ALVM	4707	1 measurement 1970 -16.3	P	W	S	"Duncan" or "Little" well.
5107101	Arturo Balleres	305752	1041233	08/08/1946		C C C	8 6 5	0 0 0 1888	224 1308 1888 1946	210CRCS	4773	1 measurement 1961 -600	S	E	H	"Gilson" or "Cornell" well. Converted oil test. Geophysical log Q-29.
5107102	Arturo Belleres	305751	1041234		150	C	6			100ALVM	4830		P	W	H	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5107103	Arturo Balleres	305753	1041235		112	C	7			100ALVM	4769	1 measurement 1970 -99.7	N		U	
5107104	Arturo Balleres	305754	1041234		150	C	6			100ALVM	4790		P	W	H	
5107105	Arturo Balleres	305854	1041403		30					100ALVM	4668	1 measurement 1970 -12.8	P	W	S	"New" well.
5107106	Arturo Balleres	305831	1041305							120VLCC	4741		N		S	"Ash" spring. Estimated flow 1 GPM in 1970.
5107107	Arturo Balleres	305832	1041302		250	C	5			210CRCS	4730		P	L	S	"Ash Spring" well.
5107108	Arturo Balleres	305847	1041255		165		9	0	165	100ALVM	4660	1 measurement 1970 -51.8	N		U	
5107201	Arturo Balleres	305732	1041047	00/00/1944	114	C	6			120VLCC	4684	1 measurement 1970 -111.8	P	W	S	"Horse Pasture" or "Redford" well.
5107301	Reynolds Cattle Co.	305801	1040932							120VLCC	4590		N		H	"Buck Pasture" spring. Estimated flow 20 to 30 GPM in 1971.
5107302	Reynolds Cattle Co.	305749	1040930		440	C	6			100ALVM	4588	1 measurement 1971 -16.02	P	W	S	"Garden" well.
5107501	Arturo Balleres	305618	1041211	00/00/1944	240	C	6			120VLCC	4930		P	W	S	"Campbell" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5107502	Arturo Balleres	305520	1041124							120VLCC	4900		N		S	Estimated flow of 10 gpm in 1970.
5107503	Arturo Balleres	305543	1041019		620	C	6			120VLCC	5005		P	W	S	"Cat Claw" or "Canyon" well.
5107504	Arturo Balleres	305722	1041125	00/00/1928	600	C	5			120VLCC	4640		P	W	S	"Lower Rock House" well.
5107601	Reynolds Cattle Co.	305555	1040903	11/00/1961	175	C	9	0	12	100ALVM	4736	1 measurement	P	W	S	"Point of Rocks" well. Reported
						C	6	0	143			1961				yield of 20 GPM in 1971.
						S	6	143	175			-85				
5107701	Arturo Balleres	305446	1041306	00/00/1944	400	C	8			120VLCC	5128		P	W	S	"Marshall" well.
5107702	Arturo Balleres	305340	1041411		83	C	6			100ALVM	5356		P	W	S	West well at "Four Mills" site.
5107703	Arturo Balleres	305341	1041411		56	C	8			100ALVM	5396	1 measurement	N		U	Middle well at "Four Mills" site.
						C	7					1970				
												-43.3				
5107704	Arturo Balleres	305342	1041411			C	6			100ALVM	5421		N		U	East well at "Four Mills" site.
5107801	Arturo Balleres	305359	1041159	00/00/1965	503	C	6			120VLCC	5037		P	W	S	"Patterson Spring" well.
5107802	Arturo Balleres	305354	1041157							120VLCC	5064		N		S	"Patterson Spring". Estimated flow
																50 GPM in 1970.
5107803	Arturo Balleres	305246	1041024		434	C	6			120VLCC	5586		P	W	S	"Carter" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5107901	Reynolds Cattle Co.	305440	1040836		48			0	48	100ALVM	4820	1 measurement 1971 -36.9	P	W	S	"Adobe" well.
5107902	Reynolds Cattle Co.	305420	1040831		100	C	5			100ALVM	4875	1 measurement 1971 -58.3	P	W	H	West well at JN Ranch house.
5107903	Reynolds Cattle Co.	305420	1040831		100	C	5			100ALVM	4875	1 measurement 1971 -58.2	P	W	H	Middle well at JN Ranch house.
5107904	Reynolds Cattle Co.	305424	1040823		100					100ALVM	4875		P	W	S	East well at JN Ranch house.
5107905	Reynolds Cattle Co.	305345	1040854	11/18/1964	550	C S	9 9	0 465	465 550	120VLCC	4950	2 measurements 1964 to 1971 MIN -470 MAX -432.15	P	W	S	"Juan" well. Reported yield 20 GPM in 1964.
5108101	Reynolds Cattle Co.	305929	1040627							120VLCC	4840		N		U	"Moody" spring.
5108102	Reynolds Cattle Co.	305838	1040651	04/26/1959	150	C S C	6 6 6	0 115 127	115 127 150	120VLCC	4935	2 measurements 1959 to 1961 MIN -120.2 MAX -74	N		U	Old "Gomez" well. Reported yield 25 GPM in 1959.
5108103	Reynolds Cattle Co.	305837	1040651	10/31/1967	157	C C S	9 6 6	0 0 120	20 120 160	120VLCC	4934	1 measurement 1971 -133.3	P	W	S	New "Gomez" well. Reported yield 25 GPM in 1967.
5108104	Reynolds Cattle Co.	305904	1040731	10/00/1961	30	C S	6 6	0 6	6 30	100ALVM	4688	1 measurement 1971 -20.5	P	W	H	"Lower Onion" well.
5108105	Long X Cattle Co.	305929	1040627	10/00/1961	32	C S	6 6	0 21	21 32	100ALVM	4840	1 measurement 1971 -12.5	P	W	S	"Moody Springs" well. Formerly supplied town of Kent. Reported dry in 1987.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5108106	Long X Cattle Co. City of Kent	305953	1040546							120VLCC	4974		N		P	"Oak" spring. Supplies town of Kent.
5111801	Means Ranch Co.	304618	1044103		345	C	6			120VLCC	4222	2 measurements 1972 to 1993 MIN -319.4 MAX -319.4	N		U	"Segundo" well. Obstruction in well at 305 feet.
5111901	Means Ranch Co.	304621	1043829		470	C	8			120VLCC	4416	1 measurement 1972 -434.3	P	W	S	"Crosby" well. Reported yield 1.75 GPM in 1972.
5112201	Means Ranch Co.	305137	1043313		180	C	5			120VLCC	4338	1 measurement 1972 -166.6	P	W	S	"Hogeye" well.
5112301	Means Ranch Co.	305117	1043050		87	C	6			100ALVM	4284	2 measurements 1972 to 1993 MIN -77.6 MAX -66.6	S 1.50 hp	E	S	"Creek" well. Located on east bank of Bunton draw at headquarters. Field conductance 684 umho/cm in 1993. Estimated yield 15 GPM in 1972.
5112501	Means Ranch Co.	304743	1043419		400	C	6			120VLCC	4465	2 measurements 1972 to 1993 MIN -386.1 MAX -336.1	P	W	S	"Esperanza" well. Field conductance 660 umhos/cm in 1993.
5112502	Means Ranch Co.	304741	1043417	04/03/1974	566	C	5	0 148	148 566	120VLCC	4470	1 measurement 1974 -390	S	E	S	New well at "Esperanza" site. Field conductance 695 umho/cm in 1993.
5112701	Means Ranch Co.	304525	1043710			C	5			120VLCC	4345		P	W	S	"Ridge" well. Obstruction in well at 210 feet.
5112801	Means Ranch Co.	304623	1043416		350	C	6			120VLCC	4408	1 measurement 1972 -326.2	P	W	S	"Ventura" well. Measured yield 3 gpm in 1972.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5112901	Means Ranch Co.	304609	1043207		59	C	6			100ALVM	4443	1 measurement 1972 -25.61	N		U	"Mayfield" well.
5113301	Reynolds Cattle Co.	305010	1042420		572					120IGNS	4568	2 measurements 1961 to 2003 MIN -510 MAX -273.17			S	"Deacon" well.
5113501	Means Ranch Co.	304830	1042645		433	C	6			120VLCC	4445	2 measurements 1961 to 1993 MIN -412 MAX -361.35	N		U	"Bayles" well. Estimated yield 5 GPM in 1961.
5113502	Means Ranch Co.	304829	1042645	08/11/1986	445	C	6	0	70	120VLCC	4445	1 measurement 1986 -362	P	W	S	New "Bayles" well. Replaces 501. Reported jetted 15 GPM in 1986. Field conductivity 516 umho/cm in 1993.
						C	4	0	385							
						S	4	385	405							
						C	4	405	425							
						S	4	425	445							
5113602	Reynolds Cattle Co.	304927	1042234		627					120IGNS	4651	1 measurement 2003 -499.16	P	W	S	"Bunton Draw" well.
5113701	Means Ranch Co.	304552	1042813		400	C	6			120VLCC	4403	1 measurement 1958 -372	P	W	S	"Ninemile" well. Estimated yield 10 GPM in 1972.
5113801	Means Ranch Co.	304720	1042547	08/26/1986	550	C	6	0	57	120VLCC	4534	1 measurement 1993 -432.34	S	E	S	"Abuela" well. Estimated yield 30 GPM in 1986.
						C	4	0	450							
						S	4	450	470							
						C	4	470	530							
						S	5	530	550							
5113901	Reynolds Cattle Co.	304510	1042258	00/00/1960	700	C	6			120VLCC	4804		P	W	S	"Bull Pasture" well. Water level below 500 feet.
5114301	Arturo Balleres	305217	1041604		866	C	7			120VLCC	5272		P	W	S	"Mescalero" well. Water level below 600 feet.
						C	6									

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5114302	Arturo Balleres	305041	1041711	00/00/1965	400	C	10			120VLCC	5247		P	W	S	"Apache" well.
						C	6									
5114402	Reynolds Cattle Co.	304902	1042047		413	C	9	0	413	120IGNS	4785	2 measurements 1971 to 2003 MIN -389.8 MAX -320	P	W	S	"Screwbean" well.
5114501	Reynolds Cattle Co.	304837	1041926	09/08/1965	185	C	6	0	145	120IGNS	4935	2 measurements 1965 to 2003 MIN -140 MAX -113.18	P	W	S	"Lane Troughs" well. Deepened from 132 feet in 1965. Reported yield 16 GPM with 30 feet drawdown after pumping for 12 hours in 1965. Specific capacity 0.5 GPM/ft. Estimated transmissivity 61 sqft/day. Estimated hydraulic cond-uctivity 1.5 ft/day.
						S	6	145	185							
5114502	Reynolds Cattle Co.	304821	1041922	10/15/1964	212	C	7	0	110	120VLCC	5190	1 measurement 1964 -100	P	W	U	"South Spring" well. Reported yield 2 GPM in 1964. Reported dry in 1970.
						S	7	110	135							
						C	7	135	212							
5114503	Reynolds Cattle Co.	304928	1041810		105	C	6			120IGNS	4946	2 measurements 1971 to 2003 MIN -53.27 MAX -43.31	P	W	S	"Walnut" well.
5114701	Reynolds Cattle Co.	304511	1042117		731	C	4	0	731	120IGNS	4950	2 measurements 1964 to 2003 MIN -710 MAX -204.83	P	W	S	"Jones Canyon No. 1" well. Deepened from 300 to 520 feet by E. E. Doyal in 1954. Deepened from 520 to 731 feet by H. H. Virdell in 1964. Est-imated yield 7.5 GPM in 1971.
5114702		304717	1042042							120IGNS	4915	1 measurement 2003 -200				Bare Mountain well.
5114801	Reynolds Cattle Co.	304725	1041858		690	C	6	0	438	120VLCC	5342	1 measurement 1959 -380	P	W	S	"Will Reynolds" well. Deepened from 381 to 690 feet by L. W. Stratton in 1959.
						C	5	0	636							
						S	5	636	690							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5114802	Reynolds Cattle Co.	304540	1041829		360	C	9	120VLCC	5413	1 measurement 1971 -279.39	P	W	S	"Sheep Camp" well.
5114803		304643	1041752			C	5	120IGNS	5380	1 measurement 2003 -401.58				Sam's Butte.
5114901	Reynolds Cattle Co.	304552	1041600		427	C	9	120IGNS	5336	1 measurement 2003 -334.92	P	W	H	Rincon House or Rincon Bull Pasture well.
5115101	Arturo Balleres	305057	1041435	00/00/1953	915	C	8	120VLCC	5300		P	L	S	"High Lonesome" well. Water level reported below 500 feet in 1970.
5115102	Arturo Balleres	305113	1041306	00/00/1939	525	C C	9 6	120VLCC	5455	1 measurement 1970 -299.6	N		U	"Griffin" well.
5115201	Arturo Balleres	305127	1041213	00/00/1965	400	C C	12 6	120VLCC	5406		P	W	S	"Antelope" well.
5115301	Reynolds Cattle Co.	305216	1040905		100	C	6	100ALVM	5020	1 measurement 1961 -62.3	P	W	S	"Brushy" well.
5115302	Reynolds Cattle Co.	305150	1040921		130			100ALVM	5070	1 measurement 1971 -86.22	P	W	S	"Jack Canyon" well.
5117601	Bailey Evans	304009	1045331	00/00/1947	230	C	6	120VLCC	3670	1 measurement 1974 -190.82	P	W	S	"Indio Ranch No. 3" well.
5117801	Moody Bennett	303826	1045731	00/00/1963	130			112GRBL	3206	1 measurement 1974 -113.55	P	W	S	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5117901	Bailey Evans	303814	1045236	00/00/1946	237	C	6			120VLCC	3634	1 measurement 1974 -206.6	P	W	S	"Indio Ranch No. 1" well. Estimated yield 3-4 GPM in 1974.
5117902	Bailey Evans	303911	1045352	10/00/1946	275	C	6			120VLCC	3637	1 measurement 1974 -233.52	P	W	S	"Indio Ranch No. 4" well. Reported bailed 30-40 GPM in 1946.
5117903	Bailey Evans	303830	1045458							112GRBL	3360		N		S	"Catclaw" spring. Estimated flow 3 GPM in 1974.
5118302	W. F. Chance	304321	1044518	05/25/1982	265	C C S C	6 5 5 5	0 0 235 255	71 235 255 265	112SLBL	4125	2 measurements 1982 to 1993 MIN -210.5 MAX -210	S	E	H	Reported jetted 15 GPM in 1982.
5119101	Jesus B. Melindez	304410	1044341	00/00/1949	448	C S	16 14	0 398	368 448	112SLBL	4085	62 measurements 1950 to 2013 MIN -177.84 MAX -99.85	N		U	Well F-3 in Bull. 5102. Drilled as an irrigation well, converted to domestic. Reported yield 650 GPM in 1950.
5119102	H. & C. Thanisch	304416	1044352	02/00/1951	436	C S		0 100	100 430	112SLBL	4083	4 measurements 1951 to 1993 MIN -186.43 MAX -142.71	T		U	Reported yield 250 GPM in 1951. Historical observation well.
5119103	Third Land & Cattle Co.	304337	1044452		152					112SLBL	4093	3 measurements 1943 to 1952 MIN -150.95 MAX -142.55	N		U	Replaced by well 110, 25 feet west. Historical observation well. Well E-1 in TBWE B-5102.
5119104	Dunham Land Inc.	304353	1044310	03/28/1950	480	C S	16 13	0 290 290	322 480 480	112SLBL	4092	37 measurements 1950 to 1992 MIN -224.61 MAX -136.35	T 100.00 hp	E	I	Measured yield 770 GPM with 53 feet drawdown after pumping for 7 days in 1952. Specific capacity 14 GPM/ft. Historical observation well. Well F-8 in TBWE B-5102.
5119105	Dunham Land Inc.	304349	1044322	03/00/1950	500	C S C S	16 16 12 12	0 71 356 450	71 377 450 500	112SLBL	4094	22 measurements 1950 to 1971 MIN -175.4 MAX -139.73	T	L	I	Historical observation well. Well F-9 in TBWE B-5102.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5119106	Dunham Land Inc.	304350	1044343	00/00/1954		C	14			112SLBL	4093	2 measurements 1955 to 1956 MIN -160.69 MAX -157.63	T	G	I	Historical observation well.
5119107	Dunham Land Inc.	304333	1044356	03/00/1950	450	C C	16 12			112SLBL	4094	4 measurements 1950 to 1958 MIN -171.08 MAX -141.13	N		G	Historical observation well. Destroyed.
5119108	Dunham Land Inc.	304333	1044356	11/00/1949	450	C S	16 14	0 280	307 450	112SLBL	4092	5 measurements 1950 to 1972 MIN -159.99 MAX -139.91	N		U	Historical observation well. Well F-11 in TBWE B-5102.
5119109	Valentine ISD	304239	1044315	07/00/1937	355	C	7			112SLBL	4118	9 measurements 1943 to 1973 MIN -235.83 MAX -169.7	P	W	S	Historical observation well. Well F-12 in TBWE B-5102.
5119110	Third Land & Cattle Co.	304337	1044455	00/00/1953	235	C	6			112SLBL	4093	4 measurements 1956 to 1993 MIN -216.75 MAX -168.5	P	W	S	Replaced well 103. Obstruction in well at 130 feet in 1993.
5119111	Dunham Land Inc.	304333	1044255			C	14			112SLBL	4098	1 measurement 1973 -206.7	T 75.00 hp	E	U	Measured discharge 390 GPM in 1972.
5119112	Dunham Land Inc.	304320	1044242			C	14			112SLBL	4103		T 100.00 hp	E	I	Measured yield 860 GPM in 1980.
5119113	H. & C. Thanisch	304413	1044338	07/00/1960	660	C S	16 16	0 210	210 660	112SLBL	4080	2 measurements 1972 to 1993 MIN -186 MAX -174.6	N		U	Reported yield 440 GPM in in 1960.
5119114	Joe Ressler	304441	1044321		610	C	16			112SLBL	4080	1 measurement 1993 -188.2	S	E	H	Originally drilled for irrigation. Also equipped with a windmill. Field conductance 261 umho/cm in 1993.
5119201	J. W. Orr, etal	304449	1044223		151	C	6			112SLBL	4062	10 measurements 1943 to 1960 MIN -147.6 MAX -124.3	N		U	Historical observation well. Supplied Chispa-Van Horn Creek Railroad. Dry hole in 1960. Well F-4 in TBWE B-5102.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5119202	Means Ranch Co.	304451	1044111	00/00/1969	425	C	6			112SLBL	4105	1 measurement 1993 -218.25	S	E 1.50 hp	H	Replaces well 204.
5119203	Means Ranch Co.	304441	1044111	10/00/1948	447	C S	16 14	0 304	304 447	112SLBL	4102	61 measurements 1951 to 2013 MIN -226.19 MAX -159.3	S	E	S	Well F-6 in TBWE B-5102.
5119204	Means Ranch Co.	304450	1044110		189					112SLBL	4105	1 measurement 1943 -158.52	N		U	Replaced by well 202.
5119301	Dunham Land Inc.	304339	1043934	00/00/1950	585	C	16			112SLBL	4139	34 measurements 1950 to 1987 MIN -260.02 MAX -197.29	T	E 100.00 hp	U	Historical observation well. Measured yield 950 GPM with 33 foot drawdown after pumping 28 hours in 1951. Specific capacity 29 GPM/ft. Reported yield 900 GPM in 1967. Well F-7 in TBWE B-5102.
5119302	Jim Cook	304253	1043944	00/00/1953	830					112SLBL	4130	3 measurements 1955 to 1973 MIN -225.85 MAX -194.75	T	E 50.00 hp	I	Historical observation well.
5119303	Dunham Land Inc.	304351	1043952	00/00/1953	483	C	16			112SLBL	4127	3 measurements 1956 to 1973 MIN -237.79 MAX -204.65	T	E	S	Historical observation well. Reported yield 835 GPM in 1973.
5119304	Means Ranch Co.	304409	1043814		312	C	5			112SLBL	4184	1 measurement 1972 -282.7	N		G	Old "Berrendo" well. Destroyed.
5119305	Means Ranch Co.	304410	1043814	06/19/1978	360	C C S C	6 5 5 5	0 0 328 353	40 328 353 360	112SLBL	4184	1 measurement 1978 -295	S	E	S	"Berrendo" well. Obstruction in well at 210 feet. Bailed 10 GPM in 1993.
5119306	White Ranch J. E. White, Jr.	304233	1043955	06/28/1977	390	C	5	0	390	112SLBL	4115		S	E	H	"House" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5119501	White Ranch	304110	1044046		252	C	4	0	245	112SLBL	4154		P	D	S	"Chispa Flat" well. Reported yield of 6 GPM in 1994.
								245	252				8.00 hp			
5119601	Alfred Means	304206	1043741	02/00/1964	332	C	7	0	237	112SLBL	4161	2 measurements	P	W	S	"Double" well.
						S	7	237	297			1964 to 1993				
						C	7	297	332			MIN -266.95 MAX -237				
5119801	Miller Ranch	303755	1044047	00/00/1930	467	C	6			120VLCC	4416	2 measurements	N		U	"Ninetysix" well.
												1972 to 1993				
												MIN -220.6 MAX -195				
5119802	White Ranch	303917	1044131	00/00/1946	504	C	7			120VLCC	4584	2 measurements	P	W	S	"Mountain" well.
												1980 to 1994				
												MIN -349 MAX -301.1				
5119901	Alton Ridley	303954	1043819		220	C	5			112SLBL	4173	2 measurements	P	W	S	"Robinson" well.
												1972 to 1994				
												MIN -162.98 MAX -162.98				
5119902	Miller Ranch	303819	1043802	00/00/1931	142	C	6	0	160	112SLBL	4195	55 measurements	N		U	"2 section" well.
												1955 to 2013				
												MIN -123.14 MAX -107.55				
5119903	Miller Ranch	303803	1043851		212	C	6			112SLBL	4216	1 measurement	N		U	"Willow" well.
												1993				
												-179.4				
5119904	Alton Ridley	303934	1044002		300	C	6			112SLBL	4215	1 measurement	P	W	S	"Hill" well.
												1994				
												-241.6				
5120201	Means Ranch Co.	304426	1043236		265	C	6			120VLCC	4440	1 measurement	P	W	S	"Ocotillo" well.
												1972				
												-244.4				
5120202	Means Ranch Co.	304433	1043347	04/04/1974	266	C	5	0	245	120VLCC	4372	1 measurement	P	W	S	"Pablo" well.
						S	5	245	266			1974				
												-200				

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5120203	Means Ranch Co.	304422	1043452		177	C	6			120VLCC	4332	1 measurement 1993 -172.45	N		U	"Murray" well.
5120301	Means Ranch Co.	304457	1043044		292	C	5			120VLCC	4422	1 measurement 1972 -253.33	P	W	S	"Crow" well.
5120401	Chispa Ranch Addison Terry	304019	1043626			C	6			112SLBL	4205	4 measurements 1961 to 1993 MIN -286.47 MAX -244	P	W	S	Measured yield 2 GPM in 1972. Depth entered as 280 as measured by USGS. Well depth was initially reported as 285+ on well schedule. Water level measurement in 1993 is deeper than both of those depths. Deleted well depth from database.
5120402	Southern Pacific Railroad	304018	1043612		270	C	7			112SLBL	4210	3 measurements 1948 to 1993 MIN -259.85 MAX -237.4	N		U	Unused industrial well. Well dry in 1993.
5120403	Chispa Ranch	304031	1043705	12/20/1980	744	C S C	16 16 16	0 351 743	351 743 744	112SLBL	4179	2 measurements 1993 to 1993 MIN -258.5 MAX -258.4	N		U	Reported yield 1250 GPM with 215 feet drawdown after pumping 10 hours in 1980. Specific capacity 6 GPM/ft.
5120404	Chispa Ranch	304050	1043716	11/30/1980	890	C S S	16 16 10	0 335 480	335 480 890	112SLBL	4175	2 measurements 1980 to 1993 MIN -253.4 MAX -235	N		U	Reported yield 2500 GPM with 215 feet drawdown in 1980. Specific capacity 12 GPM/ft.
5120405	Chispa Ranch	304141	1043730	11/03/1980	953	C S C S	16 16 12 12	0 333 549 737	333 549 737 953	112SLBL	4160	1 measurement 1993 -261.9	N		U	
5120406	Chispa Ranch	304129	1043712			C	8			112SLBL	4170	2 measurements 1993 to 1993 MIN -261 MAX -260.88	P	W	H	"House" well. Field conductance 390 umhos/cm in 1994.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5120407	Chispa Ranch	304115	1043702	10/22/1980	920	C	16	0	291	112SLBL	4176	2 measurements	N		U	
						S	16	291	491			1993 to 1993				
						C	16	491	505			MIN -263.1 MAX -263				
						C	12	505	540							
						S	12	540	599							
						C	12	599	658							
						S	12	658	701							
						C	12	701	760							
						S	12	760	920							
5120408	Chispa Ranch	304057	1043637	09/25/1980	1030	C	16	0	376	112SLBL	4185	2 measurements	N		U	Unused irrigation well.
						S	16	376	502			1993 to 1993				
						C	12	502	801			MIN -259.15 MAX -259.1				
						S	12	801	1030							
5120409	Chispa Ranch	304035	1043610	10/13/1980	990	C	16	0	270	112SLBL	4210	2 measurements	S	E	S	Unused irrigation well.
						S	16	270	308			1993 to 1993				
						C	16	308	352			MIN -262.6 MAX -261.55				
						S	16	352	503							
						C	16	503	533							
						C	12	520	782							
						S	12	782	824							
						C	12	824	889							
						S	12	889	990							
5120501	Alfred Means	304005	1043420	00/00/1950	360	C	8			112SLBL	4320	2 measurements	S	E	S	"Sauerkraut" well. Field conduct-
												1972 to 1993				ance 607 umho/cm in 1993.
												MIN -339.03 MAX -329.24				
5120601	Alfred Means	304157	1043010		1100	C	7	0	901	120VLCC	4956	1 measurement	P	W	S	"Dowman" well. Reported yield 10
								901	1100			1958				GPM in 1961.
												-790				
5120801	Alfred Means	303843	1043340		386	C	9			112SLBL	4323	2 measurements			U	"Caliche" well. Drilled for highway
						C	7					1972 to 1993				construction, converted to stock.
												MIN -326.23 MAX -318.9				
5120802	Chilicote Ranch	303839	1043452							112SLBL	4266	1 measurement	P	W	S	"Camino" well. Field conductance
												1994				577 umhos/cm in 1994.
												-294.22				

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5121101	Alfred Means	304322	1042836	00/00/1942	350	C	8			120VLCC	4488	2 measurements 1972 to 1993 MIN -312.27 MAX -312.27	P	W	S	"Butterfield" well. Measured yield 3 GPM in 1972. Obstruction in well-bore at 250 feet in 1993.
5121102	Alfred Means	304312	1042948			C	5			120VLCC	4626	1 measurement 1993	P	W	S	"Rito" well. Obstruction in well-bore at 70 feet in 1993.
5121201	Alfred Means	304406	1042523		434	C	6			120VLCC	4595	2 measurements 1972 to 1993 MIN -415.8 MAX -414.37	P	W	S	"Sacahuista" well. Reported yield 11 GPM in 1994.
5121501	Alfred Means	304129	1042647		438	C	6			120VLCC	4608	2 measurements 1972 to 1993 MIN -442 MAX -431.1	P	W	S	"Antelope" well. Depth was measured at 460 feet in 1972. Reported yield 11 GPM in 1994.
5121502	Nine Mile Waterhole	304127	1042645							110ALVP	4620					
5121701	Alfred Means	303836	1042749	00/00/1950	365	C	16	0 40	40 365	120VLCC	4532	2 measurements 1972 to 1993 MIN -49.35 MAX -12.9	S	E	S	Reported yield 100 GPM with a 130 foot pumping level in 1950.
5121702	Alfred Means	303836	1042748							120VLCC	4532	1 measurement 1993 -35.32	P	W	S	
5121703	Alfred Means	303840	1042749		115	C	6			120VLCC	4534	1 measurement 1993 -26.65	N		U	"Pecan Tree" well.
5121901	Alfred Means	303957	1042459		500	C	5			120VLCC	4745	1 measurement 1993	P	W	S	"Hereford" well. Obstruction in wellbore at 375 feet in 1993.
5122301	Reynolds Cattle Co.	304411	1041628		150	C	9			120VLCC	5484		P	W	S	"Upper Rincon" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5122302	Reynolds Cattle Co.	304417	1041504		420	C	9			120VLCC	5657	1 measurement 1971 -334	P	W	S	"Upper Geronimo" well.
5122303	Reynolds Cattle Co.	304418	1041503		420	C	6			120VLCC	5660		P	W	S	"Lower Geronimo" well.
5122501	Jessica McInnis	304019	1041816		170					120VLCC	5275	1 measurement 2001 -32.3	P	W	U	
5122502	Jessica McInnis	304005	1041818		84	C	7			120VLCC	5260	1 measurement 2001 -77.4	P	W	U	Rincon well.
5122701	Moore Ranch L. Crittendon	303928	1042015	00/00/1942	110	C	7			120VLCC	5048	17 measurements 1972 to 2013 MIN -78.62 MAX -24.3	P	W	S	"Pipeline" well. Measured yield 2 GPM in 1972.
5122801	Moore Ranch L. Crittendon	303950	1041939	00/00/1950	200	C	8			120VLCC	5120	21 measurements 1972 to 2013 MIN -139.59 MAX -76.95	S	E	H	North well at ranch headquarters. Reported yield 125 GPM in 1972.
5122802	Moore Ranch L. Crittendon	303937	1041950		35					120VLCC	5086	3 measurements 1972 to 2001 MIN -27.1 MAX -15.09	P	W	S	"Old House" well.
5122803	Moore Ranch L. Crittendon	303942	1041931		40					120VLCC	5110	2 measurements 1972 to 1994 MIN -30.8 MAX -17.28	J	E	H	Old well south of headquarters. Field conductance 395 umhos/cm in 1994.
5123103	Reynolds Cattle Co.	304239	1041250	09/01/1959	420	C	6			120IGNS	6040	1 measurement 2003 -325.73	P	W	H	"Rockpile House" well.
5123104	Reynolds Cattle Co.	304233	1041335	00/00/1959	413	C	6	0	413	120VLCC	5910		P	W	S	"Garden" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5123201	Reynolds Cattle Co.	304311	1041056	00/00/1961	230	C	6			120VLCC	5780	1 measurement 1971 -164.5	P	W	S	"McDaniel" well.
5123301	Reynolds Cattle Co.	304420	1040944		846	C	5			120VLCC	5790		P	W	S	"Watt" or "Reynolds" well. Deepened from 758 to 846 feet in 1965 by H. H. Virdell.
5123302		304237	1040811			C	6			120IGNS	6060	1 measurement 2003 -680.95				House Log Mill.
5123401	Reynolds Cattle Co.	304206	1041315	00/00/1953	721	C S C S	6 6 6 6	0 655 676 697	655 676 697 721	210CRCS	6050	2 measurements 1953 to 1971 MIN -378.9 MAX -175	P	G	S	"Sawtooth" well. Reported bailed 36 GPM in 1953.
5123501	Reynolds Cattle Co.	304150	1041138		240	C	9	0 180	180 240	120VLCC	5910	1 measurement 1953 -212	P	W	S	"North Fon" well. Deepened from 201 to 240 feet by E. E. Doyal in 1953.
5123502	Reynolds Cattle Co.	304149	1041138		225	C S	5 5	0 182	182 225	120VLCC	5910	1 measurement 1965 -182	P	W	S	"South Fon" well. Deepened from 170 to 225 feet in 1965 by H. H. Virdell. Reported bailed 25 GPM in 1965.
5123601	Davis Mountain Preserve	304132	1040805			C	6			120VLCC	6038	1 measurement 2001 -202.9	P	W	S	Right Hand windmill.
5123901	Freeman	303752	1040745							120IGNS	6007					Data from 7/09 LBG report.
5123902	The Nature Conservancy No Name Canyon	303811	1040853							120IGNS	6521				S	Data from 7/09 LBG report.
5123903	The Nature Conservancy Limpia Spring	303815	1040826							120IGNS	6305				S	Data from 7/09 LBG report.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5124401	Randy Glover	304218	1040646	01/26/1998	805	C	6	0	25	120IGNS	5922	1 measurement 1998 -690	S	E	H	Estimated yield 6 GPM with 24 feet drawdown after 2 hours in 1998. Specific capacity 0.25 GPM/ft. Estimated transmissivity 26 sqft/ day. Estimated hydraulic conductiv- ity 1.3 ft/day.
						C	5	0	690							
						S	5	690	710							
						C	5	710	805							
5124402	---Jagger	304138	1040533							120IGNS	5915					Data from 7/09 LBG report.
5124601	University of Texas McDonald Observatory	304041	1040112	00/00/1935	870	C	6	0	817	120VLCC	6300	4 measurements 1956 to 2001 MIN -815.7 MAX -700	N		U	"Old No. 1" well. Measured yield 24 GPM in 1956. Originally drilled to 1330 feet. Geophysical log Q-28. Pump and equipment pulled, well capped 4/2001 by Dubose Drilling.
							6	817	870							
5124701	Queen Limpia Creek Lower	303748	1040724							120IGNS	5937				S	Data from 7/09 LBG report.
5124901	University of Texas McDonald Observatory	303814	1040141	10/03/1973	525	C	11	0	62	120IGNS	5308	40 measurements 1974 to 2013 MIN -241.4 MAX -235.4			U	"No. 1" well. Sul Ross recorder well. Aquifer test by LBG in 1999. Test results in TWDB files.
						C	7	0	250							
						S	7	250	325							
						C	7	325	345							
						S	7	345	350							
						C	7	350	426							
						S	7	426	499							
						C	7	499	525							
5124902	University of Texas McDonald Observatory	303808	1040124	11/23/1973	550	C	11	0	70	120IGNS	5288	2 measurements 1974 to 2001 MIN -220 MAX -218.3	S	E	P	"No. 2" well. MP= +2.00 feet TOC. Aquifer test by LBG in 1999. Graph in TWDB files.
						C	7	0	245							
						S	7	245	250							
						C	7	250	330							
						S	7	330	389							
						C	7	389	464							
						S	7	464	520							
						C	7	520	528							
						S	7	528	545							
						C	7	545	550							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5124903	Rocky Beavers	303735	1040003			C	6			120VLCC	5440	1 measurement 2001 -104	P	W	S	Concrete Tank well.
5125301	L. Moody Bennett	303651	1045348							112GRBL	3235				S	"Ash" spring. Estimated yield 3-4 GPM in 1974.
5125302	L. Moody Bennett	303651	1045349							112GRBL	3285				S	Seepy area west of Ash Spring about 40 ft in diameter. Estimated yield yield 3-4 GPM in 1974.
5127201	Miller Ranch	303619	1044039		307	C	5			120VLCC	4440	1 measurement 1993 -289.9	N		U	Old well at "West" site.
5127202	Miller Ranch	303619	1044041	07/24/1974	340	C	7			120VLCC	4470	1 measurement 1993	P	W	S	New well at "West" site. Obstruct-ion in wellbore at 185 feet. Field conductance 424 umho/cm in 1993.
5127301	Miller Ranch	303646	1043826	11/00/1949	304	C	16			112SLBL	4215	8 measurements 1955 to 1993 MIN -102.47 MAX -85.78	T	G	S	"No. 2 Farm" well. Historical obs-ervation well.
5127302	Miller Ranch	303544	1043845	00/00/1948	425	C S	20 7	0 200	200 425	120VLCC	4254	54 measurements 1955 to 2013 MIN -83.85 MAX -53.9	S	E	S	"No. 1 Field" well. Estimated yield 250 GPM with 49 feet drawdown in 1960. Specific capacity 5 GPM/ft. Reported yield 375 GPM in 1970. Field conductance 328 umhos/cm in 1993.
5127303	Clay Miller Kimball Well	303513	1043750		132					112SLBL	4244	2 measurements 1993 to 2001 MIN -110.4 MAX -107.25	S	E	H	"Kimball" well. MP= +0.00 feet
5127304	Miller Ranch	303601	1043842		90	C	6			112SLBL	4241	1 measurement 1993 -61.2	N		U	"Ebers" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5127501	Miller Ranch	303455	1044031	00/00/1945	227	C	8			120VLCC	4473	2 measurements 1972 to 1993 MIN -227.1 MAX -222.85	P	W	S	"Roosevelt" well.
5127502	Miller Ranch	303421	1044113		215	C C	8 6			120IGNS	5099	2 measurements 1993 to 2003 MIN -135.54 MAX -123.89	N		U	"Bobcat Canyon" well.
5127601	Miller Ranch	303417	1043929		143	C	7			120IGNS	4350	3 measurements 1972 to 2003 MIN -131.8 MAX -111.2	N		U	"Glidwell" well.
5128101	Chilicote Ranch	303557	1043601		325	C	5			112SLBL	4290	1 measurement 1972 -291.78	N		U	Original well at "Bell House" site. Caved and abandoned.
5128102	Miller Ranch	303653	1043731			C	6			112SLBL	4221	1 measurement 1993 -203.95	N		U	"Pierce" well.
5128103	Chilicote Ranch	303651	1043511			C	5			112SLBL	4410		P	W	S	"Campana Norte" well. Obstruction in wellbore at 230 feet in 1994. Field conductance from tank water 416 umhos/cm in 1994.
5128104	Chilicote Ranch	303557	1043602	06/04/1976	380	C	4	0	375	112SLBL	4285	1 measurement 1976 -310	P	W	S	"Bell House" well. Replaces original well at this site. Obstruction in wellbore at 235 feet in 1994.
5128201	L. Moody Bennett	303638	1043329			C	6			112SLBL	4376	1 measurement 1994 -343	P	W	S	Well in northeast corner of section 365.
5128301	L. Moody Bennett	303622	1043129		320					112SLBL	4370	1 measurement 1972 -307.4	P	W	S	Well near highway in section 301.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5128302	Two-Bar Land & Cattle Co.	303541	1043157	05/12/1975	922	C	16	0	330	112SLBL	4370	2 measurements 1975 to 1993 MIN -319.1 MAX -312	N		U	Test hole No. 10, well No. 1. Reported yield 1230 GPM in 1975 and 1400 GPM in 1976.
						S	16	330	650							
						S	10	650	730							
								730	922							
5128303	City of El Paso Antelope Valley Ranch	303526	1043053	05/09/1979	3422	C	16	0	532	112SLBL	4395	29 measurements 1979 to 2013 MIN -394 MAX -323.87	N		U	Section 271 well. Reported yield 2250 GPM with 198 feet drawdown in 1979. Specific capacity 11 GPM/ft. Reported yield 500 GPM with 73 feet drawdown after pumping 11 hours in 2000. Specific capacity 6.79 GPM/ft.
						S	16	532	686							
						C	16	686	705							
						C	12	675	757							
						S	12	757	838							
						C	12	838	918							
						S	12	918	999							
						C	12	999	1119							
						S	12	1119	1200							
						C	12	1200	1361							
						S	12	1361	1482							
						C	12	1482	1723							
						S	12	1723	1823							
						C	12	1823	2028							
						S	12	2028	2126							
						C	12	2126	2484							
						S	12	2484	2582							
						C	12	2582	2782							
						S	12	2782	3128							
								3128	3422							
5128304	Two-Bar Land & Cattle Co.	303509	1043153	06/03/1976	797	C	16	0	456	112SLBL	4369	1 measurement 1993 -319.1	N		U	
						S	16	456	678							
						C	16	678	718							
								718	797							
5128401	Chilicote Ranch	303440	1043523			C	6			112SLBL	4298	1 measurement 1994 -304.18	P	W	S	"Campana Sur" well. Field conductance 672 umhos/cm in 1994.
5128402	Chilicote Ranch	303330	1043516	06/24/1976	340	C	5	0	340	112SLBL	4280	1 measurement 1994 -267.64	P	W	S	"Two Bar" well. Reported jetted 35 GPM in 1976.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5128501	Two-Bar Land & Cattle Co.	303253	1043241							112SLBL	4320		N		G	Destroyed.
5128601	Two-Bar Land & Cattle Co.	303456	1043225		435	C	6			112SLBL	4350	2 measurements 1955 to 1972 MIN -313.68 MAX -305.2	N		G	"Vaca Muerte" well. Reported in 1972 to have been deepened from 360 to 435 feet. Destroyed.
5128602	Two Bar Land & Cattle Co.	303244	1043211	09/12/1931	74	C	6			112SLBL	4325		N		U	"Foley" well. Depth measured 107 feet in 1972.
5128603	Two-Bar Land & Cattle Co.	303302	1043209	07/20/1975	620	C S	16 16	0 300	300 620	112SLBL	4332	1 measurement 1994 -215.14	N		U	Test hole No. 8, well No. 2. Reported yield 1250 GPM in 1975.
5128604	Two-Bar Land & Cattle Co.	303436	1043153	08/15/1974	450	C	5			112SLBL	4355				S	Test hole No. 9. Originally drilled to 910 feet. Unable to locate in 1994.
5128605	City of El Paso Antelope Valley Ranch	303342	1043052	05/21/1979	1571	C S C C S C S S	16 16 16 12 12 12 12 12	0 657 899 914 1113 1314 1354 1394	657 899 920 1113 1314 1354 1394 1571	112SLBL	4375	3 measurements 1985 to 1991 MIN -281.32 MAX -275	N		U	Section 269 well.
5128606	City of El Paso Antelope Valley Ranch	303434	1043052	03/26/1979	3188	C S C S C S	16 16 12 12 12 12	0 664 868 1719 1769 2991	664 900 1719 1769 2991 3188	112SLBL	4389	7 measurements 1979 to 1994 MIN -288 MAX -245	N		I	Section 270 well. Reported yield 2300 GPM with 316 feet drawdown in 1979. Specific capacity 7 GPM/ft. Obstruction in wellbore at 253 feet in 1994.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5128607	City of El Paso	303248	1043051	03/04/1979	1751	C	16	0	583	112SLBL	4365	28 measurements	N		U	Section 268 well. Reported yield
	Antelope Valley Ranch					S	16	583	825			1979 to 2013				1750 GPM in 1981.
						C	16	825	840			MIN -296 MAX -216				
						C	12	830	874							
						C	12	874	954							
						C	12	954	1273							
						S	12	1273	1352							
						C	12	1352	1515							
						S	12	1515	1613							
						C	12	1613	1652							
						S	12	1652	1751							
5128608	Valentine Realty	303335	1043228	08/00/1979	770	C	16	0	500	112SLBL	4328	2 measurements	N		U	
	Development					S	16	500	530			1979 to 1994				
						C	16	530	560			MIN -205.87 MAX -180				
						S	16	560	750							
						C	16	750	770							
5129101	Alfred Means	303558	1042923	00/00/1950	295	C	6			112SLBL	4452	3 measurements	S	E	S	"Dutch Girl" or "Red" well. Depth
												1972 to 1993	1.50 hp			reported 365 feet in 1961. Measured
												MIN -220.2 MAX -211.1				yield 3 GPM in 1972.
5129102	Alfred Means	303545	1042918	00/00/1951	8370					NOT-APPL	4448					Killiam-Cole Means No. 1. Oil test. Geophysical log Q-10. Well ID No. 14C1 in TWDB Report 157. Drilled to Trinity formation.
5129103	Valentine Independent	303526	1042932	10/29/1962	407	C	10	0	80	112SLBL	4443	3 measurements	S	E	P	Supplies school, 4 houses, and
	School District					C	7	0	210			1962 to 1993	3.00 hp			irrigates lawns. Measured drawdown
						S	7	210	385			MIN -219.2 MAX -210				of 12 feet after pumping for 15
						C	7	385	407							minutes in 1993.
5129104	City of Valentine	303520	1042948	00/00/1944	870	C	8			112SLBL	4433	4 measurements	S	E	P	Reported discharge 80 GPM in 1948.
	Well #1											1948 to 2001	15.00 hp			Measured yield 60 GPM with 135 feet
												MIN -318.1 MAX -270				drawdown after pumping for 1 hour in 1993. Specific capacity 0.4 GPM/ft. Field conductance 302 umhos/cm in 1993. Aquifer test by LBG in 2004. Graph in TWDB files.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5129105	Southern Pacific Railroad	303517	1042957	09/15/1937	867	C S	12 12	0 336	336 867	112SLBL	4426	1 measurement 1974 -313.37	S	E	U	Well No. 4. Measured yield 150 GPM with 86 feet drawdown after pumping 18 hours in 1937. Specific capacity 2 GPM/ft.
5129401	City of El Paso Antelope Valley Ranch	303341	1042805		255	C	5			112SLBL	4475	3 measurements 1972 to 1994 MIN -241.45 MAX -235.9	P	W	S	Windmill in section 158. Measured yield 2.25 GPM in 1972. Field conductance 310 umhos/cm in 1994.
5129402	Roy Kelley	303448	1042921		345	C	7			112SLBL	4435	1 measurement 1973 -254.78	P	W	H	Field conductance 324 umhos/cm in 1994.
5129403	City of El Paso Antelope Valley Ranch	303250	1042752	08/01/1979	1305	C S C C S	16 16 16 12 12 12	0 633 1131 1118 1150 1274	633 1131 1138 1150 1274 1305	112SLBL	4475	15 measurements 1981 to 2000 MIN -345 MAX -284.98	N		U	Section 159 well. Measured yield 2175 GPM with 181 feet drawdown after pumping 14 hours in 1979. Specific capacity 12 GPM/ft.
5129404	City of El Paso Antelope Valley Ranch	303251	1042850	07/15/1979	1400	C S C S C S	16 16 16 16 16 12	0 597 879 1040 1121 1116	597 879 1040 1121 1141 1400	112SLBL	4435	12 measurements 1979 to 2000 MIN -305 MAX -247.55	N		U	Section 196 well. Measured yield 4100 GPM with 132 feet drawdown after pumping 17 hours in 1979. Specific capacity 31 GPM/ft.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5129405	City of El Paso	303346	1042851	08/00/1979	1858	C	16	0	570	112SLBL	4444	6 measurements	N		U	Section 197 well. Reported yield
	Antelope Valley Ranch					S	16	570	853			1979 to 1994				1100 GPM in 1979.
						C	16	853	915			MIN -338 MAX -270.23				
						S	16	915	995							
						C	16	995	1054							
						S	16	1054	1095							
						C	16	1095	1106							
						C	12	1079	1160							
						S	12	1160	1248							
						C	12	1248	1292							
						S	12	1292	1375							
						C	12	1375	1415							
						S	12	1415	1495							
						C	12	1495	1535							
						S	12	1535	1616							
						C	12	1616	1657							
						S	12	1657	1737							
						C	12	1737	1777							
						S	12	1777	1858							
5129406	City of El Paso	303342	1042952	00/00/1979	4001	C	16	0	610	112SLBL	4405	7 measurements	N		U	Section 232 well. Measured yield
	Antelope Valley Ranch					S	16	610	930			1979 to 1994				2325 GPM with 138 feet drawdown in
						C	12	872	1033			MIN -328 MAX -237				1979. Specific capacity 17 GPM/ft.
						S	12	1033	1154							
						C	12	1154	1516							
						S	12	1516	1798							
						C	12	1798	2449							
						S	12	2449	2498							
						C	12	2498	2863							
						S	12	2863	2912							
						C	12	2912	3110							
						S	12	3110	3258							
						C	12	3258	3383							
						S	12	3383	3635							
								3635	4001							
5129407	City of El Paso	303251	1042950	02/24/1979	958	C	16	0	634	112SLBL	4400	4 measurements	N		U	Section 233 well. Reported yield
	Antelope Valley Ranch					S	16	634	958			1981 to 1991				1960 GPM in 1981.
												MIN -276 MAX -220.56				

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5129501	Alton Ridley	303406	1042720		242	C	5			112SLBL	4510	1 measurement 1994 -234.66	N		U	"Foley" well.
5129502	Alton Ridley	303341	1042659	05/24/1978	300	C S	5 5	0 275	275 300	112SLBL	4519	1 measurement 1994 -248.25	P	W	S	"Omen" well.
5129702	City of El Paso Antelope Valley Ranch	303159	1042749	01/29/1979	1470	C S C S	16 16 12 12	0 797 1100 1355 1405	797 1127 1355 1405 1470	112SLBL	4478	8 measurements 1979 to 2000 MIN -346 MAX -278.03	T	D	I	Section 160 well. Measured yield 3750 GPM with 75 feet drawdown after pumping 10 hours in 1979. Specific capacity 50 GPM/ft. Reported yield 1830 GPM with a maximum drawdown of 85 feet after pumping 164 hours in 2000. Specific capacity 21.5 GPM/ft.
5129703	City of El Paso Antelope Valley Ranch	303158	1042844	01/05/1979	1300	C S C S C S	16 16 16 16 13 13	0 531 673 733 858 1202	531 673 733 873 1202 1300	112SLBL	4440	1 measurement 1991 -251.8	N		U	Section 195 well. Reported yield 800 GPM in 1979.
5129704	City of El Paso Antelope Valley Ranch	303157	1042856	05/30/1979	1770	C S C C S C S C S C S	16 16 16 12 12 12 12 12 12 12 12	0 490 1134 1127 1168 1241 1281 1362 1403 1487 1528	490 1134 1155 1168 1241 1281 1362 1403 1487 1528 1770	112SLBL	4432	15 measurements 1979 to 2000 MIN -390 MAX -247.76	N		U	Section 195 1/2 well. Measured yield 1758 GPM with 150 feet drawdown after pumping 10 hours in 1981. Specific capacity 12 GPM/ft.
5129705	City of El Paso Antelope Valley Ranch	303159	1042949	12/01/1978	1307	C S C S	16 16 12 12	0 470 927 1205	470 940 1205 1307	112SLBL	4402	5 measurements 1978 to 1991 MIN -270 MAX -204	T	D	I	Section 234 well. Measured yield 2600 GPM with 92 feet drawdown in 1978. Specific capacity 28 GPM/ft.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5129801	City of El Paso (Worth Evans)	303217	1042628	00/00/1937	400	C	7			112SLBL	4534	1 measurement 1972 -307.26	N		G	Rig supply well for oil test Wilcox, Jones, and Coffield No. 1. drilled 150 feet east. Destroyed.
5129803	City of El Paso Antelope Valley Ranch	303217	1042623	04/28/1979	950	C S	8 8	0 502	502 950	112SLBL	4538	4 measurements 1979 to 1987 MIN -315 MAX -270	S	E	H	Well at headquarters. Field conductance 292 umhos/cm in 1993.
5129804	City of El Paso Antelope Valley Ranch	303159	1042650	02/19/1979	2632	C S C C S C S C S 	16 16 16 12 12 12 12 12 12 12	0 956 966 1169 1253 1307 1709 1807 2077 2175	956 996 1210 1253 1307 1709 1807 2077 2175 2632	112SLBL	4526	12 measurements 1994 to 2000 MIN -381.6 MAX -380.99	N		U	Section 121 well.
5130301	Ben Gearhart, Jr.	303645	1041558	00/00/1957	135	C	4			120VLCC	5400		N		U	
5130302	Ben Gearhart, Jr.	303646	1041559		150	C	8			120VLCC	5401	1 measurement 1994 -21.5	S	E	H	Field conductance 499 umhos/cm in 1994. Well was pumping at time of water level measurement.
5130303	Ben Gearhart, Jr.	303645	1041603			C	4			120VLCC	5492	2 measurements 1994 to 2001 MIN -8.95 MAX -7.7	P	W	S	Well 302 was pumping at time of water level measurement.
5130601	Cle-Vel Ranch	303312	1041607		10	C	5			120VLCC	5160	1 measurement 1972 0.48	S	E	S	Estimated flow 5 GPM in 1972.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5130602	James Dyer	303237	1041559	03/18/1977	246	C	6	0	33	120VLCC	5185	3 measurements	S	E	S	"Entrance" well. Reported yield of
	Kelly Ranch					C	5	0	77			1977 to 2001				5 GPM by owner.
						S	5	77	80			MIN -71 MAX -60				
						C	5	80	185							
						S	5	185	191							
						C	5	191	246							
5130603	James Dyer	303315	1041639	03/15/1977	405	C	6	0	50	120VLCC	5129	2 measurements	P	W	S	"Windmill" well. Originally drilled
	Kelly Ranch					C	5	0	82			1977 to 1994				to 102 feet in 1977, deepened on
						S	5	82	88			MIN -75 MAX -72.19				6/6/1978. Driller reports yield
						C	5	88	102							in original well of 34 GPM.
								102	405							
5130604	James Dyer	303311	1041636	07/12/1978	513	C	6	0	51	120VLCC	5130	2 measurements	S	E	S	Submersible well at "Windmill"
	Kelly Ranch					C	5	0	114			1978 to 2001				site. Field water quality para-
						S	5	114	120			MIN -243 MAX -66.6				meters: ph-7.37, 23.7C, 532 umhos/
						C	5	120	356							cm, 134.5 mV in 1994.
						S	5	356	368							
						C	5	368	480							
								480	513							
5130605	James Dyer	303453	1041721	03/23/1977	246	C	6	0	51	120VLCC	5152	3 measurements	S	E	S	"Gearhart" well. Reported yield of
	Kelly Ranch					C	5	0	215			1977 to 2001				20 GPM by owner.
						S	5	215	221			MIN -65 MAX -31.1				
						C	5	221	246							
5130701		303231	1042032							110ALVM	4838					
	El Muerto Springs															
5130801	James Dyer	303221	1041933	00/00/1934	457	C	13	0	6	120VLCC	4952	3 measurements	N		U	"Oil Test" well. Drilled as a rig
	Kelly Ranch							6	341			1972 to 2001				supply well. Depth of 457 feet
												MIN -363.8 MAX -317.34				measured in 1972.
																Well may have filled in. Depth was
																measured at 341 feet in 1994.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5130901	James Dyer	303205	1041622	05/03/1978	506	C	6	0	10	120VLCC	5320	1 measurement	S	E	H	"House" well. Reported yield of 15
	Kelly Ranch					C	5	0	366			1978				to 20 GPM by owner. Field conduct-
						S	5	366	369			-347				ance 356 umhos/cm in 1994.
						C	5	369	384							
						S	5	384	390							
						C	5	390	457							
						S	5	457	465							
						C	5	465	506							
5131101	Bill Gearhart, Ranch	303711	1041359		105	C	6			120VLCC	5780	1 measurement	P	W	S	Wood Canyon Ranch.
												2001				
												-58.3				
5131601	Bloy's Camp Meeting	303244	1040832	06/13/1970	150	C	7	0	110	120VLCC	5788	1 measurement	S	E	H	Well No. 1.
	Association					S	7	110	150			1970				
												-92				
5131602	Bloy's Camp Meeting	303248	1040806	06/07/1983	247	C	7	0	42	120VLCC	5760	2 measurements	S	E	H	Well No. 4. Estimated jetted 50 GPM
	Association					C	4	0	207			1983 to 2001	5.00 hp			in 1983.
						S	4	207	247			MIN -100.1 MAX -88				
5131603	Bloy's Camp Meeting	303234	1040831	06/02/1983	340	C	7	0	39	120VLCC	5790	1 measurement	S	E	H	Well No. 5. Estimated yield 30 GPM
	Association					C	6	0	110			1983	3.00	3 hp		in 1983.
						S	6	110	120			-96				
						C	6	120	300							
						S	6	300	320							
						C	6	320	340							
5131701	Dunham Land Inc.	303131	1041325		150	C	5			120VLCC	5398	1 measurement	S	E	H	
	(Barrel Springs Ranch)											1972	15.00 hp			
												-14				
5131702	Dunham Land Inc.	303101	1041410		15					120VLCC	5347	1 measurement	P	W	U	West well at ranch headquarters.
	(Barrel Springs Ranch)											1972				
												-11.2				
5131703		303231	1041432							120VLCC	5523					
	Barrel Springs															

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5131801	Oscar Medley	303128	1041029		100	C	6			120VLCC	5681	1 measurement 2001 -40	S	E	S	
5132101	Davis Mountain Resort RV Park	303618	1040610							120VLCC	5790		S	E	P	
5132102	Julian Pierce DMR #39	303716	1040652	12/11/1988	150	C C S	7 5 5 6	0 0 59 80	6 59 80 150	120IGNS	5858	1 measurement 1989 -20	S	E	H	Estimated yield 8 GPM with 40 feet drawdown after 1 hour in 1989. Specific capacity 0.2 GPM/ft. Estimated transmissivity 20.16 sqft/day. Estimated hydraulic conductivity 0.96 ft/day.
5132103	Julian Pierce	303715	1040652	08/03/1989	130	C C S	7 5 5 6	0 0 75 105	50 75 105 130	120IGNS	5858	1 measurement 1989 -38	S	E	H	Well is 25 feet south of 102. Estimated yield 8 GPM with 60 feet drawdown after 1 hour in 1989. Specific capacity 0.13 GPM/ft. Estimated transmissivity 12.83 sqft/day. Estimated hydraulic conductivity 0.43 ft/day.
5132301	Rocky Beavers	303724	1040016			C	6			120VLCC	5305	1 measurement 2001 -307.5	S	E	H	House well. Reported yield 17 GPM in 2001.
5132401	Dick Swartz	303242	1040638		224	C	6	0 150	150 224	120VLCC	5640	1 measurement 1960 -200	P	W	H	
5132402	James Dyer	303318	1040708	09/00/1971	400	C	6	0	82	120VLCC	5720	1 measurement 1996 -176.18	S	E	S	Owner's "North Pasture" well.
5132403	Johnny Wofford	303333	1040557	00/00/1930	240					120VLCC	5703	18 measurements 1996 to 2012 MIN -160.7 MAX -129.05	P	S	S	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5132404	Johnny Wofford	303332	1040555	00/00/1967	260	C	6			120VLCC	5703	2 measurements 1996 to 2013 MIN -140 MAX -140	S	E	H	Depth to pump bowl is 180 ft. House well.
5132601	Blue Mountain Vineyard	303251	1040035	09/07/1976	506	C	6	0	99	120VLCC	5335	3 measurements 1976 to 1996 MIN -194.8 MAX -120	S	E	I	Owners "No. 1" or "Big" well. Test hole No. 1. Reported yield 55 GPM in 1976.
						C	5	0	210							
						S	5	210	250							
								250	506							
5132602	Blue Mountain Vineyard	303243	1040011	02/07/1984	300	C	10			120VLCC	5280	2 measurements 1984 to 1996 MIN -168.5 MAX -150	S 5.00 hp	E	I	Owner's "No. 2" or "East" well. Reported yield 30-35 GPM in 1996.
						C	8									
						C	6									
						C	6	0	122							
								122	300							
5132603	Blue Mountain Vineyard	303253	1040051	01/10/1977	500	C	8	0	38	120VLCC	5375	3 measurements 1977 to 1996 MIN -137.59 MAX -116	S	E	I	Owner's "No.3" well. Test hole No. 2. Reported yield 5-10 GPM in 1996.
						C	6	0	95							
						C	5	0	133							
						S	5	133	139							
						C	5	139	218							
						S	5	218	227							
						C	5	227	289							
								289	500							
5132604	Blue Mountain Vineyard	303304	1040038	02/16/1984	327	C	6	0	58	120VLCC	5392	18 measurements 1984 to 2012 MIN -241.35 MAX -238.93	N		U	Unused well north of shed and west of vineyard.
						C	4	0	297							
						S	4	297	317							
						C	4	317	327							
5132605	Blue Mountain Vineyard	303329	1040040	07/08/1983	275	C	8	0	23	120VLCC	5614		N		U	Abandoned domestic well at north fenceline. Obstruction in wellbore at 178 feet in 1996.
						C	5	0	269							
								269	275							
5132701	Fritz Kahl	303119	1040626		100	C	6			120VLCC	5501	1 measurement 2001 -86.9	P	W	S	
5132702	Fritz Kahl	303014	1040705		100	C	6			120VLCC	5415	1 measurement 2001 -58.4	S	E	H	House well. Field water quality= pH= 7.5, Temp= 22.6, Conductivity= 394 mmhos/cm in 2001.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5132801	James Dyer	303213	1040455		210					120VLCC	5618	1 measurement 1996 -95.33	S	E 0.75 hp	H	Owner's "Dean" well.
5132802	James Dyer	303214	1040451		110	C C	9 6			120VLCC	5516	1 measurement 1996 -83.39	S	E	H	Owner's "House" well.
5132803	James Dyer	303211	1040449	00/00/1995	345	C C	6	0 0	24 345	120VLCC	5514	18 measurements 1996 to 2013 MIN -138.84 MAX -48.8	S	E	S	Owner's Hill Trap Stock well.
5132804	James Dyer	303222	1040442		100	C	7			120VLCC	5514	2 measurements 1996 to 2001 MIN -97.5 MAX -79.96	S	E	S	Across highway from Hill Trap.
5132901	J. Charles Kelley	303158	1040131	10/12/1976	198	C C S	7 6 6	0 0 178	28 178 198	100ALVM	5292	19 measurements 1976 to 2013 MIN -160 MAX -151.39	S	E	H	Reported yield 6-8 GPM by owner in 1985.
5132902	Blue Mountain Vineyard	303223	1040020	08/20/1983	300	C C	10 6	0	300	120VLCC	5240	1 measurement 1996 -172.29	S	E	H	Piped to owner's house.
5132903	Blue Mountain Vineyard	303229	1040042	02/03/1977	278	C	6	0 112	112 278	120VLCC	5290	3 measurements 1977 to 1996 MIN -140 MAX -129	N		U	Owner's "Ninemile" well. Test hole No. 3. Originally drilled to 506 feet, caved.
5132904	James Dyer	303147	1040059			C	9			120VLCC	5250		S	E	H	
5132905	James Dyer	303146	1040101							120VLCC	5251		S	E	S	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5132906	James Dyer	303149	1040113	07/13/1999	300	C S	8 6	0 100	100 300	120IGNS	569	2 measurements 1999 to 2008 MIN -180 MAX -176.6	S	E	S	"Big" well. Reported yield 150 GPM when drilled in 1999. Measured yie-ld 112.5 GPM with 2.6 feet drawdown after pumping 18 hours in 2008. Specific capacity 43 GPM/ft. Trans-missivity 63,190 gpd/ft. Aquifer test. Well 907 used as observation well.
5132907	James Dyer	303149	1040107	06/14/1999	222	C C S	7 5 5	0 0 52	52 52 222	120IGNS	5263	1 measurement 2008 -170.4	S	E	S	Observation well for test of 906. Transmissivity 59,400 gpd/ft. Storage coefficient 4.2 X 10-4. Graph in TWDB files.
5140101	Bud Coffey	302810	1040635	00/00/1969	360	C	6			120VLCC	5268	1 measurement 2001 -129.7	S	E	S	
5140102	Bud Coffey	302817	1040623	00/00/1998	180	C	6			120VLCC	5238	1 measurement 2001 -136.7	S	E	H	House well. Field water quality= pH= 7.7, Temp= 22.3, Conductivity= 348 mmhos/cm in 2001.
5140103	James Dyer	302842	1040639	00/00/1935	100	C	6			120VLCC	5271	1 measurement 2001 -46.8	S	E	S	
5140104	Dorris Smith	302838	1040636	00/00/1964	125	C	6			120VLCC	5264	1 measurement 2001 -63.2	S	E	H	
5201201	Buck Hamilton	305732	1035509		150	C	6			120VLCC	3740	2 measurements 1970 to 1997 MIN -97.8 MAX -83.25	P	W	S	Owner's "Kingston" well.
5201202	SI Bar KC Ranch	305753	1035602	00/00/1940	180	C	7			120VLCC	3781	3 measurements 1969 to 2001 MIN -133.3 MAX -122.33	P	W	S	Owner's "Red Mill" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5201203	SI Bar KC Ranch	305925	1035619			C	7	210CRCS	3798	4 measurements 1959 to 2001 MIN -315.48 MAX -67.7	P	W	S	Owner's "4 Section" well. Depth reported as 108 in Bulletin 6214 (Well T-21). Reported as 200 ft on well schedule from 1997. Note on same well schedule says well was probably deepened.
5201401	SI Bar KC Ranch	305651	1035735		314	C	6	210CRCS	3970	3 measurements 1969 to 2001 MIN -285.36 MAX -276.8	P	W	S	Owner's "Cherry Canyon" well.
5201402	SI Bar KC Ranch	305702	1035934	00/00/1954	8630			NOT-APPL	4088		N		G	Rousanville No. 1. Oil test. Geophysical log Q-1. Destroyed. Well ID No. 15C16 in TWDB Report 157. Drilled to Devonian formation.
5201403	Fannye Lovelady	305514	1035745	00/00/1962	7003			NOT-APPL	4025		N		U	Lovelady No. 1. Oil test. Geophysical log Q-5.
5201404	Timber Mountain Ranch Pole Pen well	305518	1035906			C C	7 4	210CRCS	4167	2 measurements 1997 to 2001 MIN -220.4 MAX -220	S	E	S	Owner's "Pole Pen" well.
5201502	W. L. Kingston	305553	1035619	00/00/1955	10946			NOT-APPL	3923		N		U	Kingston, etal "A" No. 1. Geophysical log Q-6. Well ID No. 15C19 in TWDB Report 157. Drilled to Ellenburger formation.
5201503	Timber Mountain Ranch Wildcat well	305521	1035634			C	8	210CRCS	3903	2 measurements 1997 to 2001 MIN -125.34 MAX -125.34	P	W	S	Owner's "Wildcat" well. Reported to be drilled for rig supply.
5201801	Timber Mountain Ranch	305236	1035608		700	C	5	210CRCS	4060	1 measurement 1969 -365	P	W	S	Owner's "Bump Gate" well. Foreman reports foot valve at 650 feet.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5201901	Madera Hills Ranch	305439	1035309		200	C	4			120VLCC	3698	2 measurements 1997 to 2001 MIN -151 MAX -145	P	W	S	"Clark" well on map.
5201902	Timber Mountain Ranch Caliche Pit Well	305244	1035459	10/01/1968	623	C	6	0	490	210CRCS	3890	3 measurements 1969 to 1997 MIN -334.9 MAX -315.9	S	E	S	Owner's "Caliche Pit" well. Geophysical log Q-23. Originally drilled to 496 feet. Deepened 10/10/69 by Taylor. Field conductance 429 umhos/cm in 2001.
								490	623							
5201903	Timber Mountain Ranch	305310	1035236	10/15/1969	300	C	6	0	95	210CRCS	3651	4 measurements 1969 to 2001 MIN -82.1 MAX -62.43	P	W	S	Owner's "Corral" well. Geophysical log Q-25.
						S	6	95	105							
						C	6	105	230							
						S	6	230	240							
						C	6	240	267							
						S	6	267	290							
						C	6	290	300							
5202401	Buck Hamilton	305613	1035109		96	C	6			210CRCS	3556	37 measurements 1970 to 2013 MIN -85.33 MAX -71.4	S	S	S	Owner's "Two Section" well.
5202403	N. C. Huelster Est. Kim Huelster	305513	1035038	04/30/1962	354	C	12	0	342	110AVTC	3498	58 measurements 1969 to 2013 MIN -76.53 MAX -33.53	S		U	Originally drilled to 374 feet. Logged to 354 feet in 1969. Reported yield 400 GPM in 1969. Geophysical log Q-24.
							12	342	354							
5202404	Madera Valley W. S. C. Huelster - #1	305503	1035040	02/00/1968	285	C	20	0	17	100ALVM	3507	9 measurements 1968 to 2001 MIN -147 MAX -53	S 20.00 hp	E	P	Owner's "#1 or Big" well. Geophysical log Q-24. Reported yield 220 GPM with 207 feet drawdown after pumping 24 hours in 1969. Measured yield 212 GPM in 2001. Field conductance 396 umhos/cm in 2001.
						C	16	0	50							
						C	12	0	200							
						S	10	200	285							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5202405	Bureau of Reclamation Phantom Lake Spring	305605	1035059							210CRCS	3494		N		I	"Phantom Lake" spring. Measured flow 13,522 GPM in 1990. Field conductance 1530 umhos/cm in 1990. Measured during period of high flow. Measured flow of 556 GPM in 1997. Field conductance 3710 in 2003. Measured 6732 GPM during period of high flow, August 3,2004. Field WQ= ph-7.24, Temp- 23.5C, Conductance-1786, D. O.- 3.45 mg/l.
5202406	Buck Hamilton	305504	1035225	06/01/1968	150	C 8 1	0 150	1		100ALVM	3608	3 measurements 1968 to 1997 MIN -57.3 MAX -55	P	W	S	Owner's "Dunk" well. Reported bailed 30 GPM in 1968.
5202407	City of Balmorhea W. Huelster	305507	1035101	00/00/1964	272	C 12				100ALVM	3520	46 measurements 1969 to 2002 MIN -138 MAX -48.7	S 10.00 hp	E	P	Owner's well #1. Reported yield 276 GPM with 56 feet drawdown after pumping several days in 1986. Reported yield 200 GPM in 1997.
5202408	Madera Valley W.S.C Huelster #2	305502	1035043	08/00/1971	300	C 16 C 10 S 10	0 0 100	60 100 300		100ALVM	3509	8 measurements 1971 to 2009 MIN -112.4 MAX -90	T	E	P	Owner's "#2" well. Reported yield 100 GPM with 15 feet drawdown after bailing for 1 hour in 1971. Measured yield 51 GPM in 1997. Sul Ross recorder well.
5202409	Madera Valley WSC	305502	1035047		279	C 12				100ALVM	3517	1 measurement 2001 -111.76	N		U	Well is about 80 feet west of 408.
5202410	Huelster	305513	1035105		230	C 12 C 10				100ALVM	3521	1 measurement 2001 -121.7	N		U	Abandoned irrigation well, about 300 feet WNW of 407.
5202411	Roy Byrd	305529	1035138	07/01/2002	500	C 5				100ALVM	3538	3 measurements 2002 to 2003 MIN -309.5 MAX -38.4	N		U	Domestic testhole. Drilled to 500 feet. Well has filled in. Depth after filling in is 46 ft.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5202412	Huelster Madera Valley WSC?	305502	1035047		296	C	8			100ALVM	3490	2 measurements 2003 to 2004 MIN -71.72 MAX -67.23	N		U	
5202701	Timber Mountain Ranch	305449	1035149		148	C	6			120VLCC	3590	3 measurements 1969 to 2001 MIN -85.35 MAX -83.43	P	W	S	Owner's "Northeast" well.
5202702	Timber Mountain Ranch Saddle windmill	305416	1035226		340	C	5			210CRCS	3682	3 measurements 1969 to 2001 MIN -195.6 MAX -188.25	P	W	S	Owner's "Saddle" well. Field cond-uctance 354 umhos/cm in 1993.
5202704	Hank Avery	305427	1035013							100ALVM	3485	1 measurement 1990 -29	P	W	S	"Old Place" well. Measured yield 6 GPM in 1990. Field conductance 250 umhos/cm in 1990.
5202901		305236	1034543			C	7			120IGNS	3872	1 measurement 2003 -573.6				East Mare well.
5209301	Timber Mountain Ranch Headquarters Well	305220	1035444		635	C	6			210CRCS	3931	3 measurements 1969 to 2001 MIN -460.1 MAX -200	S	E	H	Owner's "Headquarters" well. Field conductance 417 umhos/cm in 1993, 456 in 2001.
5209302	Timber Mountain Ranch	305107	1035414		34					120VLCC	4190		P	W	S	"Haw Spring" well.
5209303	Timber Mountain Ranch Augustine Well	305127	1035251	06/00/1971	550	C S	7 7	0 504	504 550	210CRCS	3810	6 measurements 1971 to 2001 MIN -358.98 MAX -336	S 0.75 hp	E	S	Owner's "Augustine" well. Field conductance 548 umhos/cm in 1993 and 562 in 2001. Measured average yield 7.5 GPM with 7 feet drawdown after 4 hours in 2001. Specific capacity 1.07 GPM/ft. Aquifer test results in TWDB files.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5209501	Boy Scouts of America Buffalo Trail Camp	304844	1035649	00/00/1957	428	C	6	0 228	228 428	120VLCC	4415	1 measurement 2001 -214.3	S 5.00 hp	E	P	Estimated yield 50 GPM in 1990. Field conductance 255 umhos/cm in 2001.
5209502	Espy Ranch	304903	1035606							120VLCC	4520				S	"Orchard" spring. Estimated flow 20 GPM in 1990. Field conductance 102 umhos/cm in 1990.
5209601	Fishing Springs	304831	1035432							211CRCSU	4312					
5210101	Timber Mountain Ranch	305212	1035124							120VLCC	3638		N		S	"Augustine" spring. Estimated yield 10 GPM in 1990. Field conductance 215 umhos/cm in 1990.
5210201	Hank Avery	305035	1034847			C	6			100ALVM	3758	1 measurement 1961 -45.5	P	W	S	Estimated yield 5 GPM in 1961.
5210202	E. L. Whittenburg	305129	1034805							120VLCC	3804		P	W	S	"Catfish" spring.
5210203	India Land & Cattle Co.	305008	1034737							120VLCC	3800		N		S	"Seven" springs.
5210301	India Land & Cattle Co.	305019	1034731		149	C	7			120VLCC	3800	1 measurement 1969 -73.3	S	E	H	"House" well.
5210402	H. C. Espy	304909	1035145		2200					NOT-APPL	3893		N		U	Oil test Espy No. 1. Geophysical log Q-16.
5210403	Hank Avery	304856	1035031	03/10/1970	1273					210CRCS	3885	1 measurement 1970 -550			H	"Deep Test Hole" well. Reported bailed 20 GPM with 100 feet draw-down in 1970. Geophysical log Q-26. ???? ?????? Q-log .???

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5210601	India Land & Cattle Co.	304947	1034647	00/00/1943	270	C	6	120VLCC	3882	2 measurements 1969 to 1970 MIN -223.7 MAX -222.6	P	W	S	"Little Hell" well.
5210603	India Land & Cattle Co.	304946	1034715		88	C	9	100ALVM	3840	1 measurement 1970 -40.3	N		U	Old "Little Hell" well.
5210701	City of Balmorhea McCoy Ranch	304528	1035130					120VLCC	4423		N		P	Big Aguja Spring. Only perennial stream in Davis Mountains. Feeds T & P Lake. Field water quality parameters: ph = 7.26, Conductivity = 351, and temperature = 21.4 degrees C. in 2001.
5210702	City of Toyah	304656	1035059					120VLCC	4074					This site captures the flow from the Big Aguja Spring (located some 2 miles upstream) and pipes it down the mountain about 35 mi to Toyah This is the "primary intake" for th Big Aguja Sp. Water.
5210901	McCutcheon	304530	1034623		3400			NOT-APPL	4411		N		U	Oil Test McCutcheon No. 1. Geophyical log Q-3.
5211101	Abe McGinty, Jr.	305146	1034358					120VLCC	4250		N		H	"Cold" spring.
5211103	Abe McGinty, Jr.	305137	1034455	00/00/1964	110	C	5	120IGNS	4298	2 measurements 1969 to 2003 MIN -55.78 MAX -46.5	P	W	S	"South" or "Corner" well. West Saddleback well.
5211104	W. W. McCutcheon	305051	1034438	00/00/1951	11615	C	7	120IGNS	4798	1 measurement 2003 -186.42	P	W	S	Oil test McCutcheon A No. 1. Converted to "Oil Well " well. Geophysical log Q-8.
5211501	E. L. Whittenburg	304836	1034059					120VLCC	4698		N		H	"Head" spring. Estimated flow of 3 GPM in 1970.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5211502	Robert McKnight	304732	1034121	00/00/1955	63	C	6	120VLCC	4204	1 measurement 1970 -29.7	S	E 0.75 hp	S	"Dutchover" well. Reported yield 15 GPM in 1970.
5211503		304950	1034106			C	6	120IGNS	4616	1 measurement 2003 -131				Park mill.
5211504		304956	1034201			C	6	120IGNS	4556	1 measurement 2003 -72.5				Carpenter Mill.
5211601	Margaret Lea	304738	1033956		150	C	7	120VLCC	4400		P	W	S	"Dolce" well.
5211602		304847	1033919			C	7	120IGNS	4608	1 measurement 2003 -226				Hernandez well.
5211701	H. L. Kokernot	304547	1034413	00/00/1960	2320			NOT-APPL	4183		N		U	Oil Test. Geophysical log Q-14.
5211702	Tom Beard	304616	1034454		100	C	6	120VLCC	4138		S	E 0.5 hp	H	
5211703	Robert McKnight	304622	1034449		25			100ALVM	4130	1 measurement 1970 -14.1	P	W	S	"Middle" well.
5211704	Margaret Lea	304627	1034439		20			100ALVM	4125	1 measurement 1970 -14.88	P	W	H	"Lower House" well.
5211705	Robert McKnight	304648	1034346		30			100ALVM	4089	1 measurement 1970 -17	P	W	S	"Star" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5211706	Robert McKnight	304704	1034248		23					100ALVM	4050	1 measurement 1970 -20.8	P	W	S	
5211707	Margaret O. Lea	304513	1034236							100ALVM	4360		N		S	"Big" spring. Reported flow 1-2 GPM in 1970.
5211708	Robert Mcknight Jeff Ranch	304640	1034442		20					100ALVM	4115	1 measurement 1970 -14.7	P	W	S	"Limpia" well. Estimated yield 10 GPM in 1990. Field conductance 194 umhos/cm in 1990.
5211802	Margaret O. Lea	304723	1034113							120VLCC	4178		N		S	"Dutchover" spring. Flows 1 to 3 gpm IN 1970.
5211804	Robert McKnight	304533	1034030	00/00/1958	120	C	6			100ALVM	3950	1 measurement 1970 -37.8	P	W	S	"New Trap" well.
5211901	Robert McKnight	304654	1033908	00/00/1958	132	C	6			120VLCC	4404	1 measurement 1970 -130.2	P	G	S	"Shewmake" well.
5211902	Robert McKnight	304647	1033828	00/00/1964	250	C	6			120VLCC	4541		P	W	S	"Mighty High" well.
5211903	Robert McKnight	304647	1033827	00/00/1967	350	C	6	0	350	120VLCC	4541	1 measurement 1970 -204	N		U	"Mighty High No. 2." well.
5212701	Robert McKnight	304658	1033731	11/18/1972	21	C S	7 7	0 18	18 21	100ALVM	4120	1 measurement 1972 -8	N		U	"Rooney Trap" well.
5212702	Robert McKnight	304658	1033730	00/00/1966	50	C	6			100ALVM	4120	1 measurement 1970 -13.4	S	E	S	"New 105" well. Reported yield 20 GPM in 1970.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5212703	Barrila Spring	304600	1033505					120VLCC	4233					
5217701	Van Robinson	303731	1035900		340			120VLCC	5235	1 measurement 2001 -234.2	S	E	H	Reported estimated yield 25 GPM.
5217801	Sproul Ranch	303941	1035653			C	6	120VLCC	5275	1 measurement 2001 -308.25	P	E	S	Frazier Canyon well.
5218101		304324	1035005			C	6	120IGNS	4640	1 measurement 2003 -337.05				
5218201	Espy	304309	1034913	00/00/1957	2742			NOT-APPL	5303		N		U	Oil test Espy No. 1. Geophysical log Q-15.
5218301	Margaret O. Lea Limpia Ranch	304341	1034532					120VLCC	4320		N		H	"Alamo" spring. Flows 2-3 GPM in 1970.
5218302	Margaret O. Lea	304356	1034526					120VLCC	4400		N		S	"Pecan" spring. Flows 1-2 GPM in 1970.
5218303	Robert McKnight	304419	1034606		53	C	6	100ALVM	4245	1 measurement 1970 -15.7	S	E	S	"Field Trap" well.
5218304		304350	1034709			C	8	120IGNS	4360	1 measurement 2003 -36.56				
5218401		304041	1035017			C	5	120IGNS	4720	1 measurement 2003 -17.35				

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5218402		304006	1035216			C	7	120IGNS	4891	1 measurement 2003 -31.96				#5.
5218601	Joe Espy	304155	1034717			C	6	100ALVM	4447	1 measurement 1961 -46.8	P	W	S	
5218602	06 Ranch Chris Lacey	304155	1034716			C	6	120VLCC	4467	1 measurement 2001 -34.3	P	W	S	Corral well.
5218701	06 Ranch Chris Lacey	303847	1035001			C	6	120VLCC	4687	1 measurement 2001 -95.4	S	E	H	House well.
5219201	McCutcheon	304253	1034041	00/00/1952	9563			NOT-APPL	4080		N		U	Oil test McCutcheon No. 1. Geophys-ical log Q-9.
5219301	Robert McKnight	304430	1033743		30			100ALVM	3840	1 measurement 1970 -12.7	P	W	S	"Salt Lick" well.
5219501	Robert McKnight Jeff Ranch	304230	1034135					120VLCC	4280		N		S	"Horse Thief" spring. Estimated flow 50 GPM in 1970.
5219601	H. L. Kokernot, Jr.	304211	1033902	00/00/1957	3050			NOT-APPL	4010		N		U	Oil test Kokernot No. 1. Geophysic-al log Q-7.
5219602		304114	1033737			C	6	120IGNS	4250	1 measurement 2003 -96.2				Rincon Canyon.
5219701		303754	1034355		610	C	8	120IGNS	4889	1 measurement 2003 -568.58				Square Tank mill.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5219801	H. L. Kokernot	303842	1034137	00/00/1954	10805					NOT-APPL	5045		N		U	Oil test Kokernot No. 1-11. Geo-physical log Q-2. Well ID No. 15C52 in TWDB Report 157. Drilled to Ell-enburger formation.
5219901		303801	1033824							120IGNS	4960	1 measurement 2003 -295.79				
5220102	Robert McKnight Jeff Ranch	304438	1033554	00/00/1880	30					100ALVM	3780	1 measurement 1970 -16.7	P	W	H	Originally dug for Butterfield Stage stop to 9 feet. Deepened by H. Huelster.
5220103	Robert McKnight	304437	1033552	00/00/1955	60	C	6	0	60	100ALVM	3765		S	E	H	"New House" well.
5220104	Robert McKnight	304406	1033548		30	C	6	0	30	100ALVM	3770		S	E	S	"Lake Trap" well.
5220105	Robert McKnight	304302	1033612	00/00/1966	540	C	5	0	540	120VLCC	4280	1 measurement 1966 -360	P	W	S	"Little Star" well. Reported yield 4 GPM in 1970.
5220106	Robert McKnight	304437	1033552	01/26/1977	700	C	9	0 35	35 700	120VLCC	3765	1 measurement 1977 -600	S	E	H	Field conductance 193 umhos/cm in 1990.
5220107	Robert McKnight	304238	1033706	00/00/1955	135	C	8	0	135	100ALVM	3985	1 measurement 1970 -124.2	P	W	S	"Runey" well.
5220601	Leoncita Ranch Tom Beard	304006	1033156			C	6			120VLCC	3998	1 measurement 2001 -40.9	S	E	S	Indio #1. Field water quality= pH= 6.9, Temp= 24, Conductivity= 898 mmhos/cm in 2001.
5220602	Leoncita Ranch	304005	1033157			C	6			120VLCC	3998	1 measurement 2001 -47	S	E	S	Abandoned.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.		Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5220603	Leoncita Ranch	304004	1033156			C	6	120VLCC	3998	1 measurement 2001 -50.4	S	E	S	Indio #3.
5220701		303819	1033642			C	6	120IGNS	5118	1 measurement 2003 -314				#9 Mill. Reported yield 1.73 GPM with 3.4 feet drawdown in 2003. Specific capacity 0.5 GPM/ft.
5220801		303906	1033258					120IGNS	4488	1 measurement 2003 -62.9				Double Papalotes.
5220901	Leoncita Ranch	303802	1033127			C	6	120VLCC	4097	1 measurement 2001 -71.4	P	W	S	Charlie well.
5220902	Leoncita Ranch	303844	1033007			C	6	120IGNS	4195	2 measurements 2001 to 2003 MIN -355.5 MAX -326.5	S	E	S	Derrick well.
5225101	Sharon McDermott	303631	1035849	00/00/1997	400	C	6	120VLCC	5180	1 measurement 2001 -183.2	S	E	H	Reported yield 25 GPM.
5225102	Steve Goodman	303703	1035949	00/00/1988	440	C	5	120VLCC	5557	1 measurement 2001 -293	S	E	H	Reported estimated yield 11 GPM.
5225103	Doug Otoupal	303659	1035923	00/00/2000	450	C	6	120VLCC	5200	1 measurement 2001 -197.04	S	E	H	Reported estimated yield 50 GPM.
5225104	Barry Beal	303603	1035907			C	6	120VLCC	5320	1 measurement 2001 -281.7	S	E	S	Clamity Creek Ranch .

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225105	Don Cadden	303708	1035933	02/05/2003	565	C	6	0	21	120IGNS	5472	1 measurement 2003 -309			H	Limpia Crossing.
						C	4	0	485							
						S	4	485	525							
						C	4	525	565							
5225106	Sam Tanner	303639	1035831	09/10/1997	365	C	6	0	18	120IGNS	5184	1 measurement 1997 -215	S	E	H	Estimated yield 25 GPM with 100 feet drawdown after 2 hours in 1997. Specific capacity 0.25 GPM/-ft. Estimated transmissivity 25.89 sqft/day. Estimated hydraulic cond-uctivity 1.29 ft/day.
						C	5	0	320							
						S	5	320	340							
						C	5	340	360							
5225107	Gary Swan Blk4 Lt 20, Limpia Crs	303654	1035821	05/23/1989	206	C	6	0	10	120IGNS	5123	1 measurement 1989 -154	S	E	H	Estimated yield 19 GPM with 10 feet drawdown after 4 hours in 1989. Specific capacity 1.9 GPM/ft. Est-imated transmissivity 267.9 sqft/day. Estimated hydraulic cond-uctivity 5.36 ft/day.
						C	5	0	156							
						S	5	156	206							
5225204	Davis Mountains State Park	303533	1035628	04/00/1966	400	C	6			120VLCC	5075		S 15.00 hp	E	P	Well No. 1. Reported yield 300 GPM in 1979. Geophysical log Q-13. Field conductance 242 umhos/cm in 1990.
5225205	Prude Ranch, Inc.	303628	1035706	00/00/1930	132	C	4			120VLCC	5091		S 2.00 hp	E	P	"Main House" well.
5225206	Prude Ranch, Inc.	303635	1035706	00/00/1964	145	C	4			120VLCC	5080	1 measurement 2001 -105.5	S 2.00 hp	E	P	"Boy's Cabin" well.
5225207	Prude Ranch, Inc.	303639	1035712	06/21/1972	186	C	7	0	15	120VLCC	5142	1 measurement 1974 -120	S 2.00 hp	E	P	"Football Field" well. Reported yield 20 GPM in 1974.
						C	6	0	169							
						S	6	169	175							
						C	6	175	186							
5225208	Davis Mountains State Park	303524	1035655			C	5			120VLCC	5228		P	W	S	Keesey windmill. Obstruction in wellbore at 60 feet in 1999.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225209	TPWD Davis Mountains SP	303526	1035637	00/00/1966	392	C	6			120VLCC	5080	263 measurements 1999 to 2013 MIN -137.22 MAX -132.77	N		U	Maintenance area well. Float & weight, Stevens GS.
5225210	Davis Mountains State Park	303610	1035619		140	C	8			120VLCC	5000	3 measurements 1999 to 2002 MIN -18.3 MAX -6.3	N		U	Limpia-Prude well.
5225211	Davis Mountains State Park	303604	1035539							120VLCC	4955	1 measurement 2001 -23.3	S	E	H	Bird-banding well.
5225302	Felix Dominguez, Jr.	303530	1035329	03/30/1965	200	C S S	7 7 5	0 20 95	20 100 200	120VLCC	4860	16 measurements 1967 to 1982 MIN -14.08 MAX -8.43	S 5.00 hp	E	I	Owner's #2 well. Reported yield 108 GPM with 70 feet drawdown in 1965. Well deepened from 152 feet by owner-driller in 1972. Reported yield of 105 GPM with 150 feet drawdown after pumping 48 hours in 1972. Specific capacity 0.7 GPM/ft. Historical observation well. Estimated transmissivity 83.5 sqft/day. Estimated hydraulic conductivity 0.9 ft/day.
5225303	Davis Mountains State Park	303606	1035444	04/00/1966	275	C	6			120VLCC	4910		S 15.00 hp	E	P	No. 2. well. Reported yield 110 GPM in 1979. Geophysical log Q-11.
5225304	Fort Davis WSC	303513	1035404	00/00/1929	90	C S	6 6	0 60	60 90	110AVTV	4910	2 measurements 1979 to 1995 MIN -55.64 MAX -55	S 5.00 hp	E	P	Well No. 1. Reported yield 75 GPM with 10 feet drawdown in 1979. Specific capacity 7.5 GPM/ft. Standby well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225305	Fort Davis WSC Well #2	303510	1035402	08/11/1971	303	C S S S	10 10 8 7	0 70 92 215	70 92 223 303	120IGNS	4910	23 measurements 1979 to 2013 MIN -61 MAX -41.39	S 30.00 hp	E	P	Well No. 2. Measured yield 190 GPM with 154 feet drawdown after pumping 48 hours in 1971. Specific capacity 1.2 GPM/ft. Reported yield 208 GPM with 3 feet drawdown in 1979. Specific capacity 69.3 GPM/-ft. Reported yield 309 GPM with 8.4 feet drawdown after pumping 4 days in 2003. Specific capacity 36.7 GPM/ft. Estimated transmissivity 161 sqft/day. Estimated hydraulic conductivity 0.7 ft/day.
5225306	Fort Davis National Historic Site	303550	1035340	09/01/1975	75	C S C	7 7 7	0 57 72	57 72 75	110AVTV	4918		S 1.00 hp	E	I	Well No. 1.
5225307	Fort Davis National Historic Site	303545	1035406		48	C	5			110AVTV	4960		N		U	Well No. 2. Reported yield 7 GPM with 3.5 feet drawdown after pumping 24 hours in 1987.
5225308	Elias & Maria Dutchover	303625	1035301	00/00/1960	95	C	7 8	0 85	85 95	120VLCC	4830	45 measurements 1967 to 2013 MIN -12.4 MAX -8.39	S		U	Reported yield 35 GPM in 1967. Formerly supplied cafe.
5225309	J. Ross	303603	1035310	00/00/1940	50	C	6			110AVTV	4845	44 measurements 1967 to 2013 MIN -36.16 MAX -24.8	N		U	Reported yield 3 GPM in 1967.
5225310	Charley Kemp	303530	1035244	04/12/1965	89	C S	6 6 8	0 17 75	17 75 89	120VLCC	4840	1 measurement 1965 -74	S	E	H	Reported yield 45 GPM in 1965.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225311	Fort Davis WSC	303525	1035402	08/21/1991	300	C	10	0	65	120VLCC	4920	3 measurements 1991 to 2001 MIN -68.1 MAX -53	S	E	P	Well No. 3. Reported yield 200 GPM with 12 feet drawdown after pumping for 24 hours in 1991. Specific capacity 16.6 GPM/ft. Estimated transmisstivity 3721 sqft/day. Estimated hydraulic conductivity 93 ft/day.
						S	10	65	75							
						C	10	75	95							
						S	10	95	115							
						C	10	115	195							
						S	10	195	205							
						C	10	205	300							
5225312	Davis Mountains State Park	303613	1035418		124	C	5			120VLCC	4920	1 measurement 1999 -44.9	S		U	Limpia-South well.
5225313	Fran Glaze	303532	1035357	00/00/1992	130	C	10			120VLCC	5081	1 measurement 2001 -75.5	S	E	H	House well. Reported estimated yield 50 GPM.
5225314	Worth Puckett	303529	1035300	00/00/2000	180					120VLCC	4847	1 measurement 2001 -94.3	S	E	H	House well. Reported estimated yield 20 GPM.
5225315	Skeeter Robinson	303630	1035255	09/21/1999	105	C	6	0	59	120IGNS	4815	2 measurements 1999 to 2001 MIN -33 MAX -32	S	E	H	House well. Reported estimated yield 45 GPM in 1999.
						C	5	0	85							
						S	5	85	105							
5225316	Sam Trammell	303642	1035230			C	99			120VLCC	4796	1 measurement 2001 -15.6	S	E	H	Hand dug well, 10 foot diameter.
5225317	Methodist Church	303512	1035337	10/16/2002	275					120IGNS	4880	1 measurement 2003 -39.17				Reported yield 16 GPM with 2 feet drawdown after pumping 2 hours in 2003. Specific capacity 8 GPM/ft.
5225318	Fort Davis Spring	303631	1035332							120VLCC	4877					

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225319	Wm. C. Cotter	303529	1035337		95	C	5	0	83	120IGNS	4897	1 measurement	S	E	H	McHalffey cleaned out and deepened
							5	83	95			1965				83 foot well in July 1965.
												-28				Estimated yield 15 GPM with 10 feet
																drawdown after 1 hour in 1965.
																Specific capacity 1.5 GPM/ft. Esti-
																mated transmissivity 202.8 sqft/-
																day. Estimated hydraulic conductiv-
																ity 16.9 ft/day.
5225320	Eugene Sproul	303624	1035315	06/08/1964	72	C	7	0	59	120IGNS	4837	1 measurement	S	E	H	Estimated yield 20 GPM with 41 feet
	Limpia Creek Campgrd					S	7	59	72			1964				drawdown after 4 hours in 1964.
												-19				Specific capacity 0.49 GPM/ft. Est-
																imated transmissivity 55.2
																sqft/day. Estimated hydraulic cond-
																uctivity 4.25 ft/day.
5225321	Ben Mata	303638	1035326	12/31/1971	245	C	7	0	34	120IGNS	4874	1 measurement	S	E	I	Estimated yield 90 GPM with 110
						S	7	34	50			1971				feet drawdown after pumping 3 hours
						C	7	50	52			-32				in 1971. Specific capacity 0.82
						S	7	52	75							GPM/ft. Estimated transmissivity
						C	7	75	100							100.05 sqft/day. Estimated hydraul-
						S	7	100	125							ic conductivity 1.01 ft/day.
						S	6	125	245							Well was deepened from 160 to 245
																feet in 1972. Estimated yield 90
																GPM with 203 feet drawdown after 48
																hours in 1972. Specific capacity
																0.44 GPM/ft. Estimated transmissiv-
																ity 49.51 sqft/day. Estimated hydr-
																aulic conductivity 0.41 ft/day.
5225322	Ralph Russell	303520	1035410	08/03/1964	91	C	7	0	80	120IGNS	4938	1 measurement	P	E	H	Old well cleaned out to 80 feet and
							7	80	91			1964	15.00	hp		then deepened to 91 feet. Estimated
												-47				yield 15 GPM with 21 feet drawdown
																after 12 hours in 1964. Specific
																capacity 0.7 GPM/ft. Estimated
																transmissivity 96 sqft/day. Estim-
																ated hydraulic conductivity 8.7
																ft/day.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225323	Pablo Urias	303527	1035258	03/01/1965	73	C	6	0	35	120IGNS	4846	1 measurement 1965 -19	S	E	H	Estimated yield 30 GPM with 11 feet drawdown after 6 hours in 1965. Specific capacity 2.73 GPM/ft. Estimated transmissivity 411.33 sqft/day. Estimated hydraulic conductivity 16.45 ft/day.
						S	6	35	45							
						C	6	45	58							
						S	6	58	73							
5225324	Edward Granado	303526	1035324	04/13/1965	60	C	7	0	37	120IGNS	4862	1 measurement 1965 -8	P	W	H	Estimated yield 20 GPM with 42 feet drawdown in 1965. Specific capacity 0.48 GPM/ft. Estimated transmissivity 53.71 sqft/day. Estimated hydraulic conductivity 2.34 ft/day.
						S	7	37	60							
5225325	Brigido Lara, Jr.	303529	1035320	08/08/1965	111	C	7	0	33	120IGNS	4867	1 measurement 1965 -26	S	E	H	Estimated yield 12 GPM with 78 feet drawdown in 1965. Specific capacity 0.15 GPM/ft. Estimated transmissivity 15.04 sqft/day. Estimated hydraulic conductivity 0.19 ft/day.
						S	7	33	68							
							8	68	111							
5225326	---Adams	303639	1035240							120IGNS	4806					Data from 7/09 LBG report.
5225401	Barry Beal	303356	1035843			C	8			120VLCC	5396		S	E	S	Owner's "Blue Mountain Flat" well. Obstruction in wellbore at 236 feet in 1996.
						C	6									
5225402	Mrs. Ned Wilson	303323	1035745	11/02/1977	205	C	5	0	205	120VLCC	5087	13 measurements 1996 to 2008 MIN -136.19 MAX -134.09	S 1.75 hp	E	H	Reported jetted 30-35 GPM in 1977. Observation well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225501	A. P. D. ,Inc. Village Farms	303242	1035540	11/00/1995	251	C C S	12 10 10	 0 151	 151 251	120IGNS	4955	20 measurements 1995 to 2013 MIN -187.63 MAX -117.5	N		U	Originally drilled as Production Well No. 1. Current Production Well No. 1 drilled just east of this site. Measured yield 60 GPM with 83 feet drawdown after pumping for 24 hours in 1995. Specific capacity 0.7 GPM/ft. Estimated transmissivity 86.7 sqft/day. Estimated hydraulic conductivity 0.8 ft/day. Aquifer test by LBG in 1995.
5225502	A. P. D., Inc. Village Farms	303249	1035548	11/06/1995	245	C S	6 6	0 145	145 245	120IGNS	4961	3 measurements 1995 to 1996 MIN -121.3 MAX -118.65	S	E	I	Production well No. 2 drilled at site of Test Hole No. 2. Reported yield 220 GPM with 12 feet drawdown after pumping 24 hours. Specific capacity 18.3 GPM/ft. Aquifer test by LBG in 1995. Graph of test in TWDB files.
5225503	A. P. D., Inc. Village Farms	303232	1035606	01/22/1996	232	C C S	12 6 6	0 0 132	15 132 232	120IGNS	4970	4 measurements 1996 to 2001 MIN -149.8 MAX -125.57	S	E	I	Production well No. P-3. Reported yield 232 GPM with 2.47 feet drawdown after pumping 24 hours. Specific capacity 93 GPM/ft. Estimated transmissivity 32928 sqft/day. Estimated hydraulic conductivity 329 ft/day.
5225504	A. P. D., Inc. Village Farms	303232	1035556	01/09/1996	312	C S	5 5	0 112	112 312	120IGNS	4960	1 measurement 1996 -126.87	S	E	P	Production well No. 4. Aquifer test data in TWDB files.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225505	A. P. D., Inc. Village Farms	303240	1035540	11/22/1995	250	C S	6 6	0 150	150 250	120IGNS	4955	2 measurements 1995 to 1996 MIN -119 MAX -117.95	S	E	I	Production well No. P-1. Reported yield 200 GPM with 116 feet drawdown after pumping 24 hours. Specific capacity 1.7 GPM/ft. Estimated transmissivity 238 sqft/day. Estimated hydraulic conductivity 2.3 ft/day.
5225506	A. P. D., Inc. Village Farms	303240	1035540	10/04/1995	220	C C S	9 5 5	0 0 160	22 160 220	120IGNS	4955	3 measurements 1995 to 1995 MIN -117.94 MAX -116.5	N			Test Hole No. 1. Abandoned and destroyed.
5225507	A. P. D., Inc. Village Farms	303249	1035548	10/09/1995	230	C C S	9 5 5	0 0 143	21 143 203	120IGNS	4961	3 measurements 1995 to 1995 MIN -118.86 MAX -116.2	N		U	Test hole No.2. This well is a few feet east of Production Well No. 2.
5225508	A. P. D., Inc. Village Farms	303252	1035541	10/13/1995	200	C	9	0	30	120IGNS	4955	2 measurements 1995 to 1995 MIN -113.25 MAX -112.5	N		U	Test Hole No. 3 drilled near gravel pit. Well not completed, kept caving.
5225509	A. P. D., Inc. Village Farms	303252	1035541	12/04/1995	270	C S	6 6	0 170	170 270	120IGNS	4957	51 measurements 1995 to 2010 MIN -146.2 MAX -109.9	N		U	Drilled near gravel pit at site of Test Hole No. 3. Reported yield 13 GPM with 86 feet drawdown after pumping 5 hours. Specific capacity 0.15 GPM /ft. Insufficient supply. Recorder observation well. Estimated transmissivity 14.7 sqft/day. Estimated hydraulic conductivity 0.15 ft/day. Sul Ross recorder well. Aquifer test by LBG in 1995. Graph in TWDB files.
5225510	Barry Beal	303232	1035510			C	6			120IGNS	4935	1 measurement 1996 -108.9	S 0.50 hp	E	S	Owner's "No. 5 steel tank" well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225511	Barry Beal	303348	1035650			C	6			120IGNS	5029	1 measurement 1996 -60.08	S	E	S	Owner's "Greerson" well.
5225601	Barry Beal	303303	1035353			C	48			100ALVM	4879	2 measurements 1960 to 1996 MIN -126.87 MAX -34.5	P	W	U	Original well at "Garden or Orch-ard" wellsite. Replaced by well 610. Reported yield 5 GPM in 1960.
5225602	Marvin Watson, Jr.	303444	1035314	01/29/1987	205	C	8	0	20	120VLCC	5125		S	E	I	Reported jetted 60 GPM in 1987. Field conductance 330 umhos/cm in 1990.
						C	5	0	155							
						S	5	155	205							
5225603	Jeff Davis County Park	303443	1035425	01/12/1994	120	C	10	0	17	120VLCC	4945	19 measurements 1995 to 2013 MIN -46.3 MAX -38.89	S	E	H	Originally drilled for highway construction. Reported jetted 1000 GPM in 1994.
						C	6	0	102							
								102	120							
5225604	Powell Plant Farm	303328	1035241	08/05/1991	300	C	8	0	20	120VLCC	4870	19 measurements 1996 to 2013 MIN -85.29 MAX -58.7	S	E	I	Reported jetted 60 GPM in 1991.
5225605	Powell Plant Farm	303325	1035247	07/24/1991	440	C	8	0	11	120VLCC	4868	1 measurement 1996 -64.3	S	E	I	Reported jetted 50-60 GPM in 1991.
						C	6	0	320							
						S	6	320	400							
						C	6	400	440							
5225606	Powell Plant Farm	303327	1035246	01/05/1989	320	C	10	0	12	120VLCC	4869	2 measurements 1996 to 2001 MIN -75.4 MAX -69.7	S	E	I	Reported jetted 150 GPM in 1991.
5225607	Powell Plant Farm	303331	1035242	04/29/1994	180	C	8	0	24	120VLCC	4871	1 measurement 1996 -87.99	S	E	I	Reported jetted 200 GPM in 1994.
						C	6	0	107							
								107	180							
5225608	Powell Plant Farm	303331	1035242	03/04/1994	210	C	8	0	21	120VLCC	4871		S	E	I	Reported jetted 80-90 GPM in 1994.
						C	6	0	210							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225609	Powell Plant Farm	303331	1035242	01/29/1987	150	C	8	0	12	120VLCC	4871		S	E	I	Owner's "Main" well. Reported jett-
						C	6	0	120							ed 250 GPM in 1987.
								120	150							
5225610	Barry Beal	303301	1035353	11/21/1983	72	C	8	0	15	100ALVM	4879	2 measurements	S	E	S	Owner's "Garden or Orchard" well.
						C	6	0	32			1983 to 1996	5.00 hp			Replaces well 601. Reported jetted
						S	6	32	72			MIN -35 MAX -30.64				60 GPM in 1983.
5225611	Barry Beal	303424	1035440	09/15/1975	82	C	6	0	10	100ALVM	4947	2 measurements	S	E	S	Owner's "Red Barn No. 1" well.
						C	5	0	63			1975 to 1996				Reported yield 25 GPM in 1975.
						S	5	63	75			MIN -42 MAX -38.2				
								75	82							
5225612	St. Joseph's Cemetery	303443	1035253	12/04/1984	167	C	6	0	25	120VLCC	4925	19 measurements	S	E	H	Reported jetted 18 GPM in 1984.
						C	4	0	127			1984 to 2013				
						S	4	127	167			MIN -130.1 MAX -123.1				
5225613	Rod Crowder?	303444	1035313	11/13/1975	226	C	6	0	18	120VLCC	5121	2 measurements	S	E	H	Reported yield 40 GPM in 1975.
						C	5	0	105			1975 to 1996				
								105	226			MIN -128 MAX -100				
5225614	Mr. Daughtery	303457	1035322			C	6			120VLCC	4945	1 measurement	S	E	H	House well.
												2001				
												-51.48				
5225701	Joe Espy	303146	1035819			C	6			100ALVM	5085	1 measurement	P	W	S	
												1960				
												-202.9				
5225702	McKnight Ranch Company	303024	1035937		360	C	6			120VLCC	5154	1 measurement	S	E	S	
												1996				
												-330.79				
5225801	Barry Beal	303119	1035536	08/29/1978	180	C	6	0	46	120VLCC	4934	19 measurements	S	E	S	Owner's well "No. 5 Shipping Pens".
						C	5	0	135			1978 to 2013				Replaces old well at this site.
						S	5	135	155			MIN -120 MAX -110.04				Reported yield 20 GPM in 1978.
						C	5	155	180							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5225901	Curtis Evans	303223	1035301			C	5			120VLCC	4878	1 measurement 1996 -62.68	P	W	S	Owner's "West" well.
5226101	Hillcrest Cemetery	303512	1035155							120IGNS	4877	1 measurement 2008 -101.5	S	E	I	Reported yield 10.5 GPM with 6 feet drawdown after pumping 8 hours in 2008. Specific capacity 1.75 GPM/-ft. Transmissivity 21,320 gpd/ft. Data from 7/09 LBG report.
5226401	Curtis Evans Fort Davis Estates	303413	1035211	01/24/1986	243	C C	8 6	0 0 120	20 120 243	120VLCC	4960	2 measurements 1996 to 2001 MIN -154.8 MAX -138.4	S	E	I	Reported yield 150 GPM in 1986.
5226402	Curtis Evans	303330	1035204		90	C	5			110ALVM	4833	1 measurement 1996 -20.94	P	W	S	Windmill at highway and Cienaga Creek.
5226403	Curtis Evans	303335	1035015	02/10/1982	320	C C C	10 8 5	0 0 0	 12 320	120VLCC	4840	2 measurements 1996 to 2001 MIN -62.63 MAX -34	S	E	H	Owner's "House" well. Reported jet-ted 60-70 GPM in 1982. Reported estimated yield 3 GPM in 2001.
5226404	Barry Beal	303420	1035004			C	7			120VLCC	4830	2 measurements 1996 to 2001 MIN -47.9 MAX -45.23	S	E	S	Owner's "Mulhurn Pens" well.
5226405	Chihuahuan Desert Research Institute	303238	1035014	07/19/1978	500	C	6	0	8	120VLCC	5055	2 measurements 1978 to 1996 MIN -175 MAX -154.74	N		U	Owner's "No. 1" well. Capped.
5226406	Chihuahuan Desert Research Institute	303234	1035007	07/22/1978	600	C C S	6 5 5	0 0 548 565	30 548 565 600	120IGNS	5060	3 measurements 1978 to 2003 MIN -315.13 MAX -299	S	E	P	Owner's "No. 2" well. Sample collected by LBG in 2008 may not be 406. Location different.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5226701	High Frontier School	303144	1035125	09/27/1990	450	C	6	0	20	120IGNS	4960	3 measurements 1990 to 2003 MIN -230 MAX -201.54	S	E	P	Reported yield 23 GPM with 105 feet drawdown after pumping 36 hours in 1990. Specific capacity 0.2 GPM/ft. Estimated transmissivity 22.3 sqft/day. Estimated hydraulic conductivity 0.4 ft/day.
						C	5	0	220							
						S	5	220	240							
						C	5	240	410							
						S	5	410	450							
5226702	High Frontier School	303123	1035113	00/00/1964	125	C	6			120IGNS	4883	1 measurement 2003 -29.1	S	E	I	
5226703	Billie Weston	303149	1035020	06/02/1978	246	C	6	0	1	120VLCC	4871	2 measurements 1978 to 1996 MIN -75 MAX -9.41	S	E	H	Reported yield 6 GPM in 1978.
								1	246							
5226704	Barry Beal	303134	1035032	00/00/1930		C	5			120VLCC	4742	18 measurements 1996 to 2013 MIN -128.1 MAX -31.38	S	E	S	
5226705	Billie Weston	303142	1035037	00/00/1945	60	C	6			120VLCC	4742	1 measurement 1996 -4.19	P	W	S	
5226706	Randy Lidell	303222	1035153	00/00/1930	160	C	10			120VLCC	4910	18 measurements 1996 to 2013 MIN -146.15 MAX -136.1	S		U	
5226801	Barry Beal	303141	1034921	07/31/1970	215	C	6	0	20	120VLCC	4710	1 measurement 1970 -16	N		U	Capped well at Calamity Creek Ranch headquarters. Reported yield 10 GPM with 185 feet drawdown after pumping 24 hours in 1970. Specific capacity 0.05 GPM/ft. Estimated transmissivity 4.7 sqft/day. Estimated hydraulic conductivity 0.05 ft/day.
						S	6	20	42							
						C	6	42	124							
						S	6	124	144							
						C	6	144	175							
						S	6	175	215							
5226802	Barry Beal Calamity Creek Ranch	303129	1034920	07/01/1981	230	C	8	0	10	120VLCC	4700	20 measurements 1981 to 2013 MIN -209.5 MAX -30	S	E	H	Owner's "Main" well. Reported jetted 100 GPM in 1981.
						C	5	0	230							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5226803	Barry Beal	303128	1034917	09/25/1984	260	C	8	0	30	120VLCC	4690	2 measurements 1984 to 1996 MIN -14 MAX -10.2	S	E	S	Well is tied-in to "Main" well, which is just northwest.
5226804	Barry Beal	303129	1034912	09/21/1984	300	C	8	0 15	15 300	120VLCC	4687	2 measurements 1984 to 1996 MIN -12 MAX -7.18	S	E	S	Owner's "New Barn" well. Reported jetted 20 GPM in 1984.
5226805	Barry Beal	303211	1034817							120VLCC	4643	1 measurement 1996 -9.85	S	E	S	Owner's "Pruitt" well.
5226901	Barry Beal	303218	1034655			C	6			120VLCC	4530	1 measurement 1996 -9.89	S	E	S	Owner's "Gray No. 1" well.
5227101		303640	1034332	05/15/1957	95	C	9			120IGNS	4680	1 measurement 2003 -18.11				West of Casa del Monte.
5227102		303642	1034304			C	6			120IGNS	4760	1 measurement 2003 -388.58				House well.
5227103		303648	1034436			C	6			120IGNS	4719	1 measurement 2003 -41.44				Round Rock tank mill. Reported yield 2.3 GPM with 7.23 feet draw-down after recovering for 333 min-utes in 2003. Specific capacity 0.3 GPM/ft. T = 7.39 gpd/ft.
5227401	CF Ranch Al McCalick	303435	1034310			C	6			120VLCC	4795	1 measurement 2001 -110.7	P	W	S	
5227701	Barry Beal Calamity Creek Ranch	303221	1034310			C	6			120VLCC	4667	1 measurement 2001 -140.4	S	E	S	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5227702	CF Ranch Al McCalick	303228	1034429			C	6			120VLCC	4618	1 measurement 2001 -178.8	S	E	H	Field water quality= pH= 7.5, Temp= 21.7, Conductivity= 281 mmhos/cm in 2001.
5227801	H. Kokernot	303121	1034013		130	C	8			100ALVM	4270	12 measurements 1955 to 1956 MIN -42.3 MAX -41.22	N		U	Test hole. Historical observation well. Well Y-2 in TBWE B-5712.
5228201		303612	1033342			C	8			120IGNS	4110	1 measurement 2003 -116.75				Hatch Canyon.
5228401		303248	1033654							120IGNS	4450				S	East Pruett well.
5233101	McKnight Ranch Company	302958	1035845	05/15/1975	446	C	8	0	2	120VLCC	5140	2 measurements 1975 to 1996 MIN -330 MAX -325.33	S	E	S	Owner's "Taylor" well. Reported yield 20 GPM in 1975.
						C	5	0	386							
						S	5	386	389							
						C	5	389	410							
						S	5	410	413							
						C	5	413	434							
						S	5	434	437							
						C	5	437	446							
5233201	Jimmy Bencomo	302909	1035616	09/23/1987	600	C	6	0	86	120VLCC	5095	2 measurements 1987 to 2001 MIN -292.7 MAX -292	S		U	Reported jetted 3 GPM in 1987.
						C	4	0	290							
						S	4	290	310							
						C	4	310	450							
						S	4	450	460							
						C	4	460	600							
5233202	John Doughty	302918	1035620	03/26/1986	370	C	6	0	28	120VLCC	5079	9 measurements 1986 to 2003 MIN -271.57 MAX -270	S	E	H	Reported jetted 30 GPM in 1986. Historical observation well.
						C	4	0	335							
						S	4	335	365							
						C	4	365	370							
5233203	Mr. Lippe	302930	1035713			C	6			120VLCC	5050	1 measurement 2001 -254.6	S	E	H	House well. Reported estimated yield 25 GPM.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5233204	Barry Beal Calamity Creek Ranch	302958	1035611			C	6			120VLCC	5093	1 measurement 2001 -232.2	S	E	S	Red Barn well. Field water quality= pH= 7.6, Temp= 22.6, Conductivity= 232 mmhos/cm in 2001.
5233205	Rick Hermann	302933	1035606	02/03/2007	500	C 6	6 6	0 180	180 500	120IGNS	5070				H	Estimated yield 10 GPM with 3 feet drawdown after 1 hour in 2007. Specific capacity 3.3 GPM/ft. Tr# 191627.
5233901	D. Ponder	302444	1035401	00/00/1954	680	C	8			120IGNS	5175	1 measurement 1959 -400	P	W	S	Well K-5 in TBWE B-6110.
5234201	Girl Scouts of America Camp Mitre Peak	302850	1034731		140	C	6			120VLCC	4686	1 measurement 2001 -22.8	S	E	P	Reported estimated yield 25 GPM. Field water quality= pH= 7.5, Temp= 22, Conductivity= 259 mmhos/cm in 2001.
5234202	Tippett Springs	302831	1034832							120VLCC	5010					
5234301	City of Alpine Musquiz #7	302930	1034507	10/28/1971	409	C S	14 10	0 66	66 409	120IGNS	4410	2 measurements 1971 to 2005 MIN -120 MAX -106	S 50.00 hp	E	P	"Musquiz No. 7." Reported yield 325 GPM in 1987. Measured yield 479 GP in 1998. Aquifer test in 1971. Observation well for aquifer test of well 302 in 2008. PWS ID #0220001O.
5234302	City of Alpine Musquiz #10	302940	1034512	11/12/1984	400	C C S C S C	16 11 11 11 11 11	0 0 150 220 300 380	50 150 220 300 380 400	120IGNS	4424	99 measurements 1984 to 2012 MIN -235.38 MAX 0	S	E	P	"Musquiz No. 10." Reported yield 500 GPM in 1987. Measured yield 572 GPM in 1998. Reported yield 476 GPM with 12 feet drawdown after pumping 3 days in 2003. Specific capacity 38 GPM/ft. T = 10477 gpd/ft. Sul Ross recorder well. Aquifer test 11/12/08 by LBG. T= 173,750. Wells 34-301 and 35-104 used as observation wells. PWS ID #0220001R

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5234303	City of Alpine Musquiz No. 11	302955	1034511	11/30/1984	400	C C S C S C	16 11 11 11 11 11	0 0 160 220 280 380	54 160 220 280 380 400	110AVTV	4427	207 measurements 1984 to 2013 MIN -157.49 MAX -98.65	S	E	P	"Musquiz No. 11." Measured yield 225 GPM with 45 feet drawdown after pumping 2 hours in 1984. Specific capacity 5 GPM/ft. Observation well. Estimated transmissivity 851 sqft/day. Estimated hydraulic conductivity 5.3 ft/day. PWS ID #0220001W.
5234304	H. L. Kokernot, Jr.	302933	1034506	00/00/1966	474	C S	8 8	0 100	100 526	110AVTV	4400	1 measurement 1970 -96	N		U	Test hole No. 1., Musquiz Canyon. Originally drilled to 526 feet, logged to 481 feet in 1970. Reported yield 126 GPM in 1966. Geophysical log Q-27.
5234305	Mary Ann Leudke	302828	1034649			C	6			120VLCC	4595	1 measurement 2001 -98.1	P	W	S	
5235101	Ed Davidson	302926	1034309	07/00/1955	71	C	8	0 38	38 71	100ALVM	4340	46 measurements 1955 to 1964 MIN -23.35 MAX -17.3	N		U	Test hole No. 1., Musquiz Canyon. Historical observation well. Well DD-2 in TBWE B-5712.
5235102	H. L. Kokernot	302859	1034433	07/00/1955	53					100ALVM	4380	45 measurements 1955 to 1964 MIN -21.9 MAX -15.69	N		U	Test hole No. 2., Musquiz Canyon. Historical observation well. Well DD-10 in TBWE B-5712.
5235103	H. L. Kokernot	302914	1034455	09/29/1966	541	C S	8 8	0 45	45 541	120IGNS	4384	1 measurement 1966 -100			U	Old well. Not sure if ever put in to production. No history, other than log. Reported yield 180 GPM with 112 feet drawdown after pumping 288 hours in 1966. Specific capacity 1.61 GPM/ft. Estimated transmissivity 219.92 sqft/day. Estimated hydraulic conductivity 0.44 ft/day.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.				Aquifer	Elevation	Water Levels	Lift	Power	Use	Remarks
5235104	City of Alpine Musquiz # 6	302921	1034459	00/00/1972	536					120IGNS	4394	15 measurements 1972 to 2008 MIN -130 MAX -99.41	S 40.00 hp	E	P	"Musquiz No. 6". Reported yield 325 GPM in 1987. Measured yield 481 GP in 1998. Aquifer test in 1972. Observation well for test of 34-302 in 2008. PWS ID #0220001N. Recent LBG aquifer test graph in TWDB files.
5235106	City of Alpine Musquiz # 8	302905	1034436	01/00/1972	500	C	14	0	66	120IGNS	4372	15 measurements 1972 to 2008 MIN -125 MAX -71	S 15.00 hp	E	P	"Musquiz No. 8." Reported yield 120 GPM in 1987. Measured yield 127 GP in 1998. PWS ID #0220001P. Reported yield 203 GPM during aquifer test in 1972. Aquifer test results in TWDB files.
						C	12	66	100							
						S	12	100	120							
						C	12	120	145							
						S	12	145	205							
						C	12	205	235							
						S	12	235	295							
						C	12	295	345							
						S	12	345	355							
								355	500							
5235107	City of Alpine Musquiz #9	302858	1034457	12/15/1971	482	C	14	0	66	110AVTV	4398	1 measurement 2005 -110	S 15.00 hp	E	P	"Musquiz No. 9". Reported yield 115 GPM in 1998. PWS ID #0220001Q.
						S	10	66	335							
								335	482							

Aquifers:

100ALVM	ALLUVIUM
110ALVM	QUATERNARY ALLUVIUM
110ALVP	ALLUVIAL PLAIN DEPOSITS
110AVCC	ALLUVIUM AND CRETACEOUS ROCKS
110AVTC	ALLUVIAL TERRACE AND CHANNEL DEPOSITS
110AVTV	ALLUVIUM AND TERTIARY VOLCANICS
112GRBL	GREEN RIVER BOLSON
112SLBL	SALT BOLSON
120IGNS	IGNEOUS ROCKS
120VLCC	VOLCANICS
210CRCS	CRETACEOUS SYSTEM
211CRCSU	UPPER CRETACEOUS SERIES
NOT-APPL	AQUIFER CODE IS NOT APPLICABLE TO THIS WELL