# Texas Water Development Board
# Groundwater Database Reports

groundwater resources division

## Water Level Publication Report

**County:** Kendall

*Water Level Measurements in Feet Above or Below (-) Land Surface*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **5749901** | *( Aquifer: 218EDRDA* | | *Well Depth: 29 )* | | | | | | |
| | P | 2 / 7 / 1940 | -20.1 | | 1879.9 | 01 | 05 | 7 | |
| **Min** -20.1 | | **Max** -20.1 | **Avg** -20.1 | | | | | | |
| **5750701** | *( Aquifer: 218GLRS* | | *Well Depth: 260 )* | | | | | | |
| | P | 4 / 8 / 1965 | -59.5 | | 2005.5 | 01 | 04 | 1 | |
| **Min** -59.5 | | **Max** -59.5 | **Avg** -59.5 | | | | | | |
| **5750702** | *( Aquifer: 218GLRS* | | *Well Depth: 433 )* | | | | | | |
| | P | 2 / 21/ 1940 | -289.79 | | 1595.21 | 01 | 04 | 1 | |
| **Min** -289.79 | | **Max** -289.79 | **Avg** -289.79 | | | | | | |
| **5750801** | *( Aquifer: 218GLRH* | | *Well Depth: 371 )* | | | | | | |
| | P | 2 / 21/ 1940 | -137.6 | | 1614.4 | 01 | 04 | 1 | |
| | P | 4 / 7 / 1965 | -136.3 | 1.3 | 1615.7 | 01 | 04 | 1 | |
| **Min** -137.6 | | **Max** -136.3 | **Avg** -136.95 | | | | | | |
| **5751701** | *( Aquifer: 218GLRH* | | *Well Depth: 420 )* | | | | | | |
| | P | 2 / 19/ 1940 | -275.1 | | 1459.9 | 01 | 01 | 1 | |
| **Min** -275.1 | | **Max** -275.1 | **Avg** -275.1 | | | | | | |
| **5751801** | *( Aquifer: 218GLRSU* | | *Well Depth: 211 )* | | | | | | |
| | P | 3 / 4 / 1940 | -75.2 | | 1694.8 | 01 | 01 | 1 | |
| | P | 8 / 9 / 1965 | -139.5 | -64.3 | 1630.5 | 01 | 01 | 1 | |
| **Min** -139.5 | | **Max** -75.2 | **Avg** -107.35 | | | | | | |
| **5757301** | *( Aquifer: 218EDRDA* | | *Well Depth: 100 )* | | | | | | |
| | P | 4 / 6 / 1965 | -31.34 | | 1888.66 | 01 | 04 | 1 | |
| **Min** -31.34 | | **Max** -31.34 | **Avg** -31.34 | | | | | | |
| **5757304** | *( Aquifer: 218HNSL* | | *Well Depth: 550 )* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 1 / 1963 | -350 | | 1434 | 01 | 07 | 7 | |
| | P | 4 / 23/ 1974 | -354 | -4 | 1430 | 01 | 01 | 2 | |
| | P | 2 / 24/ 1975 | -354.68 | -0.68 | 1429.32 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -360.16 | -5.48 | 1423.84 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -364.65 | -4.49 | 1419.35 | 01 | 01 | 1 | 04 |
| | P | 2 / 17/ 1978 | -356.58 | 8.07 | 1427.42 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -379.6 | -23.0 | 1404.4 | 01 | 01 | 1 | 04 |
| | P | 2 / 11/ 1981 | -370.55 | 9.05 | 1413.45 | 01 | 01 | 1 | 04 |
| | P | 2 / 11/ 1982 | -366.78 | 3.77 | 1417.22 | 01 | 01 | 1 | 04 |
| | P | 2 / 8 / 1983 | -364.37 | 2.41 | 1419.63 | 01 | 01 | 1 | |
| | P | 3 / 1 / 1984 | -366.63 | -2.26 | 1417.37 | 01 | 01 | 1 | |
| | P | 2 / 22/ 1985 | -359.8 | 6.83 | 1424.2 | 01 | 01 | 1 | |
| | N | 3 / 11/ 1986 | | | | 01 | 01 | | 61 |
| | N | 12 / 10/ 1986 | | | | 01 | 01 | | 61 |
| | P | 10 / 27/ 1987 | -350.5 | | 1433.5 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1989 | -352.46 | -1.96 | 1431.54 | 01 | 01 | 1 | |
| | N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |
| | P | 2 / 8 / 1991 | -406.45 | | 1377.55 | 01 | 01 | 1 | 04 |
| | N | 2 / 11/ 1992 | | | | 01 | 01 | | 61 |
| | N | 2 / 17/ 1993 | | | | 01 | 01 | 1 | 47 |
| | N | 3 / 31/ 1994 | | | | 01 | 01 | 1 | 47 |
| | N | 1 / 25/ 1995 | | | | 01 | 01 | | 61 |

**Min** *-406.45* **Max** *-350* **Avg** *-363.814*

***5757601*** *( Aquifer: 218GLRH Well Depth: 375 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 13/ 1965 | -194.8 | | 1505.2 | 01 | 01 | 1 | |

**Min** *-194.8* **Max** *-194.8* **Avg** *-194.8*

***5757901*** *( Aquifer: 218GRLH Well Depth: 356 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 13/ 1965 | -106.2 | | 1473.8 | 01 | 04 | 1 | |

**Min** *-106.2* **Max** *-106.2* **Avg** *-106.2*

***5757902*** *( Aquifer: 218GRLH Well Depth: 370 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 13/ 1965 | -202.34 | | 1470.66 | 01 | 04 | 1 | |

**Min** *-202.34* **Max** *-202.34* **Avg** *-202.34*

***5757903*** *( Aquifer: 218GRLH Well Depth: 265 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 7 / 1940 | -69.7 | | 1465.3 | 01 | 01 | 1 | |
| | P | 4 / 14/ 1965 | -64.7 | 5 | 1470.3 | 01 | 01 | 1 | |
| | P | 5 / 10/ 1965 | -64.7 | | 1470.3 | 01 | 01 | 1 | |
| **Min** -69.7 | | **Max** -64.7 | **Avg** -66.3667 | | | | | | |
| ***5757904*** | *( Aquifer: 218GRLH* | | *Well Depth: 255 )* | | | | | | |
| | P | 4 / 15/ 1965 | -26.55 | | 1483.45 | 01 | 04 | 1 | |
| **Min** -26.55 | | **Max** -26.55 | **Avg** -26.55 | | | | | | |
| ***5757905*** | *( Aquifer: 218HNSL* | | *Well Depth: 356 )* | | | | | | |
| | P | 0 / 0 / 1960 | -150 | | 1480 | 01 | 01 | 1 | |
| **Min** -150 | | **Max** -150 | **Avg** -150 | | | | | | |
| ***5757906*** | *( Aquifer: 218GRHC* | | *Well Depth: 260 )* | | | | | | |
| | P | 2 / 22/ 1940 | -96.8 | | 1403.2 | 01 | 01 | 1 | |
| **Min** -96.8 | | **Max** -96.8 | **Avg** -96.8 | | | | | | |
| ***5757907*** | *( Aquifer: 218TRNT* | | *Well Depth: 585 )* | | | | | | |
| | P | 4 / 27/ 1977 | -77 | | 1533 | 01 | 01 | 1 | |
| **Min** -77 | | **Max** -77 | **Avg** -77 | | | | | | |
| ***5758102*** | *( Aquifer: 218GLRSL* | | *Well Depth: 360 )* | | | | | | |
| | P | 4 / 7 / 1965 | -320.4 | | 1499.6 | 01 | 04 | 1 | |
| **Min** -320.4 | | **Max** -320.4 | **Avg** -320.4 | | | | | | |
| ***5758201*** | *( Aquifer: 218GLRSU* | | *Well Depth: 80 )* | | | | | | |
| | P | 2 / 21/ 1940 | -31 | | 1784 | 01 | 01 | 1 | |
| | P | 4 / 7 / 1965 | -36 | -5 | 1779 | 01 | 01 | 1 | |
| **Min** -36 | | **Max** -31 | **Avg** -33.5 | | | | | | |
| ***5758202*** | *( Aquifer: 218GRLH* | | *Well Depth: 435 )* | | | | | | |
| | P | 12 / 0 / 1961 | -310 | | 1438 | 01 | 01 | 1 | |
| **Min** -310 | | **Max** -310 | **Avg** -310 | | | | | | |
| ***5758203*** | *( Aquifer:* | | *Well Depth: 155 )* | | | | | | |
| | P | 2 / 22/ 2011 | -58.46 | | 1928.54 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -59.7 | -1.24 | 1927.3 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -59.7 | | 1927.3 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 31/ 2011 | -59.72 | -0.02 | 1927.28 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -59.73 | -0.01 | 1927.27 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -59.72 | 0.01 | 1927.28 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -59.71 | 0.01 | 1927.29 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -59.73 | -0.02 | 1927.27 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -59.73 | | 1927.27 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -59.74 | -0.01 | 1927.26 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -59.75 | -0.01 | 1927.25 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -59.75 | | 1927.25 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -59.75 | | 1927.25 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -59.76 | -0.01 | 1927.24 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -59.83 | -0.07 | 1927.17 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -59.75 | 0.08 | 1927.25 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -59.76 | -0.01 | 1927.24 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -59.73 | 0.03 | 1927.27 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -59.73 | | 1927.27 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -59.75 | -0.02 | 1927.25 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -59.73 | 0.02 | 1927.27 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -59.76 | -0.03 | 1927.24 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -59.75 | 0.01 | 1927.25 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -59.78 | -0.03 | 1927.22 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -59.76 | 0.02 | 1927.24 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -59.79 | -0.03 | 1927.21 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -59.75 | 0.04 | 1927.25 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -59.77 | -0.02 | 1927.23 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -59.78 | -0.01 | 1927.22 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -59.8 | -0.02 | 1927.2 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -59.75 | 0.05 | 1927.25 | 01 | 06 | 2 | |

**Min** *-59.83* **Max** *-58.46* **Avg** *-59.7071*

***5758401*** *( Aquifer: 218GRLH Well Depth: 310 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 9 / 1965 | -126.5 | | 1478.5 | 01 | 04 | 1 | |
| | P | 6 / 15/ 1994 | -144.2 | -17.7 | 1460.8 | 01 | 01 | 1 | |

**Min** *-144.2* **Max** *-126.5* **Avg** *-135.35*

***5758402*** *( Aquifer: 218HNSL Well Depth: 315 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 21/ 1963 | -123 | | 1462 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/24/1974 | -126.76 | -3.76 | 1458.24 | 01 | 01 | 1 | |
| | P | 2/21/1975 | -127.4 | -0.64 | 1457.6 | 01 | 01 | 1 | |
| | P | 1/30/1976 | -128.52 | -1.12 | 1456.48 | 01 | 01 | 1 | |
| | P | 2/16/1977 | -124.96 | 3.56 | 1460.04 | 01 | 01 | 1 | |
| | P | 2/17/1978 | -122.82 | 2.14 | 1462.18 | 01 | 01 | 1 | |
| | P | 3/ 6/1979 | -126.43 | -3.61 | 1458.57 | 01 | 01 | 1 | |
| | P | 2/11/1981 | -125.24 | 1.19 | 1459.76 | 01 | 01 | 1 | |
| | P | 2/12/1982 | -124.63 | 0.61 | 1460.37 | 01 | 01 | 1 | |
| | P | 2/ 8/1983 | -124.46 | 0.17 | 1460.54 | 01 | 01 | 1 | |
| | P | 3/ 1/1984 | -123.73 | 0.73 | 1461.27 | 01 | 01 | 1 | |
| | P | 2/22/1985 | -128.4 | -4.67 | 1456.6 | 01 | 01 | 1 | |
| | P | 3/11/1986 | -120.8 | 7.6 | 1464.2 | 01 | 01 | 1 | |
| | P | 12/ 9/1986 | -126.95 | -6.15 | 1458.05 | 01 | 01 | 1 | |
| | P | 3/24/1989 | -131.38 | -4.43 | 1453.62 | 01 | 01 | 1 | |
| | P | 2/ 7/1990 | -132.28 | -0.9 | 1452.72 | 01 | 01 | 1 | |
| | P | 2/ 8/1991 | -136.67 | -4.39 | 1448.33 | 01 | 01 | 1 | |
| | P | 2/11/1992 | -125.18 | 11.49 | 1459.82 | 01 | 01 | 1 | |
| | P | 2/17/1993 | -125.78 | -0.6 | 1459.22 | 01 | 01 | 1 | |
| | P | 3/31/1994 | -127.44 | -1.66 | 1457.56 | 01 | 01 | 1 | |
| | P | 1/25/1995 | -130.15 | -2.71 | 1454.85 | 01 | 01 | 1 | |
| | N | 2/21/1996 | | | | 01 | 01 | | 61 |
| | N | 1/16/1997 | | | | 01 | 01 | | 61 |
| | P | 1/31/2007 | -157.83 | | 1427.17 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -159.25 | -1.42 | 1425.75 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -159.33 | -0.08 | 1425.67 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -158.5 | 0.83 | 1426.5 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -159.17 | -0.67 | 1425.83 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -159.58 | -0.41 | 1425.42 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -159.17 | 0.41 | 1425.83 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -159.33 | -0.16 | 1425.67 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -159.25 | 0.08 | 1425.75 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -159.33 | -0.08 | 1425.67 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -158.5 | 0.83 | 1426.5 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -158.67 | -0.17 | 1426.33 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -157.75 | 0.92 | 1427.25 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -158 | -0.25 | 1427 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 2007 | -156.8 | 1.2 | 1428.2 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -156.6 | 0.2 | 1428.4 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -156.2 | 0.4 | 1428.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -156 | 0.2 | 1429 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -156 | | 1429 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -155.6 | 0.4 | 1429.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -154.67 | 0.93 | 1430.33 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -153.8 | 0.87 | 1431.2 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -153.8 | | 1431.2 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -155.3 | -1.5 | 1429.7 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -152.8 | 2.5 | 1432.2 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -152.6 | 0.2 | 1432.4 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -152.9 | -0.3 | 1432.1 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -152.7 | 0.2 | 1432.3 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -152.8 | -0.1 | 1432.2 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -153.2 | -0.4 | 1431.8 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -153.4 | -0.2 | 1431.6 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -153.2 | 0.2 | 1431.8 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -154.2 | -1 | 1430.8 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -154.2 | | 1430.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -156 | -1.8 | 1429 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -155.3 | 0.7 | 1429.7 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -156.4 | -1.1 | 1428.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -156.9 | -0.5 | 1428.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -157.45 | -0.55 | 1427.55 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -157.5 | -0.05 | 1427.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -158.1 | -0.6 | 1426.9 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -158 | 0.1 | 1427 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -158.5 | -0.5 | 1426.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -158.9 | -0.4 | 1426.1 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -159.2 | -0.3 | 1425.8 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -160.1 | -0.9 | 1424.9 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -160.2 | -0.1 | 1424.8 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -160.2 | | 1424.8 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -160.6 | -0.4 | 1424.4 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -161.3 | -0.7 | 1423.7 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/2009 | -161.6 | -0.3 | 1423.4 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -162.5 | -0.9 | 1422.5 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -162.3 | 0.2 | 1422.7 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -168.1 | -5.8 | 1416.9 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -162.9 | 5.2 | 1422.1 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -164.2 | -1.3 | 1420.8 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -165.15 | -0.95 | 1419.85 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -166.2 | -1.05 | 1418.8 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -167.15 | -0.95 | 1417.85 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -167.75 | -0.6 | 1417.25 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -169.87 | -2.12 | 1415.13 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -169.3 | 0.57 | 1415.7 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -169.29 | 0.01 | 1415.71 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -168.9 | 0.39 | 1416.1 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -169.14 | -0.24 | 1415.86 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -169.23 | -0.09 | 1415.77 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -169.1 | 0.13 | 1415.9 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -169.4 | -0.3 | 1415.6 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -169.45 | -0.05 | 1415.55 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -168.65 | 0.8 | 1416.35 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -168.55 | 0.1 | 1416.45 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -168.2 | 0.35 | 1416.8 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -168.3 | -0.1 | 1416.7 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -167.91 | 0.39 | 1417.09 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -167.95 | -0.04 | 1417.05 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -167.75 | 0.2 | 1417.25 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -167.95 | -0.2 | 1417.05 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -167.5 | 0.45 | 1417.5 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -168.32 | -0.82 | 1416.68 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -168.42 | -0.1 | 1416.58 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -168.7 | -0.28 | 1416.3 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -169 | -0.3 | 1416 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -170.15 | -1.15 | 1414.85 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -169.97 | 0.18 | 1415.03 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -172.22 | -2.25 | 1412.78 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -171.05 | 1.17 | 1413.95 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/16/2010 | -171.12 | -0.07 | 1413.88 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -170.97 | 0.15 | 1414.03 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -170.64 | 0.33 | 1414.36 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -171.36 | -0.72 | 1413.64 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -170.71 | 0.65 | 1414.29 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -170.66 | 0.05 | 1414.34 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -171.4 | -0.74 | 1413.6 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -170.71 | 0.69 | 1414.29 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -170.79 | -0.08 | 1414.21 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -170.73 | 0.06 | 1414.27 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -171.18 | -0.45 | 1413.82 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -171.46 | -0.28 | 1413.54 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -171.54 | -0.08 | 1413.46 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -173.19 | -1.65 | 1411.81 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -172.64 | 0.55 | 1412.36 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -173.46 | -0.82 | 1411.54 | 01 | 06 | 2 | |
| | P | 7/13/2011 | -173.59 | -0.13 | 1411.41 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -173.59 | | 1411.41 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -175.1 | -1.51 | 1409.9 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -175.59 | -0.49 | 1409.41 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -175.61 | -0.02 | 1409.39 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -177.25 | -1.64 | 1407.75 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -177.09 | 0.16 | 1407.91 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -177.5 | -0.41 | 1407.5 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -177.44 | 0.06 | 1407.56 | 01 | 06 | 2 | |
| | P | 11/30/2011 | -177.38 | 0.06 | 1407.62 | 01 | 06 | 2 | |
| | P | 12/16/2011 | -177.21 | 0.17 | 1407.79 | 01 | 06 | 2 | |
| | P | 12/29/2011 | -176.96 | 0.25 | 1408.04 | 01 | 06 | 2 | |
| | P | 1/19/2012 | -177.08 | -0.12 | 1407.92 | 01 | 06 | 2 | |
| | P | 1/31/2012 | -176.85 | 0.23 | 1408.15 | 01 | 06 | 2 | |
| | P | 2/16/2012 | -177.12 | -0.27 | 1407.88 | 01 | 06 | 2 | |
| | P | 2/29/2012 | -176.89 | 0.23 | 1408.11 | 01 | 06 | 2 | |
| | P | 3/15/2012 | -176.71 | 0.18 | 1408.29 | 01 | 06 | 2 | |
| | P | 3/30/2012 | -176.34 | 0.37 | 1408.66 | 01 | 06 | 2 | |
| | P | 4/13/2012 | -176.4 | -0.06 | 1408.6 | 01 | 06 | 2 | |
| | P | 4/27/2012 | -176.81 | -0.41 | 1408.19 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 2012 | -176.71 | 0.1 | 1408.29 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -177.8 | -1.09 | 1407.2 | 01 | 06 | 2 | |
| Min -177.8 | | Max -120.8 | Avg -159.833 | | | | | | |
| 5758501 | ( Aquifer: 218GLRSU | | Well Depth: 120 ) | | | | | | |
| | P | 9 / 1 / 1965 | -91.77 | | 1448.23 | 01 | 04 | 1 | |
| Min -91.77 | | Max -91.77 | Avg -91.77 | | | | | | |
| 5758502 | ( Aquifer: 218GRLH | | Well Depth: 190 ) | | | | | | |
| | P | 2 / 21/ 1940 | -33.5 | | 1441.5 | 01 | 01 | 1 | |
| Min -33.5 | | Max -33.5 | Avg -33.5 | | | | | | |
| 5758503 | ( Aquifer: 218GLRSL | | Well Depth: 451 ) | | | | | | |
| | P | 12 / 5 / 1955 | -387 | | 1319 | 01 | 07 | 7 | |
| Min -387 | | Max -387 | Avg -387 | | | | | | |
| 5758701 | ( Aquifer: 218GLRH | | Well Depth: 500 ) | | | | | | |
| | P | 8 / 23/ 1957 | -40 | | 1680 | 01 | 01 | 1 | |
| Min -40 | | Max -40 | Avg -40 | | | | | | |
| 5758702 | ( Aquifer: 218GRLH | | Well Depth: 420 ) | | | | | | |
| | P | 4 / 20/ 1965 | -224.9 | | 1515.1 | 01 | 04 | 1 | |
| Min -224.9 | | Max -224.9 | Avg -224.9 | | | | | | |
| 5758703 | ( Aquifer: 218GRLH | | Well Depth: 350 ) | | | | | | |
| | P | 2 / 0 / 1940 | -95 | | 1541 | 01 | 01 | 1 | |
| | P | 4 / 20/ 1965 | -80 | 15 | 1556 | 01 | 01 | 1 | |
| Min -95 | | Max -80 | Avg -87.5 | | | | | | |
| 5758704 | ( Aquifer: 218GLRSL | | Well Depth: 156 ) | | | | | | |
| | P | 2 / 21/ 1940 | -14.9 | | 1390.1 | 01 | 01 | 1 | |
| | P | 9 / 1 / 1965 | -35.7 | -20.8 | 1369.3 | 01 | 01 | 1 | |
| Min -35.7 | | Max -14.9 | Avg -25.3 | | | | | | |
| 5758705 | ( Aquifer: 218HNSL | | Well Depth: 341 ) | | | | | | |
| | P | 9 / 10/ 1971 | -195 | | 1350 | 01 | 01 | 1 | |
| | P | 4 / 17/ 1974 | -181.38 | 13.62 | 1363.62 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1975 | -177.4 | 3.98 | 1367.6 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30/ 1976 | -161.92 | 15.48 | 1383.08 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -172.7 | -10.8 | 1372.3 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1978 | -179.64 | -6.94 | 1365.36 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -195.85 | -16.2 | 1349.15 | 01 | 01 | 1 | 02 |
| | P | 2 / 11/ 1981 | -178.8 | 17.05 | 1366.2 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1982 | -178.37 | 0.43 | 1366.63 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -181.14 | -2.77 | 1363.86 | 01 | 01 | 1 | |
| | N | 3 / 1 / 1984 | | | | 01 | 01 | | 63 |
| | N | 2 / 22/ 1985 | | | | 01 | 01 | | 63 |
| | N | 3 / 11/ 1986 | | | | 01 | 01 | | 63 |
| | N | 12 / 9 / 1986 | | | | 01 | 01 | | 63 |

**Min** *-195.85* **Max** *-161.92* **Avg** *-180.22*

***5758706*** *( Aquifer: 218HNSL Well Depth: 200 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 17/ 1974 | -86.89 | | 1393.11 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1975 | -80.6 | 6.29 | 1399.4 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -83.17 | -2.57 | 1396.83 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -74.88 | 8.29 | 1405.12 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1978 | -84.47 | -9.59 | 1395.53 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -82.55 | 1.92 | 1397.45 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1981 | -86.85 | -4.3 | 1393.15 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1982 | -84.98 | 1.87 | 1395.02 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -88.92 | -3.94 | 1391.08 | 01 | 01 | 1 | |
| | P | 3 / 1 / 1984 | -87.47 | 1.45 | 1392.53 | 01 | 01 | 1 | |
| | P | 2 / 22/ 1985 | -106.75 | -19.3 | 1373.25 | 01 | 01 | 1 | 04 |
| | P | 3 / 11/ 1986 | -83.3 | 23.45 | 1396.7 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -85.82 | -2.52 | 1394.18 | 01 | 01 | 1 | |
| | P | 10 / 27/ 1987 | -83.24 | 2.58 | 1396.76 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -93.7 | -10.5 | 1386.3 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1990 | -103.58 | -9.88 | 1376.42 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -99.3 | 4.28 | 1380.7 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1992 | -93.19 | 6.11 | 1386.81 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1993 | -84.12 | 9.07 | 1395.88 | 01 | 01 | 1 | |
| | P | 3 / 31/ 1994 | -90.18 | -6.06 | 1389.82 | 01 | 01 | 1 | |
| | P | 1 / 25/ 1995 | -94.5 | -4.32 | 1385.5 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1996 | -102.45 | -7.95 | 1377.55 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 1996 | -106.48 | -4.03 | 1373.52 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1997 | -101.66 | 4.82 | 1378.34 | 01 | 01 | 1 | |
| | P | 7 / 22/ 1997 | -95.3 | 6.36 | 1384.7 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1998 | -96.25 | -0.95 | 1383.75 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1999 | -99.55 | -3.3 | 1380.45 | 01 | 01 | 1 | |
| | P | 4 / 7 / 1999 | -98.91 | 0.64 | 1381.09 | 01 | 03 | 1 | |
| | P | 5 / 19/ 1999 | -100.56 | -1.65 | 1379.44 | 01 | 03 | 1 | |
| | P | 7 / 6 / 1999 | -102.07 | -1.51 | 1377.93 | 01 | 03 | 1 | |
| | P | 8 / 18/ 1999 | -104.59 | -2.52 | 1375.41 | 01 | 03 | 1 | |
| | P | 10 / 14/ 1999 | -108.41 | -3.82 | 1371.59 | 01 | 03 | 1 | |
| | N | 1 / 13/ 2000 | | | | 01 | 03 | | 61 |
| | N | 2 / 15/ 2000 | | | | 01 | 01 | | 61 |
| | P | 8 / 1 / 2000 | -120.1 | | 1359.9 | 01 | 01 | 1 | |
| | P | 12 / 20/ 2000 | -115.1 | 5 | 1364.9 | 01 | 03 | 1 | |
| | P | 2 / 7 / 2001 | -113.25 | 1.85 | 1366.75 | 01 | 01 | 1 | |
| | P | 2 / 5 / 2002 | -118.9 | -5.65 | 1361.1 | 01 | 01 | 1 | |
| | N | 2 / 11/ 2003 | | | | 01 | 01 | | 61 |
| | P | 2 / 3 / 2004 | -111.95 | | 1368.05 | 01 | 01 | 1 | |
| | N | 1 / 6 / 2005 | | | | 01 | 01 | | 61 |
| | P | 2 / 22/ 2006 | -117.3 | | 1362.7 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2007 | -130.5 | -13.2 | 1349.5 | 01 | 01 | 1 | 02 |
| | P | 1 / 8 / 2009 | -129.44 | 1.06 | 1350.56 | 01 | 01 | 1 | |
| | N | 2 / 9 / 2010 | | | | 01 | 01 | 1 | 44 |
| | P | 3 / 22/ 2011 | -137.41 | | 1342.59 | 01 | 01 | 1 | |
| | P | 10 / 19/ 2011 | -150.5 | -13.1 | 1329.5 | 01 | 01 | 1 | |
| | P | 11 / 15/ 2012 | -151.11 | -0.61 | 1328.89 | 01 | 01 | 1 | |

**Min** *-151.11* **Max** *-74.88* **Avg** *-101.634*

***5758801*** *( Aquifer: 218GLRSL Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 21/ 1940 | -34.8 | | 1415.2 | 01 | 01 | 1 | |
| | P | 9 / 1 / 1965 | -57.2 | -22.4 | 1392.8 | 01 | 01 | 1 | |

**Min** *-57.2* **Max** *-34.8* **Avg** *-46*

***5759101*** *( Aquifer: 218GRLH Well Depth: 425 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 12/ 1962 | -285 | | 1537 | 01 | 07 | 7 | |

**Min** *-285* **Max** *-285* **Avg** *-285*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **5759201** | ( Aquifer: 218GLRSU | | Well Depth: 240 ) | | | | | | |
| | P | 8 / 10/ 1965 | -103.71 | | 1666.29 | 01 | 04 | 1 | |
| Min -103.71 | | Max -103.71 | Avg -103.71 | | | | | | |
| **5759301** | ( Aquifer: 218GLRSU | | Well Depth: 250 ) | | | | | | |
| | P | 8 / 10/ 1965 | -140 | | 1692 | 01 | 11 | 7 | |
| Min -140 | | Max -140 | Avg -140 | | | | | | |
| **5759302** | ( Aquifer: 218GLRSU | | Well Depth: 300 ) | | | | | | |
| | P | 8 / 9 / 1965 | -200 | | 1631 | 01 | 01 | 1 | |
| Min -200 | | Max -200 | Avg -200 | | | | | | |
| **5759303** | ( Aquifer: 218GLRSU | | Well Depth: 60 ) | | | | | | |
| | P | 8 / 10/ 1965 | -18.04 | | 1793.96 | 01 | 04 | 1 | |
| Min -18.04 | | Max -18.04 | Avg -18.04 | | | | | | |
| **5759304** | ( Aquifer: 218GLRSU | | Well Depth: 200 ) | | | | | | |
| | P | 8 / 10/ 1965 | -119.55 | | 1510.45 | 01 | 04 | 1 | |
| Min -119.55 | | Max -119.55 | Avg -119.55 | | | | | | |
| **5759305** | ( Aquifer: 218GLRSL | | Well Depth: 350 ) | | | | | | |
| | P | 8 / 10/ 1965 | -189.9 | | 1480.1 | 01 | 04 | 1 | |
| Min -189.9 | | Max -189.9 | Avg -189.9 | | | | | | |
| **5759306** | ( Aquifer: 218GLRSU | | Well Depth: 300 ) | | | | | | |
| | P | 1 / 11/ 1999 | -241.2 | | 1518.8 | 01 | 01 | 2 | |
| Min -241.2 | | Max -241.2 | Avg -241.2 | | | | | | |
| **5759402** | ( Aquifer: 218GRLH | | Well Depth: 232 ) | | | | | | |
| | P | 2 / 19/ 1940 | -15.6 | | 1429.4 | 01 | 01 | 1 | |
| | P | 8 / 25/ 1965 | -33.8 | -18.2 | 1411.2 | 01 | 01 | 1 | |
| Min -33.8 | | Max -15.6 | Avg -24.7 | | | | | | |
| **5759403** | ( Aquifer: 218GRLH | | Well Depth: 232 ) | | | | | | |
| | P | 8 / 25/ 1965 | -115 | | 1375 | 01 | 01 | 1 | |
| Min -115 | | Max -115 | Avg -115 | | | | | | |
| **5759404** | ( Aquifer: 218HNSL | | Well Depth: 325 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 18/ 1965 | -138.55 | | 1411.45 | 01 | 04 | 1 | |
| Min -138.55 | | Max -138.55 | Avg -138.55 | | | | | | |
| **5759501** | ( Aquifer: 217HSTN | | Well Depth: 966 ) | | | | | | |
| | P | 9 / 9 / 1965 | -550.1 | | 1274.9 | 01 | 10 | 6 | |
| Min -550.1 | | Max -550.1 | Avg -550.1 | | | | | | |
| **5759601** | ( Aquifer: 218GLRSU | | Well Depth: 564 ) | | | | | | |
| | P | 4 / 6 / 1977 | -558 | | 1352 | 01 | 01 | 6 | |
| Min -558 | | Max -558 | Avg -558 | | | | | | |
| **5759701** | ( Aquifer: 218GRLH | | Well Depth: 250 ) | | | | | | |
| | P | 2 / 19/ 1940 | -22.3 | | 1417.7 | 01 | 01 | 1 | |
| | P | 8 / 25/ 1965 | -38.5 | -16.2 | 1401.5 | 01 | 01 | 1 | |
| Min -38.5 | | Max -22.3 | Avg -30.4 | | | | | | |
| **5759702** | ( Aquifer: 218GRLH | | Well Depth: 285 ) | | | | | | |
| | P | 5 / 24/ 1963 | -61 | | 1444 | 01 | 07 | 7 | |
| Min -61 | | Max -61 | Avg -61 | | | | | | |
| **5759801** | ( Aquifer: 218PRHF | | Well Depth: 600 ) | | | | | | |
| | P | 8 / 0 / 1965 | -32 | | 1393 | 01 | 01 | 1 | |
| | P | 4 / 11/ 1975 | -26.5 | 5.5 | 1398.5 | 01 | 01 | 1 | |
| Min -32 | | Max -26.5 | Avg -29.25 | | | | | | |
| **5759802** | ( Aquifer: 218PRHF | | Well Depth: 600 ) | | | | | | |
| | P | 8 / 27/ 1965 | -41.5 | | 1397.5 | 01 | 01 | 1 | |
| | P | 4 / 11/ 1975 | -42 | -0.5 | 1397 | 01 | 01 | 1 | |
| Min -42 | | Max -41.5 | Avg -41.75 | | | | | | |
| **5759803** | ( Aquifer: 218GRLH | | Well Depth: 185 ) | | | | | | |
| | P | 8 / 18/ 1965 | -74.64 | | 1325.36 | 01 | 04 | 1 | |
| Min -74.64 | | Max -74.64 | Avg -74.64 | | | | | | |
| **5759804** | ( Aquifer: 218PRHF | | Well Depth: 787 ) | | | | | | |
| | P | 8 / 17/ 1965 | -106 | | 1324 | 01 | 01 | 1 | |
| | P | 4 / 11/ 1975 | -61.9 | 44.1 | 1368.1 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -106** | | **Max -61.9** | **Avg** | **-83.95** | | | | | |
| ***5759805*** | *( Aquifer: 218GRLH* | | *Well Depth: 320 )* | | | | | | |
| | P | 10 / 13/ 1963 | -20 | | 1455 | 01 | 07 | 7 | |
| | P | 8 / 18/ 1965 | -50 | -30 | 1425 | 01 | 11 | 7 | |
| **Min -50** | | **Max -20** | **Avg** | **-35** | | | | | |
| ***5759807*** | *( Aquifer: 217HSTN* | | *Well Depth: 555 )* | | | | | | |
| | P | 4 / 5 / 1977 | -66 | | 1471 | 01 | 01 | 1 | |
| **Min -66** | | **Max -66** | **Avg** | **-66** | | | | | |
| ***5759808*** | *( Aquifer: 217HSTN* | | *Well Depth: 800 )* | | | | | | |
| | P | 3 / 3 / 1977 | -32 | | 1527 | 01 | 01 | 6 | |
| | P | 11 / 2 / 1987 | -27.19 | 4.81 | 1531.81 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -33.27 | -6.08 | 1525.73 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1990 | -60.71 | -27.4 | 1498.29 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -25.8 | 34.91 | 1533.2 | 01 | 01 | 1 | |
| | N | 2 / 11/ 1992 | | | | 01 | 01 | | 61 |
| | P | 2 / 17/ 1993 | -29.17 | | 1529.83 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -27.02 | 2.15 | 1531.98 | 01 | 01 | 1 | |
| | N | 1 / 26/ 1995 | | | | 01 | 01 | | 61 |
| | P | 2 / 22/ 1996 | -41.95 | | 1517.05 | 01 | 01 | 1 | |
| | P | 7 / 30/ 1996 | -46.33 | -4.38 | 1512.67 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1997 | -33.19 | 13.14 | 1525.81 | 01 | 01 | 1 | |
| | P | 7 / 22/ 1997 | -28.44 | 4.75 | 1530.56 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1998 | -22.8 | 5.64 | 1536.2 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1999 | -26 | -3.2 | 1533 | 01 | 01 | 1 | |
| | N | 2 / 14/ 2000 | | | | 01 | 01 | 1 | 47 |
| | P | 2 / 7 / 2001 | -19.65 | | 1539.35 | 01 | 01 | 1 | |
| | P | 2 / 5 / 2002 | -15.99 | 3.66 | 1543.01 | 01 | 01 | 1 | |
| | P | 2 / 11/ 2003 | -34.18 | -18.2 | 1524.82 | 01 | 01 | 1 | |
| | N | 2 / 3 / 2004 | | | | 01 | 01 | | 61 |
| **Min -60.71** | | **Max -15.99** | **Avg** | **-31.4806** | | | | | |
| ***5759809*** | *( Aquifer: 217HSTN* | | *Well Depth: 506 )* | | | | | | |
| | P | 3 / 3 / 1977 | -62 | | 1418 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -62** | | **Max -62** | **Avg** | **-62** | | | | | |
| ***5759901*** | *( Aquifer: 217HSTN* | | *Well Depth: 650 )* | | | | | | |
| | P | 3 / 9 / 1977 | -107 | | 1533 | 01 | 01 | 6 | |
| **Min -107** | | **Max -107** | **Avg** | **-107** | | | | | |
| ***5760101*** | *( Aquifer: 218GLRSU* | | *Well Depth: 140 )* | | | | | | |
| | P | 3 / 4 / 1940 | -89.5 | | 1575.5 | 01 | 01 | 1 | |
| | P | 8 / 10/ 1965 | -94.5 | -5 | 1570.5 | 01 | 01 | 1 | |
| **Min -94.5** | | **Max -89.5** | **Avg** | **-92** | | | | | |
| ***5760102*** | *( Aquifer: 218GLRSU* | | *Well Depth: 150 )* | | | | | | |
| | P | 8 / 10/ 1965 | -121.27 | | 1543.73 | 01 | 04 | 1 | |
| **Min -121.27** | | **Max -121.27** | **Avg** | **-121.27** | | | | | |
| ***5760103*** | *( Aquifer: 218GRLH* | | *Well Depth: 450 )* | | | | | | |
| | P | 8 / 12/ 1965 | -235.04 | | 1404.96 | 01 | 04 | 1 | |
| **Min -235.04** | | **Max -235.04** | **Avg** | **-235.04** | | | | | |
| ***5760104*** | *( Aquifer: 218GLRSU* | | *Well Depth: 250 )* | | | | | | |
| | P | 8 / 12/ 1965 | -135.51 | | 1504.49 | 01 | 04 | 1 | |
| **Min -135.51** | | **Max -135.51** | **Avg** | **-135.51** | | | | | |
| ***5760105*** | *( Aquifer: 218GLRH* | | *Well Depth: 450 )* | | | | | | |
| | P | 8 / 12/ 1965 | -40 | | 1570 | 01 | 11 | 7 | |
| **Min -40** | | **Max -40** | **Avg** | **-40** | | | | | |
| ***5760201*** | *( Aquifer: 218GLRSU* | | *Well Depth: 140 )* | | | | | | |
| | P | 8 / 13/ 1965 | -79.54 | | 1465.46 | 01 | 04 | 1 | |
| | P | 6 / 20/ 1994 | -86.3 | -6.76 | 1458.7 | 01 | 01 | 1 | |
| **Min -86.3** | | **Max -79.54** | **Avg** | **-82.92** | | | | | |
| ***5760501*** | *( Aquifer: 218GLRSU* | | *Well Depth: 220 )* | | | | | | |
| | P | 8 / 17/ 1965 | -129.2 | | 1500.8 | 01 | 01 | 1 | |
| **Min -129.2** | | **Max -129.2** | **Avg** | **-129.2** | | | | | |
| ***5760601*** | *( Aquifer: 218GLRSU* | | *Well Depth: 125 )* | | | | | | |
| | P | 3 / 4 / 1940 | -41.9 | | 1483.1 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 16/ 1965 | -40.3 | 1.6 | 1484.7 | 01 | 01 | 1 | |
| Min -41.9 | | Max -40.3 | Avg -41.1 | | | | | | |
| 5760602 | ( Aquifer: 218GLRSU | Well Depth: 156 ) | | | | | | | |
| | P | 8 / 17/ 1965 | -74.23 | | 1540.77 | 01 | 04 | 1 | |
| Min -74.23 | | Max -74.23 | Avg -74.23 | | | | | | |
| 5760603 | ( Aquifer: 218GLRSU | Well Depth: 140 ) | | | | | | | |
| | P | 8 / 17/ 1965 | -53.48 | | 1526.52 | 01 | 04 | 1 | |
| Min -53.48 | | Max -53.48 | Avg -53.48 | | | | | | |
| 5760605 | ( Aquifer: 218GLRSU | Well Depth: 153 ) | | | | | | | |
| | P | 8 / 13/ 1965 | -78.3 | | 1551.7 | 01 | 04 | 1 | |
| Min -78.3 | | Max -78.3 | Avg -78.3 | | | | | | |
| 5760801 | ( Aquifer: 218GLRSU | Well Depth: 184 ) | | | | | | | |
| | P | 3 / 0 / 1940 | -180 | | 1500 | 01 | 01 | 1 | |
| Min -180 | | Max -180 | Avg -180 | | | | | | |
| 5760804 | ( Aquifer: 218GLRSL | Well Depth: 740 ) | | | | | | | |
| | P | 9 / 29/ 1986 | -540 | | 1325 | 01 | 07 | 7 | |
| Min -540 | | Max -540 | Avg -540 | | | | | | |
| 5760904 | ( Aquifer: 218GRLH | Well Depth: 700 ) | | | | | | | |
| | P | 11 / 24/ 1964 | -533 | | 1337 | 01 | 11 | 7 | |
| Min -533 | | Max -533 | Avg -533 | | | | | | |
| 5760905 | ( Aquifer: 218GLRSL | Well Depth: 290 ) | | | | | | | |
| | P | 8 / 16/ 1965 | -155.54 | | 1581.46 | 01 | 04 | 1 | |
| Min -155.54 | | Max -155.54 | Avg -155.54 | | | | | | |
| 5760906 | ( Aquifer: 218HSCC | Well Depth: 560 ) | | | | | | | |
| | P | 8 / 16/ 1965 | -162.05 | | 1487.95 | 01 | 04 | 1 | |
| | P | 7 / 10/ 1975 | -142.9 | 19.15 | 1507.1 | 01 | 01 | 1 | |
| Min -162.05 | | Max -142.9 | Avg -152.475 | | | | | | |
| 5760907 | ( Aquifer: 218GLRSU | Well Depth: 250 ) | | | | | | | |
| | P | 3 / 24/ 1940 | -95.1 | | 1744.9 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 24/ 1964 | -97.2 | -2.1 | 1742.8 | 01 | 01 | 1 | |
| Min -97.2 | | Max -95.1 | Avg -96.15 | | | | | | |
| **6801212** | ( Aquifer: 218GLRS | | Well Depth: 350 ) | | | | | | |
| | P | 3 / 20/ 1975 | -36.6 | | 1448.4 | 01 | 01 | 1 | |
| Min -36.6 | | Max -36.6 | Avg -36.6 | | | | | | |
| **6801301** | ( Aquifer: 218HNSL | | Well Depth: 295 ) | | | | | | |
| | P | 7 / 7 / 1947 | -33 | | 1387 | 01 | 01 | 1 | |
| Min -33 | | Max -33 | Avg -33 | | | | | | |
| **6801302** | ( Aquifer: 218HNSL | | Well Depth: 300 ) | | | | | | |
| | P | 10 / 19/ 1961 | -115.2 | | 1404.8 | 01 | 01 | 1 | |
| Min -115.2 | | Max -115.2 | Avg -115.2 | | | | | | |
| **6801303** | ( Aquifer: 218HNSL | | Well Depth: 310 ) | | | | | | |
| | P | 4 / 0 / 1957 | -61 | | 1339 | 01 | 01 | 1 | |
| Min -61 | | Max -61 | Avg -61 | | | | | | |
| **6801304** | ( Aquifer: 218GLRSL | | Well Depth: 162 ) | | | | | | |
| | P | 4 / 21/ 1965 | -60.84 | | 1464.16 | 01 | 04 | 1 | |
| Min -60.84 | | Max -60.84 | Avg -60.84 | | | | | | |
| **6801305** | ( Aquifer: 218GLRSL | | Well Depth: 76 ) | | | | | | |
| | P | 2 / 7 / 1940 | -63.4 | | 1511.6 | 01 | 05 | 7 | |
| | P | 4 / 15/ 1965 | -61.18 | 2.22 | 1513.82 | 01 | 04 | 1 | |
| Min -63.4 | | Max -61.18 | Avg -62.29 | | | | | | |
| **6801306** | ( Aquifer: 218GRLH | | Well Depth: 350 ) | | | | | | |
| | P | 4 / 14/ 1965 | -98.63 | | 1461.37 | 01 | 04 | 7 | |
| | P | 6 / 10/ 1965 | -99.79 | -1.16 | 1460.21 | 01 | 04 | 7 | |
| | P | 7 / 7 / 1965 | -104.07 | -4.28 | 1455.93 | 01 | 04 | 7 | |
| | P | 8 / 3 / 1965 | -106.09 | -2.02 | 1453.91 | 01 | 04 | 7 | |
| | P | 10 / 2 / 1965 | -107.44 | -1.35 | 1452.56 | 01 | 04 | 7 | |
| | P | 10 / 8 / 1965 | -111.84 | -4.4 | 1448.16 | 01 | 04 | 7 | |
| | P | 12 / 17/ 1965 | -104.42 | 7.42 | 1455.58 | 01 | 04 | 7 | |
| | P | 4 / 16/ 1974 | -112.59 | -8.17 | 1447.41 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 21/ 1975 | -112.77 | -0.18 | 1447.23 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -112.77 | | 1447.23 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -106.47 | 6.3 | 1453.53 | 01 | 01 | 1 | |
| | N | 2 / 27/ 1978 | | | | 01 | 01 | | 63 |
| | P | 3 / 6 / 1979 | -111.83 | | 1448.17 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1981 | -125.47 | -13.6 | 1434.53 | 01 | 01 | 1 | 04 |
| | P | 2 / 11/ 1982 | -124.17 | 1.3 | 1435.83 | 01 | 01 | 1 | |
| | N | 2 / 8 / 1983 | | | | 01 | 01 | | 63 |
| | P | 3 / 1 / 1984 | -147.49 | | 1412.51 | 01 | 01 | 1 | 04 |
| | N | 2 / 22/ 1985 | | | | 01 | 01 | 1 | 47 |
| | P | 3 / 11/ 1986 | -133.79 | | 1426.21 | 01 | 01 | 1 | |
| | N | 12 / 10/ 1986 | | | | 01 | 01 | | 61 |
| | N | 10 / 27/ 1987 | | | | 01 | 01 | | 61 |
| | N | 3 / 23/ 1989 | | | | 01 | 01 | | 61 |
| | N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |

**Min** *-147.49* **Max** *-98.63* **Avg** *-113.727*

## *6801307* *( Aquifer: 218GRLH Well Depth: 216 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 14/ 1964 | -64 | | 1451 | 01 | 07 | 7 | |

**Min** *-64* **Max** *-64* **Avg** *-64*

## *6801308* *( Aquifer: 218GRLH Well Depth: 220 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 13/ 1965 | -56.8 | | 1448.2 | 01 | 04 | 1 | |
| | P | 5 / 10/ 1965 | -60.1 | -3.3 | 1444.9 | 01 | 04 | 1 | |
| | P | 7 / 7 / 1965 | -63.6 | -3.5 | 1441.4 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1965 | -72 | -8.4 | 1433 | 01 | 04 | 1 | |
| | P | 9 / 2 / 1965 | -81.95 | -9.95 | 1423.05 | 01 | 04 | 1 | |
| | P | 10 / 8 / 1965 | -77.56 | 4.39 | 1427.44 | 01 | 04 | 1 | |

**Min** *-81.95* **Max** *-56.8* **Avg** *-68.6683*

## *6801309* *( Aquifer: 218HSCC Well Depth: 415 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 1 / 1965 | -122 | | 1338 | 01 | 07 | 7 | |
| | P | 3 / 20/ 1975 | -108.7 | 13.3 | 1351.3 | 01 | 01 | 1 | |

**Min** *-122* **Max** *-108.7* **Avg** *-115.35*

## *6801310* *( Aquifer: 218HSCC Well Depth: 640 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 28/ 1963 | -120 | | 1300 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 20/ 1975 | -121.2 | -1.2 | 1298.8 | 01 | 01 | 1 | |

**Min** *-121.2* **Max** *-120* **Avg** *-120.6*

## *6801312* *( Aquifer: 218HNSL Well Depth: 280 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | 7 / 10/ 1974 | -117.73 | | 1322.27 | 01 | 01 | 1 | |
| P | 2 / 21/ 1975 | -82.34 | 35.39 | 1357.66 | 01 | 01 | 1 | |
| P | 1 / 30/ 1976 | -94.76 | -12.4 | 1345.24 | 01 | 01 | 1 | |
| P | 2 / 16/ 1977 | -85.54 | 9.22 | 1354.46 | 01 | 01 | 1 | |
| P | 2 / 17/ 1978 | -103.38 | -17.8 | 1336.62 | 01 | 01 | 1 | |
| N | 3 / 6 / 1979 | | | | 01 | 01 | 1 | 44 |
| P | 2 / 11/ 1981 | -107.42 | | 1332.58 | 01 | 01 | 1 | |
| P | 2 / 11/ 1982 | -108.33 | -0.91 | 1331.67 | 01 | 01 | 1 | |
| P | 2 / 8 / 1983 | -113.42 | -5.09 | 1326.58 | 01 | 01 | 1 | |
| P | 3 / 1 / 1984 | -123.18 | -9.76 | 1316.82 | 01 | 01 | 1 | |
| P | 2 / 22/ 1985 | -118.57 | 4.61 | 1321.43 | 01 | 01 | 1 | |
| N | 3 / 11/ 1986 | | | | 01 | 01 | | 61 |
| N | 12 / 10/ 1986 | | | | 01 | 01 | | 61 |
| P | 10 / 27/ 1987 | -102.6 | | 1337.4 | 01 | 01 | 1 | |
| N | 3 / 23/ 1989 | | | | 01 | 01 | | 61 |
| N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |

**Min** *-123.18* **Max** *-82.34* **Avg** *-105.206*

## *6801314* *( Aquifer: 218HNSL Well Depth: 280 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | 2 / 15/ 1984 | -97.04 | | 1307.96 | 01 | 01 | 4 | |
| P | 2 / 29/ 1984 | -96.98 | 0.06 | 1308.02 | 01 | 01 | 4 | |
| P | 3 / 15/ 1984 | -99.41 | -2.43 | 1305.59 | 01 | 01 | 4 | |
| P | 3 / 30/ 1984 | -101.67 | -2.26 | 1303.33 | 01 | 01 | 4 | |
| P | 4 / 15/ 1984 | -104.26 | -2.59 | 1300.74 | 01 | 01 | 4 | |
| P | 4 / 30/ 1984 | -110.04 | -5.78 | 1294.96 | 01 | 01 | 4 | |
| P | 5 / 15/ 1984 | -113.71 | -3.67 | 1291.29 | 01 | 01 | 4 | |
| P | 5 / 30/ 1984 | -109.02 | 4.69 | 1295.98 | 01 | 01 | 4 | |
| P | 6 / 15/ 1984 | -105.64 | 3.38 | 1299.36 | 01 | 01 | 4 | |
| P | 6 / 30/ 1984 | -110.89 | -5.25 | 1294.11 | 01 | 01 | 4 | |
| P | 7 / 15/ 1984 | -114.87 | -3.98 | 1290.13 | 01 | 01 | 4 | |
| P | 7 / 30/ 1984 | -112.73 | 2.14 | 1292.27 | 01 | 01 | 4 | |
| P | 8 / 15/ 1984 | -115.02 | -2.29 | 1289.98 | 01 | 01 | 4 | |
| P | 8 / 30/ 1984 | -117.06 | -2.04 | 1287.94 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/15/1984 | -116.14 | 0.92 | 1288.86 | 01 | 01 | 4 | |
| | P | 9/30/1984 | -112.47 | 3.67 | 1292.53 | 01 | 01 | 4 | |
| | P | 10/15/1984 | -109.41 | 3.06 | 1295.59 | 01 | 01 | 4 | |
| | P | 10/30/1984 | -106.36 | 3.05 | 1298.64 | 01 | 01 | 4 | |
| | P | 11/15/1984 | -103.05 | 3.31 | 1301.95 | 01 | 01 | 4 | |
| | P | 11/30/1984 | -99.18 | 3.87 | 1305.82 | 01 | 01 | 4 | |
| | P | 12/15/1984 | -96.24 | 2.94 | 1308.76 | 01 | 01 | 4 | |
| | P | 12/30/1984 | -94.32 | 1.92 | 1310.68 | 01 | 01 | 4 | |
| | P | 1/15/1985 | -92.95 | 1.37 | 1312.05 | 01 | 01 | 4 | |
| | P | 1/30/1985 | -90.25 | 2.7 | 1314.75 | 01 | 01 | 4 | |
| | P | 2/15/1985 | -88.42 | 1.83 | 1316.58 | 01 | 01 | 4 | |
| | P | 2/28/1985 | -86.38 | 2.04 | 1318.62 | 01 | 01 | 4 | |
| | P | 3/15/1985 | -85.33 | 1.05 | 1319.67 | 01 | 01 | 4 | |
| | P | 3/30/1985 | -84.32 | 1.01 | 1320.68 | 01 | 01 | 4 | |
| | P | 4/15/1985 | -81.59 | 2.73 | 1323.41 | 01 | 01 | 4 | |
| | P | 4/30/1985 | -79.99 | 1.6 | 1325.01 | 01 | 01 | 4 | |
| | P | 5/15/1985 | -81.79 | -1.8 | 1323.21 | 01 | 01 | 4 | |
| | P | 5/30/1985 | -79.46 | 2.33 | 1325.54 | 01 | 01 | 4 | |
| | P | 6/15/1985 | -80.81 | -1.35 | 1324.19 | 01 | 01 | 4 | |
| | P | 7/1/1985 | -79.23 | 1.58 | 1325.77 | 01 | 01 | 4 | |
| | P | 7/15/1985 | -79.93 | -0.7 | 1325.07 | 01 | 01 | 4 | |
| | P | 8/1/1985 | -84.93 | -5 | 1320.07 | 01 | 01 | 4 | |
| | P | 8/15/1985 | -93.14 | -8.21 | 1311.86 | 01 | 01 | 4 | |
| | P | 9/1/1985 | -98.52 | -5.38 | 1306.48 | 01 | 01 | 4 | |
| | P | 9/15/1985 | -96.03 | 2.49 | 1308.97 | 01 | 01 | 4 | |
| | P | 10/1/1985 | -92.06 | 3.97 | 1312.94 | 01 | 01 | 4 | |
| | P | 10/15/1985 | -88.91 | 3.15 | 1316.09 | 01 | 01 | 4 | |
| | P | 11/1/1985 | -84.94 | 3.97 | 1320.06 | 01 | 01 | 4 | |
| | P | 11/15/1985 | -84.15 | 0.79 | 1320.85 | 01 | 01 | 4 | |
| | P | 12/1/1985 | -86.94 | -2.79 | 1318.06 | 01 | 01 | 4 | |
| | P | 4/10/1986 | -76.51 | 10.43 | 1328.49 | 01 | 01 | 4 | |
| | P | 12/4/1986 | -79.69 | -3.18 | 1325.31 | 01 | 01 | 4 | |
| | P | 6/19/1987 | -60.89 | 18.8 | 1344.11 | 01 | 01 | 4 | |
| | P | 7/1/1987 | -61.55 | -0.66 | 1343.45 | 01 | 01 | 4 | |
| | P | 7/14/1987 | -68.89 | -7.34 | 1336.11 | 01 | 01 | 4 | |
| | P | 9/15/1987 | -76.13 | -7.24 | 1328.87 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1987 | -72.13 | 4 | 1332.87 | 01 | 01 | 4 | |
| | P | 10/15/1987 | -71.7 | 0.43 | 1333.3 | 01 | 01 | 4 | |
| | P | 10/30/1987 | -71.31 | 0.39 | 1333.69 | 01 | 01 | 4 | |
| | P | 11/15/1987 | -71.7 | -0.39 | 1333.3 | 01 | 01 | 4 | |
| | P | 11/30/1987 | -69.5 | 2.2 | 1335.5 | 01 | 01 | 4 | |
| | P | 12/15/1987 | -69.93 | -0.43 | 1335.07 | 01 | 01 | 4 | |
| | P | 12/30/1987 | -65.6 | 4.33 | 1339.4 | 01 | 01 | 4 | |
| | P | 1/15/1988 | -70.13 | -4.53 | 1334.87 | 01 | 01 | 4 | |
| | P | 1/30/1988 | -68.88 | 1.25 | 1336.12 | 01 | 01 | 4 | |
| | P | 2/13/1988 | -70.82 | -1.94 | 1334.18 | 01 | 01 | 4 | |
| | P | 2/26/1988 | -72.31 | -1.49 | 1332.69 | 01 | 01 | 4 | |
| | P | 3/15/1988 | -78.1 | -5.79 | 1326.9 | 01 | 01 | 4 | |
| | P | 3/30/1988 | -76.56 | 1.54 | 1328.44 | 01 | 01 | 4 | |
| | P | 4/15/1988 | -77.41 | -0.85 | 1327.59 | 01 | 01 | 4 | |
| | P | 4/30/1988 | -78.69 | -1.28 | 1326.31 | 01 | 01 | 4 | |
| | P | 5/15/1988 | -81.15 | -2.46 | 1323.85 | 01 | 01 | 4 | |
| | P | 6/18/1988 | -97.97 | -16.8 | 1307.03 | 01 | 01 | 4 | |
| | P | 6/30/1988 | -98.66 | -0.69 | 1306.34 | 01 | 01 | 4 | |
| | P | 7/15/1988 | -104.63 | -5.97 | 1300.37 | 01 | 01 | 4 | |
| | P | 7/30/1988 | -99.65 | 4.98 | 1305.35 | 01 | 01 | 4 | |
| | P | 8/15/1988 | -96.79 | 2.86 | 1308.21 | 01 | 01 | 4 | |
| | P | 8/30/1988 | -96.69 | 0.1 | 1308.31 | 01 | 01 | 4 | |
| | P | 9/15/1988 | -94.27 | 2.42 | 1310.73 | 01 | 01 | 4 | |
| | P | 9/30/1988 | -93.78 | 0.49 | 1311.22 | 01 | 01 | 4 | |
| | P | 12/15/1988 | -91.8 | 1.98 | 1313.2 | 01 | 01 | 4 | |
| | P | 12/30/1988 | -92.33 | -0.53 | 1312.67 | 01 | 01 | 4 | |
| | P | 1/15/1989 | -91.84 | 0.49 | 1313.16 | 01 | 01 | 4 | |
| | P | 1/30/1989 | -91.45 | 0.39 | 1313.55 | 01 | 01 | 4 | |
| | P | 2/15/1989 | -88.82 | 2.63 | 1316.18 | 01 | 01 | 4 | |
| | P | 2/28/1989 | -87.02 | 1.8 | 1317.98 | 01 | 01 | 4 | |
| | P | 3/15/1989 | -87.51 | -0.49 | 1317.49 | 01 | 01 | 4 | |
| | P | 3/23/1989 | -89.65 | -2.14 | 1315.35 | 01 | 01 | 1 | |
| | P | 3/30/1989 | -90.46 | -0.81 | 1314.54 | 01 | 01 | 4 | |
| | P | 4/15/1989 | -92.36 | -1.9 | 1312.64 | 01 | 01 | 4 | |
| | P | 4/30/1989 | -94.6 | -2.24 | 1310.4 | 01 | 01 | 4 | |
| | P | 5/15/1989 | -96.73 | -2.13 | 1308.27 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/30/1989 | -100.66 | -3.93 | 1304.34 | 01 | 01 | 4 | |
| | P | 6/15/1989 | -107.12 | -6.46 | 1297.88 | 01 | 01 | 4 | |
| | P | 6/30/1989 | -107.91 | -0.79 | 1297.09 | 01 | 01 | 4 | |
| | P | 7/15/1989 | -114.47 | -6.56 | 1290.53 | 01 | 01 | 4 | |
| | P | 7/28/1989 | -121.31 | -6.84 | 1283.69 | 01 | 01 | 4 | |
| | P | 8/25/1989 | -124.44 | -3.13 | 1280.56 | 01 | 01 | 4 | |
| | P | 9/15/1989 | -124.51 | -0.07 | 1280.49 | 01 | 01 | 4 | |
| | P | 9/30/1989 | -120.7 | 3.81 | 1284.3 | 01 | 01 | 4 | |
| | P | 10/15/1989 | -117.52 | 3.18 | 1287.48 | 01 | 01 | 4 | |
| | P | 2/15/1990 | -105.12 | 12.4 | 1299.88 | 01 | 01 | 1 | |
| | P | 3/15/1990 | -106.48 | -1.36 | 1298.52 | 01 | 01 | 4 | |
| | P | 3/30/1990 | -107.87 | -1.39 | 1297.13 | 01 | 01 | 4 | |
| | P | 4/15/1990 | -110.42 | -2.55 | 1294.58 | 01 | 01 | 4 | |
| | P | 4/30/1990 | -109.67 | 0.75 | 1295.33 | 01 | 01 | 4 | |
| | P | 5/15/1990 | -112.18 | -2.51 | 1292.82 | 01 | 01 | 4 | |
| | P | 5/30/1990 | -109.27 | 2.91 | 1295.73 | 01 | 01 | 4 | |
| | P | 6/15/1990 | -104.5 | 4.77 | 1300.5 | 01 | 01 | 4 | |
| | P | 6/30/1990 | -111.27 | -6.77 | 1293.73 | 01 | 01 | 4 | |
| | P | 7/15/1990 | -107.38 | 3.89 | 1297.62 | 01 | 01 | 4 | |
| | P | 7/30/1990 | -98.9 | 8.48 | 1306.1 | 01 | 01 | 4 | |
| | P | 8/15/1990 | -96.4 | 2.5 | 1308.6 | 01 | 01 | 4 | |
| | P | 8/30/1990 | -101.44 | -5.04 | 1303.56 | 01 | 01 | 4 | |
| | P | 3/15/1991 | -80.94 | 20.5 | 1324.06 | 01 | 01 | 4 | |
| | P | 3/30/1991 | -81.96 | -1.02 | 1323.04 | 01 | 01 | 4 | |
| | P | 4/15/1991 | -81.55 | 0.41 | 1323.45 | 01 | 01 | 4 | |
| | P | 4/30/1991 | -83.3 | -1.75 | 1321.7 | 01 | 01 | 4 | |
| | P | 5/15/1991 | -81.4 | 1.9 | 1323.6 | 01 | 01 | 4 | |
| | P | 5/30/1991 | -81.56 | -0.16 | 1323.44 | 01 | 01 | 4 | |
| | P | 12/15/1991 | -80.64 | 0.92 | 1324.36 | 01 | 01 | 4 | |
| | P | 12/30/1991 | -68.24 | 12.4 | 1336.76 | 01 | 01 | 4 | |
| | P | 1/15/1992 | -62.04 | 6.2 | 1342.96 | 01 | 01 | 4 | |
| | P | 3/15/1992 | -49.16 | 12.88 | 1355.84 | 01 | 01 | 4 | |
| | P | 3/30/1992 | -50.35 | -1.19 | 1354.65 | 01 | 01 | 4 | |
| | P | 4/15/1992 | -50.71 | -0.36 | 1354.29 | 01 | 01 | 4 | |
| | P | 4/30/1992 | -53.86 | -3.15 | 1351.14 | 01 | 01 | 4 | |
| | P | 5/15/1992 | -56.44 | -2.58 | 1348.56 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/30/1992 | -59.2 | -2.76 | 1345.8 | 01 | 01 | 4 | |
| | P | 6/15/1992 | -59.17 | 0.03 | 1345.83 | 01 | 01 | 4 | |
| | P | 6/30/1992 | -62.27 | -3.1 | 1342.73 | 01 | 01 | 4 | |
| | P | 7/15/1992 | -63.28 | -1.01 | 1341.72 | 01 | 01 | 4 | |
| | P | 7/30/1992 | -63.73 | -0.45 | 1341.27 | 01 | 01 | 4 | |
| | P | 8/15/1992 | -65.66 | -1.93 | 1339.34 | 01 | 01 | 4 | |
| | P | 8/30/1992 | -67.89 | -2.23 | 1337.11 | 01 | 01 | 4 | |
| | P | 9/15/1992 | -70.45 | -2.56 | 1334.55 | 01 | 01 | 4 | |
| | P | 9/30/1992 | -70.12 | 0.33 | 1334.88 | 01 | 01 | 4 | |
| | P | 10/15/1992 | -71.15 | -1.03 | 1333.85 | 01 | 01 | 4 | |
| | P | 10/30/1992 | -70.64 | 0.51 | 1334.36 | 01 | 01 | 4 | |
| | P | 11/15/1992 | -69.74 | 0.9 | 1335.26 | 01 | 01 | 4 | |
| | P | 11/30/1992 | -71.13 | -1.39 | 1333.87 | 01 | 01 | 4 | |
| | P | 12/15/1992 | -72.05 | -0.92 | 1332.95 | 01 | 01 | 4 | |
| | P | 12/30/1992 | -70.7 | 1.35 | 1334.3 | 01 | 01 | 4 | |
| | P | 1/15/1993 | -71.08 | -0.38 | 1333.92 | 01 | 01 | 4 | |
| | P | 1/30/1993 | -71.21 | -0.13 | 1333.79 | 01 | 01 | 4 | |
| | P | 2/15/1993 | -70.86 | 0.35 | 1334.14 | 01 | 01 | 4 | |
| | P | 2/17/1993 | -71.1 | -0.24 | 1333.9 | 01 | 01 | 1 | |
| | P | 2/28/1993 | -70.76 | 0.34 | 1334.24 | 01 | 01 | 4 | |
| | P | 3/15/1993 | -70.69 | 0.07 | 1334.31 | 01 | 01 | 4 | |
| | P | 3/30/1993 | -70.63 | 0.06 | 1334.37 | 01 | 01 | 4 | |
| | P | 4/15/1993 | -68.73 | 1.9 | 1336.27 | 01 | 01 | 4 | |
| | P | 4/30/1993 | -68.23 | 0.5 | 1336.77 | 01 | 01 | 4 | |
| | P | 5/15/1993 | -68.18 | 0.05 | 1336.82 | 01 | 01 | 4 | |
| | P | 5/30/1993 | -69.15 | -0.97 | 1335.85 | 01 | 01 | 4 | |
| | P | 6/15/1993 | -69.9 | -0.75 | 1335.1 | 01 | 01 | 4 | |
| | P | 6/30/1993 | -68.93 | 0.97 | 1336.07 | 01 | 01 | 4 | |
| | P | 7/15/1993 | -75.62 | -6.69 | 1329.38 | 01 | 01 | 4 | |
| | P | 7/30/1993 | -84.4 | -8.78 | 1320.6 | 01 | 01 | 4 | |
| | P | 8/15/1993 | -91.99 | -7.59 | 1313.01 | 01 | 01 | 4 | |
| | P | 8/30/1993 | -96.77 | -4.78 | 1308.23 | 01 | 01 | 4 | |
| | P | 9/15/1993 | -92.42 | 4.35 | 1312.58 | 01 | 01 | 4 | |
| | P | 9/30/1993 | -88.07 | 4.35 | 1316.93 | 01 | 01 | 4 | |
| | P | 10/15/1993 | -87.86 | 0.21 | 1317.14 | 01 | 01 | 4 | |
| | P | 10/30/1993 | -84.52 | 3.34 | 1320.48 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 1993 | -83.11 | 1.41 | 1321.89 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1993 | -81.85 | 1.26 | 1323.15 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1993 | -78.83 | 3.02 | 1326.17 | 01 | 01 | 4 | |
| | P | 12 / 30/ 1993 | -76.85 | 1.98 | 1328.15 | 01 | 01 | 4 | |
| | P | 1 / 15/ 1994 | -75.26 | 1.59 | 1329.74 | 01 | 01 | 4 | |
| | P | 1 / 30/ 1994 | -74.23 | 1.03 | 1330.77 | 01 | 01 | 4 | |
| | P | 2 / 15/ 1994 | -73.68 | 0.55 | 1331.32 | 01 | 01 | 4 | |
| | P | 2 / 28/ 1994 | -72.29 | 1.39 | 1332.71 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1994 | -71.31 | 0.98 | 1333.69 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1994 | -69.59 | 1.72 | 1335.41 | 01 | 01 | 4 | |
| | P | 8 / 30/ 1994 | -86.18 | -16.6 | 1318.82 | 01 | 01 | 4 | |
| | P | 9 / 15/ 1994 | -82.36 | 3.82 | 1322.64 | 01 | 01 | 4 | |
| | P | 9 / 30/ 1994 | -79.94 | 2.42 | 1325.06 | 01 | 01 | 4 | |
| | P | 10 / 15/ 1994 | -78.82 | 1.12 | 1326.18 | 01 | 01 | 4 | |
| | P | 10 / 30/ 1994 | -79.85 | -1.03 | 1325.15 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1994 | -80.08 | -0.23 | 1324.92 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1994 | -81.27 | -1.19 | 1323.73 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1994 | -80.9 | 0.37 | 1324.1 | 01 | 01 | 4 | |
| | P | 12 / 30/ 1994 | -81.09 | -0.19 | 1323.91 | 01 | 01 | 4 | |
| | P | 1 / 15/ 1995 | -80.99 | 0.1 | 1324.01 | 01 | 01 | 4 | |
| | P | 1 / 30/ 1995 | -80.35 | 0.64 | 1324.65 | 01 | 01 | 4 | |
| | P | 2 / 9 / 1995 | -82.32 | -1.97 | 1322.68 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1995 | -83.29 | -0.97 | 1321.71 | 01 | 01 | 4 | |
| | P | 2 / 28/ 1995 | -85.36 | -2.07 | 1319.64 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1995 | -86.84 | -1.48 | 1318.16 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1995 | -88.97 | -2.13 | 1316.03 | 01 | 01 | 4 | |
| | P | 4 / 15/ 1995 | -90.1 | -1.13 | 1314.9 | 01 | 01 | 4 | |
| | P | 4 / 30/ 1995 | -90.72 | -0.62 | 1314.28 | 01 | 01 | 4 | |
| | P | 5 / 15/ 1995 | -92.91 | -2.19 | 1312.09 | 01 | 01 | 4 | |
| | P | 5 / 30/ 1995 | -95.16 | -2.25 | 1309.84 | 01 | 01 | 4 | |
| | P | 6 / 15/ 1995 | -93.22 | 1.94 | 1311.78 | 01 | 01 | 4 | |
| | P | 6 / 30/ 1995 | -93.97 | -0.75 | 1311.03 | 01 | 01 | 4 | |
| | P | 7 / 15/ 1995 | -94.49 | -0.52 | 1310.51 | 01 | 01 | 4 | |
| | P | 7 / 30/ 1995 | -99.68 | -5.19 | 1305.32 | 01 | 01 | 4 | |
| | P | 8 / 15/ 1995 | -100.19 | -0.51 | 1304.81 | 01 | 01 | 4 | |
| | P | 8 / 30/ 1995 | -100.19 | | 1304.81 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/15/1995 | -105.38 | -5.19 | 1299.62 | 01 | 01 | 4 | |
| | P | 9/30/1995 | -103.4 | 1.98 | 1301.6 | 01 | 01 | 4 | |
| | P | 10/15/1995 | -102.05 | 1.35 | 1302.95 | 01 | 01 | 4 | |
| | P | 10/30/1995 | -102.05 | | 1302.95 | 01 | 01 | 4 | |
| | P | 11/15/1995 | -100.01 | 2.04 | 1304.99 | 01 | 01 | 4 | |
| | P | 12/30/1995 | -93.34 | 6.67 | 1311.66 | 01 | 01 | 4 | |
| | P | 1/15/1996 | -93.25 | 0.09 | 1311.75 | 01 | 01 | 4 | |
| | P | 1/30/1996 | -95.82 | -2.57 | 1309.18 | 01 | 01 | 4 | |
| | P | 2/21/1996 | -100.3 | -4.48 | 1304.7 | 01 | 01 | 1 | |
| | P | 7/15/1996 | -115.12 | -14.8 | 1289.88 | 01 | 01 | 4 | |
| | P | 7/30/1996 | -118.63 | -3.51 | 1286.37 | 01 | 01 | 4 | |
| | P | 8/15/1996 | -119.42 | -0.79 | 1285.58 | 01 | 01 | 4 | |
| | P | 8/30/1996 | -116.49 | 2.93 | 1288.51 | 01 | 01 | 4 | |
| | P | 9/15/1996 | -111.41 | 5.08 | 1293.59 | 01 | 01 | 4 | |
| | P | 9/30/1996 | -108.7 | 2.71 | 1296.3 | 01 | 01 | 4 | |
| | P | 10/15/1996 | -107.39 | 1.31 | 1297.61 | 01 | 01 | 4 | |
| | P | 10/30/1996 | -105.33 | 2.06 | 1299.67 | 01 | 01 | 4 | |
| | P | 11/15/1996 | -102.3 | 3.03 | 1302.7 | 01 | 01 | 4 | |
| | P | 11/30/1996 | -99.68 | 2.62 | 1305.32 | 01 | 01 | 4 | |
| | P | 12/15/1996 | -96.85 | 2.83 | 1308.15 | 01 | 01 | 4 | |
| | P | 12/30/1996 | -94.98 | 1.87 | 1310.02 | 01 | 01 | 4 | |
| | P | 1/15/1997 | -93.5 | 1.48 | 1311.5 | 01 | 01 | 4 | |
| | P | 1/16/1997 | -93.75 | -0.25 | 1311.25 | 01 | 01 | 4 | |
| | P | 1/30/1997 | -92.96 | 0.79 | 1312.04 | 01 | 01 | 4 | |
| | P | 2/15/1997 | -91.73 | 1.23 | 1313.27 | 01 | 01 | 4 | |
| | P | 2/28/1997 | -90.56 | 1.17 | 1314.44 | 01 | 01 | 4 | |
| | P | 3/14/1997 | -88.31 | 2.25 | 1316.69 | 01 | 01 | 4 | |
| | P | 3/15/1997 | -88.16 | 0.15 | 1316.84 | 01 | 01 | 4 | |
| | P | 3/30/1997 | -88.7 | -0.54 | 1316.3 | 01 | 01 | 4 | |
| | P | 4/15/1997 | -84.41 | 4.29 | 1320.59 | 01 | 01 | 4 | |
| | P | 4/30/1997 | -84.15 | 0.26 | 1320.85 | 01 | 01 | 4 | |
| | P | 5/15/1997 | -84.16 | -0.01 | 1320.84 | 01 | 01 | 4 | |
| | P | 5/30/1997 | -83.58 | 0.58 | 1321.42 | 01 | 01 | 4 | |
| | P | 6/15/1997 | -81.45 | 2.13 | 1323.55 | 01 | 01 | 4 | |
| | P | 6/19/1997 | -81.32 | 0.13 | 1323.68 | 01 | 01 | 1 | |
| | P | 6/30/1997 | -76.56 | 4.76 | 1328.44 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 1997 | -74.23 | 2.33 | 1330.77 | 01 | 01 | 4 | |
| | P | 7 / 22/ 1997 | -75.46 | -1.23 | 1329.54 | 01 | 01 | 4 | |
| | P | 7 / 30/ 1997 | -77.82 | -2.36 | 1327.18 | 01 | 01 | 4 | |
| | P | 8 / 15/ 1997 | -82.13 | -4.31 | 1322.87 | 01 | 01 | 4 | |
| | P | 8 / 30/ 1997 | -87.89 | -5.76 | 1317.11 | 01 | 01 | 4 | |
| | P | 9 / 15/ 1997 | -90.58 | -2.69 | 1314.42 | 01 | 01 | 4 | |
| | P | 9 / 30/ 1997 | -94.25 | -3.67 | 1310.75 | 01 | 01 | 4 | |
| | P | 10 / 15/ 1997 | -92.78 | 1.47 | 1312.22 | 01 | 01 | 4 | |
| | P | 10 / 30/ 1997 | -93.37 | -0.59 | 1311.63 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1997 | -93.39 | -0.02 | 1311.61 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1997 | -92.69 | 0.7 | 1312.31 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1997 | -92.78 | -0.09 | 1312.22 | 01 | 01 | 4 | |
| | P | 12 / 30/ 1997 | -92.09 | 0.69 | 1312.91 | 01 | 01 | 4 | |
| | P | 1 / 15/ 1998 | -90.12 | 1.97 | 1314.88 | 01 | 01 | 4 | |
| | P | 1 / 29/ 1998 | -88.6 | 1.52 | 1316.4 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1998 | -88.59 | 0.01 | 1316.41 | 01 | 01 | 4 | |
| | P | 2 / 15/ 1998 | -86.1 | 2.49 | 1318.9 | 01 | 01 | 4 | |
| | P | 2 / 28/ 1998 | -85.02 | 1.08 | 1319.98 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1998 | -83.24 | 1.78 | 1321.76 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1998 | -81.52 | 1.72 | 1323.48 | 01 | 01 | 4 | |
| | P | 4 / 15/ 1998 | -80.36 | 1.16 | 1324.64 | 01 | 01 | 4 | |
| | P | 10 / 15/ 1998 | -103.76 | -23.4 | 1301.24 | 01 | 01 | 4 | |
| | P | 10 / 30/ 1998 | -101.65 | 2.11 | 1303.35 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1998 | -98.75 | 2.9 | 1306.25 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1998 | -95.94 | 2.81 | 1309.06 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1998 | -93.5 | 2.44 | 1311.5 | 01 | 01 | 4 | |
| | P | 12 / 30/ 1998 | -90.26 | 3.24 | 1314.74 | 01 | 01 | 4 | |
| | P | 1 / 15/ 1999 | -91.14 | -0.88 | 1313.86 | 01 | 01 | 4 | |
| | P | 1 / 30/ 1999 | -93.21 | -2.07 | 1311.79 | 01 | 01 | 4 | |
| | P | 2 / 15/ 1999 | -92.81 | 0.4 | 1312.19 | 01 | 01 | 4 | |
| | P | 2 / 28/ 1999 | -92.63 | 0.18 | 1312.37 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1999 | -92.16 | 0.47 | 1312.84 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1999 | -92.52 | -0.36 | 1312.48 | 01 | 01 | 4 | |
| | P | 4 / 15/ 1999 | -93.58 | -1.06 | 1311.42 | 01 | 01 | 4 | |
| | P | 4 / 30/ 1999 | -97.07 | -3.49 | 1307.93 | 01 | 01 | 4 | |
| | P | 5 / 15/ 1999 | -98.99 | -1.92 | 1306.01 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/19/1999 | -100.07 | -1.08 | 1304.93 | 01 | 01 | 4 | |
| | P | 5/30/1999 | -100.79 | -0.72 | 1304.21 | 01 | 01 | 4 | |
| | P | 6/15/1999 | -103.7 | -2.91 | 1301.3 | 01 | 01 | 4 | |
| | P | 6/30/1999 | -103.33 | 0.37 | 1301.67 | 01 | 01 | 4 | |
| | P | 7/ 6/1999 | -104.09 | -0.76 | 1300.91 | 01 | 03 | 1 | |
| | P | 8/18/1999 | -111.34 | -7.25 | 1293.66 | 01 | 03 | 1 | |
| | P | 10/14/1999 | -123.11 | -11.8 | 1281.89 | 01 | 03 | 1 | |
| | P | 1/13/2000 | -114.85 | 8.26 | 1290.15 | 01 | 03 | 1 | |
| | P | 12/20/2000 | -108.58 | 6.27 | 1296.42 | 01 | 03 | 2 | |
| | P | 1/ 9/2001 | -110.33 | -1.75 | 1294.67 | 01 | 04 | 4 | |
| | P | 2/ 7/2001 | -102.31 | 8.02 | 1302.69 | 01 | 04 | 4 | |
| | P | 2/28/2001 | -130.39 | -28.1 | 1274.61 | 01 | 01 | 4 | |
| | P | 3/ 5/2001 | -98.27 | 32.12 | 1306.73 | 01 | 04 | 4 | |
| | P | 3/15/2001 | -130.75 | -32.5 | 1274.25 | 01 | 01 | 4 | |
| | P | 3/22/2001 | -95.18 | 35.57 | 1309.82 | 01 | 04 | 4 | |
| | P | 3/27/2001 | -95.09 | 0.09 | 1309.91 | 01 | 04 | 4 | |
| | P | 3/28/2001 | -94.7 | 0.39 | 1310.3 | 01 | 04 | 4 | |
| | P | 3/30/2001 | -131.16 | -36.5 | 1273.84 | 01 | 01 | 4 | |
| | P | 4/ 5/2001 | -94.1 | 37.06 | 1310.9 | 01 | 04 | 4 | |
| | P | 4/15/2001 | -133.3 | -39.2 | 1271.7 | 01 | 01 | 4 | |
| | P | 4/16/2001 | -94.8 | 38.5 | 1310.2 | 01 | 04 | 4 | |
| | P | 4/19/2001 | -95 | -0.2 | 1310 | 01 | 04 | 4 | |
| | P | 4/30/2001 | -134.22 | -39.2 | 1270.78 | 01 | 01 | 4 | |
| | P | 5/11/2001 | -96.08 | 38.14 | 1308.92 | 01 | 04 | 4 | |
| | P | 5/15/2001 | -134.35 | -38.3 | 1270.65 | 01 | 01 | 4 | |
| | P | 5/30/2001 | -136.58 | -2.23 | 1268.42 | 01 | 01 | 4 | |
| | P | 6/ 5/2001 | -101.05 | 35.53 | 1303.95 | 01 | 04 | 4 | |
| | P | 6/15/2001 | -135.48 | -34.4 | 1269.52 | 01 | 01 | 4 | |
| | P | 6/30/2001 | -139.5 | -4.02 | 1265.5 | 01 | 01 | 4 | |
| | P | 7/ 9/2001 | -108.86 | 30.64 | 1296.14 | 01 | 04 | 4 | |
| | P | 7/15/2001 | -142.84 | -34 | 1262.16 | 01 | 01 | 4 | |
| | P | 7/30/2001 | -144.77 | -1.93 | 1260.23 | 01 | 01 | 4 | |
| | P | 8/ 7/2001 | -115.82 | 28.95 | 1289.18 | 01 | 04 | 4 | |
| | P | 8/28/2001 | -118.79 | -2.97 | 1286.21 | 01 | 04 | 4 | |
| | P | 9/ 5/2001 | -118 | 0.79 | 1287 | 01 | 04 | 4 | |
| | P | 9/15/2001 | -117.16 | 0.84 | 1287.84 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/2001 | -117.89 | -0.73 | 1287.11 | 01 | 04 | 4 | |
| | P | 10/ 3/2001 | -118 | -0.11 | 1287 | 01 | 04 | 2 | |
| | P | 10/15/2001 | -117.45 | 0.55 | 1287.55 | 01 | 04 | 4 | |
| | P | 10/30/2001 | -115.98 | 1.47 | 1289.02 | 01 | 04 | 4 | |
| | P | 11/ 2/2001 | -115.12 | 0.86 | 1289.88 | 01 | 04 | 2 | |
| | P | 11/ 6/2001 | -113.43 | 1.69 | 1291.57 | 01 | 04 | 2 | |
| | P | 11/15/2001 | -110.6 | 2.83 | 1294.4 | 01 | 04 | 4 | |
| | P | 11/30/2001 | -106.44 | 4.16 | 1298.56 | 01 | 04 | 4 | |
| | P | 12/ 5/2001 | -104.95 | 1.49 | 1300.05 | 01 | 04 | 2 | |
| | P | 12/15/2001 | -102.13 | 2.82 | 1302.87 | 01 | 04 | 4 | |
| | P | 12/30/2001 | -100.18 | 1.95 | 1304.82 | 01 | 04 | 4 | |
| | P | 1/ 7/2002 | -100.16 | 0.02 | 1304.84 | 01 | 04 | 2 | |
| | P | 1/15/2002 | -99.43 | 0.73 | 1305.57 | 01 | 04 | 4 | |
| | P | 1/30/2002 | -98.93 | 0.5 | 1306.07 | 01 | 04 | 4 | |
| | P | 2/ 7/2002 | -99.38 | -0.45 | 1305.62 | 01 | 04 | 2 | |
| | P | 2/15/2002 | -97.81 | 1.57 | 1307.19 | 01 | 04 | 4 | |
| | P | 2/28/2002 | -96.79 | 1.02 | 1308.21 | 01 | 04 | 2 | |
| | P | 3/ 1/2002 | -96.84 | -0.05 | 1308.16 | 01 | 04 | 2 | |
| | P | 3/15/2002 | -98 | -1.16 | 1307 | 01 | 04 | 4 | |
| | P | 3/30/2002 | -99.79 | -1.79 | 1305.21 | 01 | 04 | 4 | |
| | P | 4/ 3/2002 | -99.99 | -0.2 | 1305.01 | 01 | 04 | 2 | |
| | P | 4/15/2002 | -99.41 | 0.58 | 1305.59 | 01 | 04 | 4 | |
| | P | 4/30/2002 | -100.71 | -1.3 | 1304.29 | 01 | 04 | 4 | |
| | P | 5/ 6/2002 | -102.09 | -1.38 | 1302.91 | 01 | 04 | 2 | |
| | P | 5/15/2002 | -103.52 | -1.43 | 1301.48 | 01 | 04 | 4 | |
| | P | 5/21/2002 | -106.84 | -3.32 | 1298.16 | 01 | 04 | 2 | |
| | P | 5/30/2002 | -108.99 | -2.15 | 1296.01 | 01 | 04 | 4 | |
| | P | 6/11/2002 | -113.33 | -4.34 | 1291.67 | 01 | 04 | 2 | |
| | P | 6/15/2002 | -115.72 | -2.39 | 1289.28 | 01 | 04 | 4 | |
| | P | 6/28/2002 | -119.69 | -3.97 | 1285.31 | 01 | 04 | 2 | |
| | P | 7/10/2002 | -106.68 | 13.01 | 1298.32 | 01 | 04 | 2 | |
| | P | 7/15/2002 | -103.08 | 3.6 | 1301.92 | 01 | 04 | 4 | |
| | P | 7/30/2002 | -96.14 | 6.94 | 1308.86 | 01 | 04 | 4 | |
| | P | 8/ 1/2002 | -96.01 | 0.13 | 1308.99 | 01 | 04 | 2 | |
| | P | 8/13/2002 | -94.53 | 1.48 | 1310.47 | 01 | 04 | 2 | |
| | P | 8/15/2002 | -94.82 | -0.29 | 1310.18 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/30/2002 | -97.92 | -3.1 | 1307.08 | 01 | 04 | 4 | |
| | P | 9/ 4/2002 | -98.38 | -0.46 | 1306.62 | 01 | 04 | 2 | |
| | P | 12/15/2002 | -90.74 | 7.64 | 1314.26 | 01 | 04 | 4 | |
| | P | 12/30/2002 | -91.27 | -0.53 | 1313.73 | 01 | 04 | 4 | |
| | P | 1/15/2003 | -92.54 | -1.27 | 1312.46 | 01 | 04 | 4 | |
| | P | 1/30/2003 | -93.12 | -0.58 | 1311.88 | 01 | 04 | 4 | |
| | P | 2/15/2003 | -94.26 | -1.14 | 1310.74 | 01 | 04 | 4 | |
| | P | 3/ 1/2003 | -91.35 | 2.91 | 1313.65 | 01 | 04 | 4 | |
| | P | 3/15/2003 | -89.27 | 2.08 | 1315.73 | 01 | 04 | 4 | |
| | P | 3/30/2003 | -89.69 | -0.42 | 1315.31 | 01 | 04 | 4 | |
| | P | 4/15/2003 | -90.39 | -0.7 | 1314.61 | 01 | 04 | 4 | |
| | P | 4/30/2003 | -92.85 | -2.46 | 1312.15 | 01 | 04 | 4 | |
| | P | 5/ 1/2003 | -93.07 | -0.22 | 1311.93 | 01 | 04 | 4 | |
| | P | 5/15/2003 | -97.92 | -4.85 | 1307.08 | 01 | 04 | 4 | |
| | P | 5/30/2003 | -102.87 | -4.95 | 1302.13 | 01 | 04 | 4 | |
| | P | 6/15/2003 | -104.67 | -1.8 | 1300.33 | 01 | 04 | 4 | |
| | P | 6/30/2003 | -107.79 | -3.12 | 1297.21 | 01 | 04 | 4 | |
| | P | 7/15/2003 | -108.53 | -0.74 | 1296.47 | 01 | 04 | 4 | |
| | P | 7/30/2003 | -109.02 | -0.49 | 1295.98 | 01 | 04 | 4 | |
| | P | 8/15/2003 | -111.13 | -2.11 | 1293.87 | 01 | 04 | 4 | |
| | P | 8/30/2003 | -112.51 | -1.38 | 1292.49 | 01 | 04 | 4 | |
| | P | 9/15/2003 | -112.9 | -0.39 | 1292.1 | 01 | 04 | 4 | |
| | P | 9/30/2003 | -113.65 | -0.75 | 1291.35 | 01 | 04 | 4 | |
| | P | 10/15/2003 | -114.42 | -0.77 | 1290.58 | 01 | 04 | 4 | |
| | P | 10/30/2003 | -114.3 | 0.12 | 1290.7 | 01 | 04 | 4 | |
| | P | 11/15/2003 | -114.29 | 0.01 | 1290.71 | 01 | 04 | 4 | |
| | P | 11/30/2003 | -114.37 | -0.08 | 1290.63 | 01 | 04 | 4 | |
| | P | 12/15/2003 | -113.27 | 1.1 | 1291.73 | 01 | 04 | 4 | |
| | P | 12/30/2003 | -113.68 | -0.41 | 1291.32 | 01 | 04 | 4 | |
| | P | 1/15/2004 | -113.81 | -0.13 | 1291.19 | 01 | 04 | 4 | |
| | P | 1/30/2004 | -112.62 | 1.19 | 1292.38 | 01 | 04 | 4 | |
| | P | 2/15/2004 | -112.41 | 0.21 | 1292.59 | 01 | 04 | 4 | |
| | P | 3/15/2004 | -108.02 | 4.39 | 1296.98 | 01 | 04 | 4 | |
| | P | 3/30/2004 | -106.8 | 1.22 | 1298.2 | 01 | 04 | 4 | |
| | P | 4/15/2004 | -102.42 | 4.38 | 1302.58 | 01 | 04 | 4 | |
| | P | 4/30/2004 | -97.68 | 4.74 | 1307.32 | 01 | 04 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/2004 | -92.49 | 5.19 | 1312.51 | 01 | 04 | 4 | |
| | P | 5/30/2004 | -92.91 | -0.42 | 1312.09 | 01 | 04 | 4 | |
| | P | 6/15/2004 | -96.07 | -3.16 | 1308.93 | 01 | 04 | 4 | |
| | P | 6/30/2004 | -97.68 | -1.61 | 1307.32 | 01 | 04 | 4 | |
| | P | 7/15/2004 | -94.27 | 3.41 | 1310.73 | 01 | 04 | 4 | |
| | P | 7/30/2004 | -95.06 | -0.79 | 1309.94 | 01 | 04 | 4 | |
| | P | 8/15/2004 | -95.26 | -0.2 | 1309.74 | 01 | 04 | 4 | |
| | P | 8/30/2004 | -97.64 | -2.38 | 1307.36 | 01 | 04 | 4 | |
| | P | 9/15/2004 | -98.8 | -1.16 | 1306.2 | 01 | 04 | 4 | |
| | P | 9/30/2004 | -100.21 | -1.41 | 1304.79 | 01 | 04 | 4 | |
| | P | 10/5/2004 | -100.51 | -0.3 | 1304.49 | 01 | 04 | 2 | |
| | P | 10/8/2004 | -100.36 | 0.15 | 1304.64 | 01 | 04 | 2 | |
| | P | 10/15/2004 | -100.2 | 0.16 | 1304.8 | 01 | 04 | 4 | |
| | P | 10/30/2004 | -96.97 | 3.23 | 1308.03 | 01 | 04 | 4 | |
| | P | 11/15/2004 | -93.65 | 3.32 | 1311.35 | 01 | 04 | 4 | |
| | P | 11/29/2004 | -88.22 | 5.43 | 1316.78 | 01 | 04 | 2 | |
| | P | 11/30/2004 | -88.09 | 0.13 | 1316.91 | 01 | 04 | 4 | |
| | N | 12/15/2004 | | | | 01 | 04 | | 51 |
| | N | 12/30/2004 | | | | 01 | 04 | | 51 |
| | P | 1/11/2005 | -89.64 | | 1315.36 | 01 | 04 | 2 | |
| | N | 1/15/2005 | | | | 01 | 04 | | 51 |
| | N | 1/30/2005 | | | | 01 | 04 | | 51 |
| | P | 2/15/2005 | -90.78 | | 1314.22 | 01 | 04 | 4 | |
| | P | 3/1/2005 | -90.6 | 0.18 | 1314.4 | 01 | 04 | 2 | |
| | N | 3/15/2005 | | | | 01 | 04 | | 51 |
| | N | 3/30/2005 | | | | 01 | 04 | | 51 |
| | P | 4/15/2005 | -90.2 | | 1314.8 | 01 | 04 | 4 | |
| | P | 4/19/2005 | -90.91 | -0.71 | 1314.09 | 01 | 04 | 2 | |
| | N | 4/30/2005 | | | | 01 | 04 | | 51 |
| | N | 5/15/2005 | | | | 01 | 04 | | 51 |
| | N | 5/30/2005 | | | | 01 | 04 | | 51 |
| | P | 6/7/2005 | -97.24 | | 1307.76 | 01 | 04 | 2 | |
| | P | 6/15/2005 | -100.22 | -2.98 | 1304.78 | 01 | 04 | 4 | |
| | P | 6/30/2005 | -104.75 | -4.53 | 1300.25 | 01 | 04 | 4 | |
| | P | 7/15/2005 | -106.05 | -1.3 | 1298.95 | 01 | 04 | 4 | |
| | P | 7/25/2005 | -107.5 | -1.45 | 1297.5 | 01 | 04 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 7 / 30/ 2005 | | | | 01 | 04 | | 51 |
| | P | 8 / 15/ 2005 | -110.28 | | 1294.72 | 01 | 04 | 4 | |
| | P | 8 / 24/ 2005 | -110.49 | -0.21 | 1294.51 | 01 | 04 | 2 | |
| | N | 8 / 30/ 2005 | | | | 01 | 04 | | 51 |
| | P | 9 / 1 / 2005 | -111.18 | | 1293.82 | 01 | 04 | 2 | |
| | P | 10 / 3 / 2005 | -112.02 | -0.84 | 1292.98 | 01 | 04 | 2 | |
| | P | 1 / 30/ 2006 | -111.25 | 0.77 | 1293.75 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2006 | -112.46 | -1.21 | 1292.54 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2006 | -112.85 | -0.39 | 1292.15 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2006 | -114.96 | -2.11 | 1290.04 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2006 | -114.68 | 0.28 | 1290.32 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2006 | -118.17 | -3.49 | 1286.83 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2006 | -120.24 | -2.07 | 1284.76 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2006 | -120.59 | -0.35 | 1284.41 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2006 | -122.99 | -2.4 | 1282.01 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2006 | -141.4 | -18.4 | 1263.6 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2006 | -124.42 | 16.98 | 1280.58 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2006 | -129.85 | -5.43 | 1275.15 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2006 | -134.44 | -4.59 | 1270.56 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2006 | -136.32 | -1.88 | 1268.68 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2006 | -138.57 | -2.25 | 1266.43 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2006 | -137.06 | 1.51 | 1267.94 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2006 | -137.06 | | 1267.94 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2006 | -137.06 | | 1267.94 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2006 | -133.94 | 3.12 | 1271.06 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2006 | -132.84 | 1.1 | 1272.16 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2006 | -134.01 | -1.17 | 1270.99 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2006 | -133.68 | 0.33 | 1271.32 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2006 | -132.78 | 0.9 | 1272.22 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2007 | -132.28 | 0.5 | 1272.72 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2007 | -132.28 | | 1272.72 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2007 | -130.76 | 1.52 | 1274.24 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2007 | -129.5 | 1.26 | 1275.5 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2007 | -129.1 | 0.4 | 1275.9 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2007 | -124.71 | 4.39 | 1280.29 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2007 | -116.32 | 8.39 | 1288.68 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/2007 | -115.63 | 0.69 | 1289.37 | 01 | 01 | 4 | |
| | P | 5/15/2007 | -110.65 | 4.98 | 1294.35 | 01 | 01 | 4 | |
| | P | 5/30/2007 | -107.98 | 2.67 | 1297.02 | 01 | 01 | 4 | |
| | P | 6/15/2007 | -102.16 | 5.82 | 1302.84 | 01 | 01 | 4 | |
| | P | 6/30/2007 | -101.21 | 0.95 | 1303.79 | 01 | 01 | 4 | |
| | P | 7/15/2007 | -98.61 | 2.6 | 1306.39 | 01 | 01 | 4 | |
| | P | 7/30/2007 | -92.55 | 6.06 | 1312.45 | 01 | 01 | 4 | |
| | P | 8/15/2007 | -88.44 | 4.11 | 1316.56 | 01 | 01 | 4 | |
| | P | 8/30/2007 | -84.23 | 4.21 | 1320.77 | 01 | 01 | 4 | |
| | P | 9/15/2007 | -80.01 | 4.22 | 1324.99 | 01 | 01 | 4 | |
| | P | 9/30/2007 | -81.15 | -1.14 | 1323.85 | 01 | 01 | 4 | |
| | P | 10/15/2007 | -81.82 | -0.67 | 1323.18 | 01 | 01 | 4 | |
| | P | 10/30/2007 | -89.53 | -7.71 | 1315.47 | 01 | 01 | 4 | |
| | P | 11/15/2007 | -91.81 | -2.28 | 1313.19 | 01 | 01 | 4 | |
| | P | 11/30/2007 | -91.76 | 0.05 | 1313.24 | 01 | 01 | 4 | |
| | P | 12/15/2007 | -92.82 | -1.06 | 1312.18 | 01 | 01 | 4 | |
| | P | 12/30/2007 | -94.66 | -1.84 | 1310.34 | 01 | 01 | 4 | |
| | P | 1/15/2008 | -95.74 | -1.08 | 1309.26 | 01 | 01 | 4 | |
| | P | 1/30/2008 | -96.83 | -1.09 | 1308.17 | 01 | 01 | 4 | |
| | P | 2/15/2008 | -96.98 | -0.15 | 1308.02 | 01 | 01 | 4 | |
| | P | 2/28/2008 | -97.4 | -0.42 | 1307.6 | 01 | 01 | 4 | |
| | P | 2/29/2008 | -98.07 | -0.67 | 1306.93 | 01 | 01 | 4 | |
| | P | 3/15/2008 | -98.61 | -0.54 | 1306.39 | 01 | 01 | 4 | |
| | P | 3/30/2008 | -99.76 | -1.15 | 1305.24 | 01 | 01 | 4 | |
| | P | 4/15/2008 | -105.36 | -5.6 | 1299.64 | 01 | 01 | 4 | |
| | P | 4/30/2008 | -107.68 | -2.32 | 1297.32 | 01 | 01 | 4 | |
| | P | 5/15/2008 | -108.78 | -1.1 | 1296.22 | 01 | 01 | 4 | |
| | P | 5/30/2008 | -110.89 | -2.11 | 1294.11 | 01 | 01 | 4 | |
| | P | 6/15/2008 | -118.06 | -7.17 | 1286.94 | 01 | 01 | 4 | |
| | P | 6/30/2008 | -122.19 | -4.13 | 1282.81 | 01 | 01 | 4 | |
| | P | 7/15/2008 | -121.77 | 0.42 | 1283.23 | 01 | 01 | 4 | |
| | P | 7/30/2008 | -123.58 | -1.81 | 1281.42 | 01 | 01 | 4 | |
| | P | 8/15/2008 | -127.76 | -4.18 | 1277.24 | 01 | 01 | 4 | |
| | P | 8/30/2008 | -127.19 | 0.57 | 1277.81 | 01 | 01 | 4 | |
| | P | 9/15/2008 | -129.12 | -1.93 | 1275.88 | 01 | 01 | 4 | |
| | P | 9/30/2008 | -130.86 | -1.74 | 1274.14 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2008 | -131.57 | -0.71 | 1273.43 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2008 | -130.96 | 0.61 | 1274.04 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2008 | -130.96 | | 1274.04 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2008 | -129.9 | 1.06 | 1275.1 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2008 | -130.74 | -0.84 | 1274.26 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2008 | -129.17 | 1.57 | 1275.83 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2009 | -129.19 | -0.02 | 1275.81 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2009 | -129.48 | -0.29 | 1275.52 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2009 | -129.14 | 0.34 | 1275.86 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2009 | -129.96 | -0.82 | 1275.04 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2009 | -130.69 | -0.73 | 1274.31 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2009 | -131.67 | -0.98 | 1273.33 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2009 | -133.54 | -1.87 | 1271.46 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2009 | -133.9 | -0.36 | 1271.1 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2009 | -136.19 | -2.29 | 1268.81 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2009 | -136.26 | -0.07 | 1268.74 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2009 | -137.21 | -0.95 | 1267.79 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2009 | -142.05 | -4.84 | 1262.95 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2009 | -143.88 | -1.83 | 1261.12 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2009 | -144.77 | -0.89 | 1260.23 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2009 | -143.66 | 1.11 | 1261.34 | 01 | 01 | 4 | |
| | P | 8 / 28/ 2009 | -143.48 | 0.18 | 1261.52 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2009 | -143.12 | 0.36 | 1261.88 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -141.22 | 1.9 | 1263.78 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -141.1 | 0.12 | 1263.9 | 02 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -138.98 | 2.12 | 1266.02 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2009 | -138.97 | 0.01 | 1266.03 | 02 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -140.22 | -1.25 | 1264.78 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2009 | -140.3 | -0.08 | 1264.7 | 02 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -141.53 | -1.23 | 1263.47 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2009 | -141.51 | 0.02 | 1263.49 | 02 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -140.92 | 0.59 | 1264.08 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2009 | -140.54 | 0.38 | 1264.46 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -139.73 | 0.81 | 1265.27 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -139.41 | 0.32 | 1265.59 | 02 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -139.76 | -0.35 | 1265.24 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/2009 | -139.8 | -0.04 | 1265.2 | 02 | 06 | 2 | |
| | P | 12/30/2009 | -139.13 | 0.67 | 1265.87 | 01 | 01 | 4 | |
| | P | 1/12/2010 | -139.7 | -0.57 | 1265.3 | 01 | 06 | 2 | |
| | P | 1/15/2010 | -140.13 | -0.43 | 1264.87 | 01 | 01 | 4 | |
| | P | 1/28/2010 | -137.95 | 2.18 | 1267.05 | 01 | 06 | 2 | |
| | P | 1/30/2010 | -136.99 | 0.96 | 1268.01 | 01 | 01 | 4 | |
| | P | 2/12/2010 | -132.18 | 4.81 | 1272.82 | 01 | 06 | 2 | |
| | P | 2/15/2010 | -130.65 | 1.53 | 1274.35 | 01 | 01 | 4 | |
| | P | 2/26/2010 | -130.09 | 0.56 | 1274.91 | 01 | 06 | 2 | |
| | P | 2/28/2010 | -126.6 | 3.49 | 1278.4 | 01 | 01 | 4 | |
| | P | 3/15/2010 | -125.2 | 1.4 | 1279.8 | 01 | 01 | 4 | |
| | P | 3/15/2010 | -125.13 | 0.07 | 1279.87 | 02 | 06 | 2 | |
| | P | 3/30/2010 | -124.36 | 0.77 | 1280.64 | 01 | 01 | 4 | |
| | P | 3/31/2010 | -124.52 | -0.16 | 1280.48 | 01 | 06 | 2 | |
| | P | 4/15/2010 | -123.68 | 0.84 | 1281.32 | 01 | 01 | 4 | |
| | P | 4/16/2010 | -123.61 | 0.07 | 1281.39 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -120.37 | 3.24 | 1284.63 | 01 | 01 | 4 | |
| | P | 4/30/2010 | -120.6 | -0.23 | 1284.4 | 02 | 06 | 2 | |
| | P | 5/14/2010 | -120.32 | 0.28 | 1284.68 | 01 | 06 | 2 | |
| | P | 5/15/2010 | -120.55 | -0.23 | 1284.45 | 01 | 01 | 4 | |
| | P | 5/28/2010 | -119.6 | 0.95 | 1285.4 | 01 | 06 | 2 | |
| | P | 5/30/2010 | -120.22 | -0.62 | 1284.78 | 01 | 01 | 4 | |
| | P | 6/15/2010 | -124.23 | -4.01 | 1280.77 | 01 | 01 | 4 | |
| | P | 6/16/2010 | -124.25 | -0.02 | 1280.75 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -128.09 | -3.84 | 1276.91 | 01 | 06 | 2 | |
| | P | 7/15/2010 | -125.38 | 2.71 | 1279.62 | 01 | 01 | 4 | |
| | P | 7/16/2010 | -125.13 | 0.25 | 1279.87 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -127.26 | -2.13 | 1277.74 | 01 | 06 | 2 | |
| | P | 8/15/2010 | -134.04 | -6.78 | 1270.96 | 01 | 01 | 4 | |
| | P | 8/30/2010 | -135.94 | -1.9 | 1269.06 | 01 | 01 | 4 | |
| | P | 9/15/2010 | -131.69 | 4.25 | 1273.31 | 01 | 01 | 4 | |
| | P | 9/16/2010 | -131.69 | | 1273.31 | 01 | 06 | 4 | |
| | P | 9/30/2010 | -129.08 | 2.61 | 1275.92 | 01 | 01 | 4 | |
| | P | 10/15/2010 | -129.49 | -0.41 | 1275.51 | 01 | 01 | 4 | |
| | P | 10/29/2010 | -130.02 | -0.53 | 1274.98 | 01 | 06 | 4 | |
| | P | 10/30/2010 | -130.53 | -0.51 | 1274.47 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 2010 | -130 | 0.53 | 1275 | 01 | 01 | 4 | |
| | P | 11 / 16/ 2010 | -130.02 | -0.02 | 1274.98 | 01 | 06 | 4 | |
| | P | 11 / 30/ 2010 | -130.49 | -0.47 | 1274.51 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2010 | -130.62 | -0.13 | 1274.38 | 01 | 01 | 4 | |
| | P | 12 / 16/ 2010 | -130.62 | | 1274.38 | 01 | 06 | 4 | |
| | P | 12 / 30/ 2010 | -130.34 | 0.28 | 1274.66 | 01 | 01 | 4 | |
| | P | 1 / 14/ 2011 | -129.14 | 1.2 | 1275.86 | 01 | 06 | 4 | |
| | P | 1 / 15/ 2011 | -128.61 | 0.53 | 1276.39 | 01 | 01 | 4 | |
| | P | 1 / 28/ 2011 | -123.67 | 4.94 | 1281.33 | 01 | 06 | 4 | |
| | P | 1 / 30/ 2011 | -123.43 | 0.24 | 1281.57 | 01 | 01 | 4 | |
| | P | 2 / 11/ 2011 | -126.76 | -3.33 | 1278.24 | 01 | 06 | 4 | |
| | P | 2 / 25/ 2011 | -126.57 | 0.19 | 1278.43 | 01 | 06 | 4 | |
| | P | 3 / 15/ 2011 | -126.11 | 0.46 | 1278.89 | 01 | 01 | 4 | |
| | P | 3 / 31/ 2011 | -127.94 | -1.83 | 1277.06 | 01 | 06 | 4 | |
| | P | 4 / 15/ 2011 | -129.48 | -1.54 | 1275.52 | 01 | 01 | 4 | |
| | P | 4 / 29/ 2011 | -135.66 | -6.18 | 1269.34 | 01 | 06 | 4 | |
| | P | 5 / 13/ 2011 | -137.56 | -1.9 | 1267.44 | 01 | 06 | 4 | |
| | P | 5 / 27/ 2011 | -139.25 | -1.69 | 1265.75 | 01 | 06 | 4 | |
| | P | 6 / 15/ 2011 | -145.85 | -6.6 | 1259.15 | 01 | 01 | 4 | |
| | P | 6 / 16/ 2011 | -143.67 | 2.18 | 1261.33 | 01 | 06 | 4 | |
| | P | 6 / 30/ 2011 | -146.9 | -3.23 | 1258.1 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2011 | -148.6 | -1.7 | 1256.4 | 01 | 01 | 4 | |
| | P | 7 / 29/ 2011 | -148.47 | 0.13 | 1256.53 | 01 | 06 | 4 | |
| | P | 7 / 30/ 2011 | -148.51 | -0.04 | 1256.49 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2011 | -149.76 | -1.25 | 1255.24 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -150.09 | -0.33 | 1254.91 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -151.23 | -1.14 | 1253.77 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -150.08 | 1.15 | 1254.92 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2011 | -148.26 | 1.82 | 1256.74 | 01 | 01 | 4 | |
| | P | 10 / 20/ 2011 | -148.4 | -0.14 | 1256.6 | 01 | 01 | 2 | |
| | P | 10 / 30/ 2011 | -149.15 | -0.75 | 1255.85 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -147.87 | 1.28 | 1257.13 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -146.25 | 1.62 | 1258.75 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -145.01 | 1.24 | 1259.99 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -145.6 | -0.59 | 1259.4 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -144.42 | 1.18 | 1260.58 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30/ 2012 | -143.39 | 1.03 | 1261.61 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -141.91 | 1.48 | 1263.09 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -141.38 | 0.53 | 1263.62 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -143.2 | -1.82 | 1261.8 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -140.91 | 2.29 | 1264.09 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -142.29 | -1.38 | 1262.71 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -143.8 | -1.51 | 1261.2 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -143.8 | | 1261.2 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -160.03 | -16.2 | 1244.97 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -162.75 | -2.72 | 1242.25 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -161.6 | 1.15 | 1243.4 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -161.15 | 0.45 | 1243.85 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -165.79 | -4.64 | 1239.21 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -168 | -2.21 | 1237 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -166.62 | 1.38 | 1238.38 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -166.8 | -0.18 | 1238.2 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -162.2 | 4.6 | 1242.8 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -157 | 5.2 | 1248 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -166.48 | -9.48 | 1238.52 | 02 | 01 | 2 | |
| | P | 11 / 30/ 2012 | -153.17 | 13.31 | 1251.83 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -163.94 | -10.8 | 1241.06 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -162.64 | 1.3 | 1242.36 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -160.22 | 2.42 | 1244.78 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -158.82 | 1.4 | 1246.18 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -157.19 | 1.63 | 1247.81 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -156.46 | 0.73 | 1248.54 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -159.65 | -3.19 | 1245.35 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -156.72 | 2.93 | 1248.28 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -157.89 | -1.17 | 1247.11 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -154.58 | 3.31 | 1250.42 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -154.48 | 0.1 | 1250.52 | 01 | 01 | 4 | |

**Min** *-168* **Max** *-49.16* **Avg** *-106.672*

***6801601*** *( Aquifer: 218GRLH Well Depth: 208 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 0 / 1959 | -33 | | 1387 | 01 | 01 | 1 | |

**Min** *-33* **Max** *-33* **Avg** *-33*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6801603** | *( Aquifer: 218GRLH* | | *Well Depth: 325 )* | | | | | | |
| | P | 6 / 12/ 1961 | -90 | | 1410 | 01 | 01 | 1 | |
| **Min** *-90* | | **Max** *-90* | **Avg** | *-90* | | | | | |
| **6801604** | *( Aquifer: 218GLRSL* | | *Well Depth: 275 )* | | | | | | |
| | P | 2 / 7 / 1940 | -118.3 | | 1381.7 | 01 | 01 | 1 | |
| | P | 5 / 17/ 1965 | -131 | -12.7 | 1369 | 01 | 01 | 1 | |
| **Min** *-131* | | **Max** *-118.3* | **Avg** | *-124.65* | | | | | |
| **6801606** | *( Aquifer: 218HNSL* | | *Well Depth: 450 )* | | | | | | |
| | P | 6 / 25/ 1965 | -207.6 | | 1437.4 | 01 | 04 | 1 | |
| **Min** *-207.6* | | **Max** *-207.6* | **Avg** | *-207.6* | | | | | |
| **6801607** | *( Aquifer: 218GLRS* | | *Well Depth: 425 )* | | | | | | |
| | P | 7 / 11/ 1996 | -267.23 | | 1292.77 | 01 | 04 | 1 | |
| **Min** *-267.23* | | **Max** *-267.23* | **Avg** | *-267.23* | | | | | |
| **6801608** | *( Aquifer: 218CCRK* | | *Well Depth: 82 )* | | | | | | |
| | P | 8 / 10/ 2009 | -55.72 | | 1412.28 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -55.7 | 0.02 | 1412.3 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -55.75 | -0.05 | 1412.25 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -55.75 | | 1412.25 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -55.7 | 0.05 | 1412.3 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -55.6 | 0.1 | 1412.4 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -55.41 | 0.19 | 1412.59 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -55.66 | -0.25 | 1412.34 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -55.56 | 0.1 | 1412.44 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -55.6 | -0.04 | 1412.4 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -55.64 | -0.04 | 1412.36 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -55.46 | 0.18 | 1412.54 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -54.44 | 1.02 | 1413.56 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -54.47 | -0.03 | 1413.53 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -54.26 | 0.21 | 1413.74 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -53.83 | 0.43 | 1414.17 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -53.83 | | 1414.17 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -52.56 | 1.27 | 1415.44 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -52.98 | -0.42 | 1415.02 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/28/2010 | -52.72 | 0.26 | 1415.28 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -53.3 | -0.58 | 1414.7 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -53.72 | -0.42 | 1414.28 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -54.07 | -0.35 | 1413.93 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -55.06 | -0.99 | 1412.94 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -54.72 | 0.34 | 1413.28 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -54.14 | 0.58 | 1413.86 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -54.97 | -0.83 | 1413.03 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -55.04 | -0.07 | 1412.96 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -55.13 | -0.09 | 1412.87 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -55.23 | -0.1 | 1412.77 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -55.28 | -0.05 | 1412.72 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -55.32 | -0.04 | 1412.68 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -55.37 | -0.05 | 1412.63 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -55.41 | -0.04 | 1412.59 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -55.43 | -0.02 | 1412.57 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -55.44 | -0.01 | 1412.56 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -55.47 | -0.03 | 1412.53 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -55.5 | -0.03 | 1412.5 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -55.54 | -0.04 | 1412.46 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -55.4 | 0.14 | 1412.6 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -55.56 | -0.16 | 1412.44 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -55.59 | -0.03 | 1412.41 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -55.6 | -0.01 | 1412.4 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -55.64 | -0.04 | 1412.36 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -55.65 | -0.01 | 1412.35 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -55.67 | -0.02 | 1412.33 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -55.7 | -0.03 | 1412.3 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -55.73 | -0.03 | 1412.27 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -55.73 | | 1412.27 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -55.73 | | 1412.27 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -55.78 | -0.05 | 1412.22 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -55.78 | | 1412.22 | 01 | 06 | 2 | |
| | P | 11/30/2011 | -55.69 | 0.09 | 1412.31 | 01 | 06 | 2 | |
| | P | 12/16/2011 | -55.6 | 0.09 | 1412.4 | 01 | 06 | 2 | |
| | P | 12/29/2011 | -55.59 | 0.01 | 1412.41 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 19/ 2012 | -55.7 | -0.11 | 1412.3 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -55.64 | 0.06 | 1412.36 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -55.7 | -0.06 | 1412.3 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -55.7 | | 1412.3 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -55.55 | 0.15 | 1412.45 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -55.36 | 0.19 | 1412.64 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -55.45 | -0.09 | 1412.55 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -55.53 | -0.08 | 1412.47 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -55.32 | 0.21 | 1412.68 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -55.46 | -0.14 | 1412.54 | 01 | 06 | 2 | |
| **Min** *-55.78* | | **Max** *-52.56* | **Avg** *-55.1789* | | | | | | |
| ***6801902*** | *( Aquifer: 218GRLH* | | *Well Depth: 450 )* | | | | | | |
| | P | 6 / 25/ 1956 | -216 | | 1384 | 01 | 07 | 7 | |
| **Min** *-216* | | **Max** *-216* | **Avg** *-216* | | | | | | |
| ***6801903*** | *( Aquifer: 218GLRSU* | | *Well Depth: 225 )* | | | | | | |
| | P | 6 / 23/ 1965 | -175 | | 1475 | 01 | 11 | 7 | |
| **Min** *-175* | | **Max** *-175* | **Avg** *-175* | | | | | | |
| ***6801904*** | *( Aquifer: 218GLRSU* | | *Well Depth: 105 )* | | | | | | |
| | P | 4 / 11/ 1940 | -86.2 | | 1623.8 | 01 | 01 | 1 | |
| | P | 6 / 22/ 1965 | -84.9 | 1.3 | 1625.1 | 01 | 01 | 1 | |
| **Min** *-86.2* | | **Max** *-84.9* | **Avg** *-85.55* | | | | | | |
| ***6802101*** | *( Aquifer: 218GLRSL* | | *Well Depth: 230 )* | | | | | | |
| | P | 4 / 20/ 1965 | -70 | | 1405 | 01 | 11 | 7 | |
| **Min** *-70* | | **Max** *-70* | **Avg** *-70* | | | | | | |
| ***6802102*** | *( Aquifer: 218GLRSL* | | *Well Depth: 125 )* | | | | | | |
| | P | 4 / 21/ 1965 | -47.48 | | 1337.52 | 01 | 04 | 1 | |
| **Min** *-47.48* | | **Max** *-47.48* | **Avg** *-47.48* | | | | | | |
| ***6802103*** | *( Aquifer: 218GLRSL* | | *Well Depth: 100 )* | | | | | | |
| | P | 2 / 22/ 1940 | -39.7 | | 1340.3 | 01 | 01 | 1 | |
| | P | 4 / 20/ 1965 | -39.8 | -0.1 | 1340.2 | 01 | 01 | 1 | |
| **Min** *-39.8* | | **Max** *-39.7* | **Avg** *-39.75* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6802104** | ( Aquifer: 218GLRSL | | Well Depth: 150 ) | | | | | | |
| | P | 2 / 22/ 1940 | -40 | | 1360 | 01 | 04 | 1 | |
| Min -40 | | Max -40 | Avg -40 | | | | | | |
| **6802105** | ( Aquifer: 218GLRSL | | Well Depth: 228 ) | | | | | | |
| | P | 2 / 0 / 1940 | -55 | | 1405 | 01 | 01 | 1 | |
| Min -55 | | Max -55 | Avg -55 | | | | | | |
| **6802106** | ( Aquifer: 218HSCC | | Well Depth: 315 ) | | | | | | |
| | P | 4 / 6 / 1964 | -55 | | 1350 | 01 | 07 | 7 | |
| | P | 4 / 10/ 1975 | -52 | 3 | 1353 | 01 | 01 | 1 | |
| Min -55 | | Max -52 | Avg -53.5 | | | | | | |
| **6802107** | ( Aquifer: 218GRLH | | Well Depth: 223 ) | | | | | | |
| | P | 7 / 9 / 1965 | -65 | | 1335 | 01 | 01 | 1 | |
| | P | 7 / 21/ 1965 | -68.8 | -3.8 | 1331.2 | 01 | 01 | 1 | |
| Min -68.8 | | Max -65 | Avg -66.9 | | | | | | |
| **6802108** | ( Aquifer: 218GRLH | | Well Depth: 200 ) | | | | | | |
| | P | 4 / 21/ 1965 | -41.58 | | 1338.42 | 01 | 04 | 1 | |
| Min -41.58 | | Max -41.58 | Avg -41.58 | | | | | | |
| **6802109** | ( Aquifer: 218GRLH | | Well Depth: 300 ) | | | | | | |
| | P | 2 / 22/ 1940 | -104.9 | | 1345.1 | 01 | 01 | 1 | |
| | P | 7 / 12/ 1965 | -120.2 | -15.3 | 1329.8 | 01 | 01 | 1 | |
| Min -120.2 | | Max -104.9 | Avg -112.55 | | | | | | |
| **6802201** | ( Aquifer: 218GLRSL | | Well Depth: 250 ) | | | | | | |
| | P | 2 / 21/ 1940 | -172.6 | | 1387.4 | 01 | 01 | 1 | |
| | P | 7 / 20/ 1965 | -180 | -7.4 | 1380 | 01 | 01 | 1 | |
| Min -180 | | Max -172.6 | Avg -176.3 | | | | | | |
| **6802202** | ( Aquifer: 218GLRSL | | Well Depth: 300 ) | | | | | | |
| | P | 9 / 5 / 1964 | -240 | | 1320 | 01 | 01 | 1 | |
| Min -240 | | Max -240 | Avg -240 | | | | | | |
| **6802203** | ( Aquifer: 218GRLH | | Well Depth: 275 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 21/ 1940 | -171.2 | | 1348.8 | 01 | 01 | 1 | |
| Min -171.2 | | Max -171.2 | Avg -171.2 | | | | | | |
| **6802204** | ( Aquifer: 218GRLH | | Well Depth: 210 ) | | | | | | |
| | P | 7 / 21/ 1965 | -84.1 | | 1315.9 | 01 | 01 | 1 | |
| Min -84.1 | | Max -84.1 | Avg -84.1 | | | | | | |
| **6802301** | ( Aquifer: 218GLRSL | | Well Depth: 198 ) | | | | | | |
| | P | 7 / 20/ 1965 | -64.7 | | 1420.3 | 01 | 01 | 1 | |
| Min -64.7 | | Max -64.7 | Avg -64.7 | | | | | | |
| **6802401** | ( Aquifer: 218GLRSL | | Well Depth: 120 ) | | | | | | |
| | P | 2 / 22/ 1940 | -34.6 | | 1370.4 | 01 | 01 | 1 | |
| | P | 7 / 8 / 1965 | -32.9 | 1.7 | 1372.1 | 01 | 01 | 1 | |
| Min -34.6 | | Max -32.9 | Avg -33.75 | | | | | | |
| **6802402** | ( Aquifer: 218GLRSL | | Well Depth: 294 ) | | | | | | |
| | P | 7 / 8 / 1965 | -91.15 | | 1383.85 | 01 | 04 | 1 | |
| Min -91.15 | | Max -91.15 | Avg -91.15 | | | | | | |
| **6802403** | ( Aquifer: 218GRLH | | Well Depth: 400 ) | | | | | | |
| | P | 2 / 25/ 1957 | -218 | | 1327 | 01 | 07 | 7 | |
| Min -218 | | Max -218 | Avg -218 | | | | | | |
| **6802404** | ( Aquifer: 218GLRSL | | Well Depth: 105 ) | | | | | | |
| | P | 5 / 25/ 1965 | -69.58 | | 1415.42 | 01 | 04 | 1 | |
| Min -69.58 | | Max -69.58 | Avg -69.58 | | | | | | |
| **6802406** | ( Aquifer: 218GLRSL | | Well Depth: 420 ) | | | | | | |
| | P | 6 / 30/ 2005 | -247 | | 1313 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -247 | | 1313 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -290 | -43 | 1270 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -240 | 50 | 1320 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -243.33 | -3.33 | 1316.67 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -242 | 1.33 | 1318 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -243 | -1 | 1317 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -243.25 | -0.25 | 1316.75 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/2006 | -245 | -1.75 | 1315 | 01 | 06 | 2 | |
| | P | 5/31/2006 | -246 | -1 | 1314 | 01 | 06 | 2 | |
| | P | 6/15/2006 | -247 | -1 | 1313 | 01 | 06 | 2 | |
| | P | 7/15/2006 | -249 | -2 | 1311 | 01 | 06 | 2 | |
| | P | 7/31/2006 | -251.08 | -2.08 | 1308.92 | 01 | 06 | 2 | |
| | P | 8/15/2006 | -253.42 | -2.34 | 1306.58 | 01 | 06 | 2 | |
| | P | 8/30/2006 | -255.83 | -2.41 | 1304.17 | 01 | 06 | 2 | |
| | P | 9/15/2006 | -254.8 | 1.03 | 1305.2 | 01 | 06 | 2 | |
| | P | 9/30/2006 | -258.7 | -3.9 | 1301.3 | 01 | 06 | 2 | |
| | P | 10/15/2006 | -258.92 | -0.22 | 1301.08 | 01 | 06 | 2 | |
| | P | 10/30/2006 | -258.8 | 0.12 | 1301.2 | 01 | 06 | 2 | |
| | P | 11/15/2006 | -257.08 | 1.72 | 1302.92 | 01 | 06 | 2 | |
| | P | 11/30/2006 | -256.5 | 0.58 | 1303.5 | 01 | 06 | 2 | |
| | P | 12/15/2006 | -255.42 | 1.08 | 1304.58 | 01 | 06 | 2 | |
| | P | 12/31/2006 | -256.42 | -1 | 1303.58 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -255.42 | 1 | 1304.58 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -255 | 0.42 | 1305 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -253.42 | 1.58 | 1306.58 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -254.42 | -1 | 1305.58 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -252.67 | 1.75 | 1307.33 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -252.17 | 0.5 | 1307.83 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -252 | 0.17 | 1308 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -250.75 | 1.25 | 1309.25 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -248.5 | 2.25 | 1311.5 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -247 | 1.5 | 1313 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -245.5 | 1.5 | 1314.5 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -243.5 | 2 | 1316.5 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -242.83 | 0.67 | 1317.17 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -238 | 4.83 | 1322 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -239.9 | -1.9 | 1320.1 | 01 | 06 | 2 | |
| | P | 8/31/2007 | -237.5 | 2.4 | 1322.5 | 01 | 06 | 2 | |
| | P | 9/15/2007 | -235.2 | 2.3 | 1324.8 | 01 | 06 | 2 | |
| | P | 9/30/2007 | -235 | 0.2 | 1325 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -234.4 | 0.6 | 1325.6 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -233.7 | 0.7 | 1326.3 | 01 | 06 | 2 | |
| | P | 11/15/2007 | -234 | -0.3 | 1326 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2007 | -234.2 | -0.2 | 1325.8 | 01 | 06 | 2 | |
| | P | 12/14/2007 | -233.2 | 1 | 1326.8 | 01 | 06 | 2 | |
| | P | 12/31/2007 | -233.2 | | 1326.8 | 01 | 06 | 2 | |
| | P | 1/15/2008 | -234.3 | -1.1 | 1325.7 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -231.6 | 2.7 | 1328.4 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -235.2 | -3.6 | 1324.8 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -236 | -0.8 | 1324 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -234.7 | 1.3 | 1325.3 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -234.1 | 0.6 | 1325.9 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -238.6 | -4.5 | 1321.4 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -239.2 | -0.6 | 1320.8 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -240.9 | -1.7 | 1319.1 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -244.8 | -3.9 | 1315.2 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -245.9 | -1.1 | 1314.1 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -249.7 | -3.8 | 1310.3 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -251.7 | -2 | 1308.3 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -253.3 | -1.6 | 1306.7 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -262.6 | -9.3 | 1297.4 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -263.1 | -0.5 | 1296.9 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -260.8 | 2.3 | 1299.2 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -260.4 | 0.4 | 1299.6 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -260.3 | 0.1 | 1299.7 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -260 | 0.3 | 1300 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -259.2 | 0.8 | 1300.8 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -260.7 | -1.5 | 1299.3 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -258.4 | 2.3 | 1301.6 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -258.2 | 0.2 | 1301.8 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -259 | -0.8 | 1301 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -259.8 | -0.8 | 1300.2 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -260 | -0.2 | 1300 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -261 | -1 | 1299 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -260.8 | 0.2 | 1299.2 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -261 | -0.2 | 1299 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -263.1 | -2.1 | 1296.9 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -263.1 | | 1296.9 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -267.3 | -4.2 | 1292.7 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2009 | -269.1 | -1.8 | 1290.9 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -272 | -2.9 | 1288 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -271.8 | 0.2 | 1288.2 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -273.2 | -1.4 | 1286.8 | 01 | 06 | 2 | |

**Min** *-290* **Max** *-231.6* **Avg** *-250.666*

***6802407*** *( Aquifer: 217HSTN Well Depth: 580 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2007 | -312 | | 1294 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -312.5 | -0.5 | 1293.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -314.5 | -2 | 1291.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -314.8 | -0.3 | 1291.2 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -317.6 | -2.8 | 1288.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -311.5 | 6.1 | 1294.5 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -311.5 | | 1294.5 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -315.6 | -4.1 | 1290.4 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -313.2 | 2.4 | 1292.8 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -313 | 0.2 | 1293 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -314.5 | -1.5 | 1291.5 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -322 | -7.5 | 1284 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -323.4 | -1.4 | 1282.6 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -324.6 | -1.2 | 1281.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -328.6 | -4 | 1277.4 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -325.9 | 2.7 | 1280.1 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -330 | -4.1 | 1276 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -342.2 | -12.2 | 1263.8 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -344.2 | -2 | 1261.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -354.4 | -10.2 | 1251.6 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -349.4 | 5 | 1256.6 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -350.4 | -1 | 1255.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -349.3 | 1.1 | 1256.7 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -351.2 | -1.9 | 1254.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -350.1 | 1.1 | 1255.9 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -349.6 | 0.5 | 1256.4 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -349.6 | | 1256.4 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -354.2 | -4.6 | 1251.8 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -347.8 | 6.4 | 1258.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/29/2008 | -348.2 | -0.4 | 1257.8 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -346.5 | 1.7 | 1259.5 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -345.2 | 1.3 | 1260.8 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -345.7 | -0.5 | 1260.3 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -346.5 | -0.8 | 1259.5 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -346.3 | 0.2 | 1259.7 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -347 | -0.7 | 1259 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -348 | -1 | 1258 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -347.6 | 0.4 | 1258.4 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -348.6 | -1 | 1257.4 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -351.1 | -2.5 | 1254.9 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -356.2 | -5.1 | 1249.8 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -357.9 | -1.7 | 1248.1 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -362 | -4.1 | 1244 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -363.8 | -1.8 | 1242.2 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -366.7 | -2.9 | 1239.3 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -365 | 1.7 | 1241 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -274.9 | 90.1 | 1331.1 | 02 | 06 | 2 | |
| | P | 9/15/2009 | -363 | -88.1 | 1243 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -272.9 | 90.1 | 1333.1 | 02 | 06 | 2 | |
| | P | 9/30/2009 | -361.42 | -88.5 | 1244.58 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -274.35 | 87.07 | 1331.65 | 02 | 06 | 2 | |
| | P | 10/15/2009 | -359.4 | -85.1 | 1246.6 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -270.8 | 88.6 | 1335.2 | 02 | 06 | 2 | |
| | P | 10/30/2009 | -358.6 | -87.8 | 1247.4 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -269.8 | 88.8 | 1336.2 | 02 | 06 | 2 | |
| | P | 11/13/2009 | -357.8 | -88 | 1248.2 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -269.6 | 88.2 | 1336.4 | 02 | 06 | 2 | |
| | P | 11/30/2009 | -356.4 | -86.8 | 1249.6 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -269 | 87.4 | 1337 | 02 | 06 | 2 | |
| | P | 12/15/2009 | -355.8 | -86.8 | 1250.2 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -268.1 | 87.7 | 1337.9 | 02 | 06 | 2 | |
| | P | 1/12/2010 | -359.6 | -91.5 | 1246.4 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -267.3 | 92.3 | 1338.7 | 02 | 06 | 2 | |
| | P | 1/28/2010 | -355.3 | -88 | 1250.7 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -266.8 | 88.5 | 1339.2 | 02 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/12/2010 | -354.6 | -87.8 | 1251.4 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -266 | 88.6 | 1340 | 02 | 06 | 2 | |
| | P | 2/26/2010 | -352.8 | -86.8 | 1253.2 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -264.2 | 88.6 | 1341.8 | 02 | 06 | 2 | |
| | P | 3/15/2010 | -350.8 | -86.6 | 1255.2 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -263.2 | 87.6 | 1342.8 | 02 | 06 | 2 | |
| | P | 3/31/2010 | -348.6 | -85.4 | 1257.4 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -261.6 | 87 | 1344.4 | 02 | 06 | 2 | |
| | P | 4/16/2010 | -341.25 | -79.7 | 1264.75 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -260.6 | 80.65 | 1345.4 | 02 | 06 | 2 | |
| | P | 4/30/2010 | -342 | -81.4 | 1264 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -259.4 | 82.6 | 1346.6 | 02 | 06 | 2 | |
| | P | 5/14/2010 | -345.46 | -86.1 | 1260.54 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -259.85 | 85.61 | 1346.15 | 02 | 06 | 2 | |
| | P | 5/28/2010 | -337.17 | -77.3 | 1268.83 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -258.2 | 78.97 | 1347.8 | 02 | 06 | 2 | |
| | P | 6/16/2010 | -338.28 | -80.1 | 1267.72 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -258.7 | 79.58 | 1347.3 | 02 | 06 | 2 | |
| | P | 6/30/2010 | -340 | -81.3 | 1266 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -258.6 | 81.4 | 1347.4 | 02 | 06 | 2 | |
| | P | 7/16/2010 | -337.91 | -79.3 | 1268.09 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -257.91 | 80 | 1348.09 | 02 | 06 | 2 | |
| | P | 7/30/2010 | -338.55 | -80.6 | 1267.45 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -258.4 | 80.15 | 1347.6 | 02 | 06 | 2 | |
| | P | 9/16/2010 | -344.23 | -85.8 | 1261.77 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -343.17 | 1.06 | 1262.83 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -344.11 | -0.94 | 1261.89 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -345.85 | -1.74 | 1260.15 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -344.79 | 1.06 | 1261.21 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -345.15 | -0.36 | 1260.85 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -344.25 | 0.9 | 1261.75 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -343.3 | 0.95 | 1262.7 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -342.91 | 0.39 | 1263.09 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -342.41 | 0.5 | 1263.59 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -351.17 | -8.76 | 1254.83 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -346.45 | 4.72 | 1259.55 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 15/ 2011 | -346.99 | -0.54 | 1259.01 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -349.81 | -2.82 | 1256.19 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -350.89 | -1.08 | 1255.11 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -354.05 | -3.16 | 1251.95 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -354.45 | -0.4 | 1251.55 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -356.24 | -1.79 | 1249.76 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -360.63 | -4.39 | 1245.37 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -362.28 | -1.65 | 1243.72 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -365 | -2.72 | 1241 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -368.11 | -3.11 | 1237.89 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -369.32 | -1.21 | 1236.68 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -371.54 | -2.22 | 1234.46 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -372.57 | -1.03 | 1233.43 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -368.41 | 4.16 | 1237.59 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -369.7 | -1.29 | 1236.3 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -367.28 | 2.42 | 1238.72 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -366.54 | 0.74 | 1239.46 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -365.95 | 0.59 | 1240.05 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -362.94 | 3.01 | 1243.06 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -361.25 | 1.69 | 1244.75 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -363.6 | -2.35 | 1242.4 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -358.65 | 4.95 | 1247.35 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -356.98 | 1.67 | 1249.02 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -356.22 | 0.76 | 1249.78 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -355.17 | 1.05 | 1250.83 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -355.5 | -0.33 | 1250.5 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -356.21 | -0.71 | 1249.79 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -356.18 | 0.03 | 1249.82 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -359.9 | -3.72 | 1246.1 | 01 | 06 | 2 | |

**Min** *-372.57* **Max** *-257.91* **Avg** *-333.654*

***6802501*** *( Aquifer: 218GRLH Well Depth: 203 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 30/ 1957 | -28 | | 1297 | 01 | 07 | 7 | |

**Min** *-28* **Max** *-28* **Avg** *-28*

***6802502*** *( Aquifer: 218GRLH Well Depth: 163 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30/ 1940 | -40 | | 1310 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 5 / 1965 | -43 | -3 | 1307 | 01 | 01 | 1 | |
| Min -43 | | Max -40 | Avg | -41.5 | | | | | |
| **6802505** | ( Aquifer: 218GRLH | | Well Depth: 221 ) | | | | | | |
| | P | 2 / 22/ 1940 | -38.3 | | 1291.7 | 01 | 01 | 1 | |
| | P | 7 / 13/ 1965 | -36.8 | 1.5 | 1293.2 | 01 | 01 | 1 | |
| Min -38.3 | | Max -36.8 | Avg | -37.55 | | | | | |
| **6802507** | ( Aquifer: 218GRLH | | Well Depth: 265 ) | | | | | | |
| | P | 4 / 27/ 1995 | -58 | | 1238 | 01 | 07 | 7 | |
| Min -58 | | Max -58 | Avg | -58 | | | | | |
| **6802508** | ( Aquifer: 218CCRK | | Well Depth: 280 ) | | | | | | |
| | P | 1 / 19/ 2007 | -87.75 | | 1252.25 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -84.3 | 3.45 | 1255.7 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -83.83 | 0.47 | 1256.17 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -84.5 | -0.67 | 1255.5 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -82.75 | 1.75 | 1257.25 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -79.5 | 3.25 | 1260.5 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -77.25 | 2.25 | 1262.75 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -76.67 | 0.58 | 1263.33 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -75.25 | 1.42 | 1264.75 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -72.33 | 2.92 | 1267.67 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -71.75 | 0.58 | 1268.25 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -70 | 1.75 | 1270 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -69 | 1 | 1271 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -65.42 | 3.58 | 1274.58 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -66.8 | -1.38 | 1273.2 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -61.8 | 5 | 1278.2 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -60.6 | 1.2 | 1279.4 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -62.7 | -2.1 | 1277.3 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -64.5 | -1.8 | 1275.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -65 | -0.5 | 1275 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -66.2 | -1.2 | 1273.8 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -65.7 | 0.5 | 1274.3 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -65.5 | 0.2 | 1274.5 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -67.6 | -2.1 | 1272.4 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/2008 | -66.5 | 1.1 | 1273.5 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -68.8 | -2.3 | 1271.2 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -69.6 | -0.8 | 1270.4 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -70.3 | -0.7 | 1269.7 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -72.6 | -2.3 | 1267.4 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -72.7 | -0.1 | 1267.3 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -76.4 | -3.7 | 1263.6 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -77.6 | -1.2 | 1262.4 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -78.6 | -1 | 1261.4 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -84.3 | -5.7 | 1255.7 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -85.9 | -1.6 | 1254.1 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -91.2 | -5.3 | 1248.8 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -90.2 | 1 | 1249.8 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -92.2 | -2 | 1247.8 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -97.7 | -5.5 | 1242.3 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -94.5 | 3.2 | 1245.5 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -94.8 | -0.3 | 1245.2 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -93.8 | 1 | 1246.2 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -93.6 | 0.2 | 1246.4 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -94.2 | -0.6 | 1245.8 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -93.2 | 1 | 1246.8 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -93.8 | -0.6 | 1246.2 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -91.3 | 2.5 | 1248.7 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -93.4 | -2.1 | 1246.6 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -94.9 | -1.5 | 1245.1 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -93.1 | 1.8 | 1246.9 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -91.7 | 1.4 | 1248.3 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -91.7 | | 1248.3 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -90.8 | 0.9 | 1249.2 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -92.8 | -2 | 1247.2 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -93.6 | -0.8 | 1246.4 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -93.8 | -0.2 | 1246.2 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -98.7 | -4.9 | 1241.3 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -103.2 | -4.5 | 1236.8 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -104 | -0.8 | 1236 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -105.3 | -1.3 | 1234.7 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 14/ 2009 | -105.6 | -0.3 | 1234.4 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -106 | -0.4 | 1234 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -104.8 | 1.2 | 1235.2 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -104.03 | 0.77 | 1235.97 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -102.7 | 1.33 | 1237.3 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -100.4 | 2.3 | 1239.6 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -99 | 1.4 | 1241 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -97.6 | 1.4 | 1242.4 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -95.4 | 2.2 | 1244.6 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -96.1 | -0.7 | 1243.9 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -93.7 | 2.4 | 1246.3 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -89.6 | 4.1 | 1250.4 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -88 | 1.6 | 1252 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -87 | 1 | 1253 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -85.6 | 1.4 | 1254.4 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -84.4 | 1.2 | 1255.6 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -84.3 | 0.1 | 1255.7 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -85.4 | -1.1 | 1254.6 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -82.7 | 2.7 | 1257.3 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -85.4 | -2.7 | 1254.6 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -86.6 | -1.2 | 1253.4 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -87.22 | -0.62 | 1252.78 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -87.75 | -0.53 | 1252.25 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -92.2 | -4.45 | 1247.8 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -90.4 | 1.8 | 1249.6 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -94 | -3.6 | 1246 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -94 | | 1246 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -93.6 | 0.4 | 1246.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -92.9 | 0.7 | 1247.1 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -91.6 | 1.3 | 1248.4 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -92.2 | -0.6 | 1247.8 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -90.6 | 1.6 | 1249.4 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -91.1 | -0.5 | 1248.9 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -92.8 | -1.7 | 1247.2 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -91.8 | 1 | 1248.2 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -95.8 | -4 | 1244.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 31/ 2011 | -97 | -1.2 | 1243 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -100.5 | -3.5 | 1239.5 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -104 | -3.5 | 1236 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -101.8 | 2.2 | 1238.2 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -105 | -3.2 | 1235 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -111.8 | -6.8 | 1228.2 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -113.8 | -2 | 1226.2 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -115.7 | -1.9 | 1224.3 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -122.9 | -7.2 | 1217.1 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -127.6 | -4.7 | 1212.4 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -127.8 | -0.2 | 1212.2 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -127.6 | 0.2 | 1212.4 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -121.9 | 5.7 | 1218.1 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -120.8 | 1.1 | 1219.2 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -121 | -0.2 | 1219 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -116 | 5 | 1224 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -111 | 5 | 1229 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -108.2 | 2.8 | 1231.8 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -105.4 | 2.8 | 1234.6 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -104.4 | 1 | 1235.6 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -101.2 | 3.2 | 1238.8 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -98.6 | 2.6 | 1241.4 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -96.6 | 2 | 1243.4 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -93.7 | 2.9 | 1246.3 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -94.2 | -0.5 | 1245.8 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -96.1 | -1.9 | 1243.9 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -96.6 | -0.5 | 1243.4 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -98.6 | -2 | 1241.4 | 01 | 06 | 2 | |

**Min** *-127.8* **Max** *-60.6* **Avg** *-91.1258*

***6802601*** *( Aquifer: 218GRLH Well Depth: 170 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 14/ 1965 | -30.4 | | 1289.6 | 01 | 01 | 1 | |

**Min** *-30.4* **Max** *-30.4* **Avg** *-30.4*

***6802602*** *( Aquifer: 218GRLH Well Depth: 280 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 11/ 1963 | -117 | | 1293 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -117** | | **Max -117** | **Avg** | **-117** | | | | | |
| ***6802603*** | *( Aquifer: 218GRHC* | | *Well Depth: 345 )* | | | | | | |
| | P | 5 / 3 / 1965 | -15.5 | | 1294.5 | 01 | 01 | 1 | |
| | P | 8 / 11/ 1965 | -19.1 | -3.6 | 1290.9 | 01 | 01 | 1 | |
| **Min -19.1** | | **Max -15.5** | **Avg** | **-17.3** | | | | | |
| ***6802607*** | *( Aquifer: 218HNSL* | | *Well Depth: 300 )* | | | | | | |
| | P | 4 / 30/ 1965 | -84 | | 1311 | 01 | 04 | 1 | |
| **Min -84** | | **Max -84** | **Avg** | **-84** | | | | | |
| ***6802608*** | *( Aquifer: 218HSCC* | | *Well Depth: 360 )* | | | | | | |
| | P | 7 / 10/ 1974 | -131.09 | | 1190.91 | 01 | 01 | 1 | |
| | P | 2 / 22/ 1975 | -105.06 | 26.03 | 1216.94 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -109.26 | -4.2 | 1212.74 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -103.07 | 6.19 | 1218.93 | 01 | 01 | 1 | |
| | P | 2 / 27/ 1978 | -108.89 | -5.82 | 1213.11 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -105.9 | 2.99 | 1216.1 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1981 | -137.38 | -31.5 | 1184.62 | 01 | 01 | 1 | 04 |
| | P | 2 / 12/ 1982 | -133.89 | 3.49 | 1188.11 | 01 | 01 | 1 | 04 |
| | P | 2 / 8 / 1983 | -145.27 | -11.4 | 1176.73 | 01 | 01 | 1 | 04 |
| | N | 3 / 1 / 1984 | | | | 01 | 01 | | 63 |
| | P | 2 / 21/ 1985 | -124.4 | | 1197.6 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1986 | -121.3 | 3.1 | 1200.7 | 01 | 01 | 1 | |
| | N | 12 / 10/ 1986 | | | | 01 | 01 | | 63 |
| | P | 10 / 27/ 1987 | -128.62 | | 1193.38 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1989 | -153 | -24.4 | 1169 | 01 | 01 | 1 | 04 |
| | P | 2 / 5 / 1990 | -160.03 | -7.03 | 1161.97 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -143.49 | 16.54 | 1178.51 | 01 | 01 | 1 | |
| | N | 2 / 11/ 1992 | | | | 01 | 01 | | 61 |
| | P | 2 / 17/ 1993 | -118.35 | | 1203.65 | 01 | 01 | 1 | |
| | P | 3 / 31/ 1994 | -124.67 | -6.32 | 1197.33 | 01 | 01 | 1 | |
| | P | 1 / 25/ 1995 | -138 | -13.3 | 1184 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1996 | -145.2 | -7.2 | 1176.8 | 01 | 01 | 1 | |
| | P | 7 / 30/ 1996 | -153.37 | -8.17 | 1168.63 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1997 | -147.81 | 5.56 | 1174.19 | 01 | 01 | 1 | |
| | P | 7 / 22/ 1997 | -138.74 | 9.07 | 1183.26 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 29/ 1998 | -142.6 | -3.86 | 1179.4 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1999 | -141.9 | 0.7 | 1180.1 | 01 | 01 | 1 | |
| | P | 2 / 15/ 2000 | -155.87 | -14 | 1166.13 | 01 | 01 | 1 | |
| | P | 8 / 1 / 2000 | -177.1 | -21.2 | 1144.9 | 01 | 01 | 1 | |
| | P | 2 / 7 / 2001 | -119.2 | 57.9 | 1202.8 | 01 | 01 | 1 | |
| | P | 2 / 5 / 2002 | -126.29 | -7.09 | 1195.71 | 01 | 01 | 1 | |
| | P | 2 / 11/ 2003 | -136.96 | -10.7 | 1185.04 | 01 | 01 | 1 | 04 |
| | P | 2 / 3 / 2004 | -144 | -7.04 | 1178 | 01 | 01 | 1 | |
| | P | 1 / 6 / 2005 | -142.71 | 1.29 | 1179.29 | 01 | 01 | 1 | |
| | P | 2 / 22/ 2006 | -166.8 | -24.1 | 1155.2 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2007 | -164.92 | 1.88 | 1157.08 | 01 | 01 | 1 | |
| | P | 1 / 8 / 2009 | -198.2 | -33.3 | 1123.8 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2010 | -181.85 | 16.35 | 1140.15 | 01 | 01 | 1 | |
| | P | 3 / 22/ 2011 | -183.82 | -1.97 | 1138.18 | 01 | 01 | 1 | |
| | P | 10 / 19/ 2011 | -222.93 | -39.1 | 1099.07 | 01 | 01 | 1 | |
| | P | 11 / 15/ 2012 | -195.06 | 27.87 | 1126.94 | 01 | 01 | 1 | 25 |

**Min** *-222.93* **Max** *-103.07* **Avg** *-144.132*

***6802609*** *( Aquifer: 218HNSL Well Depth: 281 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 13/ 1975 | -60 | | 1295 | 01 | 01 | 1 | |
| | P | 9 / 23/ 1977 | -73 | -13 | 1282 | 01 | 01 | 1 | |
| | P | 1 / 23/ 1984 | -74 | -1 | 1281 | 01 | 01 | 6 | |
| | P | 2 / 16/ 1984 | -70.05 | 3.95 | 1284.95 | 01 | 01 | 4 | |
| | P | 2 / 29/ 1984 | -69.49 | 0.56 | 1285.51 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1984 | -70.87 | -1.38 | 1284.13 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1984 | -72.8 | -1.93 | 1282.2 | 01 | 01 | 4 | |
| | P | 4 / 15/ 1984 | -76.38 | -3.58 | 1278.62 | 01 | 01 | 4 | |
| | P | 4 / 30/ 1984 | -82.41 | -6.03 | 1272.59 | 01 | 01 | 4 | |
| | P | 5 / 15/ 1984 | -85.73 | -3.32 | 1269.27 | 01 | 01 | 4 | |
| | P | 5 / 30/ 1984 | -81.95 | 3.78 | 1273.05 | 01 | 01 | 4 | |
| | P | 6 / 15/ 1984 | -80.97 | 0.98 | 1274.03 | 01 | 01 | 4 | |
| | P | 6 / 30/ 1984 | -86.68 | -5.71 | 1268.32 | 01 | 01 | 4 | |
| | P | 7 / 15/ 1984 | -93.44 | -6.76 | 1261.56 | 01 | 01 | 4 | |
| | P | 7 / 30/ 1984 | -90.62 | 2.82 | 1264.38 | 01 | 01 | 4 | |
| | P | 8 / 10/ 1984 | -92.85 | -2.23 | 1262.15 | 01 | 01 | 4 | |
| | P | 8 / 20/ 1984 | -93.5 | -0.65 | 1261.5 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/15/1984 | -97.18 | -3.68 | 1257.82 | 01 | 01 | 4 | |
| | P | 9/30/1984 | -98.42 | -1.24 | 1256.58 | 01 | 01 | 4 | |
| | P | 10/15/1984 | -91.96 | 6.46 | 1263.04 | 01 | 01 | 4 | |
| | P | 10/30/1984 | -86.74 | 5.22 | 1268.26 | 01 | 01 | 4 | |
| | P | 11/15/1984 | -83.96 | 2.78 | 1271.04 | 01 | 01 | 4 | |
| | P | 11/30/1984 | -80.97 | 2.99 | 1274.03 | 01 | 01 | 4 | |
| | P | 12/15/1984 | -78.74 | 2.23 | 1276.26 | 01 | 01 | 4 | |
| | P | 12/30/1984 | -77 | 1.74 | 1278 | 01 | 01 | 4 | |
| | P | 1/15/1985 | -75.36 | 1.64 | 1279.64 | 01 | 01 | 4 | |
| | P | 1/30/1985 | -73.98 | 1.38 | 1281.02 | 01 | 01 | 4 | |
| | P | 2/15/1985 | -73.59 | 0.39 | 1281.41 | 01 | 01 | 4 | |
| | P | 2/28/1985 | -71.72 | 1.87 | 1283.28 | 01 | 01 | 4 | |
| | P | 3/15/1985 | -71.06 | 0.66 | 1283.94 | 01 | 01 | 4 | |
| | P | 3/30/1985 | -69.49 | 1.57 | 1285.51 | 01 | 01 | 4 | |
| | P | 4/15/1985 | -68.57 | 0.92 | 1286.43 | 01 | 01 | 4 | |
| | P | 4/30/1985 | -68.83 | -0.26 | 1286.17 | 01 | 01 | 4 | |
| | P | 5/15/1985 | -72.08 | -3.25 | 1282.92 | 01 | 01 | 4 | |
| | P | 5/30/1985 | -72.08 | | 1282.92 | 01 | 01 | 4 | |
| | P | 6/10/1985 | -75.56 | -3.48 | 1279.44 | 01 | 01 | 4 | |
| | P | 6/20/1985 | -78.05 | -2.49 | 1276.95 | 01 | 01 | 4 | |
| | P | 7/1/1985 | -75.13 | 2.92 | 1279.87 | 01 | 01 | 4 | |
| | P | 7/15/1985 | -73.75 | 1.38 | 1281.25 | 01 | 01 | 4 | |
| | P | 8/1/1985 | -80.74 | -6.99 | 1274.26 | 01 | 01 | 4 | |
| | P | 8/15/1985 | -84.31 | -3.57 | 1270.69 | 01 | 01 | 4 | |
| | P | 9/1/1985 | -87.79 | -3.48 | 1267.21 | 01 | 01 | 4 | |
| | P | 9/15/1985 | -85.92 | 1.87 | 1269.08 | 01 | 01 | 4 | |
| | P | 10/1/1985 | -82.87 | 3.05 | 1272.13 | 01 | 01 | 4 | |
| | P | 10/15/1985 | -79.79 | 3.08 | 1275.21 | 01 | 01 | 4 | |
| | P | 11/1/1985 | -77.46 | 2.33 | 1277.54 | 01 | 01 | 4 | |
| | P | 11/15/1985 | -75.82 | 1.64 | 1279.18 | 01 | 01 | 4 | |
| | P | 12/1/1985 | -73.98 | 1.84 | 1281.02 | 01 | 01 | 4 | |
| | P | 12/15/1985 | -72.18 | 1.8 | 1282.82 | 01 | 01 | 4 | |
| | P | 1/1/1986 | -70.54 | 1.64 | 1284.46 | 01 | 01 | 4 | |
| | P | 1/15/1986 | -69.68 | 0.86 | 1285.32 | 01 | 01 | 4 | |
| | P | 2/1/1986 | -68.76 | 0.92 | 1286.24 | 01 | 01 | 4 | |
| | P | 2/15/1986 | -67.71 | 1.05 | 1287.29 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/ 1/1986 | -70.01 | -2.3 | 1284.99 | 01 | 01 | 4 | |
| | P | 3/15/1986 | -68.63 | 1.38 | 1286.37 | 01 | 01 | 4 | |
| | P | 4/ 1/1986 | -72.99 | -4.36 | 1282.01 | 01 | 01 | 4 | |
| | P | 4/15/1986 | -74.87 | -1.88 | 1280.13 | 01 | 01 | 4 | |
| | P | 5/ 1/1986 | -79.89 | -5.02 | 1275.11 | 01 | 01 | 4 | |
| | P | 5/15/1986 | -78.11 | 1.78 | 1276.89 | 01 | 01 | 4 | |
| | P | 6/ 1/1986 | -76.64 | 1.47 | 1278.36 | 01 | 01 | 4 | |
| | P | 6/13/1986 | -74.34 | 2.3 | 1280.66 | 01 | 01 | 4 | |
| | P | 7/ 1/1986 | -77 | -2.66 | 1278 | 01 | 01 | 4 | |
| | P | 7/11/1986 | -88.3 | -11.3 | 1266.7 | 01 | 01 | 4 | |
| | P | 8/ 1/1986 | -95.53 | -7.23 | 1259.47 | 01 | 01 | 4 | |
| | P | 8/15/1986 | -96.19 | -0.66 | 1258.81 | 01 | 01 | 4 | |
| | P | 9/ 1/1986 | -93.24 | 2.95 | 1261.76 | 01 | 01 | 4 | |
| | P | 9/15/1986 | -86.94 | 6.3 | 1268.06 | 01 | 01 | 4 | |
| | P | 10/ 1/1986 | -87.14 | -0.2 | 1267.86 | 01 | 01 | 4 | |
| | P | 10/15/1986 | -83.33 | 3.81 | 1271.67 | 01 | 01 | 4 | |
| | P | 11/ 1/1986 | -87.31 | -3.98 | 1267.69 | 01 | 01 | 4 | |
| | P | 11/15/1986 | -75.78 | 11.53 | 1279.22 | 01 | 01 | 4 | |
| | P | 11/23/1986 | -75.36 | 0.42 | 1279.64 | 01 | 01 | 4 | |
| | P | 12/18/1986 | -70.8 | 4.56 | 1284.2 | 01 | 01 | 4 | |
| | P | 1/ 1/1987 | -66.86 | 3.94 | 1288.14 | 01 | 01 | 4 | |
| | P | 1/15/1987 | -65.29 | 1.57 | 1289.71 | 01 | 01 | 4 | |
| | P | 2/ 1/1987 | -64.2 | 1.09 | 1290.8 | 01 | 01 | 4 | |
| | P | 2/15/1987 | -63.32 | 0.88 | 1291.68 | 01 | 01 | 4 | |
| | P | 3/ 1/1987 | -62.66 | 0.66 | 1292.34 | 01 | 01 | 4 | |
| | P | 3/15/1987 | -61.58 | 1.08 | 1293.42 | 01 | 01 | 4 | |
| | P | 4/ 4/1987 | -61.35 | 0.23 | 1293.65 | 01 | 01 | 4 | |
| | P | 4/12/1987 | -61.22 | 0.13 | 1293.78 | 01 | 01 | 4 | |
| | P | 5/12/1987 | -73.2 | -12 | 1281.8 | 01 | 01 | 4 | |
| | P | 5/21/1987 | -69.32 | 3.88 | 1285.68 | 01 | 01 | 4 | |
| | P | 6/ 1/1987 | -66.4 | 2.92 | 1288.6 | 01 | 01 | 4 | |
| | P | 6/15/1987 | -57.02 | 9.38 | 1297.98 | 01 | 01 | 4 | |
| | P | 7/ 1/1987 | -62.5 | -5.48 | 1292.5 | 01 | 01 | 4 | |
| | P | 7/15/1987 | -66.4 | -3.9 | 1288.6 | 01 | 01 | 4 | |
| | P | 8/ 1/1987 | -70.54 | -4.14 | 1284.46 | 01 | 01 | 4 | |
| | P | 9/15/1987 | -76.26 | -5.72 | 1278.74 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1987 | -74.75 | 1.51 | 1280.25 | 01 | 01 | 4 | |
| | P | 10/15/1987 | -76.33 | -1.58 | 1278.67 | 01 | 01 | 4 | |
| | P | 10/30/1987 | -74.39 | 1.94 | 1280.61 | 01 | 01 | 4 | |
| | P | 11/15/1987 | -73.57 | 0.82 | 1281.43 | 01 | 01 | 4 | |
| | P | 11/30/1987 | -71.57 | 2 | 1283.43 | 01 | 01 | 4 | |
| | P | 12/15/1987 | -70.42 | 1.15 | 1284.58 | 01 | 01 | 4 | |
| | P | 12/30/1987 | -70.39 | 0.03 | 1284.61 | 01 | 01 | 4 | |
| | P | 1/15/1988 | -68.88 | 1.51 | 1286.12 | 01 | 01 | 4 | |
| | P | 1/30/1988 | -68.39 | 0.49 | 1286.61 | 01 | 01 | 4 | |
| | P | 2/28/1988 | -67.14 | 1.25 | 1287.86 | 01 | 01 | 4 | |
| | P | 3/15/1988 | -73.54 | -6.4 | 1281.46 | 01 | 01 | 4 | |
| | P | 3/30/1988 | -74.75 | -1.21 | 1280.25 | 01 | 01 | 4 | |
| | P | 4/15/1988 | -79.34 | -4.59 | 1275.66 | 01 | 01 | 4 | |
| | P | 4/30/1988 | -84.3 | -4.96 | 1270.7 | 01 | 01 | 4 | |
| | P | 5/15/1988 | -88.07 | -3.77 | 1266.93 | 01 | 01 | 4 | |
| | P | 8/17/1988 | -102.53 | -14.5 | 1252.47 | 01 | 01 | 4 | |
| | P | 8/30/1988 | -103.39 | -0.86 | 1251.61 | 01 | 01 | 4 | |
| | P | 9/15/1988 | -104.76 | -1.37 | 1250.24 | 01 | 01 | 4 | |
| | P | 9/30/1988 | -98.14 | 6.62 | 1256.86 | 01 | 01 | 4 | |
| | P | 10/15/1988 | -97.91 | 0.23 | 1257.09 | 01 | 01 | 4 | |
| | P | 10/30/1988 | -91.97 | 5.94 | 1263.03 | 01 | 01 | 4 | |
| | P | 11/15/1988 | -89.22 | 2.75 | 1265.78 | 01 | 01 | 4 | |
| | P | 11/30/1988 | -87.81 | 1.41 | 1267.19 | 01 | 01 | 4 | |
| | P | 12/13/1988 | -87.94 | -0.13 | 1267.06 | 01 | 01 | 4 | |
| | P | 2/15/1989 | -85.02 | 2.92 | 1269.98 | 01 | 01 | 4 | |
| | P | 2/28/1989 | -83.71 | 1.31 | 1271.29 | 01 | 01 | 4 | |
| | P | 3/15/1989 | -86.53 | -2.82 | 1268.47 | 01 | 01 | 4 | |
| | P | 3/23/1989 | -87.16 | -0.63 | 1267.84 | 01 | 01 | 1 | |
| | P | 5/15/1989 | -59.79 | 27.37 | 1295.21 | 01 | 01 | 4 | |
| | P | 6/30/1989 | -60.55 | -0.76 | 1294.45 | 01 | 01 | 4 | |
| | P | 7/15/1989 | -62.25 | -1.7 | 1292.75 | 01 | 01 | 4 | |
| | P | 8/30/1989 | -113.88 | -51.6 | 1241.12 | 01 | 01 | 4 | |
| | P | 9/15/1989 | -113.09 | 0.79 | 1241.91 | 01 | 01 | 4 | |
| | P | 9/30/1989 | -113.78 | -0.69 | 1241.22 | 01 | 01 | 4 | |
| | P | 10/15/1989 | -114.11 | -0.33 | 1240.89 | 01 | 01 | 4 | |
| | P | 2/15/1990 | -94.8 | 19.31 | 1260.2 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/30/1990 | -100.9 | -6.1 | 1254.1 | 01 | 01 | 4 | |
| | P | 7/15/1990 | -104.58 | -3.68 | 1250.42 | 01 | 01 | 4 | |
| | P | 7/30/1990 | -97.5 | 7.08 | 1257.5 | 01 | 01 | 4 | |
| | P | 8/15/1990 | -96.02 | 1.48 | 1258.98 | 01 | 01 | 4 | |
| | P | 8/30/1990 | -97.43 | -1.41 | 1257.57 | 01 | 01 | 4 | |
| | P | 9/15/1990 | -96.57 | 0.86 | 1258.43 | 01 | 01 | 4 | |
| | P | 9/30/1990 | -94.58 | 1.99 | 1260.42 | 01 | 01 | 4 | |
| | P | 10/15/1990 | -93.07 | 1.51 | 1261.93 | 01 | 01 | 4 | |
| | P | 10/30/1990 | -91.9 | 1.17 | 1263.1 | 01 | 01 | 4 | |
| | P | 11/15/1990 | -91.09 | 0.81 | 1263.91 | 01 | 01 | 4 | |
| | P | 11/30/1990 | -90.72 | 0.37 | 1264.28 | 01 | 01 | 4 | |
| | P | 12/15/1990 | -88.42 | 2.3 | 1266.58 | 01 | 01 | 4 | |
| | P | 12/30/1990 | -87.83 | 0.59 | 1267.17 | 01 | 01 | 4 | |
| | P | 1/15/1991 | -85.75 | 2.08 | 1269.25 | 01 | 01 | 4 | |
| | P | 1/30/1991 | -84.07 | 1.68 | 1270.93 | 01 | 01 | 4 | |
| | P | 2/15/1991 | -82.32 | 1.75 | 1272.68 | 01 | 01 | 4 | |
| | P | 2/28/1991 | -81.16 | 1.16 | 1273.84 | 01 | 01 | 4 | |
| | P | 3/15/1991 | -80.75 | 0.41 | 1274.25 | 01 | 01 | 4 | |
| | P | 3/30/1991 | -81.44 | -0.69 | 1273.56 | 01 | 01 | 4 | |
| | P | 4/15/1991 | -81.47 | -0.03 | 1273.53 | 01 | 01 | 4 | |
| | P | 4/30/1991 | -82.05 | -0.58 | 1272.95 | 01 | 01 | 4 | |
| | P | 5/15/1991 | -84.98 | -2.93 | 1270.02 | 01 | 01 | 4 | |
| | P | 5/30/1991 | -82.6 | 2.38 | 1272.4 | 01 | 01 | 4 | |
| | P | 6/15/1991 | -84.25 | -1.65 | 1270.75 | 01 | 01 | 4 | |
| | P | 6/30/1991 | -84.63 | -0.38 | 1270.37 | 01 | 01 | 4 | |
| | P | 7/15/1991 | -84.6 | 0.03 | 1270.4 | 01 | 01 | 4 | |
| | P | 7/30/1991 | -86.3 | -1.7 | 1268.7 | 01 | 01 | 4 | |
| | P | 8/15/1991 | -92 | -5.7 | 1263 | 01 | 01 | 4 | |
| | P | 8/30/1991 | -91.25 | 0.75 | 1263.75 | 01 | 01 | 4 | |
| | P | 9/15/1991 | -87.02 | 4.23 | 1267.98 | 01 | 01 | 4 | |
| | P | 9/30/1991 | -85.06 | 1.96 | 1269.94 | 01 | 01 | 4 | |
| | P | 10/15/1991 | -86.17 | -1.11 | 1268.83 | 01 | 01 | 4 | |
| | P | 10/30/1991 | -85.06 | 1.11 | 1269.94 | 01 | 01 | 4 | |
| | P | 11/15/1991 | -84.8 | 0.26 | 1270.2 | 01 | 01 | 4 | |
| | P | 11/30/1991 | -84.33 | 0.47 | 1270.67 | 01 | 01 | 4 | |
| | P | 12/15/1991 | -82.61 | 1.72 | 1272.39 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1993 | -68.69 | 13.92 | 1286.31 | 01 | 01 | 4 | |
| | P | 2/15/1993 | -67.14 | 1.55 | 1287.86 | 01 | 01 | 4 | |
| | P | 2/17/1993 | -67.17 | -0.03 | 1287.83 | 01 | 01 | 1 | |
| | P | 2/28/1993 | -67.13 | 0.04 | 1287.87 | 01 | 01 | 4 | |
| | P | 3/15/1993 | -66.07 | 1.06 | 1288.93 | 01 | 01 | 4 | |
| | P | 3/30/1993 | -64.97 | 1.1 | 1290.03 | 01 | 01 | 4 | |
| | P | 4/15/1993 | -64.28 | 0.69 | 1290.72 | 01 | 01 | 4 | |
| | P | 4/30/1993 | -65.72 | -1.44 | 1289.28 | 01 | 01 | 4 | |
| | P | 5/15/1993 | -66.09 | -0.37 | 1288.91 | 01 | 01 | 4 | |
| | P | 5/30/1993 | -66.61 | -0.52 | 1288.39 | 01 | 01 | 4 | |
| | P | 6/15/1993 | -69.01 | -2.4 | 1285.99 | 01 | 01 | 4 | |
| | P | 6/30/1993 | -67.72 | 1.29 | 1287.28 | 01 | 01 | 4 | |
| | P | 7/15/1993 | -71.54 | -3.82 | 1283.46 | 01 | 01 | 4 | |
| | P | 9/15/1993 | -89.33 | -17.8 | 1265.67 | 01 | 01 | 4 | |
| | P | 9/30/1993 | -88.79 | 0.54 | 1266.21 | 01 | 01 | 4 | |
| | P | 10/15/1993 | -86.38 | 2.41 | 1268.62 | 01 | 01 | 4 | |
| | P | 10/30/1993 | -83.28 | 3.1 | 1271.72 | 01 | 01 | 4 | |
| | P | 11/15/1993 | -80.85 | 2.43 | 1274.15 | 01 | 01 | 4 | |
| | P | 11/30/1993 | -78.78 | 2.07 | 1276.22 | 01 | 01 | 4 | |
| | P | 12/15/1993 | -78.44 | 0.34 | 1276.56 | 01 | 01 | 4 | |
| | P | 12/30/1993 | -76.59 | 1.85 | 1278.41 | 01 | 01 | 4 | |
| | P | 1/15/1994 | -76.55 | 0.04 | 1278.45 | 01 | 01 | 4 | |
| | P | 1/30/1994 | -79.63 | -3.08 | 1275.37 | 01 | 01 | 4 | |
| | P | 2/15/1994 | -79.12 | 0.51 | 1275.88 | 01 | 01 | 4 | |
| | P | 2/28/1994 | -77.67 | 1.45 | 1277.33 | 01 | 01 | 4 | |
| | P | 3/15/1994 | -77.46 | 0.21 | 1277.54 | 01 | 01 | 4 | |
| | P | 3/30/1994 | -77.11 | 0.35 | 1277.89 | 01 | 01 | 4 | |
| | P | 4/15/1994 | -76.68 | 0.43 | 1278.32 | 01 | 01 | 4 | |
| | P | 4/30/1994 | -76.79 | -0.11 | 1278.21 | 01 | 01 | 4 | |
| | P | 5/15/1994 | -75.96 | 0.83 | 1279.04 | 01 | 01 | 4 | |
| | P | 5/30/1994 | -76.33 | -0.37 | 1278.67 | 01 | 01 | 4 | |
| | P | 6/15/1994 | -78.91 | -2.58 | 1276.09 | 01 | 01 | 4 | |
| | P | 6/30/1994 | -80.33 | -1.42 | 1274.67 | 01 | 01 | 4 | |
| | P | 7/15/1994 | -86.65 | -6.32 | 1268.35 | 01 | 01 | 4 | |
| | P | 8/30/1994 | -95.62 | -8.97 | 1259.38 | 01 | 01 | 4 | |
| | P | 9/15/1994 | -94.23 | 1.39 | 1260.77 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/30/1994 | -93.01 | 1.22 | 1261.99 | 01 | 01 | 4 | |
| | P | 10/15/1994 | -90.89 | 2.12 | 1264.11 | 01 | 01 | 4 | |
| | P | 10/30/1994 | -87.08 | 3.81 | 1267.92 | 01 | 01 | 4 | |
| | P | 11/15/1994 | -85.03 | 2.05 | 1269.97 | 01 | 01 | 4 | |
| | P | 11/30/1994 | -83.32 | 1.71 | 1271.68 | 01 | 01 | 4 | |
| | P | 12/15/1994 | -81.13 | 2.19 | 1273.87 | 01 | 01 | 4 | |
| | P | 12/30/1994 | -79.04 | 2.09 | 1275.96 | 01 | 01 | 4 | |
| | P | 1/15/1995 | -76.62 | 2.42 | 1278.38 | 01 | 01 | 4 | |
| | P | 1/30/1995 | -75.2 | 1.42 | 1279.8 | 01 | 01 | 4 | |
| | P | 2/15/1995 | -74.36 | 0.84 | 1280.64 | 01 | 01 | 4 | |
| | P | 2/28/1995 | -74.35 | 0.01 | 1280.65 | 01 | 01 | 4 | |
| | P | 3/15/1995 | -74.5 | -0.15 | 1280.5 | 01 | 01 | 4 | |
| | P | 3/30/1995 | -75.94 | -1.44 | 1279.06 | 01 | 01 | 4 | |
| | P | 4/15/1995 | -80.09 | -4.15 | 1274.91 | 01 | 01 | 4 | |
| | P | 4/30/1995 | -79.16 | 0.93 | 1275.84 | 01 | 01 | 4 | |
| | P | 5/15/1995 | -80.13 | -0.97 | 1274.87 | 01 | 01 | 4 | |
| | P | 5/30/1995 | -81.52 | -1.39 | 1273.48 | 01 | 01 | 4 | |
| | P | 6/15/1995 | -80.44 | 1.08 | 1274.56 | 01 | 01 | 4 | |
| | P | 6/30/1995 | -82.36 | -1.92 | 1272.64 | 01 | 01 | 4 | |
| | P | 7/15/1995 | -84.52 | -2.16 | 1270.48 | 01 | 01 | 4 | |
| | P | 7/30/1995 | -89.93 | -5.41 | 1265.07 | 01 | 01 | 4 | |
| | P | 8/15/1995 | -90.74 | -0.81 | 1264.26 | 01 | 01 | 4 | |
| | P | 8/30/1995 | -91.78 | -1.04 | 1263.22 | 01 | 01 | 4 | |
| | P | 9/15/1995 | -91.89 | -0.11 | 1263.11 | 01 | 01 | 4 | |
| | P | 9/30/1995 | -89.27 | 2.62 | 1265.73 | 01 | 01 | 4 | |
| | P | 10/15/1995 | -89.46 | -0.19 | 1265.54 | 01 | 01 | 4 | |
| | P | 10/30/1995 | -88.2 | 1.26 | 1266.8 | 01 | 01 | 4 | |
| | P | 11/15/1995 | -86.11 | 2.09 | 1268.89 | 01 | 01 | 4 | |
| | P | 11/30/1995 | -84.48 | 1.63 | 1270.52 | 01 | 01 | 4 | |
| | P | 12/15/1995 | -83.1 | 1.38 | 1271.9 | 01 | 01 | 4 | |
| | P | 12/30/1995 | -81.29 | 1.81 | 1273.71 | 01 | 01 | 4 | |
| | P | 1/15/1996 | -81.59 | -0.3 | 1273.41 | 01 | 01 | 4 | |
| | P | 1/30/1996 | -82.04 | -0.45 | 1272.96 | 01 | 01 | 4 | |
| | P | 2/15/1996 | -82.21 | -0.17 | 1272.79 | 01 | 01 | 4 | |
| | P | 2/21/1996 | -83.5 | -1.29 | 1271.5 | 01 | 01 | 1 | |
| | P | 2/29/1996 | -83.65 | -0.15 | 1271.35 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/15/1996 | -83.69 | -0.04 | 1271.31 | 01 | 01 | 4 | |
| | P | 3/30/1996 | -85.41 | -1.72 | 1269.59 | 01 | 01 | 4 | |
| | P | 4/15/1996 | -86.61 | -1.2 | 1268.39 | 01 | 01 | 4 | |
| | P | 4/30/1996 | -90.94 | -4.33 | 1264.06 | 01 | 01 | 4 | |
| | P | 5/15/1996 | -92.64 | -1.7 | 1262.36 | 01 | 01 | 4 | |
| | P | 5/30/1996 | -95.64 | -3 | 1259.36 | 01 | 01 | 4 | |
| | P | 6/15/1996 | -97.95 | -2.31 | 1257.05 | 01 | 01 | 4 | |
| | P | 7/17/1996 | -109.63 | -11.7 | 1245.37 | 01 | 01 | 4 | |
| | P | 7/30/1996 | -112.75 | -3.12 | 1242.25 | 01 | 01 | 4 | |
| | P | 8/15/1996 | -114.82 | -2.07 | 1240.18 | 01 | 01 | 4 | |
| | P | 8/30/1996 | -109.02 | 5.8 | 1245.98 | 01 | 01 | 4 | |
| | P | 9/15/1996 | -103.87 | 5.15 | 1251.13 | 01 | 01 | 4 | |
| | P | 9/30/1996 | -101.85 | 2.02 | 1253.15 | 01 | 01 | 4 | |
| | P | 10/15/1996 | -100.92 | 0.93 | 1254.08 | 01 | 01 | 4 | |
| | P | 10/30/1996 | -99.02 | 1.9 | 1255.98 | 01 | 01 | 4 | |
| | P | 11/15/1996 | -96.18 | 2.84 | 1258.82 | 01 | 01 | 4 | |
| | P | 11/30/1996 | -93.49 | 2.69 | 1261.51 | 01 | 01 | 4 | |
| | P | 12/15/1996 | -91.92 | 1.57 | 1263.08 | 01 | 01 | 4 | |
| | P | 12/30/1996 | -93.21 | -1.29 | 1261.79 | 01 | 01 | 4 | |
| | P | 1/15/1997 | -90.95 | 2.26 | 1264.05 | 01 | 01 | 4 | |
| | P | 1/16/1997 | -91.02 | -0.07 | 1263.98 | 01 | 01 | 4 | |
| | P | 1/30/1997 | -92.82 | -1.8 | 1262.18 | 01 | 01 | 4 | |
| | P | 2/15/1997 | -93.69 | -0.87 | 1261.31 | 01 | 01 | 4 | |
| | P | 2/28/1997 | -90.03 | 3.66 | 1264.97 | 01 | 01 | 4 | |
| | P | 3/15/1997 | -88.32 | 1.71 | 1266.68 | 01 | 01 | 4 | |
| | P | 3/30/1997 | -84.04 | 4.28 | 1270.96 | 01 | 01 | 4 | |
| | P | 4/15/1997 | -71.73 | 12.31 | 1283.27 | 01 | 01 | 4 | |
| | P | 4/30/1997 | -65.31 | 6.42 | 1289.69 | 01 | 01 | 4 | |
| | P | 5/15/1997 | -63.6 | 1.71 | 1291.4 | 01 | 01 | 4 | |
| | P | 5/30/1997 | -62.83 | 0.77 | 1292.17 | 01 | 01 | 4 | |
| | P | 6/12/1997 | -52.65 | 10.18 | 1302.35 | 01 | 01 | 1 | |
| | P | 6/15/1997 | -51.16 | 1.49 | 1303.84 | 01 | 01 | 4 | |
| | P | 6/19/1997 | -50.9 | 0.26 | 1304.1 | 01 | 01 | 1 | |
| | P | 6/30/1997 | -44.72 | 6.18 | 1310.28 | 01 | 01 | 4 | |
| | P | 7/15/1997 | -44.43 | 0.29 | 1310.57 | 01 | 01 | 4 | |
| | P | 7/22/1997 | -47.84 | -3.41 | 1307.16 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/1997 | -49.74 | -1.9 | 1305.26 | 01 | 01 | 4 | |
| | P | 8/15/1997 | -55.06 | -5.32 | 1299.94 | 01 | 01 | 4 | |
| | P | 8/30/1997 | -62.07 | -7.01 | 1292.93 | 01 | 01 | 4 | |
| | P | 9/15/1997 | -64.77 | -2.7 | 1290.23 | 01 | 01 | 4 | |
| | P | 9/30/1997 | -68.52 | -3.75 | 1286.48 | 01 | 01 | 4 | |
| | P | 10/15/1997 | -68.75 | -0.23 | 1286.25 | 01 | 01 | 4 | |
| | P | 10/30/1997 | -70.19 | -1.44 | 1284.81 | 01 | 01 | 4 | |
| | P | 11/15/1997 | -72.23 | -2.04 | 1282.77 | 01 | 01 | 4 | |
| | P | 11/30/1997 | -72.89 | -0.66 | 1282.11 | 01 | 01 | 4 | |
| | P | 12/15/1997 | -73.83 | -0.94 | 1281.17 | 01 | 01 | 4 | |
| | P | 12/30/1997 | -73.36 | 0.47 | 1281.64 | 01 | 01 | 4 | |
| | P | 1/29/1998 | -72.65 | 0.71 | 1282.35 | 02 | 01 | 1 | |
| | P | 2/15/1998 | -68.95 | 3.7 | 1286.05 | 01 | 01 | 4 | |
| | P | 2/28/1998 | -64.98 | 3.97 | 1290.02 | 01 | 01 | 4 | |
| | P | 3/15/1998 | -60.28 | 4.7 | 1294.72 | 01 | 01 | 4 | |
| | P | 3/30/1998 | -52.61 | 7.67 | 1302.39 | 01 | 01 | 4 | |
| | P | 4/15/1998 | -47.67 | 4.94 | 1307.33 | 01 | 01 | 4 | |
| | P | 4/30/1998 | -48.68 | -1.01 | 1306.32 | 01 | 01 | 4 | |
| | P | 5/15/1998 | -60.26 | -11.6 | 1294.74 | 01 | 01 | 4 | |
| | P | 5/30/1998 | -77.65 | -17.4 | 1277.35 | 01 | 01 | 4 | |
| | P | 6/15/1998 | -79.89 | -2.24 | 1275.11 | 01 | 01 | 4 | |
| | P | 6/30/1998 | -91.55 | -11.7 | 1263.45 | 01 | 01 | 4 | |
| | P | 7/15/1998 | -96.77 | -5.22 | 1258.23 | 01 | 01 | 4 | |
| | P | 7/30/1998 | -102.18 | -5.41 | 1252.82 | 01 | 01 | 4 | |
| | P | 8/15/1998 | -111.25 | -9.07 | 1243.75 | 01 | 01 | 4 | |
| | P | 8/30/1998 | -109.41 | 1.84 | 1245.59 | 01 | 01 | 4 | |
| | P | 9/15/1998 | -98.77 | 10.64 | 1256.23 | 01 | 01 | 4 | |
| | P | 9/30/1998 | -98.98 | -0.21 | 1256.02 | 01 | 01 | 4 | |
| | P | 10/15/1998 | -100.34 | -1.36 | 1254.66 | 01 | 01 | 4 | |
| | P | 10/30/1998 | -95.59 | 4.75 | 1259.41 | 01 | 01 | 4 | |
| | P | 11/15/1998 | -88.58 | 7.01 | 1266.42 | 01 | 01 | 4 | |
| | P | 11/30/1998 | -81.97 | 6.61 | 1273.03 | 01 | 01 | 4 | |
| | P | 12/15/1998 | -80.03 | 1.94 | 1274.97 | 01 | 01 | 4 | |
| | P | 12/30/1998 | -81.09 | -1.06 | 1273.91 | 01 | 01 | 4 | |
| | P | 1/15/1999 | -80.04 | 1.05 | 1274.96 | 01 | 01 | 4 | |
| | P | 1/30/1999 | -80.87 | -0.83 | 1274.13 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/1999 | -82.88 | -2.01 | 1272.12 | 01 | 01 | 4 | |
| | P | 2/28/1999 | -83.16 | -0.28 | 1271.84 | 01 | 01 | 4 | |
| | P | 3/15/1999 | -92.28 | -9.12 | 1262.72 | 01 | 01 | 4 | |
| | P | 3/30/1999 | -94.75 | -2.47 | 1260.25 | 01 | 01 | 4 | |
| | P | 4/15/1999 | -93.47 | 1.28 | 1261.53 | 01 | 01 | 4 | |
| | P | 4/30/1999 | -99.16 | -5.69 | 1255.84 | 01 | 01 | 4 | |
| | P | 5/15/1999 | -99.25 | -0.09 | 1255.75 | 01 | 01 | 4 | |
| | P | 5/19/1999 | -98.38 | 0.87 | 1256.62 | 01 | 03 | 4 | |
| | P | 6/15/1999 | -106.77 | -8.39 | 1248.23 | 01 | 01 | 4 | |
| | P | 6/30/1999 | -102.27 | 4.5 | 1252.73 | 01 | 01 | 4 | |
| | P | 7/6/1999 | -102.21 | 0.06 | 1252.79 | 01 | 03 | 1 | |
| | P | 7/15/1999 | -102.97 | -0.76 | 1252.03 | 01 | 01 | 4 | |
| | P | 7/30/1999 | -110.67 | -7.7 | 1244.33 | 01 | 01 | 4 | |
| | P | 8/15/1999 | -111.5 | -0.83 | 1243.5 | 01 | 01 | 4 | |
| | P | 8/18/1999 | -111.75 | -0.25 | 1243.25 | 01 | 03 | 1 | |
| | P | 8/30/1999 | -111.44 | 0.31 | 1243.56 | 01 | 01 | 4 | |
| | P | 9/15/1999 | -112.02 | -0.58 | 1242.98 | 01 | 01 | 4 | |
| | P | 9/30/1999 | -115.71 | -3.69 | 1239.29 | 01 | 01 | 4 | |
| | P | 10/14/1999 | -120.1 | -4.39 | 1234.9 | 01 | 03 | 1 | |
| | P | 10/15/1999 | -120.31 | -0.21 | 1234.69 | 01 | 01 | 4 | |
| | P | 10/30/1999 | -117.57 | 2.74 | 1237.43 | 01 | 01 | 4 | |
| | P | 11/15/1999 | -114.23 | 3.34 | 1240.77 | 01 | 01 | 4 | |
| | P | 11/30/1999 | -111.33 | 2.9 | 1243.67 | 01 | 01 | 4 | |
| | P | 12/15/1999 | -110.73 | 0.6 | 1244.27 | 01 | 01 | 4 | |
| | P | 12/30/1999 | -114.94 | -4.21 | 1240.06 | 01 | 01 | 4 | |
| | P | 1/13/2000 | -110.19 | 4.75 | 1244.81 | 01 | 03 | 1 | |
| | P | 1/15/2000 | -109.45 | 0.74 | 1245.55 | 01 | 01 | 4 | |
| | P | 1/30/2000 | -107.32 | 2.13 | 1247.68 | 01 | 01 | 4 | |
| | P | 2/15/2000 | -105.33 | 1.99 | 1249.67 | 01 | 01 | 4 | |
| | P | 2/29/2000 | -106.28 | -0.95 | 1248.72 | 01 | 01 | 4 | |
| | P | 3/15/2000 | -105.23 | 1.05 | 1249.77 | 01 | 01 | 4 | |
| | P | 3/30/2000 | -105.38 | -0.15 | 1249.62 | 01 | 01 | 4 | |
| | P | 4/15/2000 | -116.4 | -11.0 | 1238.6 | 01 | 01 | 4 | |
| | P | 4/30/2000 | -116.42 | -0.02 | 1238.58 | 01 | 01 | 4 | |
| | P | 5/15/2000 | -115.02 | 1.4 | 1239.98 | 01 | 01 | 4 | |
| | P | 5/30/2000 | -113.99 | 1.03 | 1241.01 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6/15/2000 | -111.89 | 2.1 | 1243.11 | 01 | 01 | 4 | |
| | P | 6/30/2000 | -111.52 | 0.37 | 1243.48 | 01 | 01 | 4 | |
| | P | 7/15/2000 | -121.21 | -9.69 | 1233.79 | 01 | 01 | 4 | |
| | P | 7/30/2000 | -121.21 | | 1233.79 | 01 | 01 | 4 | |
| | P | 8/15/2000 | -120.84 | 0.37 | 1234.16 | 01 | 01 | 4 | |
| | P | 8/30/2000 | -123.14 | -2.3 | 1231.86 | 01 | 01 | 4 | |
| | P | 9/15/2000 | -124.13 | -0.99 | 1230.87 | 01 | 01 | 4 | |
| | P | 9/30/2000 | -123.06 | 1.07 | 1231.94 | 01 | 01 | 4 | |
| | P | 10/15/2000 | -119.78 | 3.28 | 1235.22 | 01 | 01 | 4 | |
| | P | 10/30/2000 | -112.54 | 7.24 | 1242.46 | 01 | 01 | 4 | |
| | P | 11/15/2000 | -100.06 | 12.48 | 1254.94 | 01 | 01 | 4 | |
| | P | 11/30/2000 | -90.44 | 9.62 | 1264.56 | 01 | 01 | 4 | |
| | P | 12/15/2000 | -85.27 | 5.17 | 1269.73 | 01 | 01 | 4 | |
| | P | 12/20/2000 | -84.09 | 1.18 | 1270.91 | 01 | 01 | 4 | |
| | P | 12/30/2000 | -83.76 | 0.33 | 1271.24 | 01 | 01 | 4 | |
| | P | 1/15/2001 | -85.81 | -2.05 | 1269.19 | 01 | 01 | 4 | |
| | P | 1/30/2001 | -80.46 | 5.35 | 1274.54 | 01 | 01 | 4 | |
| | P | 2/15/2001 | -69.76 | 10.7 | 1285.24 | 01 | 01 | 4 | |
| | P | 2/28/2001 | -64.8 | 4.96 | 1290.2 | 01 | 01 | 4 | |
| | P | 3/15/2001 | -60.3 | 4.5 | 1294.7 | 01 | 01 | 4 | |
| | P | 3/30/2001 | -57.76 | 2.54 | 1297.24 | 01 | 01 | 4 | |
| | P | 4/15/2001 | -59.17 | -1.41 | 1295.83 | 01 | 01 | 4 | |
| | P | 4/30/2001 | -60.32 | -1.15 | 1294.68 | 01 | 01 | 4 | |
| | P | 5/15/2001 | -64.5 | -4.18 | 1290.5 | 01 | 01 | 4 | |
| | P | 5/30/2001 | -74.62 | -10.1 | 1280.38 | 01 | 01 | 4 | |
| | P | 6/15/2001 | -84.59 | -9.97 | 1270.41 | 01 | 01 | 4 | |
| | P | 6/30/2001 | -86.9 | -2.31 | 1268.1 | 01 | 01 | 4 | |
| | P | 7/15/2001 | -97.38 | -10.5 | 1257.62 | 01 | 01 | 4 | |
| | P | 7/30/2001 | -108.15 | -10.8 | 1246.85 | 01 | 01 | 4 | |
| | P | 8/15/2001 | -113.26 | -5.11 | 1241.74 | 01 | 01 | 4 | |
| | P | 8/30/2001 | -110.27 | 2.99 | 1244.73 | 01 | 01 | 4 | |
| | P | 9/15/2001 | -105.86 | 4.41 | 1249.14 | 01 | 01 | 4 | |
| | P | 9/30/2001 | -103.85 | 2.01 | 1251.15 | 01 | 01 | 4 | |
| | P | 10/15/2001 | -103.57 | 0.28 | 1251.43 | 01 | 01 | 4 | |
| | P | 10/30/2001 | -100.06 | 3.51 | 1254.94 | 01 | 01 | 4 | |
| | P | 11/15/2001 | -95.99 | 4.07 | 1259.01 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2001 | -88.98 | 7.01 | 1266.02 | 01 | 01 | 4 | |
| | P | 12/15/2001 | -83.38 | 5.6 | 1271.62 | 01 | 01 | 4 | |
| | P | 12/30/2001 | -81.71 | 1.67 | 1273.29 | 01 | 01 | 4 | |
| | P | 1/15/2002 | -79 | 2.71 | 1276 | 01 | 01 | 4 | |
| | P | 1/30/2002 | -78.43 | 0.57 | 1276.57 | 01 | 01 | 4 | |
| | P | 2/15/2002 | -78.43 | | 1276.57 | 01 | 01 | 4 | |
| | P | 2/28/2002 | -80.67 | -2.24 | 1274.33 | 01 | 01 | 4 | |
| | P | 3/15/2002 | -89.61 | -8.94 | 1265.39 | 01 | 01 | 4 | |
| | P | 3/30/2002 | -88.12 | 1.49 | 1266.88 | 01 | 01 | 4 | |
| | P | 4/15/2002 | -86.6 | 1.52 | 1268.4 | 01 | 01 | 4 | |
| | P | 4/30/2002 | -88.81 | -2.21 | 1266.19 | 01 | 01 | 4 | |
| | P | 5/15/2002 | -95.23 | -6.42 | 1259.77 | 01 | 01 | 4 | |
| | P | 5/30/2002 | -104.12 | -8.89 | 1250.88 | 01 | 01 | 4 | |
| | P | 6/15/2002 | -105.92 | -1.8 | 1249.08 | 01 | 01 | 4 | |
| | P | 6/30/2002 | -109.93 | -4.01 | 1245.07 | 01 | 01 | 4 | |
| | P | 7/15/2002 | -85.53 | 24.4 | 1269.47 | 01 | 01 | 4 | |
| | P | 7/30/2002 | -72.69 | 12.84 | 1282.31 | 01 | 01 | 4 | |
| | P | 8/15/2002 | -69.66 | 3.03 | 1285.34 | 01 | 01 | 4 | |
| | P | 8/30/2002 | -77.91 | -8.25 | 1277.09 | 01 | 01 | 4 | |
| | P | 2/28/2003 | -78.75 | -0.84 | 1276.25 | 01 | 01 | 4 | |
| | P | 3/15/2003 | -73.72 | 5.03 | 1281.28 | 01 | 01 | 4 | |
| | P | 4/15/2003 | -76.49 | -2.77 | 1278.51 | 01 | 01 | 4 | |
| | P | 4/30/2003 | -83.15 | -6.66 | 1271.85 | 01 | 01 | 4 | |
| | P | 5/15/2003 | -91.3 | -8.15 | 1263.7 | 01 | 01 | 4 | |
| | P | 5/30/2003 | -93.74 | -2.44 | 1261.26 | 01 | 01 | 4 | |
| | P | 6/15/2003 | -92.64 | 1.1 | 1262.36 | 01 | 01 | 4 | |
| | P | 6/30/2003 | -92.52 | 0.12 | 1262.48 | 01 | 01 | 4 | |
| | P | 7/15/2003 | -92.5 | 0.02 | 1262.5 | 01 | 01 | 4 | |
| | P | 7/30/2003 | -95.29 | -2.79 | 1259.71 | 01 | 01 | 4 | |
| | P | 8/15/2003 | -96.46 | -1.17 | 1258.54 | 01 | 01 | 4 | |
| | P | 8/30/2003 | -100.61 | -4.15 | 1254.39 | 01 | 01 | 4 | |
| | P | 9/15/2003 | -98.58 | 2.03 | 1256.42 | 01 | 01 | 4 | |
| | P | 9/30/2003 | -95.73 | 2.85 | 1259.27 | 01 | 01 | 4 | |
| | P | 10/15/2003 | -95.89 | -0.16 | 1259.11 | 01 | 01 | 4 | |
| | P | 10/30/2003 | -93.08 | 2.81 | 1261.92 | 01 | 01 | 4 | |
| | P | 11/15/2003 | -92.33 | 0.75 | 1262.67 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2003 | -90.47 | 1.86 | 1264.53 | 01 | 01 | 4 | |
| | P | 12/15/2003 | -90.02 | 0.45 | 1264.98 | 01 | 01 | 4 | |
| | P | 12/30/2003 | -91.01 | -0.99 | 1263.99 | 01 | 01 | 4 | |
| | P | 1/15/2004 | -90.07 | 0.94 | 1264.93 | 01 | 01 | 4 | |
| | P | 1/30/2004 | -88.86 | 1.21 | 1266.14 | 01 | 01 | 4 | |
| | P | 2/15/2004 | -88.51 | 0.35 | 1266.49 | 01 | 01 | 4 | |
| | P | 2/28/2004 | -86.54 | 1.97 | 1268.46 | 01 | 01 | 4 | |
| | P | 2/29/2004 | -85.51 | 1.03 | 1269.49 | 01 | 01 | 4 | |
| | P | 3/15/2004 | -83.27 | 2.24 | 1271.73 | 01 | 01 | 4 | |
| | P | 3/30/2004 | -82.41 | 0.86 | 1272.59 | 01 | 01 | 4 | |
| | P | 4/15/2004 | -75.96 | 6.45 | 1279.04 | 01 | 01 | 4 | |
| | P | 4/30/2004 | -67.64 | 8.32 | 1287.36 | 01 | 01 | 4 | |
| | P | 5/15/2004 | -63.55 | 4.09 | 1291.45 | 01 | 01 | 4 | |
| | P | 5/30/2004 | -63.62 | -0.07 | 1291.38 | 01 | 01 | 4 | |
| | P | 6/15/2004 | -67.71 | -4.09 | 1287.29 | 01 | 01 | 4 | |
| | P | 6/30/2004 | -70.57 | -2.86 | 1284.43 | 01 | 01 | 4 | |
| | P | 7/15/2004 | -70.3 | 0.27 | 1284.7 | 01 | 01 | 4 | |
| | P | 7/30/2004 | -69.73 | 0.57 | 1285.27 | 01 | 01 | 4 | |
| | P | 8/15/2004 | -74.2 | -4.47 | 1280.8 | 01 | 01 | 4 | |
| | P | 8/30/2004 | -77.75 | -3.55 | 1277.25 | 01 | 01 | 4 | |
| | P | 9/15/2004 | -80.02 | -2.27 | 1274.98 | 01 | 01 | 4 | |
| | P | 9/30/2004 | -82.36 | -2.34 | 1272.64 | 01 | 01 | 4 | |
| | P | 10/15/2004 | -80.34 | 2.02 | 1274.66 | 01 | 01 | 4 | |
| | P | 10/30/2004 | -77.67 | 2.67 | 1277.33 | 01 | 01 | 4 | |
| | P | 11/15/2004 | -70.56 | 7.11 | 1284.44 | 01 | 01 | 4 | |
| | P | 11/30/2004 | -60.28 | 10.28 | 1294.72 | 01 | 01 | 4 | |
| | P | 12/15/2004 | -59.32 | 0.96 | 1295.68 | 01 | 01 | 4 | |
| | P | 12/30/2004 | -59.6 | -0.28 | 1295.4 | 01 | 01 | 4 | |
| | P | 1/15/2005 | -61.76 | -2.16 | 1293.24 | 01 | 01 | 4 | |
| | P | 1/30/2005 | -63.25 | -1.49 | 1291.75 | 01 | 01 | 4 | |
| | P | 2/15/2005 | -62.9 | 0.35 | 1292.1 | 01 | 01 | 4 | |
| | P | 2/28/2005 | -62.97 | -0.07 | 1292.03 | 01 | 01 | 4 | |
| | P | 3/15/2005 | -59.29 | 3.68 | 1295.71 | 01 | 01 | 4 | |
| | P | 3/30/2005 | -60.73 | -1.44 | 1294.27 | 01 | 01 | 4 | |
| | P | 4/15/2005 | -63.75 | -3.02 | 1291.25 | 01 | 01 | 4 | |
| | P | 5/15/2005 | -70.07 | -6.32 | 1284.93 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/30/2005 | -74.05 | -3.98 | 1280.95 | 01 | 01 | 4 | |
| | P | 6/15/2005 | -76.85 | -2.8 | 1278.15 | 01 | 01 | 4 | |
| | P | 6/30/2005 | -86.17 | -9.32 | 1268.83 | 01 | 01 | 4 | |
| | P | 7/15/2005 | -94.34 | -8.17 | 1260.66 | 01 | 01 | 4 | |
| | P | 7/30/2005 | -97.11 | -2.77 | 1257.89 | 01 | 01 | 4 | |
| | P | 8/15/2005 | -98.33 | -1.22 | 1256.67 | 01 | 01 | 4 | |
| | P | 8/30/2005 | -101.29 | -2.96 | 1253.71 | 01 | 01 | 4 | |
| | P | 9/15/2005 | -106.33 | -5.04 | 1248.67 | 01 | 01 | 4 | |
| | P | 9/30/2005 | -108.43 | -2.1 | 1246.57 | 01 | 01 | 4 | |
| | P | 10/15/2005 | -106.51 | 1.92 | 1248.49 | 01 | 01 | 4 | |
| | P | 10/30/2005 | -104.05 | 2.46 | 1250.95 | 01 | 01 | 4 | |
| | P | 11/15/2005 | -101.47 | 2.58 | 1253.53 | 01 | 01 | 4 | |
| | P | 11/30/2005 | -99.76 | 1.71 | 1255.24 | 01 | 01 | 4 | |
| | P | 12/15/2005 | -106.45 | -6.69 | 1248.55 | 01 | 01 | 4 | |
| | P | 12/30/2005 | -102.87 | 3.58 | 1252.13 | 01 | 01 | 4 | |
| | P | 1/15/2006 | -101.87 | 1 | 1253.13 | 01 | 01 | 4 | |
| | P | 1/30/2006 | -100.55 | 1.32 | 1254.45 | 01 | 01 | 4 | |
| | P | 2/15/2006 | -107.27 | -6.72 | 1247.73 | 01 | 01 | 4 | |
| | P | 2/28/2006 | -104.24 | 3.03 | 1250.76 | 01 | 01 | 4 | |
| | P | 3/15/2006 | -103.45 | 0.79 | 1251.55 | 01 | 01 | 4 | |
| | P | 3/30/2006 | -101.16 | 2.29 | 1253.84 | 01 | 01 | 4 | |
| | P | 4/15/2006 | -102.91 | -1.75 | 1252.09 | 01 | 01 | 4 | |
| | P | 4/30/2006 | -105.24 | -2.33 | 1249.76 | 01 | 01 | 4 | |
| | P | 5/15/2006 | -103.98 | 1.26 | 1251.02 | 01 | 01 | 4 | |
| | P | 5/30/2006 | -106.88 | -2.9 | 1248.12 | 01 | 01 | 4 | |
| | P | 6/15/2006 | -114.54 | -7.66 | 1240.46 | 01 | 01 | 4 | |
| | P | 6/30/2006 | -116.59 | -2.05 | 1238.41 | 01 | 01 | 4 | |
| | P | 7/15/2006 | -118.9 | -2.31 | 1236.1 | 01 | 01 | 4 | |
| | P | 7/30/2006 | -119.32 | -0.42 | 1235.68 | 01 | 01 | 4 | |
| | P | 8/15/2006 | -125.97 | -6.65 | 1229.03 | 01 | 01 | 4 | |
| | P | 8/30/2006 | -129.23 | -3.26 | 1225.77 | 01 | 01 | 4 | |
| | P | 9/15/2006 | -124.04 | 5.19 | 1230.96 | 01 | 01 | 4 | |
| | P | 9/30/2006 | -120.47 | 3.57 | 1234.53 | 01 | 01 | 4 | |
| | P | 10/15/2006 | -118.97 | 1.5 | 1236.03 | 01 | 01 | 4 | |
| | P | 10/30/2006 | -115.61 | 3.36 | 1239.39 | 01 | 01 | 4 | |
| | P | 11/15/2006 | -113.89 | 1.72 | 1241.11 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2006 | -113.3 | 0.59 | 1241.7 | 01 | 01 | 4 | |
| | P | 12/15/2006 | -115.56 | -2.26 | 1239.44 | 01 | 01 | 4 | |
| | P | 12/30/2006 | -113.98 | 1.58 | 1241.02 | 01 | 01 | 4 | |
| | P | 1/15/2007 | -114.68 | -0.7 | 1240.32 | 01 | 01 | 4 | |
| | P | 1/30/2007 | -111.33 | 3.35 | 1243.67 | 01 | 01 | 4 | |
| | P | 2/15/2007 | -110.48 | 0.85 | 1244.52 | 01 | 01 | 4 | |
| | P | 2/28/2007 | -110.53 | -0.05 | 1244.47 | 01 | 01 | 4 | |
| | P | 3/15/2007 | -110.06 | 0.47 | 1244.94 | 01 | 01 | 4 | |
| | P | 3/30/2007 | -106.59 | 3.47 | 1248.41 | 01 | 01 | 4 | |
| | P | 4/15/2007 | -102.87 | 3.72 | 1252.13 | 01 | 01 | 4 | |
| | P | 4/30/2007 | -106.73 | -3.86 | 1248.27 | 01 | 01 | 4 | |
| | P | 5/15/2007 | -100.92 | 5.81 | 1254.08 | 01 | 01 | 4 | |
| | P | 5/30/2007 | -95.38 | 5.54 | 1259.62 | 01 | 01 | 4 | |
| | P | 6/15/2007 | -94.19 | 1.19 | 1260.81 | 01 | 01 | 4 | |
| | P | 7/15/2007 | -90.45 | 3.74 | 1264.55 | 01 | 01 | 4 | |
| | P | 7/30/2007 | -85.16 | 5.29 | 1269.84 | 01 | 01 | 4 | |
| | P | 9/15/2007 | -82.95 | 2.21 | 1272.05 | 01 | 01 | 4 | |
| | P | 9/30/2007 | -84.75 | -1.8 | 1270.25 | 01 | 01 | 4 | |
| | P | 10/15/2007 | -84.72 | 0.03 | 1270.28 | 01 | 01 | 4 | |
| | P | 10/30/2007 | -86.59 | -1.87 | 1268.41 | 01 | 01 | 4 | |
| | P | 11/15/2007 | -87.21 | -0.62 | 1267.79 | 01 | 01 | 4 | |
| | P | 12/15/2007 | -85.28 | 1.93 | 1269.72 | 01 | 01 | 4 | |
| | P | 12/30/2007 | -86.49 | -1.21 | 1268.51 | 01 | 01 | 4 | |
| | P | 1/15/2008 | -89.11 | -2.62 | 1265.89 | 01 | 01 | 4 | |
| | P | 1/30/2008 | -89.54 | -0.43 | 1265.46 | 01 | 01 | 4 | |
| | P | 2/15/2008 | -90.91 | -1.37 | 1264.09 | 01 | 01 | 4 | |
| | P | 2/28/2008 | -91.97 | -1.06 | 1263.03 | 01 | 01 | 4 | |
| | P | 3/15/2008 | -95.46 | -3.49 | 1259.54 | 01 | 01 | 4 | |
| | P | 3/30/2008 | -98.8 | -3.34 | 1256.2 | 01 | 01 | 4 | |
| | P | 4/15/2008 | -104.08 | -5.28 | 1250.92 | 01 | 01 | 4 | |
| | P | 5/15/2008 | -109.24 | -5.16 | 1245.76 | 01 | 01 | 4 | |
| | P | 5/30/2008 | -112.72 | -3.48 | 1242.28 | 01 | 01 | 4 | |
| | P | 6/15/2008 | -118.86 | -6.14 | 1236.14 | 01 | 01 | 4 | |
| | P | 6/30/2008 | -123.8 | -4.94 | 1231.2 | 01 | 01 | 4 | |
| | P | 7/15/2008 | -125.29 | -1.49 | 1229.71 | 01 | 01 | 4 | |
| | P | 7/30/2008 | -129.98 | -4.69 | 1225.02 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 15/ 2008 | -130.11 | -0.13 | 1224.89 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2008 | -132.38 | -2.27 | 1222.62 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2008 | -131.85 | 0.53 | 1223.15 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2008 | -127.68 | 4.17 | 1227.32 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2008 | -129.53 | -1.85 | 1225.47 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2008 | -126.13 | 3.4 | 1228.87 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2008 | -125.61 | 0.52 | 1229.39 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2008 | -125.45 | 0.16 | 1229.55 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2008 | -128.08 | -2.63 | 1226.92 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2008 | -130.72 | -2.64 | 1224.28 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2009 | -124.85 | 5.87 | 1230.15 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2009 | -125.58 | -0.73 | 1229.42 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2009 | -124.73 | 0.85 | 1230.27 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2009 | -123.8 | 0.93 | 1231.2 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2009 | -121.45 | 2.35 | 1233.55 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2009 | -119.17 | 2.28 | 1235.83 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2009 | -119.82 | -0.65 | 1235.18 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2009 | -122.61 | -2.79 | 1232.39 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2009 | -124.98 | -2.37 | 1230.02 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2009 | -126.67 | -1.69 | 1228.33 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2009 | -134.93 | -8.26 | 1220.07 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2009 | -136.65 | -1.72 | 1218.35 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2009 | -136.89 | -0.24 | 1218.11 | 01 | 01 | 4 | |
| | P | 8 / 28/ 2009 | -141.07 | -4.18 | 1213.93 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -138.53 | 2.54 | 1216.47 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -138.48 | 0.05 | 1216.52 | 02 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -136.14 | 2.34 | 1218.86 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2009 | -136.13 | 0.01 | 1218.87 | 02 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -132.6 | 3.53 | 1222.4 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2009 | -132.25 | 0.35 | 1222.75 | 02 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -129.68 | 2.57 | 1225.32 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2009 | -129.59 | 0.09 | 1225.41 | 02 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -127.72 | 1.87 | 1227.28 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2009 | -127.18 | 0.54 | 1227.82 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -125.28 | 1.9 | 1229.72 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -125.15 | 0.13 | 1229.85 | 02 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 15/ 2009 | -122.54 | 2.61 | 1232.46 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2009 | -122.44 | 0.1 | 1232.56 | 02 | 06 | 2 | |
| | P | 12 / 30/ 2009 | -121.17 | 1.27 | 1233.83 | 01 | 01 | 4 | |
| | P | 1 / 12/ 2010 | -123.62 | -2.45 | 1231.38 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2010 | -123.54 | 0.08 | 1231.46 | 01 | 01 | 4 | |
| | P | 1 / 28/ 2010 | -119.96 | 3.58 | 1235.04 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2010 | -119.26 | 0.7 | 1235.74 | 01 | 01 | 4 | |
| | P | 2 / 12/ 2010 | -116.8 | 2.46 | 1238.2 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2010 | -115.93 | 0.87 | 1239.07 | 01 | 01 | 4 | |
| | P | 2 / 26/ 2010 | -113.22 | 2.71 | 1241.78 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2010 | -114.07 | -0.85 | 1240.93 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2010 | -110.9 | 3.17 | 1244.1 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2010 | -110.9 | | 1244.1 | 02 | 06 | 2 | |
| | P | 3 / 30/ 2010 | -109.56 | 1.34 | 1245.44 | 01 | 01 | 4 | |
| | P | 3 / 31/ 2010 | -109.51 | 0.05 | 1245.49 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2010 | -109.85 | -0.34 | 1245.15 | 01 | 01 | 4 | |
| | P | 4 / 16/ 2010 | -109.85 | | 1245.15 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -108.87 | 0.98 | 1246.13 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2010 | -108.57 | 0.3 | 1246.43 | 02 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -110.79 | -2.22 | 1244.21 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2010 | -110.33 | 0.46 | 1244.67 | 01 | 01 | 4 | |
| | P | 5 / 28/ 2010 | -108.08 | 2.25 | 1246.92 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2010 | -108.75 | -0.67 | 1246.25 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2010 | -110.52 | -1.77 | 1244.48 | 01 | 01 | 4 | |
| | P | 6 / 16/ 2010 | -110.52 | | 1244.48 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -113.01 | -2.49 | 1241.99 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2010 | -110.71 | 2.3 | 1244.29 | 01 | 01 | 4 | |
| | P | 7 / 16/ 2010 | -110.5 | 0.21 | 1244.5 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -113.91 | -3.41 | 1241.09 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2010 | -121.98 | -8.07 | 1233.02 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2010 | -124.68 | -2.7 | 1230.32 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2010 | -122.01 | 2.67 | 1232.99 | 01 | 01 | 4 | |
| | P | 9 / 16/ 2010 | -121.97 | 0.04 | 1233.03 | 01 | 06 | 4 | |
| | P | 9 / 30/ 2010 | -119.5 | 2.47 | 1235.5 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2010 | -120.65 | -1.15 | 1234.35 | 01 | 01 | 4 | |
| | P | 10 / 29/ 2010 | -120.23 | 0.42 | 1234.77 | 01 | 06 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10/30/2010 | -120.06 | 0.17 | 1234.94 | 01 | 01 | 4 | |
| | P | 11/15/2010 | -120.66 | -0.6 | 1234.34 | 01 | 01 | 4 | |
| | P | 11/16/2010 | -120.52 | 0.14 | 1234.48 | 01 | 06 | 4 | |
| | P | 11/30/2010 | -119.64 | 0.88 | 1235.36 | 01 | 01 | 4 | |
| | P | 12/15/2010 | -118.13 | 1.51 | 1236.87 | 01 | 01 | 4 | |
| | P | 12/16/2010 | -117.8 | 0.33 | 1237.2 | 01 | 06 | 4 | |
| | P | 12/30/2010 | -117.89 | -0.09 | 1237.11 | 01 | 01 | 4 | |
| | P | 1/14/2011 | -115.98 | 1.91 | 1239.02 | 01 | 06 | 4 | |
| | P | 1/15/2011 | -115.59 | 0.39 | 1239.41 | 01 | 01 | 4 | |
| | P | 1/28/2011 | -113.44 | 2.15 | 1241.56 | 01 | 06 | 4 | |
| | P | 1/30/2011 | -113.3 | 0.14 | 1241.7 | 01 | 01 | 4 | |
| | P | 2/11/2011 | -123.77 | -10.5 | 1231.23 | 01 | 06 | 4 | |
| | P | 2/15/2011 | -124.75 | -0.98 | 1230.25 | 01 | 01 | 4 | |
| | P | 2/25/2011 | -126.42 | -1.67 | 1228.58 | 01 | 06 | 4 | |
| | P | 3/15/2011 | -124.19 | 2.23 | 1230.81 | 01 | 01 | 4 | |
| | P | 3/30/2011 | -121.94 | 2.25 | 1233.06 | 01 | 01 | 4 | |
| | P | 3/31/2011 | -121.67 | 0.27 | 1233.33 | 01 | 06 | 4 | |
| | P | 4/15/2011 | -125.84 | -4.17 | 1229.16 | 01 | 01 | 4 | |
| | P | 4/29/2011 | -127.91 | -2.07 | 1227.09 | 01 | 06 | 4 | |
| | P | 4/30/2011 | -127.92 | -0.01 | 1227.08 | 01 | 01 | 4 | |
| | P | 5/13/2011 | -129.79 | -1.87 | 1225.21 | 01 | 06 | 4 | |
| | P | 5/15/2011 | -129.49 | 0.3 | 1225.51 | 01 | 01 | 4 | |
| | P | 5/27/2011 | -133.72 | -4.23 | 1221.28 | 01 | 06 | 4 | |
| | P | 5/30/2011 | -134.59 | -0.87 | 1220.41 | 01 | 01 | 4 | |
| | P | 6/15/2011 | -140.09 | -5.5 | 1214.91 | 01 | 01 | 4 | |
| | P | 6/16/2011 | -140.09 | | 1214.91 | 01 | 06 | 4 | |
| | P | 6/30/2011 | -142.67 | -2.58 | 1212.33 | 01 | 01 | 4 | |
| | P | 7/15/2011 | -149.37 | -6.7 | 1205.63 | 01 | 01 | 4 | |
| | P | 7/29/2011 | -154.96 | -5.59 | 1200.04 | 01 | 06 | 4 | |
| | P | 7/30/2011 | -155.15 | -0.19 | 1199.85 | 01 | 01 | 4 | |
| | P | 8/15/2011 | -157.69 | -2.54 | 1197.31 | 01 | 01 | 4 | |
| | P | 8/30/2011 | -160 | -2.31 | 1195 | 01 | 01 | 4 | |
| | P | 9/15/2011 | -161.15 | -1.15 | 1193.85 | 01 | 01 | 4 | |
| | P | 9/30/2011 | -157.9 | 3.25 | 1197.1 | 01 | 01 | 4 | |
| | P | 10/15/2011 | -154.01 | 3.89 | 1200.99 | 01 | 01 | 4 | |
| | P | 10/19/2011 | -152.65 | 1.36 | 1202.35 | 01 | 01 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 2011 | -150.8 | 1.85 | 1204.2 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -152.25 | -1.45 | 1202.75 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -146.1 | 6.15 | 1208.9 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -141.26 | 4.84 | 1213.74 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -135.98 | 5.28 | 1219.02 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -133.85 | 2.13 | 1221.15 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2012 | -131.22 | 2.63 | 1223.78 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -127.38 | 3.84 | 1227.62 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -125.27 | 2.11 | 1229.73 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -122.41 | 2.86 | 1232.59 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -120.89 | 1.52 | 1234.11 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -121.71 | -0.82 | 1233.29 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -130.07 | -8.36 | 1224.93 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2012 | -135.13 | -5.06 | 1219.87 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -133.83 | 1.3 | 1221.17 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -137.21 | -3.38 | 1217.79 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -136.57 | 0.64 | 1218.43 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -139.37 | -2.8 | 1215.63 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -148.33 | -8.96 | 1206.67 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -155.98 | -7.65 | 1199.02 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -155.83 | 0.15 | 1199.17 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -154.46 | 1.37 | 1200.54 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -148.07 | 6.39 | 1206.93 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -143.63 | 4.44 | 1211.37 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -139.79 | 3.84 | 1215.21 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -138.76 | 1.03 | 1216.24 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -138.55 | 0.21 | 1216.45 | 02 | 01 | 2 | |
| | P | 11 / 30/ 2012 | -137.07 | 1.48 | 1217.93 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -135.05 | 2.02 | 1219.95 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -134.21 | 0.84 | 1220.79 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -130.38 | 3.83 | 1224.62 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -127.47 | 2.91 | 1227.53 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -125.5 | 1.97 | 1229.5 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -125.03 | 0.47 | 1229.97 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -126.02 | -0.99 | 1228.98 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -134.45 | -8.43 | 1220.55 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 15/ 2013 | -133.49 | 0.96 | 1221.51 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -132.48 | 1.01 | 1222.52 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -131.76 | 0.72 | 1223.24 | 01 | 01 | 4 | |

**Min** *-161.15* **Max** *-44.43* **Avg** *-95.9026*

***6802701*** *( Aquifer: 218GLRSU Well Depth: 225 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 1994 | -138.8 | | 1594.2 | 01 | 01 | 1 | |

**Min** *-138.8* **Max** *-138.8* **Avg** *-138.8*

***6802702*** *( Aquifer: 218GRLH Well Depth: 470 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 22/ 1965 | -213.8 | | 1366.2 | 01 | 02 | 1 | |

**Min** *-213.8* **Max** *-213.8* **Avg** *-213.8*

***6802706*** *( Aquifer: 218EDDT Well Depth: 585 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 21/ 1992 | -285.5 | | 1304.5 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1993 | -286.73 | -1.23 | 1303.27 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -273.58 | 13.15 | 1316.42 | 01 | 01 | 1 | |
| | N | 1 / 25/ 1995 | | | | 01 | 01 | | 63 |
| | N | 2 / 21/ 1996 | | | | 01 | 01 | | 63 |
| | N | 7 / 30/ 1996 | | | | 01 | 01 | | 63 |
| | N | 1 / 16/ 1997 | | | | 01 | 01 | | 63 |

**Min** *-286.73* **Max** *-273.58* **Avg** *-281.937*

***6802801*** *( Aquifer: 218GLRSL Well Depth: 200 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 12/ 1965 | -40.9 | | 1409.1 | 01 | 01 | 1 | |

**Min** *-40.9* **Max** *-40.9* **Avg** *-40.9*

***6802802*** *( Aquifer: 218GLRSL Well Depth: 250 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 22/ 1965 | -188.65 | | 1273.35 | 01 | 04 | 1 | |

**Min** *-188.65* **Max** *-188.65* **Avg** *-188.65*

***6802803*** *( Aquifer: 218GLRSU Well Depth: 162 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 16/ 1964 | -134 | | 1296 | 01 | 07 | 7 | |

**Min** *-134* **Max** *-134* **Avg** *-134*

***6802804*** *( Aquifer: 218GRHC Well Depth: 529 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 10/ 1965 | -237 | | 1193 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -237** | | **Max -237** | **Avg** | **-237** | | | | | |
| ***6802805*** | *( Aquifer: 218GRLH* | | *Well Depth: 625 )* | | | | | | |
| | P | 5 / 13/ 1965 | -281.5 | | 1343.5 | 01 | 04 | 1 | |
| | P | 6 / 7 / 1965 | -286.88 | -5.38 | 1338.12 | 01 | 04 | 1 | |
| **Min -286.88** | | **Max -281.5** | **Avg** | **-284.19** | | | | | |
| ***6802806*** | *( Aquifer: 218GLRSL* | | *Well Depth: 240 )* | | | | | | |
| | P | 4 / 26/ 1965 | -168.55 | | 1411.45 | 01 | 04 | 1 | |
| **Min -168.55** | | **Max -168.55** | **Avg** | **-168.55** | | | | | |
| ***6802807*** | *( Aquifer: 217HSTN* | | *Well Depth: 708 )* | | | | | | |
| | P | 2 / 28/ 1978 | -108 | | 1322 | 01 | 01 | 1 | |
| | P | 3 / 7 / 1978 | -101 | 7 | 1329 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -104.24 | -3.24 | 1325.76 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1981 | -108.86 | -4.62 | 1321.14 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1982 | -100.54 | 8.32 | 1329.46 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -106.84 | -6.3 | 1323.16 | 01 | 01 | 1 | |
| | P | 3 / 1 / 1984 | -101.61 | 5.23 | 1328.39 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1985 | -118.5 | -16.9 | 1311.5 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1986 | -109.4 | 9.1 | 1320.6 | 01 | 01 | 1 | |
| | P | 12 / 11/ 1986 | -108.93 | 0.47 | 1321.07 | 01 | 01 | 1 | |
| | P | 6 / 26/ 1987 | -98.57 | 10.36 | 1331.43 | 01 | 01 | 1 | |
| | P | 8 / 11/ 1987 | -101.13 | -2.56 | 1328.87 | 01 | 01 | 1 | |
| | P | 10 / 27/ 1987 | -101.69 | -0.56 | 1328.31 | 01 | 01 | 1 | |
| | P | 3 / 23/ 1989 | -103.79 | -2.1 | 1326.21 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1990 | -107.08 | -3.29 | 1322.92 | 01 | 01 | 1 | |
| | P | 8 / 26/ 1990 | -89.98 | 17.1 | 1340.02 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -100.88 | -10.9 | 1329.12 | 01 | 01 | 1 | |
| | P | 12 / 11/ 1991 | -97.18 | 3.7 | 1332.82 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1992 | -94.2 | 2.98 | 1335.8 | 01 | 01 | 1 | |
| | P | 3 / 4 / 1992 | -92.65 | 1.55 | 1337.35 | 01 | 01 | 1 | |
| | P | 6 / 17/ 1992 | -89.39 | 3.26 | 1340.61 | 01 | 01 | 1 | |
| | P | 8 / 26/ 1992 | -89.98 | -0.59 | 1340.02 | 01 | 01 | 1 | |
| | P | 12 / 2 / 1992 | -92.87 | -2.89 | 1337.13 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1993 | -88.62 | 4.25 | 1341.38 | 01 | 01 | 1 | |
| | P | 3 / 31/ 1994 | -97.54 | -8.92 | 1332.46 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/25/1995 | -88.52 | 9.02 | 1341.48 | 01 | 01 | 1 | |
| | P | 2/21/1996 | -91.3 | -2.78 | 1338.7 | 01 | 01 | 1 | |
| | P | 7/30/1996 | -99.18 | -7.88 | 1330.82 | 01 | 01 | 1 | |
| | P | 1/16/1997 | -129.91 | -30.7 | 1300.09 | 01 | 01 | 1 | |
| | P | 3/14/1997 | -128.58 | 1.33 | 1301.42 | 01 | 01 | 1 | |
| | P | 4/15/1997 | -119.15 | 9.43 | 1310.85 | 01 | 01 | 1 | |
| | P | 5/15/1997 | -111.3 | 7.85 | 1318.7 | 01 | 01 | 2 | |
| | P | 6/19/1997 | -105.15 | 6.15 | 1324.85 | 01 | 01 | 1 | |
| | P | 7/22/1997 | -97.12 | 8.03 | 1332.88 | 01 | 01 | 1 | |
| | P | 1/29/1998 | -85.85 | 11.27 | 1344.15 | 02 | 01 | 1 | |
| | P | 2/ 8/1999 | -85.8 | 0.05 | 1344.2 | 01 | 01 | 1 | |
| | P | 2/15/2000 | -118.17 | -32.4 | 1311.83 | 01 | 01 | 1 | |
| | P | 2/ 7/2001 | -120 | -1.83 | 1310 | 01 | 01 | 1 | |
| | P | 2/ 5/2002 | -89.48 | 30.52 | 1340.52 | 01 | 01 | 1 | |
| | P | 2/11/2003 | -86.8 | 2.68 | 1343.2 | 01 | 01 | 2 | |
| | P | 2/ 3/2004 | -136.51 | -49.7 | 1293.49 | 01 | 01 | 1 | |
| | P | 1/ 6/2005 | -111 | 25.51 | 1319 | 01 | 01 | 1 | |
| | P | 2/22/2006 | -140.9 | -29.9 | 1289.1 | 01 | 01 | 1 | |
| | P | 2/ 9/2007 | -152.92 | -12.0 | 1277.08 | 01 | 01 | 1 | |
| | P | 9/26/2007 | -130.9 | 22.02 | 1299.1 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -133.7 | -2.8 | 1296.3 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -133.8 | -0.1 | 1296.2 | 01 | 06 | 2 | |
| | P | 11/15/2007 | -134.9 | -1.1 | 1295.1 | 01 | 06 | 2 | |
| | P | 11/30/2007 | -133 | 1.9 | 1297 | 01 | 06 | 2 | |
| | P | 12/14/2007 | -135.3 | -2.3 | 1294.7 | 01 | 06 | 2 | |
| | P | 12/31/2007 | -134.5 | 0.8 | 1295.5 | 01 | 06 | 2 | |
| | P | 1/15/2008 | -144.1 | -9.6 | 1285.9 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -140.2 | 3.9 | 1289.8 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -142.1 | -1.9 | 1287.9 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -146.7 | -4.6 | 1283.3 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -149.2 | -2.5 | 1280.8 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -149.5 | -0.3 | 1280.5 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -152.4 | -2.9 | 1277.6 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -153.4 | -1 | 1276.6 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -152 | 1.4 | 1278 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -160 | -8 | 1270 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 2008 | -162.2 | -2.2 | 1267.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -168.2 | -6 | 1261.8 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -168.9 | -0.7 | 1261.1 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -172.2 | -3.3 | 1257.8 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -173.9 | -1.7 | 1256.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -173.1 | 0.8 | 1256.9 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -174 | -0.9 | 1256 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -173.5 | 0.5 | 1256.5 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -173.2 | 0.3 | 1256.8 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -173.9 | -0.7 | 1256.1 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -173.5 | 0.4 | 1256.5 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -173.8 | -0.3 | 1256.2 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -172.5 | 1.3 | 1257.5 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -171.6 | 0.9 | 1258.4 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -171.8 | -0.2 | 1258.2 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -172.1 | -0.3 | 1257.9 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -171.3 | 0.8 | 1258.7 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -170.68 | 0.62 | 1259.32 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -171.54 | -0.86 | 1258.46 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -171.48 | 0.06 | 1258.52 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -172.22 | -0.74 | 1257.78 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -172.51 | -0.29 | 1257.49 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -174.25 | -1.74 | 1255.75 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -176.72 | -2.47 | 1253.28 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -179.91 | -3.19 | 1250.09 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -181.34 | -1.43 | 1248.66 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -182.21 | -0.87 | 1247.79 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -183.26 | -1.05 | 1246.74 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -183.24 | 0.02 | 1246.76 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -182.58 | 0.66 | 1247.42 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -180.96 | 1.62 | 1249.04 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -179.38 | 1.58 | 1250.62 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -177.96 | 1.42 | 1252.04 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -177.63 | 0.33 | 1252.37 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -177.21 | 0.42 | 1252.79 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -176.02 | 1.19 | 1253.98 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/28/2010 | -175.09 | 0.93 | 1254.91 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -173.75 | 1.34 | 1256.25 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -172.5 | 1.25 | 1257.5 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -170.43 | 2.07 | 1259.57 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -168.39 | 2.04 | 1261.61 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -167.25 | 1.14 | 1262.75 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -165.33 | 1.92 | 1264.67 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -166.25 | -0.92 | 1263.75 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -165.05 | 1.2 | 1264.95 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -166.45 | -1.4 | 1263.55 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -168.05 | -1.6 | 1261.95 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -167.3 | 0.75 | 1262.7 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -168.27 | -0.97 | 1261.73 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -172.05 | -3.78 | 1257.95 | 01 | 06 | 9 | |
| | P | 9/30/2010 | -170.4 | 1.65 | 1259.6 | 01 | 06 | 9 | |
| | P | 10/15/2010 | -169.96 | 0.44 | 1260.04 | 01 | 06 | 9 | |
| | P | 10/29/2010 | -170.56 | -0.6 | 1259.44 | 01 | 06 | 9 | |
| | P | 11/16/2010 | -170.21 | 0.35 | 1259.79 | 01 | 06 | 9 | |
| | P | 11/30/2010 | -171.06 | -0.85 | 1258.94 | 01 | 06 | 9 | |
| | P | 12/16/2010 | -170.08 | 0.98 | 1259.92 | 01 | 06 | 9 | |
| | P | 12/30/2010 | -168.91 | 1.17 | 1261.09 | 01 | 06 | 9 | |
| | P | 1/14/2011 | -168.34 | 0.57 | 1261.66 | 01 | 06 | 9 | |
| | P | 1/28/2011 | -167.28 | 1.06 | 1262.72 | 01 | 06 | 9 | |
| | P | 2/11/2011 | -167.79 | -0.51 | 1262.21 | 01 | 06 | 9 | |
| | P | 2/25/2011 | -169.4 | -1.61 | 1260.6 | 01 | 06 | 9 | |
| | P | 3/15/2011 | -171.46 | -2.06 | 1258.54 | 01 | 06 | 9 | |
| | P | 3/31/2011 | -173.04 | -1.58 | 1256.96 | 01 | 06 | 9 | |
| | P | 4/15/2011 | -174.23 | -1.19 | 1255.77 | 01 | 06 | 9 | |
| | P | 4/29/2011 | -176.85 | -2.62 | 1253.15 | 01 | 06 | 9 | |
| | P | 5/13/2011 | -178.43 | -1.58 | 1251.57 | 01 | 06 | 9 | |
| | P | 5/27/2011 | -180.24 | -1.81 | 1249.76 | 01 | 06 | 9 | |
| | P | 6/16/2011 | -186.28 | -6.04 | 1243.72 | 01 | 06 | 9 | |
| | P | 6/30/2011 | -188.05 | -1.77 | 1241.95 | 01 | 06 | 9 | |
| | P | 7/15/2011 | -189.79 | -1.74 | 1240.21 | 01 | 06 | 9 | |
| | P | 7/29/2011 | -190.68 | -0.89 | 1239.32 | 01 | 06 | 9 | |
| | P | 8/16/2011 | -192.96 | -2.28 | 1237.04 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 2011 | -194.65 | -1.69 | 1235.35 | 01 | 06 | 9 | |
| | P | 9 / 16/ 2011 | -196.29 | -1.64 | 1233.71 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2011 | -195.83 | 0.46 | 1234.17 | 01 | 06 | 9 | |
| | P | 10 / 13/ 2011 | -195.21 | 0.62 | 1234.79 | 01 | 06 | 9 | |
| | P | 10 / 28/ 2011 | -194.69 | 0.52 | 1235.31 | 01 | 06 | 9 | |
| | P | 11 / 15/ 2011 | -192.5 | 2.19 | 1237.5 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2011 | -191.57 | 0.93 | 1238.43 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2011 | -188.71 | 2.86 | 1241.29 | 01 | 06 | 9 | |
| | P | 12 / 29/ 2011 | -186.75 | 1.96 | 1243.25 | 01 | 06 | 9 | |
| | P | 1 / 19/ 2012 | -184.31 | 2.44 | 1245.69 | 01 | 06 | 9 | |
| | P | 1 / 31/ 2012 | -182.68 | 1.63 | 1247.32 | 01 | 06 | 9 | |
| | P | 2 / 16/ 2012 | -181.11 | 1.57 | 1248.89 | 01 | 06 | 9 | |
| | P | 2 / 29/ 2012 | -179.55 | 1.56 | 1250.45 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2012 | -177.99 | 1.56 | 1252.01 | 01 | 06 | 9 | |
| | P | 3 / 30/ 2012 | -177.19 | 0.8 | 1252.81 | 01 | 06 | 9 | |
| | P | 4 / 13/ 2012 | -177.19 | | 1252.81 | 01 | 06 | 9 | |
| | P | 4 / 27/ 2012 | -179.43 | -2.24 | 1250.57 | 01 | 06 | 9 | |
| | P | 5 / 15/ 2012 | -181.42 | -1.99 | 1248.58 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -183.56 | -2.14 | 1246.44 | 01 | 06 | 9 | |

**Min** *-196.29* **Max** *-85.8* **Avg** *-151.976*

***6802901*** *( Aquifer: 218GRLH Well Depth: 245 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 27/ 1965 | -80.74 | | 1319.26 | 01 | 04 | 1 | |

**Min** *-80.74* **Max** *-80.74* **Avg** *-80.74*

***6802903*** *( Aquifer: 218GRLH Well Depth: 270 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 0 / 1965 | -125 | | 1285 | 01 | 01 | 1 | |

**Min** *-125* **Max** *-125* **Avg** *-125*

***6802904*** *( Aquifer: 218GLRSL Well Depth: 250 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 27/ 1965 | -119.6 | | 1385.4 | 01 | 12 | 1 | |
| | P | 7 / 9 / 1974 | -117.88 | 1.72 | 1387.12 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1975 | -117 | 0.88 | 1388 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -118.69 | -1.69 | 1386.31 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -115.22 | 3.47 | 1389.78 | 01 | 01 | 1 | |
| | P | 2 / 27/ 1978 | -119.52 | -4.3 | 1385.48 | 01 | 01 | 1 | |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 12/ 1980 | -119.78 | | 1385.22 | 01 | 12 | 2 | |
| | N | 2 / 11/ 1981 | | | | 01 | 01 | | 63 |
| | N | 2 / 12/ 1982 | | | | 01 | 01 | | 61 |
| | P | 2 / 8 / 1983 | -118.61 | | 1386.39 | 01 | 01 | 1 | |
| | N | 3 / 1 / 1984 | | | | 01 | 01 | | 63 |
| | N | 2 / 21/ 1985 | | | | 01 | 01 | 1 | 47 |
| | P | 3 / 11/ 1986 | -116.14 | | 1388.86 | 01 | 01 | 1 | |
| | N | 12 / 10/ 1986 | | | | 01 | 01 | | 61 |
| | P | 10 / 27/ 1987 | -121.57 | | 1383.43 | 01 | 01 | 1 | |
| | N | 3 / 23/ 1989 | | | | 01 | 01 | | 61 |
| | N | 2 / 5 / 1990 | | | | 01 | 01 | | 61 |

**Min** *-121.57* **Max** *-115.22* **Avg** *-118.401*

***6802907*** *( Aquifer: 218GLRSL Well Depth: 200 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 27/ 1965 | -43.8 | | 1381.2 | 01 | 01 | 1 | |
| | P | 12 / 17/ 1965 | -42.6 | 1.2 | 1382.4 | 01 | 01 | 1 | |

**Min** *-43.8* **Max** *-42.6* **Avg** *-43.2*

***6802908*** *( Aquifer: 218GLRSL Well Depth: 275 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30/ 1940 | -65 | | 1395 | 01 | 11 | 7 | |
| | P | 5 / 27/ 1965 | -135.87 | -70.9 | 1324.13 | 01 | 04 | 1 | |

**Min** *-135.87* **Max** *-65* **Avg** *-100.435*

***6802910*** *( Aquifer: 218CCRK Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 4 / 1978 | -130 | | 1290 | 01 | 07 | 7 | |

**Min** *-130* **Max** *-130* **Avg** *-130*

***6802911*** *( Aquifer: 218GRHC Well Depth: 460 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 2 / 1996 | -305 | | 1140 | 01 | 07 | 7 | |
| | P | 1 / 26/ 1999 | -231.72 | 73.28 | 1213.28 | 01 | 01 | 2 | 04 |
| | P | 2 / 3 / 1999 | -225.12 | 6.6 | 1219.88 | 01 | 01 | 2 | |
| | P | 8 / 1 / 2000 | -311 | -85.9 | 1134 | 01 | 01 | 1 | 20 |

**Min** *-311* **Max** *-225.12* **Avg** *-268.21*

***6803101*** *( Aquifer: 218GLRSL Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 0 / 1940 | -25 | | 1380 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -25** | | **Max -25** | **Avg** | **-25** | | | | | |
| ***6803102*** | *( Aquifer: 218HNSL* | | *Well Depth: 190 )* | | | | | | |
| | P | 8 / 19/ 1965 | -26.1 | | 1263.9 | 01 | 01 | 1 | |
| | P | 4 / 11/ 1975 | -14.3 | 11.8 | 1275.7 | 01 | 01 | 1 | |
| **Min -26.1** | | **Max -14.3** | **Avg** | **-20.2** | | | | | |
| ***6803103*** | *( Aquifer: 218GRLH* | | *Well Depth: 170 )* | | | | | | |
| | P | 8 / 20/ 1965 | -30.12 | | 1254.88 | 01 | 04 | 1 | |
| **Min -30.12** | | **Max -30.12** | **Avg** | **-30.12** | | | | | |
| ***6803104*** | *( Aquifer: 218HNSL* | | *Well Depth: 240 )* | | | | | | |
| | P | 2 / 26/ 1963 | -30 | | 1270 | 01 | 07 | 7 | |
| **Min -30** | | **Max -30** | **Avg** | **-30** | | | | | |
| ***6803105*** | *( Aquifer: 218HNSL* | | *Well Depth: 200 )* | | | | | | |
| | P | 8 / 30/ 1965 | -38.2 | | 1246.8 | 01 | 04 | 1 | |
| **Min -38.2** | | **Max -38.2** | **Avg** | **-38.2** | | | | | |
| ***6803106*** | *( Aquifer: 218HNSL* | | *Well Depth: 220 )* | | | | | | |
| | P | 8 / 30/ 1965 | -152 | | 1236 | 01 | 04 | 1 | |
| **Min -152** | | **Max -152** | **Avg** | **-152** | | | | | |
| ***6803107*** | *( Aquifer: 218GRLH* | | *Well Depth: 120 )* | | | | | | |
| | P | 2 / 19/ 1940 | -30 | | 1255 | 01 | 01 | 1 | |
| **Min -30** | | **Max -30** | **Avg** | **-30** | | | | | |
| ***6803108*** | *( Aquifer: 218HSCC* | | *Well Depth: 200 )* | | | | | | |
| | P | 4 / 18/ 1974 | -11.9 | | 1328.1 | 01 | 01 | 1 | |
| | P | 2 / 24/ 1975 | -8.47 | 3.43 | 1331.53 | 01 | 01 | 1 | |
| | N | 1 / 31/ 1976 | | | | 01 | 01 | | 61 |
| | P | 2 / 16/ 1977 | -7.86 | | 1332.14 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1978 | -11.92 | -4.06 | 1328.08 | 01 | 01 | 1 | |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |
| | N | 2 / 12/ 1981 | | | | 01 | 01 | | 61 |
| | N | 2 / 12/ 1982 | | | | 01 | 01 | | 61 |
| | N | 2 / 8 / 1983 | | | | 01 | 01 | | 61 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 1 / 1984 | -15.13 | | 1324.87 | 01 | 01 | 1 | |
| | N | 2 / 22/ 1985 | | | | 01 | 01 | 1 | 51 |
| | N | 3 / 10/ 1986 | | | | 01 | 01 | | 61 |
| | P | 12 / 9 / 1986 | -9.04 | | 1330.96 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -14.78 | -5.74 | 1325.22 | 01 | 01 | 1 | |
| | N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |

**Min** *-15.13* **Max** *-7.86* **Avg** *-11.3*

***6803109*** *( Aquifer: 218CCRK Well Depth: 200 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 6 / 20/ 1978 | -25 | | 1268 | 01 | 07 | 7 |
| | P | 9 / 15/ 2007 | -31 | -6 | 1262 | 01 | 06 | 2 |
| | P | 9 / 30/ 2007 | -34.1 | -3.1 | 1258.9 | 01 | 06 | 2 |
| | P | 10 / 15/ 2007 | -43 | -8.9 | 1250 | 01 | 06 | 2 |
| | P | 10 / 31/ 2007 | -36.3 | 6.7 | 1256.7 | 01 | 06 | 2 |
| | P | 11 / 15/ 2007 | -35 | 1.3 | 1258 | 01 | 06 | 2 |
| | P | 11 / 30/ 2007 | -35.5 | -0.5 | 1257.5 | 01 | 06 | 2 |
| | P | 12 / 14/ 2007 | -35.7 | -0.2 | 1257.3 | 01 | 06 | 2 |
| | P | 12 / 31/ 2007 | -36.6 | -0.9 | 1256.4 | 01 | 06 | 2 |
| | P | 1 / 15/ 2008 | -36.8 | -0.2 | 1256.2 | 01 | 06 | 2 |
| | P | 1 / 31/ 2008 | -36 | 0.8 | 1257 | 01 | 06 | 2 |
| | P | 2 / 15/ 2008 | -34.1 | 1.9 | 1258.9 | 01 | 06 | 2 |
| | P | 2 / 29/ 2008 | -35.5 | -1.4 | 1257.5 | 01 | 06 | 2 |
| | P | 3 / 14/ 2008 | -38.1 | -2.6 | 1254.9 | 01 | 06 | 2 |
| | P | 3 / 31/ 2008 | -38.6 | -0.5 | 1254.4 | 01 | 06 | 2 |
| | P | 4 / 15/ 2008 | -38.9 | -0.3 | 1254.1 | 01 | 06 | 2 |
| | P | 4 / 30/ 2008 | -38.7 | 0.2 | 1254.3 | 01 | 06 | 2 |
| | P | 5 / 15/ 2008 | -42.6 | -3.9 | 1250.4 | 01 | 06 | 2 |
| | P | 5 / 30/ 2008 | -47.2 | -4.6 | 1245.8 | 01 | 06 | 2 |
| | P | 6 / 15/ 2008 | -48.3 | -1.1 | 1244.7 | 01 | 06 | 2 |
| | P | 6 / 30/ 2008 | -48.8 | -0.5 | 1244.2 | 01 | 06 | 2 |
| | P | 7 / 15/ 2008 | -58.6 | -9.8 | 1234.4 | 01 | 06 | 2 |
| | P | 7 / 31/ 2008 | -62.7 | -4.1 | 1230.3 | 01 | 06 | 2 |
| | P | 9 / 15/ 2008 | -50.8 | 11.9 | 1242.2 | 01 | 06 | 2 |
| | P | 9 / 30/ 2008 | -54.3 | -3.5 | 1238.7 | 01 | 06 | 2 |
| | P | 10 / 15/ 2008 | -61 | -6.7 | 1232 | 01 | 06 | 2 |
| | P | 10 / 31/ 2008 | -71.3 | -10.3 | 1221.7 | 01 | 06 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/13/2008 | -61.2 | 10.1 | 1231.8 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -56.9 | 4.3 | 1236.1 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -62.5 | -5.6 | 1230.5 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -55.1 | 7.4 | 1237.9 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -54.1 | 1 | 1238.9 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -57.6 | -3.5 | 1235.4 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -57.8 | -0.2 | 1235.2 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -58 | -0.2 | 1235 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -59.6 | -1.6 | 1233.4 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -60.5 | -0.9 | 1232.5 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -63 | -2.5 | 1230 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -66.9 | -3.9 | 1226.1 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -74.4 | -7.5 | 1218.6 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -76.1 | -1.7 | 1216.9 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -84.2 | -8.1 | 1208.8 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -91.2 | -7 | 1201.8 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -88.1 | 3.1 | 1204.9 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -77 | 11.1 | 1216 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -80.4 | -3.4 | 1212.6 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -74.8 | 5.6 | 1218.2 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -78.3 | -3.5 | 1214.7 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -70.29 | 8.01 | 1222.71 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -67.4 | 2.89 | 1225.6 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -66 | 1.4 | 1227 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -65.2 | 0.8 | 1227.8 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -65.4 | -0.2 | 1227.6 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -65.2 | 0.2 | 1227.8 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -67.2 | -2 | 1225.8 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -63 | 4.2 | 1230 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -54.9 | 8.1 | 1238.1 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -43 | 11.9 | 1250 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -46.7 | -3.7 | 1246.3 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -41.2 | 5.5 | 1251.8 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -42.3 | -1.1 | 1250.7 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -42.6 | -0.3 | 1250.4 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -40.12 | 2.48 | 1252.88 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/28/2010 | -38.8 | 1.32 | 1254.2 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -48.66 | -9.86 | 1244.34 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -48.85 | -0.19 | 1244.15 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -42.25 | 6.6 | 1250.75 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -42.23 | 0.02 | 1250.77 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -52.2 | -9.97 | 1240.8 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -50.65 | 1.55 | 1242.35 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -44.66 | 5.99 | 1248.34 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -44.2 | 0.46 | 1248.8 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -46.38 | -2.18 | 1246.62 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -45.72 | 0.66 | 1247.28 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -44.46 | 1.26 | 1248.54 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -44.91 | -0.45 | 1248.09 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -42.5 | 2.41 | 1250.5 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -43.76 | -1.26 | 1249.24 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -49.1 | -5.34 | 1243.9 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -49.02 | 0.08 | 1243.98 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -50.07 | -1.05 | 1242.93 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -48.63 | 1.44 | 1244.37 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -51.15 | -2.52 | 1241.85 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -53.56 | -2.41 | 1239.44 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -54.85 | -1.29 | 1238.15 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -60.14 | -5.29 | 1232.86 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -62.21 | -2.07 | 1230.79 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -63.11 | -0.9 | 1229.89 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -69.91 | -6.8 | 1223.09 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -71.12 | -1.21 | 1221.88 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -77.35 | -6.23 | 1215.65 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -75.89 | 1.46 | 1217.11 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -74.38 | 1.51 | 1218.62 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -76.21 | -1.83 | 1216.79 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -68.56 | 7.65 | 1224.44 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -67.78 | 0.78 | 1225.22 | 01 | 06 | 2 | |
| | P | 11/30/2011 | -64.28 | 3.5 | 1228.72 | 01 | 06 | 2 | |
| | P | 12/16/2011 | -64.7 | -0.42 | 1228.3 | 01 | 06 | 2 | |
| | P | 12/29/2011 | -65 | -0.3 | 1228 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 19/ 2012 | -61.15 | 3.85 | 1231.85 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -59.02 | 2.13 | 1233.98 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -61.62 | -2.6 | 1231.38 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -57.45 | 4.17 | 1235.55 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -55.27 | 2.18 | 1237.73 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -44.33 | 10.94 | 1248.67 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -43.44 | 0.89 | 1249.56 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -44.16 | -0.72 | 1248.84 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -43.23 | 0.93 | 1249.77 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -52.62 | -9.39 | 1240.38 | 01 | 06 | 2 | |

**Min** *-91.2* **Max** *-25* **Avg** *-54.6078*

***6803401*** *( Aquifer: 218HNSL Well Depth: 185 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 19/ 1951 | -44 | | 1261 | 01 | 01 | 1 | |

**Min** *-44* **Max** *-44* **Avg** *-44*

***6803402*** *( Aquifer: 218HNSL Well Depth: 655 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 30/ 1965 | -39.58 | | 1265.42 | 01 | 04 | 1 | |

**Min** *-39.58* **Max** *-39.58* **Avg** *-39.58*

***6803403*** *( Aquifer: 218GRLH Well Depth: 185 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 9 / 1956 | -60 | | 1245 | 01 | 07 | 7 | |

**Min** *-60* **Max** *-60* **Avg** *-60*

***6803404*** *( Aquifer: 218GRLH Well Depth: 95 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 7 / 1965 | -62.46 | | 1197.54 | 01 | 04 | 1 | |
| | P | 6 / 16/ 1994 | -70.5 | -8.04 | 1189.5 | 01 | 01 | 1 | |

**Min** *-70.5* **Max** *-62.46* **Avg** *-66.48*

***6803405*** *( Aquifer: 218GRLH Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 0 / 1940 | -60 | | 1225 | 01 | 01 | 1 | |

**Min** *-60* **Max** *-60* **Avg** *-60*

***6803406*** *( Aquifer: Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 16/ 2011 | -241.55 | | 1169.45 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -244.6 | -3.05 | 1166.4 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -248.46 | -3.86 | 1162.54 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 29/ 2011 | -257.09 | -8.63 | 1153.91 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -257.4 | -0.31 | 1153.6 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -257.61 | -0.21 | 1153.39 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -258.49 | -0.88 | 1152.51 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -252.87 | 5.62 | 1158.13 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -249.58 | 3.29 | 1161.42 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -246.74 | 2.84 | 1164.26 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -243.62 | 3.12 | 1167.38 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -239.97 | 3.65 | 1171.03 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -236.67 | 3.3 | 1174.33 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -233.19 | 3.48 | 1177.81 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -230.4 | 2.79 | 1180.6 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -227.19 | 3.21 | 1183.81 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -224.59 | 2.6 | 1186.41 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -222.26 | 2.33 | 1188.74 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -219.03 | 3.23 | 1191.97 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -218.73 | 0.3 | 1192.27 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -220.06 | -1.33 | 1190.94 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -221.79 | -1.73 | 1189.21 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -223.04 | -1.25 | 1187.96 | 01 | 06 | 2 | |

**Min** *-258.49* **Max** *-218.73* **Avg** *-238.040*

***6803501*** *( Aquifer: 218GRLH Well Depth: 210 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 19/ 1940 | -145.9 | | 1227.1 | 01 | 01 | 1 | |
| | P | 8 / 25/ 1965 | -141.1 | 4.8 | 1231.9 | 01 | 01 | 1 | |

**Min** *-145.9* **Max** *-141.1* **Avg** *-143.5*

***6803601*** *( Aquifer: 218GRLH Well Depth: 280 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 18/ 1964 | -129.9 | | 1220.1 | 01 | 04 | 1 | |

**Min** *-129.9* **Max** *-129.9* **Avg** *-129.9*

***6803602*** *( Aquifer: 218GRLH Well Depth: 280 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 22/ 1964 | -179.5 | | 1181.5 | 01 | 04 | 1 | |

**Min** *-179.5* **Max** *-179.5* **Avg** *-179.5*

***6803604*** *( Aquifer: 218GRLH Well Depth: 312 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 22/ 1964 | -174.11 | | 1225.89 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -174.11** | | **Max -174.11** | **Avg -174.11** | | | | | | |
| ***6803605*** | *( Aquifer: 218GLRSL* | | *Well Depth: 188 )* | | | | | | |
| | P | 12 / 0 / 1964 | -120 | | 1246 | 01 | 01 | 1 | |
| **Min -120** | | **Max -120** | **Avg -120** | | | | | | |
| ***6803607*** | *( Aquifer: 219SLGH* | | *Well Depth: 540 )* | | | | | | |
| | P | 9 / 26/ 1953 | -187 | | 1176 | 01 | 01 | 1 | |
| **Min -187** | | **Max -187** | **Avg -187** | | | | | | |
| ***6803608*** | *( Aquifer: 218HSCC* | | *Well Depth: 321 )* | | | | | | |
| | P | 6 / 2 / 1971 | -188 | | 1212 | 01 | 07 | 7 | |
| **Min -188** | | **Max -188** | **Avg -188** | | | | | | |
| ***6803701*** | *( Aquifer: 218GRLH* | | *Well Depth: 460 )* | | | | | | |
| | P | 7 / 15/ 1955 | -270 | | 1252 | 01 | 01 | 1 | |
| **Min -270** | | **Max -270** | **Avg -270** | | | | | | |
| ***6803702*** | *( Aquifer: 218GLRSL* | | *Well Depth: 220 )* | | | | | | |
| | P | 2 / 19/ 1940 | -89.8 | | 1275.2 | 01 | 01 | 1 | |
| | P | 8 / 30/ 1965 | -92.1 | -2.3 | 1272.9 | 01 | 01 | 1 | |
| **Min -92.1** | | **Max -89.8** | **Avg -90.95** | | | | | | |
| ***6803703*** | *( Aquifer: 218GLRSL* | | *Well Depth: 214 )* | | | | | | |
| | P | 8 / 30/ 1965 | -63.22 | | 1300.78 | 01 | 04 | 1 | |
| **Min -63.22** | | **Max -63.22** | **Avg -63.22** | | | | | | |
| ***6803704*** | *( Aquifer: 218GRLH* | | *Well Depth: 420 )* | | | | | | |
| | P | 12 / 3 / 1963 | -148 | | 1252 | 01 | 07 | 7 | |
| **Min -148** | | **Max -148** | **Avg -148** | | | | | | |
| ***6803705*** | *( Aquifer: 218GRLH* | | *Well Depth: 310 )* | | | | | | |
| | P | 8 / 30/ 1965 | -70.64 | | 1249.36 | 01 | 04 | 1 | |
| **Min -70.64** | | **Max -70.64** | **Avg -70.64** | | | | | | |
| ***6803706*** | *( Aquifer: 218GRLH* | | *Well Depth: 380 )* | | | | | | |
| | P | 12 / 8 / 1965 | -166 | | 1219 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -166** | | **Max -166** | **Avg** | **-166** | | | | | |
| ***6803707*** | *( Aquifer: 218CCRK* | | *Well Depth: 275 )* | | | | | | |
| | P | 9 / 22/ 1977 | -83 | | 1287 | 01 | 01 | 1 | |
| **Min -83** | | **Max -83** | **Avg** | **-83** | | | | | |
| ***6803801*** | *( Aquifer: 218GRLH* | | *Well Depth: 240 )* | | | | | | |
| | P | 9 / 1 / 1965 | -77.81 | | 1302.19 | 01 | 04 | 1 | |
| **Min -77.81** | | **Max -77.81** | **Avg** | **-77.81** | | | | | |
| ***6803802*** | *( Aquifer: 218GRLH* | | *Well Depth: 138 )* | | | | | | |
| | P | 2 / 3 / 1965 | -22.64 | | 1285.36 | 01 | 04 | 1 | |
| **Min -22.64** | | **Max -22.64** | **Avg** | **-22.64** | | | | | |
| ***6803804*** | *( Aquifer: 218GLRSL* | | *Well Depth: 396 )* | | | | | | |
| | P | 6 / 30/ 2005 | -218 | | 1213 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -189.75 | 28.25 | 1241.25 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -194 | -4.25 | 1237 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -192.25 | 1.75 | 1238.75 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -194 | -1.75 | 1237 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -196.83 | -2.83 | 1234.17 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -188.42 | 8.41 | 1242.58 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -192.67 | -4.25 | 1238.33 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -188.83 | 3.84 | 1242.17 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -195.5 | -6.67 | 1235.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -189.25 | 6.25 | 1241.75 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -196.17 | -6.92 | 1234.83 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -197.9 | -1.73 | 1233.1 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -199.4 | -1.5 | 1231.6 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -211.58 | -12.2 | 1219.42 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -215.33 | -3.75 | 1215.67 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2006 | -218.25 | -2.92 | 1212.75 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -220.67 | -2.42 | 1210.33 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -204.17 | 16.5 | 1226.83 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2006 | -215.08 | -10.9 | 1215.92 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -212 | 3.08 | 1219 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2006 | -204.17 | 7.83 | 1226.83 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2006 | -203.67 | 0.5 | 1227.33 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2006 | -214 | -10.3 | 1217 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -212.33 | 1.67 | 1218.67 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -214.58 | -2.25 | 1216.42 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -203.42 | 11.16 | 1227.58 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -203.42 | | 1227.58 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -202.83 | 0.59 | 1228.17 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -205.67 | -2.84 | 1225.33 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -202.42 | 3.25 | 1228.58 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -204.42 | -2 | 1226.58 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -202.08 | 2.34 | 1228.92 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -196 | 6.08 | 1235 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -186.67 | 9.33 | 1244.33 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -181 | 5.67 | 1250 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -180.08 | 0.92 | 1250.92 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -174 | 6.08 | 1257 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -176.33 | -2.33 | 1254.67 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -173.25 | 3.08 | 1257.75 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -170 | 3.25 | 1261 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -157 | 13 | 1274 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -168 | -11 | 1263 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -157.2 | 10.8 | 1273.8 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -150.9 | 6.3 | 1280.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -153.9 | -3 | 1277.1 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -161.3 | -7.4 | 1269.7 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -159 | 2.3 | 1272 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -158.5 | 0.5 | 1272.5 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -158.2 | 0.3 | 1272.8 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -154.9 | 3.3 | 1276.1 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -157.4 | -2.5 | 1273.6 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -157.2 | 0.2 | 1273.8 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -156.1 | 1.1 | 1274.9 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -156.8 | -0.7 | 1274.2 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -159.6 | -2.8 | 1271.4 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -156.2 | 3.4 | 1274.8 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -160 | -3.8 | 1271 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/2008 | -169.92 | -9.92 | 1261.08 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -170.1 | -0.18 | 1260.9 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -172.3 | -2.2 | 1258.7 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -186 | -13.7 | 1245 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -188.3 | -2.3 | 1242.7 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -203.2 | -14.9 | 1227.8 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -203.2 | | 1227.8 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -203.4 | -0.2 | 1227.6 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -201.4 | 2 | 1229.6 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -203.3 | -1.9 | 1227.7 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -203.7 | -0.4 | 1227.3 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -203.2 | 0.5 | 1227.8 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -203 | 0.2 | 1228 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -203.4 | -0.4 | 1227.6 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -202.8 | 0.6 | 1228.2 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -202 | 0.8 | 1229 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -198 | 4 | 1233 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -195.8 | 2.2 | 1235.2 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -199.6 | -3.8 | 1231.4 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -199.6 | | 1231.4 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -200.1 | -0.5 | 1230.9 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -197.6 | 2.5 | 1233.4 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -203 | -5.4 | 1228 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -200.4 | 2.6 | 1230.6 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -202.8 | -2.4 | 1228.2 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -201.5 | 1.3 | 1229.5 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -203.6 | -2.1 | 1227.4 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -203.6 | | 1227.4 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -203.4 | 0.2 | 1227.6 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -203.8 | -0.4 | 1227.2 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -203.4 | 0.4 | 1227.6 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -204.1 | -0.7 | 1226.9 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -203 | 1.1 | 1228 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -223.75 | -20.8 | 1207.25 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -216.6 | 7.15 | 1214.4 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -209.91 | 6.69 | 1221.09 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/13/2009 | -208.55 | 1.36 | 1222.45 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -202.5 | 6.05 | 1228.5 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -199.86 | 2.64 | 1231.14 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -202.65 | -2.79 | 1228.35 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -197.4 | 5.25 | 1233.6 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -185.15 | 12.25 | 1245.85 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -177.72 | 7.43 | 1253.28 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -173.6 | 4.12 | 1257.4 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -172.63 | 0.97 | 1258.37 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -175.7 | -3.07 | 1255.3 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -171.95 | 3.75 | 1259.05 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -176.22 | -4.27 | 1254.78 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -167.3 | 8.92 | 1263.7 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -172.63 | -5.33 | 1258.37 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -180.6 | -7.97 | 1250.4 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -179.52 | 1.08 | 1251.48 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -182.94 | -3.42 | 1248.06 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -194.35 | -11.4 | 1236.65 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -185.86 | 8.49 | 1245.14 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -187.15 | -1.29 | 1243.85 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -188.87 | -1.72 | 1242.13 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -187.27 | 1.6 | 1243.73 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -186.59 | 0.68 | 1244.41 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -184.92 | 1.67 | 1246.08 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -181.41 | 3.51 | 1249.59 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -182.52 | -1.11 | 1248.48 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -179.09 | 3.43 | 1251.91 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -181.65 | -2.56 | 1249.35 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -179.71 | 1.94 | 1251.29 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -185.5 | -5.79 | 1245.5 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -190.97 | -5.47 | 1240.03 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -197.46 | -6.49 | 1233.54 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -209.69 | -12.2 | 1221.31 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -210.75 | -1.06 | 1220.25 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -215.94 | -5.19 | 1215.06 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -231.5 | -15.6 | 1199.5 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2011 | -237.42 | -5.92 | 1193.58 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -240.31 | -2.89 | 1190.69 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -244.41 | -4.1 | 1186.59 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -249.81 | -5.4 | 1181.19 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -249.51 | 0.3 | 1181.49 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -250.42 | -0.91 | 1180.58 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -237.35 | 13.07 | 1193.65 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -237.35 | | 1193.65 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -232.05 | 5.3 | 1198.95 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -224.75 | 7.3 | 1206.25 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -219.29 | 5.46 | 1211.71 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -216.15 | 3.14 | 1214.85 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -211.14 | 5.01 | 1219.86 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -210.69 | 0.45 | 1220.31 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -205.35 | 5.34 | 1225.65 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -202.35 | 3 | 1228.65 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -200.69 | 1.66 | 1230.31 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -197.47 | 3.22 | 1233.53 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -199.04 | -1.57 | 1231.96 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -209.59 | -10.6 | 1221.41 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -207.2 | 2.39 | 1223.8 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -212.87 | -5.67 | 1218.13 | 01 | 06 | 2 | |

**Min** *-250.42* **Max** *-150.9* **Avg** *-195.386*

***6803901*** *( Aquifer: 218GRLH Well Depth: 270 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1940 | -97.58 | | 1202.42 | 01 | 04 | 1 | |
| | P | 12 / 23/ 1964 | -96.18 | 1.4 | 1203.82 | 01 | 04 | 1 | |

**Min** *-97.58* **Max** *-96.18* **Avg** *-96.88*

***6803902*** *( Aquifer: 218GRLH Well Depth: 128 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 24/ 1964 | -75.02 | | 1144.98 | 01 | 04 | 1 | |
| | P | 1 / 25/ 1965 | -74.35 | 0.67 | 1145.65 | 01 | 04 | 1 | |
| | P | 2 / 26/ 1965 | -74.64 | -0.29 | 1145.36 | 01 | 04 | 1 | |
| | P | 3 / 24/ 1965 | -70.89 | 3.75 | 1149.11 | 01 | 04 | 1 | |
| | P | 4 / 9 / 1965 | -65.62 | 5.27 | 1154.38 | 01 | 04 | 1 | |
| | P | 5 / 10/ 1965 | -62.77 | 2.85 | 1157.23 | 01 | 04 | 1 | |
| | P | 6 / 8 / 1965 | -60.41 | 2.36 | 1159.59 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 6 / 1965 | -63.49 | -3.08 | 1156.51 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1965 | -71.22 | -7.73 | 1148.78 | 01 | 04 | 1 | |
| | P | 9 / 3 / 1965 | -79.04 | -7.82 | 1140.96 | 01 | 04 | 1 | |
| | P | 10 / 8 / 1965 | -74.96 | 4.08 | 1145.04 | 01 | 04 | 1 | |
| | P | 12 / 7 / 1965 | -70.55 | 4.41 | 1149.45 | 01 | 04 | 1 | |

**Min** *-79.04* **Max** *-60.41* **Avg** *-70.2467*

***6803903*** *( Aquifer: 218GRLH Well Depth: 290 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1940 | -141 | | 1043 | 01 | 01 | 1 | |

**Min** *-141* **Max** *-141* **Avg** *-141*

***6803904*** *( Aquifer: 218GRLH Well Depth: 370 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 29/ 1964 | -147.1 | | 1119.9 | 01 | 04 | 1 | |

**Min** *-147.1* **Max** *-147.1* **Avg** *-147.1*

***6803905*** *( Aquifer: 218GRLH Well Depth: 124 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 29/ 1964 | -39.99 | | 1170.01 | 01 | 04 | 1 | |

**Min** *-39.99* **Max** *-39.99* **Avg** *-39.99*

***6804101*** *( Aquifer: 218GLRSL Well Depth: 120 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1940 | -40 | | 1365 | 01 | 01 | 1 | |
| | P | 12 / 0 / 1964 | -60 | -20 | 1345 | 01 | 01 | 1 | |

**Min** *-60* **Max** *-40* **Avg** *-50*

***6804103*** *( Aquifer: 218GLRSL Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 28/ 1940 | -49.7 | | 1410.3 | 01 | 01 | 1 | |
| | P | 7 / 6 / 1965 | -40.8 | 8.9 | 1419.2 | 01 | 01 | 1 | |

**Min** *-49.7* **Max** *-40.8* **Avg** *-45.25*

***6804104*** *( Aquifer: 218GRLH Well Depth: 235 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 6 / 1965 | -7.76 | | 1413.24 | 01 | 04 | 1 | |

**Min** *-7.76* **Max** *-7.76* **Avg** *-7.76*

***6804202*** *( Aquifer: 218GRLH Well Depth: 226 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1964 | -90 | | 1320 | 01 | 01 | 1 | |

**Min** *-90* **Max** *-90* **Avg** *-90*

***6804204*** *( Aquifer: 218GLRSL Well Depth: 180 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 24/ 1964 | -109.8 | | 1275.2 | 01 | 04 | 1 | |
| Min -109.8 | | Max -109.8 | Avg -109.8 | | | | | | |
| **6804205** | ( Aquifer: 218GRLH | | Well Depth: 250 ) | | | | | | |
| | P | 11 / 19/ 1964 | -51.28 | | 1323.72 | 01 | 04 | 1 | |
| Min -51.28 | | Max -51.28 | Avg -51.28 | | | | | | |
| **6804207** | ( Aquifer: 218HNSL | | Well Depth: 300 ) | | | | | | |
| | P | 11 / 20/ 1964 | -53.5 | | 1326.5 | 01 | 01 | 1 | |
| Min -53.5 | | Max -53.5 | Avg -53.5 | | | | | | |
| **6804208** | ( Aquifer: 218GLRSL | | Well Depth: 160 ) | | | | | | |
| | P | 11 / 19/ 1964 | -63.9 | | 1336.1 | 01 | 04 | 1 | |
| Min -63.9 | | Max -63.9 | Avg -63.9 | | | | | | |
| **6804209** | ( Aquifer: 218GRLH | | Well Depth: 265 ) | | | | | | |
| | P | 1 / 26/ 1965 | -139.3 | | 1305.7 | 01 | 04 | 1 | |
| Min -139.3 | | Max -139.3 | Avg -139.3 | | | | | | |
| **6804210** | ( Aquifer: 218GLRSL | | Well Depth: 165 ) | | | | | | |
| | P | 11 / 24/ 1964 | -87.4 | | 1297.6 | 01 | 04 | 1 | |
| Min -87.4 | | Max -87.4 | Avg -87.4 | | | | | | |
| **6804211** | ( Aquifer: 218GLRSL | | Well Depth: 100 ) | | | | | | |
| | P | 11 / 24/ 1964 | -61.6 | | 1294.4 | 01 | 04 | 1 | |
| Min -61.6 | | Max -61.6 | Avg -61.6 | | | | | | |
| **6804212** | ( Aquifer: 218GRLH | | Well Depth: 200 ) | | | | | | |
| | P | 11 / 24/ 1964 | -92.9 | | 1322.1 | 01 | 04 | 1 | |
| Min -92.9 | | Max -92.9 | Avg -92.9 | | | | | | |
| **6804213** | ( Aquifer: 218GRLH | | Well Depth: 240 ) | | | | | | |
| | P | 1 / 26/ 1965 | -83.1 | | 1296.9 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1965 | -81.56 | 1.54 | 1298.44 | 01 | 04 | 1 | |
| | P | 4 / 9 / 1965 | -77.25 | 4.31 | 1302.75 | 01 | 04 | 1 | |
| | P | 6 / 9 / 1965 | -73.43 | 3.82 | 1306.57 | 01 | 04 | 1 | |
| | P | 7 / 6 / 1965 | -69.75 | 3.68 | 1310.25 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1965 | -78.32 | -8.57 | 1301.68 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 3 / 1965 | -84.84 | -6.52 | 1295.16 | 01 | 04 | 1 | |
| | P | 10 / 8 / 1965 | -79.02 | 5.82 | 1300.98 | 01 | 04 | 1 | |
| | P | 12 / 17/ 1965 | -73.91 | 5.11 | 1306.09 | 01 | 04 | 1 | |

**Min** *-84.84* **Max** *-69.75* **Avg** *-77.9089*

***6804302*** *( Aquifer: 218GRLH Well Depth: 304 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 12/ 1964 | -150.6 | | 1314.4 | 01 | 01 | 1 | |

**Min** *-150.6* **Max** *-150.6* **Avg** *-150.6*

***6804303*** *( Aquifer: 218GRLH Well Depth: 265 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 26/ 1965 | -161.78 | | 1278.22 | 01 | 04 | 1 | |

**Min** *-161.78* **Max** *-161.78* **Avg** *-161.78*

***6804305*** *( Aquifer: 218GLRSL Well Depth: 160 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -115.3 | | 1234.7 | 01 | 04 | 1 | |

**Min** *-115.3* **Max** *-115.3* **Avg** *-115.3*

***6804306*** *( Aquifer: 218GLRSL Well Depth: 168 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -56.18 | | 1288.82 | 01 | 04 | 1 | |

**Min** *-56.18* **Max** *-56.18* **Avg** *-56.18*

***6804307*** *( Aquifer: 218GRLH Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1964 | -140 | | 1240 | 01 | 01 | 1 | |

**Min** *-140* **Max** *-140* **Avg** *-140*

***6804308*** *( Aquifer: 218GLRSL Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 19/ 1964 | -107.19 | | 1257.81 | 01 | 04 | 1 | |

**Min** *-107.19* **Max** *-107.19* **Avg** *-107.19*

***6804309*** *( Aquifer: 218GLRSL Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 11/ 1961 | -95 | | 1255 | 01 | 01 | 1 | |

**Min** *-95* **Max** *-95* **Avg** *-95*

***6804311*** *( Aquifer: 218GLRSL Well Depth: 140 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 12/ 1965 | -63.54 | | 1340.46 | 01 | 04 | 1 | |

**Min** *-63.54* **Max** *-63.54* **Avg** *-63.54*

***6804312*** *( Aquifer: 218CCRK Well Depth: 310 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/ 7/1997 | -61 | | 1312 | 01 | 07 | 7 | |
| | P | 1/26/1999 | -112.15 | -51.2 | 1260.85 | 01 | 01 | 2 | |
| | P | 1/26/1999 | -205 | -92.9 | 1168 | 02 | 01 | 2 | 02 |
| | P | 8/ 9/2001 | -114.95 | 90.05 | 1258.05 | 01 | 09 | 2 | |
| | P | 9/15/2007 | -100.6 | 14.35 | 1272.4 | 01 | 06 | 2 | |
| | P | 9/30/2007 | -102.6 | -2 | 1270.4 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -103.6 | -1 | 1269.4 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -105.6 | -2 | 1267.4 | 01 | 06 | 2 | |
| | P | 11/15/2007 | -107.4 | -1.8 | 1265.6 | 01 | 06 | 2 | |
| | P | 11/30/2007 | -108.9 | -1.5 | 1264.1 | 01 | 06 | 2 | |
| | P | 12/14/2007 | -109.7 | -0.8 | 1263.3 | 01 | 06 | 2 | |
| | P | 12/31/2007 | -109.2 | 0.5 | 1263.8 | 01 | 06 | 2 | |
| | P | 1/15/2008 | -112.1 | -2.9 | 1260.9 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -112 | 0.1 | 1261 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -114.2 | -2.2 | 1258.8 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -117 | -2.8 | 1256 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -118.4 | -1.4 | 1254.6 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -118.8 | -0.4 | 1254.2 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -120.8 | -2 | 1252.2 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -121.6 | -0.8 | 1251.4 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -122.9 | -1.3 | 1250.1 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -124 | -1.1 | 1249 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -126.7 | -2.7 | 1246.3 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -127.2 | -0.5 | 1245.8 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -129.1 | -1.9 | 1243.9 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -129.4 | -0.3 | 1243.6 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -130.9 | -1.5 | 1242.1 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -133.4 | -2.5 | 1239.6 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -133.2 | 0.2 | 1239.8 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -133.8 | -0.6 | 1239.2 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -134.6 | -0.8 | 1238.4 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -134.3 | 0.3 | 1238.7 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -135.6 | -1.3 | 1237.4 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -136 | -0.4 | 1237 | 01 | 06 | 2 | |
| | P | 12/30/2008 | -124.85 | 11.15 | 1248.15 | 01 | 01 | 4 | |
| | P | 1/15/2009 | -137.3 | -12.5 | 1235.7 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/2009 | -124.85 | 12.45 | 1248.15 | 01 | 01 | 4 | |
| | P | 2/13/2009 | -130.8 | -5.95 | 1242.2 | 01 | 06 | 2 | |
| | P | 2/15/2009 | -128.27 | 2.53 | 1244.73 | 01 | 01 | 4 | |
| | P | 2/27/2009 | -131.2 | -2.93 | 1241.8 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -132.7 | -1.5 | 1240.3 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -131.7 | 1 | 1241.3 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -133 | -1.3 | 1240 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -133.5 | -0.5 | 1239.5 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -134 | -0.5 | 1239 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -133.8 | 0.2 | 1239.2 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -136.4 | -2.6 | 1236.6 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -138.7 | -2.3 | 1234.3 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -137.1 | 1.6 | 1235.9 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -138 | -0.9 | 1235 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -140.8 | -2.8 | 1232.2 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -140.5 | 0.3 | 1232.5 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -138 | 2.5 | 1235 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -137.25 | 0.75 | 1235.75 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -136.5 | 0.75 | 1236.5 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -133.2 | 3.3 | 1239.8 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -129.2 | 4 | 1243.8 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -127 | 2.2 | 1246 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -125.8 | 1.2 | 1247.2 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -125.2 | 0.6 | 1247.8 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -121.4 | 3.8 | 1251.6 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -115.7 | 5.7 | 1257.3 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -112.6 | 3.1 | 1260.4 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -115 | -2.4 | 1258 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -111 | 4 | 1262 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -110.8 | 0.2 | 1262.2 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -110.6 | 0.2 | 1262.4 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -112.1 | -1.5 | 1260.9 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -109.4 | 2.7 | 1263.6 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -112.3 | -2.9 | 1260.7 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -121.4 | -9.1 | 1251.6 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -111.6 | 9.8 | 1261.4 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7/30/2010 | -113 | -1.4 | 1260 | 01 | 06 | 2 | |
| | P | 8/15/2010 | -112.74 | 0.26 | 1260.26 | 01 | 01 | 4 | |
| | P | 8/30/2010 | -114.29 | -1.55 | 1258.71 | 01 | 01 | 4 | |
| | P | 9/15/2010 | -112.74 | 1.55 | 1260.26 | 01 | 01 | 4 | |
| | P | 9/16/2010 | -114.91 | -2.17 | 1258.09 | 01 | 06 | 9 | |
| | P | 9/30/2010 | -117.39 | -2.48 | 1255.61 | 01 | 01 | 4 | |
| | P | 10/15/2010 | -112.96 | 4.43 | 1260.04 | 01 | 01 | 4 | |
| | P | 10/29/2010 | -115.28 | -2.32 | 1257.72 | 01 | 06 | 9 | |
| | P | 10/30/2010 | -113.85 | 1.43 | 1259.15 | 01 | 01 | 4 | |
| | P | 11/15/2010 | -114.44 | -0.59 | 1258.56 | 01 | 01 | 4 | |
| | P | 11/16/2010 | -116.61 | -2.17 | 1256.39 | 01 | 06 | 9 | |
| | P | 11/30/2010 | -115.18 | 1.43 | 1257.82 | 01 | 01 | 4 | |
| | P | 12/15/2010 | -115.92 | -0.74 | 1257.08 | 01 | 01 | 4 | |
| | P | 12/16/2010 | -118.01 | -2.09 | 1254.99 | 01 | 06 | 9 | |
| | P | 12/30/2010 | -116.43 | 1.58 | 1256.57 | 01 | 01 | 4 | |
| | P | 1/14/2011 | -118.68 | -2.25 | 1254.32 | 01 | 06 | 9 | |
| | P | 1/15/2011 | -116.8 | 1.88 | 1256.2 | 01 | 01 | 4 | |
| | P | 1/28/2011 | -118.97 | -2.17 | 1254.03 | 01 | 06 | 9 | |
| | P | 1/30/2011 | -117.32 | 1.65 | 1255.68 | 01 | 01 | 4 | |
| | P | 2/11/2011 | -127.61 | -10.3 | 1245.39 | 01 | 06 | 9 | |
| | P | 2/15/2011 | -118.57 | 9.04 | 1254.43 | 01 | 01 | 4 | |
| | P | 2/25/2011 | -120.59 | -2.02 | 1252.41 | 01 | 06 | 9 | |
| | P | 3/15/2011 | -122.2 | -1.61 | 1250.8 | 01 | 01 | 4 | |
| | P | 3/30/2011 | -120.94 | 1.26 | 1252.06 | 01 | 01 | 4 | |
| | P | 3/31/2011 | -122.82 | -1.88 | 1250.18 | 01 | 06 | 9 | |
| | P | 4/15/2011 | -124.7 | -1.88 | 1248.3 | 01 | 01 | 4 | |
| | P | 4/29/2011 | -124.73 | -0.03 | 1248.27 | 01 | 06 | 9 | |
| | P | 4/30/2011 | -122.64 | 2.09 | 1250.36 | 01 | 01 | 4 | |
| | P | 5/13/2011 | -125.4 | -2.76 | 1247.6 | 01 | 06 | 9 | |
| | P | 5/15/2011 | -123.45 | 1.95 | 1249.55 | 01 | 01 | 4 | |
| | P | 5/27/2011 | -126.8 | -3.35 | 1246.2 | 01 | 06 | 9 | |
| | P | 5/30/2011 | -142.86 | -16.1 | 1230.14 | 01 | 01 | 4 | |
| | P | 6/15/2011 | -126.62 | 16.24 | 1246.38 | 01 | 01 | 4 | |
| | P | 6/16/2011 | -128.65 | -2.03 | 1244.35 | 01 | 06 | 9 | |
| | P | 6/30/2011 | -130.24 | -1.59 | 1242.76 | 01 | 01 | 4 | |
| | P | 7/15/2011 | -128.84 | 1.4 | 1244.16 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 29/ 2011 | -132.67 | -3.83 | 1240.33 | 01 | 06 | 9 | |
| | P | 7 / 30/ 2011 | -130.65 | 2.02 | 1242.35 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2011 | -133.82 | -3.17 | 1239.18 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2011 | -132.64 | 1.18 | 1240.36 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2011 | -137.07 | -4.43 | 1235.93 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2011 | -136.03 | 1.04 | 1236.97 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2011 | -131.02 | 5.01 | 1241.98 | 01 | 01 | 4 | |
| | P | 10 / 19/ 2011 | -133.25 | -2.23 | 1239.75 | 01 | 01 | 2 | |
| | P | 10 / 30/ 2011 | -134.65 | -1.4 | 1238.35 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2011 | -134.8 | -0.15 | 1238.2 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2011 | -134.5 | 0.3 | 1238.5 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2011 | -133.54 | 0.96 | 1239.46 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2011 | -132.95 | 0.59 | 1240.05 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2012 | -133.17 | -0.22 | 1239.83 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2012 | -133.32 | -0.15 | 1239.68 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2012 | -133.39 | -0.07 | 1239.61 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2012 | -132.29 | 1.1 | 1240.71 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2012 | -148.45 | -16.2 | 1224.55 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2012 | -128.01 | 20.44 | 1244.99 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2012 | -127.56 | 0.45 | 1245.44 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2012 | -127.71 | -0.15 | 1245.29 | 01 | 01 | 4 | |
| | P | 5 / 30/ 2012 | -130 | -2.29 | 1243 | 01 | 01 | 4 | |
| | P | 6 / 15/ 2012 | -127.93 | 2.07 | 1245.07 | 01 | 01 | 4 | |
| | P | 6 / 30/ 2012 | -129.14 | -1.21 | 1243.86 | 01 | 01 | 4 | |
| | P | 7 / 15/ 2012 | -128.48 | 0.66 | 1244.52 | 01 | 01 | 4 | |
| | P | 7 / 30/ 2012 | -130.03 | -1.55 | 1242.97 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2012 | -136.15 | -6.12 | 1236.85 | 01 | 01 | 4 | |
| | P | 8 / 30/ 2012 | -132.83 | 3.32 | 1240.17 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -132.98 | -0.15 | 1240.02 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -130.47 | 2.51 | 1242.53 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -129.07 | 1.4 | 1243.93 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -131.06 | -1.99 | 1241.94 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -129.58 | 1.48 | 1243.42 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -131.45 | -1.87 | 1241.55 | 02 | 01 | 1 | |
| | P | 11 / 30/ 2012 | -136.82 | -5.37 | 1236.18 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -130.76 | 6.06 | 1242.24 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 30/ 2012 | -131.58 | -0.82 | 1241.42 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -131.13 | 0.45 | 1241.87 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -131.28 | -0.15 | 1241.72 | 01 | 01 | 4 | |
| | P | 2 / 15/ 2013 | -131.5 | -0.22 | 1241.5 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -132.61 | -1.11 | 1240.39 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -134.38 | -1.77 | 1238.62 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -133.57 | 0.81 | 1239.43 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -134.75 | -1.18 | 1238.25 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -148.77 | -14.0 | 1224.23 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -136 | 12.77 | 1237 | 01 | 01 | 4 | |

**Min** *-205* **Max** *-61* **Avg** *-125.826*

***6804313*** *( Aquifer: 218CCRK Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2007 | -116.4 | | 1268.6 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -118.3 | -1.9 | 1266.7 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -119.2 | -0.9 | 1265.8 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -121.2 | -2 | 1263.8 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -122.5 | -1.3 | 1262.5 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -124 | -1.5 | 1261 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -124.8 | -0.8 | 1260.2 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -124.3 | 0.5 | 1260.7 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -127.8 | -3.5 | 1257.2 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -127.7 | 0.1 | 1257.3 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -129.9 | -2.2 | 1255.1 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -132 | -2.1 | 1253 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -133.6 | -1.6 | 1251.4 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -134 | -0.4 | 1251 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -136 | -2 | 1249 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -136.8 | -0.8 | 1248.2 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -138.2 | -1.4 | 1246.8 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -139.3 | -1.1 | 1245.7 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -142 | -2.7 | 1243 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -142.6 | -0.6 | 1242.4 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -144.1 | -1.5 | 1240.9 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -144.4 | -0.3 | 1240.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -146.2 | -1.8 | 1238.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 30/ 2008 | -148.8 | -2.6 | 1236.2 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -148.6 | 0.2 | 1236.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -149.2 | -0.6 | 1235.8 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -150 | -0.8 | 1235 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -149.7 | 0.3 | 1235.3 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -151 | -1.3 | 1234 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -151.4 | -0.4 | 1233.6 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -152.8 | -1.4 | 1232.2 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -153.2 | -0.4 | 1231.8 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -153.7 | -0.5 | 1231.3 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -154 | -0.3 | 1231 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -156.2 | -2.2 | 1228.8 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -154.6 | 1.6 | 1230.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -156.6 | -2 | 1228.4 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -156.8 | -0.2 | 1228.2 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -157.3 | -0.5 | 1227.7 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -157.2 | 0.1 | 1227.8 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -158.2 | -1 | 1226.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -159.8 | -1.6 | 1225.2 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -160.4 | -0.6 | 1224.6 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -161.3 | -0.9 | 1223.7 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -163.4 | -2.1 | 1221.6 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -163.6 | -0.2 | 1221.4 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -162.2 | 1.4 | 1222.8 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -161.92 | 0.28 | 1223.08 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -160.5 | 1.42 | 1224.5 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -156.2 | 4.3 | 1228.8 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -154.8 | 1.4 | 1230.2 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -153.2 | 1.6 | 1231.8 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -152.3 | 0.9 | 1232.7 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -150.8 | 1.5 | 1234.2 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -145.9 | 4.9 | 1239.1 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -140.5 | 5.4 | 1244.5 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -131.6 | 8.9 | 1253.4 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -128.9 | 2.7 | 1256.1 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -127.4 | 1.5 | 1257.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/16/2010 | -127.3 | 0.1 | 1257.7 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -127 | 0.3 | 1258 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -128.18 | -1.18 | 1256.82 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -125.85 | 2.33 | 1259.15 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -128.23 | -2.38 | 1256.77 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -128.23 | | 1256.77 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -128.06 | 0.17 | 1256.94 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -129.3 | -1.24 | 1255.7 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -131.79 | -2.49 | 1253.21 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -130.68 | 1.11 | 1254.32 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -131.61 | -0.93 | 1253.39 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -132.45 | -0.84 | 1252.55 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -132.83 | -0.38 | 1252.17 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -134.53 | -1.7 | 1250.47 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -135.45 | -0.92 | 1249.55 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -136.61 | -1.16 | 1248.39 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -138.6 | -1.99 | 1246.4 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -139.66 | -1.06 | 1245.34 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -140.61 | -0.95 | 1244.39 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -141.26 | -0.65 | 1243.74 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -142.93 | -1.67 | 1242.07 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -144.13 | -1.2 | 1240.87 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -145.46 | -1.33 | 1239.54 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -147.81 | -2.35 | 1237.19 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -148.61 | -0.8 | 1236.39 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -152 | -3.39 | 1233 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -152.01 | -0.01 | 1232.99 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -153.2 | -1.19 | 1231.8 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -154.43 | -1.23 | 1230.57 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -154.81 | -0.38 | 1230.19 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -157.58 | -2.77 | 1227.42 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -158.42 | -0.84 | 1226.58 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -160.09 | -1.67 | 1224.91 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -160.22 | -0.13 | 1224.78 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -160.95 | -0.73 | 1224.05 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -161.6 | -0.65 | 1223.4 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 30/ 2011 | -161.95 | -0.35 | 1223.05 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -160.99 | 0.96 | 1224.01 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -160.7 | 0.29 | 1224.3 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -161.52 | -0.82 | 1223.48 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -161.89 | -0.37 | 1223.11 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -161.25 | 0.64 | 1223.75 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -160.22 | 1.03 | 1224.78 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -160.2 | 0.02 | 1224.8 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -157.1 | 3.1 | 1227.9 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -156.32 | 0.78 | 1228.68 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -157.38 | -1.06 | 1227.62 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -155.62 | 1.76 | 1229.38 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -156.27 | -0.65 | 1228.73 | 01 | 06 | 2 | |

**Min** *-163.6* **Max** *-116.4* **Avg** *-145.308*

***6804501*** *( Aquifer: 218GRLH Well Depth: 172 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 11 / 24/ 1964 | -71.4 | | 1263.6 | 01 | 04 | 1 |

**Min** *-71.4* **Max** *-71.4* **Avg** *-71.4*

***6804503*** *( Aquifer: 218GRLH Well Depth: 300 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 4 / 0 / 1940 | -255 | | 1110 | 01 | 01 | 1 |

**Min** *-255* **Max** *-255* **Avg** *-255*

***6804504*** *( Aquifer: 218GRLH Well Depth: 312 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 4 / 0 / 1940 | -197 | | 1168 | 01 | 01 | 1 |

**Min** *-197* **Max** *-197* **Avg** *-197*

***6804601*** *( Aquifer: 218GLRSL Well Depth: 119 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 1 / 11/ 1965 | -68.6 | | 1221.4 | 01 | 01 | 1 |

**Min** *-68.6* **Max** *-68.6* **Avg** *-68.6*

***6804603*** *( Aquifer: 218GLRSL Well Depth: 9 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 1 / 25/ 1965 | -6.34 | | 1203.66 | 01 | 04 | 1 |

**Min** *-6.34* **Max** *-6.34* **Avg** *-6.34*

***6804604*** *( Aquifer: 218GLRSL Well Depth: 248 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 10 / 12/ 1964 | -76.62 | | 1188.38 | 01 | 04 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -76.62** | | **Max -76.62** | **Avg** | **-76.62** | | | | | |
| ***6804606*** | *( Aquifer: 218GLRSL* | | *Well Depth: 35 )* | | | | | | |
| | P | 4 / 12/ 1940 | -17 | | 1193 | 01 | 01 | 1 | |
| | P | 1 / 11/ 1965 | -16.6 | 0.4 | 1193.4 | 01 | 01 | 1 | |
| **Min -17** | | **Max -16.6** | **Avg** | **-16.8** | | | | | |
| ***6804705*** | *( Aquifer: 218GLRSL* | | *Well Depth: 235 )* | | | | | | |
| | P | 6 / 30/ 2005 | -178.42 | | 1101.58 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -179.17 | -0.75 | 1100.83 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -178.83 | 0.34 | 1101.17 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -178.42 | 0.41 | 1101.58 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -178.92 | -0.5 | 1101.08 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -179 | -0.08 | 1101 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -179.25 | -0.25 | 1100.75 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -175.33 | 3.92 | 1104.67 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -173.33 | 2 | 1106.67 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -178.83 | -5.5 | 1101.17 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -179.25 | -0.42 | 1100.75 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -179.42 | -0.17 | 1100.58 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -180.08 | -0.66 | 1099.92 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -178.92 | 1.16 | 1101.08 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -181.33 | -2.41 | 1098.67 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -179.67 | 1.66 | 1100.33 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2006 | -179 | 0.67 | 1101 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -179.17 | -0.17 | 1100.83 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -179.83 | -0.66 | 1100.17 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2006 | -180 | -0.17 | 1100 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -180 | | 1100 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2006 | -178.67 | 1.33 | 1101.33 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2006 | -178.5 | 0.17 | 1101.5 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2006 | -178.33 | 0.17 | 1101.67 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -178.25 | 0.08 | 1101.75 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -178.08 | 0.17 | 1101.92 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -179.92 | -1.84 | 1100.08 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -179.33 | 0.59 | 1100.67 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -179.25 | 0.08 | 1100.75 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/31/2007 | -178.92 | 0.33 | 1101.08 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -178 | 0.92 | 1102 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -178.33 | -0.33 | 1101.67 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -177.67 | 0.66 | 1102.33 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -177.42 | 0.25 | 1102.58 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -178.5 | -1.08 | 1101.5 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -183.33 | -4.83 | 1096.67 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -179.17 | 4.16 | 1100.83 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -184.75 | -5.58 | 1095.25 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -184.5 | 0.25 | 1095.5 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -184.33 | 0.17 | 1095.67 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -184.17 | 0.16 | 1095.83 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -183.33 | 0.84 | 1096.67 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -185.5 | -2.17 | 1094.5 | 01 | 06 | 2 | |
| | P | 8/31/2007 | -179.2 | 6.3 | 1100.8 | 01 | 06 | 2 | |
| | P | 9/15/2007 | -183.3 | -4.1 | 1096.7 | 01 | 06 | 2 | |
| | P | 9/30/2007 | -184.5 | -1.2 | 1095.5 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -184 | 0.5 | 1096 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -185.5 | -1.5 | 1094.5 | 01 | 06 | 2 | |
| | P | 11/15/2007 | -182.6 | 2.9 | 1097.4 | 01 | 06 | 2 | |
| | P | 11/30/2007 | -183.5 | -0.9 | 1096.5 | 01 | 06 | 2 | |
| | P | 12/14/2007 | -183.3 | 0.2 | 1096.7 | 01 | 06 | 2 | |
| | P | 12/31/2007 | -183.7 | -0.4 | 1096.3 | 01 | 06 | 2 | |
| | P | 1/15/2008 | -183.6 | 0.1 | 1096.4 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -183.5 | 0.1 | 1096.5 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -183.4 | 0.1 | 1096.6 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -183 | 0.4 | 1097 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -183.2 | -0.2 | 1096.8 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -178.6 | 4.6 | 1101.4 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -179.6 | -1 | 1100.4 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -179.6 | | 1100.4 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -179 | 0.6 | 1101 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -178.8 | 0.2 | 1101.2 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -178.8 | | 1101.2 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -179 | -0.2 | 1101 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -178.9 | 0.1 | 1101.1 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 31/ 2008 | -178.9 | | 1101.1 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -178.8 | 0.1 | 1101.2 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -178.9 | -0.1 | 1101.1 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -178.9 | | 1101.1 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -178.9 | | 1101.1 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -179 | -0.1 | 1101 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -178.9 | 0.1 | 1101.1 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -179 | -0.1 | 1101 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -178.9 | 0.1 | 1101.1 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -178.9 | | 1101.1 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -178.7 | 0.2 | 1101.3 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -178.7 | | 1101.3 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -179 | -0.3 | 1101 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -179 | | 1101 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -179 | | 1101 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -178.9 | 0.1 | 1101.1 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -179 | -0.1 | 1101 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -178.8 | 0.2 | 1101.2 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -179.6 | -0.8 | 1100.4 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -179.8 | -0.2 | 1100.2 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -179.6 | 0.2 | 1100.4 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -179.5 | 0.1 | 1100.5 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -179.5 | | 1100.5 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -179.6 | -0.1 | 1100.4 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -179.6 | | 1100.4 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -179 | 0.6 | 1101 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -188.33 | -9.33 | 1091.67 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -187.7 | 0.63 | 1092.3 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -179 | 8.7 | 1101 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -179 | | 1101 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -179.1 | -0.1 | 1100.9 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -179.2 | -0.1 | 1100.8 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -179.1 | 0.1 | 1100.9 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -179.1 | | 1100.9 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -179.1 | | 1100.9 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -179.1 | | 1100.9 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/15/2010 | -179.1 | | 1100.9 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -185.2 | -6.1 | 1094.8 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -185.41 | -0.21 | 1094.59 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -185.1 | 0.31 | 1094.9 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -185.6 | -0.5 | 1094.4 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -185.35 | 0.25 | 1094.65 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -185.76 | -0.41 | 1094.24 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -185.85 | -0.09 | 1094.15 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -185.74 | 0.11 | 1094.26 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -185.62 | 0.12 | 1094.38 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -186.27 | -0.65 | 1093.73 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -185.8 | 0.47 | 1094.2 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -186.24 | -0.44 | 1093.76 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -186.38 | -0.14 | 1093.62 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -185.87 | 0.51 | 1094.13 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -186.21 | -0.34 | 1093.79 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -186.11 | 0.1 | 1093.89 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -186.24 | -0.13 | 1093.76 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -187.29 | -1.05 | 1092.71 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -186.92 | 0.37 | 1093.08 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -187.56 | -0.64 | 1092.44 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -186.84 | 0.72 | 1093.16 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -187.42 | -0.58 | 1092.58 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -187.29 | 0.13 | 1092.71 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -187.23 | 0.06 | 1092.77 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -188.05 | -0.82 | 1091.95 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -187.78 | 0.27 | 1092.22 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -188.24 | -0.46 | 1091.76 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -188.25 | -0.01 | 1091.75 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -188.29 | -0.04 | 1091.71 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -188.24 | 0.05 | 1091.76 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -188.34 | -0.1 | 1091.66 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -188.8 | -0.46 | 1091.2 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -188.64 | 0.16 | 1091.36 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -188.68 | -0.04 | 1091.32 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -188.65 | 0.03 | 1091.35 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 28/ 2011 | -188.41 | 0.24 | 1091.59 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -188.76 | -0.35 | 1091.24 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -188.68 | 0.08 | 1091.32 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -188.41 | 0.27 | 1091.59 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -188.4 | 0.01 | 1091.6 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -188.42 | -0.02 | 1091.58 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -188.42 | | 1091.58 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -188.1 | 0.32 | 1091.9 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -188.08 | 0.02 | 1091.92 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -188.29 | -0.21 | 1091.71 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -188 | 0.29 | 1092 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -187.92 | 0.08 | 1092.08 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -188.16 | -0.24 | 1091.84 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -188.21 | -0.05 | 1091.79 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -188.11 | 0.1 | 1091.89 | 01 | 06 | 2 | |

**Min** ***-188.8*** **Max** ***-173.33*** **Avg** ***-182.453***

***6804706*** *( Aquifer: 219SLGH Well Depth: 560 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2007 | -213.5 | | 1096.5 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -214.9 | -1.4 | 1095.1 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -214 | 0.9 | 1096 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -215.2 | -1.2 | 1094.8 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -216 | -0.8 | 1094 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -214.6 | 1.4 | 1095.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -214.3 | 0.3 | 1095.7 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -215 | -0.7 | 1095 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -216.1 | -1.1 | 1093.9 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -214.6 | 1.5 | 1095.4 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -215.5 | -0.9 | 1094.5 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -215.2 | 0.3 | 1094.8 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -216 | -0.8 | 1094 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -215 | 1 | 1095 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -215.6 | -0.6 | 1094.4 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -216 | -0.4 | 1094 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -215.4 | 0.6 | 1094.6 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -216.3 | -0.9 | 1093.7 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 2008 | -217.1 | -0.8 | 1092.9 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -217.9 | -0.8 | 1092.1 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -218.3 | -0.4 | 1091.7 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -217.5 | 0.8 | 1092.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -218 | -0.5 | 1092 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -218.3 | -0.3 | 1091.7 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -218.2 | 0.1 | 1091.8 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -220 | -1.8 | 1090 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -220.5 | -0.5 | 1089.5 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -221.1 | -0.6 | 1088.9 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -220.2 | 0.9 | 1089.8 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -220.8 | -0.6 | 1089.2 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -220.6 | 0.2 | 1089.4 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -220.8 | -0.2 | 1089.2 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -218.6 | 2.2 | 1091.4 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -247.5 | -28.9 | 1062.5 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -224.3 | 23.2 | 1085.7 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -224.3 | | 1085.7 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -221.8 | 2.5 | 1088.2 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -221.1 | 0.7 | 1088.9 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -220.8 | 0.3 | 1089.2 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -221.1 | -0.3 | 1088.9 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -230.6 | -9.5 | 1079.4 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -220.8 | 9.8 | 1089.2 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -221 | -0.2 | 1089 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -221.7 | -0.7 | 1088.3 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -221.4 | 0.3 | 1088.6 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -221.5 | -0.1 | 1088.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -221.3 | 0.2 | 1088.7 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -221.5 | -0.2 | 1088.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -220.93 | 0.57 | 1089.07 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -220.89 | 0.04 | 1089.11 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -220.9 | -0.01 | 1089.1 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -220.9 | | 1089.1 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -220.56 | 0.34 | 1089.44 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -220.8 | -0.24 | 1089.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/28/2010 | -220.7 | 0.1 | 1089.3 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -220.05 | 0.65 | 1089.95 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -219.85 | 0.2 | 1090.15 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -219.9 | -0.05 | 1090.1 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -219.7 | 0.2 | 1090.3 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -219.75 | -0.05 | 1090.25 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -219.4 | 0.35 | 1090.6 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -219.64 | -0.24 | 1090.36 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -219.58 | 0.06 | 1090.42 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -219.63 | -0.05 | 1090.37 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -219.78 | -0.15 | 1090.22 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -219.85 | -0.07 | 1090.15 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -220.04 | -0.19 | 1089.96 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -220.8 | -0.76 | 1089.2 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -221.06 | -0.26 | 1088.94 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -221.57 | -0.51 | 1088.43 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -221.8 | -0.23 | 1088.2 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -221.61 | 0.19 | 1088.39 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -221.48 | 0.13 | 1088.52 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -221.45 | 0.03 | 1088.55 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -221.37 | 0.08 | 1088.63 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -221.8 | -0.43 | 1088.2 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -221.38 | 0.42 | 1088.62 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -221.45 | -0.07 | 1088.55 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -226.4 | -4.95 | 1083.6 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -223.24 | 3.16 | 1086.76 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -223.08 | 0.16 | 1086.92 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -222.63 | 0.45 | 1087.37 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -223.17 | -0.54 | 1086.83 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -222.98 | 0.19 | 1087.02 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -250.2 | -27.2 | 1059.8 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -238.88 | 11.32 | 1071.12 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -246.71 | -7.83 | 1063.29 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -232 | 14.71 | 1078 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -229.96 | 2.04 | 1080.04 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -228.69 | 1.27 | 1081.31 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 2011 | -244.15 | -15.5 | 1065.85 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -232.05 | 12.1 | 1077.95 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -229.4 | 2.65 | 1080.6 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -228.85 | 0.55 | 1081.15 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -228.24 | 0.61 | 1081.76 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -228 | 0.24 | 1082 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -227.47 | 0.53 | 1082.53 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -227.26 | 0.21 | 1082.74 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -227.05 | 0.21 | 1082.95 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -227.1 | -0.05 | 1082.9 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -226.65 | 0.45 | 1083.35 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -226.21 | 0.44 | 1083.79 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -226.4 | -0.19 | 1083.6 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -226.2 | 0.2 | 1083.8 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -226.25 | -0.05 | 1083.75 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -226.35 | -0.1 | 1083.65 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -226.25 | 0.1 | 1083.75 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -226.35 | -0.1 | 1083.65 | 01 | 06 | 2 | |

**Min** *-250.2* **Max** *-213.5* **Avg** *-222.394*

***6804801*** *( Aquifer: 218CCRK Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 8 / 1940 | -78.7 | | 1011.3 | 01 | 01 | 1 | |
| | P | 10 / 16/ 1964 | -78 | 0.7 | 1012 | 01 | 01 | 1 | |
| | P | 7 / 6 / 1965 | -70.9 | 7.1 | 1019.1 | 01 | 01 | 1 | |
| | P | 9 / 3 / 1965 | -78.2 | -7.3 | 1011.8 | 01 | 01 | 1 | |

**Min** *-78.7* **Max** *-70.9* **Avg** *-76.45*

***6804802*** *( Aquifer: 218GLRSL Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 1964 | -74.5 | | 1015.5 | 01 | 04 | 1 | |

**Min** *-74.5* **Max** *-74.5* **Avg** *-74.5*

***6804803*** *( Aquifer: 218CCRK Well Depth: 120 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 24/ 1977 | -75 | | 1065 | 01 | 01 | 1 | |
| | P | 6 / 21/ 1994 | -72.3 | 2.7 | 1067.7 | 01 | 01 | 1 | |

**Min** *-75* **Max** *-72.3* **Avg** *-73.65*

***6804804*** *( Aquifer: 218CCRK Well Depth: 140 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 25/ 1977 | -90 | | 1050 | 01 | 01 | 1 | |
| | P | 3 / 7 / 2011 | -82.93 | 7.07 | 1057.07 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -83.51 | -0.58 | 1056.49 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -83.71 | -0.2 | 1056.29 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -83.82 | -0.11 | 1056.18 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -84.41 | -0.59 | 1055.59 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -84.42 | -0.01 | 1055.58 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -84.75 | -0.33 | 1055.25 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -85.08 | -0.33 | 1054.92 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -85.41 | -0.33 | 1054.59 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -85.69 | -0.28 | 1054.31 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -85.94 | -0.25 | 1054.06 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -89.4 | -3.46 | 1050.6 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -89.19 | 0.21 | 1050.81 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -89 | 0.19 | 1051 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -88.94 | 0.06 | 1051.06 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -89.24 | -0.3 | 1050.76 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -89.57 | -0.33 | 1050.43 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -89.66 | -0.09 | 1050.34 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -89.7 | -0.04 | 1050.3 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -89.86 | -0.16 | 1050.14 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -90.03 | -0.17 | 1049.97 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -89.93 | 0.1 | 1050.07 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -89.83 | 0.1 | 1050.17 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -89.83 | | 1050.17 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -88.74 | 1.09 | 1051.26 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -76.4 | 12.34 | 1063.6 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -72 | 4.4 | 1068 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -72.73 | -0.73 | 1067.27 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -72.9 | -0.17 | 1067.1 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -72.05 | 0.85 | 1067.95 | 01 | 06 | 2 | |

**Min** *-90.03* **Max** *-72* **Avg** *-85.1184*

***6804805*** *( Aquifer: 217HSTN Well Depth: 474 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 3 / 1976 | -120 | | 1010 | 01 | 01 | 1 | |
| | P | 9 / 21/ 1977 | -72 | 48 | 1058 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 2 / 1987 | -92.81 | -20.8 | 1037.19 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -118.55 | -25.7 | 1011.45 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1990 | -109.88 | 8.67 | 1020.12 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -88.7 | 21.18 | 1041.3 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1992 | -80.15 | 8.55 | 1049.85 | 01 | 01 | 1 | |
| | P | 2 / 18/ 1993 | -76.9 | 3.25 | 1053.1 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -79.22 | -2.32 | 1050.78 | 01 | 01 | 1 | |
| | P | 1 / 26/ 1995 | -71.6 | 7.62 | 1058.4 | 01 | 01 | 1 | |
| | P | 2 / 22/ 1996 | -82.8 | -11.2 | 1047.2 | 01 | 01 | 1 | |
| | P | 7 / 29/ 1996 | -111.5 | -28.7 | 1018.5 | 01 | 01 | 1 | |
| | N | 1 / 15/ 1997 | | | | 01 | 01 | | 63 |
| | P | 7 / 22/ 1997 | -85.62 | | 1044.38 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1998 | -80.8 | 4.82 | 1049.2 | 01 | 01 | 1 | |
| | N | 2 / 8 / 1999 | | | | 01 | 01 | 1 | 44 |
| | P | 2 / 14/ 2000 | -76.36 | | 1053.64 | 01 | 01 | 1 | |
| | P | 2 / 7 / 2001 | -80.45 | -4.09 | 1049.55 | 01 | 01 | 1 | |
| | P | 2 / 4 / 2002 | -76.78 | 3.67 | 1053.22 | 01 | 01 | 1 | |
| | P | 2 / 11/ 2003 | -76.36 | 0.42 | 1053.64 | 01 | 01 | 1 | |
| | N | 2 / 3 / 2004 | | | | 01 | 01 | | 61 |
| | N | 1 / 6 / 2005 | | | | 01 | 01 | | 63 |
| | P | 2 / 21/ 2006 | -92.8 | | 1037.2 | 01 | 01 | 1 | |
| | P | 2 / 8 / 2007 | -136.11 | -43.3 | 993.89 | 01 | 01 | 1 | |
| | P | 1 / 9 / 2009 | -132.2 | 3.91 | 997.8 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2010 | -137.5 | -5.3 | 992.5 | 01 | 01 | 1 | |
| | P | 3 / 22/ 2011 | -159.93 | -22.4 | 970.07 | 01 | 01 | 1 | |
| | P | 10 / 19/ 2011 | -163.6 | -3.67 | 966.4 | 01 | 01 | 1 | |
| | P | 11 / 15/ 2012 | -190.49 | -26.9 | 939.51 | 01 | 01 | 1 | |

**Min** *-190.49* **Max** *-71.6* **Avg** *-103.724*

***6804806*** *( Aquifer: 217HSTN Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 18/ 1976 | -100 | | 1040 | 01 | 01 | 1 | |
| | P | 5 / 15/ 2007 | -133.33 | -33.3 | 1006.67 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -130.42 | 2.91 | 1009.58 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -130.42 | | 1009.58 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -130.33 | 0.09 | 1009.67 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2007 | -129.42 | 0.91 | 1010.58 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 31/ 2007 | -129.5 | -0.08 | 1010.5 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -142 | -12.5 | 998 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -130.5 | 11.5 | 1009.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -130 | 0.5 | 1010 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -132.4 | -2.4 | 1007.6 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -131.2 | 1.2 | 1008.8 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -132 | -0.8 | 1008 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -133 | -1 | 1007 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -133.6 | -0.6 | 1006.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -133.7 | -0.1 | 1006.3 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -133.9 | -0.2 | 1006.1 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -134 | -0.1 | 1006 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -132.8 | 1.2 | 1007.2 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -132.6 | 0.2 | 1007.4 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -135.8 | -3.2 | 1004.2 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -136.2 | -0.4 | 1003.8 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -135 | 1.2 | 1005 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -136.9 | -1.9 | 1003.1 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -137 | -0.1 | 1003 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -136.6 | 0.4 | 1003.4 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -137.8 | -1.2 | 1002.2 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -140.8 | -3 | 999.2 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -141.2 | -0.4 | 998.8 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -141.3 | -0.1 | 998.7 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -141.8 | -0.5 | 998.2 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -143 | -1.2 | 997 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -143.8 | -0.8 | 996.2 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -145.4 | -1.6 | 994.6 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -145.7 | -0.3 | 994.3 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -146.7 | -1 | 993.3 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -157 | -10.3 | 983 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -151.8 | 5.2 | 988.2 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -151.6 | 0.2 | 988.4 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -156.2 | -4.6 | 983.8 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -156.2 | | 983.8 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -159.4 | -3.2 | 980.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/27/2009 | -159.5 | -0.1 | 980.5 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -160.6 | -1.1 | 979.4 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -160.6 | | 979.4 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -162.4 | -1.8 | 977.6 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -160.1 | 2.3 | 979.9 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -159.6 | 0.5 | 980.4 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -159.8 | -0.2 | 980.2 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -160.1 | -0.3 | 979.9 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -160.8 | -0.7 | 979.2 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -162.1 | -1.3 | 977.9 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -163 | -0.9 | 977 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -163.6 | -0.6 | 976.4 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -164.2 | -0.6 | 975.8 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -165 | -0.8 | 975 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -165.28 | -0.28 | 974.72 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -164.7 | 0.58 | 975.3 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -164 | 0.7 | 976 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -165.8 | -1.8 | 974.2 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -164.1 | 1.7 | 975.9 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -165 | -0.9 | 975 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -196 | -31 | 944 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -190.8 | 5.2 | 949.2 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -182.5 | 8.3 | 957.5 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -177.4 | 5.1 | 962.6 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -169.8 | 7.6 | 970.2 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -164 | 5.8 | 976 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -166.2 | -2.2 | 973.8 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -164.6 | 1.6 | 975.4 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -165.8 | -1.2 | 974.2 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -166.8 | -1 | 973.2 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -169.2 | -2.4 | 970.8 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -170 | -0.8 | 970 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -170.6 | -0.6 | 969.4 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -171.1 | -0.5 | 968.9 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -179.4 | -8.3 | 960.6 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -178.6 | 0.8 | 961.4 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2010 | -179.3 | -0.7 | 960.7 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -180.9 | -1.6 | 959.1 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -182.6 | -1.7 | 957.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -183.5 | -0.9 | 956.5 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -185.8 | -2.3 | 954.2 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -186.2 | -0.4 | 953.8 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -187.6 | -1.4 | 952.4 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -187.5 | 0.1 | 952.5 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -196.8 | -9.3 | 943.2 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -280.2 | -83.4 | 859.8 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -199.5 | 80.7 | 940.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -191 | 8.5 | 949 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -192 | -1 | 948 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -189.2 | 2.8 | 950.8 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -188.4 | 0.8 | 951.6 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -188.4 | | 951.6 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -189.9 | -1.5 | 950.1 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -191 | -1.1 | 949 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -191.3 | -0.3 | 948.7 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -193.3 | -2 | 946.7 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -192.5 | 0.8 | 947.5 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -193.1 | -0.6 | 946.9 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -194.1 | -1 | 945.9 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -193.3 | 0.8 | 946.7 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -192.3 | 1 | 947.7 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -192.3 | | 947.7 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -192.2 | 0.1 | 947.8 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -190.8 | 1.4 | 949.2 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -191 | -0.2 | 949 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -189.9 | 1.1 | 950.1 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -190 | -0.1 | 950 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -191 | -1 | 949 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -188.9 | 2.1 | 951.1 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -188.7 | 0.2 | 951.3 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -187.9 | 0.8 | 952.1 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -188.1 | -0.2 | 951.9 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 27/ 2012 | -189.2 | -1.1 | 950.8 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -189.7 | -0.5 | 950.3 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -190 | -0.3 | 950 | 01 | 06 | 2 | |

**Min** *-280.2* **Max** *-100* **Avg** *-165.084*

***6804807*** *( Aquifer: 219SLGH Well Depth: 490 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 28/ 1999 | -60 | | 1065 | 01 | 09 | 8 | |

**Min** *-60* **Max** *-60* **Avg** *-60*

***6804808*** *( Aquifer: 219SLGH Well Depth: 540 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 27/ 1999 | -84 | | 1066 | 01 | 09 | 8 | |

**Min** *-84* **Max** *-84* **Avg** *-84*

***6804809*** *( Aquifer: 218GLRSU Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -72.83 | | 1048.17 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -70.33 | 2.5 | 1050.67 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -71.92 | -1.59 | 1049.08 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -71.83 | 0.09 | 1049.17 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -71.83 | | 1049.17 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -72.2 | -0.37 | 1048.8 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -78.25 | -6.05 | 1042.75 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -72.25 | 6 | 1048.75 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -72.42 | -0.17 | 1048.58 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -72.67 | -0.25 | 1048.33 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -72.83 | -0.16 | 1048.17 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -76.42 | -3.59 | 1044.58 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -73.25 | 3.17 | 1047.75 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -70.83 | 2.42 | 1050.17 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -72.83 | -2 | 1048.17 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -72.67 | 0.16 | 1048.33 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2006 | -72.92 | -0.25 | 1048.08 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -73.25 | -0.33 | 1047.75 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -73.42 | -0.17 | 1047.58 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2006 | -73.67 | -0.25 | 1047.33 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -73.67 | | 1047.33 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2006 | -73.5 | 0.17 | 1047.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2006 | -73.25 | 0.25 | 1047.75 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 2006 | -73.42 | -0.17 | 1047.58 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -73.5 | -0.08 | 1047.5 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -73.5 | | 1047.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -73.33 | 0.17 | 1047.67 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -73.25 | 0.08 | 1047.75 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -70 | 3.25 | 1051 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -67.67 | 2.33 | 1053.33 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -65.83 | 1.84 | 1055.17 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -69.17 | -3.34 | 1051.83 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -65.25 | 3.92 | 1055.75 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -62 | 3.25 | 1059 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -61.33 | 0.67 | 1059.67 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -65.17 | -3.84 | 1055.83 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -66.17 | -1 | 1054.83 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -61.25 | 4.92 | 1059.75 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -65.08 | -3.83 | 1055.92 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -66.17 | -1.09 | 1054.83 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -64.92 | 1.25 | 1056.08 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -60.5 | 4.42 | 1060.5 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -65.42 | -4.92 | 1055.58 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -61.4 | 4.02 | 1059.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -63.7 | -2.3 | 1057.3 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -66.9 | -3.2 | 1054.1 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -67.5 | -0.6 | 1053.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -68.8 | -1.3 | 1052.2 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -69.4 | -0.6 | 1051.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -70 | -0.6 | 1051 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -70.3 | -0.3 | 1050.7 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -71.4 | -1.1 | 1049.6 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -71.6 | -0.2 | 1049.4 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -71.4 | 0.2 | 1049.6 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -72 | -0.6 | 1049 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -71.7 | 0.3 | 1049.3 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -71.5 | 0.2 | 1049.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -71.2 | 0.3 | 1049.8 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -71.4 | -0.2 | 1049.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/2008 | -71.8 | -0.4 | 1049.2 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -71.2 | 0.6 | 1049.8 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -72.6 | -1.4 | 1048.4 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -73 | -0.4 | 1048 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -73.1 | -0.1 | 1047.9 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -73.1 | | 1047.9 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -72.8 | 0.3 | 1048.2 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -71.5 | 1.3 | 1049.5 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -72.9 | -1.4 | 1048.1 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -71.4 | 1.5 | 1049.6 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -73.1 | -1.7 | 1047.9 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -73 | 0.1 | 1048 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -73.2 | -0.2 | 1047.8 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -73 | 0.2 | 1048 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -73 | | 1048 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -72.9 | 0.1 | 1048.1 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -73 | -0.1 | 1048 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -72.9 | 0.1 | 1048.1 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -73.2 | -0.3 | 1047.8 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -73.4 | -0.2 | 1047.6 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -73.1 | 0.3 | 1047.9 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -73.4 | -0.3 | 1047.6 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -73.4 | | 1047.6 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -73.6 | -0.2 | 1047.4 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -73.6 | | 1047.4 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -73.9 | -0.3 | 1047.1 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -73.9 | | 1047.1 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -74 | -0.1 | 1047 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -74 | | 1047 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -74.2 | -0.2 | 1046.8 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -74.2 | | 1046.8 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -69.2 | 5 | 1051.8 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -69.92 | -0.72 | 1051.08 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -66.5 | 3.42 | 1054.5 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -63.6 | 2.9 | 1057.4 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -65.2 | -1.6 | 1055.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2009 | -66.8 | -1.6 | 1054.2 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -67.5 | -0.7 | 1053.5 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -68 | -0.5 | 1053 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -65.4 | 2.6 | 1055.6 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -60.9 | 4.5 | 1060.1 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -62 | -1.1 | 1059 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -65 | -3 | 1056 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -65.6 | -0.6 | 1055.4 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -67.8 | -2.2 | 1053.2 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -67.6 | 0.2 | 1053.4 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -67.5 | 0.1 | 1053.5 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -65.1 | 2.4 | 1055.9 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -66.88 | -1.78 | 1054.12 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -67.88 | -1 | 1053.12 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -66.75 | 1.13 | 1054.25 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -67.85 | -1.1 | 1053.15 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -66.75 | 1.1 | 1054.25 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -67.45 | -0.7 | 1053.55 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -68.43 | -0.98 | 1052.57 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -69.25 | -0.82 | 1051.75 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -70.08 | -0.83 | 1050.92 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -70.42 | -0.34 | 1050.58 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -70.61 | -0.19 | 1050.39 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -70.73 | -0.12 | 1050.27 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -71.08 | -0.35 | 1049.92 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -70.96 | 0.12 | 1050.04 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -80.1 | -9.14 | 1040.9 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -71.02 | 9.08 | 1049.98 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -71.4 | -0.38 | 1049.6 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -71.49 | -0.09 | 1049.51 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -72 | -0.51 | 1049 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -72.06 | -0.06 | 1048.94 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -72.07 | -0.01 | 1048.93 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -72.25 | -0.18 | 1048.75 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -72.51 | -0.26 | 1048.49 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -70.51 | 2 | 1050.49 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2011 | -72.69 | -2.18 | 1048.31 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -72.75 | -0.06 | 1048.25 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -72.9 | -0.15 | 1048.1 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -73.03 | -0.13 | 1047.97 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -73.01 | 0.02 | 1047.99 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -72.6 | 0.41 | 1048.4 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -72.72 | -0.12 | 1048.28 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -72.76 | -0.04 | 1048.24 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -72.73 | 0.03 | 1048.27 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -72.8 | -0.07 | 1048.2 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -72.94 | -0.14 | 1048.06 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -71.75 | 1.19 | 1049.25 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -71.1 | 0.65 | 1049.9 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -71.02 | 0.08 | 1049.98 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -69.35 | 1.67 | 1051.65 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -68.08 | 1.27 | 1052.92 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -65.85 | 2.23 | 1055.15 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -67.29 | -1.44 | 1053.71 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -68.25 | -0.96 | 1052.75 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -67.92 | 0.33 | 1053.08 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -68.04 | -0.12 | 1052.96 | 01 | 06 | 2 | |

**Min** *-80.1* **Max** *-60.5* **Avg** *-70.4033*

***6804901*** *( Aquifer: 218CCRK Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 12/ 1940 | -67 | | 1079 | 01 | 01 | 1 | |

**Min** *-67* **Max** *-67* **Avg** *-67*

***6804906*** *( Aquifer: 219SLGH Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1964 | -125 | | 1150 | 01 | 01 | 1 | |

**Min** *-125* **Max** *-125* **Avg** *-125*

***6804907*** *( Aquifer: 218GRCCU Well Depth: 230 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 13/ 1964 | -185.4 | | 1061.6 | 01 | 04 | 1 | |

**Min** *-185.4* **Max** *-185.4* **Avg** *-185.4*

***6804908*** *( Aquifer: 218GLRSL Well Depth: 105 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 8 / 1940 | -58.2 | | 1025.8 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1964 | -57.7 | 0.5 | 1026.3 | 01 | 01 | 1 | |
| Min -58.2 | | Max -57.7 | Avg | -57.95 | | | | | |

**6804909** *( Aquifer: 219SLGH Well Depth: 365 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | 11 / 26/ 1964 | -124.51 | | 1045.49 | 01 | 04 | 7 | |
| P | 12 / 30/ 1964 | -103.09 | 21.42 | 1066.91 | 01 | 04 | 7 | |
| P | 1 / 25/ 1965 | -93.92 | 9.17 | 1076.08 | 01 | 04 | 7 | |
| P | 4 / 29/ 1965 | -87.96 | 5.96 | 1082.04 | 01 | 04 | 7 | |
| N | 5 / 10/ 1965 | | | | 01 | 04 | 7 | 47 |
| P | 6 / 9 / 1965 | -89.78 | | 1080.22 | 01 | 04 | 7 | |
| P | 7 / 6 / 1965 | -109.92 | -20.1 | 1060.08 | 01 | 04 | 7 | |
| P | 8 / 3 / 1965 | -142.5 | -32.6 | 1027.5 | 01 | 04 | 7 | |
| P | 9 / 3 / 1965 | -146.13 | -3.63 | 1023.87 | 01 | 04 | 7 | |
| P | 10 / 28/ 1965 | -104.64 | 41.49 | 1065.36 | 01 | 04 | 7 | |
| P | 12 / 17/ 1965 | -95.06 | 9.58 | 1074.94 | 01 | 04 | 7 | |
| P | 4 / 15/ 1974 | -92.99 | 2.07 | 1077.01 | 01 | 01 | 1 | |
| P | 2 / 20/ 1975 | -82.04 | 10.95 | 1087.96 | 01 | 01 | 1 | |
| P | 1 / 29/ 1976 | -95.01 | -13 | 1074.99 | 01 | 01 | 1 | |
| P | 2 / 16/ 1977 | -82.03 | 12.98 | 1087.97 | 01 | 01 | 1 | |
| P | 2 / 16/ 1978 | -91.63 | -9.6 | 1078.37 | 01 | 01 | 1 | |
| P | 3 / 7 / 1979 | -92.92 | -1.29 | 1077.08 | 01 | 01 | 1 | |
| P | 2 / 12/ 1981 | -87.78 | 5.14 | 1082.22 | 01 | 01 | 1 | |
| P | 2 / 15/ 1982 | -81.08 | 6.7 | 1088.92 | 01 | 01 | 1 | |
| P | 2 / 7 / 1983 | -88.96 | -7.88 | 1081.04 | 01 | 01 | 1 | |
| P | 2 / 29/ 1984 | -79.16 | 9.8 | 1090.84 | 01 | 01 | 1 | |
| P | 2 / 22/ 1985 | -75.17 | 3.99 | 1094.83 | 01 | 01 | 1 | |
| P | 3 / 10/ 1986 | -75.1 | 0.07 | 1094.9 | 01 | 01 | 1 | |
| P | 12 / 9 / 1986 | -100.7 | -25.6 | 1069.3 | 01 | 01 | 1 | |
| P | 10 / 26/ 1987 | -71.92 | 28.78 | 1098.08 | 01 | 01 | 1 | |
| P | 3 / 24/ 1989 | -79.8 | -7.88 | 1090.2 | 01 | 01 | 1 | |
| P | 2 / 5 / 1990 | -72.99 | 6.81 | 1097.01 | 01 | 01 | 1 | |
| P | 2 / 8 / 1991 | -69.7 | 3.29 | 1100.3 | 01 | 01 | 1 | |
| P | 2 / 11/ 1992 | -65.19 | 4.51 | 1104.81 | 01 | 01 | 1 | |
| P | 2 / 18/ 1993 | -66.84 | -1.65 | 1103.16 | 01 | 01 | 1 | |
| P | 4 / 1 / 1994 | -71.82 | -4.98 | 1098.18 | 01 | 01 | 1 | |
| P | 1 / 26/ 1995 | -64 | 7.82 | 1106 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 2 / 22/ 1996 | | | | 01 | 01 | | 61 |
| | N | 1 / 15/ 1997 | | | | 01 | 01 | | 61 |
| | N | 5 / 7 / 1997 | | | | 01 | 01 | | 81 |

**Min** *-146.13* **Max** *-64* **Avg** *-89.8174*

***6804911*** *( Aquifer: 218CCRK Well Depth: )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 8 / 18/ 2000 | -68.5 | | 1091.5 | 01 | 01 | 2 |

**Min** *-68.5* **Max** *-68.5* **Avg** *-68.5*

***6804916*** *( Aquifer: 218CCRK Well Depth: 328 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -111.83 | | 978.17 | 01 | 06 | 2 |
| | P | 11 / 15/ 2005 | -94.42 | 17.41 | 995.58 | 01 | 06 | 2 |
| | P | 11 / 30/ 2005 | -94.67 | -0.25 | 995.33 | 01 | 06 | 2 |
| | P | 12 / 15/ 2005 | -91.5 | 3.17 | 998.5 | 01 | 06 | 2 |
| | P | 12 / 30/ 2005 | -94.83 | -3.33 | 995.17 | 01 | 06 | 2 |
| | P | 1 / 15/ 2006 | -96.2 | -1.37 | 993.8 | 01 | 06 | 2 |
| | P | 1 / 31/ 2006 | -96.2 | | 993.8 | 01 | 06 | 2 |
| | P | 2 / 15/ 2006 | -95.67 | 0.53 | 994.33 | 01 | 06 | 2 |
| | P | 2 / 28/ 2006 | -95.67 | | 994.33 | 01 | 06 | 2 |
| | P | 3 / 14/ 2006 | -99.5 | -3.83 | 990.5 | 01 | 06 | 2 |
| | P | 3 / 31/ 2006 | -98 | 1.5 | 992 | 01 | 06 | 2 |
| | P | 4 / 15/ 2006 | -101.42 | -3.42 | 988.58 | 01 | 06 | 2 |
| | P | 4 / 30/ 2006 | -101.83 | -0.41 | 988.17 | 01 | 06 | 2 |
| | P | 5 / 15/ 2006 | -101.75 | 0.08 | 988.25 | 01 | 06 | 2 |
| | P | 5 / 31/ 2006 | -105.42 | -3.67 | 984.58 | 01 | 06 | 2 |
| | P | 6 / 15/ 2006 | -110 | -4.58 | 980 | 01 | 06 | 2 |
| | P | 7 / 15/ 2006 | -114.25 | -4.25 | 975.75 | 01 | 06 | 2 |
| | P | 7 / 31/ 2006 | -115 | -0.75 | 975 | 01 | 06 | 2 |
| | P | 8 / 15/ 2006 | -115.92 | -0.92 | 974.08 | 01 | 06 | 2 |
| | P | 8 / 30/ 2006 | -117.83 | -1.91 | 972.17 | 01 | 06 | 2 |
| | P | 9 / 15/ 2006 | -115.75 | 2.08 | 974.25 | 01 | 06 | 2 |
| | P | 9 / 30/ 2006 | -114.6 | 1.15 | 975.4 | 01 | 06 | 2 |
| | P | 10 / 15/ 2006 | -112.33 | 2.27 | 977.67 | 01 | 06 | 2 |
| | P | 10 / 30/ 2006 | -112 | 0.33 | 978 | 01 | 06 | 2 |
| | P | 11 / 15/ 2006 | -111.67 | 0.33 | 978.33 | 01 | 06 | 2 |
| | P | 11 / 30/ 2006 | -112.67 | -1 | 977.33 | 01 | 06 | 2 |
| | P | 12 / 15/ 2006 | -112 | 0.67 | 978 | 01 | 06 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/31/2006 | -110.83 | 1.17 | 979.17 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -109.08 | 1.75 | 980.92 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -109.42 | -0.34 | 980.58 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -109.08 | 0.34 | 980.92 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -108.25 | 0.83 | 981.75 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -108 | 0.25 | 982 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -107.5 | 0.5 | 982.5 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -108.42 | -0.92 | 981.58 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -107.5 | 0.92 | 982.5 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -108.67 | -1.17 | 981.33 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -109 | -0.33 | 981 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -110.42 | -1.42 | 979.58 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -110.67 | -0.25 | 979.33 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -110.5 | 0.17 | 979.5 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -110.42 | 0.08 | 979.58 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -114.17 | -3.75 | 975.83 | 01 | 06 | 2 | |
| | P | 8/31/2007 | -114 | 0.17 | 976 | 01 | 06 | 2 | |
| | P | 9/15/2007 | -114.7 | -0.7 | 975.3 | 01 | 06 | 2 | |
| | P | 9/30/2007 | -116.9 | -2.2 | 973.1 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -117.2 | -0.3 | 972.8 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -118.86 | -1.66 | 971.14 | 01 | 06 | 2 | |
| | P | 11/15/2007 | -119.6 | -0.74 | 970.4 | 01 | 06 | 2 | |
| | P | 11/30/2007 | -118.5 | 1.1 | 971.5 | 01 | 06 | 2 | |
| | P | 12/14/2007 | -117.4 | 1.1 | 972.6 | 01 | 06 | 2 | |
| | P | 12/31/2007 | -119.2 | -1.8 | 970.8 | 01 | 06 | 2 | |
| | P | 1/15/2008 | -120.5 | -1.3 | 969.5 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -116.4 | 4.1 | 973.6 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -117.5 | -1.1 | 972.5 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -118 | -0.5 | 972 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -117.9 | 0.1 | 972.1 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -119.8 | -1.9 | 970.2 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -120.8 | -1 | 969.2 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -121 | -0.2 | 969 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -120.4 | 0.6 | 969.6 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -121.3 | -0.9 | 968.7 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -140.2 | -18.9 | 949.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2008 | -140.5 | -0.3 | 949.5 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -140.7 | -0.2 | 949.3 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -135.6 | 5.1 | 954.4 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -136.9 | -1.3 | 953.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -138.6 | -1.7 | 951.4 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -137.1 | 1.5 | 952.9 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -137.9 | -0.8 | 952.1 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -141.6 | -3.7 | 948.4 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -141 | 0.6 | 949 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -140.4 | 0.6 | 949.6 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -140.5 | -0.1 | 949.5 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -139.2 | 1.3 | 950.8 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -139.3 | -0.1 | 950.7 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -139.4 | -0.1 | 950.6 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -140 | -0.6 | 950 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -142.8 | -2.8 | 947.2 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -141.6 | 1.2 | 948.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -144.2 | -2.6 | 945.8 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -144.4 | -0.2 | 945.6 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -147.7 | -3.3 | 942.3 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -149 | -1.3 | 941 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -152.6 | -3.6 | 937.4 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -156.2 | -3.6 | 933.8 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -169.6 | -13.4 | 920.4 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -164.7 | 4.9 | 925.3 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -165.8 | -1.1 | 924.2 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -166 | -0.2 | 924 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -164.8 | 1.2 | 925.2 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -164.5 | 0.3 | 925.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -159.2 | 5.3 | 930.8 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -156.8 | 2.4 | 933.2 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -155.9 | 0.9 | 934.1 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -154.4 | 1.5 | 935.6 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -153.4 | 1 | 936.6 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -160.4 | -7 | 929.6 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -157.2 | 3.2 | 932.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/12/2010 | -153 | 4.2 | 937 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -151.7 | 1.3 | 938.3 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -150.6 | 1.1 | 939.4 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -149.9 | 0.7 | 940.1 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -149.7 | 0.2 | 940.3 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -150.9 | -1.2 | 939.1 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -153.3 | -2.4 | 936.7 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -153.28 | 0.02 | 936.72 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -157.22 | -3.94 | 932.78 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -162.3 | -5.08 | 927.7 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -160.15 | 2.15 | 929.85 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -162.95 | -2.8 | 927.05 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -170.4 | -7.45 | 919.6 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -168.75 | 1.65 | 921.25 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -169.8 | -1.05 | 920.2 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -171.5 | -1.7 | 918.5 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -171.79 | -0.29 | 918.21 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -171.71 | 0.08 | 918.29 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -171.42 | 0.29 | 918.58 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -170.37 | 1.05 | 919.63 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -169.79 | 0.58 | 920.21 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -168.22 | 1.57 | 921.78 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -171.95 | -3.73 | 918.05 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -211.51 | -39.6 | 878.49 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -173.39 | 38.12 | 916.61 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -175.11 | -1.72 | 914.89 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -176.85 | -1.74 | 913.15 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -180.07 | -3.22 | 909.93 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -185.45 | -5.38 | 904.55 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -184.18 | 1.27 | 905.82 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -187.45 | -3.27 | 902.55 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -186.7 | 0.75 | 903.3 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -188.09 | -1.39 | 901.91 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -189.46 | -1.37 | 900.54 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -193.15 | -3.69 | 896.85 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -193.17 | -0.02 | 896.83 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 16/ 2011 | -195.8 | -2.63 | 894.2 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -189.3 | 6.5 | 900.7 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -189.04 | 0.26 | 900.96 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -187.3 | 1.74 | 902.7 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -187.29 | 0.01 | 902.71 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -184.6 | 2.69 | 905.4 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -185 | -0.4 | 905 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -184.95 | 0.05 | 905.05 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -180.8 | 4.15 | 909.2 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -179.7 | 1.1 | 910.3 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -179.2 | 0.5 | 910.8 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -179.07 | 0.13 | 910.93 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -178.3 | 0.77 | 911.7 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -179.8 | -1.5 | 910.2 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -183.9 | -4.1 | 906.1 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -183.55 | 0.35 | 906.45 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -183.93 | -0.38 | 906.07 | 01 | 06 | 2 | |

**Min** *-211.51* **Max** *-91.5* **Avg** *-142.314*

***6805101*** *( Aquifer: 218GLRSL Well Depth: 213 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -138.3 | | 1246.7 | 01 | 04 | 1 | |

**Min** *-138.3* **Max** *-138.3* **Avg** *-138.3*

***6805102*** *( Aquifer: 218GLRSL Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1964 | -120 | | 1265 | 01 | 01 | 1 | |

**Min** *-120* **Max** *-120* **Avg** *-120*

***6805103*** *( Aquifer: 218GLRSL Well Depth: 312 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -177.35 | | 1207.65 | 01 | 04 | 1 | |

**Min** *-177.35* **Max** *-177.35* **Avg** *-177.35*

***6805104*** *( Aquifer: 218GLRSL Well Depth: 28 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -18.93 | | 1306.07 | 01 | 04 | 1 | |

**Min** *-18.93* **Max** *-18.93* **Avg** *-18.93*

***6805106*** *( Aquifer: 218GLRSL Well Depth: 251 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 18/ 1964 | -204.11 | | 1170.89 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-204.11* | | **Max** *-204.11* | **Avg** *-204.11* | | | | | | |
| ***6805401*** | *( Aquifer: 218GLRSL* | | *Well Depth: 155 )* | | | | | | |
| | P | 11 / 19/ 1964 | -86 | | 1204 | 01 | 04 | 1 | |
| **Min** *-86* | | **Max** *-86* | **Avg** *-86* | | | | | | |
| ***6805402*** | *( Aquifer: 218CCRK* | | *Well Depth: 225 )* | | | | | | |
| | P | 7 / 9 / 1974 | -115.36 | | 1228.64 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1975 | -109.1 | 6.26 | 1234.9 | 01 | 01 | 1 | |
| | N | 1 / 29/ 1976 | | | | 01 | 01 | | 61 |
| | P | 2 / 16/ 1977 | -109.05 | | 1234.95 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1978 | -116.42 | -7.37 | 1227.58 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -110.74 | 5.68 | 1233.26 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1981 | -121 | -10.3 | 1223 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1982 | -114.97 | 6.03 | 1229.03 | 01 | 01 | 1 | |
| | N | 2 / 7 / 1983 | | | | 01 | 01 | | 61 |
| | P | 2 / 29/ 1984 | -121.65 | | 1222.35 | 01 | 01 | 1 | |
| | N | 2 / 22/ 1985 | | | | 01 | 01 | | 61 |
| | P | 3 / 10/ 1986 | -111.66 | | 1232.34 | 01 | 01 | 1 | |
| | N | 12 / 9 / 1986 | | | | 01 | 01 | | 42 |
| **Min** *-121.65* | | **Max** *-109.05* | **Avg** *-114.439* | | | | | | |
| ***6805501*** | *( Aquifer: 218GLRSL* | | *Well Depth: 260 )* | | | | | | |
| | P | 10 / 27/ 1964 | -205.6 | | 1109.4 | 01 | 04 | 1 | |
| **Min** *-205.6* | | **Max** *-205.6* | **Avg** *-205.6* | | | | | | |
| ***6805502*** | *( Aquifer: 218GLRSL* | | *Well Depth: 160 )* | | | | | | |
| | P | 12 / 27/ 1964 | -148.6 | | 1126.4 | 01 | 01 | 1 | |
| **Min** *-148.6* | | **Max** *-148.6* | **Avg** *-148.6* | | | | | | |
| ***6805503*** | *( Aquifer: 218GLRSL* | | *Well Depth: 160 )* | | | | | | |
| | P | 10 / 27/ 1964 | -120.3 | | 1149.7 | 01 | 04 | 1 | |
| **Min** *-120.3* | | **Max** *-120.3* | **Avg** *-120.3* | | | | | | |
| ***6805504*** | *( Aquifer: 218GLRSL* | | *Well Depth: 140 )* | | | | | | |
| | P | 10 / 27/ 1964 | -99.4 | | 1142.6 | 01 | 04 | 1 | |
| **Min** *-99.4* | | **Max** *-99.4* | **Avg** *-99.4* | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6805505** | ( Aquifer: 218GLRSL | | Well Depth: 115 ) | | | | | | |
| | P | 10 / 27/ 1964 | -69.2 | | 1160.8 | 01 | 04 | 1 | |
| Min -69.2 | | Max -69.2 | Avg -69.2 | | | | | | |
| **6805506** | ( Aquifer: 218GLRSL | | Well Depth: 51 ) | | | | | | |
| | P | 10 / 27/ 1964 | -50.39 | | 1179.61 | 01 | 04 | 1 | |
| Min -50.39 | | Max -50.39 | Avg -50.39 | | | | | | |
| **6805507** | ( Aquifer: 218GLRSL | | Well Depth: 170 ) | | | | | | |
| | P | 10 / 27/ 1964 | -99.32 | | 1110.68 | 01 | 04 | 1 | |
| Min -99.32 | | Max -99.32 | Avg -99.32 | | | | | | |
| **6805508** | ( Aquifer: 218GLRSL | | Well Depth: 105 ) | | | | | | |
| | P | 10 / 27/ 1964 | -71.65 | | 1098.35 | 01 | 04 | 1 | |
| Min -71.65 | | Max -71.65 | Avg -71.65 | | | | | | |
| **6805702** | ( Aquifer: 218HNSL | | Well Depth: 24 ) | | | | | | |
| | P | 12 / 16/ 2004 | -14.3 | | 1008.7 | 01 | 07 | 7 | |
| Min -14.3 | | Max -14.3 | Avg -14.3 | | | | | | |
| **6805703** | ( Aquifer: 218HNSL | | Well Depth: 19 ) | | | | | | |
| | P | 8 / 23/ 2005 | -11 | | 1011 | 01 | 07 | 7 | |
| Min -11 | | Max -11 | Avg -11 | | | | | | |
| **6805804** | ( Aquifer: 218GLRSU | | Well Depth: 500 ) | | | | | | |
| | P | 4 / 8 / 1998 | -250 | | 915 | 01 | 07 | 7 | |
| | P | 1 / 11/ 1999 | -58.57 | 191.4 | 1106.43 | 01 | 01 | 2 | |
| | P | 1 / 14/ 1999 | -58.42 | 0.15 | 1106.58 | 01 | 01 | 2 | |
| | P | 1 / 16/ 1999 | -58.18 | 0.24 | 1106.82 | 01 | 01 | 2 | |
| | P | 8 / 1 / 2000 | -145.65 | -87.5 | 1019.35 | 01 | 01 | 2 | |
| Min -250 | | Max -58.18 | Avg -114.164 | | | | | | |
| **6809301** | ( Aquifer: 218GLRSU | | Well Depth: 230 ) | | | | | | |
| | P | 4 / 10/ 1940 | -124.4 | | 1595.6 | 01 | 01 | 1 | |
| Min -124.4 | | Max -124.4 | Avg -124.4 | | | | | | |
| **6809303** | ( Aquifer: 218HSCC | | Well Depth: 1018 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -741.83 | | 1259.17 | 01 | 06 | 8 | |
| | P | 11 / 15/ 2005 | -731.83 | 10 | 1269.17 | 01 | 06 | 8 | |
| | P | 11 / 30/ 2005 | -731.92 | -0.09 | 1269.08 | 01 | 06 | 8 | |
| | P | 12 / 15/ 2005 | -730.42 | 1.5 | 1270.58 | 01 | 06 | 8 | |
| | P | 12 / 30/ 2005 | -732.25 | -1.83 | 1268.75 | 01 | 06 | 8 | |
| | P | 1 / 15/ 2006 | -732.8 | -0.55 | 1268.2 | 01 | 06 | 8 | |
| | P | 1 / 31/ 2006 | -732.42 | 0.38 | 1268.58 | 01 | 06 | 8 | |
| | P | 2 / 15/ 2006 | -732.42 | | 1268.58 | 01 | 06 | 8 | |
| | P | 2 / 28/ 2006 | -733.67 | -1.25 | 1267.33 | 01 | 06 | 8 | |
| | P | 3 / 14/ 2006 | -735.42 | -1.75 | 1265.58 | 01 | 06 | 8 | |
| | P | 3 / 31/ 2006 | -735.22 | 0.2 | 1265.78 | 01 | 06 | 8 | |
| | P | 4 / 15/ 2006 | -735.67 | -0.45 | 1265.33 | 01 | 06 | 8 | |
| | P | 4 / 30/ 2006 | -738.4 | -2.73 | 1262.6 | 01 | 06 | 8 | |
| | P | 5 / 15/ 2006 | -739.8 | -1.4 | 1261.2 | 01 | 06 | 8 | |
| | P | 5 / 31/ 2006 | -748 | -8.2 | 1253 | 01 | 06 | 8 | |
| | P | 6 / 15/ 2006 | -743.67 | 4.33 | 1257.33 | 01 | 06 | 8 | |
| | P | 7 / 15/ 2006 | -743.5 | 0.17 | 1257.5 | 01 | 06 | 8 | |
| | P | 7 / 31/ 2006 | -746.2 | -2.7 | 1254.8 | 01 | 06 | 8 | |
| | P | 8 / 15/ 2006 | -748.67 | -2.47 | 1252.33 | 01 | 06 | 8 | |
| | P | 8 / 30/ 2006 | -751.17 | -2.5 | 1249.83 | 01 | 06 | 8 | |
| | P | 9 / 15/ 2006 | -749.92 | 1.25 | 1251.08 | 01 | 06 | 8 | |
| | P | 9 / 30/ 2006 | -745 | 4.92 | 1256 | 01 | 06 | 8 | |
| | P | 10 / 15/ 2006 | -738.67 | 6.33 | 1262.33 | 01 | 06 | 8 | |
| | P | 10 / 30/ 2006 | -745.4 | -6.73 | 1255.6 | 01 | 06 | 8 | |
| | P | 11 / 15/ 2006 | -745.67 | -0.27 | 1255.33 | 01 | 06 | 8 | |
| | P | 11 / 30/ 2006 | -746 | -0.33 | 1255 | 01 | 06 | 8 | |
| | P | 12 / 15/ 2006 | -744.83 | 1.17 | 1256.17 | 01 | 06 | 8 | |
| | P | 12 / 31/ 2006 | -744.58 | 0.25 | 1256.42 | 01 | 06 | 8 | |
| | P | 1 / 19/ 2007 | -743.75 | 0.83 | 1257.25 | 01 | 06 | 8 | |
| | P | 1 / 31/ 2007 | -742.67 | 1.08 | 1258.33 | 01 | 06 | 8 | |
| | P | 2 / 15/ 2007 | -739.25 | 3.42 | 1261.75 | 01 | 06 | 8 | |
| | P | 2 / 28/ 2007 | -741.5 | -2.25 | 1259.5 | 01 | 06 | 8 | |
| | P | 3 / 15/ 2007 | -737.75 | 3.75 | 1263.25 | 01 | 06 | 8 | |
| | P | 3 / 30/ 2007 | -739.08 | -1.33 | 1261.92 | 01 | 06 | 8 | |
| | P | 4 / 15/ 2007 | -742.67 | -3.59 | 1258.33 | 01 | 06 | 8 | |
| | P | 4 / 30/ 2007 | -739.33 | 3.34 | 1261.67 | 01 | 06 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 2007 | -742.25 | -2.92 | 1258.75 | 01 | 06 | 8 | |
| | P | 5 / 31/ 2007 | -746 | -3.75 | 1255 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -751.5 | -5.5 | 1249.5 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -748.33 | 3.17 | 1252.67 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -748 | 0.33 | 1253 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -750.42 | -2.42 | 1250.58 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -751.07 | -0.65 | 1249.93 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -749.5 | 1.57 | 1251.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -749 | 0.5 | 1252 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -754.2 | -5.2 | 1246.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -749.5 | 4.7 | 1251.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -754.6 | -5.1 | 1246.4 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -754.7 | -0.1 | 1246.3 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -750.6 | 4.1 | 1250.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -749.5 | 1.1 | 1251.5 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -750 | -0.5 | 1251 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -750 | | 1251 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -748.4 | 1.6 | 1252.6 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -748 | 0.4 | 1253 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -746.8 | 1.2 | 1254.2 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -746.9 | -0.1 | 1254.1 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -746.9 | | 1254.1 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -747.1 | -0.2 | 1253.9 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -748.2 | -1.1 | 1252.8 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -747.8 | 0.4 | 1253.2 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -751.2 | -3.4 | 1249.8 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -756.3 | -5.1 | 1244.7 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -757.8 | -1.5 | 1243.2 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -769.8 | -12 | 1231.2 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -764.2 | 5.6 | 1236.8 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -766.1 | -1.9 | 1234.9 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -768.8 | -2.7 | 1232.2 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -764.6 | 4.2 | 1236.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -762 | 2.6 | 1239 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -764.2 | -2.2 | 1236.8 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -760 | 4.2 | 1241 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/15/2008 | -760.4 | -0.4 | 1240.6 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -760.1 | 0.3 | 1240.9 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -756.2 | 3.9 | 1244.8 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -756.1 | 0.1 | 1244.9 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -757.3 | -1.2 | 1243.7 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -769.4 | -12.1 | 1231.6 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -769.6 | -0.2 | 1231.4 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -768.2 | 1.4 | 1232.8 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -770.3 | -2.1 | 1230.7 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -770.2 | 0.1 | 1230.8 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -770.3 | -0.1 | 1230.7 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -771.2 | -0.9 | 1229.8 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -776.2 | -5 | 1224.8 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -779.8 | -3.6 | 1221.2 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -780.9 | -1.1 | 1220.1 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -783 | -2.1 | 1218 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -782.1 | 0.9 | 1218.9 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -783.5 | -1.4 | 1217.5 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -779 | 4.5 | 1222 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -775.6 | 3.4 | 1225.4 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -775.5 | 0.1 | 1225.5 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -773.6 | 1.9 | 1227.4 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -772.7 | 0.9 | 1228.3 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -771.7 | 1 | 1229.3 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -769.4 | 2.3 | 1231.6 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -769.2 | 0.2 | 1231.8 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -766.5 | 2.7 | 1234.5 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -766.3 | 0.2 | 1234.7 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -765.3 | 1 | 1235.7 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -765.1 | 0.2 | 1235.9 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -764.2 | 0.9 | 1236.8 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -767.8 | -3.6 | 1233.2 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -767.2 | 0.6 | 1233.8 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -767.6 | -0.4 | 1233.4 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -765.65 | 1.95 | 1235.35 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -768.65 | -3 | 1232.35 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2010 | -773.81 | -5.16 | 1227.19 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -769.5 | 4.31 | 1231.5 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -770.68 | -1.18 | 1230.32 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -773.55 | -2.87 | 1227.45 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -770.46 | 3.09 | 1230.54 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -771.4 | -0.94 | 1229.6 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -770.61 | 0.79 | 1230.39 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -770.08 | 0.53 | 1230.92 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -769.13 | 0.95 | 1231.87 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -763.31 | 5.82 | 1237.69 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -763.18 | 0.13 | 1237.82 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -767.92 | -4.74 | 1233.08 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -767.84 | 0.08 | 1233.16 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -768.54 | -0.7 | 1232.46 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -777.8 | -9.26 | 1223.2 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -774.4 | 3.4 | 1226.6 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -777.53 | -3.13 | 1223.47 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -777.28 | 0.25 | 1223.72 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -782.22 | -4.94 | 1218.78 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -786.92 | -4.7 | 1214.08 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -782.9 | 4.02 | 1218.1 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -794.02 | -11.1 | 1206.98 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -794.66 | -0.64 | 1206.34 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -796.58 | -1.92 | 1204.42 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -803.89 | -7.31 | 1197.11 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -807.33 | -3.44 | 1193.67 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -804.59 | 2.74 | 1196.41 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -806.25 | -1.66 | 1194.75 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -796.11 | 10.14 | 1204.89 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -797.69 | -1.58 | 1203.31 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -793.06 | 4.63 | 1207.94 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -791.26 | 1.8 | 1209.74 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -787.4 | 3.86 | 1213.6 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -788.62 | -1.22 | 1212.38 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -784.42 | 4.2 | 1216.58 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -782.8 | 1.62 | 1218.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 16/ 2012 | -780.21 | 2.59 | 1220.79 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -778.55 | 1.66 | 1222.45 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -777.68 | 0.87 | 1223.32 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -776.77 | 0.91 | 1224.23 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -780.55 | -3.78 | 1220.45 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -789.98 | -9.43 | 1211.02 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -783.6 | 6.38 | 1217.4 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -781.02 | 2.58 | 1219.98 | 01 | 06 | 2 | |

**Min** *-807.33* **Max** *-730.42* **Avg** *-762.418*

***6809601*** *( Aquifer: 218GLRSU Well Depth: 421 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 28/ 1965 | -217.28 | | 1615.72 | 01 | 04 | 1 | |

**Min** *-217.28* **Max** *-217.28* **Avg** *-217.28*

***6810101*** *( Aquifer: 218GLRSL Well Depth: 1035 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -742.67 | | 1264.33 | 01 | 06 | 8 | |
| | P | 11 / 15/ 2005 | -733.75 | 8.92 | 1273.25 | 01 | 06 | 8 | |
| | P | 11 / 30/ 2005 | -734 | -0.25 | 1273 | 01 | 06 | 8 | |
| | P | 12 / 15/ 2005 | -732.92 | 1.08 | 1274.08 | 01 | 06 | 8 | |
| | P | 12 / 30/ 2005 | -734 | -1.08 | 1273 | 01 | 06 | 8 | |
| | P | 1 / 15/ 2006 | -736.2 | -2.2 | 1270.8 | 01 | 06 | 8 | |
| | P | 1 / 31/ 2006 | -734.92 | 1.28 | 1272.08 | 01 | 06 | 8 | |
| | P | 2 / 15/ 2006 | -735 | -0.08 | 1272 | 01 | 06 | 8 | |
| | P | 2 / 28/ 2006 | -733 | 2 | 1274 | 01 | 06 | 8 | |
| | P | 3 / 14/ 2006 | -735.92 | -2.92 | 1271.08 | 01 | 06 | 8 | |
| | P | 3 / 31/ 2006 | -736.83 | -0.91 | 1270.17 | 01 | 06 | 8 | |
| | P | 4 / 15/ 2006 | -737.17 | -0.34 | 1269.83 | 01 | 06 | 8 | |
| | P | 4 / 30/ 2006 | -738.17 | -1 | 1268.83 | 01 | 06 | 8 | |
| | P | 5 / 15/ 2006 | -741.2 | -3.03 | 1265.8 | 01 | 06 | 8 | |
| | P | 5 / 31/ 2006 | -740.4 | 0.8 | 1266.6 | 01 | 06 | 8 | |
| | P | 6 / 15/ 2006 | -742.4 | -2 | 1264.6 | 01 | 06 | 8 | |
| | P | 7 / 15/ 2006 | -745.33 | -2.93 | 1261.67 | 01 | 06 | 8 | |
| | P | 7 / 31/ 2006 | -747.2 | -1.87 | 1259.8 | 01 | 06 | 8 | |
| | P | 8 / 15/ 2006 | -748.75 | -1.55 | 1258.25 | 01 | 06 | 8 | |
| | P | 8 / 30/ 2006 | -750.33 | -1.58 | 1256.67 | 01 | 06 | 8 | |
| | P | 9 / 15/ 2006 | -750.67 | -0.34 | 1256.33 | 01 | 06 | 8 | |
| | P | 9 / 30/ 2006 | -750.67 | | 1256.33 | 01 | 06 | 8 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2006 | -749.42 | 1.25 | 1257.58 | 01 | 06 | 8 | |
| | P | 10 / 30/ 2006 | -748.8 | 0.62 | 1258.2 | 01 | 06 | 8 | |
| | P | 11 / 15/ 2006 | -748 | 0.8 | 1259 | 01 | 06 | 8 | |
| | P | 11 / 30/ 2006 | -747.8 | 0.2 | 1259.2 | 01 | 06 | 8 | |
| | P | 12 / 15/ 2006 | -747 | 0.8 | 1260 | 01 | 06 | 8 | |
| | P | 12 / 31/ 2006 | -746.83 | 0.17 | 1260.17 | 01 | 06 | 8 | |
| | P | 1 / 19/ 2007 | -745 | 1.83 | 1262 | 01 | 06 | 8 | |
| | P | 1 / 31/ 2007 | -744.42 | 0.58 | 1262.58 | 01 | 06 | 8 | |
| | P | 2 / 15/ 2007 | -741.92 | 2.5 | 1265.08 | 01 | 06 | 8 | |
| | P | 2 / 28/ 2007 | -743 | -1.08 | 1264 | 01 | 06 | 8 | |
| | P | 3 / 15/ 2007 | -739.42 | 3.58 | 1267.58 | 01 | 06 | 8 | |
| | P | 3 / 30/ 2007 | -741.33 | -1.91 | 1265.67 | 01 | 06 | 8 | |
| | P | 4 / 15/ 2007 | -746.17 | -4.84 | 1260.83 | 01 | 06 | 8 | |
| | P | 4 / 30/ 2007 | -741.58 | 4.59 | 1265.42 | 01 | 06 | 8 | |
| | P | 5 / 15/ 2007 | -746.17 | -4.59 | 1260.83 | 01 | 06 | 8 | |
| | P | 5 / 31/ 2007 | -747.33 | -1.16 | 1259.67 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -750.67 | -3.34 | 1256.33 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -747.67 | 3 | 1259.33 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -748.25 | -0.58 | 1258.75 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -747.58 | 0.67 | 1259.42 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -751.2 | -3.62 | 1255.8 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -750 | 1.2 | 1257 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -749.7 | 0.3 | 1257.3 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -755.1 | -5.4 | 1251.9 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -750.2 | 4.9 | 1256.8 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -749.5 | 0.7 | 1257.5 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -750.4 | -0.9 | 1256.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -748.8 | 1.6 | 1258.2 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -747.6 | 1.2 | 1259.4 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -748.2 | -0.6 | 1258.8 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -748.1 | 0.1 | 1258.9 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -747.6 | 0.5 | 1259.4 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -747.3 | 0.3 | 1259.7 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -745 | 2.3 | 1262 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -745.5 | -0.5 | 1261.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -745.4 | 0.1 | 1261.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 15/ 2008 | -745.5 | -0.1 | 1261.5 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -746.5 | -1 | 1260.5 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -746.1 | 0.4 | 1260.9 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -749.5 | -3.4 | 1257.5 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -754.6 | -5.1 | 1252.4 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -755 | -0.4 | 1252 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -766.8 | -11.8 | 1240.2 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -761.1 | 5.7 | 1245.9 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -764.8 | -3.7 | 1242.2 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -767.5 | -2.7 | 1239.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -763.3 | 4.2 | 1243.7 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -760.7 | 2.6 | 1246.3 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -763 | -2.3 | 1244 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -758.8 | 4.2 | 1248.2 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -759.2 | -0.4 | 1247.8 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -758.9 | 0.3 | 1248.1 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -754.9 | 4 | 1252.1 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -754.8 | 0.1 | 1252.2 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -755 | -0.2 | 1252 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -767.2 | -12.2 | 1239.8 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -767.5 | -0.3 | 1239.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -762.8 | 4.7 | 1244.2 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -763.6 | -0.8 | 1243.4 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -763.4 | 0.2 | 1243.6 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -763.6 | -0.2 | 1243.4 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -763.9 | -0.3 | 1243.1 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -768.7 | -4.8 | 1238.3 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -772.4 | -3.7 | 1234.6 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -773.6 | -1.2 | 1233.4 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -775.7 | -2.1 | 1231.3 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -774.7 | 1 | 1232.3 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -776 | -1.3 | 1231 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -772.5 | 3.5 | 1234.5 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -770.6 | 1.9 | 1236.4 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -770.4 | 0.2 | 1236.6 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -768.4 | 2 | 1238.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/13/2009 | -767.5 | 0.9 | 1239.5 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -766.6 | 0.9 | 1240.4 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -764.4 | 2.2 | 1242.6 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -764.2 | 0.2 | 1242.8 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -761.4 | 2.8 | 1245.6 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -761.3 | 0.1 | 1245.7 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -760.3 | 1 | 1246.7 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -760.2 | 0.1 | 1246.8 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -759.4 | 0.8 | 1247.6 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -757.1 | 2.3 | 1249.9 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -756.8 | 0.3 | 1250.2 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -757.2 | -0.4 | 1249.8 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -755.26 | 1.94 | 1251.74 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -758.3 | -3.04 | 1248.7 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -763.51 | -5.21 | 1243.49 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -759.21 | 4.3 | 1247.79 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -760.38 | -1.17 | 1246.62 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -763.28 | -2.9 | 1243.72 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -760.1 | 3.18 | 1246.9 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -761.06 | -0.96 | 1245.94 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -760.31 | 0.75 | 1246.69 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -759.76 | 0.55 | 1247.24 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -758.81 | 0.95 | 1248.19 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -752.94 | 5.87 | 1254.06 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -752.83 | 0.11 | 1254.17 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -757.61 | -4.78 | 1249.39 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -757.52 | 0.09 | 1249.48 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -758.2 | -0.68 | 1248.8 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -767.47 | -9.27 | 1239.53 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -764.07 | 3.4 | 1242.93 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -770.21 | -6.14 | 1236.79 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -770.54 | -0.33 | 1236.46 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -774.04 | -3.5 | 1232.96 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -778.71 | -4.67 | 1228.29 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -774.73 | 3.98 | 1232.27 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -785.83 | -11.1 | 1221.17 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2011 | -786.53 | -0.7 | 1220.47 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -788.5 | -1.97 | 1218.5 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -795.92 | -7.42 | 1211.08 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -799.41 | -3.49 | 1207.59 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -796.6 | 2.81 | 1210.4 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -798.25 | -1.65 | 1208.75 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -788.09 | 10.16 | 1218.91 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -789.65 | -1.56 | 1217.35 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -785.03 | 4.62 | 1221.97 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -783.23 | 1.8 | 1223.77 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -780.02 | 3.21 | 1226.98 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -780.64 | -0.62 | 1226.36 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -776.44 | 4.2 | 1230.56 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -774.83 | 1.61 | 1232.17 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -772.23 | 2.6 | 1234.77 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -770.57 | 1.66 | 1236.43 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -769.72 | 0.85 | 1237.28 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -768.8 | 0.92 | 1238.2 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -772.56 | -3.76 | 1234.44 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -781.97 | -9.41 | 1225.03 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -775.61 | 6.36 | 1231.39 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -778.2 | -2.59 | 1228.8 | 01 | 06 | 2 | |

**Min** *-799.41* **Max** *-732.92* **Avg** *-758.647*

***6810201*** *( Aquifer: 218GRHC Well Depth: 840 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 2 / 1959 | -535 | | 1271 | 01 | 01 | 1 | |

**Min** *-535* **Max** *-535* **Avg** *-535*

***6810203*** *( Aquifer: 218GRHC Well Depth: 600 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 9 / 1974 | -341.32 | | 1273.68 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1975 | -333.7 | 7.62 | 1281.3 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -339.52 | -5.82 | 1275.48 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -328.54 | 10.98 | 1286.46 | 01 | 01 | 1 | |
| | P | 2 / 27/ 1978 | -330.98 | -2.44 | 1284.02 | 01 | 01 | 1 | |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |
| | N | 2 / 11/ 1981 | | | | 01 | 01 | | 61 |
| | N | 2 / 12/ 1982 | | | | 01 | 01 | | 61 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | N | 2 / 8 / 1983 | | | | 01 | 01 | | 61 |
| | N | 3 / 1 / 1984 | | | | 01 | 01 | | 61 |

**Min** *-341.32* **Max** *-328.54* **Avg** *-334.812*

***6810204*** *( Aquifer: 218GLRSL Well Depth: 564 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 7 / 8 / 1987 | -316 | | 1354 | 01 | 06 | 6 |

**Min** *-316* **Max** *-316* **Avg** *-316*

***6810205*** *( Aquifer: 218CCRK Well Depth: 575 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 1 / 30 / 2009 | -388 | | 1212 | 01 | 06 | 2 |
| | P | 2 / 13 / 2009 | -401 | -13 | 1199 | 01 | 06 | 2 |
| | P | 2 / 27 / 2009 | -404.6 | -3.6 | 1195.4 | 01 | 06 | 2 |
| | P | 3 / 17 / 2009 | -401.2 | 3.4 | 1198.8 | 01 | 06 | 2 |
| | P | 3 / 31 / 2009 | -405.1 | -3.9 | 1194.9 | 01 | 06 | 2 |
| | P | 4 / 15 / 2009 | -409.6 | -4.5 | 1190.4 | 01 | 06 | 2 |
| | P | 4 / 29 / 2009 | -409.5 | 0.1 | 1190.5 | 01 | 06 | 2 |
| | P | 5 / 15 / 2009 | -413.3 | -3.8 | 1186.7 | 01 | 06 | 2 |
| | P | 5 / 29 / 2009 | -407.7 | 5.6 | 1192.3 | 01 | 06 | 2 |
| | P | 6 / 15 / 2009 | -413.9 | -6.2 | 1186.1 | 01 | 06 | 2 |
| | P | 6 / 30 / 2009 | -416.3 | -2.4 | 1183.7 | 01 | 06 | 2 |
| | P | 7 / 15 / 2009 | -422.1 | -5.8 | 1177.9 | 01 | 06 | 2 |
| | P | 7 / 31 / 2009 | -424.4 | -2.3 | 1175.6 | 01 | 06 | 2 |
| | P | 8 / 14 / 2009 | -431.8 | -7.4 | 1168.2 | 01 | 06 | 2 |
| | P | 8 / 28 / 2009 | -428.2 | 3.6 | 1171.8 | 01 | 06 | 2 |
| | P | 9 / 15 / 2009 | -418.6 | 9.6 | 1181.4 | 01 | 06 | 2 |
| | P | 9 / 30 / 2009 | -416.33 | 2.27 | 1183.67 | 01 | 06 | 2 |
| | P | 10 / 15 / 2009 | -412.2 | 4.13 | 1187.8 | 01 | 06 | 2 |
| | P | 10 / 30 / 2009 | -405.6 | 6.6 | 1194.4 | 01 | 06 | 2 |
| | P | 11 / 13 / 2009 | -409.9 | -4.3 | 1190.1 | 01 | 06 | 2 |
| | P | 11 / 30 / 2009 | -401.4 | 8.5 | 1198.6 | 01 | 06 | 2 |
| | P | 12 / 15 / 2009 | -397.8 | 3.6 | 1202.2 | 01 | 06 | 2 |
| | P | 1 / 12 / 2010 | -399.2 | -1.4 | 1200.8 | 01 | 06 | 2 |
| | P | 1 / 28 / 2010 | -399.8 | -0.6 | 1200.2 | 01 | 06 | 2 |
| | P | 2 / 12 / 2010 | -389.8 | 10 | 1210.2 | 01 | 06 | 2 |
| | P | 2 / 26 / 2010 | -386.3 | 3.5 | 1213.7 | 01 | 06 | 2 |
| | P | 3 / 15 / 2010 | -383.2 | 3.1 | 1216.8 | 01 | 06 | 2 |
| | P | 3 / 31 / 2010 | -380.8 | 2.4 | 1219.2 | 01 | 06 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/16/2010 | -384.6 | -3.8 | 1215.4 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -390.3 | -5.7 | 1209.7 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -404.9 | -14.6 | 1195.1 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -393.52 | 11.38 | 1206.48 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -406.79 | -13.3 | 1193.21 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -394 | 12.79 | 1206 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -400.53 | -6.53 | 1199.47 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -412.5 | -12 | 1187.5 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -409.73 | 2.77 | 1190.27 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -402.13 | 7.6 | 1197.87 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -373.1 | 29.03 | 1226.9 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -412.6 | -39.5 | 1187.4 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -410.82 | 1.78 | 1189.18 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -401.04 | 9.78 | 1198.96 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -398.98 | 2.06 | 1201.02 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -394.92 | 4.06 | 1205.08 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -390.22 | 4.7 | 1209.78 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -387.06 | 3.16 | 1212.94 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -397.99 | -10.9 | 1202.01 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -406.78 | -8.79 | 1193.22 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -398.45 | 8.33 | 1201.55 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -398.3 | 0.15 | 1201.7 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -410.86 | -12.6 | 1189.14 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -396.2 | 14.66 | 1203.8 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -424.65 | -28.5 | 1175.35 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -423.73 | 0.92 | 1176.27 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -376.68 | 47.05 | 1223.32 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -380.11 | -3.43 | 1219.89 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -385.22 | -5.11 | 1214.78 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -450.25 | -65.0 | 1149.75 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -449.12 | 1.13 | 1150.88 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -448.21 | 0.91 | 1151.79 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -459.73 | -11.5 | 1140.27 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -425 | 34.73 | 1175 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -425.85 | -0.85 | 1174.15 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -451 | -25.2 | 1149 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 30/ 2011 | -436.73 | 14.27 | 1163.27 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -425.75 | 10.98 | 1174.25 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -419.6 | 6.15 | 1180.4 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -416.25 | 3.35 | 1183.75 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -415.82 | 0.43 | 1184.18 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -411 | 4.82 | 1189 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -406.87 | 4.13 | 1193.13 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -404.2 | 2.67 | 1195.8 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -406.4 | -2.2 | 1193.6 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -411.7 | -5.3 | 1188.3 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -415.22 | -3.52 | 1184.78 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -411.55 | 3.67 | 1188.45 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -415.26 | -3.71 | 1184.74 | 01 | 06 | 2 | |

**Min** *-459.73* **Max** *-373.1* **Avg** *-408.44*

***6810301*** *( Aquifer: 218GLRSL Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 8 / 1965 | -157 | | 1403 | 01 | 01 | 1 | |

**Min** *-157* **Max** *-157* **Avg** *-157*

***6810302*** *( Aquifer: 218GRHC Well Depth: 740 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 1997 | -450 | | 1212 | 01 | 07 | 7 | |

**Min** *-450* **Max** *-450* **Avg** *-450*

***6810405*** *( Aquifer: Well Depth: 179 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 16/ 2010 | -154.93 | | 1830.07 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -155.41 | -0.48 | 1829.59 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -155.8 | -0.39 | 1829.2 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -156.86 | -1.06 | 1828.14 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -156.68 | 0.18 | 1828.32 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -156.72 | -0.04 | 1828.28 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -156.76 | -0.04 | 1828.24 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -156.88 | -0.12 | 1828.12 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -157 | -0.12 | 1828 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -157.12 | -0.12 | 1827.88 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -157.3 | -0.18 | 1827.7 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -157.38 | -0.08 | 1827.62 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -157.31 | 0.07 | 1827.69 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 27/ 2011 | -157.37 | -0.06 | 1827.63 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -158.38 | -1.01 | 1826.62 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -157.71 | 0.67 | 1827.29 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -158.45 | -0.74 | 1826.55 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -158.1 | 0.35 | 1826.9 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -157.79 | 0.31 | 1827.21 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -158.05 | -0.26 | 1826.95 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -158.86 | -0.81 | 1826.14 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -157.84 | 1.02 | 1827.16 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -157.86 | -0.02 | 1827.14 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -157.93 | -0.07 | 1827.07 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -157.95 | -0.02 | 1827.05 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -157.55 | 0.4 | 1827.45 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -157.94 | -0.39 | 1827.06 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -158 | -0.06 | 1827 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -158 | | 1827 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -157.99 | 0.01 | 1827.01 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -157.84 | 0.15 | 1827.16 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -157.81 | 0.03 | 1827.19 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -157.4 | 0.41 | 1827.6 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -157.39 | 0.01 | 1827.61 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -157.35 | 0.04 | 1827.65 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -157.29 | 0.06 | 1827.71 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -157.54 | -0.25 | 1827.46 | 01 | 06 | 2 | |

**Min** *-158.86* **Max** *-154.93* **Avg** *-157.42*

***6810502*** *( Aquifer: 219SLGH Well Depth: 1167 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 29/ 1960 | -500 | | 1228 | 01 | 01 | 1 | |

**Min** *-500* **Max** *-500* **Avg** *-500*

***6810601*** *( Aquifer: 218GLRSU Well Depth: 230 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 28/ 1965 | -169.1 | | 1433.9 | 01 | 01 | 1 | |

**Min** *-169.1* **Max** *-169.1* **Avg** *-169.1*

***6810604*** *( Aquifer: 218GLRSL Well Depth: 425 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 27/ 1965 | -376.5 | | 1303.5 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -376.5** | | **Max -376.5** | **Avg -376.5** | | | | | | |
| ***6810606*** | *( Aquifer: 218GLRSU* | | *Well Depth: 200 )* | | | | | | |
| | P | 7 / 27/ 1965 | -167.7 | | 1557.3 | 01 | 04 | 1 | |
| **Min -167.7** | | **Max -167.7** | **Avg -167.7** | | | | | | |
| ***6810608*** | *( Aquifer: 218GLRSL* | | *Well Depth: 190 )* | | | | | | |
| | P | 9 / 1 / 1963 | -150 | | 1390 | 01 | 07 | 7 | |
| **Min -150** | | **Max -150** | **Avg -150** | | | | | | |
| ***6810609*** | *( Aquifer: 218GLRS* | | *Well Depth: 178 )* | | | | | | |
| | P | 7 / 26/ 1965 | -110.64 | | 1399.36 | 01 | 04 | 1 | |
| **Min -110.64** | | **Max -110.64** | **Avg -110.64** | | | | | | |
| ***6810610*** | *( Aquifer: 218GLRSL* | | *Well Depth: 135 )* | | | | | | |
| | P | 9 / 30/ 1963 | -107 | | 1393 | 01 | 07 | 7 | |
| **Min -107** | | **Max -107** | **Avg -107** | | | | | | |
| ***6810611*** | *( Aquifer: 218GRHC* | | *Well Depth: 540 )* | | | | | | |
| | P | 11 / 12/ 1973 | -230 | | 1230 | 01 | 01 | 1 | |
| **Min -230** | | **Max -230** | **Avg -230** | | | | | | |
| ***6810613*** | *( Aquifer: 218GLRSL* | | *Well Depth: 152 )* | | | | | | |
| | P | 11 / 0 / 1973 | -60 | | 1450 | 01 | 01 | 1 | |
| **Min -60** | | **Max -60** | **Avg -60** | | | | | | |
| ***6810614*** | *( Aquifer: 218HSCC* | | *Well Depth: 920 )* | | | | | | |
| | P | 10 / 15/ 1984 | -270 | | 1205 | 01 | 07 | 7 | |
| | P | 9 / 4 / 1987 | -241.4 | 28.6 | 1233.6 | 01 | 01 | 1 | |
| **Min -270** | | **Max -241.4** | **Avg -255.7** | | | | | | |
| ***6810615*** | *( Aquifer: 218GRHC* | | *Well Depth: 600 )* | | | | | | |
| | P | 4 / 16/ 1985 | -360 | | 1127 | 01 | 08 | 3 | |
| | P | 5 / 15/ 1985 | -323 | 37 | 1164 | 01 | 01 | 6 | |
| | P | 4 / 12/ 1986 | -310 | 13 | 1177 | 01 | 08 | 3 | |
| | P | 7 / 23/ 1986 | -324 | -14 | 1163 | 01 | 08 | 3 | |
| | P | 8 / 12/ 1986 | -342 | -18 | 1145 | 01 | 08 | 3 | |
| | P | 1 / 6 / 1987 | -295 | 47 | 1192 | 01 | 08 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 1 / 1993 | -280 | 15 | 1207 | 01 | 08 | 3 | |
| | P | 4 / 27/ 1996 | -401 | -121 | 1086 | 01 | 08 | 3 | |
| | P | 4 / 29/ 1996 | -439 | -38 | 1048 | 01 | 08 | 3 | |
| | P | 5 / 12/ 1996 | -461 | -22 | 1026 | 01 | 08 | 3 | |
| | P | 6 / 8 / 1996 | -453 | 8 | 1034 | 01 | 08 | 3 | |
| | P | 7 / 8 / 1996 | -472 | -19 | 1015 | 01 | 08 | 3 | |
| | P | 7 / 30/ 1996 | -465 | 7 | 1022 | 01 | 08 | 3 | |
| | P | 8 / 7 / 1996 | -486 | -21 | 1001 | 01 | 08 | 3 | |
| | P | 9 / 4 / 1996 | -419 | 67 | 1068 | 01 | 08 | 3 | |
| | P | 1 / 15/ 1997 | -403 | 16 | 1084 | 01 | 08 | 3 | |
| | P | 5 / 14/ 1997 | -375 | 28 | 1112 | 01 | 08 | 3 | |
| | P | 5 / 27/ 1997 | -403 | -28 | 1084 | 01 | 08 | 3 | |
| | P | 7 / 2 / 1997 | -416 | -13 | 1071 | 01 | 08 | 3 | |
| | P | 7 / 16/ 1997 | -405 | 11 | 1082 | 01 | 08 | 3 | |
| | P | 9 / 30/ 1997 | -427 | -22 | 1060 | 01 | 08 | 3 | |
| | P | 1 / 29/ 1999 | -377 | 50 | 1110 | 01 | 08 | 3 | |
| | P | 2 / 20/ 1999 | -443 | -66 | 1044 | 01 | 08 | 3 | |
| | P | 4 / 22/ 1999 | -420 | 23 | 1067 | 01 | 08 | 3 | |
| | P | 2 / 10/ 2000 | -471 | -51 | 1016 | 01 | 08 | 3 | |
| | P | 7 / 28/ 2000 | -505 | -34 | 982 | 01 | 08 | 2 | |
| | P | 12 / 14/ 2000 | -418 | 87 | 1069 | 01 | 08 | 3 | |
| | P | 1 / 14/ 2002 | -398 | 20 | 1089 | 01 | 08 | 3 | |
| | P | 12 / 10/ 2002 | -411 | -13 | 1076 | 01 | 08 | 3 | |
| | P | 2 / 6 / 2004 | -395 | 16 | 1092 | 01 | 08 | 3 | |
| | P | 1 / 5 / 2005 | -382 | 13 | 1105 | 01 | 08 | 3 | |
| | P | 2 / 22/ 2006 | -504 | -122 | 983 | 01 | 08 | 3 | |
| | P | 2 / 20/ 2007 | -430 | 74 | 1057 | 01 | 08 | 3 | 03 |
| | P | 3 / 19/ 2009 | -474 | -44 | 1013 | 01 | 08 | 3 | 04 |
| | P | 2 / 4 / 2010 | -426 | 48 | 1061 | 01 | 08 | 3 | |
| | P | 6 / 13/ 2011 | -501 | -75 | 986 | 01 | 08 | 3 | |

**Min** *-505* **Max** *-280* **Avg** *-411.5*

***6810616*** *( Aquifer: 218HSCC Well Depth: 560 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 8 / 1985 | -260 | | 1262 | 01 | 08 | 3 | |
| | P | 8 / 8 / 1985 | -275 | -15 | 1247 | 01 | 08 | 3 | |
| | P | 9 / 13/ 1985 | -282 | -7 | 1240 | 01 | 08 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/ 1/1985 | -262 | 20 | 1260 | 01 | 08 | 3 | |
| | P | 2/ 6/1986 | -255 | 7 | 1267 | 01 | 08 | 3 | |
| | P | 7/23/1986 | -280 | -25 | 1242 | 01 | 08 | 3 | |
| | P | 8/12/1986 | -295 | -15 | 1227 | 01 | 08 | 3 | |
| | P | 1/ 6/1987 | -245 | 50 | 1277 | 01 | 08 | 3 | |
| | P | 9/ 4/1987 | -244 | 1 | 1278 | 01 | 01 | 3 | |
| | P | 6/28/1996 | -395 | -151 | 1127 | 01 | 08 | 3 | |
| | P | 7/10/1996 | -413 | -18 | 1109 | 01 | 08 | 3 | |
| | P | 8/10/1996 | -420 | -7 | 1102 | 01 | 08 | 3 | |
| | P | 9/ 6/1996 | -369 | 51 | 1153 | 01 | 08 | 3 | |
| | P | 1/15/1997 | -335 | 34 | 1187 | 01 | 08 | 3 | |
| | P | 5/14/1997 | -313 | 22 | 1209 | 01 | 08 | 3 | |
| | P | 5/27/1997 | -313 | | 1209 | 01 | 08 | 3 | |
| | P | 7/ 2/1997 | -311 | 2 | 1211 | 01 | 08 | 3 | |
| | P | 7/16/1997 | -341 | -30 | 1181 | 01 | 08 | 3 | |
| | P | 9/30/1997 | -379 | -38 | 1143 | 01 | 08 | 3 | |
| | P | 10/12/1998 | -357 | 22 | 1165 | 01 | 08 | 3 | 03 |
| | P | 10/14/1998 | -371.25 | -14.3 | 1150.75 | 01 | 01 | 2 | |
| | P | 11/ 9/1998 | -365 | 6.25 | 1157 | 01 | 08 | 3 | |
| | P | 1/30/2009 | -389 | -24 | 1133 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -414.3 | -25.3 | 1107.7 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -437.9 | -23.6 | 1084.1 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -429.4 | 8.5 | 1092.6 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -426.73 | 2.67 | 1095.27 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -426.73 | | 1095.27 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -426.73 | | 1095.27 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -440.59 | -13.9 | 1081.41 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -429.62 | 10.97 | 1092.38 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -450.57 | -21 | 1071.43 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -479.42 | -28.9 | 1042.58 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -474.36 | 5.06 | 1047.64 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -467.13 | 7.23 | 1054.87 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -470.07 | -2.94 | 1051.93 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -471.36 | -1.29 | 1050.64 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -459.52 | 11.84 | 1062.48 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -450.09 | 9.43 | 1071.91 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2009 | -430.21 | 19.88 | 1091.79 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -430.87 | -0.66 | 1091.13 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -430.87 | | 1091.13 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -430.87 | | 1091.13 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -415.64 | 15.23 | 1106.36 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -415.64 | | 1106.36 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -415.64 | | 1106.36 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -415.64 | | 1106.36 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -385.64 | 30 | 1136.36 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -380.36 | 5.28 | 1141.64 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -384.89 | -4.53 | 1137.11 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -378.25 | 6.64 | 1143.75 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -384.11 | -5.86 | 1137.89 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -396.6 | -12.5 | 1125.4 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -387.84 | 8.76 | 1134.16 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -406.35 | -18.5 | 1115.65 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -413.16 | -6.81 | 1108.84 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -410.56 | 2.6 | 1111.44 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -431.93 | -21.4 | 1090.07 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -449.88 | -18 | 1072.12 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2010 | -424.85 | 25.03 | 1097.15 | 01 | 06 | 9 | |
| | P | 10 / 15/ 2010 | -418.17 | 6.68 | 1103.83 | 01 | 06 | 9 | |
| | P | 10 / 29/ 2010 | -425.83 | -7.66 | 1096.17 | 01 | 06 | 9 | |
| | P | 11 / 16/ 2010 | -426.98 | -1.15 | 1095.02 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2010 | -430.88 | -3.9 | 1091.12 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2010 | -411.4 | 19.48 | 1110.6 | 01 | 06 | 9 | |
| | P | 12 / 30/ 2010 | -409.48 | 1.92 | 1112.52 | 01 | 06 | 9 | |
| | P | 1 / 14/ 2011 | -416.32 | -6.84 | 1105.68 | 01 | 06 | 9 | |
| | P | 1 / 28/ 2011 | -400.52 | 15.8 | 1121.48 | 01 | 06 | 9 | |
| | P | 2 / 11/ 2011 | -421.14 | -20.6 | 1100.86 | 01 | 06 | 9 | |
| | P | 2 / 25/ 2011 | -406.31 | 14.83 | 1115.69 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2011 | -416.16 | -9.85 | 1105.84 | 01 | 06 | 9 | |
| | P | 3 / 31/ 2011 | -428.88 | -12.7 | 1093.12 | 01 | 06 | 9 | |
| | P | 4 / 15/ 2011 | -447.11 | -18.2 | 1074.89 | 01 | 06 | 9 | |
| | P | 4 / 29/ 2011 | -466.78 | -19.7 | 1055.22 | 01 | 06 | 9 | |
| | P | 5 / 13/ 2011 | -469.52 | -2.74 | 1052.48 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 27/ 2011 | -477.51 | -7.99 | 1044.49 | 01 | 06 | 9 | |
| | P | 6 / 16/ 2011 | -475.5 | 2.01 | 1046.5 | 01 | 06 | 9 | |
| | P | 6 / 30/ 2011 | -479.57 | -4.07 | 1042.43 | 01 | 06 | 9 | |
| | P | 7 / 15/ 2011 | -480.97 | -1.4 | 1041.03 | 01 | 06 | 9 | |
| | P | 7 / 29/ 2011 | -481.11 | -0.14 | 1040.89 | 01 | 06 | 9 | |
| | P | 8 / 16/ 2011 | -481.98 | -0.87 | 1040.02 | 01 | 06 | 9 | |
| | P | 8 / 31/ 2011 | -481.55 | 0.43 | 1040.45 | 01 | 06 | 9 | |
| | P | 9 / 16/ 2011 | -481.25 | 0.3 | 1040.75 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2011 | -477.96 | 3.29 | 1044.04 | 01 | 06 | 9 | |
| | P | 10 / 13/ 2011 | -475.98 | 1.98 | 1046.02 | 01 | 06 | 9 | |
| | P | 10 / 28/ 2011 | -471.62 | 4.36 | 1050.38 | 01 | 06 | 9 | |
| | P | 11 / 15/ 2011 | -462.39 | 9.23 | 1059.61 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2011 | -453.88 | 8.51 | 1068.12 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2011 | -445.47 | 8.41 | 1076.53 | 01 | 06 | 9 | |
| | P | 12 / 29/ 2011 | -438.14 | 7.33 | 1083.86 | 01 | 06 | 9 | |
| | P | 1 / 19/ 2012 | -429.81 | 8.33 | 1092.19 | 01 | 06 | 9 | |
| | P | 1 / 31/ 2012 | -427.07 | 2.74 | 1094.93 | 01 | 06 | 9 | |
| | P | 2 / 16/ 2012 | -421.7 | 5.37 | 1100.3 | 01 | 06 | 9 | |
| | P | 2 / 29/ 2012 | -417.88 | 3.82 | 1104.12 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2012 | -418.63 | -0.75 | 1103.37 | 01 | 06 | 9 | |
| | P | 3 / 30/ 2012 | -422.35 | -3.72 | 1099.65 | 01 | 06 | 9 | |
| | P | 4 / 13/ 2012 | -438.46 | -16.1 | 1083.54 | 01 | 06 | 9 | |
| | P | 4 / 27/ 2012 | -460.61 | -22.2 | 1061.39 | 01 | 06 | 9 | |
| | P | 5 / 15/ 2012 | -457.24 | 3.37 | 1064.76 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -458.47 | -1.23 | 1063.53 | 01 | 06 | 9 | |

**Min** *-481.98* **Max** *-244* **Avg** *-410.562*

***6810617*** *( Aquifer: 218HSCC Well Depth: 560 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 5 / 30/ 1984 | -300 | | 1235 | 01 | 08 | 3 |
| | P | 7 / 8 / 1985 | -230 | 70 | 1305 | 01 | 08 | 3 |
| | P | 8 / 8 / 1985 | -240 | -10 | 1295 | 01 | 08 | 3 |
| | P | 9 / 13/ 1985 | -247 | -7 | 1288 | 01 | 08 | 3 |
| | P | 11 / 1 / 1985 | -232 | 15 | 1303 | 01 | 08 | 3 |
| | P | 2 / 6 / 1986 | -233 | -1 | 1302 | 01 | 08 | 3 |
| | P | 7 / 23/ 1986 | -245 | -12 | 1290 | 01 | 08 | 3 |
| | P | 7 / 17/ 1987 | -300 | -55 | 1235 | 01 | 08 | 3 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 4 / 1987 | -247 | 53 | 1288 | 01 | 01 | 3 | |
| | P | 3 / 18/ 1996 | -336 | -89 | 1199 | 01 | 08 | 3 | |
| | P | 4 / 30/ 1996 | -349 | -13 | 1186 | 01 | 08 | 3 | |
| | P | 5 / 23/ 1996 | -363 | -14 | 1172 | 01 | 08 | 3 | |
| | P | 6 / 25/ 1996 | -377 | -14 | 1158 | 01 | 08 | 3 | |
| | P | 7 / 20/ 1996 | -382 | -5 | 1153 | 01 | 08 | 3 | |
| | P | 8 / 28/ 1996 | -375 | 7 | 1160 | 01 | 08 | 3 | |
| | P | 1 / 15/ 1997 | -338 | 37 | 1197 | 01 | 08 | 3 | |
| | P | 5 / 14/ 1997 | -308 | 30 | 1227 | 01 | 08 | 3 | |
| | P | 5 / 27/ 1997 | -373 | -65 | 1162 | 01 | 08 | 3 | |
| | P | 7 / 2 / 1997 | -290 | 83 | 1245 | 01 | 08 | 3 | |
| | P | 7 / 16/ 1997 | -313 | -23 | 1222 | 01 | 08 | 3 | |
| | P | 9 / 30/ 1997 | -372 | -59 | 1163 | 01 | 08 | 3 | |
| | P | 11 / 10/ 1998 | -356 | 16 | 1179 | 01 | 08 | 3 | |
| | P | 2 / 10/ 2000 | -391 | -35 | 1144 | 01 | 08 | 3 | |
| | P | 7 / 20/ 2000 | -440 | -49 | 1095 | 01 | 08 | 2 | |
| | P | 12 / 14/ 2000 | -366 | 74 | 1169 | 01 | 08 | 3 | |
| | P | 1 / 14/ 2002 | -344 | 22 | 1191 | 01 | 08 | 3 | |
| | P | 6 / 26/ 2002 | -464 | -120 | 1071 | 01 | 08 | 3 | |
| | P | 2 / 6 / 2004 | -347 | 117 | 1188 | 01 | 08 | 3 | |
| | P | 1 / 5 / 2005 | -329 | 18 | 1206 | 01 | 08 | 3 | |
| | P | 2 / 22/ 2006 | -435 | -106 | 1100 | 01 | 08 | 3 | |
| | P | 2 / 20/ 2007 | -408 | 27 | 1127 | 01 | 08 | 3 | 03 |
| | P | 3 / 19/ 2009 | -429 | -21 | 1106 | 01 | 08 | 3 | 04 |
| | P | 2 / 9 / 2010 | -412 | 17 | 1123 | 01 | 08 | 3 | |
| | P | 5 / 18/ 2011 | -433 | -21 | 1102 | 01 | 08 | 3 | |

**Min** *-464* **Max** *-230* **Avg** *-341.294*

***6810620*** *( Aquifer: 218HSCC Well Depth: 525 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 4 / 1987 | -236 | | 1289 | 01 | 01 | 3 | |
| | P | 5 / 14/ 1997 | -232 | 4 | 1293 | 01 | 08 | 3 | |
| | P | 5 / 27/ 1997 | -232 | | 1293 | 01 | 08 | 3 | |
| | P | 7 / 2 / 1997 | -396 | -164 | 1129 | 01 | 08 | 3 | |
| | P | 7 / 16/ 1997 | -303 | 93 | 1222 | 01 | 08 | 3 | |
| | P | 9 / 30/ 1997 | -321 | -18 | 1204 | 01 | 08 | 3 | |
| | P | 11 / 10/ 1998 | -324 | -3 | 1201 | 01 | 08 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 10/ 2000 | -362 | -38 | 1163 | 01 | 08 | 3 | |
| | P | 7 / 17/ 2000 | -445 | -83 | 1080 | 01 | 08 | 2 | |
| | P | 12 / 14/ 2000 | -345 | 100 | 1180 | 01 | 08 | 3 | |
| | P | 1 / 14/ 2002 | -327 | 18 | 1198 | 01 | 08 | 3 | |
| | P | 6 / 26/ 2002 | -439 | -112 | 1086 | 01 | 08 | 3 | |
| | P | 2 / 6 / 2004 | -294 | 145 | 1231 | 01 | 08 | 3 | |
| | P | 1 / 5 / 2005 | -289 | 5 | 1236 | 01 | 08 | 3 | |
| | P | 2 / 22/ 2006 | -360 | -71 | 1165 | 01 | 08 | 3 | |
| | P | 2 / 20/ 2007 | -340 | 20 | 1185 | 01 | 08 | 3 | 03 |
| | P | 3 / 19/ 2009 | -372 | -32 | 1153 | 01 | 08 | 3 | 04 |
| | P | 2 / 4 / 2010 | -357 | 15 | 1168 | 01 | 08 | 3 | |
| | P | 5 / 27/ 2011 | -470 | -113 | 1055 | 01 | 08 | 3 | 04 |

**Min** *-470* **Max** *-232* **Avg** *-339.158*

***6810622*** *( Aquifer: 218GRCCU Well Depth: 460 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 9 / 1989 | -250 | | 1205 | 01 | 07 | 7 | |

**Min** *-250* **Max** *-250* **Avg** *-250*

***6810623*** *( Aquifer: 218CCRK Well Depth: 480 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 20/ 1985 | -210 | | 1260 | 01 | 08 | 3 | |
| | P | 11 / 1 / 1985 | -221 | -11 | 1249 | 01 | 08 | 3 | |
| | P | 2 / 6 / 1986 | -235 | -14 | 1235 | 01 | 08 | 3 | |
| | P | 7 / 23/ 1986 | -265 | -30 | 1205 | 01 | 08 | 3 | |
| | P | 7 / 17/ 1987 | -230 | 35 | 1240 | 01 | 08 | 3 | |
| | P | 9 / 27/ 1995 | -240 | -10 | 1230 | 01 | 08 | 3 | |
| | P | 10 / 10/ 1995 | -306 | -66 | 1164 | 01 | 08 | 3 | |
| | P | 3 / 7 / 1996 | -306 | | 1164 | 01 | 08 | 3 | |
| | P | 5 / 23/ 1996 | -319 | -13 | 1151 | 01 | 08 | 3 | |
| | P | 7 / 2 / 1996 | -330 | -11 | 1140 | 01 | 08 | 3 | |
| | P | 8 / 2 / 1996 | -344 | -14 | 1126 | 01 | 08 | 3 | |
| | P | 9 / 3 / 1996 | -312 | 32 | 1158 | 01 | 08 | 3 | |
| | P | 11 / 12/ 1996 | -300 | 12 | 1170 | 01 | 08 | 3 | |
| | N | 1 / 15/ 1997 | | | | 01 | 08 | | 63 |
| | P | 5 / 14/ 1997 | -249 | | 1221 | 01 | 08 | 3 | |
| | P | 5 / 27/ 1997 | -249 | | 1221 | 01 | 08 | 3 | |
| | P | 7 / 2 / 1997 | -249 | | 1221 | 01 | 08 | 3 | |
| | P | 7 / 16/ 1997 | -272 | -23 | 1198 | 01 | 08 | 3 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 12/ 1998 | -301.52 | -29.5 | 1168.48 | 01 | 01 | 1 | |
| | P | 3 / 25/ 2003 | -271 | 30.52 | 1199 | 01 | 08 | 4 | |
| | P | 2 / 6 / 2004 | -303 | -32 | 1167 | 01 | 08 | 4 | |
| | P | 1 / 5 / 2005 | -272 | 31 | 1198 | 01 | 08 | 4 | |
| | P | 2 / 22/ 2006 | -372 | -100 | 1098 | 01 | 08 | 4 | |
| | P | 2 / 20/ 2007 | -314 | 58 | 1156 | 01 | 08 | 4 | 03 |
| | P | 3 / 19/ 2009 | -360 | -46 | 1110 | 01 | 08 | 4 | |
| | P | 2 / 8 / 2010 | -335 | 25 | 1135 | 01 | 08 | 4 | |
| | P | 6 / 14/ 2011 | -427 | -92 | 1043 | 01 | 08 | 4 | 04 |

**Min** *-427* **Max** *-210* **Avg** *-292.02*

***6810624*** *( Aquifer: 218HSCC Well Depth: 545 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 3 / 1998 | -390 | | 1132 | 01 | 07 | 7 | |
| | P | 10 / 12/ 1998 | -380 | 10 | 1142 | 01 | 08 | 3 | 04 |
| | P | 11 / 9 / 1998 | -340.49 | 39.51 | 1181.51 | 01 | 01 | 2 | |
| | P | 1 / 29/ 1999 | -330 | 10.49 | 1192 | 01 | 08 | 3 | |
| | P | 2 / 10/ 2000 | -417 | -87 | 1105 | 01 | 08 | 3 | |
| | P | 7 / 28/ 2000 | -455 | -38 | 1067 | 01 | 08 | 2 | |
| | P | 12 / 14/ 2000 | -364 | 91 | 1158 | 01 | 08 | 3 | |
| | P | 1 / 14/ 2002 | -344 | 20 | 1178 | 01 | 08 | 3 | |
| | P | 6 / 26/ 2002 | -508 | -164 | 1014 | 01 | 08 | 3 | |
| | P | 2 / 2 / 2004 | -399 | 109 | 1123 | 01 | 08 | 3 | |
| | P | 1 / 5 / 2005 | -342 | 57 | 1180 | 01 | 08 | 3 | |
| | P | 2 / 22/ 2006 | -436 | -94 | 1086 | 01 | 08 | 3 | |
| | P | 2 / 20/ 2007 | -394 | 42 | 1128 | 01 | 08 | 3 | 03 |
| | P | 3 / 19/ 2009 | -438 | -44 | 1084 | 01 | 08 | 3 | 04 |
| | P | 2 / 4 / 2010 | -411 | 27 | 1111 | 01 | 08 | 3 | |

**Min** *-508* **Max** *-330* **Avg** *-396.566*

***6810626*** *( Aquifer: 218CCRK Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2007 | -329.5 | | 1180.5 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -335.3 | -5.8 | 1174.7 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -340 | -4.7 | 1170 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -337.8 | 2.2 | 1172.2 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -340.4 | -2.6 | 1169.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -335.6 | 4.8 | 1174.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -330 | 5.6 | 1180 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 31/ 2007 | -331.3 | -1.3 | 1178.7 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -328.5 | 2.8 | 1181.5 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -324 | 4.5 | 1186 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -331.5 | -7.5 | 1178.5 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -339.2 | -7.7 | 1170.8 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -333.6 | 5.6 | 1176.4 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -338.4 | -4.8 | 1171.6 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -340.2 | -1.8 | 1169.8 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -357 | -16.8 | 1153 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -344.3 | 12.7 | 1165.7 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -354.6 | -10.3 | 1155.4 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -358.6 | -4 | 1151.4 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -415.2 | -56.6 | 1094.8 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -398.7 | 16.5 | 1111.3 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -396.3 | 2.4 | 1113.7 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -383.4 | 12.9 | 1126.6 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -400.2 | -16.8 | 1109.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -397.7 | 2.5 | 1112.3 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -391.2 | 6.5 | 1118.8 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -390.6 | 0.6 | 1119.4 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -390.3 | 0.3 | 1119.7 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -381.1 | 9.2 | 1128.9 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -381.5 | -0.4 | 1128.5 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -372 | 9.5 | 1138 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -372 | | 1138 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -375.1 | -3.1 | 1134.9 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -379.1 | -4 | 1130.9 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -380.3 | -1.2 | 1129.7 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -378.6 | 1.7 | 1131.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -382.3 | -3.7 | 1127.7 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -377.9 | 4.4 | 1132.1 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -380.2 | -2.3 | 1129.8 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -380.1 | 0.1 | 1129.9 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -400.1 | -20 | 1109.9 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -399.6 | 0.5 | 1110.4 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -432 | -32.4 | 1078 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 31/ 2009 | -429.9 | 2.1 | 1080.1 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -429.95 | -0.05 | 1080.05 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -428.1 | 1.85 | 1081.9 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -414 | 14.1 | 1096 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -406.1 | 7.9 | 1103.9 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -391.65 | 14.45 | 1118.35 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -381.13 | 10.52 | 1128.87 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -379.1 | 2.03 | 1130.9 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -379 | 0.1 | 1131 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -372.1 | 6.9 | 1137.9 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -373.2 | -1.1 | 1136.8 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -362.25 | 10.95 | 1147.75 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -360.9 | 1.35 | 1149.1 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -353.65 | 7.25 | 1156.35 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -346.95 | 6.7 | 1163.05 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -347.2 | -0.25 | 1162.8 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -345.8 | 1.4 | 1164.2 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -346.15 | -0.35 | 1163.85 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -356.49 | -10.3 | 1153.51 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -348.7 | 7.79 | 1161.3 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -359.75 | -11.1 | 1150.25 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -372.42 | -12.7 | 1137.58 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -368 | 4.42 | 1142 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -373.77 | -5.77 | 1136.23 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -389.7 | -15.9 | 1120.3 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -378.21 | 11.49 | 1131.79 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -382.02 | -3.81 | 1127.98 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -385.25 | -3.23 | 1124.75 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -382.45 | 2.8 | 1127.55 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -384.79 | -2.34 | 1125.21 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -378.29 | 6.5 | 1131.71 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -375.04 | 3.25 | 1134.96 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -378 | -2.96 | 1132 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -367.49 | 10.51 | 1142.51 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -380.73 | -13.2 | 1129.27 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -371.68 | 9.05 | 1138.32 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 15/ 2011 | -373.37 | -1.69 | 1136.63 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -386.11 | -12.7 | 1123.89 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -401.21 | -15.1 | 1108.79 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -414.18 | -13 | 1095.82 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -422 | -7.82 | 1088 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -427.1 | -5.1 | 1082.9 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -436.64 | -9.54 | 1073.36 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -433.95 | 2.69 | 1076.05 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -436.82 | -2.87 | 1073.18 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -437.16 | -0.34 | 1072.84 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -438.11 | -0.95 | 1071.89 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -438.28 | -0.17 | 1071.72 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -436.56 | 1.72 | 1073.44 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -424.91 | 11.65 | 1085.09 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -419.12 | 5.79 | 1090.88 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -412.28 | 6.84 | 1097.72 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -404.66 | 7.62 | 1105.34 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -394.5 | 10.16 | 1115.5 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -390.13 | 4.37 | 1119.87 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -381.49 | 8.64 | 1128.51 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -378.6 | 2.89 | 1131.4 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -374.84 | 3.76 | 1135.16 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -371.72 | 3.12 | 1138.28 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -371.29 | 0.43 | 1138.71 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -373.2 | -1.91 | 1136.8 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -382.8 | -9.6 | 1127.2 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -395.75 | -13 | 1114.25 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -387.64 | 8.11 | 1122.36 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -407.41 | -19.8 | 1102.59 | 01 | 06 | 2 | |

**Min** *-438.28* **Max** *-324* **Avg** *-380.528*

***6810801*** *( Aquifer: 218GLRSL Well Depth: 600 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 4 / 30/ 1957 | -436 | | 1421 | 01 | 01 | 1 |

**Min** *-436* **Max** *-436* **Avg** *-436*

***6810802*** *( Aquifer: 218GLRSL Well Depth: 420 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 7 / 29/ 1965 | -319.9 | | 1310.1 | 01 | 04 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** -319.9 | | **Max** -319.9 | **Avg** -319.9 | | | | | | |
| ***6810803*** | *( Aquifer: 218GLRSU* | | *Well Depth: 145 )* | | | | | | |
| | P | 7 / 0 / 1965 | -115 | | 1520 | 01 | 01 | 1 | |
| **Min** -115 | | **Max** -115 | **Avg** -115 | | | | | | |
| ***6810804*** | *( Aquifer: 218GLRSU* | | *Well Depth: 12 )* | | | | | | |
| | P | 7 / 29/ 1965 | -5.94 | | 1669.06 | 01 | 04 | 1 | |
| **Min** -5.94 | | **Max** -5.94 | **Avg** -5.94 | | | | | | |
| ***6810805*** | *( Aquifer: 218GLRSU* | | *Well Depth: 172 )* | | | | | | |
| | P | 7 / 23/ 1965 | -94.1 | | 1556.9 | 01 | 04 | 1 | |
| **Min** -94.1 | | **Max** -94.1 | **Avg** -94.1 | | | | | | |
| ***6810806*** | *( Aquifer: 217HSTN* | | *Well Depth: 1098 )* | | | | | | |
| | P | 7 / 9 / 1974 | -73.87 | | 1608.13 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1975 | -70.55 | 3.32 | 1611.45 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1976 | -72.99 | -2.44 | 1609.01 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -38.72 | 34.27 | 1643.28 | 01 | 01 | 1 | |
| | P | 2 / 27/ 1978 | -97.45 | -58.7 | 1584.55 | 01 | 01 | 1 | |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |
| | N | 2 / 11/ 1981 | | | | 01 | 01 | | 42 |
| **Min** -97.45 | | **Max** -38.72 | **Avg** -70.716 | | | | | | |
| ***6810807*** | *( Aquifer: 218GLRSU* | | *Well Depth: 203 )* | | | | | | |
| | P | 7 / 22/ 1965 | -149.35 | | 1669.65 | 01 | 04 | 1 | |
| **Min** -149.35 | | **Max** -149.35 | **Avg** -149.35 | | | | | | |
| ***6810809*** | *( Aquifer: 218GPSH* | | *Well Depth: 1150 )* | | | | | | |
| | P | 0 / 0 / 1980 | -300 | | 1528 | 01 | 07 | 7 | |
| | P | 4 / 2 / 1980 | -260 | 40 | 1568 | 01 | 01 | 6 | |
| | P | 4 / 7 / 1980 | -277 | -17 | 1551 | 01 | 01 | 6 | |
| | P | 4 / 8 / 1996 | -356.75 | -79.8 | 1471.25 | 01 | 01 | 2 | |
| **Min** -356.75 | | **Max** -260 | **Avg** -298.438 | | | | | | |
| ***6810810*** | *( Aquifer: 218GRCCU* | | *Well Depth: 725 )* | | | | | | |
| | P | 5 / 25/ 1981 | -385 | | 1225 | 01 | 07 | 7 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -385** | | **Max -385** | **Avg** | **-385** | | | | | |
| ***6810811*** | *( Aquifer: 218GRCCU* | | *Well Depth: 750 )* | | | | | | |
| | P | 6 / 8 / 1992 | -314 | | 1346 | 01 | 07 | 7 | |
| | P | 4 / 29/ 1996 | -492 | -178 | 1168 | 01 | 11 | 3 | |
| | P | 7 / 23/ 1996 | -520 | -28 | 1140 | 01 | 11 | 3 | |
| | P | 7 / 27/ 1996 | -563 | -43 | 1097 | 01 | 11 | 3 | 02 |
| | P | 11 / 18/ 1996 | -503 | 60 | 1157 | 01 | 08 | 3 | |
| | N | 1 / 15/ 1997 | | | | 01 | 08 | | 63 |
| **Min -563** | | **Max -314** | **Avg** | **-478.4** | | | | | |
| ***6810812*** | *( Aquifer: 218GRCCU* | | *Well Depth: 715 )* | | | | | | |
| | P | 5 / 27/ 1981 | -390 | | 1270 | 01 | 07 | 7 | |
| **Min -390** | | **Max -390** | **Avg** | **-390** | | | | | |
| ***6810813*** | *( Aquifer: 218CCRK* | | *Well Depth: 770 )* | | | | | | |
| | P | 1 / 31/ 2005 | -463.42 | | 1241.58 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2005 | -495.33 | -31.9 | 1209.67 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -540.17 | -44.8 | 1164.83 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -540.75 | -0.58 | 1164.25 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -539.25 | 1.5 | 1165.75 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -539.33 | -0.08 | 1165.67 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -540.7 | -1.37 | 1164.3 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -464.42 | 76.28 | 1240.58 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -464.42 | | 1240.58 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -469 | -4.58 | 1236 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -466.83 | 2.17 | 1238.17 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -467.6 | -0.77 | 1237.4 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -468 | -0.4 | 1237 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -469 | -1 | 1236 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -471.6 | -2.6 | 1233.4 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -487.58 | -16 | 1217.42 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2006 | -505.42 | -17.8 | 1199.58 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -513.1 | -7.68 | 1191.9 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -517.83 | -4.73 | 1187.17 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2006 | -516.58 | 1.25 | 1188.42 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -512 | 4.58 | 1193 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 30/ 2006 | -503.92 | 8.08 | 1201.08 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2006 | -503.92 | | 1201.08 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2006 | -499.1 | 4.82 | 1205.9 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -497.67 | 1.43 | 1207.33 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -497 | 0.67 | 1208 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -495.75 | 1.25 | 1209.25 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -493.83 | 1.92 | 1211.17 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -488.25 | 5.58 | 1216.75 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -484.5 | 3.75 | 1220.5 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -481.83 | 2.67 | 1223.17 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -481.58 | 0.25 | 1223.42 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -481.25 | 0.33 | 1223.75 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -479 | 2.25 | 1226 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -488.08 | -9.08 | 1216.92 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -482.17 | 5.91 | 1222.83 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -484.5 | -2.33 | 1220.5 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -482.25 | 2.25 | 1222.75 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -483.5 | -1.25 | 1221.5 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -486.58 | -3.08 | 1218.42 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -483 | 3.58 | 1222 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -479.08 | 3.92 | 1225.92 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -485.5 | -6.42 | 1219.5 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -478.9 | 6.6 | 1226.1 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -477.4 | 1.5 | 1227.6 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -480.2 | -2.8 | 1224.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -484.1 | -3.9 | 1220.9 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -483.5 | 0.6 | 1221.5 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -483.4 | 0.1 | 1221.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -481.5 | 1.9 | 1223.5 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -475.8 | 5.7 | 1229.2 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -479.2 | -3.4 | 1225.8 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -479 | 0.2 | 1226 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -478.4 | 0.6 | 1226.6 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -478.2 | 0.2 | 1226.8 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -481.9 | -3.7 | 1223.1 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -477.1 | 4.8 | 1227.9 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/31/2008 | -486 | -8.9 | 1219 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -487.5 | -1.5 | 1217.5 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -487.4 | 0.1 | 1217.6 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -488.1 | -0.7 | 1216.9 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -492.8 | -4.7 | 1212.2 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -497.4 | -4.6 | 1207.6 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -499.5 | -2.1 | 1205.5 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -506.2 | -6.7 | 1198.8 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -494.6 | 11.6 | 1210.4 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -494.1 | 0.5 | 1210.9 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -494.7 | -0.6 | 1210.3 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -495.2 | -0.5 | 1209.8 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -499.8 | -4.6 | 1205.2 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -496.7 | 3.1 | 1208.3 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -500.8 | -4.1 | 1204.2 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -498.4 | 2.4 | 1206.6 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -498.2 | 0.2 | 1206.8 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -493.8 | 4.4 | 1211.2 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -494.8 | -1 | 1210.2 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -495.8 | -1 | 1209.2 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -499.2 | -3.4 | 1205.8 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -493.6 | 5.6 | 1211.4 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -493.1 | 0.5 | 1211.9 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -491.6 | 1.5 | 1213.4 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -493 | -1.4 | 1212 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -493.4 | -0.4 | 1211.6 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -496.1 | -2.7 | 1208.9 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -503.6 | -7.5 | 1201.4 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -508.4 | -4.8 | 1196.6 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -509.2 | -0.8 | 1195.8 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -512.3 | -3.1 | 1192.7 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -511.3 | 1 | 1193.7 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -515.7 | -4.4 | 1189.3 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -518 | -2.3 | 1187 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -514.42 | 3.58 | 1190.58 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -513.5 | 0.92 | 1191.5 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 30/ 2009 | -513.9 | -0.4 | 1191.1 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -513 | 0.9 | 1192 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -512.6 | 0.4 | 1192.4 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -509.4 | 3.2 | 1195.6 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -512.6 | -3.2 | 1192.4 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -510.4 | 2.2 | 1194.6 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -511.4 | -1 | 1193.6 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -512.4 | -1 | 1192.6 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -509.1 | 3.3 | 1195.9 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -513.4 | -4.3 | 1191.6 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -512.5 | 0.9 | 1192.5 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -513.8 | -1.3 | 1191.2 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -515.2 | -1.4 | 1189.8 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -513.52 | 1.68 | 1191.48 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -522.95 | -9.43 | 1182.05 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -523.68 | -0.73 | 1181.32 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -524.9 | -1.22 | 1180.1 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -525.41 | -0.51 | 1179.59 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -542.65 | -17.2 | 1162.35 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -538.56 | 4.09 | 1166.44 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -539.25 | -0.69 | 1165.75 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -533.45 | 5.8 | 1171.55 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -539.69 | -6.24 | 1165.31 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -538.52 | 1.17 | 1166.48 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -535.68 | 2.84 | 1169.32 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -534.66 | 1.02 | 1170.34 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -533.96 | 0.7 | 1171.04 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -533.55 | 0.41 | 1171.45 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -545.12 | -11.6 | 1159.88 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -544.04 | 1.08 | 1160.96 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -552.8 | -8.76 | 1152.2 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -524.48 | 28.32 | 1180.52 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -529.11 | -4.63 | 1175.89 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -552.35 | -23.2 | 1152.65 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -562.54 | -10.2 | 1142.46 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -566.84 | -4.3 | 1138.16 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 16/ 2011 | -573.2 | -6.36 | 1131.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -571.7 | 1.5 | 1133.3 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -570.66 | 1.04 | 1134.34 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -573.75 | -3.09 | 1131.25 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -567.64 | 6.11 | 1137.36 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -561.69 | 5.95 | 1143.31 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -560.21 | 1.48 | 1144.79 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -550.6 | 9.61 | 1154.4 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -547.3 | 3.3 | 1157.7 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -541.2 | 6.1 | 1163.8 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -525.31 | 15.89 | 1179.69 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -507.38 | 17.93 | 1197.62 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -500.86 | 6.52 | 1204.14 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -494.72 | 6.14 | 1210.28 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -491.95 | 2.77 | 1213.05 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -488.7 | 3.25 | 1216.3 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -485.85 | 2.85 | 1219.15 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -483.75 | 2.1 | 1221.25 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -514.75 | -31 | 1190.25 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -536.7 | -22 | 1168.3 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -499.79 | 36.91 | 1205.21 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -531.9 | -32.1 | 1173.1 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -542.24 | -10.3 | 1162.76 | 01 | 06 | 2 | |

**Min** *-573.75* **Max** *-463.42* **Avg** *-507.373*

***6810901*** *( Aquifer: 218GLRSU Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 22/ 1965 | -14.3 | | 1490.7 | 01 | 04 | 1 | |

**Min** *-14.3* **Max** *-14.3* **Avg** *-14.3*

***6810902*** *( Aquifer: 218GRHC Well Depth: 589 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 0 / 1962 | -320 | | 1225 | 01 | 01 | 1 | |

**Min** *-320* **Max** *-320* **Avg** *-320*

***6810903*** *( Aquifer: 218GLRS Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 22/ 1965 | -298.3 | | 1286.7 | 01 | 04 | 1 | |

**Min** *-298.3* **Max** *-298.3* **Avg** *-298.3*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6810904** | ( Aquifer: 218GLRSU | | Well Depth: 40 ) | | | | | | |
| | P | 1 / 9 / 1940 | -36.4 | | 1548.6 | 01 | 01 | 1 | |
| | P | 7 / 22/ 1965 | -30.5 | 5.9 | 1554.5 | 01 | 01 | 1 | |
| | P | 6 / 16/ 1994 | -31 | -0.5 | 1554 | 01 | 01 | 1 | |
| **Min** -36.4 | | **Max** -30.5 | **Avg** -32.6333 | | | | | | |
| **6810905** | ( Aquifer: 218GLRSU | | Well Depth: 100 ) | | | | | | |
| | P | 1 / 9 / 1940 | -33.3 | | 1571.7 | 01 | 01 | 1 | |
| | P | 7 / 23/ 1965 | -31.8 | 1.5 | 1573.2 | 01 | 01 | 1 | |
| **Min** -33.3 | | **Max** -31.8 | **Avg** -32.55 | | | | | | |
| **6810906** | ( Aquifer: 218GLRSU | | Well Depth: 30 ) | | | | | | |
| | P | 1 / 9 / 1940 | -8.5 | | 1551.5 | 01 | 01 | 1 | |
| | P | 7 / 22/ 1965 | -6.3 | 2.2 | 1553.7 | 01 | 01 | 1 | |
| **Min** -8.5 | | **Max** -6.3 | **Avg** -7.4 | | | | | | |
| **6810910** | ( Aquifer: 218GRHC | | Well Depth: 560 ) | | | | | | |
| | P | 6 / 0 / 1974 | -375 | | 1115 | 01 | 01 | 1 | |
| **Min** -375 | | **Max** -375 | **Avg** -375 | | | | | | |
| **6810911** | ( Aquifer: 218CCRK | | Well Depth: 670 ) | | | | | | |
| | P | 7 / 2 / 1977 | -400 | | 1220 | 01 | 07 | 7 | |
| | P | 10 / 14/ 1998 | -81.25 | 318.8 | 1538.75 | 01 | 01 | 1 | 22 |
| **Min** -400 | | **Max** -81.25 | **Avg** -240.625 | | | | | | |
| **6810912** | ( Aquifer: 218CCRK | | Well Depth: 610 ) | | | | | | |
| | P | 9 / 15/ 2007 | -433.4 | | 1164.6 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -435.4 | -2 | 1162.6 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -438.2 | -2.8 | 1159.8 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -435 | 3.2 | 1163 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -435.3 | -0.3 | 1162.7 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -439 | -3.7 | 1159 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -435.2 | 3.8 | 1162.8 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -438.5 | -3.3 | 1159.5 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -438.6 | -0.1 | 1159.4 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -438 | 0.6 | 1160 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -438 | | 1160 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/29/2008 | -440.1 | -2.1 | 1157.9 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -438.2 | 1.9 | 1159.8 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -440.2 | -2 | 1157.8 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -440.8 | -0.6 | 1157.2 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -440.8 | | 1157.2 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -441.5 | -0.7 | 1156.5 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -448.2 | -6.7 | 1149.8 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -445.6 | 2.6 | 1152.4 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -446.9 | -1.3 | 1151.1 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -452.8 | -5.9 | 1145.2 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -454 | -1.2 | 1144 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -454.6 | -0.6 | 1143.4 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -454.9 | -0.3 | 1143.1 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -455.6 | -0.7 | 1142.4 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -460 | -4.4 | 1138 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -455 | 5 | 1143 | 01 | 06 | 2 | |
| | P | 12/1/2008 | -461.2 | -6.2 | 1136.8 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -459.3 | 1.9 | 1138.7 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -459.2 | 0.1 | 1138.8 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -447.8 | 11.4 | 1150.2 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -447.6 | 0.2 | 1150.4 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -448.8 | -1.2 | 1149.2 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -448 | 0.8 | 1150 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -452.8 | -4.8 | 1145.2 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -455 | -2.2 | 1143 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -454.6 | 0.4 | 1143.4 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -455.6 | -1 | 1142.4 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -459.3 | -3.7 | 1138.7 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -460.4 | -1.1 | 1137.6 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -463.8 | -3.4 | 1134.2 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -466.2 | -2.4 | 1131.8 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -469.5 | -3.3 | 1128.5 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -473.8 | -4.3 | 1124.2 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -473.6 | 0.2 | 1124.4 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -476.3 | -2.7 | 1121.7 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -472.8 | 3.5 | 1125.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 30/ 2009 | -475.58 | -2.78 | 1122.42 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -472.3 | 3.28 | 1125.7 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -460.2 | 12.1 | 1137.8 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -458.6 | 1.6 | 1139.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -458 | 0.6 | 1140 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -455.6 | 2.4 | 1142.4 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -451.7 | 3.9 | 1146.3 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -449 | 2.7 | 1149 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -443.5 | 5.5 | 1154.5 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -444.5 | -1 | 1153.5 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -444 | 0.5 | 1154 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -432.8 | 11.2 | 1165.2 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -432.4 | 0.4 | 1165.6 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -433.5 | -1.1 | 1164.5 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -435.75 | -2.25 | 1162.25 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -436.9 | -1.15 | 1161.1 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -439.17 | -2.27 | 1158.83 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -442.3 | -3.13 | 1155.7 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -440.75 | 1.55 | 1157.25 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -442.3 | -1.55 | 1155.7 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -449 | -6.7 | 1149 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -445.5 | 3.5 | 1152.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -446.92 | -1.42 | 1151.08 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -447.41 | -0.49 | 1150.59 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -444.85 | 2.56 | 1153.15 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -442.45 | 2.4 | 1155.55 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -440.51 | 1.94 | 1157.49 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -438.39 | 2.12 | 1159.61 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -437.85 | 0.54 | 1160.15 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -436.39 | 1.46 | 1161.61 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -436.6 | -0.21 | 1161.4 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -436.95 | -0.35 | 1161.05 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -438.04 | -1.09 | 1159.96 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -440.54 | -2.5 | 1157.46 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -441.92 | -1.38 | 1156.08 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -446.7 | -4.78 | 1151.3 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 13/ 2011 | -451.45 | -4.75 | 1146.55 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -451 | 0.45 | 1147 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -461.06 | -10.1 | 1136.94 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -442.71 | 18.35 | 1155.29 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -466.09 | -23.4 | 1131.91 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -463.7 | 2.39 | 1134.3 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -443.98 | 19.72 | 1154.02 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -443.92 | 0.06 | 1154.08 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -444.02 | -0.1 | 1153.98 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -453.65 | -9.63 | 1144.35 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -451.45 | 2.2 | 1146.55 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -448.2 | 3.25 | 1149.8 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -445.45 | 2.75 | 1152.55 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -444.51 | 0.94 | 1153.49 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -439.14 | 5.37 | 1158.86 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -436.6 | 2.54 | 1161.4 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -435.82 | 0.78 | 1162.18 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -434.3 | 1.52 | 1163.7 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -432.83 | 1.47 | 1165.17 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -432.7 | 0.13 | 1165.3 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -430.7 | 2 | 1167.3 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -430.92 | -0.22 | 1167.08 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -431.51 | -0.59 | 1166.49 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -431.95 | -0.44 | 1166.05 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -432.32 | -0.37 | 1165.68 | 01 | 06 | 2 | |

**Min** *-476.3* **Max** *-430.7* **Avg** *-447.021*

***6810913*** *( Aquifer: Well Depth: )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 11 / 30/ 2010 | -40.5 | | 1553.5 | 01 | 06 | 2 |
| | P | 12 / 16/ 2010 | -34.1 | 6.4 | 1559.9 | 01 | 06 | 2 |
| | P | 12 / 30/ 2010 | -34.62 | -0.52 | 1559.38 | 01 | 06 | 2 |
| | P | 1 / 14/ 2011 | -34.56 | 0.06 | 1559.44 | 01 | 06 | 2 |
| | P | 1 / 28/ 2011 | -34.58 | -0.02 | 1559.42 | 01 | 06 | 2 |
| | P | 2 / 11/ 2011 | -35.4 | -0.82 | 1558.6 | 01 | 06 | 2 |
| | P | 2 / 25/ 2011 | -35.37 | 0.03 | 1558.63 | 01 | 06 | 2 |
| | P | 3 / 15/ 2011 | -35.12 | 0.25 | 1558.88 | 01 | 06 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 31/ 2011 | -35.5 | -0.38 | 1558.5 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -35.46 | 0.04 | 1558.54 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -35.86 | -0.4 | 1558.14 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -35.93 | -0.07 | 1558.07 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -35.96 | -0.03 | 1558.04 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -36.19 | -0.23 | 1557.81 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -36.12 | 0.07 | 1557.88 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -36.32 | -0.2 | 1557.68 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -36.9 | -0.58 | 1557.1 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -36.96 | -0.06 | 1557.04 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -37.36 | -0.4 | 1556.64 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -37.7 | -0.34 | 1556.3 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -37.05 | 0.65 | 1556.95 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -37.06 | -0.01 | 1556.94 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -37.35 | -0.29 | 1556.65 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -37.19 | 0.16 | 1556.81 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -37.08 | 0.11 | 1556.92 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -37.1 | -0.02 | 1556.9 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -37 | 0.1 | 1557 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -36.96 | 0.04 | 1557.04 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -36.21 | 0.75 | 1557.79 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -34.47 | 1.74 | 1559.53 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -32.79 | 1.68 | 1561.21 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -31.01 | 1.78 | 1562.99 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -31.2 | -0.19 | 1562.8 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -34.44 | -3.24 | 1559.56 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -34.49 | -0.05 | 1559.51 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -34.94 | -0.45 | 1559.06 | 01 | 06 | 2 | |

**Min** *-40.5* **Max** *-31.01* **Avg** *-35.7458*

***6811102*** *( Aquifer: 218GLRSL Well Depth: 350 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 8 / 1964 | -250 | | 1231 | 01 | 07 | 7 | |

**Min** *-250* **Max** *-250* **Avg** *-250*

***6811103*** *( Aquifer: 218GLRSL Well Depth: 200 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 1965 | -119.9 | | 1350.1 | 01 | 12 | 1 | |
| | P | 4 / 18/ 1974 | -119 | 0.9 | 1351 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/24/1975 | -115.5 | 3.5 | 1354.5 | 01 | 01 | 2 | |
| | P | 1/30/1976 | -124.15 | -8.65 | 1345.85 | 01 | 01 | 1 | |
| | P | 2/16/1977 | -116.69 | 7.46 | 1353.31 | 01 | 01 | 1 | |
| | P | 2/17/1978 | -120.32 | -3.63 | 1349.68 | 01 | 01 | 1 | |
| | P | 3/ 6/1979 | -125.95 | -5.63 | 1344.05 | 01 | 01 | 1 | 20 |
| | P | 2/12/1981 | -126.63 | -0.68 | 1343.37 | 01 | 01 | 1 | |
| | P | 2/12/1982 | -124.74 | 1.89 | 1345.26 | 01 | 01 | 1 | |
| | P | 2/ 8/1983 | -127.6 | -2.86 | 1342.4 | 01 | 01 | 1 | |
| | P | 3/ 1/1984 | -132.5 | -4.9 | 1337.5 | 01 | 01 | 1 | 25 |
| | P | 2/21/1985 | -125.05 | 7.45 | 1344.95 | 01 | 01 | 1 | |
| | P | 3/11/1986 | -127.81 | -2.76 | 1342.19 | 01 | 01 | 1 | |
| | P | 10/26/1987 | -120.67 | 7.14 | 1349.33 | 01 | 01 | 1 | |
| | P | 3/24/1989 | -127.29 | -6.62 | 1342.71 | 01 | 01 | 1 | |
| | P | 2/ 7/1990 | -132.7 | -5.41 | 1337.3 | 01 | 01 | 1 | |
| | P | 2/ 8/1991 | -129.25 | 3.45 | 1340.75 | 01 | 01 | 1 | |
| | P | 12/11/1991 | -127.7 | 1.55 | 1342.3 | 01 | 01 | 1 | |
| | P | 2/11/1992 | -117.3 | 10.4 | 1352.7 | 01 | 01 | 1 | |
| | P | 3/ 4/1992 | -121.3 | -4 | 1348.7 | 01 | 01 | 1 | |
| | P | 6/17/1992 | -115.8 | 5.5 | 1354.2 | 01 | 01 | 1 | |
| | P | 8/26/1992 | -117.46 | -1.66 | 1352.54 | 01 | 01 | 1 | |
| | P | 12/ 2/1992 | -119.86 | -2.4 | 1350.14 | 01 | 01 | 1 | |
| | P | 2/17/1993 | -117.75 | 2.11 | 1352.25 | 01 | 01 | 1 | |
| | P | 4/ 1/1994 | -122.96 | -5.21 | 1347.04 | 01 | 01 | 1 | |
| | P | 1/26/1995 | -121.96 | 1 | 1348.04 | 01 | 01 | 1 | |
| | P | 2/22/1996 | -130.4 | -8.44 | 1339.6 | 01 | 01 | 1 | |
| | P | 7/29/1996 | -130.15 | 0.25 | 1339.85 | 01 | 01 | 1 | |
| | P | 1/15/1997 | -129.1 | 1.05 | 1340.9 | 01 | 01 | 1 | |
| | P | 7/21/1997 | -114.83 | 14.27 | 1355.17 | 01 | 01 | 1 | |
| | P | 1/29/1998 | -125.15 | -10.3 | 1344.85 | 02 | 01 | 1 | |
| | P | 2/ 8/1999 | -121 | 4.15 | 1349 | 01 | 01 | 1 | |
| | P | 2/14/2000 | -129.3 | -8.3 | 1340.7 | 01 | 01 | 1 | |
| | P | 8/ 2/2000 | -128.65 | 0.65 | 1341.35 | 01 | 01 | 1 | |
| | P | 2/ 7/2001 | -117.46 | 11.19 | 1352.54 | 01 | 01 | 1 | |
| | P | 2/ 5/2002 | -117.46 | | 1352.54 | 01 | 01 | 1 | |
| | P | 2/11/2003 | -117.72 | -0.26 | 1352.28 | 01 | 01 | 1 | |
| | P | 2/ 3/2004 | -124.87 | -7.15 | 1345.13 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 6 / 2005 | -121.13 | 3.74 | 1348.87 | 01 | 01 | 1 | |
| | P | 2 / 22/ 2006 | -125.9 | -4.77 | 1344.1 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2007 | -128.17 | -2.27 | 1341.83 | 01 | 01 | 1 | |
| | P | 1 / 9 / 2009 | -132.3 | -4.13 | 1337.7 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2010 | -126.15 | 6.15 | 1343.85 | 01 | 01 | 1 | |
| | P | 3 / 22/ 2011 | -125.67 | 0.48 | 1344.33 | 01 | 01 | 1 | |
| | P | 10 / 19/ 2011 | -133.71 | -8.04 | 1336.29 | 01 | 01 | 1 | |
| | P | 11 / 20/ 2012 | -134.78 | -1.07 | 1335.22 | 01 | 01 | 1 | |

**Min** *-134.78* **Max** *-114.83* **Avg** *-124.168*

***6811104*** *( Aquifer: 218GLRSL Well Depth: 235 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 1965 | -31.2 | | 1383.8 | 01 | 04 | 1 | |

**Min** *-31.2* **Max** *-31.2* **Avg** *-31.2*

***6811105*** *( Aquifer: 218GLRSL Well Depth: 191 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 22/ 1955 | -160 | | 1280 | 01 | 07 | 7 | |

**Min** *-160* **Max** *-160* **Avg** *-160*

***6811106*** *( Aquifer: 218GRHC Well Depth: 300 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 13/ 1977 | -72 | | 1341 | 01 | 01 | 1 | |

**Min** *-72* **Max** *-72* **Avg** *-72*

***6811107*** *( Aquifer: 218GLRSL Well Depth: 111 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 24/ 1964 | -71.92 | | 1466.08 | 01 | 04 | 1 | |

**Min** *-71.92* **Max** *-71.92* **Avg** *-71.92*

***6811201*** *( Aquifer: 218GLRSL Well Depth: 150 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 3 / 1965 | -105.84 | | 1294.16 | 01 | 04 | 1 | |

**Min** *-105.84* **Max** *-105.84* **Avg** *-105.84*

***6811202*** *( Aquifer: 218GLRSL Well Depth: 161 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 0 / 1957 | -86 | | 1344 | 01 | 07 | 7 | |

**Min** *-86* **Max** *-86* **Avg** *-86*

***6811203*** *( Aquifer: 218GLRSL Well Depth: 130 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 3 / 1965 | -103.05 | | 1351.95 | 01 | 04 | 1 | |

**Min** *-103.05* **Max** *-103.05* **Avg** *-103.05*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6811205** | ( Aquifer: 218GLRSL | | Well Depth: 15 | ) | | | | | |
| | P | 2 / 28/ 1940 | -3.1 | | 1411.9 | 01 | 01 | 1 | |
| | P | 12 / 24/ 1965 | -1.4 | 1.7 | 1413.6 | 01 | 01 | 1 | |
| **Min** -3.1 | | **Max** -1.4 | **Avg** | -2.25 | | | | | |
| **6811206** | ( Aquifer: 218GLRSL | | Well Depth: 204 | ) | | | | | |
| | P | 7 / 23/ 1965 | -118.02 | | 1351.98 | 01 | 04 | 1 | |
| **Min** -118.02 | | **Max** -118.02 | **Avg** | -118.02 | | | | | |
| **6811207** | ( Aquifer: 218GLRSL | | Well Depth: 200 | ) | | | | | |
| | P | 2 / 28/ 1940 | -105.01 | | 1329.99 | 01 | 04 | 7 | |
| | P | 2 / 1 / 1965 | -92.37 | 12.64 | 1342.63 | 01 | 04 | 7 | |
| | P | 3 / 29/ 1965 | -81.24 | 11.13 | 1353.76 | 01 | 04 | 7 | |
| | P | 4 / 9 / 1965 | -66.68 | 14.56 | 1368.32 | 01 | 04 | 7 | |
| | P | 5 / 10/ 1965 | -54.05 | 12.63 | 1380.95 | 01 | 04 | 7 | |
| | P | 6 / 8 / 1965 | -5.42 | 48.63 | 1429.58 | 01 | 04 | 7 | |
| | P | 7 / 6 / 1965 | -10.25 | -4.83 | 1424.75 | 01 | 04 | 7 | |
| | P | 8 / 3 / 1965 | -63.84 | -53.6 | 1371.16 | 01 | 04 | 7 | |
| | P | 9 / 3 / 1965 | -83.59 | -19.8 | 1351.41 | 01 | 04 | 7 | |
| | P | 10 / 8 / 1965 | -80.03 | 3.56 | 1354.97 | 01 | 04 | 7 | |
| | P | 12 / 17/ 1965 | -66.22 | 13.81 | 1368.78 | 01 | 04 | 7 | |
| | P | 4 / 16/ 1974 | -83.28 | -17.1 | 1351.72 | 01 | 01 | 1 | |
| | N | 2 / 20/ 1975 | | | | 01 | 01 | 1 | 47 |
| | P | 1 / 29/ 1976 | -84.51 | | 1350.49 | 01 | 01 | 1 | |
| | N | 2 / 16/ 1977 | | | | 01 | 01 | | 61 |
| | N | 2 / 17/ 1978 | | | | 01 | 01 | | 61 |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |
| | P | 2 / 12/ 1981 | -89.7 | | 1345.3 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1982 | -87.61 | 2.09 | 1347.39 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -93.06 | -5.45 | 1341.94 | 01 | 01 | 1 | 20 |
| | N | 3 / 1 / 1984 | | | | 01 | 01 | 1 | 44 |
| | N | 2 / 21/ 1985 | | | | 01 | 01 | 1 | 47 |
| | N | 3 / 11/ 1986 | | | | 01 | 01 | 1 | 47 |
| | N | 3 / 24/ 1989 | | | | 01 | 01 | 1 | 47 |
| **Min** -105.01 | | **Max** -5.42 | **Avg** | -71.6788 | | | | | |
| **6811208** | ( Aquifer: 218GLRSU | | Well Depth: 95 | ) | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 16/ 1965 | -63.8 | | 1416.2 | 01 | 01 | 1 | |
| | P | 11 / 29/ 1965 | -67.2 | -3.4 | 1412.8 | 01 | 01 | 1 | |
| Min -67.2 | | Max -63.8 | Avg -65.5 | | | | | | |
| **6811209** | ( Aquifer: 218GLRSL | | Well Depth: 55 ) | | | | | | |
| | P | 3 / 8 / 1967 | -18 | | 1347 | 01 | 01 | 1 | |
| | P | 3 / 21/ 1975 | -16.5 | 1.5 | 1348.5 | 01 | 01 | 1 | |
| Min -18 | | Max -16.5 | Avg -17.25 | | | | | | |
| **6811210** | ( Aquifer: 218CCRK | | Well Depth: 560 ) | | | | | | |
| | P | 2 / 27/ 1997 | -375 | | 1134 | 01 | 07 | 7 | |
| Min -375 | | Max -375 | Avg -375 | | | | | | |
| **6811301** | ( Aquifer: 218CCRK | | Well Depth: ) | | | | | | |
| | P | 8 / 18/ 2000 | -193.17 | | 1166.83 | 01 | 01 | 2 | |
| Min -193.17 | | Max -193.17 | Avg -193.17 | | | | | | |
| **6811302** | ( Aquifer: 218CCRK | | Well Depth: 295 ) | | | | | | |
| | P | 6 / 30/ 2005 | -169.33 | | 1138.67 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -169 | 0.33 | 1139 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -170.17 | -1.17 | 1137.83 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -169.92 | 0.25 | 1138.08 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -172.33 | -2.41 | 1135.67 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -172.75 | -0.42 | 1135.25 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -172.83 | -0.08 | 1135.17 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -173.92 | -1.09 | 1134.08 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -173.17 | 0.75 | 1134.83 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -174 | -0.83 | 1134 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -166.12 | 7.88 | 1141.88 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -169.17 | -3.05 | 1138.83 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -167 | 2.17 | 1141 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -166 | 1 | 1142 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -169.58 | -3.58 | 1138.42 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -170.33 | -0.75 | 1137.67 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2006 | -169.67 | 0.66 | 1138.33 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -169.83 | -0.16 | 1138.17 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -170 | -0.17 | 1138 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 30/ 2006 | -169.67 | 0.33 | 1138.33 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -169 | 0.67 | 1139 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2006 | -168.5 | 0.5 | 1139.5 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2006 | -168 | 0.5 | 1140 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2006 | -167.83 | 0.17 | 1140.17 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -168.33 | -0.5 | 1139.67 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -168.75 | -0.42 | 1139.25 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -167.5 | 1.25 | 1140.5 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -166.75 | 0.75 | 1141.25 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -158.25 | 8.5 | 1149.75 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -162.58 | -4.33 | 1145.42 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -165.5 | -2.92 | 1142.5 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -165.83 | -0.33 | 1142.17 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -148 | 17.83 | 1160 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -150.75 | -2.75 | 1157.25 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -157 | -6.25 | 1151 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -163.75 | -6.75 | 1144.25 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -163.5 | 0.25 | 1144.5 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -153.08 | 10.42 | 1154.92 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -163.08 | -10 | 1144.92 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -154.83 | 8.25 | 1153.17 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -148.33 | 6.5 | 1159.67 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -163 | -14.7 | 1145 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -156.17 | 6.83 | 1151.83 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -156.6 | -0.43 | 1151.4 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -163 | -6.4 | 1145 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -164.3 | -1.3 | 1143.7 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -165.1 | -0.8 | 1142.9 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -165.4 | -0.3 | 1142.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -165.7 | -0.3 | 1142.3 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -165.8 | -0.1 | 1142.2 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -166 | -0.2 | 1142 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -166.8 | -0.8 | 1141.2 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -166 | 0.8 | 1142 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -167.1 | -1.1 | 1140.9 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -166.1 | 1 | 1141.9 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 14/ 2008 | -165.7 | 0.4 | 1142.3 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -166.2 | -0.5 | 1141.8 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -166.9 | -0.7 | 1141.1 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -166.3 | 0.6 | 1141.7 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -165.7 | 0.6 | 1142.3 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -166.4 | -0.7 | 1141.6 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -168.8 | -2.4 | 1139.2 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -168.9 | -0.1 | 1139.1 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -168.1 | 0.8 | 1139.9 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -168.4 | -0.3 | 1139.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -166.5 | 1.9 | 1141.5 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -166.7 | -0.2 | 1141.3 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -166.8 | -0.1 | 1141.2 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -167 | -0.2 | 1141 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -167.1 | -0.1 | 1140.9 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -167.3 | -0.2 | 1140.7 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -167.4 | -0.1 | 1140.6 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -167.3 | 0.1 | 1140.7 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -167.5 | -0.2 | 1140.5 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -167.6 | -0.1 | 1140.4 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -167.6 | | 1140.4 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -167.55 | 0.05 | 1140.45 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -167.4 | 0.15 | 1140.6 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -168.1 | -0.7 | 1139.9 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -169.8 | -1.7 | 1138.2 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -169.8 | | 1138.2 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -169.2 | 0.6 | 1138.8 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -170.2 | -1 | 1137.8 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -170.3 | -0.1 | 1137.7 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -170.8 | -0.5 | 1137.2 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -170.9 | -0.1 | 1137.1 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -171.2 | -0.3 | 1136.8 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -171.3 | -0.1 | 1136.7 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -171.5 | -0.2 | 1136.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -168.9 | 2.6 | 1139.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -166.23 | 2.67 | 1141.77 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 15/ 2009 | -161.2 | 5.03 | 1146.8 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -153.5 | 7.7 | 1154.5 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -160.2 | -6.7 | 1147.8 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -160.61 | -0.41 | 1147.39 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -161.05 | -0.44 | 1146.95 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -162.4 | -1.35 | 1145.6 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -157 | 5.4 | 1151 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -150.1 | 6.9 | 1157.9 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -159.38 | -9.28 | 1148.62 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -163.2 | -3.82 | 1144.8 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -164.01 | -0.81 | 1143.99 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -164.35 | -0.34 | 1143.65 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -163.43 | 0.92 | 1144.57 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -164.8 | -1.37 | 1143.2 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -162.7 | 2.1 | 1145.3 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -165.28 | -2.58 | 1142.72 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -165.78 | -0.5 | 1142.22 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -165.36 | 0.42 | 1142.64 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -165.94 | -0.58 | 1142.06 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -161.86 | 4.08 | 1146.14 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -164.89 | -3.03 | 1143.11 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -165.9 | -1.01 | 1142.1 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -166.1 | -0.2 | 1141.9 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -166.1 | | 1141.9 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -166.13 | -0.03 | 1141.87 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -166.17 | -0.04 | 1141.83 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -166.15 | 0.02 | 1141.85 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -166.26 | -0.11 | 1141.74 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -166.21 | 0.05 | 1141.79 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -166.27 | -0.06 | 1141.73 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -166.22 | 0.05 | 1141.78 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -166.38 | -0.16 | 1141.62 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -167.1 | -0.72 | 1140.9 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -169.35 | -2.25 | 1138.65 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -169.81 | -0.46 | 1138.19 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -169.22 | 0.59 | 1138.78 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 27/ 2011 | -170.16 | -0.94 | 1137.84 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -171.93 | -1.77 | 1136.07 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -171.03 | 0.9 | 1136.97 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -171.75 | -0.72 | 1136.25 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -172.17 | -0.42 | 1135.83 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -172.92 | -0.75 | 1135.08 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -173.1 | -0.18 | 1134.9 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -173.53 | -0.43 | 1134.47 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -166.27 | 7.26 | 1141.73 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -169.69 | -3.42 | 1138.31 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -170.94 | -1.25 | 1137.06 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -169.97 | 0.97 | 1138.03 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -166.21 | 3.76 | 1141.79 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -166.08 | 0.13 | 1141.92 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -167.04 | -0.96 | 1140.96 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -166.09 | 0.95 | 1141.91 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -166.29 | -0.2 | 1141.71 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -165.5 | 0.79 | 1142.5 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -164.24 | 1.26 | 1143.76 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -163.58 | 0.66 | 1144.42 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -163.84 | -0.26 | 1144.16 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -166.18 | -2.34 | 1141.82 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -164.08 | 2.1 | 1143.92 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -165.95 | -1.87 | 1142.05 | 01 | 06 | 2 | |

**Min** *-174* **Max** *-148* **Avg** *-166.181*

***6811303*** *( Aquifer: 218GLRSL Well Depth: 265 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 2 / 1989 | -82.59 | | 1219.41 | 01 | 06 | 6 | |

**Min** *-82.59* **Max** *-82.59* **Avg** *-82.59*

***6811401*** *( Aquifer: 218GLRSU Well Depth: 46 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 0 / 1952 | -31 | | 1369 | 01 | 01 | 1 | |

**Min** *-31* **Max** *-31* **Avg** *-31*

***6811402*** *( Aquifer: 218GLRSU Well Depth: 40 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 0 / 1945 | -31 | | 1369 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1975 | -22.4 | 8.6 | 1377.6 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -31** | | **Max -22.4** | **Avg** | **-26.7** | | | | | |
| ***6811403*** | *( Aquifer: 218GLRSL* | | *Well Depth: 198 )* | | | | | | |
| | P | 2 / 11/ 1953 | -162 | | 1258 | 01 | 01 | 1 | |
| | P | 6 / 12/ 1980 | -168.03 | -6.03 | 1251.97 | 01 | 12 | 2 | |
| **Min -168.03** | | **Max -162** | **Avg** | **-165.015** | | | | | |
| ***6811404*** | *( Aquifer: 218GRHC* | | *Well Depth: 522 )* | | | | | | |
| | P | 1 / 0 / 1955 | -227 | | 1238 | 01 | 01 | 1 | |
| **Min -227** | | **Max -227** | **Avg** | **-227** | | | | | |
| ***6811405*** | *( Aquifer: 218GLRSU* | | *Well Depth: 38 )* | | | | | | |
| | P | 3 / 2 / 1940 | -28.54 | | 1371.46 | 01 | 04 | 7 | |
| | P | 3 / 25/ 1940 | -28 | 0.54 | 1372 | 01 | 01 | 1 | |
| | P | 5 / 7 / 1940 | -27.85 | 0.15 | 1372.15 | 01 | 04 | 7 | |
| | P | 5 / 11/ 1940 | -28 | -0.15 | 1372 | 01 | 04 | 7 | |
| | P | 5 / 30/ 1940 | -28.13 | -0.13 | 1371.87 | 01 | 04 | 7 | |
| | P | 8 / 30/ 1965 | -27.04 | 1.09 | 1372.96 | 01 | 04 | 7 | |
| | P | 4 / 15/ 1974 | -23.72 | 3.32 | 1376.28 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1975 | -19.15 | 4.57 | 1380.85 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1976 | -23.5 | -4.35 | 1376.5 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -19.89 | 3.61 | 1380.11 | 01 | 01 | 1 | |
| | P | 2 / 17/ 1978 | -25.2 | -5.31 | 1374.8 | 01 | 01 | 1 | |
| | P | 3 / 6 / 1979 | -20.36 | 4.84 | 1379.64 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1981 | -16 | 4.36 | 1384 | 01 | 01 | 3 | 24 |
| | N | 2 / 15/ 1982 | | | | 01 | 01 | | 61 |
| | P | 2 / 8 / 1983 | -17 | | 1383 | 01 | 01 | 3 | 24 |
| | P | 2 / 29/ 1984 | -26.69 | -9.69 | 1373.31 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1985 | -25.25 | 1.44 | 1374.75 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1986 | -23.13 | 2.12 | 1376.87 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -21.75 | 1.38 | 1378.25 | 01 | 01 | 1 | |
| | P | 8 / 6 / 1987 | -20.77 | 0.98 | 1379.23 | 01 | 01 | 1 | |
| | P | 10 / 27/ 1987 | -21.72 | -0.95 | 1378.28 | 01 | 01 | 1 | |
| | N | 3 / 24/ 1989 | | | | 01 | 01 | | 61 |
| | P | 2 / 7 / 1990 | -32 | | 1368 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1991 | -22.65 | 9.35 | 1377.35 | 01 | 01 | 1 | |
| | P | 12 / 11/ 1991 | -25.15 | -2.5 | 1374.85 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 11/ 1992 | -15.93 | 9.22 | 1384.07 | 01 | 01 | 1 | |
| | P | 3 / 9 / 1992 | -16.56 | -0.63 | 1383.44 | 01 | 01 | 1 | |
| | P | 6 / 17/ 1992 | -17.32 | -0.76 | 1382.68 | 01 | 01 | 1 | |
| | P | 8 / 26/ 1992 | -21.2 | -3.88 | 1378.8 | 01 | 01 | 2 | |
| | P | 12 / 2 / 1992 | -22.2 | -1 | 1377.8 | 01 | 01 | 2 | |
| | P | 2 / 18/ 1993 | -21.8 | 0.4 | 1378.2 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -18.62 | 3.18 | 1381.38 | 01 | 01 | 1 | |
| | P | 1 / 26/ 1995 | -24.1 | -5.48 | 1375.9 | 01 | 08 | 1 | |
| | P | 2 / 22/ 1996 | -27.1 | -3 | 1372.9 | 01 | 01 | 1 | |
| | P | 7 / 29/ 1996 | -30.73 | -3.63 | 1369.27 | 01 | 01 | 1 | |
| | P | 1 / 16/ 1997 | -27.88 | 2.85 | 1372.12 | 01 | 01 | 1 | |
| | P | 7 / 21/ 1997 | -21.55 | 6.33 | 1378.45 | 01 | 01 | 1 | |
| | P | 1 / 30/ 1998 | -25.55 | -4 | 1374.45 | 02 | 01 | 1 | |
| | P | 2 / 10/ 1999 | -23.8 | 1.75 | 1376.2 | 01 | 01 | 1 | |
| | P | 2 / 14/ 2000 | -29.3 | -5.5 | 1370.7 | 01 | 01 | 1 | 03 |
| | P | 8 / 2 / 2000 | -29.58 | -0.28 | 1370.42 | 01 | 01 | 1 | |
| | P | 2 / 7 / 2001 | -20.9 | 8.68 | 1379.1 | 01 | 01 | 1 | 03 |
| | P | 2 / 5 / 2002 | -21.79 | -0.89 | 1378.21 | 01 | 01 | 1 | |
| | P | 2 / 11/ 2003 | -21.75 | 0.04 | 1378.25 | 01 | 01 | 1 | |
| | N | 2 / 3 / 2004 | | | | 01 | 01 | | 61 |
| | P | 1 / 6 / 2005 | -22.15 | | 1377.85 | 01 | 01 | 1 | |
| | P | 2 / 22/ 2006 | -28.35 | -6.2 | 1371.65 | 01 | 01 | 1 | 03 |
| | P | 2 / 8 / 2007 | -25.25 | 3.1 | 1374.75 | 01 | 01 | 1 | |
| | P | 1 / 9 / 2009 | -29.58 | -4.33 | 1370.42 | 01 | 01 | 1 | |
| | P | 6 / 3 / 2010 | -22.33 | 7.25 | 1377.67 | 01 | 08 | 1 | |
| | P | 6 / 2 / 2011 | -27.6 | -5.27 | 1372.4 | 01 | 08 | 1 | |

**Min** *-32* **Max** *-15.93* **Avg** *-23.8419*

***6811406*** *( Aquifer: 218CCRK Well Depth: 450 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 10/ 1965 | -238.1 | | 1173.9 | 01 | 01 | 1 | |
| | P | 12 / 17/ 1965 | -245.8 | -7.7 | 1166.2 | 01 | 01 | 1 | |

**Min** *-245.8* **Max** *-238.1* **Avg** *-241.95*

***6811407*** *( Aquifer: 218GRHC Well Depth: 580 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 12/ 1965 | -179.3 | | 1370.7 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1972 | -348 | -169 | 1202 | 01 | 01 | 1 | |
| | P | 6 / 16/ 1994 | -414.3 | -66.3 | 1135.7 | 01 | 01 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** *-414.3* | | **Max** *-179.3* | **Avg** *-313.867* | | | | | | |
| ***6811411*** | *( Aquifer: 218GLRSL* | | *Well Depth: 247 )* | | | | | | |
| | P | 2 / 28/ 1940 | -203.9 | | 1216.1 | 01 | 01 | 1 | |
| **Min** *-203.9* | | **Max** *-203.9* | **Avg** *-203.9* | | | | | | |
| ***6811412*** | *( Aquifer: 218GLRSL* | | *Well Depth: 349 )* | | | | | | |
| | P | 3 / 0 / 1956 | -206 | | 1179 | 01 | 01 | 1 | |
| | P | 0 / 0 / 1975 | -250 | -44 | 1135 | 01 | 01 | 1 | |
| **Min** *-250* | | **Max** *-206* | **Avg** *-228* | | | | | | |
| ***6811413*** | *( Aquifer: 218GLRSL* | | *Well Depth: 80 )* | | | | | | |
| | P | 2 / 1 / 1963 | -31 | | 1379 | 01 | 01 | 1 | |
| | P | 4 / 10/ 1975 | -29.1 | 1.9 | 1380.9 | 01 | 01 | 1 | |
| **Min** *-31* | | **Max** *-29.1* | **Avg** *-30.05* | | | | | | |
| ***6811416*** | *( Aquifer: 218HSCC* | | *Well Depth: 458 )* | | | | | | |
| | P | 10 / 4 / 1985 | -211 | | 1234 | 01 | 07 | 7 | |
| **Min** *-211* | | **Max** *-211* | **Avg** *-211* | | | | | | |
| ***6811417*** | *( Aquifer: 218GRHC* | | *Well Depth: 515 )* | | | | | | |
| | P | 4 / 5 / 1999 | -236.45 | | 1185.55 | 01 | 01 | 2 | |
| | P | 5 / 19/ 1999 | -241.35 | -4.9 | 1180.65 | 01 | 03 | 2 | |
| | P | 6 / 14/ 1999 | -250.55 | -9.2 | 1171.45 | 01 | 01 | 2 | |
| | P | 7 / 6 / 1999 | -254.93 | -4.38 | 1167.07 | 01 | 03 | 2 | |
| | P | 8 / 18/ 1999 | -271.65 | -16.7 | 1150.35 | 01 | 03 | 2 | |
| | N | 10 / 14/ 1999 | | | | 01 | 03 | | 42 |
| | P | 12 / 10/ 1999 | -281.93 | | 1140.07 | 01 | 01 | 1 | |
| | P | 1 / 13/ 2000 | -247.32 | 34.61 | 1174.68 | 01 | 03 | 9 | |
| | P | 1 / 24/ 2000 | -278.05 | -30.7 | 1143.95 | 01 | 01 | 2 | |
| | P | 1 / 30/ 2000 | -276.7 | 1.35 | 1145.3 | 01 | 03 | 9 | |
| | P | 2 / 15/ 2000 | -274.88 | 1.82 | 1147.12 | 01 | 03 | 9 | |
| | P | 2 / 29/ 2000 | -276.34 | -1.46 | 1145.66 | 01 | 03 | 9 | |
| | P | 3 / 15/ 2000 | -277.78 | -1.44 | 1144.22 | 01 | 03 | 9 | |
| | P | 3 / 30/ 2000 | -278.34 | -0.56 | 1143.66 | 01 | 03 | 9 | |
| | P | 4 / 15/ 2000 | -279.05 | -0.71 | 1142.95 | 01 | 03 | 9 | |
| | P | 4 / 30/ 2000 | -283.83 | -4.78 | 1138.17 | 01 | 03 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/ 3/2000 | -283.51 | 0.32 | 1138.49 | 01 | 01 | 1 | |
| | P | 5/15/2000 | -282.37 | 1.14 | 1139.63 | 01 | 03 | 9 | |
| | P | 5/30/2000 | -279.71 | 2.66 | 1142.29 | 01 | 03 | 9 | |
| | P | 6/15/2000 | -276.76 | 2.95 | 1145.24 | 01 | 03 | 9 | |
| | P | 6/30/2000 | -278.37 | -1.61 | 1143.63 | 01 | 03 | 9 | |
| | P | 7/15/2000 | -286.62 | -8.25 | 1135.38 | 01 | 03 | 9 | |
| | P | 7/30/2000 | -288.72 | -2.1 | 1133.28 | 01 | 03 | 9 | |
| | P | 8/ 2/2000 | -287.52 | 1.2 | 1134.48 | 01 | 01 | 1 | |
| | P | 12/20/2000 | -258.39 | 29.13 | 1163.61 | 01 | 03 | 2 | |
| | P | 12/15/2006 | -274.3 | -15.9 | 1147.7 | 01 | 01 | 4 | |
| | P | 12/30/2006 | -272.54 | 1.76 | 1149.46 | 01 | 01 | 4 | |
| | P | 1/15/2007 | -269.77 | 2.77 | 1152.23 | 01 | 01 | 4 | |
| | P | 1/30/2007 | -268.13 | 1.64 | 1153.87 | 01 | 01 | 4 | |
| | P | 2/15/2007 | -265.68 | 2.45 | 1156.32 | 01 | 01 | 4 | |
| | P | 2/28/2007 | -264.09 | 1.59 | 1157.91 | 01 | 01 | 4 | |
| | P | 3/15/2007 | -264.85 | -0.76 | 1157.15 | 01 | 01 | 4 | |
| | P | 3/30/2007 | -263.23 | 1.62 | 1158.77 | 01 | 01 | 4 | |
| | P | 4/15/2007 | -262.52 | 0.71 | 1159.48 | 01 | 01 | 4 | |
| | P | 4/30/2007 | -261.45 | 1.07 | 1160.55 | 01 | 01 | 4 | |
| | P | 5/15/2007 | -260.01 | 1.44 | 1161.99 | 01 | 01 | 4 | |
| | P | 5/30/2007 | -258.51 | 1.5 | 1163.49 | 01 | 01 | 4 | |
| | P | 6/15/2007 | -258.68 | -0.17 | 1163.32 | 01 | 01 | 4 | |
| | P | 7/15/2007 | -254.54 | 4.14 | 1167.46 | 01 | 01 | 4 | |
| | P | 7/30/2007 | -252.18 | 2.36 | 1169.82 | 01 | 01 | 4 | |
| | P | 8/15/2007 | -251.46 | 0.72 | 1170.54 | 01 | 01 | 4 | |
| | P | 8/30/2007 | -250.6 | 0.86 | 1171.4 | 01 | 01 | 4 | |
| | P | 9/15/2007 | -249.19 | 1.41 | 1172.81 | 01 | 01 | 4 | |
| | P | 9/30/2007 | -249.73 | -0.54 | 1172.27 | 01 | 01 | 4 | |
| | P | 10/15/2007 | -250.03 | -0.3 | 1171.97 | 01 | 01 | 4 | |
| | P | 10/30/2007 | -251 | -0.97 | 1171 | 01 | 01 | 4 | |
| | P | 11/15/2007 | -251.69 | -0.69 | 1170.31 | 01 | 01 | 4 | |
| | P | 11/30/2007 | -251.87 | -0.18 | 1170.13 | 01 | 01 | 4 | |
| | P | 12/15/2007 | -249.81 | 2.06 | 1172.19 | 01 | 01 | 4 | |
| | P | 12/30/2007 | -248.41 | 1.4 | 1173.59 | 01 | 01 | 4 | |
| | P | 1/15/2008 | -248.09 | 0.32 | 1173.91 | 01 | 01 | 4 | |
| | P | 1/30/2008 | -246.82 | 1.27 | 1175.18 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/2008 | -246.79 | 0.03 | 1175.21 | 01 | 01 | 4 | |
| | P | 2/28/2008 | -247.05 | -0.26 | 1174.95 | 01 | 01 | 4 | |
| | P | 2/29/2008 | -247.45 | -0.4 | 1174.55 | 01 | 01 | 4 | |
| | P | 3/15/2008 | -247.29 | 0.16 | 1174.71 | 01 | 01 | 4 | |
| | P | 3/30/2008 | -248.38 | -1.09 | 1173.62 | 01 | 01 | 4 | |
| | P | 4/15/2008 | -250.86 | -2.48 | 1171.14 | 01 | 01 | 4 | |
| | P | 4/30/2008 | -253.85 | -2.99 | 1168.15 | 01 | 01 | 4 | |
| | P | 5/15/2008 | -257.4 | -3.55 | 1164.6 | 01 | 01 | 4 | |
| | P | 5/30/2008 | -260.77 | -3.37 | 1161.23 | 01 | 01 | 4 | |
| | P | 6/15/2008 | -269.22 | -8.45 | 1152.78 | 01 | 01 | 4 | |
| | P | 6/30/2008 | -275.87 | -6.65 | 1146.13 | 01 | 01 | 4 | |
| | P | 7/15/2008 | -276.01 | -0.14 | 1145.99 | 01 | 01 | 4 | |
| | P | 7/30/2008 | -276.78 | -0.77 | 1145.22 | 01 | 01 | 4 | |
| | P | 8/15/2008 | -277.59 | -0.81 | 1144.41 | 01 | 01 | 4 | |
| | P | 8/30/2008 | -274.48 | 3.11 | 1147.52 | 01 | 01 | 4 | |
| | P | 9/15/2008 | -272.31 | 2.17 | 1149.69 | 01 | 01 | 4 | |
| | P | 9/30/2008 | -272.94 | -0.63 | 1149.06 | 01 | 01 | 4 | |
| | P | 10/15/2008 | -276.15 | -3.21 | 1145.85 | 01 | 01 | 4 | |
| | P | 10/30/2008 | -275.44 | 0.71 | 1146.56 | 01 | 01 | 4 | |
| | P | 11/15/2008 | -275.12 | 0.32 | 1146.88 | 01 | 01 | 4 | |
| | P | 11/30/2008 | -275.08 | 0.04 | 1146.92 | 01 | 01 | 4 | |
| | P | 12/15/2008 | -274.28 | 0.8 | 1147.72 | 01 | 01 | 4 | |
| | P | 12/30/2008 | -272.93 | 1.35 | 1149.07 | 01 | 01 | 4 | |
| | P | 1/15/2009 | -271.3 | 1.63 | 1150.7 | 01 | 01 | 4 | |
| | P | 1/30/2009 | -270.37 | 0.93 | 1151.63 | 01 | 01 | 4 | |
| | P | 2/15/2009 | -270.17 | 0.2 | 1151.83 | 01 | 01 | 4 | |
| | P | 2/28/2009 | -270.34 | -0.17 | 1151.66 | 01 | 01 | 4 | |
| | P | 3/15/2009 | -271.93 | -1.59 | 1150.07 | 01 | 01 | 4 | |
| | P | 3/30/2009 | -271.3 | 0.63 | 1150.7 | 01 | 01 | 4 | |
| | P | 4/15/2009 | -272.04 | -0.74 | 1149.96 | 01 | 01 | 4 | |
| | P | 4/30/2009 | -271.83 | 0.21 | 1150.17 | 01 | 01 | 4 | |
| | P | 5/15/2009 | -273.12 | -1.29 | 1148.88 | 01 | 01 | 4 | |
| | P | 5/30/2009 | -275.58 | -2.46 | 1146.42 | 01 | 01 | 4 | |
| | P | 6/15/2009 | -276.84 | -1.26 | 1145.16 | 01 | 01 | 4 | |
| | P | 6/30/2009 | -282.01 | -5.17 | 1139.99 | 01 | 01 | 4 | |
| | P | 7/15/2009 | -288.05 | -6.04 | 1133.95 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 30/ 2009 | -290.82 | -2.77 | 1131.18 | 01 | 01 | 4 | |
| | P | 8 / 15/ 2009 | -292.46 | -1.64 | 1129.54 | 01 | 01 | 4 | |
| | P | 8 / 28/ 2009 | -293.41 | -0.95 | 1128.59 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2009 | -293.39 | 0.02 | 1128.61 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -291.21 | 2.18 | 1130.79 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2009 | -291.21 | | 1130.79 | 02 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -288.65 | 2.56 | 1133.35 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2009 | -288.82 | -0.17 | 1133.18 | 02 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -284.76 | 4.06 | 1137.24 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2009 | -284.45 | 0.31 | 1137.55 | 02 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -280.08 | 4.37 | 1141.92 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2009 | -280.07 | 0.01 | 1141.93 | 02 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -277.93 | 2.14 | 1144.07 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2009 | -276.95 | 0.98 | 1145.05 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -274.22 | 2.73 | 1147.78 | 01 | 01 | 4 | |
| | P | 11 / 30/ 2009 | -274.32 | -0.1 | 1147.68 | 02 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -271.65 | 2.67 | 1150.35 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2009 | -271.76 | -0.11 | 1150.24 | 02 | 06 | 2 | |
| | P | 12 / 30/ 2009 | -269.26 | 2.5 | 1152.74 | 01 | 01 | 4 | |
| | P | 1 / 12/ 2010 | -267.67 | 1.59 | 1154.33 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2010 | -267.35 | 0.32 | 1154.65 | 01 | 01 | 4 | |
| | P | 1 / 28/ 2010 | -265.85 | 1.5 | 1156.15 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2010 | -265.36 | 0.49 | 1156.64 | 01 | 01 | 4 | |
| | P | 2 / 12/ 2010 | -263.45 | 1.91 | 1158.55 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2010 | -262.84 | 0.61 | 1159.16 | 01 | 01 | 4 | |
| | P | 2 / 26/ 2010 | -260.23 | 2.61 | 1161.77 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2010 | -259.72 | 0.51 | 1162.28 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2010 | -256.74 | 2.98 | 1165.26 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2010 | -256.7 | 0.04 | 1165.3 | 02 | 06 | 2 | |
| | P | 3 / 30/ 2010 | -253.87 | 2.83 | 1168.13 | 01 | 01 | 4 | |
| | P | 3 / 31/ 2010 | -253.73 | 0.14 | 1168.27 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2010 | -252.42 | 1.31 | 1169.58 | 01 | 01 | 4 | |
| | P | 4 / 16/ 2010 | -252.42 | | 1169.58 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -249.71 | 2.71 | 1172.29 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2010 | -250.01 | -0.3 | 1171.99 | 02 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -251.11 | -1.1 | 1170.89 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/15/2010 | -251.56 | -0.45 | 1170.44 | 01 | 01 | 4 | |
| | P | 5/28/2010 | -250.33 | 1.23 | 1171.67 | 01 | 06 | 2 | |
| | P | 5/30/2010 | -250.08 | 0.25 | 1171.92 | 01 | 01 | 4 | |
| | P | 6/15/2010 | -250.91 | -0.83 | 1171.09 | 01 | 01 | 4 | |
| | P | 6/16/2010 | -251.47 | -0.56 | 1170.53 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -254.76 | -3.29 | 1167.24 | 01 | 06 | 2 | |
| | P | 7/15/2010 | -253.89 | 0.87 | 1168.11 | 01 | 01 | 4 | |
| | P | 7/16/2010 | -254.49 | -0.6 | 1167.51 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -256.99 | -2.5 | 1165.01 | 01 | 06 | 2 | |
| | P | 8/15/2010 | -262.19 | -5.2 | 1159.81 | 01 | 01 | 4 | |
| | P | 8/30/2010 | -269.2 | -7.01 | 1152.8 | 01 | 01 | 4 | |
| | P | 9/15/2010 | -269.91 | -0.71 | 1152.09 | 01 | 01 | 4 | |
| | P | 9/16/2010 | -269.63 | 0.28 | 1152.37 | 01 | 06 | 4 | |
| | P | 9/30/2010 | -266.58 | 3.05 | 1155.42 | 01 | 01 | 4 | |
| | P | 10/15/2010 | -265.91 | 0.67 | 1156.09 | 01 | 01 | 4 | |
| | P | 10/29/2010 | -264.77 | 1.14 | 1157.23 | 01 | 06 | 4 | |
| | P | 10/30/2010 | -265.22 | -0.45 | 1156.78 | 01 | 01 | 4 | |
| | P | 11/15/2010 | -265.48 | -0.26 | 1156.52 | 01 | 01 | 4 | |
| | P | 11/16/2010 | -265.5 | -0.02 | 1156.5 | 01 | 06 | 4 | |
| | P | 11/30/2010 | -265.59 | -0.09 | 1156.41 | 01 | 01 | 4 | |
| | P | 12/15/2010 | -265.32 | 0.27 | 1156.68 | 01 | 01 | 4 | |
| | P | 12/16/2010 | -265.35 | -0.03 | 1156.65 | 01 | 06 | 4 | |
| | P | 12/30/2010 | -264.09 | 1.26 | 1157.91 | 01 | 01 | 4 | |
| | P | 1/14/2011 | -262.88 | 1.21 | 1159.12 | 01 | 06 | 4 | |
| | P | 1/15/2011 | -262.5 | 0.38 | 1159.5 | 01 | 01 | 4 | |
| | P | 1/28/2011 | -260.99 | 1.51 | 1161.01 | 01 | 06 | 4 | |
| | P | 1/30/2011 | -260.58 | 0.41 | 1161.42 | 01 | 01 | 4 | |
| | P | 2/11/2011 | -261.46 | -0.88 | 1160.54 | 01 | 06 | 4 | |
| | P | 2/15/2011 | -261.57 | -0.11 | 1160.43 | 01 | 01 | 4 | |
| | P | 2/25/2011 | -261.29 | 0.28 | 1160.71 | 01 | 06 | 4 | |
| | P | 3/15/2011 | -260.43 | 0.86 | 1161.57 | 01 | 01 | 4 | |
| | P | 3/30/2011 | -262.3 | -1.87 | 1159.7 | 01 | 01 | 4 | |
| | P | 3/31/2011 | -262.31 | -0.01 | 1159.69 | 01 | 06 | 4 | |
| | P | 4/15/2011 | -265.7 | -3.39 | 1156.3 | 01 | 01 | 4 | |
| | P | 4/29/2011 | -270.06 | -4.36 | 1151.94 | 01 | 06 | 4 | |
| | P | 4/30/2011 | -270.08 | -0.02 | 1151.92 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/13/2011 | -273.44 | -3.36 | 1148.56 | 01 | 06 | 4 | |
| | P | 5/15/2011 | -274.57 | -1.13 | 1147.43 | 01 | 01 | 4 | |
| | P | 5/27/2011 | -276.32 | -1.75 | 1145.68 | 01 | 06 | 4 | |
| | P | 5/30/2011 | -277.07 | -0.75 | 1144.93 | 01 | 01 | 4 | |
| | P | 6/15/2011 | -281 | -3.93 | 1141 | 01 | 01 | 4 | |
| | P | 6/16/2011 | -281 | | 1141 | 01 | 06 | 4 | |
| | P | 6/30/2011 | -283.07 | -2.07 | 1138.93 | 01 | 01 | 4 | |
| | P | 7/15/2011 | -284.67 | -1.6 | 1137.33 | 01 | 01 | 4 | |
| | P | 7/29/2011 | -286.35 | -1.68 | 1135.65 | 01 | 06 | 4 | |
| | P | 7/30/2011 | -286.51 | -0.16 | 1135.49 | 01 | 01 | 4 | |
| | P | 8/15/2011 | -289.5 | -2.99 | 1132.5 | 01 | 01 | 4 | |
| | P | 8/30/2011 | -289.9 | -0.4 | 1132.1 | 01 | 01 | 4 | |
| | P | 9/15/2011 | -290.85 | -0.95 | 1131.15 | 01 | 01 | 4 | |
| | P | 9/30/2011 | -290.59 | 0.26 | 1131.41 | 01 | 01 | 4 | |
| | P | 10/15/2011 | -289.3 | 1.29 | 1132.7 | 01 | 01 | 4 | |
| | P | 10/19/2011 | -289.3 | | 1132.7 | 01 | 01 | 2 | |
| | P | 10/30/2011 | -288.25 | 1.05 | 1133.75 | 01 | 01 | 4 | |
| | P | 11/15/2011 | -285.78 | 2.47 | 1136.22 | 01 | 01 | 4 | |
| | P | 11/30/2011 | -283.66 | 2.12 | 1138.34 | 01 | 01 | 4 | |
| | P | 12/15/2011 | -280.19 | 3.47 | 1141.81 | 01 | 01 | 4 | |
| | P | 12/30/2011 | -276.92 | 3.27 | 1145.08 | 01 | 01 | 4 | |
| | P | 1/15/2012 | -274.28 | 2.64 | 1147.72 | 01 | 01 | 4 | |
| | P | 1/30/2012 | -272.38 | 1.9 | 1149.62 | 01 | 01 | 4 | |
| | P | 2/15/2012 | -269.9 | 2.48 | 1152.1 | 01 | 01 | 4 | |
| | P | 2/28/2012 | -269.3 | 0.6 | 1152.7 | 01 | 01 | 4 | |
| | P | 3/15/2012 | -267.31 | 1.99 | 1154.69 | 01 | 01 | 4 | |
| | P | 3/30/2012 | -266.88 | 0.43 | 1155.12 | 01 | 01 | 4 | |
| | P | 4/15/2012 | -268.39 | -1.51 | 1153.61 | 01 | 01 | 4 | |
| | P | 4/30/2012 | -271.39 | -3 | 1150.61 | 01 | 01 | 4 | |
| | P | 5/15/2012 | -274.3 | -2.91 | 1147.7 | 01 | 01 | 4 | |
| | P | 5/30/2012 | -275.91 | -1.61 | 1146.09 | 01 | 01 | 4 | |
| | P | 6/15/2012 | -279.32 | -3.41 | 1142.68 | 01 | 01 | 4 | |
| | P | 6/30/2012 | -282.98 | -3.66 | 1139.02 | 01 | 01 | 4 | |
| | P | 7/15/2012 | -285.9 | -2.92 | 1136.1 | 01 | 01 | 4 | |
| | P | 7/30/2012 | -286.66 | -0.76 | 1135.34 | 01 | 01 | 4 | |
| | P | 8/15/2012 | -289.91 | -3.25 | 1132.09 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 30/ 2012 | -290.89 | -0.98 | 1131.11 | 01 | 01 | 4 | |
| | P | 9 / 15/ 2012 | -292.73 | -1.84 | 1129.27 | 01 | 01 | 4 | |
| | P | 9 / 30/ 2012 | -291.09 | 1.64 | 1130.91 | 01 | 01 | 4 | |
| | P | 10 / 15/ 2012 | -289.2 | 1.89 | 1132.8 | 01 | 01 | 4 | |
| | P | 10 / 30/ 2012 | -288.53 | 0.67 | 1133.47 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -284.68 | 3.85 | 1137.32 | 01 | 01 | 4 | |
| | P | 11 / 15/ 2012 | -284.56 | 0.12 | 1137.44 | 02 | 01 | 1 | |
| | P | 11 / 27/ 2012 | -281.01 | 3.55 | 1140.99 | 01 | 01 | 2 | |
| | P | 11 / 30/ 2012 | -279.98 | 1.03 | 1142.02 | 01 | 01 | 4 | |
| | P | 12 / 15/ 2012 | -274.95 | 5.03 | 1147.05 | 01 | 01 | 4 | |
| | P | 12 / 30/ 2012 | -270.91 | 4.04 | 1151.09 | 01 | 01 | 4 | |
| | P | 1 / 15/ 2013 | -266.69 | 4.22 | 1155.31 | 01 | 01 | 4 | |
| | P | 1 / 30/ 2013 | -263.29 | 3.4 | 1158.71 | 01 | 01 | 4 | |
| | P | 1 / 31/ 2013 | -263.48 | -0.19 | 1158.52 | 01 | 01 | 2 | |
| | P | 2 / 15/ 2013 | -260.92 | 2.56 | 1161.08 | 01 | 01 | 4 | |
| | P | 2 / 28/ 2013 | -260.06 | 0.86 | 1161.94 | 01 | 01 | 4 | |
| | P | 3 / 15/ 2013 | -259.08 | 0.98 | 1162.92 | 01 | 01 | 4 | |
| | P | 3 / 30/ 2013 | -259.25 | -0.17 | 1162.75 | 01 | 01 | 4 | |
| | P | 4 / 15/ 2013 | -258.46 | 0.79 | 1163.54 | 01 | 01 | 4 | |
| | P | 4 / 30/ 2013 | -258.42 | 0.04 | 1163.58 | 01 | 01 | 4 | |
| | P | 5 / 15/ 2013 | -258.26 | 0.16 | 1163.74 | 01 | 01 | 4 | |

**Min** *-293.41* **Max** *-236.45* **Avg** *-269.281*

***6811418*** *( Aquifer: 218CCRK Well Depth: 585 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -463.67 | | 1112.33 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -437.5 | 26.17 | 1138.5 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -433.5 | 4 | 1142.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -427.33 | 6.17 | 1148.67 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -427.67 | -0.34 | 1148.33 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -430.75 | -3.08 | 1145.25 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -426.75 | 4 | 1149.25 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -425.25 | 1.5 | 1150.75 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -423.67 | 1.58 | 1152.33 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -426.67 | -3 | 1149.33 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -422.83 | 3.84 | 1153.17 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -431.83 | -9 | 1144.17 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/30/2006 | -436.25 | -4.42 | 1139.75 | 01 | 06 | 2 | |
| | P | 5/15/2006 | -436.25 | | 1139.75 | 01 | 06 | 2 | |
| | P | 5/31/2006 | -450 | -13.8 | 1126 | 01 | 06 | 2 | |
| | P | 6/15/2006 | -473.25 | -23.3 | 1102.75 | 01 | 06 | 2 | |
| | P | 7/15/2006 | -468.58 | 4.67 | 1107.42 | 01 | 06 | 2 | |
| | P | 7/31/2006 | -470.83 | -2.25 | 1105.17 | 01 | 06 | 2 | |
| | P | 8/15/2006 | -481 | -10.2 | 1095 | 01 | 06 | 2 | |
| | P | 8/30/2006 | -484.33 | -3.33 | 1091.67 | 01 | 06 | 2 | |
| | P | 9/15/2006 | -457.67 | 26.66 | 1118.33 | 01 | 06 | 2 | |
| | P | 9/30/2006 | -446 | 11.67 | 1130 | 01 | 06 | 2 | |
| | P | 10/15/2006 | -442.67 | 3.33 | 1133.33 | 01 | 06 | 2 | |
| | P | 10/30/2006 | -438.4 | 4.27 | 1137.6 | 01 | 06 | 2 | |
| | P | 11/15/2006 | -438.67 | -0.27 | 1137.33 | 01 | 06 | 2 | |
| | P | 11/30/2006 | -437.4 | 1.27 | 1138.6 | 01 | 06 | 2 | |
| | P | 12/15/2006 | -432.25 | 5.15 | 1143.75 | 01 | 06 | 2 | |
| | P | 12/31/2006 | -428.25 | 4 | 1147.75 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -425.58 | 2.67 | 1150.42 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -420.5 | 5.08 | 1155.5 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -415.17 | 5.33 | 1160.83 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -414.5 | 0.67 | 1161.5 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -413.25 | 1.25 | 1162.75 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -413.25 | | 1162.75 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -410.42 | 2.83 | 1165.58 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -410.67 | -0.25 | 1165.33 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -407.5 | 3.17 | 1168.5 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -404.17 | 3.33 | 1171.83 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -405.08 | -0.91 | 1170.92 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -402.5 | 2.58 | 1173.5 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -397.83 | 4.67 | 1178.17 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -392.33 | 5.5 | 1183.67 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -398.42 | -6.09 | 1177.58 | 01 | 06 | 2 | |
| | P | 8/31/2007 | -395.1 | 3.32 | 1180.9 | 01 | 06 | 2 | |
| | P | 9/15/2007 | -390.7 | 4.4 | 1185.3 | 01 | 06 | 2 | |
| | P | 9/30/2007 | -394.4 | -3.7 | 1181.6 | 01 | 06 | 2 | |
| | P | 10/15/2007 | -396.6 | -2.2 | 1179.4 | 01 | 06 | 2 | |
| | P | 10/31/2007 | -396.8 | -0.2 | 1179.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 2007 | -398.6 | -1.8 | 1177.4 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -398 | 0.6 | 1178 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -396.4 | 1.6 | 1179.6 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -394.2 | 2.2 | 1181.8 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -394.1 | 0.1 | 1181.9 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -392.1 | 2 | 1183.9 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -394.1 | -2 | 1181.9 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -396.2 | -2.1 | 1179.8 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -394.6 | 1.6 | 1181.4 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -403.8 | -9.2 | 1172.2 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -407.4 | -3.6 | 1168.6 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -414.3 | -6.9 | 1161.7 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -419 | -4.7 | 1157 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -433 | -14 | 1143 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -445.2 | -12.2 | 1130.8 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -457.2 | -12 | 1118.8 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -450 | 7.2 | 1126 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -450.5 | -0.5 | 1125.5 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -440 | 10.5 | 1136 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -450 | -10 | 1126 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -450.6 | -0.6 | 1125.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -446.6 | 4 | 1129.4 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -446.1 | 0.5 | 1129.9 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -445.6 | 0.5 | 1130.4 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -444.2 | 1.4 | 1131.8 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -444.1 | 0.1 | 1131.9 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -433.1 | 11 | 1142.9 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -430.4 | 2.7 | 1145.6 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -435 | -4.6 | 1141 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -432.9 | 2.1 | 1143.1 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -433.8 | -0.9 | 1142.2 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -436.04 | -2.24 | 1139.96 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -440.43 | -4.39 | 1135.57 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -439.01 | 1.42 | 1136.99 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -446.25 | -7.24 | 1129.75 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -443.12 | 3.13 | 1132.88 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 15/ 2009 | -450.84 | -7.72 | 1125.16 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -473.3 | -22.5 | 1102.7 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -480.86 | -7.56 | 1095.14 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -481.13 | -0.27 | 1094.87 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -482.91 | -1.78 | 1093.09 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -487.08 | -4.17 | 1088.92 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -468.49 | 18.59 | 1107.51 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -461.69 | 6.8 | 1114.31 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -450.11 | 11.58 | 1125.89 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -446.48 | 3.63 | 1129.52 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -446.48 | | 1129.52 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -446.47 | 0.01 | 1129.53 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -436.86 | 9.61 | 1139.14 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -434 | 2.86 | 1142 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -432.88 | 1.12 | 1143.12 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -432.87 | 0.01 | 1143.13 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -418.84 | 14.03 | 1157.16 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -413.7 | 5.14 | 1162.3 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -410.99 | 2.71 | 1165.01 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -412.96 | -1.97 | 1163.04 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -410.58 | 2.38 | 1165.42 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -416.67 | -6.09 | 1159.33 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -413.35 | 3.32 | 1162.65 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -416.72 | -3.37 | 1159.28 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -424.75 | -8.03 | 1151.25 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -423.5 | 1.25 | 1152.5 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -428.36 | -4.86 | 1147.64 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -443.39 | -15.0 | 1132.61 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2010 | -435.98 | 7.41 | 1140.02 | 01 | 06 | 9 | |
| | P | 10 / 15/ 2010 | -439.68 | -3.7 | 1136.32 | 01 | 06 | 9 | |
| | P | 10 / 29/ 2010 | -441.44 | -1.76 | 1134.56 | 01 | 06 | 9 | |
| | P | 11 / 16/ 2010 | -442.13 | -0.69 | 1133.87 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2010 | -442.87 | -0.74 | 1133.13 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2010 | -439.37 | 3.5 | 1136.63 | 01 | 06 | 9 | |
| | P | 12 / 30/ 2010 | -435.62 | 3.75 | 1140.38 | 01 | 06 | 9 | |
| | P | 1 / 14/ 2011 | -434.06 | 1.56 | 1141.94 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 28/ 2011 | -430.64 | 3.42 | 1145.36 | 01 | 06 | 9 | |
| | P | 2 / 11/ 2011 | -433.39 | -2.75 | 1142.61 | 01 | 06 | 9 | |
| | P | 2 / 25/ 2011 | -432.08 | 1.31 | 1143.92 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2011 | -433.77 | -1.69 | 1142.23 | 01 | 06 | 9 | |
| | P | 3 / 31/ 2011 | -439.5 | -5.73 | 1136.5 | 01 | 06 | 9 | |
| | P | 4 / 15/ 2011 | -451.52 | -12.0 | 1124.48 | 01 | 06 | 9 | |
| | P | 4 / 29/ 2011 | -463.95 | -12.4 | 1112.05 | 01 | 06 | 9 | |
| | P | 5 / 13/ 2011 | -467.87 | -3.92 | 1108.13 | 01 | 06 | 9 | |
| | P | 5 / 27/ 2011 | -474.72 | -6.85 | 1101.28 | 01 | 06 | 9 | |
| | P | 6 / 16/ 2011 | -491.33 | -16.6 | 1084.67 | 01 | 06 | 9 | |
| | P | 6 / 30/ 2011 | -484.71 | 6.62 | 1091.29 | 01 | 06 | 9 | |
| | P | 7 / 15/ 2011 | -491.07 | -6.36 | 1084.93 | 01 | 06 | 9 | |
| | P | 7 / 29/ 2011 | -490.69 | 0.38 | 1085.31 | 01 | 06 | 9 | |
| | P | 8 / 16/ 2011 | -494.53 | -3.84 | 1081.47 | 01 | 06 | 9 | |
| | P | 8 / 31/ 2011 | -491.63 | 2.9 | 1084.37 | 01 | 06 | 9 | |
| | P | 9 / 16/ 2011 | -489.11 | 2.52 | 1086.89 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2011 | -480.27 | 8.84 | 1095.73 | 01 | 06 | 9 | |
| | P | 10 / 13/ 2011 | -474.51 | 5.76 | 1101.49 | 01 | 06 | 9 | |
| | P | 10 / 28/ 2011 | -470.44 | 4.07 | 1105.56 | 01 | 06 | 9 | |
| | P | 11 / 15/ 2011 | -465.1 | 5.34 | 1110.9 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2011 | -458.33 | 6.77 | 1117.67 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2011 | -449.98 | 8.35 | 1126.02 | 01 | 06 | 9 | |
| | P | 12 / 29/ 2011 | -446.51 | 3.47 | 1129.49 | 01 | 06 | 9 | |
| | P | 1 / 19/ 2012 | -442.84 | 3.67 | 1133.16 | 01 | 06 | 9 | |
| | P | 1 / 31/ 2012 | -441.87 | 0.97 | 1134.13 | 01 | 06 | 9 | |
| | P | 2 / 16/ 2012 | -439.16 | 2.71 | 1136.84 | 01 | 06 | 9 | |
| | P | 2 / 29/ 2012 | -436.15 | 3.01 | 1139.85 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2012 | -435.27 | 0.88 | 1140.73 | 01 | 06 | 9 | |
| | P | 3 / 30/ 2012 | -434.24 | 1.03 | 1141.76 | 01 | 06 | 9 | |
| | P | 4 / 13/ 2012 | -437.67 | -3.43 | 1138.33 | 01 | 06 | 9 | |
| | P | 4 / 27/ 2012 | -444.23 | -6.56 | 1131.77 | 01 | 06 | 9 | |
| | P | 5 / 15/ 2012 | -444.44 | -0.21 | 1131.56 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -454.71 | -10.3 | 1121.29 | 01 | 06 | 9 | |

**Min** *-494.53* **Max** *-390.7* **Avg** *-436.952*

***6811501*** *( Aquifer: 218GLRSL Well Depth: 249 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 3 / 1965 | -170.3 | | 1429.7 | 01 | 01 | 1 | |
| Min -170.3 | | Max -170.3 | Avg -170.3 | | | | | | |
| **6811502** | ( Aquifer: 218GRCCU | | Well Depth: 590 ) | | | | | | |
| | P | 6 / 29/ 1965 | -290.64 | | 1241.36 | 01 | 04 | 1 | |
| Min -290.64 | | Max -290.64 | Avg -290.64 | | | | | | |
| **6811503** | ( Aquifer: 218GLRSL | | Well Depth: 203 ) | | | | | | |
| | P | 6 / 29/ 1965 | -124.8 | | 1320.2 | 01 | 04 | 1 | |
| Min -124.8 | | Max -124.8 | Avg -124.8 | | | | | | |
| **6811507** | ( Aquifer: 218GRHC | | Well Depth: 595 ) | | | | | | |
| | P | 7 / 23/ 1974 | -383.6 | | 1229.4 | 01 | 01 | 1 | |
| Min -383.6 | | Max -383.6 | Avg -383.6 | | | | | | |
| **6811508** | ( Aquifer: 218GLRSL | | Well Depth: 260 ) | | | | | | |
| | P | 3 / 29/ 1973 | -135 | | 1421 | 01 | 01 | 1 | |
| | P | 8 / 4 / 1975 | -121 | 14 | 1435 | 01 | 01 | 1 | |
| Min -135 | | Max -121 | Avg -128 | | | | | | |
| **6811509** | ( Aquifer: 218GLRSL | | Well Depth: 440 ) | | | | | | |
| | P | 6 / 30/ 2005 | -315.92 | | 1224.08 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -302.75 | 13.17 | 1237.25 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -302.25 | 0.5 | 1237.75 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -302.67 | -0.42 | 1237.33 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -303 | -0.33 | 1237 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -305.5 | -2.5 | 1234.5 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -306.25 | -0.75 | 1233.75 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -308.25 | -2 | 1231.75 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2006 | -305.67 | 2.58 | 1234.33 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2006 | -309.92 | -4.25 | 1230.08 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2006 | -306.83 | 3.09 | 1233.17 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2006 | -311 | -4.17 | 1229 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2006 | -310.5 | 0.5 | 1229.5 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2006 | -311 | -0.5 | 1229 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2006 | -313.67 | -2.67 | 1226.33 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2006 | -314.25 | -0.58 | 1225.75 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2006 | -315.08 | -0.83 | 1224.92 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2006 | -314.04 | 1.04 | 1225.96 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2006 | -314.83 | -0.79 | 1225.17 | 01 | 06 | 2 | |
| | P | 8 / 30/ 2006 | -316 | -1.17 | 1224 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2006 | -314 | 2 | 1226 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2006 | -313.92 | 0.08 | 1226.08 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2006 | -311.25 | 2.67 | 1228.75 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2006 | -314 | -2.75 | 1226 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2006 | -311.25 | 2.75 | 1228.75 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2006 | -310.92 | 0.33 | 1229.08 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2006 | -311 | -0.08 | 1229 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2006 | -309.25 | 1.75 | 1230.75 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2007 | -310.67 | -1.42 | 1229.33 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2007 | -309 | 1.67 | 1231 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2007 | -310.25 | -1.25 | 1229.75 | 01 | 06 | 2 | |
| | P | 2 / 28/ 2007 | -307.58 | 2.67 | 1232.42 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2007 | -306.67 | 0.91 | 1233.33 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2007 | -306.25 | 0.42 | 1233.75 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2007 | -304.33 | 1.92 | 1235.67 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2007 | -299.67 | 4.66 | 1240.33 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2007 | -307.5 | -7.83 | 1232.5 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2007 | -301 | 6.5 | 1239 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2007 | -303.33 | -2.33 | 1236.67 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2007 | -299.58 | 3.75 | 1240.42 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -299.25 | 0.33 | 1240.75 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -292 | 7.25 | 1248 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -292 | | 1248 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -288.6 | 3.4 | 1251.4 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -289.3 | -0.7 | 1250.7 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -292.4 | -3.1 | 1247.6 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -295.6 | -3.2 | 1244.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -296.4 | -0.8 | 1243.6 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -294.2 | 2.2 | 1245.8 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -295.5 | -1.3 | 1244.5 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -295.2 | 0.3 | 1244.8 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -298.2 | -3 | 1241.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/15/2008 | -296 | 2.2 | 1244 | 01 | 06 | 2 | |
| | P | 1/31/2008 | -296.5 | -0.5 | 1243.5 | 01 | 06 | 2 | |
| | P | 2/15/2008 | -297 | -0.5 | 1243 | 01 | 06 | 2 | |
| | P | 2/29/2008 | -296.6 | 0.4 | 1243.4 | 01 | 06 | 2 | |
| | P | 3/14/2008 | -296.2 | 0.4 | 1243.8 | 01 | 06 | 2 | |
| | P | 3/31/2008 | -300 | -3.8 | 1240 | 01 | 06 | 2 | |
| | P | 4/15/2008 | -300.6 | -0.6 | 1239.4 | 01 | 06 | 2 | |
| | P | 4/30/2008 | -301.5 | -0.9 | 1238.5 | 01 | 06 | 2 | |
| | P | 5/15/2008 | -308 | -6.5 | 1232 | 01 | 06 | 2 | |
| | P | 5/30/2008 | -306.4 | 1.6 | 1233.6 | 01 | 06 | 2 | |
| | P | 6/15/2008 | -308.8 | -2.4 | 1231.2 | 01 | 06 | 2 | |
| | P | 6/30/2008 | -310.2 | -1.4 | 1229.8 | 01 | 06 | 2 | |
| | P | 7/15/2008 | -308.8 | 1.4 | 1231.2 | 01 | 06 | 2 | |
| | P | 7/31/2008 | -308.8 | | 1231.2 | 01 | 06 | 2 | |
| | P | 9/15/2008 | -310.2 | -1.4 | 1229.8 | 01 | 06 | 2 | |
| | P | 9/30/2008 | -310.6 | -0.4 | 1229.4 | 01 | 06 | 2 | |
| | P | 10/15/2008 | -310.5 | 0.1 | 1229.5 | 01 | 06 | 2 | |
| | P | 10/31/2008 | -311.6 | -1.1 | 1228.4 | 01 | 06 | 2 | |
| | P | 11/13/2008 | -310.3 | 1.3 | 1229.7 | 01 | 06 | 2 | |
| | P | 12/ 1/2008 | -311.2 | -0.9 | 1228.8 | 01 | 06 | 2 | |
| | P | 12/15/2008 | -311 | 0.2 | 1229 | 01 | 06 | 2 | |
| | P | 12/29/2008 | -311.3 | -0.3 | 1228.7 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -309.4 | 1.9 | 1230.6 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -310.8 | -1.4 | 1229.2 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -309.8 | 1 | 1230.2 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -309.8 | | 1230.2 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -314 | -4.2 | 1226 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -310.16 | 3.84 | 1229.84 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -310.73 | -0.57 | 1229.27 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -311.25 | -0.52 | 1228.75 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -311.04 | 0.21 | 1228.96 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -312.23 | -1.19 | 1227.77 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -313.28 | -1.05 | 1226.72 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -314 | -0.72 | 1226 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -315.59 | -1.59 | 1224.41 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -315.81 | -0.22 | 1224.19 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8/14/2009 | -315.83 | -0.02 | 1224.17 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -315.92 | -0.09 | 1224.08 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -315.25 | 0.67 | 1224.75 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -315.03 | 0.22 | 1224.97 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -314.25 | 0.78 | 1225.75 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -313.71 | 0.54 | 1226.29 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -313.41 | 0.3 | 1226.59 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -313.7 | -0.29 | 1226.3 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -313.18 | 0.52 | 1226.82 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -313.32 | -0.14 | 1226.68 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -311.26 | 2.06 | 1228.74 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -308.86 | 2.4 | 1231.14 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -307.06 | 1.8 | 1232.94 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -305.91 | 1.15 | 1234.09 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -305.89 | 0.02 | 1234.11 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -305.78 | 0.11 | 1234.22 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -303.82 | 1.96 | 1236.18 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -304.82 | -1 | 1235.18 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -304.36 | 0.46 | 1235.64 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -305.19 | -0.83 | 1234.81 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -305.59 | -0.4 | 1234.41 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -305.56 | 0.03 | 1234.44 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -306.2 | -0.64 | 1233.8 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -308.11 | -1.91 | 1231.89 | 01 | 06 | 9 | |
| | P | 9/30/2010 | -306.86 | 1.25 | 1233.14 | 01 | 06 | 9 | |
| | P | 10/15/2010 | -307.96 | -1.1 | 1232.04 | 01 | 06 | 9 | |
| | P | 10/29/2010 | -308.21 | -0.25 | 1231.79 | 01 | 06 | 9 | |
| | P | 11/16/2010 | -307.29 | 0.92 | 1232.71 | 01 | 06 | 9 | |
| | P | 11/30/2010 | -307.68 | -0.39 | 1232.32 | 01 | 06 | 9 | |
| | P | 12/16/2010 | -307.23 | 0.45 | 1232.77 | 01 | 06 | 9 | |
| | P | 12/30/2010 | -306.24 | 0.99 | 1233.76 | 01 | 06 | 9 | |
| | P | 1/14/2011 | -307.69 | -1.45 | 1232.31 | 01 | 06 | 9 | |
| | P | 1/28/2011 | -307.56 | 0.13 | 1232.44 | 01 | 06 | 9 | |
| | P | 2/11/2011 | -308.24 | -0.68 | 1231.76 | 01 | 06 | 9 | |
| | P | 2/25/2011 | -307.88 | 0.36 | 1232.12 | 01 | 06 | 9 | |
| | P | 3/15/2011 | -308.51 | -0.63 | 1231.49 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 31/ 2011 | -309.45 | -0.94 | 1230.55 | 01 | 06 | 9 | |
| | P | 4 / 15/ 2011 | -312.06 | -2.61 | 1227.94 | 01 | 06 | 9 | |
| | P | 4 / 29/ 2011 | -313.68 | -1.62 | 1226.32 | 01 | 06 | 9 | |
| | P | 5 / 13/ 2011 | -313.91 | -0.23 | 1226.09 | 01 | 06 | 9 | |
| | P | 5 / 27/ 2011 | -315.2 | -1.29 | 1224.8 | 01 | 06 | 9 | |
| | P | 6 / 16/ 2011 | -316.65 | -1.45 | 1223.35 | 01 | 06 | 9 | |
| | P | 6 / 30/ 2011 | -316.89 | -0.24 | 1223.11 | 01 | 06 | 9 | |
| | P | 7 / 15/ 2011 | -317.44 | -0.55 | 1222.56 | 01 | 06 | 9 | |
| | P | 7 / 29/ 2011 | -317.56 | -0.12 | 1222.44 | 01 | 06 | 9 | |
| | P | 8 / 16/ 2011 | -317.3 | 0.26 | 1222.7 | 01 | 06 | 9 | |
| | P | 8 / 31/ 2011 | -317.27 | 0.03 | 1222.73 | 01 | 06 | 9 | |
| | P | 9 / 16/ 2011 | -317.96 | -0.69 | 1222.04 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2011 | -317.11 | 0.85 | 1222.89 | 01 | 06 | 9 | |
| | P | 10 / 13/ 2011 | -316.9 | 0.21 | 1223.1 | 01 | 06 | 9 | |
| | P | 10 / 28/ 2011 | -316.92 | -0.02 | 1223.08 | 01 | 06 | 9 | |
| | P | 11 / 15/ 2011 | -316.07 | 0.85 | 1223.93 | 01 | 06 | 9 | |
| | P | 11 / 30/ 2011 | -316.73 | -0.66 | 1223.27 | 01 | 06 | 9 | |
| | P | 12 / 16/ 2011 | -316.29 | 0.44 | 1223.71 | 01 | 06 | 9 | |
| | P | 12 / 29/ 2011 | -315.62 | 0.67 | 1224.38 | 01 | 06 | 9 | |
| | P | 1 / 19/ 2012 | -315.34 | 0.28 | 1224.66 | 01 | 06 | 9 | |
| | P | 1 / 31/ 2012 | -315.51 | -0.17 | 1224.49 | 01 | 06 | 9 | |
| | P | 2 / 16/ 2012 | -315.77 | -0.26 | 1224.23 | 01 | 06 | 9 | |
| | P | 2 / 29/ 2012 | -314.87 | 0.9 | 1225.13 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2012 | -315.21 | -0.34 | 1224.79 | 01 | 06 | 9 | |
| | P | 3 / 30/ 2012 | -314.96 | 0.25 | 1225.04 | 01 | 06 | 9 | |
| | P | 4 / 13/ 2012 | -315.46 | -0.5 | 1224.54 | 01 | 06 | 9 | |
| | P | 4 / 27/ 2012 | -316.02 | -0.56 | 1223.98 | 01 | 06 | 9 | |
| | P | 5 / 15/ 2012 | -316.25 | -0.23 | 1223.75 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -317.07 | -0.82 | 1222.93 | 01 | 06 | 9 | |

**Min** *-317.96* **Max** *-288.6* **Avg** *-308.825*

***6811601*** *( Aquifer: 218GLRSL Well Depth: 346 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 0 / 0 / 1943 | -200 | | 1200 | 01 | 01 | 1 |

**Min** *-200* **Max** *-200* **Avg** *-200*

***6811602*** *( Aquifer: 218GLRSL Well Depth: 8 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 10 / 16/ 1951 | -7.5 | | 1375.5 | 01 | 01 | 1 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 31/ 1975 | -1.2 | 6.3 | 1381.8 | 01 | 01 | 1 | |
| Min -7.5 | | Max -1.2 | Avg | -4.35 | | | | | |
| **6811603** | ( Aquifer: 218GLRSL | | Well Depth: 55 | ) | | | | | |
| | P | 10 / 16/ 1951 | -31.6 | | 1376.4 | 01 | 01 | 1 | |
| Min -31.6 | | Max -31.6 | Avg | -31.6 | | | | | |
| **6811606** | ( Aquifer: 218GLRSL | | Well Depth: 362 | ) | | | | | |
| | P | 12 / 0 / 1947 | -240 | | 1181 | 01 | 01 | 1 | |
| Min -240 | | Max -240 | Avg | -240 | | | | | |
| **6811607** | ( Aquifer: 218GLRSL | | Well Depth: 60 | ) | | | | | |
| | P | 11 / 1 / 1951 | -39.9 | | 1380.1 | 01 | 01 | 1 | |
| Min -39.9 | | Max -39.9 | Avg | -39.9 | | | | | |
| **6811608** | ( Aquifer: 218GLRSU | | Well Depth: 130 | ) | | | | | |
| | P | 11 / 9 / 1964 | -87.45 | | 1387.55 | 01 | 04 | 1 | |
| Min -87.45 | | Max -87.45 | Avg | -87.45 | | | | | |
| **6811609** | ( Aquifer: 218GLRSL | | Well Depth: 385 | ) | | | | | |
| | P | 4 / 8 / 1940 | -151.65 | | 1298.35 | 01 | 04 | 1 | |
| | P | 11 / 1 / 1951 | -112.8 | 38.85 | 1337.2 | 01 | 04 | 7 | |
| Min -151.65 | | Max -112.8 | Avg | -132.225 | | | | | |
| **6811610** | ( Aquifer: 218GLRSL | | Well Depth: 240 | ) | | | | | |
| | P | 4 / 8 / 1940 | -213.7 | | 1321.3 | 01 | 01 | 1 | |
| Min -213.7 | | Max -213.7 | Avg | -213.7 | | | | | |
| **6811611** | ( Aquifer: 218CCRK | | Well Depth: 560 | ) | | | | | |
| | P | 4 / 10/ 2008 | -308 | | 1222 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -308.9 | -0.9 | 1221.1 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -309.8 | -0.9 | 1220.2 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -313 | -3.2 | 1217 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -316.83 | -3.83 | 1213.17 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -320.1 | -3.27 | 1209.9 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -323.9 | -3.8 | 1206.1 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -325.4 | -1.5 | 1204.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 31/ 2008 | -323.9 | 1.5 | 1206.1 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -323 | 0.9 | 1207 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -323 | | 1207 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -323.5 | -0.5 | 1206.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -323.6 | -0.1 | 1206.4 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -322.4 | 1.2 | 1207.6 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -323.4 | -1 | 1206.6 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -318.2 | 5.2 | 1211.8 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -317.1 | 1.1 | 1212.9 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -315.6 | 1.5 | 1214.4 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -315.6 | | 1214.4 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -320.3 | -4.7 | 1209.7 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -315.32 | 4.98 | 1214.68 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -314.5 | 0.82 | 1215.5 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -314.7 | -0.2 | 1215.3 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -315.7 | -1 | 1214.3 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -316.1 | -0.4 | 1213.9 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -319.2 | -3.1 | 1210.8 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -318.75 | 0.45 | 1211.25 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -319.7 | -0.95 | 1210.3 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -322.5 | -2.8 | 1207.5 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -323.6 | -1.1 | 1206.4 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -328 | -4.4 | 1202 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -331.75 | -3.75 | 1198.25 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -334.4 | -2.65 | 1195.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -332.9 | 1.5 | 1197.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -329.25 | 3.65 | 1200.75 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -325.32 | 3.93 | 1204.68 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -322.05 | 3.27 | 1207.95 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -318.95 | 3.1 | 1211.05 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -314.7 | 4.25 | 1215.3 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -312.8 | 1.9 | 1217.2 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -311.25 | 1.55 | 1218.75 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -305.85 | 5.4 | 1224.15 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -299.4 | 6.45 | 1230.6 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -294.75 | 4.65 | 1235.25 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3/15/2010 | -292.7 | 2.05 | 1237.3 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -294.3 | -1.6 | 1235.7 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -297.71 | -3.41 | 1232.29 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -298.15 | -0.44 | 1231.85 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -300.13 | -1.98 | 1229.87 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -300.65 | -0.52 | 1229.35 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -302.35 | -1.7 | 1227.65 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -305.08 | -2.73 | 1224.92 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -308.08 | -3 | 1221.92 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -309.12 | -1.04 | 1220.88 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -313.7 | -4.58 | 1216.3 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -310.9 | 2.8 | 1219.1 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -310.65 | 0.25 | 1219.35 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -311.45 | -0.8 | 1218.55 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -312.2 | -0.75 | 1217.8 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -312.75 | -0.55 | 1217.25 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -313.64 | -0.89 | 1216.36 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -313.79 | -0.15 | 1216.21 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -313.02 | 0.77 | 1216.98 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -312.16 | 0.86 | 1217.84 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -313.81 | -1.65 | 1216.19 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -313.16 | 0.65 | 1216.84 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -316.09 | -2.93 | 1213.91 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -315.98 | 0.11 | 1214.02 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -319.51 | -3.53 | 1210.49 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -322.55 | -3.04 | 1207.45 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -327.19 | -4.64 | 1202.81 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -330.04 | -2.85 | 1199.96 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -336.58 | -6.54 | 1193.42 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -338.93 | -2.35 | 1191.07 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -342.8 | -3.87 | 1187.2 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -343.01 | -0.21 | 1186.99 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -345.03 | -2.02 | 1184.97 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -346.97 | -1.94 | 1183.03 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -347.6 | -0.63 | 1182.4 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -342.33 | 5.27 | 1187.67 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 28/ 2011 | -339.7 | 2.63 | 1190.3 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -337.14 | 2.56 | 1192.86 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -334.9 | 2.24 | 1195.1 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -332.75 | 2.15 | 1197.25 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -331.67 | 1.08 | 1198.33 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -328.7 | 2.97 | 1201.3 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -328.2 | 0.5 | 1201.8 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -326.7 | 1.5 | 1203.3 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -325.62 | 1.08 | 1204.38 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -324.3 | 1.32 | 1205.7 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -321.85 | 2.45 | 1208.15 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -320.25 | 1.6 | 1209.75 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -323.2 | -2.95 | 1206.8 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -322.85 | 0.35 | 1207.15 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -323.02 | -0.17 | 1206.98 | 01 | 06 | 2 | |

**Min** *-347.6* **Max** *-292.7* **Avg** *-319.705*

***6811701*** *( Aquifer: 218CCRK Well Depth: 464 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 2 / 1940 | -187.8 | | 1224.2 | 01 | 01 | 1 | |
| | P | 6 / 25/ 1955 | -260 | -72.2 | 1152 | 01 | 01 | 1 | |

**Min** *-260* **Max** *-187.8* **Avg** *-223.9*

***6811703*** *( Aquifer: 218GLRSU Well Depth: 180 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 9 / 1940 | -103.8 | | 1416.2 | 01 | 01 | 1 | |
| | P | 7 / 23/ 1965 | -112.8 | -9 | 1407.2 | 01 | 01 | 1 | |

**Min** *-112.8* **Max** *-103.8* **Avg** *-108.3*

***6811704*** *( Aquifer: 218GLRSU Well Depth: 100 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 24/ 1965 | -77.4 | | 1387.6 | 01 | 01 | 1 | |

**Min** *-77.4* **Max** *-77.4* **Avg** *-77.4*

***6811705*** *( Aquifer: 218GLRSL Well Depth: 125 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 1 / 1940 | -35.46 | | 1379.54 | 01 | 04 | 1 | |
| | P | 5 / 2 / 1940 | -37.36 | -1.9 | 1377.64 | 01 | 04 | 1 | |
| | P | 5 / 7 / 1940 | -37.93 | -0.57 | 1377.07 | 01 | 04 | 1 | |
| | P | 5 / 11/ 1940 | -35.56 | 2.37 | 1379.44 | 01 | 04 | 1 | |
| | P | 8 / 24/ 1965 | -33.61 | 1.95 | 1381.39 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -37.93** | | **Max -33.61** | **Avg** | **-35.984** | | | | | |
| ***6811706*** | *( Aquifer: 218GRCCU* | | *Well Depth: 410 )* | | | | | | |
| | P | 11 / 30/ 1964 | -219.12 | | 1180.88 | 01 | 04 | 1 | |
| **Min -219.12** | | **Max -219.12** | **Avg** | **-219.12** | | | | | |
| ***6811707*** | *( Aquifer: 218GRHC* | | *Well Depth: 425 )* | | | | | | |
| | P | 2 / 20/ 1965 | -216 | | 1164 | 01 | 10 | 6 | |
| | P | 6 / 10/ 1965 | -211.8 | 4.2 | 1168.2 | 01 | 01 | 1 | |
| **Min -216** | | **Max -211.8** | **Avg** | **-213.9** | | | | | |
| ***6811708*** | *( Aquifer: 218GRLH* | | *Well Depth: 357 )* | | | | | | |
| | P | 7 / 12/ 1962 | -206 | | 1179 | 01 | 07 | 7 | |
| | P | 4 / 17/ 1974 | -211.7 | -5.7 | 1173.3 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1975 | -201.6 | 10.1 | 1183.4 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1976 | -211.81 | -10.2 | 1173.19 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -197.96 | 13.85 | 1187.04 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1978 | -197.27 | 0.69 | 1187.73 | 01 | 01 | 1 | |
| | N | 3 / 5 / 1979 | | | | 01 | 01 | | 63 |
| | P | 2 / 11/ 1981 | -195.36 | | 1189.64 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1982 | -188.04 | 7.32 | 1196.96 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -201.57 | -13.5 | 1183.43 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1984 | -207.42 | -5.85 | 1177.58 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1986 | -202.99 | 4.43 | 1182.01 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -195.85 | 7.14 | 1189.15 | 01 | 01 | 1 | |
| | P | 8 / 6 / 1987 | -198.74 | -2.89 | 1186.26 | 01 | 01 | 1 | |
| | N | 3 / 24/ 1989 | | | | 01 | 01 | | 63 |
| | P | 2 / 7 / 1990 | -220.34 | | 1164.66 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1991 | -217.8 | 2.54 | 1167.2 | 01 | 01 | 1 | |
| | P | 10 / 7 / 1991 | -221.68 | -3.88 | 1163.32 | 01 | 01 | 1 | |
| | P | 10 / 15/ 1991 | -205.67 | 16.01 | 1179.33 | 01 | 01 | 4 | |
| | P | 10 / 30/ 1991 | -205.42 | 0.25 | 1179.58 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1991 | -205.38 | 0.04 | 1179.62 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1991 | -204.49 | 0.89 | 1180.51 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1991 | -207.1 | -2.61 | 1177.9 | 01 | 01 | 4 | |
| | P | 12 / 30/ 1991 | -191.82 | 15.28 | 1193.18 | 01 | 01 | 4 | |
| | P | 1 / 15/ 1992 | -187.3 | 4.52 | 1197.7 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/1992 | -184.08 | 3.22 | 1200.92 | 01 | 01 | 4 | |
| | P | 2/15/1992 | -179.49 | 4.59 | 1205.51 | 01 | 01 | 4 | |
| | P | 2/29/1992 | -177.49 | 2 | 1207.51 | 01 | 01 | 4 | |
| | P | 3/15/1992 | -173.89 | 3.6 | 1211.11 | 01 | 01 | 4 | |
| | P | 3/30/1992 | -172.59 | 1.3 | 1212.41 | 01 | 01 | 4 | |
| | P | 4/30/1992 | -170.24 | 2.35 | 1214.76 | 01 | 01 | 4 | |
| | P | 5/15/1992 | -169.79 | 0.45 | 1215.21 | 01 | 01 | 4 | |
| | P | 5/30/1992 | -166.92 | 2.87 | 1218.08 | 01 | 01 | 4 | |
| | P | 6/15/1992 | -164.89 | 2.03 | 1220.11 | 01 | 01 | 4 | |
| | P | 6/30/1992 | -164.11 | 0.78 | 1220.89 | 01 | 01 | 4 | |
| | P | 7/15/1992 | -165.48 | -1.37 | 1219.52 | 01 | 01 | 4 | |
| | P | 7/30/1992 | -164.7 | 0.78 | 1220.3 | 01 | 01 | 4 | |
| | P | 8/15/1992 | -165.51 | -0.81 | 1219.49 | 01 | 01 | 4 | |
| | P | 8/30/1992 | -165.57 | -0.06 | 1219.43 | 01 | 01 | 4 | |
| | P | 9/15/1992 | -166.15 | -0.58 | 1218.85 | 01 | 01 | 4 | |
| | P | 9/30/1992 | -165.36 | 0.79 | 1219.64 | 01 | 01 | 4 | |
| | P | 10/18/1992 | -165.33 | 0.03 | 1219.67 | 01 | 01 | 4 | |
| | P | 10/30/1992 | -165.2 | 0.13 | 1219.8 | 01 | 01 | 4 | |
| | P | 11/15/1992 | -165.56 | -0.36 | 1219.44 | 01 | 01 | 4 | |
| | P | 11/30/1992 | -165.42 | 0.14 | 1219.58 | 01 | 01 | 4 | |
| | P | 12/15/1992 | -165.2 | 0.22 | 1219.8 | 01 | 01 | 4 | |
| | P | 12/30/1992 | -165.08 | 0.12 | 1219.92 | 01 | 01 | 4 | |
| | P | 1/15/1993 | -165.28 | -0.2 | 1219.72 | 01 | 01 | 4 | |
| | P | 1/25/1993 | -165.6 | -0.32 | 1219.4 | 01 | 01 | 4 | |
| | P | 2/18/1993 | -168.38 | -2.78 | 1216.62 | 01 | 01 | 1 | |
| | P | 1/26/1995 | -201.8 | -33.4 | 1183.2 | 01 | 01 | 1 | |
| | P | 2/22/1996 | -204.85 | -3.05 | 1180.15 | 01 | 01 | 1 | |
| | P | 7/29/1996 | -264.8 | -60 | 1120.2 | 01 | 01 | 1 | |
| | P | 1/16/1997 | -250.05 | 14.75 | 1134.95 | 01 | 01 | 1 | |
| | P | 7/21/1997 | -226.9 | 23.15 | 1158.1 | 01 | 01 | 1 | |
| | P | 1/30/1998 | -201.3 | 25.6 | 1183.7 | 01 | 01 | 1 | |
| | P | 2/10/1999 | -209.95 | -8.65 | 1175.05 | 01 | 01 | 1 | |
| | P | 2/14/2000 | -218.9 | -8.95 | 1166.1 | 01 | 01 | 1 | |
| | P | 8/2/2000 | -227.7 | -8.8 | 1157.3 | 01 | 01 | 1 | |
| | P | 2/7/2001 | -206.75 | 20.95 | 1178.25 | 01 | 01 | 1 | |
| | P | 2/5/2002 | -199.1 | 7.65 | 1185.9 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/11/2003 | -194.75 | 4.35 | 1190.25 | 01 | 01 | 1 | |
| | P | 2/ 3/2004 | -206.5 | -11.8 | 1178.5 | 01 | 01 | 1 | |
| | P | 1/ 6/2005 | -221.75 | -15.3 | 1163.25 | 01 | 01 | 1 | |
| | P | 2/22/2006 | -235.25 | -13.5 | 1149.75 | 01 | 01 | 1 | |
| | P | 2/ 8/2007 | -215.69 | 19.56 | 1169.31 | 01 | 01 | 1 | |
| | P | 1/30/2009 | -212.9 | 2.79 | 1172.1 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -211.8 | 1.1 | 1173.2 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -212.2 | -0.4 | 1172.8 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -213.25 | -1.05 | 1171.75 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -211.09 | 2.16 | 1173.91 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -232.73 | -21.6 | 1152.27 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -213.75 | 18.98 | 1171.25 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -214.06 | -0.31 | 1170.94 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -216.64 | -2.58 | 1168.36 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -218.55 | -1.91 | 1166.45 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -222.33 | -3.78 | 1162.67 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -223.42 | -1.09 | 1161.58 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -250.71 | -27.3 | 1134.29 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -245.22 | 5.49 | 1139.78 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -230.88 | 14.34 | 1154.12 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -223.07 | 7.81 | 1161.93 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -222.05 | 1.02 | 1162.95 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -220.78 | 1.27 | 1164.22 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -215.94 | 4.84 | 1169.06 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -216.91 | -0.97 | 1168.09 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -214.65 | 2.26 | 1170.35 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -213.28 | 1.37 | 1171.72 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -215.6 | -2.32 | 1169.4 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -211.44 | 4.16 | 1173.56 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -205.66 | 5.78 | 1179.34 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -199.46 | 6.2 | 1185.54 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -197.27 | 2.19 | 1187.73 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -195.33 | 1.94 | 1189.67 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -193.87 | 1.46 | 1191.13 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -191.29 | 2.58 | 1193.71 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -194.86 | -3.57 | 1190.14 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5/28/2010 | -191.86 | 3 | 1193.14 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -208.89 | -17.0 | 1176.11 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -202.62 | 6.27 | 1182.38 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -193.73 | 8.89 | 1191.27 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -198.12 | -4.39 | 1186.88 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -230.82 | -32.7 | 1154.18 | 01 | 06 | 9 | |
| | P | 9/30/2010 | -200.93 | 29.89 | 1184.07 | 01 | 06 | 9 | |
| | P | 10/15/2010 | -205.63 | -4.7 | 1179.37 | 01 | 06 | 9 | |
| | P | 10/29/2010 | -228.72 | -23.1 | 1156.28 | 01 | 06 | 9 | |
| | P | 11/16/2010 | -205.05 | 23.67 | 1179.95 | 01 | 06 | 9 | |
| | P | 11/30/2010 | -208.8 | -3.75 | 1176.2 | 01 | 06 | 9 | |
| | P | 12/16/2010 | -221.22 | -12.4 | 1163.78 | 01 | 06 | 9 | |
| | P | 12/30/2010 | -209.42 | 11.8 | 1175.58 | 01 | 06 | 9 | |
| | P | 1/14/2011 | -214.41 | -4.99 | 1170.59 | 01 | 06 | 9 | |
| | P | 1/28/2011 | -236.27 | -21.9 | 1148.73 | 01 | 06 | 9 | |
| | P | 2/11/2011 | -217.46 | 18.81 | 1167.54 | 01 | 06 | 9 | |
| | P | 2/25/2011 | -214.79 | 2.67 | 1170.21 | 01 | 06 | 9 | |
| | P | 3/15/2011 | -245.06 | -30.3 | 1139.94 | 01 | 06 | 9 | |
| | P | 3/31/2011 | -220.93 | 24.13 | 1164.07 | 01 | 06 | 9 | |
| | P | 4/15/2011 | -239.16 | -18.2 | 1145.84 | 01 | 06 | 9 | |
| | P | 4/29/2011 | -225.16 | 14 | 1159.84 | 01 | 06 | 9 | |
| | P | 5/13/2011 | -224.26 | 0.9 | 1160.74 | 01 | 06 | 9 | |
| | P | 5/27/2011 | -250.25 | -26 | 1134.75 | 01 | 06 | 9 | |
| | P | 6/16/2011 | -251.04 | -0.79 | 1133.96 | 01 | 06 | 9 | |
| | P | 6/30/2011 | -242.98 | 8.06 | 1142.02 | 01 | 06 | 9 | |
| | P | 7/15/2011 | -255.5 | -12.5 | 1129.5 | 01 | 06 | 9 | |
| | P | 7/29/2011 | -260.77 | -5.27 | 1124.23 | 01 | 06 | 9 | |
| | P | 8/16/2011 | -262.19 | -1.42 | 1122.81 | 01 | 06 | 9 | |
| | P | 8/31/2011 | -261.14 | 1.05 | 1123.86 | 01 | 06 | 9 | |
| | P | 9/16/2011 | -273.81 | -12.7 | 1111.19 | 01 | 06 | 9 | |
| | P | 9/30/2011 | -233.37 | 40.44 | 1151.63 | 01 | 06 | 9 | |
| | P | 10/13/2011 | -230.57 | 2.8 | 1154.43 | 01 | 06 | 9 | |
| | P | 10/28/2011 | -230.04 | 0.53 | 1154.96 | 01 | 06 | 9 | |
| | P | 11/15/2011 | -226.71 | 3.33 | 1158.29 | 01 | 06 | 9 | |
| | P | 11/30/2011 | -232.1 | -5.39 | 1152.9 | 01 | 06 | 9 | |
| | P | 12/16/2011 | -226.51 | 5.59 | 1158.49 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 29/ 2011 | -244.32 | -17.8 | 1140.68 | 01 | 06 | 9 | |
| | P | 1 / 19/ 2012 | -230.7 | 13.62 | 1154.3 | 01 | 06 | 9 | |
| | P | 1 / 31/ 2012 | -226.98 | 3.72 | 1158.02 | 01 | 06 | 9 | |
| | P | 2 / 16/ 2012 | -225.49 | 1.49 | 1159.51 | 01 | 06 | 9 | |
| | P | 2 / 29/ 2012 | -243.38 | -17.9 | 1141.62 | 01 | 06 | 9 | |
| | P | 3 / 15/ 2012 | -225.23 | 18.15 | 1159.77 | 01 | 06 | 9 | |
| | P | 3 / 30/ 2012 | -221.68 | 3.55 | 1163.32 | 01 | 06 | 9 | |
| | P | 4 / 13/ 2012 | -225.93 | -4.25 | 1159.07 | 01 | 06 | 9 | |
| | P | 4 / 27/ 2012 | -230.12 | -4.19 | 1154.88 | 01 | 06 | 9 | |
| | P | 5 / 15/ 2012 | -228.95 | 1.17 | 1156.05 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -247.8 | -18.9 | 1137.2 | 01 | 06 | 9 | |

**Min** *-273.81* **Max** *-164.11* **Avg** *-209.637*

***6811709*** *( Aquifer: 218GRCCU Well Depth: 400 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 5 / 1964 | -222.6 | | 1167.4 | 01 | 04 | 1 | |
| | P | 12 / 30/ 1964 | -220.8 | 1.8 | 1169.2 | 01 | 04 | 1 | |
| | P | 1 / 29/ 1965 | -219.3 | 1.5 | 1170.7 | 01 | 04 | 1 | |
| | P | 2 / 23/ 1965 | -217.5 | 1.8 | 1172.5 | 01 | 04 | 1 | |
| | P | 3 / 13/ 1965 | -217.2 | 0.3 | 1172.8 | 01 | 04 | 1 | |
| | P | 4 / 9 / 1965 | -216.1 | 1.1 | 1173.9 | 01 | 04 | 1 | |
| | P | 5 / 10/ 1965 | -213.5 | 2.6 | 1176.5 | 01 | 04 | 1 | |
| | P | 6 / 15/ 1965 | -209.3 | 4.2 | 1180.7 | 01 | 04 | 1 | |
| | P | 7 / 8 / 1965 | -207.9 | 1.4 | 1182.1 | 01 | 04 | 1 | |
| | P | 8 / 3 / 1965 | -212.7 | -4.8 | 1177.3 | 01 | 04 | 1 | |
| | P | 9 / 3 / 1965 | -217.8 | -5.1 | 1172.2 | 01 | 04 | 1 | |
| | P | 10 / 8 / 1965 | -219.4 | -1.6 | 1170.6 | 01 | 04 | 1 | |
| | P | 12 / 17/ 1965 | -214.7 | 4.7 | 1175.3 | 01 | 04 | 1 | |

**Min** *-222.6* **Max** *-207.9* **Avg** *-216.062*

***6811710*** *( Aquifer: 218GLRSL Well Depth: 70 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 8 / 1940 | -34.1 | | 1375.9 | 01 | 01 | 1 | |
| | P | 1 / 27/ 1965 | -32.1 | 2 | 1377.9 | 01 | 01 | 1 | |
| | P | 3 / 4 / 1965 | -31 | 1.1 | 1379 | 01 | 01 | 1 | |
| | P | 8 / 3 / 1965 | -31.8 | -0.8 | 1378.2 | 01 | 01 | 1 | |

**Min** *-34.1* **Max** *-31* **Avg** *-32.25*

***6811711*** *( Aquifer: 218GLRSL Well Depth: 330 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 27/ 1965 | -239.4 | | 1165.6 | 01 | 01 | 1 | |
| Min -239.4 | | Max -239.4 | Avg | -239.4 | | | | | |
| **6811712** | ( Aquifer: 218GLRSL | | Well Depth: 40 | ) | | | | | |
| | P | 11 / 30/ 1964 | -11.52 | | 1383.48 | 01 | 04 | 1 | |
| Min -11.52 | | Max -11.52 | Avg | -11.52 | | | | | |
| **6811713** | ( Aquifer: 218GLRSL | | Well Depth: 354 | ) | | | | | |
| | P | 10 / 19/ 1963 | -248 | | 1162 | 01 | 07 | 7 | |
| Min -248 | | Max -248 | Avg | -248 | | | | | |
| **6811714** | ( Aquifer: 218GLRSL | | Well Depth: 91 | ) | | | | | |
| | P | 11 / 0 / 1964 | -80 | | 1380 | 01 | 01 | 1 | |
| Min -80 | | Max -80 | Avg | -80 | | | | | |
| **6811715** | ( Aquifer: 218GRHC | | Well Depth: 373 | ) | | | | | |
| | P | 4 / 16/ 1974 | -215 | | 1180 | 01 | 01 | 1 | |
| | P | 2 / 20/ 1975 | -203.29 | 11.71 | 1191.71 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1976 | -225.43 | -22.1 | 1169.57 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -207.05 | 18.38 | 1187.95 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1978 | -211.45 | -4.4 | 1183.55 | 01 | 01 | 1 | |
| | P | 3 / 5 / 1979 | -228.04 | -16.6 | 1166.96 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1981 | -211.7 | 16.34 | 1183.3 | 01 | 01 | 1 | 20 |
| | P | 2 / 15/ 1982 | -206.66 | 5.04 | 1188.34 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1983 | -209.69 | -3.03 | 1185.31 | 01 | 01 | 1 | |
| | N | 2 / 29/ 1984 | | | | 01 | 01 | 1 | 47 |
| | N | 2 / 21/ 1985 | | | | 01 | 01 | | 63 |
| | N | 3 / 11/ 1986 | | | | 01 | 01 | | 63 |
| | N | 12 / 9 / 1986 | | | | 01 | 01 | | 42 |
| | P | 10 / 27/ 1987 | -201.64 | | 1193.36 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -191.37 | 10.27 | 1203.63 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1990 | -226.56 | -35.2 | 1168.44 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1991 | -230.48 | -3.92 | 1164.52 | 01 | 01 | 1 | 20 |
| | P | 2 / 11/ 1992 | -225.39 | 5.09 | 1169.61 | 01 | 01 | 1 | |
| | P | 2 / 18/ 1993 | -194.2 | 31.19 | 1200.8 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -216.44 | -22.2 | 1178.56 | 01 | 01 | 1 | |
| | N | 1 / 26/ 1995 | | | | 01 | 01 | | 63 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 22/ 1996 | -226.1 | | 1168.9 | 01 | 01 | 1 | |
| | P | 7 / 29/ 1996 | -237.8 | -11.7 | 1157.2 | 01 | 01 | 1 | |
| | P | 1 / 15/ 1997 | -231.44 | 6.36 | 1163.56 | 01 | 01 | 1 | |
| | P | 7 / 21/ 1997 | -223.92 | 7.52 | 1171.08 | 01 | 01 | 1 | |
| | P | 1 / 29/ 1998 | -225.75 | -1.83 | 1169.25 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1999 | -211.5 | 14.25 | 1183.5 | 01 | 01 | 1 | |
| | P | 4 / 5 / 1999 | -212.96 | -1.46 | 1182.04 | 01 | 03 | 1 | |
| | P | 5 / 19/ 1999 | -217.22 | -4.26 | 1177.78 | 01 | 03 | 1 | |
| | P | 7 / 6 / 1999 | -220.4 | -3.18 | 1174.6 | 01 | 03 | 1 | 20 |
| | P | 8 / 18/ 1999 | -227.18 | -6.78 | 1167.82 | 01 | 03 | 1 | 20 |
| | P | 10 / 14/ 1999 | -229.9 | -2.72 | 1165.1 | 01 | 03 | 1 | |
| | P | 1 / 13/ 2000 | -246.34 | -16.4 | 1148.66 | 01 | 03 | 1 | 04 |
| | P | 2 / 14/ 2000 | -227.85 | 18.49 | 1167.15 | 01 | 01 | 1 | 04 |
| | P | 8 / 2 / 2000 | -229.2 | -1.35 | 1165.8 | 01 | 01 | 1 | |
| | P | 12 / 20/ 2000 | -218.95 | 10.25 | 1176.05 | 01 | 03 | 1 | |
| | P | 2 / 7 / 2001 | -224.8 | -5.85 | 1170.2 | 01 | 01 | 1 | |
| | P | 2 / 5 / 2002 | -214.14 | 10.66 | 1180.86 | 01 | 01 | 1 | |
| | P | 2 / 12/ 2003 | -212.9 | 1.24 | 1182.1 | 01 | 01 | 1 | |
| | P | 2 / 3 / 2004 | -220.47 | -7.57 | 1174.53 | 01 | 01 | 1 | |
| | P | 2 / 23/ 2006 | -217.3 | 3.17 | 1177.7 | 01 | 01 | 1 | |
| | P | 2 / 8 / 2007 | -223.5 | -6.2 | 1171.5 | 01 | 01 | 1 | |
| | P | 2 / 9 / 2010 | -203.8 | 19.7 | 1191.2 | 01 | 01 | 1 | |
| | P | 3 / 3 / 2011 | -221.99 | -18.2 | 1173.01 | 01 | 01 | 1 | 20 |
| | P | 10 / 19/ 2011 | -237.15 | -15.2 | 1157.85 | 01 | 01 | 1 | 20 |
| | N | 11 / 15/ 2012 | | | | 01 | 01 | 1 | 47 |

**Min** *-246.34* **Max** *-191.37* **Avg** *-219.174*

***6811718*** *( Aquifer: 218GLRS Well Depth: 875 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 1 / 1977 | -33 | | 1392 | 01 | 01 | 1 | |

**Min** *-33* **Max** *-33* **Avg** *-33*

***6811719*** *( Aquifer: 218CCRK Well Depth: 475 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 0 / 1972 | -365 | | 1065 | 01 | 01 | 1 | |

**Min** *-365* **Max** *-365* **Avg** *-365*

***6811721*** *( Aquifer: 218CCRK Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 28/ 1963 | -240 | | 1205 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** -240 | | **Max** -240 | **Avg** -240 | | | | | | |
| ***6811722*** | *( Aquifer: 218GLRSU* | | *Well Depth: 80 )* | | | | | | |
| | P | 2 / 28/ 1969 | -55 | | 1383 | 01 | 01 | 1 | |
| **Min** -55 | | **Max** -55 | **Avg** -55 | | | | | | |
| ***6811723*** | *( Aquifer: 218GLRSU* | | *Well Depth: 104 )* | | | | | | |
| | P | 11 / 6 / 1974 | -65.8 | | 1384.2 | 01 | 01 | 1 | |
| **Min** -65.8 | | **Max** -65.8 | **Avg** -65.8 | | | | | | |
| ***6811724*** | *( Aquifer: 218GLRSU* | | *Well Depth: 105 )* | | | | | | |
| | P | 11 / 6 / 1974 | -66 | | 1384 | 01 | 01 | 1 | |
| **Min** -66 | | **Max** -66 | **Avg** -66 | | | | | | |
| ***6811725*** | *( Aquifer: 218GLRSU* | | *Well Depth: 80 )* | | | | | | |
| | P | 11 / 6 / 1974 | -46.1 | | 1393.9 | 01 | 01 | 1 | |
| **Min** -46.1 | | **Max** -46.1 | **Avg** -46.1 | | | | | | |
| ***6811727*** | *( Aquifer: 218GRHC* | | *Well Depth: 475 )* | | | | | | |
| | P | 3 / 26/ 1984 | -275 | | 1140 | 01 | 07 | 7 | |
| **Min** -275 | | **Max** -275 | **Avg** -275 | | | | | | |
| ***6811729*** | *( Aquifer: 218CCRK* | | *Well Depth: 587 )* | | | | | | |
| | P | 6 / 1 / 2000 | -365 | | 1105 | 01 | 07 | 2 | |
| | P | 8 / 18/ 2000 | -345.96 | 19.04 | 1124.04 | 01 | 01 | 2 | |
| | P | 11 / 3 / 2000 | -338 | 7.96 | 1132 | 01 | 07 | 2 | |
| **Min** -365 | | **Max** -338 | **Avg** -349.653 | | | | | | |
| ***6811731*** | *( Aquifer: 218GLRSL* | | *Well Depth: 278 )* | | | | | | |
| | P | 4 / 1 / 1975 | -210.6 | | 1169.4 | 01 | 01 | 1 | |
| **Min** -210.6 | | **Max** -210.6 | **Avg** -210.6 | | | | | | |
| ***6811801*** | *( Aquifer: 218GPSH* | | *Well Depth: 735 )* | | | | | | |
| | P | 8 / 9 / 1965 | -126.42 | | 1303.58 | 01 | 04 | 1 | |
| **Min** -126.42 | | **Max** -126.42 | **Avg** -126.42 | | | | | | |
| ***6811802*** | *( Aquifer: 218GLRSL* | | *Well Depth: 360 )* | | | | | | |
| | P | 11 / 30/ 1964 | -231.8 | | 1168.2 | 01 | 04 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min -231.8** | | **Max -231.8** | **Avg** | **-231.8** | | | | | |
| ***6811803*** | *( Aquifer: 218GLRSL* | | *Well Depth: 55 )* | | | | | | |
| | P | 0 / 0 / 1950 | -30 | | 1380 | 01 | 07 | 7 | |
| **Min -30** | | **Max -30** | **Avg** | **-30** | | | | | |
| ***6811804*** | *( Aquifer: 219SLGH* | | *Well Depth: 895 )* | | | | | | |
| | P | 0 / 0 / 1952 | -492 | | 913 | 01 | 01 | 1 | |
| **Min -492** | | **Max -492** | **Avg** | **-492** | | | | | |
| ***6811805*** | *( Aquifer: 218GLRSL* | | *Well Depth: 325 )* | | | | | | |
| | P | 12 / 10/ 1964 | -259.85 | | 1160.15 | 01 | 04 | 1 | |
| **Min -259.85** | | **Max -259.85** | **Avg** | **-259.85** | | | | | |
| ***6811806*** | *( Aquifer: 218GLRSL* | | *Well Depth: 260 )* | | | | | | |
| | P | 7 / 0 / 1957 | -196 | | 1164 | 01 | 07 | 7 | |
| **Min -196** | | **Max -196** | **Avg** | **-196** | | | | | |
| ***6811808*** | *( Aquifer: 218GRHC* | | *Well Depth: 500 )* | | | | | | |
| | P | 4 / 8 / 1969 | -280 | | 1145 | 01 | 01 | 1 | |
| **Min -280** | | **Max -280** | **Avg** | **-280** | | | | | |
| ***6811809*** | *( Aquifer: 218GRHC* | | *Well Depth: 485 )* | | | | | | |
| | P | 7 / 22/ 1974 | -167 | | 1258 | 01 | 07 | 7 | |
| **Min -167** | | **Max -167** | **Avg** | **-167** | | | | | |
| ***6811811*** | *( Aquifer: 218GRHC* | | *Well Depth: 441 )* | | | | | | |
| | P | 1 / 23/ 1984 | -287 | | 1158 | 01 | 01 | 6 | |
| | P | 2 / 15/ 1984 | -283.46 | 3.54 | 1161.54 | 01 | 01 | 4 | |
| | P | 2 / 29/ 1984 | -288.58 | -5.12 | 1156.42 | 01 | 01 | 4 | |
| | P | 3 / 15/ 1984 | -287.53 | 1.05 | 1157.47 | 01 | 01 | 4 | |
| | P | 3 / 30/ 1984 | -296.68 | -9.15 | 1148.32 | 01 | 01 | 4 | |
| | P | 4 / 15/ 1984 | -306.29 | -9.61 | 1138.71 | 01 | 01 | 4 | |
| | P | 5 / 15/ 1984 | -312.85 | -6.56 | 1132.15 | 01 | 01 | 4 | |
| | P | 6 / 10/ 1984 | -293.79 | 19.06 | 1151.21 | 01 | 01 | 4 | |
| | P | 6 / 30/ 1984 | -305.27 | -11.5 | 1139.73 | 01 | 01 | 4 | |
| | P | 7 / 10/ 1984 | -313.45 | -8.18 | 1131.55 | 01 | 01 | 4 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 27/ 1984 | -306.16 | 7.29 | 1138.84 | 01 | 01 | 4 | |
| | P | 8 / 10/ 1984 | -302.1 | 4.06 | 1142.9 | 01 | 01 | 4 | |
| | P | 8 / 25/ 1984 | -310.1 | -8 | 1134.9 | 01 | 01 | 4 | |
| | P | 9 / 10/ 1984 | -300.98 | 9.12 | 1144.02 | 01 | 01 | 4 | |
| | P | 9 / 30/ 1984 | -285.95 | 15.03 | 1159.05 | 01 | 01 | 4 | |
| | P | 10 / 15/ 1984 | -272.7 | 13.25 | 1172.3 | 01 | 01 | 4 | |
| | P | 10 / 30/ 1984 | -263.91 | 8.79 | 1181.09 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1984 | -266.66 | -2.75 | 1178.34 | 01 | 01 | 4 | |
| | P | 11 / 30/ 1984 | -266.89 | -0.23 | 1178.11 | 01 | 01 | 4 | |
| | P | 1 / 20/ 1985 | -279.78 | -12.9 | 1165.22 | 01 | 01 | 4 | |
| | P | 1 / 30/ 1985 | -272.27 | 7.51 | 1172.73 | 01 | 01 | 4 | |
| | P | 2 / 15/ 1985 | -272.01 | 0.26 | 1172.99 | 01 | 01 | 4 | |
| | P | 2 / 28/ 1985 | -243.17 | 28.84 | 1201.83 | 01 | 01 | 4 | |
| | P | 7 / 15/ 1985 | -270.07 | -26.9 | 1174.93 | 01 | 01 | 4 | |
| | P | 8 / 1 / 1985 | -295.5 | -25.4 | 1149.5 | 01 | 01 | 4 | |
| | P | 8 / 15/ 1985 | -276.29 | 19.21 | 1168.71 | 01 | 01 | 4 | |
| | P | 9 / 1 / 1985 | -293.47 | -17.2 | 1151.53 | 01 | 01 | 4 | |
| | P | 9 / 15/ 1985 | -265.81 | 27.66 | 1179.19 | 01 | 01 | 4 | |
| | P | 10 / 1 / 1985 | -255.34 | 10.47 | 1189.66 | 01 | 01 | 4 | |
| | P | 10 / 15/ 1985 | -258.2 | -2.86 | 1186.8 | 01 | 01 | 4 | |
| | P | 11 / 1 / 1985 | -247.86 | 10.34 | 1197.14 | 01 | 01 | 4 | |
| | P | 11 / 15/ 1985 | -246.71 | 1.15 | 1198.29 | 01 | 01 | 4 | |
| | P | 12 / 1 / 1985 | -260.13 | -13.4 | 1184.87 | 01 | 01 | 4 | |
| | P | 12 / 15/ 1985 | -258.69 | 1.44 | 1186.31 | 01 | 01 | 4 | |
| | P | 7 / 3 / 1987 | -237.1 | 21.59 | 1207.9 | 01 | 01 | 1 | |
| | N | 3 / 23/ 1989 | | | | 01 | 01 | | 61 |
| | N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |
| | N | 2 / 7 / 1991 | | | | 01 | 01 | | 61 |

**Min** *-313.45* **Max** *-237.1* **Avg** *-279.507*

***6811812*** *( Aquifer: 218GRHC Well Depth: 445 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 10/ 1988 | -253 | | 1152 | 01 | 07 | 7 | |

**Min** *-253* **Max** *-253* **Avg** *-253*

***6811813*** *( Aquifer: 218GRHC Well Depth: 410 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 24/ 1996 | -219.5 | | 1160.5 | 01 | 01 | 2 | |
| | P | 1 / 15/ 1997 | -208.53 | 10.97 | 1171.47 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 22/ 1997 | -201 | 7.53 | 1179 | 01 | 01 | 1 | |

**Min** *-219.5* **Max** *-201* **Avg** *-209.677*

***6811814*** *( Aquifer: 218CCRK Well Depth: 420 )*

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | P | 7 / 15/ 2007 | -200 | | 1189 | 01 | 06 | 2 |
| | P | 8 / 15/ 2007 | -206.67 | -6.67 | 1182.33 | 01 | 06 | 2 |
| | P | 8 / 31/ 2007 | -204 | 2.67 | 1185 | 01 | 06 | 2 |
| | P | 9 / 15/ 2007 | -204.4 | -0.4 | 1184.6 | 01 | 06 | 2 |
| | P | 9 / 30/ 2007 | -208.7 | -4.3 | 1180.3 | 01 | 06 | 2 |
| | P | 10 / 15/ 2007 | -210.4 | -1.7 | 1178.6 | 01 | 06 | 2 |
| | P | 10 / 31/ 2007 | -214.7 | -4.3 | 1174.3 | 01 | 06 | 2 |
| | P | 11 / 15/ 2007 | -215.4 | -0.7 | 1173.6 | 01 | 06 | 2 |
| | P | 11 / 30/ 2007 | -219.3 | -3.9 | 1169.7 | 01 | 06 | 2 |
| | P | 12 / 14/ 2007 | -219.3 | | 1169.7 | 01 | 06 | 2 |
| | P | 12 / 31/ 2007 | -222.3 | -3 | 1166.7 | 01 | 06 | 2 |
| | P | 1 / 15/ 2008 | -223 | -0.7 | 1166 | 01 | 06 | 2 |
| | P | 1 / 31/ 2008 | -221.6 | 1.4 | 1167.4 | 01 | 06 | 2 |
| | P | 2 / 15/ 2008 | -221 | 0.6 | 1168 | 01 | 06 | 2 |
| | P | 2 / 29/ 2008 | -223.1 | -2.1 | 1165.9 | 01 | 06 | 2 |
| | P | 3 / 14/ 2008 | -221 | 2.1 | 1168 | 01 | 06 | 2 |
| | P | 3 / 31/ 2008 | -223.2 | -2.2 | 1165.8 | 01 | 06 | 2 |
| | P | 4 / 15/ 2008 | -221.5 | 1.7 | 1167.5 | 01 | 06 | 2 |
| | P | 4 / 30/ 2008 | -233.4 | -11.9 | 1155.6 | 01 | 06 | 2 |
| | P | 5 / 15/ 2008 | -225.4 | 8 | 1163.6 | 01 | 06 | 2 |
| | P | 5 / 30/ 2008 | -228.6 | -3.2 | 1160.4 | 01 | 06 | 2 |
| | P | 6 / 15/ 2008 | -232.2 | -3.6 | 1156.8 | 01 | 06 | 2 |
| | P | 6 / 30/ 2008 | -233.3 | -1.1 | 1155.7 | 01 | 06 | 2 |
| | P | 7 / 15/ 2008 | -231.4 | 1.9 | 1157.6 | 01 | 06 | 2 |
| | P | 7 / 31/ 2008 | -231.4 | | 1157.6 | 01 | 06 | 2 |
| | P | 9 / 15/ 2008 | -232.6 | -1.2 | 1156.4 | 01 | 06 | 2 |
| | P | 9 / 30/ 2008 | -233.2 | -0.6 | 1155.8 | 01 | 06 | 2 |
| | P | 10 / 15/ 2008 | -232.6 | 0.6 | 1156.4 | 01 | 06 | 2 |
| | P | 10 / 31/ 2008 | -232.7 | -0.1 | 1156.3 | 01 | 06 | 2 |
| | P | 11 / 13/ 2008 | -232.6 | 0.1 | 1156.4 | 01 | 06 | 2 |
| | P | 12 / 1 / 2008 | -232.2 | 0.4 | 1156.8 | 01 | 06 | 2 |
| | P | 12 / 15/ 2008 | -230.9 | 1.3 | 1158.1 | 01 | 06 | 2 |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/30/2008 | -231.3 | -0.4 | 1157.7 | 01 | 06 | 2 | |
| | P | 1/15/2009 | -231.6 | -0.3 | 1157.4 | 01 | 06 | 2 | |
| | P | 1/30/2009 | -231.2 | 0.4 | 1157.8 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -231.6 | -0.4 | 1157.4 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -232.8 | -1.2 | 1156.2 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -231.6 | 1.2 | 1157.4 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -232.2 | -0.6 | 1156.8 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -234.2 | -2 | 1154.8 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -233.9 | 0.3 | 1155.1 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -235.2 | -1.3 | 1153.8 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -234.8 | 0.4 | 1154.2 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -238.6 | -3.8 | 1150.4 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -238.9 | -0.3 | 1150.1 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -241.2 | -2.3 | 1147.8 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -240.9 | 0.3 | 1148.1 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -241.6 | -0.7 | 1147.4 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -239.4 | 2.2 | 1149.6 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -237.6 | 1.8 | 1151.4 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -237.17 | 0.43 | 1151.83 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -226.55 | 10.62 | 1162.45 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -224.95 | 1.6 | 1164.05 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -229.4 | -4.45 | 1159.6 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -226.6 | 2.8 | 1162.4 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -225.9 | 0.7 | 1163.1 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -229.8 | -3.9 | 1159.2 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -220.2 | 9.6 | 1168.8 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -208 | 12.2 | 1181 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -210.45 | -2.45 | 1178.55 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -212.6 | -2.15 | 1176.4 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -212.6 | | 1176.4 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -214.7 | -2.1 | 1174.3 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -212.5 | 2.2 | 1176.5 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -216 | -3.5 | 1173 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -210.48 | 5.52 | 1178.52 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -217.45 | -6.97 | 1171.55 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -224.38 | -6.93 | 1164.62 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 7 / 16/ 2010 | -224.15 | 0.23 | 1164.85 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -226.45 | -2.3 | 1162.55 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -216.7 | 9.75 | 1172.3 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2010 | -215.9 | 0.8 | 1173.1 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2010 | -221.93 | -6.03 | 1167.07 | 01 | 06 | 2 | |
| | P | 10 / 29/ 2010 | -227.55 | -5.62 | 1161.45 | 01 | 06 | 2 | |
| | P | 11 / 16/ 2010 | -228.08 | -0.53 | 1160.92 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2010 | -228.38 | -0.3 | 1160.62 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2010 | -228.67 | -0.29 | 1160.33 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -227.83 | 0.84 | 1161.17 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -229.81 | -1.98 | 1159.19 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -230.03 | -0.22 | 1158.97 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -228.84 | 1.19 | 1160.16 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -229.08 | -0.24 | 1159.92 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -231.4 | -2.32 | 1157.6 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -231.88 | -0.48 | 1157.12 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -234.61 | -2.73 | 1154.39 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -236.78 | -2.17 | 1152.22 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -236.21 | 0.57 | 1152.79 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -237.82 | -1.61 | 1151.18 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -240.52 | -2.7 | 1148.48 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -239.85 | 0.67 | 1149.15 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -240.68 | -0.83 | 1148.32 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -241.01 | -0.33 | 1147.99 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -241.25 | -0.24 | 1147.75 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -241.69 | -0.44 | 1147.31 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -242.16 | -0.47 | 1146.84 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -235.67 | 6.49 | 1153.33 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -237.09 | -1.42 | 1151.91 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -236.85 | 0.24 | 1152.15 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -235.88 | 0.97 | 1153.12 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -234.43 | 1.45 | 1154.57 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -232.89 | 1.54 | 1156.11 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -233.68 | -0.79 | 1155.32 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -233.21 | 0.47 | 1155.79 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -231.12 | 2.09 | 1157.88 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 29/ 2012 | -230.31 | 0.81 | 1158.69 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -230.26 | 0.05 | 1158.74 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -229.54 | 0.72 | 1159.46 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -231.15 | -1.61 | 1157.85 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -233.25 | -2.1 | 1155.75 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -231.95 | 1.3 | 1157.05 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -235.87 | -3.92 | 1153.13 | 01 | 06 | 2 | |

**Min** *-242.16* **Max** *-200* **Avg** *-228.043*

***6811901*** *( Aquifer: 218GRHC Well Depth: 320 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 24/ 1974 | -137.1 | | 1158.9 | 01 | 01 | 1 | |

**Min** *-137.1* **Max** *-137.1* **Avg** *-137.1*

***6811902*** *( Aquifer: 218CCRK Well Depth: 377 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 27/ 1986 | -191 | | 1160 | 01 | 11 | 3 | |
| | P | 9 / 3 / 1987 | -228.05 | -37.1 | 1122.95 | 01 | 01 | 1 | |

**Min** *-228.05* **Max** *-191* **Avg** *-209.525*

***6811903*** *( Aquifer: 218CCRK Well Depth: 332 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 21/ 1986 | -163 | | 1147 | 01 | 11 | 3 | |
| | P | 2 / 2 / 1987 | -186 | -23 | 1124 | 01 | 11 | 3 | |
| | P | 9 / 3 / 1987 | -201.08 | -15.1 | 1108.92 | 01 | 01 | 1 | |

**Min** *-201.08* **Max** *-163* **Avg** *-183.36*

***6811904*** *( Aquifer: 217HSTN Well Depth: 340 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 27/ 1986 | -124 | | 1150 | 01 | 11 | 3 | |
| | P | 9 / 22/ 1986 | -134 | -10 | 1140 | 01 | 11 | 3 | |
| | P | 6 / 23/ 1987 | -41 | 93 | 1233 | 01 | 11 | 3 | |
| | P | 8 / 12/ 1987 | -107.75 | -66.8 | 1166.25 | 01 | 01 | 1 | |

**Min** *-134* **Max** *-41* **Avg** *-101.688*

***6811905*** *( Aquifer: 218GLRS Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 26/ 1985 | -295 | | 1011 | 01 | 07 | 7 | |
| | P | 2 / 2 / 1987 | -326 | -31 | 980 | 01 | 11 | 3 | |

**Min** *-326* **Max** *-295* **Avg** *-310.5*

***6811906*** *( Aquifer: 218GLRSL Well Depth: 380 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 12/ 1985 | -160 | | 1188 | 01 | 07 | 7 | |
| | P | 12 / 29/ 1986 | -135 | 25 | 1213 | 01 | 11 | 3 | |
| | P | 3 / 10/ 1987 | -147 | -12 | 1201 | 01 | 11 | 3 | |
| | P | 6 / 30/ 1987 | -112 | 35 | 1236 | 01 | 11 | 3 | |
| | P | 9 / 3 / 1987 | -167.03 | -55.0 | 1180.97 | 01 | 01 | 1 | |
| | P | 5 / 15/ 1996 | -179 | -12 | 1169 | 01 | 08 | 3 | |
| | P | 7 / 25/ 1996 | -191 | -12 | 1157 | 01 | 08 | 3 | |
| | P | 1 / 21/ 1997 | -189 | 2 | 1159 | 01 | 08 | 3 | |
| | P | 4 / 1 / 1997 | -177 | 12 | 1171 | 01 | 08 | 3 | |
| | P | 7 / 23/ 1997 | -161 | 16 | 1187 | 01 | 08 | 3 | |

**Min** *-191* **Max** *-112* **Avg** *-161.803*

***6811907*** *( Aquifer: 218GLRSL Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 28/ 1985 | -140 | | 1177 | 01 | 10 | 6 | |
| | P | 6 / 23/ 1987 | -74 | 66 | 1243 | 01 | 11 | 3 | |
| | P | 8 / 12/ 1987 | -151 | -77 | 1166 | 01 | 01 | 1 | |
| | P | 12 / 29/ 1996 | -102 | 49 | 1215 | 01 | 11 | 3 | |
| | P | 2 / 4 / 2000 | -171 | -69 | 1146 | 01 | 11 | 3 | |
| | P | 3 / 3 / 2000 | -178 | -7 | 1139 | 01 | 11 | 3 | |
| | P | 4 / 20/ 2000 | -181 | -3 | 1136 | 01 | 11 | 3 | |
| | P | 5 / 2 / 2000 | -183 | -2 | 1134 | 01 | 11 | 3 | |
| | P | 6 / 9 / 2000 | -188 | -5 | 1129 | 01 | 11 | 3 | |
| | P | 7 / 10/ 2000 | -190 | -2 | 1127 | 01 | 11 | 3 | |

**Min** *-190* **Max** *-74* **Avg** *-155.8*

***6811908*** *( Aquifer: 218GLRSL Well Depth: 360 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 10/ 1987 | -160 | | 1151 | 01 | 11 | 3 | |
| | P | 6 / 23/ 1987 | -100 | 60 | 1211 | 01 | 11 | 3 | |
| | P | 8 / 13/ 1987 | -228.1 | -128 | 1082.9 | 01 | 01 | 1 | |
| | P | 5 / 15/ 1996 | -343 | -115 | 968 | 01 | 08 | 3 | |
| | P | 7 / 11/ 1996 | -359 | -16 | 952 | 01 | 08 | 3 | |
| | P | 1 / 21/ 1997 | -334 | 25 | 977 | 01 | 08 | 3 | |
| | P | 4 / 1 / 1997 | -297 | 37 | 1014 | 01 | 08 | 3 | |
| | P | 7 / 23/ 1997 | -214 | 83 | 1097 | 01 | 08 | 3 | |

**Min** *-359* **Max** *-100* **Avg** *-254.388*

***6811909*** *( Aquifer: 218CCRK Well Depth: 395 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1 / 7 / 1986 | -184 | | 1159 | 01 | 07 | 7 | |
| | P | 3 / 16/ 1987 | -234 | -50 | 1109 | 01 | 11 | 3 | |
| | P | 4 / 28/ 1987 | -215 | 19 | 1128 | 01 | 11 | 3 | |
| | P | 6 / 23/ 1987 | -137 | 78 | 1206 | 01 | 11 | 3 | |
| | P | 8 / 13/ 1987 | -253 | -116 | 1090 | 01 | 01 | 1 | |
| **Min** *-253* | | **Max** *-137* | **Avg** | *-204.6* | | | | | |
| ***6811910*** | *( Aquifer: 218GLRSL* | | *Well Depth: 352 )* | | | | | | |
| | P | 8 / 21/ 1997 | -190 | | 1138 | 01 | 07 | 7 | |
| | P | 4 / 9 / 1998 | -150.8 | 39.2 | 1177.2 | 01 | 01 | 1 | |
| **Min** *-190* | | **Max** *-150.8* | **Avg** | *-170.4* | | | | | |
| ***6812102*** | *( Aquifer: 218CCRK* | | *Well Depth: 252 )* | | | | | | |
| | P | 12 / 8 / 1999 | -137 | | 1124 | 01 | 09 | 8 | |
| | P | 8 / 18/ 2000 | -128.4 | 8.6 | 1132.6 | 01 | 01 | 2 | |
| **Min** *-137* | | **Max** *-128.4* | **Avg** | *-132.7* | | | | | |
| ***6812103*** | *( Aquifer: 218CCRK* | | *Well Depth: 252 )* | | | | | | |
| | P | 1 / 26/ 2000 | -145 | | 1109 | 01 | 09 | 8 | |
| **Min** *-145* | | **Max** *-145* | **Avg** | *-145* | | | | | |
| ***6812104*** | *( Aquifer: 218CCRK* | | *Well Depth: 320 )* | | | | | | |
| | P | 8 / 18/ 2000 | -250.57 | | 1109.43 | 01 | 01 | 2 | |
| **Min** *-250.57* | | **Max** *-250.57* | **Avg** | *-250.57* | | | | | |
| ***6812105*** | *( Aquifer: 218CCRK* | | *Well Depth: )* | | | | | | |
| | P | 8 / 18/ 2000 | -208.35 | | 1111.65 | 01 | 01 | 2 | |
| **Min** *-208.35* | | **Max** *-208.35* | **Avg** | *-208.35* | | | | | |
| ***6812106*** | *( Aquifer: 218CCRK* | | *Well Depth: 255 )* | | | | | | |
| | P | 6 / 30/ 2005 | -101.25 | | 1132.75 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -99.17 | 2.08 | 1134.83 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -99.5 | -0.33 | 1134.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -99.5 | | 1134.5 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -100 | -0.5 | 1134 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -100.4 | -0.4 | 1133.6 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -100.67 | -0.27 | 1133.33 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/15/2006 | -100.83 | -0.16 | 1133.17 | 01 | 06 | 2 | |
| | P | 2/28/2006 | -100.83 | | 1133.17 | 01 | 06 | 2 | |
| | P | 3/14/2006 | -101 | -0.17 | 1133 | 01 | 06 | 2 | |
| | P | 3/31/2006 | -101.25 | -0.25 | 1132.75 | 01 | 06 | 2 | |
| | P | 4/15/2006 | -101.42 | -0.17 | 1132.58 | 01 | 06 | 2 | |
| | P | 4/30/2006 | -101.25 | 0.17 | 1132.75 | 01 | 06 | 2 | |
| | P | 5/15/2006 | -100.42 | 0.83 | 1133.58 | 01 | 06 | 2 | |
| | P | 5/31/2006 | -104.25 | -3.83 | 1129.75 | 01 | 06 | 2 | |
| | P | 6/15/2006 | -101.83 | 2.42 | 1132.17 | 01 | 06 | 2 | |
| | P | 7/15/2006 | -101.42 | 0.41 | 1132.58 | 01 | 06 | 2 | |
| | P | 7/31/2006 | -101.92 | -0.5 | 1132.08 | 01 | 06 | 2 | |
| | P | 8/15/2006 | -102.42 | -0.5 | 1131.58 | 01 | 06 | 2 | |
| | P | 8/30/2006 | -102.83 | -0.41 | 1131.17 | 01 | 06 | 2 | |
| | P | 9/15/2006 | -102.42 | 0.41 | 1131.58 | 01 | 06 | 2 | |
| | P | 9/30/2006 | -102.67 | -0.25 | 1131.33 | 01 | 06 | 2 | |
| | P | 10/15/2006 | -102.25 | 0.42 | 1131.75 | 01 | 06 | 2 | |
| | P | 10/30/2006 | -102 | 0.25 | 1132 | 01 | 06 | 2 | |
| | P | 11/15/2006 | -102.67 | -0.67 | 1131.33 | 01 | 06 | 2 | |
| | P | 11/30/2006 | -102.75 | -0.08 | 1131.25 | 01 | 06 | 2 | |
| | P | 12/15/2006 | -102.33 | 0.42 | 1131.67 | 01 | 06 | 2 | |
| | P | 12/31/2006 | -101.25 | 1.08 | 1132.75 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -91.83 | 9.42 | 1142.17 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -92.33 | -0.5 | 1141.67 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -96.33 | -4 | 1137.67 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -97.54 | -1.21 | 1136.46 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -81.43 | 16.11 | 1152.57 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -81.94 | -0.51 | 1152.06 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -85.1 | -3.16 | 1148.9 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -88.56 | -3.46 | 1145.44 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -88.25 | 0.31 | 1145.75 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -82.89 | 5.36 | 1151.11 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -87.77 | -4.88 | 1146.23 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -85.11 | 2.66 | 1148.89 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -85.38 | -0.27 | 1148.62 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -68.5 | 16.88 | 1165.5 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -78.34 | -9.84 | 1155.66 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 8 / 31/ 2007 | -72.37 | 5.97 | 1161.63 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -73.41 | -1.04 | 1160.59 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -82.45 | -9.04 | 1151.55 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -86 | -3.55 | 1148 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -89.25 | -3.25 | 1144.75 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -90.5 | -1.25 | 1143.5 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -92.6 | -2.1 | 1141.4 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -94.25 | -1.65 | 1139.75 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -95.7 | -1.45 | 1138.3 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -95.74 | -0.04 | 1138.26 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -96.8 | -1.06 | 1137.2 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -97.17 | -0.37 | 1136.83 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -97.9 | -0.73 | 1136.1 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -97.7 | 0.2 | 1136.3 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -98.4 | -0.7 | 1135.6 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -97.9 | 0.5 | 1136.1 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -99.23 | -1.33 | 1134.77 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -98.7 | 0.53 | 1135.3 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -99.8 | -1.1 | 1134.2 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -100.3 | -0.5 | 1133.7 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -100.3 | | 1133.7 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -100.5 | -0.2 | 1133.5 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -100.8 | -0.3 | 1133.2 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -101.2 | -0.4 | 1132.8 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -101.4 | -0.2 | 1132.6 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -101.6 | -0.2 | 1132.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -101.85 | -0.25 | 1132.15 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -101.9 | -0.05 | 1132.1 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -102.1 | -0.2 | 1131.9 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -102.15 | -0.05 | 1131.85 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -102.2 | -0.05 | 1131.8 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -102.3 | -0.1 | 1131.7 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -102.4 | -0.1 | 1131.6 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -102.3 | 0.1 | 1131.7 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -102.38 | -0.08 | 1131.62 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -102.2 | 0.18 | 1131.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 31/ 2009 | -102.25 | -0.05 | 1131.75 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -101.94 | 0.31 | 1132.06 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2009 | -101.69 | 0.25 | 1132.31 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2009 | -101.66 | 0.03 | 1132.34 | 01 | 06 | 2 | |
| | P | 5 / 29/ 2009 | -102.64 | -0.98 | 1131.36 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2009 | -102.65 | -0.01 | 1131.35 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2009 | -103.11 | -0.46 | 1130.89 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2009 | -103.22 | -0.11 | 1130.78 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2009 | -103.53 | -0.31 | 1130.47 | 01 | 06 | 2 | |
| | P | 8 / 14/ 2009 | -103.57 | -0.04 | 1130.43 | 01 | 06 | 2 | |
| | P | 8 / 28/ 2009 | -103.61 | -0.04 | 1130.39 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2009 | -100.91 | 2.7 | 1133.09 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2009 | -101.93 | -1.02 | 1132.07 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2009 | -96.82 | 5.11 | 1137.18 | 01 | 06 | 2 | |
| | P | 10 / 30/ 2009 | -87.64 | 9.18 | 1146.36 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2009 | -94.63 | -6.99 | 1139.37 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2009 | -95.03 | -0.4 | 1138.97 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2009 | -95.42 | -0.39 | 1138.58 | 01 | 06 | 2 | |
| | P | 1 / 12/ 2010 | -96.74 | -1.32 | 1137.26 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2010 | -91.12 | 5.62 | 1142.88 | 01 | 06 | 2 | |
| | P | 2 / 12/ 2010 | -81.81 | 9.31 | 1152.19 | 01 | 06 | 2 | |
| | P | 2 / 26/ 2010 | -85.97 | -4.16 | 1148.03 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2010 | -89.02 | -3.05 | 1144.98 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2010 | -90.35 | -1.33 | 1143.65 | 01 | 06 | 2 | |
| | P | 4 / 16/ 2010 | -91.7 | -1.35 | 1142.3 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2010 | -91.18 | 0.52 | 1142.82 | 01 | 06 | 2 | |
| | P | 5 / 14/ 2010 | -92.99 | -1.81 | 1141.01 | 01 | 06 | 2 | |
| | P | 5 / 28/ 2010 | -90.74 | 2.25 | 1143.26 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2010 | -93.58 | -2.84 | 1140.42 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2010 | -95.04 | -1.46 | 1138.96 | 01 | 06 | 2 | |
| | P | 7 / 16/ 2010 | -95.05 | -0.01 | 1138.95 | 01 | 06 | 2 | |
| | P | 7 / 30/ 2010 | -96.36 | -1.31 | 1137.64 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2010 | -92.34 | 4.02 | 1141.66 | 01 | 06 | 9 | |
| | P | 9 / 30/ 2010 | -94.81 | -2.47 | 1139.19 | 01 | 06 | 9 | |
| | P | 10 / 15/ 2010 | -96.72 | -1.91 | 1137.28 | 01 | 06 | 9 | |
| | P | 10 / 29/ 2010 | -97.8 | -1.08 | 1136.2 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/16/2010 | -98.46 | -0.66 | 1135.54 | 01 | 06 | 9 | |
| | P | 11/30/2010 | -99.14 | -0.68 | 1134.86 | 01 | 06 | 9 | |
| | P | 12/16/2010 | -99.35 | -0.21 | 1134.65 | 01 | 06 | 9 | |
| | P | 12/30/2010 | -99.56 | -0.21 | 1134.44 | 01 | 06 | 9 | |
| | P | 1/14/2011 | -100.02 | -0.46 | 1133.98 | 01 | 06 | 9 | |
| | P | 1/28/2011 | -100.14 | -0.12 | 1133.86 | 01 | 06 | 9 | |
| | P | 2/11/2011 | -100.55 | -0.41 | 1133.45 | 01 | 06 | 9 | |
| | P | 2/25/2011 | -100.69 | -0.14 | 1133.31 | 01 | 06 | 9 | |
| | P | 3/15/2011 | -101.04 | -0.35 | 1132.96 | 01 | 06 | 9 | |
| | P | 3/31/2011 | -101.31 | -0.27 | 1132.69 | 01 | 06 | 9 | |
| | P | 4/15/2011 | -101.66 | -0.35 | 1132.34 | 01 | 06 | 9 | |
| | P | 4/29/2011 | -101.88 | -0.22 | 1132.12 | 01 | 06 | 9 | |
| | P | 5/13/2011 | -102.18 | -0.3 | 1131.82 | 01 | 06 | 9 | |
| | P | 5/27/2011 | -102.34 | -0.16 | 1131.66 | 01 | 06 | 9 | |
| | P | 6/16/2011 | -102.83 | -0.49 | 1131.17 | 01 | 06 | 9 | |
| | P | 6/30/2011 | -103.08 | -0.25 | 1130.92 | 01 | 06 | 9 | |
| | P | 7/15/2011 | -103.21 | -0.13 | 1130.79 | 01 | 06 | 9 | |
| | P | 7/29/2011 | -103.35 | -0.14 | 1130.65 | 01 | 06 | 9 | |
| | P | 8/16/2011 | -103.63 | -0.28 | 1130.37 | 01 | 06 | 9 | |
| | P | 8/31/2011 | -103.8 | -0.17 | 1130.2 | 01 | 06 | 9 | |
| | P | 9/16/2011 | -103.94 | -0.14 | 1130.06 | 01 | 06 | 9 | |
| | P | 9/30/2011 | -104.04 | -0.1 | 1129.96 | 01 | 06 | 9 | |
| | P | 10/13/2011 | -103.63 | 0.41 | 1130.37 | 01 | 06 | 9 | |
| | P | 10/28/2011 | -104.05 | -0.42 | 1129.95 | 01 | 06 | 9 | |
| | P | 11/15/2011 | -104.2 | -0.15 | 1129.8 | 01 | 06 | 9 | |
| | P | 11/30/2011 | -104.24 | -0.04 | 1129.76 | 01 | 06 | 9 | |
| | P | 12/16/2011 | -103.78 | 0.46 | 1130.22 | 01 | 06 | 9 | |
| | P | 12/29/2011 | -103.12 | 0.66 | 1130.88 | 01 | 06 | 9 | |
| | P | 1/19/2012 | -103.5 | -0.38 | 1130.5 | 01 | 06 | 9 | |
| | P | 1/31/2012 | -102.97 | 0.53 | 1131.03 | 01 | 06 | 9 | |
| | P | 2/16/2012 | -103.15 | -0.18 | 1130.85 | 01 | 06 | 9 | |
| | P | 2/29/2012 | -101.89 | 1.26 | 1132.11 | 01 | 06 | 9 | |
| | P | 3/15/2012 | -100.3 | 1.59 | 1133.7 | 01 | 06 | 9 | |
| | P | 3/30/2012 | -97.56 | 2.74 | 1136.44 | 01 | 06 | 9 | |
| | P | 4/13/2012 | -99.61 | -2.05 | 1134.39 | 01 | 06 | 9 | |
| | P | 4/27/2012 | -100.7 | -1.09 | 1133.3 | 01 | 06 | 9 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 5 / 15/ 2012 | -98.38 | 2.32 | 1135.62 | 01 | 06 | 9 | |
| | P | 5 / 31/ 2012 | -99.79 | -1.41 | 1134.21 | 01 | 06 | 9 | |
| Min -104.25 | | Max -68.5 | Avg -97.7006 | | | | | | |
| **6812202** | ( Aquifer: 218GLRSL | | Well Depth: 155 ) | | | | | | |
| | P | 10 / 15/ 1964 | -141.6 | | 1130.4 | 01 | 04 | 1 | |
| Min -141.6 | | Max -141.6 | Avg -141.6 | | | | | | |
| **6812203** | ( Aquifer: 218GRHC | | Well Depth: 410 ) | | | | | | |
| | P | 8 / 3 / 1965 | -119.6 | | 1115.4 | 01 | 01 | 1 | |
| Min -119.6 | | Max -119.6 | Avg -119.6 | | | | | | |
| **6812205** | ( Aquifer: 218GLRSL | | Well Depth: 12 ) | | | | | | |
| | P | 10 / 15/ 1964 | -9.35 | | 1280.65 | 01 | 04 | 1 | |
| Min -9.35 | | Max -9.35 | Avg -9.35 | | | | | | |
| **6812206** | ( Aquifer: 218GLRSL | | Well Depth: 200 ) | | | | | | |
| | P | 10 / 20/ 1964 | -179.8 | | 1110.2 | 01 | 04 | 1 | |
| Min -179.8 | | Max -179.8 | Avg -179.8 | | | | | | |
| **6812207** | ( Aquifer: 218GLRSL | | Well Depth: 200 ) | | | | | | |
| | P | 10 / 20/ 1964 | -99.9 | | 1190.1 | 01 | 04 | 1 | |
| Min -99.9 | | Max -99.9 | Avg -99.9 | | | | | | |
| **6812208** | ( Aquifer: 218GRHC | | Well Depth: 352 ) | | | | | | |
| | P | 10 / 8 / 1964 | -256.18 | | 1128.82 | 01 | 04 | 7 | |
| | P | 12 / 30/ 1964 | -253.9 | 2.28 | 1131.1 | 01 | 04 | 7 | |
| | P | 4 / 9 / 1965 | -242.63 | 11.27 | 1142.37 | 01 | 04 | 7 | |
| | P | 5 / 10/ 1965 | -239.42 | 3.21 | 1145.58 | 01 | 04 | 7 | |
| | P | 6 / 9 / 1965 | -237.31 | 2.11 | 1147.69 | 01 | 04 | 7 | |
| | P | 7 / 6 / 1965 | -244.16 | -6.85 | 1140.84 | 01 | 04 | 7 | |
| | P | 8 / 3 / 1965 | -247.85 | -3.69 | 1137.15 | 01 | 04 | 7 | |
| | P | 9 / 3 / 1965 | -253.53 | -5.68 | 1131.47 | 01 | 04 | 7 | |
| | P | 10 / 8 / 1965 | -247.35 | 6.18 | 1137.65 | 01 | 04 | 7 | |
| | P | 4 / 15/ 1974 | -243.47 | 3.88 | 1141.53 | 01 | 01 | 1 | |
| | P | 2 / 24/ 1975 | -240.2 | 3.27 | 1144.8 | 01 | 01 | 2 | |
| | P | 1 / 29/ 1976 | -246.41 | -6.21 | 1138.59 | 01 | 01 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 16/ 1977 | -239.1 | 7.31 | 1145.9 | 01 | 01 | 2 | |
| | P | 2 / 17/ 1978 | -246.45 | -7.35 | 1138.55 | 01 | 01 | 1 | |
| | P | 3 / 7 / 1979 | -249.46 | -3.01 | 1135.54 | 01 | 01 | 1 | 20 |
| | P | 2 / 12/ 1981 | -249.56 | -0.1 | 1135.44 | 01 | 01 | 1 | |
| | P | 2 / 15/ 1982 | -248.96 | 0.6 | 1136.04 | 01 | 01 | 1 | |
| | P | 2 / 7 / 1983 | -249.34 | -0.38 | 1135.66 | 01 | 01 | 1 | |
| | P | 2 / 29/ 1984 | -253.18 | -3.84 | 1131.82 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1985 | -254.7 | -1.52 | 1130.3 | 01 | 01 | 1 | |
| | P | 3 / 10/ 1986 | -241.08 | 13.62 | 1143.92 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -239.85 | 1.23 | 1145.15 | 01 | 01 | 1 | |
| | P | 10 / 26/ 1987 | -242.49 | -2.64 | 1142.51 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -252.47 | -9.98 | 1132.53 | 01 | 01 | 1 | |
| | P | 2 / 5 / 1990 | -252.5 | -0.03 | 1132.5 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -262.24 | -9.74 | 1122.76 | 01 | 01 | 1 | |
| | P | 2 / 11/ 1992 | -251.51 | 10.73 | 1133.49 | 01 | 01 | 1 | |
| | P | 2 / 18/ 1993 | -242.18 | 9.33 | 1142.82 | 01 | 01 | 1 | |
| | P | 4 / 1 / 1994 | -253.11 | -10.9 | 1131.89 | 01 | 01 | 1 | |
| | n | 1 / 26/ 1995 | | | | 01 | 01 | | 61 |
| | N | 2 / 22/ 1996 | | | | 01 | 01 | | 61 |
| | N | 1 / 15/ 1997 | | | | 01 | 01 | | 61 |

**Min** *-262.24* **Max** *-237.31* **Avg** *-247.607*

***6812209*** *( Aquifer: 218GLRSL Well Depth: 365 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 0 / 1964 | -250 | | 1150 | 01 | 01 | 1 | |

**Min** *-250* **Max** *-250* **Avg** *-250*

***6812210*** *( Aquifer: 218CCRK Well Depth: 252 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 30/ 1999 | -131 | | 1112 | 01 | 09 | 5 | |
| | P | 8 / 18/ 2000 | -120.5 | 10.5 | 1122.5 | 01 | 01 | 2 | |

**Min** *-131* **Max** *-120.5* **Avg** *-125.75*

***6812301*** *( Aquifer: 217HSTN Well Depth: 555 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 25/ 1975 | -208 | | 1032 | 01 | 01 | 1 | |
| | N | 1 / 21/ 1997 | | | | 01 | 01 | | 64 |

**Min** *-208* **Max** *-208* **Avg** *-208*

***6812304*** *( Aquifer: 217HSTN Well Depth: 433 )*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 16/ 1999 | -206 | | 1019 | 01 | 07 | 7 | |
| Min -206 | | Max -206 | Avg -206 | | | | | | |
| **6812404** | ( Aquifer: 218GLRSU | | Well Depth: 80 ) | | | | | | |
| | P | 10 / 12/ 1964 | -70.12 | | 1389.88 | 01 | 04 | 1 | |
| Min -70.12 | | Max -70.12 | Avg -70.12 | | | | | | |
| **6812405** | ( Aquifer: 218GRCCU | | Well Depth: 480 ) | | | | | | |
| | P | 10 / 9 / 1964 | -351.6 | | 1083.4 | 01 | 04 | 1 | |
| Min -351.6 | | Max -351.6 | Avg -351.6 | | | | | | |
| **6812406** | ( Aquifer: 218GRCCU | | Well Depth: 400 ) | | | | | | |
| | P | 10 / 6 / 1964 | -349.4 | | 1124.6 | 01 | 04 | 1 | |
| Min -349.4 | | Max -349.4 | Avg -349.4 | | | | | | |
| **6812407** | ( Aquifer: 218GLRSL | | Well Depth: 288 ) | | | | | | |
| | P | 6 / 21/ 1994 | -148.2 | | 1271.8 | 01 | 01 | 1 | |
| Min -148.2 | | Max -148.2 | Avg -148.2 | | | | | | |
| **6812408** | ( Aquifer: 218GLRSL | | Well Depth: 385 ) | | | | | | |
| | P | 10 / 6 / 1964 | -275.55 | | 1129.45 | 01 | 04 | 1 | |
| Min -275.55 | | Max -275.55 | Avg -275.55 | | | | | | |
| **6812409** | ( Aquifer: 218GLRSL | | Well Depth: 351 ) | | | | | | |
| | P | 3 / 7 / 1940 | -265 | | 1115 | 01 | 04 | 7 | |
| | P | 10 / 9 / 1964 | -230.34 | 34.66 | 1149.66 | 01 | 04 | 7 | |
| | P | 12 / 30/ 1964 | -220.6 | 9.74 | 1159.4 | 01 | 04 | 7 | |
| | P | 5 / 10/ 1965 | -221.2 | -0.6 | 1158.8 | 01 | 04 | 7 | |
| | P | 6 / 10/ 1965 | -215.2 | 6 | 1164.8 | 01 | 04 | 7 | |
| | P | 7 / 6 / 1965 | -217 | -1.8 | 1163 | 01 | 04 | 7 | |
| | P | 8 / 3 / 1965 | -223.3 | -6.3 | 1156.7 | 01 | 04 | 7 | |
| | P | 9 / 3 / 1965 | -225.45 | -2.15 | 1154.55 | 01 | 04 | 7 | |
| | P | 10 / 8 / 1965 | -219.4 | 6.05 | 1160.6 | 01 | 04 | 7 | |
| | P | 4 / 15/ 1974 | -206.4 | 13 | 1173.6 | 01 | 01 | 2 | |
| | P | 2 / 24/ 1975 | -201.4 | 5 | 1178.6 | 01 | 01 | 2 | |
| | P | 1 / 29/ 1976 | -210.01 | -8.61 | 1169.99 | 01 | 01 | 1 | |
| | P | 2 / 16/ 1977 | -192.35 | 17.66 | 1187.65 | 01 | 01 | 1 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 16/ 1978 | -199.65 | -7.3 | 1180.35 | 01 | 01 | 2 | |
| | P | 3 / 7 / 1979 | -203.95 | -4.3 | 1176.05 | 01 | 01 | 1 | |
| | P | 2 / 12/ 1981 | -205.15 | -1.2 | 1174.85 | 01 | 01 | 1 | 20 |
| | P | 2 / 15/ 1982 | -206.58 | -1.43 | 1173.42 | 01 | 01 | 1 | 20 |
| | P | 2 / 7 / 1983 | -209.6 | -3.02 | 1170.4 | 01 | 01 | 1 | |
| | N | 2 / 29/ 1984 | | | | 01 | 01 | 1 | 47 |
| | N | 2 / 21/ 1985 | | | | 01 | 01 | 1 | 47 |
| | N | 3 / 10/ 1986 | | | | 01 | 01 | 1 | 47 |
| | P | 12 / 6 / 1986 | -162.5 | | 1217.5 | 01 | 01 | 2 | |
| | P | 10 / 26/ 1987 | -190.67 | -28.2 | 1189.33 | 01 | 01 | 1 | |
| | P | 3 / 24/ 1989 | -199.15 | -8.48 | 1180.85 | 01 | 01 | 1 | 20 |
| | P | 2 / 5 / 1990 | -204.2 | -5.05 | 1175.8 | 01 | 01 | 1 | |
| | P | 2 / 8 / 1991 | -203.08 | 1.12 | 1176.92 | 01 | 01 | 1 | 20 |
| | N | 2 / 11/ 1992 | | | | 01 | 01 | 1 | 47 |
| | N | 2 / 18/ 1993 | | | | 01 | 01 | | 62 |
| | N | 4 / 1 / 1994 | | | | 01 | 01 | 1 | 47 |
| | N | 1 / 26/ 1995 | | | | 01 | 01 | 1 | 47 |
| | N | 2 / 22/ 1996 | | | | 01 | 01 | | 61 |

**Min** *-265* **Max** *-162.5* **Avg** *-210.095*

***6812410*** *( Aquifer: 218GLRSL Well Depth: 290 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 0 / 1940 | -165 | | 1155 | 01 | 01 | 1 | |

**Min** *-165* **Max** *-165* **Avg** *-165*

***6812411*** *( Aquifer: 218GLRSL Well Depth: 260 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 10 / 2 / 1964 | -230.6 | | 1119.4 | 01 | 01 | 1 | |

**Min** *-230.6* **Max** *-230.6* **Avg** *-230.6*

***6812412*** *( Aquifer: 218GLRSL Well Depth: 330 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 27/ 1976 | -181 | | 1139 | 01 | 07 | 7 | |
| | P | 5 / 17/ 1977 | -180 | 1 | 1140 | 01 | 01 | 6 | |

**Min** *-181* **Max** *-180* **Avg** *-180.5*

***6812413*** *( Aquifer: 218GLRSL Well Depth: 500 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11 / 15/ 2005 | -219.25 | | 1158.75 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -218.5 | 0.75 | 1159.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -221 | -2.5 | 1157 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12/30/2005 | -217.83 | 3.17 | 1160.17 | 01 | 06 | 2 | |
| | P | 1/15/2006 | -276.25 | -58.4 | 1101.75 | 01 | 06 | 2 | |
| | P | 1/31/2006 | -278.83 | -2.58 | 1099.17 | 01 | 06 | 2 | |
| | P | 2/15/2006 | -220 | 58.83 | 1158 | 01 | 06 | 2 | |
| | P | 2/28/2006 | -230.67 | -10.7 | 1147.33 | 01 | 06 | 2 | |
| | P | 3/14/2006 | -222.2 | 8.47 | 1155.8 | 01 | 06 | 2 | |
| | P | 3/31/2006 | -221.25 | 0.95 | 1156.75 | 01 | 06 | 2 | |
| | P | 4/15/2006 | -224.92 | -3.67 | 1153.08 | 01 | 06 | 2 | |
| | P | 4/30/2006 | -232.42 | -7.5 | 1145.58 | 01 | 06 | 2 | |
| | P | 5/15/2006 | -264.42 | -32 | 1113.58 | 01 | 06 | 2 | |
| | P | 5/31/2006 | -228.67 | 35.75 | 1149.33 | 01 | 06 | 2 | |
| | P | 6/15/2006 | -232.67 | -4 | 1145.33 | 01 | 06 | 2 | |
| | P | 6/30/2006 | -230.33 | 2.34 | 1147.67 | 01 | 06 | 2 | |
| | P | 7/15/2006 | -230.92 | -0.59 | 1147.08 | 01 | 06 | 2 | |
| | P | 7/31/2006 | -231.75 | -0.83 | 1146.25 | 01 | 06 | 2 | |
| | P | 8/15/2006 | -233.82 | -2.07 | 1144.18 | 01 | 06 | 2 | |
| | P | 8/30/2006 | -232.33 | 1.49 | 1145.67 | 01 | 06 | 2 | |
| | P | 9/15/2006 | -227.08 | 5.25 | 1150.92 | 01 | 06 | 2 | |
| | P | 9/30/2006 | -228.42 | -1.34 | 1149.58 | 01 | 06 | 2 | |
| | P | 10/15/2006 | -226.42 | 2 | 1151.58 | 01 | 06 | 2 | |
| | P | 10/30/2006 | -231.67 | -5.25 | 1146.33 | 01 | 06 | 2 | |
| | P | 11/15/2006 | -229.92 | 1.75 | 1148.08 | 01 | 06 | 2 | |
| | P | 11/30/2006 | -228.75 | 1.17 | 1149.25 | 01 | 06 | 2 | |
| | P | 12/15/2006 | -233.75 | -5 | 1144.25 | 01 | 06 | 2 | |
| | P | 12/31/2006 | -234.32 | -0.57 | 1143.68 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -224.25 | 10.07 | 1153.75 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -221.17 | 3.08 | 1156.83 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -215.67 | 5.5 | 1162.33 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -215.17 | 0.5 | 1162.83 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -213.33 | 1.84 | 1164.67 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -209 | 4.33 | 1169 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -206.5 | 2.5 | 1171.5 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -206.5 | | 1171.5 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -210.17 | -3.67 | 1167.83 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -206.33 | 3.84 | 1171.67 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -207.17 | -0.84 | 1170.83 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2007 | -207.33 | -0.16 | 1170.67 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2007 | -206.33 | 1 | 1171.67 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2007 | -207.33 | -1 | 1170.67 | 01 | 06 | 2 | |
| | P | 8 / 15/ 2007 | -206.67 | 0.66 | 1171.33 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2007 | -204.1 | 2.57 | 1173.9 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2007 | -203.9 | 0.2 | 1174.1 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -211 | -7.1 | 1167 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -208.1 | 2.9 | 1169.9 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -208.6 | -0.5 | 1169.4 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -209 | -0.4 | 1169 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -211.4 | -2.4 | 1166.6 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -211.6 | -0.2 | 1166.4 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -213.6 | -2 | 1164.4 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -212.1 | 1.5 | 1165.9 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -212.4 | -0.3 | 1165.6 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -215.1 | -2.7 | 1162.9 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -217.6 | -2.5 | 1160.4 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -217 | 0.6 | 1161 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -217.7 | -0.7 | 1160.3 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -218 | -0.3 | 1160 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -225.2 | -7.2 | 1152.8 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -224.4 | 0.8 | 1153.6 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -226.8 | -2.4 | 1151.2 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -227.7 | -0.9 | 1150.3 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -226.6 | 1.1 | 1151.4 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -225.6 | 1 | 1152.4 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -232.4 | -6.8 | 1145.6 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -224.4 | 8 | 1153.6 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -227.7 | -3.3 | 1150.3 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -226.4 | 1.3 | 1151.6 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -226 | 0.4 | 1152 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -225.4 | 0.6 | 1152.6 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -226.4 | -1 | 1151.6 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -223.9 | 2.5 | 1154.1 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -223.5 | 0.4 | 1154.5 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -223.2 | 0.3 | 1154.8 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 1/30/2009 | -223.6 | -0.4 | 1154.4 | 01 | 06 | 2 | |
| | P | 2/13/2009 | -224.9 | -1.3 | 1153.1 | 01 | 06 | 2 | |
| | P | 2/27/2009 | -225.4 | -0.5 | 1152.6 | 01 | 06 | 2 | |
| | P | 3/17/2009 | -228 | -2.6 | 1150 | 01 | 06 | 2 | |
| | P | 3/31/2009 | -227.2 | 0.8 | 1150.8 | 01 | 06 | 2 | |
| | P | 4/15/2009 | -231.9 | -4.7 | 1146.1 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -230.4 | 1.5 | 1147.6 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -232.2 | -1.8 | 1145.8 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -230.8 | 1.4 | 1147.2 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -235.4 | -4.6 | 1142.6 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -239.1 | -3.7 | 1138.9 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -239 | 0.1 | 1139 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -238.3 | 0.7 | 1139.7 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -239.1 | -0.8 | 1138.9 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -239 | 0.1 | 1139 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -232.8 | 6.2 | 1145.2 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -234.42 | -1.62 | 1143.58 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -226.71 | 7.71 | 1151.29 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -224.7 | 2.01 | 1153.3 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -217.6 | 7.1 | 1160.4 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -212.2 | 5.4 | 1165.8 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -210.6 | 1.6 | 1167.4 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -211.7 | -1.1 | 1166.3 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -207.3 | 4.4 | 1170.7 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -204.4 | 2.9 | 1173.6 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -203.4 | 1 | 1174.6 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -205.2 | -1.8 | 1172.8 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -205.5 | -0.3 | 1172.5 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -205 | 0.5 | 1173 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -205.3 | -0.3 | 1172.7 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -207.7 | -2.4 | 1170.3 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -208.13 | -0.43 | 1169.87 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -208.4 | -0.27 | 1169.6 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -210.6 | -2.2 | 1167.4 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -210.71 | -0.11 | 1167.29 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -212.65 | -1.94 | 1165.35 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9/16/2010 | -216.15 | -3.5 | 1161.85 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -216.38 | -0.23 | 1161.62 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -218.3 | -1.92 | 1159.7 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -225 | -6.7 | 1153 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -217.02 | 7.98 | 1160.98 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -218.76 | -1.74 | 1159.24 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -218.64 | 0.12 | 1159.36 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -218.58 | 0.06 | 1159.42 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -219.8 | -1.22 | 1158.2 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -221.29 | -1.49 | 1156.71 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -222.36 | -1.07 | 1155.64 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -221.6 | 0.76 | 1156.4 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -226.52 | -4.92 | 1151.48 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -231.41 | -4.89 | 1146.59 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -230.23 | 1.18 | 1147.77 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -229.14 | 1.09 | 1148.86 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -229.79 | -0.65 | 1148.21 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -230.17 | -0.38 | 1147.83 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -235.56 | -5.39 | 1142.44 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -234.23 | 1.33 | 1143.77 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -235.91 | -1.68 | 1142.09 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -236.09 | -0.18 | 1141.91 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -236.2 | -0.11 | 1141.8 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -238.24 | -2.04 | 1139.76 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -236.79 | 1.45 | 1141.21 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -230 | 6.79 | 1148 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -232.33 | -2.33 | 1145.67 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -232.64 | -0.31 | 1145.36 | 01 | 06 | 2 | |
| | P | 11/30/2011 | -232.6 | 0.04 | 1145.4 | 01 | 06 | 2 | |
| | P | 12/16/2011 | -228 | 4.6 | 1150 | 01 | 06 | 2 | |
| | P | 12/29/2011 | -228.03 | -0.03 | 1149.97 | 01 | 06 | 2 | |
| | P | 1/19/2012 | -225.43 | 2.6 | 1152.57 | 01 | 06 | 2 | |
| | P | 1/31/2012 | -225.92 | -0.49 | 1152.08 | 01 | 06 | 2 | |
| | P | 2/16/2012 | -224.38 | 1.54 | 1153.62 | 01 | 06 | 2 | |
| | P | 2/29/2012 | -222.7 | 1.68 | 1155.3 | 01 | 06 | 2 | |
| | P | 3/15/2012 | -221.68 | 1.02 | 1156.32 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 30/ 2012 | -220.62 | 1.06 | 1157.38 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -221.25 | -0.63 | 1156.75 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -221.7 | -0.45 | 1156.3 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -217.83 | 3.87 | 1160.17 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -219.95 | -2.12 | 1158.05 | 01 | 06 | 2 | |

**Min** *-278.83* **Max** *-203.4* **Avg** *-223.004*

***6812501*** *( Aquifer: 218GLRSL Well Depth: 425 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 0 / 1940 | -330 | | 1140 | 01 | 01 | 1 | |

**Min** *-330* **Max** *-330* **Avg** *-330*

***6812502*** *( Aquifer: 218GLRSL Well Depth: 410 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 8 / 1940 | -350 | | 1085 | 01 | 01 | 1 | |

**Min** *-350* **Max** *-350* **Avg** *-350*

***6812503*** *( Aquifer: 218GLRSL Well Depth: 310 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 3 / 0 / 1940 | -304 | | 1096 | 01 | 01 | 1 | |

**Min** *-304* **Max** *-304* **Avg** *-304*

***6812504*** *( Aquifer: 218GRCCU Well Depth: 425 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 30/ 1964 | -294.5 | | 1110.5 | 01 | 04 | 1 | |

**Min** *-294.5* **Max** *-294.5* **Avg** *-294.5*

***6812506*** *( Aquifer: 218GLRSL Well Depth: 420 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2 / 7 / 1998 | -232 | | 1168 | 01 | 07 | 7 | |
| | P | 2 / 18/ 1999 | -266.99 | -35 | 1133.01 | 01 | 01 | 2 | |

**Min** *-266.99* **Max** *-232* **Avg** *-249.495*

***6812507*** *( Aquifer: 218GLRSL Well Depth: 420 )*

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | P | 6 / 30/ 2005 | -271.67 | | 1102.33 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2005 | -271 | 0.67 | 1103 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2005 | -268.5 | 2.5 | 1105.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2005 | -268.83 | -0.33 | 1105.17 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2005 | -269.83 | -1 | 1104.17 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2006 | -270 | -0.17 | 1104 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2006 | -269.67 | 0.33 | 1104.33 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2006 | -269.42 | 0.25 | 1104.58 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 2/28/2006 | -269.83 | -0.41 | 1104.17 | 01 | 06 | 2 | |
| | P | 3/14/2006 | -269.83 | | 1104.17 | 01 | 06 | 2 | |
| | P | 3/31/2006 | -270.42 | -0.59 | 1103.58 | 01 | 06 | 2 | |
| | P | 4/15/2006 | -269.92 | 0.5 | 1104.08 | 01 | 06 | 2 | |
| | P | 4/30/2006 | -270.42 | -0.5 | 1103.58 | 01 | 06 | 2 | |
| | P | 5/15/2006 | -270.67 | -0.25 | 1103.33 | 01 | 06 | 2 | |
| | P | 5/31/2006 | -270.5 | 0.17 | 1103.5 | 01 | 06 | 2 | |
| | P | 6/15/2006 | -271.42 | -0.92 | 1102.58 | 01 | 06 | 2 | |
| | P | 7/15/2006 | -271.08 | 0.34 | 1102.92 | 01 | 06 | 2 | |
| | P | 7/31/2006 | -272.42 | -1.34 | 1101.58 | 01 | 06 | 2 | |
| | P | 8/15/2006 | -272.33 | 0.09 | 1101.67 | 01 | 06 | 2 | |
| | P | 8/30/2006 | -272 | 0.33 | 1102 | 01 | 06 | 2 | |
| | P | 9/15/2006 | -272.42 | -0.42 | 1101.58 | 01 | 06 | 2 | |
| | P | 9/30/2006 | -272 | 0.42 | 1102 | 01 | 06 | 2 | |
| | P | 10/15/2006 | -272 | | 1102 | 01 | 06 | 2 | |
| | P | 10/30/2006 | -271.5 | 0.5 | 1102.5 | 01 | 06 | 2 | |
| | P | 11/15/2006 | -272.17 | -0.67 | 1101.83 | 01 | 06 | 2 | |
| | P | 11/30/2006 | -272 | 0.17 | 1102 | 01 | 06 | 2 | |
| | P | 12/15/2006 | -271.83 | 0.17 | 1102.17 | 01 | 06 | 2 | |
| | P | 12/31/2006 | -271.25 | 0.58 | 1102.75 | 01 | 06 | 2 | |
| | P | 1/19/2007 | -271.42 | -0.17 | 1102.58 | 01 | 06 | 2 | |
| | P | 1/31/2007 | -271.33 | 0.09 | 1102.67 | 01 | 06 | 2 | |
| | P | 2/15/2007 | -270.83 | 0.5 | 1103.17 | 01 | 06 | 2 | |
| | P | 2/28/2007 | -270.58 | 0.25 | 1103.42 | 01 | 06 | 2 | |
| | P | 3/15/2007 | -269.5 | 1.08 | 1104.5 | 01 | 06 | 2 | |
| | P | 3/30/2007 | -269.08 | 0.42 | 1104.92 | 01 | 06 | 2 | |
| | P | 4/15/2007 | -271.25 | -2.17 | 1102.75 | 01 | 06 | 2 | |
| | P | 4/30/2007 | -268.5 | 2.75 | 1105.5 | 01 | 06 | 2 | |
| | P | 5/15/2007 | -271 | -2.5 | 1103 | 01 | 06 | 2 | |
| | P | 5/31/2007 | -267 | 4 | 1107 | 01 | 06 | 2 | |
| | P | 6/15/2007 | -270.33 | -3.33 | 1103.67 | 01 | 06 | 2 | |
| | P | 6/30/2007 | -265.17 | 5.16 | 1108.83 | 01 | 06 | 2 | |
| | P | 7/15/2007 | -267.33 | -2.16 | 1106.67 | 01 | 06 | 2 | |
| | P | 7/31/2007 | -258.17 | 9.16 | 1115.83 | 01 | 06 | 2 | |
| | P | 8/15/2007 | -268.75 | -10.6 | 1105.25 | 01 | 06 | 2 | |
| | P | 8/31/2007 | -265.8 | 2.95 | 1108.2 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 15/ 2007 | -265.7 | 0.1 | 1108.3 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2007 | -265.8 | -0.1 | 1108.2 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -264.8 | 1 | 1109.2 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -266.1 | -1.3 | 1107.9 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -266.4 | -0.3 | 1107.6 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -267.2 | -0.8 | 1106.8 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -266.8 | 0.4 | 1107.2 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -267.8 | -1 | 1106.2 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -267.5 | 0.3 | 1106.5 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -266 | 1.5 | 1108 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -266.1 | -0.1 | 1107.9 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -267.3 | -1.2 | 1106.7 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -267.2 | 0.1 | 1106.8 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -267.6 | -0.4 | 1106.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -268 | -0.4 | 1106 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -268 | | 1106 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -268.3 | -0.3 | 1105.7 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -268.5 | -0.2 | 1105.5 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -268.4 | 0.1 | 1105.6 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -269.4 | -1 | 1104.6 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -268.8 | 0.6 | 1105.2 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -269.3 | -0.5 | 1104.7 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -270.2 | -0.9 | 1103.8 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -270.2 | | 1103.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -269.5 | 0.7 | 1104.5 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -269.5 | | 1104.5 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -269.8 | -0.3 | 1104.2 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -269.5 | 0.3 | 1104.5 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -270.6 | -1.1 | 1103.4 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -270.5 | 0.1 | 1103.5 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -269.3 | 1.2 | 1104.7 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -269.8 | -0.5 | 1104.2 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -269.9 | -0.1 | 1104.1 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -271 | -1.1 | 1103 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -270.8 | 0.2 | 1103.2 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -271.4 | -0.6 | 1102.6 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/15/2009 | -271 | 0.4 | 1103 | 01 | 06 | 2 | |
| | P | 4/29/2009 | -271 | | 1103 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -270 | 1 | 1104 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -272.2 | -2.2 | 1101.8 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -272.8 | -0.6 | 1101.2 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -272.6 | 0.2 | 1101.4 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -272.2 | 0.4 | 1101.8 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -272 | 0.2 | 1102 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -273.4 | -1.4 | 1100.6 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -272.8 | 0.6 | 1101.2 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -272.2 | 0.6 | 1101.8 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -272.8 | -0.6 | 1101.2 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -272.6 | 0.2 | 1101.4 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -272.4 | 0.2 | 1101.6 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -272.2 | 0.2 | 1101.8 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -272 | 0.2 | 1102 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -271.2 | 0.8 | 1102.8 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -271.25 | -0.05 | 1102.75 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -271.1 | 0.15 | 1102.9 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -271 | 0.1 | 1103 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -270.48 | 0.52 | 1103.52 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -269.55 | 0.93 | 1104.45 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -268.7 | 0.85 | 1105.3 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -268.35 | 0.35 | 1105.65 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -269.17 | -0.82 | 1104.83 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -272.8 | -3.63 | 1101.2 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -269.17 | 3.63 | 1104.83 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -269.25 | -0.08 | 1104.75 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -268.9 | 0.35 | 1105.1 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -268.85 | 0.05 | 1105.15 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -268.45 | 0.4 | 1105.55 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -268.78 | -0.33 | 1105.22 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -268.7 | 0.08 | 1105.3 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -269.12 | -0.42 | 1104.88 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -269.25 | -0.13 | 1104.75 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -268.55 | 0.7 | 1105.45 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 11/30/2010 | -269.78 | -1.23 | 1104.22 | 01 | 06 | 2 | |
| | P | 12/16/2010 | -272.27 | -2.49 | 1101.73 | 01 | 06 | 2 | |
| | P | 12/30/2010 | -271.71 | 0.56 | 1102.29 | 01 | 06 | 2 | |
| | P | 1/14/2011 | -269.72 | 1.99 | 1104.28 | 01 | 06 | 2 | |
| | P | 1/28/2011 | -269.59 | 0.13 | 1104.41 | 01 | 06 | 2 | |
| | P | 2/11/2011 | -270.41 | -0.82 | 1103.59 | 01 | 06 | 2 | |
| | P | 2/25/2011 | -269.19 | 1.22 | 1104.81 | 01 | 06 | 2 | |
| | P | 3/15/2011 | -270.23 | -1.04 | 1103.77 | 01 | 06 | 2 | |
| | P | 3/31/2011 | -270.09 | 0.14 | 1103.91 | 01 | 06 | 2 | |
| | P | 4/15/2011 | -271.42 | -1.33 | 1102.58 | 01 | 06 | 2 | |
| | P | 4/29/2011 | -270.38 | 1.04 | 1103.62 | 01 | 06 | 2 | |
| | P | 5/13/2011 | -271.15 | -0.77 | 1102.85 | 01 | 06 | 2 | |
| | P | 5/27/2011 | -271.22 | -0.07 | 1102.78 | 01 | 06 | 2 | |
| | P | 6/16/2011 | -271.5 | -0.28 | 1102.5 | 01 | 06 | 2 | |
| | P | 6/30/2011 | -271.05 | 0.45 | 1102.95 | 01 | 06 | 2 | |
| | P | 7/15/2011 | -271.32 | -0.27 | 1102.68 | 01 | 06 | 2 | |
| | P | 7/29/2011 | -271.8 | -0.48 | 1102.2 | 01 | 06 | 2 | |
| | P | 8/16/2011 | -271.09 | 0.71 | 1102.91 | 01 | 06 | 2 | |
| | P | 8/31/2011 | -271.13 | -0.04 | 1102.87 | 01 | 06 | 2 | |
| | P | 9/16/2011 | -271.39 | -0.26 | 1102.61 | 01 | 06 | 2 | |
| | P | 10/13/2011 | -274.34 | -2.95 | 1099.66 | 01 | 06 | 2 | |
| | P | 10/28/2011 | -272.04 | 2.3 | 1101.96 | 01 | 06 | 2 | |
| | P | 11/15/2011 | -272.95 | -0.91 | 1101.05 | 01 | 06 | 2 | |
| | P | 11/30/2011 | -272.12 | 0.83 | 1101.88 | 01 | 06 | 2 | |
| | P | 12/16/2011 | -272.14 | -0.02 | 1101.86 | 01 | 06 | 2 | |
| | P | 12/29/2011 | -272.31 | -0.17 | 1101.69 | 01 | 06 | 2 | |
| | P | 1/19/2012 | -272.12 | 0.19 | 1101.88 | 01 | 06 | 2 | |
| | P | 1/31/2012 | -272.86 | -0.74 | 1101.14 | 01 | 06 | 2 | |
| | P | 2/16/2012 | -272.88 | -0.02 | 1101.12 | 01 | 06 | 2 | |
| | P | 2/29/2012 | -272.42 | 0.46 | 1101.58 | 01 | 06 | 2 | |
| | P | 3/15/2012 | -272.87 | -0.45 | 1101.13 | 01 | 06 | 2 | |
| | P | 3/30/2012 | -273.37 | -0.5 | 1100.63 | 01 | 06 | 2 | |
| | P | 4/13/2012 | -272.93 | 0.44 | 1101.07 | 01 | 06 | 2 | |
| | P | 4/27/2012 | -271.95 | 0.98 | 1102.05 | 01 | 06 | 2 | |
| | P | 5/15/2012 | -271.7 | 0.25 | 1102.3 | 01 | 06 | 2 | |
| | P | 5/31/2012 | -271.75 | -0.05 | 1102.25 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **Min** | ***-274.34*** | **Max** | ***-258.17*** | **Avg** | ***-270.184*** | | | | |
| ***6812508*** | *( Aquifer: 218GLRSL* | | *Well Depth:* | *)* | | | | | |
| | **P** | **6 / 30/ 2005** | **-281.92** | | **1094.08** | **01** | **06** | **2** | |
| | **P** | **11 / 15/ 2005** | **-280.17** | **1.75** | **1095.83** | **01** | **06** | **2** | |
| | **P** | **11 / 30/ 2005** | **-278.42** | **1.75** | **1097.58** | **01** | **06** | **2** | |
| | **P** | **12 / 15/ 2005** | **-278.5** | **-0.08** | **1097.5** | **01** | **06** | **2** | |
| | **P** | **12 / 30/ 2005** | **-278.92** | **-0.42** | **1097.08** | **01** | **06** | **2** | |
| | **P** | **1 / 15/ 2006** | **-280** | **-1.08** | **1096** | **01** | **06** | **2** | |
| | **P** | **1 / 31/ 2006** | **-279.92** | **0.08** | **1096.08** | **01** | **06** | **2** | |
| | **P** | **2 / 15/ 2006** | **-279.67** | **0.25** | **1096.33** | **01** | **06** | **2** | |
| | **P** | **2 / 28/ 2006** | **-279.92** | **-0.25** | **1096.08** | **01** | **06** | **2** | |
| | **P** | **3 / 14/ 2006** | **-280** | **-0.08** | **1096** | **01** | **06** | **2** | |
| | **P** | **3 / 31/ 2006** | **-278.33** | **1.67** | **1097.67** | **01** | **06** | **2** | |
| | **P** | **4 / 15/ 2006** | **-278.08** | **0.25** | **1097.92** | **01** | **06** | **2** | |
| | **P** | **4 / 30/ 2006** | **-279.08** | **-1** | **1096.92** | **01** | **06** | **2** | |
| | **P** | **5 / 15/ 2006** | **-279** | **0.08** | **1097** | **01** | **06** | **2** | |
| | **P** | **5 / 31/ 2006** | **-279.17** | **-0.17** | **1096.83** | **01** | **06** | **2** | |
| | **P** | **6 / 15/ 2006** | **-282** | **-2.83** | **1094** | **01** | **06** | **2** | |
| | **P** | **7 / 15/ 2006** | **-281.92** | **0.08** | **1094.08** | **01** | **06** | **2** | |
| | **P** | **7 / 31/ 2006** | **-282.58** | **-0.66** | **1093.42** | **01** | **06** | **2** | |
| | **P** | **8 / 15/ 2006** | **-282** | **0.58** | **1094** | **01** | **06** | **2** | |
| | **P** | **8 / 30/ 2006** | **-282** | | **1094** | **01** | **06** | **2** | |
| | **P** | **9 / 15/ 2006** | **-282.08** | **-0.08** | **1093.92** | **01** | **06** | **2** | |
| | **P** | **9 / 30/ 2006** | **-274.42** | **7.66** | **1101.58** | **01** | **06** | **2** | |
| | **P** | **10 / 15/ 2006** | **-274.42** | | **1101.58** | **01** | **06** | **2** | |
| | **P** | **10 / 30/ 2006** | **-273.75** | **0.67** | **1102.25** | **01** | **06** | **2** | |
| | **P** | **11 / 15/ 2006** | **-273** | **0.75** | **1103** | **01** | **06** | **2** | |
| | **P** | **11 / 30/ 2006** | **-272.83** | **0.17** | **1103.17** | **01** | **06** | **2** | |
| | **P** | **12 / 15/ 2006** | **-273.92** | **-1.09** | **1102.08** | **01** | **06** | **2** | |
| | **P** | **12 / 31/ 2006** | **-273.75** | **0.17** | **1102.25** | **01** | **06** | **2** | |
| | **P** | **1 / 19/ 2007** | **-273.75** | | **1102.25** | **01** | **06** | **2** | |
| | **P** | **1 / 31/ 2007** | **-273.75** | | **1102.25** | **01** | **06** | **2** | |
| **Min** | ***-282.58*** | **Max** | ***-272.83*** | **Avg** | ***-278.242*** | | | | |
| ***6812509*** | *( Aquifer: 218CCRK* | | *Well Depth: 385* | *)* | | | | | |
| | **P** | **9 / 15/ 2007** | **-213.6** | | **1132.4** | **01** | **06** | **2** | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 9 / 30/ 2007 | -215 | -1.4 | 1131 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2007 | -217.4 | -2.4 | 1128.6 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2007 | -221.7 | -4.3 | 1124.3 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2007 | -226.1 | -4.4 | 1119.9 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2007 | -227.5 | -1.4 | 1118.5 | 01 | 06 | 2 | |
| | P | 12 / 14/ 2007 | -227.5 | | 1118.5 | 01 | 06 | 2 | |
| | P | 12 / 31/ 2007 | -227.8 | -0.3 | 1118.2 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2008 | -227.8 | | 1118.2 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2008 | -228.4 | -0.6 | 1117.6 | 01 | 06 | 2 | |
| | P | 2 / 15/ 2008 | -228.6 | -0.2 | 1117.4 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2008 | -230.6 | -2 | 1115.4 | 01 | 06 | 2 | |
| | P | 3 / 14/ 2008 | -230.7 | -0.1 | 1115.3 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2008 | -232.3 | -1.6 | 1113.7 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2008 | -233.8 | -1.5 | 1112.2 | 01 | 06 | 2 | |
| | P | 4 / 30/ 2008 | -233.9 | -0.1 | 1112.1 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2008 | -233.2 | 0.7 | 1112.8 | 01 | 06 | 2 | |
| | P | 5 / 30/ 2008 | -233.4 | -0.2 | 1112.6 | 01 | 06 | 2 | |
| | P | 6 / 15/ 2008 | -233.8 | -0.4 | 1112.2 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2008 | -234.5 | -0.7 | 1111.5 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2008 | -233.9 | 0.6 | 1112.1 | 01 | 06 | 2 | |
| | P | 7 / 31/ 2008 | -234.6 | -0.7 | 1111.4 | 01 | 06 | 2 | |
| | P | 9 / 15/ 2008 | -234.6 | | 1111.4 | 01 | 06 | 2 | |
| | P | 9 / 30/ 2008 | -234.2 | 0.4 | 1111.8 | 01 | 06 | 2 | |
| | P | 10 / 15/ 2008 | -234.6 | -0.4 | 1111.4 | 01 | 06 | 2 | |
| | P | 10 / 31/ 2008 | -234.7 | -0.1 | 1111.3 | 01 | 06 | 2 | |
| | P | 11 / 13/ 2008 | -232.4 | 2.3 | 1113.6 | 01 | 06 | 2 | |
| | P | 12 / 1 / 2008 | -234.4 | -2 | 1111.6 | 01 | 06 | 2 | |
| | P | 12 / 15/ 2008 | -234.4 | | 1111.6 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2008 | -234.4 | | 1111.6 | 01 | 06 | 2 | |
| | P | 1 / 15/ 2009 | -233.8 | 0.6 | 1112.2 | 01 | 06 | 2 | |
| | P | 1 / 30/ 2009 | -233.4 | 0.4 | 1112.6 | 01 | 06 | 2 | |
| | P | 2 / 13/ 2009 | -233.4 | | 1112.6 | 01 | 06 | 2 | |
| | P | 2 / 27/ 2009 | -234.4 | -1 | 1111.6 | 01 | 06 | 2 | |
| | P | 3 / 17/ 2009 | -234.6 | -0.2 | 1111.4 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2009 | -234.6 | | 1111.4 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2009 | -235.5 | -0.9 | 1110.5 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4/29/2009 | -234.7 | 0.8 | 1111.3 | 01 | 06 | 2 | |
| | P | 5/15/2009 | -234.8 | -0.1 | 1111.2 | 01 | 06 | 2 | |
| | P | 5/29/2009 | -236 | -1.2 | 1110 | 01 | 06 | 2 | |
| | P | 6/15/2009 | -237.5 | -1.5 | 1108.5 | 01 | 06 | 2 | |
| | P | 6/30/2009 | -237.2 | 0.3 | 1108.8 | 01 | 06 | 2 | |
| | P | 7/15/2009 | -237 | 0.2 | 1109 | 01 | 06 | 2 | |
| | P | 7/31/2009 | -236.8 | 0.2 | 1109.2 | 01 | 06 | 2 | |
| | P | 8/14/2009 | -237.5 | -0.7 | 1108.5 | 01 | 06 | 2 | |
| | P | 8/28/2009 | -236.3 | 1.2 | 1109.7 | 01 | 06 | 2 | |
| | P | 9/15/2009 | -235.2 | 1.1 | 1110.8 | 01 | 06 | 2 | |
| | P | 9/30/2009 | -235.33 | -0.13 | 1110.67 | 01 | 06 | 2 | |
| | P | 10/15/2009 | -234.4 | 0.93 | 1111.6 | 01 | 06 | 2 | |
| | P | 10/30/2009 | -232.6 | 1.8 | 1113.4 | 01 | 06 | 2 | |
| | P | 11/13/2009 | -231.6 | 1 | 1114.4 | 01 | 06 | 2 | |
| | P | 11/30/2009 | -230.8 | 0.8 | 1115.2 | 01 | 06 | 2 | |
| | P | 12/15/2009 | -230.8 | | 1115.2 | 01 | 06 | 2 | |
| | P | 1/12/2010 | -231.9 | -1.1 | 1114.1 | 01 | 06 | 2 | |
| | P | 1/28/2010 | -230 | 1.9 | 1116 | 01 | 06 | 2 | |
| | P | 2/12/2010 | -220.1 | 9.9 | 1125.9 | 01 | 06 | 2 | |
| | P | 2/26/2010 | -216.8 | 3.3 | 1129.2 | 01 | 06 | 2 | |
| | P | 3/15/2010 | -217.6 | -0.8 | 1128.4 | 01 | 06 | 2 | |
| | P | 3/31/2010 | -218.1 | -0.5 | 1127.9 | 01 | 06 | 2 | |
| | P | 4/16/2010 | -220.3 | -2.2 | 1125.7 | 01 | 06 | 2 | |
| | P | 4/30/2010 | -221.8 | -1.5 | 1124.2 | 01 | 06 | 2 | |
| | P | 5/14/2010 | -224.6 | -2.8 | 1121.4 | 01 | 06 | 2 | |
| | P | 5/28/2010 | -222.11 | 2.49 | 1123.89 | 01 | 06 | 2 | |
| | P | 6/16/2010 | -225.13 | -3.02 | 1120.87 | 01 | 06 | 2 | |
| | P | 6/30/2010 | -227.63 | -2.5 | 1118.37 | 01 | 06 | 2 | |
| | P | 7/16/2010 | -230.68 | -3.05 | 1115.32 | 01 | 06 | 2 | |
| | P | 7/30/2010 | -230.8 | -0.12 | 1115.2 | 01 | 06 | 2 | |
| | P | 9/16/2010 | -233.08 | -2.28 | 1112.92 | 01 | 06 | 2 | |
| | P | 9/30/2010 | -232.89 | 0.19 | 1113.11 | 01 | 06 | 2 | |
| | P | 10/15/2010 | -233.39 | -0.5 | 1112.61 | 01 | 06 | 2 | |
| | P | 10/29/2010 | -234.47 | -1.08 | 1111.53 | 01 | 06 | 2 | |
| | P | 11/16/2010 | -233.42 | 1.05 | 1112.58 | 01 | 06 | 2 | |
| | P | 11/30/2010 | -234.24 | -0.82 | 1111.76 | 01 | 06 | 2 | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 12 / 16/ 2010 | -233.79 | 0.45 | 1112.21 | 01 | 06 | 2 | |
| | P | 12 / 30/ 2010 | -233.76 | 0.03 | 1112.24 | 01 | 06 | 2 | |
| | P | 1 / 14/ 2011 | -234.29 | -0.53 | 1111.71 | 01 | 06 | 2 | |
| | P | 1 / 28/ 2011 | -234.06 | 0.23 | 1111.94 | 01 | 06 | 2 | |
| | P | 2 / 11/ 2011 | -237.79 | -3.73 | 1108.21 | 01 | 06 | 2 | |
| | P | 2 / 25/ 2011 | -234.29 | 3.5 | 1111.71 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2011 | -234.99 | -0.7 | 1111.01 | 01 | 06 | 2 | |
| | P | 3 / 31/ 2011 | -234.77 | 0.22 | 1111.23 | 01 | 06 | 2 | |
| | P | 4 / 15/ 2011 | -234.84 | -0.07 | 1111.16 | 01 | 06 | 2 | |
| | P | 4 / 29/ 2011 | -235.44 | -0.6 | 1110.56 | 01 | 06 | 2 | |
| | P | 5 / 13/ 2011 | -235.04 | 0.4 | 1110.96 | 01 | 06 | 2 | |
| | P | 5 / 27/ 2011 | -235.35 | -0.31 | 1110.65 | 01 | 06 | 2 | |
| | P | 6 / 16/ 2011 | -236.09 | -0.74 | 1109.91 | 01 | 06 | 2 | |
| | P | 6 / 30/ 2011 | -235.87 | 0.22 | 1110.13 | 01 | 06 | 2 | |
| | P | 7 / 15/ 2011 | -235.62 | 0.25 | 1110.38 | 01 | 06 | 2 | |
| | P | 7 / 29/ 2011 | -235.59 | 0.03 | 1110.41 | 01 | 06 | 2 | |
| | P | 8 / 16/ 2011 | -236.24 | -0.65 | 1109.76 | 01 | 06 | 2 | |
| | P | 8 / 31/ 2011 | -236 | 0.24 | 1110 | 01 | 06 | 2 | |
| | P | 9 / 16/ 2011 | -236.13 | -0.13 | 1109.87 | 01 | 06 | 2 | |
| | P | 10 / 13/ 2011 | -235.08 | 1.05 | 1110.92 | 01 | 06 | 2 | |
| | P | 10 / 28/ 2011 | -235.09 | -0.01 | 1110.91 | 01 | 06 | 2 | |
| | P | 11 / 15/ 2011 | -235.02 | 0.07 | 1110.98 | 01 | 06 | 2 | |
| | P | 11 / 30/ 2011 | -235.13 | -0.11 | 1110.87 | 01 | 06 | 2 | |
| | P | 12 / 16/ 2011 | -234.89 | 0.24 | 1111.11 | 01 | 06 | 2 | |
| | P | 12 / 29/ 2011 | -234.86 | 0.03 | 1111.14 | 01 | 06 | 2 | |
| | P | 1 / 19/ 2012 | -234.78 | 0.08 | 1111.22 | 01 | 06 | 2 | |
| | P | 1 / 31/ 2012 | -234.7 | 0.08 | 1111.3 | 01 | 06 | 2 | |
| | P | 2 / 16/ 2012 | -235.04 | -0.34 | 1110.96 | 01 | 06 | 2 | |
| | P | 2 / 29/ 2012 | -234.45 | 0.59 | 1111.55 | 01 | 06 | 2 | |
| | P | 3 / 15/ 2012 | -234.56 | -0.11 | 1111.44 | 01 | 06 | 2 | |
| | P | 3 / 30/ 2012 | -234.06 | 0.5 | 1111.94 | 01 | 06 | 2 | |
| | P | 4 / 13/ 2012 | -234.65 | -0.59 | 1111.35 | 01 | 06 | 2 | |
| | P | 4 / 27/ 2012 | -234.77 | -0.12 | 1111.23 | 01 | 06 | 2 | |
| | P | 5 / 15/ 2012 | -234.72 | 0.05 | 1111.28 | 01 | 06 | 2 | |
| | P | 5 / 31/ 2012 | -234.84 | -0.12 | 1111.16 | 01 | 06 | 2 | |

**Min** *-237.79* **Max** *-213.6* **Avg** *-232.071*

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6812701** | ( Aquifer: 218GLRSL | | Well Depth: 300 ) | | | | | | |
| | P | 10 / 1 / 1964 | -194.4 | | 1195.6 | 01 | 04 | 1 | |
| Min -194.4 | | Max -194.4 | Avg -194.4 | | | | | | |
| **6812704** | ( Aquifer: 218GRHC | | Well Depth: 447 ) | | | | | | |
| | P | 4 / 25/ 1978 | -260 | | 1140 | 01 | 01 | 1 | |
| Min -260 | | Max -260 | Avg -260 | | | | | | |
| **6818201** | ( Aquifer: 218GLRSU | | Well Depth: 490 ) | | | | | | |
| | P | 9 / 10/ 1968 | -390 | | 1520 | 01 | 07 | 7 | |
| | P | 7 / 9 / 1974 | -400 | -10 | 1510 | 01 | 01 | 2 | |
| | P | 2 / 21/ 1975 | -188 | 212 | 1722 | 01 | 01 | 2 | |
| | P | 1 / 30/ 1976 | -211.43 | -23.4 | 1698.57 | 01 | 01 | 1 | |
| | P | 2 / 14/ 1977 | -189.2 | 22.23 | 1720.8 | 01 | 01 | 2 | |
| | P | 2 / 27/ 1978 | -196.05 | -6.85 | 1713.95 | 01 | 01 | 1 | |
| | N | 3 / 6 / 1979 | | | | 01 | 01 | | 61 |
| | P | 2 / 11/ 1981 | -192.6 | | 1717.4 | 01 | 01 | 1 | |
| | N | 2 / 15/ 1982 | | | | 01 | 01 | | 61 |
| | N | 2 / 8 / 1983 | | | | 01 | 01 | | 61 |
| | P | 2 / 29/ 1984 | -196.07 | | 1713.93 | 01 | 01 | 1 | |
| | P | 2 / 21/ 1985 | -204.5 | -8.43 | 1705.5 | 01 | 01 | 1 | |
| | P | 3 / 11/ 1986 | -226.78 | -22.3 | 1683.22 | 01 | 01 | 1 | |
| | P | 12 / 9 / 1986 | -181.1 | 45.68 | 1728.9 | 01 | 01 | 1 | |
| | N | 3 / 23/ 1989 | | | | 01 | 01 | | 61 |
| | N | 2 / 7 / 1990 | | | | 01 | 01 | | 61 |
| Min -400 | | Max -181.1 | Avg -234.157 | | | | | | |
| **6818301** | ( Aquifer: 218GRHC | | Well Depth: 490 ) | | | | | | |
| | P | 8 / 3 / 1974 | -349.7 | | 1147.3 | 01 | 01 | 1 | |
| Min -349.7 | | Max -349.7 | Avg -349.7 | | | | | | |
| **6819101** | ( Aquifer: 218GLRSU | | Well Depth: 90 ) | | | | | | |
| | P | 1 / 9 / 1940 | -70.8 | | 1379.2 | 01 | 01 | 1 | |
| | P | 11 / 23/ 1964 | -69.7 | 1.1 | 1380.3 | 01 | 01 | 1 | |
| | P | 4 / 23/ 1992 | -68.05 | 1.65 | 1381.95 | 01 | 09 | 1 | |
| Min -70.8 | | Max -68.05 | Avg -69.5167 | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| **6819102** | ( Aquifer: 218GLRSU | | Well Depth: 135 ) | | | | | | |
| | P | 1 / 0 / 1940 | -80 | | 1415 | 01 | 01 | 1 | |
| Min -80 | | Max -80 | Avg -80 | | | | | | |
| **6819103** | ( Aquifer: 218GLRSL | | Well Depth: 390 ) | | | | | | |
| | P | 4 / 0 / 1940 | -190 | | 1359 | 01 | 01 | 1 | |
| Min -190 | | Max -190 | Avg -190 | | | | | | |
| **6819104** | ( Aquifer: 218GLRSL | | Well Depth: 55 ) | | | | | | |
| | P | 12 / 15/ 1964 | -47.28 | | 1387.72 | 01 | 04 | 1 | |
| Min -47.28 | | Max -47.28 | Avg -47.28 | | | | | | |
| **6819105** | ( Aquifer: 218GRCCU | | Well Depth: 432 ) | | | | | | |
| | P | 12 / 15/ 1964 | -267.8 | | 1124.2 | 01 | 04 | 1 | |
| Min -267.8 | | Max -267.8 | Avg -267.8 | | | | | | |
| **6819106** | ( Aquifer: 218GRHC | | Well Depth: 440 ) | | | | | | |
| | P | 6 / 11/ 1966 | -320 | | 1145 | 01 | 01 | 1 | |
| Min -320 | | Max -320 | Avg -320 | | | | | | |
| **6819107** | ( Aquifer: 218GLRSL | | Well Depth: 350 ) | | | | | | |
| | P | 12 / 17/ 1964 | -220.08 | | 1184.92 | 01 | 04 | 1 | |
| Min -220.08 | | Max -220.08 | Avg -220.08 | | | | | | |
| **6819201** | ( Aquifer: 218GLRSL | | Well Depth: 260 ) | | | | | | |
| | P | 12 / 10/ 1964 | -140.7 | | 1259.3 | 01 | 04 | 1 | |
| Min -140.7 | | Max -140.7 | Avg -140.7 | | | | | | |
| **6819202** | ( Aquifer: 218GRCCU | | Well Depth: 417 ) | | | | | | |
| | P | 12 / 14/ 1964 | -237 | | 1158 | 01 | 01 | 1 | |
| | P | 1 / 15/ 1965 | -241 | -4 | 1154 | 01 | 01 | 1 | |
| Min -241 | | Max -237 | Avg -239 | | | | | | |
| **6819204** | ( Aquifer: 218GRHC | | Well Depth: 425 ) | | | | | | |
| | P | 8 / 2 / 1965 | -237.8 | | 1152.2 | 01 | 01 | 1 | |
| Min -237.8 | | Max -237.8 | Avg -237.8 | | | | | | |
| **6819205** | ( Aquifer: 218GRCCU | | Well Depth: 450 ) | | | | | | |

| State Well Number | P/N | Date | Water Level | Change | Water Elevation | Meas. # | Agency | Method | Remark |
|---|---|---|---|---|---|---|---|---|---|
| | P | 4 / 9 / 1940 | -219.14 | | 1170.86 | 01 | 04 | 1 | |

**Min** *-219.14* **Max** *-219.14* **Avg** *-219.14*