Texas Water Development Board
Groundwater Database Reports

groundwater resources division

Water Level Publication Report
County: Lamb

Water Level Measurements in Feet Above or Below (-) Land Surface

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1044401	*(Aquifer: 121OGLL*		*Well Depth: 303)*						
	P	11 / 10/ 1936	-68.9		3758.1	01	12	7	01
	P	1 / 25/ 1937	-68.97	-0.07	3758.03	01	12	7	01
	P	3 / 30/ 1938	-70	-1.03	3757	01	12	7	01
	P	6 / 16/ 1938	-71.1	-1.1	3755.9	01	12	7	01
	P	3 / 10/ 1939	-68.92	2.18	3758.08	01	12	7	01
	P	7 / 7 / 1939	-68.62	0.3	3758.38	01	12	7	01
	P	9 / 15/ 1939	-69.56	-0.94	3757.44	01	12	7	01
	P	12 / 7 / 1939	-69.1	0.46	3757.9	01	12	7	01
	P	3 / 18/ 1940	-69.05	0.05	3757.95	01	12	7	01
	P	11 / 14/ 1940	-69.95	-0.9	3757.05	01	12	7	01
	P	1 / 27/ 1941	-69.81	0.14	3757.19	01	12	7	01
	P	3 / 10/ 1941	-69.71	0.1	3757.29	01	12	7	01
	P	11 / 7 / 1941	-68.5	1.21	3758.5	01	12	7	01
	P	3 / 16/ 1942	-67.96	0.54	3759.04	01	12	7	01
	P	11 / 30/ 1942	-67.2	0.76	3759.8	01	12	7	01
	P	2 / 4 / 1943	-67.03	0.17	3759.97	01	12	7	01
	P	3 / 14/ 1944	-66.8	0.23	3760.2	01	12	7	01
	P	2 / 19/ 1945	-66.48	0.32	3760.52	01	12	7	01
	P	3 / 1 / 1946	-68.17	-1.69	3758.83	01	12	7	01
	P	3 / 13/ 1947	-67.08	1.09	3759.92	01	12	7	01
	P	3 / 11/ 1949	-68.9	-1.82	3758.1	01	12	7	01
	P	2 / 17/ 1950	-70.62	-1.72	3756.38	01	12	7	01
	P	1 / 12/ 1951	-74.03	-3.41	3752.97	01	12	7	01
	P	1 / 25/ 1952	-71.92	2.11	3755.08	01	12	7	01
	P	1 / 14/ 1953	-73.74	-1.82	3753.26	01	12	7	01
	P	1 / 6 / 1954	-77.2	-3.46	3749.8	01	12	7	01
	P	1 / 4 / 1955	-83.16	-5.96	3743.84	01	12	7	01
	P	1 / 12/ 1956	-90.11	-6.95	3736.89	01	12	7	01
	P	1 / 12/ 1957	-93.65	-3.54	3733.35	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 24/ 1958	-98.79	-5.14	3728.21	01	12	7	01
	P	1/ 7/ 1959	-100.54	-1.75	3726.46	01	12	7	01
	P	1/ 9/ 1960	-102.77	-2.23	3724.23	01	12	7	01
	P	1/ 18/ 1961	-103.05	-0.28	3723.95	01	04	1	
	P	1/ 10/ 1962	-103.42	-0.37	3723.58	01	01	1	
	P	1/ 9/ 1963	-98.26	5.16	3728.74	01	01	1	
	P	1/ 8/ 1964	-115.14	-16.9	3711.86	01	01	1	
	P	1/ 7/ 1965	-118.95	-3.81	3708.05	01	01	1	
	P	1/ 5/ 1966	-121.94	-2.99	3705.06	01	01	1	
	P	1/ 7/ 1967	-127.06	-5.12	3699.94	01	01	1	
	P	1/ 4/ 1968	-131.52	-4.46	3695.48	01	01	1	
	P	1/ 14/ 1969	-135.94	-4.42	3691.06	01	01	1	03
	P	1/ 11/ 1970	-131.09	4.85	3695.91	01	06	1	
	P	1/ 14/ 1971	-136.64	-5.55	3690.36	01	06	1	
	P	1/ 3/ 1972	-139.69	-3.05	3687.31	01	06	1	
	P	1/ 21/ 1973	-141.35	-1.66	3685.65	01	01	1	
	P	1/ 17/ 1974	-143.05	-1.7	3683.95	01	06	1	
	P	1/ 7/ 1975	-149.18	-6.13	3677.82	01	06	1	
	P	1/ 9/ 1976	-150	-0.82	3677	01	06	1	
	P	1/ 12/ 1977	-152.57	-2.57	3674.43	01	06	1	
	P	1/ 12/ 1978	-155.81	-3.24	3671.19	01	06	1	
	N	1/ 11/ 1979				01	06	1	47
	P	12/ 17/ 1979	-167.13		3659.87	01	06	1	
	P	1/ 28/ 1981	-177.9	-10.8	3649.1	01	06	2	
	P	1/ 19/ 1982	-180.58	-2.68	3646.42	01	06	1	
	P	2/ 22/ 1983	-182.42	-1.84	3644.58	01	06	1	
	P	1/ 5/ 1984	-184.68	-2.26	3642.32	01	06	1	
	P	1/ 24/ 1985	-185.71	-1.03	3641.29	01	06	1	
	P	1/ 16/ 1986	-187.48	-1.77	3639.52	01	06	1	
	P	1/ 28/ 1987	-188.34	-0.86	3638.66	01	06	1	
	P	1/ 15/ 1988	-190.3	-1.96	3636.7	01	06	1	
	P	1/ 20/ 1989	-194.64	-4.34	3632.36	01	06	2	
	P	1/ 16/ 1990	-196.92	-2.28	3630.08	01	06	1	
	P	1/ 23/ 1991	-205.57	-8.65	3621.43	01	06	1	
	P	2/ 12/ 1992	-199.9	5.67	3627.1	01	06	1	
	P	1/ 29/ 1993	-202.91	-3.01	3624.09	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1994	-205.75	-2.84	3621.25	01	06	1	
	P	2 / 24/ 1995	-213.31	-7.56	3613.69	01	06	1	25
	P	1 / 15/ 1996	-217.49	-4.18	3609.51	01	06	1	
	P	2 / 10/ 1997	-224.7	-7.21	3602.3	01	06	1	
	P	1 / 19/ 1998	-229.37	-4.67	3597.63	01	06	1	
	N	1 / 14/ 1999				01	06	7	44
	N	1 / 14/ 2000				01	06	7	44

Min *-229.37* **Max** *-66.48* **Avg** *-122.726*

1044404 *(Aquifer: 121OGLL Well Depth: 400)*

	P	1 / 14/ 1999	-242.51		3579.49	01	06	1	
	P	1 / 14/ 2000	-242.79	-0.28	3579.21	01	06	1	
	P	1 / 26/ 2001	-247.49	-4.7	3574.51	01	06	1	
	P	1 / 22/ 2002	-252.54	-5.05	3569.46	01	06	1	
	P	3 / 28/ 2003	-258.96	-6.42	3563.04	01	06	1	
	P	3 / 2 / 2004	-268.22	-9.26	3553.78	01	06	1	
	P	1 / 24/ 2005	-269.54	-1.32	3552.46	01	06	1	
	P	3 / 2 / 2006	-279.81	-10.3	3542.19	01	06	1	
	P	2 / 5 / 2007	-278.5	1.31	3543.5	01	06	1	
	N	3 / 11/ 2008				01	06	7	44
	P	2 / 2 / 2009	-302.4		3519.6	01	06	1	
	P	1 / 13/ 2010	-308.79	-6.39	3513.21	01	06	1	
	P	2 / 23/ 2011	-313.17	-4.38	3508.83	01	06	1	
	P	2 / 27/ 2012	-322.78	-9.61	3499.22	01	06	1	

Min *-322.78* **Max** *-242.51* **Avg** *-275.962*

1044501 *(Aquifer: 121OGLL Well Depth: 209)*

	P	1 / 8 / 1964	-109.54		3691.46	01	01	1	
	P	1 / 7 / 1965	-115.15	-5.61	3685.85	01	01	1	
	P	1 / 5 / 1966	-121.17	-6.02	3679.83	01	01	1	
	P	1 / 7 / 1967	-120.45	0.72	3680.55	01	01	1	
	P	1 / 4 / 1968	-123.65	-3.2	3677.35	01	01	1	
	P	1 / 14/ 1969	-125.84	-2.19	3675.16	01	01	1	
	P	1 / 11/ 1970	-129.99	-4.15	3671.01	01	06	1	
	P	1 / 15/ 1971	-135.94	-5.95	3665.06	01	06	1	
	P	1 / 3 / 1972	-139.68	-3.74	3661.32	01	06	1	
	P	1 / 21/ 1973	-140.52	-0.84	3660.48	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1974	-142.18	-1.66	3658.82	01	06	1	
	P	1/ 7 / 1975	-146.93	-4.75	3654.07	01	06	1	
	P	1/ 9 / 1976	-153.22	-6.29	3647.78	01	06	1	
	P	1/ 12/ 1977	-160.91	-7.69	3640.09	01	06	1	
	P	1/ 12/ 1978	-158.15	2.76	3642.85	01	06	1	
	P	1/ 11/ 1979	-164.21	-6.06	3636.79	01	06	1	
	P	12/ 17/ 1979	-166.89	-2.68	3634.11	01	06	1	
	P	1/ 13/ 1981	-174.68	-7.79	3626.32	01	06	1	
	P	1/ 19/ 1982	-176.72	-2.04	3624.28	01	06	1	
	P	2/ 22/ 1983	-177.58	-0.86	3623.42	01	06	1	
	P	1/ 7 / 1984	-179.95	-2.37	3621.05	01	06	1	
	P	1/ 28/ 1985	-181.82	-1.87	3619.18	01	06	1	
	P	1/ 16/ 1986	-184.21	-2.39	3616.79	01	06	1	
	P	1/ 28/ 1987	-186.5	-2.29	3614.5	01	06	1	
	P	1/ 15/ 1988	-186.82	-0.32	3614.18	01	06	1	
	P	1/ 23/ 1989	-189.18	-2.36	3611.82	01	06	1	
	P	1/ 16/ 1990	-191.95	-2.77	3609.05	01	06	1	
	P	1/ 23/ 1991	-194.47	-2.52	3606.53	01	06	1	
	P	2/ 12/ 1992	-195.93	-1.46	3605.07	01	06	1	
	P	1/ 29/ 1993	-196.39	-0.46	3604.61	01	06	1	
	P	1/ 18/ 1994	-200.49	-4.1	3600.51	01	06	1	
	P	1/ 16/ 1995	-207.32	-6.83	3593.68	01	06	1	

Min *-207.32* **Max** *-109.54* **Avg** *-161.826*

1044503 *(Aquifer: 121OGLL Well Depth: 376)*

	P	5/ 12/ 1995	-210.13		3590.87	01	06	1	
	P	1/ 15/ 1996	-213.19	-3.06	3587.81	01	06	1	
	P	2/ 10/ 1997	-220.95	-7.76	3580.05	01	06	1	
	P	1/ 19/ 1998	-224.36	-3.41	3576.64	01	06	1	
	P	1/ 14/ 1999	-234	-9.64	3567	01	06	1	
	P	1/ 14/ 2000	-234.98	-0.98	3566.02	01	06	1	
	P	1/ 26/ 2001	-239.95	-4.97	3561.05	01	06	1	
	P	2/ 8 / 2002	-241.62	-1.67	3559.38	01	06	1	
	P	2/ 12/ 2003	-246.95	-5.33	3554.05	01	06	1	
	P	2/ 9 / 2004	-253.96	-7.01	3547.04	01	06	1	
	P	1/ 24/ 2005	-254.28	-0.32	3546.72	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 2006	-258.68	-4.4	3542.32	01	06	1	
	P	2 / 5 / 2007	-256.73	1.95	3544.27	01	06	1	
	N	3 / 11/ 2008				01	06		41
	P	2 / 2 / 2009	-280.22		3520.78	01	06	1	
	P	1 / 13/ 2010	-285.44	-5.22	3515.56	01	06	1	
	P	1 / 13/ 2011	-290.29	-4.85	3510.71	01	06	1	
	P	2 / 27/ 2012	-300.87	-10.6	3500.13	01	06	1	

Min *-300.87* **Max** *-210.13* **Avg** *-249.8*

1044602 *(Aquifer: 121OGLL Well Depth: 367)*

	P	3 / 14/ 1975	-160		3643	01	07	7	

Min *-160* **Max** *-160* **Avg** *-160*

1044701 *(Aquifer: 121OGLL Well Depth: 150)*

	P	11 / 14/ 1934	-21.67		3728.33	01	12	7	01
	P	5 / 9 / 1936	-20.84	0.83	3729.16	01	12	7	01
	P	10 / 26/ 1936	-19.39	1.45	3730.61	01	12	7	01
	P	1 / 26/ 1937	-19.13	0.26	3730.87	01	12	7	01
	P	6 / 24/ 1937	-18.46	0.67	3731.54	01	12	7	01
	P	3 / 30/ 1938	-18.21	0.25	3731.79	01	12	7	01
	P	6 / 16/ 1938	-19.14	-0.93	3730.86	01	12	7	01
	P	9 / 16/ 1938	-19.41	-0.27	3730.59	01	12	7	01
	P	10 / 25/ 1938	-19.32	0.09	3730.68	01	12	7	01
	P	12 / 1 / 1938	-19.21	0.11	3730.79	01	12	7	01
	P	3 / 10/ 1939	-19	0.21	3731	01	12	7	01
	P	7 / 7 / 1939	-19.64	-0.64	3730.36	01	12	7	01
	P	9 / 15/ 1939	-20.73	-1.09	3729.27	01	12	7	01
	P	12 / 7 / 1939	-19.7	1.03	3730.3	01	12	7	01
	P	3 / 18/ 1940	-19.6	0.1	3730.4	01	12	7	01
	P	11 / 13/ 1940	-20.59	-0.99	3729.41	01	12	7	01
	P	1 / 27/ 1941	-20.37	0.22	3729.63	01	12	7	01
	P	3 / 10/ 1941	-20.92	-0.55	3729.08	01	12	7	01
	P	11 / 17/ 1941	-10.47	10.45	3739.53	01	12	7	01
	P	3 / 16/ 1942	-10.59	-0.12	3739.41	01	12	7	01
	P	11 / 30/ 1942	-11.19	-0.6	3738.81	01	12	7	01
	P	2 / 4 / 1943	-11.58	-0.39	3738.42	01	12	7	01
	P	2 / 14/ 1944	-15.7	-4.12	3734.3	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 19/ 1945	-16.4	-0.7	3733.6	01	12	7	01
	P	3 / 1 / 1946	-18.03	-1.63	3731.97	01	12	7	01
	P	1 / 14/ 1947	-15.43	2.6	3734.57	01	12	7	01
	P	3 / 13/ 1947	-19.09	-3.66	3730.91	01	12	7	01
	P	2 / 19/ 1948	-21.7	-2.61	3728.3	01	12	7	01
	P	3 / 11/ 1949	-26.69	-4.99	3723.31	01	12	7	01
	P	2 / 17/ 1950	-27.69	-1	3722.31	01	12	7	01
	P	1 / 12/ 1951	-30	-2.31	3720	01	12	7	01
	P	1 / 25/ 1952	-30.06	-0.06	3719.94	01	12	7	01
	P	1 / 14/ 1953	-35.13	-5.07	3714.87	01	12	7	01
	P	1 / 6 / 1954	-41.12	-5.99	3708.88	01	12	7	01
	P	1 / 4 / 1955	-48.26	-7.14	3701.74	01	12	7	01
	P	1 / 12/ 1956	-52.87	-4.61	3697.13	01	12	7	01
	P	1 / 12/ 1957	-58.06	-5.19	3691.94	01	12	7	01
	P	1 / 24/ 1958	-62.36	-4.3	3687.64	01	12	7	01
	P	1 / 7 / 1959	-62.42	-0.06	3687.58	01	12	7	01
	P	1 / 8 / 1960	-65.26	-2.84	3684.74	01	12	7	01
	P	1 / 18/ 1961	-63.92	1.34	3686.08	01	04	1	
	P	1 / 11/ 1962	-64.68	-0.76	3685.32	01	01	1	20
	P	1 / 9 / 1963	-67.92	-3.24	3682.08	01	01	1	

Min *-67.92* **Max** *-10.47* **Avg** *-28.8826*

1044702 *(Aquifer: 121OGLL Well Depth: 150)*

	P	6 / 15/ 1938	-21.23		3739.77	01	12	7	01
	P	10 / 25/ 1938	-20.8	0.43	3740.2	01	12	7	01
	P	3 / 10/ 1939	-20.03	0.77	3740.97	01	12	7	01
	P	7 / 7 / 1939	-20.76	-0.73	3740.24	01	12	7	01
	P	9 / 15/ 1939	-20.7	0.06	3740.3	01	12	7	01
	P	12 / 7 / 1939	-20.52	0.18	3740.48	01	12	7	01
	P	3 / 18/ 1940	-20.45	0.07	3740.55	01	12	7	01
	P	11 / 14/ 1940	-21.71	-1.26	3739.29	01	12	7	01
	P	1 / 27/ 1941	-21.49	0.22	3739.51	01	12	7	01
	P	7 / 21/ 1941	-15.9	5.59	3745.1	01	12	7	01
	P	11 / 1 / 1941	-14.15	1.75	3746.85	01	12	7	01
	P	3 / 16/ 1942	-13.1	1.05	3747.9	01	12	7	01
	P	11 / 30/ 1942	-13	0.1	3748	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 1943	-13.32	-0.32	3747.68	01	12	7	01
	P	2 / 14/ 1944	-16.65	-3.33	3744.35	01	12	7	01
	P	2 / 19/ 1945	-17.8	-1.15	3743.2	01	12	7	01
	P	3 / 13/ 1947	-22.41	-4.61	3738.59	01	12	7	01
	P	2 / 18/ 1948	-23.55	-1.14	3737.45	01	12	7	01
	P	3 / 11/ 1949	-27.67	-4.12	3733.33	01	12	7	01
	P	2 / 17/ 1950	-27.36	0.31	3733.64	01	12	7	01
	P	9 / 7 / 1950	-31.6	-4.24	3729.4	01	12	7	01
	P	1 / 12/ 1951	-30.33	1.27	3730.67	01	12	7	01
	P	1 / 25/ 1952	-32.49	-2.16	3728.51	01	12	7	01
	P	1 / 14/ 1953	-35.42	-2.93	3725.58	01	12	7	01
	P	1 / 6 / 1954	-40.65	-5.23	3720.35	01	12	7	01
	P	1 / 12/ 1956	-50.4	-9.75	3710.6	01	12	7	01
	P	1 / 12/ 1957	-54.59	-4.19	3706.41	01	12	7	01
	P	1 / 23/ 1958	-58.71	-4.12	3702.29	01	12	7	01
	P	1 / 7 / 1959	-60.66	-1.95	3700.34	01	12	7	01
	P	1 / 25/ 1960	-63	-2.34	3698	01	12	7	01
	P	1 / 18/ 1961	-64.02	-1.02	3696.98	01	04	1	
	P	1 / 11/ 1962	-63.62	0.4	3697.38	01	01	1	
	P	1 / 9 / 1963	-64	-0.38	3697	01	01	1	

Min *-64.02* **Max** *-13* **Avg** *-31.5785*

1044703 *(Aquifer: 121OGLL Well Depth: 279)*

	P	1 / 4 / 1968	-93.3		3684.7	01	01	1	
	N	1 / 14/ 1969				01	01	1	44
	P	1 / 11/ 1970	-95.96		3682.04	01	06	1	
	P	1 / 14/ 1971	-98.78	-2.82	3679.22	01	06	1	
	P	1 / 3 / 1972	-101.62	-2.84	3676.38	01	06	1	
	P	1 / 21/ 1973	-103.42	-1.8	3674.58	01	06	1	
	P	1 / 17/ 1974	-105.1	-1.68	3672.9	01	06	1	
	P	1 / 7 / 1975	-109.05	-3.95	3668.95	01	06	1	
	P	1 / 9 / 1976	-113.66	-4.61	3664.34	01	06	1	
	P	1 / 12/ 1977	-116.15	-2.49	3661.85	01	06	1	
	P	1 / 12/ 1978	-118.3	-2.15	3659.7	01	06	1	
	P	1 / 11/ 1979	-121.39	-3.09	3656.61	01	06	1	
	P	12 / 17/ 1979	-123.7	-2.31	3654.3	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1981	-130.65	-6.95	3647.35	01	06	1	
	P	1 / 19/ 1982	-131	-0.35	3647	01	06	1	
	P	2 / 22/ 1983	-132.82	-1.82	3645.18	01	06	1	
	P	1 / 5 / 1984	-134.71	-1.89	3643.29	01	06	1	
	P	1 / 24/ 1985	-136.83	-2.12	3641.17	01	06	1	
	P	1 / 16/ 1986	-140.02	-3.19	3637.98	01	06	1	
	P	2 / 2 / 1987	-141.75	-1.73	3636.25	01	06	1	
	P	1 / 15/ 1988	-138.57	3.18	3639.43	01	06	1	
	P	1 / 20/ 1989	-139.38	-0.81	3638.62	01	06	1	
	P	1 / 16/ 1990	-142.41	-3.03	3635.59	01	06	1	
	P	1 / 22/ 1991	-143.86	-1.45	3634.14	01	06	1	
	P	2 / 12/ 1992	-145.26	-1.4	3632.74	01	06	1	
	P	1 / 29/ 1993	-145.76	-0.5	3632.24	01	06	1	
	P	1 / 18/ 1994	-149.19	-3.43	3628.81	01	06	1	
	P	1 / 16/ 1995	-155.25	-6.06	3622.75	01	06	1	
	P	1 / 15/ 1996	-157.7	-2.45	3620.3	01	06	1	
	P	2 / 10/ 1997	-159.45	-1.75	3618.55	01	06	1	
	P	1 / 19/ 1998	-161.04	-1.59	3616.96	01	06	1	
	N	2 / 23/ 1999				01	06	7	44
	N	1 / 14/ 2000				01	06	7	44

Min *-161.04* **Max** *-93.3* **Avg** *-129.536*

1044704 *(Aquifer: 121OGLL Well Depth: 125)*

	P	10 / 30/ 1936	-19.79		3730.21	01	12	7	01
	P	1 / 26/ 1937	-19.59	0.2	3730.41	01	12	7	01
	P	3 / 30/ 1938	-19.16	0.43	3730.84	01	12	7	01
	P	6 / 16/ 1938	-20.03	-0.87	3729.97	01	12	7	01
	P	9 / 16/ 1938	-20.01	0.02	3729.99	01	12	7	01
	P	10 / 25/ 1938	-19.84	0.17	3730.16	01	12	7	01
	P	3 / 10/ 1939	-19.58	0.26	3730.42	01	12	7	01
	P	7 / 7 / 1939	-19.94	-0.36	3730.06	01	12	7	01
	P	9 / 15/ 1939	-20.07	-0.13	3729.93	01	12	7	01
	P	12 / 7 / 1939	-19.96	0.11	3730.04	01	12	7	01
	P	3 / 18/ 1940	-19.92	0.04	3730.08	01	12	7	01
	P	11 / 13/ 1940	-20.67	-0.75	3729.33	01	12	7	01
	P	1 / 27/ 1941	-20.48	0.19	3729.52	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1941	-20.43	0.05	3729.57	01	12	7	01
	P	11 / 17/ 1941	-11.57	8.86	3738.43	01	12	7	01
	P	3 / 16/ 1942	-11.59	-0.02	3738.41	01	12	7	01
	P	11 / 30/ 1942	-11.44	0.15	3738.56	01	12	7	01
	P	2 / 4 / 1943	-11.98	-0.54	3738.02	01	12	7	01
	P	2 / 14/ 1944	-14.94	-2.96	3735.06	01	12	7	01
	P	2 / 19/ 1945	-16.3	-1.36	3733.7	01	12	7	01
	P	3 / 13/ 1947	-19.64	-3.34	3730.36	01	12	7	01
	P	2 / 19/ 1948	-20.68	-1.04	3729.32	01	12	7	01
	P	3 / 11/ 1949	-26.25	-5.57	3723.75	01	12	7	01
	P	2 / 17/ 1950	-27.6	-1.35	3722.4	01	12	7	01
	P	1 / 12/ 1951	-27.98	-0.38	3722.02	01	12	7	01
	P	1 / 25/ 1952	-30.83	-2.85	3719.17	01	12	7	01
	P	1 / 14/ 1953	-35.41	-4.58	3714.59	01	12	7	01
	P	1 / 6 / 1954	-39.5	-4.09	3710.5	01	12	7	01
	P	1 / 4 / 1955	-46.3	-6.8	3703.7	01	12	7	01
	P	1 / 12/ 1956	-50.25	-3.95	3699.75	01	12	7	01
	P	1 / 12/ 1957	-54.79	-4.54	3695.21	01	12	7	01
	P	1 / 7 / 1959	-61.82	-7.03	3688.18	01	12	7	01

Min *-61.82* **Max** *-11.44* **Avg** *-24.9481*

1044709 *(Aquifer: 121OGLL Well Depth: 150)*

	P	5 / 9 / 1936	-33.38		3743.62	01	12	7	01
	P	10 / 23/ 1936	-29.93	3.45	3747.07	01	12	7	01
	P	1 / 25/ 1937	-30.04	-0.11	3746.96	01	12	7	01
	P	6 / 21/ 1937	-31.82	-1.78	3745.18	01	12	7	01
	P	3 / 30/ 1938	-29.03	2.79	3747.97	01	12	7	01
	P	9 / 16/ 1938	-30.22	-1.19	3746.78	01	12	7	01
	P	10 / 25/ 1938	-29.98	0.24	3747.02	01	12	7	01
	P	12 / 1 / 1938	-29.62	0.36	3747.38	01	12	7	01
	P	3 / 9 / 1939	-29.13	0.49	3747.87	01	12	7	01
	P	7 / 7 / 1939	-31.22	-2.09	3745.78	01	12	7	01
	P	9 / 15/ 1939	-39.1	-7.88	3737.9	01	12	7	01
	P	12 / 7 / 1939	-29.98	9.12	3747.02	01	12	7	01
	P	11 / 14/ 1940	-31.75	-1.77	3745.25	01	12	7	01
	P	1 / 27/ 1941	-30.78	0.97	3746.22	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 10/ 1941	-30.49	0.29	3746.51	01	12	7	01
	P	7 / 31/ 1941	-27.56	2.93	3749.44	01	12	7	01
	P	11 / 17/ 1941	-24.57	2.99	3752.43	01	12	7	01
	P	3 / 16/ 1942	-22.88	1.69	3754.12	01	12	7	01
	P	11 / 30/ 1942	-22.08	0.8	3754.92	01	12	7	01
	P	2 / 4 / 1943	-21.85	0.23	3755.15	01	12	7	01
	P	2 / 14/ 1944	-23.68	-1.83	3753.32	01	12	7	01
	P	2 / 19/ 1945	-24.72	-1.04	3752.28	01	12	7	01
	P	3 / 1 / 1946	-26.43	-1.71	3750.57	01	12	7	01
	P	1 / 14/ 1947	-29.22	-2.79	3747.78	01	12	7	01
	P	3 / 13/ 1947	-28.58	0.64	3748.42	01	12	7	01
	P	2 / 19/ 1948	-30.54	-1.96	3746.46	01	12	7	01
	P	3 / 11/ 1949	-33.85	-3.31	3743.15	01	12	7	01
	P	2 / 17/ 1950	-34.61	-0.76	3742.39	01	12	7	01
	P	1 / 12/ 1951	-35.52	-0.91	3741.48	01	12	7	01

Min *-39.1* **Max** *-21.85* **Avg** *-29.3986*

1044710 *(Aquifer: 121OGLL Well Depth: 82)*

	P	1 / 25/ 1952	-38.09		3738.91	01	12	7	01
	P	1 / 14/ 1953	-42.15	-4.06	3734.85	01	12	7	01
	P	1 / 6 / 1954	-47.05	-4.9	3729.95	01	12	7	01
	P	1 / 4 / 1955	-50.6	-3.55	3726.4	01	12	7	01
	P	1 / 12/ 1956	-56.67	-6.07	3720.33	01	12	7	01
	P	1 / 12/ 1957	-61.59	-4.92	3715.41	01	12	7	01

Min *-61.59* **Max** *-38.09* **Avg** *-49.3583*

1044711 *(Aquifer: 121OGLL Well Depth: 228)*

	P	3 / 19/ 1969	-78.13		3668.87	01	06	1	
	P	1 / 13/ 1970	-79.59	-1.46	3667.41	01	06	1	
	N	1 / 15/ 1971				01	06		41
	P	1 / 3 / 1972	-85.83		3661.17	01	06	1	
	P	1 / 21/ 1973	-88.33	-2.5	3658.67	01	01	1	
	P	1 / 17/ 1974	-90.7	-2.37	3656.3	01	06	1	
	P	1 / 7 / 1975	-94.7	-4	3652.3	01	06	1	
	P	1 / 9 / 1976	-94.26	0.44	3652.74	01	06	1	
	P	1 / 12/ 1977	-98.01	-3.75	3648.99	01	06	1	
	P	1 / 12/ 1978	-99.8	-1.79	3647.2	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 11/ 1979	-101.44	-1.64	3645.56	01	06	1	
	P	12/ 17/ 1979	-102.56	-1.12	3644.44	01	06	1	
	P	1/ 13/ 1981	-105.92	-3.36	3641.08	01	06	1	
	P	1/ 19/ 1982	-107.8	-1.88	3639.2	01	06	1	
	P	2/ 22/ 1983	-108.54	-0.74	3638.46	01	06	1	
	P	1/ 5/ 1984	-109.47	-0.93	3637.53	01	06	1	
	P	1/ 24/ 1985	-111.25	-1.78	3635.75	01	06	1	
	P	1/ 16/ 1986	-112.5	-1.25	3634.5	01	06	1	
	P	2/ 9/ 1987	-112.65	-0.15	3634.35	01	06	2	
	P	1/ 15/ 1988	-113	-0.35	3634	01	06	1	
	P	1/ 20/ 1989	-113.37	-0.37	3633.63	01	06	1	
	P	1/ 17/ 1990	-115.36	-1.99	3631.64	01	06	1	
	P	1/ 22/ 1991	-114.7	0.66	3632.3	01	06	1	
	P	2/ 12/ 1992	-115.2	-0.5	3631.8	01	06	1	
	P	1/ 29/ 1993	-115.98	-0.78	3631.02	01	06	1	
	P	2/ 17/ 1994	-117.25	-1.27	3629.75	01	06	1	
	P	1/ 16/ 1995	-119.59	-2.34	3627.41	01	06	1	
	P	1/ 15/ 1996	-120.65	-1.06	3626.35	01	06	1	
	P	2/ 10/ 1997	-121.17	-0.52	3625.83	01	06	1	
	P	1/ 19/ 1998	-121.37	-0.2	3625.63	01	06	1	
	P	1/ 14/ 1999	-123	-1.63	3624	01	06	1	
	P	1/ 14/ 2000	-124.33	-1.33	3622.67	01	06	1	
	P	1/ 26/ 2001	-124.4	-0.07	3622.6	01	06	1	
	P	1/ 22/ 2002	-127.85	-3.45	3619.15	01	06	1	
	P	2/ 12/ 2003	-127.22	0.63	3619.78	01	06	1	
	P	3/ 2/ 2004	-128.04	-0.82	3618.96	01	06	1	
	P	1/ 24/ 2005	-127.57	0.47	3619.43	01	06	1	
	P	1/ 12/ 2006	-129.58	-2.01	3617.42	01	06	1	
	P	2/ 5/ 2007	-131.93	-2.35	3615.07	01	06	1	
	P	1/ 2/ 2008	-138.15	-6.22	3608.85	01	06	1	
	P	1/ 30/ 2009	-144.4	-6.25	3602.6	01	06	1	
	P	1/ 13/ 2010	-148.03	-3.63	3598.97	01	06	1	
	P	1/ 13/ 2011	-149.96	-1.93	3597.04	01	06	1	
	P	12/ 28/ 2011	-153.89	-3.93	3593.11	01	06	1	

Min *-153.89* **Max** *-78.13* **Avg** *-115.057*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1044712	*(Aquifer: 121OGLL*		*Well Depth: 100)*						
	P	5 / 6 / 1936	-37.38		3739.62	01	12	7	01
	P	1 / 25/ 1937	-36.25	1.13	3740.75	01	12	7	01
	P	6 / 24/ 1937	-36.7	-0.45	3740.3	01	12	7	01
	P	3 / 30/ 1938	-35.67	1.03	3741.33	01	12	7	01
	P	6 / 16/ 1938	-36.23	-0.56	3740.77	01	12	7	01
	P	9 / 15/ 1939	-36.51	-0.28	3740.49	01	12	7	01
	P	12 / 7 / 1939	-36.12	0.39	3740.88	01	12	7	01
	P	3 / 18/ 1940	-35.91	0.21	3741.09	01	12	7	01
	P	11 / 13/ 1940	-37.08	-1.17	3739.92	01	12	7	01
	P	1 / 27/ 1941	-36.77	0.31	3740.23	01	12	7	01
	P	3 / 10/ 1941	-36.59	0.18	3740.41	01	12	7	01
	P	11 / 17/ 1941	-31.59	5	3745.41	01	12	7	01
	P	3 / 16/ 1942	-30.31	1.28	3746.69	01	12	7	01
	P	11 / 30/ 1942	-29.47	0.84	3747.53	01	12	7	01
	P	2 / 4 / 1943	-29.11	0.36	3747.89	01	12	7	01
	P	2 / 10/ 1944	-30.5	-1.39	3746.5	01	12	7	01
	P	2 / 19/ 1945	-31.62	-1.12	3745.38	01	12	7	01
	P	3 / 1 / 1946	-32.68	-1.06	3744.32	01	12	7	01
	P	1 / 14/ 1947	-34.31	-1.63	3742.69	01	12	7	01
	P	2 / 19/ 1948	-36.6	-2.29	3740.4	01	12	7	01
	P	3 / 11/ 1949	-40.3	-3.7	3736.7	01	12	7	01
	P	2 / 17/ 1950	-41.4	-1.1	3735.6	01	12	7	01
	P	1 / 12/ 1951	-43.09	-1.69	3733.91	01	12	7	01
	P	1 / 4 / 1955	-58.35	-15.3	3718.65	01	12	7	01
	P	1 / 12/ 1956	-63.65	-5.3	3713.35	01	12	7	01
	P	1 / 12/ 1957	-67.61	-3.96	3709.39	01	12	7	01
	P	1 / 23/ 1958	-71.52	-3.91	3705.48	01	12	7	01
	P	1 / 7 / 1959	-72.36	-0.84	3704.64	01	12	7	01
	P	1 / 9 / 1960	-76.8	-4.44	3700.2	01	12	7	01
	P	1 / 18/ 1961	-76.67	0.13	3700.33	01	04	1	
	N	1 / 11/ 1962				01	01	1	44
	P	1 / 9 / 1963	-79.9		3697.1	01	01	1	
	P	1 / 8 / 1964	-85.56	-5.66	3691.44	01	01	1	
	P	1 / 7 / 1965	-87.95	-2.39	3689.05	01	01	1	
	N	1 / 5 / 1966				01	01		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 7 / 1967				01	01		42

Min *-87.95* **Max** *-29.11* **Avg** *-47.0473*

1044713 *(Aquifer: 121OGLL Well Depth: 284)*

P	5 / 13 / 1999	-163.7		3610.3	01	06	1	
P	1 / 14 / 2000	-164.28	-0.58	3609.72	01	06	1	
P	1 / 26 / 2001	-167.1	-2.82	3606.9	01	06	1	
P	1 / 22 / 2002	-169.27	-2.17	3604.73	01	06	1	
P	1 / 12 / 2003	-179.17	-9.9	3594.83	01	06	1	
P	2 / 9 / 2004	-184.64	-5.47	3589.36	01	06	1	
P	1 / 24 / 2005	-184.49	0.15	3589.51	01	06	1	
P	1 / 12 / 2006	-187.68	-3.19	3586.32	01	06	1	
P	2 / 5 / 2007	-186.02	1.66	3587.98	01	06	1	
P	1 / 2 / 2008	-192.66	-6.64	3581.34	01	06	1	
P	1 / 30 / 2009	-201.63	-8.97	3572.37	01	06	1	
P	1 / 13 / 2010	-205.73	-4.1	3568.27	01	06	1	
P	1 / 13 / 2011	-210.23	-4.5	3563.77	01	06	1	
P	12 / 27 / 2011	-213.99	-3.76	3560.01	01	06	1	

Min *-213.99* **Max** *-163.7* **Avg** *-186.471*

1044714 *(Aquifer: 121OGLL Well Depth:)*

P	10 / 2 / 2007	-160.75		3589.25	01	01	1	

Min *-160.75* **Max** *-160.75* **Avg** *-160.75*

1044801 *(Aquifer: 121OGLL Well Depth: 45)*

P	5 / 14 / 1936	-24		3717	01	12	7	01
P	10 / 28 / 1936	-24.51	-0.51	3716.49	01	12	7	01
P	2 / 4 / 1937	-23.72	0.79	3717.28	01	12	7	01
P	6 / 24 / 1937	-23.25	0.47	3717.75	01	12	7	01
P	3 / 30 / 1938	-23.09	0.16	3717.91	01	12	7	01
P	9 / 16 / 1938	-24.05	-0.96	3716.95	01	12	7	01
P	10 / 25 / 1938	-23.76	0.29	3717.24	01	12	7	01
P	3 / 10 / 1939	-23.34	0.42	3717.66	01	12	7	01
P	7 / 7 / 1939	-23.57	-0.23	3717.43	01	12	7	01
P	9 / 15 / 1939	-23.72	-0.15	3717.28	01	12	7	01
P	12 / 7 / 1939	-23.58	0.14	3717.42	01	12	7	01
P	3 / 18 / 1940	-23.71	-0.13	3717.29	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 13/ 1940	-23.99	-0.28	3717.01	01	12	7	01
	P	1 / 27/ 1941	-23.96	0.03	3717.04	01	12	7	01
	P	3 / 10/ 1941	-24.01	-0.05	3716.99	01	12	7	01
	P	11 / 17/ 1941	-17	7.01	3724	01	12	7	01
	P	3 / 16/ 1942	-17.4	-0.4	3723.6	01	12	7	01
	P	11 / 30/ 1942	-17.22	0.18	3723.78	01	12	7	01
	P	2 / 4 / 1943	-17.73	-0.51	3723.27	01	12	7	01
	P	2 / 14/ 1944	-20	-2.27	3721	01	12	7	01
	P	2 / 19/ 1945	-20.7	-0.7	3720.3	01	12	7	01
	P	2 / 28/ 1946	-21.95	-1.25	3719.05	01	12	7	01
	P	1 / 14/ 1947	-21.76	0.19	3719.24	01	12	7	01
	P	3 / 13/ 1947	-24.03	-2.27	3716.97	01	12	7	01
	P	2 / 19/ 1948	-24.87	-0.84	3716.13	01	12	7	01
	P	3 / 11/ 1949	-26.65	-1.78	3714.35	01	12	7	01

Min *-26.65* **Max** *-17* **Avg** *-22.5219*

1044802 *(Aquifer: 121OGLL Well Depth: 269)*

	P	3 / 12/ 1969	-75.39		3665.61	01	06	1	
	P	1 / 11/ 1970	-76.86	-1.47	3664.14	01	06	1	
	P	1 / 14/ 1971	-80.61	-3.75	3660.39	01	06	1	
	P	1 / 3 / 1972	-83.87	-3.26	3657.13	01	06	1	
	P	1 / 20/ 1973	-84.21	-0.34	3656.79	01	01	1	
	P	1 / 17/ 1974	-86.96	-2.75	3654.04	01	06	1	
	P	1 / 7 / 1975	-89.55	-2.59	3651.45	01	06	1	
	P	1 / 9 / 1976	-91.99	-2.44	3649.01	01	06	1	
	P	1 / 12/ 1977	-96.38	-4.39	3644.62	01	06	1	
	P	1 / 12/ 1978	-99	-2.62	3642	01	06	1	
	P	1 / 11/ 1979	-100.42	-1.42	3640.58	01	06	1	
	P	12 / 20/ 1979	-105.08	-4.66	3635.92	01	06	1	
	P	1 / 13/ 1981	-106.37	-1.29	3634.63	01	06	1	
	P	1 / 19/ 1982	-108.94	-2.57	3632.06	01	06	1	
	P	2 / 22/ 1983	-111.17	-2.23	3629.83	01	06	1	
	P	1 / 7 / 1984	-112.36	-1.19	3628.64	01	06	1	
	P	1 / 17/ 1985	-113.57	-1.21	3627.43	01	06	1	
	P	1 / 16/ 1986	-115.48	-1.91	3625.52	01	06	1	
	P	2 / 2 / 1987	-116.19	-0.71	3624.81	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1988	-116.99	-0.8	3624.01	01	06	1	
	P	1 / 23/ 1989	-118.59	-1.6	3622.41	01	06	1	
	P	1 / 17/ 1990	-120.24	-1.65	3620.76	01	06	1	
	P	1 / 22/ 1991	-121.5	-1.26	3619.5	01	06	1	
	P	2 / 12/ 1992	-123.25	-1.75	3617.75	01	06	1	
	P	1 / 29/ 1993	-124.7	-1.45	3616.3	01	06	1	
	P	1 / 20/ 1994	-126.29	-1.59	3614.71	01	06	1	
	P	1 / 16/ 1995	-130.27	-3.98	3610.73	01	06	1	
	P	1 / 15/ 1996	-133.13	-2.86	3607.87	01	06	1	
	P	2 / 10/ 1997	-137.9	-4.77	3603.1	01	06	1	
	P	1 / 19/ 1998	-139.04	-1.14	3601.96	01	06	1	
	P	1 / 14/ 1999	-143	-3.96	3598	01	06	1	
	P	1 / 14/ 2000	-143.57	-0.57	3597.43	01	06	1	
	P	1 / 26/ 2001	-145.92	-2.35	3595.08	01	06	1	
	P	2 / 8 / 2002	-146.51	-0.59	3594.49	01	06	1	
	P	2 / 12/ 2003	-148.15	-1.64	3592.85	01	06	1	
	P	2 / 9 / 2004	-151.95	-3.8	3589.05	01	06	1	
	P	1 / 24/ 2005	-149.79	2.16	3591.21	01	06	1	
	P	1 / 12/ 2006	-150.11	-0.32	3590.89	01	06	1	
	N	2 / 5 / 2007				01	06		61
	N	3 / 11/ 2008				01	06		61
	N	2 / 2 / 2009				01	06	1	44
	N	1 / 13/ 2010				01	06	1	44
	N	1 / 13/ 2011				01	06	1	44
	N	12 / 27/ 2011				01	06	1	44

Min *-151.95* **Max** *-75.39* **Avg** *-116.455*

1044803 *(Aquifer: 121OGLL Well Depth: 250)*

	P	10 / 20/ 1950	-23.3		3714.7	01	04	1	
	P	1 / 12/ 1951	-30.22	-6.92	3707.78	01	12	7	01
	P	1 / 25/ 1952	-31.87	-1.65	3706.13	01	12	7	01
	P	1 / 14/ 1953	-35.59	-3.72	3702.41	01	12	7	01
	P	1 / 6 / 1954	-40.12	-4.53	3697.88	01	12	7	01
	P	1 / 4 / 1955	-45.66	-5.54	3692.34	01	12	7	01
	P	1 / 12/ 1956	-51.1	-5.44	3686.9	01	12	7	01
	P	1 / 12/ 1957	-57.4	-6.3	3680.6	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1958	-58.3	-0.9	3679.7	01	12	7	01
	P	1 / 7 / 1959	-60.05	-1.75	3677.95	01	12	7	01
	P	1 / 8 / 1960	-63.44	-3.39	3674.56	01	12	7	01
	P	1 / 18/ 1961	-63	0.44	3675	01	04	7	

Min *-63.44* **Max** *-23.3* **Avg** *-46.6708*

1044804 *(Aquifer: 121OGLL Well Depth: 150)*

	P	1 / 11/ 1962	-64		3646	01	01	2	
	P	1 / 9 / 1963	-68.58	-4.58	3641.42	01	01	1	
	P	1 / 8 / 1964	-67.46	1.12	3642.54	01	01	1	
	P	1 / 7 / 1965	-71.08	-3.62	3638.92	01	01	1	
	N	1 / 5 / 1966				01	01	1	44
	N	1 / 7 / 1967				01	01	1	44
	P	1 / 4 / 1968	-79.6		3630.4	01	01	1	

Min *-79.6* **Max** *-64* **Avg** *-70.144*

1044902 *(Aquifer: 121OGLL Well Depth: 200)*

	P	8 / 24/ 1956	-89.5		3663.5	01	12	7	01
	P	1 / 15/ 1957	-72.63	16.87	3680.37	01	12	7	01
	P	3 / 22/ 1960	-69.5	3.13	3683.5	01	12	7	01
	P	2 / 8 / 1961	-80.7	-11.2	3672.3	01	04	1	
	N	1 / 10/ 1962				01	01	1	44
	P	1 / 9 / 1963	-84.11		3668.89	01	01	1	

Min *-89.5* **Max** *-69.5* **Avg** *-79.288*

1044903 *(Aquifer: 121OGLL Well Depth: 250)*

	P	11 / 6 / 1950	-49.33		3710.67	01	12	7	01
	P	1 / 12/ 1957	-72.41	-23.1	3687.59	01	12	7	01
	P	1 / 24/ 1958	-80.09	-7.68	3679.91	01	12	7	01
	P	1 / 7 / 1959	-77.06	3.03	3682.94	01	12	7	01
	P	1 / 8 / 1960	-79.54	-2.48	3680.46	01	12	7	01
	P	1 / 18/ 1961	-81.9	-2.36	3678.1	01	12	7	
	P	1 / 10/ 1962	-86.2	-4.3	3673.8	01	01	1	
	P	1 / 9 / 1963	-83.71	2.49	3676.29	01	01	1	

Min *-86.2* **Max** *-49.33* **Avg** *-76.28*

1044904 *(Aquifer: 121OGLL Well Depth: 165)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 24/ 1956	-58.2		3674.8	01	12	7	01
	P	1 / 15/ 1957	-54.1	4.1	3678.9	01	12	7	01
	P	2 / 8 / 1961	-60.1	-6	3672.9	01	06	7	

Min *-60.1* **Max** *-54.1* **Avg** *-57.4667*

1044905 *(Aquifer: 121OGLL Well Depth: 105)*

	P	5 / 3 / 1954	-63.05		3681.95	01	12	7	02
	P	5 / 28/ 1954	-51.8	11.25	3693.2	01	12	7	01
	P	1 / 27/ 1956	-61.37	-9.57	3683.63	01	12	7	01
	P	8 / 24/ 1956	-81.1	-19.7	3663.9	01	12	7	01
	P	1 / 15/ 1957	-65.78	15.32	3679.22	01	12	7	01
	P	2 / 8 / 1961	-71.72	-5.94	3673.28	01	06	7	

Min *-81.1* **Max** *-51.8* **Avg** *-65.8033*

1044907 *(Aquifer: 121OGLL Well Depth: 308)*

	P	9 / 10/ 1971	-110		3629	01	07	7	

Min *-110* **Max** *-110* **Avg** *-110*

1044908 *(Aquifer: 121OGLL Well Depth: 334)*

	P	1 / 13/ 2010	-173.59		3575.41	01	06	1	
	P	1 / 10/ 2011	-175.01	-1.42	3573.99	01	06	1	
	P	12 / 27/ 2011	-174.53	0.48	3574.47	01	06	1	

Min *-175.01* **Max** *-173.59* **Avg** *-174.377*

1045401 *(Aquifer: 121OGLL Well Depth: 202)*

	P	4 / 23/ 1963	-110.5		3681.5	01	01	1	
	P	1 / 8 / 1964	-111.83	-1.33	3680.17	01	01	1	
	P	1 / 7 / 1965	-117.48	-5.65	3674.52	01	01	1	
	P	1 / 5 / 1966	-119.32	-1.84	3672.68	01	01	1	
	P	1 / 7 / 1967	-121.71	-2.39	3670.29	01	01	1	
	P	1 / 4 / 1968	-125.5	-3.79	3666.5	01	01	1	
	P	1 / 14/ 1969	-128.57	-3.07	3663.43	01	01	1	
	P	1 / 11/ 1970	-132.16	-3.59	3659.84	01	06	1	
	P	1 / 16/ 1971	-135.75	-3.59	3656.25	01	06	1	
	P	1 / 3 / 1972	-141.13	-5.38	3650.87	01	06	1	
	P	1 / 20/ 1973	-142.42	-1.29	3649.58	01	01	1	
	P	1 / 16/ 1974	-145.41	-2.99	3646.59	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 25/ 1974				01	06		40

Min ***-145.41*** **Max** ***-110.5*** **Avg** ***-127.648***

1045402 *(Aquifer: 121OGLL Well Depth: 417)*

P	2 / 25/ 1974	-145.8		3646.2	01	06	1	
P	1 / 7 / 1975	-150.05	-4.25	3641.95	01	06	1	
P	1 / 9 / 1976	-153.45	-3.4	3638.55	01	06	1	
P	1 / 12/ 1977	-156.71	-3.26	3635.29	01	06	1	
N	1 / 12/ 1978				01	06		41
P	1 / 24/ 1979	-164.33		3627.67	01	06	1	
P	12 / 17/ 1979	-167.88	-3.55	3624.12	01	06	1	
P	1 / 13/ 1981	-174.67	-6.79	3617.33	01	06	1	
P	1 / 19/ 1982	-176.37	-1.7	3615.63	01	06	1	
P	2 / 22/ 1983	-179.82	-3.45	3612.18	01	06	1	
P	1 / 7 / 1984	-182.83	-3.01	3609.17	01	06	1	
P	1 / 24/ 1985	-186	-3.17	3606	01	06	1	
P	1 / 16/ 1986	-192.87	-6.87	3599.13	01	06	1	
P	1 / 26/ 1987	-189.75	3.12	3602.25	01	06	1	
P	1 / 15/ 1988	-188.91	0.84	3603.09	01	06	1	
P	1 / 20/ 1989	-192.09	-3.18	3599.91	01	06	1	
P	1 / 16/ 1990	-193.74	-1.65	3598.26	01	06	1	
P	1 / 23/ 1991	-194.87	-1.13	3597.13	01	06	1	
P	2 / 12/ 1992	-196.5	-1.63	3595.5	01	06	1	
P	1 / 29/ 1993	-197.48	-0.98	3594.52	01	06	1	
P	1 / 18/ 1994	-200.34	-2.86	3591.66	01	06	1	
P	1 / 16/ 1995	-204.87	-4.53	3587.13	01	06	1	
P	2 / 14/ 1996	-207.44	-2.57	3584.56	01	06	1	
P	2 / 10/ 1997	-210.56	-3.12	3581.44	01	06	1	
P	2 / 6 / 1998	-213.18	-2.62	3578.82	01	06	1	
P	1 / 21/ 1999	-219	-5.82	3573	01	06	1	
P	1 / 13/ 2000	-220.97	-1.97	3571.03	01	06	1	
P	1 / 26/ 2001	-225.68	-4.71	3566.32	01	06	1	
P	1 / 23/ 2002	-227.83	-2.15	3564.17	01	06	1	
P	2 / 12/ 2003	-231	-3.17	3561	01	06	1	
P	3 / 2 / 2004	-234.46	-3.46	3557.54	01	06	1	
P	1 / 24/ 2005	-236.13	-1.67	3555.87	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 2006	-240.73	-4.6	3551.27	01	06	1	
	P	1 / 10/ 2007	-243.69	-2.96	3548.31	01	06	1	
	P	1 / 2 / 2008	-247.75	-4.06	3544.25	01	06	1	
	P	2 / 2 / 2009	-258.7	-11	3533.3	01	06	1	
	P	1 / 13/ 2010	-258.95	-0.25	3533.05	01	06	1	
	P	1 / 13/ 2011	-264.76	-5.81	3527.24	01	06	1	
	N	12 / 27/ 2011				01	06	1	44

Min *-264.76* **Max** *-145.8* **Avg** *-203.518*

1045701 *(Aquifer: 121OGLL Well Depth: 274)*

	P	1 / 12/ 1956	-56.97		3684.03	01	12	7	01
	P	1 / 12/ 1957	-60.01	-3.04	3680.99	01	12	7	01
	P	1 / 23/ 1958	-62.79	-2.78	3678.21	01	12	7	01
	P	1 / 7 / 1959	-64.52	-1.73	3676.48	01	12	7	01
	P	1 / 8 / 1960	-69.61	-5.09	3671.39	01	12	7	01
	N	1 / 10/ 1962				01	01	1	47
	P	1 / 9 / 1963	-71.4		3669.6	01	01	1	
	P	1 / 8 / 1964	-75.79	-4.39	3665.21	01	01	1	
	P	1 / 7 / 1965	-78.15	-2.36	3662.85	01	01	1	
	P	1 / 5 / 1966	-80.84	-2.69	3660.16	01	01	1	
	P	1 / 7 / 1967	-83.86	-3.02	3657.14	01	01	1	
	P	1 / 4 / 1968	-86.99	-3.13	3654.01	01	01	1	
	P	1 / 14/ 1969	-91.37	-4.38	3649.63	01	01	1	
	P	1 / 11/ 1970	-91.76	-0.39	3649.24	01	06	1	
	P	1 / 16/ 1971	-94.36	-2.6	3646.64	01	06	1	
	P	1 / 3 / 1972	-98.16	-3.8	3642.84	01	06	1	
	P	1 / 20/ 1973	-98.44	-0.28	3642.56	01	01	1	
	P	1 / 16/ 1974	-102.1	-3.66	3638.9	01	06	1	03
	N	2 / 25/ 1974				01	06		40

Min *-102.1* **Max** *-56.97* **Avg** *-80.4188*

1045702 *(Aquifer: 121OGLL Well Depth: 278)*

	P	2 / 25/ 1974	-99		3640	01	06	1	
	P	1 / 7 / 1975	-102.95	-3.95	3636.05	01	06	1	
	P	1 / 9 / 1976	-106.23	-3.28	3632.77	01	06	1	
	P	1 / 12/ 1977	-108.7	-2.47	3630.3	01	06	1	
	P	1 / 12/ 1978	-112.16	-3.46	3626.84	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 24/ 1979	-114.03	-1.87	3624.97	01	06	1	
	P	12/ 20/ 1979	-115.96	-1.93	3623.04	01	06	1	
	P	1/ 13/ 1981	-118.17	-2.21	3620.83	01	06	1	
	P	1/ 19/ 1982	-123.24	-5.07	3615.76	01	06	1	
	P	2/ 22/ 1983	-122.38	0.86	3616.62	01	06	1	
	P	1/ 7/ 1984	-124.65	-2.27	3614.35	01	06	1	
	P	1/ 24/ 1985	-126.1	-1.45	3612.9	01	06	1	
	P	1/ 16/ 1986	-127.82	-1.72	3611.18	01	06	1	
	P	1/ 26/ 1987	-128.3	-0.48	3610.7	01	06	1	
	P	1/ 15/ 1988	-128.83	-0.53	3610.17	01	06	1	
	P	1/ 20/ 1989	-130.36	-1.53	3608.64	01	06	1	
	P	1/ 16/ 1990	-131.62	-1.26	3607.38	01	06	1	
	P	1/ 22/ 1991	-132.78	-1.16	3606.22	01	06	1	
	P	2/ 12/ 1992	-133.96	-1.18	3605.04	01	06	1	
	P	1/ 29/ 1993	-134.88	-0.92	3604.12	01	06	1	
	P	1/ 18/ 1994	-136.67	-1.79	3602.33	01	06	1	
	P	1/ 16/ 1995	-139.14	-2.47	3599.86	01	06	1	
	P	1/ 15/ 1996	-141.54	-2.4	3597.46	01	06	1	
	P	2/ 10/ 1997	-143.52	-1.98	3595.48	01	06	1	
	P	1/ 19/ 1998	-144.28	-0.76	3594.72	01	06	1	
	P	1/ 21/ 1999	-147	-2.72	3592	01	06	1	
	P	1/ 13/ 2000	-151.97	-4.97	3587.03	01	06	1	
	P	1/ 26/ 2001	-151.8	0.17	3587.2	01	06	1	
	P	1/ 23/ 2002	-151.55	0.25	3587.45	01	06	1	
	P	2/ 12/ 2003	-153.41	-1.86	3585.59	01	06	1	
	P	1/ 9/ 2004	-154.03	-0.62	3584.97	01	06	1	
	P	1/ 24/ 2005	-154.26	-0.23	3584.74	01	06	1	
	P	1/ 12/ 2006	-154.39	-0.13	3584.61	01	06	1	
	P	1/ 10/ 2007	-155.18	-0.79	3583.82	01	06	1	
	P	1/ 2/ 2008	-156.58	-1.4	3582.42	01	06	1	
	P	2/ 2/ 2009	-158.6	-2.02	3580.4	01	06	1	
	P	1/ 13/ 2010	-161.31	-2.71	3577.69	01	06	1	
	P	1/ 10/ 2011	-163.45	-2.14	3575.55	01	06	1	
	P	12/ 27/ 2011	-163.59	-0.14	3575.41	01	06	1	

Min *-163.59* **Max** *-99* **Avg** *-136.01*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1045703	(Aquifer: 121OGLL		Well Depth: 149)						
	P	10 / 28/ 1936	-40.1		3700.9	01	12	1	
	P	2 / 4 / 1937	-39.27	0.83	3701.73	01	12	1	
	P	3 / 30/ 1938	-42.16	-2.89	3698.84	01	12	1	
	P	2 / 11/ 1943	-33.78	8.38	3707.22	01	12	1	
	P	2 / 14/ 1944	-35.25	-1.47	3705.75	01	12	1	
	P	2 / 19/ 1945	-35.7	-0.45	3705.3	01	12	1	
	P	2 / 28/ 1946	-36.93	-1.23	3704.07	01	12	1	
	P	3 / 13/ 1947	-37.03	-0.1	3703.97	01	12	1	
	P	2 / 19/ 1948	-38.59	-1.56	3702.41	01	12	1	
	P	3 / 11/ 1949	-41.38	-2.79	3699.62	01	12	1	
	P	2 / 17/ 1950	-41.65	-0.27	3699.35	01	12	1	
	P	1 / 12/ 1951	-40.14	1.51	3700.86	01	12	1	
	P	1 / 25/ 1952	-44.49	-4.35	3696.51	01	12	1	
	P	1 / 14/ 1953	-46.08	-1.59	3694.92	01	12	1	
	P	1 / 6 / 1954	-48.75	-2.67	3692.25	01	12	1	
Min	*-48.75*	**Max**	*-33.78*	**Avg**	*-40.0867*				
1045801	(Aquifer: 121OGLL		Well Depth: 216)						
	P	1 / 8 / 1964	-132.03		3642.97	01	01	1	
	P	1 / 7 / 1965	-130.58	1.45	3644.42	01	01	1	
	P	1 / 5 / 1966	-136.45	-5.87	3638.55	01	01	1	
	P	1 / 7 / 1967	-138.42	-1.97	3636.58	01	01	1	
	P	1 / 4 / 1968	-141.02	-2.6	3633.98	01	01	1	
	P	1 / 14/ 1969	-142.62	-1.6	3632.38	01	01	1	
	P	1 / 11/ 1970	-145.98	-3.36	3629.02	01	06	1	
	P	1 / 16/ 1971	-149.18	-3.2	3625.82	01	06	1	
	P	1 / 3 / 1972	-155.32	-6.14	3619.68	01	06	1	
	P	1 / 20/ 1973	-156.34	-1.02	3618.66	01	01	1	
	P	1 / 16/ 1974	-158.89	-2.55	3616.11	01	06	1	
	P	1 / 7 / 1975	-163.9	-5.01	3611.1	01	06	1	
	P	1 / 9 / 1976	-167.41	-3.51	3607.59	01	06	1	
	P	1 / 12/ 1977	-172.98	-5.57	3602.02	01	06	1	
	P	1 / 12/ 1978	-178.86	-5.88	3596.14	01	06	1	
	P	1 / 24/ 1979	-180.56	-1.7	3594.44	01	06	1	
	P	12 / 17/ 1979	-180.75	-0.19	3594.25	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1981	-186.86	-6.11	3588.14	01	06	1	
	P	1 / 20/ 1982	-189.87	-3.01	3585.13	01	06	1	
	P	2 / 22/ 1983	-192.96	-3.09	3582.04	01	06	1	
	P	1 / 7 / 1984	-193.87	-0.91	3581.13	01	06	1	
	P	1 / 23/ 1985	-196.56	-2.69	3578.44	01	06	1	
	P	1 / 16/ 1986	-197.52	-0.96	3577.48	01	06	1	
	P	1 / 28/ 1987	-195.99	1.53	3579.01	01	06	1	
	P	1 / 15/ 1988	-195.58	0.41	3579.42	01	06	1	
	P	1 / 20/ 1989	-197.49	-1.91	3577.51	01	06	1	
	N	1 / 17/ 1990				01	06	1	47
	P	1 / 23/ 1991	-206.05		3568.95	01	06	2	
	P	2 / 12/ 1992	-203.9	2.15	3571.1	01	06	1	
	P	1 / 29/ 1993	-208.2	-4.3	3566.8	01	06	1	
	N	1 / 17/ 1994				01	06	7	44

Min *-208.2* **Max** *-130.58* **Avg** *-172.281*

1045802 *(Aquifer: 121OGLL Well Depth: 200)*

	P	2 / 7 / 1994	-207.22		3562.78	01	06	1	
	P	1 / 16/ 1995	-208.88	-1.66	3561.12	01	06	1	
	P	1 / 15/ 1996	-211.43	-2.55	3558.57	01	06	1	
	P	2 / 10/ 1997	-213.97	-2.54	3556.03	01	06	1	
	N	1 / 22/ 1998				01	06	7	44
	N	1 / 21/ 1999				01	06	7	44
	N	1 / 13/ 2000				01	06	7	44

Min *-213.97* **Max** *-207.22* **Avg** *-210.375*

1045803 *(Aquifer: 121OGLL Well Depth: 202)*

	P	2 / 26/ 1998	-178		3553	01	06	1	
	P	10 / 5 / 2000	-185.28	-7.28	3545.72	01	04	4	
	P	3 / 29/ 2001	-185.52	-0.24	3545.48	01	04	1	
	P	9 / 15/ 2001	-186.47	-0.95	3544.53	01	04	4	
	P	9 / 30/ 2001	-186.56	-0.09	3544.44	01	04	4	
	P	10 / 15/ 2001	-186.57	-0.01	3544.43	01	04	4	
	P	10 / 30/ 2001	-186.59	-0.02	3544.41	01	04	4	

Min *-186.59* **Max** *-178* **Avg** *-184.999*

1045804 *(Aquifer: 121OGLL Well Depth: 287)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 14/ 1998	-213.19		3557.81	01	06	1	
	P	2 / 19/ 1999	-215.9	-2.71	3555.1	01	06	1	
	P	1 / 13/ 2000	-221.52	-5.62	3549.48	01	06	1	
	P	1 / 26/ 2001	-219.93	1.59	3551.07	01	06	1	
	P	1 / 23/ 2002	-221.1	-1.17	3549.9	01	06	1	
	P	2 / 14/ 2003	-222.72	-1.62	3548.28	01	06	1	
	P	1 / 9 / 2004	-224.85	-2.13	3546.15	01	06	1	
	P	1 / 24/ 2005	-224.2	0.65	3546.8	01	06	1	
	P	1 / 18/ 2006	-224.08	0.12	3546.92	01	06	1	
	P	1 / 10/ 2007	-226.08	-2	3544.92	01	06	1	
	P	1 / 2 / 2008	-228.28	-2.2	3542.72	01	06	1	
	P	2 / 5 / 2009	-229.63	-1.35	3541.37	01	06	1	
	P	1 / 13/ 2010	-231.52	-1.89	3539.48	01	06	1	
	P	1 / 13/ 2011	-232.58	-1.06	3538.42	01	06	1	
	P	12 / 28/ 2011	-234.7	-2.12	3536.3	01	06	1	

Min ***-234.7*** **Max** ***-213.19*** **Avg** ***-224.685***

1045901 *(Aquifer: 121OGLL Well Depth: 202)*

	P	1 / 8 / 1964	-132.22		3615.78	01	01	1	
	P	1 / 7 / 1965	-137.77	-5.55	3610.23	01	01	1	
	P	1 / 5 / 1966	-135.14	2.63	3612.86	01	01	1	
	P	1 / 7 / 1967	-139.32	-4.18	3608.68	01	01	1	
	P	1 / 4 / 1968	-142.89	-3.57	3605.11	01	01	1	
	P	1 / 15/ 1969	-145.34	-2.45	3602.66	01	01	1	
	P	1 / 11/ 1970	-149.02	-3.68	3598.98	01	06	1	
	P	1 / 16/ 1971	-154.56	-5.54	3593.44	01	06	1	04
	P	1 / 3 / 1972	-157.21	-2.65	3590.79	01	06	1	
	P	1 / 20/ 1973	-157.55	-0.34	3590.45	01	01	1	
	P	1 / 16/ 1974	-158.89	-1.34	3589.11	01	06	1	
	P	1 / 7 / 1975	-164.25	-5.36	3583.75	01	06	1	
	P	1 / 9 / 1976	-167.07	-2.82	3580.93	01	06	1	
	P	1 / 12/ 1977	-170.2	-3.13	3577.8	01	06	1	
	P	1 / 12/ 1978	-179.48	-9.28	3568.52	01	06	1	
	P	1 / 24/ 1979	-181.3	-1.82	3566.7	01	06	1	
	P	12 / 17/ 1979	-183.8	-2.5	3564.2	01	06	1	
	P	1 / 13/ 1981	-186.33	-2.53	3561.67	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1982	-188.45	-2.12	3559.55	01	06	1	
	P	2 / 22/ 1983	-192.56	-4.11	3555.44	01	06	1	
	P	1 / 7 / 1984	-191.72	0.84	3556.28	01	06	1	
	P	1 / 23/ 1985	-194.18	-2.46	3553.82	01	06	1	
	N	1 / 16/ 1986				01	06	1	44

Min *-194.18* **Max** *-132.22* **Avg** *-164.057*

1045902 *(Aquifer: 121OGLL Well Depth: 108)*

	P	2 / 5 / 1937	-61.52		3660.48	01	12	7	01
	P	1 / 10/ 1938	-61.1	0.42	3660.9	01	12	7	01
	P	3 / 30/ 1938	-61.29	-0.19	3660.71	01	12	7	01
	P	6 / 7 / 1938	-61.2	0.09	3660.8	01	12	7	01

Min *-61.52* **Max** *-61.1* **Avg** *-61.2775*

1045903 *(Aquifer: 121OGLL Well Depth: 274)*

	P	1 / 16/ 1986	-193.08		3553.92	01	06	1	
	P	1 / 28/ 1987	-192.75	0.33	3554.25	01	06	1	
	P	1 / 15/ 1988	-192.39	0.36	3554.61	01	06	1	
	P	1 / 20/ 1989	-191.38	1.01	3555.62	01	06	1	
	P	1 / 17/ 1990	-194.67	-3.29	3552.33	01	06	1	
	P	1 / 23/ 1991	-201.73	-7.06	3545.27	01	06	1	
	P	2 / 12/ 1992	-199.55	2.18	3547.45	01	06	1	
	P	1 / 29/ 1993	-201.39	-1.84	3545.61	01	06	1	
	P	1 / 19/ 1994	-203.82	-2.43	3543.18	01	06	1	
	P	1 / 16/ 1995	-204.26	-0.44	3542.74	01	06	1	
	P	1 / 15/ 1996	-208.04	-3.78	3538.96	01	06	1	
	N	2 / 10/ 1997				01	06		42
	N	1 / 22/ 1998				01	06		42
	N	1 / 21/ 1999				01	06		42
	N	1 / 13/ 2000				01	06		42

Min *-208.04* **Max** *-191.38* **Avg** *-198.46*

1045904 *(Aquifer: 121OGLL Well Depth: 287)*

	P	1 / 22/ 1998	-212.9		3537.1	01	06	1	
	P	1 / 21/ 1999	-218.91	-6.01	3531.09	01	06	1	
	P	1 / 13/ 2000	-219.91	-1	3530.09	01	06	1	
	P	1 / 26/ 2001	-222.03	-2.12	3527.97	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 23/ 2002	-228.88	-6.85	3521.12	01	06	1	
	P	3 / 28/ 2003	-231.65	-2.77	3518.35	01	06	1	
	P	2 / 10/ 2004	-227.94	3.71	3522.06	01	06	1	
	P	3 / 2 / 2005	-227.58	0.36	3522.42	01	06	1	
	P	1 / 18/ 2006	-230.04	-2.46	3519.96	01	06	1	
	P	1 / 10/ 2007	-230.02	0.02	3519.98	01	06	1	
	P	1 / 2 / 2008	-230.92	-0.9	3519.08	01	06	1	
	P	2 / 5 / 2009	-230.5	0.42	3519.5	01	06	1	
	P	1 / 13/ 2010	-232.33	-1.83	3517.67	01	06	1	
	P	1 / 13/ 2011	-234.89	-2.56	3515.11	01	06	1	
	P	12 / 28/ 2011	-241.56	-6.67	3508.44	01	06	1	

Min *-241.56* **Max** *-212.9* **Avg** *-228.004*

1046403 *(Aquifer: 121OGLL Well Depth: 225)*

	P	4 / 1 / 1937	-87.42		3657.58	01	12	7	01
	P	6 / 13/ 1938	-88.94	-1.52	3656.06	01	12	7	01
	P	11 / 10/ 1942	-88.93	0.01	3656.07	01	12	7	01
	P	2 / 23/ 1943	-86.08	2.85	3658.92	01	12	7	01
	P	2 / 7 / 1944	-86.3	-0.22	3658.7	01	04	1	
	P	2 / 22/ 1945	-87.27	-0.97	3657.73	01	04	1	
	P	3 / 2 / 1946	-88.43	-1.16	3656.57	01	04	1	
	P	3 / 13/ 1947	-89.14	-0.71	3655.86	01	04	1	
	P	2 / 19/ 1948	-90.45	-1.31	3654.55	01	04	1	
	P	3 / 11/ 1949	-92.48	-2.03	3652.52	01	04	1	
	P	2 / 16/ 1950	-95.77	-3.29	3649.23	01	04	1	
	P	1 / 12/ 1951	-95.77		3649.23	01	04	1	
	P	1 / 25/ 1952	-97.38	-1.61	3647.62	01	04	1	

Min *-97.38* **Max** *-86.08* **Avg** *-90.3354*

1046404 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 7 / 1944	-86.3		3658.7	01	12	7	01
	P	2 / 22/ 1945	-87.27	-0.97	3657.73	01	12	7	01
	P	3 / 2 / 1946	-88.43	-1.16	3656.57	01	12	7	01
	P	3 / 13/ 1947	-89.14	-0.71	3655.86	01	12	7	01
	P	2 / 19/ 1948	-90.45	-1.31	3654.55	01	12	7	01
	P	3 / 11/ 1949	-92.76	-2.31	3652.24	01	12	7	01
	P	2 / 16/ 1950	-95.77	-3.01	3649.23	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1951	-94.93	0.84	3650.07	01	12	7	01
	P	1 / 25/ 1952	-97.38	-2.45	3647.62	01	12	7	01
	P	1 / 14/ 1953	-100.33	-2.95	3644.67	01	12	7	01
	P	1 / 6 / 1954	-103.1	-2.77	3641.9	01	12	7	01
	P	1 / 3 / 1955	-107.7	-4.6	3637.3	01	12	7	01
	P	1 / 9 / 1956	-111.99	-4.29	3633.01	01	12	7	01
	P	1 / 12/ 1957	-116.27	-4.28	3628.73	01	12	7	01
	P	1 / 25/ 1958	-120.48	-4.21	3624.52	01	12	7	01
	P	1 / 7 / 1959	-122.26	-1.78	3622.74	01	12	7	01
	P	1 / 17/ 1961	-128.18	-5.92	3616.82	01	04	1	
	P	1 / 9 / 1962	-131.55	-3.37	3613.45	01	01	1	
	P	1 / 8 / 1963	-135.3	-3.75	3609.7	01	01	1	

Min *-135.3* **Max** *-86.3* **Avg** *-105.242*

1046408 *(Aquifer: 121OGLL Well Depth: 200)*

	P	10 / 16/ 1950	-105.2		3654.8	01	04	1	

Min *-105.2* **Max** *-105.2* **Avg** *-105.2*

1046409 *(Aquifer: 121OGLL Well Depth: 345)*

	P	4 / 2 / 1999	-240		3499	01	07	7	
	P	2 / 7 / 2001	-240.02	-0.02	3498.98	01	06	1	
	N	1 / 22/ 2002				01	06		41
	N	3 / 8 / 2002				01	06		41
	P	3 / 7 / 2003	-251.4		3487.6	01	06	1	
	P	2 / 11/ 2004	-248.82	2.58	3490.18	01	06	1	
	P	1 / 24/ 2005	-248.38	0.44	3490.62	01	06	1	
	P	3 / 2 / 2006	-248.97	-0.59	3490.03	01	06	1	
	N	2 / 7 / 2007				01	06	7	44
	P	1 / 3 / 2008	-252		3487	01	06	1	
	P	2 / 5 / 2009	-255.08	-3.08	3483.92	01	06	1	
	P	2 / 16/ 2010	-259.02	-3.94	3479.98	01	06	1	
	N	1 / 13/ 2011				01	06		61
	N	12 / 28/ 2011				01	06		61

Min *-259.02* **Max** *-240* **Avg** *-249.299*

1046601 *(Aquifer: 121OGLL Well Depth: 308)*

	P	4 / 26/ 1963	-111.4		3608.6	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1964	-149.29	-37.9	3570.71	01	01	1	
	P	1/ 7/1965	-154.24	-4.95	3565.76	01	01	1	
	P	1/ 4/1966	-162.89	-8.65	3557.11	01	01	1	
	P	1/ 7/1967	-161.3	1.59	3558.7	01	01	1	
	P	1/ 4/1968	-164.68	-3.38	3555.32	01	01	1	
	P	1/15/1969	-166.22	-1.54	3553.78	01	01	1	
	P	1/11/1970	-169.16	-2.94	3550.84	01	06	1	
	P	1/15/1971	-173.57	-4.41	3546.43	01	06	1	
	P	1/ 3/1972	-181.6	-8.03	3538.4	01	06	1	
	P	1/22/1973	-179.39	2.21	3540.61	01	06	1	
	P	1/15/1974	-183	-3.61	3537	01	06	1	
	P	1/ 7/1975	-188.34	-5.34	3531.66	01	06	1	
	P	1/ 9/1976	-189.51	-1.17	3530.49	01	06	1	
	P	1/13/1977	-192.55	-3.04	3527.45	01	06	1	25
	P	1/ 9/1978	-194.59	-2.04	3525.41	01	06	1	20
	P	1/24/1979	-203.05	-8.46	3516.95	01	06	1	
	P	12/17/1979	-204.5	-1.45	3515.5	01	06	1	
	P	1/ 7/1981	-210.5	-6	3509.5	01	06	1	
	P	1/20/1982	-213.8	-3.3	3506.2	01	06	1	
	P	2/23/1983	-215.56	-1.76	3504.44	01	06	1	
	P	1/ 7/1984	-218.56	-3	3501.44	01	06	1	
	P	1/23/1985	-221.76	-3.2	3498.24	01	06	1	
	P	1/13/1986	-221.87	-0.11	3498.13	01	06	1	
	P	1/29/1987	-222.95	-1.08	3497.05	01	06	1	
	P	1/18/1988	-222.28	0.67	3497.72	01	06	1	
	P	1/23/1989	-223.14	-0.86	3496.86	01	06	1	
	P	1/17/1990	-225.62	-2.48	3494.38	01	06	1	
	P	1/25/1991	-228.46	-2.84	3491.54	01	06	1	
	P	2/11/1992	-230.67	-2.21	3489.33	01	06	1	
	P	1/29/1993	-231	-0.33	3489	01	06	1	
	P	1/18/1994	-233.48	-2.48	3486.52	01	06	1	
	P	1/25/1995	-239.53	-6.05	3480.47	01	06	1	
	P	1/15/1996	-240.08	-0.55	3479.92	01	06	1	
	P	2/10/1997	-241.23	-1.15	3478.77	01	06	1	
	P	1/22/1998	-243.03	-1.8	3476.97	01	06	1	
	P	1/12/1999	-246	-2.97	3474	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 2000	-247.35	-1.35	3472.65	01	06	1	
	P	1 / 26/ 2001	-248.8	-1.45	3471.2	01	06	1	
	P	2 / 8 / 2002	-249.52	-0.72	3470.48	01	06	1	
	P	3 / 7 / 2003	-252.74	-3.22	3467.26	01	06	1	
	P	2 / 11/ 2004	-252.52	0.22	3467.48	01	06	1	
	P	1 / 24/ 2005	-252.77	-0.25	3467.23	01	06	1	
	P	1 / 18/ 2006	-253.69	-0.92	3466.31	01	06	1	
	P	2 / 1 / 2007	-255.15	-1.46	3464.85	01	06	1	
	P	1 / 3 / 2008	-255.73	-0.58	3464.27	01	06	1	
	P	2 / 5 / 2009	-258.16	-2.43	3461.84	01	06	1	
	P	1 / 13/ 2010	-259.7	-1.54	3460.3	01	06	1	
	P	1 / 13/ 2011	-261.29	-1.59	3458.71	01	06	1	
	P	12 / 29/ 2011	-264.1	-2.81	3455.9	01	06	1	

Min *-264.1* **Max** *-111.4* **Avg** *-215.406*

1046605 *(Aquifer: 121OGLL Well Depth: 308)*

	P	6 / 29/ 1965	-155		3566	01	07	7	

Min *-155* **Max** *-155* **Avg** *-155*

1046701 *(Aquifer: 121OGLL Well Depth: 213)*

	P	11 / 10/ 1942	-90.94		3649.06	01	12	7	01
	P	2 / 23/ 1943	-90.1	0.84	3649.9	01	12	7	01
	P	2 / 7 / 1944	-90.4	-0.3	3649.6	01	12	7	01
	P	2 / 22/ 1945	-91.4	-1	3648.6	01	12	7	01
	P	3 / 13/ 1947	-98.8	-7.4	3641.2	01	12	7	01
	P	1 / 12/ 1951	-100.5	-1.7	3639.5	01	04	1	
	P	1 / 25/ 1952	-103.1	-2.6	3636.9	01	04	1	

Min *-103.1* **Max** *-90.1* **Avg** *-95.0343*

1046702 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 19/ 1948	-93.59		3646.41	01	12	7	01
	P	3 / 11/ 1949	-95.35	-1.76	3644.65	01	12	7	01
	P	2 / 16/ 1950	-96.48	-1.13	3643.52	01	12	7	01
	P	1 / 12/ 1951	-100.5	-4.02	3639.5	01	12	7	01
	P	1 / 25/ 1952	-103.1	-2.6	3636.9	01	12	7	01
	P	1 / 14/ 1953	-105.38	-2.28	3634.62	01	12	7	01
	P	1 / 6 / 1954	-106.4	-1.02	3633.6	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 3/1955	-110.95	-4.55	3629.05	01	12	7	01
	P	1/ 9/1956	-115.53	-4.58	3624.47	01	12	7	01
	P	1/12/1957	-120.17	-4.64	3619.83	01	12	7	01

Min *-120.17* **Max** *-93.59* **Avg** *-104.745*

1046703 *(Aquifer: 121OGLL Well Depth:)*

	P	1/25/1958	-124.63		3615.37	01	12	7	01
	P	1/ 7/1959	-126.63	-2	3613.37	01	12	7	01
	P	1/ 9/1960	-131.72	-5.09	3608.28	01	12	7	01
	P	1/17/1961	-133.05	-1.33	3606.95	01	04	1	
	P	1/ 9/1962	-135.79	-2.74	3604.21	01	01	1	
	P	1/ 8/1963	-139.57	-3.78	3600.43	01	01	1	
	P	1/ 8/1964	-143.45	-3.88	3596.55	01	01	1	
	P	1/ 7/1965	-148.45	-5	3591.55	01	01	1	
	P	1/ 5/1966	-151.87	-3.42	3588.13	01	01	1	
	P	1/ 7/1967	-153.83	-1.96	3586.17	01	01	1	
	P	1/ 4/1968	-157.5	-3.67	3582.5	01	01	1	
	P	1/15/1969	-159.12	-1.62	3580.88	01	01	1	
	P	1/11/1970	-161.93	-2.81	3578.07	01	06	1	
	P	1/16/1971	-164.79	-2.86	3575.21	01	06	1	
	P	1/ 3/1972	-168.99	-4.2	3571.01	01	06	1	
	P	1/22/1973	-170.55	-1.56	3569.45	01	01	1	
	P	1/15/1974	-173.8	-3.25	3566.2	01	06	1	
	P	1/ 7/1975	-181.33	-7.53	3558.67	01	06	1	
	P	1/ 9/1976	-183.65	-2.32	3556.35	01	06	1	
	P	1/13/1977	-186.73	-3.08	3553.27	01	06	1	
	P	1/12/1978	-190.73	-4	3549.27	01	06	1	
	P	1/24/1979	-192.89	-2.16	3547.11	01	06	1	
	P	12/20/1979	-194.71	-1.82	3545.29	01	06	1	
	P	1/ 7/1981	-199.86	-5.15	3540.14	01	06	1	
	P	1/20/1982	-202.02	-2.16	3537.98	01	06	1	
	P	2/23/1983	-204.18	-2.16	3535.82	01	06	1	
	P	1/ 7/1984	-204.28	-0.1	3535.72	01	06	1	
	P	1/23/1985	-206.82	-2.54	3533.18	01	06	1	
	P	1/16/1986	-207.74	-0.92	3532.26	01	06	1	
	P	2/ 3/1987	-207	0.74	3533	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1988	-210.11	-3.11	3529.89	01	06	1	
	P	1 / 23/ 1989	-211.52	-1.41	3528.48	01	06	1	
	P	1 / 17/ 1990	-214.03	-2.51	3525.97	01	06	1	
	P	1 / 23/ 1991	-219.28	-5.25	3520.72	01	06	1	
	P	2 / 11/ 1992	-218.85	0.43	3521.15	01	06	1	
	P	1 / 29/ 1993	-219.79	-0.94	3520.21	01	06	1	
	P	1 / 18/ 1994	-223.22	-3.43	3516.78	01	06	1	
	P	1 / 23/ 1995	-226.84	-3.62	3513.16	01	06	1	
	P	1 / 15/ 1996	-231.1	-4.26	3508.9	01	06	1	
	P	2 / 10/ 1997	-234.1	-3	3505.9	01	06	1	
	P	1 / 22/ 1998	-236.43	-2.33	3503.57	01	06	1	
	P	1 / 21/ 1999	-245	-8.57	3495	01	06	1	
	P	3 / 8 / 2000	-246.05	-1.05	3493.95	01	06	1	
	N	2 / 7 / 2001				01	06		51
	N	3 / 8 / 2002				01	06		42
	N	3 / 7 / 2003				01	06		42
	N	2 / 11/ 2004				01	06	1	44
	N	1 / 24/ 2005				01	06	1	44

Min *-246.05* **Max** *-124.63* **Avg** *-187.068*

1046706 *(Aquifer: 121OGLL Well Depth: 260)*

	P	12 / 19/ 1994	-205		3523	01	07	1	

Min *-205* **Max** *-205* **Avg** *-205*

1046709 *(Aquifer: 121OGLL Well Depth: 270)*

	P	10 / 5 / 2005	-229.12		3498.88	01	06	1	
	P	2 / 5 / 2009	-228.91	0.21	3499.09	01	06	1	
	P	1 / 13/ 2010	-230.67	-1.76	3497.33	01	06	1	
	P	1 / 13/ 2011	-230.99	-0.32	3497.01	01	06	1	
	P	12 / 22/ 2011	-232.7	-1.71	3495.3	01	06	1	

Min *-232.7* **Max** *-228.91* **Avg** *-230.478*

1046801 *(Aquifer: 121OGLL Well Depth: 210)*

	P	10 / 10/ 1942	-87.56		3629.44	01	12	7	01
	P	2 / 23/ 1943	-86.88	0.68	3630.12	01	12	7	01
	P	2 / 7 / 1944	-87.4	-0.52	3629.6	01	12	7	01
	P	2 / 22/ 1945	-87.27	0.13	3629.73	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 2 / 1946	-88.67	-1.4	3628.33	01	12	7	01
	P	3 / 13/ 1947	-89.44	-0.77	3627.56	01	12	7	01
	P	2 / 19/ 1948	-91.1	-1.66	3625.9	01	12	7	01
	P	3 / 11/ 1949	-92.18	-1.08	3624.82	01	12	7	01
	P	7 / 17/ 1950	-97.8	-5.62	3619.2	01	12	7	01
	P	1 / 12/ 1951	-89.35	8.45	3627.65	01	12	7	01
	P	1 / 25/ 1952	-96.05	-6.7	3620.95	01	12	7	01
	P	1 / 14/ 1953	-98.7	-2.65	3618.3	01	12	7	01
	P	1 / 6 / 1954	-102	-3.3	3615	01	12	7	01
	P	1 / 3 / 1955	-107.4	-5.4	3609.6	01	12	7	01
	P	1 / 9 / 1956	-114.4	-7	3602.6	01	12	7	01
	P	1 / 12/ 1957	-117.98	-3.58	3599.02	01	12	7	01
	P	1 / 23/ 1958	-123.13	-5.15	3593.87	01	12	7	01
	P	1 / 7 / 1959	-122.3	0.83	3594.7	01	12	7	01
	P	1 / 17/ 1961	-129.5	-7.2	3587.5	01	04	1	
	N	1 / 9 / 1962				01	01		42
	P	1 / 8 / 1963	-133.5		3583.5	01	01	1	
	N	1 / 8 / 1964				01	01	1	47
	N	1 / 7 / 1965				01	01		42
	N	1 / 5 / 1966				01	01		42
	N	1 / 7 / 1967				01	01		42
	N	1 / 4 / 1968				01	01		42
	P	1 / 15/ 1969	-154.83		3562.17	01	01	1	
	N	1 / 11/ 1970				01	06	1	47

Min *-154.83* **Max** *-86.88* **Avg** *-104.64*

1046802 *(Aquifer: 121OGLL Well Depth: 242)*

	P	8 / 24/ 1956	-125.7		3587.3	01	12	7	01
	P	1 / 15/ 1957	-120.86	4.84	3592.14	01	12	7	01
	P	2 / 9 / 1961	-131.98	-11.1	3581.02	01	06	7	
	P	1 / 9 / 1962	-134.45	-2.47	3578.55	01	01	1	20
	P	1 / 8 / 1963	-138.72	-4.27	3574.28	01	01	1	

Min *-138.72* **Max** *-120.86* **Avg** *-130.342*

1046803 *(Aquifer: 121OGLL Well Depth: 250)*

	P	7 / 3 / 1950	-89.5		3612.5	01	04	1	
	P	8 / 24/ 1956	-117.3	-27.8	3584.7	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1957	-112.8	4.5	3589.2	01	12	7	01
	P	2 / 9 / 1961	-123.12	-10.3	3578.88	01	06	7	
	N	1 / 9 / 1962				01	01	1	45
	P	1 / 8 / 1963	-129.42		3572.58	01	01	1	

Min *-129.42* **Max** *-89.5* **Avg** *-114.428*

1046804 *(Aquifer: 121OGLL Well Depth: 250)*

	P	7 / 3 / 1950	-104.4		3601.6	01	04	1	
	P	3 / 20/ 1956	-114.55	-10.2	3591.45	01	12	7	01
	P	8 / 24/ 1956	-139	-24.5	3567	01	12	7	01
	P	1 / 15/ 1957	-120.24	18.76	3585.76	01	12	7	01
	P	2 / 8 / 1961	-131.57	-11.3	3574.43	01	06	7	
	P	1 / 9 / 1962	-136.4	-4.83	3569.6	01	01	1	
	P	1 / 8 / 1963	-138.06	-1.66	3567.94	01	01	1	
	P	10 / 4 / 2005	-240.66	-103	3465.34	01	06	1	
	P	2 / 5 / 2009	-245.45	-4.79	3460.55	01	06	1	
	P	1 / 14/ 2010	-249.35	-3.9	3456.65	01	06	1	
	P	1 / 13/ 2011	-251.62	-2.27	3454.38	01	06	1	
	P	12 / 22/ 2011	-257.5	-5.88	3448.5	01	06	1	

Min *-257.5* **Max** *-104.4* **Avg** *-177.4*

1046805 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 20/ 1956	-116.1		3591.9	01	12	7	01
	P	1 / 15/ 1959	-121.39	-5.29	3586.61	01	12	7	01
	P	2 / 8 / 1961	-134.38	-13	3573.62	01	06	7	
	P	1 / 9 / 1962	-136.38	-2	3571.62	01	01	1	
	P	1 / 8 / 1963	-140.27	-3.89	3567.73	01	01	1	

Min *-140.27* **Max** *-116.1* **Avg** *-129.704*

1046806 *(Aquifer: 121OGLL Well Depth: 240)*

	P	8 / 24/ 1956	-124		3591	01	12	7	
	P	1 / 15/ 1957	-120	4	3595	01	12	7	01
	P	2 / 8 / 1961	-131.79	-11.8	3583.21	01	06	7	
	P	1 / 9 / 1962	-126.95	4.84	3588.05	01	01	1	
	P	1 / 8 / 1963	-137.46	-10.5	3577.54	01	01	1	

Min *-137.46* **Max** *-120* **Avg** *-128.04*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1046808	(Aquifer: 121OGLL		Well Depth: 215)						
	P	9 / 3 / 1940	-101.33		3623.67	01	12	7	01
	P	11 / 12/ 1942	-97.3	4.03	3627.7	01	12	7	01
	P	2 / 23/ 1943	-96.78	0.52	3628.22	01	12	7	01
	P	2 / 4 / 1944	-97.29	-0.51	3627.71	01	12	7	01
	P	2 / 22/ 1945	-97.1	0.19	3627.9	01	12	7	01
	P	3 / 13/ 1947	-99.48	-2.38	3625.52	01	12	7	01
	P	2 / 19/ 1948	-101.04	-1.56	3623.96	01	12	7	01
	P	11 / 11/ 1949	-102.73	-1.69	3622.27	01	12	7	01
	P	7 / 17/ 1950	-107.1	-4.37	3617.9	01	12	7	01
	P	1 / 12/ 1951	-124.23	-17.1	3600.77	01	12	7	01
	P	1 / 31/ 1952	-108.75	15.48	3616.25	01	12	7	01
	P	1 / 14/ 1953	-110.23	-1.48	3614.77	01	12	7	01
Min -124.23		**Max** -96.78	**Avg** -103.613						
1046809	(Aquifer: 121OGLL		Well Depth:)						
	P	11 / 30/ 1970	-163.8		3553.2	01	06	1	
	P	1 / 22/ 1973	-166.4	-2.6	3550.6	01	06	1	
Min -166.4		**Max** -163.8	**Avg** -165.1						
1046902	(Aquifer: 121OGLL		Well Depth:)						
	P	10 / 19/ 2005	-257.42		3445.58	01	06	1	
	P	2 / 5 / 2009	-267.05	-9.63	3435.95	01	06	1	
	P	1 / 6 / 2010	-269.64	-2.59	3433.36	01	06	1	
	P	2 / 23/ 2011	-274.95	-5.31	3428.05	01	06	1	
	P	12 / 28/ 2011	-277.24	-2.29	3425.76	01	06	1	
Min -277.24		**Max** -257.42	**Avg** -269.26						
1047401	(Aquifer: 121OGLL		Well Depth: 345)						
	P	3 / 11/ 1949	-86.67		3603.33	01	12	7	01
	P	2 / 16/ 1950	-87.28	-0.61	3602.72	01	12	7	01
	P	1 / 12/ 1951	-88.94	-1.66	3601.06	01	12	7	01
	P	1 / 31/ 1952	-91.5	-2.56	3598.5	01	12	7	01
	P	1 / 14/ 1953	-92.52	-1.02	3597.48	01	12	7	01
	P	1 / 6 / 1954	-95.83	-3.31	3594.17	01	12	7	01
	P	1 / 3 / 1955	-99.25	-3.42	3590.75	01	12	7	01
	P	1 / 9 / 1956	-103.15	-3.9	3586.85	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 10/ 1957	-107.78	-4.63	3582.22	01	12	7	01
	P	1/ 25/ 1958	-110.34	-2.56	3579.66	01	12	7	01
	P	1/ 7/ 1959	-111.94	-1.6	3578.06	01	12	7	01
	P	1/ 25/ 1960	-115.66	-3.72	3574.34	01	12	7	01
	P	1/ 17/ 1961	-116.84	-1.18	3573.16	01	04	1	
	P	1/ 9/ 1962	-119.08	-2.24	3570.92	01	01	1	
	P	1/ 8/ 1963	-122.06	-2.98	3567.94	01	01	1	
	P	1/ 8/ 1964	-125.33	-3.27	3564.67	01	01	1	
	P	1/ 7/ 1965	-129.52	-4.19	3560.48	01	01	1	
	P	1/ 4/ 1966	-135.71	-6.19	3554.29	01	01	1	
	P	1/ 7/ 1967	-134.76	0.95	3555.24	01	01	1	
	P	1/ 5/ 1968	-138.87	-4.11	3551.13	01	01	1	
	N	1/ 15/ 1969				01	01		63
	P	1/ 11/ 1970	-145.6		3544.4	01	06	1	
	P	1/ 15/ 1971	-151.54	-5.94	3538.46	01	06	1	
	P	1/ 3/ 1972	-154.35	-2.81	3535.65	01	06	1	
	P	1/ 22/ 1973	-155.13	-0.78	3534.87	01	06	1	
	P	1/ 15/ 1974	-157.74	-2.61	3532.26	01	06	1	
	P	1/ 9/ 1975	-162.56	-4.82	3527.44	01	06	1	
	P	1/ 9/ 1976	-166.57	-4.01	3523.43	01	06	1	
	P	1/ 13/ 1977	-170.06	-3.49	3519.94	01	06	1	
	P	1/ 9/ 1978	-172.44	-2.38	3517.56	01	06	1	
	P	1/ 24/ 1979	-176.02	-3.58	3513.98	01	06	1	
	P	12/ 11/ 1979	-177.99	-1.97	3512.01	01	06	1	
	P	1/ 6/ 1981	-181.82	-3.83	3508.18	01	06	1	
	P	1/ 20/ 1982	-184.74	-2.92	3505.26	01	06	1	
	P	2/ 23/ 1983	-188.24	-3.5	3501.76	01	06	1	
	N	1/ 7/ 1984				01	06		41
	P	1/ 17/ 1985	-197.4		3492.6	01	06	1	
	P	1/ 21/ 1986	-198.84	-1.44	3491.16	01	06	1	
	P	2/ 6/ 1987	-208.62	-9.78	3481.38	01	06	1	25
	P	1/ 18/ 1988	-200.19	8.43	3489.81	01	06	1	
	P	1/ 19/ 1989	-202.12	-1.93	3487.88	01	06	1	
	P	1/ 17/ 1990	-205.16	-3.04	3484.84	01	06	1	
	P	1/ 24/ 1991	-206.75	-1.59	3483.25	01	06	1	
	P	1/ 17/ 1992	-210.39	-3.64	3479.61	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 29/ 1993	-210.94	-0.55	3479.06	01	06	1	
	N	1 / 18/ 1994				01	06	7	44
	P	1 / 1 / 1996	-238.12		3451.88	01	06	1	
	P	1 / 18/ 1999	-234.85	3.27	3455.15	01	06	1	
	P	1 / 29/ 2002	-242.42	-7.57	3447.58	01	06	1	
	P	3 / 7 / 2003	-243.44	-1.02	3446.56	01	06	1	
	P	2 / 11/ 2004	-245.08	-1.64	3444.92	01	06	1	
	P	1 / 24/ 2005	-247.23	-2.15	3442.77	01	06	1	
	P	1 / 18/ 2006	-248.58	-1.35	3441.42	01	06	1	
	P	2 / 6 / 2007	-252.12	-3.54	3437.88	01	06	1	
	P	1 / 3 / 2008	-256.6	-4.48	3433.4	01	06	1	
	P	2 / 5 / 2009	-259.68	-3.08	3430.32	01	06	1	
	P	1 / 14/ 2010	-262.82	-3.14	3427.18	01	06	1	
	P	1 / 14/ 2011	-265.01	-2.19	3424.99	01	06	1	
	P	12 / 22/ 2011	-271.32	-6.31	3418.68	01	06	1	

Min *-271.32* **Max** *-86.67* **Avg** *-172.598*

1047501 *(Aquifer: 121OGLL Well Depth: 200)*

	P	1 / 8 / 1964	-119.68		3534.32	01	01	1	
	P	1 / 7 / 1965	-124.78	-5.1	3529.22	01	01	1	
	P	1 / 4 / 1966	-128.98	-4.2	3525.02	01	01	1	
	P	1 / 7 / 1967	-130.13	-1.15	3523.87	01	01	1	
	P	1 / 5 / 1968	-133.8	-3.67	3520.2	01	01	1	
	P	1 / 16/ 1969	-141.05	-7.25	3512.95	01	01	1	
	P	1 / 12/ 1970	-141.71	-0.66	3512.29	01	06	1	
	P	1 / 15/ 1971	-146.58	-4.87	3507.42	01	06	1	
	P	1 / 4 / 1972	-150.01	-3.43	3503.99	01	06	1	
	P	1 / 22/ 1973	-151.64	-1.63	3502.36	01	01	1	
	P	1 / 15/ 1974	-155.98	-4.34	3498.02	01	06	1	
	P	1 / 9 / 1975	-160.69	-4.71	3493.31	01	06	1	
	P	1 / 8 / 1976	-163.16	-2.47	3490.84	01	06	1	
	P	1 / 13/ 1977	-167.14	-3.98	3486.86	01	06	1	
	P	1 / 9 / 1978	-172.34	-5.2	3481.66	01	06	1	
	P	1 / 24/ 1979	-175.56	-3.22	3478.44	01	06	1	
	P	12 / 11/ 1979	-176.81	-1.25	3477.19	01	06	1	
	P	1 / 6 / 1981	-180.39	-3.58	3473.61	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1982	-183.49	-3.1	3470.51	01	06	1	
	P	2 / 22/ 1983	-187.21	-3.72	3466.79	01	06	1	
	N	1 / 3 / 1984				01	06		41
	P	1 / 17/ 1985	-192.46		3461.54	01	06	1	
	P	1 / 21/ 1986	-194.75	-2.29	3459.25	01	06	1	
	P	2 / 3 / 1987	-194.4	0.35	3459.6	01	06	1	
	P	1 / 18/ 1988	-194.15	0.25	3459.85	01	06	1	
	P	1 / 19/ 1989	-195.29	-1.14	3458.71	01	06	1	
	N	1 / 24/ 1990				01	06	1	44
	P	1 / 25/ 1991	-200.39		3453.61	01	06	1	

Min *-200.39* **Max** *-119.68* **Avg** *-163.945*

1047502 *(Aquifer: 121OGLL Well Depth: 280)*

	P	1 / 24/ 1990	-188.1		3459.9	01	06	1	
	P	2 / 25/ 1991	-190.8	-2.7	3457.2	01	06	1	
	P	2 / 10/ 1992	-192.39	-1.59	3455.61	01	06	1	
	P	2 / 1 / 1993	-193.82	-1.43	3454.18	01	06	1	
	P	1 / 19/ 1994	-197.94	-4.12	3450.06	01	06	1	
	P	1 / 24/ 1995	-200.54	-2.6	3447.46	01	06	1	
	P	1 / 17/ 1996	-204.98	-4.44	3443.02	01	06	1	
	P	2 / 11/ 1997	-209.59	-4.61	3438.41	01	06	1	
	P	1 / 21/ 1998	-211.69	-2.1	3436.31	01	06	1	
	P	1 / 18/ 1999	-218	-6.31	3430	01	06	1	
	P	1 / 11/ 2000	-219.96	-1.96	3428.04	01	06	1	
	P	2 / 6 / 2001	-224.22	-4.26	3423.78	01	06	1	
	P	2 / 8 / 2002	-223.59	0.63	3424.41	01	06	1	
	P	3 / 7 / 2003	-225.32	-1.73	3422.68	01	06	1	
	P	2 / 11/ 2004	-228.52	-3.2	3419.48	01	06	1	
	P	1 / 24/ 2005	-229.57	-1.05	3418.43	01	06	1	
	P	1 / 18/ 2006	-231.93	-2.36	3416.07	01	06	1	
	P	2 / 6 / 2007	-235.09	-3.16	3412.91	01	06	1	
	P	1 / 3 / 2008	-239.09	-4	3408.91	01	06	1	
	P	2 / 6 / 2009	-243.42	-4.33	3404.58	01	06	1	
	P	1 / 14/ 2010	-245.38	-1.96	3402.62	01	06	1	
	P	1 / 14/ 2011	-247.92	-2.54	3400.08	01	06	1	
	P	12 / 22/ 2011	-253.65	-5.73	3394.35	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -253.65		**Max -188.1**	**Avg -219.805**						
1047601	*(Aquifer: 121OGLL*		*Well Depth: 200)*						
	P	1 / 9 / 1963	-131.03		3509.97	01	07	7	
Min -131.03		**Max -131.03**	**Avg -131.03**						
1047701	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 25/ 1995	-237.72		3464.28	01	06	1	
	P	1 / 15/ 1996	-242.86	-5.14	3459.14	01	06	1	
	P	2 / 11/ 1997	-246.95	-4.09	3455.05	01	06	1	
	P	1 / 21/ 1998	-253.99	-7.04	3448.01	01	06	1	
	N	1 / 18/ 1999				01	06	7	44
	N	1 / 12/ 2000				01	06	7	44
Min -253.99		**Max -237.72**	**Avg -245.38**						
1047703	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 6 / 2010	-291.09		3395.91	01	06	1	
	P	1 / 14/ 2011	-293.38	-2.29	3393.62	01	06	1	
	P	12 / 22/ 2011	-399.4	-106	3287.6	01	06	1	
Min -399.4		**Max -291.09**	**Avg -327.957**						
1047801	*(Aquifer: 121OGLL*		*Well Depth: 198)*						
	P	3 / 11/ 1949	-96.27		3579.73	01	12	7	27
	P	2 / 16/ 1950	-98.35	-2.08	3577.65	01	12	7	01
	P	1 / 12/ 1951	-98.55	-0.2	3577.45	01	12	7	01
	P	1 / 25/ 1952	-104.8	-6.25	3571.2	01	12	7	01
	P	1 / 31/ 1952	-104.78	0.02	3571.22	01	12	7	01
	P	1 / 14/ 1953	-108.86	-4.08	3567.14	01	12	7	01
	P	1 / 6 / 1954	-113.72	-4.86	3562.28	01	12	7	01
	P	1 / 3 / 1955	-119.2	-5.48	3556.8	01	12	7	01
	P	1 / 9 / 1956	-124.13	-4.93	3551.87	01	12	7	01
	P	1 / 10/ 1957	-129.55	-5.42	3546.45	01	12	7	01
	P	1 / 25/ 1958	-132.36	-2.81	3543.64	01	12	7	01
	P	1 / 7 / 1959	-133.38	-1.02	3542.62	01	12	7	01
	P	1 / 25/ 1960	-138.45	-5.07	3537.55	01	12	7	01
	P	1 / 17/ 1961	-139.48	-1.03	3536.52	01	04	1	
	P	1 / 9 / 1962	-147.05	-7.57	3528.95	01	01	1	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1963	-148.05	-1	3527.95	01	01	1	
	P	1/ 9/1964	-150.61	-2.56	3525.39	01	01	1	
	P	1/ 7/1965	-154.72	-4.11	3521.28	01	01	1	
	P	1/ 3/1966	-159.81	-5.09	3516.19	01	01	1	
	P	1/ 7/1967	-161.66	-1.85	3514.34	01	01	1	
	P	1/ 5/1968	-165.39	-3.73	3510.61	01	01	1	
	P	1/15/1969	-168.04	-2.65	3507.96	01	01	1	
	P	1/12/1970	-172.14	-4.1	3503.86	01	06	1	
	P	1/15/1971	-176.14	-4	3499.86	01	06	1	
	P	1/ 4/1972	-183.12	-6.98	3492.88	01	06	1	
	P	1/22/1973	-183.28	-0.16	3492.72	01	01	1	
	P	1/15/1974	-184.58	-1.3	3491.42	01	06	1	
	P	1/ 9/1975	-190.33	-5.75	3485.67	01	06	1	
	P	1/12/1976	-194.64	-4.31	3481.36	01	06	1	
	P	1/13/1977	-198.73	-4.09	3477.27	01	06	1	
	P	1/ 9/1978	-202.73	-4	3473.27	01	06	1	
	P	1/24/1979	-208.29	-5.56	3467.71	01	06	1	
	N	12/11/1979				01	06		51
	N	12/ 0/1980				01	06		51

Min *-208.29* **Max** *-96.27* **Avg** *-149.725*

1047802 *(Aquifer: 121OGLL Well Depth: 357)*

	P	12/11/1979	-211.61		3464.39	01	06	1	
	P	1/ 6/1981	-213.12	-1.51	3462.88	01	06	1	
	P	1/20/1982	-215.6	-2.48	3460.4	01	06	1	
	P	2/22/1983	-218.24	-2.64	3457.76	01	06	1	
	P	1/ 3/1984	-218.71	-0.47	3457.29	01	06	1	
	P	1/17/1985	-222.47	-3.76	3453.53	01	06	1	
	P	1/21/1986	-223.95	-1.48	3452.05	01	06	1	
	P	1/27/1987	-225.61	-1.66	3450.39	01	06	1	
	P	1/18/1988	-222.66	2.95	3453.34	01	06	1	
	P	1/19/1989	-222.72	-0.06	3453.28	01	06	1	
	P	1/24/1990	-226.16	-3.44	3449.84	01	06	1	
	P	1/24/1991	-229.21	-3.05	3446.79	01	06	1	
	P	1/17/1992	-232.65	-3.44	3443.35	01	06	1	
	P	2/ 1/1993	-234.75	-2.1	3441.25	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 1994	-238.32	-3.57	3437.68	01	06	1	
	P	1 / 24/ 1995	-241.75	-3.43	3434.25	01	06	1	
	P	1 / 17/ 1996	-245.78	-4.03	3430.22	01	06	1	
	P	2 / 11/ 1997	-247.9	-2.12	3428.1	01	06	1	
	P	1 / 21/ 1998	-249.13	-1.23	3426.87	01	06	1	
	P	1 / 18/ 1999	-254	-4.87	3422	01	06	1	
	P	1 / 11/ 2000	-255.19	-1.19	3420.81	01	06	1	
	P	2 / 7 / 2001	-259.42	-4.23	3416.58	01	06	1	
	P	2 / 8 / 2002	-261.9	-2.48	3414.1	01	06	1	
	P	3 / 28/ 2003	-268.64	-6.74	3407.36	01	06	1	
	P	2 / 11/ 2004	-272.48	-3.84	3403.52	01	06	1	
	P	1 / 25/ 2005	-270.28	2.2	3405.72	01	06	1	
	P	1 / 23/ 2006	-276.53	-6.25	3399.47	01	06	1	
	P	2 / 6 / 2007	-277.04	-0.51	3398.96	01	06	1	
	N	1 / 3 / 2008				01	06		41
	P	3 / 3 / 2009	-284.92		3391.08	01	06	1	
	N	1 / 6 / 2010				01	06		41
	N	1 / 14/ 2011				01	06		41
	N	12 / 22/ 2011				01	06		41

Min *-284.92* **Max** *-211.61* **Avg** *-242.094*

1047803 *(Aquifer: 121OGLL Well Depth: 230)*

	P	11 / 3 / 1950	-80.4		3569.6	01	04	1	

Min *-80.4* **Max** *-80.4* **Avg** *-80.4*

1047901 *(Aquifer: 121OGLL Well Depth: 340)*

	P	10 / 4 / 2005	-257.66		3370.34	01	06	1	
	P	2 / 6 / 2009	-265.15	-7.49	3362.85	01	06	1	
	P	1 / 6 / 2010	-269.37	-4.22	3358.63	01	06	1	
	P	1 / 14/ 2011	-271.4	-2.03	3356.6	01	06	1	
	P	12 / 22/ 2011	-277.34	-5.94	3350.66	01	06	1	

Min *-277.34* **Max** *-257.66* **Avg** *-268.184*

1048401 *(Aquifer: 121OGLL Well Depth: 250)*

	P	5 / 27/ 1937	-77.43		3554.57	01	12	7	01
	P	3 / 22/ 1949	-79.18	-1.75	3552.82	01	12	7	01
	P	2 / 16/ 1950	-80.12	-0.94	3551.88	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1951	-86.27	-6.15	3545.73	01	12	7	01
	P	1 / 25/ 1952	-85.27	1	3546.73	01	12	7	01
	P	1 / 13/ 1953	-90.55	-5.28	3541.45	01	12	7	01
	P	1 / 6 / 1954	-95.75	-5.2	3536.25	01	12	7	01
	P	1 / 3 / 1955	-100.34	-4.59	3531.66	01	12	7	01
	P	1 / 9 / 1956	-103.93	-3.59	3528.07	01	12	7	01
	P	1 / 24/ 1958	-111.74	-7.81	3520.26	01	12	7	01
	P	1 / 7 / 1959	-111.34	0.4	3520.66	01	12	7	01
	P	1 / 25/ 1960	-120.98	-9.64	3511.02	01	12	7	01
	P	1 / 17/ 1961	-123.22	-2.24	3508.78	01	04	1	
	P	1 / 9 / 1962	-125.9	-2.68	3506.1	01	01	1	
	P	1 / 9 / 1963	-129.33	-3.43	3502.67	01	01	1	
	P	1 / 29/ 1963	-124.92	4.41	3507.08	01	01	1	
	P	1 / 8 / 1964	-130.15	-5.23	3501.85	01	01	1	
	P	1 / 7 / 1965	-135.72	-5.57	3496.28	01	01	1	
	P	1 / 4 / 1966	-140.28	-4.56	3491.72	01	01	1	
	N	1 / 7 / 1967				01	01	1	45
	P	1 / 5 / 1968	-146.54		3485.46	01	01	1	
	N	1 / 16/ 1969				01	01	1	44

Min *-146.54* **Max** *-77.43* **Avg** *-109.948*

1048403 *(Aquifer: 121OGLL Well Depth: 335)*

	P	12 / 10/ 1968	-152.98		3479.02	01	06	1	
	P	1 / 12/ 1970	-156.41	-3.43	3475.59	01	06	1	04
	P	1 / 15/ 1971	-167.56	-11.2	3464.44	01	06	1	
	P	1 / 4 / 1972	-164.7	2.86	3467.3	01	06	1	
	P	1 / 22/ 1973	-165.62	-0.92	3466.38	01	01	1	
	P	1 / 15/ 1974	-167.33	-1.71	3464.67	01	06	1	
	P	1 / 9 / 1975	-173.8	-6.47	3458.2	01	06	1	
	P	1 / 8 / 1976	-178.02	-4.22	3453.98	01	06	1	
	P	1 / 13/ 1977	-184.37	-6.35	3447.63	01	06	1	
	P	1 / 9 / 1978	-189.77	-5.4	3442.23	01	06	1	
	P	1 / 23/ 1979	-193.87	-4.1	3438.13	01	06	1	
	P	12 / 11/ 1979	-199.11	-5.24	3432.89	01	06	1	
	P	1 / 6 / 1981	-198.97	0.14	3433.03	01	06	1	
	P	1 / 20/ 1982	-202.2	-3.23	3429.8	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 22/ 1983	-205.44	-3.24	3426.56	01	06	1	
	P	1 / 3 / 1984	-207.59	-2.15	3424.41	01	06	1	
	P	1 / 17/ 1985	-211.49	-3.9	3420.51	01	06	1	
	P	1 / 21/ 1986	-212.05	-0.56	3419.95	01	06	1	
	P	2 / 3 / 1987	-211.4	0.65	3420.6	01	06	1	
	P	1 / 18/ 1988	-211.06	0.34	3420.94	01	06	1	
	P	1 / 19/ 1989	-211.56	-0.5	3420.44	01	06	1	
	P	1 / 24/ 1990	-215.78	-4.22	3416.22	01	06	1	
	P	1 / 25/ 1991	-218.83	-3.05	3413.17	01	06	1	
	P	1 / 17/ 1992	-222.72	-3.89	3409.28	01	06	1	
	P	2 / 1 / 1993	-224.77	-2.05	3407.23	01	06	1	
	P	1 / 19/ 1994	-226.98	-2.21	3405.02	01	06	1	
	P	2 / 24/ 1995	-225.5	1.48	3406.5	01	06	1	
	P	2 / 14/ 1996	-235.19	-9.69	3396.81	01	06	1	
	P	2 / 18/ 1997	-242.46	-7.27	3389.54	01	06	1	
	P	1 / 21/ 1998	-245.84	-3.38	3386.16	01	06	1	
	P	1 / 18/ 1999	-251	-5.16	3381	01	06	1	
	P	1 / 11/ 2000	-253.39	-2.39	3378.61	01	06	1	
	P	2 / 7 / 2001	-256.1	-2.71	3375.9	01	06	1	
	P	2 / 11/ 2002	-257.82	-1.72	3374.18	01	06	1	
	P	3 / 7 / 2003	-261.55	-3.73	3370.45	01	06	1	
	N	2 / 11/ 2004				01	06	1	44
	N	1 / 24/ 2005				01	06	1	44
	N	3 / 6 / 2006				01	06	7	44
	N	2 / 6 / 2007				01	06		61
	N	1 / 3 / 2008				01	06		81
	N	3 / 14/ 2008				01	06		63

Min *-261.55* **Max** *-152.98* **Avg** *-208.664*

1048404 *(Aquifer: 121OGLL Well Depth:)*

	P	3 / 6 / 2006	-261		3371	01	06	1
	P	1 / 3 / 2008	-269.41	-8.41	3362.59	01	06	1
	P	2 / 6 / 2009	-273.94	-4.53	3358.06	01	06	1
	P	1 / 6 / 2010	-277.71	-3.77	3354.29	01	06	1
	P	1 / 14/ 2011	-280.75	-3.04	3351.25	01	06	1
	P	12 / 22/ 2011	-285.81	-5.06	3346.19	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -285.81		**Max -261**	**Avg -274.77**						
1048702	*(Aquifer: 121OGLL*		*Well Depth: 185)*						
	P	5 / 27/ 1937	-66.05		3545.95	01	12	7	01
	P	3 / 22/ 1949	-70.43	-4.38	3541.57	01	12	7	01
	P	2 / 16/ 1950	-73.25	-2.82	3538.75	01	12	7	01
	P	10 / 30/ 1950	-74.46	-1.21	3537.54	01	12	7	01
	P	1 / 25/ 1952	-74.85	-0.39	3537.15	01	12	7	01
	P	1 / 13/ 1953	-78.85	-4	3533.15	01	12	7	01
	P	1 / 6 / 1954	-82.63	-3.78	3529.37	01	12	7	01
	P	1 / 3 / 1955	-87.4	-4.77	3524.6	01	12	7	01
	P	1 / 9 / 1956	-92.35	-4.95	3519.65	01	12	7	01
Min -92.35		**Max -66.05**	**Avg -77.8078**						
1048703	*(Aquifer: 121OGLL*		*Well Depth: 240)*						
	P	10 / 30/ 1950	-97.7		3533.3	01	04	1	
Min -97.7		**Max -97.7**	**Avg -97.7**						
1052101	*(Aquifer: 121OGLL*		*Well Depth: 105)*						
	P	11 / 14/ 1934	-13.79		3736.21	01	12	7	01
	P	5 / 9 / 1936	-15.38	-1.59	3734.62	01	12	7	01
	P	8 / 16/ 1936	-15.43	-0.05	3734.57	01	12	7	01
	P	1 / 25/ 1937	-15.26	0.17	3734.74	01	12	7	01
	P	6 / 21/ 1937	-14.57	0.69	3735.43	01	12	7	01
	P	3 / 30/ 1938	-14.63	-0.06	3735.37	01	12	7	01
	P	9 / 16/ 1938	-15.96	-1.33	3734.04	01	12	7	01
	P	10 / 25/ 1938	-15.76	0.2	3734.24	01	12	7	01
	P	12 / 1 / 1938	-16.1	-0.34	3733.9	01	12	7	01
	P	3 / 10/ 1939	-15.18	0.92	3734.82	01	12	7	01
	P	7 / 7 / 1939	-16.03	-0.85	3733.97	01	12	7	01
	P	12 / 7 / 1939	-16.1	-0.07	3733.9	01	12	7	01
	P	10 / 28/ 1940	-17.14	-1.04	3732.86	01	12	7	01
	P	11 / 13/ 1940	-17.08	0.06	3732.92	01	12	7	01
	P	1 / 27/ 1941	-16.89	0.19	3733.11	01	12	7	01
	P	3 / 30/ 1941	-16.74	0.15	3733.26	01	12	7	01
	P	7 / 31/ 1941	-7.38	9.36	3742.62	01	12	7	01
	P	11 / 1 / 1941	-5.31	2.07	3744.69	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 16/ 1942	-6.72	-1.41	3743.28	01	12	7	01
	P	7 / 3 / 1942	-8.13	-1.41	3741.87	01	12	7	01
	P	11 / 30/ 1942	-8.14	-0.01	3741.86	01	12	7	01
	P	2 / 4 / 1943	-8.25	-0.11	3741.75	01	12	7	01
	P	2 / 14/ 1944	-10.3	-2.05	3739.7	01	12	7	01
	P	2 / 28/ 1946	-14.34	-4.04	3735.66	01	12	7	01
	P	3 / 13/ 1947	-14.97	-0.63	3735.03	01	12	7	01
	P	3 / 11/ 1949	-21.44	-6.47	3728.56	01	12	7	01
	P	2 / 17/ 1950	-22.32	-0.88	3727.68	01	12	7	01
	P	1 / 12/ 1951	-23.45	-1.13	3726.55	01	12	7	01
	P	1 / 25/ 1952	-23.05	0.4	3726.95	01	12	7	01
	P	1 / 14/ 1953	-27.2	-4.15	3722.8	01	12	7	01
	P	1 / 6 / 1954	-32.07	-4.87	3717.93	01	12	7	01
	P	1 / 12/ 1956	-43.91	-11.8	3706.09	01	12	7	01
	P	1 / 12/ 1957	-48.78	-4.87	3701.22	01	12	7	01
	P	1 / 24/ 1958	-53.98	-5.2	3696.02	01	12	7	01
	P	1 / 7 / 1959	-58.86	-4.88	3691.14	01	12	7	01
	P	1 / 8 / 1960	-58.2	0.66	3691.8	01	12	7	01
	P	1 / 18/ 1961	-61.05	-2.85	3688.95	01	04	1	
	P	1 / 11/ 1962	-57.64	3.41	3692.36	01	01	1	
	P	1 / 9 / 1963	-58.4	-0.76	3691.6	01	01	1	
	P	3 / 11/ 1963	-57.8	0.6	3692.2	01	01	1	
	P	1 / 8 / 1964	-60.92	-3.12	3689.08	01	01	1	
	P	1 / 7 / 1965	-65.62	-4.7	3684.38	01	01	1	
	P	1 / 5 / 1966	-69.07	-3.45	3680.93	01	01	1	
	P	1 / 7 / 1967	-67.5	1.57	3682.5	01	01	2	
	P	1 / 4 / 1968	-70.7	-3.2	3679.3	01	01	1	
	P	1 / 14/ 1969	-70.55	0.15	3679.45	01	01	1	
	P	1 / 11/ 1970	-72.24	-1.69	3677.76	01	06	1	
	P	1 / 14/ 1971	-74.54	-2.3	3675.46	01	06	1	
	P	1 / 3 / 1972	-78.66	-4.12	3671.34	01	06	1	
	P	1 / 21/ 1973	-80.04	-1.38	3669.96	01	01	1	
	P	1 / 17/ 1974	-82.65	-2.61	3667.35	01	06	1	
	N	1 / 10/ 1975				01	06		40

Min *-82.65* **Max** *-5.31* **Avg** *-34.8278*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1052102	(Aquifer: 121OGLL		Well Depth: 125	)					
	P	10 / 26/ 1936	-15.79		3729.21	01	12	7	01
	P	1 / 26/ 1937	-15.54	0.25	3729.46	01	12	7	01
	P	8 / 30/ 1937	-15.43	0.11	3729.57	01	12	7	01
	P	11 / 21/ 1937	-15	0.43	3730	01	12	7	01
	P	1 / 10/ 1938	-15		3730	01	12	7	01
	P	3 / 30/ 1938	-14.97	0.03	3730.03	01	12	7	01
	P	9 / 16/ 1938	-16.34	-1.37	3728.66	01	12	7	01
	P	10 / 25/ 1938	-16	0.34	3729	01	12	7	01
	P	12 / 1 / 1938	-15.83	0.17	3729.17	01	12	7	01
	P	3 / 10/ 1939	-15.48	0.35	3729.52	01	12	7	01
	P	7 / 7 / 1939	-16.64	-1.16	3728.36	01	12	7	01
	P	12 / 7 / 1939	-16.52	0.12	3728.48	01	12	7	01
	P	11 / 13/ 1940	-17.33	-0.81	3727.67	01	12	7	01
	P	1 / 27/ 1941	-16.96	0.37	3728.04	01	12	7	01
	P	3 / 10/ 1941	-16.85	0.11	3728.15	01	12	7	01
	P	11 / 17/ 1941	-6.16	10.69	3738.84	01	12	7	01
	P	3 / 16/ 1942	-7.81	-1.65	3737.19	01	12	7	01
	P	3 / 15/ 1944	-12.52	-4.71	3732.48	01	12	7	01
	P	2 / 19/ 1945	-12.95	-0.43	3732.05	01	12	7	01
	P	2 / 28/ 1946	-14.67	-1.72	3730.33	01	12	7	01
	P	3 / 13/ 1947	-14.68	-0.01	3730.32	01	12	7	01
	P	2 / 19/ 1948	-17.08	-2.4	3727.92	01	12	7	01
	P	3 / 11/ 1949	-21.05	-3.97	3723.95	01	12	7	01
	P	2 / 17/ 1950	-20.12	0.93	3724.88	01	12	7	01
	P	1 / 12/ 1951	-20.13	-0.01	3724.87	01	12	7	01
	P	1 / 25/ 1952	-22.67	-2.54	3722.33	01	12	7	01
	P	1 / 14/ 1953	-26.25	-3.58	3718.75	01	12	7	01
	P	1 / 6 / 1954	-29.7	-3.45	3715.3	01	12	7	01
	P	1 / 4 / 1955	-36.01	-6.31	3708.99	01	12	7	01
	P	1 / 12/ 1956	-42.45	-6.44	3702.55	01	12	7	01
	P	1 / 12/ 1957	-48.38	-5.93	3696.62	01	12	7	01
	P	1 / 24/ 1958	-51.91	-3.53	3693.09	01	12	7	01
	P	1 / 7 / 1959	-54.2	-2.29	3690.8	01	12	7	01
	P	1 / 9 / 1960	-56.27	-2.07	3688.73	01	12	7	01
	P	1 / 18/ 1961	-56.74	-0.47	3688.26	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 1962	-55.66	1.08	3689.34	01	01	1	

Min *-56.74* **Max** *-6.16* **Avg** *-24.0858*

1052103 *(Aquifer: 121OGLL Well Depth: 120)*

P	4 / 4 / 1949	-18.9		3722.1	01	12	7	01
P	5 / 28/ 1949	-35.6	-16.7	3705.4	01	12	7	01
P	5 / 31/ 1949	-20.6	15	3720.4	01	12	7	01
P	6 / 20/ 1949	-20	0.6	3721	01	12	7	01
P	8 / 26/ 1949	-35.5	-15.5	3705.5	01	12	7	01
P	9 / 30/ 1949	-25.3	10.2	3715.7	01	12	7	01
P	10 / 25/ 1949	-22.2	3.1	3718.8	01	12	7	01
P	11 / 25/ 1949	-20.5	1.7	3720.5	01	12	7	01
P	12 / 23/ 1949	-19.7	0.8	3721.3	01	12	7	01
P	1 / 25/ 1950	-19.1	0.6	3721.9	01	12	7	01
P	2 / 24/ 1950	-20.1	-1	3720.9	01	12	7	01
P	4 / 24/ 1950	-24.6	-4.5	3716.4	01	12	7	01
P	5 / 26/ 1950	-23.3	1.3	3717.7	01	12	7	01
P	7 / 24/ 1950	-22.8	0.5	3718.2	01	12	7	01
P	9 / 7 / 1950	-28.9	-6.1	3712.1	01	12	7	01
P	9 / 25/ 1950	-22.9	6	3718.1	01	12	7	01
P	10 / 19/ 1950	-20.8	2.1	3720.2	01	12	7	01
P	11 / 24/ 1950	-19.5	1.3	3721.5	01	12	7	01
P	12 / 21/ 1950	-18.9	0.6	3722.1	01	12	7	01
P	1 / 23/ 1951	-18.6	0.3	3722.4	01	12	7	01
P	2 / 23/ 1951	-18.2	0.4	3722.8	01	12	7	01
P	3 / 22/ 1951	-17.8	0.4	3723.2	01	12	7	01
P	4 / 23/ 1951	-23	-5.2	3718	01	12	7	01
P	5 / 21/ 1951	-25.6	-2.6	3715.4	01	12	7	01
P	6 / 26/ 1951	-20.9	4.7	3720.1	01	12	7	01
P	7 / 24/ 1951	-18.4	2.5	3722.6	01	12	7	01
P	8 / 28/ 1951	-28.3	-9.9	3712.7	01	12	7	01
P	10 / 23/ 1951	-29	-0.7	3712	01	12	7	01
P	11 / 27/ 1951	-24.5	4.5	3716.5	01	12	7	01
P	12 / 26/ 1951	-22.5	2	3718.5	01	12	7	01
P	1 / 30/ 1952	-20.4	2.1	3720.6	01	12	7	01
P	2 / 25/ 1952	-22	-1.6	3719	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -35.6		**Max -17.8**	**Avg -22.7625**						
1052107	*(Aquifer: 121OGLL*		*Well Depth: 190)*						
	P	9 / 22/ 2001	-129.16		3607.84	01	04	1	
Min -129.16		**Max -129.16**	**Avg -129.16**						
1052108	*(Aquifer: 121OGLL*		*Well Depth: 130)*						
	P	1 / 9 / 1963	-57.09		3687.91	01	01	1	
Min -57.09		**Max -57.09**	**Avg -57.09**						
1052202	*(Aquifer: 121OGLL*		*Well Depth: 172)*						
	P	2 / 27/ 1969	-41.9		3690.1	01	06	1	
	P	1 / 11/ 1970	-43.77	-1.87	3688.23	01	06	1	
	N	1 / 14/ 1971				01	06		42
	P	1 / 3 / 1972	-53.03		3678.97	01	06	1	
	P	1 / 20/ 1973	-56.6	-3.57	3675.4	01	01	1	
	P	1 / 16/ 1974	-66.38	-9.78	3665.62	01	06	1	04
	P	1 / 7 / 1975	-64.53	1.85	3667.47	01	06	1	
	P	1 / 6 / 1976	-77.47	-12.9	3654.53	01	06	1	
	P	1 / 14/ 1977	-82.52	-5.05	3649.48	01	06	1	
Min -82.52		**Max -41.9**	**Avg -60.775**						
1052209	*(Aquifer: 121OGLL*		*Well Depth: 180)*						
	P	2 / 24/ 1977	-73.4		3649.6	01	06	1	
	P	1 / 16/ 1978	-83.7	-10.3	3639.3	01	06	1	
	P	1 / 11/ 1979	-87.2	-3.5	3635.8	01	06	1	
	P	1 / 7 / 1980	-93.98	-6.78	3629.02	01	06	1	
	P	1 / 12/ 1981	-98.58	-4.6	3624.42	01	06	1	
	P	1 / 19/ 1982	-101.5	-2.92	3621.5	01	06	1	
	P	2 / 16/ 1983	-103.92	-2.42	3619.08	01	06	1	
	P	1 / 5 / 1984	-105.49	-1.57	3617.51	01	06	1	
	P	1 / 22/ 1985	-106.26	-0.77	3616.74	01	06	1	
	P	1 / 16/ 1986	-105.85	0.41	3617.15	01	06	1	
	P	2 / 2 / 1987	-109	-3.15	3614	01	06	1	
	P	1 / 15/ 1988	-105.46	3.54	3617.54	01	06	1	
	P	1 / 23/ 1989	-106.26	-0.8	3616.74	01	06	1	
	P	1 / 17/ 1990	-108.16	-1.9	3614.84	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 1991	-108.55	-0.39	3614.45	01	06	1	
	P	2 / 12/ 1992	-109.02	-0.47	3613.98	01	06	1	
	P	1 / 12/ 1993	-109.37	-0.35	3613.63	01	06	1	
	P	1 / 20/ 1994	-111.54	-2.17	3611.46	01	06	1	
	P	1 / 16/ 1995	-114.24	-2.7	3608.76	01	06	1	
	P	2 / 14/ 1996	-116.52	-2.28	3606.48	01	06	1	
	P	2 / 7 / 1997	-119.9	-3.38	3603.1	01	06	1	
	P	1 / 19/ 1998	-119.22	0.68	3603.78	01	06	1	
	N	1 / 14/ 1999				01	06	7	44
	N	1 / 14/ 2000				01	06	7	44

Min *-119.9* **Max** *-73.4* **Avg** *-104.415*

1052210 *(Aquifer: 121OGLL Well Depth: 56)*

	P	5 / 12/ 1952	-12.3		3707.7	01	04	1	

Min *-12.3* **Max** *-12.3* **Avg** *-12.3*

1052211 *(Aquifer: 121OGLL Well Depth: 192)*

	P	1 / 14/ 1999	-120.62		3602.38	01	06	1	
	P	1 / 14/ 2000	-120.88	-0.26	3602.12	01	06	1	
	P	1 / 12/ 2001	-122.17	-1.29	3600.83	01	06	1	
	P	1 / 22/ 2002	-121.28	0.89	3601.72	01	06	1	
	P	2 / 13/ 2003	-122.17	-0.89	3600.83	01	06	1	
	N	2 / 4 / 2004				01	06		51
	N	1 / 7 / 2005				01	06		42
	N	1 / 18/ 2006				01	06		42
	N	1 / 7 / 2008				01	06		81
	N	3 / 14/ 2008				01	06		63

Min *-122.17* **Max** *-120.62* **Avg** *-121.424*

1052212 *(Aquifer: 121OGLL Well Depth: 201)*

	P	3 / 2 / 2005	-123.49		3596.51	01	06	1	
	N	3 / 2 / 2009				01	06		41
	P	1 / 12/ 2010	-128.4		3591.6	01	06	1	
	N	1 / 10/ 2011				01	06		61
	P	12 / 28/ 2011	-129.85		3590.15	01	06	1	

Min *-129.85* **Max** *-123.49* **Avg** *-127.247*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1052304	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	10 / 24/ 1938	-12.01		3697.99	01	12	7	01
	P	1 / 16/ 1939	-11.14	0.87	3698.86	01	12	7	01
	P	3 / 4 / 1939	-11.24	-0.1	3698.76	01	12	7	01
	P	4 / 3 / 1939	-11.21	0.03	3698.79	01	12	7	01
	P	6 / 22/ 1939	-11.6	-0.39	3698.4	01	12	7	01
	P	7 / 7 / 1939	-11.26	0.34	3698.74	01	12	7	01
	P	7 / 14/ 1939	-11.45	-0.19	3698.55	01	12	7	01
	P	8 / 15/ 1939	-10.08	1.37	3699.92	01	12	7	01
	P	10 / 13/ 1939	-11.09	-1.01	3698.91	01	12	7	01
	P	12 / 18/ 1939	-11.31	-0.22	3698.69	01	12	7	01
	P	3 / 25/ 1940	-11.22	0.09	3698.78	01	12	7	01
	P	4 / 22/ 1940	-11.18	0.04	3698.82	01	12	7	01
	P	11 / 18/ 1940	-12	-0.82	3698	01	12	7	01
	P	3 / 20/ 1941	-11.87	0.13	3698.13	01	12	7	01
	P	5 / 30/ 1941	-6.35	5.52	3703.65	01	12	7	01
	P	7 / 31/ 1941	-3.85	2.5	3706.15	01	12	7	01
	P	3 / 14/ 1942	-3.57	0.28	3706.43	01	12	7	01
	P	7 / 28/ 1942	-5.99	-2.42	3704.01	01	12	7	01
	P	11 / 30/ 1942	-5.85	0.14	3704.15	01	12	7	01
	P	2 / 4 / 1943	-5.74	0.11	3704.26	01	12	7	01

Min ***-12.01*** **Max** ***-3.57*** **Avg** ***-9.5005***

1052305	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	9 / 23/ 1938	-25.06		3688.94	01	12	7	01
	P	10 / 24/ 1938	-25.21	-0.15	3688.79	01	12	7	01
	P	1 / 16/ 1939	-24.34	0.87	3689.66	01	12	7	01
	P	3 / 4 / 1939	-24.06	0.28	3689.94	01	12	7	01
	P	4 / 3 / 1939	-24.03	0.03	3689.97	01	12	7	01
	P	6 / 22/ 1939	-24.27	-0.24	3689.73	01	12	7	01
	P	7 / 7 / 1939	-24.27		3689.73	01	12	7	01
	P	7 / 14/ 1939	-24.29	-0.02	3689.71	01	12	7	01
	P	8 / 15/ 1939	-24.14	0.15	3689.86	01	12	7	01
	P	9 / 15/ 1939	-23.87	0.27	3690.13	01	12	7	01
	P	10 / 17/ 1939	-23.88	-0.01	3690.12	01	12	7	01
	P	12 / 18/ 1939	-23.9	-0.02	3690.1	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 25/ 1940	-23.88	0.02	3690.12	01	12	7	01
	P	4 / 22/ 1940	-23.86	0.02	3690.14	01	12	7	01
	P	11 / 18/ 1940	-24.56	-0.7	3689.44	01	12	7	01
	P	3 / 30/ 1941	-24.41	0.15	3689.59	01	12	7	01
	P	5 / 30/ 1941	-23.28	1.13	3690.72	01	12	7	01
	P	3 / 14/ 1942	-9.07	14.21	3704.93	01	12	7	01
	P	7 / 28/ 1942	-11.45	-2.38	3702.55	01	12	7	01
	P	8 / 27/ 1942	-12.3	-0.85	3701.7	01	12	7	01
	P	11 / 30/ 1942	-12.3		3701.7	01	12	7	01
	P	2 / 4 / 1943	-13.53	-1.23	3700.47	01	12	7	01

Min *-25.21* **Max** *-9.07* **Avg** *-21.3618*

1052308 *(Aquifer: 121OGLL Well Depth: 164)*

	P	1 / 7 / 1980	-103.17		3619.83	01	06	1	
	N	1 / 12/ 1981				01	06		41
	P	1 / 19/ 1982	-103.54		3619.46	01	06	1	
	P	2 / 16/ 1983	-101.26	2.28	3621.74	01	06	1	
	P	1 / 7 / 1984	-102.52	-1.26	3620.48	01	06	1	
	P	1 / 17/ 1985	-104.11	-1.59	3618.89	01	06	1	
	P	1 / 24/ 1986	-104.56	-0.45	3618.44	01	06	1	
	P	2 / 2 / 1987	-104.56		3618.44	01	06	1	
	P	1 / 15/ 1988	-104.67	-0.11	3618.33	01	06	1	
	P	1 / 23/ 1989	-105.4	-0.73	3617.6	01	06	1	
	P	1 / 17/ 1990	-106.34	-0.94	3616.66	01	06	1	
	P	1 / 17/ 1991	-107.13	-0.79	3615.87	01	06	1	
	P	2 / 12/ 1992	-110.08	-2.95	3612.92	01	06	1	
	P	1 / 20/ 1994	-110.35	-0.27	3612.65	01	06	1	
	P	1 / 16/ 1995	-111.42	-1.07	3611.58	01	06	1	
	P	1 / 22/ 1996	-112.72	-1.3	3610.28	01	06	1	
	N	2 / 7 / 1997				01	06		41
	P	1 / 16/ 1998	-124.74		3598.26	01	06	1	
	P	1 / 14/ 1999	-119	5.74	3604	01	06	1	
	P	1 / 17/ 2000	-119.02	-0.02	3603.98	01	06	1	
	P	1 / 16/ 2001	-119.33	-0.31	3603.67	01	06	1	
	P	3 / 8 / 2002	-119.37	-0.04	3603.63	01	06	1	
	P	2 / 13/ 2003	-120.2	-0.83	3602.8	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 9 / 2004	-120.88	-0.68	3602.12	01	06	1	
	N	1 / 7 / 2005				01	06		61
	P	3 / 14/ 2006	-121.55		3601.45	01	06	1	
	P	2 / 8 / 2007	-121.83	-0.28	3601.17	01	06	1	
	P	1 / 7 / 2008	-122.08	-0.25	3600.92	01	06	1	
	P	1 / 30/ 2009	-122.34	-0.26	3600.66	01	06	1	
	P	1 / 12/ 2010	-122.71	-0.37	3600.29	01	06	1	
	P	1 / 18/ 2011	-123.34	-0.63	3599.66	01	06	1	
	P	2 / 23/ 2012	-123.96	-0.62	3599.04	01	06	1	

Min *-124.74* **Max** *-101.26* **Avg** *-113.523*

1052310 *(Aquifer: 121OGLL Well Depth:)*

	P	5 / 5 / 1952	-5.5		3690.5	01	04	1	

Min *-5.5* **Max** *-5.5* **Avg** *-5.5*

1052401 *(Aquifer: 121OGLL Well Depth: 228)*

	P	3 / 25/ 1958	-41.47		3732.53	01	08	1	
	P	11 / 10/ 1981	-109.1	-67.6	3664.9	01	08	2	
	P	4 / 23/ 1985	-112.42	-3.32	3661.58	01	08	2	
	P	7 / 13/ 1987	-121.94	-9.52	3652.06	01	08	2	
	P	4 / 18/ 1988	-121.75	0.19	3652.25	01	08	2	
	P	3 / 6 / 1989	-111.5	10.25	3662.5	01	08	2	

Min *-121.94* **Max** *-41.47* **Avg** *-103.03*

1052403 *(Aquifer: 121OGLL Well Depth: 209)*

	P	3 / 25/ 1958	-39.96		3726.04	01	08	1	
	P	11 / 10/ 1981	-125.1	-85.1	3640.9	01	08	2	
	P	4 / 24/ 1985	-97.83	27.27	3668.17	01	08	2	
	P	7 / 13/ 1987	-117.79	-20	3648.21	01	08	2	
	P	4 / 18/ 1988	-118.4	-0.61	3647.6	01	08	2	
	P	3 / 6 / 1989	-108.17	10.23	3657.83	01	08	2	

Min *-125.1* **Max** *-39.96* **Avg** *-101.208*

1052404 *(Aquifer: 121OGLL Well Depth: 208)*

	P	3 / 25/ 1958	-40.03		3722.97	01	08	1	
	P	11 / 10/ 1981	-96.6	-56.6	3666.4	01	08	2	
	P	5 / 6 / 1985	-100.16	-3.56	3662.84	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 11/ 1987	-103.87	-3.71	3659.13	01	08	2	
	P	4 / 18/ 1988	-103	0.87	3660	01	08	2	
	P	3 / 2 / 1989	-96.74	6.26	3666.26	01	08	2	
	P	8 / 2 / 1989	-75.04	21.7	3687.96	01	08	1	

Min *-103.87* **Max** *-40.03* **Avg** *-87.92*

1052405 *(Aquifer: 121OGLL Well Depth: 216)*

	P	3 / 25/ 1958	-47.11		3730.89	01	08	1	
	P	11 / 10/ 1981	-127	-79.9	3651	01	08	2	
	P	4 / 24/ 1985	-115	12	3663	02	08	2	
	P	7 / 13/ 1987	-119.92	-4.92	3658.08	01	08	2	
	P	7 / 25/ 1988	-114.72	5.2	3663.28	01	08	2	
	P	3 / 6 / 1989	-112.37	2.35	3665.63	01	08	2	

Min *-127* **Max** *-47.11* **Avg** *-106.02*

1052406 *(Aquifer: 121OGLL Well Depth: 237)*

	P	3 / 25/ 1958	-50.11		3727.89	01	08	1	
	P	11 / 10/ 1981	-112.6	-62.5	3665.4	01	08	2	
	P	8 / 26/ 1985	-114.5	-1.9	3663.5	01	06	2	
	P	10 / 19/ 1985	-124.56	-10.1	3653.44	01	08	2	
	P	1 / 24/ 1986	-114.05	10.51	3663.95	01	06	1	
	P	1 / 26/ 1987	-113.9	0.15	3664.1	01	06	1	
	P	10 / 10/ 1987	-122.98	-9.08	3655.02	01	08	2	
	P	1 / 12/ 1988	-113.79	9.19	3664.21	01	06	1	
	P	8 / 3 / 1988	-115.75	-1.96	3662.25	01	08	2	
	P	1 / 25/ 1989	-113.66	2.09	3664.34	01	06	1	
	P	3 / 6 / 1989	-118.9	-5.24	3659.1	01	08	2	
	P	1 / 26/ 1990	-113.65	5.25	3664.35	01	06	1	
	P	1 / 18/ 1991	-113.8	-0.15	3664.2	01	06	1	
	P	2 / 6 / 1992	-114.06	-0.26	3663.94	01	06	1	
	P	1 / 5 / 1993	-113.42	0.64	3664.58	01	06	1	
	P	2 / 3 / 1994	-113.81	-0.39	3664.19	01	06	1	
	P	1 / 17/ 1995	-112.89	0.92	3665.11	01	06	1	
	P	1 / 23/ 1996	-112.93	-0.04	3665.07	01	06	1	
	P	2 / 6 / 1997	-116.6	-3.67	3661.4	01	06	1	
	P	2 / 10/ 1998	-118.5	-1.9	3659.5	01	06	1	
	P	1 / 15/ 1999	-114	4.5	3664	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 2000	-114.73	-0.73	3663.27	01	06	1	
	P	2 / 2 / 2001	-115.32	-0.59	3662.68	01	06	1	
	P	2 / 8 / 2002	-114.99	0.33	3663.01	01	06	1	
	P	3 / 7 / 2003	-116.64	-1.65	3661.36	01	06	1	
	P	2 / 9 / 2004	-115.64	1	3662.36	01	06	1	
	P	1 / 7 / 2005	-116.05	-0.41	3661.95	01	06	1	
	P	1 / 13/ 2006	-116.03	0.02	3661.97	01	06	1	
	P	1 / 11/ 2007	-116.77	-0.74	3661.23	01	06	1	
	P	1 / 7 / 2008	-116.9	-0.13	3661.1	01	06	1	
	P	1 / 29/ 2009	-117.37	-0.47	3660.63	01	06	1	
	P	1 / 12/ 2010	-118.28	-0.91	3659.72	01	06	1	
	P	2 / 24/ 2011	-119.24	-0.96	3658.76	01	06	1	
	P	12 / 12/ 2011	-120.43	-1.19	3657.57	01	06	1	

Min *-124.56* **Max** *-50.11* **Avg** *-114.025*

1052409 *(Aquifer: 121OGLL Well Depth: 196)*

	P	9 / 25/ 1958	-47.7		3718.3	01	08	2	
	P	11 / 12/ 1981	-110.9	-63.2	3655.1	01	08	2	
	P	11 / 12/ 1985	-113.5	-2.6	3652.5	01	08	2	
	P	8 / 28/ 1986	-105	8.5	3661	01	08	2	
	P	10 / 11/ 1987	-103.18	1.82	3662.82	01	08	2	
	P	4 / 18/ 1988	-112.92	-9.74	3653.08	01	08	2	
	P	3 / 2 / 1989	-102.45	10.47	3663.55	01	08	2	

Min *-113.5* **Max** *-47.7* **Avg** *-99.3786*

1052501 *(Aquifer: 121OGLL Well Depth: 197)*

	P	10 / 2 / 1958	-44		3716	01	08	2	
	P	11 / 12/ 1981	-93.6	-49.6	3666.4	01	08	2	
	P	5 / 26/ 1985	-98.5	-4.9	3661.5	01	08	2	
	P	10 / 11/ 1987	-97.16	1.34	3662.84	01	08	2	
	P	8 / 3 / 1988	-104.15	-6.99	3655.85	01	08	2	

Min *-104.15* **Max** *-44* **Avg** *-87.482*

1052502 *(Aquifer: 121OGLL Well Depth: 180)*

	P	10 / 30/ 1958	-40.7		3712.3	01	08	2	
	P	11 / 12/ 1981	-83.5	-42.8	3669.5	01	08	2	
	P	5 / 28/ 1985	-79.66	3.84	3673.34	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 28/ 1986	-109.5	-29.8	3643.5	01	08	2	
	P	10 / 11/ 1987	-87.46	22.04	3665.54	01	08	2	
	P	3 / 2 / 1988	-79.6	7.86	3673.4	01	08	2	
	P	4 / 18/ 1988	-88.74	-9.14	3664.26	01	08	2	
	P	3 / 1 / 1989	-87.32	1.42	3665.68	01	08	2	

Min *-109.5* **Max** *-40.7* **Avg** *-82.06*

1052505 *(Aquifer: 121OGLL Well Depth: 185)*

	P	10 / 8 / 1958	-49		3721	01	08	2	
	P	11 / 12/ 1981	-102.2	-53.2	3667.8	01	08	2	
	P	8 / 28/ 1986	-100.7	1.5	3669.3	01	08	2	
	P	10 / 11/ 1987	-100.37	0.33	3669.63	01	08	2	
	P	4 / 18/ 1988	-100	0.37	3670	01	08	2	
	P	8 / 3 / 1988	-99.98	0.02	3670.02	01	08	2	
	P	3 / 2 / 1989	-100.9	-0.92	3669.1	01	08	2	

Min *-102.2* **Max** *-49* **Avg** *-93.3071*

1052506 *(Aquifer: 121OGLL Well Depth: 174)*

	P	9 / 17/ 1958	-55		3714	01	08	2	
	P	11 / 12/ 1981	-116.1	-61.1	3652.9	01	08	2	
	P	12 / 31/ 1985	-108.66	7.44	3660.34	01	08	2	
	P	10 / 11/ 1987	-98.84	9.82	3670.16	01	08	2	
	P	4 / 18/ 1988	-96.78	2.06	3672.22	01	08	2	
	P	3 / 2 / 1989	-98.67	-1.89	3670.33	01	08	2	

Min *-116.1* **Max** *-55* **Avg** *-95.675*

1052508 *(Aquifer: 121OGLL Well Depth: 168)*

	P	9 / 10/ 1958	-42.6		3707.4	01	08	2	
	P	11 / 12/ 1981	-74.9	-32.3	3675.1	01	08	2	
	P	5 / 15/ 1985	-77.25	-2.35	3672.75	01	06	2	
	P	1 / 24/ 1986	-77.33	-0.08	3672.67	01	06	1	
	P	1 / 26/ 1987	-77.58	-0.25	3672.42	01	06	1	
	P	1 / 12/ 1988	-77.86	-0.28	3672.14	01	06	1	
	P	1 / 25/ 1989	-78.18	-0.32	3671.82	01	06	1	
	P	1 / 26/ 1990	-78.53	-0.35	3671.47	01	06	1	
	P	1 / 18/ 1991	-78.9	-0.37	3671.1	01	06	1	
	P	2 / 6 / 1992	-79.39	-0.49	3670.61	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1993	-79.56	-0.17	3670.44	01	06	1	
	P	2/ 3/1994	-82.38	-2.82	3667.62	01	06	1	
	P	1/17/1995	-80.48	1.9	3669.52	01	06	1	
	N	2/14/1996				01	06		41
	P	2/ 6/1997	-86.64		3663.36	01	06	1	
	P	1/19/1998	-89.97	-3.33	3660.03	01	06	1	
	P	1/15/1999	-89	0.97	3661	01	06	1	
	P	1/14/2000	-89.15	-0.15	3660.85	01	06	1	
	P	2/ 2/2001	-89.5	-0.35	3660.5	01	06	1	
	P	2/ 8/2002	-88.77	0.73	3661.23	01	06	1	
	P	3/ 7/2003	-90.01	-1.24	3659.99	01	06	1	
	P	2/ 9/2004	-89.88	0.13	3660.12	01	06	1	
	P	1/ 7/2005	-92.93	-3.05	3657.07	01	06	1	
	P	1/13/2006	-90.19	2.74	3659.81	01	06	1	
	P	1/11/2007	-91.14	-0.95	3658.86	01	06	1	
	P	1/ 7/2008	-90.15	0.99	3659.85	01	06	1	
	P	1/29/2009	-89.93	0.22	3660.07	01	06	1	
	P	1/12/2010	-90.25	-0.32	3659.75	01	06	1	
	P	1/10/2011	-90.64	-0.39	3659.36	01	06	1	
	P	12/12/2011	-93.92	-3.28	3656.08	01	06	1	

Min *-93.92* **Max** *-42.6* **Avg** *-83.69*

1052509 *(Aquifer: 121OGLL Well Depth: 190)*

	P	6/ 9/1986	-85.9		3644.1	01	06	1	
	P	2/ 6/1987	-85.64	0.26	3644.36	01	06	1	
	P	1/15/1988	-85.92	-0.28	3644.08	01	06	1	
	P	1/23/1989	-85.78	0.14	3644.22	01	06	1	
	P	1/22/1990	-85.82	-0.04	3644.18	01	06	1	
	P	1/17/1991	-85.89	-0.07	3644.11	01	06	1	
	P	2/12/1992	-86.1	-0.21	3643.9	01	06	1	
	P	1/12/1993	-86.16	-0.06	3643.84	01	06	1	
	P	1/20/1994	-86.19	-0.03	3643.81	01	06	1	
	P	1/16/1995	-86.26	-0.07	3643.74	01	06	1	
	P	1/22/1996	-86.55	-0.29	3643.45	01	06	1	
	P	2/ 7/1997	-87.16	-0.61	3642.84	01	06	1	
	P	1/19/1998	-87.59	-0.43	3642.41	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 21/ 1999	-88	-0.41	3642	01	06	1	
	P	1 / 14/ 2000	-87.99	0.01	3642.01	01	06	1	
	P	1 / 25/ 2001	-88.38	-0.39	3641.62	01	06	1	
	P	2 / 8 / 2002	-88.49	-0.11	3641.51	01	06	1	
	P	2 / 13/ 2003	-88.58	-0.09	3641.42	01	06	1	
	P	2 / 9 / 2004	-88.8	-0.22	3641.2	01	06	1	
	P	1 / 7 / 2005	-88.97	-0.17	3641.03	01	06	1	
	P	1 / 12/ 2006	-89.08	-0.11	3640.92	01	06	1	
	P	2 / 8 / 2007	-89.53	-0.45	3640.47	01	06	1	
	P	1 / 7 / 2008	-89.73	-0.2	3640.27	01	06	1	
	P	1 / 30/ 2009	-90.05	-0.32	3639.95	01	06	1	
	P	1 / 12/ 2010	-90.47	-0.42	3639.53	01	06	1	
	P	1 / 10/ 2011	-90.97	-0.5	3639.03	01	06	1	
	P	12 / 28/ 2011	-91.5	-0.53	3638.5	01	06	1	

Min *-91.5* **Max** *-85.64* **Avg** *-87.8333*

1052601 *(Aquifer: 121OGLL Well Depth: 170)*

	P	10 / 19/ 1959	-26.58		3672.42	01	12	7	01
	P	1 / 25/ 1960	-26.61	-0.03	3672.39	01	12	7	01
	P	1 / 18/ 1961	-27.45	-0.84	3671.55	01	04	1	
	P	1 / 11/ 1962	-28.13	-0.68	3670.87	01	01	1	
	P	1 / 9 / 1963	-28.78	-0.65	3670.22	01	01	1	
	P	1 / 8 / 1964	-29.31	-0.53	3669.69	01	01	1	
	P	1 / 7 / 1965	-30.01	-0.7	3668.99	01	01	1	
	P	1 / 5 / 1966	-30.62	-0.61	3668.38	01	01	1	
	P	1 / 7 / 1967	-31.2	-0.58	3667.8	01	01	1	
	P	1 / 5 / 1968	-32.7	-1.5	3666.3	01	01	1	
	P	1 / 14/ 1969	-32.25	0.45	3666.75	01	01	1	
	P	1 / 13/ 1970	-32.76	-0.51	3666.24	01	06	1	
	P	1 / 14/ 1971	-33.38	-0.62	3665.62	01	06	1	
	P	1 / 6 / 1972	-34.05	-0.67	3664.95	01	06	1	
	P	1 / 21/ 1973	-34.6	-0.55	3664.4	01	01	1	
	P	1 / 16/ 1974	-35.53	-0.93	3663.47	01	06	1	
	P	1 / 7 / 1975	-36.45	-0.92	3662.55	01	06	1	
	P	1 / 6 / 1976	-37.41	-0.96	3661.59	01	06	1	
	P	1 / 14/ 1977	-38.5	-1.09	3660.5	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1978	-39.7	-1.2	3659.3	01	06	1	
	P	1/ 11/ 1979	-41.05	-1.35	3657.95	01	06	1	
	P	12/ 20/ 1979	-42.32	-1.27	3656.68	01	06	1	
	P	1/ 12/ 1981	-43.65	-1.33	3655.35	01	06	1	
	P	1/ 19/ 1982	-44.86	-1.21	3654.14	01	06	1	
	P	2/ 16/ 1983	-45.99	-1.13	3653.01	01	06	1	
	P	1/ 5/ 1984	-46.97	-0.98	3652.03	01	06	1	
	P	1/ 22/ 1985	-48.27	-1.3	3650.73	01	06	1	
	P	1/ 24/ 1986	-49.58	-1.31	3649.42	01	06	1	
	P	1/ 26/ 1987	-51.06	-1.48	3647.94	01	06	1	
	P	1/ 11/ 1988	-52.52	-1.46	3646.48	01	06	1	
	P	1/ 25/ 1989	-54.07	-1.55	3644.93	01	06	1	
	P	1/ 17/ 1990	-55.48	-1.41	3643.52	01	06	1	
	P	1/ 17/ 1991	-56.84	-1.36	3642.16	01	06	1	
	P	2/ 12/ 1992	-58.28	-1.44	3640.72	01	06	1	
	P	1/ 12/ 1993	-59.4	-1.12	3639.6	01	06	1	
	P	1/ 20/ 1994	-60.59	-1.19	3638.41	01	06	1	
	P	1/ 17/ 1995	-61.73	-1.14	3637.27	01	06	1	
	P	1/ 22/ 1996	-62.95	-1.22	3636.05	01	06	1	
	P	2/ 7/ 1997	-64.1	-1.15	3634.9	01	06	1	
	P	1/ 16/ 1998	-65.29	-1.19	3633.71	01	06	1	
	P	1/ 14/ 1999	-67	-1.71	3632	01	06	1	
	P	1/ 14/ 2000	-67.57	-0.57	3631.43	01	06	1	
	P	1/ 25/ 2001	-68.8	-1.23	3630.2	01	06	1	
	P	1/ 23/ 2002	-70.26	-1.46	3628.74	01	06	1	
	P	2/ 13/ 2003	-71.85	-1.59	3627.15	01	06	1	
	P	2/ 9/ 2004	-72.55	-0.7	3626.45	01	06	1	
	P	3/ 2/ 2005	-74.45	-1.9	3624.55	01	06	1	
	P	1/ 18/ 2006	-75.54	-1.09	3623.46	01	06	1	
	N	2/ 5/ 2007				01	06		60
	P	3/ 11/ 2008	-76.11		3622.89	01	06	1	
	P	1/ 30/ 2009	-78.63	-2.52	3620.37	01	06	1	
	P	1/ 12/ 2010	-79.66	-1.03	3619.34	01	06	1	
	P	1/ 18/ 2011	-80.68	-1.02	3618.32	01	06	1	
	P	12/ 27/ 2011	-81.52	-0.84	3617.48	01	06	1	

Min *-81.52* **Max** *-26.58* **Avg** *-50.4838*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1052602	(Aquifer: 121OGLL		Well Depth: 53	)					
	P	2 / 9 / 1937	-31.3		3688.7	01	04	1	
	P	5 / 12/ 1952	-31	0.3	3689	01	04	1	
Min	-31.3	**Max**	-31	**Avg**	-31.15				
1052701	(Aquifer: 121OGLL		Well Depth: 253	)					
	P	10 / 24/ 1956	-42.33		3757.67	01	08	1	
	P	11 / 10/ 1981	-120.4	-78.1	3679.6	01	08	2	
	P	5 / 12/ 1987	-122	-1.6	3678	01	08	2	
	P	7 / 13/ 1987	-118.69	3.31	3681.31	01	08	2	
	P	10 / 7 / 1987	-118.33	0.36	3681.67	01	08	2	
	P	4 / 18/ 1988	-121.1	-2.77	3678.9	01	08	2	
	P	7 / 29/ 1988	-122.43	-1.33	3677.57	01	08	2	
	P	3 / 6 / 1989	-122.52	-0.09	3677.48	01	08	2	
	P	10 / 2 / 2007	-131.2	-8.68	3668.8	01	01	1	
Min	-131.2	**Max**	-42.33	**Avg**	-113.222				
1052703	(Aquifer: 121OGLL		Well Depth: 225	)					
	P	5 / 7 / 1957	-54.8		3750.2	01	08	2	
	P	11 / 9 / 1981	-110.8	-56	3694.2	01	08	2	
	P	8 / 28/ 1986	-116.46	-5.66	3688.54	01	08	2	
	P	4 / 18/ 1988	-115.5	0.96	3689.5	01	08	2	
	P	7 / 29/ 1988	-115.9	-0.4	3689.1	01	08	2	
	P	2 / 22/ 1989	-117.62	-1.72	3687.38	01	08	2	
Min	-117.62	**Max**	-54.8	**Avg**	-105.18				
1052705	(Aquifer: 121OGLL		Well Depth: 232	)					
	P	3 / 25/ 1958	-60.85		3728.15	01	08	1	
	P	11 / 10/ 1981	-121.2	-60.4	3667.8	01	08	2	
	P	8 / 14/ 1986	-122.83	-1.63	3666.17	01	08	2	
	P	7 / 13/ 1987	-121.25	1.58	3667.75	01	08	2	
	P	7 / 29/ 1988	-123.15	-1.9	3665.85	01	08	2	
	P	3 / 6 / 1989	-123	0.15	3666	01	08	2	
Min	-123.15	**Max**	-60.85	**Avg**	-112.047				
1052706	(Aquifer: 121OGLL		Well Depth: 219	)					
	P	3 / 25/ 1958	-52.44		3726.56	01	08	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 10/ 1981	-113.3	-60.9	3665.7	01	08	2	
	P	8 / 26/ 1986	-117	-3.7	3662	01	08	2	
	P	10 / 10/ 1987	-115	2	3664	01	08	2	
	P	8 / 3 / 1988	-115		3664	01	08	2	
	P	3 / 2 / 1989	-114.43	0.57	3664.57	01	08	2	

Min *-117* **Max** *-52.44* **Avg** *-104.528*

1052707 *(Aquifer: 121OGLL Well Depth: 223)*

	P	2 / 6 / 1957	-53.3		3739.7	01	08	2	
	P	11 / 10/ 1981	-118.1	-64.8	3674.9	01	08	2	
	P	3 / 31/ 1982	-118.4	-0.3	3674.6	01	08	2	
	P	1 / 14/ 1987	-119.62	-1.22	3673.38	01	08	2	
	P	10 / 7 / 1987	-119.81	-0.19	3673.19	01	08	2	

Min *-119.81* **Max** *-53.3* **Avg** *-105.846*

1052708 *(Aquifer: 121OGLL Well Depth: 204)*

	P	11 / 11/ 1981	-117.4		3667.6	01	08	2	
	P	3 / 31/ 1982	-116.9	0.5	3668.1	01	08	2	
	P	5 / 12/ 1987	-113.17	3.73	3671.83	01	08	2	
	P	4 / 18/ 1988	-118.83	-5.66	3666.17	01	08	2	
	P	3 / 2 / 1989	-117.82	1.01	3667.18	01	08	2	

Min *-118.83* **Max** *-113.17* **Avg** *-116.824*

1052709 *(Aquifer: 121OGLL Well Depth: 226)*

	P	4 / 10/ 1957	-60.44		3740.56	01	08	1	
	P	11 / 10/ 1981	-126.9	-66.5	3674.1	01	08	2	
	P	1 / 14/ 1987	-98.94	27.96	3702.06	01	08	2	
	P	7 / 13/ 1987	-121.56	-22.6	3679.44	01	08	2	
	P	10 / 7 / 1987	-121.36	0.2	3679.64	01	08	2	
	P	4 / 18/ 1988	-127	-5.64	3674	01	08	2	
	P	3 / 6 / 1989	-127.92	-0.92	3673.08	01	08	2	

Min *-127.92* **Max** *-60.44* **Avg** *-112.017*

1052710 *(Aquifer: 121OGLL Well Depth: 219)*

	P	11 / 11/ 1981	-120.2		3668.8	01	08	2	
	P	8 / 28/ 1986	-107.41	12.79	3681.59	01	08	2	
	P	10 / 10/ 1987	-120	-12.6	3669	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 18/ 1988	-119.97	0.03	3669.03	01	08	2	
	P	3 / 2 / 1989	-119.34	0.63	3669.66	01	08	2	
	P	8 / 17/ 1989	-119.27	0.07	3669.73	01	08	1	

Min *-120.2* **Max** *-107.41* **Avg** *-117.698*

1052712 *(Aquifer: 121OGLL Well Depth: 215)*

	P	11 / 11/ 1981	-111.8		3681.2	01	08	2	
	P	3 / 31/ 1982	-120.8	-9	3672.2	01	08	2	
	P	4 / 27/ 1985	-123.83	-3.03	3669.17	01	08	2	
	P	8 / 26/ 1986	-123.87	-0.04	3669.13	01	08	2	
	P	10 / 10/ 1987	-121.38	2.49	3671.62	01	08	2	
	P	4 / 18/ 1988	-121.79	-0.41	3671.21	01	08	2	
	P	2 / 27/ 1989	-121.05	0.74	3671.95	01	08	2	

Min *-123.87* **Max** *-111.8* **Avg** *-120.646*

1052713 *(Aquifer: 121OGLL Well Depth: 218)*

	P	11 / 12/ 1981	-123.1		3676.9	01	08	2	
	P	2 / 27/ 1989	-123.87	-0.77	3676.13	01	08	2	

Min *-123.87* **Max** *-123.1* **Avg** *-123.485*

1052714 *(Aquifer: 121OGLL Well Depth: 232)*

	P	7 / 1 / 1957	-61.5		3742.5	01	08	2	
	P	11 / 9 / 1981	-121.3	-59.8	3682.7	01	08	2	
	P	4 / 26/ 1985	-126.25	-4.95	3677.75	01	08	2	
	P	1 / 14/ 1987	-127	-0.75	3677	01	08	2	
	P	10 / 14/ 1987	-127.14	-0.14	3676.86	01	08	2	
	P	4 / 18/ 1988	-125	2.14	3679	01	08	2	
	P	2 / 22/ 1989	-124.76	0.24	3679.24	01	08	2	

Min *-127.14* **Max** *-61.5* **Avg** *-116.136*

1052715 *(Aquifer: 121OGLL Well Depth: 228)*

	P	11 / 17/ 1981	-132.1		3686.9	01	08	2	
	P	4 / 1 / 1982	-133.7	-1.6	3685.3	01	08	2	
	P	8 / 26/ 1985	-133.95	-0.25	3685.05	01	06	2	
	P	1 / 24/ 1986	-133.99	-0.04	3685.01	01	06	1	
	P	1 / 26/ 1987	-133.12	0.87	3685.88	01	06	1	
	P	1 / 12/ 1988	-135.74	-2.62	3683.26	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 25/ 1989	-131.96	3.78	3687.04	01	06	1	
	P	2 / 27/ 1989	-133.86	-1.9	3685.14	01	08	2	
	P	1 / 26/ 1990	-131.53	2.33	3687.47	01	06	1	
	P	1 / 18/ 1991	-132.52	-0.99	3686.48	01	06	1	
	P	2 / 6 / 1992	-134.85	-2.33	3684.15	01	06	1	
	P	1 / 5 / 1993	-132.64	2.21	3686.36	01	06	1	
	P	2 / 3 / 1994	-135.37	-2.73	3683.63	01	06	1	
	P	2 / 28/ 1995	-139.91	-4.54	3679.09	01	06	1	04
	N	2 / 14/ 1996				01	06		41
	P	2 / 6 / 1997	-146.27		3672.73	01	06	1	
	P	1 / 19/ 1998	-139.04	7.23	3679.96	01	06	1	
	P	1 / 15/ 1999	-145	-5.96	3674	01	06	1	
	P	1 / 13/ 2000	-142.37	2.63	3676.63	01	06	1	
	P	2 / 2 / 2001	-147.4	-5.03	3671.6	01	06	1	
	P	3 / 15/ 2002	-142.85	4.55	3676.15	01	06	1	
	P	3 / 7 / 2003	-142.4	0.45	3676.6	01	06	1	
	P	2 / 9 / 2004	-143.96	-1.56	3675.04	01	06	1	
	P	1 / 7 / 2005	-146.82	-2.86	3672.18	01	06	1	
	P	1 / 13/ 2006	-143.18	3.64	3675.82	01	06	1	
	P	1 / 11/ 2007	-143.62	-0.44	3675.38	01	06	1	
	P	1 / 7 / 2008	-142.8	0.82	3676.2	01	06	1	
	P	1 / 29/ 2009	-142.98	-0.18	3676.02	01	06	1	
	P	1 / 12/ 2010	-143.23	-0.25	3675.77	01	06	1	
	P	1 / 20/ 2011	-142.88	0.35	3676.12	01	06	1	
	P	12 / 12/ 2011	-146	-3.12	3673	01	06	1	

Min *-147.4* **Max** *-131.53* **Avg** *-139.201*

1052718 *(Aquifer: 121OGLL Well Depth:)*

	P	10 / 18/ 1979	-107.98		3666.02	01	06	1	
	P	12 / 20/ 1979	-105.88	2.1	3668.12	01	06	1	
	P	1 / 8 / 1981	-105.79	0.09	3668.21	01	06	1	
	P	1 / 19/ 1982	-105.7	0.09	3668.3	01	06	1	
	P	2 / 14/ 1983	-105.84	-0.14	3668.16	01	06	1	02
	P	1 / 25/ 1984	-106.92	-1.08	3667.08	01	06	1	20
	N	1 / 30/ 1985				01	06	1	47
	N	1 / 24/ 1986				01	06	1	47

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min	***-107.98***	**Max**	***-105.7***	**Avg**	***-106.352***				
1052719	*(Aquifer: 121OGLL*		*Well Depth: 228)*						
	P	11 / 9 / 1981	-123.9		3681.1	01	08	2	
	P	5 / 15/ 1985	-126.52	-2.62	3678.48	01	06	2	
	P	1 / 24/ 1986	-122.55	3.97	3682.45	01	06	1	
	P	1 / 26/ 1987	-124.99	-2.44	3680.01	01	06	1	
	P	1 / 12/ 1988	-124.98	0.01	3680.02	01	06	1	
	P	1 / 25/ 1989	-124.96	0.02	3680.04	01	06	1	
	P	1 / 26/ 1990	-125.25	-0.29	3679.75	01	06	1	
	P	1 / 18/ 1991	-125.48	-0.23	3679.52	01	06	1	
	P	2 / 6 / 1992	-125.7	-0.22	3679.3	01	06	1	
	P	1 / 5 / 1993	-125.89	-0.19	3679.11	01	06	1	
	P	2 / 3 / 1994	-126.7	-0.81	3678.3	01	06	1	
	P	1 / 17/ 1995	-127.91	-1.21	3677.09	01	06	1	
	P	1 / 23/ 1996	-129.12	-1.21	3675.88	01	06	1	
	P	2 / 6 / 1997	-133.69	-4.57	3671.31	01	06	1	
	P	1 / 19/ 1998	-131.33	2.36	3673.67	01	06	1	
	P	1 / 14/ 1999	-132	-0.67	3673	01	06	1	
	P	1 / 13/ 2000	-133.07	-1.07	3671.93	01	06	1	
	P	2 / 2 / 2001	-132.73	0.34	3672.27	01	06	1	
	P	2 / 8 / 2002	-132.64	0.09	3672.36	01	06	1	
	P	3 / 7 / 2003	-133.16	-0.52	3671.84	01	06	1	
	P	2 / 9 / 2004	-134.11	-0.95	3670.89	01	06	1	
	P	1 / 7 / 2005	-135.21	-1.1	3669.79	01	06	1	
	P	1 / 13/ 2006	-133.59	1.62	3671.41	01	06	1	
	P	1 / 11/ 2007	-133.47	0.12	3671.53	01	06	1	
	P	1 / 7 / 2008	-134.02	-0.55	3670.98	01	06	1	
	P	1 / 29/ 2009	-133.77	0.25	3671.23	01	06	1	
	P	1 / 12/ 2010	-134.15	-0.38	3670.85	01	06	1	
	P	1 / 10/ 2011	-134.46	-0.31	3670.54	01	06	1	
	P	12 / 12/ 2011	-136.87	-2.41	3668.13	01	06	1	
Min	***-136.87***	**Max**	***-122.55***	**Avg**	***-130.077***				
1052720	*(Aquifer: 121OGLL*		*Well Depth: 251)*						
	P	3 / 25/ 1958	-64.21		3735.79	01	08	1	
	P	11 / 10/ 1981	-128.3	-64.1	3671.7	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 21/ 1982	-128.1	0.2	3671.9	01	08	2	
	P	8 / 18/ 1986	-128.75	-0.65	3671.25	01	08	2	
	P	1 / 14/ 1987	-130.83	-2.08	3669.17	01	08	2	
	P	7 / 13/ 1987	-129.94	0.89	3670.06	01	08	2	
	P	10 / 7 / 1987	-129.98	-0.04	3670.02	01	08	2	
	P	4 / 18/ 1988	-128.3	1.68	3671.7	01	08	2	
	P	3 / 6 / 1989	-129.56	-1.26	3670.44	01	08	2	

Min *-130.83* **Max** *-64.21* **Avg** *-121.997*

1052721 *(Aquifer: 121OGLL Well Depth: 210)*

	P	4 / 18/ 1988	-118		3676	01	08	2	
	P	7 / 29/ 1988	-119.9	-1.9	3674.1	01	08	2	
	P	3 / 6 / 1989	-119.63	0.27	3674.37	01	08	2	

Min *-119.9* **Max** *-118* **Avg** *-119.177*

1052722 *(Aquifer: 121OGLL Well Depth: 203)*

	P	10 / 27/ 1959	-62		3719	01	07	2	
	P	11 / 11/ 1981	-114.6	-52.6	3666.4	01	08	2	
	P	1 / 14/ 1987	-98.43	16.17	3682.57	01	08	2	
	P	4 / 18/ 1988	-114.83	-16.4	3666.17	01	08	2	
	P	3 / 2 / 1989	-114	0.83	3667	01	08	2	

Min *-114.83* **Max** *-62* **Avg** *-100.772*

1052723 *(Aquifer: 121OGLL Well Depth: 214)*

	P	11 / 12/ 1981	-118.7		3671.3	01	08	2	
	P	8 / 26/ 1986	-87.41	31.29	3702.59	01	08	2	
	P	10 / 14/ 1987	-120.14	-32.7	3669.86	01	08	2	
	P	4 / 18/ 1988	-120	0.14	3670	01	08	2	
	P	12 / 27/ 1989	-119.81	0.19	3670.19	01	08	2	

Min *-120.14* **Max** *-87.41* **Avg** *-113.212*

1052724 *(Aquifer: 121OGLL Well Depth: 214)*

	P	11 / 12/ 1981	-105		3691	01	08	2	
	P	4 / 1 / 1982	-115	-10	3681	01	08	2	
	P	2 / 27/ 1989	-115.43	-0.43	3680.57	01	08	2	

Min *-115.43* **Max** *-105* **Avg** *-111.81*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1052725	*(Aquifer: 121OGLL*		*Well Depth: 232)*						
	P	11 / 12/ 1981	-119.7		3685.3	01	08	2	
	P	2 / 27/ 1989	-122.59	-2.89	3682.41	01	08	2	
	P	8 / 17/ 1989	-123.35	-0.76	3681.65	01	08	2	
Min *-123.35*		**Max** *-119.7*	**Avg** *-121.88*						
1052726	*(Aquifer: 121OGLL*		*Well Depth: 235)*						
	P	1 / 29/ 1979	-116.5		3685.5	01	07	2	
	P	11 / 11/ 1981	-124.6	-8.1	3677.4	01	08	2	
	P	2 / 22/ 1989	-128.12	-3.52	3673.88	01	08	2	
Min *-128.12*		**Max** *-116.5*	**Avg** *-123.073*						
1052801	*(Aquifer: 121OGLL*		*Well Depth: 203)*						
	P	11 / 11/ 1981	-109.9		3667.1	01	08	2	
	P	12 / 2 / 1984	-112.22	-2.32	3664.78	01	08	2	
	P	8 / 26/ 1986	-111.2	1.02	3665.8	01	08	2	
	P	10 / 14/ 1987	-113.74	-2.54	3663.26	01	08	2	
	P	3 / 31/ 1988	-109.7	4.04	3667.3	01	08	2	
	P	4 / 18/ 1988	-110.67	-0.97	3666.33	01	08	2	
	P	3 / 2 / 1989	-110.51	0.16	3666.49	01	08	2	
Min *-113.74*		**Max** *-109.7*	**Avg** *-111.134*						
1052803	*(Aquifer: 121OGLL*		*Well Depth: 195)*						
	P	11 / 12/ 1981	-105.8		3670.2	01	08	2	
	P	5 / 28/ 1985	-100.83	4.97	3675.17	01	08	2	
	P	10 / 10/ 1987	-106.54	-5.71	3669.46	01	08	2	
	P	4 / 18/ 1988	-105.9	0.64	3670.1	01	08	2	
	P	3 / 2 / 1989	-105.95	-0.05	3670.05	01	08	2	
Min *-106.54*		**Max** *-100.83*	**Avg** *-105.004*						
1052804	*(Aquifer: 121OGLL*		*Well Depth: 205)*						
	P	11 / 11/ 1981	-120.3		3669.7	01	08	2	
	P	3 / 31/ 1982	-120.1	0.2	3669.9	01	08	2	
	P	8 / 22/ 1985	-119.8	0.3	3670.2	01	06	2	
	P	1 / 24/ 1986	-119.39	0.41	3670.61	01	06	1	
	P	1 / 26/ 1987	-119.04	0.35	3670.96	01	06	1	
	P	3 / 31/ 1987	-114	5.04	3676	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1988	-118.59	-4.59	3671.41	01	06	1	
	P	4 / 18/ 1988	-120	-1.41	3670	01	08	2	
	P	1 / 25/ 1989	-118.04	1.96	3671.96	01	06	1	
	P	3 / 2 / 1989	-120.16	-2.12	3669.84	01	08	2	
	P	1 / 26/ 1990	-117.64	2.52	3672.36	01	06	1	
	P	1 / 18/ 1991	-117.47	0.17	3672.53	01	06	1	
	P	2 / 6 / 1992	-118.05	-0.58	3671.95	01	06	1	
	P	1 / 5 / 1993	-117.53	0.52	3672.47	01	06	1	
	P	2 / 3 / 1994	-117.23	0.3	3672.77	01	06	1	
	N	2 / 28/ 1995				01	06		41
	P	2 / 14/ 1996	-119.43		3670.57	01	06	1	
	P	2 / 6 / 1997	-118.5	0.93	3671.5	01	06	1	
	N	2 / 10/ 1998				01	06	1	47
	P	1 / 15/ 1999	-120		3670	01	06	1	
	P	1 / 13/ 2000	-120.37	-0.37	3669.63	01	06	1	
	P	2 / 2 / 2001	-121.8	-1.43	3668.2	01	06	1	
	P	2 / 8 / 2002	-121.6	0.2	3668.4	01	06	1	
	P	3 / 7 / 2003	-122.06	-0.46	3667.94	01	06	1	
	P	2 / 9 / 2004	-123.75	-1.69	3666.25	01	06	1	
	P	1 / 7 / 2005	-124.28	-0.53	3665.72	01	06	1	
	P	1 / 13/ 2006	-124.53	-0.25	3665.47	01	06	1	
	P	1 / 11/ 2007	-125.09	-0.56	3664.91	01	06	1	
	P	1 / 7 / 2008	-125.07	0.02	3664.93	01	06	1	
	P	1 / 29/ 2009	-125.65	-0.58	3664.35	01	06	1	
	P	1 / 12/ 2010	-126.48	-0.83	3663.52	01	06	1	
	P	2 / 24/ 2011	-127	-0.52	3663	01	06	1	
	P	12 / 12/ 2011	-130.12	-3.12	3659.88	01	06	1	

Min *-130.12* **Max** *-114* **Avg** *-121.067*

1052806 *(Aquifer: 121OGLL Well Depth: 207)*

	P	11 / 13/ 1981	-112.3		3680.7	01	08	2	
	P	5 / 12/ 1986	-117.08	-4.78	3675.92	01	08	2	
	P	10 / 14/ 1987	-115.73	1.35	3677.27	01	08	2	
	P	4 / 18/ 1988	-115.34	0.39	3677.66	01	08	2	
	P	2 / 27/ 1989	-113.85	1.49	3679.15	01	08	2	

Min *-117.08* **Max** *-112.3* **Avg** *-114.86*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1052807	*(Aquifer: 121OGLL*		*Well Depth: 177)*						
	P	11 / 16/ 1981	-102.4		3682.6	01	08	2	
	P	4 / 1 / 1982	-102.8	-0.4	3682.2	01	08	2	
	P	4 / 3 / 1985	-105	-2.2	3680	01	08	2	
	P	5 / 12/ 1987	-105		3680	01	08	2	
	P	4 / 18/ 1988	-102.72	2.28	3682.28	01	08	2	
	P	2 / 27/ 1989	-101.92	0.8	3683.08	01	08	2	
Min *-105*		**Max** *-101.92*	**Avg** *-103.307*						
1052809	*(Aquifer: 121OGLL*		*Well Depth: 202)*						
	P	11 / 12/ 1981	-107.3		3688.7	01	08	2	
	P	2 / 27/ 1989	-118.65	-11.4	3677.35	01	08	2	
Min *-118.65*		**Max** *-107.3*	**Avg** *-112.975*						
1052810	*(Aquifer: 121OGLL*		*Well Depth: 196)*						
	P	10 / 24/ 1963	-63.8		3720.2	01	08	2	
	P	11 / 13/ 1981	-92.7	-28.9	3691.3	01	08	2	
	P	2 / 27/ 1989	-93.91	-1.21	3690.09	01	08	2	
Min *-93.91*		**Max** *-63.8*	**Avg** *-83.47*						
1052811	*(Aquifer: 121OGLL*		*Well Depth: 152)*						
	P	11 / 21/ 1963	-56.8		3713.2	01	08	2	
	P	11 / 16/ 1981	-88.7	-31.9	3681.3	01	08	2	
	P	4 / 1 / 1982	-104.6	-15.9	3665.4	01	08	2	
	P	8 / 27/ 1985	-88.85	15.75	3681.15	01	06	2	
	P	1 / 24/ 1986	-89.74	-0.89	3680.26	01	06	1	
	P	1 / 26/ 1987	-88.63	1.11	3681.37	01	06	2	
	P	1 / 12/ 1988	-88.29	0.34	3681.71	01	06	1	
	P	1 / 25/ 1989	-87.92	0.37	3682.08	01	06	1	
	P	3 / 1 / 1989	-90.43	-2.51	3679.57	01	08	2	
	P	1 / 26/ 1990	-87.85	2.58	3682.15	01	06	1	
	P	1 / 18/ 1991	-87.88	-0.03	3682.12	01	06	1	
	P	2 / 6 / 1992	-88.28	-0.4	3681.72	01	06	1	
	P	1 / 5 / 1993	-87.73	0.55	3682.27	01	06	1	
	P	2 / 3 / 1994	-87.25	0.48	3682.75	01	06	1	
	N	2 / 28/ 1995				01	06		41
	P	1 / 23/ 1996	-89.68		3680.32	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 6 / 1997	-89.8	-0.12	3680.2	01	06	1	
	P	1 / 19/ 1998	-90.1	-0.3	3679.9	01	06	1	
	P	1 / 15/ 1999	-96	-5.9	3674	01	06	1	
	P	1 / 13/ 2000	-96.88	-0.88	3673.12	01	06	1	
	P	2 / 2 / 2001	-94.65	2.23	3675.35	01	06	1	
	P	2 / 8 / 2002	-95.35	-0.7	3674.65	01	06	1	
	P	3 / 7 / 2003	-98.87	-3.52	3671.13	01	06	1	
	P	2 / 9 / 2004	-98.35	0.52	3671.65	01	06	1	
	P	1 / 7 / 2005	-104.5	-6.15	3665.5	01	06	1	
	P	1 / 13/ 2006	-98.29	6.21	3671.71	01	06	1	
	P	1 / 11/ 2007	-93.58	4.71	3676.42	01	06	1	
	P	1 / 7 / 2008	-97.65	-4.07	3672.35	01	06	1	
	P	1 / 29/ 2009	-98.53	-0.88	3671.47	01	06	1	
	P	1 / 12/ 2010	-98.38	0.15	3671.62	01	06	1	
	N	1 / 10/ 2011				01	06		41
	P	12 / 12/ 2011	-105.06		3664.94	01	06	1	

Min *-105.06* **Max** *-56.8* **Avg** *-92.2873*

1052812 *(Aquifer: 121OGLL Well Depth: 159)*

	P	11 / 4 / 1963	-66.9		3716.1	01	08	2	
	P	11 / 16/ 1981	-106.4	-39.5	3676.6	01	08	2	
	P	4 / 1 / 1982	-108.7	-2.3	3674.3	01	08	2	
	P	2 / 27/ 1989	-97.06	11.64	3685.94	01	08	2	

Min *-108.7* **Max** *-66.9* **Avg** *-94.765*

1052813 *(Aquifer: 121OGLL Well Depth: 140)*

	P	10 / 11/ 1963	-66.1		3713.9	01	08	2	
	P	11 / 16/ 1981	-88.3	-22.2	3691.7	01	08	2	
	P	8 / 27/ 1985	-85.6	2.7	3694.4	01	06	2	
	P	1 / 24/ 1986	-85.57	0.03	3694.43	01	06	1	
	P	1 / 26/ 1987	-85.29	0.28	3694.71	01	06	1	
	P	1 / 12/ 1988	-85.11	0.18	3694.89	01	06	1	
	P	1 / 25/ 1989	-85.41	-0.3	3694.59	01	06	1	
	P	2 / 27/ 1989	-87.33	-1.92	3692.67	01	08	2	
	P	1 / 26/ 1990	-85.25	2.08	3694.75	01	06	1	
	P	1 / 18/ 1991	-85.2	0.05	3694.8	01	06	1	
	P	2 / 6 / 1992	-86.29	-1.09	3693.71	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 5 / 1993	-85.29	1	3694.71	01	06	1	
	P	2 / 3 / 1994	-85.53	-0.24	3694.47	01	06	1	
	P	2 / 28/ 1995	-88.76	-3.23	3691.24	01	06	1	04
	N	2 / 14/ 1996				01	06	1	47
	P	2 / 6 / 1997	-82.65		3697.35	01	06	1	
	P	1 / 19/ 1998	-89.15	-6.5	3690.85	01	06	1	
	P	1 / 15/ 1999	-86	3.15	3694	01	06	1	
	P	1 / 13/ 2000	-87.24	-1.24	3692.76	01	06	1	
	P	2 / 2 / 2001	-88.1	-0.86	3691.9	01	06	1	
	P	2 / 8 / 2002	-89.26	-1.16	3690.74	01	06	1	
	P	3 / 7 / 2003	-89.72	-0.46	3690.28	01	06	1	
	P	2 / 9 / 2004	-91.3	-1.58	3688.7	01	06	1	
	P	1 / 7 / 2005	-91.25	0.05	3688.75	01	06	1	
	P	1 / 13/ 2006	-89.19	2.06	3690.81	01	06	1	
	P	1 / 11/ 2007	-93.46	-4.27	3686.54	01	06	1	
	P	1 / 7 / 2008	-92.48	0.98	3687.52	01	06	1	
	P	1 / 29/ 2009	-91.48	1	3688.52	01	06	1	
	P	1 / 12/ 2010	-92.05	-0.57	3687.95	01	06	1	
	N	1 / 10/ 2011				01	06		41
	N	12 / 12/ 2011				01	06		41

Min *-93.46* **Max** *-66.1* **Avg** *-87.0843*

1052816 *(Aquifer: 121OGLL Well Depth: 184)*

	P	9 / 21/ 1962	-77		3692	01	08	2	
	P	11 / 12/ 1981	-98.2	-21.2	3670.8	01	08	2	
	P	3 / 1 / 1989	-100	-1.8	3669	01	08	2	

Min *-100* **Max** *-77* **Avg** *-91.7333*

1052817 *(Aquifer: 121OGLL Well Depth: 162)*

	P	9 / 14/ 1962	-57.6		3701.4	01	08	2	
	P	11 / 12/ 1981	-81.4	-23.8	3677.6	01	08	2	
	P	3 / 31/ 1982	-82.1	-0.7	3676.9	01	08	2	
	P	3 / 2 / 1989	-83.43	-1.33	3675.57	01	08	2	

Min *-83.43* **Max** *-57.6* **Avg** *-76.1325*

1052818 *(Aquifer: 121OGLL Well Depth: 166)*

	P	9 / 27/ 1962	-71		3708	01	08	2	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 12/ 1981	-104.6	-33.6	3674.4	01	08	2	
	P	3 / 31/ 1982	-105.4	-0.8	3673.6	01	08	2	
	P	3 / 1 / 1989	-106.1	-0.7	3672.9	01	08	2	

Min *-106.1* **Max** *-71* **Avg** *-96.775*

1052819 *(Aquifer: 121OGLL Well Depth: 193)*

	P	10 / 2 / 1963	-81.7		3704.3	01	08	2	
	P	11 / 13/ 1981	-114.6	-32.9	3671.4	01	08	2	
	P	2 / 27/ 1989	-116.08	-1.48	3669.92	01	08	2	

Min *-116.08* **Max** *-81.7* **Avg** *-104.127*

1052820 *(Aquifer: 121OGLL Well Depth: 171)*

	P	11 / 11/ 1963	-64		3714	01	08	2	
	P	11 / 16/ 1981	-100.2	-36.2	3677.8	01	08	2	
	P	3 / 1 / 1989	-97.78	2.42	3680.22	01	08	2	

Min *-100.2* **Max** *-64* **Avg** *-87.3267*

1052821 *(Aquifer: 121OGLL Well Depth: 206)*

	P	10 / 8 / 1963	-88.35		3708.65	01	08	1	
	P	11 / 17/ 1981	-111.6	-23.3	3685.4	01	08	2	
	P	2 / 27/ 1989	-119.5	-7.9	3677.5	01	08	2	

Min *-119.5* **Max** *-88.35* **Avg** *-106.483*

1052822 *(Aquifer: 121OGLL Well Depth: 165)*

	P	10 / 30/ 1963	-70.8		3717.2	01	08	2	
	P	11 / 16/ 1981	-100.6	-29.8	3687.4	01	08	2	
	P	4 / 1 / 1982	-97	3.6	3691	01	08	2	
	P	2 / 27/ 1989	-101	-4	3687	01	08	2	

Min *-101* **Max** *-70.8* **Avg** *-92.35*

1052823 *(Aquifer: 121OGLL Well Depth: 198)*

	P	10 / 18/ 1963	-78.1		3714.9	01	08	2	
	P	11 / 13/ 1981	-107.9	-29.8	3685.1	01	08	2	
	P	2 / 27/ 1989	-107.16	0.74	3685.84	01	08	2	

Min *-107.9* **Max** *-78.1* **Avg** *-97.72*

1052901 *(Aquifer: 121OGLL Well Depth: 155)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 19/ 1959	-55.45		3645.55	01	12	7	01
	P	1 / 25/ 1960	-55.8	-0.35	3645.2	01	12	7	01
	P	1 / 18/ 1961	-57.07	-1.27	3643.93	01	04	1	
	P	1 / 11/ 1962	-59.02	-1.95	3641.98	01	01	1	
	P	1 / 9 / 1963	-59.69	-0.67	3641.31	01	01	1	
	P	1 / 8 / 1964	-62.06	-2.37	3638.94	01	01	1	
	P	1 / 7 / 1965	-62.62	-0.56	3638.38	01	01	1	
	P	1 / 5 / 1966	-63.21	-0.59	3637.79	01	01	1	
	P	1 / 5 / 1967	-64.6	-1.39	3636.4	01	01	1	
	P	1 / 5 / 1968	-63.8	0.8	3637.2	01	01	1	
	P	1 / 14/ 1969	-64.69	-0.89	3636.31	01	01	1	
	P	1 / 13/ 1970	-65.76	-1.07	3635.24	01	06	1	
	P	1 / 14/ 1971	-67.9	-2.14	3633.1	01	06	1	
	P	1 / 6 / 1972	-70.99	-3.09	3630.01	01	06	1	
	N	1 / 21/ 1973				01	01		60
	P	1 / 26/ 1973	-73.93		3627.07	01	06	1	
	P	1 / 16/ 1974	-77.41	-3.48	3623.59	01	06	1	
	P	1 / 7 / 1975	-80.93	-3.52	3620.07	01	06	1	
	P	1 / 6 / 1976	-82.75	-1.82	3618.25	01	06	1	
	P	1 / 14/ 1977	-84.97	-2.22	3616.03	01	06	1	
	P	1 / 16/ 1978	-91.6	-6.63	3609.4	01	06	1	
	P	1 / 11/ 1979	-95.46	-3.86	3605.54	01	06	1	
	N	12 / 20/ 1979				01	06	1	45
	N	12 / 0 / 1980				01	06	7	45

Min *-95.46* **Max** *-55.45* **Avg** *-69.51*

1052902 *(Aquifer: 121OGLL Well Depth: 144)*

	P	11 / 7 / 1959	-44.17		3668.83	01	12	7	01
	P	1 / 15/ 1961	-45.87	-1.7	3667.13	01	01	4	
	P	1 / 15/ 1962	-46.45	-0.58	3666.55	01	01	4	
	P	1 / 15/ 1963	-47.2	-0.75	3665.8	01	01	4	
	P	2 / 15/ 1963	-47.2		3665.8	01	01	4	
	P	4 / 15/ 1963	-48.11	-0.91	3664.89	01	01	4	
	P	2 / 15/ 1964	-48.06	0.05	3664.94	01	01	4	
	P	3 / 26/ 1964	-48.62	-0.56	3664.38	01	01	1	
	P	4 / 15/ 1964	-48.15	0.47	3664.85	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/28/1964	-48.72	-0.57	3664.28	01	01	1	
	P	7/30/1964	-48.81	-0.09	3664.19	01	01	1	
	P	8/15/1964	-48.35	0.46	3664.65	01	01	4	
	P	9/10/1964	-48.91	-0.56	3664.09	01	01	1	
	P	10/15/1964	-48.43	0.48	3664.57	01	01	4	
	P	11/9/1964	-49.03	-0.6	3663.97	01	01	1	
	P	12/15/1964	-48.59	0.44	3664.41	01	01	4	
	P	2/15/1965	-48.67	-0.08	3664.33	01	01	4	
	P	4/28/1965	-48.78	-0.11	3664.22	01	01	1	
	P	6/24/1965	-48.82	-0.04	3664.18	01	01	1	
	P	8/15/1965	-49.45	-0.63	3663.55	01	01	4	
	P	9/16/1965	-49.02	0.43	3663.98	01	01	1	
	P	10/22/1965	-49.12	-0.1	3663.88	01	01	1	
	P	12/15/1965	-49.12		3663.88	01	01	1	
	P	2/15/1966	-48.75	0.37	3664.25	01	01	4	
	P	2/23/1966	-49.32	-0.57	3663.68	01	01	1	
	P	4/15/1966	-49.26	0.06	3663.74	01	01	4	
	P	4/20/1966	-49.4	-0.14	3663.6	01	01	1	
	P	6/22/1966	-49.49	-0.09	3663.51	01	01	1	
	P	8/16/1966	-49.6	-0.11	3663.4	01	01	1	
	P	10/4/1966	-49.7	-0.1	3663.3	01	01	1	
	P	12/12/1966	-49.74	-0.04	3663.26	01	01	1	
	P	2/15/1967	-49.82	-0.08	3663.18	01	01	1	
	P	4/15/1967	-49.88	-0.06	3663.12	01	01	4	
	P	4/19/1967	-49.89	-0.01	3663.11	01	01	1	
	P	6/15/1967	-49.96	-0.07	3663.04	01	01	4	
	P	6/23/1967	-49.98	-0.02	3663.02	01	01	1	
	P	8/13/1967	-50.05	-0.07	3662.95	01	01	1	
	P	8/15/1967	-50.04	0.01	3662.96	01	01	4	
	P	10/15/1967	-50.08	-0.04	3662.92	01	01	4	
	P	10/17/1967	-50.13	-0.05	3662.87	01	01	1	
	P	12/11/1967	-49.83	0.3	3663.17	01	01	1	
	P	12/15/1967	-49.83		3663.17	01	01	4	
	P	2/15/1968	-49.89	-0.06	3663.11	01	01	4	
	P	2/20/1968	-49.72	0.17	3663.28	01	01	1	
	P	4/15/1968	-49.79	-0.07	3663.21	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/23/1968	-50.4	-0.61	3662.6	01	01	1	
	P	6/10/1968	-50.42	-0.02	3662.58	01	01	1	
	P	6/15/1968	-50.41	0.01	3662.59	01	01	4	
	P	8/15/1968	-50.53	-0.12	3662.47	01	01	4	
	P	8/20/1968	-50.54	-0.01	3662.46	01	01	1	
	P	10/15/1968	-50.6	-0.06	3662.4	01	01	4	
	P	10/22/1968	-50.6		3662.4	01	01	1	
	P	12/11/1968	-50.68	-0.08	3662.32	01	01	1	
	P	12/15/1968	-50.68		3662.32	01	01	4	
	P	1/14/1969	-50.72	-0.04	3662.28	01	01	1	
	P	2/15/1969	-50.77	-0.05	3662.23	01	01	4	
	P	2/18/1969	-50.77		3662.23	01	01	1	
	P	4/15/1969	-50.86	-0.09	3662.14	01	01	4	
	P	4/16/1969	-50.96	-0.1	3662.04	01	01	1	
	P	6/15/1969	-51.04	-0.08	3661.96	01	01	4	
	P	6/17/1969	-51.04		3661.96	01	01	1	
	P	8/12/1969	-51.14	-0.1	3661.86	01	01	1	
	P	8/15/1969	-51.3	-0.16	3661.7	01	01	4	
	P	10/15/1969	-51.17	0.13	3661.83	01	01	1	
	P	12/10/1969	-51.34	-0.17	3661.66	01	01	1	
	P	12/15/1969	-51.34		3661.66	01	01	4	
	P	1/12/1970	-51.3	0.04	3661.7	01	06	1	
	P	2/11/1970	-51.42	-0.12	3661.58	01	01	1	
	P	2/15/1970	-51.43	-0.01	3661.57	01	01	4	
	P	4/15/1970	-51.4	0.03	3661.6	01	01	1	
	P	6/3/1970	-51.52	-0.12	3661.48	01	01	1	
	P	6/15/1970	-51.53	-0.01	3661.47	01	01	4	
	P	8/13/1970	-51.62	-0.09	3661.38	01	01	1	
	P	8/15/1970	-51.62		3661.38	01	01	4	
	P	10/8/1970	-51.71	-0.09	3661.29	01	01	1	
	P	10/15/1970	-51.73	-0.02	3661.27	01	01	4	
	P	12/10/1970	-51.81	-0.08	3661.19	01	01	1	
	P	12/15/1970	-51.8	0.01	3661.2	01	01	4	
	P	1/14/1971	-51.87	-0.07	3661.13	01	06	1	
	P	2/15/1971	-51.91	-0.04	3661.09	01	01	1	
	P	4/13/1971	-51.99	-0.08	3661.01	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/15/1971	-51.98	0.01	3661.02	01	01	4	
	P	6/15/1971	-52.1	-0.12	3660.9	01	01	4	
	P	6/16/1971	-52.1		3660.9	01	01	1	
	P	8/15/1971	-52.2	-0.1	3660.8	01	01	4	
	P	8/17/1971	-52.13	0.07	3660.87	01	01	1	
	P	10/15/1971	-52.22	-0.09	3660.78	01	01	4	
	P	10/28/1971	-52.25	-0.03	3660.75	01	01	1	
	P	12/6/1971	-52.39	-0.14	3660.61	01	01	1	
	P	12/15/1971	-52.42	-0.03	3660.58	01	01	4	
	P	1/6/1972	-52.46	-0.04	3660.54	01	06	1	
	P	2/11/1972	-52.47	-0.01	3660.53	01	01	1	
	P	2/15/1972	-52.49	-0.02	3660.51	01	01	4	
	P	4/15/1972	-52.54	-0.05	3660.46	01	01	1	
	P	6/14/1972	-52.64	-0.1	3660.36	01	01	1	
	P	6/15/1972	-52.64		3660.36	01	01	4	
	P	8/15/1972	-52.75	-0.11	3660.25	01	01	4	
	P	8/16/1972	-52.75		3660.25	01	01	1	
	P	10/12/1972	-52.83	-0.08	3660.17	01	01	1	
	P	10/15/1972	-52.84	-0.01	3660.16	01	01	4	
	P	12/6/1972	-52.96	-0.12	3660.04	01	01	1	
	P	12/15/1972	-52.95	0.01	3660.05	01	01	4	
	P	2/7/1973	-53.05	-0.1	3659.95	01	01	1	
	P	2/15/1973	-53.05		3659.95	01	01	4	
	P	3/28/1973	-53.14	-0.09	3659.86	01	01	1	
	P	4/15/1973	-53.15	-0.01	3659.85	01	01	4	
	P	6/14/1973	-53.25	-0.1	3659.75	01	01	1	
	P	6/15/1973	-53.25		3659.75	01	01	4	
	P	8/8/1973	-53.31	-0.06	3659.69	01	01	1	
	P	8/15/1973	-53.3	0.01	3659.7	01	01	4	
	P	10/9/1973	-53.43	-0.13	3659.57	01	01	1	
	P	10/15/1973	-53.4	0.03	3659.6	01	01	4	
	P	12/18/1973	-53.51	-0.11	3659.49	01	01	1	
	P	1/17/1974	-53.6	-0.09	3659.4	01	06	1	
	P	2/15/1974	-53.65	-0.05	3659.35	01	01	4	
	P	2/19/1974	-53.77	-0.12	3659.23	01	01	1	
	P	4/15/1974	-53.87	-0.1	3659.13	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/17/1974	-53.88	-0.01	3659.12	01	01	1	
	P	6/15/1974	-53.98	-0.1	3659.02	01	01	4	
	P	7/23/1974	-54.04	-0.06	3658.96	01	01	1	
	P	8/15/1974	-54.1	-0.06	3658.9	01	01	4	
	P	10/15/1974	-54.24	-0.14	3658.76	01	01	4	
	P	10/17/1974	-54.19	0.05	3658.81	01	01	1	
	P	12/18/1974	-54.37	-0.18	3658.63	01	01	1	
	P	1/ 7/1975	-54.24	0.13	3658.76	01	06	1	
	P	2/20/1975	-54.44	-0.2	3658.56	01	01	1	
	P	4/17/1975	-54.51	-0.07	3658.49	01	01	1	
	P	6/15/1975	-54.61	-0.1	3658.39	01	01	4	
	P	6/18/1975	-54.59	0.02	3658.41	01	01	1	
	P	7/15/1975	-54.62	-0.03	3658.38	01	01	4	
	P	8/15/1975	-54.68	-0.06	3658.32	01	01	4	
	P	8/21/1975	-54.72	-0.04	3658.28	01	01	1	
	P	10/15/1975	-54.78	-0.06	3658.22	01	01	4	
	P	10/16/1975	-54.78		3658.22	01	01	1	
	P	12/16/1975	-54.9	-0.12	3658.1	01	01	1	
	P	1/ 6/1976	-54.95	-0.05	3658.05	01	06	1	
	P	2/24/1976	-54.99	-0.04	3658.01	01	01	1	
	P	5/13/1976	-55.12	-0.13	3657.88	01	01	1	
	P	6/15/1976	-55.2	-0.08	3657.8	01	01	4	
	P	8/15/1976	-55.31	-0.11	3657.69	01	01	4	
	P	8/24/1976	-55.36	-0.05	3657.64	01	01	1	
	P	10/15/1976	-55.42	-0.06	3657.58	01	01	4	
	P	11/22/1976	-55.51	-0.09	3657.49	01	01	1	
	P	1/14/1977	-55.62	-0.11	3657.38	01	06	1	
	P	2/15/1977	-55.65	-0.03	3657.35	01	01	4	
	P	2/24/1977	-55.69	-0.04	3657.31	01	01	1	
	P	4/15/1977	-55.76	-0.07	3657.24	01	01	4	
	P	5/24/1977	-55.85	-0.09	3657.15	01	01	1	
	P	6/15/1977	-55.89	-0.04	3657.11	01	01	4	
	P	8/15/1977	-55.98	-0.09	3657.02	01	01	4	
	P	8/24/1977	-55.95	0.03	3657.05	01	01	1	
	P	10/15/1977	-56.05	-0.1	3656.95	01	01	4	
	P	11/22/1977	-56.13	-0.08	3656.87	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/16/1978	-56.31	-0.18	3656.69	01	06	1	
	P	2/15/1978	-56.26	0.05	3656.74	01	01	4	
	P	3/28/1978	-56.39	-0.13	3656.61	01	01	1	
	P	4/15/1978	-56.38	0.01	3656.62	01	01	4	
	P	6/ 1/1978	-56.52	-0.14	3656.48	01	01	1	
	P	6/15/1978	-56.53	-0.01	3656.47	01	01	4	
	P	8/15/1978	-56.65	-0.12	3656.35	01	01	4	
	P	8/24/1978	-56.65		3656.35	01	01	1	
	P	10/15/1978	-56.73	-0.08	3656.27	01	01	4	
	P	11/29/1978	-56.87	-0.14	3656.13	01	01	1	
	P	12/15/1978	-56.89	-0.02	3656.11	01	01	4	
	P	1/11/1979	-57.03	-0.14	3655.97	01	06	1	
	P	2/15/1979	-57	0.03	3656	01	01	4	
	P	2/22/1979	-57.06	-0.06	3655.94	01	01	1	
	P	4/15/1979	-57.15	-0.09	3655.85	01	01	4	
	P	4/24/1979	-57.18	-0.03	3655.82	01	01	1	
	P	6/15/1979	-57.29	-0.11	3655.71	01	01	4	
	P	6/18/1979	-57.32	-0.03	3655.68	01	01	1	
	P	8/15/1979	-57.42	-0.1	3655.58	01	01	4	
	P	12/20/1979	-57.76	-0.34	3655.24	01	06	1	
	P	4/28/1980	-58.02	-0.26	3654.98	01	01	4	
	P	6/15/1980	-58.11	-0.09	3654.89	01	01	4	
	P	7/23/1980	-58.2	-0.09	3654.8	01	01	4	
	P	8/15/1980	-58.25	-0.05	3654.75	01	01	4	
	P	10/15/1980	-58.39	-0.14	3654.61	01	01	4	
	P	10/30/1980	-58.45	-0.06	3654.55	01	01	4	
	P	1/12/1981	-58.66	-0.21	3654.34	01	06	1	
	P	4/14/1981	-58.85	-0.19	3654.15	01	01	1	
	P	4/15/1981	-58.85		3654.15	01	01	4	
	P	6/15/1981	-58.98	-0.13	3654.02	01	01	4	
	P	6/29/1981	-59	-0.02	3654	01	01	1	
	P	8/15/1981	-59.07	-0.07	3653.93	01	01	4	
	P	9/28/1981	-59.18	-0.11	3653.82	01	01	1	
	P	10/15/1981	-59.2	-0.02	3653.8	01	01	4	
	P	12/15/1981	-59.37	-0.17	3653.63	01	01	4	
	P	12/29/1981	-59.54	-0.17	3653.46	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/19/1982	-59.62	-0.08	3653.38	01	06	1	
	P	2/15/1982	-59.65	-0.03	3653.35	01	01	4	
	P	8/15/1982	-60.05	-0.4	3652.95	01	01	4	
	P	10/15/1982	-60.18	-0.13	3652.82	01	01	4	
	P	12/15/1982	-60.32	-0.14	3652.68	01	01	4	
	P	1/18/1983	-60.44	-0.12	3652.56	01	01	1	
	P	2/15/1983	-60.52	-0.08	3652.48	01	01	4	
	P	2/16/1983	-60.53	-0.01	3652.47	01	06	1	
	P	4/15/1983	-60.67	-0.14	3652.33	01	01	4	
	P	6/15/1983	-60.83	-0.16	3652.17	01	01	4	
	P	8/15/1983	-60.95	-0.12	3652.05	01	01	4	
	P	10/15/1983	-61.14	-0.19	3651.86	01	01	4	
	P	1/ 5/1984	-61.38	-0.24	3651.62	01	06	1	
	P	1/11/1984	-61.42	-0.04	3651.58	01	01	1	
	P	2/15/1984	-61.43	-0.01	3651.57	01	01	4	
	P	4/15/1984	-61.62	-0.19	3651.38	01	01	4	
	P	10/15/1984	-62.07	-0.45	3650.93	01	01	4	
	P	12/15/1984	-62.24	-0.17	3650.76	01	01	4	
	P	1/15/1985	-62.3	-0.06	3650.7	01	01	1	
	P	1/24/1985	-62.4	-0.1	3650.6	01	06	1	
	P	2/15/1985	-62.32	0.08	3650.68	01	01	4	
	P	4/15/1985	-62.5	-0.18	3650.5	01	01	4	
	P	4/17/1985	-62.55	-0.05	3650.45	01	01	1	
	P	6/15/1985	-62.71	-0.16	3650.29	01	01	4	
	P	7/24/1985	-62.8	-0.09	3650.2	01	01	1	
	P	8/15/1985	-62.79	0.01	3650.21	01	01	4	
	P	10/ 8/1985	-63.02	-0.23	3649.98	01	01	1	
	P	10/15/1985	-62.9	0.12	3650.1	01	01	4	
	P	12/15/1985	-63.14	-0.24	3649.86	01	01	4	
	P	1/15/1986	-63.29	-0.15	3649.71	01	01	4	
	P	1/24/1986	-63.32	-0.03	3649.68	01	06	1	
	P	1/30/1986	-63.3	0.02	3649.7	01	01	4	
	P	2/15/1986	-63.32	-0.02	3649.68	01	01	4	
	P	2/28/1986	-63.36	-0.04	3649.64	01	01	4	
	P	3/15/1986	-63.4	-0.04	3649.6	01	01	4	
	P	3/25/1986	-63.75	-0.35	3649.25	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/30/1986	-63.5	0.25	3649.5	01	01	4	
	P	4/15/1986	-63.52	-0.02	3649.48	01	01	4	
	P	4/30/1986	-63.56	-0.04	3649.44	01	01	4	
	P	5/15/1986	-63.58	-0.02	3649.42	01	01	4	
	P	5/30/1986	-63.61	-0.03	3649.39	01	01	4	
	P	6/15/1986	-63.65	-0.04	3649.35	01	01	4	
	P	6/22/1986	-63.68	-0.03	3649.32	01	01	4	
	P	7/22/1986	-63.74	-0.06	3649.26	01	01	1	
	P	7/30/1986	-63.77	-0.03	3649.23	01	01	4	
	P	8/15/1986	-63.77		3649.23	01	01	4	
	P	8/30/1986	-63.8	-0.03	3649.2	01	01	4	
	P	9/15/1986	-63.9	-0.1	3649.1	01	01	4	
	P	9/30/1986	-63.92	-0.02	3649.08	01	01	4	
	P	10/15/1986	-63.95	-0.03	3649.05	01	01	4	
	P	10/25/1986	-64.01	-0.06	3648.99	01	01	1	
	P	10/30/1986	-64.02	-0.01	3648.98	01	01	4	
	P	11/15/1986	-64.03	-0.01	3648.97	01	01	4	
	P	11/30/1986	-64.05	-0.02	3648.95	01	01	4	
	P	12/15/1986	-64.09	-0.04	3648.91	01	01	4	
	P	12/30/1986	-64.14	-0.05	3648.86	01	01	4	
	P	1/15/1987	-64.16	-0.02	3648.84	01	01	4	
	P	1/28/1987	-64.2	-0.04	3648.8	01	01	4	
	P	2/ 2/1987	-64.3	-0.1	3648.7	01	06	1	
	P	2/20/1987	-64.52	-0.22	3648.48	01	01	1	
	P	2/28/1987	-64.34	0.18	3648.66	01	01	4	
	P	3/15/1987	-64.33	0.01	3648.67	01	01	4	
	P	3/30/1987	-64.36	-0.03	3648.64	01	01	4	
	P	4/15/1987	-64.43	-0.07	3648.57	01	01	4	
	P	4/30/1987	-64.43		3648.57	01	01	4	
	P	5/15/1987	-64.48	-0.05	3648.52	01	01	4	
	P	5/26/1987	-64.5	-0.02	3648.5	01	01	1	
	P	5/30/1987	-64.53	-0.03	3648.47	01	01	4	
	P	6/15/1987	-64.53		3648.47	01	01	4	
	P	6/30/1987	-64.56	-0.03	3648.44	01	01	4	
	P	7/15/1987	-64.6	-0.04	3648.4	01	01	4	
	P	7/30/1987	-64.61	-0.01	3648.39	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/15/1987	-64.67	-0.06	3648.33	01	01	4	
	P	8/27/1987	-64.72	-0.05	3648.28	01	01	4	
	P	9/15/1987	-64.8	-0.08	3648.2	01	01	4	
	P	9/30/1987	-64.89	-0.09	3648.11	01	01	4	
	P	10/15/1987	-64.89		3648.11	01	01	4	
	P	10/30/1987	-64.95	-0.06	3648.05	01	01	4	
	P	11/15/1987	-64.96	-0.01	3648.04	01	01	4	
	P	11/30/1987	-65	-0.04	3648	01	01	4	
	P	12/15/1987	-65.04	-0.04	3647.96	01	01	4	
	P	12/23/1987	-65.05	-0.01	3647.95	01	01	4	
	P	1/11/1988	-65.15	-0.1	3647.85	01	06	1	
	P	1/13/1988	-65.18	-0.03	3647.82	01	01	4	
	P	2/9/1988	-65.25	-0.07	3647.75	01	01	1	
	P	2/15/1988	-65.22	0.03	3647.78	01	01	4	
	P	2/29/1988	-65.25	-0.03	3647.75	01	01	4	
	P	3/15/1988	-65.33	-0.08	3647.67	01	01	4	
	P	3/30/1988	-65.37	-0.04	3647.63	01	01	4	
	P	4/15/1988	-65.42	-0.05	3647.58	01	01	4	
	P	4/30/1988	-65.47	-0.05	3647.53	01	01	4	
	P	5/10/1988	-65.44	0.03	3647.56	01	01	1	
	P	5/15/1988	-65.38	0.06	3647.62	01	01	4	
	P	5/30/1988	-65.34	0.04	3647.66	01	01	4	
	P	6/15/1988	-65.44	-0.1	3647.56	01	01	4	
	P	6/30/1988	-65.56	-0.12	3647.44	01	01	4	
	P	7/15/1988	-65.66	-0.1	3647.34	01	01	4	
	P	7/30/1988	-65.71	-0.05	3647.29	01	01	4	
	P	8/15/1988	-65.75	-0.04	3647.25	01	01	4	
	P	8/17/1988	-65.69	0.06	3647.31	01	01	1	
	P	8/30/1988	-65.72	-0.03	3647.28	01	01	4	
	P	9/15/1988	-65.74	-0.02	3647.26	01	01	4	
	P	9/30/1988	-65.78	-0.04	3647.22	01	01	4	
	P	10/15/1988	-65.82	-0.04	3647.18	01	01	4	
	P	10/30/1988	-65.88	-0.06	3647.12	01	01	4	
	P	11/1/1988	-65.92	-0.04	3647.08	01	01	1	
	P	11/15/1988	-66.04	-0.12	3646.96	01	01	4	
	P	11/30/1988	-66.04		3646.96	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12/15/1988	-66.07	-0.03	3646.93	01	01	4	
	P	12/30/1988	-66.16	-0.09	3646.84	01	01	4	
	P	1/15/1989	-66.17	-0.01	3646.83	01	01	4	
	P	1/25/1989	-66.19	-0.02	3646.81	01	06	1	
	P	1/30/1989	-66.2	-0.01	3646.8	01	01	4	
	P	2/12/1989	-66.29	-0.09	3646.71	01	01	1	
	P	2/15/1989	-66.26	0.03	3646.74	01	01	4	
	P	2/28/1989	-66.21	0.05	3646.79	01	01	4	
	P	3/15/1989	-66.22	-0.01	3646.78	01	01	4	
	P	3/30/1989	-66.22		3646.78	01	01	4	
	P	4/15/1989	-66.21	0.01	3646.79	01	01	4	
	P	4/30/1989	-66.23	-0.02	3646.77	01	01	4	
	P	5/15/1989	-66.3	-0.07	3646.7	01	01	1	
	P	5/16/1989	-66.5	-0.2	3646.5	01	01	1	
	P	5/30/1989	-66.46	0.04	3646.54	01	01	4	
	P	6/15/1989	-66.52	-0.06	3646.48	01	01	4	
	P	6/30/1989	-66.59	-0.07	3646.41	01	01	4	
	P	7/15/1989	-66.62	-0.03	3646.38	01	01	4	
	P	7/30/1989	-66.66	-0.04	3646.34	01	01	4	
	P	8/15/1989	-66.72	-0.06	3646.28	01	01	4	
	P	8/30/1989	-66.72		3646.28	01	01	4	
	P	9/15/1989	-66.78	-0.06	3646.22	01	01	4	
	P	9/30/1989	-66.85	-0.07	3646.15	01	01	4	
	P	10/15/1989	-66.98	-0.13	3646.02	01	01	4	
	P	10/30/1989	-66.97	0.01	3646.03	01	01	4	
	P	11/7/1989	-66.92	0.05	3646.08	01	01	1	
	P	11/15/1989	-66.87	0.05	3646.13	01	01	4	
	P	11/30/1989	-66.84	0.03	3646.16	01	01	4	
	P	12/9/1989	-67.06	-0.22	3645.94	01	01	1	
	P	12/15/1989	-66.88	0.18	3646.12	01	01	4	
	P	12/30/1989	-66.92	-0.04	3646.08	01	01	4	
	P	1/15/1990	-67.04	-0.12	3645.96	01	01	4	
	P	1/17/1990	-67.16	-0.12	3645.84	01	06	1	
	P	1/30/1990	-67.1	0.06	3645.9	01	01	4	
	P	2/15/1990	-67.15	-0.05	3645.85	01	01	4	
	P	2/22/1990	-67.19	-0.04	3645.81	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/28/1990	-67.19		3645.81	01	01	4	
	P	3/15/1990	-67.21	-0.02	3645.79	01	01	4	
	P	3/30/1990	-67.26	-0.05	3645.74	01	01	4	
	P	4/15/1990	-67.32	-0.06	3645.68	01	01	4	
	P	4/30/1990	-67.37	-0.05	3645.63	01	01	4	
	P	5/15/1990	-67.43	-0.06	3645.57	01	01	4	
	P	7/30/1990	-67.64	-0.21	3645.36	01	01	4	
	P	8/15/1990	-67.69	-0.05	3645.31	01	01	4	
	P	8/30/1990	-67.75	-0.06	3645.25	01	01	4	
	P	9/15/1990	-67.81	-0.06	3645.19	01	01	4	
	P	9/30/1990	-67.84	-0.03	3645.16	01	01	4	
	P	10/15/1990	-69.86	-2.02	3643.14	01	01	4	
	P	10/30/1990	-67.98	1.88	3645.02	01	01	4	
	P	11/14/1990	-68	-0.02	3645	01	01	4	
	P	12/ 5/1990	-68.08	-0.08	3644.92	01	01	1	
	P	1/17/1991	-68.27	-0.19	3644.73	01	06	1	
	P	2/28/1991	-68.26	0.01	3644.74	01	01	4	
	P	3/15/1991	-68.29	-0.03	3644.71	01	01	4	
	P	3/30/1991	-68.35	-0.06	3644.65	01	01	4	
	P	4/15/1991	-68.43	-0.08	3644.57	01	01	4	
	P	4/30/1991	-68.44	-0.01	3644.56	01	01	4	
	P	5/15/1991	-68.48	-0.04	3644.52	01	01	4	
	P	5/30/1991	-68.52	-0.04	3644.48	01	01	4	
	P	6/15/1991	-68.58	-0.06	3644.42	01	01	4	
	P	6/30/1991	-68.65	-0.07	3644.35	01	01	4	
	P	7/15/1991	-68.7	-0.05	3644.3	01	01	4	
	P	7/30/1991	-68.72	-0.02	3644.28	01	01	4	
	P	11/20/1991	-69.14	-0.42	3643.86	01	01	4	
	P	12/ 6/1991	-71.59	-2.45	3641.41	01	01	1	
	P	2/12/1992	-69.4	2.19	3643.6	01	06	1	
	P	12/11/1992	-70.69	-1.29	3642.31	01	01	1	
	P	1/12/1993	-70.43	0.26	3642.57	01	06	1	
	P	1/20/1994	-71.49	-1.06	3641.51	01	06	1	
	P	12/14/1994	-72.39	-0.9	3640.61	01	01	1	
	P	1/17/1995	-73.68	-1.29	3639.32	01	06	1	
	P	12/ 5/1995	-75.7	-2.02	3637.3	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 23/ 1996	-75.19	0.51	3637.81	01	06	1	
	P	2 / 7 / 1997	-77.3	-2.11	3635.7	01	06	1	
	N	12 / 13/ 1997				01	01		61
	N	1 / 16/ 1998				01	06	7	45
	N	12 / 12/ 1998				01	01		61
	N	1 / 14/ 1999				01	06	7	45
	N	12 / 13/ 1999				01	01		61
	N	1 / 14/ 2000				01	06	7	45

Min *-77.3* **Max** *-44.17* **Avg** *-59.1011*

1052903 *(Aquifer: 121OGLL Well Depth: 46)*

	P	6 / 22/ 1939	-37.7		3677.3	01	12	7	01
	P	8 / 15/ 1939	-37.66	0.04	3677.34	01	12	7	01
	P	10 / 13/ 1939	-37.85	-0.19	3677.15	01	12	7	01
	P	12 / 18/ 1939	-37.98	-0.13	3677.02	01	12	7	01
	P	3 / 25/ 1940	-37.98		3677.02	01	12	7	01
	P	4 / 22/ 1940	-37.78	0.2	3677.22	01	12	7	01
	P	11 / 18/ 1940	-38.85	-1.07	3676.15	01	12	7	01
	P	3 / 20/ 1941	-38.85		3676.15	01	12	7	01
	P	5 / 30/ 1941	-38.28	0.57	3676.72	01	12	7	01
	P	11 / 19/ 1941	-36.98	1.3	3678.02	01	12	7	01
	P	3 / 14/ 1942	-36.12	0.86	3678.88	01	12	7	01
	P	7 / 28/ 1942	-35.25	0.87	3679.75	01	12	7	01
	P	11 / 30/ 1942	-34.5	0.75	3680.5	01	12	7	01
	P	2 / 4 / 1943	-34.32	0.18	3680.68	01	12	7	01
	P	2 / 2 / 1944	-37.7	-3.38	3677.3	01	12	7	01

Min *-38.85* **Max** *-34.32* **Avg** *-37.1867*

1052904 *(Aquifer: 121OGLL Well Depth: 173)*

	P	3 / 6 / 1959	-70		3636	01	07	7	
	P	3 / 16/ 2001	-131.68	-61.7	3574.32	01	06	1	
	P	1 / 22/ 2002	-133.3	-1.62	3572.7	01	06	1	
	P	3 / 26/ 2003	-134.95	-1.65	3571.05	01	06	1	
	P	2 / 9 / 2004	-136.47	-1.52	3569.53	01	06	1	
	P	1 / 7 / 2005	-137.41	-0.94	3568.59	01	06	1	
	N	1 / 8 / 2006				01	06		41
	P	2 / 5 / 2007	-138.93		3567.07	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 7 / 2008	-139.65	-0.72	3566.35	01	06	1	
	P	1 / 30 / 2009	-142.19	-2.54	3563.81	01	06	1	
	P	1 / 12 / 2010	-141.97	0.22	3564.03	01	06	1	
	P	2 / 23 / 2011	-144.08	-2.11	3561.92	01	06	1	
	P	12 / 27 / 2011	-144.57	-0.49	3561.43	01	06	1	

Min *-144.57* **Max** *-70* **Avg** *-132.933*

1052905 *(Aquifer: 121OGLL Well Depth: 148)*

	P	1 / 7 / 1980	-95.24		3599.76	01	06	1	
	P	1 / 12 / 1981	-99.27	-4.03	3595.73	01	06	1	
	N	1 / 19 / 1982				01	06		41
	P	2 / 16 / 1983	-98.84		3596.16	01	06	1	
	P	1 / 5 / 1984	-96.08	2.76	3598.92	01	06	1	
	P	1 / 17 / 1985	-100.23	-4.15	3594.77	01	06	1	
	P	1 / 24 / 1986	-99.02	1.21	3595.98	01	06	1	
	P	1 / 26 / 1987	-99.73	-0.71	3595.27	01	06	1	
	P	1 / 11 / 1988	-97.56	2.17	3597.44	01	06	1	
	P	1 / 25 / 1989	-97.41	0.15	3597.59	01	06	1	
	P	1 / 17 / 1990	-97.5	-0.09	3597.5	01	06	1	
	P	1 / 17 / 1991	-98.76	-1.26	3596.24	01	06	1	
	P	2 / 12 / 1992	-99.29	-0.53	3595.71	01	06	1	
	P	1 / 12 / 1993	-100.04	-0.75	3594.96	01	06	1	
	P	1 / 20 / 1994	-101.11	-1.07	3593.89	01	06	1	
	P	1 / 17 / 1995	-102.25	-1.14	3592.75	01	06	1	
	P	1 / 22 / 1996	-103.69	-1.44	3591.31	01	06	1	
	P	2 / 7 / 1997	-106.92	-3.23	3588.08	01	06	1	
	P	1 / 16 / 1998	-111.96	-5.04	3583.04	01	06	1	
	N	1 / 14 / 1999				01	06		41
	N	1 / 22 / 2002				01	06		42
	N	3 / 26 / 2003				01	06		81
	N	2 / 9 / 2004				01	06	7	44
	N	1 / 7 / 2005				01	06	7	44

Min *-111.96* **Max** *-95.24* **Avg** *-100.272*

1053101 *(Aquifer: 121OGLL Well Depth: 184)*

	P	4 / 18 / 1963	-58.9		3636.1	01	01	1	
	P	1 / 8 / 1964	-50.04	8.86	3644.96	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1965	-53.42	-3.38	3641.58	01	01	1	
	P	1/ 5/1966	-53.72	-0.3	3641.28	01	01	1	
	P	1/ 7/1967	-56.14	-2.42	3638.86	01	01	1	
	P	1/ 5/1968	-59.48	-3.34	3635.52	01	01	1	
	P	1/15/1969	-58.21	1.27	3636.79	01	01	1	
	P	2/12/1970	-60.19	-1.98	3634.81	01	06	1	
	P	1/16/1971	-65.04	-4.85	3629.96	01	06	1	04
	P	1/ 4/1972	-67.3	-2.26	3627.7	01	06	1	
	P	1/22/1973	-66.92	0.38	3628.08	01	01	1	
	P	1/16/1974	-69.95	-3.03	3625.05	01	06	1	
	P	1/ 7/1975	-73.7	-3.75	3621.3	01	06	1	
	P	1/ 9/1976	-75.3	-1.6	3619.7	01	06	1	
	P	1/14/1977	-78.25	-2.95	3616.75	01	06	1	
	P	1/16/1978	-80.45	-2.2	3614.55	01	06	1	
	P	2/ 2/1979	-83.45	-3	3611.55	01	06	1	
	P	12/17/1979	-84.99	-1.54	3610.01	01	06	1	
	P	1/12/1981	-89.43	-4.44	3605.57	01	06	1	
	P	1/20/1982	-91.73	-2.3	3603.27	01	06	1	
	P	2/16/1983	-92.89	-1.16	3602.11	01	06	1	
	P	1/ 7/1984	-94.02	-1.13	3600.98	01	06	1	
	P	1/22/1985	-95.48	-1.46	3599.52	01	06	1	
	P	1/27/1986	-95.81	-0.33	3599.19	01	06	1	
	P	1/29/1987	-97.19	-1.38	3597.81	01	06	1	
	P	1/11/1988	-94.91	2.28	3600.09	01	06	1	
	P	1/23/1989	-95.28	-0.37	3599.72	01	06	1	
	P	1/17/1990	-96.16	-0.88	3598.84	01	06	1	
	P	1/17/1991	-96.77	-0.61	3598.23	01	06	1	
	P	2/12/1992	-96.9	-0.13	3598.1	01	06	1	
	P	1/29/1993	-97.25	-0.35	3597.75	01	06	1	
	P	1/18/1994	-97.91	-0.66	3597.09	01	06	1	
	P	1/16/1995	-98.62	-0.71	3596.38	01	06	1	
	P	1/22/1996	-99.31	-0.69	3595.69	01	06	1	
	P	2/10/1997	-100.26	-0.95	3594.74	01	06	1	
	P	1/16/1998	-100.37	-0.11	3594.63	01	06	1	
	P	1/21/1999	-101	-0.63	3594	01	06	1	
	P	1/13/2000	-101.98	-0.98	3593.02	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 2001	-102.3	-0.32	3592.7	01	06	1	
	P	1 / 23/ 2002	-102.53	-0.23	3592.47	01	06	1	
	P	2 / 14/ 2003	-103.13	-0.6	3591.87	01	06	1	
	P	2 / 10/ 2004	-103.34	-0.21	3591.66	01	06	1	
	P	1 / 7 / 2005	-103.92	-0.58	3591.08	01	06	1	
	P	1 / 18/ 2006	-103.55	0.37	3591.45	01	06	1	
	P	2 / 8 / 2007	-104.42	-0.87	3590.58	01	06	1	
	P	1 / 2 / 2008	-103.89	0.53	3591.11	01	06	1	
	P	2 / 2 / 2009	-104.3	-0.41	3590.7	01	06	1	
	P	1 / 13/ 2010	-104.58	-0.28	3590.42	01	06	1	
	P	1 / 13/ 2011	-104.94	-0.36	3590.06	01	06	1	
	P	12 / 29/ 2011	-105.32	-0.38	3589.68	01	06	1	

Min *-105.32* **Max** *-50.04* **Avg** *-87.4988*

1053102 *(Aquifer: 121OGLL Well Depth: 21)*

	P	2 / 5 / 1937	-19.01		3680.99	01	12	7	01
	P	6 / 24/ 1937	-17.95	1.06	3682.05	01	12	7	01
	P	8 / 30/ 1937	-19.18	-1.23	3680.82	01	12	7	01
	P	1 / 10/ 1938	-18.63	0.55	3681.37	01	12	7	01
	P	6 / 16/ 1938	-19.13	-0.5	3680.87	01	12	7	01
	P	9 / 16/ 1938	-19.81	-0.68	3680.19	01	12	7	01
	P	1 / 27/ 1939	-19.23	0.58	3680.77	01	12	7	01
	P	7 / 7 / 1939	-20.02	-0.79	3679.98	01	12	7	01
	P	9 / 15/ 1939	-18.5	1.52	3681.5	01	12	7	01
	P	12 / 7 / 1939	-18.78	-0.28	3681.22	01	12	7	01
	P	3 / 25/ 1940	-18.84	-0.06	3681.16	01	12	7	01
	P	11 / 13/ 1940	-19.88	-1.04	3680.12	01	12	7	01
	P	3 / 20/ 1941	-18.8	1.08	3681.2	01	12	7	01
	P	11 / 17/ 1941	-11.9	6.9	3688.1	01	12	7	01
	P	3 / 16/ 1942	-12.52	-0.62	3687.48	01	12	7	01
	P	11 / 30/ 1942	-12.95	-0.43	3687.05	01	12	7	01
	P	2 / 4 / 1943	-12.83	0.12	3687.17	01	12	7	01

Min *-20.02* **Max** *-11.9* **Avg** *-17.5271*

1053106 *(Aquifer: 121OGLL Well Depth: 187)*

	P	10 / 19/ 1950	-50		3681	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -50		**Max -50**	**Avg**	**-50**					
1053206	*(Aquifer: 121OGLL*		*Well Depth: 208)*						
	P	10 / 18/ 1979	-135.85		3582.15	01	06	1	
	P	12 / 17/ 1979	-135.23	0.62	3582.77	01	06	1	
	P	1 / 13/ 1981	-139.47	-4.24	3578.53	01	06	1	
	P	1 / 20/ 1982	-141.47	-2	3576.53	01	06	1	
	P	2 / 22/ 1983	-142.8	-1.33	3575.2	01	06	1	
	P	1 / 7 / 1984	-143.48	-0.68	3574.52	01	06	1	
	P	1 / 23/ 1985	-145.38	-1.9	3572.62	01	06	1	
	P	1 / 16/ 1986	-146.25	-0.87	3571.75	01	06	1	
	P	1 / 28/ 1987	-146.32	-0.07	3571.68	01	06	1	
	P	1 / 15/ 1988	-145.91	0.41	3572.09	01	06	1	
	P	1 / 20/ 1989	-145.79	0.12	3572.21	01	06	1	
	P	1 / 16/ 1990	-147.12	-1.33	3570.88	01	06	1	
	P	1 / 22/ 1991	-148.89	-1.77	3569.11	01	06	1	
	P	2 / 12/ 1992	-150.2	-1.31	3567.8	01	06	1	
	P	1 / 29/ 1993	-150.8	-0.6	3567.2	01	06	1	
	P	1 / 18/ 1994	-152.15	-1.35	3565.85	01	06	1	
	P	1 / 16/ 1995	-154.88	-2.73	3563.12	01	06	1	
	P	1 / 15/ 1996	-157.85	-2.97	3560.15	01	06	1	
	P	2 / 10/ 1997	-160.47	-2.62	3557.53	01	06	1	
	P	1 / 16/ 1998	-162.18	-1.71	3555.82	01	06	1	
	P	1 / 21/ 1999	-165	-2.82	3553	01	06	1	
	P	1 / 13/ 2000	-166.48	-1.48	3551.52	01	06	1	
	P	1 / 26/ 2001	-168.38	-1.9	3549.62	01	06	1	
	P	1 / 23/ 2002	-169.32	-0.94	3548.68	01	06	1	
	P	2 / 14/ 2003	-170.35	-1.03	3547.65	01	06	1	
	P	2 / 10/ 2004	-171.7	-1.35	3546.3	01	06	1	
	P	1 / 24/ 2005	-172.39	-0.69	3545.61	01	06	1	
	P	1 / 13/ 2006	-173.08	-0.69	3544.92	01	06	1	
	P	1 / 10/ 2007	-173.88	-0.8	3544.12	01	06	1	
	P	1 / 2 / 2008	-174.78	-0.9	3543.22	01	06	1	
	P	1 / 23/ 2009	-176.42	-1.64	3541.58	01	06	1	
	P	1 / 13/ 2010	-177.91	-1.49	3540.09	01	06	1	
	P	2 / 23/ 2011	-179.3	-1.39	3538.7	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 27/ 2012				01	06	1	46
Min -179.3		Max -135.23	Avg -157.318						
1053208	(Aquifer: 121OGDK		Well Depth: 360)						
	P	6 / 14/ 1983	-252.1		3461.9	01	12	7	
Min -252.1		Max -252.1	Avg -252.1						
1053301	(Aquifer: 121OGLL		Well Depth: 220)						
	P	8 / 15/ 1989	-142.5		3551.5	01	01	1	
Min -142.5		Max -142.5	Avg -142.5						
1053302	(Aquifer: 121OGLL		Well Depth: 180)						
	P	2 / 28/ 1946	-37.12		3654.88	01	12	7	01
	P	3 / 18/ 1947	-36.42	0.7	3655.58	01	12	7	01
	P	2 / 19/ 1948	-37.48	-1.06	3654.52	01	12	7	01
	P	3 / 11/ 1949	-39.78	-2.3	3652.22	01	12	7	01
	P	2 / 16/ 1950	-39.84	-0.06	3652.16	01	12	7	01
	P	1 / 12/ 1951	-38.63	1.21	3653.37	01	12	7	01
	P	1 / 25/ 1952	-39.55	-0.92	3652.45	01	12	7	01
	P	1 / 14/ 1953	-42.55	-3	3649.45	01	12	7	01
	P	1 / 6 / 1954	-45.4	-2.85	3646.6	01	12	7	01
	P	1 / 4 / 1955	-49.45	-4.05	3642.55	01	12	7	01
	P	1 / 9 / 1956	-51.08	-1.63	3640.92	01	12	7	01
	P	1 / 12/ 1957	-55.07	-3.99	3636.93	01	12	7	01
	P	1 / 23/ 1958	-57.15	-2.08	3634.85	01	12	7	01
	P	1 / 7 / 1959	-58.35	-1.2	3633.65	01	12	7	01
	P	1 / 25/ 1960	-60.6	-2.25	3631.4	01	12	7	01
	P	1 / 18/ 1961	-61.8	-1.2	3630.2	01	04	1	
	P	1 / 10/ 1962	-63.51	-1.71	3628.49	01	01	1	
	P	1 / 9 / 1963	-67	-3.49	3625	01	01	1	
	P	1 / 8 / 1964	-68.94	-1.94	3623.06	01	01	1	
	P	1 / 7 / 1965	-71.42	-2.48	3620.58	01	01	1	
	P	1 / 5 / 1966	-72.91	-1.49	3619.09	01	01	1	
	P	1 / 7 / 1967	-74.61	-1.7	3617.39	01	01	1	
	P	1 / 5 / 1968	-78.9	-4.29	3613.1	01	01	1	
	P	1 / 15/ 1969	-79.72	-0.82	3612.28	01	01	1	
	P	1 / 11/ 1970	-81.22	-1.5	3610.78	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1971	-85.35	-4.13	3606.65	01	06	1	
	P	1 / 4 / 1972	-88.51	-3.16	3603.49	01	06	1	
	P	1 / 20/ 1973	-90.2	-1.69	3601.8	01	01	1	
	P	1 / 16/ 1974	-93.67	-3.47	3598.33	01	06	1	
	N	1 / 8 / 1975				01	06		40

Min *-93.67* **Max** *-36.42* **Avg** *-60.9045*

1053303 *(Aquifer: 121OGLL Well Depth: 160)*

	P	8 / 24/ 1956	-27.6		3635.4	01	12	7	01
	P	1 / 15/ 1957	-26.41	1.19	3636.59	01	12	7	01
	P	5 / 22/ 1960	-31.3	-4.89	3631.7	01	12	7	01
	P	2 / 8 / 1961	-31.86	-0.56	3631.14	01	06	7	
	P	1 / 10/ 1962	-33.85	-1.99	3629.15	01	01	1	20
	N	1 / 9 / 1963				01	01		41

Min *-33.85* **Max** *-26.41* **Avg** *-30.204*

1053304 *(Aquifer: 121OGLL Well Depth: 173)*

	P	8 / 24/ 1956	-89		3621	01	12	7	01
	P	1 / 15/ 1957	-83.85	5.15	3626.15	01	12	7	01
	P	3 / 22/ 1960	-88.6	-4.75	3621.4	01	12	7	01
	P	2 / 8 / 1961	-89.42	-0.82	3620.58	01	06	7	
	P	1 / 10/ 1962	-90.87	-1.45	3619.13	01	01	1	20
	P	1 / 9 / 1963	-92.68	-1.81	3617.32	01	01	1	

Min *-92.68* **Max** *-83.85* **Avg** *-89.07*

1053307 *(Aquifer: 121OGLL Well Depth: 243)*

	P	12 / 28/ 1962	-40		3658	01	07	7	
	P	5 / 29/ 1975	-115.36	-75.4	3582.64	01	06	1	
	P	1 / 9 / 1976	-115.11	0.25	3582.89	01	06	1	
	P	1 / 12/ 1977	-118.3	-3.19	3579.7	01	06	1	
	P	1 / 12/ 1978	-122.25	-3.95	3575.75	01	06	1	
	P	1 / 24/ 1979	-124.2	-1.95	3573.8	01	06	1	
	P	12 / 17/ 1979	-127.1	-2.9	3570.9	01	06	1	
	P	1 / 13/ 1981	-132.17	-5.07	3565.83	01	06	1	
	P	1 / 21/ 1982	-134.59	-2.42	3563.41	01	06	1	
	P	2 / 22/ 1983	-135.81	-1.22	3562.19	01	06	1	
	P	1 / 7 / 1984	-136.89	-1.08	3561.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 23/ 1985	-138.98	-2.09	3559.02	01	06	1	
	P	1/ 22/ 1986	-139.93	-0.95	3558.07	01	06	1	
	P	1/ 28/ 1987	-139.47	0.46	3558.53	01	06	1	
	P	1/ 11/ 1988	-139.63	-0.16	3558.37	01	06	1	
	P	1/ 20/ 1989	-139.37	0.26	3558.63	01	06	1	
	P	2/ 9/ 1990	-140.96	-1.59	3557.04	01	06	1	
	P	1/ 22/ 1991	-143.92	-2.96	3554.08	01	06	1	
	P	1/ 16/ 1992	-145.85	-1.93	3552.15	01	06	1	
	P	1/ 18/ 1994	-148.55	-2.7	3549.45	01	06	1	
	P	1/ 16/ 1995	-150.87	-2.32	3547.13	01	06	1	
	P	1/ 15/ 1996	-154.63	-3.76	3543.37	01	06	1	
	P	2/ 10/ 1997	-156.94	-2.31	3541.06	01	06	1	
	P	1/ 16/ 1998	-158.25	-1.31	3539.75	01	06	1	
	P	1/ 21/ 1999	-162.13	-3.88	3535.87	01	06	1	
	P	1/ 12/ 2000	-163.38	-1.25	3534.62	01	06	1	
	P	1/ 11/ 2001	-167.94	-4.56	3530.06	01	06	1	
	P	1/ 28/ 2002	-173.85	-5.91	3524.15	01	06	1	
	P	3/ 6/ 2003	-178.1	-4.25	3519.9	01	06	1	
	P	2/ 10/ 2004	-179.74	-1.64	3518.26	01	06	1	
	P	1/ 25/ 2005	-175.47	4.27	3522.53	01	06	1	
	P	1/ 13/ 2006	-179.69	-4.22	3518.31	01	06	1	
	P	2/ 8/ 2007	-179.34	0.35	3518.66	01	06	1	
	P	1/ 2/ 2008	-182.05	-2.71	3515.95	01	06	1	
	P	1/ 23/ 2009	-184.97	-2.92	3513.03	01	06	1	
	P	1/ 13/ 2010	-187.97	-3	3510.03	01	06	1	
	P	1/ 13/ 2011	-189.47	-1.5	3508.53	01	06	1	
	P	2/ 24/ 2012	-193.64	-4.17	3504.36	01	06	1	

Min *-193.64* **Max** *-40* **Avg** *-149.918*

1053309 *(Aquifer: 121OGLL Well Depth: 200)*

	P	8/ 15/ 1989	-141.9		3553.1	01	01	1	

Min *-141.9* **Max** *-141.9* **Avg** *-141.9*

1053311 *(Aquifer: 121OGLL Well Depth: 250)*

	P	2/ 3/ 1966	-97		3600	01	07	7	
	P	8/ 15/ 1989	-143.8	-46.8	3553.2	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -143.8		**Max -97**	**Avg**	**-120.4**					
1053312	*(Aquifer: 121OGLL*		*Well Depth: 232)*						
	P	3 / 31/ 1986	-133.5		3564.5	01	07	7	27
Min -133.5		**Max -133.5**	**Avg**	**-133.5**					
1053314	*(Aquifer: 121OGLL*		*Well Depth: 187)*						
	P	2 / 23/ 1943	-43.36		3644.64	01	12	7	01
	P	3 / 11/ 1949	-48.75	-5.39	3639.25	01	12	7	01
	P	10 / 11/ 1950	-47.48	1.27	3640.52	01	12	7	01
	P	1 / 12/ 1951	-57.36	-9.88	3630.64	01	12	7	01
	P	1 / 29/ 1952	-48.85	8.51	3639.15	01	12	7	01
	P	1 / 14/ 1953	-52.15	-3.3	3635.85	01	12	7	01
	P	1 / 6 / 1954	-55.53	-3.38	3632.47	01	12	7	01
	P	1 / 4 / 1955	-60.8	-5.27	3627.2	01	12	7	01
	P	1 / 9 / 1956	-56.81	3.99	3631.19	01	12	7	01
	P	1 / 12/ 1957	-66.58	-9.77	3621.42	01	12	7	01
	P	1 / 23/ 1958	-72.54	-5.96	3615.46	01	12	7	01
	P	1 / 7 / 1959	-68.9	3.64	3619.1	01	12	7	01
	P	1 / 8 / 1960	-71.43	-2.53	3616.57	01	12	7	01
	P	1 / 18/ 1961	-73.56	-2.13	3614.44	01	04	1	
	P	1 / 10/ 1962	-72.36	1.2	3615.64	01	01	1	20
	P	1 / 9 / 1963	-74.61	-2.25	3613.39	01	01	1	
	P	1 / 8 / 1964	-75.18	-0.57	3612.82	01	01	1	
	P	1 / 7 / 1965	-78.81	-3.63	3609.19	01	01	1	
	N	1 / 5 / 1966				01	01		40
Min -78.81		**Max -43.36**	**Avg**	**-62.5033**					
1053404	*(Aquifer: 121OGLL*		*Well Depth: 151)*						
	P	11 / 0 / 1976	-62.3		3626.7	01	06	1	
	P	11 / 5 / 1979	-64.02	-1.72	3624.98	01	06	1	
	N	1 / 12/ 1981				01	06		61
	P	1 / 20/ 1982	-67.55		3621.45	01	06	1	
	P	2 / 23/ 1983	-68.94	-1.39	3620.06	01	06	1	
	N	1 / 25/ 1984				01	06		61
	P	1 / 23/ 1985	-71.58		3617.42	01	06	1	
	P	1 / 27/ 1986	-72.89	-1.31	3616.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1/ 9/1987				01	06		61
	P	1/11/1988	-78.64		3610.36	01	06	1	
	P	1/24/1989	-77.16	1.48	3611.84	01	06	1	
	P	1/22/1990	-78.48	-1.32	3610.52	01	06	1	
	P	1/17/1991	-80.11	-1.63	3608.89	01	06	1	
	P	1/16/1992	-81.39	-1.28	3607.61	01	06	1	
	P	1/12/1993	-83.15	-1.76	3605.85	01	06	1	
	P	1/24/1994	-84.17	-1.02	3604.83	01	06	1	
	P	1/17/1995	-85.06	-0.89	3603.94	01	06	1	
	P	1/22/1996	-86.09	-1.03	3602.91	01	06	1	
	N	2/ 7/1997				01	06		61
	P	1/20/1998	-88.26		3600.74	01	06	1	
	N	1/21/1999				01	06		61
	N	1/12/2000				01	06		61
	N	1/26/2001				01	06		51
	P	2/ 8/2002	-93.42		3595.58	01	06	1	
	P	2/14/2003	-96.15	-2.73	3592.85	01	06	1	
	P	2/10/2004	-96.61	-0.46	3592.39	01	06	1	
	P	2/ 4/2005	-98.72	-2.11	3590.28	01	06	1	
	P	1/20/2006	-100.06	-1.34	3588.94	01	06	1	
	P	2/ 9/2007	-101.78	-1.72	3587.22	01	06	1	
	N	3/11/2008				01	06		61
	P	1/23/2009	-103.5		3585.5	01	06	1	
	P	1/14/2010	-104.5	-1	3584.5	01	06	1	
	P	1/18/2011	-105.45	-0.95	3583.55	01	06	1	
	P	12/15/2011	-106.76	-1.31	3582.24	01	06	1	

Min *-106.76* **Max** *-62.3* **Avg** *-86.0285*

1053501 *(Aquifer: 121OGLL Well Depth: 193)*

	P	4/12/1952	-28.3		3646.7	01	04	1	

Min *-28.3* **Max** *-28.3* **Avg** *-28.3*

1053502 *(Aquifer: 121OGLL Well Depth:)*

	P	10/24/1938	-11.73		3648.27	01	12	7	01
	P	1/16/1939	-10.68	1.05	3649.32	01	12	7	01
	P	3/ 4/1939	-11.75	-1.07	3648.25	01	12	7	01
	P	4/ 3/1939	-11.88	-0.13	3648.12	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 22/ 1939	-11.72	0.16	3648.28	01	12	7	01
	P	6 / 27/ 1939	-11.53	0.19	3648.47	01	12	7	01
	P	7 / 7 / 1939	-11.42	0.11	3648.58	01	12	7	01
	P	7 / 14/ 1939	-11.63	-0.21	3648.37	01	12	7	01
	P	8 / 15/ 1939	-9.88	1.75	3650.12	01	12	7	01
	P	11 / 13/ 1939	-11.54	-1.66	3648.46	01	12	7	01
	P	12 / 18/ 1939	-11.7	-0.16	3648.3	01	12	7	01
	P	3 / 25/ 1940	-11.9	-0.2	3648.1	01	12	7	01
	P	3 / 30/ 1941	-12.33	-0.43	3647.67	01	12	7	01
	P	5 / 30/ 1941	-8.38	3.95	3651.62	01	12	7	01
	P	7 / 31/ 1941	-1.36	7.02	3658.64	01	12	7	01
	P	11 / 19/ 1941	-0.41	0.95	3659.59	01	12	7	01
	P	8 / 27/ 1942	-4.6	-4.19	3655.4	01	12	7	01
	P	3 / 21/ 1943	-4.65	-0.05	3655.35	01	12	7	01

Min *-12.33* **Max** *-0.41* **Avg** *-9.39389*

1053601 *(Aquifer: 121OGLL Well Depth: 150)*

	P	8 / 14/ 1942	-48.18		3645.82	01	12	7	01
	P	11 / 12/ 1942	-44.63	3.55	3649.37	01	12	7	01
	P	2 / 23/ 1943	-43.65	0.98	3650.35	01	12	7	01
	P	2 / 8 / 1944	-44.72	-1.07	3649.28	01	12	7	01
	P	2 / 22/ 1945	-45.08	-0.36	3648.92	01	12	7	01
	P	3 / 1 / 1946	-46.54	-1.46	3647.46	01	12	7	01
	P	3 / 13/ 1947	-46.08	0.46	3647.92	01	12	7	01
	P	2 / 19/ 1948	-46.43	-0.35	3647.57	01	12	7	01
	P	3 / 11/ 1949	-48.95	-2.52	3645.05	01	12	7	01
	P	2 / 16/ 1950	-49.2	-0.25	3644.8	01	12	7	01
	P	1 / 12/ 1951	-50.71	-1.51	3643.29	01	12	7	01
	P	1 / 29/ 1952	-47.57	3.14	3646.43	01	12	7	01
	P	1 / 14/ 1953	-50	-2.43	3644	01	12	7	01
	P	1 / 6 / 1954	-54.95	-4.95	3639.05	01	12	7	01
	P	1 / 4 / 1955	-59.4	-4.45	3634.6	01	12	7	01
	P	1 / 12/ 1957	-64.56	-5.16	3629.44	01	12	7	01
	P	1 / 23/ 1958	-66.59	-2.03	3627.41	01	12	7	01
	P	1 / 7 / 1959	-65.73	0.86	3628.27	01	12	7	01
	P	1 / 25/ 1960	-69.33	-3.6	3624.67	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1961	-70.1	-0.77	3623.9	01	04	1	
	P	1 / 10/ 1962	-67.99	2.11	3626.01	01	01	1	20
	P	1 / 9 / 1963	-72.06	-4.07	3621.94	01	01	1	

Min *-72.06* **Max** *-43.65* **Avg** *-54.6568*

1053602 *(Aquifer: 121OGLL Well Depth: 202)*

	P	1 / 15/ 1951	-28.15		3638.85	01	12	4	01
	P	2 / 15/ 1951	-28.22	-0.07	3638.78	01	12	4	
	P	3 / 15/ 1951	-28.07	0.15	3638.93	01	12	4	
	P	4 / 15/ 1951	-27.96	0.11	3639.04	01	12	4	
	P	5 / 15/ 1951	-27.9	0.06	3639.1	01	12	4	
	P	6 / 15/ 1951	-27.78	0.12	3639.22	01	12	4	
	P	7 / 15/ 1951	-27.62	0.16	3639.38	01	12	4	
	P	8 / 15/ 1951	-27.61	0.01	3639.39	01	12	4	
	P	9 / 15/ 1951	-27.69	-0.08	3639.31	01	12	4	
	P	10 / 15/ 1951	-27.86	-0.17	3639.14	01	12	4	
	P	11 / 15/ 1951	-27.93	-0.07	3639.07	01	12	4	
	P	12 / 15/ 1951	-28.02	-0.09	3638.98	01	12	4	
	P	1 / 15/ 1952	-28.06	-0.04	3638.94	01	12	4	01
	P	2 / 15/ 1952	-28.1	-0.04	3638.9	01	12	4	
	P	3 / 15/ 1952	-28.15	-0.05	3638.85	01	12	4	
	P	4 / 15/ 1952	-28.19	-0.04	3638.81	01	12	4	
	P	5 / 15/ 1952	-28.22	-0.03	3638.78	01	12	4	
	P	6 / 15/ 1952	-28.42	-0.2	3638.58	01	12	4	
	P	7 / 15/ 1952	-28.87	-0.45	3638.13	01	12	4	
	P	8 / 15/ 1952	-29.11	-0.24	3637.89	01	12	4	
	P	9 / 15/ 1952	-29.3	-0.19	3637.7	01	12	4	
	P	10 / 15/ 1952	-29.44	-0.14	3637.56	01	12	4	
	P	11 / 15/ 1952	-29.64	-0.2	3637.36	01	12	4	
	P	12 / 15/ 1952	-29.82	-0.18	3637.18	01	12	4	
	P	1 / 15/ 1953	-29.9	-0.08	3637.1	01	12	4	01
	P	2 / 15/ 1953	-30.01	-0.11	3636.99	01	12	4	
	P	3 / 15/ 1953	-30.19	-0.18	3636.81	01	12	4	
	P	4 / 15/ 1953	-30.39	-0.2	3636.61	01	12	4	
	P	5 / 15/ 1953	-30.58	-0.19	3636.42	01	12	4	
	P	6 / 15/ 1953	-30.91	-0.33	3636.09	01	12	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7/15/1953	-31.36	-0.45	3635.64	01	12	4	
	P	8/15/1953	-31.53	-0.17	3635.47	01	12	4	
	P	9/15/1953	-31.5	0.03	3635.5	01	12	4	
	P	10/15/1953	-31.59	-0.09	3635.41	01	12	4	
	P	11/15/1953	-31.8	-0.21	3635.2	01	12	4	
	P	12/15/1953	-31.9	-0.1	3635.1	01	12	4	
	P	1/15/1954	-31.88	0.02	3635.12	01	12	4	01
	P	2/15/1954	-31.91	-0.03	3635.09	01	12	4	
	P	3/15/1954	-32.17	-0.26	3634.83	01	12	4	
	P	4/15/1954	-32.42	-0.25	3634.58	01	12	4	
	P	5/15/1954	-32.47	-0.05	3634.53	01	12	4	
	P	8/15/1954	-33.21	-0.74	3633.79	01	12	4	
	P	9/15/1954	-33.52	-0.31	3633.48	01	12	4	
	P	10/15/1954	-33.69	-0.17	3633.31	01	12	4	
	P	11/15/1954	-33.64	0.05	3633.36	01	12	4	
	P	12/15/1954	-33.78	-0.14	3633.22	01	12	4	
	P	1/15/1955	-33.89	-0.11	3633.11	01	12	4	01
	P	2/15/1955	-33.93	-0.04	3633.07	01	12	4	
	P	3/15/1955	-33.96	-0.03	3633.04	01	12	4	
	P	4/15/1955	-34.15	-0.19	3632.85	01	12	4	
	P	5/15/1955	-34.25	-0.1	3632.75	01	12	4	
	P	6/15/1955	-34.19	0.06	3632.81	01	12	4	
	P	7/15/1955	-34.37	-0.18	3632.63	01	12	4	
	P	8/15/1955	-34.33	0.04	3632.67	01	12	4	
	P	9/15/1955	-34.53	-0.2	3632.47	01	12	4	
	P	10/15/1955	-34.43	0.1	3632.57	01	12	4	
	P	11/15/1955	-34.59	-0.16	3632.41	01	12	4	
	P	12/15/1955	-34.5	0.09	3632.5	01	12	4	
	P	1/8/1956	-34.48	0.02	3632.52	01	12	4	01
	P	8/21/1956	-34.23	0.25	3632.77	01	12	4	
	P	9/9/1956	-34.32	-0.09	3632.68	01	12	4	
	P	10/15/1956	-34.59	-0.27	3632.41	01	12	4	
	P	11/15/1956	-34.75	-0.16	3632.25	01	12	4	
	P	12/15/1956	-34.94	-0.19	3632.06	01	12	4	
	P	1/15/1957	-35.05	-0.11	3631.95	01	12	4	01
	P	2/15/1957	-35.19	-0.14	3631.81	01	12	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 15/ 1957	-35.25	-0.06	3631.75	01	12	4	
	P	4 / 15/ 1957	-35.37	-0.12	3631.63	01	12	4	
	P	5 / 15/ 1957	-35.46	-0.09	3631.54	01	12	4	
	P	6 / 15/ 1957	-35.52	-0.06	3631.48	01	12	4	
	P	7 / 15/ 1957	-35.63	-0.11	3631.37	01	12	4	
	P	8 / 15/ 1957	-35.47	0.16	3631.53	01	12	4	
	P	9 / 15/ 1957	-35.51	-0.04	3631.49	01	12	4	
	P	10 / 29/ 1957	-35.82	-0.31	3631.18	01	12	4	
	P	11 / 15/ 1957	-35.82		3631.18	01	12	4	
	P	12 / 15/ 1957	-35.91	-0.09	3631.09	01	12	4	
	P	1 / 15/ 1958	-36.1	-0.19	3630.9	01	12	4	01
	P	2 / 15/ 1958	-36.44	-0.34	3630.56	01	12	4	
	P	3 / 15/ 1958	-36.64	-0.2	3630.36	01	12	4	
	P	4 / 15/ 1958	-36.79	-0.15	3630.21	01	12	4	
	P	5 / 15/ 1958	-36.93	-0.14	3630.07	01	12	4	
	P	6 / 15/ 1958	-36.99	-0.06	3630.01	01	12	4	
	P	7 / 15/ 1958	-36.91	0.08	3630.09	01	12	4	
	P	8 / 15/ 1958	-36.64	0.27	3630.36	01	12	4	
	P	9 / 15/ 1958	-36.38	0.26	3630.62	01	12	4	
	P	10 / 15/ 1958	-36.64	-0.26	3630.36	01	12	4	
	P	11 / 15/ 1958	-36.54	0.1	3630.46	01	12	4	
	P	12 / 15/ 1958	-36.7	-0.16	3630.3	01	12	4	
	P	1 / 15/ 1959	-36.9	-0.2	3630.1	01	12	4	01
	P	2 / 15/ 1959	-37.14	-0.24	3629.86	01	12	4	
	P	3 / 15/ 1959	-37.28	-0.14	3629.72	01	12	4	
	P	4 / 15/ 1959	-37.38	-0.1	3629.62	01	12	4	
	P	5 / 15/ 1959	-37.47	-0.09	3629.53	01	12	4	
	P	7 / 15/ 1959	-37.54	-0.07	3629.46	01	12	4	
	P	8 / 15/ 1959	-37.56	-0.02	3629.44	01	12	4	
	P	9 / 15/ 1959	-37.68	-0.12	3629.32	01	12	4	
	P	10 / 15/ 1959	-37.62	0.06	3629.38	01	12	4	
	P	11 / 15/ 1959	-37.74	-0.12	3629.26	01	12	4	
	P	12 / 15/ 1959	-37.85	-0.11	3629.15	01	12	4	
	P	1 / 15/ 1960	-38.09	-0.24	3628.91	01	12	4	01
	P	2 / 15/ 1960	-38.38	-0.29	3628.62	01	12	4	
	P	3 / 15/ 1960	-38.66	-0.28	3628.34	01	12	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/15/1960	-38.9	-0.24	3628.1	01	12	4	
	P	5/15/1960	-38.99	-0.09	3628.01	01	12	4	
	P	6/15/1960	-39	-0.01	3628	01	12	4	
	P	7/15/1960	-39.13	-0.13	3627.87	01	12	4	
	P	8/15/1960	-39.34	-0.21	3627.66	01	12	4	
	P	9/15/1960	-39.5	-0.16	3627.5	01	12	4	
	P	10/15/1960	-39.39	0.11	3627.61	01	12	4	
	P	11/15/1960	-39.59	-0.2	3627.41	01	12	4	
	P	12/15/1960	-39.74	-0.15	3627.26	01	12	4	
	P	1/15/1961	-39.95	-0.21	3627.05	01	04	4	
	P	2/15/1961	-40.09	-0.14	3626.91	01	12	4	
	P	3/15/1961	-40.2	-0.11	3626.8	01	12	4	
	P	4/15/1961	-40.36	-0.16	3626.64	01	12	4	
	P	5/15/1961	-40.43	-0.07	3626.57	01	12	4	
	P	6/15/1961	-40.48	-0.05	3626.52	01	12	4	
	P	7/15/1961	-40.86	-0.38	3626.14	01	12	4	
	P	8/15/1961	-41.27	-0.41	3625.73	01	12	4	
	P	9/15/1961	-41.63	-0.36	3625.37	01	12	4	
	P	10/15/1961	-41.54	0.09	3625.46	01	12	4	
	P	11/15/1961	-41.72	-0.18	3625.28	01	12	4	
	P	12/15/1961	-41.91	-0.19	3625.09	01	12	4	
	P	1/12/1962	-42.02	-0.11	3624.98	01	01	4	
	P	2/15/1962	-42.27	-0.25	3624.73	01	12	4	
	P	3/15/1962	-42.56	-0.29	3624.44	01	12	4	
	P	4/15/1962	-42.7	-0.14	3624.3	01	12	4	
	P	5/15/1962	-42.8	-0.1	3624.2	01	12	4	
	P	6/15/1962	-42.87	-0.07	3624.13	01	12	4	
	P	7/15/1962	-43	-0.13	3624	01	12	4	
	P	8/15/1962	-43.26	-0.26	3623.74	01	12	4	
	P	9/15/1962	-43.46	-0.2	3623.54	01	12	4	
	P	10/15/1962	-43.79	-0.33	3623.21	01	12	4	
	P	11/15/1962	-43.95	-0.16	3623.05	01	12	4	
	P	12/15/1962	-44.21	-0.26	3622.79	01	12	4	
	P	1/15/1963	-44.36	-0.15	3622.64	01	01	4	
	P	2/13/1963	-44.55	-0.19	3622.45	01	01	4	
	P	3/15/1963	-44.83	-0.28	3622.17	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/15/1963	-45.16	-0.33	3621.84	01	01	4	
	P	5/15/1963	-45.26	-0.1	3621.74	01	01	4	
	P	6/15/1963	-45.44	-0.18	3621.56	01	01	4	
	P	7/15/1963	-45.64	-0.2	3621.36	01	01	4	
	P	8/15/1963	-45.77	-0.13	3621.23	01	01	4	
	P	9/15/1963	-45.87	-0.1	3621.13	01	01	4	
	P	10/15/1963	-46.15	-0.28	3620.85	01	01	4	
	P	11/15/1963	-46.31	-0.16	3620.69	01	01	4	
	P	12/15/1963	-46.39	-0.08	3620.61	01	01	4	
	P	1/15/1964	-46.51	-0.12	3620.49	01	01	4	
	P	2/13/1964	-46.5	0.01	3620.5	01	01	1	
	P	3/15/1964	-46.32	0.18	3620.68	01	01	4	
	P	4/23/1964	-46.27	0.05	3620.73	01	01	1	
	P	5/15/1964	-46.28	-0.01	3620.72	01	01	4	
	P	6/24/1964	-46.23	0.05	3620.77	01	01	1	
	P	7/15/1964	-46.29	-0.06	3620.71	01	01	4	
	P	8/27/1964	-46.15	0.14	3620.85	01	01	1	
	P	9/15/1964	-46.09	0.06	3620.91	01	01	4	
	P	10/1/1964	-46.34	-0.25	3620.66	01	01	1	
	P	11/15/1964	-46.45	-0.11	3620.55	01	01	4	
	P	12/7/1964	-46.5	-0.05	3620.5	01	01	1	
	P	1/15/1965	-46.74	-0.24	3620.26	01	01	4	
	P	2/15/1965	-46.85	-0.11	3620.15	01	01	4	
	P	3/15/1965	-46.96	-0.11	3620.04	01	01	4	
	P	4/28/1965	-47.35	-0.39	3619.65	01	01	1	
	P	5/15/1965	-47.53	-0.18	3619.47	01	01	4	
	P	6/24/1965	-47.76	-0.23	3619.24	01	01	1	
	P	7/15/1965	-47.63	0.13	3619.37	01	01	4	
	P	8/15/1965	-47.49	0.14	3619.51	01	01	4	
	P	9/16/1965	-47.54	-0.05	3619.46	01	01	1	
	P	10/22/1965	-47.78	-0.24	3619.22	01	01	1	
	P	11/15/1965	-47.87	-0.09	3619.13	01	01	4	
	P	12/15/1965	-48	-0.13	3619	01	01	1	
	P	1/15/1966	-48.07	-0.07	3618.93	01	01	4	
	P	2/23/1966	-48.14	-0.07	3618.86	01	01	1	
	P	3/15/1966	-48.04	0.1	3618.96	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/20/1966	-47.81	0.23	3619.19	01	01	1	
	P	5/15/1966	-47.8	0.01	3619.2	01	01	4	
	P	6/22/1966	-48.12	-0.32	3618.88	01	01	1	
	P	7/15/1966	-48.01	0.11	3618.99	01	01	4	
	P	8/16/1966	-47.94	0.07	3619.06	01	01	1	
	P	9/15/1966	-48.11	-0.17	3618.89	01	01	4	
	P	10/ 4/1966	-48.3	-0.19	3618.7	01	01	1	
	P	11/15/1966	-48.47	-0.17	3618.53	01	01	4	
	P	12/12/1966	-48.6	-0.13	3618.4	01	01	1	
	P	1/15/1967	-48.75	-0.15	3618.25	01	01	4	
	P	2/15/1967	-48.96	-0.21	3618.04	01	01	1	
	P	3/15/1967	-49.17	-0.21	3617.83	01	01	4	
	P	4/15/1967	-49.25	-0.08	3617.75	01	01	4	
	P	4/19/1967	-49.36	-0.11	3617.64	01	01	1	
	P	5/15/1967	-49.44	-0.08	3617.56	01	01	4	
	P	6/23/1967	-49.46	-0.02	3617.54	01	01	1	
	P	7/15/1967	-49.47	-0.01	3617.53	01	01	4	
	P	8/13/1967	-49.6	-0.13	3617.4	01	01	1	
	P	9/15/1967	-49.68	-0.08	3617.32	01	01	4	
	P	10/19/1967	-49.77	-0.09	3617.23	01	01	1	
	P	11/15/1967	-49.93	-0.16	3617.07	01	01	4	
	P	12/11/1967	-49.16	0.77	3617.84	01	01	1	
	P	1/15/1968	-49.27	-0.11	3617.73	01	01	4	
	P	2/20/1968	-49.4	-0.13	3617.6	01	01	1	
	P	3/15/1968	-50.91	-1.51	3616.09	01	01	4	
	P	4/23/1968	-50.6	0.31	3616.4	01	01	1	
	P	5/15/1968	-50.65	-0.05	3616.35	01	01	4	
	P	6/10/1968	-50.73	-0.08	3616.27	01	01	1	
	P	7/15/1968	-50.72	0.01	3616.28	01	01	4	
	P	8/20/1968	-50.82	-0.1	3616.18	01	01	1	
	P	9/15/1968	-50.92	-0.1	3616.08	01	01	4	
	P	10/22/1968	-51.14	-0.22	3615.86	01	01	1	
	P	11/15/1968	-51.25	-0.11	3615.75	01	01	4	
	P	12/11/1968	-51.47	-0.22	3615.53	01	01	1	
	P	1/15/1969	-51.76	-0.29	3615.24	01	01	1	
	P	2/18/1969	-51.73	0.03	3615.27	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/1969	-51.86	-0.13	3615.14	01	01	4	
	P	4/16/1969	-52.16	-0.3	3614.84	01	01	1	
	P	5/15/1969	-52.13	0.03	3614.87	01	01	4	
	P	6/17/1969	-52.35	-0.22	3614.65	01	01	1	
	P	7/15/1969	-52.06	0.29	3614.94	01	01	4	
	P	8/12/1969	-52.24	-0.18	3614.76	01	01	1	
	P	9/15/1969	-52.45	-0.21	3614.55	01	01	4	
	P	10/16/1969	-52.43	0.02	3614.57	01	01	1	
	P	11/15/1969	-52.42	0.01	3614.58	01	01	4	
	P	12/10/1969	-52.51	-0.09	3614.49	01	01	1	
	P	1/15/1970	-52.67	-0.16	3614.33	01	01	4	
	P	2/11/1970	-52.83	-0.16	3614.17	01	01	1	
	P	3/15/1970	-52.95	-0.12	3614.05	01	01	4	
	P	4/15/1970	-52.99	-0.04	3614.01	01	01	1	
	P	5/15/1970	-53.07	-0.08	3613.93	01	01	4	
	P	6/ 3/1970	-53.13	-0.06	3613.87	01	01	1	
	P	7/15/1970	-53.04	0.09	3613.96	01	01	4	
	P	8/13/1970	-52.95	0.09	3614.05	01	01	1	
	P	9/15/1970	-52.86	0.09	3614.14	01	01	4	
	P	10/ 8/1970	-52.9	-0.04	3614.1	01	01	1	
	P	11/15/1970	-53.33	-0.43	3613.67	01	01	4	
	P	12/10/1970	-53.43	-0.1	3613.57	01	01	1	
	P	1/15/1971	-53.56	-0.13	3613.44	01	01	4	
	P	2/15/1971	-53.72	-0.16	3613.28	01	01	1	
	P	3/15/1971	-53.81	-0.09	3613.19	01	01	4	
	P	4/13/1971	-53.86	-0.05	3613.14	01	01	1	
	P	5/15/1971	-53.67	0.19	3613.33	01	01	4	
	P	6/16/1971	-53.6	0.07	3613.4	01	01	1	
	P	7/15/1971	-53.72	-0.12	3613.28	01	01	4	
	P	8/17/1971	-53.56	0.16	3613.44	01	01	1	
	P	9/15/1971	-53.88	-0.32	3613.12	01	01	4	
	P	10/28/1971	-53.9	-0.02	3613.1	01	01	1	
	P	11/15/1971	-54	-0.1	3613	01	01	4	
	P	12/ 6/1971	-54.17	-0.17	3612.83	01	01	1	
	P	1/ 6/1972	-54.34	-0.17	3612.66	01	06	1	
	P	2/11/1972	-54.52	-0.18	3612.48	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/1972	-54.74	-0.22	3612.26	01	01	4	
	P	4/15/1972	-54.8	-0.06	3612.2	01	01	1	
	P	5/15/1972	-54.71	0.09	3612.29	01	01	4	
	P	6/14/1972	-54.87	-0.16	3612.13	01	01	1	
	P	7/15/1972	-55	-0.13	3612	01	01	4	
	P	8/16/1972	-55.02	-0.02	3611.98	01	01	1	
	P	9/15/1972	-55.05	-0.03	3611.95	01	01	4	
	P	10/12/1972	-55.15	-0.1	3611.85	01	01	1	
	P	11/15/1972	-55.31	-0.16	3611.69	01	01	4	
	P	12/6/1972	-55.48	-0.17	3611.52	01	01	1	
	P	1/16/1973	-55.7	-0.22	3611.3	01	01	4	
	P	2/7/1973	-55.84	-0.14	3611.16	01	01	1	
	P	3/28/1973	-56.12	-0.28	3610.88	01	01	1	
	P	4/15/1973	-56.18	-0.06	3610.82	01	01	4	
	P	5/15/1973	-56.26	-0.08	3610.74	01	01	4	
	P	6/14/1973	-56.27	-0.01	3610.73	01	01	1	
	P	7/15/1973	-56.32	-0.05	3610.68	01	01	4	
	P	8/8/1973	-56.4	-0.08	3610.6	01	01	1	
	P	9/15/1973	-56.55	-0.15	3610.45	01	01	4	
	P	10/9/1973	-56.73	-0.18	3610.27	01	01	1	
	P	11/15/1973	-56.97	-0.24	3610.03	01	01	4	
	P	12/18/1973	-57.21	-0.24	3609.79	01	01	1	
	P	1/17/1974	-57.34	-0.13	3609.66	01	06	1	
	P	2/19/1974	-57.6	-0.26	3609.4	01	01	1	
	P	3/15/1974	-57.74	-0.14	3609.26	01	01	4	
	P	4/17/1974	-57.99	-0.25	3609.01	01	01	1	
	P	5/15/1974	-58.03	-0.04	3608.97	01	01	4	
	P	6/15/1974	-58.22	-0.19	3608.78	01	01	4	
	P	7/24/1974	-58.43	-0.21	3608.57	01	01	1	
	P	8/15/1974	-58.53	-0.1	3608.47	01	01	4	
	P	9/15/1974	-58.72	-0.19	3608.28	01	01	4	
	P	10/17/1974	-58.88	-0.16	3608.12	01	01	1	
	P	11/15/1974	-59.03	-0.15	3607.97	01	01	4	
	P	12/18/1974	-59.28	-0.25	3607.72	01	06	1	
	P	1/8/1975	-59.25	0.03	3607.75	01	06	1	
	P	2/20/1975	-59.28	-0.03	3607.72	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/15/1975	-59.59	-0.31	3607.41	01	01	4	
	P	4/17/1975	-59.73	-0.14	3607.27	01	01	1	
	P	5/15/1975	-59.8	-0.07	3607.2	01	01	4	
	P	6/18/1975	-59.91	-0.11	3607.09	01	01	1	
	P	7/15/1975	-59.97	-0.06	3607.03	01	01	4	
	P	8/21/1975	-60.07	-0.1	3606.93	01	01	1	
	P	9/15/1975	-60.17	-0.1	3606.83	01	01	4	
	P	10/16/1975	-60.31	-0.14	3606.69	01	01	1	
	P	11/15/1975	-60.46	-0.15	3606.54	01	01	4	
	P	12/16/1975	-60.59	-0.13	3606.41	01	01	1	
	P	1/9/1976	-60.71	-0.12	3606.29	01	06	1	
	P	2/24/1976	-60.97	-0.26	3606.03	01	01	1	
	P	3/15/1976	-61.05	-0.08	3605.95	01	01	4	
	P	4/15/1976	-61.22	-0.17	3605.78	01	01	4	
	P	5/13/1976	-61.45	-0.23	3605.55	01	01	1	
	P	6/15/1976	-61.65	-0.2	3605.35	01	01	4	
	P	7/15/1976	-61.85	-0.2	3605.15	01	01	4	
	P	8/24/1976	-62.15	-0.3	3604.85	01	01	1	
	P	9/15/1976	-62.3	-0.15	3604.7	01	01	4	
	P	10/15/1976	-62.49	-0.19	3604.51	01	01	4	
	P	11/22/1976	-62.7	-0.21	3604.3	01	01	1	
	P	12/15/1976	-62.86	-0.16	3604.14	01	01	4	
	P	1/14/1977	-62.98	-0.12	3604.02	01	06	1	
	P	2/24/1977	-63.24	-0.26	3603.76	01	01	1	
	P	3/15/1977	-63.35	-0.11	3603.65	01	01	4	
	P	4/15/1977	-63.53	-0.18	3603.47	01	01	4	
	P	5/24/1977	-63.74	-0.21	3603.26	01	01	1	
	P	6/15/1977	-63.85	-0.11	3603.15	01	01	4	
	P	7/15/1977	-63.96	-0.11	3603.04	01	01	4	
	P	8/24/1977	-64.2	-0.24	3602.8	01	01	1	
	P	9/15/1977	-64.36	-0.16	3602.64	01	01	4	
	P	10/15/1977	-64.58	-0.22	3602.42	01	01	4	
	P	11/22/1977	-64.78	-0.2	3602.22	01	01	1	
	P	12/15/1977	-64.87	-0.09	3602.13	01	01	4	
	P	1/13/1978	-65.05	-0.18	3601.95	01	06	1	
	P	2/15/1978	-65.15	-0.1	3601.85	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/15/1978	-65.31	-0.16	3601.69	01	01	4	
	P	5/15/1978	-65.4	-0.09	3601.6	01	01	4	
	P	6/ 8/1978	-65.55	-0.15	3601.45	01	01	1	
	P	7/15/1978	-65.86	-0.31	3601.14	01	01	4	
	P	8/25/1978	-66.42	-0.56	3600.58	01	01	1	
	P	9/15/1978	-66.66	-0.24	3600.34	01	01	4	
	P	10/15/1978	-67.06	-0.4	3599.94	01	01	4	
	P	11/28/1978	-67.62	-0.56	3599.38	01	01	1	
	P	12/15/1978	-67.8	-0.18	3599.2	01	01	4	
	P	1/25/1979	-68.24	-0.44	3598.76	01	06	1	
	P	2/23/1979	-68.6	-0.36	3598.4	01	01	1	
	P	3/15/1979	-68.8	-0.2	3598.2	01	01	4	
	P	4/15/1979	-69.1	-0.3	3597.9	01	01	4	
	P	5/15/1979	-69.39	-0.29	3597.61	01	01	4	
	P	6/18/1979	-69.65	-0.26	3597.35	01	01	1	
	P	7/15/1979	-69.87	-0.22	3597.13	01	01	4	
	P	8/15/1979	-70.12	-0.25	3596.88	01	01	4	
	P	9/15/1979	-70.4	-0.28	3596.6	01	01	4	
	P	10/15/1979	-70.61	-0.21	3596.39	01	01	4	
	P	11/15/1979	-70.87	-0.26	3596.13	01	01	4	
	P	12/20/1979	-71.18	-0.31	3595.82	01	06	1	
	P	1/15/1980	-71.28	-0.1	3595.72	01	01	4	
	P	2/15/1980	-71.47	-0.19	3595.53	01	01	4	
	P	3/15/1980	-71.67	-0.2	3595.33	01	01	4	
	P	4/21/1980	-71.94	-0.27	3595.06	01	01	4	
	P	5/15/1980	-72.05	-0.11	3594.95	01	01	4	
	P	6/15/1980	-72.3	-0.25	3594.7	01	01	4	
	P	7/24/1980	-72.55	-0.25	3594.45	01	01	4	
	P	8/15/1980	-72.74	-0.19	3594.26	01	01	4	
	P	9/15/1980	-73.04	-0.3	3593.96	01	01	4	
	P	10/28/1980	-73.47	-0.43	3593.53	01	01	4	
	P	11/15/1980	-73.65	-0.18	3593.35	01	01	4	
	P	1/12/1981	-74.17	-0.52	3592.83	01	06	1	
	P	2/15/1981	-74.4	-0.23	3592.6	01	01	4	
	P	3/15/1981	-74.6	-0.2	3592.4	01	01	4	
	P	4/14/1981	-74.84	-0.24	3592.16	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5/15/1981	-74.99	-0.15	3592.01	01	01	4	
	P	6/29/1981	-75.35	-0.36	3591.65	01	01	1	
	P	7/15/1981	-75.44	-0.09	3591.56	01	01	4	
	P	8/15/1981	-75.64	-0.2	3591.36	01	01	4	
	P	9/28/1981	-75.93	-0.29	3591.07	01	01	1	
	P	10/15/1981	-76.03	-0.1	3590.97	01	01	4	
	P	11/15/1981	-76.25	-0.22	3590.75	01	01	4	
	P	12/29/1981	-76.65	-0.4	3590.35	01	01	1	
	P	1/20/1982	-76.9	-0.25	3590.1	01	06	1	
	P	2/15/1982	-77.19	-0.29	3589.81	01	01	4	
	P	3/15/1982	-77.44	-0.25	3589.56	01	01	4	
	P	4/15/1982	-77.69	-0.25	3589.31	01	01	4	
	P	5/15/1982	-77.93	-0.24	3589.07	01	01	4	
	P	6/15/1982	-78.17	-0.24	3588.83	01	01	4	
	P	7/15/1982	-78.4	-0.23	3588.6	01	01	4	
	P	8/15/1982	-78.62	-0.22	3588.38	01	01	4	
	P	9/15/1982	-78.85	-0.23	3588.15	01	01	4	
	P	10/15/1982	-79.04	-0.19	3587.96	01	01	4	
	P	11/15/1982	-79.22	-0.18	3587.78	01	01	4	
	P	12/15/1982	-79.37	-0.15	3587.63	01	01	4	
	P	1/18/1983	-79.55	-0.18	3587.45	01	01	1	
	P	2/23/1983	-79.67	-0.12	3587.33	01	06	1	
	P	3/15/1983	-79.79	-0.12	3587.21	01	01	4	
	P	4/15/1983	-79.97	-0.18	3587.03	01	01	4	
	P	5/15/1983	-80.15	-0.18	3586.85	01	01	4	
	P	6/15/1983	-80.34	-0.19	3586.66	01	01	4	
	P	7/15/1983	-80.5	-0.16	3586.5	01	01	4	
	P	8/15/1983	-80.77	-0.27	3586.23	01	01	4	
	P	9/15/1983	-80.95	-0.18	3586.05	01	01	4	
	P	10/15/1983	-81.16	-0.21	3585.84	01	01	4	
	P	11/15/1983	-81.34	-0.18	3585.66	01	01	4	
	P	12/15/1983	-81.49	-0.15	3585.51	01	01	4	
	P	1/11/1984	-81.67	-0.18	3585.33	01	01	1	
	P	1/25/1984	-81.74	-0.07	3585.26	01	06	1	
	P	2/15/1984	-81.95	-0.21	3585.05	01	01	4	
	P	3/15/1984	-82.12	-0.17	3584.88	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/11/1984	-82.15	-0.03	3584.85	01	01	4	
	P	2/15/1985	-84.2	-2.05	3582.8	01	01	4	
	P	3/15/1985	-84.38	-0.18	3582.62	01	01	4	
	P	4/15/1985	-84.57	-0.19	3582.43	01	01	4	
	P	4/17/1985	-84.6	-0.03	3582.4	01	01	1	
	P	5/15/1985	-84.72	-0.12	3582.28	01	01	4	
	P	6/15/1985	-84.86	-0.14	3582.14	01	01	4	
	P	7/15/1985	-84.87	-0.01	3582.13	01	01	4	
	P	7/24/1985	-85.07	-0.2	3581.93	01	01	1	
	P	8/15/1985	-85.17	-0.1	3581.83	01	01	4	
	P	9/15/1985	-85.33	-0.16	3581.67	01	01	4	
	P	10/ 8/1985	-85.33		3581.67	01	01	1	
	P	10/15/1985	-85.33		3581.67	01	01	4	
	P	11/15/1985	-85.3	0.03	3581.7	01	01	4	
	P	12/15/1985	-85.23	0.07	3581.77	01	01	4	
	P	1/15/1986	-85.16	0.07	3581.84	01	01	4	
	P	1/27/1986	-85.16		3581.84	01	06	1	
	P	1/30/1986	-85.13	0.03	3581.87	01	01	4	
	P	2/15/1986	-85.13		3581.87	01	01	4	
	P	2/28/1986	-85.14	-0.01	3581.86	01	01	4	
	P	3/15/1986	-85.15	-0.01	3581.85	01	01	4	
	P	3/30/1986	-85.09	0.06	3581.91	01	01	4	
	P	4/15/1986	-85.1	-0.01	3581.9	01	01	4	
	P	4/30/1986	-85.13	-0.03	3581.87	01	01	4	
	P	5/15/1986	-85.14	-0.01	3581.86	01	01	4	
	P	5/30/1986	-85.16	-0.02	3581.84	01	01	4	
	P	6/15/1986	-85.19	-0.03	3581.81	01	01	4	
	P	6/26/1986	-85.32	-0.13	3581.68	01	01	1	
	P	6/30/1986	-85.23	0.09	3581.77	01	01	4	
	P	7/15/1986	-85.24	-0.01	3581.76	01	01	4	
	P	7/30/1986	-85.27	-0.03	3581.73	01	01	4	
	P	8/15/1986	-85.38	-0.11	3581.62	01	01	4	
	P	8/30/1986	-85.43	-0.05	3581.57	01	01	4	
	P	9/15/1986	-85.47	-0.04	3581.53	01	01	4	
	P	9/30/1986	-85.5	-0.03	3581.5	01	01	4	
	P	10/15/1986	-85.51	-0.01	3581.49	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/25/1986	-85.54	-0.03	3581.46	01	01	1	
	P	10/30/1986	-85.51	0.03	3581.49	01	01	4	
	P	11/15/1986	-85.55	-0.04	3581.45	01	01	4	
	P	11/30/1986	-85.55		3581.45	01	01	4	
	P	12/15/1986	-85.56	-0.01	3581.44	01	01	4	
	P	12/30/1986	-85.57	-0.01	3581.43	01	01	4	
	P	1/15/1987	-85.6	-0.03	3581.4	01	01	4	
	P	1/28/1987	-85.68	-0.08	3581.32	01	06	1	
	P	1/30/1987	-85.62	0.06	3581.38	01	01	4	
	P	2/15/1987	-85.66	-0.04	3581.34	01	01	4	
	P	2/28/1987	-85.69	-0.03	3581.31	01	01	4	
	P	3/8/1987	-85.7	-0.01	3581.3	01	01	4	
	P	3/25/1987	-85.7		3581.3	01	01	1	
	P	3/30/1987	-85.71	-0.01	3581.29	01	01	4	
	P	4/15/1987	-85.73	-0.02	3581.27	01	01	4	
	P	4/30/1987	-85.76	-0.03	3581.24	01	01	4	
	P	5/15/1987	-85.81	-0.05	3581.19	01	01	4	
	P	5/27/1987	-85.9	-0.09	3581.1	01	01	1	
	P	5/30/1987	-85.9		3581.1	01	01	4	
	P	6/15/1987	-85.94	-0.04	3581.06	01	01	4	
	P	6/30/1987	-85.96	-0.02	3581.04	01	01	4	
	P	7/15/1987	-85.98	-0.02	3581.02	01	01	4	
	P	7/30/1987	-86.03	-0.05	3580.97	01	01	4	
	P	8/15/1987	-86.07	-0.04	3580.93	01	01	4	
	P	8/30/1987	-86.09	-0.02	3580.91	01	01	4	
	P	9/15/1987	-86.14	-0.05	3580.86	01	01	4	
	P	9/30/1987	-86.19	-0.05	3580.81	01	01	4	
	P	10/15/1987	-86.22	-0.03	3580.78	01	01	4	
	P	10/30/1987	-86.27	-0.05	3580.73	01	01	4	
	P	11/15/1987	-86.33	-0.06	3580.67	01	01	4	
	P	11/30/1987	-86.36	-0.03	3580.64	01	01	4	
	P	12/15/1987	-86.4	-0.04	3580.6	01	01	4	
	P	12/30/1987	-86.42	-0.02	3580.58	01	01	4	
	P	1/11/1988	-86.44	-0.02	3580.56	01	06	1	
	P	1/15/1988	-86.47	-0.03	3580.53	01	01	4	
	P	1/30/1988	-86.55	-0.08	3580.45	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/15/1988	-86.58	-0.03	3580.42	01	01	4	
	P	2/29/1988	-86.61	-0.03	3580.39	01	01	4	
	P	3/15/1988	-86.66	-0.05	3580.34	01	01	4	
	P	3/30/1988	-86.69	-0.03	3580.31	01	01	4	
	P	4/10/1988	-86.7	-0.01	3580.3	01	01	1	
	P	4/15/1988	-86.75	-0.05	3580.25	01	01	4	
	P	4/30/1988	-86.8	-0.05	3580.2	01	01	4	
	P	5/10/1988	-86.75	0.05	3580.25	01	01	1	
	P	5/10/1988	-86.83	-0.08	3580.17	02	01	4	
	P	5/15/1988	-86.75	0.08	3580.25	01	01	4	
	P	5/30/1988	-86.78	-0.03	3580.22	01	01	4	
	P	6/ 6/1988	-86.84	-0.06	3580.16	01	01	1	
	P	6/15/1988	-86.82	0.02	3580.18	01	01	4	
	P	6/30/1988	-86.86	-0.04	3580.14	01	01	4	
	P	7/ 7/1988	-86.95	-0.09	3580.05	01	01	4	
	P	7/15/1988	-86.92	0.03	3580.08	01	01	4	
	P	7/30/1988	-86.96	-0.04	3580.04	01	01	4	
	P	8/15/1988	-87.01	-0.05	3579.99	01	01	4	
	P	8/17/1988	-87.1	-0.09	3579.9	01	01	1	
	P	8/30/1988	-87.14	-0.04	3579.86	01	01	4	
	P	9/15/1988	-87.2	-0.06	3579.8	01	01	4	
	P	9/17/1988	-87.24	-0.04	3579.76	01	01	4	
	P	9/30/1988	-87.25	-0.01	3579.75	01	01	4	
	P	10/15/1988	-87.32	-0.07	3579.68	01	01	4	
	P	10/30/1988	-87.35	-0.03	3579.65	01	01	4	
	P	11/ 1/1988	-87.38	-0.03	3579.62	01	01	1	
	P	11/15/1988	-87.35	0.03	3579.65	01	01	4	
	P	11/30/1988	-87.42	-0.07	3579.58	01	01	4	
	P	12/15/1988	-87.48	-0.06	3579.52	01	01	4	
	P	12/30/1988	-87.52	-0.04	3579.48	01	01	4	
	P	1/15/1989	-87.59	-0.07	3579.41	01	01	4	
	P	1/24/1989	-87.72	-0.13	3579.28	01	06	1	
	P	1/30/1989	-87.62	0.1	3579.38	01	01	4	
	P	2/15/1989	-87.77	-0.15	3579.23	01	01	4	
	P	2/28/1989	-87.82	-0.05	3579.18	01	01	4	
	P	3/15/1989	-87.86	-0.04	3579.14	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/30/1989	-87.91	-0.05	3579.09	01	01	4	
	P	4/15/1989	-87.95	-0.04	3579.05	01	01	4	
	P	4/30/1989	-88.02	-0.07	3578.98	01	01	4	
	P	5/15/1989	-88.06	-0.04	3578.94	01	01	4	
	P	5/30/1989	-88.07	-0.01	3578.93	01	01	4	
	P	6/15/1989	-88.14	-0.07	3578.86	01	01	4	
	P	6/30/1989	-88.19	-0.05	3578.81	01	01	4	
	P	7/15/1989	-88.23	-0.04	3578.77	01	01	4	
	P	7/30/1989	-88.33	-0.1	3578.67	01	01	4	
	P	8/15/1989	-88.4	-0.07	3578.6	01	01	4	
	P	8/30/1989	-88.46	-0.06	3578.54	01	01	4	
	P	9/15/1989	-88.53	-0.07	3578.47	01	01	4	
	P	9/30/1989	-88.58	-0.05	3578.42	01	01	4	
	P	10/15/1989	-88.63	-0.05	3578.37	01	01	4	
	P	10/30/1989	-88.7	-0.07	3578.3	01	01	4	
	P	11/15/1989	-88.81	-0.11	3578.19	01	01	4	
	P	11/30/1989	-88.86	-0.05	3578.14	01	01	4	
	P	12/15/1989	-88.93	-0.07	3578.07	01	01	4	
	P	12/30/1989	-88.98	-0.05	3578.02	01	01	4	
	P	1/15/1990	-89.04	-0.06	3577.96	01	01	4	
	P	1/22/1990	-89.09	-0.05	3577.91	01	06	1	
	P	1/30/1990	-89.11	-0.02	3577.89	01	01	4	
	P	2/15/1990	-89.17	-0.06	3577.83	01	01	4	
	P	2/28/1990	-89.24	-0.07	3577.76	01	01	4	
	P	3/15/1990	-89.29	-0.05	3577.71	01	01	4	
	P	3/30/1990	-89.36	-0.07	3577.64	01	01	4	
	P	4/15/1990	-89.44	-0.08	3577.56	01	01	4	
	P	4/30/1990	-89.52	-0.08	3577.48	01	01	4	
	P	5/15/1990	-89.64	-0.12	3577.36	01	01	4	
	P	5/30/1990	-89.73	-0.09	3577.27	01	01	4	
	P	6/15/1990	-89.82	-0.09	3577.18	01	01	4	
	P	6/30/1990	-89.93	-0.11	3577.07	01	01	4	
	P	7/15/1990	-90.02	-0.09	3576.98	01	01	4	
	P	7/30/1990	-90.14	-0.12	3576.86	01	01	4	
	P	8/15/1990	-90.26	-0.12	3576.74	01	01	4	
	P	8/30/1990	-90.37	-0.11	3576.63	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/15/1990	-90.47	-0.1	3576.53	01	01	4	
	P	9/27/1990	-90.55	-0.08	3576.45	01	01	1	
	P	9/30/1990	-90.55		3576.45	01	01	4	
	P	10/15/1990	-90.65	-0.1	3576.35	01	01	4	
	P	10/26/1990	-90.71	-0.06	3576.29	01	01	1	
	P	10/30/1990	-90.73	-0.02	3576.27	01	01	4	
	P	11/14/1990	-90.83	-0.1	3576.17	01	01	1	
	P	11/15/1990	-90.8	0.03	3576.2	01	01	4	
	P	11/30/1990	-90.85	-0.05	3576.15	01	01	4	
	P	12/5/1990	-90.94	-0.09	3576.06	01	01	1	
	P	12/15/1990	-90.94		3576.06	01	01	4	
	P	12/30/1990	-91.02	-0.08	3575.98	01	01	4	
	P	1/15/1991	-91.1	-0.08	3575.9	01	01	4	
	P	1/17/1991	-91.24	-0.14	3575.76	01	06	1	
	P	1/30/1991	-91.2	0.04	3575.8	01	01	4	
	P	2/14/1991	-91.58	-0.38	3575.42	01	01	1	
	P	3/15/1991	-91.44	0.14	3575.56	01	01	4	
	P	3/30/1991	-91.53	-0.09	3575.47	01	01	4	
	P	4/15/1991	-91.59	-0.06	3575.41	01	01	4	
	P	4/30/1991	-91.67	-0.08	3575.33	01	01	4	
	P	5/9/1991	-91.72	-0.05	3575.28	01	01	1	
	P	5/15/1991	-91.72		3575.28	01	01	4	
	P	5/30/1991	-91.8	-0.08	3575.2	01	01	4	
	P	6/15/1991	-91.91	-0.11	3575.09	01	01	4	
	P	6/30/1991	-91.98	-0.07	3575.02	01	01	4	
	P	7/15/1991	-92.06	-0.08	3574.94	01	01	4	
	P	7/30/1991	-92.13	-0.07	3574.87	01	01	4	
	P	8/7/1991	-92.24	-0.11	3574.76	01	01	1	
	P	8/15/1991	-92.25	-0.01	3574.75	01	01	4	
	P	8/30/1991	-92.31	-0.06	3574.69	01	01	4	
	P	9/15/1991	-92.41	-0.1	3574.59	01	01	4	
	P	9/30/1991	-92.5	-0.09	3574.5	01	01	4	
	P	10/15/1991	-92.56	-0.06	3574.44	01	01	4	
	P	10/30/1991	-92.65	-0.09	3574.35	01	01	4	
	P	11/15/1991	-92.75	-0.1	3574.25	01	01	4	
	P	11/20/1991	-92.75		3574.25	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/30/1991	-92.8	-0.05	3574.2	01	01	4	
	P	12/15/1991	-92.9	-0.1	3574.1	01	01	4	
	P	12/30/1991	-93	-0.1	3574	01	01	4	
	P	1/15/1992	-93.1	-0.1	3573.9	01	01	4	
	P	1/16/1992	-93.09	0.01	3573.91	01	06	1	
	P	1/30/1992	-93.17	-0.08	3573.83	01	01	4	
	P	2/6/1992	-93.21	-0.04	3573.79	01	01	1	
	P	5/14/1992	-93.8	-0.59	3573.2	01	01	1	
	P	8/6/1992	-94.72	-0.92	3572.28	01	01	1	
	P	11/18/1992	-95.19	-0.47	3571.81	01	01	1	
	P	12/8/1992	-94.95	0.24	3572.05	01	01	1	
	P	12/11/1992	-94.93	0.02	3572.07	01	01	1	
	P	12/15/1992	-94.9	0.03	3572.1	01	01	4	
	P	12/30/1992	-94.97	-0.07	3572.03	01	01	4	
	P	1/12/1993	-95.18	-0.21	3571.82	01	06	1	
	P	1/15/1993	-95.05	0.13	3571.95	01	01	4	
	P	1/30/1993	-95.14	-0.09	3571.86	01	01	4	
	P	2/15/1993	-95.2	-0.06	3571.8	01	01	4	
	P	2/28/1993	-95.27	-0.07	3571.73	01	01	4	
	P	3/15/1993	-95.35	-0.08	3571.65	01	01	4	
	P	3/30/1993	-95.47	-0.12	3571.53	01	01	4	
	P	4/15/1993	-95.56	-0.09	3571.44	01	01	4	
	P	4/30/1993	-95.65	-0.09	3571.35	01	01	4	
	P	5/15/1993	-95.74	-0.09	3571.26	01	01	4	
	P	5/30/1993	-95.95	-0.21	3571.05	01	01	4	
	P	6/15/1993	-96.02	-0.07	3570.98	01	01	4	
	P	6/30/1993	-96.12	-0.1	3570.88	01	01	4	
	P	7/15/1993	-96.22	-0.1	3570.78	01	01	4	
	P	7/30/1993	-96.32	-0.1	3570.68	01	01	4	
	P	8/15/1993	-96.44	-0.12	3570.56	01	01	4	
	P	8/30/1993	-96.56	-0.12	3570.44	01	01	4	
	P	9/15/1993	-96.71	-0.15	3570.29	01	01	4	
	P	9/30/1993	-96.82	-0.11	3570.18	01	01	4	
	P	10/15/1993	-96.93	-0.11	3570.07	01	01	4	
	P	10/30/1993	-97.04	-0.11	3569.96	01	01	4	
	P	11/15/1993	-97.16	-0.12	3569.84	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/30/1993	-97.25	-0.09	3569.75	01	01	4	
	P	12/15/1993	-97.32	-0.07	3569.68	01	01	4	
	P	12/30/1993	-97.42	-0.1	3569.58	01	01	4	
	P	1/15/1994	-97.53	-0.11	3569.47	01	01	4	
	P	1/24/1994	-97.53		3569.47	01	06	1	
	P	1/30/1994	-97.62	-0.09	3569.38	01	01	4	
	P	2/15/1994	-97.72	-0.1	3569.28	01	01	4	
	P	2/28/1994	-97.78	-0.06	3569.22	01	01	4	
	P	3/15/1994	-97.86	-0.08	3569.14	01	01	4	
	P	3/30/1994	-97.94	-0.08	3569.06	01	01	4	
	P	4/15/1994	-98.05	-0.11	3568.95	01	01	4	
	P	4/30/1994	-98.13	-0.08	3568.87	01	01	4	
	P	5/15/1994	-98.21	-0.08	3568.79	01	01	4	
	P	5/30/1994	-98.31	-0.1	3568.69	01	01	4	
	P	6/15/1994	-98.4	-0.09	3568.6	01	01	4	
	P	6/30/1994	-98.49	-0.09	3568.51	01	01	4	
	P	7/15/1994	-98.64	-0.15	3568.36	01	01	4	
	P	7/30/1994	-98.76	-0.12	3568.24	01	01	4	
	P	8/15/1994	-99.01	-0.25	3567.99	01	01	4	
	P	8/30/1994	-99.22	-0.21	3567.78	01	01	4	
	P	9/15/1994	-99.49	-0.27	3567.51	01	01	4	
	P	9/30/1994	-99.68	-0.19	3567.32	01	01	4	
	P	10/15/1994	-99.82	-0.14	3567.18	01	01	4	
	P	10/30/1994	-99.96	-0.14	3567.04	01	01	4	
	P	11/15/1994	-100.1	-0.14	3566.9	01	01	4	
	P	11/30/1994	-100.21	-0.11	3566.79	01	01	4	
	P	12/15/1994	-100.32	-0.11	3566.68	01	01	4	
	P	12/30/1994	-100.44	-0.12	3566.56	01	01	4	
	P	1/15/1995	-100.52	-0.08	3566.48	01	01	4	
	P	1/17/1995	-100.56	-0.04	3566.44	01	06	1	
	P	1/30/1995	-100.61	-0.05	3566.39	01	01	4	
	P	2/15/1995	-100.7	-0.09	3566.3	01	01	4	
	P	1/19/1996	-103.46	-2.76	3563.54	01	06	1	
	P	2/15/1996	-103.06	0.4	3563.94	01	01	4	
	P	2/29/1996	-103.12	-0.06	3563.88	01	01	4	
	P	3/15/1996	-103.22	-0.1	3563.78	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3/30/1996	-103.3	-0.08	3563.7	01	01	4	
	P	4/15/1996	-103.4	-0.1	3563.6	01	01	4	
	P	4/30/1996	-103.48	-0.08	3563.52	01	01	4	
	P	5/15/1996	-103.6	-0.12	3563.4	01	01	4	
	P	5/30/1996	-103.71	-0.11	3563.29	01	01	4	
	P	6/15/1996	-103.84	-0.13	3563.16	01	01	4	
	P	6/30/1996	-103.96	-0.12	3563.04	01	01	4	
	P	7/15/1996	-104.07	-0.11	3562.93	01	01	4	
	P	7/30/1996	-104.19	-0.12	3562.81	01	01	4	
	P	8/15/1996	-104.4	-0.21	3562.6	01	01	4	
	P	8/30/1996	-104.59	-0.19	3562.41	01	01	4	
	P	9/15/1996	-104.7	-0.11	3562.3	01	01	4	
	P	9/30/1996	-104.83	-0.13	3562.17	01	01	4	
	P	10/15/1996	-104.92	-0.09	3562.08	01	01	4	
	P	10/30/1996	-105	-0.08	3562	01	01	4	
	P	11/15/1996	-105.13	-0.13	3561.87	01	01	4	
	P	11/30/1996	-105.25	-0.12	3561.75	01	01	4	
	P	12/14/1996	-105.32	-0.07	3561.68	01	01	1	
	P	12/15/1996	-105.33	-0.01	3561.67	01	01	4	
	P	12/30/1996	-105.4	-0.07	3561.6	01	01	4	
	P	1/15/1997	-105.49	-0.09	3561.51	01	01	4	
	P	1/30/1997	-105.56	-0.07	3561.44	01	01	4	
	P	2/7/1997	-105.59	-0.03	3561.41	01	06	1	
	P	2/15/1997	-105.67	-0.08	3561.33	01	01	4	
	P	2/28/1997	-105.73	-0.06	3561.27	01	01	4	
	P	3/15/1997	-105.82	-0.09	3561.18	01	01	4	
	P	3/30/1997	-105.93	-0.11	3561.07	01	01	4	
	P	4/15/1997	-106.02	-0.09	3560.98	01	01	4	
	P	4/30/1997	-106.13	-0.11	3560.87	01	01	4	
	P	5/15/1997	-106.23	-0.1	3560.77	01	01	4	
	P	5/30/1997	-106.35	-0.12	3560.65	01	01	4	
	P	6/15/1997	-106.42	-0.07	3560.58	01	01	4	
	P	6/30/1997	-106.52	-0.1	3560.48	01	01	4	
	P	7/15/1997	-106.62	-0.1	3560.38	01	01	4	
	P	7/30/1997	-106.76	-0.14	3560.24	01	01	4	
	P	8/15/1997	-106.93	-0.17	3560.07	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/30/1997	-107.09	-0.16	3559.91	01	01	4	
	P	9/15/1997	-107.26	-0.17	3559.74	01	01	4	
	P	9/30/1997	-107.44	-0.18	3559.56	01	01	4	
	P	10/15/1997	-107.61	-0.17	3559.39	01	01	4	
	P	12/15/1997	-107.84	-0.23	3559.16	01	01	4	
	P	12/30/1997	-107.88	-0.04	3559.12	01	01	4	
	P	1/15/1998	-107.91	-0.03	3559.09	01	01	4	
	P	1/20/1998	-108	-0.09	3559	01	06	1	
	P	2/28/1998	-108.05	-0.05	3558.95	01	01	4	
	P	3/15/1998	-108.08	-0.03	3558.92	01	01	4	
	P	3/30/1998	-108.17	-0.09	3558.83	01	01	4	
	P	4/15/1998	-108.25	-0.08	3558.75	01	01	4	
	P	4/30/1998	-108.37	-0.12	3558.63	01	01	4	
	P	5/15/1998	-108.49	-0.12	3558.51	01	01	4	
	P	5/30/1998	-108.56	-0.07	3558.44	01	01	4	
	P	6/15/1998	-108.66	-0.1	3558.34	01	01	4	
	P	6/30/1998	-108.77	-0.11	3558.23	01	01	4	
	P	7/15/1998	-108.91	-0.14	3558.09	01	01	4	
	P	7/30/1998	-109.05	-0.14	3557.95	01	01	4	
	N	12/12/1998				01	01		61
	P	1/15/1999	-110.46		3556.54	01	01	4	
	P	1/30/1999	-110.6	-0.14	3556.4	01	01	4	
	P	2/15/1999	-110.62	-0.02	3556.38	01	01	4	
	P	2/19/1999	-111	-0.38	3556	01	06	1	
	P	2/28/1999	-110.72	0.28	3556.28	01	01	4	
	P	3/15/1999	-110.82	-0.1	3556.18	01	01	4	
	P	3/30/1999	-110.88	-0.06	3556.12	01	01	4	
	P	4/15/1999	-110.99	-0.11	3556.01	01	01	4	
	P	4/30/1999	-111.01	-0.02	3555.99	01	01	4	
	P	5/15/1999	-111.1	-0.09	3555.9	01	01	4	
	P	5/30/1999	-111.19	-0.09	3555.81	01	01	4	
	P	6/15/1999	-111.27	-0.08	3555.73	01	01	4	
	P	6/30/1999	-111.36	-0.09	3555.64	01	01	4	
	P	7/15/1999	-111.45	-0.09	3555.55	01	01	4	
	P	7/30/1999	-111.54	-0.09	3555.46	01	01	4	
	P	8/15/1999	-111.68	-0.14	3555.32	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/30/1999	-111.79	-0.11	3555.21	01	01	4	
	P	9/15/1999	-111.95	-0.16	3555.05	01	01	4	
	P	9/30/1999	-112.06	-0.11	3554.94	01	01	4	
	P	10/15/1999	-112.18	-0.12	3554.82	01	01	4	
	P	10/30/1999	-112.3	-0.12	3554.7	01	01	4	
	P	11/15/1999	-112.38	-0.08	3554.62	01	01	4	
	P	11/30/1999	-112.44	-0.06	3554.56	01	01	4	
	P	12/15/1999	-112.54	-0.1	3554.46	01	01	4	
	P	12/30/1999	-112.63	-0.09	3554.37	01	01	4	
	P	1/12/2000	-112.71	-0.08	3554.29	01	06	1	
	P	1/15/2000	-112.67	0.04	3554.33	01	01	4	
	P	1/30/2000	-112.73	-0.06	3554.27	01	01	4	
	P	2/15/2000	-112.82	-0.09	3554.18	01	01	4	
	P	2/29/2000	-112.9	-0.08	3554.1	01	01	4	
	P	3/15/2000	-112.94	-0.04	3554.06	01	01	4	
	P	3/30/2000	-113.03	-0.09	3553.97	01	01	4	
	P	4/15/2000	-113.12	-0.09	3553.88	01	01	4	
	P	4/30/2000	-113.22	-0.1	3553.78	01	01	4	
	P	5/15/2000	-113.27	-0.05	3553.73	01	01	4	
	P	5/30/2000	-113.36	-0.09	3553.64	01	01	4	
	P	6/15/2000	-113.43	-0.07	3553.57	01	01	4	
	P	6/30/2000	-113.56	-0.13	3553.44	01	01	4	
	P	7/15/2000	-113.66	-0.1	3553.34	01	01	4	
	P	7/30/2000	-113.77	-0.11	3553.23	01	01	4	
	P	8/15/2000	-113.9	-0.13	3553.1	01	01	4	
	P	8/30/2000	-114.02	-0.12	3552.98	01	01	4	
	P	9/15/2000	-114.2	-0.18	3552.8	01	01	4	
	P	9/30/2000	-114.36	-0.16	3552.64	01	01	4	
	P	10/15/2000	-114.54	-0.18	3552.46	01	01	4	
	P	10/30/2000	-114.71	-0.17	3552.29	01	01	4	
	P	11/15/2000	-114.82	-0.11	3552.18	01	01	4	
	P	11/30/2000	-114.95	-0.13	3552.05	01	01	4	
	P	12/15/2000	-115.04	-0.09	3551.96	01	01	4	
	P	12/30/2000	-115.13	-0.09	3551.87	01	01	4	
	P	1/15/2001	-115.22	-0.09	3551.78	01	01	4	
	P	1/30/2001	-115.29	-0.07	3551.71	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/15/2001	-115.42	-0.13	3551.58	01	01	4	
	P	2/28/2001	-115.47	-0.05	3551.53	01	01	4	
	P	3/15/2001	-115.59	-0.12	3551.41	01	01	4	
	P	3/30/2001	-115.64	-0.05	3551.36	01	01	4	
	P	4/15/2001	-115.74	-0.1	3551.26	01	01	4	
	P	4/30/2001	-115.8	-0.06	3551.2	01	01	4	
	P	5/15/2001	-115.91	-0.11	3551.09	01	01	4	
	P	5/30/2001	-116.03	-0.12	3550.97	01	01	4	
	P	6/15/2001	-116.16	-0.13	3550.84	01	01	4	
	P	6/30/2001	-116.26	-0.1	3550.74	01	01	4	
	P	7/15/2001	-116.37	-0.11	3550.63	01	01	4	
	P	7/30/2001	-116.49	-0.12	3550.51	01	01	4	
	P	8/15/2001	-116.63	-0.14	3550.37	01	01	4	
	P	8/30/2001	-116.78	-0.15	3550.22	01	01	4	
	P	9/15/2001	-116.93	-0.15	3550.07	01	01	4	
	P	9/30/2001	-117.07	-0.14	3549.93	01	01	4	
	P	10/15/2001	-117.18	-0.11	3549.82	01	01	4	
	P	10/30/2001	-117.31	-0.13	3549.69	01	01	4	
	P	11/15/2001	-117.42	-0.11	3549.58	01	01	4	
	P	11/30/2001	-117.49	-0.07	3549.51	01	01	4	
	P	12/15/2001	-117.59	-0.1	3549.41	01	01	4	
	P	12/30/2001	-117.66	-0.07	3549.34	01	01	4	
	P	1/15/2002	-117.75	-0.09	3549.25	01	01	4	
	P	1/30/2002	-117.86	-0.11	3549.14	01	01	4	
	P	2/15/2002	-117.96	-0.1	3549.04	01	01	4	
	P	2/28/2002	-118.01	-0.05	3548.99	01	01	4	
	P	3/15/2002	-118.09	-0.08	3548.91	01	01	4	
	P	3/30/2002	-118.15	-0.06	3548.85	01	01	4	
	P	4/15/2002	-118.23	-0.08	3548.77	01	01	4	
	P	4/30/2002	-118.34	-0.11	3548.66	01	01	4	
	P	5/15/2002	-118.32	0.02	3548.68	01	01	4	
	P	5/30/2002	-118.29	0.03	3548.71	01	01	4	
	P	6/15/2002	-118.37	-0.08	3548.63	01	01	4	
	P	6/30/2002	-118.4	-0.03	3548.6	01	01	4	
	P	7/15/2002	-118.53	-0.13	3548.47	01	01	4	
	P	7/30/2002	-118.67	-0.14	3548.33	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 15/ 2002	-118.79	-0.12	3548.21	01	01	4	
	P	8 / 30/ 2002	-118.93	-0.14	3548.07	01	01	4	
	P	9 / 15/ 2002	-119.1	-0.17	3547.9	01	01	4	
	P	9 / 30/ 2002	-119.19	-0.09	3547.81	01	01	4	
	P	10 / 15/ 2002	-119.31	-0.12	3547.69	01	01	4	
	P	10 / 30/ 2002	-119.46	-0.15	3547.54	01	01	4	
	P	11 / 15/ 2002	-119.58	-0.12	3547.42	01	01	4	
	P	11 / 30/ 2002	-119.7	-0.12	3547.3	01	01	4	
	P	12 / 15/ 2002	-119.72	-0.02	3547.28	01	01	4	
	P	12 / 30/ 2002	-119.77	-0.05	3547.23	01	01	4	
	P	1 / 15/ 2003	-119.78	-0.01	3547.22	01	01	4	
	P	1 / 30/ 2003	-119.57	0.21	3547.43	01	01	4	
	P	2 / 15/ 2003	-119.5	0.07	3547.5	01	01	4	
	P	2 / 28/ 2003	-119.49	0.01	3547.51	01	01	4	
	P	3 / 6 / 2003	-118.33	1.16	3548.67	01	06	1	
	P	3 / 15/ 2003	-119.31	-0.98	3547.69	01	01	4	
	P	3 / 30/ 2003	-119.35	-0.04	3547.65	01	01	4	
	P	4 / 15/ 2003	-119.36	-0.01	3547.64	01	01	4	
	P	4 / 30/ 2003	-119.39	-0.03	3547.61	01	01	4	
	P	5 / 15/ 2003	-119.39		3547.61	01	01	4	
	P	5 / 30/ 2003	-119.42	-0.03	3547.58	01	01	4	
	P	6 / 15/ 2003	-119.55	-0.13	3547.45	01	01	4	
	P	6 / 30/ 2003	-119.71	-0.16	3547.29	01	01	4	
	P	7 / 15/ 2003	-119.75	-0.04	3547.25	01	01	4	
	P	7 / 30/ 2003	-119.86	-0.11	3547.14	01	01	4	
	P	8 / 15/ 2003	-119.97	-0.11	3547.03	01	01	4	
	P	8 / 30/ 2003	-120.09	-0.12	3546.91	01	01	4	
	P	9 / 15/ 2003	-120.18	-0.09	3546.82	01	01	4	
	P	9 / 30/ 2003	-120.27	-0.09	3546.73	01	01	4	
	P	10 / 15/ 2003	-120.26	0.01	3546.74	01	01	4	
	P	10 / 30/ 2003	-120.3	-0.04	3546.7	01	01	4	
	P	11 / 15/ 2003	-120.39	-0.09	3546.61	01	01	4	
	P	11 / 30/ 2003	-120.5	-0.11	3546.5	01	01	4	
	P	12 / 15/ 2003	-122.37	-1.87	3544.63	01	01	4	
	P	12 / 30/ 2003	-122.5	-0.13	3544.5	01	01	4	
	P	1 / 15/ 2004	-122.6	-0.1	3544.4	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/30/2004	-122.73	-0.13	3544.27	01	01	4	
	P	2/10/2004	-122.78	-0.05	3544.22	01	06	1	
	P	2/15/2004	-122.83	-0.05	3544.17	01	01	4	
	P	2/28/2004	-122.91	-0.08	3544.09	01	01	4	
	P	2/29/2004	-122.88	0.03	3544.12	01	01	4	
	P	3/15/2004	-122.99	-0.11	3544.01	01	01	4	
	P	3/30/2004	-123.02	-0.03	3543.98	01	01	4	
	P	4/15/2004	-123.12	-0.1	3543.88	01	01	4	
	P	4/30/2004	-123.11	0.01	3543.89	01	01	4	
	P	5/15/2004	-123.09	0.02	3543.91	01	01	4	
	P	5/30/2004	-123.11	-0.02	3543.89	01	01	4	
	P	6/15/2004	-123.17	-0.06	3543.83	01	01	4	
	P	6/30/2004	-123.31	-0.14	3543.69	01	01	4	
	P	7/15/2004	-123.47	-0.16	3543.53	01	01	4	
	P	7/30/2004	-123.62	-0.15	3543.38	01	01	4	
	P	8/15/2004	-123.79	-0.17	3543.21	01	01	4	
	P	8/30/2004	-123.95	-0.16	3543.05	01	01	4	
	P	9/15/2004	-124.07	-0.12	3542.93	01	01	4	
	P	9/30/2004	-124.19	-0.12	3542.81	01	01	4	
	P	10/15/2004	-124.36	-0.17	3542.64	01	01	4	
	P	10/30/2004	-124.5	-0.14	3542.5	01	01	4	
	P	11/15/2004	-124.64	-0.14	3542.36	01	01	4	
	P	11/30/2004	-125.1	-0.46	3541.9	01	01	4	
	P	12/15/2004	-125.13	-0.03	3541.87	01	01	4	
	P	12/30/2004	-125.25	-0.12	3541.75	01	01	4	
	P	1/15/2005	-125.78	-0.53	3541.22	01	01	4	
	P	1/30/2005	-125.84	-0.06	3541.16	01	01	4	
	P	2/4/2005	-125.65	0.19	3541.35	01	06	1	
	P	2/15/2005	-125.96	-0.31	3541.04	01	01	4	
	P	2/28/2005	-126.03	-0.07	3540.97	01	01	4	
	P	3/15/2005	-126.12	-0.09	3540.88	01	01	4	
	P	3/30/2005	-126.23	-0.11	3540.77	01	01	4	
	P	4/15/2005	-126.31	-0.08	3540.69	01	01	4	
	P	4/30/2005	-126.48	-0.17	3540.52	01	01	4	
	P	5/15/2005	-126.54	-0.06	3540.46	01	01	4	
	P	5/30/2005	-126.69	-0.15	3540.31	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	6 / 15/ 2005	-126.81	-0.12	3540.19	01	01	4	
	P	6 / 30/ 2005	-127.04	-0.23	3539.96	01	01	4	
	P	7 / 15/ 2005	-127.28	-0.24	3539.72	01	01	4	
	P	7 / 30/ 2005	-127.51	-0.23	3539.49	01	01	4	
	P	8 / 15/ 2005	-127.77	-0.26	3539.23	01	01	4	
	P	8 / 30/ 2005	-127.98	-0.21	3539.02	01	01	4	
	P	9 / 15/ 2005	-128.18	-0.2	3538.82	01	01	4	
	P	9 / 30/ 2005	-128.28	-0.1	3538.72	01	01	4	
	P	10 / 15/ 2005	-128.39	-0.11	3538.61	01	01	4	
	P	10 / 30/ 2005	-128.47	-0.08	3538.53	01	01	4	
	P	11 / 15/ 2005	-128.54	-0.07	3538.46	01	01	4	
	P	11 / 30/ 2005	-128.59	-0.05	3538.41	01	01	4	
	P	12 / 15/ 2005	-128.63	-0.04	3538.37	01	01	4	
	P	12 / 30/ 2005	-128.67	-0.04	3538.33	01	01	4	
	P	1 / 15/ 2006	-128.71	-0.04	3538.29	01	01	4	
	P	1 / 24/ 2006	-128.68	0.03	3538.32	01	06	1	
	P	1 / 30/ 2006	-128.77	-0.09	3538.23	01	01	4	
	P	2 / 15/ 2006	-128.78	-0.01	3538.22	01	01	4	
	P	2 / 28/ 2006	-128.89	-0.11	3538.11	01	01	4	
	P	3 / 15/ 2006	-129.04	-0.15	3537.96	01	01	4	
	P	3 / 30/ 2006	-129.11	-0.07	3537.89	01	01	4	
	P	4 / 15/ 2006	-129.22	-0.11	3537.78	01	01	4	
	P	4 / 30/ 2006	-129.35	-0.13	3537.65	01	01	4	
	P	5 / 15/ 2006	-129.46	-0.11	3537.54	01	01	4	
	P	5 / 30/ 2006	-129.54	-0.08	3537.46	01	01	4	
	P	6 / 15/ 2006	-129.68	-0.14	3537.32	01	01	4	
	P	6 / 30/ 2006	-129.89	-0.21	3537.11	01	01	4	
	P	7 / 15/ 2006	-130.07	-0.18	3536.93	01	01	4	
	P	7 / 30/ 2006	-130.2	-0.13	3536.8	01	01	4	
	P	8 / 15/ 2006	-130.43	-0.23	3536.57	01	01	4	
	P	8 / 30/ 2006	-130.55	-0.12	3536.45	01	01	4	
	P	9 / 15/ 2006	-130.69	-0.14	3536.31	01	01	4	
	P	9 / 30/ 2006	-130.77	-0.08	3536.23	01	01	4	
	P	10 / 15/ 2006	-130.87	-0.1	3536.13	01	01	4	
	P	10 / 30/ 2006	-131.02	-0.15	3535.98	01	01	4	
	P	11 / 15/ 2006	-131.33	-0.31	3535.67	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/30/2006	-131.42	-0.09	3535.58	01	01	4	
	P	12/15/2006	-131.45	-0.03	3535.55	01	01	4	
	P	12/30/2006	-131.54	-0.09	3535.46	01	01	4	
	P	1/15/2007	-131.7	-0.16	3535.3	01	01	4	
	P	1/30/2007	-131.88	-0.18	3535.12	01	01	4	
	P	2/ 9/2007	-131.78	0.1	3535.22	01	06	1	
	P	2/15/2007	-132.01	-0.23	3534.99	01	01	4	
	P	2/28/2007	-132.14	-0.13	3534.86	01	01	4	
	P	3/15/2007	-132.2	-0.06	3534.8	01	01	4	
	P	3/30/2007	-132.31	-0.11	3534.69	01	01	4	
	P	4/15/2007	-132.36	-0.05	3534.64	01	01	4	
	P	4/30/2007	-132.43	-0.07	3534.57	01	01	4	
	P	5/15/2007	-132.53	-0.1	3534.47	01	01	4	
	P	5/30/2007	-132.54	-0.01	3534.46	01	01	4	
	P	6/15/2007	-132.61	-0.07	3534.39	01	01	4	
	P	6/30/2007	-132.66	-0.05	3534.34	01	01	4	
	P	7/15/2007	-132.86	-0.2	3534.14	01	01	4	
	P	7/30/2007	-133.05	-0.19	3533.95	01	01	4	
	P	8/15/2007	-133.24	-0.19	3533.76	01	01	4	
	P	8/30/2007	-133.42	-0.18	3533.58	01	01	4	
	P	9/15/2007	-133.67	-0.25	3533.33	01	01	4	
	P	9/30/2007	-133.88	-0.21	3533.12	01	01	4	
	P	10/15/2007	-134.05	-0.17	3532.95	01	01	4	
	P	10/30/2007	-134.19	-0.14	3532.81	01	01	4	
	P	11/15/2007	-134.33	-0.14	3532.67	01	01	4	
	P	11/30/2007	-134.42	-0.09	3532.58	01	01	4	
	P	12/15/2007	-134.63	-0.21	3532.37	01	01	4	
	P	12/30/2007	-134.78	-0.15	3532.22	01	01	4	
	P	1/ 4/2008	-134.66	0.12	3532.34	01	06	1	
	P	1/15/2008	-134.93	-0.27	3532.07	01	01	4	
	P	1/30/2008	-135.04	-0.11	3531.96	01	01	4	
	P	2/15/2008	-135.21	-0.17	3531.79	01	01	4	
	P	2/28/2008	-135.17	0.04	3531.83	01	01	4	
	P	2/29/2008	-135.23	-0.06	3531.77	01	01	4	
	P	3/15/2008	-135.25	-0.02	3531.75	01	01	4	
	P	3/30/2008	-135.38	-0.13	3531.62	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4/15/2008	-135.41	-0.03	3531.59	01	01	4	
	P	4/30/2008	-135.41		3531.59	01	01	4	
	P	5/15/2008	-135.52	-0.11	3531.48	01	01	4	
	P	5/30/2008	-135.52		3531.48	01	01	4	
	P	6/15/2008	-135.62	-0.1	3531.38	01	01	4	
	P	6/30/2008	-135.69	-0.07	3531.31	01	01	4	
	P	7/15/2008	-135.78	-0.09	3531.22	01	01	4	
	P	7/30/2008	-135.86	-0.08	3531.14	01	01	4	
	P	8/15/2008	-135.99	-0.13	3531.01	01	01	4	
	P	8/30/2008	-136.05	-0.06	3530.95	01	01	4	
	P	9/15/2008	-136.2	-0.15	3530.8	01	01	4	
	P	9/30/2008	-136.29	-0.09	3530.71	01	01	4	
	P	10/15/2008	-136.45	-0.16	3530.55	01	01	4	
	P	10/30/2008	-136.51	-0.06	3530.49	01	01	4	
	P	11/15/2008	-136.51		3530.49	01	01	4	
	P	11/30/2008	-136.55	-0.04	3530.45	01	01	4	
	P	12/15/2008	-136.5	0.05	3530.5	01	01	4	
	P	12/30/2008	-136.48	0.02	3530.52	01	01	4	
	P	1/15/2009	-136.5	-0.02	3530.5	01	01	4	
	P	1/23/2009	-136.48	0.02	3530.52	01	06	1	
	P	1/30/2009	-136.55	-0.07	3530.45	01	01	4	
	P	2/15/2009	-136.54	0.01	3530.46	01	01	4	
	P	2/28/2009	-136.53	0.01	3530.47	01	01	4	
	P	3/15/2009	-136.51	0.02	3530.49	01	01	4	
	P	3/30/2009	-136.54	-0.03	3530.46	01	01	4	
	P	4/15/2009	-136.64	-0.1	3530.36	01	01	4	
	P	4/30/2009	-136.68	-0.04	3530.32	01	01	4	
	P	5/15/2009	-136.66	0.02	3530.34	01	01	4	
	P	5/30/2009	-136.71	-0.05	3530.29	01	01	4	
	P	6/15/2009	-136.81	-0.1	3530.19	01	01	4	
	P	6/30/2009	-136.9	-0.09	3530.1	01	01	4	
	P	7/15/2009	-136.95	-0.05	3530.05	01	01	4	
	P	7/30/2009	-136.99	-0.04	3530.01	01	01	4	
	P	8/15/2009	-136.97	0.02	3530.03	01	01	4	
	P	8/30/2009	-137.01	-0.04	3529.99	01	01	4	
	P	9/15/2009	-137.03	-0.02	3529.97	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9/30/2009	-137.02	0.01	3529.98	01	01	4	
	P	10/15/2009	-137.07	-0.05	3529.93	01	01	4	
	P	10/30/2009	-137.1	-0.03	3529.9	01	01	4	
	P	11/15/2009	-137.12	-0.02	3529.88	01	01	4	
	P	11/30/2009	-137.16	-0.04	3529.84	01	01	4	
	P	12/15/2009	-137.2	-0.04	3529.8	01	01	4	
	P	12/30/2009	-137.2		3529.8	01	01	4	
	P	1/14/2010	-137.37	-0.17	3529.63	01	06	1	
	P	1/15/2010	-137.34	0.03	3529.66	01	01	4	
	P	1/30/2010	-137.35	-0.01	3529.65	01	01	4	
	P	2/15/2010	-137.42	-0.07	3529.58	01	01	4	
	P	2/28/2010	-137.4	0.02	3529.6	01	01	4	
	P	3/15/2010	-137.51	-0.11	3529.49	01	01	4	
	P	3/30/2010	-137.51		3529.49	01	01	4	
	P	4/15/2010	-137.57	-0.06	3529.43	01	01	4	
	P	4/30/2010	-137.67	-0.1	3529.33	01	01	4	
	P	5/15/2010	-137.68	-0.01	3529.32	01	01	4	
	P	5/30/2010	-137.71	-0.03	3529.29	01	01	4	
	P	6/15/2010	-137.79	-0.08	3529.21	01	01	4	
	P	6/30/2010	-137.88	-0.09	3529.12	01	01	4	
	P	7/15/2010	-138	-0.12	3529	01	01	4	
	P	7/30/2010	-138.04	-0.04	3528.96	01	01	4	
	P	8/15/2010	-138.19	-0.15	3528.81	01	01	4	
	P	8/30/2010	-138.32	-0.13	3528.68	01	01	4	
	P	9/15/2010	-138.44	-0.12	3528.56	01	01	4	
	P	9/30/2010	-138.59	-0.15	3528.41	01	01	4	
	P	10/15/2010	-138.69	-0.1	3528.31	01	01	4	
	P	10/30/2010	-138.78	-0.09	3528.22	01	01	4	
	P	11/15/2010	-138.9	-0.12	3528.1	01	01	4	
	P	11/30/2010	-139.1	-0.2	3527.9	01	01	4	
	P	12/15/2010	-139.09	0.01	3527.91	01	01	4	
	P	12/30/2010	-139.12	-0.03	3527.88	01	01	4	
	P	1/15/2011	-139.18	-0.06	3527.82	01	01	4	
	P	1/18/2011	-139.26	-0.08	3527.74	01	06	1	
	P	1/30/2011	-139.14	0.12	3527.86	01	01	4	
	P	2/4/2011	-140	-0.86	3527	01	04	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2/15/2011	-139.08	0.92	3527.92	01	01	4	
	P	3/15/2011	-138.72	0.36	3528.28	01	01	4	
	P	3/30/2011	-138.74	-0.02	3528.26	01	01	4	
	P	4/ 8/2011	-139.06	-0.32	3527.94	01	04	1	
	P	4/15/2011	-138.56	0.5	3528.44	01	01	4	
	P	4/30/2011	-138.56		3528.44	01	01	4	
	P	5/15/2011	-138.6	-0.04	3528.4	01	01	4	
	P	5/30/2011	-138.66	-0.06	3528.34	01	01	4	
	P	6/15/2011	-138.71	-0.05	3528.29	01	01	4	
	P	6/30/2011	-138.77	-0.06	3528.23	01	01	4	
	P	7/11/2011	-139.32	-0.55	3527.68	01	04	1	
	P	7/15/2011	-138.88	0.44	3528.12	01	01	4	
	P	7/30/2011	-139.03	-0.15	3527.97	01	01	4	
	P	8/15/2011	-139.14	-0.11	3527.86	01	01	4	
	P	8/30/2011	-139.28	-0.14	3527.72	01	01	4	
	P	9/ 1/2011	-139.78	-0.5	3527.22	01	04	1	
	P	9/15/2011	-139.45	0.33	3527.55	01	01	4	
	P	9/30/2011	-139.61	-0.16	3527.39	01	01	4	
	P	10/15/2011	-139.71	-0.1	3527.29	01	01	4	
	P	10/30/2011	-139.8	-0.09	3527.2	01	01	4	
	P	11/15/2011	-139.96	-0.16	3527.04	01	01	4	
	P	11/30/2011	-140.07	-0.11	3526.93	01	01	4	
	P	12/15/2011	-140.25	-0.18	3526.75	01	01	4	
	P	12/30/2011	-140.4	-0.15	3526.6	01	01	4	
	P	1/15/2012	-140.48	-0.08	3526.52	01	01	4	
	P	1/30/2012	-140.52	-0.04	3526.48	01	01	4	
	P	2/15/2012	-140.59	-0.07	3526.41	01	01	4	
	P	2/28/2012	-140.62	-0.03	3526.38	01	01	4	
	P	3/15/2012	-140.67	-0.05	3526.33	01	01	4	
	P	3/30/2012	-140.67		3526.33	01	01	4	
	P	4/15/2012	-140.75	-0.08	3526.25	01	01	4	
	P	4/30/2012	-140.81	-0.06	3526.19	01	01	4	
	P	5/15/2012	-140.86	-0.05	3526.14	01	01	4	
	P	5/30/2012	-140.93	-0.07	3526.07	01	01	4	
	P	6/15/2012	-141.07	-0.14	3525.93	01	01	4	
	P	6/30/2012	-141.17	-0.1	3525.83	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	7 / 15/ 2012	-141.26	-0.09	3525.74	01	01	4	
	P	7 / 30/ 2012	-141.36	-0.1	3525.64	01	01	4	
	P	8 / 15/ 2012	-141.46	-0.1	3525.54	01	01	4	
	P	8 / 30/ 2012	-141.56	-0.1	3525.44	01	01	4	
	P	9 / 15/ 2012	-141.65	-0.09	3525.35	01	01	4	
	P	9 / 30/ 2012	-141.79	-0.14	3525.21	01	01	4	
	P	10 / 4 / 2012	-142.05	-0.26	3524.95	01	01	2	
	P	10 / 15/ 2012	-142.06	-0.01	3524.94	01	01	4	
	P	10 / 30/ 2012	-142.16	-0.1	3524.84	01	01	4	
	P	11 / 15/ 2012	-142.26	-0.1	3524.74	01	01	4	
	P	11 / 30/ 2012	-142.38	-0.12	3524.62	01	01	4	
	P	12 / 15/ 2012	-142.48	-0.1	3524.52	01	01	4	
	P	12 / 30/ 2012	-142.51	-0.03	3524.49	01	01	4	
	P	1 / 15/ 2013	-142.56	-0.05	3524.44	01	01	4	
	P	1 / 30/ 2013	-142.63	-0.07	3524.37	01	01	4	
	P	2 / 15/ 2013	-142.66	-0.03	3524.34	01	01	4	
	P	2 / 28/ 2013	-142.67	-0.01	3524.33	01	01	4	
	P	3 / 15/ 2013	-142.71	-0.04	3524.29	01	01	4	
	P	3 / 30/ 2013	-142.84	-0.13	3524.16	01	01	4	
	P	4 / 15/ 2013	-142.94	-0.1	3524.06	01	01	4	
	P	4 / 30/ 2013	-143.03	-0.09	3523.97	01	01	4	
	P	5 / 15/ 2013	-143.17	-0.14	3523.83	01	01	4	

Min *-143.17* **Max** *-27.61* **Avg** *-89.625*

1053603 *(Aquifer: 121OGLL Well Depth: 196)*

	P	3 / 3 / 1953	-34.7		3651.3	01	04	1	

Min *-34.7* **Max** *-34.7* **Avg** *-34.7*

1053604 *(Aquifer: 121OGLL Well Depth: 317)*

	P	5 / 1 / 1952	-29.3		3645.7	01	04	1	
	P	5 / 19/ 1981	-107	-77.7	3568	01	07	7	

Min *-107* **Max** *-29.3* **Avg** *-68.15*

1053605 *(Aquifer: 121OGLL Well Depth: 203)*

	P	4 / 18/ 1952	-35.6		3640.4	01	04	1	

Min *-35.6* **Max** *-35.6* **Avg** *-35.6*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1053607	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	**1 / 29/ 1993**	**-146.06**		**3541.94**	**01**	**06**	**1**	
Min *-146.06*		**Max *-146.06***	**Avg**	***-146.06***					
1053608	*(Aquifer: 121OGLL*		*Well Depth: 208*	*)*					
	P	**10 / 18/ 1979**	**-99.05**		**3576.95**	**01**	**06**	**1**	
	P	**12 / 17/ 1979**	**-95.35**	**3.7**	**3580.65**	**01**	**06**	**1**	
	P	**1 / 12/ 1981**	**-94.02**	**1.33**	**3581.98**	**01**	**06**	**1**	
	P	**1 / 20/ 1982**	**-96.7**	**-2.68**	**3579.3**	**01**	**06**	**1**	
	P	**2 / 22/ 1983**	**-98.54**	**-1.84**	**3577.46**	**01**	**06**	**1**	
	P	**1 / 7 / 1984**	**-101.37**	**-2.83**	**3574.63**	**01**	**06**	**1**	
	N	**1 / 22/ 1985**				**01**	**06**		**41**
	P	**1 / 27/ 1986**	**-101.53**		**3574.47**	**01**	**06**	**1**	
	P	**1 / 28/ 1987**	**-102.78**	**-1.25**	**3573.22**	**01**	**06**	**1**	
	P	**1 / 18/ 1988**	**-102.09**	**0.69**	**3573.91**	**01**	**06**	**1**	
	P	**1 / 24/ 1989**	**-103.73**	**-1.64**	**3572.27**	**01**	**06**	**1**	
	P	**1 / 22/ 1990**	**-105.02**	**-1.29**	**3570.98**	**01**	**06**	**1**	
	P	**2 / 21/ 1991**	**-106.2**	**-1.18**	**3569.8**	**01**	**06**	**1**	
	N	**2 / 13/ 1992**				**01**	**06**		**61**
	P	**1 / 29/ 1993**	**-110.47**		**3565.53**	**01**	**06**	**1**	
	P	**1 / 17/ 1994**	**-113.09**	**-2.62**	**3562.91**	**01**	**06**	**1**	
	P	**1 / 17/ 1995**	**-115.53**	**-2.44**	**3560.47**	**01**	**06**	**1**	
	P	**1 / 17/ 1996**	**-119.34**	**-3.81**	**3556.66**	**01**	**06**	**1**	
	P	**2 / 7 / 1997**	**-125.4**	**-6.06**	**3550.6**	**01**	**06**	**1**	
	P	**1 / 20/ 1998**	**-127.18**	**-1.78**	**3548.82**	**01**	**06**	**1**	
	P	**1 / 20/ 1999**	**-127**	**0.18**	**3549**	**01**	**06**	**1**	
	P	**1 / 12/ 2000**	**-128.37**	**-1.37**	**3547.63**	**01**	**06**	**1**	
	P	**1 / 26/ 2001**	**-131.47**	**-3.1**	**3544.53**	**01**	**06**	**1**	
	P	**3 / 8 / 2002**	**-134.77**	**-3.3**	**3541.23**	**01**	**06**	**1**	
	P	**3 / 6 / 2003**	**-135.94**	**-1.17**	**3540.06**	**01**	**06**	**1**	
	P	**2 / 10/ 2004**	**-139.77**	**-3.83**	**3536.23**	**01**	**06**	**1**	
	P	**2 / 4 / 2005**	**-140.71**	**-0.94**	**3535.29**	**01**	**06**	**1**	
	P	**1 / 23/ 2006**	**-142.23**	**-1.52**	**3533.77**	**01**	**06**	**1**	
	P	**1 / 10/ 2007**	**-144.73**	**-2.5**	**3531.27**	**01**	**06**	**1**	
	P	**3 / 11/ 2008**	**-146.27**	**-1.54**	**3529.73**	**01**	**06**	**1**	
	N	**3 / 2 / 2009**				**01**	**06**		**61**

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 13/ 2010				01	06		61
	P	1 / 18/ 2011	-152.46		3523.54	01	06	1	
	P	12 / 22/ 2011	-155.17	-2.71	3520.83	01	06	1	

Min *-155.17* **Max** *-94.02* **Avg** *-119.876*

1053702 *(Aquifer: 121OGLL Well Depth: 192)*

	P	11 / 0 / 1976	-72.2		3600.8	01	06	1	
	P	11 / 5 / 1979	-77.07	-4.87	3595.93	01	06	1	
	N	1 / 12/ 1981				01	06		61
	P	1 / 20/ 1982	-81.3		3591.7	01	06	1	
	P	2 / 23/ 1983	-83.13	-1.83	3589.87	01	06	1	
	N	1 / 25/ 1984				01	06		61
	N	1 / 23/ 1985				01	06		61
	N	4 / 22/ 1985				01	06		61

Min *-83.13* **Max** *-72.2* **Avg** *-78.425*

1053801 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 23/ 1938	-36.1		3613.9	01	12	7	01
	P	10 / 24/ 1938	-36.23	-0.13	3613.77	01	12	7	01
	P	1 / 16/ 1939	-35.91	0.32	3614.09	01	12	7	01
	P	3 / 10/ 1939	-36.48	-0.57	3613.52	01	12	7	01
	P	4 / 3 / 1939	-36.59	-0.11	3613.41	01	12	7	01
	P	6 / 22/ 1939	-36.69	-0.1	3613.31	01	12	7	01
	P	7 / 7 / 1939	-36.63	0.06	3613.37	01	12	7	01
	P	7 / 14/ 1939	-36.71	-0.08	3613.29	01	12	7	01
	P	8 / 15/ 1939	-31.27	5.44	3618.73	01	12	7	01
	P	10 / 13/ 1939	-36.09	-4.82	3613.91	01	12	7	01
	P	12 / 18/ 1939	-36.25	-0.16	3613.75	01	12	7	01
	P	3 / 25/ 1940	-36.46	-0.21	3613.54	01	12	7	01

Min *-36.71* **Max** *-31.27* **Avg** *-35.9508*

1053802 *(Aquifer: 121OGLL Well Depth: 65)*

	P	7 / 13/ 1939	-30.03		3629.97	01	12	7	01
	P	9 / 15/ 1939	-28.68	1.35	3631.32	01	12	7	01
	P	10 / 13/ 1939	-28.97	-0.29	3631.03	01	12	7	01
	P	12 / 18/ 1939	-29.2	-0.23	3630.8	01	12	7	01
	P	3 / 25/ 1940	-29.28	-0.08	3630.72	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 2 / 1940	-30.13	-0.85	3629.87	01	12	7	01
	P	3 / 30/ 1941	-30.1	0.03	3629.9	01	12	7	01
	P	5 / 30/ 1941	-28.8	1.3	3631.2	01	12	7	01
	P	7 / 31/ 1941	-26.62	2.18	3633.38	01	12	7	01
	P	11 / 19/ 1941	-25.28	1.34	3634.72	01	12	7	01
	P	3 / 14/ 1942	-23.97	1.31	3636.03	01	12	7	01
	P	2 / 4 / 1943	-23.76	0.21	3636.24	01	12	7	01

Min *-30.13* **Max** *-23.76* **Avg** *-27.9017*

1053803 *(Aquifer: 121OGLL Well Depth:)*

	P	11 / 5 / 1979	-83.61		3583.39	01	07	7	
	P	12 / 17/ 1979	-71.59	12.02	3595.41	01	06	1	04
	P	1 / 12/ 1981	-65.77	5.82	3601.23	01	06	1	
	P	1 / 20/ 1982	-66.8	-1.03	3600.2	01	06	1	
	P	2 / 23/ 1983	-69.98	-3.18	3597.02	01	06	1	04
	P	1 / 25/ 1984	-72.94	-2.96	3594.06	01	06	1	
	P	1 / 23/ 1985	-70.3	2.64	3596.7	01	06	1	04
	P	1 / 27/ 1986	-77.19	-6.89	3589.81	01	06	1	02
	P	2 / 6 / 1987	-75.98	1.21	3591.02	01	06	1	
	P	1 / 11/ 1988	-77.71	-1.73	3589.29	01	06	1	
	P	1 / 24/ 1989	-80.02	-2.31	3586.98	01	06	1	
	P	1 / 22/ 1990	-82.27	-2.25	3584.73	01	06	1	
	P	1 / 17/ 1991	-84.32	-2.05	3582.68	01	06	1	
	P	1 / 16/ 1992	-86.08	-1.76	3580.92	01	06	1	
	P	1 / 12/ 1993	-85.47	0.61	3581.53	01	06	1	
	P	1 / 24/ 1994	-88.58	-3.11	3578.42	01	06	1	
	P	1 / 17/ 1995	-89.65	-1.07	3577.35	01	06	1	
	P	1 / 17/ 1996	-89.8	-0.15	3577.2	01	06	1	
	P	2 / 7 / 1997	-92.65	-2.85	3574.35	01	06	1	
	P	1 / 30/ 1998	-94.05	-1.4	3572.95	01	06	1	
	P	1 / 20/ 1999	-95	-0.95	3572	01	06	1	
	P	3 / 8 / 2000	-96.7	-1.7	3570.3	01	06	1	
	N	3 / 8 / 2002				01	06	7	45
	N	2 / 13/ 2003				01	06		81
	N	10 / 20/ 2004				01	06	1	45
	N	2 / 4 / 2005				01	06	1	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -96.7		**Max -65.77**	**Avg -81.6573**						
1053804	*(Aquifer: 121OGLL*		*Well Depth: 194)*						
	P	4 / 23/ 1963	-38		3624	01	07	7	
	P	8 / 27/ 2001	-101.6	-63.6	3560.4	01	06	1	
	P	3 / 8 / 2002	-101.57	0.03	3560.43	01	06	1	
	P	2 / 13/ 2003	-103.78	-2.21	3558.22	01	06	1	
	P	3 / 2 / 2004	-106.4	-2.62	3555.6	01	06	1	
	P	2 / 4 / 2005	-107.9	-1.5	3554.1	01	06	1	
	P	1 / 20/ 2006	-110.08	-2.18	3551.92	01	06	1	
	P	2 / 9 / 2007	-111.15	-1.07	3550.85	01	06	1	
	P	1 / 4 / 2008	-114.76	-3.61	3547.24	01	06	1	
	P	3 / 2 / 2009	-117.38	-2.62	3544.62	01	06	1	
	P	1 / 14/ 2010	-119.17	-1.79	3542.83	01	06	1	
	N	1 / 18/ 2011				01	06		61
	N	12 / 16/ 2011				01	06		61
Min -119.17		**Max -38**	**Avg -102.89**						
1053905	*(Aquifer: 121OGLL*		*Well Depth: 201)*						
	P	4 / 22/ 1952	-35.68		3634.32	01	04	1	
Min -35.68		**Max -35.68**	**Avg -35.68**						
1053907	*(Aquifer: 121OGLL*		*Well Depth: 328)*						
	P	5 / 16/ 1981	-109		3547	01	07	7	
Min -109		**Max -109**	**Avg -109**						
1054101	*(Aquifer: 121OGLL*		*Well Depth: 210)*						
	P	5 / 3 / 2002	-189.1		3508.9	01	04	7	
Min -189.1		**Max -189.1**	**Avg -189.1**						
1054201	*(Aquifer: 121OGLL*		*Well Depth: 230)*						
	P	8 / 13/ 1942	-93.95		3619.05	01	12	7	01
	P	11 / 10/ 1942	-89.22	4.73	3623.78	01	12	7	01
	P	2 / 23/ 1943	-88.42	0.8	3624.58	01	12	7	01
	P	2 / 7 / 1944	-88.93	-0.51	3624.07	01	12	7	01
	P	2 / 22/ 1945	-88.9	0.03	3624.1	01	12	7	01
	P	3 / 2 / 1946	-90.54	-1.64	3622.46	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 13/ 1947	-93.24	-2.7	3619.76	01	12	7	01
	P	2 / 19/ 1948	-92.86	0.38	3620.14	01	12	7	01
	P	3 / 11/ 1949	-94.3	-1.44	3618.7	01	12	7	01
	P	1 / 12/ 1951	-97	-2.7	3616	01	12	7	01
	P	1 / 25/ 1952	-100.53	-3.53	3612.47	01	12	7	01
	P	1 / 14/ 1953	-101.91	-1.38	3611.09	01	12	7	01
	P	1 / 6 / 1954	-105.29	-3.38	3607.71	01	12	7	01
	P	1 / 3 / 1955	-111.22	-5.93	3601.78	01	12	7	01

Min *-111.22* **Max** *-88.42* **Avg** *-95.4507*

1054202 *(Aquifer: 121OGLL Well Depth: 240)*

	P	6 / 24/ 1937	-69.12		3621.88	01	12	7	01
	P	8 / 30/ 1937	-69.37	-0.25	3621.63	01	12	7	01
	P	6 / 7 / 1938	-69.79	-0.42	3621.21	01	12	7	01
	P	1 / 27/ 1939	-69.42	0.37	3621.58	01	12	7	01
	P	9 / 15/ 1939	-71.7	-2.28	3619.3	01	12	7	01
	P	11 / 13/ 1940	-71.38	0.32	3619.62	01	12	7	01
	P	3 / 20/ 1941	-70.54	0.84	3620.46	01	12	7	01
	P	11 / 19/ 1941	-69.49	1.05	3621.51	01	12	7	01
	P	3 / 16/ 1942	-68.84	0.65	3622.16	01	12	7	01
	P	11 / 10/ 1942	-67.3	1.54	3623.7	01	12	7	01
	P	2 / 4 / 1943	-66.8	0.5	3624.2	01	12	7	01
	P	2 / 8 / 1944	-67.97	-1.17	3623.03	01	12	7	01
	P	2 / 22/ 1945	-68.07	-0.1	3622.93	01	12	7	01
	P	2 / 28/ 1946	-69.39	-1.32	3621.61	01	12	7	01
	P	1 / 14/ 1947	-70.38	-0.99	3620.62	01	12	7	01
	P	2 / 19/ 1948	-71.79	-1.41	3619.21	01	12	7	01
	P	3 / 11/ 1948	-74.56	-2.77	3616.44	01	12	7	01
	P	2 / 16/ 1950	-74.57	-0.01	3616.43	01	12	7	01
	P	1 / 25/ 1952	-78.71	-4.14	3612.29	01	12	7	01
	P	1 / 14/ 1953	-81.31	-2.6	3609.69	01	12	7	01
	P	1 / 6 / 1954	-84.67	-3.36	3606.33	01	12	7	01
	P	1 / 3 / 1955	-89.77	-5.1	3601.23	01	12	7	01
	P	1 / 9 / 1956	-93.85	-4.08	3597.15	01	12	7	01
	P	1 / 12/ 1957	-98.25	-4.4	3592.75	01	12	7	01
	P	1 / 23/ 1958	-105.83	-7.58	3585.17	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1959	-102.87	2.96	3588.13	01	12	7	01
	P	1/25/1960	-105.97	-3.1	3585.03	01	12	7	01
	P	1/17/1961	-107.07	-1.1	3583.93	01	04	1	
	P	1/ 9/1962	-112.52	-5.45	3578.48	01	01	1	20
	P	1/ 8/1963	-113.01	-0.49	3577.99	01	01	1	
	P	1/ 8/1964	-114.19	-1.18	3576.81	01	01	1	
	P	1/ 7/1965	-118.35	-4.16	3572.65	01	01	1	
	P	1/ 5/1966	-124.81	-6.46	3566.19	01	01	1	
	P	1/ 7/1967	-125.84	-1.03	3565.16	01	01	1	
	P	1/ 4/1968	-128.9	-3.06	3562.1	01	01	1	
	P	1/15/1969	-130.76	-1.86	3560.24	01	01	1	
	P	1/11/1970	-132.92	-2.16	3558.08	01	06	1	
	P	1/16/1971	-136.2	-3.28	3554.8	01	06	1	
	P	1/ 4/1972	-139.65	-3.45	3551.35	01	06	1	
	P	1/22/1973	-141.06	-1.41	3549.94	01	01	1	
	P	1/15/1974	-142.8	-1.74	3548.2	01	06	1	
	N	1/ 8/1975				01	06	1	46

Min *-142.8* **Max** *-66.8* **Avg** *-94.3851*

1054203 *(Aquifer: 121OGLL Well Depth:)*

	P	8/24/1956	-111.1		3587.9	01	12	7	01
	P	1/15/1957	-109	2.1	3590	01	12	7	01
	P	3/23/1960	-117.08	-8.08	3581.92	01	12	7	01
	P	2/ 9/1961	-118.37	-1.29	3580.63	01	06	7	
	P	1/ 9/1962	-111.27	7.1	3587.73	01	01	1	
	N	1/ 8/1963				01	01		63

Min *-118.37* **Max** *-109* **Avg** *-113.364*

1054204 *(Aquifer: 121OGLL Well Depth:)*

	P	3/11/1949	-55.02		3614.98	01	12	7	01
	P	2/16/1950	-55.84	-0.82	3614.16	01	12	7	01
	P	1/12/1951	-56.65	-0.81	3613.35	01	12	7	01
	P	1/25/1952	-59.55	-2.9	3610.45	01	12	7	01
	P	1/15/1953	-62.45	-2.9	3607.55	01	12	7	01
	P	1/ 6/1954	-64.98	-2.53	3605.02	01	12	7	01
	P	1/ 3/1955	-69.21	-4.23	3600.79	01	12	7	01
	P	1/ 9/1956	-73.44	-4.23	3596.56	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -73.44		**Max -55.02**	**Avg -62.1425**						
1054205	*(Aquifer: 121OGLL*		*Well Depth: 311)*						
	P	5 / 23/ 1967	-95		3573	01	07	7	
	P	4 / 28/ 1975	-123.16	-28.2	3544.84	01	06	1	
	P	1 / 12/ 1976	-124.7	-1.54	3543.3	01	06	1	
	P	1 / 13/ 1977	-128.07	-3.37	3539.93	01	06	1	
	P	1 / 12/ 1978	-131.72	-3.65	3536.28	01	06	1	
	P	1 / 24/ 1979	-134.71	-2.99	3533.29	01	06	1	
	P	12 / 17/ 1979	-136.22	-1.51	3531.78	01	06	1	
	P	1 / 7 / 1981	-140.91	-4.69	3527.09	01	06	1	
	P	1 / 21/ 1982	-144.07	-3.16	3523.93	01	06	1	
	P	2 / 23/ 1983	-145.71	-1.64	3522.29	01	06	1	
	P	1 / 7 / 1984	-147.19	-1.48	3520.81	01	06	1	
	P	1 / 17/ 1985	-150.19	-3	3517.81	01	06	1	
	P	1 / 13/ 1986	-150.07	0.12	3517.93	01	06	1	
	P	2 / 3 / 1987	-150.73	-0.66	3517.27	01	06	1	
	P	1 / 18/ 1988	-151.63	-0.9	3516.37	01	06	1	
	P	1 / 20/ 1989	-152.25	-0.62	3515.75	01	06	1	
	P	1 / 16/ 1990	-154.82	-2.57	3513.18	01	06	1	
	P	1 / 23/ 1991	-158.2	-3.38	3509.8	01	06	1	
	P	2 / 10/ 1992	-160.3	-2.1	3507.7	01	06	1	
	P	2 / 1 / 1993	-161.48	-1.18	3506.52	01	06	1	
	P	1 / 19/ 1994	-167.97	-6.49	3500.03	01	06	1	
	P	1 / 23/ 1995	-168.41	-0.44	3499.59	01	06	1	
	P	1 / 15/ 1996	-171.4	-2.99	3496.6	01	06	1	
	P	2 / 10/ 1997	-170.98	0.42	3497.02	01	06	1	
	P	1 / 22/ 1998	-172.24	-1.26	3495.76	01	06	1	
	P	1 / 21/ 1999	-175.9	-3.66	3492.1	01	06	1	
	P	1 / 12/ 2000	-175.37	0.53	3492.63	01	06	1	
	P	2 / 7 / 2001	-178.87	-3.5	3489.13	01	06	1	
	P	2 / 8 / 2002	-181.24	-2.37	3486.76	01	06	1	
	P	3 / 7 / 2003	-185.03	-3.79	3482.97	01	06	1	
	P	2 / 11/ 2004	-187.05	-2.02	3480.95	01	06	1	
	P	1 / 25/ 2005	-185.94	1.11	3482.06	01	06	1	
	P	1 / 23/ 2006	-186.99	-1.05	3481.01	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 8 / 2007				01	06		61
	P	1 / 3 / 2008	-193.11		3474.89	01	06	1	
	P	2 / 4 / 2009	-197.64	-4.53	3470.36	01	06	1	
	P	1 / 14 / 2010	-202.11	-4.47	3465.89	01	06	1	
	P	1 / 14 / 2011	-206.88	-4.77	3461.12	01	06	1	
	P	12 / 16 / 2011	-215.59	-8.71	3452.41	01	06	1	

Min *-215.59* **Max** *-95* **Avg** *-162.207*

1054208 *(Aquifer: 121OGLL Well Depth: 319)*

	P	8 / 15 / 1989	-173		3498	01	01	1	
	P	10 / 2 / 2007	-201.5	-28.5	3469.5	01	01	1	

Min *-201.5* **Max** *-173* **Avg** *-187.25*

1054209 *(Aquifer: 121OGLL Well Depth: 191)*

	P	1 / 7 / 1959	-122.7		3587.3	01	12	7	01
	P	1 / 25 / 1960	-124.94	-2.24	3585.06	01	12	7	01
	P	1 / 17 / 1961	-128.8	-3.86	3581.2	01	04	1	
	P	1 / 9 / 1962	-128.26	0.54	3581.74	01	01	1	
	P	1 / 8 / 1963	-131.54	-3.28	3578.46	01	01	1	

Min *-131.54* **Max** *-122.7* **Avg** *-127.248*

1054301 *(Aquifer: 121OGLL Well Depth: 330)*

	P	3 / 25 / 1959	-121.87		3562.13	01	12	7	01
	P	3 / 16 / 1960	-126.25	-4.38	3557.75	01	12	7	01
	P	2 / 9 / 1961	-128.43	-2.18	3555.57	01	06	7	
	P	1 / 9 / 1962	-132.28	-3.85	3551.72	01	01	1	
	P	1 / 8 / 1963	-135.02	-2.74	3548.98	01	01	1	
	P	1 / 8 / 1964	-138.41	-3.39	3545.59	01	01	1	
	P	1 / 7 / 1965	-144.07	-5.66	3539.93	01	01	1	
	P	1 / 4 / 1966	-148.02	-3.95	3535.98	01	01	1	
	P	1 / 7 / 1967	-146.72	1.3	3537.28	01	01	1	
	P	1 / 5 / 1968	-154.43	-7.71	3529.57	01	01	1	
	P	1 / 15 / 1969	-158.26	-3.83	3525.74	01	01	1	
	P	1 / 11 / 1970	-160.83	-2.57	3523.17	01	06	1	
	P	1 / 15 / 1971	-164.78	-3.95	3519.22	01	06	1	
	P	1 / 4 / 1972	-168.22	-3.44	3515.78	01	06	1	
	P	1 / 22 / 1973	-168.67	-0.45	3515.33	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1974	-171.1	-2.43	3512.9	01	06	1	
	P	1/ 9/ 1975	-176.19	-5.09	3507.81	01	06	1	
	P	1/ 12/ 1976	-178.48	-2.29	3505.52	01	06	1	
	P	1/ 13/ 1977	-183.5	-5.02	3500.5	01	06	1	
	P	1/ 9/ 1978	-188.07	-4.57	3495.93	01	06	1	
	P	1/ 24/ 1979	-192.68	-4.61	3491.32	01	06	1	
	P	12/ 17/ 1979	-194.83	-2.15	3489.17	01	06	1	
	P	1/ 7/ 1981	-200.57	-5.74	3483.43	01	06	1	
	P	1/ 21/ 1982	-205.12	-4.55	3478.88	01	06	1	
	P	2/ 23/ 1983	-207.5	-2.38	3476.5	01	06	1	
	P	1/ 7/ 1984	-210.2	-2.7	3473.8	01	06	1	04
	P	1/ 17/ 1985	-212.25	-2.05	3471.75	01	06	1	04
	P	1/ 14/ 1986	-212.44	-0.19	3471.56	01	06	1	
	P	1/ 29/ 1987	-211.19	1.25	3472.81	01	06	1	
	P	1/ 18/ 1988	-211.35	-0.16	3472.65	01	06	1	
	P	1/ 19/ 1989	-211.41	-0.06	3472.59	01	06	1	
	P	1/ 17/ 1990	-213.75	-2.34	3470.25	01	06	1	
	P	1/ 23/ 1991	-215.38	-1.63	3468.62	01	06	1	
	P	2/ 10/ 1992	-217.11	-1.73	3466.89	01	06	1	
	P	2/ 1/ 1993	-217.76	-0.65	3466.24	01	06	1	
	P	1/ 19/ 1994	-220.71	-2.95	3463.29	01	06	1	
	P	1/ 23/ 1995	-223.65	-2.94	3460.35	01	06	1	
	P	1/ 15/ 1996	-227.35	-3.7	3456.65	01	06	1	
	P	2/ 11/ 1997	-229.87	-2.52	3454.13	01	06	1	
	P	1/ 22/ 1998	-231.74	-1.87	3452.26	01	06	1	
	P	1/ 21/ 1999	-237	-5.26	3447	01	06	1	
	P	1/ 12/ 2000	-238.07	-1.07	3445.93	01	06	1	
	P	2/ 7/ 2001	-240.52	-2.45	3443.48	01	06	1	
	P	2/ 8/ 2002	-243.57	-3.05	3440.43	01	06	1	
	P	3/ 7/ 2003	-247.09	-3.52	3436.91	01	06	1	
	P	2/ 11/ 2004	-251.07	-3.98	3432.93	01	06	1	
	P	1/ 25/ 2005	-252.4	-1.33	3431.6	01	06	1	
	P	3/ 2/ 2006	-254.43	-2.03	3429.57	01	06	1	
	P	2/ 8/ 2007	-255.21	-0.78	3428.79	01	06	1	
	N	3/ 7/ 2008				01	06	7	44
	P	2/ 5/ 2009	-270.62		3413.38	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 6 / 2010	-275.48	-4.86	3408.52	01	06	1	
	P	1 / 1 / 2011	-278.7	-3.22	3405.3	01	06	1	
	P	1 / 11/ 2012	-282.52	-3.82	3401.48	01	06	1	

Min *-282.52* **Max** *-121.87* **Avg** *-201.644*

1054403 *(Aquifer: 121OGLL Well Depth: 149)*

	P	10 / 18/ 1979	-123.6		3559.4	01	06	1	
	P	12 / 11/ 1979	-120.9	2.7	3562.1	01	06	1	

Min *-123.6* **Max** *-120.9* **Avg** *-122.25*

1054404 *(Aquifer: 121OGLL Well Depth: 267)*

	P	1 / 7 / 1981	-114.1		3557.9	01	06	1	
	P	1 / 21/ 1982	-116	-1.9	3556	01	06	1	
	P	2 / 17/ 1983	-118.99	-2.99	3553.01	01	06	1	
	P	1 / 7 / 1984	-120.93	-1.94	3551.07	01	06	1	
	P	1 / 23/ 1985	-123.55	-2.62	3548.45	01	06	1	
	P	1 / 22/ 1986	-124.37	-0.82	3547.63	01	06	1	
	P	1 / 29/ 1987	-124.28	0.09	3547.72	01	06	1	
	P	1 / 11/ 1988	-125.17	-0.89	3546.83	01	06	1	
	P	1 / 24/ 1989	-125.64	-0.47	3546.36	01	06	1	
	P	2 / 9 / 1990	-127.43	-1.79	3544.57	01	06	1	
	P	1 / 22/ 1991	-129.66	-2.23	3542.34	01	06	1	
	P	2 / 11/ 1992	-131.55	-1.89	3540.45	01	06	1	
	P	1 / 29/ 1993	-132.65	-1.1	3539.35	01	06	1	
	P	1 / 18/ 1994	-135.05	-2.4	3536.95	01	06	1	
	P	1 / 23/ 1995	-137.59	-2.54	3534.41	01	06	1	
	P	1 / 17/ 1996	-139.57	-1.98	3532.43	01	06	1	
	P	2 / 11/ 1997	-139.99	-0.42	3532.01	01	06	1	
	P	2 / 6 / 1998	-147.16	-7.17	3524.84	01	06	1	
	P	2 / 19/ 1999	-153	-5.84	3519	01	06	1	
	P	1 / 12/ 2000	-155.04	-2.04	3516.96	01	06	1	
	P	2 / 7 / 2001	-158.9	-3.86	3513.1	01	06	1	
	P	1 / 23/ 2002	-167.15	-8.25	3504.85	01	06	1	
	P	3 / 6 / 2003	-165.8	1.35	3506.2	01	06	1	
	P	2 / 10/ 2004	-168.75	-2.95	3503.25	01	06	1	
	P	1 / 25/ 2005	-170.46	-1.71	3501.54	01	06	1	
	P	1 / 23/ 2006	-172.93	-2.47	3499.07	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 10/ 2007	-174.84	-1.91	3497.16	01	06	1	
	P	1 / 3 / 2008	-177.08	-2.24	3494.92	01	06	1	
	P	2 / 4 / 2009	-180.89	-3.81	3491.11	01	06	1	
	P	1 / 6 / 2010	-184.95	-4.06	3487.05	01	06	1	
	P	1 / 14/ 2011	-186.64	-1.69	3485.36	01	06	1	
	P	12 / 22/ 2011	-192.88	-6.24	3479.12	01	06	1	

Min *-192.88* **Max** *-114.1* **Avg** *-147.593*

1054502 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 8 / 1964	-87.61		3576.39	01	01	1	
	P	1 / 8 / 1965	-90.72	-3.11	3573.28	01	01	1	
	P	1 / 5 / 1966	-96.78	-6.06	3567.22	01	01	1	
	P	1 / 7 / 1967	-94.12	2.66	3569.88	01	01	1	
	P	1 / 5 / 1968	-95.9	-1.78	3568.1	01	01	1	
	P	1 / 16/ 1969	-98.31	-2.41	3565.69	01	01	1	
	P	1 / 12/ 1970	-99.62	-1.31	3564.38	01	06	1	
	P	1 / 16/ 1971	-102.42	-2.8	3561.58	01	06	1	
	P	1 / 4 / 1972	-105.62	-3.2	3558.38	01	06	1	
	P	1 / 22/ 1973	-106.35	-0.73	3557.65	01	01	1	
	P	1 / 15/ 1974	-109.88	-3.53	3554.12	01	06	1	
	P	1 / 8 / 1975	-115.43	-5.55	3548.57	01	06	1	
	P	1 / 12/ 1976	-116.54	-1.11	3547.46	01	06	1	
	P	1 / 13/ 1977	-120.57	-4.03	3543.43	01	06	1	
	P	1 / 9 / 1978	-124.39	-3.82	3539.61	01	06	1	
	P	1 / 24/ 1979	-126.95	-2.56	3537.05	01	06	1	
	P	12 / 11/ 1979	-129.21	-2.26	3534.79	01	06	1	
	P	1 / 7 / 1981	-132.42	-3.21	3531.58	01	06	1	
	P	1 / 21/ 1982	-135.1	-2.68	3528.9	01	06	1	
	P	2 / 17/ 1983	-138.59	-3.49	3525.41	01	06	1	
	P	1 / 7 / 1984	-137.98	0.61	3526.02	01	06	1	
	P	1 / 23/ 1985	-140.9	-2.92	3523.1	01	06	1	
	P	1 / 14/ 1986	-140.57	0.33	3523.43	01	06	1	
	P	1 / 30/ 1987	-140.31	0.26	3523.69	01	06	1	
	P	1 / 12/ 1988	-141.23	-0.92	3522.77	01	06	1	
	P	1 / 20/ 1989	-142.16	-0.93	3521.84	01	06	1	
	P	1 / 16/ 1990	-145.11	-2.95	3518.89	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 23/ 1991	-147.99	-2.88	3516.01	01	06	1	
	P	2/ 13/ 1992	-150.38	-2.39	3513.62	01	06	1	
	P	1/ 29/ 1993	-151.52	-1.14	3512.48	01	06	1	
	P	1/ 18/ 1994	-154.81	-3.29	3509.19	01	06	1	
	P	1/ 23/ 1995	-159.34	-4.53	3504.66	01	06	1	
	P	1/ 17/ 1996	-164.58	-5.24	3499.42	01	06	1	
	P	2/ 11/ 1997	-170.23	-5.65	3493.77	01	06	1	
	P	1/ 31/ 1998	-173.16	-2.93	3490.84	01	06	1	
	P	1/ 18/ 1999	-176	-2.84	3488	01	06	1	
	P	1/ 12/ 2000	-176.79	-0.79	3487.21	01	06	1	
	P	1/ 7/ 2001	-179.65	-2.86	3484.35	01	06	1	
	P	3/ 8/ 2002	-182.13	-2.48	3481.87	01	06	1	
	P	3/ 6/ 2003	-186.48	-4.35	3477.52	01	06	1	
	N	2/ 6/ 2004				01	06	1	44
	N	1/ 25/ 2005				01	06	1	44
	N	1/ 23/ 2006				01	06	7	44
	N	3/ 14/ 2008				01	06		63

Min *-186.48* **Max** *-87.61* **Avg** *-134.696*

1054505 *(Aquifer: 121OGLL Well Depth: 333)*

	P	2/ 27/ 1986	-172		3495	01	11	7	

Min *-172* **Max** *-172* **Avg** *-172*

1054601 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3/ 27/ 1955	-66		3600	01	07	7	
	P	1/ 25/ 2005	-202.02	-136	3463.98	01	06	1	
	P	3/ 9/ 2006	-202.05	-0.03	3463.95	01	06	1	
	P	2/ 4/ 2009	-220.72	-18.7	3445.28	01	06	1	
	P	3/ 2/ 2010	-225.99	-5.27	3440.01	01	06	1	
	P	1/ 14/ 2011	-226.99	-1	3439.01	01	06	1	
	P	2/ 24/ 2012	-236.37	-9.38	3429.63	01	06	1	

Min *-236.37* **Max** *-66* **Avg** *-197.163*

1054701 *(Aquifer: 121OGLL Well Depth: 203)*

	P	3/ 0/ 1979	-89.45		3572.55	01	06	1	
	P	12/ 11/ 1979	-90.85	-1.4	3571.15	01	06	1	
	P	1/ 28/ 1981	-93.51	-2.66	3568.49	01	06	1	04

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1982	-96.13	-2.62	3565.87	01	06	1	
	P	2 / 17/ 1983	-99.51	-3.38	3562.49	01	06	1	
	P	1 / 7 / 1984	-102.11	-2.6	3559.89	01	06	1	
	P	1 / 23/ 1985	-105.78	-3.67	3556.22	01	06	1	
	P	1 / 22/ 1986	-109.77	-3.99	3552.23	01	06	1	
	P	1 / 30/ 1987	-111.99	-2.22	3550.01	01	06	1	
	P	1 / 12/ 1988	-114.12	-2.13	3547.88	01	06	1	
	P	1 / 24/ 1989	-116.83	-2.71	3545.17	01	06	1	
	P	2 / 9 / 1990	-120.18	-3.35	3541.82	01	06	1	
	P	1 / 22/ 1991	-123.68	-3.5	3538.32	01	06	1	
	P	2 / 11/ 1992	-128.06	-4.38	3533.94	01	06	1	
	P	1 / 29/ 1993	-131.09	-3.03	3530.91	01	06	1	
	P	1 / 20/ 1994	-134.67	-3.58	3527.33	01	06	1	
	P	1 / 23/ 1995	-138.87	-4.2	3523.13	01	06	1	
	P	1 / 22/ 1996	-143.88	-5.01	3518.12	01	06	1	
	P	2 / 11/ 1997	-147.12	-3.24	3514.88	01	06	1	
	P	1 / 22/ 1998	-151.77	-4.65	3510.23	01	06	1	
	P	1 / 20/ 1999	-160	-8.23	3502	01	06	1	
	P	1 / 12/ 2000	-161.19	-1.19	3500.81	01	06	1	
	P	2 / 7 / 2001	-163.4	-2.21	3498.6	01	06	1	
	P	1 / 23/ 2002	-170.08	-6.68	3491.92	01	06	1	
	P	3 / 6 / 2003	-169.8	0.28	3492.2	01	06	1	
	P	2 / 6 / 2004	-172.53	-2.73	3489.47	01	06	1	
	P	1 / 26/ 2005	-175.43	-2.9	3486.57	01	06	1	
	P	1 / 18/ 2006	-178.08	-2.65	3483.92	01	06	1	
	P	2 / 9 / 2007	-178.6	-0.52	3483.4	01	06	1	
	P	1 / 4 / 2008	-183.58	-4.98	3478.42	01	06	1	
	P	2 / 4 / 2009	-186.19	-2.61	3475.81	01	06	1	
	P	1 / 6 / 2010	-188.72	-2.53	3473.28	01	06	1	
	N	2 / 24/ 2011				01	06		41
	P	12 / 28/ 2011	-194.85		3467.15	01	06	1	

Min *-194.85* **Max** *-89.45* **Avg** *-140.358*

1054801 *(Aquifer: 121OGLL Well Depth: 318)*

	P	12 / 7 / 1959	-57.56		3588.44	01	12	7	01
	P	1 / 15/ 1961	-59.39	-1.83	3586.61	01	01	4	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1962	-59.93	-0.54	3586.07	01	01	4	
	P	1/ 15/ 1963	-60.94	-1.01	3585.06	01	01	4	
	P	2/ 6/ 1964	-61.82	-0.88	3584.18	01	01	1	
	P	4/ 10/ 1964	-61.92	-0.1	3584.08	01	01	1	
	P	6/ 18/ 1964	-62.09	-0.17	3583.91	01	01	1	
	P	8/ 20/ 1964	-62.27	-0.18	3583.73	01	01	1	
	P	10/ 1/ 1964	-62.42	-0.15	3583.58	01	01	1	
	P	12/ 21/ 1964	-62.73	-0.31	3583.27	01	01	1	
	P	4/ 28/ 1965	-62.99	-0.26	3583.01	01	01	1	
	P	6/ 24/ 1965	-63.06	-0.07	3582.94	01	01	1	
	P	9/ 16/ 1965	-63.3	-0.24	3582.7	01	01	1	
	P	10/ 22/ 1965	-64.32	-1.02	3581.68	01	01	1	
	P	12/ 15/ 1965	-64.51	-0.19	3581.49	01	01	1	
	P	2/ 23/ 1966	-63.9	0.61	3582.1	01	01	1	
	P	4/ 20/ 1966	-64.04	-0.14	3581.96	01	01	1	
	P	6/ 22/ 1966	-64.45	-0.41	3581.55	01	01	1	
	P	8/ 16/ 1966	-64.63	-0.18	3581.37	01	01	1	
	P	10/ 4/ 1966	-64.83	-0.2	3581.17	01	01	1	
	P	12/ 12/ 1966	-64.96	-0.13	3581.04	01	01	1	
	P	2/ 15/ 1967	-65.16	-0.2	3580.84	01	01	1	
	P	4/ 19/ 1967	-65.3	-0.14	3580.7	01	01	1	
	P	6/ 23/ 1967	-65.48	-0.18	3580.52	01	01	1	
	P	8/ 13/ 1967	-65.57	-0.09	3580.43	01	01	1	
	P	10/ 19/ 1967	-65.7	-0.13	3580.3	01	01	1	
	P	12/ 11/ 1967	-65.72	-0.02	3580.28	01	01	1	
	P	2/ 20/ 1968	-65.55	0.17	3580.45	01	01	1	
	P	4/ 23/ 1968	-66.03	-0.48	3579.97	01	01	1	
	P	6/ 10/ 1968	-66.15	-0.12	3579.85	01	01	1	
	P	8/ 20/ 1968	-66.36	-0.21	3579.64	01	01	1	
	P	10/ 22/ 1968	-66.66	-0.3	3579.34	01	01	1	
	P	12/ 11/ 1968	-66.87	-0.21	3579.13	01	01	1	
	P	1/ 16/ 1969	-66.96	-0.09	3579.04	01	01	1	
	P	2/ 18/ 1969	-67.06	-0.1	3578.94	01	01	1	
	P	4/ 16/ 1969	-67.26	-0.2	3578.74	01	01	1	
	P	6/ 17/ 1969	-67.44	-0.18	3578.56	01	01	1	
	P	8/ 12/ 1969	-67.62	-0.18	3578.38	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10/16/1969	-67.85	-0.23	3578.15	01	01	1	
	P	12/10/1969	-68.01	-0.16	3577.99	01	01	1	
	P	1/12/1970	-67.77	0.24	3578.23	01	06	1	
	P	2/11/1970	-68.15	-0.38	3577.85	01	01	1	
	P	4/15/1970	-68.25	-0.1	3577.75	01	01	1	
	P	6/3/1970	-68.31	-0.06	3577.69	01	01	1	
	P	10/8/1970	-68.78	-0.47	3577.22	01	01	1	
	P	12/10/1970	-69.06	-0.28	3576.94	01	01	1	
	P	1/16/1971	-69.19	-0.13	3576.81	01	06	1	
	P	2/15/1971	-69.28	-0.09	3576.72	01	01	1	
	P	4/13/1971	-69.45	-0.17	3576.55	01	01	1	
	P	6/16/1971	-69.67	-0.22	3576.33	01	01	1	
	P	8/17/1971	-69.82	-0.15	3576.18	01	01	1	
	P	10/28/1971	-70.17	-0.35	3575.83	01	01	1	
	P	12/6/1971	-70.32	-0.15	3575.68	01	01	1	
	P	2/11/1972	-70.57	-0.25	3575.43	01	01	1	
	P	4/15/1972	-70.78	-0.21	3575.22	01	01	1	
	P	6/14/1972	-70.99	-0.21	3575.01	01	01	1	
	P	8/16/1972	-71.25	-0.26	3574.75	01	01	1	
	P	10/12/1972	-71.49	-0.24	3574.51	01	01	1	
	P	12/5/1972	-71.74	-0.25	3574.26	01	01	1	
	P	2/7/1973	-71.93	-0.19	3574.07	01	01	1	
	P	3/28/1973	-72.07	-0.14	3573.93	01	01	1	
	P	6/13/1973	-72.21	-0.14	3573.79	01	01	1	
	P	8/8/1973	-72.39	-0.18	3573.61	01	01	1	
	P	10/9/1973	-72.72	-0.33	3573.28	01	01	1	
	P	12/18/1973	-72.96	-0.24	3573.04	01	01	1	
	P	1/17/1974	-73.18	-0.22	3572.82	01	06	1	
	P	2/4/1974	-72.42	0.76	3573.58	01	01	1	
	P	1/8/1975	-75.15	-2.73	3570.85	01	06	1	
	P	1/12/1976	-77.01	-1.86	3568.99	01	06	1	
	P	1/13/1977	-78.12	-1.11	3567.88	01	06	1	
	P	1/12/1978	-81.56	-3.44	3564.44	01	06	1	
	P	1/25/1979	-83.81	-2.25	3562.19	01	06	1	
	P	12/11/1979	-85.63	-1.82	3560.37	01	06	1	
	P	1/13/1981	-87.91	-2.28	3558.09	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1982	-90.32	-2.41	3555.68	01	06	1	
	P	2 / 17/ 1983	-94.87	-4.55	3551.13	01	06	1	
	P	1 / 7 / 1984	-98.71	-3.84	3547.29	01	06	1	
	P	1 / 23/ 1985	-102.82	-4.11	3543.18	01	06	1	
	P	1 / 14/ 1986	-108.9	-6.08	3537.1	01	06	1	
	P	2 / 3 / 1987	-110.66	-1.76	3535.34	01	06	1	
	P	1 / 12/ 1988	-113.02	-2.36	3532.98	01	06	1	
	P	1 / 20/ 1989	-117.32	-4.3	3528.68	01	06	1	
	P	1 / 16/ 1990	-120.95	-3.63	3525.05	01	06	1	
	P	1 / 23/ 1991	-124.23	-3.28	3521.77	01	06	1	
	P	2 / 11/ 1992	-126.84	-2.61	3519.16	01	06	1	
	P	1 / 4 / 1993	-133.2	-6.36	3512.8	01	06	1	
	P	1 / 18/ 1994	-136.95	-3.75	3509.05	01	06	1	
	P	1 / 23/ 1995	-141.93	-4.98	3504.07	01	06	1	
	P	1 / 23/ 1996	-145.38	-3.45	3500.62	01	06	1	
	P	2 / 11/ 1997	-152.12	-6.74	3493.88	01	06	1	
	P	1 / 21/ 1998	-157.41	-5.29	3488.59	01	06	1	
	N	1 / 20/ 1999				01	06		61
	P	1 / 12/ 2000	-163.09		3482.91	01	06	1	
	P	2 / 7 / 2001	-165.57	-2.48	3480.43	01	06	1	
	P	1 / 28/ 2002	-169.78	-4.21	3476.22	01	06	1	
	P	3 / 6 / 2003	-174.28	-4.5	3471.72	01	06	1	
	P	2 / 10/ 2004	-178.75	-4.47	3467.25	01	06	1	
	P	3 / 2 / 2005	-178.49	0.26	3467.51	01	06	1	
	P	1 / 24/ 2006	-184.52	-6.03	3461.48	01	06	1	
	P	2 / 9 / 2007	-185.22	-0.7	3460.78	01	06	1	
	P	2 / 9 / 2008	-185.22		3460.78	01	06	1	
	P	2 / 9 / 2009	-185.22		3460.78	01	06	1	
	P	2 / 16/ 2010	-194.77	-9.55	3451.23	01	06	1	
	P	1 / 17/ 2011	-199.04	-4.27	3446.96	01	06	1	
	P	12 / 22/ 2011	-206.25	-7.21	3439.75	01	06	1	

Min *-206.25* **Max** *-57.56* **Avg** *-91.3341*

1055201 *(Aquifer: 121OGLL Well Depth: 185)*

	P	11 / 9 / 1942	-82.22		3558.78	01	12	7	01
	P	2 / 23/ 1943	-81.92	0.3	3559.08	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 1 / 1944	-82	-0.08	3559	01	12	7	01
	P	2 / 23/ 1945	-81.88	0.12	3559.12	01	12	7	01
	P	3 / 2 / 1946	-82.8	-0.92	3558.2	01	12	7	01
	P	3 / 18/ 1947	-83.88	-1.08	3557.12	01	12	7	01
	P	2 / 19/ 1948	-86.06	-2.18	3554.94	01	12	7	01
	P	3 / 11/ 1949	-89.33	-3.27	3551.67	01	12	7	01
	P	2 / 16/ 1950	-92.32	-2.99	3548.68	01	12	7	01
	P	10 / 13/ 1950	-94.1	-1.78	3546.9	01	12	7	01
	P	1 / 12/ 1951	-97.64	-3.54	3543.36	01	12	7	01
	P	1 / 31/ 1952	-95.43	2.21	3545.57	01	12	7	01
	P	1 / 14/ 1953	-99.32	-3.89	3541.68	01	12	7	01
	P	1 / 6 / 1954	-103.88	-4.56	3537.12	01	12	7	01
	P	1 / 3 / 1955	-109.12	-5.24	3531.88	01	12	7	01

Min *-109.12* **Max** *-81.88* **Avg** *-90.7933*

1055202 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 9 / 1956	-114.57		3527.43	01	12	7	01
	P	1 / 10/ 1957	-120.62	-6.05	3521.38	01	12	7	01
	P	1 / 25/ 1958	-122.64	-2.02	3519.36	01	12	7	01
	P	1 / 7 / 1959	-124.6	-1.96	3517.4	01	12	7	01
	P	1 / 25/ 1960	-129.8	-5.2	3512.2	01	12	7	01
	P	1 / 17/ 1961	-127.37	2.43	3514.63	01	04	1	
	P	1 / 9 / 1962	-130.65	-3.28	3511.35	01	01	1	20

Min *-130.65* **Max** *-114.57* **Avg** *-124.321*

1055203 *(Aquifer: 121OGLL Well Depth: 345)*

	P	1 / 28/ 1963	-137.39		3505.61	01	01	1	
	P	1 / 8 / 1964	-140.57	-3.18	3502.43	01	01	1	
	P	1 / 7 / 1965	-146.53	-5.96	3496.47	01	01	1	
	P	1 / 4 / 1966	-150.89	-4.36	3492.11	01	01	1	
	P	1 / 7 / 1967	-151.93	-1.04	3491.07	01	01	1	
	P	1 / 5 / 1968	-156.83	-4.9	3486.17	01	01	1	
	P	1 / 16/ 1969	-160.17	-3.34	3482.83	01	01	1	
	P	1 / 12/ 1970	-163.49	-3.32	3479.51	01	06	1	
	P	1 / 15/ 1971	-166.68	-3.19	3476.32	01	06	1	
	P	1 / 4 / 1972	-169.15	-2.47	3473.85	01	06	1	
	P	1 / 22/ 1973	-173.98	-4.83	3469.02	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 15/ 1974	-173.57	0.41	3469.43	01	06	1	
	P	1 / 9 / 1975	-179.44	-5.87	3463.56	01	06	1	
	P	1 / 12/ 1976	-183.35	-3.91	3459.65	01	06	1	
	P	1 / 13/ 1977	-188.17	-4.82	3454.83	01	06	1	
	P	1 / 9 / 1978	-192.95	-4.78	3450.05	01	06	1	
	P	1 / 24/ 1979	-198.88	-5.93	3444.12	01	06	1	
	P	12 / 11/ 1979	-200.1	-1.22	3442.9	01	06	1	
	P	1 / 6 / 1981	-205.44	-5.34	3437.56	01	06	1	
	P	1 / 21/ 1982	-208.5	-3.06	3434.5	01	06	1	
	P	2 / 23/ 1983	-212.88	-4.38	3430.12	01	06	1	
	P	1 / 7 / 1984	-215.63	-2.75	3427.37	01	06	1	
	P	1 / 21/ 1985	-217.85	-2.22	3425.15	01	06	1	
	P	1 / 21/ 1986	-218.66	-0.81	3424.34	01	06	1	
	P	1 / 27/ 1987	-218.58	0.08	3424.42	01	06	1	
	P	1 / 14/ 1988	-219.36	-0.78	3423.64	01	06	1	
	P	1 / 19/ 1989	-219.67	-0.31	3423.33	01	06	1	
	P	1 / 24/ 1990	-224.87	-5.2	3418.13	01	06	1	
	P	1 / 24/ 1991	-226.8	-1.93	3416.2	01	06	1	
	P	2 / 10/ 1992	-229.45	-2.65	3413.55	01	06	1	
	P	2 / 1 / 1993	-228.76	0.69	3414.24	01	06	1	
	P	1 / 19/ 1994	-233.63	-4.87	3409.37	01	06	1	
	P	1 / 24/ 1995	-237.92	-4.29	3405.08	01	06	1	
	P	1 / 17/ 1996	-242.77	-4.85	3400.23	01	06	1	
	P	2 / 18/ 1997	-246.48	-3.71	3396.52	01	06	1	
	P	1 / 21/ 1998	-251.67	-5.19	3391.33	01	06	1	
	P	1 / 18/ 1999	-255	-3.33	3388	01	06	1	
	P	1 / 12/ 2000	-256.79	-1.79	3386.21	01	06	1	
	P	2 / 7 / 2001	-259.59	-2.8	3383.41	01	06	1	
	P	2 / 8 / 2002	-261.06	-1.47	3381.94	01	06	1	
	N	3 / 28/ 2003				01	06		41
	N	2 / 11/ 2004				01	06		42
	N	3 / 2 / 2005				01	06		42
	N	1 / 24/ 2006				01	06		42

Min *-261.06* **Max** *-137.39* **Avg** *-203.136*

1055204 *(Aquifer: 121OGLL Well Depth: 200)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 9 / 1942	-93.52		3562.48	01	12	7	01
	P	2 / 23/ 1943	-93.5	0.02	3562.5	01	12	7	01
	P	2 / 1 / 1944	-93.78	-0.28	3562.22	01	12	7	01
	P	2 / 23/ 1945	-93.67	0.11	3562.33	01	12	7	01
	P	3 / 18/ 1947	-93.37	0.3	3562.63	01	12	7	01
	P	2 / 19/ 1948	-98.53	-5.16	3557.47	01	12	7	01
	P	3 / 11/ 1949	-101.2	-2.67	3554.8	01	12	7	01
	P	2 / 16/ 1950	-101.8	-0.6	3554.2	01	12	7	01
	P	1 / 12/ 1951	-102.12	-0.32	3553.88	01	12	7	01
	P	1 / 31/ 1952	-106.8	-4.68	3549.2	01	12	7	01
	P	1 / 14/ 1953	-110.78	-3.98	3545.22	01	12	7	01
	P	1 / 6 / 1954	-115.73	-4.95	3540.27	01	12	7	01
	P	1 / 3 / 1955	-121.78	-6.05	3534.22	01	12	7	01
	P	1 / 9 / 1956	-124.07	-2.29	3531.93	01	12	7	01
	P	1 / 10/ 1957	-131.73	-7.66	3524.27	01	12	7	01
	P	1 / 25/ 1958	-134.88	-3.15	3521.12	01	12	7	01
	P	1 / 7 / 1959	-135.9	-1.02	3520.1	01	12	7	01
	P	1 / 25/ 1960	-141.1	-5.2	3514.9	01	12	7	01
	P	1 / 17/ 1961	-144.12	-3.02	3511.88	01	04	7	
	N	1 / 9 / 1962				01	01	1	44
	P	1 / 8 / 1963	-153.34		3502.66	01	01	1	

Min *-153.34* **Max** *-93.37* **Avg** *-114.586*

1055206 *(Aquifer: 121OGLL Well Depth: 369)*

	P	12 / 10/ 2002	-268		3371	01	07	7	
	P	3 / 2 / 2005	-261.98	6.02	3377.02	01	06	1	
	P	3 / 10/ 2006	-264.54	-2.56	3374.46	01	06	1	
	N	3 / 21/ 2007				01	06		51
	P	3 / 7 / 2008	-271.13		3367.87	01	06	1	
	P	3 / 3 / 2009	-275.15	-4.02	3363.85	01	06	1	
	P	1 / 12/ 2010	-278.45	-3.3	3360.55	01	06	1	
	P	1 / 14/ 2011	-280.33	-1.88	3358.67	01	06	1	
	P	2 / 24/ 2012	-284.09	-3.76	3354.91	01	06	1	

Min *-284.09* **Max** *-261.98* **Avg** *-272.959*

1055207 *(Aquifer: 121OGLL Well Depth: 364)*

	P	1 / 8 / 1964	-157.87		3498.13	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1965	-164.61	-6.74	3491.39	01	01	1	
	P	1/ 4/1966	-170.05	-5.44	3485.95	01	01	1	
	P	1/ 7/1967	-171.46	-1.41	3484.54	01	01	1	
	P	1/ 5/1968	-175.4	-3.94	3480.6	01	01	1	
	P	1/16/1969	-177.35	-1.95	3478.65	01	01	1	
	P	1/12/1970	-182.33	-4.98	3473.67	01	06	1	
	P	1/15/1971	-186.46	-4.13	3469.54	01	06	1	
	P	1/ 4/1972	-191.34	-4.88	3464.66	01	06	1	
	P	1/22/1973	-197.94	-6.6	3458.06	01	01	1	
	P	1/15/1974	-194.6	3.34	3461.4	01	06	1	
	P	1/ 9/1975	-200.64	-6.04	3455.36	01	06	1	
	P	1/12/1976	-206.25	-5.61	3449.75	01	06	1	
	P	1/13/1977	-213.01	-6.76	3442.99	01	06	1	
	P	1/ 9/1978	-218.02	-5.01	3437.98	01	06	1	
	P	1/24/1979	-222.36	-4.34	3433.64	01	06	1	
	P	12/11/1979	-224.75	-2.39	3431.25	01	06	1	
	P	1/ 6/1981	-228.11	-3.36	3427.89	01	06	1	
	P	1/21/1982	-236.32	-8.21	3419.68	01	06	1	04
	P	2/23/1983	-233.42	2.9	3422.58	01	06	1	
	P	1/ 7/1984	-234.35	-0.93	3421.65	01	06	1	
	P	1/17/1985	-236.02	-1.67	3419.98	01	06	1	
	P	1/21/1986	-239.1	-3.08	3416.9	01	06	1	
	P	1/27/1987	-238.44	0.66	3417.56	01	06	1	
	P	1/19/1989	-239.25	-0.81	3416.75	01	06	1	
	P	1/24/1990	-242.2	-2.95	3413.8	01	06	1	
	P	1/24/1991	-244.31	-2.11	3411.69	01	06	1	
	P	1/17/1992	-247.19	-2.88	3408.81	01	06	1	
	P	2/ 1/1993	-245.96	1.23	3410.04	01	06	1	
	P	1/19/1994	-249.72	-3.76	3406.28	01	06	1	
	P	2/24/1995	-255.11	-5.39	3400.89	01	06	1	04
	P	1/17/1996	-260.99	-5.88	3395.01	01	06	1	
	P	2/18/1997	-263.6	-2.61	3392.4	01	06	1	
	N	2/ 6/1998				01	06		42
	N	1/18/1999				01	06		42
	N	1/11/2000				01	06		42

Min *-263.6* **Max** *-157.87* **Avg** *-216.622*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1055302	(Aquifer: 121OGLL		Well Depth: 233)						
	P	2 / 16/ 1950	-89.87		3533.13	01	12	7	01
	P	10 / 30/ 1950	-87.73	2.14	3535.27	01	12	7	01
	P	1 / 31/ 1951	-103.46	-15.7	3519.54	01	12	7	01
	P	1 / 25/ 1952	-89.2	14.26	3533.8	01	12	7	01
	P	1 / 13/ 1953	-93.14	-3.94	3529.86	01	12	7	01
	P	1 / 6 / 1954	-98.28	-5.14	3524.72	01	12	7	01
	P	1 / 3 / 1955	-103.9	-5.62	3519.1	01	12	7	01
	P	1 / 9 / 1956	-108.31	-4.41	3514.69	01	12	7	01
	P	1 / 10/ 1957	-113.27	-4.96	3509.73	01	12	7	01
	P	1 / 22/ 1958	-119.42	-6.15	3503.58	01	12	7	01
	P	1 / 7 / 1959	-119.57	-0.15	3503.43	01	12	7	01
	P	1 / 25/ 1960	-122.36	-2.79	3500.64	01	12	7	01
	P	1 / 17/ 1961	-126.41	-4.05	3496.59	01	04	1	
	P	1 / 8 / 1962	-144.88	-18.5	3478.12	01	01	1	20
	N	1 / 8 / 1963				01	01		42

Min *-144.88* **Max** *-87.73* **Avg** *-108.557*

1055303	(Aquifer: 121OGLL		Well Depth: 200)						
	P	2 / 23/ 1954	-115		3537	01	12	7	01
	P	10 / 5 / 1954	-123.4	-8.4	3528.6	01	12	7	01
	P	2 / 22/ 1955	-120.9	2.5	3531.1	01	12	7	01
	P	10 / 11/ 1955	-127.32	-6.42	3524.68	01	12	7	01
	P	1 / 17/ 1957	-130.92	-3.6	3521.08	01	12	7	01
	P	3 / 23/ 1960	-140.32	-9.4	3511.68	01	12	7	01
	P	2 / 4 / 1961	-144.27	-3.95	3507.73	01	06	7	
	P	1 / 9 / 1962	-147.62	-3.35	3504.38	01	01	1	

Min *-147.62* **Max** *-115* **Avg** *-131.219*

1055304	(Aquifer: 121OGLL		Well Depth:)						
	P	9 / 11/ 1942	-78.32		3544.68	01	12	7	01
	P	11 / 9 / 1942	-78.27	0.05	3544.73	01	12	7	01
	P	2 / 23/ 1943	-78.2	0.07	3544.8	01	12	7	01
	P	2 / 23/ 1945	-78.3	-0.1	3544.7	01	12	7	01
	P	3 / 2 / 1946	-78.95	-0.65	3544.05	01	12	7	01
	P	3 / 18/ 1947	-80.68	-1.73	3542.32	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 19/ 1948	-81.55	-0.87	3541.45	01	12	7	01
	P	2 / 16/ 1950	-89.87	-8.32	3533.13	01	12	7	01

Min *-89.87* **Max** *-78.2* **Avg** *-80.5175*

1055305 *(Aquifer: 121OGLL Well Depth: 355)*

P	1 / 18/ 1999	-256.6		3379.4	01	06	1	
P	1 / 11/ 2000	-265.08	-8.48	3370.92	01	06	1	
P	2 / 7 / 2001	-268.34	-3.26	3367.66	01	06	1	
P	2 / 8 / 2002	-272.43	-4.09	3363.57	01	06	1	
P	3 / 6 / 2003	-276.75	-4.32	3359.25	01	06	1	
P	2 / 11/ 2004	-278.95	-2.2	3357.05	01	06	1	
P	1 / 25/ 2005	-280.46	-1.51	3355.54	01	06	1	
P	1 / 23/ 2006	-283.08	-2.62	3352.92	01	06	1	
P	2 / 8 / 2007	-284.21	-1.13	3351.79	01	06	1	
P	1 / 4 / 2008	-287.36	-3.15	3348.64	01	06	1	
P	2 / 6 / 2009	-291.23	-3.87	3344.77	01	06	1	
P	1 / 12/ 2010	-295	-3.77	3341	01	06	1	
P	1 / 14/ 2011	-297.07	-2.07	3338.93	01	06	1	
P	12 / 22/ 2011	-301.52	-4.45	3334.48	01	06	1	

Min *-301.52* **Max** *-256.6* **Avg** *-281.291*

1055401 *(Aquifer: 121OGLL Well Depth: 335)*

P	1 / 8 / 1964	-147.06		3523.94	01	01	1	
P	1 / 7 / 1965	-153.12	-6.06	3517.88	01	01	1	
P	1 / 4 / 1966	-158.98	-5.86	3512.02	01	01	1	
P	1 / 7 / 1967	-154.05	4.93	3516.95	01	01	1	
P	1 / 5 / 1968	-157.35	-3.3	3513.65	01	01	1	
N	1 / 16/ 1969				01	01	1	44
P	1 / 12/ 1970	-158.34		3512.66	01	06	1	
P	2 / 12/ 1970	-158.66	-0.32	3512.34	01	06	1	
P	1 / 15/ 1971	-159.88	-1.22	3511.12	01	06	1	

Min *-159.88* **Max** *-147.06* **Avg** *-155.93*

1055402 *(Aquifer: 121OGLL Well Depth:)*

P	6 / 7 / 1938	-84.21		3579.79	01	12	7	01
P	1 / 27/ 1939	-84.27	-0.06	3579.73	01	12	7	01
P	4 / 22/ 1940	-83.51	0.76	3580.49	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 13/ 1940	-82.56	0.95	3581.44	01	12	7	01
	P	3 / 20/ 1941	-82.47	0.09	3581.53	01	12	7	01
	P	7 / 31/ 1941	-81.1	1.37	3582.9	01	12	7	01
	P	11 / 19/ 1941	-80.67	0.43	3583.33	01	12	7	01
	P	3 / 16/ 1942	-80.89	-0.22	3583.11	01	12	7	01
	P	7 / 28/ 1942	-81.32	-0.43	3582.68	01	12	7	01
	P	11 / 10/ 1942	-79.03	2.29	3584.97	01	12	7	01
	P	2 / 4 / 1943	-80.14	-1.11	3583.86	01	12	7	01
	P	2 / 8 / 1944	-77.85	2.29	3586.15	01	12	7	01

Min *-84.27* **Max** *-77.85* **Avg** *-81.5017*

1055403 *(Aquifer: 121OGLL Well Depth: 220)*

	P	6 / 24/ 1937	-76.3		3580.7	01	12	7	01
	P	1 / 10/ 1938	-75.47	0.83	3581.53	01	12	7	01
	P	6 / 7 / 1938	-77.54	-2.07	3579.46	01	12	7	01
	P	1 / 27/ 1939	-75.73	1.81	3581.27	01	12	7	01
	P	3 / 20/ 1941	-75.15	0.58	3581.85	01	12	7	01
	P	3 / 16/ 1942	-71.69	3.46	3585.31	01	12	7	01
	P	11 / 10/ 1942	-70.93	0.76	3586.07	01	12	7	01
	P	2 / 4 / 1943	-70.39	0.54	3586.61	01	12	7	01
	P	2 / 8 / 1944	-69.75	0.64	3587.25	01	12	7	01
	P	2 / 2 / 1946	-68.89	0.86	3588.11	01	12	7	01
	P	3 / 18/ 1947	-69.13	-0.24	3587.87	01	12	7	01
	P	2 / 18/ 1948	-71.34	-2.21	3585.66	01	12	7	01
	P	3 / 14/ 1949	-73.98	-2.64	3583.02	01	12	7	01
	P	2 / 16/ 1950	-75.45	-1.47	3581.55	01	12	7	01
	P	1 / 14/ 1953	-87.16	-11.7	3569.84	01	12	7	01

Min *-87.16* **Max** *-68.89* **Avg** *-73.9267*

1055404 *(Aquifer: 121OGLL Well Depth: 338)*

	P	4 / 21/ 1960	-140		3524	01	07	7	
	P	11 / 23/ 1971	-173.45	-33.5	3490.55	01	06	1	
	P	1 / 4 / 1972	-171.37	2.08	3492.63	01	06	1	
	P	1 / 22/ 1973	-171.25	0.12	3492.75	01	01	1	
	P	1 / 15/ 1974	-173.23	-1.98	3490.77	01	06	1	
	P	1 / 9 / 1975	-180.55	-7.32	3483.45	01	06	1	
	P	1 / 12/ 1976	-181.09	-0.54	3482.91	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 1977	-188.03	-6.94	3475.97	01	06	1	
	P	1 / 9 / 1978	-195.07	-7.04	3468.93	01	06	1	25
	P	1 / 24/ 1979	-201.08	-6.01	3462.92	01	06	1	
	P	12 / 11/ 1979	-204.25	-3.17	3459.75	01	06	1	
	P	1 / 28/ 1981	-201.26	2.99	3462.74	01	06	1	
	P	1 / 21/ 1982	-203.99	-2.73	3460.01	01	06	1	04
	P	2 / 23/ 1983	-207.67	-3.68	3456.33	01	06	1	
	P	1 / 7 / 1984	-207.55	0.12	3456.45	01	06	1	
	P	1 / 21/ 1985	-208.5	-0.95	3455.5	01	06	1	
	P	1 / 14/ 1986	-208.94	-0.44	3455.06	01	06	1	
	N	2 / 3 / 1987				01	06	1	44
	N	1 / 14/ 1988				01	06		81
	N	1 / 19/ 1989				01	06		42
	N	1 / 24/ 1990				01	06		42

Min *-208.94* **Max** *-140* **Avg** *-189.252*

1055406 *(Aquifer: 121OGLL Well Depth: 310)*

	P	1 / 14/ 1988	-189.54		3467.46	01	06	1	
	P	1 / 19/ 1989	-190.06	-0.52	3466.94	01	06	1	
	P	1 / 24/ 1990	-192.47	-2.41	3464.53	01	06	1	
	P	1 / 23/ 1991	-193.27	-0.8	3463.73	01	06	1	
	P	1 / 17/ 1992	-196.72	-3.45	3460.28	01	06	1	
	P	2 / 1 / 1993	-198	-1.28	3459	01	06	1	
	P	1 / 19/ 1994	-201.44	-3.44	3455.56	01	06	1	
	P	1 / 23/ 1995	-203.93	-2.49	3453.07	01	06	1	
	P	1 / 17/ 1996	-207.96	-4.03	3449.04	01	06	1	
	P	2 / 18/ 1997	-211.32	-3.36	3445.68	01	06	1	
	P	1 / 21/ 1998	-213.67	-2.35	3443.33	01	06	1	
	P	1 / 19/ 1999	-219	-5.33	3438	01	06	1	
	P	1 / 12/ 2000	-221.33	-2.33	3435.67	01	06	1	
	P	2 / 7 / 2001	-225.93	-4.6	3431.07	01	06	1	
	P	1 / 28/ 2002	-229.19	-3.26	3427.81	01	06	1	
	P	3 / 6 / 2003	-231.9	-2.71	3425.1	01	06	1	
	P	2 / 6 / 2004	-235.43	-3.53	3421.57	01	06	1	
	P	1 / 26/ 2005	-235.48	-0.05	3421.52	01	06	1	
	P	1 / 24/ 2006	-236.79	-1.31	3420.21	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 7 / 2007	-237.38	-0.59	3419.62	01	06	1	
	N	3 / 7 / 2008				01	06		62
	P	2 / 5 / 2009	-248.96		3408.04	01	06	1	
	P	1 / 6 / 2010	-251.35	-2.39	3405.65	01	06	1	
	P	1 / 14/ 2011	-254.19	-2.84	3402.81	01	06	1	
	P	12 / 16/ 2011	-260.71	-6.52	3396.29	01	06	1	

Min *-260.71* **Max** *-189.54* **Avg** *-220.251*

1055407 *(Aquifer: 121OGLL Well Depth: 328)*

	P	8 / 26/ 2001	-227.59		3423.41	01	04	1	

Min *-227.59* **Max** *-227.59* **Avg** *-227.59*

1055603 *(Aquifer: 121OGLL Well Depth: 280)*

	P	7 / 3 / 1981	-205		3402	01	01	1	

Min *-205* **Max** *-205* **Avg** *-205*

1055604 *(Aquifer: 121OGLL Well Depth: 330)*

	P	4 / 22/ 1981	-200		3403	01	01	1	
	P	8 / 16/ 1989	-230	-30	3373	01	01	1	

Min *-230* **Max** *-200* **Avg** *-215*

1055605 *(Aquifer: 121OGLL Well Depth: 340)*

	P	3 / 26/ 1987	-221		3382	01	01	1	

Min *-221* **Max** *-221* **Avg** *-221*

1055606 *(Aquifer: 121OGLL Well Depth: 324)*

	P	6 / 2 / 1986	-206		3395	01	01	7	

Min *-206* **Max** *-206* **Avg** *-206*

1055701 *(Aquifer: 121OGLL Well Depth: 250)*

	P	1 / 9 / 1964	-72.63		3544.37	01	01	1	
	P	1 / 8 / 1965	-75.21	-2.58	3541.79	01	01	1	
	P	1 / 4 / 1966	-76.68	-1.47	3540.32	01	01	1	
	P	1 / 5 / 1967	-76.63	0.05	3540.37	01	01	1	
	P	1 / 6 / 1968	-77.9	-1.27	3539.1	01	01	1	
	P	1 / 16/ 1969	-87.84	-9.94	3529.16	01	01	1	
	P	1 / 12/ 1970	-80.26	7.58	3536.74	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 15/ 1971	-82.24	-1.98	3534.76	01	06	1	
	P	1/ 4/ 1972	-84.58	-2.34	3532.42	01	06	1	
	P	1/ 22/ 1973	-84.47	0.11	3532.53	01	01	1	
	P	1/ 15/ 1974	-86.35	-1.88	3530.65	01	06	1	
	P	1/ 8/ 1975	-91.22	-4.87	3525.78	01	06	1	
	P	1/ 8/ 1976	-93.49	-2.27	3523.51	01	06	1	
	P	1/ 13/ 1977	-95.96	-2.47	3521.04	01	06	1	
	P	1/ 9/ 1978	-100.2	-4.24	3516.8	01	06	1	
	P	1/ 23/ 1979	-101.4	-1.2	3515.6	01	06	1	
	P	12/ 11/ 1979	-104.3	-2.9	3512.7	01	06	1	03
	P	1/ 6/ 1981	-108.41	-4.11	3508.59	01	06	1	
	P	1/ 21/ 1982	-110.4	-1.99	3506.6	01	06	1	
	P	2/ 17/ 1983	-110.65	-0.25	3506.35	01	06	1	
	P	1/ 4/ 1984	-114.44	-3.79	3502.56	01	06	1	
	P	1/ 21/ 1985	-116.66	-2.22	3500.34	01	06	1	
	P	1/ 14/ 1986	-118.53	-1.87	3498.47	01	06	1	
	P	1/ 29/ 1987	-118.48	0.05	3498.52	01	06	1	
	P	1/ 14/ 1988	-119.62	-1.14	3497.38	01	06	1	
	P	1/ 19/ 1989	-120.42	-0.8	3496.58	01	06	1	
	P	1/ 24/ 1990	-124.41	-3.99	3492.59	01	06	1	
	P	1/ 24/ 1991	-127.45	-3.04	3489.55	01	06	1	
	P	1/ 17/ 1992	-130.62	-3.17	3486.38	01	06	1	
	P	2/ 1/ 1993	-130.89	-0.27	3486.11	01	06	1	
	P	1/ 19/ 1994	-134.39	-3.5	3482.61	01	06	1	
	P	2/ 24/ 1995	-139.87	-5.48	3477.13	01	06	1	
	P	1/ 22/ 1996	-146.18	-6.31	3470.82	01	06	1	
	P	2/ 11/ 1997	-149.34	-3.16	3467.66	01	06	1	
	P	1/ 21/ 1998	-153.63	-4.29	3463.37	01	06	1	
	P	1/ 18/ 1999	-157	-3.37	3460	01	06	1	
	P	1/ 11/ 2000	-158.07	-1.07	3458.93	01	06	1	
	P	1/ 24/ 2001	-160.84	-2.77	3456.16	01	06	1	
	P	2/ 8/ 2002	-164.01	-3.17	3452.99	01	06	1	
	P	2/ 25/ 2003	-168.38	-4.37	3448.62	01	06	1	
	N	2/ 6/ 2004				01	06		62
	N	1/ 25/ 2005				01	06		62
	N	1/ 23/ 2006				01	06	7	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-168.38*		**Max** *-72.63*	**Avg** *-113.851*						
1055705	*(Aquifer: 121OGLL*		*Well Depth: 293)*						
	P	8 / 15/ 1993	-140		3474	01	07	7	
	P	2 / 10/ 2004	-171.89	-31.9	3442.11	01	06	1	
	P	1 / 25/ 2005	-171.26	0.63	3442.74	01	06	1	
	P	3 / 10/ 2006	-175.29	-4.03	3438.71	01	06	1	
	P	2 / 7 / 2007	-175.18	0.11	3438.82	01	06	1	
	P	1 / 4 / 2008	-177.68	-2.5	3436.32	01	06	1	
	P	2 / 5 / 2009	-181.63	-3.95	3432.37	01	06	1	
	P	1 / 6 / 2010	-186.48	-4.85	3427.52	01	06	1	
	P	1 / 14/ 2011	-186.04	0.44	3427.96	01	06	1	
	P	12 / 16/ 2011	-192.15	-6.11	3421.85	01	06	1	
Min *-192.15*		**Max** *-140*	**Avg** *-175.76*						
1055801	*(Aquifer: 121OGLL*		*Well Depth: 120)*						
	P	2 / 22/ 1954	-94.4		3503.6	01	12	7	01
	P	2 / 23/ 1954	-88.2	6.2	3509.8	01	12	7	01
	P	10 / 5 / 1954	-100.85	-12.7	3497.15	01	12	7	01
	P	10 / 11/ 1954	-103	-2.15	3495	01	12	7	01
	P	1 / 15/ 1957	-101.6	1.4	3496.4	01	12	7	01
	P	3 / 23/ 1960	-107	-5.4	3491	01	12	7	01
	P	2 / 9 / 1961	-110.43	-3.43	3487.57	01	06	7	
Min *-110.43*		**Max** *-88.2*	**Avg** *-100.783*						
1055802	*(Aquifer: 121OGLL*		*Well Depth: 289)*						
	P	10 / 2 / 1973	-140		3446	01	07	7	
	P	2 / 24/ 1977	-101.52	38.48	3484.48	01	06	1	
	P	1 / 9 / 1978	-105.25	-3.73	3480.75	01	06	1	
	P	1 / 23/ 1979	-108.86	-3.61	3477.14	01	06	1	
	P	12 / 11/ 1979	-110.25	-1.39	3475.75	01	06	1	
	P	1 / 6 / 1981	-114.46	-4.21	3471.54	01	06	1	
	P	1 / 21/ 1982	-117.64	-3.18	3468.36	01	06	1	
	P	2 / 17/ 1983	-122.61	-4.97	3463.39	01	06	1	
	P	1 / 4 / 1984	-125.95	-3.34	3460.05	01	06	1	
	P	1 / 21/ 1985	-131.59	-5.64	3454.41	01	06	1	
	P	1 / 22/ 1986	-133.02	-1.43	3452.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 29/ 1987	-130.58	2.44	3455.42	01	06	1	
	P	1 / 14/ 1988	-132.48	-1.9	3453.52	01	06	1	
	P	1 / 19/ 1989	-135.76	-3.28	3450.24	01	06	1	
	P	1 / 24/ 1990	-139.25	-3.49	3446.75	01	06	1	
	P	1 / 24/ 1991	-142.78	-3.53	3443.22	01	06	1	
	P	1 / 17/ 1992	-146.21	-3.43	3439.79	01	06	1	
	P	2 / 1 / 1993	-144	2.21	3442	01	06	1	
	P	1 / 19/ 1994	-149.89	-5.89	3436.11	01	06	1	
	P	1 / 23/ 1995	-155.63	-5.74	3430.37	01	06	1	
	P	1 / 22/ 1996	-160.05	-4.42	3425.95	01	06	1	
	P	2 / 11/ 1997	-164.1	-4.05	3421.9	01	06	1	
	P	1 / 30/ 1998	-169.1	-5	3416.9	01	06	1	
	N	1 / 18/ 1999				01	06		42
	N	1 / 11/ 2000				01	06		42
	P	3 / 3 / 2005	-186.39		3399.61	01	06	1	
	P	3 / 10/ 2006	-188.43	-2.04	3397.57	01	06	1	
	P	2 / 7 / 2007	-189.62	-1.19	3396.38	01	06	1	
	P	1 / 4 / 2008	-195.17	-5.55	3390.83	01	06	1	
	P	2 / 5 / 2009	-201.28	-6.11	3384.72	01	06	1	
	P	1 / 6 / 2010	-204.93	-3.65	3381.07	01	06	1	
	P	1 / 14/ 2011	-207.84	-2.91	3378.16	01	06	1	
	P	12 / 16/ 2011	-215.39	-7.55	3370.61	01	06	1	

Min *-215.39* **Max** *-101.52* **Avg** *-150.646*

1055804 *(Aquifer: 121OGLL Well Depth: 292)*

	P	1 / 18/ 1999	-176.92		3421.08	01	06	1	
	P	1 / 11/ 2000	-179.68	-2.76	3418.32	01	06	1	
	P	1 / 24/ 2001	-179.65	0.03	3418.35	01	06	1	
	P	1 / 24/ 2002	-179.65		3418.35	01	06	1	
	N	3 / 28/ 2003				01	06		41
	N	2 / 10/ 2004				01	06		42
	N	3 / 3 / 2005				01	06		42
	N	1 / 23/ 2006				01	06		42

Min *-179.68* **Max** *-176.92* **Avg** *-178.975*

1055901 *(Aquifer: 121OGLL Well Depth: 170)*

	P	5 / 28/ 1937	-62.18		3514.82	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8 / 12/ 1942	-61.51	0.67	3515.49	01	12	7	01
	P	11 / 12/ 1942	-60.93	0.58	3516.07	01	12	7	01
	P	2 / 23/ 1943	-60.2	0.73	3516.8	01	12	7	01
	P	2 / 8 / 1944	-59.58	0.62	3517.42	01	12	7	01
	P	2 / 23/ 1945	-59.65	-0.07	3517.35	01	12	7	01
	P	3 / 18/ 1947	-61.79	-2.14	3515.21	01	12	7	01
	P	2 / 20/ 1948	-63.79	-2	3513.21	01	12	7	01
	P	3 / 14/ 1949	-65.97	-2.18	3511.03	01	12	7	01
	P	2 / 16/ 1950	-67.22	-1.25	3509.78	01	12	7	01
	P	1 / 13/ 1951	-74.02	-6.8	3502.98	01	12	7	01
	P	1 / 31/ 1952	-69.2	4.82	3507.8	01	12	7	01
	P	1 / 15/ 1953	-71.31	-2.11	3505.69	01	12	7	01
	P	1 / 6 / 1954	-76.02	-4.71	3500.98	01	12	7	01
	P	1 / 4 / 1955	-80.84	-4.82	3496.16	01	12	7	01
	P	1 / 9 / 1956	-82.6	-1.76	3494.4	01	12	7	01
	P	1 / 10/ 1957	-89.73	-7.13	3487.27	01	12	7	01
	P	1 / 23/ 1958	-90.43	-0.7	3486.57	01	12	7	01
	P	1 / 8 / 1959	-90.67	-0.24	3486.33	01	12	7	01
	P	1 / 25/ 1960	-93.4	-2.73	3483.6	01	12	7	01
	P	1 / 17/ 1961	-93.56	-0.16	3483.44	01	04	1	
	P	1 / 8 / 1963	-98.96	-5.4	3478.04	01	01	1	
	P	1 / 9 / 1964	-101.68	-2.72	3475.32	01	01	1	
	P	1 / 9 / 1965	-106.45	-4.77	3470.55	01	01	1	
	P	1 / 4 / 1966	-109.08	-2.63	3467.92	01	01	1	
	P	1 / 7 / 1967	-113.36	-4.28	3463.64	01	01	1	
	P	1 / 6 / 1968	-115.23	-1.87	3461.77	01	01	1	
	P	1 / 16/ 1969	-116.68	-1.45	3460.32	01	01	1	
	P	1 / 12/ 1970	-119.61	-2.93	3457.39	01	06	1	
	P	1 / 15/ 1971	-122.74	-3.13	3454.26	01	06	1	
	P	1 / 4 / 1972	-126.15	-3.41	3450.85	01	06	1	
	P	1 / 22/ 1973	-127.55	-1.4	3449.45	01	01	1	
	P	1 / 15/ 1974	-131.08	-3.53	3445.92	01	06	1	
	P	1 / 10/ 1975	-135.91	-4.83	3441.09	01	06	1	
	P	1 / 8 / 1976	-143.09	-7.18	3433.91	01	06	1	03
	N	1 / 12/ 1977				01	06	1	46

Min *-143.09* **Max** *-59.58* **Avg** *-91.4906*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1055902	*(Aquifer: 121OGLL*		*Well Depth: 315)*						
	P	3 / 29/ 1960	-109.97		3479.03	01	12	7	01
	P	2 / 9 / 1961	-113.01	-3.04	3475.99	01	06	7	
	P	1 / 10/ 1962	-115.1	-2.09	3473.9	01	01	1	
	P	1 / 8 / 1963	-117.92	-2.82	3471.08	01	01	1	
	P	1 / 9 / 1964	-120.96	-3.04	3468.04	01	01	1	
	P	1 / 9 / 1965	-126.32	-5.36	3462.68	01	01	1	
	P	1 / 4 / 1966	-130.89	-4.57	3458.11	01	01	1	
	P	1 / 7 / 1967	-132.93	-2.04	3456.07	01	01	1	
	P	1 / 5 / 1968	-136.52	-3.59	3452.48	01	01	1	
	P	1 / 16/ 1969	-141.56	-5.04	3447.44	01	01	1	
	P	2 / 27/ 1969	-137.34	4.22	3451.66	01	07	7	
	P	1 / 12/ 1970	-142.27	-4.93	3446.73	01	06	1	
	P	1 / 15/ 1971	-147.11	-4.84	3441.89	01	06	1	
	P	1 / 4 / 1972	-149.2	-2.09	3439.8	01	06	1	
	P	1 / 22/ 1973	-149.35	-0.15	3439.65	01	01	1	
	P	1 / 15/ 1974	-141.23	8.12	3447.77	01	06	1	
	P	1 / 10/ 1975	-156.73	-15.5	3432.27	01	06	1	
	P	1 / 8 / 1976	-158.48	-1.75	3430.52	01	06	1	
	P	1 / 12/ 1977	-164.98	-6.5	3424.02	01	06	1	
	P	1 / 9 / 1978	-169.2	-4.22	3419.8	01	06	1	
	P	1 / 23/ 1979	-172.59	-3.39	3416.41	01	06	1	
	P	12 / 11/ 1979	-175.88	-3.29	3413.12	01	06	1	
	P	1 / 28/ 1981	-182.37	-6.49	3406.63	01	06	1	
	P	1 / 21/ 1982	-187.38	-5.01	3401.62	01	06	1	
	P	2 / 22/ 1983	-192.84	-5.46	3396.16	01	06	1	
	P	1 / 3 / 1984	-194	-1.16	3395	01	06	1	
	P	1 / 21/ 1985	-199.25	-5.25	3389.75	01	06	1	
	P	1 / 27/ 1986	-199.94	-0.69	3389.06	01	06	1	
	P	1 / 27/ 1987	-198.54	1.4	3390.46	01	06	1	
	P	1 / 14/ 1988	-198.41	0.13	3390.59	01	06	1	
	P	1 / 13/ 1989	-199.87	-1.46	3389.13	01	06	1	
	P	1 / 24/ 1990	-203.82	-3.95	3385.18	01	06	1	
	P	1 / 24/ 1991	-207.08	-3.26	3381.92	01	06	1	
	P	1 / 17/ 1992	-211.37	-4.29	3377.63	01	06	1	
	P	2 / 1 / 1993	-212.23	-0.86	3376.77	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 1994	-218.63	-6.4	3370.37	01	06	1	
	P	2 / 24/ 1995	-224.4	-5.77	3364.6	01	06	1	
	P	1 / 15/ 1996	-228.45	-4.05	3360.55	01	06	1	
	P	2 / 11/ 1997	-232.9	-4.45	3356.1	01	06	1	
	P	1 / 21/ 1998	-235.55	-2.65	3353.45	01	06	1	
	N	1 / 18/ 1999				01	06		41
	P	1 / 24/ 2001	-243.76		3345.24	01	06	1	
	P	1 / 24/ 2002	-243.76		3345.24	01	06	1	
	N	3 / 28/ 2003				01	06		41
	P	2 / 10/ 2004	-251.03		3337.97	01	06	1	
	P	1 / 25/ 2005	-251.3	-0.27	3337.7	01	06	1	
	P	3 / 6 / 2006	-253.25	-1.95	3335.75	01	06	1	
	P	2 / 7 / 2007	-255.55	-2.3	3333.45	01	06	1	
	P	1 / 3 / 2008	-256.92	-1.37	3332.08	01	06	1	
	P	2 / 6 / 2009	-261.65	-4.73	3327.35	01	06	1	
	P	1 / 6 / 2010	-264.62	-2.97	3324.38	01	06	1	
	P	1 / 14/ 2011	-266.34	-1.72	3322.66	01	06	1	
	P	12 / 6 / 2011	-270.52	-4.18	3318.48	01	06	1	

Min *-270.52* **Max** *-109.97* **Avg** *-189.319*

1055904 *(Aquifer: 121OGLL Well Depth: 320)*

	P	1 / 9 / 1962	-110.66		3497.34	01	01	1	
	P	1 / 8 / 1963	-113.94	-3.28	3494.06	01	01	1	
	P	1 / 9 / 1964	-115.87	-1.93	3492.13	01	01	1	
	P	1 / 9 / 1965	-123.17	-7.3	3484.83	01	01	1	
	P	1 / 4 / 1966	-125.87	-2.7	3482.13	01	01	1	
	P	1 / 5 / 1967	-128.21	-2.34	3479.79	01	01	1	
	P	1 / 5 / 1968	-130.53	-2.32	3477.47	01	01	1	
	P	1 / 16/ 1969	-133.24	-2.71	3474.76	01	01	1	
	P	1 / 12/ 1970	-136.46	-3.22	3471.54	01	06	1	
	P	1 / 15/ 1971	-140.67	-4.21	3467.33	01	06	1	
	P	1 / 4 / 1972	-142.49	-1.82	3465.51	01	06	1	
	P	1 / 22/ 1973	-143.23	-0.74	3464.77	01	01	1	
	P	1 / 15/ 1974	-144.96	-1.73	3463.04	01	06	1	
	P	1 / 8 / 1975	-150.3	-5.34	3457.7	01	06	1	
	P	1 / 8 / 1976	-154.14	-3.84	3453.86	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1977	-159.58	-5.44	3448.42	01	06	1	
	P	1 / 9 / 1978	-166.94	-7.36	3441.06	01	06	1	25
	P	1 / 23/ 1979	-170.84	-3.9	3437.16	01	06	1	
	P	12 / 11/ 1979	-171.55	-0.71	3436.45	01	06	1	
	P	1 / 13/ 1981	-175.64	-4.09	3432.36	01	06	1	25
	P	1 / 21/ 1982	-178.33	-2.69	3429.67	01	06	1	
	P	2 / 22/ 1983	-181.79	-3.46	3426.21	01	06	1	
	P	1 / 7 / 1984	-181.77	0.02	3426.23	01	06	1	
	P	1 / 21/ 1985	-185.73	-3.96	3422.27	01	06	1	
	P	1 / 21/ 1986	-185.17	0.56	3422.83	01	06	1	
	P	2 / 3 / 1987	-185.78	-0.61	3422.22	01	06	1	
	P	1 / 18/ 1988	-185.91	-0.13	3422.09	01	06	1	
	P	1 / 19/ 1989	-185.99	-0.08	3422.01	01	06	1	
	P	1 / 24/ 1990	-187.91	-1.92	3420.09	01	06	1	
	P	1 / 24/ 1991	-190.69	-2.78	3417.31	01	06	1	
	P	2 / 10/ 1992	-193.8	-3.11	3414.2	01	06	1	
	P	2 / 1 / 1993	-195.23	-1.43	3412.77	01	06	1	
	P	1 / 19/ 1994	-205.48	-10.3	3402.52	01	06	1	
	P	1 / 23/ 1995	-203.62	1.86	3404.38	01	06	1	
	N	1 / 22/ 1996				01	06	7	44

Min *-205.48* **Max** *-110.66* **Avg** *-161.338*

1055906 *(Aquifer: 121OGLL Well Depth: 310)*

	P	2 / 14/ 1996	-200.78		3407.22	01	06	1	
	P	2 / 11/ 1997	-203.49	-2.71	3404.51	01	06	1	
	P	1 / 21/ 1998	-208.46	-4.97	3399.54	01	06	1	
	P	1 / 18/ 1999	-216	-7.54	3392	01	06	1	
	P	1 / 11/ 2000	-215.68	0.32	3392.32	01	06	1	
	P	1 / 24/ 2001	-220.07	-4.39	3387.93	01	06	1	
	P	1 / 28/ 2002	-223.2	-3.13	3384.8	01	06	1	
	P	2 / 25/ 2003	-228.33	-5.13	3379.67	01	06	1	
	N	2 / 10/ 2004				01	06		61
	P	1 / 25/ 2005	-233.26		3374.74	01	06	1	
	P	3 / 6 / 2006	-236.58	-3.32	3371.42	01	06	1	
	N	2 / 7 / 2007				01	06		61
	P	1 / 4 / 2008	-244.07		3363.93	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	3 / 3 / 2009				01	06		61
	P	1 / 12/ 2010	-253.11		3354.89	01	06	1	
	P	2 / 23/ 2011	-257.58	-4.47	3350.42	01	06	1	
	P	12 / 16/ 2011	-262.5	-4.92	3345.5	01	06	1	

Min *-262.5* **Max** *-200.78* **Avg** *-228.794*

1056101 *(Aquifer: 121OGLL Well Depth: 240)*

	P	11 / 9 / 1942	-90.9		3529.1	01	12	7	01
	P	2 / 23/ 1943	-90.74	0.16	3529.26	01	12	7	01
	P	2 / 1 / 1944	-91.15	-0.41	3528.85	01	12	7	01
	P	2 / 23/ 1945	-91.5	-0.35	3528.5	01	12	7	01
	P	3 / 18/ 1947	-94.22	-2.72	3525.78	01	12	7	01
	P	2 / 19/ 1948	-96.14	-1.92	3523.86	01	12	7	01
	P	3 / 11/ 1949	-99.19	-3.05	3520.81	01	12	7	01
	P	1 / 25/ 1952	-105.9	-6.71	3514.1	01	12	7	01
	P	1 / 13/ 1953	-111.9	-6	3508.1	01	12	7	01
	P	1 / 6 / 1954	-116.78	-4.88	3503.22	01	12	7	01
	P	1 / 3 / 1955	-122.08	-5.3	3497.92	01	12	7	01
	P	1 / 9 / 1956	-126.8	-4.72	3493.2	01	12	7	01
	P	1 / 10/ 1957	-131.91	-5.11	3488.09	01	12	7	01
	P	1 / 22/ 1958	-140.04	-8.13	3479.96	01	12	7	01
	P	1 / 7 / 1959	-140.38	-0.34	3479.62	01	12	7	01
	P	1 / 17/ 1961	-144.65	-4.27	3475.35	01	04	1	
	N	1 / 8 / 1962				01	01	7	44

Min *-144.65* **Max** *-90.74* **Avg** *-112.143*

1056102 *(Aquifer: 121OGLL Well Depth: 359)*

	P	1 / 8 / 1963	-153.12		3468.88	01	01	1	
	P	1 / 8 / 1964	-158.68	-5.56	3463.32	01	01	1	
	P	1 / 7 / 1965	-165.64	-6.96	3456.36	01	01	1	
	P	1 / 3 / 1966	-171.82	-6.18	3450.18	01	01	1	
	P	1 / 7 / 1967	-173.4	-1.58	3448.6	01	01	1	
	P	1 / 5 / 1968	-179.4	-6	3442.6	01	01	1	
	N	1 / 16/ 1969				01	01		42
	P	1 / 12/ 1970	-185.22		3436.78	01	01	1	
	P	1 / 15/ 1971	-191.38	-6.16	3430.62	01	06	1	
	P	1 / 4 / 1972	-196.1	-4.72	3425.9	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 22/ 1973	-197.83	-1.73	3424.17	01	01	1	
	P	1 / 15/ 1974	-200.9	-3.07	3421.1	01	06	1	
	P	1 / 9 / 1975	-208.14	-7.24	3413.86	01	06	1	
	P	1 / 8 / 1976	-213.16	-5.02	3408.84	01	06	1	
	P	1 / 13/ 1977	-219.23	-6.07	3402.77	01	06	1	
	P	1 / 9 / 1978	-222.96	-3.73	3399.04	01	06	1	
	P	1 / 23/ 1979	-229.08	-6.12	3392.92	01	06	1	
	P	12 / 11/ 1979	-234.81	-5.73	3387.19	01	06	1	
	P	1 / 6 / 1981	-234.28	0.53	3387.72	01	06	1	
	P	1 / 20/ 1982	-235.73	-1.45	3386.27	01	06	1	
	P	2 / 22/ 1983	-240.28	-4.55	3381.72	01	06	1	
	P	1 / 3 / 1984	-242.06	-1.78	3379.94	01	06	1	
	P	1 / 21/ 1985	-245.12	-3.06	3376.88	01	06	1	
	P	1 / 21/ 1986	-244.33	0.79	3377.67	01	06	1	
	P	1 / 27/ 1987	-246.13	-1.8	3375.87	01	06	1	
	P	1 / 18/ 1988	-245.28	0.85	3376.72	01	06	1	
	P	1 / 19/ 1989	-245.2	0.08	3376.8	01	06	1	
	P	1 / 24/ 1990	-248.34	-3.14	3373.66	01	06	1	
	P	1 / 24/ 1991	-250.67	-2.33	3371.33	01	06	1	
	P	1 / 17/ 1992	-254.59	-3.92	3367.41	01	06	1	
	P	2 / 1 / 1993	-254.47	0.12	3367.53	01	06	1	
	P	1 / 19/ 1994	-258.76	-4.29	3363.24	01	06	1	
	P	2 / 24/ 1995	-266.57	-7.81	3355.43	01	06	1	
	P	1 / 17/ 1996	-269.79	-3.22	3352.21	01	06	1	
	N	1 / 21/ 1998				01	06		42
	N	1 / 18/ 1999				01	06		42
	N	1 / 11/ 2000				01	06		42

Min *-269.79* **Max** *-153.12* **Avg** *-220.681*

1056103 *(Aquifer: 121OGLL Well Depth: 230)*

	P	3 / 24/ 1949	-88.4		3511.6	01	12	7	01
	P	4 / 25/ 1949	-88.3	0.1	3511.7	01	12	7	01
	P	5 / 31/ 1949	-88	0.3	3512	01	12	7	01
	P	6 / 20/ 1949	-87.9	0.1	3512.1	01	12	7	01
	P	7 / 25/ 1949	-88.3	-0.4	3511.7	01	12	7	01
	P	9 / 30/ 1949	-90.4	-2.1	3509.6	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 25/ 1949	-89.5	0.9	3510.5	01	12	7	01
	P	11 / 25/ 1949	-89.2	0.3	3510.8	01	12	7	01
	P	12 / 23/ 1949	-89.1	0.1	3510.9	01	12	7	01
	P	1 / 25/ 1950	-89.1		3510.9	01	12	7	01
	P	2 / 27/ 1950	-89	0.1	3511	01	12	7	01
	P	3 / 24/ 1950	-89		3511	01	12	7	01
	P	6 / 26/ 1950	-95.8	-6.8	3504.2	01	12	7	01
	P	7 / 24/ 1950	-94.2	1.6	3505.8	01	12	7	01
	P	8 / 25/ 1950	-92.3	1.9	3507.7	01	12	7	01
	P	9 / 25/ 1950	-91.9	0.4	3508.1	01	12	7	01
	P	10 / 19/ 1950	-91.6	0.3	3508.4	01	12	7	01
	P	11 / 24/ 1950	-91.4	0.2	3508.6	01	12	7	01
	P	12 / 21/ 1950	-91.4		3508.6	01	12	7	01
	P	1 / 23/ 1951	-91.4		3508.6	01	12	7	01
	P	2 / 23/ 1951	-91.2	0.2	3508.8	01	12	7	01
	P	3 / 22/ 1951	-91.2		3508.8	01	12	7	01
	P	5 / 21/ 1951	-100.3	-9.1	3499.7	01	12	7	01
	P	6 / 26/ 1951	-92.8	7.5	3507.2	01	12	7	01
	P	7 / 24/ 1951	-92.2	0.6	3507.8	01	12	7	01
	P	8 / 28/ 1951	-96.8	-4.6	3503.2	01	12	7	01
	P	9 / 24/ 1951	-93.7	3.1	3506.3	01	12	7	01
	P	10 / 24/ 1951	-92.3	1.4	3507.7	01	12	7	01
	P	11 / 27/ 1951	-92	0.3	3508	01	12	7	01
	P	12 / 26/ 1951	-92		3508	01	12	7	01
	P	1 / 30/ 1952	-91.7	0.3	3508.3	01	12	7	01
	P	2 / 25/ 1952	-91.8	-0.1	3508.2	01	12	7	01

Min *-100.3* **Max** *-87.9* **Avg** *-91.3813*

1056104 *(Aquifer: 121OGLL Well Depth: 361)*

	P	2 / 18/ 1997	-272.55		3352.45	01	06	1
	P	1 / 21/ 1998	-276.38	-3.83	3348.62	01	06	1
	P	1 / 18/ 1999	-283.78	-7.4	3341.22	01	06	1
	P	1 / 11/ 2000	-285.67	-1.89	3339.33	01	06	1
	P	1 / 24/ 2001	-290.05	-4.38	3334.95	01	06	1
	P	1 / 29/ 2002	-292.78	-2.73	3332.22	01	06	1
	P	3 / 6 / 2003	-295.92	-3.14	3329.08	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 11/ 2004	-302.88	-6.96	3322.12	01	06	1	
	P	1 / 24/ 2005	-300.19	2.69	3324.81	01	06	1	
	P	1 / 23/ 2006	-301.59	-1.4	3323.41	01	06	1	
	P	2 / 8 / 2007	-302.72	-1.13	3322.28	01	06	1	
	P	1 / 4 / 2008	-306.36	-3.64	3318.64	01	06	1	
	N	3 / 3 / 2009				01	06		41
	P	1 / 12/ 2010	-312.87		3312.13	01	06	1	
	P	1 / 14/ 2011	-313.67	-0.8	3311.33	01	06	1	
	P	12 / 29/ 2011	-317.34	-3.67	3307.66	01	06	1	

Min *-317.34* **Max** *-272.55* **Avg** *-296.983*

1056401 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 14/ 1942	-83		3518	01	12	7	01
	P	11 / 9 / 1942	-82.9	0.1	3518.1	01	12	7	01
	P	2 / 23/ 1943	-82.8	0.1	3518.2	01	12	7	01
	P	2 / 23/ 1945	-83	-0.2	3518	01	12	7	01
	P	3 / 2 / 1946	-84.15	-1.15	3516.85	01	12	7	01
	P	3 / 18/ 1947	-85.81	-1.66	3515.19	01	12	7	01
	P	2 / 19/ 1948	-89.23	-3.42	3511.77	01	12	7	01
	P	10 / 30/ 1950	-98.1	-8.87	3502.9	01	12	7	01
	P	1 / 12/ 1951	-97.15	0.95	3503.85	01	12	7	01
	P	1 / 25/ 1952	-100.7	-3.55	3500.3	01	12	7	01
	P	1 / 13/ 1953	-106.84	-6.14	3494.16	01	12	7	01
	P	1 / 6 / 1954	-112.19	-5.35	3488.81	01	12	7	01
	P	1 / 3 / 1955	-117	-4.81	3484	01	12	7	01

Min *-117* **Max** *-82.8* **Avg** *-94.0669*

1056402 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 23/ 1954	-111.6		3489.4	01	12	7	01
	P	10 / 5 / 1954	-126	-14.4	3475	01	12	7	01
	P	2 / 22/ 1955	-117.15	8.85	3483.85	01	12	7	01
	P	10 / 11/ 1955	-129.32	-12.2	3471.68	01	12	7	01
	P	1 / 15/ 1957	-128.98	0.34	3472.02	01	12	7	01
	P	3 / 23/ 1960	-138.75	-9.77	3462.25	01	12	7	01
	P	2 / 9 / 1961	-143.6	-4.85	3457.4	01	06	7	
	P	2 / 9 / 1962	-141.78	1.82	3459.22	01	01	1	
	P	1 / 8 / 1963	-149.7	-7.92	3451.3	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -149.7		**Max -111.6**	**Avg -131.876**						
1056403	*(Aquifer: 121OGLL*		*Well Depth: 340)*						
	P	2 / 9 / 1961	-134.85		3457.15	01	04	1	
	P	1 / 10/ 1962	-137.49	-2.64	3454.51	01	01	1	
	P	1 / 8 / 1963	-140.77	-3.28	3451.23	01	01	1	
	P	1 / 9 / 1964	-145.28	-4.51	3446.72	01	01	1	
	P	1 / 7 / 1965	-151.75	-6.47	3440.25	01	01	1	
	P	1 / 4 / 1966	-155.92	-4.17	3436.08	01	01	1	
	N	1 / 7 / 1967				01	01		42
	N	1 / 5 / 1968				01	01		42
	P	1 / 16/ 1969	-165.37		3426.63	01	01	1	
	P	1 / 12/ 1970	-169.62	-4.25	3422.38	01	06	1	
	P	1 / 15/ 1971	-173.84	-4.22	3418.16	01	06	1	
	P	1 / 4 / 1972	-180.7	-6.86	3411.3	01	06	1	
	N	1 / 22/ 1973				01	01	1	23
	P	1 / 27/ 1973	-180.68		3411.32	01	01	1	
	P	1 / 15/ 1974	-183.55	-2.87	3408.45	01	06	1	
	P	1 / 9 / 1975	-190.14	-6.59	3401.86	01	06	1	
	P	1 / 8 / 1976	-195.11	-4.97	3396.89	01	06	1	04
	P	1 / 12/ 1977	-203.67	-8.56	3388.33	01	06	1	
	P	1 / 9 / 1978	-208.7	-5.03	3383.3	01	06	1	
	P	1 / 23/ 1979	-213.4	-4.7	3378.6	01	06	1	
	P	12 / 11/ 1979	-214.74	-1.34	3377.26	01	06	1	
	P	1 / 28/ 1981	-222.43	-7.69	3369.57	01	06	1	
	P	1 / 21/ 1982	-229	-6.57	3363	01	06	1	
	P	2 / 22/ 1983	-233.83	-4.83	3358.17	01	06	1	
	P	1 / 3 / 1984	-238.01	-4.18	3353.99	01	06	1	
	P	1 / 21/ 1985	-240.48	-2.47	3351.52	01	06	1	
	P	1 / 22/ 1986	-240.4	0.08	3351.6	01	06	1	
	P	1 / 27/ 1987	-239.06	1.34	3352.94	01	06	1	
	P	1 / 18/ 1988	-238.55	0.51	3353.45	01	06	1	
	P	1 / 13/ 1989	-239.99	-1.44	3352.01	01	06	1	
	P	1 / 24/ 1990	-242.69	-2.7	3349.31	01	06	1	
	P	1 / 24/ 1991	-246.54	-3.85	3345.46	01	06	1	
	P	2 / 11/ 1992	-250.35	-3.81	3341.65	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 1 / 1993	-249.24	1.11	3342.76	01	06	1	
	P	1 / 19/ 1994	-253.97	-4.73	3338.03	01	06	1	
	P	1 / 24/ 1995	-257.86	-3.89	3334.14	01	06	1	
	P	1 / 17/ 1996	-262.08	-4.22	3329.92	01	06	1	
	P	2 / 11/ 1997	-266.03	-3.95	3325.97	01	06	1	
	P	1 / 21/ 1998	-265.85	0.18	3326.15	01	06	1	
	P	1 / 18/ 1999	-269	-3.15	3323	01	06	1	
	P	1 / 11/ 2000	-273.74	-4.74	3318.26	01	06	1	
	P	1 / 24/ 2001	-272.11	1.63	3319.89	01	06	1	
	P	1 / 28/ 2002	-272.32	-0.21	3319.68	01	06	1	
	P	2 / 25/ 2003	-274.47	-2.15	3317.53	01	06	1	
	P	2 / 10/ 2004	-277.6	-3.13	3314.4	01	06	1	
	P	1 / 25/ 2005	-277.34	0.26	3314.66	01	06	1	
	P	1 / 23/ 2006	-279.49	-2.15	3312.51	01	06	1	
	N	2 / 6 / 2007				01	06		61
	P	1 / 4 / 2008	-282.63		3309.37	01	06	1	
	P	2 / 6 / 2009	-284.83	-2.2	3307.17	01	06	1	
	P	1 / 12/ 2010	-286.99	-2.16	3305.01	01	06	1	
	P	1 / 14/ 2011	-287.99	-1	3304.01	01	06	1	
	P	12 / 6 / 2011	-292.28	-4.29	3299.72	01	06	1	

Min *-292.28* **Max** *-134.85* **Avg** *-228.423*

1056404 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 9 / 1956	-124.55		3472.45	01	12	7	01
	P	1 / 10/ 1957	-130.24	-5.69	3466.76	01	12	7	01
	P	1 / 22/ 1958	-133.33	-3.09	3463.67	01	12	7	01
	P	1 / 7 / 1959	-135.08	-1.75	3461.92	01	12	7	01
	P	1 / 25/ 1960	-142.67	-7.59	3454.33	01	12	7	01
	P	1 / 17/ 1961	-145.32	-2.65	3451.68	01	04	1	
	P	1 / 8 / 1962	-147.1	-1.78	3449.9	01	01	1	
	P	1 / 8 / 1963	-151.47	-4.37	3445.53	01	01	1	
	P	1 / 8 / 1964	-157.79	-6.32	3439.21	01	01	1	
	P	1 / 7 / 1965	-165.54	-7.75	3431.46	01	01	1	
	N	1 / 4 / 1966				01	01		41
	P	1 / 7 / 1967	-166.26		3430.74	01	01	1	
	P	1 / 5 / 1968	-170.48	-4.22	3426.52	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/16/1969	-193.61	-23.1	3403.39	01	01	1	
	P	1/12/1970	-189.92	3.69	3407.08	01	06	1	
	P	1/16/1971	-193.5	-3.58	3403.5	01	06	1	
	P	1/ 4/1972	-198.55	-5.05	3398.45	01	06	1	
	P	1/22/1973	-197.4	1.15	3399.6	01	01	1	
	P	1/15/1974	-200.2	-2.8	3396.8	01	06	1	
	P	1/ 9/1975	-205.75	-5.55	3391.25	01	06	1	
	P	1/ 8/1976	-214.16	-8.41	3382.84	01	06	1	
	P	1/12/1977	-220.89	-6.73	3376.11	01	06	1	
	P	1/ 9/1978	-223.43	-2.54	3373.57	01	06	1	
	P	1/23/1979	-226.22	-2.79	3370.78	01	06	1	
	P	12/11/1979	-227.48	-1.26	3369.52	01	06	1	
	P	1/28/1981	-234.95	-7.47	3362.05	01	06	1	
	P	1/20/1982	-240	-5.05	3357	01	06	1	
	P	2/22/1983	-245.88	-5.88	3351.12	01	06	1	
	P	2/ 8/1984	-244.86	1.02	3352.14	01	06	1	
	P	1/21/1985	-250.48	-5.62	3346.52	01	06	1	
	P	1/21/1986	-252.61	-2.13	3344.39	01	06	1	
	P	2/ 3/1987	-252.3	0.31	3344.7	01	06	1	
	P	1/18/1988	-252.56	-0.26	3344.44	01	06	1	
	P	1/13/1989	-255.08	-2.52	3341.92	01	06	1	
	P	1/24/1990	-258.25	-3.17	3338.75	01	06	1	
	P	1/24/1991	-262.86	-4.61	3334.14	01	06	1	
	P	2/10/1992	-263.94	-1.08	3333.06	01	06	1	
	P	2/ 1/1993	-261.45	2.49	3335.55	01	06	1	
	P	1/19/1994	-267.01	-5.56	3329.99	01	06	1	
	P	2/28/1995	-272.9	-5.89	3324.1	01	06	1	
	P	1/17/1996	-276.49	-3.59	3320.51	01	06	1	
	P	2/18/1997	-277.4	-0.91	3319.6	01	06	1	
	P	2/23/1998	-278.64	-1.24	3318.36	01	06	1	
	P	1/18/1999	-283	-4.36	3314	01	06	1	
	P	1/11/2000	-284.33	-1.33	3312.67	01	06	1	
	P	1/24/2001	-286.4	-2.07	3310.6	01	06	1	
	P	2/ 8/2002	-287.12	-0.72	3309.88	01	06	1	
	N	2/25/2003				01	06		42
	N	2/11/2004				01	06		42

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 25/ 2005				01	06		42
	N	1 / 23/ 2006				01	06		42

Min *-287.12* **Max** *-124.55* **Avg** *-218.466*

1056409 *(Aquifer: 121OGLL Well Depth:)*

P	2 / 11/ 2004	-293.23		3307.77	01	06	1
P	1 / 25/ 2005	-293.06	0.17	3307.94	01	06	1
P	3 / 10/ 2006	-295.24	-2.18	3305.76	01	06	1
P	2 / 6 / 2007	-295.86	-0.62	3305.14	01	06	1
P	1 / 4 / 2008	-299.11	-3.25	3301.89	01	06	1
P	2 / 6 / 2009	-303.07	-3.96	3297.93	01	06	1
P	1 / 6 / 2010	-306.23	-3.16	3294.77	01	06	1
P	1 / 14/ 2011	-307.86	-1.63	3293.14	01	06	1
P	2 / 24/ 2012	-310.92	-3.06	3290.08	01	06	1

Min *-310.92* **Max** *-293.06* **Avg** *-300.509*

1056410 *(Aquifer: 121OGLL Well Depth: 200)*

P	2 / 23/ 1954	-102.8		3489.2	01	12	7	01
P	10 / 5 / 1954	-108.55	-5.75	3483.45	01	12	7	01
P	2 / 22/ 1955	-107.85	0.7	3484.15	01	12	7	01
P	10 / 11/ 1955	-113.68	-5.83	3478.32	01	12	7	01
P	1 / 15/ 1957	-120.3	-6.62	3471.7	01	12	7	01
P	3 / 23/ 1960	-131.77	-11.5	3460.23	01	12	7	01

Min *-131.77* **Max** *-102.8* **Avg** *-114.158*

1060101 *(Aquifer: 121OGLL Well Depth: 136)*

P	6 / 25/ 1937	-96.07		3733.93	01	12	7	01
P	1 / 21/ 1938	-96.56	-0.49	3733.44	01	12	7	01
P	4 / 11/ 1938	-96.54	0.02	3733.46	01	12	7	01
P	6 / 9 / 1938	-96.49	0.05	3733.51	01	12	7	01
P	9 / 19/ 1938	-96.52	-0.03	3733.48	01	12	7	01
P	3 / 9 / 1939	-97.43	-0.91	3732.57	01	12	7	01
P	6 / 19/ 1939	-96.62	0.81	3733.38	01	12	7	01
P	8 / 15/ 1939	-96.74	-0.12	3733.26	01	12	7	01
P	10 / 12/ 1939	-96.41	0.33	3733.59	01	12	7	01
P	12 / 18/ 1939	-96.37	0.04	3733.63	01	12	7	01
P	3 / 25/ 1940	-96.37		3733.63	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11/18/1940	-96.6	-0.23	3733.4	01	12	7	01
	P	3/20/1941	-96.28	0.32	3733.72	01	12	7	01
	P	5/30/1941	-96.31	-0.03	3733.69	01	12	7	01
	P	7/30/1941	-96.24	0.07	3733.76	01	12	7	01
	P	11/19/1941	-96.11	0.13	3733.89	01	12	7	01
	P	3/14/1942	-95.72	0.39	3734.28	01	12	7	01
	P	7/28/1942	-95.63	0.09	3734.37	01	12	7	01
	P	2/ 2/1944	-101.6	-5.97	3728.4	01	12	7	01
	P	3/ 2/1946	-94.21	7.39	3735.79	01	12	7	01
	P	3/18/1947	-93.55	0.66	3736.45	01	12	7	01
	P	2/20/1948	-93.62	-0.07	3736.38	01	12	7	01
	P	3/14/1949	-93.33	0.29	3736.67	01	12	7	01
	P	2/17/1950	-92.61	0.72	3737.39	01	12	7	01
	P	1/17/1951	-93.6	-0.99	3736.4	01	12	7	01
	P	6/25/1951	-96.1	-2.5	3733.9	01	12	7	01
	P	1/29/1952	-94.7	1.4	3735.3	01	12	7	01
	P	1/15/1953	-94.81	-0.11	3735.19	01	12	7	01
	P	1/14/1954	-95.1	-0.29	3734.9	01	12	7	01
	P	1/ 4/1955	-96.2	-1.1	3733.8	01	12	7	01
	P	1/11/1956	-101.03	-4.83	3728.97	01	12	7	01
	P	1/11/1957	-104.6	-3.57	3725.4	01	12	7	01
	P	1/21/1958	-109.59	-4.99	3720.41	01	12	7	01
	P	1/ 8/1959	-109.38	0.21	3720.62	01	12	7	01
	P	1/ 8/1960	-111.53	-2.15	3718.47	01	12	7	01
	P	1/18/1961	-110.18	1.35	3719.82	01	04	1	
	P	1/10/1962	-110.52	-0.34	3719.48	01	01	1	
	P	1/ 7/1963	-111.7	-1.18	3718.3	01	01	1	
	P	1/ 8/1964	-111.83	-0.13	3718.17	01	01	1	
	P	1/ 7/1965	-117.38	-5.55	3712.62	01	01	1	
	P	1/ 6/1966	-119.59	-2.21	3710.41	01	01	1	
	P	1/ 5/1967	-121.81	-2.22	3708.19	01	01	1	
	P	1/ 7/1968	-122.61	-0.8	3707.39	01	01	1	
	P	1/13/1969	-120.18	2.43	3709.82	01	01	1	
	N	1/12/1970				01	06		42
	P	1/16/1971	-121.94		3708.06	01	06	1	
	P	1/ 7/1972	-121.5	0.44	3708.5	01	06	1	22

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1973	-125.2	-3.7	3704.8	01	01	1	
	P	1 / 15/ 1974	-126.78	-1.58	3703.22	01	06	1	
	N	3 / 4 / 1974				01	06	7	46

Min *-126.78* **Max** *-92.61* **Avg** *-103.162*

1060102 *(Aquifer: 121OGLL Well Depth: 100)*

	P	8 / 17/ 1937	-78.22		3739.78	01	12	7	01
	P	1 / 21/ 1938	-78.78	-0.56	3739.22	01	12	7	01
	P	4 / 11/ 1938	-78.97	-0.19	3739.03	01	12	7	01
	P	6 / 9 / 1938	-79.04	-0.07	3738.96	01	12	7	01
	P	9 / 19/ 1938	-79.09	-0.05	3738.91	01	12	7	01
	P	3 / 9 / 1939	-79.31	-0.22	3738.69	01	12	7	01
	P	6 / 19/ 1939	-80.1	-0.79	3737.9	01	12	7	01
	P	8 / 15/ 1939	-72.36	7.74	3745.64	01	12	7	01
	P	10 / 12/ 1939	-78.8	-6.44	3739.2	01	12	7	01
	P	12 / 18/ 1939	-78.8		3739.2	01	12	7	01
	P	3 / 25/ 1940	-79.01	-0.21	3738.99	01	12	7	01
	P	11 / 18/ 1940	-79.08	-0.07	3738.92	01	12	7	01
	P	3 / 20/ 1941	-79.92	-0.84	3738.08	01	12	7	01
	P	7 / 30/ 1941	-71.86	8.06	3746.14	01	12	7	01
	P	3 / 14/ 1942	-77.44	-5.58	3740.56	01	12	7	01
	P	2 / 4 / 1943	-76.34	1.1	3741.66	01	12	7	01

Min *-80.1* **Max** *-71.86* **Avg** *-77.945*

1060103 *(Aquifer: 121OGLL Well Depth: 226)*

	P	3 / 4 / 1974	-135.18		3713.82	01	06	1	
	P	1 / 6 / 1975	-139.8	-4.62	3709.2	01	06	1	
	P	1 / 6 / 1976	-140.4	-0.6	3708.6	01	06	1	
	P	1 / 12/ 1977	-142.54	-2.14	3706.46	01	06	1	
	P	1 / 16/ 1978	-147.29	-4.75	3701.71	01	06	1	
	P	1 / 9 / 1979	-143.18	4.11	3705.82	01	06	1	
	P	12 / 17/ 1979	-141.48	1.7	3707.52	01	06	1	
	P	1 / 8 / 1981	-142.49	-1.01	3706.51	01	06	1	
	P	1 / 19/ 1982	-143.3	-0.81	3705.7	01	06	1	
	P	2 / 15/ 1983	-142.14	1.16	3706.86	01	06	1	
	P	1 / 5 / 1984	-142.32	-0.18	3706.68	01	06	1	
	P	1 / 22/ 1985	-142.11	0.21	3706.89	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1986	-141.18	0.93	3707.82	01	06	1	
	P	1 / 14/ 1987	-140.88	0.3	3708.12	01	06	1	
	P	1 / 12/ 1988	-140.24	0.64	3708.76	01	06	1	
	N	1 / 23/ 1989				01	06		41
	P	1 / 15/ 1990	-140.04		3708.96	01	06	1	
	P	1 / 22/ 1991	-140.05	-0.01	3708.95	01	06	1	
	P	2 / 12/ 1992	-139.85	0.2	3709.15	01	06	1	
	P	1 / 5 / 1993	-139.13	0.72	3709.87	01	06	1	
	P	2 / 10/ 1994	-139.48	-0.35	3709.52	01	06	1	
	N	2 / 24/ 1995				01	06		40

Min *-147.29* **Max** *-135.18* **Avg** *-141.154*

1060104 *(Aquifer: 121OGLL Well Depth: 207)*

	P	2 / 24/ 1995	-145.43		3702.57	01	06	1	
	P	1 / 25/ 1996	-147.15	-1.72	3700.85	01	06	1	
	N	2 / 7 / 1997				01	06	7	45
	N	1 / 16/ 1998				01	06	7	45
	N	1 / 15/ 1999				01	06	7	45
	N	1 / 12/ 2000				01	06	7	45

Min *-147.15* **Max** *-145.43* **Avg** *-146.29*

1060105 *(Aquifer: 121OGLL Well Depth: 193)*

	P	5 / 13/ 1999	-108.46		3720.54	01	06	1	
	P	1 / 12/ 2000	-108.3	0.16	3720.7	01	06	1	
	P	1 / 12/ 2001	-107.65	0.65	3721.35	01	06	1	
	P	1 / 23/ 2002	-106.98	0.67	3722.02	01	06	1	
	P	2 / 25/ 2003	-107.96	-0.98	3721.04	01	06	1	
	P	2 / 6 / 2004	-108.95	-0.99	3720.05	01	06	1	
	P	2 / 3 / 2005	-107.96	0.99	3721.04	01	06	1	
	P	1 / 19/ 2006	-107.16	0.8	3721.84	01	06	1	
	P	2 / 5 / 2007	-108.15	-0.99	3720.85	01	06	1	
	P	1 / 7 / 2008	-107.66	0.49	3721.34	01	06	1	
	P	1 / 29/ 2009	-108.79	-1.13	3720.21	01	06	1	
	P	1 / 14/ 2010	-109.69	-0.9	3719.31	01	06	1	
	P	1 / 13/ 2011	-110.37	-0.68	3718.63	01	06	1	
	P	12 / 4 / 2011	-111.6	-1.23	3717.4	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -111.6		**Max -106.98**	**Avg -108.549**						
1060304	*(Aquifer: 121OGLL*		*Well Depth: 172)*						
	P	1 / 17/ 1961	-60.97		3640.03	01	10	1	
	P	3 / 7 / 1963	-67.8	-6.83	3633.2	01	01	1	
	P	1 / 8 / 1964	-68.66	-0.86	3632.34	01	01	1	
	P	1 / 7 / 1965	-70.24	-1.58	3630.76	01	01	1	
	P	1 / 5 / 1966	-69.24	1	3631.76	01	01	1	
	P	1 / 5 / 1967	-71.08	-1.84	3629.92	01	01	1	
	P	1 / 4 / 1968	-65.07	6.01	3635.93	01	01	1	
	P	1 / 14/ 1969	-70.62	-5.55	3630.38	01	01	1	
	P	1 / 8 / 1970	-71.27	-0.65	3629.73	01	06	1	
	P	1 / 8 / 1971	-76.63	-5.36	3624.37	01	06	1	
	P	1 / 5 / 1972	-81.06	-4.43	3619.94	01	06	1	
	P	1 / 21/ 1973	-73.56	7.5	3627.44	01	01	1	
	P	1 / 16/ 1974	-78.82	-5.26	3622.18	01	06	1	
	P	1 / 7 / 1975	-82.89	-4.07	3618.11	01	06	1	
	P	1 / 6 / 1976	-84.05	-1.16	3616.95	01	06	1	
	P	1 / 14/ 1977	-86.04	-1.99	3614.96	01	06	1	
	P	1 / 16/ 1978	-91.36	-5.32	3609.64	01	06	1	
	P	1 / 11/ 1979	-95.15	-3.79	3605.85	01	06	1	
	P	12 / 17/ 1979	-95.85	-0.7	3605.15	01	06	1	
	P	1 / 12/ 1981	-101.92	-6.07	3599.08	01	06	1	
	P	1 / 19/ 1982	-105.4	-3.48	3595.6	01	06	1	
	P	2 / 16/ 1983	-107.01	-1.61	3593.99	01	06	1	
	P	1 / 5 / 1984	-109.91	-2.9	3591.09	01	06	1	
	P	1 / 22/ 1985	-111.79	-1.88	3589.21	01	06	1	
	P	1 / 24/ 1986	-109.44	2.35	3591.56	01	06	1	
	P	1 / 14/ 1987	-111	-1.56	3590	01	06	1	
	P	1 / 11/ 1988	-110.11	0.89	3590.89	01	06	1	
	P	1 / 25/ 1989	-110.41	-0.3	3590.59	01	06	1	
	P	1 / 15/ 1990	-111.65	-1.24	3589.35	01	06	1	
	P	1 / 17/ 1991	-115.04	-3.39	3585.96	01	06	1	
	N	1 / 10/ 1992				01	06	7	44
	N	1 / 12/ 1993				01	06	7	44
	N	2 / 10/ 1994				01	06	7	44

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -115.04		**Max -60.97**	**Avg -88.8013**						
1060306	*(Aquifer: 121OGLL*		*Well Depth: 226)*						
	P	7 / 30/ 1979	-104		3591	01	07	7	
Min -104		**Max -104**	**Avg -104**						
1060307	*(Aquifer: 121OGLL*		*Well Depth: 215)*						
	P	1 / 26/ 1993	-150.66		3565.34	01	06	1	
	P	2 / 10/ 1994	-154.27	-3.61	3561.73	01	06	1	
	P	2 / 24/ 1995	-158.86	-4.59	3557.14	01	06	1	
	P	1 / 24/ 1996	-164.55	-5.69	3551.45	01	06	1	
	P	12 / 14/ 1996	-140.4	24.15	3575.6	01	01	1	
	P	2 / 18/ 1997	-166.81	-26.4	3549.19	01	06	1	
	P	1 / 15/ 1998	-168.21	-1.4	3547.79	01	06	1	
	P	1 / 25/ 1999	-171	-2.79	3545	01	06	1	
	P	1 / 13/ 2000	-171.6	-0.6	3544.4	01	06	1	
	P	1 / 26/ 2001	-172.87	-1.27	3543.13	01	06	1	
	P	1 / 23/ 2002	-173.7	-0.83	3542.3	01	06	1	
	P	2 / 25/ 2003	-174.82	-1.12	3541.18	01	06	1	
	P	2 / 6 / 2004	-176.7	-1.88	3539.3	01	06	1	
	P	3 / 2 / 2005	-175.64	1.06	3540.36	01	06	1	
	P	3 / 2 / 2006	-174.84	0.8	3541.16	01	06	1	
	P	2 / 5 / 2007	-176.04	-1.2	3539.96	01	06	1	
	P	1 / 4 / 2008	-176	0.04	3540	01	06	1	
	P	1 / 30/ 2009	-177.72	-1.72	3538.28	01	06	1	
	P	1 / 14/ 2010	-179.09	-1.37	3536.91	01	06	1	
	P	1 / 14/ 2011	-179.32	-0.23	3536.68	01	06	1	
	P	12 / 4 / 2011	-180.05	-0.73	3535.95	01	06	1	
Min -180.05		**Max -140.4**	**Avg -169.674**						
1060309	*(Aquifer: 121OGLL*		*Well Depth: 218)*						
	P	5 / 8 / 2003	-160		3536	01	07	7	
Min -160		**Max -160**	**Avg -160**						
1060401	*(Aquifer: 121OGLL*		*Well Depth: 253)*						
	P	1 / 17/ 1961	-122.89		3725.11	01	10	7	
	P	1 / 11/ 1962	-122.57	0.32	3725.43	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1963	-126.2	-3.63	3721.8	01	01	1	
	P	1/ 8/1964	-123.47	2.73	3724.53	01	01	1	
	P	1/ 7/1965	-130.25	-6.78	3717.75	01	01	1	
	P	1/ 6/1966	-125.9	4.35	3722.1	01	01	1	
	P	1/ 4/1967	-131.27	-5.37	3716.73	01	01	1	
	P	1/ 7/1968	-134.85	-3.58	3713.15	01	01	1	
	N	1/16/1969				01	01		41
	P	1/ 7/1970	-124.61		3723.39	01	06	1	
	P	1/18/1971	-127.21	-2.6	3720.79	01	06	1	
	P	1/ 5/1972	-127.15	0.06	3720.85	01	06	1	
	P	1/20/1973	-124.49	2.66	3723.51	01	01	1	
	P	1/14/1974	-123.75	0.74	3724.25	01	06	1	
	P	1/ 6/1975	-125.81	-2.06	3722.19	01	06	1	
	P	1/ 6/1976	-127.19	-1.38	3720.81	01	06	1	
	P	1/12/1977	-125.45	1.74	3722.55	01	06	1	
	P	1/13/1978	-125.08	0.37	3722.92	01	06	1	
	P	1/ 9/1979	-125.03	0.05	3722.97	01	06	1	
	P	12/17/1979	-123.67	1.36	3724.33	01	06	1	
	P	1/ 8/1981	-124.36	-0.69	3723.64	01	06	1	
	P	1/19/1982	-123.9	0.46	3724.1	01	06	1	
	P	2/15/1983	-123.43	0.47	3724.57	01	06	1	
	P	1/ 5/1984	-123.32	0.11	3724.68	01	06	1	
	P	1/22/1985	-123.09	0.23	3724.91	01	06	1	
	P	1/22/1986	-121.93	1.16	3726.07	01	06	1	
	P	2/ 2/1987	-120.12	1.81	3727.88	01	06	1	
	P	1/ 4/1988	-118.99	1.13	3729.01	01	06	1	
	P	1/23/1989	-118.38	0.61	3729.62	01	06	1	
	P	2/ 9/1990	-118.23	0.15	3729.77	01	06	1	
	P	1/22/1991	-118.2	0.03	3729.8	01	06	1	
	P	1/ 9/1992	-118.5	-0.3	3729.5	01	06	1	
	P	1/ 5/1993	-116.93	1.57	3731.07	01	06	1	
	P	2/10/1994	-116.96	-0.03	3731.04	01	06	1	
	P	1/19/1995	-117.36	-0.4	3730.64	01	06	1	
	P	1/25/1996	-117.57	-0.21	3730.43	01	06	1	
	P	2/18/1997	-117	0.57	3731	01	06	1	
	P	1/16/1998	-116.96	0.04	3731.04	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1999	-117	-0.04	3731	01	06	1	
	N	1 / 12/ 2000				01	06		61

Min *-134.85* **Max** *-116.93* **Avg** *-122.870*

1060402 *(Aquifer: 210CRCS Well Depth: 233)*

	P	7 / 13/ 1983	-126.6		3731.4	01	12	7	

Min *-126.6* **Max** *-126.6* **Avg** *-126.6*

1060501 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 12/ 2000	-126.1		3726.9	01	06	1	
	P	1 / 25/ 2001	-126.53	-0.43	3726.47	01	06	1	
	P	1 / 23/ 2002	-126.22	0.31	3726.78	01	06	1	
	P	2 / 25/ 2003	-125.67	0.55	3727.33	01	06	1	
	P	2 / 5 / 2004	-125.78	-0.11	3727.22	01	06	1	
	P	2 / 3 / 2005	-125.29	0.49	3727.71	01	06	1	
	P	1 / 19/ 2006	-124.55	0.74	3728.45	01	06	1	
	P	2 / 5 / 2007	-124.59	-0.04	3728.41	01	06	1	
	P	1 / 7 / 2008	-124.04	0.55	3728.96	01	06	1	
	P	1 / 29/ 2009	-123.85	0.19	3729.15	01	06	1	
	P	1 / 14/ 2010	-124.09	-0.24	3728.91	01	06	1	
	P	1 / 13/ 2011	-123.44	0.65	3729.56	01	06	1	
	P	12 / 4 / 2011	-125.6	-2.16	3727.4	01	06	1	

Min *-126.53* **Max** *-123.44* **Avg** *-125.058*

1060601 *(Aquifer: 121OGLL Well Depth: 172)*

	P	1 / 17/ 1961	-102.89		3684.11	01	10	7	
	P	1 / 11/ 1962	-109.83	-6.94	3677.17	01	01	1	
	P	1 / 7 / 1963	-101.89	7.94	3685.11	01	01	1	
	P	1 / 9 / 1964	-101.66	0.23	3685.34	01	01	1	
	P	1 / 8 / 1965	-101.32	0.34	3685.68	01	01	1	
	P	1 / 6 / 1966	-107.27	-5.95	3679.73	01	01	1	
	P	1 / 4 / 1967	-99.99	7.28	3687.01	01	01	1	
	P	1 / 7 / 1968	-98.6	1.39	3688.4	01	01	1	
	P	1 / 13/ 1969	-100.92	-2.32	3686.08	01	01	1	
	P	1 / 7 / 1970	-97.41	3.51	3689.59	01	06	1	
	P	1 / 18/ 1971	-98.64	-1.23	3688.36	01	06	1	
	P	1 / 5 / 1972	-95.88	2.76	3691.12	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 20/ 1973	-93.69	2.19	3693.31	01	01	1	
	P	1 / 14/ 1974	-92.93	0.76	3694.07	01	06	1	
	P	1 / 6 / 1975	-91.15	1.78	3695.85	01	06	1	
	P	1 / 6 / 1976	-90.5	0.65	3696.5	01	06	1	
	P	1 / 12/ 1977	-89.64	0.86	3697.36	01	06	1	
	P	1 / 13/ 1978	-90.65	-1.01	3696.35	01	06	1	
	N	1 / 9 / 1979				01	06	1	45
	N	12 / 11/ 1979				01	06	1	45
	N	12 / 0 / 1980				01	06	7	46

Min *-109.83* **Max** *-89.64* **Avg** *-98.0478*

1060604 *(Aquifer: 121OGLL Well Depth: 172)*

	P	1 / 7 / 1980	-96.73		3698.27	01	06	1
	P	1 / 8 / 1981	-97.05	-0.32	3697.95	01	06	1
	P	1 / 19/ 1982	-97.24	-0.19	3697.76	01	06	1
	P	2 / 15/ 1983	-96.79	0.45	3698.21	01	06	1
	P	1 / 5 / 1984	-96.49	0.3	3698.51	01	06	1
	P	1 / 22/ 1985	-96.44	0.05	3698.56	01	06	1
	P	1 / 22/ 1986	-95.28	1.16	3699.72	01	06	1
	P	1 / 9 / 1987	-93.68	1.6	3701.32	01	06	1
	P	1 / 4 / 1988	-92.71	0.97	3702.29	01	06	1
	P	1 / 23/ 1989	-91.62	1.09	3703.38	01	06	1
	P	1 / 15/ 1990	-90.9	0.72	3704.1	01	06	1
	P	1 / 22/ 1991	-90.85	0.05	3704.15	01	06	1
	P	1 / 10/ 1992	-91.11	-0.26	3703.89	01	06	1
	P	1 / 5 / 1993	-90.08	1.03	3704.92	01	06	1
	P	2 / 10/ 1994	-89.57	0.51	3705.43	01	06	1
	P	1 / 19/ 1995	-90.03	-0.46	3704.97	01	06	1
	P	1 / 25/ 1996	-90.47	-0.44	3704.53	01	06	1
	P	2 / 18/ 1997	-89.86	0.61	3705.14	01	06	1
	P	1 / 16/ 1998	-89.96	-0.1	3705.04	01	06	1
	P	1 / 15/ 1999	-90	-0.04	3705	01	06	1
	P	1 / 12/ 2000	-90.69	-0.69	3704.31	01	06	1
	P	1 / 11/ 2001	-91.75	-1.06	3703.25	01	06	1
	P	1 / 23/ 2002	-94.05	-2.3	3700.95	01	06	1
	P	2 / 25/ 2003	-93.82	0.23	3701.18	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 5 / 2004	-94.23	-0.41	3700.77	01	06	1	
	P	2 / 3 / 2005	-93.21	1.02	3701.79	01	06	1	
	P	1 / 19/ 2006	-92.11	1.1	3702.89	01	06	1	
	P	2 / 5 / 2007	-91.6	0.51	3703.4	01	06	1	
	P	1 / 7 / 2008	-90.79	0.81	3704.21	01	06	1	
	P	1 / 29/ 2009	-91.37	-0.58	3703.63	01	06	1	
	P	1 / 14/ 2010	-91.29	0.08	3703.71	01	06	1	
	P	2 / 22/ 2011	-91.79	-0.5	3703.21	01	06	1	
	P	12 / 4 / 2011	-93.5	-1.71	3701.5	01	06	1	

Min *-97.24* **Max** *-89.57* **Avg** *-92.6382*

1060606 *(Aquifer: 121OGLL Well Depth: 220)*

	P	3 / 25/ 1959	-120		3590	01	07	7	
	P	8 / 15/ 1989	-164.4	-44.4	3545.6	01	01	1	

Min *-164.4* **Max** *-120* **Avg** *-142.2*

1060607 *(Aquifer: 121OGLL Well Depth: 222)*

	P	10 / 20/ 1959	-90		3634	01	07	7	
	P	8 / 15/ 1989	-173.3	-83.3	3550.7	01	01	1	

Min *-173.3* **Max** *-90* **Avg** *-131.65*

1060608 *(Aquifer: 121OGLL Well Depth: 200)*

	P	8 / 15/ 1989	-161.6		3559.4	01	01	1	

Min *-161.6* **Max** *-161.6* **Avg** *-161.6*

1060610 *(Aquifer: 121OGLL Well Depth: 134)*

	P	6 / 0 / 1933	-127		3642	01	07	7	

Min *-127* **Max** *-127* **Avg** *-127*

1060616 *(Aquifer: 121OGLL Well Depth: 194)*

	P	4 / 11/ 1956	-105		3674	01	07	7	

Min *-105* **Max** *-105* **Avg** *-105*

1060617 *(Aquifer: 121OGLL Well Depth: 191)*

	P	11 / 15/ 1954	-102		3674	01	07	7	

Min *-102* **Max** *-102* **Avg** *-102*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1060701	*(Aquifer: 121OGLL*		*Well Depth: 250)*						
	P	12 / 10/ 1979	-151.35		3685.65	01	01	1	
	P	1 / 21/ 1981	-150.82	0.53	3686.18	01	01	1	
	P	1 / 19/ 1982	-151.71	-0.89	3685.29	01	01	1	
	N	1 / 18/ 1983				01	01		61
	P	1 / 11/ 1984	-151.88		3685.12	01	01	1	
	P	12 / 13/ 1986	-148.48	3.4	3688.52	01	01	1	
	N	11 / 30/ 1987				01	01		61
	P	12 / 15/ 1988	-146.17		3690.83	01	01	1	
	P	12 / 9 / 1989	-144.72	1.45	3692.28	01	01	1	
	P	12 / 5 / 1990	-144.51	0.21	3692.49	01	01	1	
	P	12 / 6 / 1991	-142.77	1.74	3694.23	01	01	1	
	N	12 / 9 / 1992				01	01		61
	P	12 / 13/ 1993	-140.62		3696.38	01	01	1	
	P	12 / 14/ 1994	-141.1	-0.48	3695.9	01	01	1	
	P	12 / 5 / 1995	-141.6	-0.5	3695.4	01	01	1	
	P	12 / 13/ 1997	-139.1	2.5	3697.9	01	01	1	
	P	12 / 14/ 1998	-139.1		3697.9	01	01	1	
	P	12 / 13/ 1999	-137.6	1.5	3699.4	01	01	1	
	P	12 / 6 / 2000	-140.7	-3.1	3696.3	01	01	1	
	P	1 / 9 / 2002	-140	0.7	3697	01	01	1	
	P	12 / 10/ 2002	-140.92	-0.92	3696.08	01	01	1	
	P	12 / 6 / 2003	-139.1	1.82	3697.9	01	01	1	
	P	12 / 7 / 2004	-136.93	2.17	3700.07	01	01	1	
	P	12 / 1 / 2005	-139.68	-2.75	3697.32	01	01	1	
	P	1 / 3 / 2007	-135.88	3.8	3701.12	01	01	1	
	P	10 / 23/ 2007	-135.65	0.23	3701.35	01	01	1	
	N	12 / 17/ 2008				01	01		61
	P	11 / 19/ 2009	-141.1		3695.9	01	01	1	
	P	12 / 28/ 2010	-134.65	6.45	3702.35	01	01	1	

Min ***-151.88*** **Max** ***-134.65*** **Avg** ***-142.246***

1060702	*(Aquifer: 121OGLL*		*Well Depth: 160)*						
	P	3 / 12/ 1937	-150.3		3674.7	01	04	1	
	P	6 / 25/ 1952	-145.1	5.2	3679.9	01	04	1	

Min ***-150.3*** **Max** ***-145.1*** **Avg** ***-147.7***

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
1060801	(Aquifer: 121OGFA		Well Depth: 236)						
	P	7 / 12/ 1983	-149.5		3657.5	01	12	7	
Min -149.5		**Max -149.5**	**Avg -149.5**						
1060802	(Aquifer: 121OGLL		Well Depth: 170)						
	P	2 / 10/ 1988	-119.55		3656.45	01	06	1	
	P	1 / 12/ 1989	-117.39	2.16	3658.61	01	06	1	
	P	1 / 15/ 1990	-116.65	0.74	3659.35	01	06	1	
	P	1 / 22/ 1991	-116.52	0.13	3659.48	01	06	1	
	P	1 / 9 / 1992	-117.34	-0.82	3658.66	01	06	1	
	P	1 / 26/ 1993	-116.59	0.75	3659.41	01	06	1	
	P	2 / 10/ 1994	-116.66	-0.07	3659.34	01	06	1	
	P	1 / 19/ 1995	-117.87	-1.21	3658.13	01	06	1	
	P	1 / 25/ 1996	-118.62	-0.75	3657.38	01	06	1	
	P	2 / 18/ 1997	-117.52	1.1	3658.48	01	06	1	
	P	1 / 13/ 1998	-118.52	-1	3657.48	01	06	1	
	P	1 / 15/ 1999	-118	0.52	3658	01	06	1	
	P	1 / 12/ 2000	-116.88	1.12	3659.12	01	06	1	
	P	1 / 25/ 2001	-119.25	-2.37	3656.75	01	06	1	
	P	1 / 23/ 2002	-116.4	2.85	3659.6	01	06	1	
	P	2 / 14/ 2003	-116.28	0.12	3659.72	01	06	1	
	P	2 / 5 / 2004	-116.47	-0.19	3659.53	01	06	1	
	P	2 / 3 / 2005	-115.53	0.94	3660.47	01	06	1	
	P	1 / 19/ 2006	-114.51	1.02	3661.49	01	06	1	
	P	1 / 12/ 2007	-115.7	-1.19	3660.3	01	06	1	
	P	1 / 3 / 2008	-115.31	0.39	3660.69	01	06	1	
	P	1 / 29/ 2009	-116.5	-1.19	3659.5	01	06	1	
	P	2 / 16/ 2010	-116.78	-0.28	3659.22	01	06	1	
	P	1 / 14/ 2011	-117.15	-0.37	3658.85	01	06	1	
	P	12 / 2 / 2011	-124.57	-7.42	3651.43	01	06	1	
Min -124.57		**Max -114.51**	**Avg -117.302**						
1060904	(Aquifer: 121OGLL		Well Depth: 165)						
	P	3 / 7 / 1963	-137.5		3642.5	01	01	1	
	P	1 / 9 / 1964	-138.05	-0.55	3641.95	01	01	1	
	P	1 / 8 / 1965	-139.93	-1.88	3640.07	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1966	-145.51	-5.58	3634.49	01	01	1	
	P	1/ 4/1967	-140.34	5.17	3639.66	01	01	1	
	P	1/ 7/1968	-140.86	-0.52	3639.14	01	01	1	
	P	1/12/1969	-145.71	-4.85	3634.29	01	01	1	
	P	1/ 7/1970	-139.1	6.61	3640.9	01	06	1	
	P	1/16/1971	-139.27	-0.17	3640.73	01	06	1	
	P	1/ 6/1972	-140.79	-1.52	3639.21	01	06	1	
	P	1/20/1973	-138.99	1.8	3641.01	01	01	1	
	P	1/14/1974	-136.54	2.45	3643.46	01	06	1	
	P	1/ 6/1975	-138.68	-2.14	3641.32	01	06	1	
	P	1/ 6/1976	-135.4	3.28	3644.6	01	06	1	
	P	1/12/1977	-136.76	-1.36	3643.24	01	06	1	
	P	1/13/1978	-137.69	-0.93	3642.31	01	06	1	
	P	1/ 9/1979	-134.86	2.83	3645.14	01	06	1	
	P	12/11/1979	-133.36	1.5	3646.64	01	06	1	
	P	1/ 8/1981	-135.29	-1.93	3644.71	01	06	1	
	P	1/19/1982	-135.81	-0.52	3644.19	01	06	1	
	P	2/15/1983	-134.49	1.32	3645.51	01	06	1	
	P	1/ 5/1984	-133.99	0.5	3646.01	01	06	1	
	P	1/21/1985	-134.2	-0.21	3645.8	01	06	1	
	P	1/22/1986	-133.28	0.92	3646.72	01	06	1	
	P	1/30/1987	-132.22	1.06	3647.78	01	06	1	
	N	1/ 4/1988				01	06		65
	N	1/12/1989				01	06		65
	N	1/15/1990				01	06		65

Min *-145.71* **Max** *-132.22* **Avg** *-137.545*

1061101 *(Aquifer: 121OGLL Well Depth: 210)*

	P	9/ 3/1942	-40.06		3638.94	01	12	7	01
	P	2/ 2/1944	-36.75	3.31	3642.25	01	12	7	01
	P	2/19/1945	-36.25	0.5	3642.75	01	12	7	01
	P	3/18/1947	-34.94	1.31	3644.06	01	12	7	01
	P	2/20/1948	-33.72	1.22	3645.28	01	12	7	01
	P	2/17/1950	-39.9	-6.18	3639.1	01	12	7	01
	P	8/ 1/1950	-38.6	1.3	3640.4	01	12	7	01
	P	1/17/1951	-41.54	-2.94	3637.46	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 29/ 1952	-35.35	6.19	3643.65	01	12	7	01
	P	1/ 15/ 1953	-37.62	-2.27	3641.38	01	12	7	01
	P	1/ 6/ 1954	-40.92	-3.3	3638.08	01	12	7	01
	P	1/ 4/ 1955	-45.7	-4.78	3633.3	01	12	7	01
	P	1/ 11/ 1956	-46.74	-1.04	3632.26	01	12	7	01
	P	1/ 11/ 1957	-50.98	-4.24	3628.02	01	12	7	01
	P	1/ 20/ 1958	-44.9	6.08	3634.1	01	12	7	01
	P	1/ 8/ 1959	-53.76	-8.86	3625.24	01	12	7	01
	P	3/ 7/ 1963	-61.69	-7.93	3617.31	01	01	1	
	P	1/ 8/ 1964	-64.93	-3.24	3614.07	01	01	1	
	P	1/ 5/ 1966	-70.41	-5.48	3608.59	01	01	1	
	P	1/ 5/ 1967	-72.57	-2.16	3606.43	01	01	1	
	P	1/ 7/ 1968	-74.84	-2.27	3604.16	01	01	1	
	P	1/ 14/ 1969	-69.54	5.3	3609.46	01	01	1	
	P	1/ 8/ 1970	-71.19	-1.65	3607.81	01	06	1	
	N	1/ 16/ 1971				01	06	1	45
	P	1/ 5/ 1972	-79.53		3599.47	01	06	1	
	P	1/ 20/ 1973	-77.52	2.01	3601.48	01	01	1	
	N	1/ 16/ 1974				01	06		23
	P	1/ 7/ 1975	-82.64		3596.36	01	06	1	
	P	1/ 6/ 1976	-85.2	-2.56	3593.8	01	06	1	03
	P	1/ 14/ 1977	-88.8	-3.6	3590.2	01	06	1	
	P	1/ 16/ 1978	-92.54	-3.74	3586.46	01	06	1	
	P	1/ 11/ 1979	-95.68	-3.14	3583.32	01	06	1	
	P	12/ 17/ 1979	-96.95	-1.27	3582.05	01	06	1	
	P	1/ 12/ 1981	-105.35	-8.4	3573.65	01	06	1	
	P	1/ 19/ 1982	-105.91	-0.56	3573.09	01	06	1	
	P	2/ 16/ 1983	-109.38	-3.47	3569.62	01	06	1	
	P	1/ 5/ 1984	-113.96	-4.58	3565.04	01	06	1	
	P	1/ 22/ 1985	-116.2	-2.24	3562.8	01	06	1	
	P	1/ 22/ 1986	-117.11	-0.91	3561.89	01	06	1	
	P	1/ 14/ 1987	-117.84	-0.73	3561.16	01	06	1	
	P	1/ 4/ 1988	-117.74	0.1	3561.26	01	06	1	
	P	1/ 23/ 1989	-118.05	-0.31	3560.95	01	06	1	
	P	1/ 15/ 1990	-122.55	-4.5	3556.45	01	06	1	
	N	1/ 17/ 1991				01	06		40

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-122.55*		**Max** *-33.72*	**Avg** *-72.8256*						
1061105	*(Aquifer: 121OGLL*		*Well Depth: 193)*						
	P	2 / 28/ 1984	-93.4		3568.6	01	06	1	
	P	2 / 7 / 1985	-97.2	-3.8	3564.8	01	06	1	
	P	1 / 22/ 1986	-98.94	-1.74	3563.06	01	06	1	
	P	1 / 14/ 1987	-94.91	4.03	3567.09	01	06	1	
	P	1 / 4 / 1988	-96.03	-1.12	3565.97	01	06	1	
	P	1 / 24/ 1989	-98.57	-2.54	3563.43	01	06	1	
	P	1 / 15/ 1990	-102.13	-3.56	3559.87	01	06	1	
	P	1 / 22/ 1991	-102.91	-0.78	3559.09	01	06	1	
	P	2 / 12/ 1992	-103.81	-0.9	3558.19	01	06	1	
	P	1 / 12/ 1993	-105.85	-2.04	3556.15	01	06	1	
	P	2 / 10/ 1994	-107.1	-1.25	3554.9	01	06	1	
	P	1 / 20/ 1995	-110.19	-3.09	3551.81	01	06	1	
	P	1 / 25/ 1996	-111.94	-1.75	3550.06	01	06	1	
	P	2 / 18/ 1997	-114.77	-2.83	3547.23	01	06	1	
	P	1 / 15/ 1998	-116.57	-1.8	3545.43	01	06	1	
	P	1 / 25/ 1999	-121	-4.43	3541	01	06	1	
	P	1 / 13/ 2000	-122.88	-1.88	3539.12	01	06	1	
	P	1 / 26/ 2001	-122.76	0.12	3539.24	01	06	1	
	P	1 / 23/ 2002	-126.02	-3.26	3535.98	01	06	1	
	P	2 / 25/ 2003	-129.27	-3.25	3532.73	01	06	1	
	P	2 / 6 / 2004	-131.92	-2.65	3530.08	01	06	1	
	P	2 / 4 / 2005	-131.42	0.5	3530.58	01	06	1	
	P	1 / 23/ 2006	-133.04	-1.62	3528.96	01	06	1	
	P	2 / 7 / 2007	-134.43	-1.39	3527.57	01	06	1	
	P	1 / 7 / 2008	-134.7	-0.27	3527.3	01	06	1	
	P	1 / 30/ 2009	-138.43	-3.73	3523.57	01	06	1	
	P	1 / 13/ 2010	-139.32	-0.89	3522.68	01	06	1	
	P	1 / 14/ 2011	-140.8	-1.48	3521.2	01	06	1	
	P	12 / 15/ 2011	-148.07	-7.27	3513.93	01	06	1	
Min *-148.07*		**Max** *-93.4*	**Avg** *-117.530*						
1061106	*(Aquifer: 121OGLL*		*Well Depth: 218)*						
	P	8 / 9 / 1988	-156.4		3524.6	01	06	1	02

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -156.4		**Max -156.4**	**Avg**	**-156.4**					
1061107	*(Aquifer: 121OGLL*		*Well Depth: 206)*						
	P	1 / 17/ 1991	-128.28		3552.72	01	06	1	
	P	1 / 10/ 1992	-130.57	-2.29	3550.43	01	06	1	
	P	1 / 12/ 1993	-131.48	-0.91	3549.52	01	06	1	
	P	2 / 10/ 1994	-134.24	-2.76	3546.76	01	06	1	
	P	1 / 20/ 1995	-138.69	-4.45	3542.31	01	06	1	
	P	1 / 25/ 1996	-142.44	-3.75	3538.56	01	06	1	
	P	2 / 18/ 1997	-143.36	-0.92	3537.64	01	06	1	
	P	1 / 15/ 1998	-146.22	-2.86	3534.78	01	06	1	
	P	1 / 25/ 1999	-149	-2.78	3532	01	06	1	
	P	1 / 13/ 2000	-149.85	-0.85	3531.15	01	06	1	
	P	1 / 26/ 2001	-153.82	-3.97	3527.18	01	06	1	
	P	1 / 23/ 2002	-156.18	-2.36	3524.82	01	06	1	
	P	2 / 25/ 2003	-159.14	-2.96	3521.86	01	06	1	
	P	2 / 6 / 2004	-163.52	-4.38	3517.48	01	06	1	
	P	2 / 4 / 2005	-162.12	1.4	3518.88	01	06	1	
	P	3 / 2 / 2006	-161.3	0.82	3519.7	01	06	1	
	N	2 / 5 / 2007				01	06		42
	P	1 / 4 / 2008	-164.32		3516.68	01	06	1	
	P	1 / 30/ 2009	-168.62	-4.3	3512.38	01	06	1	
	P	1 / 14/ 2010	-170.25	-1.63	3510.75	01	06	1	
	P	1 / 14/ 2011	-170.83	-0.58	3510.17	01	06	1	
	P	12 / 15/ 2011	-176	-5.17	3505	01	06	1	
Min -176		**Max -128.28**	**Avg**	**-152.392**					
1061201	*(Aquifer: 121OGLL*		*Well Depth: 210)*						
	P	1 / 20/ 1958	-44.36		3602.64	01	12	7	01
	P	1 / 8 / 1959	-44.45	-0.09	3602.55	01	12	7	01
	P	1 / 8 / 1960	-46.17	-1.72	3600.83	01	12	7	01
	P	1 / 18/ 1961	-46.15	0.02	3600.85	01	04	1	
	P	1 / 12/ 1962	-48.76	-2.61	3598.24	01	01	1	
	P	3 / 6 / 1963	-49.8	-1.04	3597.2	01	01	1	
	P	1 / 8 / 1964	-50.89	-1.09	3596.11	01	01	1	
	P	1 / 8 / 1965	-53.89	-3	3593.11	01	01	1	
	P	1 / 5 / 1966	-59.03	-5.14	3587.97	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1967	-55.07	3.96	3591.93	01	01	1	
	P	1/ 7/1968	-57.14	-2.07	3589.86	01	01	1	
	P	1/13/1969	-58.64	-1.5	3588.36	01	01	1	
	P	1/11/1970	-56.17	2.47	3590.83	01	06	1	
	P	1/ 8/1971	-57.5	-1.33	3589.5	01	06	1	
	P	1/ 6/1972	-59.25	-1.75	3587.75	01	06	1	
	P	1/20/1973	-59.06	0.19	3587.94	01	01	1	
	P	1/16/1974	-60.98	-1.92	3586.02	01	06	1	
	P	1/ 8/1975	-62.59	-1.61	3584.41	01	06	1	
	P	1/ 9/1976	-62.87	-0.28	3584.13	01	06	1	
	P	1/14/1977	-64.62	-1.75	3582.38	01	06	1	
	P	1/13/1978	-67.33	-2.71	3579.67	01	06	1	
	P	1/12/1979	-69.17	-1.84	3577.83	01	06	1	
	P	12/17/1979	-70.36	-1.19	3576.64	01	06	1	
	P	1/12/1981	-73.69	-3.33	3573.31	01	06	1	
	P	1/20/1982	-75.6	-1.91	3571.4	01	06	1	
	P	2/16/1983	-77.34	-1.74	3569.66	01	06	1	
	P	1/25/1984	-79.31	-1.97	3567.69	01	06	1	
	P	1/23/1985	-81.38	-2.07	3565.62	01	06	1	
	P	1/22/1986	-82.97	-1.59	3564.03	01	06	1	
	P	1/14/1987	-83.89	-0.92	3563.11	01	06	1	
	P	1/ 4/1988	-85.24	-1.35	3561.76	01	06	1	
	P	1/24/1989	-86.59	-1.35	3560.41	01	06	1	
	P	1/15/1990	-88.5	-1.91	3558.5	01	06	1	
	P	1/17/1991	-92.66	-4.16	3554.34	01	06	1	
	P	1/16/1992	-92.81	-0.15	3554.19	01	06	1	
	P	1/12/1993	-94.32	-1.51	3552.68	01	06	1	
	P	2/10/1994	-96.15	-1.83	3550.85	01	06	1	
	P	1/20/1995	-98.54	-2.39	3548.46	01	06	1	
	P	1/25/1996	-101.58	-3.04	3545.42	01	06	1	
	P	2/18/1997	-101.48	0.1	3545.52	01	06	1	
	P	2/ 6/1998	-105.86	-4.38	3541.14	01	06	1	
	P	2/22/1999	-109	-3.14	3538	01	06	1	
	P	1/13/2000	-110.8	-1.8	3536.2	01	06	1	
	P	1/12/2001	-113.91	-3.11	3533.09	01	06	1	
	P	1/23/2002	-116.08	-2.17	3530.92	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 25/ 2003	-119.1	-3.02	3527.9	01	06	1	
	P	2 / 6 / 2004	-122.24	-3.14	3524.76	01	06	1	
	P	2 / 4 / 2005	-124.67	-2.43	3522.33	01	06	1	
	P	2 / 1 / 2006	-126.88	-2.21	3520.12	01	06	1	
	P	2 / 7 / 2007	-128.8	-1.92	3518.2	01	06	1	
	P	1 / 7 / 2008	-132.19	-3.39	3514.81	01	06	1	
	P	3 / 2 / 2009	-138.4	-6.21	3508.6	01	06	1	
	P	1 / 13/ 2010	-140.01	-1.61	3506.99	01	06	1	
	P	2 / 23/ 2011	-142.88	-2.87	3504.12	01	06	1	
	P	12 / 15/ 2011	-147.75	-4.87	3499.25	01	06	1	

Min *-147.75* **Max** *-44.36* **Avg** *-84.9976*

1061202 *(Aquifer: 121OGLL Well Depth: 42)*

	P	2 / 23/ 1937	-38.64		3611.36	01	12	7	01
	P	8 / 12/ 1938	-39.03	-0.39	3610.97	01	12	7	01
	P	9 / 23/ 1938	-39.2	-0.17	3610.8	01	12	7	01
	P	10 / 24/ 1938	-39.21	-0.01	3610.79	01	12	7	01
	P	1 / 16/ 1939	-39.13	0.08	3610.87	01	12	7	01
	P	3 / 4 / 1939	-39.03	0.1	3610.97	01	12	7	01
	P	4 / 3 / 1939	-39.08	-0.05	3610.92	01	12	7	01
	P	6 / 22/ 1939	-39.29	-0.21	3610.71	01	12	7	01
	P	8 / 15/ 1939	-38.41	0.88	3611.59	01	12	7	01
	P	10 / 13/ 1939	-37.9	0.51	3612.1	01	12	7	01
	P	12 / 18/ 1939	-37.98	-0.08	3612.02	01	12	7	01
	P	3 / 25/ 1940	-38.08	-0.1	3611.92	01	12	7	01
	P	12 / 2 / 1940	-38.64	-0.56	3611.36	01	12	7	01
	P	3 / 20/ 1941	-38.61	0.03	3611.39	01	12	7	01
	P	5 / 30/ 1941	-37.75	0.86	3612.25	01	12	7	01
	P	7 / 31/ 1941	-35.38	2.37	3614.62	01	12	7	01
	P	11 / 19/ 1941	-33.6	1.78	3616.4	01	12	7	01
	P	3 / 14/ 1942	-32.61	0.99	3617.39	01	12	7	01
	P	2 / 8 / 1944	-34	-1.39	3616	01	12	7	01
	P	2 / 19/ 1945	-34.45	-0.45	3615.55	01	12	7	01
	P	3 / 2 / 1946	-35.29	-0.84	3614.71	01	12	7	01
	P	3 / 18/ 1947	-34.8	0.49	3615.2	01	12	7	01
	P	2 / 20/ 1948	-34.28	0.52	3615.72	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 14/ 1949	-36.16	-1.88	3613.84	01	12	7	01
	P	2 / 17/ 1950	-36.29	-0.13	3613.71	01	12	7	01
	P	1 / 17/ 1951	-34.76	1.53	3615.24	01	12	7	01
	P	6 / 21/ 1951	-35.38	-0.62	3614.62	01	12	7	01
	P	1 / 19/ 1952	-35.83	-0.45	3614.17	01	12	7	01
	P	1 / 15/ 1953	-37.2	-1.37	3612.8	01	12	7	01
	P	1 / 6 / 1954	-39.05	-1.85	3610.95	01	12	7	01
	P	1 / 4 / 1955	-42.15	-3.1	3607.85	01	12	7	01

Min *-42.15* **Max** *-32.61* **Avg** *-37.1358*

1061203 *(Aquifer: 121OGLL Well Depth: 200)*

	P	3 / 24/ 1949	-36.5		3618.5	01	12	7	01
	P	4 / 25/ 1949	-38.1	-1.6	3616.9	01	12	7	01
	P	5 / 31/ 1949	-37.3	0.8	3617.7	01	12	7	01
	P	6 / 20/ 1949	-36.6	0.7	3618.4	01	12	7	01
	P	7 / 25/ 1949	-35.7	0.9	3619.3	01	12	7	01
	P	9 / 30/ 1949	-37.6	-1.9	3617.4	01	12	7	01
	P	10 / 25/ 1949	-36.9	0.7	3618.1	01	12	7	01
	P	11 / 25/ 1949	-37	-0.1	3618	01	12	7	01
	P	12 / 23/ 1949	-36.5	0.5	3618.5	01	12	7	01
	P	1 / 25/ 1950	-36.5		3618.5	01	12	7	01
	P	2 / 24/ 1950	-36.3	0.2	3618.7	01	12	7	01
	P	3 / 24/ 1950	-36.7	-0.4	3618.3	01	12	7	01
	P	4 / 24/ 1950	-43.4	-6.7	3611.6	01	12	7	01
	P	5 / 22/ 1950	-46.4	-3	3608.6	01	12	7	01
	P	6 / 26/ 1950	-40.4	6	3614.6	01	12	7	01
	P	7 / 24/ 1950	-40	0.4	3615	01	12	7	01
	P	8 / 25/ 1950	-38.9	1.1	3616.1	01	12	7	01
	P	9 / 25/ 1950	-37.6	1.3	3617.4	01	12	7	01
	P	10 / 19/ 1950	-36.9	0.7	3618.1	01	12	7	01
	P	11 / 24/ 1950	-35.2	1.7	3619.8	01	12	7	01
	P	12 / 21/ 1950	-34.7	0.5	3620.3	01	12	7	01
	P	1 / 23/ 1951	-35.7	-1	3619.3	01	12	7	01
	P	2 / 23/ 1951	-34.4	1.3	3620.6	01	12	7	01
	P	3 / 22/ 1951	-36.6	-2.2	3618.4	01	12	7	01
	P	4 / 23/ 1951	-43.8	-7.2	3611.2	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 21/ 1951	-41.9	1.9	3613.1	01	12	7	01
	P	6 / 26/ 1951	-39.4	2.5	3615.6	01	12	7	01
	P	8 / 28/ 1951	-39.4		3615.6	01	12	7	01
	P	9 / 25/ 1951	-37.7	1.7	3617.3	01	12	7	01
	P	10 / 23/ 1951	-37.2	0.5	3617.8	01	12	7	01
	P	11 / 27/ 1951	-36.7	0.5	3618.3	01	12	7	01
	P	12 / 26/ 1951	-36.8	-0.1	3618.2	01	12	7	01
	P	1 / 30/ 1952	-36.4	0.4	3618.6	01	12	7	01
	P	2 / 25/ 1952	-36	0.4	3619	01	12	7	01

Min *-46.4* **Max** *-34.4* **Avg** *-37.8588*

1061301 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 12/ 1938	-9.3		3600.7	01	12	7	01
	P	9 / 23/ 1938	-9.56	-0.26	3600.44	01	12	7	01
	P	10 / 24/ 1938	-9.13	0.43	3600.87	01	12	7	01
	P	1 / 16/ 1939	-8.9	0.23	3601.1	01	12	7	01
	P	8 / 15/ 1939	-7.33	1.57	3602.67	01	12	7	01
	P	10 / 13/ 1939	-8.24	-0.91	3601.76	01	12	7	01
	P	12 / 2 / 1940	-8.18	0.06	3601.82	01	12	7	01
	P	11 / 19/ 1941	-6.03	2.15	3603.97	01	12	7	01
	P	2 / 4 / 1943	-6.16	-0.13	3603.84	01	12	7	01

Min *-9.56* **Max** *-6.03* **Avg** *-8.09222*

1061402 *(Aquifer: 121OGLL Well Depth: 220)*

	P	1 / 9 / 1964	-106.14		3583.86	01	01	1	
	P	1 / 8 / 1965	-112.92	-6.78	3577.08	01	01	1	
	P	1 / 5 / 1966	-109.89	3.03	3580.11	01	01	1	
	P	1 / 5 / 1967	-110.84	-0.95	3579.16	01	01	1	
	P	1 / 7 / 1968	-116.7	-5.86	3573.3	01	01	1	
	P	1 / 14/ 1969	-109.01	7.69	3580.99	01	01	1	
	P	1 / 8 / 1970	-110.89	-1.88	3579.11	01	06	1	
	P	1 / 16/ 1971	-115.42	-4.53	3574.58	01	06	1	03
	P	1 / 5 / 1972	-119.46	-4.04	3570.54	01	06	1	
	P	1 / 20/ 1973	-117.28	2.18	3572.72	01	01	1	
	P	1 / 18/ 1974	-127.72	-10.4	3562.28	01	06	1	
	P	1 / 9 / 1975	-144.28	-16.6	3545.72	01	06	1	
	P	1 / 6 / 1976	-144.45	-0.17	3545.55	01	06	1	03

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1977	-148.35	-3.9	3541.65	01	06	1	
	P	1 / 13/ 1978	-154.42	-6.07	3535.58	01	06	1	25
	P	1 / 12/ 1979	-153.22	1.2	3536.78	01	06	1	
	P	12 / 17/ 1979	-154.52	-1.3	3535.48	01	06	1	
	P	1 / 12/ 1981	-159.57	-5.05	3530.43	01	06	1	
	P	1 / 19/ 1982	-160.92	-1.35	3529.08	01	06	1	
	P	2 / 16/ 1983	-161.04	-0.12	3528.96	01	06	1	
	P	1 / 25/ 1984	-163.78	-2.74	3526.22	01	06	1	
	P	1 / 22/ 1985	-165.25	-1.47	3524.75	01	06	1	
	P	1 / 22/ 1986	-167.14	-1.89	3522.86	01	06	1	
	P	1 / 14/ 1987	-168.39	-1.25	3521.61	01	06	1	
	P	1 / 4 / 1988	-168.21	0.18	3521.79	01	06	1	
	P	1 / 12/ 1989	-169.77	-1.56	3520.23	01	06	1	
	P	1 / 15/ 1990	-172.52	-2.75	3517.48	01	06	1	
	P	1 / 22/ 1991	-175.05	-2.53	3514.95	01	06	1	
	P	1 / 10/ 1992	-178.61	-3.56	3511.39	01	06	1	
	P	1 / 12/ 1993	-179.54	-0.93	3510.46	01	06	1	
	P	2 / 10/ 1994	-181.86	-2.32	3508.14	01	06	1	
	P	1 / 19/ 1995	-185.94	-4.08	3504.06	01	06	1	
	N	1 / 25/ 1996				01	06	7	46

Min *-185.94* **Max** *-106.14* **Avg** *-147.284*

1061403 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 22/ 1996	-187.52		3502.48	01	06	1	
	P	2 / 18/ 1997	-192.69	-5.17	3497.31	01	06	1	
	P	1 / 15/ 1998	-192.18	0.51	3497.82	01	06	1	
	N	2 / 19/ 1999				01	06	7	46
	N	1 / 13/ 2000				01	06	7	46

Min *-192.69* **Max** *-187.52* **Avg** *-190.797*

1061404 *(Aquifer: 121OGLL Well Depth: 236)*

	P	2 / 19/ 1999	-182.4		3495.6	01	06	1	
	P	1 / 13/ 2000	-183.7	-1.3	3494.3	01	06	1	
	P	1 / 26/ 2001	-184.21	-0.51	3493.79	01	06	1	
	P	1 / 23/ 2002	-185.51	-1.3	3492.49	01	06	1	
	P	3 / 26/ 2003	-187.99	-2.48	3490.01	01	06	1	
	P	2 / 6 / 2004	-189.61	-1.62	3488.39	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 4 / 2005	-188.42	1.19	3489.58	01	06	1	
	P	3 / 2 / 2006	-189.41	-0.99	3488.59	01	06	1	
	P	2 / 5 / 2007	-189.22	0.19	3488.78	01	06	1	
	P	1 / 4 / 2008	-188.52	0.7	3489.48	01	06	1	
	P	2 / 2 / 2009	-190.84	-2.32	3487.16	01	06	1	
	P	1 / 14/ 2010	-191.29	-0.45	3486.71	01	06	1	
	P	1 / 14/ 2011	-191.28	0.01	3486.72	01	06	1	
	P	12 / 4 / 2011	-194.92	-3.64	3483.08	01	06	1	

Min *-194.92* **Max** *-182.4* **Avg** *-188.38*

1061502 *(Aquifer: 121OGLL Well Depth: 200)*

	P	10 / 24/ 2005	-156.44		3493.56	01	06	1	
	P	2 / 2 / 2009	-162.44	-6	3487.56	01	06	1	
	P	1 / 13/ 2010	-163.58	-1.14	3486.42	01	06	1	
	P	1 / 14/ 2011	-166.5	-2.92	3483.5	01	06	1	
	P	12 / 4 / 2011	-170.7	-4.2	3479.3	01	06	1	

Min *-170.7* **Max** *-156.44* **Avg** *-163.932*

1061602 *(Aquifer: 121OGLL Well Depth: 255)*

	P	1 / 8 / 1964	-90.18		3564.82	01	01	1	
	P	1 / 8 / 1965	-91.19	-1.01	3563.81	01	01	1	
	P	1 / 5 / 1966	-89.96	1.23	3565.04	01	01	1	
	P	1 / 5 / 1967	-92.28	-2.32	3562.72	01	01	1	
	P	1 / 7 / 1968	-95.4	-3.12	3559.6	01	01	1	
	P	1 / 13/ 1969	-98.11	-2.71	3556.89	01	01	1	
	P	1 / 8 / 1970	-91.16	6.95	3563.84	01	06	1	
	P	1 / 16/ 1971	-92.99	-1.83	3562.01	01	06	1	
	P	1 / 6 / 1972	-95.35	-2.36	3559.65	01	06	1	
	P	1 / 21/ 1973	-93.94	1.41	3561.06	01	01	1	
	P	1 / 16/ 1974	-96.86	-2.92	3558.14	01	06	1	
	P	1 / 7 / 1975	-98.16	-1.3	3556.84	01	06	1	
	P	1 / 8 / 1976	-99.19	-1.03	3555.81	01	06	1	
	P	1 / 13/ 1977	-101.01	-1.82	3553.99	01	06	1	
	P	1 / 13/ 1978	-108.05	-7.04	3546.95	01	06	1	
	P	1 / 12/ 1979	-111.98	-3.93	3543.02	01	06	1	
	P	12 / 17/ 1979	-114.63	-2.65	3540.37	01	06	1	
	P	1 / 12/ 1981	-119.06	-4.43	3535.94	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1982	-121.7	-2.64	3533.3	01	06	1	
	P	2 / 22/ 1983	-123.98	-2.28	3531.02	01	06	1	
	P	1 / 25/ 1984	-127.19	-3.21	3527.81	01	06	1	
	P	1 / 22/ 1985	-130.75	-3.56	3524.25	01	06	1	
	P	1 / 22/ 1986	-133.35	-2.6	3521.65	01	06	1	
	P	1 / 14/ 1987	-133.62	-0.27	3521.38	01	06	1	
	P	1 / 4 / 1988	-136.42	-2.8	3518.58	01	06	1	
	P	1 / 12/ 1989	-139.33	-2.91	3515.67	01	06	1	
	P	1 / 16/ 1990	-143.75	-4.42	3511.25	01	06	1	
	P	1 / 22/ 1991	-145.6	-1.85	3509.4	01	06	1	
	P	1 / 10/ 1992	-149.03	-3.43	3505.97	01	06	1	
	P	1 / 26/ 1993	-151.43	-2.4	3503.57	01	06	1	
	P	2 / 10/ 1994	-154.02	-2.59	3500.98	01	06	1	
	P	1 / 19/ 1995	-157.28	-3.26	3497.72	01	06	1	
	P	1 / 25/ 1996	-160.34	-3.06	3494.66	01	06	1	
	P	2 / 18/ 1997	-162.14	-1.8	3492.86	01	06	1	
	N	2 / 23/ 1998				01	06	7	44
	N	1 / 21/ 1999				01	06	7	44
	N	1 / 13/ 2000				01	06	7	44

Min *-162.14* **Max** *-89.96* **Avg** *-119.101*

1061603 *(Aquifer: 121OGLL Well Depth: 65)*

	P	8 / 10/ 1938	-55.08		3596.92	01	12	7
	P	9 / 23/ 1938	-55.43	-0.35	3596.57	01	12	7
	P	10 / 24/ 1938	-55.5	-0.07	3596.5	01	12	7
	P	12 / 22/ 1938	-55.57	-0.07	3596.43	01	12	7
	P	1 / 16/ 1939	-55.01	0.56	3596.99	01	12	7
	P	3 / 4 / 1939	-54.69	0.32	3597.31	01	12	7
	P	4 / 3 / 1939	-54.7	-0.01	3597.3	01	12	7
	P	6 / 22/ 1939	-55.11	-0.41	3596.89	01	12	7
	P	7 / 13/ 1939	-54.78	0.33	3597.22	01	12	7
	P	8 / 15/ 1939	-54.57	0.21	3597.43	01	12	7
	P	10 / 13/ 1939	-54.06	0.51	3597.94	01	12	7
	P	12 / 18/ 1939	-53.88	0.18	3598.12	01	12	7
	P	3 / 25/ 1940	-53.57	0.31	3598.43	01	12	7
	P	12 / 2 / 1940	-54.21	-0.64	3597.79	01	12	7

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 20/ 1941	-53.77	0.44	3598.23	01	12	7	
	P	3 / 14/ 1942	-45.02	8.75	3606.98	01	12	7	
	P	2 / 4 / 1943	-46.44	-1.42	3605.56	01	12	7	

Min *-55.57* **Max** *-45.02* **Avg** *-53.6112*

1061604 *(Aquifer: 121OGLL Well Depth: 225)*

	P	2 / 23/ 1998	-159.34		3488.66	01	06	1
	P	1 / 21/ 1999	-159.02	0.32	3488.98	01	06	1
	P	1 / 13/ 2000	-160.39	-1.37	3487.61	01	06	1
	P	1 / 26/ 2001	-162.71	-2.32	3485.29	01	06	1
	P	1 / 23/ 2002	-165.07	-2.36	3482.93	01	06	1
	P	2 / 25/ 2003	-167.42	-2.35	3480.58	01	06	1
	P	2 / 11/ 2004	-170.69	-3.27	3477.31	01	06	1
	P	2 / 4 / 2005	-169.36	1.33	3478.64	01	06	1
	P	2 / 1 / 2006	-171.12	-1.76	3476.88	01	06	1
	P	2 / 5 / 2007	-171.36	-0.24	3476.64	01	06	1
	P	1 / 4 / 2008	-173.19	-1.83	3474.81	01	06	1
	P	2 / 2 / 2009	-172.75	0.44	3475.25	01	06	1
	P	3 / 2 / 2010	-176.56	-3.81	3471.44	01	06	1
	P	1 / 14/ 2011	-178.05	-1.49	3469.95	01	06	1
	P	12 / 4 / 2011	-183.29	-5.24	3464.71	01	06	1

Min *-183.29* **Max** *-159.02* **Avg** *-169.355*

1061701 *(Aquifer: 121OGLL Well Depth: 223)*

	P	1 / 9 / 1964	-106.23		3579.77	01	01	1
	P	1 / 8 / 1965	-110.51	-4.28	3575.49	01	01	1
	P	1 / 6 / 1966	-113.12	-2.61	3572.88	01	01	1
	P	1 / 4 / 1967	-116	-2.88	3570	01	01	1
	P	1 / 7 / 1968	-115.7	0.3	3570.3	01	01	1
	P	1 / 13/ 1969	-114.27	1.43	3571.73	01	01	1
	P	1 / 8 / 1970	-118.19	-3.92	3567.81	01	06	1
	P	1 / 16/ 1971	-119.08	-0.89	3566.92	01	06	1
	P	1 / 6 / 1972	-123.33	-4.25	3562.67	01	06	1
	P	1 / 20/ 1973	-122.66	0.67	3563.34	01	01	1
	P	1 / 14/ 1974	-124	-1.34	3562	01	06	1
	P	1 / 7 / 1975	-131.94	-7.94	3554.06	01	06	1
	P	1 / 6 / 1976	-135.68	-3.74	3550.32	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1977	-136.19	-0.51	3549.81	01	06	1	
	P	1/ 13/ 1978	-138.38	-2.19	3547.62	01	06	1	
	P	1/ 9/ 1979	-142.05	-3.67	3543.95	01	06	1	
	P	12/ 11/ 1979	-142.07	-0.02	3543.93	01	06	1	
	P	1/ 8/ 1981	-148.15	-6.08	3537.85	01	06	1	
	P	1/ 19/ 1982	-149.24	-1.09	3536.76	01	06	1	
	P	2/ 16/ 1983	-148.55	0.69	3537.45	01	06	1	
	P	1/ 25/ 1984	-150.71	-2.16	3535.29	01	06	1	
	P	1/ 22/ 1985	-151.33	-0.62	3534.67	01	06	1	
	P	1/ 22/ 1986	-150.49	0.84	3535.51	01	06	1	
	P	1/ 9/ 1987	-150.35	0.14	3535.65	01	06	1	
	P	1/ 4/ 1988	-148.64	1.71	3537.36	01	06	1	
	P	1/ 12/ 1989	-149.34	-0.7	3536.66	01	06	1	
	P	1/ 15/ 1990	-150.29	-0.95	3535.71	01	06	1	
	P	1/ 29/ 1991	-152.49	-2.2	3533.51	01	06	1	
	P	1/ 9/ 1992	-155.2	-2.71	3530.8	01	06	1	
	P	1/ 26/ 1993	-154.74	0.46	3531.26	01	06	1	
	P	2/ 10/ 1994	-157.48	-2.74	3528.52	01	06	1	
	P	1/ 19/ 1995	-163.29	-5.81	3522.71	01	06	1	
	P	1/ 25/ 1996	-167.31	-4.02	3518.69	01	06	1	
	P	2/ 18/ 1997	-165.03	2.28	3520.97	01	06	1	
	P	1/ 13/ 1998	-167.21	-2.18	3518.79	01	06	1	
	P	1/ 15/ 1999	-174	-6.79	3512	01	06	1	
	P	1/ 13/ 2000	-180.2	-6.2	3505.8	01	06	1	
	P	1/ 25/ 2001	-176	4.2	3510	01	06	1	
	P	1/ 23/ 2002	-178.17	-2.17	3507.83	01	06	1	
	P	2/ 14/ 2003	-179.51	-1.34	3506.49	01	06	1	
	P	2/ 6/ 2004	-182.64	-3.13	3503.36	01	06	1	
	P	2/ 3/ 2005	-181.08	1.56	3504.92	01	06	1	
	P	1/ 19/ 2006	-182.75	-1.67	3503.25	01	06	1	
	P	1/ 12/ 2007	-184.16	-1.41	3501.84	01	06	1	
	P	1/ 3/ 2008	-182.5	1.66	3503.5	01	06	1	
	P	1/ 29/ 2009	-184.6	-2.1	3501.4	01	06	1	
	P	1/ 14/ 2010	-186.46	-1.86	3499.54	01	06	1	
	P	1/ 14/ 2011	-186.24	0.22	3499.76	01	06	1	
	P	12/ 2/ 2011	-191.25	-5.01	3494.75	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -191.25		**Max -106.23**	**Avg -151.812**						
1061702	*(Aquifer: 121OGLL*		*Well Depth: 130)*						
	P	6 / 25/ 1937	-90.81		3584.19	01	12	7	01
	P	9 / 17/ 1937	-88.97	1.84	3586.03	01	12	7	01
	P	1 / 21/ 1938	-84.48	4.49	3590.52	01	12	7	01
	P	4 / 11/ 1938	-92.42	-7.94	3582.58	01	12	7	01
	P	6 / 4 / 1938	-86.56	5.86	3588.44	01	12	7	01
	P	9 / 19/ 1938	-86.58	-0.02	3588.42	01	12	7	01
	P	3 / 9 / 1939	-86.23	0.35	3588.77	01	12	7	01
	P	6 / 19/ 1939	-86.1	0.13	3588.9	01	12	7	01
	P	8 / 15/ 1939	-86.04	0.06	3588.96	01	12	7	01
	P	10 / 13/ 1939	-86	0.04	3589	01	12	7	01
	P	11 / 18/ 1940	-85.52	0.48	3589.48	01	12	7	01
	P	3 / 20/ 1941	-85.5	0.02	3589.5	01	12	7	01
	P	5 / 30/ 1941	-85.52	-0.02	3589.48	01	12	7	01
	P	7 / 30/ 1941	-84.99	0.53	3590.01	01	12	7	01
	P	11 / 19/ 1941	-81.16	3.83	3593.84	01	12	7	01
	P	3 / 14/ 1942	-78.32	2.84	3596.68	01	12	7	01
	P	7 / 28/ 1942	-77.81	0.51	3597.19	01	12	7	01
	P	2 / 4 / 1943	-77.28	0.53	3597.72	01	12	7	01
Min -92.42		**Max -77.28**	**Avg -85.0161**						
1061703	*(Aquifer: 121OGLL*		*Well Depth: 169)*						
	P	4 / 26/ 2002	-153.05		3510.95	01	04	7	
Min -153.05		**Max -153.05**	**Avg -153.05**						
1061901	*(Aquifer: 121OGLL*		*Well Depth: 203)*						
	P	4 / 23/ 1956	-100		3548	01	07	7	
Min -100		**Max -100**	**Avg -100**						
1061902	*(Aquifer: 121OGLL*		*Well Depth: 220)*						
	P	8 / 15/ 1989	-174.4		3472.6	01	01	1	
Min -174.4		**Max -174.4**	**Avg -174.4**						
1061903	*(Aquifer: 121OGLL*		*Well Depth: 218)*						
	P	8 / 15/ 1989	-173.3		3470.7	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min *-173.3*		**Max** *-173.3*	**Avg**	*-173.3*					
1061905	*(Aquifer: 121OGLL*		*Well Depth: 210)*						
	P	6 / 0 / 1936	-80		3571	01	07	7	
Min *-80*		**Max** *-80*	**Avg**	*-80*					
1061906	*(Aquifer: 121OGLL*		*Well Depth: 249)*						
	P	10 / 21/ 2005	-179.66		3474.34	01	06	1	
	P	2 / 2 / 2009	-182.92	-3.26	3471.08	01	06	1	
	P	1 / 13/ 2010	-183.61	-0.69	3470.39	01	06	1	
	P	1 / 14/ 2011	-186.95	-3.34	3467.05	01	06	1	
	P	2 / 23/ 2012	-193.12	-6.17	3460.88	01	06	1	
Min *-193.12*		**Max** *-179.66*	**Avg**	*-185.252*					
1062101	*(Aquifer: 121OGLL*		*Well Depth: 203)*						
	P	2 / 23/ 1963	-46.33		3579.67	01	01	1	
	P	1 / 8 / 1964	-47.75	-1.42	3578.25	01	01	1	
	P	1 / 8 / 1965	-50.02	-2.27	3575.98	01	01	1	
	P	1 / 5 / 1966	-51.03	-1.01	3574.97	01	01	1	
	P	1 / 5 / 1967	-51.84	-0.81	3574.16	01	01	1	
	P	1 / 7 / 1968	-51.43	0.41	3574.57	01	01	1	
	P	1 / 15/ 1969	-51.52	-0.09	3574.48	01	01	1	
	P	1 / 11/ 1970	-52.67	-1.15	3573.33	01	06	1	
	P	1 / 8 / 1971	-53.65	-0.98	3572.35	01	06	1	
	P	1 / 6 / 1972	-55.68	-2.03	3570.32	01	06	1	
	P	1 / 23/ 1973	-54.7	0.98	3571.3	01	01	1	
	P	1 / 14/ 1974	-56.57	-1.87	3569.43	01	06	1	
	P	1 / 7 / 1975	-58.23	-1.66	3567.77	01	06	1	
	P	1 / 8 / 1976	-59.43	-1.2	3566.57	01	06	1	
	P	1 / 13/ 1977	-61.37	-1.94	3564.63	01	06	1	
	P	1 / 13/ 1978	-67.3	-5.93	3558.7	01	06	1	
	P	1 / 23/ 1979	-67.26	0.04	3558.74	01	06	1	
	P	12 / 19/ 1979	-67.63	-0.37	3558.37	01	06	1	
	P	1 / 7 / 1981	-71.85	-4.22	3554.15	01	06	1	
	P	1 / 18/ 1982	-74.41	-2.56	3551.59	01	06	1	
	P	2 / 17/ 1983	-76.76	-2.35	3549.24	01	06	1	
	P	1 / 7 / 1984	-79.89	-3.13	3546.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 21/ 1985	-83.1	-3.21	3542.9	01	06	1	
	P	1 / 14/ 1986	-84.74	-1.64	3541.26	01	06	1	
	P	2 / 6 / 1987	-92.85	-8.11	3533.15	01	06	1	25
	N	1 / 4 / 1988				01	06		81
	N	1 / 13/ 1989				01	06	1	47
	N	1 / 16/ 1990				01	06	1	47

Min *-92.85* **Max** *-46.33* **Avg** *-62.7204*

1062105 *(Aquifer: 121OGLL Well Depth: 235)*

	P	5 / 0 / 1954	-60		3587	01	07	7	
	P	1 / 13/ 1989	-104.47	-44.5	3542.53	01	06	1	
	P	2 / 9 / 1990	-108.05	-3.58	3538.95	01	06	1	
	P	1 / 22/ 1991	-110.66	-2.61	3536.34	01	06	1	
	P	2 / 11/ 1992	-112.64	-1.98	3534.36	01	06	1	
	P	1 / 26/ 1993	-113.64	-1	3533.36	01	06	1	
	P	2 / 10/ 1994	-118.02	-4.38	3528.98	01	06	1	
	P	1 / 20/ 1995	-123.16	-5.14	3523.84	01	06	1	
	P	2 / 14/ 1996	-125.95	-2.79	3521.05	01	06	1	
	P	2 / 18/ 1997	-131.62	-5.67	3515.38	01	06	1	
	N	1 / 30/ 1998				01	06	7	44
	N	1 / 25/ 1999				01	06	7	44
	N	1 / 13/ 2000				01	06	7	44

Min *-131.62* **Max** *-60* **Avg** *-110.821*

1062106 *(Aquifer: 121OGLL Well Depth: 232)*

	P	1 / 30/ 1998	-119.16		3513.84	01	06	1	
	P	2 / 19/ 1999	-123.26	-4.1	3509.74	01	06	1	
	P	1 / 13/ 2000	-125.18	-1.92	3507.82	01	06	1	
	P	1 / 24/ 2001	-128.61	-3.43	3504.39	01	06	1	
	P	1 / 25/ 2002	-131.51	-2.9	3501.49	01	06	1	
	P	2 / 26/ 2003	-134.95	-3.44	3498.05	01	06	1	
	P	2 / 11/ 2004	-138.35	-3.4	3494.65	01	06	1	
	N	1 / 26/ 2005				01	06		62
	N	3 / 2 / 2006				01	06	7	44
	N	2 / 5 / 2007				01	06	7	44
	N	1 / 7 / 2008				01	06		81
	N	3 / 14/ 2008				01	06		63

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -138.35		**Max -119.16**	**Avg -128.717**						
1062107	*(Aquifer: 121OGLL*		*Well Depth: 224)*						
	P	9 / 27/ 2005	-140.55		3485.45	01	06	1	
	P	3 / 2 / 2009	-148.8	-8.25	3477.2	01	06	1	
	P	3 / 2 / 2010	-150.59	-1.79	3475.41	01	06	1	
	P	1 / 14/ 2011	-152.78	-2.19	3473.22	01	06	1	
	P	12 / 15/ 2011	-159.82	-7.04	3466.18	01	06	1	
Min -159.82		**Max -140.55**	**Avg -150.508**						
1062201	*(Aquifer: 121OGLL*		*Well Depth: 214)*						
	P	1 / 8 / 1964	-92.79		3555.21	01	01	1	
	P	1 / 8 / 1965	-96.22	-3.43	3551.78	01	01	1	
	P	1 / 5 / 1966	-98.48	-2.26	3549.52	01	01	1	
	P	1 / 5 / 1967	-97.47	1.01	3550.53	01	01	1	
	P	1 / 7 / 1968	-98.73	-1.26	3549.27	01	01	1	
	P	1 / 15/ 1969	-100.7	-1.97	3547.3	01	01	1	
	P	1 / 11/ 1970	-99.59	1.11	3548.41	01	06	1	
	P	1 / 8 / 1971	-100.56	-0.97	3547.44	01	06	1	
	P	1 / 6 / 1972	-103.87	-3.31	3544.13	01	06	1	
	P	1 / 23/ 1973	-104.02	-0.15	3543.98	01	01	1	
	P	1 / 14/ 1974	-106.97	-2.95	3541.03	01	06	1	
	P	1 / 8 / 1975	-111.37	-4.4	3536.63	01	06	1	
	P	1 / 8 / 1976	-112.1	-0.73	3535.9	01	06	1	
	N	1 / 13/ 1977				01	06		42
	P	1 / 12/ 1978	-114.85		3533.15	01	06	1	
	P	1 / 25/ 1979	-122.8	-7.95	3525.2	01	06	1	
	P	12 / 19/ 1979	-124.13	-1.33	3523.87	01	06	1	
	P	1 / 7 / 1981	-128.72	-4.59	3519.28	01	06	1	
	P	1 / 18/ 1982	-129.16	-0.44	3518.84	01	06	1	
	P	2 / 17/ 1983	-129.97	-0.81	3518.03	01	06	1	
	N	1 / 7 / 1984				01	06		81
	P	1 / 25/ 1985	-133.05		3514.95	01	06	1	
	N	4 / 22/ 1985				01	06		40
Min -133.05		**Max -92.79**	**Avg -110.278**						
1062203	*(Aquifer: 121OGLL*		*Well Depth: 298)*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	5 / 0 / 1964	-61		3577	01	07	7	
	P	8 / 21/ 1989	-122.7	-61.7	3515.3	01	01	1	

Min *-122.7* **Max** *-61* **Avg** *-91.85*

1062204 *(Aquifer: 121OGLL Well Depth: 305)*

	P	3 / 0 / 1964	-64		3578	01	07	7	
	P	8 / 21/ 1989	-138.7	-74.7	3503.3	01	01	1	

Min *-138.7* **Max** *-64* **Avg** *-101.35*

1062207 *(Aquifer: 121OGLL Well Depth: 275)*

	P	1 / 14/ 1986	-136.15		3511.85	01	06	1	
	P	1 / 14/ 1987	-136.37	-0.22	3511.63	01	06	1	
	P	1 / 4 / 1988	-136.48	-0.11	3511.52	01	06	1	
	N	1 / 12/ 1989				01	06	1	44
	N	1 / 16/ 1990				01	06	1	44

Min *-136.48* **Max** *-136.15* **Avg** *-136.333*

1062208 *(Aquifer: 121OGLL Well Depth: 306)*

	P	1 / 21/ 1985	-108		3527	01	01	1	
	P	8 / 21/ 1989	-122.5	-14.5	3512.5	01	01	1	

Min *-122.5* **Max** *-108* **Avg** *-115.25*

1062209 *(Aquifer: 121OGLL Well Depth: 297)*

	P	1 / 0 / 1964	-59		3576	01	07	7	
	P	8 / 21/ 1989	-120.7	-61.7	3514.3	01	01	1	

Min *-120.7* **Max** *-59* **Avg** *-89.85*

1062210 *(Aquifer: 121OGLL Well Depth: 219)*

	P	1 / 12/ 1969	-90		3543	01	07	7	
	P	1 / 12/ 1989	-127.75	-37.8	3505.25	01	06	1	
	P	1 / 16/ 1990	-128.75	-1	3504.25	01	06	1	
	P	1 / 23/ 1991	-130.91	-2.16	3502.09	01	06	1	
	P	2 / 11/ 1992	-132.2	-1.29	3500.8	01	06	1	
	P	1 / 4 / 1993	-131.88	0.32	3501.12	01	06	1	
	P	2 / 8 / 1994	-134.57	-2.69	3498.43	01	06	1	
	P	1 / 20/ 1995	-137.81	-3.24	3495.19	01	06	1	
	P	1 / 25/ 1996	-141.1	-3.29	3491.9	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 18/ 1997	-143.98	-2.88	3489.02	01	06	1	
	P	1 / 16/ 1998	-147.7	-3.72	3485.3	01	06	1	
	P	2 / 22/ 1999	-152	-4.3	3481	01	06	1	
	P	1 / 13/ 2000	-154.12	-2.12	3478.88	01	06	1	
	P	1 / 24/ 2001	-158.1	-3.98	3474.9	01	06	1	
	P	1 / 22/ 2002	-160.52	-2.42	3472.48	01	06	1	
	P	2 / 26/ 2003	-163.93	-3.41	3469.07	01	06	1	
	P	2 / 11/ 2004	-167.6	-3.67	3465.4	01	06	1	
	P	1 / 26/ 2005	-167.94	-0.34	3465.06	01	06	1	
	P	3 / 2 / 2006	-173.7	-5.76	3459.3	01	06	1	
	P	2 / 5 / 2007	-171.58	2.12	3461.42	01	06	1	
	P	1 / 7 / 2008	-172.97	-1.39	3460.03	01	06	1	
	P	2 / 4 / 2009	-176.45	-3.48	3456.55	01	06	1	
	P	2 / 16/ 2010	-179.15	-2.7	3453.85	01	06	1	
	P	1 / 14/ 2011	-180.44	-1.29	3452.56	01	06	1	
	P	12 / 14/ 2011	-185.36	-4.92	3447.64	01	06	1	

Min *-185.36* **Max** *-90* **Avg** *-152.420*

1062303 *(Aquifer: 121OGLL Well Depth: 294)*

	P	12 / 19/ 1979	-94.14		3525.86	01	06	1	
	P	1 / 7 / 1981	-98.57	-4.43	3521.43	01	06	1	
	P	1 / 18/ 1982	-99.4	-0.83	3520.6	01	06	1	
	N	2 / 17/ 1983				01	06		61
	N	1 / 25/ 1984				01	06		61
	N	1 / 23/ 1985				01	06		62

Min *-99.4* **Max** *-94.14* **Avg** *-97.37*

1062304 *(Aquifer: 121OGLL Well Depth: 288)*

	P	2 / 12/ 1985	-103.51		3516.49	01	06	1	
	P	1 / 14/ 1986	-110.99	-7.48	3509.01	01	06	1	04
	P	2 / 6 / 1987	-106.9	4.09	3513.1	01	06	1	
	P	1 / 12/ 1988	-107.89	-0.99	3512.11	01	06	1	
	P	1 / 20/ 1989	-111.09	-3.2	3508.91	01	06	1	
	P	1 / 22/ 1990	-110.46	0.63	3509.54	01	06	1	
	P	1 / 23/ 1991	-111.87	-1.41	3508.13	01	06	1	
	P	2 / 28/ 1992	-112.9	-1.03	3507.1	01	06	1	
	P	1 / 4 / 1993	-114.88	-1.98	3505.12	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 8 / 1994	-118.05	-3.17	3501.95	01	06	1	
	P	1 / 20/ 1995	-119.09	-1.04	3500.91	01	06	1	
	P	1 / 25/ 1996	-123.77	-4.68	3496.23	01	06	1	
	P	2 / 18/ 1997	-125.1	-1.33	3494.9	01	06	1	
	N	2 / 6 / 1998				01	06		61
	N	1 / 25/ 1999				01	06		61
	N	1 / 24/ 2001				01	06		51
	N	3 / 8 / 2002				01	06		61
	N	2 / 26/ 2003				01	06		61
	N	2 / 11/ 2004				01	06		61
	N	1 / 26/ 2005				01	06		61
	N	2 / 11/ 2006				01	06		61

Min *-125.1* **Max** *-103.51* **Avg** *-113.577*

1062305 *(Aquifer: 121OGLL Well Depth: 307)*

	P	12 / 13/ 1978	-97		3538	01	07	7	
	P	8 / 21/ 1989	-121.4	-24.4	3513.6	01	01	1	

Min *-121.4* **Max** *-97* **Avg** *-109.2*

1062306 *(Aquifer: 121OGLL Well Depth: 323)*

	P	2 / 24/ 1984	-101.5		3538.5	01	07	7	
	P	8 / 21/ 1989	-117.3	-15.8	3522.7	01	01	1	

Min *-117.3* **Max** *-101.5* **Avg** *-109.4*

1062307 *(Aquifer: 121OGLL Well Depth: 298)*

	P	4 / 4 / 1973	-100		3541	01	07	7	
	P	1 / 25/ 1996	-123.77	-23.8	3517.23	01	06	1	
	P	2 / 18/ 1997	-125.1	-1.33	3515.9	01	06	1	
	N	1 / 16/ 1998				01	06		61
	N	2 / 6 / 1998				01	06		61
	N	1 / 25/ 1999				01	06		61
	N	3 / 10/ 2000				01	06		61
	N	1 / 24/ 2001				01	06		61
	N	3 / 8 / 2002				01	06		41
	P	2 / 26/ 2003	-174.3		3466.7	01	06	1	
	P	3 / 9 / 2006	-183.19	-8.89	3457.81	01	06	1	
	N	2 / 5 / 2007				01	06		40

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	3 / 7 / 2008				01	06		61
	P	2 / 16/ 2010	-200.15		3440.85	01	06	1	
	P	1 / 14/ 2011	-202.28	-2.13	3438.72	01	06	1	
	P	2 / 24/ 2012	-208.58	-6.3	3432.42	01	06	1	

Min *-208.58* **Max** *-100* **Avg** *-164.671*

1062401 *(Aquifer: 121OGLL Well Depth:)*

	P	2 / 20/ 1948	-53.49		3583.51	01	12	7	01
	P	3 / 14/ 1949	-55.43	-1.94	3581.57	01	12	7	01
	P	1 / 8 / 1954	-59.48	-4.05	3577.52	01	12	7	01
	P	1 / 4 / 1955	-66.5	-7.02	3570.5	01	12	7	01
	P	1 / 11/ 1956	-70.46	-3.96	3566.54	01	12	7	01
	P	1 / 11/ 1957	-73.04	-2.58	3563.96	01	12	7	01
	P	1 / 20/ 1958	-75.5	-2.46	3561.5	01	12	7	01
	P	1 / 8 / 1959	-74.58	0.92	3562.42	01	12	7	01
	P	1 / 25/ 1960	-79	-4.42	3558	01	12	7	01
	P	1 / 18/ 1961	-78.34	0.66	3558.66	01	04	1	
	P	1 / 12/ 1962	-77.09	1.25	3559.91	01	01	1	
	P	1 / 9 / 1963	-81.79	-4.7	3555.21	01	01	1	

Min *-81.79* **Max** *-53.49* **Avg** *-70.3917*

1062402 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 15/ 1953	-84.88		3577.12	01	12	7	01
	P	1 / 8 / 1954	-87.4	-2.52	3574.6	01	12	7	01
	P	1 / 4 / 1955	-94.91	-7.51	3567.09	01	12	7	01
	P	1 / 11/ 1956	-99.46	-4.55	3562.54	01	12	7	01
	P	1 / 11/ 1957	-103.39	-3.93	3558.61	01	12	7	01
	P	1 / 20/ 1958	-106.59	-3.2	3555.41	01	12	7	01
	P	1 / 8 / 1959	-103.18	3.41	3558.82	01	12	7	01
	P	1 / 25/ 1960	-107.07	-3.89	3554.93	01	12	7	01
	P	1 / 18/ 1961	-107.03	0.04	3554.97	01	04	1	
	P	1 / 12/ 1962	-105.31	1.72	3556.69	01	01	1	
	P	1 / 9 / 1963	-110.23	-4.92	3551.77	01	01	1	
	P	1 / 8 / 1964	-112.98	-2.75	3549.02	01	01	1	
	P	1 / 8 / 1965	-119.38	-6.4	3542.62	01	01	1	
	P	1 / 5 / 1966	-123.35	-3.97	3538.65	01	01	1	
	P	1 / 5 / 1967	-124.63	-1.28	3537.37	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1968	-123.73	0.9	3538.27	01	01	1	
	P	1/15/1969	-120.37	3.36	3541.63	01	01	1	
	P	1/ 8/1970	-121.09	-0.72	3540.91	01	06	1	
	P	1/ 8/1971	-123.24	-2.15	3538.76	01	06	1	
	P	1/ 6/1972	-128.28	-5.04	3533.72	01	06	1	
	P	1/21/1973	-127.02	1.26	3534.98	01	01	1	
	P	1/14/1974	-128.92	-1.9	3533.08	01	06	1	
	P	1/ 8/1975	-133.86	-4.94	3528.14	01	06	1	
	P	1/ 8/1976	-134.36	-0.5	3527.64	01	06	1	
	P	1/13/1977	-135.94	-1.58	3526.06	01	06	1	
	P	1/13/1978	-138.61	-2.67	3523.39	01	06	1	
	P	1/23/1979	-140.39	-1.78	3521.61	01	06	1	
	P	12/19/1979	-144.27	-3.88	3517.73	01	06	1	
	P	1/ 7/1981	-143.94	0.33	3518.06	01	06	1	
	P	1/18/1982	-146.2	-2.26	3515.8	01	06	1	
	P	2/16/1983	-147.51	-1.31	3514.49	01	06	1	
	P	1/ 4/1984	-149.69	-2.18	3512.31	01	06	1	
	P	1/21/1985	-152.72	-3.03	3509.28	01	06	1	
	P	1/14/1986	-153.84	-1.12	3508.16	01	06	1	
	P	1/14/1987	-155.09	-1.25	3506.91	01	06	1	
	P	1/ 4/1988	-154.79	0.3	3507.21	01	06	1	
	P	1/12/1989	-155.26	-0.47	3506.74	01	06	1	
	P	1/16/1990	-155.7	-0.44	3506.3	01	06	1	
	P	1/22/1991	-156.76	-1.06	3505.24	01	06	1	
	P	1/10/1992	-158.62	-1.86	3503.38	01	06	1	
	P	1/26/1993	-159.51	-0.89	3502.49	01	06	1	
	P	2/10/1994	-160.68	-1.17	3501.32	01	06	1	
	P	1/20/1995	-162.26	-1.58	3499.74	01	06	1	
	P	1/25/1996	-163.95	-1.69	3498.05	01	06	1	
	P	2/18/1997	-165.73	-1.78	3496.27	01	06	1	
	P	1/15/1998	-167.22	-1.49	3494.78	01	06	1	
	P	1/25/1999	-169	-1.78	3493	01	06	1	
	P	1/13/2000	-170.6	-1.6	3491.4	01	06	1	
	P	1/24/2001	-172.32	-1.72	3489.68	01	06	1	
	P	1/25/2002	-174.45	-2.13	3487.55	01	06	1	
	P	2/25/2003	-176.02	-1.57	3485.98	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 11/ 2004	-178.17	-2.15	3483.83	01	06	1	
	P	2 / 4 / 2005	-179.29	-1.12	3482.71	01	06	1	
	P	2 / 1 / 2006	-183.19	-3.9	3478.81	01	06	1	
	P	1 / 12/ 2007	-182.4	0.79	3479.6	01	06	1	
	P	1 / 3 / 2008	-182.91	-0.51	3479.09	01	06	1	
	P	2 / 4 / 2009	-184.74	-1.83	3477.26	01	06	1	
	P	1 / 13/ 2010	-186.84	-2.1	3475.16	01	06	1	
	P	1 / 14/ 2011	-187.32	-0.48	3474.68	01	06	1	
	P	12 / 4 / 2011	-190.67	-3.35	3471.33	01	06	1	

Min *-190.67* **Max** *-84.88* **Avg** *-143.621*

1062501 *(Aquifer: 121OGLL Well Depth: 64)*

	P	6 / 21/ 1938	-25.68		3586.32	01	12	7	01
	P	8 / 10/ 1938	-25.81	-0.13	3586.19	01	12	7	01
	P	9 / 23/ 1938	-26.62	-0.81	3585.38	01	12	7	01
	P	10 / 24/ 1938	-26.93	-0.31	3585.07	01	12	7	01
	P	12 / 22/ 1938	-27	-0.07	3585	01	12	7	01
	P	1 / 16/ 1939	-26.59	0.41	3585.41	01	12	7	01
	P	3 / 4 / 1939	-26.31	0.28	3585.69	01	12	7	01
	P	4 / 3 / 1939	-26.43	-0.12	3585.57	01	12	7	01
	P	6 / 16/ 1939	-26.6	-0.17	3585.4	01	12	7	01

Min *-27* **Max** *-25.68* **Avg** *-26.4411*

1062502 *(Aquifer: 121OGLL Well Depth: 242)*

	P	8 / 10/ 1988	-166.42		3479.58	01	06	1	02

Min *-166.42* **Max** *-166.42* **Avg** *-166.42*

1062603 *(Aquifer: 121OGLL Well Depth: 203)*

	P	10 / 22/ 1979	-108.35		3489.65	01	06	1	
	P	1 / 7 / 1980	-105.78	2.57	3492.22	01	06	1	
	P	1 / 7 / 1981	-110.89	-5.11	3487.11	01	06	1	
	P	1 / 18/ 1982	-111.88	-0.99	3486.12	01	06	1	
	P	2 / 17/ 1983	-112.89	-1.01	3485.11	01	06	1	
	P	1 / 4 / 1984	-115.12	-2.23	3482.88	01	06	1	
	P	1 / 21/ 1985	-116.13	-1.01	3481.87	01	06	1	
	P	1 / 14/ 1986	-116.23	-0.1	3481.77	01	06	1	
	P	1 / 14/ 1987	-116.71	-0.48	3481.29	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 1988	-117.27	-0.56	3480.73	01	06	1	
	P	1 / 12/ 1989	-117.44	-0.17	3480.56	01	06	1	
	P	1 / 16/ 1990	-117.92	-0.48	3480.08	01	06	1	
	P	1 / 23/ 1991	-120.58	-2.66	3477.42	01	06	1	
	P	2 / 11/ 1992	-122.14	-1.56	3475.86	01	06	1	
	P	1 / 26/ 1993	-121.32	0.82	3476.68	01	06	1	
	P	2 / 8 / 1994	-125.71	-4.39	3472.29	01	06	1	
	P	1 / 20/ 1995	-127.25	-1.54	3470.75	01	06	1	
	P	1 / 25/ 1996	-129.29	-2.04	3468.71	01	06	1	
	P	2 / 18/ 1997	-131.37	-2.08	3466.63	01	06	1	
	P	1 / 15/ 1998	-132.06	-0.69	3465.94	01	06	1	
	P	1 / 25/ 1999	-136	-3.94	3462	01	06	1	
	P	1 / 13/ 2000	-140.1	-4.1	3457.9	01	06	1	
	P	1 / 24/ 2001	-138.95	1.15	3459.05	01	06	1	
	P	1 / 22/ 2002	-140.15	-1.2	3457.85	01	06	1	
	P	2 / 26/ 2003	-141.29	-1.14	3456.71	01	06	1	
	P	2 / 11/ 2004	-142.75	-1.46	3455.25	01	06	1	
	P	2 / 4 / 2005	-143.57	-0.82	3454.43	01	06	1	
	P	2 / 2 / 2006	-144.96	-1.39	3453.04	01	06	1	
	P	1 / 12/ 2007	-148.35	-3.39	3449.65	01	06	1	
	P	1 / 7 / 2008	-149.08	-0.73	3448.92	01	06	1	
	P	2 / 4 / 2009	-152.72	-3.64	3445.28	01	06	1	
	P	1 / 13/ 2010	-154.71	-1.99	3443.29	01	06	1	
	P	1 / 14/ 2011	-156.45	-1.74	3441.55	01	06	1	
	P	12 / 14/ 2011	-158.72	-2.27	3439.28	01	06	1	

Min *-158.72* **Max** *-105.78* **Avg** *-130.121*

1062702 *(Aquifer: 121OGLL Well Depth: 92)*

	P	6 / 25/ 1937	-77.04		3557.96	01	12	1	
	N	8 / 17/ 1937				01	12		41
	P	1 / 20/ 1938	-76.65		3558.35	01	12	1	
	P	4 / 11/ 1938	-76.81	-0.16	3558.19	01	12	1	
	P	6 / 9 / 1938	-76.78	0.03	3558.22	01	12	1	
	P	9 / 19/ 1938	-76.93	-0.15	3558.07	01	12	1	
	P	3 / 10/ 1939	-76.74	0.19	3558.26	01	12	1	
	P	6 / 19/ 1939	-76.75	-0.01	3558.25	01	12	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 13/ 1939	-76.67	0.08	3558.33	01	12	1	
	P	12 / 9 / 1940	-76.22	0.45	3558.78	01	12	1	
	P	3 / 20/ 1941	-76.7	-0.48	3558.3	01	12	1	
	P	7 / 31/ 1941	-75.9	0.8	3559.1	01	12	1	
	P	11 / 19/ 1941	-75.66	0.24	3559.34	01	12	1	
	P	3 / 14/ 1942	-74.43	1.23	3560.57	01	12	1	
	P	2 / 1 / 1943	-74.3	0.13	3560.7	01	12	1	
	P	2 / 22/ 1944	-74.3		3560.7	01	12	1	
	P	2 / 19/ 1945	-53.65	20.65	3581.35	01	12	1	
	N	3 / 2 / 1946				01	12	1	44
	P	2 / 21/ 1948	-53.49		3581.51	01	12	1	
	P	3 / 14/ 1949	-55.43	-1.94	3579.57	01	12	1	

Min *-77.04* **Max** *-53.49* **Avg** *-72.4694*

1062801 *(Aquifer: 121OGLL Well Depth: 99)*

	P	6 / 21/ 1938	-76.32		3523.68	01	12	7	01
	P	8 / 10/ 1938	-76.22	0.1	3523.78	01	12	7	01
	P	9 / 23/ 1938	-76.19	0.03	3523.81	01	12	7	01
	P	10 / 24/ 1938	-76.19		3523.81	01	12	7	01
	P	12 / 22/ 1938	-76.17	0.02	3523.83	01	12	7	01
	P	1 / 16/ 1939	-76.14	0.03	3523.86	01	12	7	01
	P	3 / 4 / 1939	-76.12	0.02	3523.88	01	12	7	01
	P	4 / 3 / 1939	-76.21	-0.09	3523.79	01	12	7	01
	P	5 / 22/ 1939	-76.53	-0.32	3523.47	01	12	7	01
	P	7 / 15/ 1939	-76.56	-0.03	3523.44	01	12	7	01
	P	10 / 13/ 1939	-76.55	0.01	3523.45	01	12	7	01
	P	12 / 18/ 1939	-76.4	0.15	3523.6	01	12	7	01
	P	3 / 25/ 1940	-76.2	0.2	3523.8	01	12	7	01
	P	12 / 9 / 1940	-76.39	-0.19	3523.61	01	12	7	01
	P	4 / 20/ 1941	-76.37	0.02	3523.63	01	12	7	01
	P	11 / 19/ 1941	-73.78	2.59	3526.22	01	12	7	01
	P	3 / 13/ 1942	-72.1	1.68	3527.9	01	12	7	01
	P	2 / 1 / 1943	-71.05	1.05	3528.95	01	12	7	01

Min *-76.56* **Max** *-71.05* **Avg** *-75.6383*

1062803 *(Aquifer: 121OGLL Well Depth: 203)*

	P	10 / 3 / 2005	-166.4		3383.6	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 2007	-168.94	-2.54	3381.06	01	06	1	
	P	1 / 3 / 2008	-166.7	2.24	3383.3	01	06	1	
	P	3 / 2 / 2009	-167.67	-0.97	3382.33	01	06	1	
	P	1 / 13/ 2010	-169.66	-1.99	3380.34	01	06	1	
	P	1 / 14/ 2011	-169.95	-0.29	3380.05	01	06	1	
	P	12 / 4 / 2011	-172.55	-2.6	3377.45	01	06	1	

Min *-172.55* **Max** *-166.4* **Avg** *-168.839*

1062903 *(Aquifer: 121OGLL Well Depth: 149)*

	P	4 / 29/ 2002	-127.5		3446.5	01	04	7	

Min *-127.5* **Max** *-127.5* **Avg** *-127.5*

1063101 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 4 / 1963	-64.2		3533.8	01	01	1	
	P	1 / 9 / 1964	-64.62	-0.42	3533.38	01	01	1	
	P	1 / 8 / 1965	-78.18	-13.6	3519.82	01	01	1	02
	P	1 / 3 / 1966	-66.28	11.9	3531.72	01	01	1	
	N	1 / 5 / 1967				01	01		41
	P	1 / 6 / 1968	-58.4		3539.6	01	01	1	20
	N	1 / 15/ 1969				01	01		61
	P	1 / 12/ 1970	-59.24		3538.76	01	06	1	
	P	1 / 15/ 1971	-69.88	-10.6	3528.12	01	06	1	
	P	1 / 6 / 1972	-70.55	-0.67	3527.45	01	06	1	
	N	1 / 22/ 1973				01	01		42
	P	1 / 26/ 1973	-84.01		3513.99	01	06	1	02
	P	1 / 18/ 1974	-73.94	10.07	3524.06	01	06	1	02
	P	1 / 8 / 1975	-74.9	-0.96	3523.1	01	06	1	02
	P	1 / 8 / 1976	-75.43	-0.53	3522.57	01	06	1	02
	P	1 / 12/ 1977	-77.96	-2.53	3520.04	01	06	1	02
	P	1 / 12/ 1978	-79.17	-1.21	3518.83	01	06	1	02
	N	1 / 23/ 1979				01	06		41

Min *-84.01* **Max** *-58.4* **Avg** *-71.1971*

1063102 *(Aquifer: 121OGLL Well Depth: 326)*

	P	10 / 22/ 1979	-141.11		3448.89	01	06	1	
	P	1 / 7 / 1980	-94.32	46.79	3495.68	01	06	1	
	N	1 / 6 / 1981				01	06		41

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 21/ 1982				01	06		41
	P	2 / 17/ 1983	-98.89		3491.11	01	06	1	
	P	1 / 4 / 1984	-101.24	-2.35	3488.76	01	06	1	
	P	1 / 21/ 1985	-107.2	-5.96	3482.8	01	06	1	
	P	1 / 14/ 1986	-111.38	-4.18	3478.62	01	06	1	
	P	1 / 14/ 1987	-106.01	5.37	3483.99	01	06	1	
	P	1 / 13/ 1988	-107.75	-1.74	3482.25	01	06	1	
	N	1 / 19/ 1989				01	06		41
	P	1 / 22/ 1990	-111.89		3478.11	01	06	1	
	P	1 / 24/ 1991	-114.51	-2.62	3475.49	01	06	1	
	P	1 / 16/ 1992	-116.97	-2.46	3473.03	01	06	1	
	P	1 / 26/ 1993	-116.89	0.08	3473.11	01	06	1	
	P	2 / 8 / 1994	-120.98	-4.09	3469.02	01	06	1	
	P	1 / 20/ 1995	-125.22	-4.24	3464.78	01	06	1	
	P	1 / 24/ 1996	-129.32	-4.1	3460.68	01	06	1	
	P	2 / 26/ 1997	-133.85	-4.53	3456.15	01	06	1	
	P	1 / 16/ 1998	-134.72	-0.87	3455.28	01	06	1	
	P	1 / 18/ 1999	-147	-12.3	3443	01	06	1	
	P	1 / 13/ 2000	-148.02	-1.02	3441.98	01	06	1	
	P	1 / 11/ 2001	-145.13	2.89	3444.87	01	06	1	
	P	1 / 22/ 2002	-147.64	-2.51	3442.36	01	06	1	
	P	2 / 26/ 2003	-152.16	-4.52	3437.84	01	06	1	
	P	2 / 10/ 2004	-155.52	-3.36	3434.48	01	06	1	
	P	3 / 2 / 2005	-163.69	-8.17	3426.31	01	06	1	
	P	2 / 2 / 2006	-162.61	1.08	3427.39	01	06	1	
	P	2 / 5 / 2007	-157.58	5.03	3432.42	01	06	1	
	P	3 / 7 / 2008	-159.31	-1.73	3430.69	01	06	1	
	N	3 / 3 / 2009				01	06	1	47
	N	1 / 13/ 2010				01	06	1	47
	N	1 / 18/ 2011				01	06	1	47
	N	12 / 15/ 2011				01	06	1	47

Min *-163.69* **Max** *-94.32* **Avg** *-130.034*

1063103 *(Aquifer: 121OGLL Well Depth: 316)*

	P	3 / 5 / 2010	-179.03		3424.97	01	06	1
	P	1 / 18/ 2011	-181.9	-2.87	3422.1	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 15/ 2011	-187.65	-5.75	3416.35	01	06	1	

Min *-187.65* **Max** *-179.03* **Avg** *-182.86*

1063202 *(Aquifer: 121OGLL Well Depth: 290)*

	P	10 / 22/ 1979	-133.78		3431.22	01	06	1	
	P	12 / 19/ 1979	-111.22	22.56	3453.78	01	06	1	
	N	1 / 6 / 1981				01	06		41
	P	1 / 21/ 1982	-125.02		3439.98	01	06	1	03
	P	2 / 22/ 1983	-116.9	8.12	3448.1	01	06	1	
	P	1 / 3 / 1984	-119.99	-3.09	3445.01	01	06	1	
	P	1 / 21/ 1985	-124.29	-4.3	3440.71	01	06	1	
	P	1 / 27/ 1986	-125.28	-0.99	3439.72	01	06	1	
	P	1 / 15/ 1987	-124.35	0.93	3440.65	01	06	1	
	P	1 / 14/ 1988	-124.48	-0.13	3440.52	01	06	1	
	P	1 / 19/ 1989	-129.15	-4.67	3435.85	01	06	1	
	P	1 / 22/ 1990	-131.41	-2.26	3433.59	01	06	1	
	P	1 / 24/ 1991	-134.07	-2.66	3430.93	01	06	1	
	P	2 / 11/ 1992	-134.49	-0.42	3430.51	01	06	1	
	P	1 / 12/ 1993	-135.16	-0.67	3429.84	01	06	1	
	P	2 / 8 / 1994	-138.18	-3.02	3426.82	01	06	1	
	P	1 / 20/ 1995	-142.76	-4.58	3422.24	01	06	1	
	P	1 / 24/ 1996	-152.56	-9.8	3412.44	01	06	1	
	P	2 / 11/ 1997	-157.54	-4.98	3407.46	01	06	1	
	N	2 / 23/ 1998				01	06	7	45
	N	2 / 22/ 1999				01	06	7	45
	N	1 / 12/ 2000				01	06		51

Min *-157.54* **Max** *-111.22* **Avg** *-131.146*

1063203 *(Aquifer: 121OGLL Well Depth: 310)*

	P	2 / 23/ 1998	-160.25		3405.75	01	06	1	
	P	1 / 18/ 1999	-177.38	-17.1	3388.62	01	06	1	
	P	2 / 22/ 1999	-175.54	1.84	3390.46	01	06	1	
	P	1 / 12/ 2000	-172.18	3.36	3393.82	01	06	1	
	P	3 / 16/ 2001	-170.37	1.81	3395.63	01	06	1	
	N	3 / 8 / 2002				01	06	7	44
	P	2 / 26/ 2003	-183.51		3382.49	01	06	1	
	P	2 / 9 / 2004	-188.98	-5.47	3377.02	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 26/ 2005	-189.03	-0.05	3376.97	01	06	1	
	P	2 / 2 / 2006	-191.41	-2.38	3374.59	01	06	1	
	P	1 / 12/ 2007	-194.93	-3.52	3371.07	01	06	1	
	P	1 / 8 / 2008	-198.33	-3.4	3367.67	01	06	1	
	N	3 / 3 / 2009				01	06		41
	P	1 / 12/ 2010	-206.29		3359.71	01	06	1	
	P	1 / 18/ 2011	-208.48	-2.19	3357.52	01	06	1	
	P	12 / 6 / 2011	-216.3	-7.82	3349.7	01	06	1	

Min *-216.3* **Max** *-160.25* **Avg** *-188.07*

1063301 *(Aquifer: 121OGLL Well Depth: 203)*

	P	6 / 14/ 1938	-64.15		3501.85	01	12	7	01
	P	9 / 11/ 1942	-57.14	7.01	3508.86	01	12	7	01
	P	11 / 12/ 1942	-56.57	0.57	3509.43	01	12	7	01
	P	2 / 23/ 1943	-55.8	0.77	3510.2	01	12	7	01
	P	2 / 8 / 1944	-55.55	0.25	3510.45	01	12	7	01
	P	2 / 23/ 1945	-55.42	0.13	3510.58	01	12	7	01
	P	3 / 2 / 1946	-56.89	-1.47	3509.11	01	12	7	01
	P	3 / 18/ 1947	-58.83	-1.94	3507.17	01	12	7	01
	P	2 / 20/ 1948	-58.05	0.78	3507.95	01	12	7	01
	P	3 / 14/ 1949	-61.82	-3.77	3504.18	01	12	7	01
	P	9 / 21/ 1950	-68.3	-6.48	3497.7	01	12	7	01
	P	1 / 31/ 1952	-64.94	3.36	3501.06	01	12	7	01
	P	1 / 13/ 1953	-68.84	-3.9	3497.16	01	12	7	01
	P	1 / 6 / 1954	-71.42	-2.58	3494.58	01	12	7	01
	P	1 / 4 / 1955	-74.29	-2.87	3491.71	01	12	7	01
	P	1 / 9 / 1956	-76.1	-1.81	3489.9	01	12	7	01
	P	1 / 10/ 1957	-78.91	-2.81	3487.09	01	12	7	01
	P	1 / 23/ 1958	-79.95	-1.04	3486.05	01	12	7	01
	P	1 / 8 / 1959	-82.18	-2.23	3483.82	01	12	7	01
	P	1 / 25/ 1960	-83.23	-1.05	3482.77	01	12	7	01
	P	1 / 17/ 1961	-82.02	1.21	3483.98	01	04	1	
	P	1 / 12/ 1962	-83.2	-1.18	3482.8	01	01	2	
	P	1 / 8 / 1963	-82.43	0.77	3483.57	01	01	1	
	P	1 / 9 / 1964	-86.61	-4.18	3479.39	01	01	1	
	P	1 / 9 / 1965	-89.78	-3.17	3476.22	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1966	-93.12	-3.34	3472.88	01	01	1	
	N	1/ 7/1967				01	01		42
	N	1/ 6/1968				01	01		42
	N	1/15/1969				01	01		42
	P	1/15/1974	-107.39		3458.61	01	07	7	
	P	12/19/1979	-136.07	-28.7	3429.93	01	07	7	

Min *-136.07* **Max** *-55.42* **Avg** *-74.6071*

1063302 *(Aquifer: 121OGLL Well Depth: 279)*

	P	3/12/1969	-99.29		3466.71	01	06	1	
	P	1/12/1970	-99.65	-0.36	3466.35	01	06	1	
	P	1/15/1971	-101.92	-2.27	3464.08	01	06	1	
	P	1/ 4/1972	-105.59	-3.67	3460.41	01	06	1	
	P	1/22/1973	-106.38	-0.79	3459.62	01	01	1	
	P	1/15/1974	-108.39	-2.01	3457.61	01	06	1	
	P	1/14/1975	-113.06	-4.67	3452.94	01	06	1	
	P	1/ 8/1976	-116.7	-3.64	3449.3	01	06	1	
	P	1/12/1977	-122.32	-5.62	3443.68	01	06	1	
	P	1/ 9/1978	-127.36	-5.04	3438.64	01	06	1	
	P	1/23/1979	-132.91	-5.55	3433.09	01	06	1	
	P	12/19/1979	-135.62	-2.71	3430.38	01	06	1	
	P	1/ 6/1981	-143.38	-7.76	3422.62	01	06	1	
	P	1/21/1982	-147.88	-4.5	3418.12	01	06	1	
	N	2/22/1983				01	06		51
	N	1/ 3/1984				01	06		51

Min *-147.88* **Max** *-99.29* **Avg** *-118.604*

1063306 *(Aquifer: 121OGLL Well Depth: 303)*

	P	2/22/1983	-150.09		3410.91	01	06	1	
	P	1/18/1984	-152.67	-2.58	3408.33	01	06	1	
	P	1/21/1985	-156.83	-4.16	3404.17	01	06	1	
	P	1/22/1986	-158.04	-1.21	3402.96	01	06	1	
	P	1/15/1987	-161.37	-3.33	3399.63	01	06	1	
	P	1/14/1988	-156.92	4.45	3404.08	01	06	1	
	P	1/13/1989	-157.9	-0.98	3403.1	01	06	1	
	P	1/22/1990	-160.13	-2.23	3400.87	01	06	1	
	P	1/24/1991	-163.31	-3.18	3397.69	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 1992	-166.29	-2.98	3394.71	01	06	1	
	P	2 / 1 / 1993	-165.93	0.36	3395.07	01	06	1	
	P	2 / 8 / 1994	-169.33	-3.4	3391.67	01	06	1	
	P	1 / 23/ 1995	-172.79	-3.46	3388.21	01	06	1	
	P	1 / 24/ 1996	-176.66	-3.87	3384.34	01	06	1	
	P	2 / 11/ 1997	-179.55	-2.89	3381.45	01	06	1	
	P	1 / 16/ 1998	-181.58	-2.03	3379.42	01	06	1	
	P	1 / 18/ 1999	-187	-5.42	3374	01	06	1	
	P	1 / 12/ 2000	-188.3	-1.3	3372.7	01	06	1	
	P	1 / 24/ 2001	-191.02	-2.72	3369.98	01	06	1	
	P	1 / 22/ 2002	-192.64	-1.62	3368.36	01	06	1	
	P	2 / 26/ 2003	-195.05	-2.41	3365.95	01	06	1	
	P	2 / 9 / 2004	-198.2	-3.15	3362.8	01	06	1	
	P	1 / 26/ 2005	-199.4	-1.2	3361.6	01	06	1	
	N	2 / 2 / 2006				01	06	7	44
	N	1 / 12/ 2007				01	06		61
	P	1 / 8 / 2008	-205.75		3355.25	01	06	1	
	P	2 / 6 / 2009	-209.85	-4.1	3351.15	01	06	1	
	N	1 / 12/ 2010				01	06		61
	N	1 / 18/ 2011				01	06		61
	N	12 / 6 / 2011				01	06		61

Min *-209.85* **Max** *-150.09* **Avg** *-175.864*

1063404 *(Aquifer: 121OGLL Well Depth: 209)*

	P	10 / 22/ 1979	-131.65		3469.35	01	06	1	
	P	12 / 19/ 1979	-124.33	7.32	3476.67	01	06	1	
	P	1 / 6 / 1981	-129.54	-5.21	3471.46	01	06	1	
	P	1 / 9 / 1982	-131.41	-1.87	3469.59	01	06	1	
	P	2 / 17/ 1983	-132.81	-1.4	3468.19	01	06	1	
	P	1 / 4 / 1984	-134.7	-1.89	3466.3	01	06	1	
	P	1 / 21/ 1985	-136.68	-1.98	3464.32	01	06	1	
	P	1 / 16/ 1986	-137.64	-0.96	3463.36	01	06	1	
	P	1 / 15/ 1987	-138.07	-0.43	3462.93	01	06	1	
	P	1 / 13/ 1988	-138.97	-0.9	3462.03	01	06	1	
	P	1 / 12/ 1989	-139.11	-0.14	3461.89	01	06	1	
	P	1 / 16/ 1990	-140.25	-1.14	3460.75	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1991	-142.91	-2.66	3458.09	01	06	1	
	P	2 / 11/ 1992	-144.55	-1.64	3456.45	01	06	1	
	P	1 / 26/ 1993	-141.65	2.9	3459.35	01	06	1	
	P	2 / 10/ 1994	-144.94	-3.29	3456.06	01	06	1	
	P	1 / 20/ 1995	-149.11	-4.17	3451.89	01	06	1	
	P	1 / 24/ 1996	-153.07	-3.96	3447.93	01	06	1	
	P	2 / 26/ 1997	-152.91	0.16	3448.09	01	06	1	
	P	1 / 30/ 1998	-155.86	-2.95	3445.14	01	06	1	
	P	2 / 22/ 1999	-159	-3.14	3442	01	06	1	
	N	1 / 13/ 2000				01	06		42

Min *-159* **Max** *-124.33* **Avg** *-140.912*

1063405 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 13/ 2000	-161.78		3437.22	01	06	1
	P	1 / 23/ 2001	-162.18	-0.4	3436.82	01	06	1
	P	1 / 22/ 2002	-160.72	1.46	3438.28	01	06	1
	P	2 / 26/ 2003	-159.65	1.07	3439.35	01	06	1
	P	2 / 10/ 2004	-161.01	-1.36	3437.99	01	06	1
	P	1 / 26/ 2005	-161.97	-0.96	3437.03	01	06	1
	P	2 / 2 / 2006	-162.66	-0.69	3436.34	01	06	1
	P	1 / 12/ 2007	-165.05	-2.39	3433.95	01	06	1
	P	1 / 7 / 2008	-165.88	-0.83	3433.12	01	06	1
	P	2 / 4 / 2009	-167.87	-1.99	3431.13	01	06	1
	P	1 / 13/ 2010	-170.18	-2.31	3428.82	01	06	1
	P	1 / 18/ 2011	-171.66	-1.48	3427.34	01	06	1
	P	12 / 14/ 2011	-173.79	-2.13	3425.21	01	06	1

Min *-173.79* **Max** *-159.65* **Avg** *-164.954*

1063406 *(Aquifer: 121OGLL Well Depth: 179)*

	P	5 / 8 / 2002	-156.7		3442.3	01	04	7

Min *-156.7* **Max** *-156.7* **Avg** *-156.7*

1063407 *(Aquifer: 121OGLL Well Depth: 179)*

	P	5 / 19/ 2002	-158.33		3450.67	01	04	7

Min *-158.33* **Max** *-158.33* **Avg** *-158.33*

1063601 *(Aquifer: 121OGLL Well Depth: 245)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1964	-101.39		3459.61	01	01	1	
	P	1/ 9/1965	-103.52	-2.13	3457.48	01	01	1	
	P	1/ 4/1966	-99.72	3.8	3461.28	01	01	1	
	P	1/ 5/1967	-100.46	-0.74	3460.54	01	01	1	
	P	1/ 6/1968	-107.8	-7.34	3453.2	01	01	1	
	P	1/15/1969	-101.28	6.52	3459.72	01	01	1	
	P	1/ 7/1970	-103.87	-2.59	3457.13	01	06	1	
	P	1/ 8/1971	-105.26	-1.39	3455.74	01	06	1	
	P	1/ 6/1972	-107.42	-2.16	3453.58	01	06	1	
	P	1/23/1973	-107.67	-0.25	3453.33	01	01	1	
	P	1/11/1974	-109.67	-2	3451.33	01	06	1	
	P	1/10/1975	-112.64	-2.97	3448.36	01	06	1	
	P	1/ 5/1976	-119.15	-6.51	3441.85	01	06	1	04
	P	1/12/1977	-123.29	-4.14	3437.71	01	06	1	
	P	1/10/1978	-128.38	-5.09	3432.62	01	06	1	25
	P	1/12/1979	-133.34	-4.96	3427.66	01	06	1	
	P	12/19/1979	-137.04	-3.7	3423.96	01	06	1	
	P	1/ 6/1981	-141.01	-3.97	3419.99	01	06	1	
	P	1/ 9/1982	-141.44	-0.43	3419.56	01	06	1	
	P	2/17/1983	-143.42	-1.98	3417.58	01	06	1	
	P	1/ 3/1984	-145.09	-1.67	3415.91	01	06	1	
	P	1/21/1985	-146.73	-1.64	3414.27	01	06	1	
	P	1/15/1986	-147.65	-0.92	3413.35	01	06	1	
	P	1/15/1987	-147.92	-0.27	3413.08	01	06	1	
	P	1/13/1988	-147.94	-0.02	3413.06	01	06	1	
	P	1/12/1989	-148.6	-0.66	3412.4	01	06	1	
	P	1/12/1990	-151.3	-2.7	3409.7	01	06	1	
	P	1/23/1991	-153.34	-2.04	3407.66	01	06	1	
	P	1/16/1992	-155.54	-2.2	3405.46	01	06	1	
	P	2/ 1/1993	-153.62	1.92	3407.38	01	06	1	
	P	2/ 8/1994	-156.98	-3.36	3404.02	01	06	1	
	P	1/20/1995	-161.4	-4.42	3399.6	01	06	1	
	P	1/24/1996	-165.8	-4.4	3395.2	01	06	1	
	P	2/11/1997	-170.59	-4.79	3390.41	01	06	1	
	P	1/30/1998	-175.42	-4.83	3385.58	01	06	1	
	P	1/18/1999	-180	-4.58	3381	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 12/ 2000	-181.97	-1.97	3379.03	01	06	1	
	P	1 / 23/ 2001	-183.89	-1.92	3377.11	01	06	1	
	P	1 / 28/ 2002	-187.25	-3.36	3373.75	01	06	1	
	P	2 / 26/ 2003	-189.37	-2.12	3371.63	01	06	1	
	P	2 / 9 / 2004	-192.87	-3.5	3368.13	01	06	1	
	P	1 / 26/ 2005	-193.01	-0.14	3367.99	01	06	1	
	P	3 / 10/ 2006	-195.14	-2.13	3365.86	01	06	1	
	P	1 / 12/ 2007	-196.94	-1.8	3364.06	01	06	1	
	P	1 / 8 / 2008	-199.36	-2.42	3361.64	01	06	1	
	P	2 / 5 / 2009	-202.26	-2.9	3358.74	01	06	1	
	P	1 / 12/ 2010	-204.54	-2.28	3356.46	01	06	1	
	P	1 / 18/ 2011	-205.98	-1.44	3355.02	01	06	1	
	P	12 / 6 / 2011	-209.86	-3.88	3351.14	01	06	1	

Min *-209.86* **Max** *-99.72* **Avg** *-150.574*

1063701 *(Aquifer: 121OGLL Well Depth: 170)*

	P	4 / 1 / 1937	-84.89		3493.11	01	12	7	01
	P	5 / 7 / 1937	-87.8	-2.91	3490.2	01	12	7	01
	P	3 / 22/ 1949	-88.56	-0.76	3489.44	01	12	7	01
	P	2 / 17/ 1950	-89.71	-1.15	3488.29	01	12	7	01
	P	8 / 1 / 1950	-97.9	-8.19	3480.1	01	12	7	01
	P	1 / 17/ 1951	-95.6	2.3	3482.4	01	12	7	01
	P	1 / 29/ 1952	-93.55	2.05	3484.45	01	12	7	01
	P	1 / 15/ 1953	-96.5	-2.95	3481.5	01	12	7	01
	P	1 / 8 / 1954	-100.45	-3.95	3477.55	01	12	7	01
	P	1 / 5 / 1955	-104.3	-3.85	3473.7	01	12	7	01
	P	1 / 11/ 1956	-108	-3.7	3470	01	12	7	01
	P	1 / 10/ 1957	-114.93	-6.93	3463.07	01	12	7	01

Min *-114.93* **Max** *-84.89* **Avg** *-96.8492*

1063702 *(Aquifer: 121OGLL Well Depth: 235)*

	P	1 / 22/ 1958	-115.34		3463.66	01	12	7	01
	P	1 / 8 / 1959	-115.89	-0.55	3463.11	01	12	7	01
	P	1 / 25/ 1960	-121.25	-5.36	3457.75	01	12	7	01
	P	1 / 18/ 1961	-122.05	-0.8	3456.95	01	04	1	
	P	1 / 12/ 1962	-120.11	1.94	3458.89	01	01	1	
	P	1 / 7 / 1963	-124.66	-4.55	3454.34	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1964	-124.28	0.38	3454.72	01	01	1	
	P	1/ 9/1965	-127.96	-3.68	3451.04	01	01	1	
	P	1/ 4/1966	-131.38	-3.42	3447.62	01	01	1	
	N	1/ 5/1967				01	01		61
	P	1/ 6/1968	-133.29		3445.71	01	01	1	
	P	1/15/1969	-134.55	-1.26	3444.45	01	01	1	
	P	1/ 8/1970	-137.67	-3.12	3441.33	01	06	1	
	P	1/ 8/1971	-139.4	-1.73	3439.6	01	06	1	
	P	1/ 6/1972	-140.52	-1.12	3438.48	01	06	1	
	P	1/23/1973	-139.8	0.72	3439.2	01	01	1	
	P	1/11/1974	-140.92	-1.12	3438.08	01	06	1	
	P	1/ 8/1975	-143.72	-2.8	3435.28	01	06	1	
	P	1/ 5/1976	-142.94	0.78	3436.06	01	06	1	
	P	1/12/1977	-144.85	-1.91	3434.15	01	06	1	
	P	1/10/1978	-146.54	-1.69	3432.46	01	06	1	
	P	1/12/1979	-147.46	-0.92	3431.54	01	06	1	
	P	12/19/1979	-147.28	0.18	3431.72	01	06	1	
	P	1/ 5/1981	-151.12	-3.84	3427.88	01	06	1	
	P	1/ 9/1982	-151.78	-0.66	3427.22	01	06	1	
	P	2/17/1983	-152.09	-0.31	3426.91	01	06	1	
	P	1/ 4/1984	-152.98	-0.89	3426.02	01	06	1	
	P	1/10/1985	-153.74	-0.76	3425.26	01	06	1	
	P	1/15/1986	-154.36	-0.62	3424.64	01	06	1	
	P	1/ 9/1987	-154.9	-0.54	3424.1	01	06	1	
	P	1/13/1988	-154.34	0.56	3424.66	01	06	1	
	P	1/13/1989	-155.7	-1.36	3423.3	01	06	1	
	P	1/12/1990	-155.24	0.46	3423.76	01	06	1	
	P	1/24/1991	-156.88	-1.64	3422.12	01	06	1	
	P	1/17/1992	-156.16	0.72	3422.84	01	06	1	
	P	1/13/1993	-155.93	0.23	3423.07	01	06	1	
	P	2/ 8/1994	-157.21	-1.28	3421.79	01	06	1	
	P	1/19/1995	-159.97	-2.76	3419.03	01	06	1	
	P	1/23/1996	-161.83	-1.86	3417.17	01	06	1	
	P	2/26/1997	-161.5	0.33	3417.5	01	06	1	
	P	1/14/1998	-162.56	-1.06	3416.44	01	06	1	
	P	1/26/1999	-165	-2.44	3414	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 13/ 2000	-166.85	-1.85	3412.15	01	06	1	
	P	1 / 11/ 2001	-166.25	0.6	3412.75	01	06	1	
	P	1 / 28/ 2002	-164.78	1.47	3414.22	01	06	1	
	P	2 / 26/ 2003	-166.46	-1.68	3412.54	01	06	1	
	P	2 / 10/ 2004	-166.95	-0.49	3412.05	01	06	1	
	P	2 / 4 / 2005	-166.85	0.1	3412.15	01	06	1	
	P	2 / 2 / 2006	-167.35	-0.5	3411.65	01	06	1	
	P	1 / 11/ 2007	-169.28	-1.93	3409.72	01	06	1	
	P	1 / 3 / 2008	-169.43	-0.15	3409.57	01	06	1	
	P	2 / 3 / 2009	-179.53	-10.1	3399.47	01	06	1	
	P	1 / 13/ 2010	-173.39	6.14	3405.61	01	06	1	
	P	1 / 18/ 2011	-173.08	0.31	3405.92	01	06	1	
	P	12 / 14/ 2011	-175.31	-2.23	3403.69	01	06	1	

Min *-179.53* **Max** *-115.34* **Avg** *-150.383*

1063703 *(Aquifer: 121OGLL Well Depth: 211)*

	P	10 / 3 / 2005	-152.14		3431.86	01	06	1	
	P	2 / 3 / 2009	-155.12	-2.98	3428.88	01	06	1	
	P	1 / 13/ 2010	-157.03	-1.91	3426.97	01	06	1	
	P	1 / 18/ 2011	-157.96	-0.93	3426.04	01	06	1	
	P	12 / 14/ 2011	-158.62	-0.66	3425.38	01	06	1	

Min *-158.62* **Max** *-152.14* **Avg** *-156.174*

1063801 *(Aquifer: 121OGLL Well Depth: 285)*

	P	3 / 0 / 1979	-128.1		3407.9	01	06	1	
	P	12 / 19/ 1979	-127.13	0.97	3408.87	01	06	1	
	P	1 / 5 / 1981	-130.32	-3.19	3405.68	01	06	1	
	P	1 / 9 / 1982	-132.39	-2.07	3403.61	01	06	1	
	P	2 / 17/ 1983	-131.06	1.33	3404.94	01	06	1	
	P	1 / 3 / 1984	-132.86	-1.8	3403.14	01	06	1	
	P	1 / 10/ 1985	-132.52	0.34	3403.48	01	06	1	
	P	1 / 15/ 1986	-131	1.52	3405	01	06	1	
	P	1 / 9 / 1987	-131.85	-0.85	3404.15	01	06	1	
	P	1 / 13/ 1988	-132.25	-0.4	3403.75	01	06	1	
	P	1 / 12/ 1989	-133.1	-0.85	3402.9	01	06	1	
	P	1 / 12/ 1990	-134.29	-1.19	3401.71	01	06	1	
	P	1 / 24/ 1991	-135.82	-1.53	3400.18	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1992	-136.94	-1.12	3399.06	01	06	1	
	P	1 / 13/ 1993	-135.49	1.45	3400.51	01	06	1	
	P	2 / 8 / 1994	-136.78	-1.29	3399.22	01	06	1	
	P	1 / 19/ 1995	-138.19	-1.41	3397.81	01	06	1	
	P	1 / 23/ 1996	-140.39	-2.2	3395.61	01	06	1	
	P	2 / 11/ 1997	-140.41	-0.02	3395.59	01	06	1	
	P	1 / 14/ 1998	-141.11	-0.7	3394.89	01	06	1	
	P	1 / 18/ 1999	-143	-1.89	3393	01	06	1	
	P	1 / 12/ 2000	-143.8	-0.8	3392.2	01	06	1	
	P	1 / 23/ 2001	-142.75	1.05	3393.25	01	06	1	
	P	1 / 28/ 2002	-145.37	-2.62	3390.63	01	06	1	
	P	2 / 26/ 2003	-143.93	1.44	3392.07	01	06	1	
	P	2 / 9 / 2004	-144.25	-0.32	3391.75	01	06	1	
	P	2 / 4 / 2005	-142.95	1.3	3393.05	01	06	1	
	P	2 / 2 / 2006	-143.68	-0.73	3392.32	01	06	1	
	P	1 / 11/ 2007	-144.88	-1.2	3391.12	01	06	1	
	P	1 / 3 / 2008	-144.2	0.68	3391.8	01	06	1	
	P	2 / 3 / 2009	-145.62	-1.42	3390.38	01	06	1	
	P	1 / 12/ 2010	-146.36	-0.74	3389.64	01	06	1	
	P	1 / 18/ 2011	-146.54	-0.18	3389.46	01	06	1	
	P	12 / 8 / 2011	-148.85	-2.31	3387.15	01	06	1	

Min *-148.85* **Max** *-127.13* **Avg** *-138.476*

1064103 *(Aquifer: 121OGLL Well Depth: 298)*

	P	11 / 12/ 1980	-168.66		3373.34	01	06	1	
	P	1 / 6 / 1981	-160.79	7.87	3381.21	01	06	1	
	P	1 / 21/ 1982	-163.55	-2.76	3378.45	01	06	1	
	P	2 / 22/ 1983	-165.38	-1.83	3376.62	01	06	1	
	P	1 / 25/ 1984	-166.74	-1.36	3375.26	01	06	1	
	P	1 / 21/ 1985	-170.7	-3.96	3371.3	01	06	1	
	P	1 / 22/ 1986	-172.24	-1.54	3369.76	01	06	1	
	P	1 / 15/ 1987	-171.77	0.47	3370.23	01	06	1	
	P	1 / 14/ 1988	-167.46	4.31	3374.54	01	06	1	
	P	1 / 13/ 1989	-168.44	-0.98	3373.56	01	06	1	
	N	1 / 24/ 1990				01	06		51
	N	1 / 24/ 1991				01	06		51

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -172.24		**Max -160.79**	**Avg -167.573**						
1064104	*(Aquifer: 121OGLL*		*Well Depth: 295)*						
	P	1 / 24/ 1990	-172.42		3369.58	01	06	1	
	P	1 / 24/ 1991	-175.8	-3.38	3366.2	01	06	1	
	P	2 / 11/ 1992	-177.29	-1.49	3364.71	01	06	1	
Min -177.29		**Max -172.42**	**Avg -175.17**						
1064105	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	1 / 23/ 1995	-181.81		3357.19	01	06	1	
	P	1 / 24/ 1996	-185.62	-3.81	3353.38	01	06	1	
	P	2 / 11/ 1997	-187.73	-2.11	3351.27	01	06	1	
	P	1 / 16/ 1998	-190.07	-2.34	3348.93	01	06	1	
	P	1 / 18/ 1999	-193	-2.93	3346	01	06	1	
	P	1 / 12/ 2000	-194.7	-1.7	3344.3	01	06	1	
	P	1 / 24/ 2001	-197.88	-3.18	3341.12	01	06	1	
	P	1 / 22/ 2002	-199.08	-1.2	3339.92	01	06	1	
	P	2 / 26/ 2003	-202.03	-2.95	3336.97	01	06	1	
	P	2 / 9 / 2004	-204.26	-2.23	3334.74	01	06	1	
	P	3 / 3 / 2005	-205.12	-0.86	3333.88	01	06	1	
	P	2 / 2 / 2006	-206.9	-1.78	3332.1	01	06	1	
	P	1 / 12/ 2007	-208.94	-2.04	3330.06	01	06	1	
	P	1 / 8 / 2008	-212.29	-3.35	3326.71	01	06	1	
	P	3 / 3 / 2009	-219.44	-7.15	3319.56	01	06	1	
	P	1 / 12/ 2010	-221.18	-1.74	3317.82	01	06	1	
	P	1 / 18/ 2011	-222.16	-0.98	3316.84	01	06	1	
	P	12 / 6 / 2011	-224.73	-2.57	3314.27	01	06	1	
Min -224.73		**Max -181.81**	**Avg -203.163**						
1064401	*(Aquifer: 121OGLL*		*Well Depth: 305)*						
	P	10 / 22/ 1979	-163.32		3371.68	01	07	7	
	P	12 / 19/ 1979	-150.9	12.42	3384.1	01	12	7	
Min -163.32		**Max -150.9**	**Avg -157.11**						
1064701	*(Aquifer: 121OGLL*		*Well Depth: 290)*						
	P	1 / 9 / 1964	-105.79		3415.21	01	01	1	
	P	1 / 9 / 1965	-110.52	-4.73	3410.48	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 4/1966	-111.67	-1.15	3409.33	01	01	1	
	P	1/ 5/1967	-112.73	-1.06	3408.27	01	01	1	
	P	1/ 6/1968	-116.4	-3.67	3404.6	01	01	1	
	P	1/15/1969	-113.39	3.01	3407.61	01	01	1	
	P	1/ 8/1970	-115.39	-2	3405.61	01	06	1	
	P	1/ 8/1971	-117.87	-2.48	3403.13	01	06	1	
	P	1/ 6/1972	-118.38	-0.51	3402.62	01	06	1	
	P	1/23/1973	-118.5	-0.12	3402.5	01	01	1	
	P	1/11/1974	-120.84	-2.34	3400.16	01	06	1	
	P	1/10/1975	-123.24	-2.4	3397.76	01	06	1	
	P	1/ 5/1976	-128.17	-4.93	3392.83	01	06	1	
	P	1/12/1977	-128.62	-0.45	3392.38	01	06	1	
	P	1/10/1978	-130.75	-2.13	3390.25	01	06	1	
	P	1/12/1979	-132.95	-2.2	3388.05	01	06	1	
	P	12/19/1979	-134.4	-1.45	3386.6	01	06	1	
	P	1/ 5/1981	-140.18	-5.78	3380.82	01	06	1	
	P	1/ 9/1982	-142.14	-1.96	3378.86	01	06	1	
	P	2/18/1983	-144.02	-1.88	3376.98	01	06	1	
	P	1/ 3/1984	-146.85	-2.83	3374.15	01	06	1	
	P	1/21/1985	-149.12	-2.27	3371.88	01	06	1	
	P	1/15/1986	-164.64	-15.5	3356.36	01	06	1	
	P	2/ 6/1987	-151.85	12.79	3369.15	01	06	2	
	N	1/14/1988				01	06		81
	N	1/13/1989				01	06	1	47
	N	1/12/1990				01	06	1	47

Min *-164.64* **Max** *-105.79* **Avg** *-128.267*

1064705 *(Aquifer: 121OGLL Well Depth: 300)*

	P	1/ 7/1957	-120		3396	01	07	7	

Min *-120* **Max** *-120* **Avg** *-120*

1064706 *(Aquifer: 121OGLL Well Depth:)*

	P	6/15/1987	-147.1		3363.9	01	06	1	
	P	1/14/1988	-147.15	-0.05	3363.85	01	06	1	
	P	1/13/1989	-147.59	-0.44	3363.41	01	06	1	
	P	1/12/1990	-148.89	-1.3	3362.11	01	06	1	
	P	1/24/1991	-150.89	-2	3360.11	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 16/ 1992	-152.12	-1.23	3358.88	01	06	1	
	P	1 / 13/ 1993	-151.51	0.61	3359.49	01	06	1	
	P	2 / 8 / 1994	-153.04	-1.53	3357.96	01	06	1	
	P	1 / 19/ 1995	-154.66	-1.62	3356.34	01	06	1	
	P	1 / 23/ 1996	-155.77	-1.11	3355.23	01	06	1	
	P	2 / 11/ 1997	-156.92	-1.15	3354.08	01	06	1	
	P	2 / 24/ 1998	-157.8	-0.88	3353.2	01	06	1	
	P	1 / 18/ 1999	-159	-1.2	3352	01	06	1	
	P	1 / 12/ 2000	-163.15	-4.15	3347.85	01	06	1	
	P	1 / 23/ 2001	-162.15	1	3348.85	01	06	1	
	P	1 / 28/ 2002	-162.99	-0.84	3348.01	01	06	1	
	P	2 / 27/ 2003	-163.39	-0.4	3347.61	01	06	1	
	P	2 / 9 / 2004	-166.94	-3.55	3344.06	01	06	1	
	N	3 / 3 / 2005				01	06	1	44
	N	3 / 2 / 2006				01	06	7	44
	N	1 / 11/ 2007				01	06	7	44
	N	1 / 3 / 2008				01	06		81
	N	3 / 14/ 2008				01	06		63

Min *-166.94* **Max** *-147.1* **Avg** *-155.614*

1064707 *(Aquifer: 121OGLL Well Depth: 287)*

	P	9 / 22/ 2005	-185.33		3336.67	01	06	1
	P	2 / 3 / 2009	-193.71	-8.38	3328.29	01	06	1
	P	1 / 12/ 2010	-199.12	-5.41	3322.88	01	06	1
	P	1 / 18/ 2011	-199.44	-0.32	3322.56	01	06	1
	P	12 / 8 / 2011	-206.2	-6.76	3315.8	01	06	1

Min *-206.2* **Max** *-185.33* **Avg** *-196.76*

2404102 *(Aquifer: 218EDRD Well Depth: 248)*

	P	2 / 27/ 1937	-233		3597	01	04	1
	P	6 / 19/ 1952	-184	49	3646	01	04	1

Min *-233* **Max** *-184* **Avg** *-208.5*

2404301 *(Aquifer: 121OGLL Well Depth: 150)*

	P	4 / 25/ 1963	-63.4		3607.6	01	01	1
	P	1 / 9 / 1964	-53.94	9.46	3617.06	01	01	1
	P	1 / 8 / 1965	-57.48	-3.54	3613.52	01	01	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1966	-59.41	-1.93	3611.59	01	01	1	
	P	1/ 4/1967	-58.63	0.78	3612.37	01	01	1	
	P	1/ 8/1968	-57.9	0.73	3613.1	01	01	1	
	P	1/12/1969	-59.16	-1.26	3611.84	01	01	1	
	P	1/ 7/1970	-54	5.16	3617	01	06	1	
	P	1/ 3/1971	-55.11	-1.11	3615.89	01	06	1	
	P	1/ 5/1972	-57.04	-1.93	3613.96	01	06	1	
	P	1/20/1973	-47.64	9.4	3623.36	01	01	1	
	P	1/14/1974	-47.4	0.24	3623.6	01	06	1	
	P	1/ 6/1975	-49.74	-2.34	3621.26	01	06	1	
	P	1/ 6/1976	-49.2	0.54	3621.8	01	06	1	
	P	1/11/1977	-51.59	-2.39	3619.41	01	06	1	
	P	1/13/1978	-52.9	-1.31	3618.1	01	06	1	
	P	1/ 9/1979	-55.1	-2.2	3615.9	01	06	1	
	P	12/11/1979	-54.91	0.19	3616.09	01	06	1	
	P	1/ 8/1981	-59	-4.09	3612	01	06	1	
	P	1/15/1982	-59.85	-0.85	3611.15	01	06	1	
	P	2/15/1983	-61.25	-1.4	3609.75	01	06	1	
	P	1/ 5/1984	-63.25	-2	3607.75	01	06	1	
	P	1/10/1985	-63.43	-0.18	3607.57	01	06	1	
	P	1/22/1986	-61.02	2.41	3609.98	01	06	1	
	P	1/ 9/1987	-58.5	2.52	3612.5	01	06	1	
	P	1/ 4/1988	-53.83	4.67	3617.17	01	06	1	
	P	1/12/1989	-51.74	2.09	3619.26	01	06	1	
	P	1/15/1990	-49.24	2.5	3621.76	01	06	1	
	P	1/25/1991	-52.09	-2.85	3618.91	01	06	1	
	P	1/ 9/1992	-53.69	-1.6	3617.31	01	06	1	
	P	1/26/1993	-47.76	5.93	3623.24	01	06	1	
	P	1/17/1994	-52.07	-4.31	3618.93	01	06	1	
	P	1/19/1995	-55.17	-3.1	3615.83	01	06	1	
	P	1/25/1996	-57.49	-2.32	3613.51	01	06	1	
	P	2/18/1997	-56.52	0.97	3614.48	01	06	1	
	P	1/13/1998	-54.04	2.48	3616.96	01	06	1	
	P	1/19/1999	-58	-3.96	3613	01	06	1	
	P	1/12/2000	-53.72	4.28	3617.28	01	06	1	
	P	1/25/2001	-58.29	-4.57	3612.71	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 23/ 2002	-57.52	0.77	3613.48	01	06	1	
	P	2 / 14/ 2003	-59.95	-2.43	3611.05	01	06	1	
	P	2 / 5 / 2004	-60.27	-0.32	3610.73	01	06	1	
	P	1 / 28/ 2005	-56.75	3.52	3614.25	01	06	1	
	P	1 / 19/ 2006	-54.5	2.25	3616.5	01	06	1	
	P	1 / 12/ 2007	-58.67	-4.17	3612.33	01	06	1	
	P	1 / 3 / 2008	-57.36	1.31	3613.64	01	06	1	
	P	1 / 29/ 2009	-60.62	-3.26	3610.38	01	06	1	
	P	1 / 14/ 2010	-62.54	-1.92	3608.46	01	06	1	
	P	1 / 14/ 2011	-62.2	0.34	3608.8	01	06	1	
	P	12 / 2 / 2011	-66.85	-4.65	3604.15	01	06	1	

Min *-66.85* **Max** *-47.4* **Avg** *-56.4346*

2404401 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 17/ 1961	-158.36		3616.64	01	10	7	
	N	1 / 7 / 1962				01	01		63
	P	1 / 11/ 1962	-155.09		3619.91	01	01	2	
	P	1 / 9 / 1964	-164.86	-9.77	3610.14	01	01	1	
	P	1 / 8 / 1965	-179.18	-14.3	3595.82	01	01	1	
	P	1 / 6 / 1966	-181.52	-2.34	3593.48	01	01	1	
	P	1 / 4 / 1967	-181.41	0.11	3593.59	01	01	1	
	P	1 / 8 / 1968	-180.92	0.49	3594.08	01	01	1	
	P	1 / 12/ 1969	-178.89	2.03	3596.11	01	01	1	

Min *-181.52* **Max** *-155.09* **Avg** *-172.529*

2404402 *(Aquifer: 218EDRD Well Depth: 275)*

	P	5 / 30/ 1996	-56		3762	01	07	1	

Min *-56* **Max** *-56* **Avg** *-56*

2404501 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 10/ 1979	-77.72		3645.28	01	01	1	
	P	1 / 19/ 1982	-78.43	-0.71	3644.57	01	01	1	
	P	1 / 18/ 1983	-77.68	0.75	3645.32	01	01	1	
	P	1 / 15/ 1985	-79.05	-1.37	3643.95	01	01	1	
	P	12 / 13/ 1986	-76.93	2.12	3646.07	01	01	1	
	P	11 / 30/ 1987	-74.32	2.61	3648.68	01	01	1	
	P	12 / 15/ 1988	-75.7	-1.38	3647.3	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 9 / 1989	-74.55	1.15	3648.45	01	01	1	
	P	12 / 5 / 1990	-74.13	0.42	3648.87	01	01	1	
	P	12 / 6 / 1991	-74.7	-0.57	3648.3	01	01	1	
	P	12 / 11/ 1992	-72.3	2.4	3650.7	01	01	1	
	P	12 / 14/ 1994	-71.95	0.35	3651.05	01	01	1	
	P	12 / 5 / 1995	-74.35	-2.4	3648.65	01	01	1	
	P	12 / 13/ 1997	-71.1	3.25	3651.9	01	01	1	
	P	12 / 14/ 1998	-72.3	-1.2	3650.7	01	01	1	
	P	12 / 13/ 1999	-72.2	0.1	3650.8	01	01	1	
	P	12 / 6 / 2000	-72.9	-0.7	3650.1	01	01	1	
	P	1 / 9 / 2002	-74.65	-1.75	3648.35	01	01	1	
	P	12 / 10/ 2002	-72.35	2.3	3650.65	01	01	1	
	P	12 / 6 / 2003	-72.1	0.25	3650.9	01	01	1	
	P	12 / 7 / 2004	-71.6	0.5	3651.4	01	01	1	
	P	12 / 1 / 2005	-73.5	-1.9	3649.5	01	01	1	
	P	1 / 3 / 2007	-70.55	2.95	3652.45	01	01	1	
	P	10 / 23/ 2007	-70.6	-0.05	3652.4	01	01	1	
	P	12 / 17/ 2008	-69.48	1.12	3653.52	01	01	1	
	P	11 / 19/ 2009	-72.87	-3.39	3650.13	01	01	1	
	P	12 / 28/ 2010	-69.1	3.77	3653.9	01	01	1	

Min *-79.05* **Max** *-69.1* **Avg** *-73.5967*

2404601 *(Aquifer: 121OGLL Well Depth: 95)*

	P	1 / 11/ 1961	-68.5		3595.5	01	01	1	
	P	1 / 11/ 1962	-64.79	3.71	3599.21	01	01	1	
	P	1 / 7 / 1963	-66.09	-1.3	3597.91	01	01	1	
	P	1 / 9 / 1964	-65.16	0.93	3598.84	01	01	1	
	P	1 / 7 / 1965	-67.86	-2.7	3596.14	01	12	7	
	P	1 / 6 / 1966	-74.51	-6.65	3589.49	01	01	1	
	P	1 / 4 / 1967	-73.63	0.88	3590.37	01	01	1	
	P	1 / 8 / 1968	-70.1	3.53	3593.9	01	01	1	
	P	1 / 12/ 1969	-71.42	-1.32	3592.58	01	01	1	
	P	1 / 7 / 1970	-66.5	4.92	3597.5	01	06	1	
	P	1 / 3 / 1971	-67.7	-1.2	3596.3	01	06	1	
	P	1 / 5 / 1972	-63.65	4.05	3600.35	01	06	1	
	P	1 / 20/ 1973	-63.25	0.4	3600.75	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 14/ 1974	-53.86	9.39	3610.14	01	06	1	
	P	1 / 6 / 1975	-55.29	-1.43	3608.71	01	06	1	
	P	1 / 6 / 1976	-52.36	2.93	3611.64	01	06	1	
	P	1 / 11/ 1977	-53.63	-1.27	3610.37	01	06	1	
	P	1 / 13/ 1978	-53.9	-0.27	3610.1	01	06	1	
	P	1 / 9 / 1979	-55	-1.1	3609	01	06	1	
	P	12 / 11/ 1979	-54.34	0.66	3609.66	01	06	1	
	P	1 / 8 / 1981	-57.4	-3.06	3606.6	01	06	1	
	P	1 / 15/ 1982	-58.1	-0.7	3605.9	01	06	1	

Min *-74.51* **Max** *-52.36* **Avg** *-62.5927*

2404602 *(Aquifer: 121OGLL Well Depth: 130)*

	P	4 / 18/ 1952	-77.3		3569.7	01	04	1	

Min *-77.3* **Max** *-77.3* **Avg** *-77.3*

2404701 *(Aquifer: 121OGLL Well Depth: 103)*

	P	1 / 18/ 1961	-71.75		3691.25	01	10	7	
	P	1 / 10/ 1962	-74.47	-2.72	3688.53	01	01	1	
	P	1 / 7 / 1963	-71.24	3.23	3691.76	01	01	1	
	N	1 / 9 / 1964				01	01		40

Min *-74.47* **Max** *-71.24* **Avg** *-72.4867*

2404801 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 10/ 1979	-41.4		3626.6	01	01	1	
	P	1 / 21/ 1981	-41.82	-0.42	3626.18	01	01	1	
	P	1 / 19/ 1982	-41.93	-0.11	3626.07	01	01	1	
	P	1 / 18/ 1983	-41.64	0.29	3626.36	01	01	1	
	P	1 / 11/ 1984	-42.6	-0.96	3625.4	01	01	1	
	P	1 / 15/ 1985	-42.38	0.22	3625.62	01	01	1	
	P	12 / 13/ 1986	-35.24	7.14	3632.76	01	01	1	
	P	11 / 30/ 1987	-37.05	-1.81	3630.95	01	01	1	
	P	12 / 15/ 1988	-38.64	-1.59	3629.36	01	01	1	
	P	12 / 8 / 1989	-39.41	-0.77	3628.59	01	01	1	
	P	12 / 5 / 1990	-40.15	-0.74	3627.85	01	01	1	
	P	12 / 6 / 1991	-40.25	-0.1	3627.75	01	01	1	
	P	12 / 9 / 1992	-40.93	-0.68	3627.07	01	01	1	
	P	12 / 13/ 1993	-40	0.93	3628	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 14/ 1994	-40.52	-0.52	3627.48	01	01	1	
	P	12 / 5 / 1995	-41.4	-0.88	3626.6	01	01	1	
	P	12 / 14/ 1996	-41.42	-0.02	3626.58	01	01	1	
	P	12 / 13/ 1997	-41.3	0.12	3626.7	01	01	1	
	P	12 / 14/ 1998	-41.5	-0.2	3626.5	01	01	1	
	P	12 / 13/ 1999	-39.14	2.36	3628.86	01	01	1	
	P	12 / 6 / 2000	-43.3	-4.16	3624.7	01	01	1	
	P	1 / 9 / 2002	-41.05	2.25	3626.95	01	01	1	
	P	12 / 10/ 2002	-41.51	-0.46	3626.49	01	01	1	
	P	12 / 6 / 2003	-41.68	-0.17	3626.32	01	01	1	
	P	12 / 7 / 2004	-35.06	6.62	3632.94	01	01	1	
	P	12 / 1 / 2005	-43.62	-8.56	3624.38	01	01	1	
	P	1 / 3 / 2007	-39.61	4.01	3628.39	01	01	1	
	P	10 / 23/ 2007	-37.94	1.67	3630.06	01	01	1	
	P	12 / 17/ 2008	-39.21	-1.27	3628.79	01	01	1	
	P	11 / 19/ 2009	-41.25	-2.04	3626.75	01	01	1	
	P	12 / 28/ 2010	-40.2	1.05	3627.8	01	01	1	

Min *-43.62* **Max** *-35.06* **Avg** *-40.4242*

2404901 *(Aquifer: 121OGLL Well Depth: 62)*

	P	3 / 11/ 1937	-61.7		3583.3	01	04	1	
	P	4 / 18/ 1952	-50.2	11.5	3594.8	01	04	1	

Min *-61.7* **Max** *-50.2* **Avg** *-55.95*

2405101 *(Aquifer: 121OGLL Well Depth: 89)*

	P	4 / 3 / 1963	-37.6		3578.4	01	01	1	
	P	1 / 9 / 1964	-37.49	0.11	3578.51	01	01	1	
	P	1 / 8 / 1965	-39.01	-1.52	3576.99	01	01	1	
	P	1 / 6 / 1966	-39.98	-0.97	3576.02	01	01	1	
	P	1 / 4 / 1967	-40.45	-0.47	3575.55	01	01	1	
	P	1 / 8 / 1968	-39.76	0.69	3576.24	01	01	1	
	P	1 / 12/ 1969	-40.22	-0.46	3575.78	01	01	1	
	P	1 / 8 / 1970	-39.74	0.48	3576.26	01	06	1	
	P	1 / 3 / 1971	-40.14	-0.4	3575.86	01	06	1	
	P	1 / 5 / 1972	-40.35	-0.21	3575.65	01	06	1	
	P	1 / 20/ 1973	-39.5	0.85	3576.5	01	01	1	
	P	1 / 14/ 1974	-38.98	0.52	3577.02	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 6 / 1975	-38.37	0.61	3577.63	01	06	1	
	P	1 / 6 / 1976	-37.48	0.89	3578.52	01	06	1	
	P	1 / 11/ 1977	-37.54	-0.06	3578.46	01	06	1	
	P	1 / 13/ 1978	-36.96	0.58	3579.04	01	06	1	
	P	1 / 9 / 1979	-37.64	-0.68	3578.36	01	06	1	
	P	12 / 11/ 1979	-37.63	0.01	3578.37	01	06	1	
	N	12 / 0 / 1980				01	06	7	45

Min *-40.45* **Max** *-36.96* **Avg** *-38.8244*

2405102 *(Aquifer: 121OGLL Well Depth: 110)*

	P	11 / 12/ 1980	-54.22		3579.78	01	06	1	
	P	1 / 8 / 1981	-54.28	-0.06	3579.72	01	06	1	
	P	1 / 15/ 1982	-53.94	0.34	3580.06	01	06	1	
	P	2 / 16/ 1983	-54.42	-0.48	3579.58	01	06	1	
	P	1 / 5 / 1984	-55.06	-0.64	3578.94	01	06	1	
	P	1 / 10/ 1985	-54.55	0.51	3579.45	01	06	1	
	P	1 / 22/ 1986	-54.21	0.34	3579.79	01	06	1	
	P	1 / 9 / 1987	-53.74	0.47	3580.26	01	06	1	
	P	1 / 4 / 1988	-52.02	1.72	3581.98	01	06	1	
	P	1 / 12/ 1989	-51.47	0.55	3582.53	01	06	1	
	P	1 / 15/ 1990	-51.35	0.12	3582.65	01	06	1	
	P	1 / 25/ 1991	-51.2	0.15	3582.8	01	06	1	
	P	1 / 9 / 1992	-52.33	-1.13	3581.67	01	06	1	
	P	1 / 26/ 1993	-50.41	1.92	3583.59	01	06	1	
	P	1 / 17/ 1994	-52.5	-2.09	3581.5	01	06	1	
	P	1 / 19/ 1995	-53.17	-0.67	3580.83	01	06	1	
	P	1 / 25/ 1996	-53.84	-0.67	3580.16	01	06	1	
	P	2 / 18/ 1997	-52.32	1.52	3581.68	01	06	1	
	P	1 / 13/ 1998	-50.91	1.41	3583.09	01	06	1	
	P	1 / 19/ 1999	-52	-1.09	3582	01	06	1	
	P	1 / 12/ 2000	-50.4	1.6	3583.6	01	06	1	
	P	1 / 12/ 2001	-52.64	-2.24	3581.36	01	06	1	
	P	1 / 23/ 2002	-50.27	2.37	3583.73	01	06	1	
	P	2 / 14/ 2003	-50.81	-0.54	3583.19	01	06	1	
	P	2 / 5 / 2004	-51.76	-0.95	3582.24	01	06	1	
	P	1 / 28/ 2005	-50.6	1.16	3583.4	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 2006	-48.35	2.25	3585.65	01	06	1	
	P	2 / 22/ 2007	-47.95	0.4	3586.05	01	06	1	
	P	1 / 3 / 2008	-47.68	0.27	3586.32	01	06	1	
	P	1 / 29/ 2009	-49.55	-1.87	3584.45	01	06	1	
	P	1 / 14/ 2010	-50.28	-0.73	3583.72	01	06	1	
	P	1 / 14/ 2011	-50.18	0.1	3583.82	01	06	1	
	P	12 / 2 / 2011	-55.62	-5.44	3578.38	01	06	1	

Min *-55.62* **Max** *-47.68* **Avg** *-51.9403*

2405301 *(Aquifer: 121OGLL Well Depth: 205)*

	P	3 / 8 / 1937	-70.5		3562.5	01	12	7	01
	P	1 / 21/ 1938	-78.3	-7.8	3554.7	01	12	7	01
	P	6 / 19/ 1938	-78.12	0.18	3554.88	01	12	7	01
	P	11 / 18/ 1940	-78.94	-0.82	3554.06	01	12	7	01
	P	3 / 20/ 1941	-78.21	0.73	3554.79	01	12	7	01
	P	3 / 14/ 1942	-75.51	2.7	3557.49	01	12	7	01
	P	2 / 4 / 1943	-73.45	2.06	3559.55	01	12	7	01
	P	2 / 22/ 1944	-71.84	1.61	3561.16	01	12	7	01
	P	2 / 19/ 1945	-71	0.84	3562	01	12	7	01
	P	3 / 2 / 1946	-71.52	-0.52	3561.48	01	12	7	01
	P	3 / 18/ 1947	-69.85	1.67	3563.15	01	12	7	01
	P	2 / 20/ 1948	-67.9	1.95	3565.1	01	12	7	01
	P	1 / 17/ 1951	-73.99	-6.09	3559.01	01	12	7	01
	P	1 / 28/ 1952	-73.9	0.09	3559.1	01	12	7	01
	P	1 / 15/ 1953	-77.53	-3.63	3555.47	01	12	7	01
	P	1 / 8 / 1954	-80.3	-2.77	3552.7	01	12	7	01
	P	1 / 5 / 1955	-84.46	-4.16	3548.54	01	12	7	01
	P	1 / 11/ 1956	-87.5	-3.04	3545.5	01	12	7	01
	P	1 / 11/ 1957	-89.2	-1.7	3543.8	01	12	7	01
	P	1 / 22/ 1958	-91.3	-2.1	3541.7	01	12	7	01
	P	1 / 8 / 1959	-91.47	-0.17	3541.53	01	12	7	01
	P	1 / 25/ 1960	-94.9	-3.43	3538.1	01	12	7	01
	P	1 / 18/ 1961	-96.02	-1.12	3536.98	01	04	1	
	N	1 / 12/ 1962				01	01		40

Min *-96.02* **Max** *-67.9* **Avg** *-79.3787*

2405302 *(Aquifer: 121OGLL Well Depth: 200)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 12/ 1962	-95.5		3540.5	01	01	1	
	P	1/ 7/ 1963	-98.45	-2.95	3537.55	01	01	1	
	P	1/ 9/ 1964	-98.64	-0.19	3537.36	01	01	1	
	P	1/ 8/ 1965	-99.87	-1.23	3536.13	01	01	1	
	P	1/ 6/ 1966	-104.63	-4.76	3531.37	01	01	1	
	N	1/ 7/ 1968				01	01		42
	N	1/ 13/ 1969				01	01		61
	P	1/ 8/ 1970	-105.34		3530.66	01	06	1	
	P	1/ 18/ 1971	-108.38	-3.04	3527.62	01	06	1	
	P	1/ 5/ 1972	-111.97	-3.59	3524.03	01	06	1	
	N	1/ 21/ 1973				01	01		61
	P	1/ 26/ 1973	-110.11		3525.89	01	06	1	
	P	1/ 14/ 1974	-112.23	-2.12	3523.77	01	06	1	03
	P	1/ 6/ 1975	-116.38	-4.15	3519.62	01	06	1	
	P	1/ 8/ 1976	-114.05	2.33	3521.95	01	06	1	07
	P	1/ 11/ 1977	-123.2	-9.15	3512.8	01	06	1	

Min *-123.2* **Max** *-95.5* **Avg** *-107.596*

2405303 *(Aquifer: 121OGLL Well Depth: 206)*

	P	1/ 13/ 1978	-127.2		3505.8	01	06	1	
	P	1/ 12/ 1979	-130.39	-3.19	3502.61	01	06	1	
	P	12/ 17/ 1979	-131.43	-1.04	3501.57	01	06	1	
	P	1/ 12/ 1981	-140.46	-9.03	3492.54	01	06	1	
	P	1/ 15/ 1982	-142.87	-2.41	3490.13	01	06	1	
	P	2/ 16/ 1983	-145.82	-2.95	3487.18	01	06	1	
	P	1/ 25/ 1984	-145.13	0.69	3487.87	01	06	1	
	P	1/ 10/ 1985	-146.79	-1.66	3486.21	01	06	1	
	P	1/ 22/ 1986	-149.31	-2.52	3483.69	01	06	1	04
	P	2/ 6/ 1987	-149.85	-0.54	3483.15	01	06	1	
	P	1/ 4/ 1988	-150.8	-0.95	3482.2	01	06	1	
	P	2/ 16/ 1989	-153.1	-2.3	3479.9	01	06	1	
	N	2/ 9/ 1990				01	06		41
	P	1/ 25/ 1991	-157.35		3475.65	01	06	1	
	P	1/ 10/ 1992	-158.88	-1.53	3474.12	01	06	1	
	P	1/ 13/ 1993	-158.79	0.09	3474.21	01	06	1	
	P	1/ 18/ 1994	-162.19	-3.4	3470.81	01	06	1	04

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	2 / 24/ 1995				01	06		41
	P	1 / 25/ 1996	-165.58		3467.42	01	06	1	
	P	2 / 18/ 1997	-165.33	0.25	3467.67	01	06	1	
	P	1 / 15/ 1998	-166.22	-0.89	3466.78	01	06	1	
	N	2 / 19/ 1999				01	06		42
	N	1 / 12/ 2000				01	06		42

Min *-166.22* **Max** *-127.2* **Avg** *-149.868*

2405304 *(Aquifer: 121OGLL Well Depth: 131)*

	P	2 / 19/ 1999	-107.8		3536.2	01	06	1	
	P	1 / 12/ 2000	-107.65	0.15	3536.35	01	06	1	
	P	1 / 25/ 2001	-108.03	-0.38	3535.97	01	06	1	
	P	1 / 25/ 2002	-108.25	-0.22	3535.75	01	06	1	
	P	2 / 14/ 2003	-109.12	-0.87	3534.88	01	06	1	
	P	2 / 6 / 2004	-109.4	-0.28	3534.6	01	06	1	
	P	1 / 28/ 2005	-109.44	-0.04	3534.56	01	06	1	
	P	1 / 19/ 2006	-112.61	-3.17	3531.39	01	06	1	
	N	3 / 15/ 2007				01	06		41
	P	1 / 3 / 2008	-109.8		3534.2	01	06	1	
	P	1 / 29/ 2009	-109.83	-0.03	3534.17	01	06	1	
	P	1 / 14/ 2010	-111.54	-1.71	3532.46	01	06	1	
	P	2 / 22/ 2011	-111.33	0.21	3532.67	01	06	1	
	P	12 / 2 / 2011	-111.07	0.26	3532.93	01	06	1	

Min *-112.61* **Max** *-107.65* **Avg** *-109.682*

2405305 *(Aquifer: 121OGLL Well Depth: 136)*

	P	10 / 20/ 2005	-98.43		3536.57	01	06	1	
	P	1 / 29/ 2009	-98.47	-0.04	3536.53	01	06	1	
	P	1 / 14/ 2010	-99.38	-0.91	3535.62	01	06	1	
	N	1 / 14/ 2011				01	06		63
	N	12 / 2 / 2011				01	06		63

Min *-99.38* **Max** *-98.43* **Avg** *-98.76*

2405402 *(Aquifer: 121OGFA Well Depth: 104)*

	P	7 / 14/ 1983	-27		3560	01	12	7	

Min *-27* **Max** *-27* **Avg** *-27*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2405403	(Aquifer: 121OGFA		Well Depth: 105)						
	P	7 / 14/ 1983	-29		3546	01	12	7	
Min -29		Max -29	Avg	-29					
2405404	(Aquifer: 121OGLL		Well Depth: 50)						
	P	4 / 18/ 1952	-24.8		3570.2	01	04	1	
Min -24.8		Max -24.8	Avg	-24.8					
2405405	(Aquifer: 121OGLL		Well Depth: 100)						
	P	4 / 18/ 1952	-20		3545	01	04	1	
Min -20		Max -20	Avg	-20					
2405502	(Aquifer: 121OGLL		Well Depth: 129)						
	P	1 / 9 / 1964	-89.81		3512.19	01	01	1	
	P	1 / 7 / 1965	-94.31	-4.5	3507.69	01	01	1	
	P	1 / 6 / 1966	-98.02	-3.71	3503.98	01	01	1	
	P	1 / 4 / 1967	-98.5	-0.48	3503.5	01	01	1	
	P	1 / 8 / 1968	-98.8	-0.3	3503.2	01	01	1	
	P	1 / 13/ 1969	-100.2	-1.4	3501.8	01	01	1	
	P	1 / 7 / 1970	-83.93	16.27	3518.07	01	06	1	
	P	1 / 3 / 1971	-85.13	-1.2	3516.87	01	06	1	
	P	1 / 5 / 1972	-86.47	-1.34	3515.53	01	06	1	
	P	1 / 21/ 1973	-83.11	3.36	3518.89	01	01	1	
	P	1 / 14/ 1974	-80.2	2.91	3521.8	01	06	1	
	P	1 / 6 / 1975	-84.03	-3.83	3517.97	01	06	1	
	P	1 / 6 / 1976	-79.8	4.23	3522.2	01	06	1	
	P	1 / 11/ 1977	-80.49	-0.69	3521.51	01	06	1	
	P	1 / 13/ 1978	-75.35	5.14	3526.65	01	06	1	
	P	1 / 9 / 1979	-74.73	0.62	3527.27	01	06	1	
	P	12 / 11/ 1979	-73.85	0.88	3528.15	01	06	1	
	P	1 / 8 / 1981	-73.29	0.56	3528.71	01	06	1	
	P	1 / 15/ 1982	-73.5	-0.21	3528.5	01	06	1	
	P	2 / 16/ 1983	-72.79	0.71	3529.21	01	06	1	
	P	1 / 5 / 1984	-71.84	0.95	3530.16	01	06	1	
	P	1 / 10/ 1985	-71.85	-0.01	3530.15	01	06	1	
	P	1 / 22/ 1986	-71.02	0.83	3530.98	01	06	1	
	P	1 / 9 / 1987	-69.41	1.61	3532.59	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 4 / 1988	-67.99	1.42	3534.01	01	06	1	
	P	1 / 12/ 1989	-67.28	0.71	3534.72	01	06	1	
	P	1 / 15/ 1990	-66.73	0.55	3535.27	01	06	1	
	P	1 / 25/ 1991	-66.39	0.34	3535.61	01	06	1	
	P	1 / 10/ 1992	-66.03	0.36	3535.97	01	06	1	
	P	1 / 26/ 1993	-65.69	0.34	3536.31	01	06	1	
	P	1 / 17/ 1994	-65.29	0.4	3536.71	01	06	1	
	P	1 / 19/ 1995	-65.19	0.1	3536.81	01	06	1	
	P	1 / 25/ 1996	-65.31	-0.12	3536.69	01	06	1	
	P	2 / 18/ 1997	-64.92	0.39	3537.08	01	06	1	
	P	1 / 13/ 1998	-64.82	0.1	3537.18	01	06	1	
	P	1 / 21/ 1999	-65	-0.18	3537	01	06	1	
	P	1 / 11/ 2000	-64.85	0.15	3537.15	01	06	1	
	P	1 / 25/ 2001	-64.91	-0.06	3537.09	01	06	1	
	P	1 / 23/ 2002	-64.83	0.08	3537.17	01	06	1	
	P	2 / 14/ 2003	-64.96	-0.13	3537.04	01	06	1	
	P	2 / 5 / 2004	-65.13	-0.17	3536.87	01	06	1	
	P	1 / 28/ 2005	-65.15	-0.02	3536.85	01	06	1	
	P	1 / 19/ 2006	-64.98	0.17	3537.02	01	06	1	
	P	1 / 11/ 2007	-64.92	0.06	3537.08	01	06	1	
	P	1 / 4 / 2008	-64.75	0.17	3537.25	01	06	1	
	P	1 / 29/ 2009	-64.88	-0.13	3537.12	01	06	1	
	P	1 / 14/ 2010	-64.76	0.12	3537.24	01	06	1	
	P	1 / 14/ 2011	-64.69	0.07	3537.31	01	06	1	
	P	12 / 2 / 2011	-63.74	0.95	3538.26	01	06	1	

Min *-100.2* **Max** *-63.74* **Avg** *-73.5433*

2405504 *(Aquifer: 121OGLL Well Depth: 80)*

	P	10 / 18/ 1951	-45.5		3526.5	01	04	1	

Min *-45.5* **Max** *-45.5* **Avg** *-45.5*

2405701 *(Aquifer: 121OGLL Well Depth: 54)*

	P	6 / 5 / 1952	-43.6		3536.4	01	04	1	

Min *-43.6* **Max** *-43.6* **Avg** *-43.6*

2405702 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 11/ 1979	-49.85		3540.15	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 21/ 1981	-50.41	-0.56	3539.59	01	01	1	
	P	1 / 18/ 1983	-50.63	-0.22	3539.37	01	01	1	
	P	1 / 15/ 1985	-51.15	-0.52	3538.85	01	01	1	
	P	12 / 13/ 1986	-49.51	1.64	3540.49	01	01	1	
	P	11 / 30/ 1987	-51.1	-1.59	3538.9	01	01	1	
	P	12 / 15/ 1988	-49.54	1.56	3540.46	01	01	1	
	P	12 / 8 / 1989	-48.86	0.68	3541.14	01	01	1	
	P	12 / 5 / 1990	-49.71	-0.85	3540.29	01	01	1	
	P	12 / 6 / 1991	-52.82	-3.11	3537.18	01	01	1	
	P	12 / 9 / 1992	-50.86	1.96	3539.14	01	01	1	
	P	12 / 13/ 1993	-51.24	-0.38	3538.76	01	01	1	
	P	12 / 14/ 1994	-54.59	-3.35	3535.41	01	01	1	
	P	12 / 5 / 1995	-51.2	3.39	3538.8	01	01	1	
	P	12 / 14/ 1996	-52.58	-1.38	3537.42	01	01	1	
	P	12 / 13/ 1997	-51.7	0.88	3538.3	01	01	1	
	P	12 / 12/ 1998	-51.7		3538.3	01	01	1	
	P	12 / 13/ 1999	-51.87	-0.17	3538.13	01	01	1	
	P	12 / 6 / 2000	-52.15	-0.28	3537.85	01	01	1	
	P	1 / 9 / 2002	-61.55	-9.4	3528.45	01	01	1	
	P	12 / 10/ 2002	-67.38	-5.83	3522.62	01	01	1	02
	P	12 / 6 / 2003	-54.75	12.63	3535.25	01	01	1	
	P	12 / 7 / 2004	-58.9	-4.15	3531.1	01	01	1	02
	P	12 / 1 / 2005	-48.88	10.02	3541.12	01	01	1	
	P	1 / 3 / 2007	-49.87	-0.99	3540.13	01	01	1	
	P	10 / 23/ 2007	-49.6	0.27	3540.4	01	01	1	
	P	12 / 17/ 2008	-50.09	-0.49	3539.91	01	01	1	
	P	11 / 19/ 2009	-50.59	-0.5	3539.41	01	01	1	
	P	12 / 28/ 2010	-50.88	-0.29	3539.12	01	01	1	

Min *-67.38* **Max** *-48.86* **Avg** *-52.2055*

2405703 *(Aquifer: 121OGLL Well Depth: 78)*

	P	6 / 19/ 1952	-54.5		3540.5	01	04	1	

Min *-54.5* **Max** *-54.5* **Avg** *-54.5*

2405801 *(Aquifer: 121OGLL Well Depth:)*

	P	12 / 11/ 1979	-39.2		3519.8	01	01	1	
	P	1 / 19/ 1982	-38.85	0.35	3520.15	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 18/ 1983	-38.96	-0.11	3520.04	01	01	1	
	P	12 / 12/ 1986	-34.53	4.43	3524.47	01	01	1	
	N	11 / 30/ 1987				01	01		63
	P	12 / 15/ 1988	-33.16		3525.84	01	01	1	
	P	12 / 8 / 1989	-33.31	-0.15	3525.69	01	01	1	
	P	12 / 5 / 1990	-34.29	-0.98	3524.71	01	01	1	
	P	12 / 6 / 1991	-35.2	-0.91	3523.8	01	01	1	
	P	12 / 9 / 1992	-34.09	1.11	3524.91	01	01	1	04
	P	12 / 13/ 1993	-34.9	-0.81	3524.1	01	01	1	
	P	12 / 14/ 1994	-36.65	-1.75	3522.35	01	01	1	
	P	12 / 5 / 1995	-37.05	-0.4	3521.95	01	01	1	
	P	12 / 14/ 1996	-36.5	0.55	3522.5	01	01	1	
	N	12 / 13/ 1997				01	01		63
	N	12 / 12/ 1998				01	01		63
	P	12 / 13/ 1999	-39.4		3519.6	01	01	1	
	P	12 / 6 / 2000	-40	-0.6	3519	01	01	1	
	P	1 / 9 / 2002	-41.05	-1.05	3517.95	01	01	1	
	P	12 / 10/ 2002	-40.67	0.38	3518.33	01	01	1	
	P	12 / 6 / 2003	-41.22	-0.55	3517.78	01	01	1	
	P	12 / 7 / 2004	-41.2	0.02	3517.8	01	01	1	
	P	12 / 1 / 2005	-39.12	2.08	3519.88	01	01	1	
	P	1 / 3 / 2007	-39.1	0.02	3519.9	01	01	1	
	P	10 / 23/ 2007	-38.55	0.55	3520.45	01	01	1	
	P	12 / 17/ 2008	-37.99	0.56	3521.01	01	01	1	
	P	11 / 19/ 2009	-40.18	-2.19	3518.82	01	01	1	
	P	12 / 28/ 2010	-38.35	1.83	3520.65	01	01	1	

Min *-41.22* **Max** *-33.16* **Avg** *-37.7408*

2405802 *(Aquifer: 121OGLL Well Depth: 54)*

	P	6 / 5 / 1942	-43.6		3526.4	01	04	1	

Min *-43.6* **Max** *-43.6* **Avg** *-43.6*

2405901 *(Aquifer: 121OGLL Well Depth: 102)*

	P	3 / 22/ 1937	-72.2		3462.8	01	04	1	

Min *-72.2* **Max** *-72.2* **Avg** *-72.2*

2406101 *(Aquifer: 121OGLL Well Depth: 205)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 1 / 1979	-131.92		3486.08	01	06	1	
	P	12 / 17/ 1979	-132.17	-0.25	3485.83	01	06	1	
	P	1 / 28/ 1981	-136.86	-4.69	3481.14	01	06	1	04
	P	1 / 15/ 1982	-139.91	-3.05	3478.09	01	06	1	
	P	2 / 16/ 1983	-141.16	-1.25	3476.84	01	06	1	
	P	1 / 4 / 1984	-142.23	-1.07	3475.77	01	06	1	
	P	1 / 10/ 1985	-143	-0.77	3475	01	06	1	
	P	1 / 14/ 1986	-143.71	-0.71	3474.29	01	06	1	
	P	2 / 6 / 1987	-144.18	-0.47	3473.82	01	06	1	
	P	1 / 4 / 1988	-144.45	-0.27	3473.55	01	06	1	
	P	1 / 12/ 1989	-144.65	-0.2	3473.35	01	06	1	
	P	1 / 15/ 1990	-144.31	0.34	3473.69	01	06	1	
	P	1 / 25/ 1991	-145.02	-0.71	3472.98	01	06	1	
	N	2 / 12/ 1992				01	06		40

Min *-145.02* **Max** *-131.92* **Avg** *-141.044*

2406102 *(Aquifer: 121OGLL Well Depth: 188)*

	P	2 / 28/ 1992	-133.1		3470.9	01	06	1	
	P	1 / 13/ 1993	-132.89	0.21	3471.11	01	06	1	
	P	1 / 17/ 1994	-133.47	-0.58	3470.53	01	06	1	
	P	1 / 19/ 1995	-134.35	-0.88	3469.65	01	06	1	
	P	1 / 24/ 1996	-136.64	-2.29	3467.36	01	06	1	
	P	2 / 18/ 1997	-139	-2.36	3465	01	06	1	
	P	1 / 15/ 1998	-139.48	-0.48	3464.52	01	06	1	
	P	1 / 25/ 1999	-144	-4.52	3460	01	06	1	
	P	1 / 12/ 2000	-144.32	-0.32	3459.68	01	06	1	
	P	1 / 24/ 2001	-144.88	-0.56	3459.12	01	06	1	
	P	1 / 25/ 2002	-145.68	-0.8	3458.32	01	06	1	
	P	2 / 25/ 2003	-146.35	-0.67	3457.65	01	06	1	
	P	2 / 11/ 2004	-147.73	-1.38	3456.27	01	06	1	
	P	3 / 3 / 2005	-147.98	-0.25	3456.02	01	06	1	
	P	2 / 1 / 2006	-150.72	-2.74	3453.28	01	06	1	
	P	1 / 11/ 2007	-152.29	-1.57	3451.71	01	06	1	
	P	1 / 3 / 2008	-147.73	4.56	3456.27	01	06	1	
	P	2 / 4 / 2009	-147.8	-0.07	3456.2	01	06	1	
	P	1 / 14/ 2010	-148.97	-1.17	3455.03	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 17/ 2011	-150.24	-1.27	3453.76	01	06	1	
	P	12 / 2 / 2011	-150.65	-0.41	3453.35	01	06	1	

Min *-152.29* **Max** *-132.89* **Avg** *-143.727*

2406201 *(Aquifer: 121OGLL Well Depth: 207)*

	P	1 / 9 / 1964	-117.79		3472.21	01	01	1	
	P	1 / 8 / 1965	-125.15	-7.36	3464.85	01	01	1	
	P	1 / 5 / 1966	-131.33	-6.18	3458.67	01	01	1	
	P	1 / 5 / 1967	-128.87	2.46	3461.13	01	01	1	
	P	1 / 6 / 1968	-131.77	-2.9	3458.23	01	01	1	
	P	1 / 13/ 1969	-135.72	-3.95	3454.28	01	01	1	
	P	1 / 6 / 1970	-127.21	8.51	3462.79	01	06	1	
	P	1 / 3 / 1971	-132.66	-5.45	3457.34	01	06	1	
	P	1 / 5 / 1972	-136.15	-3.49	3453.85	01	06	1	
	P	1 / 23/ 1973	-140.9	-4.75	3449.1	01	01	1	
	P	1 / 14/ 1974	-137.83	3.07	3452.17	01	06	1	03
	P	1 / 8 / 1975	-140.07	-2.24	3449.93	01	06	1	
	P	1 / 5 / 1976	-136.1	3.97	3453.9	01	06	1	20
	P	1 / 12/ 1977	-142.43	-6.33	3447.57	01	06	1	20
	P	1 / 12/ 1978	-138.13	4.3	3451.87	01	06	1	
	P	1 / 23/ 1979	-140.06	-1.93	3449.94	01	06	1	20
	P	12 / 17/ 1979	-141.07	-1.01	3448.93	01	06	1	
	P	1 / 7 / 1981	-142.55	-1.48	3447.45	01	06	1	
	P	1 / 15/ 1982	-141.62	0.93	3448.38	01	06	1	
	P	3 / 14/ 1983	-143.38	-1.76	3446.62	01	06	1	20
	N	1 / 4 / 1984				01	06	1	47
	P	1 / 9 / 1985	-144.69		3445.31	01	06	1	
	P	1 / 14/ 1986	-143.91	0.78	3446.09	01	06	1	20

Min *-144.69* **Max** *-117.79* **Avg** *-136.336*

2406202 *(Aquifer: 121OGLL Well Depth: 184)*

	P	3 / 24/ 1949	-56.7		3505.3	01	12	7	01
	P	4 / 25/ 1949	-59.2	-2.5	3502.8	01	12	7	01
	P	5 / 31/ 1949	-58.1	1.1	3503.9	01	12	7	01
	P	6 / 20/ 1949	-57.7	0.4	3504.3	01	12	7	01
	P	7 / 25/ 1949	-57.4	0.3	3504.6	01	12	7	01
	P	8 / 26/ 1949	-63.7	-6.3	3498.3	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	9 / 30/ 1949	-60.4	3.3	3501.6	01	12	7	01
	P	10 / 25/ 1949	-60	0.4	3502	01	12	7	01
	P	11 / 25/ 1949	-59.7	0.3	3502.3	01	12	7	01
	P	12 / 23/ 1949	-59.4	0.3	3502.6	01	12	7	01
	P	1 / 25/ 1950	-59.3	0.1	3502.7	01	12	7	01
	P	2 / 24/ 1950	-59.2	0.1	3502.8	01	12	7	01
	P	3 / 24/ 1950	-59.5	-0.3	3502.5	01	12	7	01
	P	6 / 26/ 1950	-63.8	-4.3	3498.2	01	12	7	01
	P	7 / 24/ 1950	-63.8		3498.2	01	12	7	01
	P	8 / 25/ 1950	-61.7	2.1	3500.3	01	12	7	01
	P	9 / 25/ 1950	-61.2	0.5	3500.8	01	12	7	01
	P	10 / 19/ 1950	-60.7	0.5	3501.3	01	12	7	01
	P	11 / 24/ 1950	-60.2	0.5	3501.8	01	12	7	01
	P	12 / 21/ 1950	-60	0.2	3502	01	12	7	01
	P	1 / 23/ 1951	-59.8	0.2	3502.2	01	12	7	01
	P	2 / 23/ 1951	-59.6	0.2	3502.4	01	12	7	01
	P	4 / 23/ 1951	-68.9	-9.3	3493.1	01	12	7	01
	P	5 / 21/ 1951	-64.7	4.2	3497.3	01	12	7	01
	P	6 / 26/ 1951	-62.9	1.8	3499.1	01	12	7	01
	P	7 / 24/ 1951	-62.3	0.6	3499.7	01	12	7	01
	P	8 / 28/ 1951	-64.6	-2.3	3497.4	01	12	7	01
	P	9 / 25/ 1951	-63.4	1.2	3498.6	01	12	7	01
	P	10 / 23/ 1951	-63	0.4	3499	01	12	7	01
	P	11 / 26/ 1951	-62.5	0.5	3499.5	01	12	7	01
	P	12 / 26/ 1951	-62.5		3499.5	01	12	7	01
	P	1 / 30/ 1952	-62	0.5	3500	01	12	7	01
	P	2 / 25/ 1952	-61.9	0.1	3500.1	01	12	7	01

Min *-68.9* **Max** *-56.7* **Avg** *-61.2061*

2406203 *(Aquifer: 121OGLL Well Depth: 202)*

	P	4 / 30/ 1986	-147.47		3440.53	01	06	1	
	P	1 / 9 / 1987	-149.97	-2.5	3438.03	01	06	1	
	P	1 / 13/ 1988	-145.54	4.43	3442.46	01	06	1	
	N	1 / 11/ 1989				01	06		42
	N	1 / 12/ 1990				01	06		42

Min *-149.97* **Max** *-145.54* **Avg** *-147.66*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2406301	*(Aquifer: 121OGLL*		*Well Depth:*	*)*					
	P	1 / 11/ 1989	-149.32		3442.68	01	06	1	
	P	1 / 12/ 1990	-150.58	-1.26	3441.42	01	06	1	
	P	1 / 25/ 1991	-152.34	-1.76	3439.66	01	06	1	
	P	2 / 12/ 1992	-153.93	-1.59	3438.07	01	06	1	
	P	1 / 13/ 1993	-152.08	1.85	3439.92	01	06	1	
	P	1 / 18/ 1994	-154.35	-2.27	3437.65	01	06	1	
	P	1 / 19/ 1995	-159.33	-4.98	3432.67	01	06	1	
	P	1 / 24/ 1996	-159.55	-0.22	3432.45	01	06	1	
	P	2 / 18/ 1997	-160.75	-1.2	3431.25	01	06	1	
	P	1 / 15/ 1998	-160.21	0.54	3431.79	01	06	1	
	P	1 / 25/ 1999	-163	-2.79	3429	01	06	1	
	P	1 / 11/ 2000	-162.33	0.67	3429.67	01	06	1	
	P	1 / 24/ 2001	-163.67	-1.34	3428.33	01	06	1	
	P	1 / 28/ 2002	-166.7	-3.03	3425.3	01	06	1	
	P	2 / 26/ 2003	-165.06	1.64	3426.94	01	06	1	
	P	2 / 11/ 2004	-166.42	-1.36	3425.58	01	06	1	
	P	2 / 4 / 2005	-165.72	0.7	3426.28	01	06	1	
	P	2 / 1 / 2006	-165.14	0.58	3426.86	01	06	1	
	P	1 / 11/ 2007	-165.63	-0.49	3426.37	01	06	1	
	N	1 / 2 / 2008				01	06		42
	P	3 / 3 / 2009	-168.14		3423.86	01	06	1	
	P	1 / 13/ 2010	-169.12	-0.98	3422.88	01	06	1	
	P	1 / 17/ 2011	-168.4	0.72	3423.6	01	06	1	
	P	12 / 2 / 2011	-172.16	-3.76	3419.84	01	06	1	

Min *-172.16* **Max** *-149.32* **Avg** *-161.475*

2406401	*(Aquifer: 121OGLL*		*Well Depth: 130*	*)*					
	P	6 / 25/ 1937	-78.04		3521.96	01	12	7	01
	P	9 / 17/ 1937	-78	0.04	3522	01	12	7	01
	P	1 / 20/ 1938	-77.65	0.35	3522.35	01	12	7	01
	P	4 / 11/ 1938	-77.81	-0.16	3522.19	01	12	7	01
	P	6 / 9 / 1938	-77.81		3522.19	01	12	7	01
	P	9 / 19/ 1938	-77.78	0.03	3522.22	01	12	7	01
	P	3 / 10/ 1939	-77.74	0.04	3522.26	01	12	7	01
	P	6 / 19/ 1939	-77.75	-0.01	3522.25	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	10 / 13/ 1939	-77.67	0.08	3522.33	01	12	7	01
	P	12 / 9 / 1940	-77.72	-0.05	3522.28	01	12	7	01
	P	3 / 20/ 1941	-77.7	0.02	3522.3	01	12	7	01
	P	7 / 30/ 1941	-76.9	0.8	3523.1	01	12	7	01
	P	11 / 19/ 1941	-76.36	0.54	3523.64	01	12	7	01
	P	3 / 14/ 1942	-75.43	0.93	3524.57	01	12	7	01
	P	2 / 1 / 1943	-75.3	0.13	3524.7	01	12	7	01
	P	2 / 22/ 1944	-75.3		3524.7	01	12	7	01
	P	2 / 19/ 1945	-75.3		3524.7	01	12	7	01
	P	3 / 2 / 1946	-75.59	-0.29	3524.41	01	12	7	01
	P	1 / 10/ 1947	-74.6	0.99	3525.4	01	12	7	01
	P	3 / 18/ 1947	-74.5	0.1	3525.5	01	12	7	01
	P	2 / 10/ 1948	-74	0.5	3526	01	12	7	01
	P	2 / 17/ 1950	-75.4	-1.4	3524.6	01	12	7	01
	P	1 / 17/ 1951	-75.52	-0.12	3524.48	01	12	7	01
	P	1 / 28/ 1952	-78.65	-3.13	3521.35	01	12	7	01

Min *-78.65* **Max** *-74* **Avg** *-76.605*

2406402 *(Aquifer: 121OGLL Well Depth: 176)*

	P	1 / 15/ 1953	-80.21		3514.79	01	12	7	01
	P	1 / 8 / 1954	-81.45	-1.24	3513.55	01	12	7	01
	P	1 / 5 / 1955	-82.47	-1.02	3512.53	01	12	7	01
	P	1 / 11/ 1957	-80.13	2.34	3514.87	01	12	7	01
	P	1 / 22/ 1958	-81.68	-1.55	3513.32	01	12	7	01
	P	1 / 8 / 1959	-80.37	1.31	3514.63	01	12	7	01
	P	1 / 8 / 1960	-81.66	-1.29	3513.34	01	12	7	01
	P	1 / 18/ 1961	-82.75	-1.09	3512.25	01	04	1	
	P	1 / 12/ 1962	-82.4	0.35	3512.6	01	01	1	
	P	1 / 7 / 1963	-84.86	-2.46	3510.14	01	01	1	
	P	1 / 9 / 1964	-84.36	0.5	3510.64	01	01	1	
	P	1 / 8 / 1965	-85.91	-1.55	3509.09	01	01	1	
	P	1 / 6 / 1966	-87.72	-1.81	3507.28	01	01	1	
	P	1 / 4 / 1967	-88.05	-0.33	3506.95	01	01	1	
	P	1 / 7 / 1968	-87.2	0.85	3507.8	01	01	1	
	P	1 / 13/ 1969	-84.71	2.49	3510.29	01	01	1	
	P	1 / 7 / 1970	-87.19	-2.48	3507.81	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1971	-88.82	-1.63	3506.18	01	06	1	
	P	1/ 5/ 1972	-88.42	0.4	3506.58	01	06	1	
	P	1/ 21/ 1973	-85.02	3.4	3509.98	01	01	1	
	P	1/ 14/ 1974	-84.78	0.24	3510.22	01	06	1	
	P	1/ 6/ 1975	-86.68	-1.9	3508.32	01	06	1	
	P	1/ 6/ 1976	-86.5	0.18	3508.5	01	06	1	
	P	1/ 11/ 1977	-88.28	-1.78	3506.72	01	06	1	
	P	1/ 13/ 1978	-87.85	0.43	3507.15	01	06	1	
	P	1/ 9/ 1979	-87.97	-0.12	3507.03	01	06	1	
	P	12/ 17/ 1979	-86.64	1.33	3508.36	01	06	1	
	P	1/ 12/ 1981	-88.24	-1.6	3506.76	01	06	1	
	P	1/ 15/ 1982	-87.72	0.52	3507.28	01	06	1	
	P	2/ 16/ 1983	-86.78	0.94	3508.22	01	06	1	
	P	1/ 4/ 1984	-88.49	-1.71	3506.51	01	06	1	
	P	1/ 22/ 1985	-87.65	0.84	3507.35	01	06	1	
	P	1/ 24/ 1986	-86.82	0.83	3508.18	01	06	1	
	P	1/ 9/ 1987	-85.75	1.07	3509.25	01	06	1	
	P	1/ 13/ 1988	-85.29	0.46	3509.71	01	06	1	
	P	1/ 25/ 1989	-84.98	0.31	3510.02	01	06	1	
	P	1/ 15/ 1990	-84.82	0.16	3510.18	01	06	1	
	P	1/ 29/ 1991	-85.2	-0.38	3509.8	01	06	1	
	P	1/ 16/ 1992	-84.45	0.75	3510.55	01	06	1	
	P	1/ 4/ 1993	-84.83	-0.38	3510.17	01	06	1	
	P	1/ 17/ 1994	-85.11	-0.28	3509.89	01	06	1	
	P	1/ 19/ 1995	-86.35	-1.24	3508.65	01	06	1	
	P	1/ 24/ 1996	-87.64	-1.29	3507.36	01	06	1	
	P	2/ 18/ 1997	-87.15	0.49	3507.85	01	06	1	
	P	1/ 13/ 1998	-87.5	-0.35	3507.5	01	06	1	
	P	1/ 19/ 1999	-88	-0.5	3507	01	06	1	
	P	1/ 19/ 2000	-88.06	-0.06	3506.94	01	06	1	
	P	1/ 25/ 2001	-87.25	0.81	3507.75	01	06	1	
	P	1/ 25/ 2002	-86.55	0.7	3508.45	01	06	1	
	P	2/ 27/ 2003	-88.06	-1.51	3506.94	01	06	1	
	P	2/ 11/ 2004	-88.17	-0.11	3506.83	01	06	1	
	P	1/ 28/ 2005	-85.73	2.44	3509.27	01	06	1	
	P	1/ 19/ 2006	-85.95	-0.22	3509.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 11/ 2007	-86.49	-0.54	3508.51	01	06	1	
	P	1 / 4 / 2008	-86.02	0.47	3508.98	01	06	1	
	P	2 / 6 / 2009	-86.08	-0.06	3508.92	01	06	1	
	P	1 / 13/ 2010	-87.05	-0.97	3507.95	01	06	1	
	P	1 / 17/ 2011	-87.28	-0.23	3507.72	01	06	1	
	P	12 / 1 / 2011	-88.39	-1.11	3506.61	01	06	1	

Min *-88.82* **Max** *-80.13* **Avg** *-85.8971*

2406502 *(Aquifer: 121OGLL Well Depth: 205)*

	P	4 / 20/ 1956	-102		3451	01	07	7	
	P	8 / 21/ 1989	-149.1	-47.1	3403.9	01	01	1	

Min *-149.1* **Max** *-102* **Avg** *-125.55*

2406505 *(Aquifer: 121OGLL Well Depth: 130)*

	P	10 / 7 / 1937	-59		3466	01	01	1	

Min *-59* **Max** *-59* **Avg** *-59*

2406507 *(Aquifer: 121OGLL Well Depth: 112)*

	P	10 / 1 / 1979	-84.53		3454.47	01	06	1	
	P	12 / 17/ 1979	-83.91	0.62	3455.09	01	06	1	
	P	1 / 5 / 1981	-84.29	-0.38	3454.71	01	06	1	
	P	1 / 15/ 1982	-84.34	-0.05	3454.66	01	06	1	
	P	2 / 17/ 1983	-83.02	1.32	3455.98	01	06	1	
	P	1 / 5 / 1984	-82.53	0.49	3456.47	01	06	1	
	P	1 / 10/ 1985	-85.1	-2.57	3453.9	01	06	1	
	P	1 / 15/ 1986	-83.66	1.44	3455.34	01	06	1	
	P	1 / 9 / 1987	-81.64	2.02	3457.36	01	06	1	
	P	1 / 13/ 1988	-80.85	0.79	3458.15	01	06	1	
	P	1 / 11/ 1989	-80.51	0.34	3458.49	01	06	1	
	P	1 / 12/ 1990	-79.77	0.74	3459.23	01	06	1	
	N	1 / 25/ 1991				01	06		61

Min *-85.1* **Max** *-79.77* **Avg** *-82.8458*

2406508 *(Aquifer: 121OGLL Well Depth: 202)*

	P	5 / 9 / 1961	-96		3449	01	07	7	
	P	8 / 21/ 1989	-140.6	-44.6	3404.4	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
Min -140.6		**Max -96**	**Avg**	**-118.3**					
2406509	*(Aquifer: 121OGLL*		*Well Depth: 205)*						
	P	0 / 0 / 1955	-100		3444	01	07	7	
	P	8 / 21/ 1989	-147.2	-47.2	3396.8	01	01	1	
Min -147.2		**Max -100**	**Avg**	**-123.6**					
2406511	*(Aquifer: 121OGLL*		*Well Depth: 148)*						
	P	10 / 7 / 1937	-66		3471	01	01	1	
Min -66		**Max -66**	**Avg**	**-66**					
2406512	*(Aquifer: 121OGLL*		*Well Depth:)*						
	P	2 / 25/ 1991	-69.35		3469.65	01	06	1	
	P	1 / 16/ 1992	-70.01	-0.66	3468.99	01	06	1	
	P	1 / 4 / 1993	-69.08	0.93	3469.92	01	06	1	
	P	1 / 17/ 1994	-68.1	0.98	3470.9	01	06	1	
	P	1 / 18/ 1995	-69.85	-1.75	3469.15	01	06	1	
	P	1 / 24/ 1996	-70.98	-1.13	3468.02	01	06	1	
	P	2 / 18/ 1997	-70.7	0.28	3468.3	01	06	1	
	P	1 / 13/ 1998	-69.38	1.32	3469.62	01	06	1	
	P	1 / 19/ 1999	-70	-0.62	3469	01	06	1	
	P	1 / 11/ 2000	-68.3	1.7	3470.7	01	06	1	
	P	1 / 24/ 2001	-68.9	-0.6	3470.1	01	06	1	
	P	1 / 29/ 2002	-69.53	-0.63	3469.47	01	06	1	
	P	2 / 25/ 2003	-71.38	-1.85	3467.62	01	06	1	
	P	2 / 11/ 2004	-72.75	-1.37	3466.25	01	06	1	
	P	1 / 28/ 2005	-72.17	0.58	3466.83	01	06	1	
	P	3 / 10/ 2006	-72.32	-0.15	3466.68	01	06	1	
	P	1 / 10/ 2007	-72.96	-0.64	3466.04	01	06	1	
	P	1 / 2 / 2008	-72.87	0.09	3466.13	01	06	1	
	P	3 / 3 / 2009	-72.46	0.41	3466.54	01	06	1	
	P	1 / 13/ 2010	-73.46	-1	3465.54	01	06	1	
	P	1 / 17/ 2011	-73.99	-0.53	3465.01	01	06	1	
	P	12 / 1 / 2011	-75.03	-1.04	3463.97	01	06	1	
Min -75.03		**Max -68.1**	**Avg**	**-71.0714**					
2406513	*(Aquifer: 121OGLL*		*Well Depth: 154)*						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	4 / 16/ 2002	-123.5		3430.5	01	04	7	
Min -123.5		Max -123.5	Avg	-123.5					

2406602 (Aquifer: 121OGLL Well Depth: 191)

	P	8 / 21/ 1989	-137		3407	01	01	1	
Min -137		Max -137	Avg	-137					

2406604 (Aquifer: 121OGLL Well Depth: 200)

	P	2 / 27/ 1963	-107.7		3441.3	01	01	1	
	P	1 / 9 / 1964	-110.01	-2.31	3438.99	01	01	1	
	P	1 / 8 / 1965	-112.98	-2.97	3436.02	01	01	1	
	P	1 / 5 / 1966	-117.76	-4.78	3431.24	01	01	1	
	P	1 / 5 / 1967	-117.62	0.14	3431.38	01	01	1	
	P	1 / 6 / 1968	-127.79	-10.2	3421.21	01	01	1	
	P	1 / 13/ 1969	-121.98	5.81	3427.02	01	01	1	
	P	7 / 23/ 1969	-117.98	4	3431.02	01	01	1	
	P	1 / 6 / 1970	-118.43	-0.45	3430.57	01	06	1	
	P	1 / 3 / 1971	-121	-2.57	3428	01	06	1	
	P	1 / 5 / 1972	-123.29	-2.29	3425.71	01	06	1	
	P	1 / 23/ 1973	-123.13	0.16	3425.87	01	01	1	
	P	1 / 14/ 1974	-127.18	-4.05	3421.82	01	06	1	03
	P	1 / 8 / 1975	-130.4	-3.22	3418.6	01	06	1	
	P	1 / 5 / 1976	-133.64	-3.24	3415.36	01	06	1	
	P	1 / 11/ 1977	-137.23	-3.59	3411.77	01	06	1	
	P	1 / 12/ 1978	-139.6	-2.37	3409.4	01	06	1	
	P	1 / 23/ 1979	-142.9	-3.3	3406.1	01	06	1	
	P	12 / 17/ 1979	-144.71	-1.81	3404.29	01	06	1	
	P	1 / 5 / 1981	-147.94	-3.23	3401.06	01	06	1	
	P	1 / 9 / 1982	-148.22	-0.28	3400.78	01	06	1	
	P	2 / 17/ 1983	-148.15	0.07	3400.85	01	06	1	
	P	1 / 4 / 1984	-151.3	-3.15	3397.7	01	06	1	
	P	1 / 10/ 1985	-151.69	-0.39	3397.31	01	06	1	
	P	1 / 15/ 1986	-151.25	0.44	3397.75	01	06	1	
	P	1 / 9 / 1987	-149.1	2.15	3399.9	01	06	1	
	P	1 / 13/ 1988	-149.39	-0.29	3399.61	01	06	1	
	P	1 / 11/ 1989	-149.07	0.32	3399.93	01	06	1	
	P	1 / 12/ 1990	-149.95	-0.88	3399.05	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 25/ 1991	-152.38	-2.43	3396.62	01	06	1	
	P	2 / 13/ 1992	-153.84	-1.46	3395.16	01	06	1	
	P	1 / 13/ 1993	-151.78	2.06	3397.22	01	06	1	
	P	1 / 18/ 1994	-154.08	-2.3	3394.92	01	06	1	
	N	2 / 24/ 1995				01	06		41
	P	1 / 24/ 1996	-158.43		3390.57	01	06	1	
	P	2 / 18/ 1997	-160.25	-1.82	3388.75	01	06	1	
	P	1 / 15/ 1998	-160.09	0.16	3388.91	01	06	1	
	P	2 / 19/ 1999	-160	0.09	3389	01	06	1	
	P	1 / 11/ 2000	-159.28	0.72	3389.72	01	06	1	
	N	1 / 24/ 2001				01	06		51
	P	1 / 29/ 2002	-149.95		3399.05	01	06	1	
	N	2 / 27/ 2003				01	06		42
	N	2 / 10/ 2004				01	06		42
	N	2 / 4 / 2005				01	06		42
	N	1 / 19/ 2006				01	06		42

Min *-160.25* **Max** *-107.7* **Avg** *-139.268*

2406605 *(Aquifer: 121OGLL Well Depth: 201)*

	P	2 / 21/ 1962	-98		3440	01	07	7	

Min *-98* **Max** *-98* **Avg** *-98*

2406606 *(Aquifer: 121OGLL Well Depth: 184)*

	P	2 / 8 / 1963	-150		3384	01	01	1	

Min *-150* **Max** *-150* **Avg** *-150*

2406607 *(Aquifer: 121OGLL Well Depth: 190)*

	P	3 / 27/ 1963	-88		3454	01	07	7	
	P	8 / 21/ 1989	-141.6	-53.6	3400.4	01	01	1	

Min *-141.6* **Max** *-88* **Avg** *-114.8*

2406608 *(Aquifer: 121OGLL Well Depth: 198)*

	P	5 / 21/ 1963	-132		3415	01	01	1	

Min *-132* **Max** *-132* **Avg** *-132*

2406902 *(Aquifer: 121OGLL Well Depth:)*

	P	4 / 29/ 1937	-40.9		3438.1	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	8/17/1937	-40.99	-0.09	3438.01	01	12	7	01
	P	1/20/1938	-40.75	0.24	3438.25	01	12	7	01
	P	4/11/1938	-40.86	-0.11	3438.14	01	12	7	01
	P	6/ 9/1938	-40.88	-0.02	3438.12	01	12	7	01
	P	6/29/1938	-40.91	-0.03	3438.09	01	12	7	01
	P	9/19/1938	-40.97	-0.06	3438.03	01	12	7	01
	P	1/16/1939	-40.83	0.14	3438.17	01	12	7	01
	P	3/10/1939	-40.88	-0.05	3438.12	01	12	7	01
	P	6/19/1939	-40.98	-0.1	3438.02	01	12	7	01
	P	8/15/1939	-40.82	0.16	3438.18	01	12	7	01
	P	12/16/1940	-41.1	-0.28	3437.9	01	12	7	01
	P	3/20/1941	-41.1		3437.9	01	12	7	01
	P	7/29/1941	-39.7	1.4	3439.3	01	12	7	01
	P	11/18/1941	-37.54	2.16	3441.46	01	12	7	01
	P	3/26/1942	-36.75	0.79	3442.25	01	12	7	01
	P	7/28/1942	-36.64	0.11	3442.36	01	12	7	01
	P	2/ 1/1943	-35.75	0.89	3443.25	01	12	7	01
	P	1/29/1944	-35.35	0.4	3443.65	01	12	7	01
	P	2/19/1945	-36.45	-1.1	3442.55	01	12	7	01
	P	3/ 2/1946	-39.88	-3.43	3439.12	01	12	7	01
	P	3/18/1947	-39.92	-0.04	3439.08	01	12	7	01
	P	2/20/1948	-43.1	-3.18	3435.9	01	12	7	01
	P	3/14/1949	-46.37	-3.27	3432.63	01	12	7	01
	P	2/17/1950	-47.69	-1.32	3431.31	01	12	7	01
	P	1/17/1951	-48.45	-0.76	3430.55	01	12	7	01
	P	1/29/1952	-49.19	-0.74	3429.81	01	12	7	01
	P	1/15/1953	-54.56	-5.37	3424.44	01	12	7	01
	P	1/ 8/1954	-58.5	-3.94	3420.5	01	12	7	01
	P	1/ 5/1955	-63.38	-4.88	3415.62	01	12	7	01
	P	1/11/1956	-69.04	-5.66	3409.96	01	12	7	01
	P	1/10/1957	-72.58	-3.54	3406.42	01	12	7	01
	P	1/22/1958	-75.25	-2.67	3403.75	01	12	7	01
	P	1/ 8/1959	-77.42	-2.17	3401.58	01	12	7	01
	P	1/18/1961	-82.2	-4.78	3396.8	01	04	1	
	P	1/12/1962	-79.77	2.43	3399.23	01	01	1	
	P	1/ 7/1963	-86.22	-6.45	3392.78	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1964	-85.18	1.04	3393.82	01	01	1	
	P	1/ 8/1965	-92.29	-7.11	3386.71	01	01	1	
	P	1/ 5/1966	-92.76	-0.47	3386.24	01	01	1	
	P	1/ 4/1967	-94.95	-2.19	3384.05	01	01	1	
	P	1/ 8/1968	-94.24	0.71	3384.76	01	01	1	
	P	1/13/1969	-97.16	-2.92	3381.84	01	01	1	
	P	1/ 7/1970	-95.71	1.45	3383.29	01	06	1	
	P	1/18/1971	-99.64	-3.93	3379.36	01	06	1	
	P	1/ 5/1972	-97.22	2.42	3381.78	01	06	1	
	P	1/23/1973	-95.57	1.65	3383.43	01	01	1	
	P	1/14/1974	-95.05	0.52	3383.95	01	06	1	
	P	1/ 6/1975	-98.64	-3.59	3380.36	01	06	1	
	P	1/ 5/1976	-97.26	1.38	3381.74	01	06	1	
	P	1/11/1977	-99.83	-2.57	3379.17	01	06	1	
	P	1/10/1978	-99.64	0.19	3379.36	01	06	1	
	P	1/ 9/1979	-100.91	-1.27	3378.09	01	06	1	
	P	12/11/1979	-100.16	0.75	3378.84	01	06	1	
	P	1/ 7/1981	-103.78	-3.62	3375.22	01	06	1	
	P	1/15/1982	-104.88	-1.1	3374.12	01	06	1	
	P	2/18/1983	-102.63	2.25	3376.37	01	06	1	
	P	1/ 4/1984	-102.35	0.28	3376.65	01	06	1	
	P	1/10/1985	-105.63	-3.28	3373.37	01	06	1	
	P	1/15/1986	-104.25	1.38	3374.75	01	06	1	
	P	2/ 3/1987	-102.63	1.62	3376.37	01	06	1	
	P	1/13/1988	-101.49	1.14	3377.51	01	06	1	
	P	1/13/1989	-100.99	0.5	3378.01	01	06	1	
	P	1/15/1990	-102.45	-1.46	3376.55	01	06	1	
	P	1/29/1991	-103.74	-1.29	3375.26	01	06	1	
	P	1/16/1992	-105.65	-1.91	3373.35	01	06	1	
	P	1/13/1993	-103.34	2.31	3375.66	01	06	1	
	P	1/17/1994	-104.35	-1.01	3374.65	01	06	1	
	P	1/18/1995	-105.54	-1.19	3373.46	01	06	1	
	P	1/24/1996	-107.02	-1.48	3371.98	01	06	1	
	P	2/18/1997	-106.3	0.72	3372.7	01	06	1	
	P	1/14/1998	-106.79	-0.49	3372.21	01	06	1	
	P	1/19/1999	-109	-2.21	3370	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 11/ 2000				01	06		42

Min *-109* **Max** *-35.35* **Avg** *-74.5574*

2406903 *(Aquifer: 121OGLL Well Depth: 148)*

	P	1 / 11/ 2000	-110.02		3363.98	01	06	1
	P	1 / 24/ 2001	-112.19	-2.17	3361.81	01	06	1
	P	1 / 29/ 2002	-110.93	1.26	3363.07	01	06	1
	P	2 / 27/ 2003	-110.67	0.26	3363.33	01	06	1
	P	2 / 10/ 2004	-111.28	-0.61	3362.72	01	06	1
	P	2 / 4 / 2005	-110.08	1.2	3363.92	01	06	1
	P	1 / 18/ 2006	-108.74	1.34	3365.26	01	06	1
	P	1 / 10/ 2007	-109.48	-0.74	3364.52	01	06	1
	P	1 / 2 / 2008	-108.25	1.23	3365.75	01	06	1
	P	2 / 4 / 2009	-108.75	-0.5	3365.25	01	06	1
	P	1 / 13/ 2010	-108.25	0.5	3365.75	01	06	1
	P	1 / 17/ 2011	-107.2	1.05	3366.8	01	06	1
	P	12 / 1 / 2011	-118.38	-11.2	3355.62	01	06	1

Min *-118.38* **Max** *-107.2* **Avg** *-110.325*

2407101 *(Aquifer: 121OGLL Well Depth: 213)*

	P	10 / 5 / 1979	-151.83		3412.17	01	06	1
	P	12 / 17/ 1979	-137.28	14.55	3426.72	01	06	1
	P	1 / 5 / 1981	-139.84	-2.56	3424.16	01	06	1
	P	1 / 9 / 1982	-141.71	-1.87	3422.29	01	06	1
	P	2 / 17/ 1983	-143.37	-1.66	3420.63	01	06	1
	P	1 / 4 / 1984	-143.97	-0.6	3420.03	01	06	1
	P	1 / 9 / 1985	-144.53	-0.56	3419.47	01	06	1
	P	1 / 15/ 1986	-144.69	-0.16	3419.31	01	06	1
	P	1 / 9 / 1987	-145.39	-0.7	3418.61	01	06	1
	P	1 / 13/ 1988	-144.08	1.31	3419.92	01	06	1
	P	1 / 13/ 1989	-144.21	-0.13	3419.79	01	06	1
	P	1 / 12/ 1990	-144.59	-0.38	3419.41	01	06	1
	P	1 / 25/ 1991	-147.14	-2.55	3416.86	01	06	1
	P	2 / 13/ 1992	-145.75	1.39	3418.25	01	06	1
	P	1 / 13/ 1993	-145.78	-0.03	3418.22	01	06	1
	P	1 / 18/ 1994	-146.63	-0.85	3417.37	01	06	1
	P	1 / 19/ 1995	-148.17	-1.54	3415.83	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 24/ 1996	-150.02	-1.85	3413.98	01	06	1	
	P	2 / 26/ 1997	-150.67	-0.65	3413.33	01	06	1	
	P	1 / 15/ 1998	-151.48	-0.81	3412.52	01	06	1	
	P	1 / 26/ 1999	-153	-1.52	3411	01	06	1	
	P	1 / 11/ 2000	-153.95	-0.95	3410.05	01	06	1	
	P	1 / 24/ 2001	-155.45	-1.5	3408.55	01	06	1	
	P	1 / 28/ 2002	-155.49	-0.04	3408.51	01	06	1	
	P	2 / 27/ 2003	-156.7	-1.21	3407.3	01	06	1	
	P	2 / 10/ 2004	-158.12	-1.42	3405.88	01	06	1	
	P	2 / 4 / 2005	-158.16	-0.04	3405.84	01	06	1	
	P	2 / 1 / 2006	-158.21	-0.05	3405.79	01	06	1	
	P	1 / 11/ 2007	-158.39	-0.18	3405.61	01	06	1	
	N	1 / 2 / 2008				01	06		63
	P	2 / 3 / 2009	-160.25		3403.75	01	06	1	
	P	1 / 13/ 2010	-160.82	-0.57	3403.18	01	06	1	
	P	1 / 17/ 2011	-160.78	0.04	3403.22	01	06	1	
	P	12 / 2 / 2011	-162.64	-1.86	3401.36	01	06	1	

Min *-162.64* **Max** *-137.28* **Avg** *-150.397*

2407201 *(Aquifer: 121OGLL Well Depth: 126)*

	P	4 / 9 / 1937	-99.14		3459.86	01	12	7	01
	P	3 / 22/ 1949	-101.57	-2.43	3457.43	01	12	7	01
	P	2 / 17/ 1950	-105.73	-4.16	3453.27	01	12	7	01
	P	1 / 17/ 1951	-103.75	1.98	3455.25	01	12	7	01
	P	1 / 29/ 1952	-104.65	-0.9	3454.35	01	12	7	01
	P	1 / 15/ 1953	-108.22	-3.57	3450.78	01	12	7	01
	P	1 / 8 / 1954	-113.17	-4.95	3445.83	01	12	7	01
	P	1 / 5 / 1955	-117	-3.83	3442	01	12	7	01
	P	1 / 11/ 1956	-122.05	-5.05	3436.95	01	12	7	01
	P	1 / 10/ 1957	-126.23	-4.18	3432.77	01	12	7	01

Min *-126.23* **Max** *-99.14* **Avg** *-110.151*

2407202 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 8 / 1959	-126.45		3430.55	01	12	7	01
	P	1 / 25/ 1960	-130.7	-4.25	3426.3	01	12	7	01
	P	1 / 18/ 1961	-133.4	-2.7	3423.6	01	04	1	
	P	1 / 12/ 1962	-131.51	1.89	3425.49	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 7/1963	-133.26	-1.75	3423.74	01	01	1	
	P	1/ 9/1964	-140.98	-7.72	3416.02	01	01	1	
	P	1/ 9/1965	-144.18	-3.2	3412.82	01	01	1	
	P	1/ 4/1966	-148.59	-4.41	3408.41	01	01	1	
	P	1/ 5/1967	-144.37	4.22	3412.63	01	01	1	
	P	1/ 6/1968	-147.24	-2.87	3409.76	01	01	1	
	P	1/15/1969	-145.87	1.37	3411.13	01	01	1	
	P	1/ 6/1970	-146.71	-0.84	3410.29	01	06	1	
	P	1/ 8/1971	-146.74	-0.03	3410.26	01	06	1	
	P	1/ 5/1972	-151.83	-5.09	3405.17	01	06	1	
	P	1/23/1973	-154.83	-3	3402.17	01	01	1	
	P	1/11/1974	-153.49	1.34	3403.51	01	06	1	
	P	1/ 8/1975	-156.09	-2.6	3400.91	01	06	1	
	P	1/ 5/1976	-156.02	0.07	3400.98	01	06	1	
	P	1/11/1977	-157.66	-1.64	3399.34	01	06	1	
	P	1/10/1978	-159.45	-1.79	3397.55	01	06	1	
	P	1/12/1979	-160.5	-1.05	3396.5	01	06	1	
	P	12/17/1979	-160.22	0.28	3396.78	01	06	1	
	P	1/ 5/1981	-163.58	-3.36	3393.42	01	06	1	
	N	1/22/1982				01	06		42
	P	2/17/1983	-163.47		3393.53	01	06	1	
	P	1/ 4/1984	-164.34	-0.87	3392.66	01	06	1	
	P	2/ 7/1985	-164.6	-0.26	3392.4	01	06	1	
	P	2/18/1986	-169.25	-4.65	3387.75	01	06	1	04
	N	2/10/1987				01	06	1	44
	N	1/14/1988				01	06		81
	N	1/13/1989				01	06	1	44
	N	1/12/1990				01	06	1	44

Min *-169.25* **Max** *-126.45* **Avg** *-150.197*

2407203 *(Aquifer: 121OGLL Well Depth: 250)*

	P	2/10/1987	-161.98		3387.02	01	06	1	
	P	1/14/1988	-161.21	0.77	3387.79	01	06	1	
	P	1/13/1989	-162.21	-1	3386.79	01	06	1	
	P	1/12/1990	-162.39	-0.18	3386.61	01	06	1	
	P	1/25/1991	-163.3	-0.91	3385.7	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 17/ 1992	-164.48	-1.18	3384.52	01	06	1	
	P	1/ 4/ 1993	-162.13	2.35	3386.87	01	06	1	
	P	2/ 17/ 1994	-165.15	-3.02	3383.85	01	06	1	
	P	1/ 19/ 1995	-166.82	-1.67	3382.18	01	06	1	
	P	1/ 24/ 1996	-169.98	-3.16	3379.02	01	06	1	
	P	2/ 11/ 1997	-168.24	1.74	3380.76	01	06	1	
	P	1/ 14/ 1998	-168.99	-0.75	3380.01	01	06	1	
	P	1/ 18/ 1999	-172	-3.01	3377	01	06	1	
	P	1/ 11/ 2000	-171.7	0.3	3377.3	01	06	1	
	P	1/ 23/ 2001	-173.16	-1.46	3375.84	01	06	1	
	P	1/ 28/ 2002	-174.28	-1.12	3374.72	01	06	1	
	P	2/ 27/ 2003	-174.21	0.07	3374.79	01	06	1	
	P	2/ 9/ 2004	-175.5	-1.29	3373.5	01	06	1	
	P	2/ 4/ 2005	-176.15	-0.65	3372.85	01	06	1	
	P	2/ 2/ 2006	-176.63	-0.48	3372.37	01	06	1	
	P	1/ 11/ 2007	-177.89	-1.26	3371.11	01	06	1	
	P	1/ 3/ 2008	-178.92	-1.03	3370.08	01	06	1	
	P	3/ 3/ 2009	-181.91	-2.99	3367.09	01	06	1	
	P	1/ 13/ 2010	-181.02	0.89	3367.98	01	06	1	
	P	1/ 17/ 2011	-180.36	0.66	3368.64	01	06	1	
	P	12/ 2/ 2011	-186.72	-6.36	3362.28	01	06	1	

Min *-186.72* **Max** *-161.21* **Avg** *-171.436*

2407301 *(Aquifer: 121OGLL Well Depth: 151)*

	P	4/ 14/ 1937	-74.95		3439.05	01	12	7	
	P	3/ 22/ 1949	-80.65	-5.7	3433.35	01	12	7	01
	P	2/ 17/ 1950	-85.46	-4.81	3428.54	01	12	7	01
	P	1/ 17/ 1951	-86.08	-0.62	3427.92	01	12	7	01
	P	1/ 29/ 1952	-87.1	-1.02	3426.9	01	12	7	01
	P	1/ 15/ 1953	-92.1	-5	3421.9	01	12	7	01
	P	1/ 8/ 1954	-97.88	-5.78	3416.12	01	12	7	01
	P	1/ 5/ 1955	-103.02	-5.14	3410.98	01	12	7	01
	P	1/ 11/ 1956	-106.82	-3.8	3407.18	01	12	7	01
	P	1/ 10/ 1957	-111.13	-4.31	3402.87	01	12	7	01
	P	1/ 27/ 1958	-111.95	-0.82	3402.05	01	12	7	01
	P	1/ 25/ 1960	-114.4	-2.45	3399.6	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 18/ 1961	-115.8	-1.4	3398.2	01	04	1	
	P	1/ 12/ 1962	-113.61	2.19	3400.39	01	01	1	
	P	1/ 7/ 1963	-117.24	-3.63	3396.76	01	01	1	
	P	1/ 9/ 1964	-118.39	-1.15	3395.61	01	01	1	
	P	1/ 9/ 1965	-122.34	-3.95	3391.66	01	01	1	
	P	1/ 4/ 1966	-125.42	-3.08	3388.58	01	01	1	
	P	1/ 5/ 1967	-127.09	-1.67	3386.91	01	01	1	
	P	1/ 6/ 1968	-130.16	-3.07	3383.84	01	01	1	
	P	1/ 16/ 1969	-128.38	1.78	3385.62	01	01	1	
	N	1/ 6/ 1970				01	06	1	44
	P	11/ 30/ 1970	-135.61		3378.39	01	06	1	
	P	1/ 15/ 1971	-135.21	0.4	3378.79	01	06	1	
	P	1/ 5/ 1972	-132.25	2.96	3381.75	01	06	1	
	P	1/ 23/ 1973	-133.52	-1.27	3380.48	01	01	1	
	P	1/ 11/ 1974	-134.02	-0.5	3379.98	01	06	1	
	P	1/ 10/ 1975	-135.7	-1.68	3378.3	01	06	1	
	P	1/ 5/ 1976	-137.12	-1.42	3376.88	01	06	1	
	P	1/ 11/ 1977	-144.04	-6.92	3369.96	01	06	1	25
	P	1/ 10/ 1978	-146.21	-2.17	3367.79	01	06	1	25
	P	1/ 12/ 1979	-139.27	6.94	3374.73	01	06	1	
	P	12/ 17/ 1979	-139.11	0.16	3374.89	01	06	1	
	P	1/ 5/ 1981	-140.83	-1.72	3373.17	01	06	1	
	P	1/ 9/ 1982	-141.72	-0.89	3372.28	01	06	1	
	P	2/ 17/ 1983	-140.43	1.29	3373.57	01	06	1	
	P	1/ 3/ 1984	-141.05	-0.62	3372.95	01	06	1	
	P	1/ 21/ 1985	-141.97	-0.92	3372.03	01	06	1	
	P	1/ 15/ 1986	-142.42	-0.45	3371.58	01	06	1	
	P	1/ 9/ 1987	-141.22	1.2	3372.78	01	06	1	
	P	1/ 13/ 1988	-140.8	0.42	3373.2	01	06	1	
	P	1/ 19/ 1989	-140.31	0.49	3373.69	01	06	1	
	P	1/ 12/ 1990	-140.28	0.03	3373.72	01	06	1	
	P	1/ 25/ 1991	-140.46	-0.18	3373.54	01	06	1	
	P	1/ 17/ 1992	-141.27	-0.81	3372.73	01	06	1	
	P	1/ 4/ 1993	-140.94	0.33	3373.06	01	06	1	
	P	1/ 18/ 1994	-142.05	-1.11	3371.95	01	06	1	
	P	1/ 19/ 1995	-143.59	-1.54	3370.41	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 23/ 1996	-144.92	-1.33	3369.08	01	06	1	
	P	2 / 11/ 1997	-145.85	-0.93	3368.15	01	06	1	
	P	1 / 14/ 1998	-146.67	-0.82	3367.33	01	06	1	
	P	2 / 22/ 1999	-147	-0.33	3367	01	06	1	
	P	1 / 12/ 2000	-148	-1	3366	01	06	1	
	P	1 / 23/ 2001	-149.59	-1.59	3364.41	01	06	1	
	P	1 / 28/ 2002	-149.05	0.54	3364.95	01	06	1	
	P	2 / 27/ 2003	-149.66	-0.61	3364.34	01	06	1	
	P	2 / 9 / 2004	-150.31	-0.65	3363.69	01	06	1	
	P	2 / 4 / 2005	-150.64	-0.33	3363.36	01	06	1	
	N	3 / 2 / 2006				01	06		61
	P	1 / 11/ 2007	-151.1		3362.9	01	06	1	
	N	1 / 3 / 2008				01	06		61
	N	2 / 3 / 2009				01	06		61
	N	1 / 13/ 2010				01	06		61
	N	1 / 18/ 2011				01	06		61
	N	12 / 8 / 2011				01	06		61

Min *-151.1* **Max** *-74.95* **Avg** *-129.554*

2407302 *(Aquifer: 121OGLL Well Depth: 178)*

	P	5 / 3 / 2002	-158.07		3358.93	01	04	7	

Min *-158.07* **Max** *-158.07* **Avg** *-158.07*

2407303 *(Aquifer: 121OGLL Well Depth: 175)*

	P	5 / 5 / 2002	-154.4		3354.6	01	04	7	

Min *-154.4* **Max** *-154.4* **Avg** *-154.4*

2407305 *(Aquifer: 121OGLL Well Depth: 285)*

	P	1 / 13/ 2010	-150.3		3366.7	01	06	1	
	P	1 / 18/ 2011	-150.45	-0.15	3366.55	01	06	1	
	P	12 / 8 / 2011	-151.75	-1.3	3365.25	01	06	1	

Min *-151.75* **Max** *-150.3* **Avg** *-150.833*

2407401 *(Aquifer: 121OGLL Well Depth: 227)*

	P	3 / 3 / 1959	-121.96		3405.04	01	12	7	01
	P	2 / 9 / 1961	-126.6	-4.64	3400.4	01	06	7	
	P	1 / 12/ 1962	-127.15	-0.55	3399.85	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 7 / 1963	-130	-2.85	3397	01	01	1	

Min *-130* **Max** *-121.96* **Avg** *-126.428*

2407402 *(Aquifer: 121OGLL Well Depth:)*

P	1 / 29 / 2002	-149.95		3398.05	01	06	1	
N	2 / 27 / 2003				01	06		42
P	2 / 10 / 2004	-150.68		3397.32	01	06	1	
P	2 / 4 / 2005	-151.48	-0.8	3396.52	01	06	1	
P	3 / 10 / 2006	-152.49	-1.01	3395.51	01	06	1	
P	3 / 15 / 2007	-154.54	-2.05	3393.46	01	06	1	
P	1 / 2 / 2008	-156.18	-1.64	3391.82	01	06	1	
P	3 / 3 / 2009	-151.32	4.86	3396.68	01	06	1	
P	3 / 2 / 2010	-152.34	-1.02	3395.66	01	06	1	
P	1 / 17 / 2011	-153.05	-0.71	3394.95	01	06	1	
P	12 / 1 / 2011	-157.1	-4.05	3390.9	01	06	1	

Min *-157.1* **Max** *-149.95* **Avg** *-152.913*

2407601 *(Aquifer: 121OGLL Well Depth: 195)*

P	4 / 9 / 1937	-104.95		3416.05	01	12	7	01
P	3 / 22 / 1949	-106.71	-1.76	3414.29	01	12	7	01
P	1 / 17 / 1951	-109	-2.29	3412	01	12	7	01
P	1 / 29 / 1952	-111.5	-2.5	3409.5	01	12	7	01
P	1 / 15 / 1953	-113.85	-2.35	3407.15	01	12	7	01
P	1 / 8 / 1954	-117.57	-3.72	3403.43	01	12	7	01
P	1 / 5 / 1955	-120.15	-2.58	3400.85	01	12	7	01
P	1 / 11 / 1956	-124.78	-4.63	3396.22	01	12	7	01
P	1 / 11 / 1957	-129.89	-5.11	3391.11	01	12	7	01
P	1 / 22 / 1958	-140.49	-10.6	3380.51	01	12	7	01
P	1 / 8 / 1959	-131.85	8.64	3389.15	01	12	7	01
P	1 / 25 / 1960	-137.1	-5.25	3383.9	01	12	7	01
P	1 / 18 / 1961	-137.85	-0.75	3383.15	01	04	7	
P	1 / 12 / 1962	-130.56	7.29	3390.44	01	01	1	
P	1 / 7 / 1963	-133.39	-2.83	3387.61	01	01	1	
P	1 / 9 / 1964	-138.04	-4.65	3382.96	01	01	1	
P	1 / 9 / 1965	-139.12	-1.08	3381.88	01	01	1	
P	1 / 4 / 1966	-141.31	-2.19	3379.69	01	01	1	
P	1 / 5 / 1967	-143.1	-1.79	3377.9	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 6/1968	-143.91	-0.81	3377.09	01	01	1	
	P	1/16/1969	-144	-0.09	3377	01	01	1	
	P	1/ 6/1970	-143.02	0.98	3377.98	01	06	1	
	P	1/ 8/1971	-145.84	-2.82	3375.16	01	06	1	
	P	1/ 5/1972	-147.75	-1.91	3373.25	01	06	1	
	P	1/23/1973	-148.33	-0.58	3372.67	01	01	1	
	P	1/11/1974	-148.87	-0.54	3372.13	01	06	1	
	P	1/ 8/1975	-150.89	-2.02	3370.11	01	06	1	
	P	1/ 5/1976	-150.55	0.34	3370.45	01	06	1	
	P	1/11/1977	-152.2	-1.65	3368.8	01	06	1	
	P	1/10/1978	-153.27	-1.07	3367.73	01	06	1	
	P	1/12/1979	-154.72	-1.45	3366.28	01	06	1	
	P	12/11/1979	-154.39	0.33	3366.61	01	06	1	
	P	1/ 5/1981	-156.82	-2.43	3364.18	01	06	1	
	P	1/ 9/1982	-159.16	-2.34	3361.84	01	06	1	
	P	2/18/1983	-161.56	-2.4	3359.44	01	06	1	
	N	1/ 3/1984				01	06		63
	N	1/10/1985				01	06		63
	N	4/22/1985				01	06	1	46

Min *-161.56* **Max** *-104.95* **Avg** *-137.9*

2407602 *(Aquifer: 121OGLL Well Depth: 257)*

	P	2/ 7/1984	-147.28		3364.72	01	06	1	
	P	2/ 6/1985	-147.84	-0.56	3364.16	01	06	1	
	P	1/15/1986	-148.52	-0.68	3363.48	01	06	1	
	P	1/15/1987	-147.45	1.07	3364.55	01	06	1	
	P	1/13/1988	-149.22	-1.77	3362.78	01	06	1	
	N	1/11/1989				01	06		42
	N	1/12/1990				01	06		42
	N	1/25/1991				01	06		42

Min *-149.22* **Max** *-147.28* **Avg** *-148.062*

2407604 *(Aquifer: 121OGLL Well Depth: 198)*

	P	8/16/1989	-152.2		3361.8	01	01	1	

Min *-152.2* **Max** *-152.2* **Avg** *-152.2*

2407605 *(Aquifer: 121OGLL Well Depth: 203)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 25/ 1989	-144.8		3369.2	01	06	1	
	P	1/ 12/ 1990	-145.09	-0.29	3368.91	01	06	1	
	P	1/ 25/ 1991	-146.62	-1.53	3367.38	01	06	1	
	P	1/ 17/ 1992	-147.91	-1.29	3366.09	01	06	1	
	P	1/ 4/ 1993	-148.17	-0.26	3365.83	01	06	1	
	P	1/ 18/ 1994	-152.24	-4.07	3361.76	01	06	1	
	P	1/ 18/ 1995	-152.59	-0.35	3361.41	01	06	1	
	P	1/ 24/ 1996	-151.98	0.61	3362.02	01	06	1	
	P	2/ 11/ 1997	-152.5	-0.52	3361.5	01	06	1	
	P	1/ 14/ 1998	-154.48	-1.98	3359.52	01	06	1	
	P	1/ 18/ 1999	-155	-0.52	3359	01	06	1	
	P	1/ 11/ 2000	-154.9	0.1	3359.1	01	06	1	
	P	1/ 11/ 2001	-156.31	-1.41	3357.69	01	06	1	
	P	1/ 28/ 2002	-156.45	-0.14	3357.55	01	06	1	
	P	2/ 21/ 2003	-157.35	-0.9	3356.65	01	06	1	
	P	2/ 9/ 2004	-158.68	-1.33	3355.32	01	06	1	
	P	1/ 28/ 2005	-158.85	-0.17	3355.15	01	06	1	
	P	1/ 18/ 2006	-159.46	-0.61	3354.54	01	06	1	
	P	1/ 10/ 2007	-160.42	-0.96	3353.58	01	06	1	
	N	1/ 2/ 2008				01	06		42
	P	2/ 3/ 2009	-162.48		3351.52	01	06	1	
	P	1/ 13/ 2010	-163.15	-0.67	3350.85	01	06	1	
	P	1/ 17/ 2011	-163.72	-0.57	3350.28	01	06	1	
	P	12/ 1/ 2011	-164.97	-1.25	3349.03	01	06	1	

Min *-164.97* **Max** *-144.8* **Avg** *-155.136*

2407606 *(Aquifer: 121OGLL Well Depth: 240)*

	P	3/ 5/ 2010	-154		3367	01	07	7	

Min *-154* **Max** *-154* **Avg** *-154*

2407701 *(Aquifer: 121OGLL Well Depth: 178)*

	P	3/ 3/ 1959	-118		3408	01	12	7	01
	P	3/ 16/ 1960	-120.44	-2.44	3405.56	01	12	7	01
	P	2/ 9/ 1961	-122.45	-2.01	3403.55	01	06	7	
	P	1/ 12/ 1962	-123.05	-0.6	3402.95	01	01	1	
	P	1/ 7/ 1963	-126.19	-3.14	3399.81	01	01	1	
	P	1/ 9/ 1964	-127.87	-1.68	3398.13	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 8/1965	-130.68	-2.81	3395.32	01	01	1	
	P	1/ 4/1966	-135.87	-5.19	3390.13	01	01	1	
	P	1/ 5/1967	-135.4	0.47	3390.6	01	01	1	
	P	1/ 6/1968	-138.74	-3.34	3387.26	01	01	1	
	P	1/16/1969	-135.13	3.61	3390.87	01	01	1	
	P	1/ 6/1970	-137.54	-2.41	3388.46	01	06	1	
	P	1/ 3/1971	-138.56	-1.02	3387.44	01	06	1	
	P	1/ 5/1972	-141.31	-2.75	3384.69	01	06	1	
	P	1/23/1973	-140.76	0.55	3385.24	01	01	1	
	P	1/11/1974	-141.63	-0.87	3384.37	01	06	1	
	P	1/ 8/1975	-143.18	-1.55	3382.82	01	06	1	
	P	1/ 5/1976	-142.37	0.81	3383.63	01	06	1	
	P	1/11/1977	-144.05	-1.68	3381.95	01	06	1	
	P	1/10/1978	-144.25	-0.2	3381.75	01	06	1	
	P	1/12/1979	-145	-0.75	3381	01	06	1	
	P	12/11/1979	-144.27	0.73	3381.73	01	06	1	
	P	1/ 5/1981	-146.43	-2.16	3379.57	01	06	1	
	P	1/ 9/1982	-147.02	-0.59	3378.98	01	06	1	
	P	2/17/1983	-146.41	0.61	3379.59	01	06	1	
	P	1/ 4/1984	-146.98	-0.57	3379.02	01	06	1	
	P	1/10/1985	-147.47	-0.49	3378.53	01	06	1	
	P	1/15/1986	-147.29	0.18	3378.71	01	06	1	
	P	1/15/1987	-147.3	-0.01	3378.7	01	06	1	
	P	1/14/1988	-147.05	0.25	3378.95	01	06	1	
	P	1/11/1989	-147.58	-0.53	3378.42	01	06	1	
	P	1/12/1990	-147.62	-0.04	3378.38	01	06	1	
	P	1/29/1991	-147.99	-0.37	3378.01	01	06	1	
	P	1/17/1992	-148.81	-0.82	3377.19	01	06	1	
	P	1/13/1993	-148.16	0.65	3377.84	01	06	1	
	P	1/18/1994	-148.38	-0.22	3377.62	01	06	1	
	P	1/18/1995	-150.64	-2.26	3375.36	01	06	1	
	P	1/24/1996	-149.78	0.86	3376.22	01	06	1	
	P	2/26/1997	-149.5	0.28	3376.5	01	06	1	
	P	1/14/1998	-150.18	-0.68	3375.82	01	06	1	
	P	1/18/1999	-151	-0.82	3375	01	06	1	
	P	1/11/2000	-150.85	0.15	3375.15	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 23/ 2001	-151.64	-0.79	3374.36	01	06	1	
	P	1 / 29/ 2002	-151.76	-0.12	3374.24	01	06	1	
	P	2 / 21/ 2003	-152	-0.24	3374	01	06	1	
	P	2 / 10/ 2004	-152.37	-0.37	3373.63	01	06	1	
	P	2 / 4 / 2005	-152.35	0.02	3373.65	01	06	1	
	P	1 / 18/ 2006	-152.61	-0.26	3373.39	01	06	1	
	P	1 / 10/ 2007	-152.85	-0.24	3373.15	01	06	1	
	P	1 / 2 / 2008	-152.96	-0.11	3373.04	01	06	1	
	P	2 / 3 / 2009	-153.57	-0.61	3372.43	01	06	1	
	P	1 / 13/ 2010	-153.88	-0.31	3372.12	01	06	1	
	P	1 / 17/ 2011	-154.38	-0.5	3371.62	01	06	1	
	P	12 / 1 / 2011	-155.51	-1.13	3370.49	01	06	1	

Min *-155.51* **Max** *-118* **Avg** *-144.057*

2407702 *(Aquifer: 121OGFA Well Depth: 212)*

	P	5 / 13/ 1983	-86.3		3403.7	01	12	7	

Min *-86.3* **Max** *-86.3* **Avg** *-86.3*

2407801 *(Aquifer: 121OGLL Well Depth: 207)*

	P	8 / 8 / 1988	-195.81		3345.19	01	06	1	02

Min *-195.81* **Max** *-195.81* **Avg** *-195.81*

2407802 *(Aquifer: 121OGLL Well Depth: 202)*

	P	10 / 19/ 2005	-162.95		3349.05	01	06	1	
	P	2 / 3 / 2009	-163.85	-0.9	3348.15	01	06	1	
	P	1 / 13/ 2010	-164.15	-0.3	3347.85	01	06	1	
	P	2 / 23/ 2011	-163.94	0.21	3348.06	01	06	1	
	P	12 / 1 / 2011	-165.26	-1.32	3346.74	01	06	1	

Min *-165.26* **Max** *-162.95* **Avg** *-164.03*

2407901 *(Aquifer: 121OGLL Well Depth: 170)*

	P	3 / 25/ 1963	-115.2		3341.8	01	01	1	
	P	1 / 9 / 1964	-102.63	12.57	3354.37	01	01	1	
	P	1 / 9 / 1965	-106.87	-4.24	3350.13	01	01	1	
	P	1 / 4 / 1966	-100.94	5.93	3356.06	01	01	1	
	P	1 / 5 / 1967	-108.09	-7.15	3348.91	01	01	1	
	P	1 / 8 / 1968	-112.7	-4.61	3344.3	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 16/ 1969	-109.59	3.11	3347.41	01	01	1	
	P	1/ 7/ 1970	-110.75	-1.16	3346.25	01	06	1	
	P	1/ 16/ 1971	-112.39	-1.64	3344.61	01	06	1	
	P	1/ 5/ 1972	-113.6	-1.21	3343.4	01	06	1	
	P	1/ 23/ 1973	-113.92	-0.32	3343.08	01	01	1	
	P	1/ 11/ 1974	-114.68	-0.76	3342.32	01	06	1	
	P	1/ 6/ 1975	-118.24	-3.56	3338.76	01	06	1	
	P	1/ 5/ 1976	-118.94	-0.7	3338.06	01	06	1	
	P	1/ 11/ 1977	-120.39	-1.45	3336.61	01	06	1	
	P	1/ 10/ 1978	-121.78	-1.39	3335.22	01	06	1	
	P	1/ 9/ 1979	-124.98	-3.2	3332.02	01	06	1	
	P	12/ 11/ 1979	-123.82	1.16	3333.18	01	06	1	
	P	1/ 5/ 1981	-126.16	-2.34	3330.84	01	06	1	
	P	1/ 9/ 1982	-126.72	-0.56	3330.28	01	06	1	
	P	2/ 18/ 1983	-126.98	-0.26	3330.02	01	06	1	
	P	1/ 3/ 1984	-128.03	-1.05	3328.97	01	06	1	
	P	1/ 9/ 1985	-128.93	-0.9	3328.07	01	06	1	
	P	1/ 21/ 1986	-129.26	-0.33	3327.74	01	06	1	
	P	1/ 15/ 1987	-129.96	-0.7	3327.04	01	06	1	
	P	1/ 13/ 1988	-127.65	2.31	3329.35	01	06	1	
	P	1/ 11/ 1989	-127.21	0.44	3329.79	01	06	1	
	P	1/ 11/ 1990	-127.52	-0.31	3329.48	01	06	1	
	P	1/ 25/ 1991	-128.15	-0.63	3328.85	01	06	1	
	P	2/ 13/ 1992	-128.81	-0.66	3328.19	01	06	1	
	P	1/ 4/ 1993	-129.03	-0.22	3327.97	01	06	1	
	P	2/ 17/ 1994	-127.7	1.33	3329.3	01	06	1	
	P	1/ 18/ 1995	-128.88	-1.18	3328.12	01	06	1	
	P	1/ 24/ 1996	-129.57	-0.69	3327.43	01	06	1	
	P	2/ 26/ 1997	-129.85	-0.28	3327.15	01	06	1	
	P	1/ 14/ 1998	-131	-1.15	3326	01	06	1	
	P	1/ 18/ 1999	-131		3326	01	06	1	
	P	1/ 11/ 2000	-130.58	0.42	3326.42	01	06	1	
	P	3/ 16/ 2001	-130.76	-0.18	3326.24	01	06	1	
	P	1/ 28/ 2002	-130.64	0.12	3326.36	01	06	1	
	P	2/ 21/ 2003	-130.86	-0.22	3326.14	01	06	1	
	P	2/ 9/ 2004	-131.11	-0.25	3325.89	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 28/ 2005	-131.01	0.1	3325.99	01	06	1	
	P	1 / 18/ 2006	-131.66	-0.65	3325.34	01	06	1	
	P	1 / 11/ 2007	-131.84	-0.18	3325.16	01	06	1	
	P	1 / 2 / 2008	-132.12	-0.28	3324.88	01	06	1	
	N	2 / 3 / 2009				01	06		62
	N	1 / 13/ 2010				01	06		62
	N	1 / 17/ 2011				01	06		62
	N	12 / 1 / 2011				01	06		62

Min *-132.12* **Max** *-100.94* **Avg** *-123.315*

2407902 *(Aquifer: 121OGLL Well Depth: 173)*

	P	10 / 18/ 2005	-141.59		3345.41	01	06	1	
	P	2 / 3 / 2009	-142.69	-1.1	3344.31	01	06	1	
	P	1 / 13/ 2010	-143.78	-1.09	3343.22	01	06	1	
	P	1 / 17/ 2011	-141.75	2.03	3345.25	01	06	1	
	P	2 / 23/ 2012	-143.07	-1.32	3343.93	01	06	1	

Min *-143.78* **Max** *-141.59* **Avg** *-142.576*

2408401 *(Aquifer: 121OGLL Well Depth: 240)*

	P	1 / 9 / 1964	-137.53		3369.47	01	01	1	
	P	1 / 9 / 1965	-145.02	-7.49	3361.98	01	01	1	
	P	1 / 4 / 1966	-143.37	1.65	3363.63	01	01	1	
	P	1 / 5 / 1967	-145	-1.63	3362	01	01	1	
	P	1 / 6 / 1968	-145.92	-0.92	3361.08	01	01	1	
	N	1 / 16/ 1969				01	01		42
	P	1 / 6 / 1970	-147.17		3359.83	01	06	1	
	P	1 / 8 / 1971	-148.04	-0.87	3358.96	01	06	1	
	P	1 / 5 / 1972	-150.22	-2.18	3356.78	01	06	1	
	N	1 / 20/ 1973				01	01	1	23
	P	1 / 27/ 1973	-150.76		3356.24	01	06	1	
	P	1 / 11/ 1974	-151.43	-0.67	3355.57	01	06	1	
	P	1 / 10/ 1975	-152.95	-1.52	3354.05	01	06	1	
	P	1 / 5 / 1976	-152.11	0.84	3354.89	01	06	1	
	P	1 / 11/ 1977	-156.28	-4.17	3350.72	01	06	1	25
	P	1 / 10/ 1978	-158.37	-2.09	3348.63	01	06	1	25
	P	1 / 11/ 1979	-157.4	0.97	3349.6	01	06	1	
	P	12 / 17/ 1979	-157.17	0.23	3349.83	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	12 / 0 / 1980				01	06	7	44

Min *-158.37* **Max** *-137.53* **Avg** *-149.921*

2408402 *(Aquifer: 121OGLL Well Depth: 197)*

P	1 / 7 / 1980	-154.55		3352.45	01	06	1
P	1 / 5 / 1981	-155.7	-1.15	3351.3	01	06	1
P	1 / 9 / 1982	-157.15	-1.45	3349.85	01	06	1
P	2 / 18/ 1983	-156.98	0.17	3350.02	01	06	1
P	1 / 3 / 1984	-158.05	-1.07	3348.95	01	06	1
P	1 / 9 / 1985	-158.25	-0.2	3348.75	01	06	1
P	1 / 15/ 1986	-158.88	-0.63	3348.12	01	06	1
P	1 / 15/ 1987	-158.52	0.36	3348.48	01	06	1
P	1 / 14/ 1988	-157.81	0.71	3349.19	01	06	1
P	1 / 19/ 1989	-157.53	0.28	3349.47	01	06	1
P	1 / 12/ 1990	-157.71	-0.18	3349.29	01	06	1
P	1 / 25/ 1991	-158.27	-0.56	3348.73	01	06	1
P	1 / 17/ 1992	-158.69	-0.42	3348.31	01	06	1
P	1 / 13/ 1993	-158.11	0.58	3348.89	01	06	1
P	1 / 18/ 1994	-158.54	-0.43	3348.46	01	06	1
P	1 / 18/ 1995	-159.99	-1.45	3347.01	01	06	1
P	1 / 23/ 1996	-161.25	-1.26	3345.75	01	06	1
P	2 / 11/ 1997	-161.69	-0.44	3345.31	01	06	1
P	1 / 14/ 1998	-162.19	-0.5	3344.81	01	06	1
P	1 / 18/ 1999	-163	-0.81	3344	01	06	1
P	1 / 12/ 2000	-164.05	-1.05	3342.95	01	06	1
P	1 / 23/ 2001	-164.73	-0.68	3342.27	01	06	1
P	1 / 28/ 2002	-165.68	-0.95	3341.32	01	06	1
P	2 / 21/ 2003	-165.8	-0.12	3341.2	01	06	1
P	2 / 9 / 2004	-166.51	-0.71	3340.49	01	06	1
P	2 / 4 / 2005	-167.78	-1.27	3339.22	01	06	1
P	2 / 2 / 2006	-167	0.78	3340	01	06	1
P	1 / 11/ 2007	-167.83	-0.83	3339.17	01	06	1
P	1 / 3 / 2008	-167.7	0.13	3339.3	01	06	1
P	2 / 3 / 2009	-169.19	-1.49	3337.81	01	06	1
P	1 / 13/ 2010	-169.8	-0.61	3337.2	01	06	1
P	1 / 17/ 2011	-170	-0.2	3337	01	06	1

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 8 / 2011	-170.79	-0.79	3336.21	01	06	1	

Min *-170.79* **Max** *-154.55* **Avg** *-162.113*

2408701 *(Aquifer: 121OGLL Well Depth: 220)*

P	1 / 9 / 1964	-114.98		3352.02	01	01	1	
P	1 / 9 / 1965	-120.18	-5.2	3346.82	01	01	1	
P	1 / 4 / 1966	-121.71	-1.53	3345.29	01	01	1	
P	1 / 5 / 1967	-125.52	-3.81	3341.48	01	01	1	
P	1 / 6 / 1968	-129.3	-3.78	3337.7	01	01	1	
P	1 / 16 / 1969	-127.13	2.17	3339.87	01	01	1	
P	1 / 6 / 1970	-127.05	0.08	3339.95	01	06	1	
P	1 / 8 / 1971	-127.99	-0.94	3339.01	01	06	1	
P	1 / 5 / 1972	-130.52	-2.53	3336.48	01	06	1	
P	1 / 23 / 1973	-133.12	-2.6	3333.88	01	01	1	
P	1 / 11 / 1974	-132.16	0.96	3334.84	01	06	1	
P	1 / 8 / 1975	-135.1	-2.94	3331.9	01	06	1	
P	1 / 5 / 1976	-135.84	-0.74	3331.16	01	06	1	
P	1 / 11 / 1977	-137.87	-2.03	3329.13	01	06	1	
P	1 / 10 / 1978	-137.72	0.15	3329.28	01	06	1	
P	1 / 12 / 1979	-139.08	-1.36	3327.92	01	06	1	
P	12 / 11 / 1979	-140.04	-0.96	3326.96	01	06	1	
P	1 / 5 / 1981	-141.88	-1.84	3325.12	01	06	1	
P	1 / 9 / 1982	-143.79	-1.91	3323.21	01	06	1	
P	2 / 18 / 1983	-143.57	0.22	3323.43	01	06	1	
P	1 / 3 / 1984	-144.6	-1.03	3322.4	01	06	1	
P	1 / 9 / 1985	-145.67	-1.07	3321.33	01	06	1	
P	1 / 15 / 1986	-146.42	-0.75	3320.58	01	06	1	
P	1 / 15 / 1987	-146.32	0.1	3320.68	01	06	1	
P	1 / 18 / 1988	-146.06	0.26	3320.94	01	06	1	
P	1 / 19 / 1989	-145.76	0.3	3321.24	01	06	1	
P	1 / 12 / 1990	-146.41	-0.65	3320.59	01	06	1	
P	1 / 25 / 1991	-148.33	-1.92	3318.67	01	06	1	
P	1 / 17 / 1992	-149.44	-1.11	3317.56	01	06	1	
P	1 / 4 / 1993	-150.97	-1.53	3316.03	01	06	1	
P	2 / 17 / 1994	-150.86	0.11	3316.14	01	06	1	
P	1 / 18 / 1995	-152.25	-1.39	3314.75	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 25/ 1996	-153.85	-1.6	3313.15	01	06	1	
	P	2 / 26/ 1997	-155.1	-1.25	3311.9	01	06	1	
	P	1 / 14/ 1998	-154.98	0.12	3312.02	01	06	1	
	P	1 / 18/ 1999	-156	-1.02	3311	01	06	1	
	P	1 / 11/ 2000	-156.23	-0.23	3310.77	01	06	1	
	P	1 / 23/ 2001	-157.56	-1.33	3309.44	01	06	1	
	P	1 / 28/ 2002	-157.68	-0.12	3309.32	01	06	1	
	P	2 / 21/ 2003	-157.91	-0.23	3309.09	01	06	1	
	P	2 / 9 / 2004	-158.67	-0.76	3308.33	01	06	1	
	P	1 / 28/ 2005	-158.97	-0.3	3308.03	01	06	1	
	P	1 / 18/ 2006	-159.44	-0.47	3307.56	01	06	1	
	P	3 / 16/ 2007	-161.13	-1.69	3305.87	01	06	1	
	P	1 / 2 / 2008	-160.87	0.26	3306.13	01	06	1	
	N	3 / 3 / 2009				01	06	1	44
	N	1 / 13/ 2010				01	06	1	44
	N	1 / 17/ 2011				01	06	1	44
	N	12 / 2 / 2011				01	06	1	44

Min *-161.13* **Max** *-114.98* **Avg** *-143.69*

2408703 *(Aquifer: 121OGLL Well Depth:)*

	P	1 / 13/ 2010	-160.29		3314.71	01	06	1	
	P	1 / 17/ 2011	-160.09	0.2	3314.91	01	06	1	
	P	12 / 2 / 2011	-161.6	-1.51	3313.4	01	06	1	

Min *-161.6* **Max** *-160.09* **Avg** *-160.66*

2412101 *(Aquifer: 121OGLL Well Depth: 98)*

	P	1 / 18/ 1961	-69.53		3638.47	01	10	7	
	P	1 / 11/ 1962	-70.45	-0.92	3637.55	01	01	1	
	P	1 / 7 / 1963	-69.21	1.24	3638.79	01	01	1	
	P	1 / 9 / 1964	-69.92	-0.71	3638.08	01	01	1	
	P	1 / 8 / 1965	-71.69	-1.77	3636.31	01	01	1	
	P	1 / 6 / 1966	-73.48	-1.79	3634.52	01	01	1	
	P	1 / 4 / 1967	-76.45	-2.97	3631.55	01	01	1	
	P	1 / 8 / 1968	-76.77	-0.32	3631.23	01	01	1	
	P	1 / 12/ 1969	-74.84	1.93	3633.16	01	01	1	
	P	1 / 7 / 1970	-74	0.84	3634	01	06	1	
	P	1 / 3 / 1971	-78.88	-4.88	3629.12	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1972	-70.95	7.93	3637.05	01	06	1	
	N	1/20/1973				01	01		42
	P	1/27/1973	-69.53		3638.47	01	06	1	
	P	1/14/1974	-67.27	2.26	3640.73	01	06	1	
	P	1/ 6/1975	-67.05	0.22	3640.95	01	06	1	
	P	1/ 6/1976	-74.86	-7.81	3633.14	01	06	1	04
	P	1/11/1977	-66.38	8.48	3641.62	01	06	1	
	P	1/13/1978	-68.27	-1.89	3639.73	01	06	1	
	P	1/ 9/1979	-64.3	3.97	3643.7	01	06	1	
	P	12/11/1979	-63.72	0.58	3644.28	01	06	1	
	P	1/ 8/1981	-64.09	-0.37	3643.91	01	06	1	
	P	11/30/1987	-64.22	-0.13	3643.78	01	01	1	
	P	12/15/1988	-58.58	5.64	3649.42	01	01	1	
	P	12/ 8/1989	-58.3	0.28	3649.7	01	01	1	
	P	12/ 5/1990	-56.42	1.88	3651.58	01	01	1	
	P	12/ 6/1991	-58.65	-2.23	3649.35	01	01	1	
	P	12/ 9/1992	-56.21	2.44	3651.79	01	01	1	
	P	12/13/1993	-55.05	1.16	3652.95	01	01	1	
	P	12/14/1994	-54.78	0.27	3653.22	01	01	1	
	P	12/ 5/1995	-56.02	-1.24	3651.98	01	01	1	
	P	12/13/1996	-54.42	1.6	3653.58	01	01	1	
	P	12/13/1997	-54.6	-0.18	3653.4	01	01	1	
	P	12/14/1998	-54.3	0.3	3653.7	01	01	1	
	P	12/13/1999	-54.05	0.25	3653.95	01	01	1	
	P	12/ 6/2000	-55.9	-1.85	3652.1	01	01	1	
	P	1/ 9/2002	-54.25	1.65	3653.75	01	01	1	
	P	12/10/2002	-53.77	0.48	3654.23	01	01	1	
	P	12/ 6/2003	-53.6	0.17	3654.4	01	01	1	
	P	12/ 7/2004	-53.5	0.1	3654.5	01	01	1	
	P	12/ 1/2005	-53.41	0.09	3654.59	01	01	1	
	P	1/ 3/2007	-51.67	1.74	3656.33	01	01	1	
	P	10/23/2007	-51.31	0.36	3656.69	01	01	1	
	P	12/17/2008	-49.98	1.33	3658.02	01	01	1	
	P	11/19/2009	-54.55	-4.57	3653.45	01	01	1	
	P	12/28/2010	-49.35	5.2	3658.65	01	01	1	

Min *-78.88* **Max** *-49.35* **Avg** *-62.1896*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2412102	(Aquifer: 121OGLL		Well Depth: 101)						
	P	3 / 12/ 1937	-77.4		3662.6	01	04	1	
	P	6 / 19/ 1952	-73.9	3.5	3666.1	01	04	1	
Min -77.4		**Max** -73.9	**Avg**	-75.65					
2412301	(Aquifer: 121OGLL		Well Depth: 100)						
	P	12 / 11/ 1979	-28.87		3580.13	01	01	1	
	P	1 / 19/ 1982	-27.59	1.28	3581.41	01	01	1	
	P	1 / 11/ 1984	-27.14	0.45	3581.86	01	01	1	
	P	12 / 13/ 1986	-21.04	6.1	3587.96	01	01	1	
	P	11 / 30/ 1987	-20.63	0.41	3588.37	01	01	1	
	P	12 / 15/ 1988	-23.79	-3.16	3585.21	01	01	1	
	P	12 / 8 / 1989	-24.61	-0.82	3584.39	01	01	1	
	P	12 / 5 / 1990	-25.55	-0.94	3583.45	01	01	1	
	P	12 / 6 / 1991	-26.8	-1.25	3582.2	01	01	1	
	P	12 / 9 / 1992	-24.19	2.61	3584.81	01	01	1	
	P	12 / 13/ 1993	-27.53	-3.34	3581.47	01	01	1	
	P	12 / 14/ 1994	-26.98	0.55	3582.02	01	01	1	
	P	12 / 5 / 1995	-29.36	-2.38	3579.64	01	01	1	
	P	12 / 13/ 1996	-28.53	0.83	3580.47	01	01	1	
	P	12 / 13/ 1997	-29.8	-1.27	3579.2	01	01	1	
	P	12 / 14/ 1998	-30.35	-0.55	3578.65	01	01	1	
	P	12 / 13/ 1999	-29.6	0.75	3579.4	01	01	1	
	P	12 / 6 / 2000	-30.01	-0.41	3578.99	01	01	1	
	P	1 / 9 / 2002	-34.1	-4.09	3574.9	01	01	1	
	P	12 / 10/ 2002	-33.48	0.62	3575.52	01	01	1	
	P	12 / 6 / 2003	-33.8	-0.32	3575.2	01	01	1	
	P	12 / 7 / 2004	-29.8	4	3579.2	01	01	1	
	P	12 / 1 / 2005	-31.07	-1.27	3577.93	01	01	1	
	N	1 / 3 / 2007				01	01		42
	N	10 / 23/ 2007				01	01	1	51
	N	12 / 17/ 2008				01	01		61
	P	11 / 19/ 2009	-28.67		3580.33	01	01	1	
	P	12 / 28/ 2010	-26.2	2.47	3582.8	01	01	1	
Min -34.1		**Max** -20.63	**Avg**	-27.9796					

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2412602	(Aquifer: 121OGLL		Well Depth:	)					
	P	1 / 15/ 1980	-42.8		3563.2	01	12	7	
Min -42.8		Max -42.8	Avg	-42.8					
2413201	(Aquifer: 121OGLL		Well Depth:	)					
	P	12 / 11/ 1979	-61.8		3453.2	01	01	1	
	P	1 / 19/ 1982	-61.85	-0.05	3453.15	01	01	1	
	P	1 / 18/ 1983	-61.4	0.45	3453.6	01	01	1	
	P	1 / 11/ 1984	-61.61	-0.21	3453.39	01	01	1	
	N	12 / 12/ 1986				01	01	1	45
Min -61.85		Max -61.4	Avg	-61.665					
2413602	(Aquifer: 218EDAS		Well Depth: 206	)					
	N	6 / 13/ 2007				01	01		42
Min		Max	Avg						
2414101	(Aquifer: 121OGLL		Well Depth: 120	)					
	P	12 / 10/ 1979	-51.2		3459.8	01	01	1	
	P	1 / 21/ 1981	-51.32	-0.12	3459.68	01	01	1	
	P	1 / 18/ 1983	-50.23	1.09	3460.77	01	01	1	
	P	1 / 15/ 1985	-50.45	-0.22	3460.55	01	01	1	
	P	12 / 12/ 1986	-41.31	9.14	3469.69	01	01	1	
	P	11 / 30/ 1987	-43.45	-2.14	3467.55	01	01	1	
	P	12 / 15/ 1988	-40	3.45	3471	01	01	1	
	P	12 / 8 / 1989	-39.2	0.8	3471.8	01	01	1	
	P	12 / 5 / 1990	-40.8	-1.6	3470.2	01	01	1	
	P	12 / 6 / 1991	-41.15	-0.35	3469.85	01	01	1	
	P	12 / 9 / 1992	-41.2	-0.05	3469.8	01	01	1	20
	P	12 / 13/ 1993	-41.6	-0.4	3469.4	01	01	1	
	P	12 / 14/ 1994	-42.72	-1.12	3468.28	01	01	1	
	P	12 / 5 / 1995	-43.23	-0.51	3467.77	01	01	1	
	P	12 / 14/ 1996	-41.07	2.16	3469.93	01	01	1	
	N	12 / 13/ 1997				01	01		62
	P	12 / 12/ 1998	-43.6		3467.4	01	01	1	
	P	12 / 13/ 1999	-42.08	1.52	3468.92	01	01	1	
	P	12 / 6 / 2000	-42.04	0.04	3468.96	01	01	1	
	P	1 / 9 / 2002	-42.5	-0.46	3468.5	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 10/ 2002	-41.88	0.62	3469.12	01	01	1	
	P	12 / 6 / 2003	-41.75	0.13	3469.25	01	01	1	
	P	12 / 7 / 2004	-40.05	1.7	3470.95	01	01	1	
	P	12 / 1 / 2005	-36.24	3.81	3474.76	01	01	1	
	P	1 / 3 / 2007	-37.59	-1.35	3473.41	01	01	1	
	P	10 / 23/ 2007	-37.02	0.57	3473.98	01	01	1	
	P	12 / 17/ 2008	-35.11	1.91	3475.89	01	01	1	
	P	11 / 19/ 2009	-36.2	-1.09	3474.8	01	01	1	
	P	12 / 28/ 2010	-35.75	0.45	3475.25	01	01	1	

Min *-51.32* **Max** *-35.11* **Avg** *-41.8121*

2414103 *(Aquifer: 121OGLL Well Depth: 100)*

	P	3 / 22/ 1937	-77.3		3445.7	01	04	1	
	P	6 / 19/ 1952	-74.4	2.9	3448.6	01	04	1	

Min *-77.3* **Max** *-74.4* **Avg** *-75.85*

2414301 *(Aquifer: 121OGLL Well Depth: 108)*

	P	3 / 0 / 1979	-57.08		3398.92	01	06	1	
	P	12 / 11/ 1979	-56.74	0.34	3399.26	01	06	1	
	P	1 / 12/ 1981	-57.37	-0.63	3398.63	01	06	1	
	P	1 / 15/ 1982	-57.66	-0.29	3398.34	01	06	1	
	P	2 / 15/ 1983	-58.06	-0.4	3397.94	01	06	1	
	P	1 / 4 / 1984	-58.19	-0.13	3397.81	01	06	1	
	P	1 / 10/ 1985	-58.28	-0.09	3397.72	01	06	1	
	P	2 / 18/ 1986	-59.75	-1.47	3396.25	01	06	1	04
	P	1 / 29/ 1987	-56.7	3.05	3399.3	01	06	1	
	P	1 / 13/ 1988	-57.48	-0.78	3398.52	01	06	1	
	P	1 / 13/ 1989	-56.77	0.71	3399.23	01	06	1	
	P	1 / 15/ 1990	-57.23	-0.46	3398.77	01	06	1	
	P	1 / 29/ 1991	-57.05	0.18	3398.95	01	06	1	
	P	1 / 17/ 1992	-57.26	-0.21	3398.74	01	06	1	
	P	1 / 13/ 1993	-57.21	0.05	3398.79	01	06	1	
	P	1 / 18/ 1994	-56.84	0.37	3399.16	01	06	1	
	P	1 / 18/ 1995	-57.17	-0.33	3398.83	01	06	1	
	P	1 / 24/ 1996	-57.65	-0.48	3398.35	01	06	1	
	P	2 / 18/ 1997	-58.17	-0.52	3397.83	01	06	1	
	P	1 / 14/ 1998	-58.38	-0.21	3397.62	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1 / 19/ 1999	-59	-0.62	3397	01	06	1	
	P	1 / 11/ 2000	-58.6	0.4	3397.4	01	06	1	
	P	1 / 22/ 2001	-57.96	0.64	3398.04	01	06	1	
	P	1 / 29/ 2002	-58.04	-0.08	3397.96	01	06	1	
	P	2 / 21/ 2003	-58.47	-0.43	3397.53	01	06	1	
	P	2 / 10/ 2004	-58.81	-0.34	3397.19	01	06	1	
	P	2 / 4 / 2005	-58.66	0.15	3397.34	01	06	1	
	P	1 / 18/ 2006	-58.08	0.58	3397.92	01	06	1	
	P	1 / 10/ 2007	-57.08	1	3398.92	01	06	1	
	P	1 / 2 / 2008	-56.74	0.34	3399.26	01	06	1	
	P	2 / 4 / 2009	-55.85	0.89	3400.15	01	06	1	
	P	1 / 13/ 2010	-55.42	0.43	3400.58	01	06	1	
	P	1 / 17/ 2011	-54.76	0.66	3401.24	01	06	1	
	P	12 / 1 / 2011	-54.7	0.06	3401.3	01	06	1	

Min *-59.75* **Max** *-54.7* **Avg** *-57.4474*

2414604 *(Aquifer: 121OGLL Well Depth: 128)*

	P	10 / 4 / 2007	-97.6		3362.4	01	01	1	

Min *-97.6* **Max** *-97.6* **Avg** *-97.6*

2415106 *(Aquifer: 121OGLL Well Depth:)*

	P	8 / 16/ 1937	-40.86		3419.14	01	12	7	01
	P	9 / 22/ 1937	-40.9	-0.04	3419.1	01	12	7	01
	P	1 / 20/ 1938	-40.92	-0.02	3419.08	01	12	7	01
	P	4 / 11/ 1938	-41.13	-0.21	3418.87	01	12	7	01
	P	6 / 21/ 1938	-41.38	-0.25	3418.62	01	12	7	01
	P	6 / 29/ 1938	-41.38		3418.62	01	12	7	01
	P	9 / 19/ 1938	-41.58	-0.2	3418.42	01	12	7	01
	P	1 / 16/ 1939	-41.6	-0.02	3418.4	01	12	7	01
	P	3 / 10/ 1939	-41.53	0.07	3418.47	01	12	7	01
	P	6 / 19/ 1939	-41.86	-0.33	3418.14	01	12	7	01
	P	8 / 15/ 1939	-41.63	0.23	3418.37	01	12	7	01
	P	10 / 13/ 1939	-41.84	-0.21	3418.16	01	12	7	01
	P	12 / 16/ 1940	-42.69	-0.85	3417.31	01	12	7	01
	P	3 / 20/ 1941	-42.52	0.17	3417.48	01	12	7	01
	P	5 / 30/ 1941	-42.23	0.29	3417.77	01	12	7	01
	P	7 / 29/ 1941	-41.2	1.03	3418.8	01	12	7	01

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	11 / 18/ 1941	-39.92	1.28	3420.08	01	12	7	01
	P	3 / 26/ 1942	-39.28	0.64	3420.72	01	12	7	01
	P	2 / 1 / 1943	-38.34	0.94	3421.66	01	12	7	01
	P	1 / 29/ 1944	-37.84	0.5	3422.16	01	12	7	01
	P	2 / 19/ 1945	-38.6	-0.76	3421.4	01	12	7	01
	P	3 / 2 / 1946	-41.72	-3.12	3418.28	01	12	7	01
	P	1 / 16/ 1947	-42.99	-1.27	3417.01	01	12	7	01
	P	3 / 18/ 1947	-41.21	1.78	3418.79	01	12	7	01
	P	2 / 20/ 1948	-46.29	-5.08	3413.71	01	12	7	01
	P	3 / 14/ 1949	-45.8	0.49	3414.2	01	12	7	01
	P	2 / 17/ 1950	-47.46	-1.66	3412.54	01	12	7	01
	P	1 / 17/ 1951	-49.54	-2.08	3410.46	01	12	7	01
	P	1 / 29/ 1952	-55.1	-5.56	3404.9	01	12	7	01
	P	1 / 15/ 1953	-59.15	-4.05	3400.85	01	12	7	01
	P	1 / 5 / 1955	-72.39	-13.2	3387.61	01	12	7	01
	P	1 / 11/ 1956	-76.07	-3.68	3383.93	01	12	7	01
	P	1 / 10/ 1957	-81.71	-5.64	3378.29	01	12	7	01
	P	1 / 21/ 1958	-86.99	-5.28	3373.01	01	12	7	01

Min *-86.99* **Max** *-37.84* **Avg** *-47.225*

2415108 *(Aquifer: 121OGLL Well Depth: 200)*

	P	1 / 9 / 1964	-105.16		3354.84	01	01	1	
	P	1 / 9 / 1965	-110.44	-5.28	3349.56	01	01	1	
	P	1 / 4 / 1966	-119.48	-9.04	3340.52	01	01	1	
	P	1 / 5 / 1967	-111.63	7.85	3348.37	01	01	1	
	P	1 / 8 / 1968	-112.4	-0.77	3347.6	01	01	1	
	N	1 / 13/ 1969				01	01		61
	P	1 / 6 / 1970	-113.67		3346.33	01	06	1	
	P	1 / 3 / 1971	-114.94	-1.27	3345.06	01	06	1	
	P	1 / 5 / 1972	-115.46	-0.52	3344.54	01	06	1	
	P	1 / 26/ 1973	-114.77	0.69	3345.23	01	06	1	
	P	1 / 11/ 1974	-119.2	-4.43	3340.8	01	06	1	
	P	1 / 6 / 1975	-117.5	1.7	3342.5	01	06	1	
	P	1 / 5 / 1976	-117.53	-0.03	3342.47	01	06	1	
	P	1 / 11/ 1977	-121.37	-3.84	3338.63	01	06	1	
	P	1 / 10/ 1978	-119.52	1.85	3340.48	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 9/1979	-120.98	-1.46	3339.02	01	06	1	
	P	12/11/1979	-119.78	1.2	3340.22	01	06	1	
	P	1/ 5/1981	-120.97	-1.19	3339.03	01	06	1	
	P	1/ 9/1982	-121.52	-0.55	3338.48	01	06	1	
	P	2/18/1983	-120.78	0.74	3339.22	01	06	1	
	P	1/ 4/1984	-120.55	0.23	3339.45	01	06	1	
	P	1/10/1985	-121.19	-0.64	3338.81	01	06	1	
	P	1/15/1986	-120.88	0.31	3339.12	01	06	1	
	P	1/15/1987	-120.49	0.39	3339.51	01	06	1	
	P	1/13/1988	-119.88	0.61	3340.12	01	06	1	
	P	1/11/1989	-122.3	-2.42	3337.7	01	06	1	
	P	1/12/1990	-122.77	-0.47	3337.23	01	06	1	
	P	1/29/1991	-122.29	0.48	3337.71	01	06	1	
	P	2/13/1992	-121.73	0.56	3338.27	01	06	1	
	N	1/13/1993				01	06		61
	P	1/18/1994	-122.99		3337.01	01	06	1	
	P	1/18/1995	-123.62	-0.63	3336.38	01	06	1	
	P	1/24/1996	-123.58	0.04	3336.42	01	06	1	
	P	2/26/1997	-124.16	-0.58	3335.84	01	06	1	
	P	1/14/1998	-127.68	-3.52	3332.32	01	06	1	
	P	1/18/1999	-125	2.68	3335	01	06	1	
	P	1/11/2000	-126.22	-1.22	3333.78	01	06	1	
	P	1/23/2001	-126.18	0.04	3333.82	01	06	1	
	P	1/29/2002	-125.66	0.52	3334.34	01	06	1	
	P	2/21/2003	-126.17	-0.51	3333.83	01	06	1	
	P	2/10/2004	-126.44	-0.27	3333.56	01	06	1	
	P	2/ 4/2005	-125.8	0.64	3334.2	01	06	1	
	P	1/18/2006	-125.84	-0.04	3334.16	01	06	1	
	P	1/10/2007	-125.56	0.28	3334.44	01	06	1	
	P	1/ 2/2008	-125.83	-0.27	3334.17	01	06	1	
	P	2/ 3/2009	-126.34	-0.51	3333.66	01	06	1	
	P	1/13/2010	-125.29	1.05	3334.71	01	06	1	
	P	1/17/2011	-124.35	0.94	3335.65	01	06	1	
	P	12/ 1/2011	-124.8	-0.45	3335.2	01	06	1	

Min *-127.68* **Max** *-105.16* **Avg** *-121.079*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2415202	(Aquifer: 121OGLL		Well Depth: 165)						
	P	5 / 23/ 1996	-135.4		3325.6	01	07	1	
Min -135.4		Max -135.4	Avg -135.4						
2415302	(Aquifer: 121OGLL		Well Depth: 155)						
	P	10 / 15/ 1937	-77		3372	01	04	1	
Min -77		Max -77	Avg -77						
2415305	(Aquifer: 121OGLL		Well Depth:)						
	P	1 / 13/ 2010	-125.72		3325.28	01	06	1	
	P	1 / 17/ 2011	-126.72	-1	3324.28	01	06	1	
	P	2 / 23/ 2012	-125.69	1.03	3325.31	01	06	1	
Min -126.72		Max -125.69	Avg -126.043						
2415306	(Aquifer: 121OGLL		Well Depth: 147)						
	P	1 / 13/ 2010	-135.76		3293.24	01	06	1	
	P	1 / 17/ 2011	-135.11	0.65	3293.89	01	06	1	
	P	2 / 23/ 2012	-141.35	-6.24	3287.65	01	06	1	
Min -141.35		Max -135.11	Avg -137.407						
2415402	(Aquifer: 121OGLL		Well Depth: 100)						
	P	3 / 15/ 1947	-36.54		3371.46	01	12	7	01
	P	2 / 17/ 1950	-40.85	-4.31	3367.15	01	12	7	01
	P	1 / 17/ 1951	-44.73	-3.88	3363.27	01	12	7	01
	P	1 / 29/ 1952	-44.65	0.08	3363.35	01	12	7	01
	P	1 / 15/ 1953	-50.34	-5.69	3357.66	01	12	7	01
	P	1 / 8 / 1954	-55	-4.66	3353	01	12	7	01
	P	1 / 5 / 1955	-58.32	-3.32	3349.68	01	12	7	01
	P	1 / 11/ 1956	-59.34	-1.02	3348.66	01	12	7	01
	P	1 / 10/ 1957	-62.59	-3.25	3345.41	01	12	7	01
	P	1 / 22/ 1958	-63.2	-0.61	3344.8	01	12	7	01
	P	1 / 8 / 1959	-65.09	-1.89	3342.91	01	12	7	01
	P	1 / 18/ 1961	-66.52	-1.43	3341.48	01	04	1	
	P	1 / 12/ 1962	-67	-0.48	3341	01	01	1	20
	P	1 / 7 / 1963	-71.24	-4.24	3336.76	01	01	1	
Min -71.24		Max -36.54	Avg -56.1007						

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
2415506	*(Aquifer: 121OGLL*		*Well Depth: 100)*						
	P	5 / 5 / 1937	-31.7		3372.3	01	12	7	01
	P	3 / 15/ 1947	-36.43	-4.73	3367.57	01	12	7	01
	P	2 / 20/ 1948	-36.53	-0.1	3367.47	01	12	7	01
	P	3 / 14/ 1949	-39.39	-2.86	3364.61	01	12	7	01
	P	2 / 15/ 1950	-41.54	-2.15	3362.46	01	12	7	01
	P	9 / 16/ 1950	-55.92	-14.4	3348.08	01	12	7	01
	P	1 / 17/ 1951	-44.5	11.42	3359.5	01	12	7	01
	P	1 / 29/ 1952	-45.36	-0.86	3358.64	01	12	7	01
	P	1 / 15/ 1953	-52.41	-7.05	3351.59	01	12	7	01
	P	1 / 8 / 1954	-57.12	-4.71	3346.88	01	12	7	01
	P	1 / 5 / 1955	-60.23	-3.11	3343.77	01	12	7	01
	P	1 / 11/ 1956	-62.93	-2.7	3341.07	01	12	7	01
	P	1 / 10/ 1957	-63.25	-0.32	3340.75	01	12	7	01
	P	1 / 22/ 1958	-65.61	-2.36	3338.39	01	12	7	01
	P	1 / 8 / 1959	-66.28	-0.67	3337.72	01	12	7	01
	P	1 / 25/ 1960	-72.58	-6.3	3331.42	01	12	7	01
	P	1 / 18/ 1961	-69.69	2.89	3334.31	01	04	1	
	P	1 / 12/ 1962	-67.92	1.77	3336.08	01	01	1	
	P	1 / 7 / 1963	-72.12	-4.2	3331.88	01	01	1	
	P	1 / 9 / 1964	-72.77	-0.65	3331.23	01	01	1	
	P	1 / 9 / 1965	-78.16	-5.39	3325.84	01	01	1	
	P	1 / 4 / 1966	-78.85	-0.69	3325.15	01	01	1	
	P	1 / 4 / 1967	-79.2	-0.35	3324.8	01	01	1	
	P	1 / 8 / 1968	-80.89	-1.69	3323.11	01	01	1	
	P	1 / 13/ 1969	-82.1	-1.21	3321.9	01	01	1	
	P	1 / 6 / 1970	-80.86	1.24	3323.14	01	06	1	
	P	1 / 3 / 1971	-77.14	3.72	3326.86	01	06	1	
	P	1 / 5 / 1972	-78.52	-1.38	3325.48	01	06	1	
	P	1 / 23/ 1973	-77.47	1.05	3326.53	01	01	1	
	P	1 / 11/ 1974	-78.33	-0.86	3325.67	01	06	1	
	P	1 / 6 / 1975	-80.43	-2.1	3323.57	01	06	1	
	P	1 / 5 / 1976	-79.72	0.71	3324.28	01	06	1	
	P	1 / 11/ 1977	-80.73	-1.01	3323.27	01	06	1	
	P	1 / 10/ 1978	-80.98	-0.25	3323.02	01	06	1	
	P	1 / 9 / 1979	-81.78	-0.8	3322.22	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	12 / 11/ 1979	-81.74	0.04	3322.26	01	06	1	
	P	1 / 13/ 1981	-82.54	-0.8	3321.46	01	06	1	
	P	1 / 9 / 1982	-82.79	-0.25	3321.21	01	06	1	
	P	2 / 15/ 1983	-82.49	0.3	3321.51	01	06	1	
	P	1 / 4 / 1984	-81.95	0.54	3322.05	01	06	1	
	P	1 / 9 / 1985	-81.48	0.47	3322.52	01	06	1	
	P	1 / 21/ 1986	-81.65	-0.17	3322.35	01	06	1	
	P	1 / 29/ 1987	-80.33	1.32	3323.67	01	06	1	
	P	1 / 13/ 1988	-77.83	2.5	3326.17	01	06	1	
	P	1 / 13/ 1989	-77.22	0.61	3326.78	01	06	1	
	P	1 / 15/ 1990	-77.45	-0.23	3326.55	01	06	1	
	P	1 / 29/ 1991	-78.31	-0.86	3325.69	01	06	1	
	P	1 / 17/ 1992	-78.67	-0.36	3325.33	01	06	1	
	P	1 / 13/ 1993	-78.48	0.19	3325.52	01	06	1	
	P	1 / 18/ 1994	-79.89	-1.41	3324.11	01	06	1	
	P	1 / 18/ 1995	-79.16	0.73	3324.84	01	06	1	
	P	1 / 24/ 1996	-79.91	-0.75	3324.09	01	06	1	
	P	2 / 18/ 1997	-80.61	-0.7	3323.39	01	06	1	
	P	1 / 14/ 1998	-81.72	-1.11	3322.28	01	06	1	
	P	1 / 19/ 1999	-81	0.72	3323	01	06	1	
	P	1 / 11/ 2000	-81.9	-0.9	3322.1	01	06	1	
	P	1 / 22/ 2001	-82.07	-0.17	3321.93	01	06	1	
	P	1 / 29/ 2002	-81.6	0.47	3322.4	01	06	1	
	P	2 / 21/ 2003	-81.6		3322.4	01	06	1	
	P	2 / 10/ 2004	-81.92	-0.32	3322.08	01	06	1	
	P	1 / 28/ 2005	-81.71	0.21	3322.29	01	06	1	
	P	3 / 2 / 2006	-81.1	0.61	3322.9	01	06	1	
	P	1 / 10/ 2007	-80.42	0.68	3323.58	01	06	1	
	P	1 / 2 / 2008	-81.07	-0.65	3322.93	01	06	1	
	P	3 / 3 / 2009	-80.99	0.08	3323.01	01	06	1	
	N	1 / 13/ 2010				01	06	1	44
	P	1 / 17/ 2011	-74.03		3329.97	01	06	1	
	N	12 / 1 / 2011				01	06	1	44

Min *-82.79* **Max** *-31.7* **Avg** *-72.7738*

2415608 *(Aquifer: 121OGLL Well Depth: 165)*

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	3 / 17/ 1947	-71.38		3356.62	01	12	7	01
	P	2 / 20/ 1948	-77.64	-6.26	3350.36	01	12	7	01
	P	3 / 8 / 1949	-85.2	-7.56	3342.8	01	12	7	01
	P	1 / 17/ 1951	-97.16	-12	3330.84	01	12	7	01
	P	1 / 29/ 1952	-98.95	-1.79	3329.05	01	12	7	01
	P	1 / 16/ 1953	-99.6	-0.65	3328.4	01	12	7	01
	P	1 / 8 / 1954	-106.96	-7.36	3321.04	01	12	7	01
	P	1 / 5 / 1955	-113.5	-6.54	3314.5	01	12	7	01
	P	1 / 11/ 1956	-114.25	-0.75	3313.75	01	12	7	01
	P	1 / 11/ 1957	-117.23	-2.98	3310.77	01	12	7	01
	P	1 / 23/ 1958	-118.56	-1.33	3309.44	01	12	7	01
	P	1 / 8 / 1959	-124.9	-6.34	3303.1	01	12	7	01
	P	1 / 18/ 1961	-123.38	1.52	3304.62	01	04	7	
	N	1 / 12/ 1962				01	01		63
	N	1 / 7 / 1963				01	01	1	44

Min *-124.9* **Max** *-71.38* **Avg** *-103.747*

2415609 *(Aquifer: 121OGLL Well Depth: 150)*

	P	3 / 17/ 1947	-71.38		3352.62	01	12	7	01
	P	2 / 20/ 1948	-77.64	-6.26	3346.36	01	12	7	01
	P	3 / 8 / 1949	-85.2	-7.56	3338.8	01	12	7	01
	P	1 / 29/ 1952	-86.48	-1.28	3337.52	01	12	7	01
	P	1 / 15/ 1953	-91.35	-4.87	3332.65	01	12	7	01
	P	1 / 8 / 1954	-98.4	-7.05	3325.6	01	12	7	01
	P	1 / 5 / 1955	-102.5	-4.1	3321.5	01	12	7	01
	P	1 / 11/ 1956	-105.55	-3.05	3318.45	01	12	7	01
	P	1 / 11/ 1957	-108.19	-2.64	3315.81	01	12	7	01
	P	1 / 23/ 1958	-110.39	-2.2	3313.61	01	12	7	01
	P	1 / 8 / 1959	-110.33	0.06	3313.67	01	12	7	01
	P	1 / 25/ 1960	-113.24	-2.91	3310.76	01	12	7	01
	P	1 / 18/ 1961	-111.03	2.21	3312.97	01	04	1	
	P	1 / 12/ 1962	-115.4	-4.37	3308.6	01	01	1	20
	P	1 / 7 / 1963	-118.36	-2.96	3305.64	01	01	1	
	P	1 / 9 / 1964	-118.94	-0.58	3305.06	01	01	1	
	N	1 / 9 / 1965				01	01		51
	P	1 / 4 / 1966	-126.88		3297.12	01	01	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	1/ 5/1967	-127.87	-0.99	3296.13	01	01	1	
	P	1/ 8/1968	-130.27	-2.4	3293.73	01	01	1	
	P	1/16/1969	-137.64	-7.37	3286.36	01	01	1	
	P	1/ 7/1970	-130.38	7.26	3293.62	01	06	1	
	P	1/16/1971	-131.18	-0.8	3292.82	01	06	1	
	P	1/ 5/1972	-131.33	-0.15	3292.67	01	06	1	
	P	1/23/1973	-130.7	0.63	3293.3	01	01	1	
	P	1/11/1974	-132.17	-1.47	3291.83	01	06	1	
	P	1/ 6/1975	-135.08	-2.91	3288.92	01	06	1	
	P	1/ 5/1976	-134.45	0.63	3289.55	01	06	1	
	P	1/11/1977	-136.73	-2.28	3287.27	01	06	1	
	P	1/10/1978	-136.54	0.19	3287.46	01	06	1	
	P	1/ 9/1979	-137.31	-0.77	3286.69	01	06	1	
	P	12/11/1979	-136.91	0.4	3287.09	01	06	1	
	P	1/ 5/1981	-138.39	-1.48	3285.61	01	06	1	
	P	1/ 9/1982	-139.58	-1.19	3284.42	01	06	1	
	P	2/18/1983	-140.81	-1.23	3283.19	01	06	1	
	P	1/ 3/1984	-138.36	2.45	3285.64	01	06	1	
	P	1/ 9/1985	-138.36		3285.64	01	06	1	
	P	1/21/1986	-137.5	0.86	3286.5	01	06	1	
	P	1/15/1987	-136.7	0.8	3287.3	01	06	1	
	P	1/13/1988	-135.41	1.29	3288.59	01	06	1	
	P	1/11/1989	-135.03	0.38	3288.97	01	06	1	
	P	1/12/1990	-135.77	-0.74	3288.23	01	06	1	
	P	1/25/1991	-136.05	-0.28	3287.95	01	06	1	
	P	2/13/1992	-136.34	-0.29	3287.66	01	06	1	
	P	1/13/1993	-136.38	-0.04	3287.62	01	06	1	
	P	1/18/1994	-136.74	-0.36	3287.26	01	06	1	
	P	1/18/1995	-138.11	-1.37	3285.89	01	06	1	
	P	1/24/1996	-139	-0.89	3285	01	06	1	
	P	2/26/1997	-140.93	-1.93	3283.07	01	06	1	
	P	2/24/1998	-138.75	2.18	3285.25	01	06	1	
	P	1/18/1999	-141	-2.25	3283	01	06	1	
	P	1/11/2000	-139.35	1.65	3284.65	01	06	1	
	P	3/16/2001	-138.95	0.4	3285.05	01	06	1	
	P	1/28/2002	-139.45	-0.5	3284.55	01	06	1	

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	P	2 / 21/ 2003	-139.7	-0.25	3284.3	01	06	1	
	P	2 / 9 / 2004	-147.92	-8.22	3276.08	01	06	1	
	P	2 / 4 / 2005	-146.42	1.5	3277.58	01	06	1	
	P	1 / 18/ 2006	-139.77	6.65	3284.23	01	06	1	
	P	1 / 10/ 2007	-141.25	-1.48	3282.75	01	06	1	
	P	1 / 2 / 2008	-138.52	2.73	3285.48	01	06	1	
	P	3 / 3 / 2009	-143.07	-4.55	3280.93	01	06	1	
	N	1 / 13/ 2010				01	06	1	44
	N	1 / 17/ 2011				01	06	1	44
	N	12 / 2 / 2011				01	06	1	44

Min *-147.92* **Max** *-71.38* **Avg** *-127.557*

2416101 *(Aquifer: 121OGLL Well Depth: 196)*

	P	10 / 1 / 1979	-167		3304	01	06	1	
	P	12 / 11/ 1979	-165.58	1.42	3305.42	01	06	1	
	P	1 / 5 / 1981	-166.19	-0.61	3304.81	01	06	1	
	P	1 / 9 / 1982	-166.54	-0.35	3304.46	01	06	1	
	P	2 / 18/ 1983	-165.41	1.13	3305.59	01	06	1	
	P	1 / 3 / 1984	-165.85	-0.44	3305.15	01	06	1	
	P	1 / 9 / 1985	-167.5	-1.65	3303.5	01	06	1	
	P	1 / 21/ 1986	-167.24	0.26	3303.76	01	06	1	
	P	1 / 15/ 1987	-166.82	0.42	3304.18	01	06	1	
	P	1 / 13/ 1988	-166.32	0.5	3304.68	01	06	1	
	P	1 / 11/ 1989	-165.86	0.46	3305.14	01	06	1	
	P	1 / 12/ 1990	-165.91	-0.05	3305.09	01	06	1	
	P	1 / 25/ 1991	-165.66	0.25	3305.34	01	06	1	
	P	1 / 17/ 1992	-165.35	0.31	3305.65	01	06	1	
	P	1 / 13/ 1993	-165.68	-0.33	3305.32	01	06	1	
	P	1 / 18/ 1994	-165.96	-0.28	3305.04	01	06	1	
	P	1 / 18/ 1995	-165.78	0.18	3305.22	01	06	1	
	P	1 / 25/ 1996	-165.03	0.75	3305.97	01	06	1	
	P	2 / 26/ 1997	-165.94	-0.91	3305.06	01	06	1	
	P	1 / 14/ 1998	-166.54	-0.6	3304.46	01	06	1	
	P	1 / 18/ 1999	-167	-0.46	3304	01	06	1	
	P	1 / 11/ 2000	-166.95	0.05	3304.05	01	06	1	
	N	1 / 22/ 2001				01	06		51

State Well Number	P/N	Date	Water Level	Change	Water Elevation	Meas. #	Agency	Method	Remark
	N	1 / 28/ 2002				01	06		81
	N	3 / 14/ 2008				01	06		63
Min -167.5		Max -165.03	Avg -166.187						
2416105	(Aquifer: 121OGLL		Well Depth: 180)						
	P	5 / 6 / 1937	-147.7		3315.3	01	04	1	
Min -147.7		Max -147.7	Avg -147.7						
2416106	(Aquifer: 121OGLL		Well Depth:)						
	P	3 / 14/ 2006	-171.84		3299.16	01	06	1	
	P	1 / 10/ 2007	-171.34	0.5	3299.66	01	06	1	
	P	1 / 2 / 2008	-172.38	-1.04	3298.62	01	06	1	
	P	2 / 3 / 2009	-170.38	2	3300.62	01	06	1	
	P	1 / 13/ 2010	-169.84	0.54	3301.16	01	06	1	
	P	1 / 17/ 2011	-169.58	0.26	3301.42	01	06	1	
	P	12 / 1 / 2011	-170.5	-0.92	3300.5	01	06	1	
Min -172.38		Max -169.58	Avg -170.837						