# Texas Water Development Board
# Groundwater Database Reports

## Water Quality Publication Report
## County: Lipscomb

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 436303 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 3 / #### | B | 7.4 | 43 | 59 | 34 | 161 | | 0 | 250.17 | 103 | 239 | 1.4 | 7 | 770 | 1463 | 287 | 54 | 4.13 | 0 |
| 436602 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 22/ #### | U | 7.45 | 58 | 54.2 | 29.1 | 177 | 7 | 0 | 296.54 | 116 | 255 | 1.07 | 13.4 | 857 | 1466 | 256 | 60 | 4.82 | 0 |
| | 121OGLL | | 5 / 22/ #### | U | 7.45 | 58 | 54.2 | 29.1 | 177 | 7 | 0 | 258.71 | 116 | 255 | 1.07 | 13.4 | 828 | 1466 | 347 | 41 | 2.57 | 0 |
| 436603 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 475 | 9 / 17/ #### | B | 7.17 | 45 | 72 | 33 | 223 | 10 | 0 | 263.59 | 133 | 320 | 1.22 | 9.52 | 978 | 1664 | 317 | 60 | 5.46 | 0 |
| | 121OGLL | 475 | 9 / 18/ #### | U | 7.33 | 40.1 | 76.6 | 34.6 | 207 | 7.5 | 0 | 247.73 | 98.9 | 272.8 | 1.34 | 9.23 | 871 | 1517 | 335 | 57 | 4.93 | 0 |
| | 121OGLL | 475 | 8 / 9 / #### | B | 7.47 | 43.1 | 62.7 | 27 | 115 | 5.86 | 0 | 258.71 | 68.4 | 170 | 1.25 | 9.78 | 631 | 930 | 269 | 48 | 3.05 | 0 |
| | 121OGLL | 475 | 5 / 22/ #### | B | 7.39 | 56 | 81 | 36 | 222 | 8.7 | 0 | 298.98 | 104 | 302 | 0.92 | 8.64 | 967 | 1530 | 351 | 58 | 5.16 | 0 |
| | 121OGLL | 475 | 5 / 22/ #### | B | 7.39 | 56 | 81 | 36 | 222 | 8.7 | 0 | 298.98 | 104 | 302 | 0.92 | 8.64 | 967 | 1530 | 351 | 58 | 5.16 | 0 |
| 436901 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 487 | 3 / 3 / #### | B | 7.9 | | 42 | 21 | 17 | | 0 | 242.85 | 14 | 3 | 1.4 | 9.1 | 226 | 492 | 191 | 16 | 0.53 | 0.16 |
| 437203 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 427 | 4 / 3 / #### | B | 7.6 | 48 | 69 | 40 | 145 | | 0 | 248.95 | 101 | 246 | 1.2 | 5.5 | 778 | 1500 | 336 | 48 | 3.44 | 0 |
| 437501 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 28/ #### | B | 7.4 | | 44 | 31 | 54 | | 0 | 253.83 | 43 | 64 | 1.1 | 7.8 | 369 | 671 | 237 | 33 | 1.52 | 0 |
| 437502 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 407 | 9 / 17/ #### | B | 7.38 | 48 | 65 | 37 | 118 | 9.7 | 0 | 258.71 | 99 | 195 | 1.4 | 10.18 | 712 | 1195 | 316 | 44 | 2.89 | 0 |
| 437503 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 360 | 9 / 21/ #### | B | 7.53 | 47.4 | 60.8 | 38.1 | 73.5 | 7.1 | 0 | 233.09 | 68.7 | 111.8 | 1.65 | 13.27 | 538 | 860 | 310 | 34 | 1.82 | 0 |
| | 121OGLL | 360 | 8 / 13/ #### | B | 7.57 | 50.6 | 51.2 | 31.8 | 61.7 | 6.4 | 0 | 233.08 | 61.6 | 105 | 1.56 | 10.98 | 497 | 738 | 260 | 34 | 1.66 | 0 |
| | 121OGLL | 360 | 5 / 20/ #### | B | 7.54 | 71 | 68.6 | 32.3 | 62 | 6.7 | 0 | 294.1 | 65.5 | 99.2 | 1.31 | 12.17 | 564 | 821 | 305 | 31 | 1.54 | 0 |
| | 121OGLL | 360 | 5 / 20/ #### | B | 7.54 | 71 | 68.6 | 32.3 | 62 | 6.7 | 0 | 294.1 | 65.5 | 99.2 | 1.31 | 12.17 | 564 | 821 | 305 | 31 | 1.54 | 0 |
| | 121OGLL | 360 | 7 / 11/ #### | B | 7.53 | 46.4 | 50 | 28.9 | 48.1 | 5.8 | 0 | 235.52 | 46.2 | 79.9 | 1.51 | 11.2 | 435 | 649 | 245 | 30 | 1.34 | 0 |
| 437601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 17/ #### | B | 7.8 | | 46 | 17 | 49 | | 0 | 251.39 | 28 | 26 | 0.01 | 5.2 | 294 | 469 | 184 | 36 | 1.57 | 0.42 |
| 437801 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 378 | 5 / 9 / #### | B | 7.6 | 50 | 50 | 27 | 58 | | 0 | 267.26 | 50 | 65 | 1.6 | 7 | 440 | 770 | 235 | 34 | 1.64 | 0 |
| 437802 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 4 / 16/ #### | B | 7.5 | 50 | 43 | 25 | 60 | | 0 | 272.14 | 50 | 48 | 1.5 | 4 | 415 | 700 | 210 | 38 | 1.8 | 0.26 |
| | 121OGLL | | 5 / 10/ #### | B | 7.3 | | 44 | 24 | 54 | | 0 | 281.9 | 51 | 44 | 0.7 | 5 | 361 | 689 | 208 | 36 | 1.63 | 0.45 |
| 438302 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 4 / 16/ #### | B | 7.5 | 43 | 61 | 19 | 19 | | 0 | 284.34 | 16 | 16 | 0.7 | 4.5 | 319 | 540 | 230 | 15 | 0.54 | 0.05 |
| 438402 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 375 | 5 / 3 / #### | B | 7.5 | 50 | 60 | 31 | 87 | | 0 | 266.04 | 63 | 133 | 1.4 | 7 | 563 | 1036 | 277 | 40 | 2.27 | 0 |
| 438502 | | | | | | | | | | | | | | | | | | | | | | |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 121OGLL | 276 | 9 / 20/ #### | B | 7.51 | 48.9 | 49.4 | 28.4 | 76.6 | 6.6 | 0 | 246.51 | 44.6 | 82.2 | 1.42 | 7.62 | 468 | 764 | 241 | 40 | 2.15 | 0 |
| | 121OGLL | 276 | 8 / 12/ #### | B | 7.56 | 51 | 43.1 | 24.5 | 67.3 | 5.45 | 0 | 240.4 | 47.5 | 93.2 | 1.39 | 7.61 | 460 | 688 | 210 | 41 | 2.02 | 0 |
| | 121OGLL | 276 | 5 / 21/ #### | B | 7.51 | 66 | 57.3 | 25.9 | 69 | 6.4 | 0 | 302.64 | 49.2 | 61.3 | 1.11 | 7.76 | 493 | 756 | 251 | 38 | 1.9 | 0 |
| | 121OGLL | 276 | 5 / 21/ #### | B | 7.51 | 66 | 57.3 | 25.9 | 69 | 6.4 | 0 | 302.64 | 49.2 | 61.3 | 1.11 | 7.76 | 493 | 756 | 251 | 38 | 1.9 | 0 |
| 438504 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 165 | 9 / 16/ #### | B | 7.85 | 48 | 59 | 26 | 69 | 7.2 | 0 | 251.39 | 50 | 114 | 1.26 | 6.99 | 507 | 872 | 256 | 37 | 1.88 | 0 |
| 438902 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 437 | 5 / 26/ #### | B | 7.6 | | 45 | 22 | 5.2 | | 0 | 236.75 | 9 | 8 | 2.54 | 2.2 | 210 | 392 | 203 | 5 | 0.16 | 0 |
| 438904 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 502 | 4 / 5 / #### | B | 7.5 | 48 | 56 | 19 | 14 | | 0 | 235.53 | 21 | 26 | 0.8 | 2.5 | 303 | 511 | 217 | 12 | 0.41 | 0 |
| 439301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 3 / #### | B | 7.1 | 46 | 53 | 20 | 111 | | 0 | 220.88 | 48 | 145 | 1.6 | 15 | 548 | 1050 | 214 | 52 | 3.3 | 0 |
| 439402 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 418 | 5 / 9 / #### | B | 7.6 | 53 | 55 | 22 | 35 | | 0 | 240.41 | 24 | 58 | 1.2 | 3 | 369 | 632 | 227 | 25 | 1.01 | 0 |
| | 121OGLL | 418 | 9 / 23/ #### | B | 7.43 | 54.9 | 56.7 | 26 | 45 | 5.9 | 0 | 244.07 | 25 | 65.1 | 1.25 | 5.56 | 406 | 651 | 249 | 28 | 1.24 | 0 |
| | 121OGLL | 418 | 8 / 12/ #### | B | 7.51 | 55.1 | 48.4 | 22.1 | 37.7 | 5.28 | 0 | 237.96 | 24.6 | 58.7 | 1.3 | 5.49 | 377 | 557 | 213 | 28 | 1.12 | 0 |
| | 121OGLL | 418 | 5 / 20/ #### | B | 7.5 | 79 | 65.5 | 23 | 42 | 5.6 | 0 | 289.22 | 25.2 | 65.9 | 0.95 | 6.17 | 456 | 615 | 259 | 26 | 1.13 | 0 |
| | 121OGLL | 418 | 5 / 20/ #### | B | 7.5 | 79 | 65.5 | 23 | 42 | 5.6 | 0 | 289.22 | 25.2 | 65.9 | 0.95 | 6.17 | 456 | 615 | 259 | 26 | 1.13 | 0 |
| 439601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 4 / 10/ #### | U | 7.2 | | 59 | 24 | 116 | | 0 | 229.43 | 39 | 138 | 1.4 | 17 | 507 | 918 | 245 | 50 | 3.22 | 0 |
| 439606 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 424 | 5 / 22/ #### | B | 7.46 | 69 | 66.5 | 27.9 | 65 | 6.6 | 0 | 335.59 | 28.7 | 76.4 | 0.6 | 18.12 | 524 | 699 | 282 | 33 | 1.68 | 0 |
| | 121OGLL | 424 | 5 / 22/ #### | B | 7.46 | 69 | 66.5 | 27.9 | 65 | 6.6 | 0 | 335.59 | 28.7 | 76.4 | 0.6 | 18.12 | 524 | 699 | 282 | 33 | 1.68 | 0 |
| 439607 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 478 | 9 / 16/ #### | B | 7.62 | 51 | 51 | 23 | 71 | 7.1 | 0 | 261.15 | 34 | 95 | 1.04 | 10.09 | 473 | 797 | 223 | 41 | 2.07 | 0 |
| | 121OGLL | 478 | 9 / 19/ #### | B | 7.47 | 53.2 | 57 | 23.6 | 83.5 | 5.6 | 0 | 258.71 | 31.6 | 91.7 | 1.09 | 15.02 | 490 | 851 | 240 | 43 | 2.35 | 0 |
| | 121OGLL | 478 | 8 / 12/ #### | B | 7.46 | 51.6 | 61 | 20.2 | 60.2 | 5.31 | 0 | 248.95 | 34.7 | 79.5 | 0.92 | 31.17 | 468 | 681 | 237 | 36 | 1.7 | 0 |
| | 121OGLL | 478 | 5 / 21/ #### | B | 7.45 | 64 | 62.4 | 26.2 | 66 | 6.7 | 0 | 312.4 | 29 | 66.8 | 0.71 | 43.12 | 519 | 664 | 264 | 35 | 1.76 | 0 |
| | 121OGLL | 478 | 5 / 21/ #### | B | 7.45 | 64 | 62.4 | 26.2 | 66 | 6.7 | 0 | 312.4 | 29 | 66.8 | 0.71 | 43.12 | 519 | 664 | 264 | 35 | 1.76 | 0 |
| 439801 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 386 | 5 / 3 / #### | B | 7.3 | 48 | 58 | 25 | 91 | | 0 | 269.7 | 41 | 133 | 1.1 | 4 | 533 | 972 | 247 | 44 | 2.52 | 0 |
| 439902 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 6 / 16/ #### | B | 7.2 | | 50 | 23 | 89 | | 0 | 228 | 44 | 138 | 0.9 | 5.1 | 462 | 872 | 219 | 46 | 2.61 | 0 |
| 440102 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 4 / 16/ #### | B | 7.5 | 50 | 68 | 22 | 60 | | 0 | 242.85 | 35 | 112 | 0.8 | 2.5 | 469 | 858 | 260 | 33 | 1.62 | 0 |
| 440201 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 4 / 16/ #### | B | 7.6 | 48 | 46 | 23 | 17 | | 0 | 239.19 | 17 | 19 | 0.6 | 2.5 | 290 | 480 | 209 | 15 | 0.51 | 0 |
| | 121OGLL | | 5 / 28/ #### | B | 7.2 | | 47 | 27 | 18 | | 0 | 241.63 | 18 | 20 | 0.68 | 2.7 | 252 | 430 | 228 | 14 | 0.52 | 0 |
| 440301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 411 | 9 / 7 / #### | B | 7.4 | | 48 | 26 | 19 | | 0 | 245.29 | 18 | 21 | 1.12 | 2.6 | 256 | 441 | 227 | 15 | 0.55 | 0 |
| 440502 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 200 | 9 / 23/ #### | U | 7.35 | 26.5 | 90.9 | 8.1 | 5.7 | 2 | 0 | 202.58 | 11.6 | 11.2 | 0.3 | 53.77 | 310 | 504 | 260 | 4 | 0.15 | 0 |
| | 121OGLL | 200 | 8 / 13/ #### | B | 7.5 | 26.4 | 74.4 | 6.84 | 5.05 | 1.83 | 0 | 208.67 | 14.1 | 10.5 | 0.25 | 34.27 | 277 | 450 | 214 | 5 | 0.15 | 0 |
| | 121OGLL | 200 | 5 / 20/ #### | B | 7.4 | 56 | 93.8 | 10.8 | 7 | 2.52 | 0 | 290.44 | 9.66 | 10.1 | < 0.5 | 22.05 | 356 | 433 | 279 | 5 | 0.18 | 0 |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 121OGLL | 200 | 5 / 20/ #### | B | 7.36 | 56 | 93.8 | 10.8 | 7 | 2.52 | 0 | 290.44 | 9.66 | 10.1 | < 0.5 | 22.05 | 356 | 433 | 279 | 5 | 0.18 | 0 |
| | 121OGLL | 200 | 7 / 11/ #### | B | 7.33 | 35.2 | 62.8 | 9.58 | 6.2 | 2.29 | 0 | 220.88 | 8.34 | 8.2 | 0.34 | 16.38 | 258 | 405 | 197 | 6 | 0.19 | 0 |
| 440601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 369 | 5 / 3 / #### | B | 7.9 | 39 | 79 | 11 | 37 | | 0 | 264.82 | 26 | 43 | 0.5 | 21 | 386 | 660 | 242 | 24 | 1.03 | 0 |
| 440602 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 354 | 9 / 16/ #### | B | 7.51 | 51 | 56 | 17 | 28 | 4.2 | 0 | 275.8 | 15 | 21 | 0.55 | | 329 | 528 | 211 | 22 | 0.84 | 0.33 |
| 440703 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 363 | 4 / 5 / #### | B | 7.6 | 48 | 56 | 23 | 63 | | 0 | 267.26 | 29 | 87 | 0.8 | 4 | 442 | 786 | 234 | 36 | 1.79 | 0 |
| 440704 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 365 | 9 / 30/ #### | B | 8 | 48 | 59 | 18 | 16 | | 0 | 267.26 | 17 | 12 | 0.6 | 8.7 | 310 | 507 | 221 | 13 | 0.47 | 0 |
| | 121OGLL | 365 | 4 / 9 / #### | B | 7.7 | | 71 | 16 | 51 | | 0 | 290.44 | 20 | 62 | 1.2 | 11 | 375 | 725 | 242 | 31 | 1.42 | 0 |
| | 121OGLL | 365 | ## / 17/ #### | B | 7.9 | | 66 | 19 | 21 | | 0 | 273.36 | 15 | 14 | 1.12 | 9.1 | 279 | 591 | 242 | 15 | 0.59 | 0 |
| 444301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 260 | 9 / 21/ #### | B | 7.3 | 55.5 | 63.9 | 17.6 | 3.6 | 4.6 | 0 | 250.17 | 4.1 | 2.2 | 0.53 | 11.46 | 287 | 426 | 232 | 3 | 0.1 | 0 |
| | 121OGLL | 260 | 8 / 9 / #### | B | 7.44 | 57.2 | 54.7 | 15.4 | 3.93 | 3.72 | 0 | 239.18 | 3.57 | 1.85 | 0.51 | 15.63 | 275 | 412 | 201 | 4 | 0.12 | 0 |
| | 121OGLL | 260 | 5 / 20/ #### | B | 7.41 | 83 | 79.1 | 16.2 | 4 | 4.5 | 0 | 296.54 | < 0.5 | 2.77 | < 0.5 | 18.16 | 355 | 413 | 265 | 3 | 0.1 | 0 |
| | 121OGLL | 260 | 5 / 20/ #### | B | 7.41 | 83 | 79.1 | 16.2 | 4 | 4.5 | 0 | 296.54 | < 0.5 | 2.77 | < 0.5 | 18.16 | 355 | 413 | 265 | 3 | 0.1 | 0 |
| | 121OGLL | 260 | 7 / 11/ #### | B | 7.3 | 54.2 | 57 | 15.7 | 3.84 | 4.13 | 0 | 247.73 | 4.11 | 3.68 | 0.47 | 17.13 | 283 | 414 | 208 | 4 | 0.11 | 0 |
| 444901 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 8 / 20/ #### | B | 8.2 | 40 | 59 | 18 | 198 | | 0 | 278.24 | 50 | 272 | 1.8 | 9 | 784 | 1507 | 221 | 66 | 5.79 | 0.14 |
| 444903 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 308 | 9 / 17/ #### | B | 7.79 | 49 | 42 | 25 | 27 | 6.6 | 0 | 257.49 | 29 | 18 | 1.68 | 6.77 | 333 | 512 | 208 | 22 | 0.82 | 0.07 |
| 445201 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 160 | 9 / 21/ #### | B | 7.39 | 62 | 47 | 30 | 16 | 5.9 | 0 | 278.24 | 11 | 9 | 0.07 | 8.94 | 327 | | 242 | 12 | 0.45 | 0 |
| 445401 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 160 | 4 / 5 / #### | B | 7.5 | 46 | 48 | 32 | 183 | | 0 | 273.36 | 84 | 228 | 1.9 | 8 | 765 | 1430 | 251 | 61 | 5.02 | 0 |
| 445901 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 323 | 6 / 2 / #### | B | 7.3 | | 92 | 12 | 117 | | 0 | 241.63 | 141 | 136 | 0.2 | 8 | 625 | 1108 | 278 | 47 | 3.05 | 0 |
| 446302 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 565 | 5 / 9 / #### | B | 7.6 | 48 | 41 | 20 | 69 | | 0 | 258.71 | 31 | 64 | 1.2 | 3 | 404 | 688 | 184 | 44 | 2.21 | 0.55 |
| 446401 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 380 | 4 / 16/ #### | B | 7.7 | 50 | 42 | 28 | 57 | | 0 | 251.39 | 34 | 66 | 1.2 | 3 | 404 | 700 | 219 | 36 | 1.67 | 0 |
| 446402 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 200 | 9 / 16/ #### | B | 7.41 | 58 | 46 | 27 | 18 | 4.9 | 0 | 240.41 | 28 | 24 | 1.14 | 5.45 | 332 | 514 | 227 | 14 | 0.52 | 0 |
| | 121OGLL | 200 | 9 / 24/ #### | B | 7.39 | 55.2 | 52.1 | 29.4 | 20.1 | 4 | 0 | 248.95 | 25.8 | 25.1 | 1.12 | 11.8 | 348 | 745 | 252 | 14 | 0.55 | 0 |
| | 121OGLL | 200 | 8 / 9 / #### | B | 7.51 | 58.5 | 49.5 | 26 | 22.8 | 3.07 | 0 | 236.74 | 31.6 | 35.9 | 1.13 | 15.01 | 361 | 537 | 232 | 18 | 0.65 | 0 |
| | 121OGLL | 200 | 5 / 20/ #### | B | 7.54 | 83 | 65.2 | 26.1 | 19 | 3.8 | 0 | 280.67 | 25.3 | 30.4 | 0.82 | 12.48 | 405 | 522 | 271 | 13 | 0.5 | 0 |
| | 121OGLL | 200 | 5 / 20/ #### | B | 7.54 | 83 | 65.2 | 26.1 | 19 | 3.8 | 0 | 280.67 | 25.3 | 30.4 | 0.82 | 12.48 | 405 | 522 | 271 | 13 | 0.5 | 0 |
| | 121OGLL | 200 | 7 / 10/ #### | B | 7.49 | 55.2 | 46.6 | 25.5 | 15 | 3.48 | 0 | 225.76 | 23.9 | 27.8 | 1.09 | 11.51 | 322 | 461 | 223 | 13 | 0.43 | 0 |
| 446602 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 404 | 4 / 5 / #### | B | 7.6 | 48 | 51 | 24 | 74 | | 0 | 256.27 | 43 | 97 | 1.2 | 3 | 467 | 846 | 225 | 41 | 2.14 | 0 |
| 446901 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 9 / #### | B | 7.8 | 50 | 52 | 24 | 18 | | 0 | 277.02 | 17 | 17 | 0.7 | 4.5 | 319 | 528 | 228 | 14 | 0.52 | 0 |
| 447401 | | | | | | | | | | | | | | | | | | | | | | |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 121OGLL | 110 | ## / 23/ #### | B | 7.6 | 35 | 74 | 17 | 12 | | 0 | 250.17 | 11 | 32 | 0.5 | 15 | 319 | 564 | 254 | 9 | 0.33 | 0 |
| | 121OGLL | 110 | 9 / 17/ #### | B | 7.42 | 41 | 85 | 21 | 15 | 4.3 | 0 | 239.19 | 15 | 64 | 0.46 | 33.47 | 398 | 673 | 299 | 9 | 0.38 | 0 |
| 447403 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 9 / 24/ #### | U | 7.46 | 52.6 | 46.2 | 29.4 | 67.8 | 6 | 0 | 237.97 | 30.3 | 68.2 | 1.44 | 6.18 | 426 | 1129 | 237 | 38 | 1.92 | 0 |
| | 121OGLL | | 8 / 12/ #### | B | 7.32 | 42 | 87 | 12.3 | 14.4 | 2.08 | 0 | 240.4 | 19.4 | 44.5 | 0.49 | 35.81 | 377 | 585 | 269 | 10 | 0.38 | 0 |
| | 121OGLL | | 5 / 21/ #### | U | 7.26 | 49 | 109 | 16.1 | 18 | 5.9 | 0 | 300.2 | 21 | 48.2 | < 0.5 | 11.02 | 427 | 623 | 339 | 10 | 0.42 | 0 |
| | 121OGLL | | 5 / 21/ #### | U | 7.26 | 49 | 109 | 16.1 | 18 | 5.9 | 0 | 248.95 | 21 | 48.2 | < 0.5 | 11.02 | 401 | 623 | 339 | 10 | 0.42 | 0 |
| | 121OGLL | | 7 / 10/ #### | B | 7.24 | 38.1 | 90.5 | 12 | 11.8 | 2.63 | 0 | 237.96 | 21 | 41.7 | 0.44 | 37.32 | 373 | 548 | 276 | 9 | 0.3 | 0 |
| 447601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 360 | 5 / 27/ #### | B | 7.3 | | 58 | 27 | 27 | | 0 | 273.36 | 20.1 | 37 | 0.67 | 0.02 | 304 | 556 | 255 | 18 | 0.73 | 0 |
| 448102 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 403 | 8 / 18/ #### | B | 8.1 | 47 | 66 | 6 | 25 | | 0 | 230.65 | 11 | 28 | 0.7 | 8 | 305 | 490 | 189 | 22 | 0.79 | 0 |
| 448103 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 456 | 9 / 30/ #### | B | 7.9 | 51 | 55 | 11 | 11 | 3 | 0 | 226.98 | 10 | 5 | 0.5 | 10.5 | 268 | 417 | 182 | 11 | 0.35 | 0.07 |
| | 121OGLL | 456 | 6 / 16/ #### | B | 7.8 | | 55 | 13 | 10 | | 0 | 233.09 | 9 | 6 | 0.1 | 9.4 | 217 | 398 | 190 | 10 | 0.31 | 0.01 |
| 448202 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 9 / #### | B | 7.5 | 48 | 58 | 18 | 24 | | 0 | 250.17 | 12 | 34 | 0.6 | 4 | 321 | 544 | 218 | 19 | 0.71 | 0 |
| | 121OGLL | | 9 / 30/ #### | B | 7.4 | 52 | 72 | 7 | 11 | | 0 | 242.85 | 6 | 8 | 0.5 | 26.2 | 302 | 471 | 208 | 10 | 0.33 | 0 |
| 448501 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 308 | 9 / 17/ #### | U | 7.49 | 48 | 47 | 22 | 56 | 6.5 | 0 | 253.83 | 23 | 37 | 0.82 | 9.39 | 375 | 562 | 209 | 36 | 1.69 | 0 |
| 448502 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 210 | 9 / 23/ #### | B | 7.42 | 51.4 | 49.7 | 24.7 | 45.2 | 5.3 | 0 | 266.04 | 19.5 | 38.2 | 0.87 | 10.58 | 377 | 588 | 226 | 30 | 1.31 | 0 |
| | 121OGLL | 210 | 8 / 13/ #### | B | 7.51 | 51.9 | 46.1 | 22.6 | 29.4 | 4.6 | 0 | 253.83 | 18 | 30.1 | 0.73 | 12.75 | 342 | 512 | 209 | 24 | 0.88 | 0 |
| 448601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 311 | 8 / 18/ #### | B | 8.2 | 47 | 59 | 8 | 25 | | 0 | 219.66 | 11 | 30 | 0.6 | 7 | 295 | 480 | 180 | 23 | 0.81 | 0 |
| 448602 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 341 | ## / 17/ #### | B | 7.5 | | 81 | 12 | 44 | | 0 | 295.32 | 16 | 41 | 0.94 | 14.6 | 354 | 669 | 251 | 27 | 1.21 | 0 |
| 448903 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 380 | 8 / 18/ #### | B | 8.3 | 47 | 61 | 17 | 90 | | 0 | 252.61 | 32 | 131 | 0.9 | 8 | 511 | 930 | 222 | 46 | 2.63 | 0 |
| 452301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 150 | 9 / 25/ #### | B | 7.26 | 38.8 | 82.9 | 26.5 | 32.3 | 4.2 | 0 | 302.65 | 26.1 | 46.7 | 2.05 | 12.51 | 421 | 647 | 317 | 18 | 0.79 | 0 |
| | 121OGLL | 150 | 8 / 9 / #### | B | 7.26 | 45.2 | 99.1 | 28.8 | 66.4 | 9.14 | 0 | 292.88 | 94.4 | 104 | 2.08 | 54.01 | 648 | 1053 | 367 | 28 | 1.51 | 0 |
| 452901 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 350 | 4 / 5 / #### | B | 7.7 | 55 | 43 | 24 | 6 | | 0 | 240.41 | 8 | 7 | 2.6 | 2 | 265 | 420 | 206 | 5 | 0.18 | 0 |
| 452902 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 425 | 9 / 22/ #### | B | 7.42 | 69 | 65 | 28 | 3.6 | 3.3 | 0 | 285.56 | 11 | 3 | 2.72 | 21.87 | 348 | | 278 | 2 | 0.09 | 0 |
| 453101 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 350 | 8 / 18/ #### | B | 8.4 | 39 | 54 | 19 | 263 | 6 | 4.8 | 279.46 | 82 | 341 | 2.1 | 10 | 958 | 1823 | 212 | 72 | 7.84 | 0.48 |
| | 121OGLL | 350 | 6 / 16/ #### | B | 8.2 | | 58 | 26 | 258 | | 0 | 251 | 87 | 349 | 2.1 | 8 | 911 | 1660 | 251 | 69 | 7.07 | 0 |
| 453601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 65 | 9 / 17/ #### | B | 6.79 | 41 | 58 | 47 | 43 | 4.2 | 0 | 362.44 | 46 | 69 | 1.89 | 5.22 | 495 | 836 | 339 | 21 | 1.02 | 0 |
| 454301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 65 | 9 / 17/ #### | B | 6.81 | 36 | 89 | 14 | 28 | 3.4 | 0 | 283.12 | 45 | 44 | 0.48 | 12.48 | 412 | 661 | 280 | 17 | 0.73 | 0 |
| | 121OGLL | 65 | 9 / 18/ #### | U | 7.16 | 34.6 | 94.4 | 14.7 | 30.9 | 2.6 | 0 | 263.59 | 34.5 | 45.7 | 0.5 | 11.41 | 399 | 664 | 296 | 18 | 0.78 | 0 |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 121OGLL | 65 | 8 / 12/ #### | B | 7.3 | 38.2 | 83.2 | 12.7 | 33.7 | 1.98 | 0 | 283.12 | 43.3 | 41.6 | 0.48 | 10.76 | 406 | 623 | 261 | 22 | 0.9 | 0 |
| | 121OGLL | 65 | 5 / 21/ #### | B | 7.23 | 47 | 105 | 11.5 | 29 | 2.9 | 0 | 294.1 | 38.9 | 49.3 | < 0.5 | 17.06 | 446 | 626 | 310 | 17 | 0.71 | 0 |
| | 121OGLL | 65 | 5 / 21/ #### | B | 7.23 | 47 | 105 | 11.5 | 29 | 2.9 | 0 | 294.1 | 38.9 | 49.3 | < 0.5 | 17.06 | 446 | 676 | 310 | 17 | 0.71 | 0 |
| | 121OGLL | 65 | 7 / 10/ #### | B | 7.18 | 36.1 | 83.9 | 13.1 | 34.7 | 2.58 | 0 | 296.54 | 33.2 | 48 | 0.49 | 10.49 | 409 | 617 | 264 | 22 | 0.93 | 0 |
| 454501 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 80 | 9 / 20/ #### | U | 7.38 | 54.9 | 68.1 | 16.6 | 18.1 | 2.2 | 0 | 213.56 | 20.9 | 22.1 | 0.95 | 9.29 | 318 | 473 | 239 | 14 | 0.51 | 0 |
| 455301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 190 | 4 / 16/ #### | B | 7.8 | 50 | 98 | 28 | 35 | | 0 | 311.19 | 102 | 47 | 1.1 | 8 | 522 | 900 | 359 | 17 | 0.8 | 0 |
| 455302 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 77 | 9 / 21/ #### | B | 7.18 | 60 | 82 | 10 | 28 | 2.5 | 0 | 252.61 | 24 | 28 | 0.9 | 32.58 | 392 | | 246 | 19 | 0.78 | 0 |
| | 121OGLL | 77 | 9 / 19/ #### | U | 7.32 | 64.9 | 82.8 | 9.9 | 46.9 | 2 | 0 | 251.39 | 39.1 | 28.9 | 1.21 | 18.58 | 418 | 640 | 247 | 29 | 1.3 | 0 |
| | 121OGLL | 77 | 8 / 10/ #### | B | 7.34 | 65 | 74.9 | 9.47 | 38.6 | 1.47 | 0 | 262.37 | 29.3 | 27.6 | 0.99 | 40.55 | 417 | 599 | 226 | 27 | 1.11 | 0 |
| 455401 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 240 | 9 / 17/ #### | B | 7.63 | 52 | 60 | 16 | 17 | 3.6 | 0 | 255.05 | 18 | 13 | 0.62 | 17.71 | 324 | 459 | 216 | 14 | 0.5 | 0 |
| 456601 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 300 | 9 / 17/ #### | B | 7.45 | 33 | 79 | 10 | 31 | 2.9 | 0 | 219.66 | 46 | 45 | 0.35 | 20.81 | 377 | 603 | 238 | 22 | 0.87 | 0 |
| | 121OGLL | 300 | 9 / 20/ #### | U | 7.51 | 36.2 | 87.6 | 11.3 | 35 | 2.1 | 0 | 206.24 | 42.4 | 45.9 | 0.38 | 23.89 | 386 | 619 | 265 | 22 | 0.94 | 0 |
| | 121OGLL | 300 | 8 / 10/ #### | B | 7.54 | 35.9 | 72.6 | 9.42 | 32.5 | 1.3 | 0 | 218.44 | 46.9 | 37.9 | 0.34 | 24.84 | 370 | 567 | 221 | 24 | 0.95 | 0 |
| | 121OGLL | 300 | 5 / 21/ #### | B | 7.49 | 51 | 100 | 9.8 | 32 | 2 | 0 | 312.4 | 43.3 | 35.8 | < 0.5 | 28.57 | 457 | 583 | 290 | 19 | 0.81 | 0 |
| | 121OGLL | 300 | 5 / 21/ #### | B | 7.49 | 51 | 100 | 9.8 | 32 | 2 | 0 | 312.4 | 43.3 | 35.8 | < 0.5 | 28.57 | 457 | 583 | 290 | 19 | 0.81 | 0 |
| | 121OGLL | 300 | 7 / 11/ #### | B | 7.39 | 33.3 | 70.8 | 8.78 | 30.4 | 1.86 | 0 | 217.22 | 43.3 | 31.7 | 0.33 | 29.75 | 357 | 522 | 213 | 24 | 0.9 | 0 |
| 456701 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 538 | 7 / 29/ #### | B | 8 | 35 | 31 | 9 | 182 | | 0 | 292.88 | 25 | 167 | 1.5 | 5.8 | 600 | 1104 | 114 | 77 | 7.4 | 2.51 |
| | 121OGLL | 538 | ## / 1 / #### | B | 7.9 | 36 | 40 | 13 | 79 | 3 | 0 | 273.36 | 16 | 64 | 0.9 | 9.1 | 395 | 680 | 153 | 52 | 2.78 | 1.41 |
| | 121OGLL | 538 | 4 / 9 / #### | B | 7.8 | | 37 | 14 | 133 | | 0 | 292.88 | 18 | 117 | 1.4 | 10 | 474 | 950 | 149 | 65 | 4.73 | 1.8 |
| | 121OGLL | 538 | 5 / 28/ #### | B | 7.7 | | 38 | 15 | 136 | | 0 | 300.21 | 17 | 118 | 1.47 | 10.8 | 483 | 961 | 156 | 65 | 4.73 | 1.79 |
| 456702 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 598 | 7 / 29/ #### | B | 8.4 | 33 | 31 | 14 | 209 | | 2.4 | 220.88 | 35 | 260 | 1 | 9 | 703 | 1341 | 134 | 77 | 7.83 | 1 |
| | 121OGLL | 598 | ## / 1 / #### | B | 7.8 | 36 | 57 | 8 | 19 | 2 | 0 | 247.73 | 7 | 5 | 0.3 | 12.6 | 268 | 447 | 175 | 19 | 0.62 | 0.56 |
| | 121OGLL | 598 | 4 / 9 / #### | B | 7.9 | | 55 | 8 | 184 | | 0 | 280.68 | 22 | 220 | 1.2 | 9 | 637 | 1250 | 170 | 70 | 6.14 | 1.2 |
| 460301 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 5 / 3 / #### | B | 7.8 | 55 | 43 | 24 | 8 | | 0 | 244.07 | 8 | 8 | 2.8 | 4.5 | 273 | 438 | 206 | 7 | 0.24 | 0 |
| 461102 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 275 | 9 / 25/ #### | B | 7.53 | 65.5 | 43.8 | 38.9 | 6.2 | 5 | 0 | 280.68 | 6.9 | 8.1 | 3.61 | 4.58 | 322 | 458 | 271 | 4 | 0.16 | 0 |
| | 121OGLL | 275 | 8 / 10/ #### | B | 7.61 | 73.1 | 36.6 | 32.7 | 5.91 | 3.97 | 0 | 266.03 | 6.94 | 6.53 | 4.13 | 4.2 | 306 | 433 | 228 | 5 | 0.17 | 0 |
| | 121OGLL | 275 | 5 / 22/ #### | B | 7.58 | 88 | 46.6 | 41.9 | 7 | 6 | 0 | 325.83 | 7.26 | 6.95 | 4.25 | 3.79 | 373 | 453 | 290 | 5 | 0.17 | 0 |
| | 121OGLL | 275 | 5 / 22/ #### | B | 7.58 | 88 | 46.6 | 41.9 | 7 | 6 | 0 | 325.83 | 7.26 | 6.95 | 4.25 | 3.79 | 373 | 453 | 290 | 5 | 0.17 | 0 |
| | 121OGLL | 275 | 7 / 10/ #### | B | 7.66 | 65.8 | 35.3 | 31.3 | 5.56 | 4.32 | 0 | 258.71 | 6.49 | 8.31 | 4.11 | 4.27 | 294 | 423 | 219 | 5 | 0.16 | 0 |
| 461201 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 9 / 17/ #### | B | 7.58 | 55 | 36 | 31 | 12 | 6 | 0 | 267.26 | 11 | 10 | 3.43 | 4.47 | 302 | 471 | 219 | 10 | 0.35 | 0.03 |
| 462201 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 9 / 17/ #### | B | 7.39 | 41 | 68 | 21 | 16 | 4.6 | 0 | 306.31 | 9 | 21 | 0.46 | 9.83 | 342 | 560 | 257 | 11 | 0.43 | 0 |
| 462403 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 290 | 9 / 24/ #### | B | 7.51 | 38.5 | 42.5 | 27.5 | 61.5 | 5.6 | 0 | 292.88 | 17.4 | 46.2 | 1.71 | 8.8 | 394 | | 220 | 37 | 1.81 | 0.42 |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth

| State Well Number | Aquifer | Depth | Date | B/U | pH | Silica | Calcium | Magnesium | Sodium | Potassium | Carbonate | Bicarb. | Sulfate | Chloride | Fluoride | Nitrate | Dissolved Solids | Spec. Cond umhos | Hardness as CaCO3 | % Sodium | SAR | RSC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 121OGLL | 290 | 8 / 12/ #### | B | 7.62 | 37.8 | 36.4 | 23.1 | 54.4 | 4.55 | 0 | 270.91 | 18.5 | 48.3 | 1.76 | 8.23 | 367 | 618 | 187 | 39 | 1.73 | 0.72 |
| | 121OGLL | 290 | 5 / 22/ #### | U | 7.47 | 49 | 49.4 | 31.6 | 45 | 7 | 0 | 284.34 | 14.7 | 33.5 | 1.14 | 11.11 | 383 | 672 | 254 | 28 | 1.23 | 0 |
| | 121OGLL | 290 | 5 / 22/ #### | U | 7.47 | 49 | 49.4 | 31.6 | 45 | 7 | 0 | 292.88 | 14.7 | 33.5 | 1.14 | 11.11 | 387 | 672 | 254 | 28 | 1.23 | 0 |
| | 121OGLL | 290 | 7 / 10/ #### | B | 7.57 | 37.7 | 33.1 | 22.2 | 67.4 | 4.98 | 0 | 274.57 | 20.1 | 56.4 | 1.9 | 7.97 | 388 | 605 | 175 | 46 | 2.22 | 1.02 |
| 463402 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | | 9 / 20/ #### | U | 7.27 | 33.9 | 96.6 | 13.7 | 45.7 | 3.4 | 0 | 298.98 | 15.4 | 28.6 | 0.23 | 51.39 | 436 | 701 | 298 | 25 | 1.15 | 0 |
| | 121OGLL | | 8 / 13/ #### | B | 7.19 | 34.1 | 81.1 | 11.2 | 39.2 | 3.02 | 0 | 302.64 | 15.5 | 26.6 | 0.19 | 41.44 | 402 | 653 | 249 | 26 | 1.08 | 0 |
| 464101 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 542 | 7 / 29/ #### | B | 8.4 | 35 | 51 | 25 | 288 | | 2.4 | 159.87 | 54 | 450 | 0.7 | 9 | 993 | 1974 | 230 | 73 | 8.26 | 0 |
| | 121OGLL | 542 | ## / 1 / #### | B | 8 | 43 | 83 | 10 | 21 | 2 | 0 | 309.97 | 8 | 19 | 0.2 | 14.1 | 352 | 588 | 248 | 15 | 0.58 | 0.12 |
| 464102 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 562 | 7 / 29/ #### | B | 8.3 | 34 | 51 | 25 | 217 | | 0 | 169.63 | 36 | 360 | 0.7 | 9 | 816 | 1639 | 230 | 67 | 6.22 | 0 |
| 464302 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 133 | 6 / 24/ #### | B | 7.6 | 46 | 71 | 11 | 19 | 4.8 | 0 | 286 | 9.5 | 14 | 0.6 | 7.2 | 323 | | 222 | 15 | 0.55 | 0.24 |
| 464304 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 410 | 9 / 17/ #### | B | 7.26 | 47 | 76 | 10 | 22 | 2.6 | 0 | 292.88 | 13 | 12 | 0.42 | 19.79 | 347 | 535 | 231 | 17 | 0.63 | 0.19 |
| 464306 | | | | | | | | | | | | | | | | | | | | | | |
| | 121OGLL | 435 | 9 / 18/ #### | U | 7.15 | 60.8 | 76.1 | 8.8 | 19.7 | 2 | 0 | 256.27 | 7.2 | 5.3 | 0.37 | 12.91 | 319 | 484 | 226 | 15 | 0.57 | 0 |
| | 121OGLL | 435 | 8 / 10/ #### | B | 7.3 | 52.2 | 69.1 | 8.19 | 18.5 | 1.35 | 0 | 266.03 | 8.15 | 5.55 | 0.35 | 14.48 | 309 | 447 | 207 | 16 | 0.56 | 0.23 |
| | 121OGLL | 435 | 5 / 21/ #### | U | 7.3 | 71 | 96.6 | 8.55 | 19 | 1.97 | 0 | 291.66 | 7.45 | 7 | < 0.5 | 15.03 | 371 | 470 | 277 | 13 | 0.49 | 0 |
| | 121OGLL | 435 | 5 / 21/ #### | U | 7.3 | 71 | 96.6 | 8.55 | 19 | 1.97 | 0 | 281.89 | 7.45 | 7 | < 0.5 | 15.03 | 366 | 470 | 277 | 13 | 0.49 | 0 |

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth