
GMA 3 Explanatory Report – FinalCapitan Reef Complex Aquifer



Prepared for:
Groundwater Management Area 3

Prepared by:

William R. Hutchison, Ph.D., P.E., P.G.

Independent Groundwater Consultant 9305 Jamaica Beach Jamaica Beach, TX 77554 512-745-0599 billhutch@texasgw.com

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

Table of Contents

1.0	Groundwater Management Area 3	2
2.0	Desired Future Condition	5
2.1	2010 Desired Future Conditions	5
2.2	Capitan Reef Complex Groundwater Availability Model	5
2.3	2016 Desired Future Condition	
2.4	Third Round Desired Future Conditions	7
3.0	Policy Justification	8
4.0	Technical Justification	g
5.0	Factor Consideration	10
5.1	Groundwater Demands and Uses	11
5.2	Groundwater Supply Needs and Strategies	12
5.3	Hydrologic Conditions, including Total Estimated Recoverable Storage	
5.4	Other Environmental Impacts, including Impacts on Spring Flow	
5.5	Subsidence	
5.6	Socioeconomic Impacts	
5.7	Impact on Private Property Rights	
5.8	Feasibility of Achieving the Desired Future Condition	
5.9	Other Information	
6.0	Discussion of Other Desired Future Conditions Considered	
7.0	Discussion of Other Recommendations	
7.1	Trident Environmental Letter	
7.2	Environmental Defense Fund Letter	
8.0	References	
List	of Figures	
	e 1. Groundwater Management Area 3	-
_	e e e e e e e e e e e e e e e e e e e	
0	e 2. GMA 3 Counties (from TWDB)	
Figur	e 3. Groundwater Conservation Districts in GMA3 (from TWDB)	Z
List	of Tables	
Table	1. Historic Pumping Estimates for the Capitan Reef Complex Aquifer, GMA 3 C	ounties11
Table	2. Modeled Available Groundwater for the Capitan Reef Complex Aquifer	12
	3. Groundwater Budget from Capitan Reef Complex Aquifer GAM	
	4. Total Estimated Recoverable Storage – Capitan Reef Complex Aquifer	

Appendices

- A Desiried Future Condition Resolution
- B Region F Socioeconomic Impact Report from TWDB

1.0 Groundwater Management Area 3

Groundwater Management Area 3 is one of sixteen groundwater management areas in Texas and covers that portion of west Texas that is underlain by the Pecos Valley Aquifer (Figure 1).




Figure 1. Groundwater Management Area 3

Groundwater Management Area 3 covers all or part of the following counties: Crane, Loving, Pecos, Reeves, Ward, and Winkler (Figure 2).




Figure 2. GMA 3 Counties (from TWDB)

There are two groundwater conservation districts in Groundwater Management Area 3: Middle Pecos Groundwater Conservation District and Reeves County Groundwater Conservation District (Figure 3).




Figure 3. Groundwater Conservation Districts in GMA3 (from TWDB)

The explanatory report covers the Capitan Reef Complex Aquifer. As described in George and others (2011):

The Capitan Reef Complex Aquifer is a minor aquifer located in Culberson, Hudspeth, Jeff Davis, Brewster, Pecos, Reeves, Ward, and Winkler counties. It is exposed in mountain ranges of Far West Texas; elsewhere it occurs in the subsurface. The aguifer is composed of as much as 2,360 feet of massive, cavernous dolomite and limestone. Water-bearing formations include the Capitan Limestone, Goat Seep Dolomite, and most of the Carlsbad facies of the Artesia Group, including the Grayburg, Queen, Seven Rivers, Yates, and Tansill formations. Water is contained in solution cavities and fractures that are unevenly distributed within these formations. Water from the Capitan Reef Complex Aquifer is thought to contribute to the base flow of San Solomon Springs in Reeves County. Overall, the aquifer contains water of marginal quality, yielding small to large quantities of slightly saline to saline groundwater containing 1,000 to greater than 5,000 milligrams per liter of total dissolved solids. Water of the freshest quality, with total dissolved solids between 300 and 1,000 milligrams per liter, is present in the west near areas of recharge where the reef rock is exposed in several mountain ranges. Although most of the groundwater pumped from the aquifer in Texas is used for oil reservoir flooding in Ward and Winkler counties, a small amount is used to irrigate salt-tolerant crops in Pecos, Culberson, and Hudspeth counties. Over the last 70 years, water levels have declined in some areas as a result of localized production. The Far West Texas Regional Water Planning Group, in its 2006 Regional Water Plan, recommended several water management strategies for the Capitan Reef Complex Aquifer, including redeveloping an existing well field, desalinating the water, and transporting it to El Paso County.

2.0 Desired Future Condition

2.1 2010 Desired Future Conditions

GMA 3 adopted a desired future condition for the Rustler Aquifer on August 9, 2010 as follows:

- 1. Total net decline in water levels within GMA 3 at the end of the fifty-year period in 2060 shall not exceed two hundred (200) feet below water levels in the aquifer in the year 2010, and
- 2. The results of the 2-D Model for the Capitan Aquifer in Pecos, Reeves, Ward, and Winkler Counties within GMA 3 developed by Bar-W Groundwater Exploration and as presented on August 9, 2010, used to develop the DFC for the Capitan Aquifer are adopted in their entirety, and
- 3. The Capitan Aquifer is not considered a relevant aquifer for joint planning purposes in Crane and Loving Counties within GMA-3, at the time.

The desired future condition was developed after considering a water budget analysis was that was completed on behalf of Middle Pecos GCD. A groundwater model of the aquifer was not available at the time of the initial desired future condition.

2.2 Capitan Reef Complex Groundwater Availability Model

In early 2016, the Texas Water Development Board released a draft groundwater availability model (GAM) for the minor aquifers of the eastern arm of the Capitan Reef Complex Aquifer (Jones, 2016). The model was in draft form when the DFC was proposed and during the public comment period. The model was finalized in November 2016, after the public comment period, and after the adoption of the DFC (October 22, 2016).

Documentation of the GAM runs used in the development of the DFC is in GMA 3 Technical Memorandum 16-06. The simulations were designed to test the new draft GAM under varying pumping simulations. A base case was developed using the historic pumping from the calibrated model using the 2005 pumping (last stress period of the calibrated model) to test the stability of the model for predictive simulations. Four predictive scenarios were also completed based on input from Steve Finch, hydrogeology consultant to La Escalera Ranch. For the four predictive scenarios, the default was to use 2005 pumping. In addition, pumping in the GMA 7 portion of Pecos County was added as recommended by Mr. Finch:

- Scenario 1 had 8 wells, pumping 7,560 AF/yr
- Scenario 2 had 15 wells, pumping 15,000 AF/yr
- Scenario 3 had 25 wells, pumping 25,000 AF/yr
- Scenario 4 had 28 wells, pumping 34,500 AF/yr

There was no additional pumping beyond the 2005 estimated pumping in the GMA 3 portion of the model area.

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

The drawdown from the predictive scenarios was documented, evaluated and discussed at the GMA 3 meetings of March 16, 2016 and April 26, 2016. There was also subsequent discussion at the GMA 3 meeting of October 22, 2016.

These simulated drawdowns are not considered reliable due to issues with the model, but are useful for comparative purposes.

Jones (2016, pp. 164 to 166) reported that lateral inflow to Pecos County during the calibration period was about 17,000 AF/yr in 1931 and increased to 18,268 AF/yr in 2005. Jones (2016) did not subdivide the lateral inflow.

Water budget calculations from the output of the scenarios shows that in Scenario 1 (lowest additional La Escalera Ranch pumping) showed 38,089 AF/yr inflow to the GMA 7 portion of Pecos County from Brewster County in 2006, increasing to 40,024 AF/yr in 2070. Outflow to the GMA 3 portion of Pecos County was 21,524 AF/yr in 2006 and decreased to 16,592 AF/yr in 2070. Thus, the net lateral inflow for the GMA 7 portion of Pecos County was 16,565 AF/yr in 2006 (similar to Jones' 2005 values) and was 23,432 AF/yr in 2070.

There is some question as to the large amount of inflow from Brewster County and the effect of this inflow can be seen in plots of pumping vs. drawdown in 2070 for individual cells in the GMA 7 portion of Pecos County.

There are several cells with "negative" drawdown, even in areas where pumping occurs. The model is simulating a groundwater level increase from 2006 to 2070 that appears to be caused by some boundary condition that results in increased flow.

The drawdown values are not particularly reliable given the issues with the model. However, for purposes of meeting the requirements of the Texas Water Development Board in linking DFCs with MAGs, they are superior to the Aquifer Analysis approach taken in 2010. It is recommended that these values be updated when the GAM is improved.

It is also recommended that these values not be relied upon in the evaluation of any permit applications. Essentially, the simulations with the draft GAM have shown that the GAM cannot be considered reliable in the context of permit review. An alternative tool should be developed as part of any permit application and/or review process.

2.3 2016 Desired Future Condition

The resolution that documents the adoption of the desired future condition for the Rustler Aquifer is presented in Appendix A. The desired future condition for the Capitan Reef Complex Aquifer in GMA 3 is based on Scenario 4 of Technical Memorandum 16-06 as follows:

1. Total net drawdown not to exceed 4 feet in Pecos County (Middle Pecos GCD) in 2070 as compared with aquifer levels in 2006, as set forth in Scenario 4 in exhibit "A" (GMA 3 Technical Memorandum, 16-06) attached hereto and fully incorporated herein;

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

- 2. Total net drawdowns in Ward and Winkler Counties no to exceed 2 feet in 2070 as compared with 2006 aquifer levels, as set forth in Scenario 4 in exhibit "A" (GMA 3 Technical Memorandum 16-06) attached hereto and fully incorporated herein;
- 3. The Capitan Reef Aquifer is not relevant for joint planning purposes in all other areas of GMA 3.

2.4 Third Round Desired Future Conditions

After review and discussion, the groundwater conservation districts in Groundwater Management Area 3 found that the desired future conditions approved in 2016 would remain unchanged. For completeness, they are repeated below:

- 1. Total net drawdown not to exceed 4 feet in Pecos County (Middle Pecos GCD) in 2070 as compared with aquifer levels in 2006, as set forth in Scenario 4 in exhibit "A" (GMA 3 Technical Memorandum, 16-06) attached hereto and fully incorporated herein;
 - 2. Total net drawdowns in Ward and Winkler Counties no to exceed 2 feet in 2070 as compared with 2006 aquifer levels, as set forth in Scenario 4 in exhibit "A" (GMA 3 Technical Memorandum 16-06) attached hereto and fully incorporated herein:
 - 3. The Capitan Reef Aquifer is not relevant for joint planning purposes in all other areas of GMA 3.

Because Middle Pecos Groundwater Conservation District is in the process of developing a groundwater flow model that covers all the aquifers in the District, it is expected that the new model will be used in updating the desired future condition in 2026.

The resolution that documents the adoption of the desired future condition for the Capitan Reef Complex Aquifer is presented in Appendix A, and was adopted on February 21, 2021 by a unanimous vote at a properly noticed meeting of Groundwater Management Area 3.

3.0 Policy Justification

As developed more fully in this report, the proposed desired future condition was adopted after considering:

- Aquifer uses and conditions within Groundwater Management Area 3
- Water supply needs and water management strategies included in the 2012 State Water Plan
- Hydrologic conditions within Groundwater Management Area 3 including total estimated recoverable storage, average annual recharge, inflows, and discharge
- Other environmental impacts, including spring flow and other interactions between groundwater and surface water
- The impact on subsidence
- Socioeconomic impacts reasonably expected to occur
- The impact on the interests and rights in private property, including ownership and the rights of landowners and their lessees and assigns in Groundwater Management Area 3 in groundwater as recognized under Texas Water Code Section 36.002
- The feasibility of achieving the desired future condition
- Other information

In addition, the proposed desired future condition provides a balance between the highest practicable level of groundwater production and the conservation, preservation, protection, recharging, and prevention of waste of groundwater in Groundwater Management Area 3.

There is no set formula or equation for calculating groundwater availability. This is because an estimate of groundwater availability requires the blending of policy and science. Given that the tools for scientific analysis (groundwater models) contain limitations and uncertainty, policy provides the guidance and defines the bounds that science can use to calculate groundwater availability.

As developed more fully below, many of these factors could only be considered on a qualitative level since the available tools to evaluate these impacts have limitations and uncertainty.

4.0 Technical Justification

The process of using the groundwater model in developing desired future conditions revolves around the concept of incorporating many of the elements of the nine factors (e.g. current uses and water management strategies in the regional plan). For the Capitan Reef Complex Aquifer, 5 scenarios were, and the results discussed prior to adopting a desired future condition.

Some critics of the process asserted that the districts were "reverse-engineering" the desired future conditions by specifying pumping (e.g., the modeled available groundwater) and then adopting the resulting drawdown as the desired future condition. However, it must be remembered that among the input parameters for a predictive groundwater model run is pumping, and among the outputs of a predictive groundwater model run is drawdown. Thus, an iterative approach of running several predictive scenarios with models and then evaluating the results is a necessary (and time-consuming) step in the process of developing desired future conditions.

One part of the reverse-engineering critique of the process has been that "science" should be used in the development of desired future conditions. The critique plays on the unfortunate name of the groundwater models in Texas (Groundwater Availability Models) which could suggest that the models yield an availability number. This is simply a mischaracterization of how the models work (i.e. what is a model input and what is a model output).

The critique also relies on a fairly narrow definition of the term *science* and fails to recognize that the adoption of a desired future condition is primarily a policy decision. The call to use science in the development of desired future conditions seems to equate the term *science* with the terms *facts* and *truth*. Although the Latin origin of the word means knowledge, the term *science* also refers to the application of the scientific method. The scientific method is discussed in many textbooks and can be viewed as a means to quantify cause-and-effect relationships and to make useful predictions.

In the case of groundwater management, the scientific method can be used to understand the relationship between groundwater pumping and drawdown, or groundwater pumping and spring flow. A groundwater model is a tool that can be used to run "experiments" to better understand the cause-and-effect relationships within a groundwater system as they relate to groundwater management.

Much of the consideration of the nine statutory factors involves understanding the effects or the impacts of a desired future condition (e.g. groundwater-surface water interaction and property rights). The use of the models in this manner in evaluating the impacts of alternative futures is an effective means of developing information for the groundwater conservation districts as they develop desired future conditions.

5.0 Factor Consideration

Senate Bill 660, adopted by the legislature in 2011, changed the process by which groundwater conservation districts within a groundwater management area develop and adopt desired future conditions. The new process includes nine steps as presented below:

- The groundwater conservation districts within a groundwater management area consider nine factors outlined in the statute.
- The groundwater conservation districts adopt a "proposed" desired future condition
- The "proposed" desired future condition is sent to each groundwater conservation district for a 90-day comment period, which includes a public hearing by each district
- After the comment period, each district compiles a summary report that summarizes the relevant comments and includes suggested revisions. This summary report is then submitted to the groundwater management area.
- The groundwater management area then meets to vote on a desired future condition.
- The groundwater management area prepares an "explanatory report".
- The desired future condition resolution and the explanatory report are then submitted to the Texas Water Development Board and the groundwater conservation districts within the groundwater management area.
- Districts then adopt desired future conditions that apply to that district.

The nine factors that must be considered before adopting a proposed desired future condition are:

- 1. Aquifer uses or conditions within the management area, including conditions that differ substantially from one geographic area to another.
- 2. The water supply needs, and water management strategies included in the state water plan.
- 3. Hydrological conditions, including for each aquifer in the management area the total estimated recoverable storage as provided by the executive administrator (of the Texas Water Development Board), and the average annual recharge, inflows and discharge.
- 4. Other environmental impacts, including impacts on spring flow and other interactions between groundwater and surface water.
- 5. The impact on subsidence.
- 6. Socioeconomic impacts reasonably expected to occur.
- 7. The impact on the interests and rights in private property, including ownership and the rights of management area landowners and their lessees and assigns in groundwater as recognized under Section 36.002 (of the Texas Water Code).
- 8. The feasibility of achieving the desired future condition.
- 9. Any other information relevant to the specific desired future condition.

In addition to these nine factors, statute requires that the desired future condition provide a balance between the highest practicable level of groundwater production and the conservation, preservation, protection, recharging, and prevention of waste of groundwater and control of subsidence in the management area.

5.1 Groundwater Demands and Uses

Table 1 summarizes county-level groundwater demands and uses from 1980 and 1984 to 2012 for the Capitan Reef Aquifer in GMA 3 counties. Please note that the Pecos County values are for both the GMA 3 and GMA 7 portions of the county since TWDB does not subdivide the data on a GMA basis. Data were obtained from the Texas Water Development Board historic pumping database:

http://www.twdb.state.tx.us/waterplanning/waterusesurvey/historical-pumpage.asp

Table 1. Historic Pumping Estimates for the Capitan Reef Complex Aquifer, GMA 3 Counties

Year	County	Aquifer	Mining	Irrigation	Livestock	Total
2000	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,564	18	1,582
2001	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,388	19	1,407
2002	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,323	17	1,340
2003	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	813	14	827
2004	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	918	14	932
2005	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	894	15	909
2006	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,337	17	1,354
2008	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,229	15	1,244
2009	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	1,962	14	1,976
2010	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	2,650	14	2,664
2011	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	2,702	13	2,715
2012	PECOS	CAPITAN REEF COMPLEX AQUIFER	0	2,381	12	2,393
1980	WARD	CAPITAN REEF COMPLEX AQUIFER	12,276	0	0	12,276
1984	WARD	CAPITAN REEF COMPLEX AQUIFER	653	0	0	653
1985	WARD	CAPITAN REEF COMPLEX AQUIFER	645	0	0	645
1986	WARD	CAPITAN REEF COMPLEX AQUIFER	62	0	0	62
1987	WARD	CAPITAN REEF COMPLEX AQUIFER	582	0	0	582
1988	WARD	CAPITAN REEF COMPLEX AQUIFER	583	0	0	583
1989	WARD	CAPITAN REEF COMPLEX AQUIFER	527	0	0	527
1990	WARD	CAPITAN REEF COMPLEX AQUIFER	486	0	0	486
1991	WARD	CAPITAN REEF COMPLEX AQUIFER	354	0	0	354
1992	WARD	CAPITAN REEF COMPLEX AQUIFER	351	0	0	351

The Modeled Available Groundwater is the amount of pumping that the Texas Water Development Board calculated that will achieve the desired future condition. The current modeled available groundwater values are presented in Table 2.

Table 2. Modeled Available Groundwater for the Capitan Reef Complex Aquifer

County	Modeled Available Groundwater (2020 to 2070) AF/yr
Pecos	4
Ward	103
Winkler	274

5.2 Groundwater Supply Needs and Strategies

Section 5E.21 (Pecos County) of the 20121 Region F Initially Prepared Plan summarizes the modeled available groundwater, permit authorizations, and highest historic production from each aquifer. However, there is no distinction between the GMA 3 portion of Pecos County and the GMA 7 portion of Pecos County. There are no shortages or needs listed for the Capitan Reef Complex Aquifer in Pecos County.

Section 5E.31 (Ward County) and Section 5E.32 (Winkler County) list no shortages associated with the Capitan Reef Complex Aquifer.

5.3 Hydrologic Conditions, including Total Estimated Recoverable Storage

The calibrated steady-state groundwater budget as presented by Jones (2016) is presented in Table 2. The Capitan Reef Complex is in layer 5 of the model. Please note that the model conceptualizes no spring flow or groundwater-surface water interaction directly with the Capitan Reef.

Total storage estimates from Jones and others (2013) are presented in Table 3.

Table 3. Groundwater Budget from Capitan Reef Complex Aquifer GAM (Capitan Reef Complex Aquifer is represented in Layer 5) from Jones (2016) All Values in AF/yr

Flux	Layer 1	Layer 2	Layer 3	Layer 4	Layer 5	Overall	
Inflow							
General-Head Boundary	2,555	0	5,110	13,870	24,455	45,990	
Lateral Flow	140,890	141,620	102,565	1,095	49,275	435,445	
Recharge	305,505	5,110	365	365	36,500	347,845	
Vertical Leakage (Lower)	283,970	208,780	70,080	56,940	0		
Vertical Leakage (Upper)	0	210,605	138,335	0	730		
Outflow							
Drains	365	0	0	0	0	365	
General-Head Boundary	40,880	0	730	0	4,745	46,355	
Lateral Flow	140,525	141,985	103,660	730	49,640	436,540	
River Leakage	326,675	0	0	0	0	326,675	
Vertical Leakage (Lower)	210,605	138,335	0	730	0		
Vertical Leakage (Upper)	0	283,970	208,780	70,080	56,940		
Wells	12,045	0	2,555	0	0	14,600	

Table 4. Total Estimated Recoverable Storage – Capitan Reef Complex Aquifer

County	Total Storage (acre-feet)	25 percent of Total Storage (acre-feet)	75 percent of Total Storage (acre-feet)
Pecos	2,800,000	700,000	2,100,000
Reeves	930,000	232,500	697,500
Ward	5,900,000	1,475,000	4,425,000
Winkler	6,100,000	1,525,000	4,575,000
Total	15,730,000	3,932,500	11,797,500

5.4 Other Environmental Impacts, including Impacts on Spring Flow

Table 1 above includes the entire steady-state budget from the Capitan Reef GAM. As noted, there is no conceptualized direct spring flow or groundwater surface water interaction from the Capitan Reef Complex Aquifer (layer 5).

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

5.5 Subsidence

The subsidence tool developed by the Texas Water Development Board was used to assess the potential for subsidence in the five aquifers in the District using the default values provided. The tool can be accessed at:

http://www.twdb.texas.gov/groundwater/models/research/subsidence/subsidence.asp

The tool provides a numeric total weighted risk factor that ranges from 0 (low risk) to 10 (high risk). The results of applying the default values from the tool yield a score of 2.66 for the Capitan Reef Complex Aquifer.

Based on applying the tool, subsidence is not an important factor for the Capitan Reef Complex Aquifer.

5.6 Socioeconomic Impacts

The Texas Water Development Board prepared reports on the socioeconomic impacts of not meeting water needs for each of the Regional Planning Groups during development of the 2021 Regional Water Plans. Because the development of this desired future condition used the State Water Plan demands and water management strategies as an important foundation, it is reasonable to conclude that the socioeconomic impacts associated with this proposed desired future condition can be evaluated in the context of not meeting the listed water management strategies. Groundwater Management Area 3 is covered by Regional Planning Group F. The socioeconomic impact report for Regions F is included in Appendix B.

5.7 Impact on Private Property Rights

The impact on the interests and rights in private property, including ownership and the rights of landowners and their lessees and assigns in Groundwater Management Area 3 in groundwater is recognized under Texas Water Code Section 36.002.

The desired future conditions adopted by GMA 3 are consistent with protecting property rights of landowners who are currently pumping groundwater and landowners who have chosen to conserve groundwater by not pumping. All current and projected uses (as defined in the 2021 Region F Initially Prepared Plan) can be met based on the simulations. In addition, the pumping associated with achieving the desired future condition (the modeled available groundwater) will cause impacts to exiting well owners and to surface water. However, as required by Chapter 36 of the Water Code, GMA 3 considered these impacts and balanced them with the increasing demand of water in the GMA 3 area, and concluded that, on balance and with appropriate monitoring and project specific review during the permitting process, the desired future condition is consistent with protection of private property rights.

5.8 Feasibility of Achieving the Desired Future Condition

Groundwater levels are routinely monitored by the districts and by the TWDB in GMA 3. Evaluating the monitoring data is a routine task for the districts, and the comparison of these data with the model results that were used to develop the DFCs is covered in each district's management plan. These comparisons will be useful to guide the update of the DFCs that are required every five years.

5.9 Other Information

The groundwater conservation districts in Groundwater Management Area 3 discussed the possibility of developing a desired future condition that would be based on spring flow in San Solomon Spring. Previous research on the origin of the water that flows from the spring suggests multiple sources with varying flow lengths (e.g. Chowdhury and others, 2004). Based on this research, most of the spring flow originates outside of Groundwater Management Area 3. Research is ongoing, however.

From an administrative perspective, San Solomon Spring is located within the jurisdiction of the Reeves County Groundwater Conservation District. If a desired future condition were to be adopted, the development of a modeled available groundwater would be hampered by the uncertainty of the origin of the spring flow (i.e. portion of flow from the Davis Mountains and portion of flow from the Salt Basin).

If a desired future condition were to be adopted in Groundwater Management Area 3, management activities by the Reeves County Groundwater Conservation District would be limited to Reeves County. Because it appears that the source of the spring flow occurs outside of Reeves County and outside of Groundwater Management Area 3, any adopted desired future condition would have to be completed as a cooperative effort with Groundwater Management Area 4.

The groundwater conservation districts in Groundwater Management Area 3 decided to maintain awareness of the ongoing research and open communication with representatives of Groundwater Management Area 4. The potential to adopt a desired future condition for San Solomon Spring will be reevaluated in the next round of joint planning (i.e. 2026).

6.0 Discussion of Other Desired Future Conditions Considered

There were 7 GAM scenarios completed that included a range of future pumping scenarios. Results of these scenarios were originally presented at the GMA 7 meeting of April 23, 2015 since the model covered both GMA 3 and GMA 7 areas of the Rustler Aquifer. The model results of all 12 scenarios were summarized in GMA 3 Technical Memorandum 16-02, which was discussed at the March 16, 2016 GMA 3 meeting.

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

After review and discussion, the groundwater conservation districts found that the 0.5 ft/yr decline for the overlying formations was reasonable, and Scenario 4 was a reasonable scenario as a basis for the desired future condition.

7.0 Discussion of Other Recommendations

Public comments were invited, and each district held a public hearing on the proposed desired future condition for aquifers within their boundaries. Since the Middle Pecos GCD is the only district where the Capitan Reef Complex Aquifer occurs, it was the only district that held a public hearing on this desired future condition:

Groundwater Conservation	Date of Public Hearing	Number of Comments
District		Received
		2 letters (one letter
		submitted twice as
		original and revised).
Middle Pecos GCD	January 19, 2021	Written comments from
		one comment letter were
		also summarized during
		public hearing.

7.1 Trident Environmental Letter

Trident Environmental provided written comments on the proposed desired future condition for the Capitan Reef Complex. Two letters were submitted on January 18, 2021, the second letter was marked "revised". In summary, the comment on the proposed desired future condition for the Captain Reef Complex was characterized as "inexplicably and unnecessarily conservative for the large misunderstood aquifer".

The Trident Environmental comments were essentially the same ones that were submitted during the second round of joint planning (i.e. 2016). The foundation of the critique and concerns related to the Groundwater Availability Model that was used in the development of the desired future condition. The limitations of the model are well known and were well known in 2016 as documented in Technical Memorandum 16-06:

"It is also recommended that these values not be relied upon in the evaluation of any permit applications. Essentially, the simulations with the draft GAM have shown that the GAM cannot be considered reliable in the context of permit review. An alternative tool should be developed as part of any permit application and/or review process."

As part of the discussion in 2016 relative to the limitations of the model, specific recommendations included not adopting DFCs with the use of the GAM results until model uncertainties can be resolved.

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

In response to the similar comments in 2016 comment, there was discussion on how to proceed at the October 20, 2016 GMA 3 meeting. Options explored included: 1) find that the Capitan Reef Complex is not relevant for purposes of joint planning in GMA 3, and establish no DFC, 2) use the DFCs values that were adopted in 2010 with the Aquifer Analysis, or 3) adopt the proposed DFCs that were developed using the GAM.

The decision to adopt the proposed DFCs that were based on the GAM (despite the model limitations) was based partly on the need to link the DFCs and the MAGs with the most recent tool developed by TWDB. Middle Pecos GCD acknowledged that the adopted DFC is essentially a placeholder until a better model is developed, and acknowledged the recommendations not to use the model or the DFC values in reviewing permit applications.

7.2 Environmental Defense Fund Letter

A letter was received on January 21, 2021 from the Environmental Defense Fund regarding the development of a spring flow based desired future condition at San Solomon Springs. Although current research does not suggest that the Capitan Reef Complex contributes flow to San Solomon Springs, it is possible that future research may find an indirect connection, so this comment letter was considered relevant for this explanatory report.

The comment letter acknowledged the difficulty in establishing a desired future condition based on spring flow with a refined numerical model. Discussions regarding potential desired future conditions for San Solomon Springs were held in open GMA 3 meetings on December 18, 2019 and October 21, 2020. Based on those discussions, and as documented in Section 5.9 of this explanatory report, the discussion was deferred until the next round of joint planning.

8.0 References

Bradley, R.G., 2011, GTA Aquifer Assessment 10-13 MAG. Texas Water Development Board, Groundwater Technical Assistance Section, November 18, 2011, 8p.

Chowdhury, A.H., Ridgeway, C., and Mace, R.E., 2004. Origin of the waters in the San Solomon Spring system, Trans-Pecos Texas. Chapter 17 of Aquifers of the Edwards Plateau, Report 360 edited by Robert E. Mace, Edward S. Angle, and William F. Mullican III. Texas Water Development Board, February 2004, 30p.

Ewing, J.E., Kelley, V.A., Jones, T.L., Yan, T., Singh, A., Powers, D.W., Holt, R.M., and Sharp, J.M., 2012. Final Groundwater Availability Model Report for the Rustler Aquifer. Prepared for the Texas Water Development Board, 460p.

George, P.G., Mace, R.E., and Petrossian, R., 2011. Aquifers of Texas. Texas Water Development Board Report 380, July 2011, 182p.

Capitan Reef Complex Aquifer GMA 3 Explanatory Report – Final

Jones, I.C., Boghici, R., Kohlrenken, W., and Shi, J., 2013. GAM Task 13-027: Total Estimated Recoverable Storage for Aquifers in Groundwater Management Area 3. Texas Water Development Board, Groundwater Resources Division, September 19, 2013, 28 p.

Appendix A Desired Future Conditions Resolution

Groundwater Management Area 3 Resolution 21-01 Desired Future Conditions for the Capitan Reef Aquifer

WHEREAS, Groundwater Conservation Districts (GCDs) located within or partially within Groundwater Management Area 3 (GMA 3) are required under Chapter 36.108, Texas Water Code to conduct joint planning and designate the Desired Future Conditions of aquifers within GMA 3 and;

WHEREAS, the Board Presidents or their Designated Representatives of GCDs in GMA 3 have met in various meetings and conducted joint planning in accordance with §36.108, Texas Water Code since 2016; and

WHEREAS, the GMA 3 committee has received and considered Groundwater Availability Model runs and other technical advice regarding local aquifers, hydrology, geology, recharge characteristics, the nine factors set forth in§36.108(d) of the Texas Water Code, local groundwater demands and usage, population projections, total water supply and quality of water supply available from all aquifers within the respective GCDs, regional water plan water management strategies, ground and surface water interactions, that affect groundwater conditions through the year 2070; and

WHEREAS, the member GCDs of GMA 3, having given proper and timely notice, held an open meeting on October 21, 2020 at the Middle Pecos Groundwater Conservation District office, 405 North Spring Drive, Fort Stockton, Texas to vote to adopt proposed Desired Future Conditions for the Capitan Reef Aquifer within the boundaries of GMA 3; and

WHEREAS, the member GCDs in which the Capitan Reef Aquifer is relevant for joint planning purposes held open meetings within each said district on January 19, 2021 (Middle Pecos Groundwater Conservation District) and January 21, 2021 (Reeves County Groundwater Conservation District) to take public comment on the proposed DFCs for that district; and

WHEREAS on this day of February 17, 2021, at an open meeting duly noticed and held in accordance with law at the Middle Pecos Groundwater Conservation District office, 405 North Spring Drive, Fort Stockton, Texas, the GCDs within GMA 3, having considered at this meeting comments submitted to the individual districts during the comment period and at this meeting, have voted, 2 districts in favor, 0 districts opposed, to adopt the following DFCs for in the following counties and districts through the year 2070 as documented in GMA Technical Memorandum 16-06, Scenario 4 as follows:

Groundwater Management Area 3 Resolution 21-01 Desired Future Conditions for the Capitan Reef Aquifer

County	Proposed Desired Future Condition - Drawdown (ft)	Time Period for Drawdown
Pecos	4	
Ward	2	2006 to 2070
Winkler	2	

The Capitan Reef Aquifer is not relevant for purposes of joint planning in all other counties and areas of GMA3.

NOW THEREFORE BE IT RESOLVED, that Groundwater Management Area 3 does hereby document, record, and confirm the above-described Desired Future Conditions for the Capitan Reef Aquifer which were adopted by vote of the following Designated Representatives of Groundwater Conservation Districts present and voting on February 21, 2021:

Middle Pecos Groundwater Conservation District

Ty Edwards, General Manager

Reeves County Groundwater Conservation District

Larry Turnbough, Board President

Appendix B Region F Socioeconomic Impact Reports from TWDB

Socioeconomic Impacts of Projected Water Shortages for the Region F Regional Water Planning Area

Prepared in Support of the 2021 Region F Regional Water Plan



Dr. John R. Ellis Water Use, Projections, & Planning Division Texas Water Development Board

November 2021

Table of Contents

Execut	tive Summary	1
1 In	ntroduction	3
1.1	Regional Economic Summary	3
1.2	Identified Regional Water Needs (Potential Shortages)	5
2 In	npact Assessment Measures	7
2.1	Regional Economic Impacts	8
2.2	Financial Transfer Impacts	8
2.3	Social Impacts	9
3 Sc	ocioeconomic Impact Assessment Methodology	11
3.1	Analysis Context	11
3.2	IMPLAN Model and Data	11
3.3	Elasticity of Economic Impacts	12
3.4	Analysis Assumptions and Limitations	13
4 A:	nalysis Results	17
4.1	Impacts for Irrigation Water Shortages	17
4.2	Impacts for Livestock Water Shortages	17
4.3	Impacts of Manufacturing Water Shortages	18
4.4	Impacts of Mining Water Shortages	18
4.5	Impacts for Municipal Water Shortages	19
4.6	Impacts of Steam-Electric Water Shortages	20
4.7	Regional Social Impacts	21
Appen	dix A - County Level Summary of Estimated Economic Impacts for Region F	22

Executive Summary

Evaluating the social and economic impacts of not meeting identified water needs is a required analysis in the regional water planning process. The Texas Water Development Board (TWDB) estimates these impacts for regional water planning groups (RWPGs) and summarizes the impacts in the state water plan. The analysis presented is for the Region F Regional Water Planning Group (Region F).

Based on projected water demands and existing water supplies, Region F identified water needs (potential shortages) that could occur within its region under a repeat of the drought of record for six water use categories (irrigation, livestock, manufacturing, mining, municipal and steam-electric power). The TWDB then estimated the annual socioeconomic impacts of those needs—if they are not met—for each water use category and as an aggregate for the region.

This analysis was performed using an economic impact modeling software package, IMPLAN (Impact for Planning Analysis), as well as other economic analysis techniques, and represents a snapshot of socioeconomic impacts that may occur during a single year repeat of the drought of record with the further caveat that no mitigation strategies are implemented. Decade specific impact estimates assume that growth occurs, and future shocks are imposed on an economy at 10-year intervals. The estimates presented are not cumulative (i.e., summing up expected impacts from today up to the decade noted), but are simply snapshots of the estimated annual socioeconomic impacts should a drought of record occur in each particular decade based on anticipated water supplies and demands for that same decade.

For regional economic impacts, income losses and job losses are estimated within each planning decade (2020 through 2070). The income losses represent an approximation of gross domestic product (GDP) that would be foregone if water needs are not met.

The analysis also provides estimates of financial transfer impacts, which include tax losses (state, local, and utility tax collections); water trucking costs; and utility revenue losses. In addition, social impacts are estimated, encompassing lost consumer surplus (a welfare economics measure of consumer wellbeing); as well as population and school enrollment losses.

IMPLAN data reported that Region F generated more than \$50 billion in gross domestic product (GDP) (2018 dollars) and supported more than 424,000 jobs in 2016. The Region F estimated total population was approximately 686,000 in 2016.

It is estimated that not meeting the identified water needs in Region F would result in an annually combined lost income impact of approximately \$19.6 billion in 2020 and \$6.4 billion in 2070 (Table ES-1). It is also estimated that the region would lose approximately 98,000 jobs in 2020 and 39,000 in 2070.

All impact estimates are in year 2018 dollars and were calculated using a variety of data sources and tools including the use of a region-specific IMPLAN model, data from TWDB annual water use

estimates, the U.S. Census Bureau, Texas Agricultural Statistics Service, and the Texas Municipal League.

Table ES-1 Region F socioeconomic impact summary

Regional Economic Impacts	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$19,624	\$19,720	\$17,058	\$13,443	\$7,750	\$6,356
Job losses	98,208	100,186	88,685	71,444	43,995	38,833
Financial Transfer Impacts	2020	2030	2040	2050	2060	2070
Tax losses on production and imports (\$ millions)*	\$2,644	\$2,647	\$2,266	\$1,749	\$937	\$725
Water trucking costs (\$ millions)*	\$29	\$29	\$29	\$30	\$31	\$32
Utility revenue losses (\$ millions)*	\$56	\$82	\$111	\$139	\$172	\$207
Utility tax revenue losses (\$ millions)*	\$1	\$1	\$2	\$3	\$3	\$4
Social Impacts	2020	2030	2040	2050	2060	2070
Consumer surplus losses (\$ millions)*	\$87	\$93	\$149	\$183	\$227	\$286
Population losses	18,031	18,394	16,283	13,117	8,078	7,130
School enrollment losses	3,449	3,518	3,115	2,509	1,545	1,364

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

1 Introduction

Water shortages during a repeat of the drought of record would likely curtail or eliminate certain economic activity in businesses and industries that rely heavily on water. Insufficient water supplies could not only have an immediate and real impact on the regional economy in the short term, but they could also adversely and chronically affect economic development in Texas. From a social perspective, water supply reliability is critical as well. Shortages could disrupt activity in homes, schools and government, and could adversely affect public health and safety. For these reasons, it is important to evaluate and understand how water supply shortages during drought could impact communities throughout the state.

As part of the regional water planning process, RWPGs must evaluate the social and economic impacts of not meeting water needs (31 Texas Administrative Code §357.33 (c)). Due to the complexity of the analysis and limited resources of the planning groups, the TWDB has historically performed this analysis for the RWPGs upon their request. Staff of the TWDB's Water Use, Projections, & Planning Division designed and conducted this analysis in support of Region F, and those efforts for this region as well as the other 15 regions allow consistency and a degree of comparability in the approach.

This document summarizes the results of the analysis and discusses the methodology used to generate the results. Section 1 provides a snapshot of the region's economy and summarizes the identified water needs in each water use category, which were calculated based on the RWPG's water supply and demand established during the regional water planning process. Section 2 defines each of ten impact assessment measures used in this analysis. Section 3 describes the methodology for the impact assessment and the approaches and assumptions specific to each water use category (i.e., irrigation, livestock, manufacturing, mining, municipal, and steam-electric power). Section 4 presents the impact estimates for each water use category with results summarized for the region as a whole. Appendix A presents a further breakdown of the socioeconomic impacts by county.

1.1 Regional Economic Summary

The Region F Regional Water Planning Area generated more than \$50 billion in GDP (2018 dollars) and supported roughly 424,000 jobs in 2016, according to the IMPLAN dataset utilized in this socioeconomic analysis. This activity accounted for 3 percent of the state's total GDP of 1.73 trillion dollars for the year based on IMPLAN. Table 1-1 lists all economic sectors ranked by the total value-added to the economy in Region F. The mining sector (including oil and gas extraction) generated close to 40 percent of the region's total value-added and was also a significant source of tax revenue. The top employers in the region were in the mining, public administration, and retail trade sectors. Region F's estimated total population was roughly 686,000 in 2016, approximately 2.5 percent of the state's total.

This represents a snapshot of the regional economy as a whole, and it is important to note that not all economic sectors were included in the TWDB socioeconomic impact analysis. Data considerations prompted use of only the more water-intensive sectors within the economy because

damage estimates could only be calculated for those economic sectors which had both reliable income and water use estimates.

Table 1-1 Region F regional economy by economic sector*

Economic sector	Value-added (\$ millions)	Tax (\$ millions)	Jobs
Mining, Quarrying, and Oil and Gas Extraction	\$19,711.6	\$2,458.8	67,722
Public Administration	\$4,274.8	\$(23.0)	53,420
Real Estate and Rental and Leasing	\$3,831.9	\$556.6	14,285
Wholesale Trade	\$3,199.8	\$496.7	16,901
Manufacturing	\$3,091.3	\$95.4	18,614
Construction	\$2,650.8	\$33.3	30,015
Retail Trade	\$2,203.5	\$542.9	39,778
Health Care and Social Assistance	\$1,743.9	\$25.6	30,056
Finance and Insurance	\$1,513.5	\$66.2	16,366
Utilities	\$1,350.0	\$174.2	2,089
Accommodation and Food Services	\$1,346.2	\$196.9	32,131
Professional, Scientific, and Technical Services	\$1,256.2	\$37.8	18,165
Other Services (except Public Administration)	\$1,229.4	\$124.4	21,836
Transportation and Warehousing	\$1,011.8	\$97.2	15,793
Administrative and Support and Waste Management and Remediation Services	\$719.3	\$26.4	14,728
Information	\$695.5	\$208.0	3,546
Agriculture, Forestry, Fishing and Hunting	\$412.7	\$15.9	16,847
Management of Companies and Enterprises	\$394.9	\$9.5	3,372
Arts, Entertainment, and Recreation	\$187.6	\$33.8	5,317
Educational Services	\$92.6	\$5.4	3,175
Grand Total	\$50,917.2	\$5,182.1	424,156

^{*}Source: 2016 IMPLAN for 536 sectors aggregated by 2-digit NAICS (North American Industry Classification System)

While the mining sector led the region in economic output, the majority (68 percent) of water use in 2016 occurred in irrigated agriculture. Notably, more than 44 percent of the state's mining water use occurred within Region F. Figure 1-1 illustrates Region F's breakdown of the 2016 water use estimates by TWDB water use category.




Figure 1-1 Region F 2016 water use estimates by water use category (in acre-feet)

Source: TWDB Annual Water Use Estimates (all values in acre-feet)

1.2 Identified Regional Water Needs (Potential Shortages)

As part of the regional water planning process, the TWDB adopted water demand projections for water user groups (WUG) in Region F with input from the planning group. WUG-level demand projections were established for utilities that provide more than 100 acre-feet of annual water supply, combined rural areas (designated as county-other), and county-wide water demand projections for five non-municipal categories (irrigation, livestock, manufacturing, mining and steam-electric power). The RWPG then compared demands to the existing water supplies of each WUG to determine potential shortages, or needs, by decade.

Table 1-2 summarizes the region's identified water needs in the event of a repeat of the drought of record. Demand management, such as conservation, or the development of new infrastructure to increase supplies, are water management strategies that may be recommended by the planning group to address those needs. This analysis assumes that no strategies are implemented, and that the identified needs correspond to future water shortages. Note that projected water needs generally increase over time, primarily due to anticipated population growth, economic growth, or declining supplies. To provide a general sense of proportion, total projected needs as an overall percentage of total demand by water use category are also presented in aggregate in Table 1-2. Projected needs for individual water user groups within the aggregate can vary greatly and may reach 100% for a given WUG and water use category. A detailed summary of water needs by WUG and county appears in Chapter 4 of the 2021 Region F Regional Water Plan.

Table 1-2 Regional water needs summary by water use category

Water Use Categ	gory	2020	2030	2040	2050	2060	2070
Immigation	water needs (acre-feet per year)	13,528	17,957	18,618	19,676	22,157	24,740
Irrigation	% of the category's total water demand	3%	4%	4%	4%	5%	5%
Livestock	water needs (acre-feet per year)	9	17	25	39	50	60
Livestock	% of the category's total water demand	0%	0%	0%	0%	0%	1%
Manager	water needs (acre-feet per year)	1,137	1,226	1,269	1,461	1,664	1,851
Manufacturing	% of the category's total water demand	10%	10%	10%	12%	13%	15%
Minima	water needs (acre-feet per year)	23,009	22,916	19,702	15,080	7,993	5,880
Mining	% of the category's total water demand	21%	21%	22%	23%	17%	17%
Municipal*	water needs (acre-feet per year)	16,030	24,159	33,381	42,081	52,530	63,829
Municipal*	% of the category's total water demand	12%	16%	21%	25%	29%	34%
Steam-electric	water needs (acre-feet per year)	12,746	12,793	12,850	12,945	13,042	13,129
power	% of the category's total water demand	70%	71%	71%	72%	72%	73%
	rater needs et per year)	66,459	79,068	85,845	91,282	97,436	109,489

^{*} Municipal category consists of residential and non-residential (commercial and institutional) subcategories.

2 Impact Assessment Measures

A required component of the regional and state water plans is to estimate the potential economic and social impacts of potential water shortages during a repeat of the drought of record. Consistent with previous water plans, ten impact measures were estimated and are described in Table 2-1.

Table 2-1 Socioeconomic impact analysis measures

able 2 1 Sociocconomic impact analysis incasures				
Regional economic impacts	Description			
Income losses - value-added	The value of output less the value of intermediate consumption; it is a measure of the contribution to gross domestic product (GDP) made by an individual producer, industry, sector, or group of sectors within a year. Value-added measures used in this report have been adjusted to include the direct, indirect, and induced monetary impacts on the region.			
Income losses - electrical power purchase costs	Proxy for income loss in the form of additional costs of power as a result of impacts of water shortages.			
Job losses	Number of part-time and full-time jobs lost due to the shortage. These values have been adjusted to include the direct, indirect, and induced employment impacts on the region.			
Financial transfer impacts	Description			
Tax losses on production and imports	Sales and excise taxes not collected due to the shortage, in addition to customs duties, property taxes, motor vehicle licenses, severance taxes, other taxes, and special assessments less subsidies. These values have been adjusted to include the direct, indirect and induced tax impacts on the region.			
Water trucking costs	Estimated cost of shipping potable water.			
Utility revenue losses	Foregone utility income due to not selling as much water.			
Utility tax revenue losses	Foregone miscellaneous gross receipts tax collections.			
Social impacts	Description			
Consumer surplus losses	A welfare measure of the lost value to consumers accompanying restricted water use.			
Population losses	Population losses accompanying job losses.			
School enrollment losses	School enrollment losses (K-12) accompanying job losses.			

2.1 Regional Economic Impacts

The two key measures used to assess regional economic impacts are income losses and job losses. The income losses presented consist of the sum of value-added losses and the additional purchase costs of electrical power.

Income Losses - Value-added Losses

Value-added is the value of total output less the value of the intermediate inputs also used in the production of the final product. Value-added is similar to GDP, a familiar measure of the productivity of an economy. The loss of value-added due to water shortages is estimated by input-output analysis using the IMPLAN software package, and includes the direct, indirect, and induced monetary impacts on the region. The indirect and induced effects are measures of reduced income as well as reduced employee spending for those input sectors which provide resources to the water shortage impacted production sectors.

Income Losses - Electric Power Purchase Costs

The electrical power grid and market within the state is a complex interconnected system. The industry response to water shortages, and the resulting impact on the region, are not easily modeled using traditional input/output impact analysis and the IMPLAN model. Adverse impacts on the region will occur and are represented in this analysis by estimated additional costs associated with power purchases from other generating plants within the region or state. Consequently, the analysis employs additional power purchase costs as a proxy for the value-added impacts for the steam-electric power water use category, and these are included as a portion of the overall income impact for completeness.

For the purpose of this analysis, it is assumed that power companies with insufficient water will be forced to purchase power on the electrical market at a projected higher rate of 5.60 cents per kilowatt hour. This rate is based upon the average day-ahead market purchase price of electricity in Texas that occurred during the recent drought period in 2011. This price is assumed to be comparable to those prices which would prevail in the event of another drought of record.

Job Losses

The number of jobs lost due to the economic impact is estimated using IMPLAN output associated with each TWDB water use category. Because of the difficulty in predicting outcomes and a lack of relevant data, job loss estimates are not calculated for the steam-electric power category.

2.2 Financial Transfer Impacts

Several impact measures evaluated in this analysis are presented to provide additional detail concerning potential impacts on a portion of the economy or government. These financial transfer impact measures include lost tax collections (on production and imports), trucking costs for imported water, declines in utility revenues, and declines in utility tax revenue collected by the

Region F

state. These measures are not solely adverse, with some having both positive and negative impacts. For example, cities and residents would suffer if forced to pay large costs for trucking in potable water. Trucking firms, conversely, would benefit from the transaction. Additional detail for each of these measures follows.

Tax Losses on Production and Imports

Reduced production of goods and services accompanying water shortages adversely impacts the collection of taxes by state and local government. The regional IMPLAN model is used to estimate reduced tax collections associated with the reduced output in the economy. Impact estimates for this measure include the direct, indirect, and induced impacts for the affected sectors.

Water Trucking Costs

In instances where water shortages for a municipal water user group are estimated by RWPGs to exceed 80 percent of water demands, it is assumed that water would need to be trucked in to support basic consumption and sanitation needs. For water shortages of 80 percent or greater, a fixed, maximum of \$35,000¹ per acre-foot of water applied as an economic cost. This water trucking cost was utilized for both the residential and non-residential portions of municipal water needs.

Utility Revenue Losses

Lost utility income is calculated as the price of water service multiplied by the quantity of water not sold during a drought shortage. Such estimates are obtained from utility-specific pricing data provided by the Texas Municipal League, where available, for both water and wastewater. These water rates are applied to the potential water shortage to estimate forgone utility revenue as water providers sold less water during the drought due to restricted supplies.

Utility Tax Losses

Foregone utility tax losses include estimates of forgone miscellaneous gross receipts taxes. Reduced water sales reduce the amount of utility tax that would be collected by the State of Texas for water and wastewater service sales.

2.3 Social Impacts

Consumer Surplus Losses for Municipal Water Users

Consumer surplus loss is a measure of impact to the wellbeing of municipal water users when their water use is restricted. Consumer surplus is the difference between how much a consumer is willing and able to pay for a commodity (i.e., water) and how much they actually have to pay. The

¹ Based on staff survey of water hauling firms and historical data concerning transport costs for potable water in the recent drought in California for this estimate. There are many factors and variables that would determine actual water trucking costs including distance to, cost of water, and length of that drought.

Region F

difference is a benefit to the consumer's wellbeing since they do not have to pay as much for the commodity as they would be willing to pay. Consumer surplus may also be viewed as an estimate of how much consumers would be willing to pay to keep the original quantity of water which they used prior to the drought. Lost consumer surplus estimates within this analysis only apply to the residential portion of municipal demand, with estimates being made for reduced outdoor and indoor residential use. Lost consumer surplus estimates varied widely by location and degree of water shortage.

Population and School Enrollment Losses

Population loss due to water shortages, as well as the associated decline in school enrollment, are based upon the job loss estimates discussed in Section 2.1. A simplified ratio of job and net population losses are calculated for the state as a whole based on a recent study of how job layoffs impact the labor market population.² For every 100 jobs lost, 18 people were assumed to move out of the area. School enrollment losses are estimated as a proportion of the population lost based upon public school enrollment data from the Texas Education Agency concerning the age K-12 population within the state (approximately 19%).

-

² Foote, Andrew, Grosz, Michel, Stevens, Ann. "Locate Your Nearest Exit: Mass Layoffs and Local Labor Market Response." University of California, Davis. April 2015, http://paa2015.princeton.edu/papers/150194. The study utilized Bureau of Labor Statistics data regarding layoffs between 1996 and 2013, as well as Internal Revenue Service data regarding migration, to model the change in the population as the result of a job layoff event. The study found that layoffs impact both out-migration and in-migration into a region, and that a majority of those who did move following a layoff moved to another labor market rather than an adjacent county.

3 Socioeconomic Impact Assessment Methodology

This portion of the report provides a summary of the methodology used to estimate the potential economic impacts of future water shortages. The general approach employed in the analysis was to obtain estimates for income and job losses on the smallest geographic level that the available data would support, tie those values to their accompanying historic water use estimate, and thereby determine a maximum impact per acre-foot of shortage for each of the socioeconomic measures. The calculations of economic impacts are based on the overall composition of the economy divided into many underlying economic sectors. Sectors in this analysis refer to one or more of the 536 specific production sectors of the economy designated within IMPLAN, the economic impact modeling software used for this assessment. Economic impacts within this report are estimated for approximately 330 of these sectors, with the focus on the more water-intensive production sectors. The economic impacts for a single water use category consist of an aggregation of impacts to multiple, related IMPLAN economic sectors.

3.1 Analysis Context

The context of this socioeconomic impact analysis involves situations where there are physical shortages of groundwater or surface water due to a recurrence of drought of record conditions. Anticipated shortages for specific water users may be nonexistent in earlier decades of the planning horizon, yet population growth or greater industrial, agricultural or other sector demands in later decades may result in greater overall demand, exceeding the existing supplies. Estimated socioeconomic impacts measure what would happen if water user groups experience water shortages for a period of one year. Actual socioeconomic impacts would likely become larger as drought of record conditions persist for periods greater than a single year.

3.2 IMPLAN Model and Data

Input-Output analysis using the IMPLAN software package was the primary means of estimating the value-added, jobs, and tax related impact measures. This analysis employed regional level models to determine key economic impacts. IMPLAN is an economic impact model, originally developed by the U.S. Forestry Service in the 1970's to model economic activity at varying geographic levels. The model is currently maintained by the Minnesota IMPLAN Group (MIG Inc.) which collects and sells county and state specific data and software. The year 2016 version of IMPLAN, employing data for all 254 Texas counties, was used to provide estimates of value-added, jobs, and taxes on production for the economic sectors associated with the water user groups examined in the study. IMPLAN uses 536 sector-specific Industry Codes, and those that rely on water as a primary input were assigned to their appropriate planning water user categories (irrigation, livestock, manufacturing, mining, and municipal). Estimates of value-added for a water use category were obtained by summing value-added estimates across the relevant IMPLAN sectors associated with that water use category. These calculations were also performed for job losses as well as tax losses on production and imports.

The adjusted value-added estimates used as an income measure in this analysis, as well as the job and tax estimates from IMPLAN, include three components:

- *Direct effects* representing the initial change in the industry analyzed;
- *Indirect effects* that are changes in inter-industry transactions as supplying industries respond to reduced demands from the directly affected industries; and,
- *Induced effects* that reflect changes in local spending that result from reduced household income among employees in the directly and indirectly affected industry sectors.

Input-output models such as IMPLAN only capture backward linkages and do not include forward linkages in the economy.

3.3 Elasticity of Economic Impacts

The economic impact of a water need is based on the size of the water need relative to the total water demand for each water user group. Smaller water shortages, for example, less than 5 percent, are generally anticipated to result in no initial negative economic impact because water users are assumed to have a certain amount of flexibility in dealing with small shortages. As a water shortage intensifies, however, such flexibility lessens and results in actual and increasing economic losses, eventually reaching a representative maximum impact estimate per unit volume of water. To account for these characteristics, an elasticity adjustment function is used to estimate impacts for the income, tax and job loss measures. Figure 3-1 illustrates this general relationship for the adjustment functions. Negative impacts are assumed to begin accruing when the shortage reaches the lower bound 'b1' (5 percent in Figure 3-1), with impacts then increasing linearly up to the 100 percent impact level (per unit volume) once the upper bound reaches the 'b2' level shortage (40 percent in Figure 3-1).

To illustrate this, if the total annual value-added for manufacturing in the region was \$2 million and the reported annual volume of water used in that industry is 10,000 acre-feet, the estimated economic measure of the water shortage would be \$200 per acre-foot. The economic impact of the shortage would then be estimated using this value-added amount as the maximum impact estimate (\$200 per acre-foot) applied to the anticipated shortage volume and then adjusted by the elasticity function. Using the sample elasticity function shown in Figure 3-1, an approximately 22 percent shortage in the livestock category would indicate an economic impact estimate of 50% of the original \$200 per acre-foot impact value (i.e., \$100 per acre-foot).

Such adjustments are not required in estimating consumer surplus, utility revenue losses, or utility tax losses. Estimates of lost consumer surplus rely on utility-specific demand curves with the lost consumer surplus estimate calculated based on the relative percentage of the utility's water shortage. Estimated changes in population and school enrollment are indirectly related to the elasticity of job losses.

Assumed values for the lower and upper bounds 'b1' and 'b2' vary by water use category and are presented in Table 3-1.

Figure 3-1 Example economic impact elasticity function (as applied to a single water user's shortage)




Table 3-1 Economic impact elasticity function lower and upper bounds

Water use category	Lower bound (b1)	Upper bound (b2)
Irrigation	5%	40%
Livestock	5%	10%
Manufacturing	5%	40%
Mining	5%	40%
Municipal (non-residential water intensive subcategory)	5%	40%
Steam-electric power	N/A	N/A

3.4 Analysis Assumptions and Limitations

The modeling of complex systems requires making many assumptions and acknowledging the model's uncertainty and limitations. This is particularly true when attempting to estimate a wide range of socioeconomic impacts over a large geographic area and into future decades. Some of the key assumptions and limitations of this methodology include:

1. The foundation for estimating the socioeconomic impacts of water shortages resulting from a drought are the water needs (potential shortages) that were identified by RWPGs as part of the

- regional water planning process. These needs have some uncertainty associated with them but serve as a reasonable basis for evaluating the potential impacts of a drought of record event.
- 2. All estimated socioeconomic impacts are snapshots for years in which water needs were identified (i.e., 2020, 2030, 2040, 2050, 2060, and 2070). The estimates are independent and distinct "what if" scenarios for each particular year, and water shortages are assumed to be temporary events resulting from a single year recurrence of drought of record conditions. The evaluation assumed that no recommended water management strategies are implemented. In other words, growth occurs and future shocks are imposed on an economy at 10-year intervals, and the resulting impacts are estimated. Note that the estimates presented are not cumulative (i.e., summing up expected impacts from today up to the decade noted), but are simply snapshots of the estimated annual socioeconomic impacts should a drought of record occur in each particular decade based on anticipated water supplies and demands for that same decade.
- 3. Input-output models such as IMPLAN rely on a static profile of the structure of the economy as it appears today. This presumes that the relative contributions of all sectors of the economy would remain the same, regardless of changes in technology, availability of limited resources, and other structural changes to the economy that may occur in the future. Changes in water use efficiency will undoubtedly take place in the future as supplies become more stressed. Use of the static IMPLAN structure was a significant assumption and simplification considering the 50-year time period examined in this analysis. To presume an alternative future economic makeup, however, would entail positing many other major assumptions that would very likely generate as much or more error.
- 4. This is not a form of cost-benefit analysis. That approach to evaluating the economic feasibility of a specific policy or project employs discounting future benefits and costs to their present value dollars using some assumed discount rate. The methodology employed in this effort to estimate the economic impacts of future water shortages did not use any discounting methods to weigh future costs differently through time.
- 5. All monetary values originally based upon year 2016 IMPLAN and other sources are reported in constant year 2018 dollars to be consistent with the water management strategy requirements in the State Water Plan.
- 6. IMPLAN based loss estimates (income-value-added, jobs, and taxes on production and imports) are calculated only for those IMPLAN sectors for which the TWDB's Water Use Survey (WUS) data was available and deemed reliable. Every effort is made in the annual WUS effort to capture all relevant firms who are significant water users. Lack of response to the WUS, or omission of relevant firms, impacts the loss estimates.

- 7. Impacts are annual estimates. The socioeconomic analysis does not reflect the full extent of impacts that might occur as a result of persistent water shortages occurring over an extended duration. The drought of record in most regions of Texas lasted several years.
- 8. Value-added estimates are the primary estimate of the economic impacts within this report. One may be tempted to add consumer surplus impacts to obtain an estimate of total adverse economic impacts to the region, but the consumer surplus measure represents the change to the wellbeing of households (and other water users), not an actual change in the flow of dollars through the economy. The two measures (value-added and consumer surplus) are both valid impacts but ideally should not be summed.
- 9. The value-added, jobs, and taxes on production and import impacts include the direct, indirect and induced effects to capture backward linkages in the economy described in Section 2.1. Population and school enrollment losses also indirectly include such effects as they are based on the associated losses in employment. The remaining measures (consumer surplus, utility revenue, utility taxes, additional electrical power purchase costs, and potable water trucking costs), however, do not include any induced or indirect effects.
- 10. The majority of impacts estimated in this analysis may be more conservative (i.e., smaller) than those that might actually occur under drought of record conditions due to not including impacts in the forward linkages in the economy. Input-output models such as IMPLAN only capture backward linkages on suppliers (including households that supply labor to directly affected industries). While this is a common limitation in this type of economic modeling effort, it is important to note that forward linkages on the industries that use the outputs of the directly affected industries can also be very important. A good example is impacts on livestock operators. Livestock producers tend to suffer substantially during droughts, not because there is not enough water for their stock, but because reductions in available pasture and higher prices for purchased hay have significant economic effects on their operations. Food processors could be in a similar situation if they cannot get the grains or other inputs that they need. These effects are not captured in IMPLAN, resulting in conservative impact estimates.
- 11. The model does not reflect dynamic economic responses to water shortages as they might occur, nor does the model reflect economic impacts associated with a recovery from a drought of record including:
 - a. The likely significant economic rebound to some industries immediately following a drought, such as landscaping;
 - b. The cost and time to rebuild liquidated livestock herds (a major capital investment in that industry);
 - c. Direct impacts on recreational sectors (i.e., stranded docks and reduced tourism); or,
 - d. Impacts of negative publicity on Texas' ability to attract population and business in the event that it was not able to provide adequate water supplies for the existing economy.

- 12. Estimates for job losses and the associated population and school enrollment changes may exceed what would actually occur. In practice, firms may be hesitant to lay off employees, even in difficult economic times. Estimates of population and school enrollment changes are based on regional evaluations and therefore do not necessarily reflect what might occur on a statewide basis.
- 13. The results must be interpreted carefully. It is the general and relative magnitudes of impacts as well as the changes of these impacts over time that should be the focus rather than the absolute numbers. Analyses of this type are much better at predicting relative percent differences brought about by a shock to a complex system (i.e., a water shortage) than the precise size of an impact. To illustrate, assuming that the estimated economic impacts of a drought of record on the manufacturing and mining water user categories are \$2 and \$1 million, respectively, one should be more confident that the economic impacts on manufacturing are twice as large as those on mining and that these impacts will likely be in the millions of dollars. But one should have less confidence that the actual total economic impact experienced would be \$3 million.
- 14. The methodology does not capture "spillover" effects between regions or the secondary impacts that occur outside of the region where the water shortage is projected to occur.
- 15. The methodology that the TWDB has developed for estimating the economic impacts of unmet water needs, and the assumptions and models used in the analysis, are specifically designed to estimate potential economic effects at the regional and county levels. Although it may be tempting to add the regional impacts together in an effort to produce a statewide result, the TWDB cautions against that approach for a number of reasons. The IMPLAN modeling (and corresponding economic multipliers) are all derived from regional models a statewide model of Texas would produce somewhat different multipliers. As noted in point 14 within this section, the regional modeling used by TWDB does not capture spillover losses that could result in other regions from unmet needs in the region analyzed, or potential spillover gains if decreased production in one region leads to increases in production elsewhere. The assumed drought of record may also not occur in every region of Texas at the same time, or to the same degree.

4 Analysis Results

This section presents estimates of potential economic impacts that could reasonably be expected in the event of water shortages associated with a drought of record and if no recommended water management strategies were implemented. Projected economic impacts for the six water use categories (irrigation, livestock, manufacturing, mining, municipal, and steam-electric power) are reported by decade.

4.1 Impacts for Irrigation Water Shortages

Nine of the 32 counties in the region are projected to experience water shortages in the irrigated agriculture water use category for one or more decades within the planning horizon. Estimated impacts to this water use category appear in Table 4-1. Note that tax collection impacts were not estimated for this water use category. IMPLAN data indicates a negative tax impact (i.e., increased tax collections) for the associated production sectors, primarily due to past subsidies from the federal government. However, it was not considered realistic to report increasing tax revenues during a drought of record.

Table 4-1 Impacts of water shortages on irrigation in Region F

Impact measure	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$4	\$6	\$6	\$7	\$8	\$8
Job losses	98	137	148	170	187	200

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

4.2 Impacts for Livestock Water Shortages

One of the 32 counties in the region are projected to experience water shortages in the livestock water use category for one or more decades within the planning horizon. Estimated impacts to this water use category appear in Table 4-2.

Table 4-2 Impacts of water shortages on livestock in Region F

Impact measure	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$-	\$0	\$1	\$1	\$1	\$1
Jobs losses	-	11	26	41	52	63
Tax losses on production and imports (\$ millions)*	\$-	\$0	\$0	\$0	\$0	\$0

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

4.3 Impacts of Manufacturing Water Shortages

Manufacturing water shortages in the region are projected to occur in seven of the 32 counties in the region for at least one decade of the planning horizon. Estimated impacts to this water use category appear in Table 4-3.

Table 4-3 Impacts of water shortages on manufacturing in Region F

Impacts measure	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$457	\$535	\$576	\$684	\$821	\$982
Job losses	1,241	1,771	2,121	2,927	3,933	5,043
Tax losses on production and Imports (\$ millions)*	\$28	\$33	\$35	\$42	\$50	\$60

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

4.4 Impacts of Mining Water Shortages

Mining water shortages in the region are projected to occur in seven of the 32 counties in the region for one or more decades within the planning horizon. Estimated impacts to this water use type appear in Table 4-4.

Table 4-4 Impacts of water shortages on mining in Region F

Impacts measure	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$18,617	\$18,533	\$15,686	\$11,894	\$5,970	\$4,291
Job losses	94,650	94,226	79,758	60,489	30,375	21,842
Tax losses on production and Imports (\$ millions)*	\$2,604	\$2,592	\$2,194	\$1,663	\$834	\$599

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

4.5 Impacts for Municipal Water Shortages

Nineteen of the 32 counties in the region are projected to experience water shortages in the municipal water use category for one or more decades within the planning horizon.

Impact estimates were made for two sub-categories within municipal water use: residential and non-residential. Non-residential municipal water use includes commercial and institutional users, which are further divided into non-water-intensive and water-intensive subsectors including car wash, laundry, hospitality, health care, recreation, and education. Lost consumer surplus estimates were made only for needs in the residential portion of municipal water use. Available IMPLAN and TWDB Water Use Survey data for the non-residential, water-intensive portion of municipal demand allowed these sectors to be included in income, jobs, and tax loss impact estimate.

Trucking cost estimates, calculated for shortages exceeding 80 percent, assumed a fixed, maximum cost of \$35,000 per acre-foot to transport water for municipal use. The estimated impacts to this water use category appear in Table 4-5.

Table 4-5 Impacts of water shortages on municipal water users in Region F

Impacts measure	2020	2030	2040	2050	2060	2070
Income losses¹ (\$ millions)*	\$121	\$220	\$362	\$426	\$515	\$637
Job losses ¹	2,219	4,041	6,632	7,817	9,448	11,685
Tax losses on production and imports ¹ (\$ millions)*	\$12	\$23	\$37	\$44	\$53	\$65
Trucking costs (\$ millions)*	\$29	\$29	\$29	\$30	\$31	\$32
Utility revenue losses (\$ millions)*	\$56	\$82	\$111	\$139	\$172	\$207
Utility tax revenue losses (\$ millions)*	\$1	\$1	\$2	\$3	\$3	\$4

¹ Estimates apply to the water-intensive portion of non-residential municipal water use.

4.6 Impacts of Steam-Electric Water Shortages

Steam-electric water shortages in the region are projected to occur in four of the 32 counties in the region for one or more decades within the planning horizon. Estimated impacts to this water use category appear in Table 4-6.

Note that estimated economic impacts to steam-electric water users:

- Are reflected as an income loss proxy in the form of estimated additional purchasing costs for power from the electrical grid to replace power that could not be generated due to a shortage;
- Do not include estimates of impacts on jobs. Because of the unique conditions of power generators during drought conditions and lack of relevant data, it was assumed that the industry would retain, perhaps relocating or repurposing, their existing staff in order to manage their ongoing operations through a severe drought.
- Do not presume a decline in tax collections. Associated tax collections, in fact, would likely increase under drought conditions since, historically, the demand for electricity increases during times of drought, thereby increasing taxes collected on the additional sales of power.

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

Table 4-6 Impacts of water shortages on steam-electric power in Region F

Impacts measure	2020	2030	2040	2050	2060	2070
Income Losses (\$ millions)*	\$424	\$426	\$428	\$431	\$434	\$437

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

4.7 Regional Social Impacts

Projected changes in population, based upon several factors (household size, population, and job loss estimates), as well as the accompanying change in school enrollment, were also estimated and are summarized in Table 4-7.

Table 4-7 Region-wide social impacts of water shortages in Region F

Impacts measure	2020	2030	2040	2050	2060	2070
Consumer surplus losses (\$ millions)*	\$87	\$93	\$149	\$183	\$227	\$286
Population losses	18,031	18,394	16,283	13,117	8,078	7,130
School enrollment losses	3,449	3,518	3,115	2,509	1,545	1,364

^{*} Year 2018 dollars, rounded. Entries denoted by a dash (-) indicate no estimated economic impact. Entries denoted by a zero (\$0) indicate estimated income losses less than \$500,000.

Appendix A - County Level Summary of Estimated Economic Impacts for Region F

County level summary of estimated economic impacts of not meeting identified water needs by water use category and decade (in 2018 dollars, rounded). Values are presented only for counties with projected economic impacts for at least one decade.

(* Entries denoted by a dash (-) indicate no estimated economic impact)

			Iı	ncome losses	(Million \$)*			Job losses					
County	Water Use Category	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070
ANDREWS	IRRIGATION	\$0.07	\$1.55	\$1.98	\$2.84	\$3.51	\$3.86	2	40	51	73	91	100
ANDREWS	LIVESTOCK	-	\$0.24	\$0.57	\$0.88	\$1.13	\$1.36	-	11	26	41	52	63
ANDREWS	MANUFACTURING	\$0.74	\$18.63	\$54.78	\$155.00	\$279.33	\$417.54	5	117	343	970	1,748	2,613
ANDREWS	MINING	\$2,415.23	\$2,211.91	\$1,774.79	\$1,228.20	\$754.04	\$299.20	12,260	11,228	9,009	6,234	3,828	1,519
ANDREWS	MUNICIPAL	\$0.00	\$0.49	\$1.84	\$6.40	\$13.72	\$24.41	0	9	34	117	251	448
ANDREWS Tota	al	\$2,416.05	\$2,232.81	\$1,833.97	\$1,393.32	\$1,051.73	\$746.38	12,266	11,404	9,463	7,436	5,970	4,741
BORDEN	IRRIGATION	-	-	\$0.00	\$0.01	\$0.01	\$0.02	-	-	0	0	0	0
BORDEN Total		-	-	\$0.00	\$0.01	\$0.01	\$0.02	-	-	0	0	0	0
BROWN	IRRIGATION	\$1.14	\$1.15	\$1.14	\$1.15	\$1.14	\$1.14	27	28	28	28	28	28
BROWN	MINING	\$21.21	\$21.98	\$21.89	\$22.23	\$21.61	\$21.54	142	147	146	149	144	144
BROWN	MUNICIPAL	\$0.12	\$0.12	\$0.11	\$0.11	\$0.11	\$0.11	2	2	2	2	2	2
BROWN Total		\$22.46	\$23.24	\$23.14	\$23.48	\$22.86	\$22.79	171	177	176	178	174	174
СОКЕ	MUNICIPAL	\$2.68	\$2.64	\$2.62	\$2.61	\$2.61	\$2.61	49	48	48	48	48	48
COKE Total		\$2.68	\$2.64	\$2.62	\$2.61	\$2.61	\$2.61	49	48	48	48	48	48
COLEMAN	IRRIGATION	\$0.17	\$0.17	\$0.17	\$0.17	\$0.17	\$0.17	5	5	5	5	5	5
COLEMAN	MANUFACTURING	\$1.22	\$1.22	\$1.22	\$1.22	\$1.22	\$1.22	10	10	10	10	10	10
COLEMAN	MUNICIPAL	\$7.62	\$7.53	\$7.34	\$7.29	\$7.28	\$7.28	140	138	135	134	133	133
COLEMAN Tota	ıl	\$9.01	\$8.91	\$8.72	\$8.67	\$8.66	\$8.66	155	153	149	148	148	148
сопсно	MUNICIPAL	\$0.07	\$0.07	\$0.07	\$0.08	\$0.08	\$0.08	1	1	1	1	1	1
CONCHO Total		\$0.07	\$0.07	\$0.07	\$0.08	\$0.08	\$0.08	1	1	1	1	1	1
ECTOR	MUNICIPAL	\$1.42	\$1.55	\$2.77	\$5.68	\$22.92	\$57.07	26	28	51	104	420	1,046
ECTOR	STEAM ELECTRIC POWER	\$2.16	\$3.83	\$5.72	\$8.75	\$11.35	\$13.61	-	-	-	-	-	-

			Iı	ncome losses	(Million \$)*					Job los	sses		
County	Water Use Category	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070
ECTOR Total		\$3.58	\$5.38	\$8.50	\$14.44	\$34.27	\$70.68	26	28	51	104	420	1,046
HOWARD	MANUFACTURING	-	-	-	-	\$4.53	\$18.06	-	-	-	-	15	59
HOWARD	MUNICIPAL	\$0.98	-	-	\$1.07	\$8.98	\$22.90	18	-	-	20	165	420
HOWARD	STEAM ELECTRIC POWER	\$0.10	-	-	\$0.13	\$0.77	\$1.40	-	-	-	-	-	-
HOWARD Total		\$1.08	-	-	\$1.21	\$14.27	\$42.36	18	-	-	20	179	479
IRION	IRRIGATION	\$0.09	\$0.09	\$0.09	\$0.09	\$0.09	\$0.09	3	3	3	3	3	3
IRION	MINING	\$1,381.50	\$1,374.78	\$94.20	-	-	-	7,023	6,988	479	-	-	-
IRION Total		\$1,381.59	\$1,374.87	\$94.29	\$0.09	\$0.09	\$0.09	7,025	6,991	482	3	3	3
KIMBLE	IRRIGATION	\$0.26	\$0.26	\$0.26	\$0.26	\$0.26	\$0.26	8	8	8	8	8	8
KIMBLE	MANUFACTURING	\$104.49	\$121.99	\$121.99	\$121.99	\$121.99	\$121.99	312	364	364	364	364	364
KIMBLE	MUNICIPAL	\$4.77	\$4.72	\$4.64	\$4.61	\$4.60	\$4.60	87	87	85	85	84	84
KIMBLE Total		\$109.52	\$126.97	\$126.89	\$126.86	\$126.85	\$126.85	407	459	457	457	457	457
LOVING	MINING	\$3,202.78	\$3,202.78	\$2,463.99	\$1,202.04	\$427.69	\$571.91	16,281	16,281	12,525	6,110	2,174	2,907
LOVING Total		\$3,202.78	\$3,202.78	\$2,463.99	\$1,202.04	\$427.69	\$571.91	16,281	16,281	12,525	6,110	2,174	2,907
MARTIN	IRRIGATION	-	-	-	-	-	\$0.18	-	-	-	-	-	4
MARTIN	MUNICIPAL	\$0.04	\$0.08	\$0.19	\$0.57	\$1.11	\$1.75	1	1	3	10	20	32
MARTIN Total		\$0.04	\$0.08	\$0.19	\$0.57	\$1.11	\$1.93	1	1	3	10	20	36
MASON	MUNICIPAL	\$7.47	\$7.37	\$7.28	\$7.23	\$7.22	\$7.22	137	135	133	132	132	132
MASON Total		\$7.47	\$7.37	\$7.28	\$7.23	\$7.22	\$7.22	137	135	133	132	132	132
MCCULLOCH	MUNICIPAL	\$13.32	\$13.60	\$13.43	\$13.50	\$13.52	\$13.54	244	249	246	248	248	248
MCCULLOCH To	tal	\$13.32	\$13.60	\$13.43	\$13.50	\$13.52	\$13.54	244	249	246	248	248	248
MENARD	MUNICIPAL	\$1.68	\$1.62	\$1.57	\$1.56	\$1.56	\$1.56	31	30	29	29	29	29
MENARD Total		\$1.68	\$1.62	\$1.57	\$1.56	\$1.56	\$1.56	31	30	29	29	29	29
MIDLAND	MUNICIPAL	\$0.03	\$111.77	\$233.17	\$267.70	\$302.87	\$341.40	0	2,049	4,275	4,908	5,553	6,259
MIDLAND Total		\$0.03	\$111.77	\$233.17	\$267.70	\$302.87	\$341.40	0	2,049	4,275	4,908	5,553	6,259
MITCHELL	IRRIGATION	\$0.10	\$0.15	\$0.13	\$0.11	\$0.10	\$0.08	2	3	2	2	2	1
MITCHELL	MUNICIPAL	-	\$0.49	\$0.62	\$0.76	\$0.94	\$1.16	-	9	11	14	17	21
MITCHELL	STEAM ELECTRIC POWER	\$343.68	\$343.68	\$343.68	\$343.68	\$343.68	\$343.68	-	-	-	-	-	-
MITCHELL Tota	l	\$343.78	\$344.32	\$344.43	\$344.55	\$344.71	\$344.92	2	12	14	16	19	23

Region F

		Income losses (Million \$)* Job losses											
County	Water Use Category	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070
PECOS	MANUFACTURING	\$156.91	\$148.60	\$148.60	\$148.60	\$148.60	\$148.60	352	334	334	334	334	334
PECOS	MINING	\$2,869.87	\$2,869.87	\$2,869.87	\$2,869.87	-	-	14,588	14,588	14,588	14,588	-	-
PECOS Total		\$3,026.79	\$3,018.47	\$3,018.47	\$3,018.47	\$148.60	\$148.60	14,940	14,922	14,922	14,922	334	334
REEVES	MINING	\$8,527.63	\$8,527.63	\$8,117.65	\$6,313.72	\$4,591.80	\$3,279.86	43,348	43,348	41,264	32,094	23,341	16,672
REEVES	MUNICIPAL	\$0.45	\$0.50	\$0.55	\$0.58	\$0.60	\$0.62	8	9	10	11	11	11
REEVES Total		\$8,528.08	\$8,528.13	\$8,118.19	\$6,314.30	\$4,592.40	\$3,280.48	43,356	43,357	41,274	32,105	23,352	16,684
RUNNELS	MUNICIPAL	\$4.00	\$3.77	\$3.59	\$3.56	\$3.59	\$3.77	73	69	66	65	66	69
RUNNELS Total		\$4.00	\$3.77	\$3.59	\$3.56	\$3.59	\$3.77	73	69	66	65	66	69
SCURRY	IRRIGATION	\$2.67	\$2.68	\$2.68	\$2.68	\$2.68	\$2.68	51	51	51	51	51	51
SCURRY	MANUFACTURING	\$187.78	\$225.33	\$225.33	\$225.33	\$225.33	\$225.33	415	498	498	498	498	498
SCURRY	MINING	\$198.43	\$323.89	\$343.57	\$258.29	\$174.65	\$118.07	1,009	1,646	1,746	1,313	888	600
SCURRY	MUNICIPAL	\$1.81	\$1.60	\$1.73	\$2.36	\$5.62	\$11.66	33	29	32	43	103	214
SCURRY Total		\$390.68	\$553.50	\$573.31	\$488.66	\$408.28	\$357.74	1,508	2,225	2,327	1,905	1,540	1,363
TOM GREEN	MANUFACTURING	\$6.18	\$18.84	\$24.06	\$31.54	\$40.49	\$48.95	147	449	573	751	964	1,166
TOM GREEN	MUNICIPAL	\$74.57	\$62.49	\$80.20	\$100.73	\$116.86	\$134.43	1,367	1,146	1,470	1,847	2,142	2,465
TOM GREEN TO	tal	\$80.75	\$81.33	\$104.26	\$132.27	\$157.35	\$183.38	1,514	1,594	2,043	2,598	3,107	3,630
WARD	MUNICIPAL	-	-	-	-	\$1.19	\$1.22	-	-	-	-	22	22
WARD	STEAM ELECTRIC POWER	\$78.28	\$78.28	\$78.28	\$78.28	\$78.28	\$78.28	-	-	-	-	-	-
WARD Total		\$78.28	\$78.28	\$78.28	\$78.28	\$79.47	\$79.50	-	-	-	-	22	22
REGION F Tota	1	\$19,623.72	\$19,719.90	\$17,058.36	\$13,443.46	\$7,749.80	\$6,356.45	98,208	100,186	88,685	71,444	43,995	38,833