
**DRAFT GAM RUN 10-043 MAG (VERSION 2):
MODELED AVAILABLE GROUNDWATER FOR THE
EDWARDS-TRINITY (PLATEAU), TRINITY, AND
PECOS VALLEY AQUIFERS IN
GROUNDWATER MANAGEMENT AREA 7**

by Jerry Shi, Ph.D.
Texas Water Development Board
Groundwater Resources Division
Groundwater Availability Modeling Section
(512) 463-5076
July 11, 2012

This page is intentionally blank.

DRAFT GAM RUN 10-043 MAG (VERSION 2): MODELED AVAILABLE GROUNDWATER FOR THE EDWARDS-TRINITY (PLATEAU), TRINITY, AND PECOS VALLEY AQUIFERS IN GROUNDWATER MANAGEMENT AREA 7

by Jerry Shi, Ph.D.
Texas Water Development Board
Groundwater Resources Division
Groundwater Availability Modeling Section
(512) 463-5076
July 11, 2012

EXECUTIVE SUMMARY:

The modeled available groundwater values for Groundwater Management Area 7 for the Edwards-Trinity (Plateau), Trinity, and Pecos Valley aquifers are summarized in Table 1. These values are also listed by county (Table 2), river basin (Table 3), and regional water planning area (Table 3). The modeled available groundwater values for the relevant aquifers in Groundwater Management Area 7 were initially based on Scenario 10 of GAM Run 09-035. In GAM Run 09-035, the Edwards-Trinity (Plateau), Trinity, and Pecos Valley aquifers were simulated and reported together. Though the desired future condition statement, specifying an average drawdown of 7 feet, only explicitly references the Edwards-Trinity (Plateau) Aquifer, it is the intent of the districts to also incorporate the Trinity and Pecos Valley aquifers. This was confirmed by Ms. Caroline Runge of Menard Underground Water District acting on behalf of Groundwater Management Area 7 in an e-mail to Ms. Sarah Backhouse at the Texas Water Development Board on June 6, 2012. The results here, therefore, contain information for each of these three aquifers. The modeled available groundwater from the Edwards-Trinity (Plateau), Trinity, and Pecos Valley aquifers in Groundwater Management Area 7 that achieves the requested desired future conditions is approximately 449,400 acre-feet per year from 2010 to 2060.

Earlier draft versions of this report showed modeled available groundwater for portions of the Edwards-Trinity (Plateau) Aquifer within the Lipan-Kickapoo Water Conservation District, the Lone Wolf Groundwater Conservation District, the Hickory Underground Water Conservation District No. 1, and the portion of the Trinity Aquifer within the Uvalde Underground Water Conservation District. However, Groundwater Management Area 7 declared those counties “not relevant” for joint planning purposes. Since modeled available groundwater only applies to areas with a specified desired future condition, we updated this report to depict modeled available groundwater only in counties with specified desired future conditions.

The modeled available groundwater for Kinney County Groundwater Conservation District previously reported in Draft GAM Run 10-043 MAG (Shi and Oliver, 2011) dated January 26, 2011, has been updated in a new model run and is presented in this report. The new model run is an update of Scenario 3 of Groundwater Availability Modeling Task 10-027, which meets the desired future conditions for the area adopted by the districts of Groundwater Management Area 7.

REQUESTOR:

Mr. Allan Lange of Lipan-Kickapoo Water Conservation District on behalf of Groundwater Management Area 7.

DESCRIPTION OF REQUEST:

In a letter dated August 13, 2010, Mr. Lange provided the Texas Water Development Board (TWDB) with the desired future conditions of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 7. On June 6, 2012 TWDB clarified through e-mail with Ms. Caroline Runge of Menard Underground Water District acting on behalf of Groundwater Management Area 7 that the intent of the districts within Groundwater Management Area 7 was to also incorporate the Trinity and Pecos Valley aquifers, except where explicitly stated as non-relevant in the desired future conditions of the Edwards-Trinity (Plateau) Aquifer. The desired future conditions for the aquifer[s], as described in Resolution # 07-29-10-9 and adopted July 29, 2010 by the groundwater conservation districts within Groundwater Management Area 7, are described below:

- 1) An average drawdown of 7 feet for the Edwards-Trinity (Plateau)[, Pecos Valley, and Trinity] aquifer[s], except for the Kinney County [Groundwater Conservation District], based on Scenario 10 of the TWDB [Groundwater Availability Model] run 09-35 which is incorporated in its entirety into this resolution; and*
- 2) In Kinney County, that drawdown which is consistent with maintaining, at Las Moras Springs, an annual average flow of 23.9 [cubic feet per second] and a median flow of 24.4 [cubic feet per second] based on Scenario 3 of the Texas Water Development Board's flow model presented on July 27, 2010; and*
- 3) the Edwards-Trinity [Aquifer] is not relevant for joint planning purposes within the boundaries of the Lipan-Kickapoo [Water Conservation District], the Lone Wolf [Groundwater Conservation District], and the Hickory Underground Water Conservation District No. 1; and*
- 4) the Trinity (Hill Country) portion of the aquifer is not relevant for joint planning purposes within the boundaries of the Uvalde [Underground Water Conservation District] in [Groundwater Management Area] 7.*

METHODS, PARAMETERS AND ASSUMPTIONS:

The desired future condition for Kinney County was evaluated in a new model run (Shi and others, 2012). The new model run is an update of Scenario 3 of Groundwater Availability Modeling (GAM) Task 10-027 (Hutchison, 2010a). Both model runs were based on the MODFLOW-2000 model developed by the TWDB to assist with the joint planning process regarding the Kinney County Groundwater Conservation District (Hutchison and others, 2011b). In both model runs, the total pumping in Kinney County, which lies within Groundwater Management Areas 7 and 10, was maintained at approximately 77,000 acre-feet per year to achieve the desired future conditions at Las Moras Springs. Details regarding this new model run are summarized in Shi and others (2012).

The desired future condition for the remaining areas in Groundwater Management Area 7 was based on Scenario 10 of GAM Run 09-035 using a MODFLOW-2000 model developed by the TWDB (Hutchison and others, 2011a). Details regarding this scenario can be found in Hutchison (2010b). In GAM Run 09-035, the Edwards-Trinity (Plateau), Trinity, Pecos Valley, and Trinity aquifers were simulated and reported together. The desired future condition statement specifying of an average drawdown of 7 feet, which is achieved in the above simulation, only explicitly references the Edwards-Trinity (Plateau) Aquifer. By stating that the above simulation is “incorporated in its entirety” into the resolution, it is the intent of the districts to also incorporate the Trinity and Pecos Valley aquifers. The results below, therefore, contain information on the Trinity and Pecos Valley aquifers in addition to the Edwards-Trinity (Plateau) Aquifer. This interpretation has been confirmed by Ms. Caroline Runge on behalf of Groundwater Management Area 7 to Ms. Sarah Backhouse at the Texas Water Development Board.

The locations of the Edwards-Trinity (Plateau), Trinity, and Pecos Valley aquifers are shown in Figure 1.

RESULTS:

The modeled available groundwater values from aquifers in Groundwater Management Area 7 that achieve the desired future conditions is approximately 445,000 acre-feet per year for the Edwards-Trinity (Plateau) aquifer, 2,500 acre-feet per year for the Trinity Aquifer, and 1,600 acre-feet per year for the Pecos Valley Aquifer (Tables 1, 2, and 3). These tables contain the modeled available groundwater for the aquifers subdivided by county, regional water planning area, and river basin for use in the regional water planning process. These areas are shown in Figure 2.

Tables 4, 5, and 6 show the modeled available groundwater for the Edwards-Trinity (Plateau), Trinity, and Pecos Valley aquifers summarized by county, regional water planning area, and river basin, respectively, within Groundwater Management Area 7.

The modeled available groundwater for the aquifers within and outside the groundwater conservation districts in Groundwater Management Area 7 where they were determined to be relevant for the purposes of joint planning are presented in Table 7. As shown in Table 7, the modeled available groundwater within the groundwater conservation districts in Groundwater Management Area 7 is approximately 370,000 acre-feet per year from 2010 to 2060.

LIMITATIONS:

The groundwater model used in developing estimates of modeled available groundwater is the best available scientific tool that can be used to estimate the pumping that will achieve the desired future conditions. Although the groundwater model used in this analysis is the best available scientific tool for this purpose, it, like all models, has limitations. In reviewing the use of models in environmental regulatory decision-making, the National Research Council (2007) noted:

“Models will always be constrained by computational limitations, assumptions, and knowledge gaps. They can best be viewed as tools to help inform decisions rather than as machines to generate truth or make decisions. Scientific advances will never make it possible to build a perfect model that accounts for every aspect of reality or to prove that a given model is correct in all respects for a particular regulatory application. These characteristics make evaluation of a regulatory model more complex than solely a comparison of measurement data with model results.”

A key aspect of using the groundwater model to develop estimates of modeled available groundwater is the need to make assumptions about the location in the aquifer where future pumping will occur. As actual pumping changes in the future, it will be necessary to evaluate the amount of that pumping as well as its location in the context of the assumptions associated with this analysis. Evaluating the amount and location of future pumping is as important as evaluating the changes in groundwater levels, spring flows, and other metrics that describe the condition of the groundwater resources in the area that relate to the adopted desired future condition.

Given these limitations, users of this information are cautioned that the modeled available groundwater numbers should not be considered a definitive, permanent description of the amount of groundwater that can be pumped to meet the adopted desired future condition. Because the application of the groundwater model was designed to address regional scale questions, the results are most effective on a regional scale. Texas Water Development Board makes no warranties or representations relating to the actual conditions of any aquifer at a particular location or at a particular time.

It is important for groundwater conservation districts to monitor future groundwater pumping as well as whether or not they are achieving their desired future conditions. Because of the limitations of the groundwater model and the assumptions in this analysis, it is important that the groundwater conservation districts work with Texas Water Development Board to refine these modeled available groundwater numbers given the reality of how the aquifer responds to the actual amount and location of pumping now and in the future.

REFERENCES:

Hutchison, William R., 2010a, GAM Task 10-027: Texas Water Development Board, GAM Task 10-027 Report, 7 p.

Hutchison, William R., 2010b, GAM Run 09-035 (version 2): Texas Water Development Board, GAM Run 09-035 Report, 10 p.

Hutchison, William R., Jones, Ian, and Anaya, Roberto, 2011a, Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas, Texas Water Development Board, 59 p.

Hutchison, William R., Shi, Jerry, and Jigmond, Marius, 2011b, Groundwater Flow Model of the Kinney County Area, Texas Water Development Board, 138 p.

Shi, Jerry, Ridgeway, Cindy, and French, Larry, 2012, Draft GAM Task Report 12-002: Modeled Available Groundwater in Kinney County (April 11, 2012).

Shi, Jerry and Oliver, Wade, 2011, GAM Run 10-043 MAG (January 26, 2011).

Texas Water Development Board, 2007, Water for Texas - 2007—Volumes I-III; Texas Water Development Board Document No. GP-8-1, 392 p.

July 11, 2012

Page 12 of 15

TABLE 6. MODELED AVAILABLE GROUNDWATER FOR THE EDWARDS-TRINITY (PLATEAU), TRINITY, AND PECOS VALLEY AQUIFERS IN GROUNDWATER MANAGEMENT AREA 7 BY RIVER BASIN FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR.

River Basin	Year					
	2010	2020	2030	2040	2050	2060
Brazos	633	633	633	633	633	633
Colorado	207,392	207,392	207,392	207,392	207,392	207,392
Guadalupe	139	139	139	139	139	139
Nueces	10,527	10,527	10,527	10,527	10,527	10,527
Rio Grande	230,720	230,720	230,720	230,720	230,720	230,720
Total	449,411	449,411	449,411	449,411	449,411	449,411

TABLE 7. MODELED AVAILABLE GROUNDWATER FOR THE EDWARDS-TRINITY (PLATEAU), TRINITY, AND PECOS VALLEY AQUIFERS IN GROUNDWATER MANAGEMENT AREA 7 BY GROUNDWATER CONSERVATION DISTRICT FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR.

Groundwater Conservation District	Year					
	2010	2020	2030	2040	2050	2060
Coke County UWCD	998	998	998	998	998	998
Crockett County GCD	4,685	4,685	4,685	4,685	4,685	4,685
Glasscock GCD	106,075	106,075	106,075	106,075	106,075	106,075
Hill Country UWCD	4,996	4,996	4,996	4,996	4,996	4,996
Irion County WCD	2,435	2,435	2,435	2,435	2,435	2,435
Kimble County GCD	1,283	1,283	1,283	1,283	1,283	1,283
Kinney County GCD	70,338	70,338	70,338	70,338	70,338	70,338
Menard County UWD	2,194	2,194	2,194	2,194	2,194	2,194
Middle Pecos GCD	117,386	117,386	117,386	117,386	117,386	117,386
Plateau UWC and SD	8,050	8,050	8,050	8,050	8,050	8,050
Real-Edwards CRD	13,167	13,167	13,167	13,167	13,167	13,167
Santa Rita UWCD	27,416	27,416	27,416	27,416	27,416	27,416
Sterling County UWCD	2,497	2,497	2,497	2,497	2,497	2,497
Sutton County UWCD	6,438	6,438	6,438	6,438	6,438	6,438
Uvalde County UWCD (Edwards-Trinity Plateau)	1,635	1,635	1,635	1,635	1,635	1,635
Wes-Tex GCD	693	693	693	693	693	693




FIGURE 1. MAP SHOWING THE BOUNDARY OF THE EDWARDS-TRINITY (PLATEAU), PECOS VALLEY, AND TRINITY AQUIFERS ACCORDING TO THE 2007 STATE WATER PLAN (TWDB, 2007).




FIGURE 2. MAP SHOWING REGIONAL WATER PLANNING AREAS, GROUNDWATER CONSERVATION DISTRICTS, COUNTIES, AND RIVER BASINS IN AND NEIGHBORING GROUNDWATER MANAGEMENT AREA 7.