

## 3.1 Water Conservation Pricing

---

### *Applicability*

This BMP is intended for all Municipal Water User Groups (“utility”) wishing to send price signals to customers to encourage water conservation. A utility may have already accomplished this BMP if it currently has a conservation price structure.

### *Description*

Water Conservation Pricing is the use of rate structures that discourage the inefficient use or waste of water. Conservation pricing structures include increasing unit prices with increased consumption such as inverted block rates, base rates and excess use rates such as water budget rates, and seasonal rates. Seasonal rate structures may include additional charges for upper block (outdoor) usage or excess-use surcharges for commercial customers to reduce demand during summer months. The goal of conservation pricing is to develop long run consumption patterns consistent with cost. Under this BMP, utilities should consider establishing rates based upon long-run marginal costs, or the cost of adding the next unit of capacity to the system. An established cost of service methodology should be followed whenever rates are developed or proposed for change.

This BMP addresses conservation pricing structures for retail customers. For utilities supplying both water and sewer service, this BMP applies to pricing of both water and sewer service. Utilities that supply water but not sewer service should make good faith efforts to work with sewer agencies so that those sewer agencies do not provide sewer services for a declining block rate.

For conservation pricing structures to be effective, customers should be educated on the type of rate structure that the utility uses and be provided monthly feedback through the water bill on their monthly water use. Most customers do not track water use during the month because of the difficulty and inconvenience of reading the meter. When customers read their bill, they most often just look at the total amount billed. Conservation pricing has the advantage of providing stronger feedback to the customers who will see a larger percent increase in their water bill than the increase in water use. Utilities should move toward adopting billing software that allows customers to compare water use on their bill with average water use for their customer class as well as their individual water use for the last 12 months. The rate structure should be clearly indicated on the water bill.

It is not recommended that a minimum monthly water allotment be included in the minimum bill. The AWWA notes that minimum charges are often considered to work counter to conservation goals and are unfair to those who use less than the monthly minimum. A customer who does not use the entire amount included in the minimum during the billing period will be charged for the water allotment regardless, and thus may feel he should find a way to use the additional water. A customer in a house with all efficient fixtures and appliances

can use 1000 gallons or less per month and may be inclined to increase their water use if a minimum bill includes more than 1000 gallons<sup>1</sup>. In the Residential End Use Study<sup>2</sup>, approximately 6 percent of homes had a per capita use of less than 1000 gallons per month.

### *Implementation*

Successful adoption of a new rate structure may necessitate developing and implementing a public involvement process in order to educate the community about the new rate structure. The new rate structure should adhere to all applicable regulatory procedures and constraints. If the conservation pricing structure to be implemented is substantially different from current practices, then a phase-in approach may be appropriate.

Public involvement in the development and implementation of conservation rates can help assure that the goals of the conservation pricing initiatives will be met and accepted by local constituents. Public meetings, advisory groups, and public announcements are among ways to generate public involvement.

Development of conservation-based rate structures is more than just selection of arbitrary usage breaks. The process requires consideration of the effect on water demand and water utility finances.

- 1) Basic rate structure considerations should include rates designed to recover the cost of providing service and billing for water and sewer service based on actual metered water use. Conservation pricing should provide incentives to customers to reduce average or peak use, or both. The conservation rate structure can be designed to bring in the same amount of revenue, often termed revenue neutral, as the previous rate structure.
- 2) Only one type of conservation pricing is required for this BMP. Conservation pricing is characterized by one or more of the following components:
  - a. Seasonal rates to reduce peak demands during summer months. There are a variety of approaches including having increasing block rates only during the summer months or having a year round block rate structure with higher block rates during the summer months.
  - b. Rates in which the unit rate increases as the quantity used increases (increasing block rates). For block rate structures, the rate blocks should be set so that they impact discretionary use. A utility should analyze historical records for consumption patterns of its customers. The first block should typically cover the amount of water for normal household health and sanitary needs. To increase the effectiveness of this rate structure type, the additional revenue from the higher blocks should be associated with discretionary and seasonal outdoor water use.
    - Rates for single family residential and other customer classes may be set differently to reflect the different demand patterns of the classes.

- The price difference between blocks is very important in influencing the customer's usage behavior. Price increases between blocks should be no less than 25 percent of the previous block. For maximum effectiveness, the price difference going from one block to the next highest block is recommended to be at least 50 percent of the lower block. For example if the third block of a four-block rate structure is \$4.00 per 1000 gallons, the fourth and final block should have a rate of at least \$6.00 (50 percent higher) per 1000 gallons. Any surcharge based on water usage should be included when calculating these percentages.
- c. Rates based on individual customer water budgets in which the unit cost increases above the water budget. Water budget rate structures are based on the philosophy that a certain amount of water is adequate for all normal necessary uses, and uses above that amount are considered excessive and charged as excessive. For example, Irvine Ranch Water District in California<sup>3</sup> sets the excess use charges at 200 percent of the base rate. Typically there should be an indoor and an outdoor component to a water budget.
- For residential rates, the indoor component should be based upon estimates of average family use. The outdoor component is based upon landscape area. For business customers, water budgets will often be based upon historical average for indoor water use, and outdoor component based upon landscape area.
  - To qualify as a conservation rate, utilities that implement water budget based rate structures typically begin excess rate charges for landscaped areas at no more than 80 percent of average annual reference evapotranspiration replacement rates.
- d. Rates based upon the long-run marginal cost or the cost of adding the next unit of capacity to the system.
- 3) Conservation pricing should use a consumption charge based upon actual gallons metered. The minimum bill for service should be based on fixed costs of providing that service which generally includes service and meter charges. Including an allotment for water consumption in the minimum bill does not promote conservation and it is recommended that if a minimum is included, it not exceed 2000 gallons per month. Utilities including a water allotment in the minimum bill should consider eliminating that allotment within five years of implementing this BMP.
- 4) Adoption of lifeline rates neither qualifies nor disqualifies a rate structure as meeting the requirements of this BMP except that the minimum bill guidelines should be followed. Lifeline rates are intended to make a minimum level of water service affordable to all customers.
- 5) The utility should educate customers about the rate structure and use billing software that allows the customer to compare water use on their bill with average water use for their customer class as well as their individual water use

for the last 12 months. The rate structure should be clearly indicated on the water bill. The utility may want to consider implementing the Public Information BMP in conjunction with this BMP in order to provide customers information on how to reduce their water bill under a conservation rate structure.

- 6) In order to be able to set up an effective irrigation rate, the utility should consider adopting rules or ordinances requiring new commercial and industrial customers to install separate irrigation meters and consider retrofitting current commercial and industrial customers with irrigation meters. It is important for commercial and industrial customers to have a separate irrigation meter so they can better understand how much water they are using for irrigation. This provision is optional for this BMP.

### *Schedule*

Utilities pursuing this BMP should begin implementing this BMP according to the following schedule:

- 1) The utility should follow applicable regulatory procedures and adopt a conservation oriented rate structure within the first twelve months. The conservation rate structure should be designed to promote the efficient use of water by customer classes as outlined in this BMP.
- 2) At least annually, a utility should review the consumption patterns (including seasonal use) and its income and expense levels to determine if the conservation rates are effective and make appropriate, regular rate structure adjustments as needed.
- 3) At least annually, the utility should provide information to each customer on the conservation rate structure.
- 4) If not already in place, within five years or when the utility changes billing software, whichever is sooner, the utility bill should provide customers with their historical water use for the last 12 months and a comparison of water use with the other customers in their customer class. The rate structure should be clearly indicated on the water bill.
- 5) While not required to be implemented as part of this BMP, within one year the utility should consider adopting service rules or an ordinance requiring all new commercial and industrial customers to install separate irrigation meters and the feasibility of retrofitting commercial and industrial current customers with irrigation meters.

### *Scope*

To accomplish this BMP, the utility should implement a conservation-oriented rate structure and maintain its rate structure consistently with this BMPs definition of conservation pricing and implement the other items listed in D above.

## Documentation

To track this BMP, the utility should maintain the following documentation:

- 1) A copy of its legally adopted rate ordinance or rate tariff that follows the guidelines of this BMP;
- 2) Billing and customer records which include annual revenues by customer class and revenue derived from commodity charges by customer class for the reporting period;
- 3) Customer numbers and water consumption by customer class at the beginning and end of the reporting period;
- 4) If a water allotment is included in the minimum bill, a cumulative bill usage analysis similar to Figure C-3 in the AWWA M1 Manual;
- 5) A copy of the education materials on the conservation rate sent to customers for each calendar year this BMP is in effect;
- 6) A utility bill meeting the parameters and schedule in Section D;
- 7) Optional provisions:
  - a. A copy of the rule or ordinance requiring all new commercial and industrial customers to install separate irrigation meters; and
  - b. Implementation and schedule for an irrigation meter retrofit program for current commercial and industrial customers or a feasibility analysis of an irrigation meter retrofit program for current commercial and industrial customers.

## Determination of Water Savings

The effect of conservation pricing implementation is very specific to each utility. Elasticity studies have shown an average reduction in water use of 1 to 3 percent for every 10 percent increase in the average monthly water bill.<sup>1</sup> When implementing a conservation pricing structure, consideration should be given to the factors that influence whether the new structure results in a reduction in water use. The *Water Price Elasticities for Single-Family Homes in Texas* (See Section I. References for Additional Information, 1) study included several significant findings that water savings can be expected:

- 1) Average price is better than marginal price in explaining the quantity of water demanded by customers.
- 2) Customers have a general lack of awareness of their block rates.
- 3) The water savings that accompanies a switch to a block rate may be lost in subsequent years if water rates do not keep up with inflation.
- 4) Customers do not understand the link between water use and sewer billing and therefore do not tend to factor sewer prices into their water use decisions.

- 5) The study did find price elasticities of approximately -0.20, which translates into a reduction of 2 percent in water use for a 10 percent increase in price.

The utility should focus on a rate design that sends the appropriate price signal to customers to reduce discretionary water use. To remain effective, the rates need to be adjusted periodically to take into account inflation as well as other factors.

### *Cost Effectiveness Considerations*

A cost effectiveness analysis can be done by comparing the cost of implementing this BMP to the anticipated water savings from adopting the conservation rate structure. The costs for implementing a rate structure change are associated with managing a stakeholder involvement process and costs for consultant services, if needed, and there may be one time only costs associated with developing and adopting ordinances and enforcement procedures. There may be significant costs associated with reprogramming the billing system if this step is necessary.

### *References for Additional Information*

- 1) *Principles of Water Rates, Fees, and Charges (M1 Manual)*, AWWA, 2000.
- 2) *Residential End Uses of Water*, AWWA Research Foundation, 1999
- 3) *Irvine Ranch Excess Use Residential Water Rate*
- 4) <http://www.irwd.com/FinancialInfo/ResRates.html>
- 5) *Water Price Elasticities for Single-Family Homes in Texas*, Texas Water Development Board, August 1999.
- 6) *Designing, Evaluating, and Implementing Conservation Rate Structures*, California Urban Water Conservation Council, July 1997.
- 7) *Effectiveness of Residential Water Price and Nonprice Programs*, AWWARF, 1998.
- 8) *San Antonio Sample Water Bill*  
<http://www.saws.org/service/ebill/saws%20ebill%20sample.htm>
- 9) *Example Rate Structures*
  - *City of Austin Water Rates*  
<http://www.ci.austin.tx.us/water/rateswr03.htm>
  - *Dallas Water Utilities*  
[http://www.dallascityhall.com/dallas/eng/pdf/dwu/conservation\\_rate\\_100101.pdf](http://www.dallascityhall.com/dallas/eng/pdf/dwu/conservation_rate_100101.pdf)